

Notice

007-2016

Health Insurance Act
(chapter A-29)

Tariff for insured devices which compensate for a motor deficiency and related services

- Amendments

The RÉGIE DE L'ASSURANCE MALADIE DU QUÉBEC

HEREBY GIVES NOTICE that it has made, by resolution CA-515-16-46 of its board of directors, dated 6 December 2016, the Regulation to amend the Tariff for insured devices which compensate for a motor deficiency and related services, the text of which appears below.

Québec, 6 December 2016

[Original signed by]

Chantal Garcia
Secretary General of the Régie de l'assurance maladie du Québec

REGULATION TO AMEND THE TARIFF FOR INSURED DEVICES WHICH COMPENSATE FOR A MOTOR DEFICIENCY AND RELATED SERVICES

Health Insurance Act
(chapter A-29, s. 3, 5th par. and s. 72.1, 1st al.)

1. SCHEDULE I to the Tariff for insured devices which compensate for a motor deficiency and related services (chapter A-29, r. 9) is amended:

1° by replacing PART II of TITLE TWO with the following:

“ PART II: POSTURE ASSISTS

DEVICE	Maximum price
+4565058 Technical posture aid * The price of the technical posture aid is equal to the total price of the positioning components.	*
WARRANTY PERIOD: 3 months	
+4565078 Adjustable pediatric posture seat for adaptable stroller, including positioning for torso, pelvis and lower limbs	1 200,00
+4565069 Positioning components for head and neck, standardized or standardized modular components	350.00
+4565060 Positioning components for torso, pelvis or both, standardized or standardized modular components, excluding seat cushion	450.00
+4565070 Positioning belt specialized for pelvis, standardized	100.00
+4565061 Positioning harness for torso standardized	100.00
+4565062 Right upper limb positioning components, standardized or standardized modular components	170.00
+4565063 Left upper limb positioning components, standardized or standardized modular components	170.00
+4565064 Right lower limb positioning components, standardized or standardized modular components	200.00
+4565066 Left lower limb positioning components, standardized or standardized modular components	200.00
+4565067 Bilateral upper limb positioning components, standardized or standardized modular components	200.00
+4565068 Bilateral lower limb positioning components, standardized or standardized modular components	200.00
+4565071 Additional or replacement standard cover for specialized back	75.00

+4565074	Additional or replacement waterproof cover for specialized back	100.00
+4565072	Surcharge payable upon purchase or replacement of back or cover for complete or partial water proofing	50.00
+4565075	Surcharge payable for a large positioning component for torso, pelvis or both, width or height of more than 50.8 cm (20 in.)	50.00
+4565080	Surcharge payable for hardware allowing thoracic supports to swing away, flip back or fold	200.00
+4499900	Head or neck components, moulded or customized	450.00
+4499888	Torso positioning components, moulded or customized	500.00
+4499890	Torso and pelvic positioning component, one-piece, customized contouring	900.00
+4499891	Pelvic positioning component, moulded or customized, excluding seat cushion	200.00
+4499892	Torso positioning harness customized	100.00
+4499894	Right upper limb positioning components, moulded or customized	270.00
+4499895	Left upper limb positioning components, moulded or customized	270.00
+4499896	Right lower limb positioning components, moulded or customized	300.00
+4499897	Left lower limb positioning components, moulded or customized	300.00
+4499899	Bilateral upper limb positioning components, moulded or customized	300.00
+4499889	Bilateral lower limb positioning components, moulded or customized	300.00
+4565082	multi-segment positioning components installed in a suitable stroller	S.C.
+4565083	Head and neck positioning components	S.C.
+4565084	Positioning component for torso, pelvis or both, excluding seat cushion	S.C.
+4565085	Specialized positioning belt for pelvis	S.C.
+4565086	Torso positioning harness	S.C.
+4565087	Upper limb positioning components	S.C.
+4565088	Lower limb positioning components	S.C.
+4565089	Cover for specialized back	S.C.
	”	

2° by replacing SUBDIVISION 3 of DIVISION III of PART I of TITLE TWO by the following:

“SUBDIVISION 3: BATTERIES FOR POWERED WHEEL CHAIRS

BATTERIES (GEL)

		Price including delivery, guarantee, and recovery of non-compliant or defective batteries (price per pair)
	SUPPLIER: EAST PENN / POWER BATTERY	
	GROUP 22NF BATTERIES	
4498010	Model: 8G22NF	257.14
	SUPPLIER: EAST PENN / POWER BATTERY	
	GROUP 24 BATTERIES	
4498671	Model: 8G24T881	333.64
	SUPPLIER: EAST PENN / POWER BATTERY	
	GROUP U1 BATTERIES	
4498051	Model: 8GU1	166.00

”

3° by replacing PART I of TITLE TWO with the Appendix 1 attached hereto.

2. This Regulation comes into force on 1 March 2017, with the exception of PART II of TITLE TWO which comes into force on the date of its publication on the website of the Régie de l'assurance maladie du Québec and of SUBDIVISION 3 of DIVISION III of PART I of TITLE TWO which comes into force on 1 January 2017.

APPENDIX 1

TITLE TWO: LOCOMOTOR AND POSTURE ASSISTS (FURNISHED SOLELY BY AN INSTITUTION)

PART I: ADULT WHEEL CHAIRS

SUBDIVISION 1: MANUAL WHEEL CHAIRS

		PRICE (including all the basic components)
7150000	MANUAL WHEELCHAIR IN SUBCATEGORY “BASIC (FOLDING FRAME)”	
	MOTION COMPOSITES INC.	910.00
“CHRONOS” MODEL		
TECHNICAL SPECIFICATIONS OF THE DEVICE		
Maximum weight capacity: 113.4 kg (250 lb.)		
Device weight: 15.9 kg (35 lb.)		
Overall width: 19.1 cm (7½ in.) over the nominal seat width at 0° rear wheel camber		
Front seat-to-floor height: 31.8 cm to 52.1 cm (12½ in. to 20½ in.)		
Rear seat-to-floor height: 31.1 cm to 50.8 cm (12¼ in. to 20 in.)		
Frame: straight back canes or bend back canes from 8° to 10°, height and angle-adjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of 6°; non-slip push handles; four tie-down points for adapted transport		

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM				
7150001	Flexible nylon mesh seat, with mesh-stretching system; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N/C	36.00	12
7150002	Flat foam seat cushion, 5.1 cm (2 in.); two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion	63.00	63.00	36
7150003	Flat foam seat cushion, 7.6 cm (3 in.); two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion	104.00	104.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7150004	Flexible nylon mesh back, padded; heights of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.) or 48.3 cm (19 in.)	N/C	32.33	12
7150005	Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	83.00	115.33	12
7150006	Pelvic positioning belt, auto buckle	N/C	13.75	36
7150007	Pelvic positioning belt, Velcro	N/C	47.50	36
7150008	U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	118.00	60
7150009	U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	120.33	60
7150010	Armrest pad, straight, short	N/C	4.75	12
7150011	Armrest pad, straight, long	N/C	5.58	12
7150012	Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 35.6 cm to 45.7 cm (14 in. to 18 in.)	N/C	23.88	60
7150013	Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 35.6 cm to 45.7 cm (14 in. to 18 in.)	N/C	48.00	60
7150014	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	177.50	201.38	36
7150015	Padded calf-rest	48.75	48.75	36
7150016	Folding footplate, standard, standard size; plastic	N/C	7.75	36
7150017	Folding footplate, standard, oversize	10.00	17.75	36
7150018	Footplate, angle and depth-adjustable, standard size	90.00	97.75	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7150019	Footplate, angle and depth-adjustable, oversize	90.00	97.75	36
7150020	Heel loop, adjustable	N/C	4.50	36
7150021	Headrest cushion, contoured, all sizes	85.00	85.00	36
7150022	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	90.00	90.00	36
FRAME				
7150023	Anti-tipping wheels, detachable or pivoting, with locking mechanism	N/C	21.00	60
7150024	Fold-away back spreader bar to fold chair; with anchor for headrest bracket	70.00	70.00	36
7150025	Front impact guard with rollers	35.00	35.00	36
7150026	Cane holder	30.00	30.00	36
DRIVE SYSTEM				
7150027	Handrim, smooth	N/C	14.50	36
7150028	Handrim, plastic-coated	N/C	32.00	36
7150029	Standard wheel lock, push-to-lock or pull-to-lock	N/C	14.00	36
7150030	Plug-in wheel lock extension	10.00	10.00	36
7150031	Caster fork to adjust height and angle perpendicular to the ground to compensate for changes in the rear seat-to-floor height	N/C	9.63	36
WHEELS AND TIRES				
7150032	Front mag wheel; semi-pneumatic tire; 20.3 cm (8 in.); 2.5 cm (1 in.) wide	N/C	24.91	36
7150033	Front mag wheel; semi-pneumatic tire; 12.7 cm (5 in.) or 17.8 cm (7 in.); 2.5 cm (1 in.) wide	N/C	8.65	36
7150034	Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity to at least two horizontal positions; rear height adjustable for 5° of seat tilt, compatible with all wheel diameters	N/C	9.63	36
7150035	Threaded rear axle	N/C	4.75	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7150036	Adapter for “amputee” axle position	53.00	53.00	36
7150037	Spoked rear wheel; semi-pneumatic tire; 61 cm (24 in.); 3.5 cm (1 ³ / ₈ in.) wide	N/C	52.88	36
7150038	Spoked rear wheel; semi-pneumatic tire; 50.8 cm (20 in.) or 55.9 cm (22 in.); 3.5 cm (1 ³ / ₈ in.) wide	N/C	52.88	36

PRICE
(including all
the basic
components)

7151421	MANUAL WHEELCHAIRS IN SUBCATEGORY “INTERMEDIATE (CLASS A FOLDING FRAME)”	1,040.00
	MOTION COMPOSITES INC.	
	“COBALT 1” MODEL	

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Device weight: 16.8 kg (37 lb.)

Overall width : 19,1 cm (7½ in.) over the nominal seat width at 0° rear wheel camber

Front seat-to-floor height: 34.9 cm to 55.2 cm (13¾ in. to 21¾ in.)

Rear seat-to-floor height: 34.3 cm to 54.0 cm (13½ in. to 21¼ in.)

Frame : straight back canes or bend back canes from 8° to 10°, height and angle-adjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of 6°; non-slip push handles; four tie-down points for adapted transport

BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM				
7151422	Flexible nylon mesh seat, with mesh-stretching system; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N/C	36.00	12
7151423	Flat foam seat cushion 5.1 cm (2 in.); two strips of “velour” Velcro, 5.1 cm (2 in.) wide, under the cushion	63.00	63.00	36
7151424	Flat foam seat cushion, 7.6 cm (3 in.); two strips of “velour” Velcro, 5.1 cm (2 in.) wide, under the cushion	104.00	104.00	36
7151425	Seat – width modification to 48.3 cm (19 in.)	100.00	N/A	36
7151426	Seat – width modification to 50.8 cm (20 in.)	100.00	N/A	36

BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
7151427	Flexible nylon mesh back, padded; heights of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N/C	32.33	12
7151428	Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	83.00	115.33	12
7151429	Pelvic positioning belt, auto buckle	N/C	13.75	36
7151430	Pelvic positioning belt, Velcro	N/C	47.50	36
7151431	U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	118.00	60
7151432	T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	118.00	60
7151433	U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	120.33	60
7151434	T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	120.33	60
7151435	Armrest pad, straight, short	N/C	4.75	12
7151436	Armrest pad, straight, long	N/C	5.58	12
7151437	Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 35.6 cm to 45.7 cm (14 in. to 18 in.)	N/C	23.88	60
7151438	Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 35.6 cm to 45.7 cm (14 in. to 18 in.)	N/C	48.00	60

BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
7151439	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	177.50	201.38	36
7151440	Padded calf-rest	48.75	48.75	36
7151441	Calf-rest strap, single or double	20.00	20.00	36
7151442	Folding footplate, standard, standard size; plastic	N/C	7.75	36
7151443	Folding footplate, standard, oversize; plastic	10.00	17.75	36
7151444	Footplate, angle and depth-adjustable, standard size	90.00	97.75	36
7151445	Footplate, angle and depth-adjustable, oversize	90.00	97.75	36
7151446	Heel loop, adjustable	N/C	4.50	36
7151447	Headrest cushion, contoured, all sizes	85.00	85.00	36
7151448	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	90.00	90.00	36
FRAME				
7151449	Anti-tipping wheels, detachable or pivoting, with locking mechanism	N/C	21.00	60
7151450	Fold-away back spreader bar to fold chair; with anchor for headrest bracket	70.00	70.00	36
7151451	Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	400.00	N/A	36
7151452	Front impact guard with rollers	35.00	35.00	36
7151453	Cane holder	30.00	30.00	36
DRIVE SYSTEM				
7151454	Handrim, smooth	N/C	14.50	36
7151455	Handrim, plastic-coated	N/C	32.00	36
7151456	Handrim with vertical projections	110.00	124.50	36

BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
7151457	Non-slip foam handrim	110.00	124.50	36
7151458	Standard wheel lock, push-to-lock or pull-to-lock	N/C	14.00	36
7151459	Anti-rollback brake	106.00	120.00	36
7151460	Plug-in wheel lock extension	10.00	10.00	36
7151461	Caster fork to adjust height and angle perpendicular to the ground to compensate for changes in the rear seat-to-floor height	N/C	9.63	36
WHEELS AND TIRES				
7151462	Front mag wheel; semi-pneumatic tire; 20.3 cm (8 in.); 2.5 cm (1 in.) wide	N/C	24.91	36
7151463	Front mag wheel; semi-pneumatic tire; 12.7 cm (5 in.) or 17.8 cm (7 in.); 2.5 cm (1 in.) wide	N/C	8.65	36
7151464	Front wheel; inner tube; 15.2 cm (6 in.) or 20.3 cm (8 in.)	40.00	64.91	36
7151465	Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity to four horizontal positions; rear height adjustable for 5° of seat tilt, compatible with all wheel diameters	N/C	9.63	36
7151466	Threaded rear axle	N/C	4.75	36
7151467	Adapter for “amputee” axle position	53.00	53.00	36
7151468	Spoked rear wheel; semi-pneumatic tire; 61 cm (24 in.); 3.5 cm (1 ³ / ₈ in.) wide	N/C	52.88	36
7151469	Spoked rear wheel; semi-pneumatic tire; 50.8 cm (20 in.) or 55.9 cm (22 in.); 3.5 cm (1 ³ / ₈ in.) wide	N/C	52.88	36
7151470	Rear wheel; inner tube, standard pressure; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	50.00	102.88	36
7151471	Rear wheel, heavy-duty; semi-pneumatic tire; 55.9 cm (22 in.) or 61 cm (24 in.)	80.00	132.88	36
7151472	Spoke guard	65.00	65.00	36

PRICE
(including all
the basic
components)

7151013 **MANUAL WHEELCHAIR
IN SUBCATEGORY “INTERMEDIATE
(CLASS A FOLDING FRAME)”**

ORTHOFAB INC.

1,175.00

“PRIMA 4” MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Device weight: 18 kg (40 lb.)

Overall width : 19,8 cm (7⁷/₈ in.) over the nominal seat width at 0° rear wheel camber

Front seat-to-floor height: 35.6 cm to 55.2 cm (14 in. to 21³/₄ in.)

Rear seat-to-floor height: 33.7 cm to 49.8 cm (13¹/₄ in. to 19⁵/₈ in.)

Frame : straight back canes or bend back canes from 8° to 10°, height and angle-adjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of 6°; non-slip push handles; four tie-down points for adapted transport

BASIC AND OPTIONAL COMPONENTS

**Unit price for
component
during device
purchase**

**Unit price for
component
replacement**

**Warranty
(months)**

BODY SUPPORT SYSTEM

7150039	Flexible nylon mesh seat, with mesh-stretching system; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N/C	30.00	12
7150040	Flat foam seat cushion, 5.1 cm (2 in.); two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion	60.00	60.00	36
7150041	Flat foam seat cushion, 7.6 cm (3 in.); two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion	65.00	65.00	36
7150042	Seat – width modification to 48.3 cm (19 in.)	99.00	N/A	36
7150043	Seat – width modification to 50.8 cm (20 in.)	99.00	N/A	36

BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
7150044	Flexible nylon mesh back, padded; heights of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.) or 58.4 cm (23 in.)	N/C	80.00	12
7150045	Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	40.00	120.00	12
7150046	Pelvic positioning belt, auto buckle	N/C	6.00	36
7150047	Pelvic positioning belt, Velcro	N/C	15.00	36
7150048	U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	150.00	60
7150049	T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	150.00	60
7150050	U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	150.00	60
7150051	T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	150.00	60
7150052	Armrest pad, straight, short	N/C	6.00	12
7150053	Armrest pad, straight, long	N/C	6.00	12
7150054	Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or 48.3 cm to 53.3 cm (19 in. to 21 in.)	N/C	100.00	60

BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
7150055	Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or 48.3 cm to 53.3 cm (19 in. to 21 in.)	N/C	100.00	60
7150056	Elevating leg-rest, compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; padded calf-rest, height and depth-adjustable	100.00	200.00	36
7150057	Padded calf-rest	15.00	15.00	36
7150058	Calf-rest strap, single or double	15.00	15.00	36
7150059	Folding footplate, standard, standard size; plastic	N/C	6.00	36
7150060	Folding footplate, standard, oversize; plastic	29.00	35.00	36
7150061	Footplate, angle and depth-adjustable, standard size	44.00	50.00	36
7150062	Footplate, angle and depth-adjustable, oversize	49.00	55.00	36
7150063	Heel loop, adjustable	N/C	3.00	36
7150064	Headrest cushion, flat, all sizes	40.00	40.00	36
7150065	Headrest bracket, height and depth-adjustable	35.00	35.00	36
FRAME				
7150066	Anti-tipping wheels, detachable or pivoting, with locking mechanism	N/C	12.00	60
7150067	Fold-away back spreader bar to fold chair; with anchor for headrest bracket	75.00	75.00	36
7150068	Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	103.00	N/A	36
7150069	Front impact guard with rollers	10.00	10.00	36
7150070	Cane holder	25.00	25.00	36
DRIVE SYSTEM				
7150071	Handrim, smooth	N/C	80.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
7150072	Handrim, plastic-coated	N/C	80.00	36
7150073	Handrim with oblique projections	N/C	80.00	36
7150074	Non-slip foam handrim	40.00	120.00	36
7150075	Standard wheel lock, push-to-lock or pull-to-lock	N/C	30.00	36
7150076	Anti-rollback brake	25.00	55.00	36
7150077	Plug-in wheel lock extension	10.00	10.00	36
7150078	Caster fork to adjust height and angle perpendicular to the ground to compensate for changes in the rear seat-to-floor height	N/C	15.00	36
WHEELS AND TIRES				
7150079	Front mag wheel; semi-pneumatic tire; 17.8 cm (7 in.) or 20.3 cm (8 in.); 2.54 cm (1 in.) or 3.8 cm (1½ in.) wide	N/C	40.00	36
7150080	Front mag wheel; semi-pneumatic tire; 12.7 cm (5 in.) or 15.2 cm (6 in.); 3.8 cm (1½ in.) wide	N/C	40.00	36
7150081	Front wheel; inner tube; 15.2 cm (6 in.), 17.8 cm (7 in.) or 20.3 cm (8 in.)	10.00	50.00	36
7150082	Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity to four horizontal positions; rear height adjustable for 5° of seat tilt, compatible with all wheel diameters	N/C	15.00	36
7150083	Threaded rear axle	N/C	2.00	36
7150084	Adapter for “amputee” axle position	10.00	10.00	36
7150085	Spoked rear wheel; semi-pneumatic tire; 61 cm (24 in.); 3.2 cm (1¼ in.) wide	N/C	100.00	36
7150086	Spoked rear wheel; semi-pneumatic tire; 50.8 cm (20 in.) or 55.9 cm (22 in.); 3.2 cm (1¼ in.) wide	N/C	100.00	36
7150087	Rear wheel; inner tube, standard pressure; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N/C	100.00	36
7150088	Rear wheel, heavy-duty; semi-pneumatic tire; 55.9 cm (22 in.) or 61 cm (24 in.)	50.00	150.00	36
7150089	Spoke guard	70.00	70.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
				PRICE (including all the basic components)
7151014	MANUAL WHEELCHAIR IN SUBCATEGORY “INTERMEDIATE (CLASS B FOLDING FRAME)”			
	MOTION COMPOSITES INC.			1,040.00
	“COBALT 2” MODEL			

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Device weight: 15.9 kg (35 lb.)

Overall width: 19,1 cm (7½ in.) over the nominal seat width at 0° rear wheel camber

Front seat-to-floor height: 31.8 cm to 52.1 cm (12½ in. to 20½ in.)

Rear seat-to-floor height: 31.1 cm to 50.8 cm (12¼ in. to 20 in.)

Frame : straight back canes or bend back canes from 8° to 10°, height and angle-adjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of 6°; non-slip push handles; four tie-down points for adapted transport

BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM				
7151015	Flexible nylon mesh seat, with mesh-stretching system; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N/C	36.00	12
7151016	Flat foam seat cushion, 5.1 cm (2 in.); two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion	63.00	63.00	36
7151017	Flat foam seat cushion, 7.6 cm (3 in.); two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion	104.00	104.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
7151018	Seat – width modification to 48.3 cm (19 in.)	100.00	N/A	36
7151019	Seat – width modification to 50.8 cm (20 in.)	100.00	N/A	36
7151020	Flexible nylon mesh back, padded; heights of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.) 48.3 cm (19 in.) or 50.8 cm (20 in.)	N/C	32.33	12
7151021	Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	83.00	115.33	12
7151022	Pelvic positioning belt, auto buckle	N/C	13.75	36
7151023	Pelvic positioning belt, Velcro	N/C	47.50	36
7151024	U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	118.00	60
7151025	T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	118.00	60
7151026	U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	120.33	60
7151027	T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	120.33	60
7151028	Armrest pad, straight, short	N/C	4.75	12
7151029	Armrest pad, straight, long	N/C	5.58	12
7151030	Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 35.6 cm to 45.7 cm (14 in. to 18 in.)	N/C	23.88	60
7151031	Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 35.6 cm to 45.7 cm (14 in. to 18 in.)	N/C	48.00	60

BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
7151032	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	177.50	201.38	36
7151033	Padded calf-rest	48.75	48.75	36
7151034	Calf-rest strap, single or double	20.00	20.00	36
7151035	Folding footplate, standard, standard size; plastic	N/C	7.75	36
7151036	Folding footplate, standard, oversize; plastic	10.00	17.75	36
7151037	Footplate, angle and depth-adjustable, standard size	90.00	97.75	36
7151038	Footplate, angle and depth-adjustable, oversize	90.00	97.75	36
7151039	Heel loop, adjustable	N/C	4.50	36
7151040	Headrest cushion, contoured, all sizes	85.00	85.00	36
7151041	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	90.00	90.00	36
FRAME				
7151042	Anti-tipping wheels, detachable or pivoting, with locking mechanism	N/C	21.00	60
7151043	Fold-away back spreader bar to fold chair; with anchor for headrest bracket	70.00	70.00	36
7151044	Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	400.00	N/A	36
7151045	Front impact guard with rollers	35.00	35.00	36
7151046	Cane holder	30.00	30.00	36
DRIVE SYSTEM				
7151047	Handrim, smooth	N/C	14.50	36
7151048	Handrim, plastic-coated	N/C	32.00	36
7151049	Non-slip foam handrim	110.00	124.50	36

BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
7151050	Handrim with vertical projections	110.00	124.50	36
7151051	Standard wheel lock, push-to-lock or pull-to-lock	N/C	14.00	36
7151052	Anti-rollback brake	106.00	120.00	36
7151053	Plug-in wheel lock extension	10.00	10.00	36
7151054	Caster fork to adjust height and angle perpendicular to the ground to compensate for changes in the rear seat-to-floor height	N/C	9.63	36
WHEELS AND TIRES				
7151055	Front mag wheel; semi-pneumatic tire; 20.3 cm (8 in.); 2.5 cm (1 in.) wide	N/C	24.91	36
7151056	Front mag wheel; semi-pneumatic tire; 12.7 cm (5 in.) or 17.8 cm (7 in.); 2.5 cm (1 in.) wide	N/C	8.65	36
7151057	Front wheel; inner tube; 15.2 cm (6 in.) or 20.3 cm (8 in.)	40.00	64.91	36
7151058	Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity to four horizontal positions; rear height adjustable for 5° of seat tilt, compatible with all wheel diameters	N/C	9.63	36
7151059	Threaded rear axle	N/C	4.75	36
7151060	Adapter for “amputee” axle position	53.00	53.00	36
7151061	Spoked rear wheel; semi-pneumatic tire; 61 cm (24 in.); 3.5 cm (1 ³ / ₈ in.) wide	N/C	52.88	36
7151062	Spoked rear wheel; semi-pneumatic tire; 50.8 cm (20 in.) or 55.9 cm (22 in.); 3.5 cm (1 ³ / ₈ in.) wide	N/C	52.88	36
7151063	Rear wheel, heavy-duty; semi-pneumatic tire; 55.9 cm (22 in.) or 61 cm (24 in.)	80.00	132.88	36
7151064	Rear wheel; inner tube, standard pressure; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	50.00	102.88	36
7151065	Spoke guard	65.00	65.00	36

PRICE
(including all
the basic
components)

7151066 **MANUAL WHEELCHAIR
IN SUBCATEGORY “MULTI-ADJUSTABLE
(CLASS A FOLDING FRAME)”**

MOTION COMPOSITES INC.

1,200.00

“PLATINE 1” MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Device weight: 16.8 kg (37 lb.)

Overall width: 19,1 cm (7½ in.) over the nominal seat width at 0° rear wheel camber

Front seat-to-floor height: 34.3 cm to 54.0 cm (13¾ in. to 21¾ in.)

Rear seat-to-floor height: 31.1 cm to 50.8 cm (13½ in. to 21¼ in.)

Frame : straight back canes or bend back canes from 8° to 10°, height and angle-adjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of 6°; non-slip push handles; four tie-down points for adapted transport

BASIC AND OPTIONAL COMPONENTS

**Unit price for
component
during device
purchase**

**Unit price for
component
replacement**

**Warranty
(months)**

BODY SUPPORT SYSTEM

7151067	Flexible nylon mesh seat, with mesh-stretching system; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N/C	36.00	12
7151068	Flat foam seat cushion, 5.1 cm (2 in.); two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion	63.00	63.00	36
7151069	Flat foam seat cushion, 7.6 cm (3 in.); two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion	104.00	104.00	36
7151070	Seat – depth modification to 48.3 cm (19 in.)	N/C	N/A	36
7151071	Seat – depth modification to 50.8 cm (20 in.)	N/C	N/A	36

BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
7151072	Seat – width modification to 53.3 cm (21 in.)	400.00	N/A	36
7151073	Seat – width modification to 55.9 cm (22 in.)	400.00	N/A	36
7151074	Flexible nylon mesh back, padded; heights of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N/C	32.33	12
7151075	Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	83.00	115.33	12
7151076	Pelvic positioning belt, auto buckle	N/C	13.75	36
7151077	Pelvic positioning belt, Velcro	N/C	47.50	36
7151078	L-type armrest, long; pivoting and detachable; height-adjustable by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid or flexible, detachable; tubular armrest pad	N/C	118.00	60
7151079	U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	118.00	60
7151080	T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	118.00	60
7151081	U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	120.33	60
7151082	T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	120.33	60
7151083	Armrest pad, straight, short	N/C	4.75	12
7151084	Armrest pad, straight, long	N/C	5.58	12
7151085	Armrest pad, tubular, for L-type armrest	N/C	40.00	12
7151086	Clothing guard, rigid, for L-type armrest	N/C	77.00	36
7151087	Clothing guard, flexible, for L-type armrest	N/C	77.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
7151088	Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.)	N/C	23.88	60
7151089	Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.)	N/C	48.00	60
7151090	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	177.50	201.38	36
7151091	Padded calf-rest	48.75	48.75	36
7151092	Calf-rest strap, single or double	20.00	20.00	36
7151093	Folding footplate, standard, standard size; plastic	N/C	7.75	36
7151094	Folding footplate, standard, oversize; plastic	10.00	17.75	36
7151095	Footplate, angle and depth-adjustable, standard size	90.00	97.75	36
7151096	Footplate, angle and depth-adjustable, oversize	90.00	97.75	36
7151097	Full-width footplate, one piece, folding; fixed angle or angle-adjustable	120.00	135.50	36
7151098	Heel loop, adjustable	N/C	4.50	36
7151099	Headrest cushion, contoured, all sizes	85.00	85.00	36
7151100	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	90.00	90.00	36
FRAME				
7151101	Fold-away back spreader bar to fold chair; with anchor for headrest bracket	70.00	70.00	36
7151102	Anti-tipping wheels, detachable or pivoting, with locking mechanism	N/C	21.00	60
7151103	Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	400.00	N/A	36

BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
7151104	Front impact guard with rollers	35.00	35.00	36
7151105	Cane holder	30.00	30.00	36
DRIVE SYSTEM				
7151106	Handrim, smooth	N/C	14.50	36
7151107	Handrim, plastic-coated	N/C	32.00	36
7151108	Handrim with vertical projections	110.00	124.50	36
7151109	Non-slip foam handrim	110.00	124.50	36
7151110	Standard wheel lock, push-to-lock or pull-to-lock	N/C	14.00	36
7151111	Anti-rollback brake	106.00	120.00	36
7151112	Plug-in wheel lock extension	10.00	10.00	36
7151113	Caster fork to adjust height and angle perpendicular to the ground to compensate for changes in the rear seat-to-floor height	N/C	9.63	36
WHEELS AND TIRES				
7151114	Front mag wheel; semi-pneumatic tire; 20.3 cm (8 in.); 2.5 cm (1 in.) wide	N/C	24.91	36
7151115	Front mag wheel; semi-pneumatic tire; 12.7 cm (5 in) or 17.8 cm (7 in.); 2.5 cm (1 in.) wide	N/C	8.65	36
7151116	Front wheel; inner tube; 15.2 cm (6 in.) or 20.3 cm (8 in.)	40.00	64.91	36
7151117	Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity by maximum increments of 0.63 cm (¼ in.) on a horizontal range of 6.4 cm (2½ in.); adjustable rear height by maximum increments of 2 cm (¾ in.) for up to 6.4 cm (2½ in.) of seat tilt, compatible with all wheel diameters	N/C	9.63	36
7151118	Threaded rear axle	N/C	4.75	36
7151119	Adapter for “amputee” axle position	53.00	53.00	36
7151120	Spoked rear wheel; semi-pneumatic tire; 61 cm (24 in.); 3.5 cm (1⅜ in.) wide	N/C	52.88	36

BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
7151121	Spoked rear wheel; semi-pneumatic tire; 50.8 cm (20 in.) or 55.9 cm (22 in.); 3.5 cm (1 ³ / ₈ in.) wide	N/C	52.88	36
7151122	Spoked rear wheel; inner tube, high pressure; 55.9 cm (22 in.) or 61 cm (24 in.)	60.00	112.88	36
7151123	Spoked rear wheel; inner tube, standard pressure; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	50.00	102.88	36
7151124	Rear wheel, heavy-duty; semi-pneumatic tire; 55.9 cm (22 in.) or 61 cm (24 in.)	80.00	132.88	36
7151125	Rear wheel camber, 3° or 6°	100.00	100.00	36
7151126	Spoke guard	65.00	65.00	36

PRICE
(including all
the basic
components)

7151127 **MANUAL WHEELCHAIR
IN SUBCATEGORY “MULTI-ADJUSTABLE
(CLASS B FOLDING FRAME)”**

MOTION COMPOSITES INC.

1,200.00

“PLATINE 2” MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Device weight: 15.9 kg (35 lb.)

Overall width: 19,1 cm (7½ in.) over the nominal seat width at 0° rear wheel camber

Front seat-to-floor height: 31.8 cm to 52.1 cm (12½ in. to 20½ in.)

Rear seat-to-floor height: 31.1 cm to 50.8 cm (12¼ in. to 20 in.)

Frame : straight back canes or bend back canes from 8° to 10°, height and angle-adjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of 6°; non-slip push handles; four tie-down points for adapted transport

BASIC AND OPTIONAL COMPONENTS

**Unit price for
component
during device
purchase**

**Unit price for
component
replacement**

**Warranty
(months)**

BODY SUPPORT SYSTEM

7151128	Flexible nylon mesh seat, with mesh-stretching system; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N/C	36.00	12
7151129	Flat foam seat cushion, 5.1 cm (2 in.); two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion	63.00	63.00	36
7151130	Flat foam seat cushion, 7.6 cm (3 in.); two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion	104.00	104.00	36
7151131	Flexible nylon mesh back, padded; heights of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N/C	32.33	12

BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
7151132	Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	83.00	115.33	12
7151133	Pelvic positioning belt, auto buckle	N/C	13.75	36
7151134	Pelvic positioning belt, Velcro	N/C	47.50	36
7151135	U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	118.00	60
7151136	T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	118.00	60
7151137	U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	120.33	60
7151138	T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	120.33	60
7151139	L-type armrest, long; pivoting and detachable; height-adjustable by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, flexible or rigid, detachable; tubular armrest pad.	N/C	118.00	60
7151140	Armrest pad, straight, short	N/C	4.75	12
7151141	Armrest pad, straight, long	N/C	5.58	12
7151142	Armrest pad, tubular, for L-type armrest	N/C	40.00	12
7151143	Clothing guard, rigid, for L-type armrest	N/C	77.00	36
7151144	Clothing guard, flexible, for L-type armrest	N/C	77.00	36
7151145	Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.)	N/C	23.88	60

BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
7151146	Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.)	N/C	48.00	60
7151147	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	177.50	201.38	36
7151148	Padded calf-rest	48.75	48.75	36
7151149	Calf-rest strap, single or double	20.00	20.00	36
7151150	Folding footplate, standard, standard size; plastic	N/C	7.75	36
7151151	Folding footplate, standard, oversize; plastic	10.00	17.75	36
7151152	Footplate, angle and depth-adjustable, standard size	90.00	97.75	36
7151153	Footplate, angle and depth-adjustable, oversize	90.00	97.75	36
7151154	Full-width footplate, one piece, folding; fixed angle or angle-adjustable	120.00	135.50	36
7151155	Heel loop, adjustable	N/C	4.50	36
7151156	Headrest cushion, contoured, all sizes	85.00	85.00	36
7151157	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	90.00	90.00	36
	FRAME			
7151158	Anti-tipping wheels, detachable or pivoting, with locking mechanism	N/C	21.00	60
7151159	Fold-away back spreader bar to fold chair; with anchor for headrest bracket	70.00	70.00	36
7151160	Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	400.00	N/A	36
7151161	Front impact guard with rollers	35.00	35.00	36
7151162	Cane holder	30.00	30.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
DRIVE SYSTEM				
7151163	Handrim, smooth	N/C	14.50	36
7151164	Handrim, plastic-coated	N/C	32.00	36
7151165	Handrim with vertical projections	110.00	124.50	36
7151166	Non-slip foam handrim	110.00	124.50	36
7151167	Standard wheel lock, push-to-lock or pull-to-lock	N/C	14.00	36
7151168	Anti-rollback brake	106.00	120.00	36
7151169	Plug-in wheel lock extension	10.00	10.00	36
7151170	Caster fork to adjust height and angle perpendicular to the ground to compensate for changes in the rear seat-to-floor height	N/C	9.63	36
WHEELS AND TIRES				
7151171	Front mag wheel; semi-pneumatic tire; 20.3 cm (8 in.); 2.5 cm (1 in.) wide	N/C	24.91	36
7151172	Front mag wheel; semi-pneumatic tire; 12.7 cm (5 in.) or 17.8 cm (7 in.); 2.5 cm (in.) wide	N/C	8.65	36
7151173	Front wheel; inner tube; 15.2 cm (6 in.) or 20.3 cm (8 in.)	40.00	64.91	36
7151174	Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity by maximum increments of 0.63 cm (¼ in.) on a horizontal range of 6.4 cm (2½ in.); adjustable rear height by maximum increments of 2 cm (¾ in.) for up to 6.4 cm (2½ in.) of seat tilt, compatible with all wheel diameters	N/C	9.63	36
7151175	Threaded rear axle	N/C	4.75	36
7151176	Adapter for “amputee” axle position	53.00	53.00	36
7151177	Spoked rear wheel; semi-pneumatic tire; 61 cm (24 in.); 3.5 cm (1⅜ in.) wide	N/C	52.88	36
7151178	Spoked rear wheel; semi-pneumatic tire; 50.8 cm (20 in.) or 55.9 cm (22 in.); 3.5 cm (1⅜ in.) wide	N/C	52.88	36
7151179	Rear wheel, heavy-duty; semi-pneumatic tire; 55.9 cm (22 in.) or 61 cm (24 in.)	80.00	132.88	36

BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
7151180	Rear wheel, heavy-duty; inner tube, high pressure; 55.9 cm (22 in.) or 61 cm (24 in.)	92.00	144.88	36
7151181	Spoked rear wheel; inner tube, standard pressure; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	50.00	102.88	36
7151182	Spoked rear wheel; inner tube, high pressure; 55.9 cm (22 in.) or 61 cm (24 in.)	60.00	112.88	36
7151183	Rear wheel camber, 3° or 6°	100.00	100.00	36
7151184	Spoke guard	65.00	65.00	36

SUBDIVISION 2: LIGHTWEIGHT MANUAL WHEEL CHAIRS

**PRICE
(including all
the basic
components)**

**7151258 LIGHTWEIGHT MANUAL WHEELCHAIR
IN SUBCATEGORY “CLASS 2 RIGID PERFORMANCE FRAME”**

SUNRISE MEDICAL CANADA INC.

1,190.00

“QUICKIE QRI” MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 120.2 kg (265 lb.)

Device weight: 13.6 kg (30 lb.)

Overall width: 20,3 cm (8 in.) over the nominal seat width at 0° rear wheel camber

Front seat-to-floor height: 38.1 cm to 53.3 cm (15 in. to 21 in.)

Rear seat-to-floor height: 35.6 cm to 50.8 cm (14 in. to 20 in.)

Frame : Fold-away back canes, height-adjustable and angle-adjustable from 80° to 100° by maximum increments of 6°; built into push handles, non-slip; four tie-down points for adapted transport

BASIC AND OPTIONAL COMPONENTS

**Unit price for
component
during device
purchase**

**Unit price for
component
replacement**

**Warranty
(months)**

BODY SUPPORT SYSTEM

7151259	Flexible nylon mesh seat, with mesh-stretching system; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.) or 48.3 cm (19 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.) or 48.3 cm (19 in.)	N/C	55.00	12
7151260	Flat foam seat cushion, 5.1 cm (2 in.); two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion	48.00	48.00	36
7151261	Flat foam seat cushion, 7.6 cm (3 in.); two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion	55.00	55.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
7151262	Flexible nylon mesh back, padded; heights of 25.4 cm (10 in.), 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N/C	40.00	12
7151263	Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps—except for backs ≤ 38.1 cm (15 in.)—spread across the height of the back	N/C	45.00	12
7151264	Pelvic positioning belt, auto buckle	N/C	35.00	36
7151265	Pelvic positioning belt, Velcro	N/C	29.00	36
7151266	L-type armrest, long; pivoting and detachable; height-adjustable, from 22.9 cm to 33 cm (9 in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, detachable; armrest pad, tubular	N/C	96.00	60
7151267	T-type armrest, short or long; detachable; height-adjustable, from 17.8 cm to 34.3 cm (7 in. to 13½ in.), with locking mechanism; armrest pad, straight	24.00	120.00	60
7151268	Armrest pad, tubular, for L-type armrest	N/C	2.00	12
7151269	Armrest pad, straight, short or long	7.00	9.00	12
7151270	Clothing guard, flexible	N/C	22.00	36
7151271	Clothing guard, rigid, for L-type armrest	N/C	20.00	36
7151272	Calf-rest strap, single	N/C	19.00	36
7151273	Calf-rest strap, double	6.00	25.00	36
7151274	Footplate, full-width, standard, aluminum	N/C	65.00	36
7151275	Footplate, full-width, angle-adjustable	N/C	111.00	36
FRAME				
7151276	Push handle, bolt-on or fold-down	N/C	51.00	36
7151277	Anti-tipping wheels, detachable or pivoting, with locking mechanism	N/C	28.00	60

DRIVE SYSTEM

BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
7151278	Handrim, smooth	N/C	40.00	36
7151279	Handrim, plastic-coated	N/C	40.00	36
7151280	Non-slip foam handrim	85.00	125.00	36
7151281	Handrim with vertical or oblique projections	45.00	85.00	36
7151282	Standard wheel lock, push-to-lock or pull-to-lock	N/C	32.00	36
7151283	Scissor lock	4.00	36.00	36
7151284	Anti-rollback brake	34.00	66.00	36
7151285	Plug-in wheel lock extension	7.00	7.00	36
7151286	Caster fork to adjust height	N/C	32.00	36
WHEELS AND TIRES				
7151287	Front mag wheel; semi-pneumatic tire; 12.7 cm (5 in.); 2.5 cm (1 in.) or 3.8 cm (1½ in.) wide	N/C	15.00	36
7151288	Front mag wheel; semi-pneumatic tire; 10.2 (4 in.) or 15.2 cm (6 in.); 2.5 cm (1 in.) or 3.8 cm (1½ in.) wide	N/C	15.00	36
7151289	Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity by maximum increments of 0.63 cm (¼ in.); adjustable rear height by maximum increments of 1.3 cm (1/2 in.) for up to 7.6 cm (3 in.) of seat tilt; tilt can be obtained in combination with the frame shape	N/C	33.00	36
7151290	Rear axle, quick release system, with lever mechanism	8.00	41.00	36
7151291	Spoked rear wheel, heavy-duty; semi-pneumatic tire; 61 cm (24 in.)	N/C	80.00	36
7151292	Spoked rear wheel, heavy-duty; semi-pneumatic tire; 55.9 cm (22 in.), 63.5 cm (25 in.) or 66 cm (26 in.)	N/C	80.00	36
7151293	Spoked rear wheel, heavy-duty; inner tube, high pressure; 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.)	N/C	80.00	36
7151294	Spoked rear wheel, heavy-duty; inner tube, standard pressure; 55.9 cm (22 in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.)	N/C	80.00	36
7151295	Spoke guard	20.00	20.00	36

SUBDIVISION 3: POWERED WHEELCHAIRS

		PRICE (including all the basic components)
7153000	POWERED WHEELCHAIR SUBCATEGORY “INTERMEDIATE COMPACT (MID-FRONT, MEDIAL, OR MID-REAR DRIVE WHEELS)” SUNRISE MEDICAL CANADA INC. “323 IC” MODEL	4,560.00

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 136 kg (300 lb.)

Seat-to-floor height: 41.9 cm to 52 cm (16½ in. to 20½ in.) without power tilt system and 41.9 cm to 48.3 cm (16½ in. to 19 in.) with power tilt system

Frame: mid-wheel drive base, overall width ≤ 61 cm (24 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM				
7153001	Seat-to-back assembly structure; resizable; back canes angle- adjustable from 90° to 110° by maximum increments of 6°; non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle-adjustable from 0° to 5° minimum; anchor for headrest bracket	N/C	550.00	36
7153002	Rigid metal seat for cushion; two strips of “hook” Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N/C	75.00	36
7153003	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of “velour” Velcro 5.1 cm	225.00	225.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	(2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)			
7153004	Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N/C	160.00	12
7153005	Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	40.00	200.00	12
7153006	Padded back cushion, contoured, including a rigid, contoured back	90.00	250.00	36
7153007	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	350.00	350.00	36
7153008	Power tilt system for minimum angulation of 0° to 45°, including controller on joystick control	1,650.00	1,650.00	36
7153009	Pelvic positioning belt, auto buckle	N/C	30.00	36
7153010	U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 38.7 cm (7 in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	175.00	60
7153011	T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 34.3 cm (7 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	175.00	60
7153012	U-type armrest, long; flip-away; height-adjustable, from 17.8 cm to 38.7 cm (7 in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	175.00	60
7153013	T-type armrest, long; detachable; height-adjustable, from 17.8 cm to 34.3 cm (7 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	175.00	60
7153014	Armrest pad, straight, short	N/C	20.00	12
7153015	Armrest pad, straight, long	N/C	20.00	12

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153017	One-piece footrest platform, 90°, adjustable length	N/C	225.00	60
7153018	Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 31.5 cm to 49.5 cm (12½ in. to 19½ in.)	N/C	225.00	60
7153019	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	N/C	225.00	36
7153020	Padded calf-rest	35.00	35.00	36
7153021	Folding footplate, standard, standard size	N/C	80.00	36
7153022	Folding footplate, standard, oversize	N/C	80.00	36
7153023	Footplate, angle and depth-adjustable, standard size	N/C	80.00	36
7153024	Footplate, angle and depth-adjustable, oversize	N/C	80.00	36
7153025	Heel loop, adjustable	N/C	30.00	36
7153026	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	75.00	75.00	36
7153027	Headrest cushion, contoured, all sizes	70.00	70.00	36
FRAME				
7153029	Front impact guard with rollers	20.00	20.00	36
DRIVE SYSTEM				
7153030	Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N/C	329.00	36
7153031	Standard side bracket for joystick control; adjustable forward-rearward position	N/C	140.00	36
7153032	Swivel side bracket for joystick control; with locking mechanism	N/C	230.00	36
7153033	Midline bracket for joystick control; flip-back to provide total clearance for seat access	60.00	200.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153034	Controller for basic programmable electronics	N/C	659.00	36
7153035	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N/C	600.00	36
7153036	Battery charger; external; compatible with group 22 NF batteries	N/C	199.00	36
7153037	Ball, stick, T-type, or mushroom handle	55.00	55.00	36
WHEELS AND TIRES				
7153038	Drive wheel, inner tube tire	N/C	150.00	36
7153039	Front caster wheel, semi-pneumatic or inner tube	N/C	80.00	36
7153040	Rear caster wheel, semi-pneumatic	N/C	80.00	36
7153041	Airless insert for drive wheel	45.00	45.00	36

PRICE
(including all the
basic
components)

7153044	POWERED WHEELCHAIR SUBCATEGORY “LOW-SEAT COMPACT MULTI-PURPOSE (MID-FRONT OR MEDIAL DRIVE WHEELS)”	
	SUNRISE MEDICAL CANADA INC.	4,875.00
	“323 PC” MODEL	

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 181.4 kg (400 lb.)

Seat-to-floor height: 41.9 cm to 52 cm (16½ in. to 20½ in.) without power tilt system and 41.9 cm to 52 cm (16½ in. to 20½ in.) with power tilt system

Frame: mid-wheel drive base, overall width ≤ 61 cm (24 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7153045	Seat-to-back assembly structure; resizable; back canes angle- adjustable from 90° to 110° by maximum increments of 6 ; non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle-adjustable from 0° to 10 ; anchor for headrest bracket	N/C	550.00	36
7153046	Rigid metal seat for cushion; two strips of “hook” Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N/C	75.00	36
7153047	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of “velour” Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	225.00	225.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153048	Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N/C	160.00	12
7153049	Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	40.00	200.00	12
7153050	Padded back cushion, contoured, including a rigid, contoured back	90.00	250.00	36
7153051	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	350.00	350.00	36
7153052	Power reclining back system, including a control external to the joystick control	1,590.00	1,590.00	36
7153053	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	1,650.00	1,650.00	36
7153054	Pelvic positioning belt, auto buckle	N/C	30.00	36
7153055	U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 38.7 cm (7 in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	175.00	60
7153056	T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 34.3 cm (7 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	175.00	60
7153057	U-type armrest, long; flip-away; height-adjustable, from 17.8 cm to 38.7 cm (7 in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	175.00	60
7153058	T-type armrest, long; detachable; height-adjustable, from 17.8 cm to 34.3 cm (7 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	175.00	60
7153059	Armrest pad, straight, short	N/C	20.00	12
7153060	Armrest pad, straight, long	N/C	20.00	12
7153061	One-piece footrest platform, 90°, adjustable length	N/C	225.00	60

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153062	Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 31.8 cm to 49.5 cm (12½ in. to 19½ in.)	N/C	225.00	60
7153063	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	112.50	225.00	36
7153064	Power elevating leg-rest, with control per pair, including a control external to the joystick control	637.50	750.00	36
7153065	Power elevating leg-rest, with control per unit, including a control external to the joystick control	637.50	750.00	36
7153066	Power leg-rest, one piece, including a control external to the joystick control	1,275.00	1,500.00	36
7153067	Padded calf-rest, contoured	35.00	35.00	36
7153068	Folding footplate, standard, standard size	N/C	80.00	36
7153069	Folding footplate, standard, oversize	N/C	80.00	36
7153070	Footplate, angle and depth-adjustable, standard size	N/C	80.00	36
7153071	Footplate, angle and depth-adjustable, oversize	N/C	80.00	36
7153072	Heel loop, adjustable	N/C	30.00	36
7153074	Headrest cushion, contoured, all sizes	70.00	70.00	36
7153073	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	75.00	75.00	36
FRAME				
7153075	Front impact guard with rollers	20.00	20.00	36
DRIVE SYSTEM				
7153076	Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N/C	329.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153077	Standard joystick control for multi-purpose programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	200.00	529.00	36
7153078	Compact joystick control, proportional	N/C	329.00	36
7153079	Standard side bracket for joystick control; adjustable forward-rearward position	N/C	140.00	36
7153080	Swivel side bracket for joystick control; with locking mechanism	N/C	230.00	36
7153081	Midline bracket for joystick control; flip-back to provide total clearance for seat access	60.00	200.00	36
7153082	Controller for basic programmable electronics	N/C	659.00	36
7153083	Controller for multi-purpose programmable electronics	100.00	759.00	36
7153084	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N/C	600.00	36
7153085	Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N/C	600.00	36
7153086	Internal control system for the joystick control for one (1) power repositioning accessory	350.00	350.00	36
7153087	Internal control system for the joystick control for four (4) power repositioning accessories	500.00	500.00	36
7153088	Battery charger; external; compatible with group 22 NF or group 24 batteries	N/C	199.00	36
7153089	Adapted head control, proportional, including mounting bracket	1,100.00	1,100.00	36
7153090	Adapted head control, non-proportional, including mounting bracket	2,200.00	2,200.00	36
7153091	Adapted breath control, non-proportional, including mounting bracket	1,200.00	1,200.00	36
7153092	Adapted chin control, proportional, including mounting bracket	600.00	600.00	36
7153093	Adapted chin control, non-proportional, including mounting bracket	600.00	600.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153094	Adapted Mini joystick control, proportional, including mounting bracket	1,510.00	1,510.00	36
7153095	Mounting bracket for adapted control	350.00	350.00	36
7153096	Adapted control interface, with bracket and display	1,100.00	1,100.00	36
7153097	Mounting bracket for interface	350.00	350.00	36
7153098	Ball, stick, T-type, or mushroom handle	52.00	52.00	36
7153099	Course correction system	895.00	895.00	36
WHEELS AND TIRES				
7153100	Drive wheel, inner tube tire	N/C	150.00	36
7153101	Front caster wheel, semi-pneumatic or inner tube	N/C	80.00	36
7153102	Rear caster wheel, semi-pneumatic	N/C	80.00	36
7153103	Airless insert for drive wheel	45.00	45.00	36

**PRICE
(including all
the basic
components)**

**7153470 POWERED WHEELCHAIR
SUBCATEGORY “LOW-SEAT COMPACT MULTI-PURPOSE (MID-FRONT OR
MEDIAL DRIVE WHEELS)”**

PRIDE MOBILITY PRODUCTS COMPANY

4,200.00

“Q6 EDGE 2” MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Seat-to-floor height: 41.9 cm to 47 cm (16½ in. to 18½ in.) without power tilt system and 42.5 cm to 49.5 cm (16¾ in. to 19½ in.) with power tilt system

Frame: mid-front-wheel drive base, overall width ≤ 61 cm (24 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

BASIC AND OPTIONAL COMPONENTS

**Unit price of
component
during device
purchase**

**Unit price for
component
replacement**

**Warranty
(months)**

BODY SUPPORT SYSTEM

7153471	Seat-to-back assembly structure; resizable; back canes angle-adjustable from 90° to 110° by maximum increments of 6°; push bar or non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10 ; anchor for headrest bracket	N/C	500.00	36
7153472	Rigid metal seat for cushion; two strips of “hook” Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N/C	65.00	36
7153473	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of “velour” Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	175.00	175.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153474	Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N/C	60.00	12
7153475	Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	90.00	150.00	12
7153476	Back cushion, padded and contoured, including or built into a rigid back, flat or contoured	215.00	275.00	36
7153477	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	591.00	591.00	36
7153478	Power reclining back system, including a control external to the joystick control	1,500.00	1,500.00	36
7153479	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	2,000.00	2,000.00	36
7153480	Pelvic positioning belt, auto buckle	N/C	25.00	36
7153481	U-type armrest, short; flip-away; height-adjustable, from 22.9 cm to 33 cm (9 in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	215.00	60
7153482	T-type armrest, short; detachable; height-adjustable, from 19.6 cm to 35.6 cm (7¾ in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	215.00	60
7153483	U-type armrest, long; flip-away; height-adjustable, from 22.9 cm to 33 cm (9 in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	221.00	60
7153484	T-type armrest, long; detachable; height-adjustable, from 19.6 cm to 35.6 cm (7¾ in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	221.00	60
7153485	Armrest pad, straight, short	N/C	10.00	12
7153486	Armrest pad, straight, long	N/C	16.00	12

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153487	Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 27.9 cm to 49.5 cm (11 in. to 19½ in.)	N/C	135.00	60
7153488	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	224.50	246.00	36
7153489	Power elevating leg-rest, with control per pair, including a control external to the joystick control	1,678.50	1,700.00	36
7153490	Power elevating leg-rest, with control per unit, including a control external to the joystick control	978.50	1,000.00	36
7153491	One-piece footrest platform, 90 , adjustable length	N/C	43.00	60
7153492	Power leg-rest, one piece, including a control external to the joystick control	1,657.00	1,700.00	36
7153493	Padded calf-rest, flat	63.00	63.00	36
7153494	Folding footplate, standard, standard size	N/C	53.00	36
7153495	Folding footplate, standard, oversize	14.00	67.00	36
7153496	Footplate, angle and depth-adjustable, standard size	117.00	170.00	36
7153497	Footplate, angle and depth-adjustable, oversize	167.00	220.00	36
7153498	Heel loop, adjustable	N/C	12.00	36
7153499	Headrest bracket, articulated uniball	90.00	90.00	36
7153500	Headrest cushion, contoured, all sizes	90.00	90.00	36
FRAME				
7153501	Front impact guard with rollers	3.00	3.00	36
DRIVE SYSTEM				
7153502	Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N/C	330.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153503	Standard joystick control for multi-purpose programmable electronics; joystick handle; toggle switches or push buttons for on/off functions, horn, function selection; battery charge display	380.00	710.00	36
7153504	Compact joystick control, proportional	315.00	645.00	36
7153505	Standard side bracket for joystick control; adjustable forward-rearward position	N/C	20.00	36
7153506	Swivel side bracket for joystick control; with locking mechanism	N/C	80.00	36
7153507	Midline bracket for joystick control; flip-back to provide total clearance for seat access	330.00	350.00	36
7153508	Controller for basic programmable electronics	N/C	250.00	36
7153509	Controller for multi-purpose programmable electronics	75.00	325.00	36
7153510	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N/C	275.00	36
7153511	Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick and controller	N/C	275.00	36
7153512	Internal control system for the joystick control for one (1) power repositioning accessory	300.00	300.00	36
7153513	Internal control system for the joystick control for four (4) power repositioning accessories	375.00	375.00	36
7153514	Battery charger; external; compatible with group 22 NF batteries	N/C	165.00	36
7153515	Adapted head control, proportional, including mounting bracket	1,452.00	1,452.00	36
7153516	Adapted head control, non-proportional, including mounting bracket	2,539.00	2,539.00	36
7153517	Adapted breath control, non-proportional, including mounting bracket	1,222.00	1,222.00	36
7153518	Adapted chin control, proportional, including mounting bracket	1,302.00	1,302.00	36
7153519	Adapted chin control, non-proportional, including mounting bracket	1,302.00	1,302.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153520	Adapted Mini joystick control, proportional, including mounting bracket	1,302.00	1,302.00	36
7153521	Mounting bracket for adapted control	91.00	91.00	36
7153522	Adapted control interface, with bracket and display	1,118.00	1,118.00	36
7153523	Mounting bracket for interface	71.00	71.00	36
7153524	Ball, stick, T-type, or mushroom handle	40.00	40.00	36
7153525	Course correction system	869.00	869.00	36
WHEELS AND TIRES				
7153526	Drive wheel, inner tube tire	N/C	100.00	36
7153527	Front caster wheel, semi-pneumatic tire	N/C	20.00	36
7153528	Rear caster wheel, semi-pneumatic tire	N/C	20.00	36
7153529	Airless insert for drive wheel	60.00	60.00	36

PRICE
(including all
the basic
components)

7153106	POWERED WHEELCHAIR SUBCATEGORY “LOW-SEAT COMPACT MULTI-PURPOSE (MID-MID-REAR DRIVE WHEELS)”	5,710.00
	ORTHO FAB INC.	
	“OASIS PC” MODEL	

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Seat-to-floor height: 39.3 cm to 52 cm (15½ in. to 20½ in.)

Frame: mid-rear wheel drive base, overall width ≤ 61 cm (24 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

BASIC AND OPTIONAL COMPONENTS

Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
--	--------------------------------------	-------------------

BODY SUPPORT SYSTEM

7153107	Seat-to-back assembly structure; resizable; back canes angle adjustable from 90° to 110° by maximum increments of 6°; push bar or non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10°; anchor for headrest bracket	N/C	240.00	36
7153108	Rigid metal seat for cushion; two strips of “hook” Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.) or 58.4 cm (23 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.) or 53.3 cm (21 in.)	N/C	45.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153109	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of “velour” Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	150.00	150.00	36
7153110	Flexible nylon mesh back, padded; heights of 40.6 cm (16 in.), 43.1 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N/C	75.00	12
7153111	Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	65.00	140.00	12
7153112	Padded back cushion, contoured, including a rigid, contoured back	165.00	240.00	36
7153113	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	270.00	270.00	36
7153114	Power reclining back system, including a control external to the joystick control	750.00	750.00	36
7153115	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	1,000.00	1,000.00	36
7153116	Pelvic positioning belt, auto buckle	N/C	6.00	36
7153117	U-type armrest, short; flip-away; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	150.00	60
7153118	T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 27.9 cm to 35.6 cm (11 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	150.00	60
7153119	U-type armrest, long; flip-away; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	150.00	60

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153120	T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 27.9 cm to 35.6 cm (11 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	150.00	60
7153121	Armrest pad, straight, short	N/C	6.00	12
7153122	Armrest pad, straight, long	N/C	6.00	12
7153123	Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 35.6 cm to 58.4 cm (14 in. to 23 in.)	N/C	100.00	60
7153124	Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 35.6 cm to 58.4 cm (14 in. to 23 in.)	N/C	100.00	60
7153125	Elevating leg-rest, compensating; detachable and pivoting, with locking mechanism; adjustable length; standard folding footplate, standard size or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, flat, padded, height- and depth-adjustable	100.00	200.00	36
7153126	Power elevating leg-rest, with control per unit, including a control external to the joystick control	1,030.00	1,130.00	36
7153127	Power elevating leg-rest, with control per pair, including a control external to the joystick control	1,030.00	1,130.00	36
7153128	Padded calf-rest, flat	15.00	15.00	36
7153129	Folding footplate, standard, standard size	N/C	6.00	36
7153130	Folding footplate, standard, oversize	29.00	35.00	36
7153131	Footplate, angle and depth-adjustable, standard size	44.00	50.00	36
7153132	Footplate, angle and depth-adjustable, oversize	49.00	55.00	36
7153133	Full-width footplate, in two lockable parts; angle-adjustable	88.00	100.00	36
7153134	Heel loop, adjustable	N/C	3.00	36
7153135	Headrest bracket, height and depth-adjustable	35.00	35.00	36
7153136	Headrest cushion, flat, all sizes	40.00	40.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
FRAME				
7153137	Anti-tipping wheels, non-detachable except with tools	N/C	4.00	60
7153138	Front impact guard with rollers	10.00	10.00	36
DRIVE SYSTEM				
7153139	Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N/C	185.00	36
7153140	Standard joystick control for multi-purpose programmable electronics; joystick handle; toggle switches or push buttons for on/off functions, horn, function selection; battery charge display	195.00	380.00	36
7153141	Compact joystick control, proportional	195.00	380.00	36
7153142	Standard side bracket for joystick control; adjustable forward-rearward position	N/C	25.00	36
7153143	Swivel side bracket for joystick control; with locking mechanism	N/C	95.00	36
7153144	Midline bracket for joystick control; flip-back to provide total clearance for seat access	70.00	95.00	36
7153145	Controller for basic programmable electronics	N/C	350.00	36
7153146	Controller for multi-purpose programmable electronics	225.00	575.00	36
7153147	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N/C	450.00	36
7153148	Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick and controller	N/C	450.00	36
7153149	Battery charger; on board; compatible with group 22 NF or group 24 batteries	N/C	115.00	36
7153150	Internal control system for the joystick control for one (1) power repositioning accessory	185.00	185.00	36
7153151	Internal control system for the joystick control for four (4) power repositioning accessories	325.00	325.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153152	Adapted head control, proportional, including mounting bracket	1,000.00	1,000.00	36
7153153	Adapted head control, non-proportional, including mounting bracket	500.00	500.00	36
7153154	Adapted breath control, non-proportional, including mounting bracket	400.00	400.00	36
7153155	Adapted chin control, proportional, including mounting bracket	800.00	800.00	36
7153156	Adapted chin control, non-proportional, including mounting bracket	700.00	700.00	36
7153157	Adapted Mini joystick control, proportional, including mounting bracket	2,500.00	2,500.00	36
7153158	Mounting bracket for adapted control	400.00	400.00	36
7153159	Adapted control interface, with bracket and display	750.00	750.00	36
7153160	Mounting bracket for interface	125.00	125.00	36
7153161	Ball, stick, T-type, or mushroom handle	15.00	15.00	36
7153162	Course correction system	1,000.00	1,000.00	36
WHEELS AND TIRES				
7153163	Drive wheel, inner tube tire	N/C	100.00	36
7153164	Front caster wheel, inner tube tire	N/C	45.00	36
7153165	Airless insert for drive wheel	75.00	75.00	36
7153166	Airless insert for caster wheel	30.00	30.00	36

PRICE
(including all
the basic
components)

7153167 **MOTORIZED WHEELCHAIR**
SUBCATEGORY “MULTI-PURPOSE PERFORMANCE (MID-FRONT OR
MEDIAL DRIVE WHEELS)”

SUNRISE MEDICAL CANADA INC.

4,110.00

“323 PP” MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 181.4 kg (400 lb.)

Seat-to-floor height: 41.9 cm to 49.5 cm (16½ in. to 19½ in.)

Frame: mid-wheel drive base, overall width ≤ 66 cm (26 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

BASIC AND OPTIONAL COMPONENTS

**Unit price of
component
during device
purchase**

**Unit price for
component
replacement**

**Warranty
(months)**

BODY SUPPORT SYSTEM

7153168 Seat-to-back assembly structure; resizable; back canes angle adjustable from 90° to 110° by maximum increments of 6°; non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10°; anchor for headrest bracket

N/C

550.00

36

7153169 Rigid metal seat for cushion; two strips of “hook” Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)

N/C

75.00

36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153170	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of “velour” Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	225.00	225.00	36
7153171	Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N/C	160.00	12
7153172	Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	40.00	200.00	12
7153173	Padded back cushion, contoured, including a rigid, contoured back	90.00	250.00	36
7153174	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	350.00	350.00	36
7153175	Power reclining back system, including a control external to the joystick control	1,590.00	1,590.00	36
7153176	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	1,650.00	1,650.00	36
7153177	Pelvic positioning belt, auto buckle	N/C	30.00	36
7153178	U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 38.7 cm (7 in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	175.00	60
7153179	T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 34.3 cm (7 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	175.00	60
7153180	U-type armrest, long; flip-away; height-adjustable, from 17.8 cm to 38.7 cm (7 in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	175.00	60
7153181	T-type armrest, long; detachable; height-adjustable, from 17.8 cm to 34.3 cm (7 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	175.00	60

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153182	Armrest pad, straight, short	N/C	20.00	12
7153183	Armrest pad, straight, long	N/C	20.00	12
7153184	One-piece footrest platform, 90 , adjustable length	N/C	225.00	60
7153185	Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 31.8 cm to 49.5 cm (12½ in. to 19½ in.)	N/C	225.00	60
7153186	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	112.50	225.00	36
7153187	Power elevating leg-rest, with control per pair, including a control external to the joystick control	637.50	750.00	36
7153188	Power elevating leg-rest, with control per unit, including a control external to the joystick control	637.50	750.00	36
7153189	Power leg-rest, one piece, including a control external to the joystick control	1,275.00	1,500.00	36
7153190	Padded calf-rest, contoured	35.00	35.00	36
7153191	Folding footplate, standard, standard size	N/C	80.00	36
7153192	Folding footplate, standard, oversize	N/C	80.00	36
7153193	Footplate, angle and depth-adjustable, standard size	N/C	80.00	36
7153194	Footplate, angle and depth-adjustable, oversize	N/C	80.00	36
7153195	Heel loop, adjustable	N/C	30.00	36
7153196	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	75.00	75.00	36
7153197	Headrest cushion, contoured, all sizes	70.00	70.00	36
	FRAME			
7153198	Front impact guard with rollers	20.00	20.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
DRIVE SYSTEM				
7153199	Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N/C	329.00	36
7153200	Standard joystick control for multi-purpose programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	200.00	529.00	36
7153201	Compact joystick control, proportional	N/C	329.00	36
7153202	Standard side bracket for joystick control; adjustable forward-rearward position	N/C	140.00	36
7153203	Swivel side bracket for joystick control; with locking mechanism	N/C	230.00	36
7153204	Midline bracket for joystick control; flip-back to provide total clearance for seat access	60.00	200.00	36
7153205	Controller for basic programmable electronics	N/C	659.00	36
7153206	Controller for multi-purpose programmable electronics	100.00	759.00	36
7153207	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N/C	600.00	36
7153208	Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick and controller	N/C	600.00	36
7153209	Battery charger; external; compatible with group 22 NF or group 24 batteries	N/C	199.00	36
7153210	Internal control system for the joystick control for one (1) power repositioning accessory	350.00	350.00	36
7153211	Internal control system for the joystick control for four (4) power repositioning accessories	500.00	500.00	36
7153212	Adapted head control, proportional, including mounting bracket	1,100.00	1,100.00	36
7153213	Adapted head control, non-proportional, including mounting bracket	2,200.00	2,200.00	36
7153214	Adapted breath control, non-proportional, including mounting bracket	1,200.00	1,200.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153215	Adapted chin control, proportional, including mounting bracket	600.00	600.00	36
7153216	Adapted chin control, non-proportional, including mounting bracket	600.00	600.00	36
7153217	Adapted Mini joystick control, proportional, including mounting bracket	1,510.00	1,510.00	36
7153218	Mounting bracket for adapted control	350.00	350.00	36
7153219	Adapted control interface, with bracket and display	1,100.00	1,100.00	36
7153220	Mounting bracket for interface	350.00	350.00	36
7153221	Ball, stick, T-type, or mushroom handle	52.00	52.00	36
7153222	Course correction system	895.00	895.00	36
WHEELS AND TIRES				
7153223	Drive wheel, inner tube tire	N/C	150.00	36
7153224	Front caster wheel, semi-pneumatic or inner tube	N/C	80.00	36
7153225	Rear caster wheel, semi-pneumatic	N/C	80.00	36
7153226	Airless insert for drive wheel	45.00	45.00	36

**PRICE
(including all
the basic
components)**

7153530	POWERED WHEELCHAIR SUBCATEGORY “MULTI-PURPOSE PERFORMANCE (MID-FRONT OR MEDIAL DRIVE WHEELS)”	4,100.00
	PRIDE MOBILITY PRODUCTS COMPANY	
	“Q6 EDGE Z” MODEL	

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 136 kg (300 lb.)

Seat-to-floor height: 44.5 cm to 49.5 cm (17½ in. to 19½ in.)

Frame: mid-front wheel drive base, overall width ≤ 66 cm (26 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

BASIC AND OPTIONAL COMPONENTS

**Unit price of
component
during device
purchase** **Unit price for
component
replacement** **Warranty
(months)**

BODY SUPPORT SYSTEM

7153531	Seat-to-back assembly structure; resizable; back canes angle adjustable from 90° to 110° by maximum increments of 6; push bar or non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10°; anchor for headrest bracket	N/C	500.00	36
7153532	Rigid metal seat for cushion; two strips of “hook” Velcro, 2.5 cm (1 in.); widths of 30.5 cm (12 in.), 33 cm (13 in.) 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53,3 cm (21 in.), 55,9 cm (22 in.), 58,4 cm (23 in.) or 61 cm (24 in.)	N/C	65.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153533	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of “velour” Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	175.00	175.00	36
7153534	Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N/C	60.00	12
7153535	Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	90.00	150.00	12
7153536	Back cushion, padded and contoured, including or built into a rigid back, flat or contoured	215.00	275.00	36
7153537	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	591.00	591.00	36
7153538	Power reclining back system, including a control external to the joystick control	1,500.00	1,500.00	36
7153539	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	2,000.00	2,000.00	36
7153540	Pelvic positioning belt, auto buckle	N/C	25.00	36
7153541	U-type armrest, short; flip-away; height-adjustable, from 22.9 cm to 33 cm (9 in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	215.00	60
7153542	T-type armrest, short; detachable; height-adjustable, from 19.6 cm to 35.6 cm (7¾ in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	215.00	60
7153543	U-type armrest, long; flip-away; height-adjustable, from 22.9 cm to 33 cm (9 in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	221.00	60
7153544	T-type armrest, long; detachable; height-adjustable, from 19.6 cm to 35.6 cm (7¾ in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	221.00	60

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153545	Armrest pad, straight, short	N/C	10.00	12
7153546	Armrest pad, straight, long	N/C	16.00	12
7153547	One-piece footrest platform, 90 , adjustable length	N/C	43.00	60
7153548	Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 27.9 cm to 49.5 cm (11 in. to 19½ in.)	N/C	135.00	60
7153549	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	224.50	246.00	36
7153550	Power elevating leg-rest, with control per pair, including a control external to the joystick control	1,678.50	1,700.00	36
7153551	Power elevating leg-rest, with control per unit, including a control external to the joystick control	978.50	1,000.00	36
7153552	Power leg-rest, one piece, including a control external to the joystick control	1,657.00	1,700.00	36
7153553	Calf-rest, padded, flat or contoured	63.00	63.00	36
7153554	Folding footplate, standard, standard size	N/C	53.00	36
7153555	Folding footplate, standard, oversize	14.00	67.00	36
7153556	Footplate, angle and depth-adjustable, standard size	117.00	170.00	36
7153557	Footplate, angle and depth-adjustable, oversize	167.00	220.00	36
7153558	Heel loop, adjustable	N/C	12.00	36
7153559	Headrest cushion, contoured, all sizes	90.00	90.00	36
7153560	Headrest bracket, articulated uniball	90.00	90.00	36
FRAME				
7153561	Front impact guard with rollers	3.00	3.00	36

DRIVE SYSTEM

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153562	Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N/C	330.00	36
7153563	Standard joystick control for multi-purpose programmable electronics; joystick handle; toggle switches or push buttons for on/off functions, horn, function selection; battery charge display	380.00	710.00	36
7153564	Compact joystick control, proportional	315.00	645.00	36
7153565	Standard side bracket for joystick control; adjustable forward-rearward position	N/C	20.00	36
7153566	Swivel side bracket for joystick control; with locking mechanism	N/C	80.00	36
7153567	Midline bracket for joystick control; flip-back to provide total clearance for seat access	330.00	350.00	36
7153568	Controller for basic programmable electronics	N/C	300.00	36
7153569	Controller for multi-purpose programmable electronics	50.00	350.00	36
7153570	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N/C	520.00	36
7153571	Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick and controller	N/C	520.00	36
7153572	Internal control system for the joystick control for one (1) power repositioning accessory	300.00	300.00	36
7153573	Internal control system for the joystick control for four (4) power repositioning accessories	375.00	375.00	36
7153574	Battery charger; external; compatible with group 24 batteries	N/C	165.00	36
7153575	Adapted head control, proportional, including mounting bracket	1,452.00	1,452.00	36
7153576	Adapted head control, non-proportional, including mounting bracket	2,539.00	2,539.00	36
7153577	Adapted breath control, non-proportional, including mounting bracket	1,222.00	1,222.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153578	Adapted chin control, proportional, including mounting bracket	1,302.00	1,302.00	36
7153579	Adapted chin control, non-proportional, including mounting bracket	1,302.00	1,302.00	36
7153580	Adapted Mini joystick control, proportional, including mounting bracket	1,302.00	1,302.00	36
7153581	Mounting bracket for adapted control	91.00	91.00	36
7153582	Adapted control interface, with bracket and display	1,118.00	1,118.00	36
7153583	Mounting bracket for interface	71.00	71.00	36
7153584	Ball, stick, T-type, or mushroom handle	40.00	40.00	36
7153585	Course correction system	869.00	869.00	36
WHEELS AND TIRES				
7153586	Drive wheel, inner tube tire	N/C	100.00	36
7153587	Front caster wheel, semi-pneumatic tire	N/C	30.00	36
7153588	Rear caster wheel, semi-pneumatic tire	N/C	30.00	36
7153589	Airless insert for drive wheel	60.00	60.00	36

**PRICE
(including all
the basic
components)**

**7153229 POWERED WHEELCHAIR
SUBCATEGORY “MULTI-PURPOSE PERFORMANCE (MID-REAR DRIVE
WHEELS)”**

ORTHOFAB INC.

5,710.00

“OASIS PP” MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Seat-to-floor height: 39.3 cm to 52 cm (15½ in. to 20½ in.)

Frame: mid-rear wheel drive base, overall width ≤ 66 cm (26 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

BASIC AND OPTIONAL COMPONENTS

**Unit price of
component
during device
purchase**

**Unit price for
component
replacement**

**Warranty
(months)**

BODY SUPPORT SYSTEM

7153230	Seat-to-back assembly structure; resizable; back canes angle adjustable from 90° to 110° by maximum increments of 6 ; push bar or non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10 ; anchor for headrest bracket	N/C	240.00	36
7153231	Rigid metal seat for cushion; two strips of “hook” Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.) or 58.4 cm (23 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.) or 53.3 cm (21 in.)	N/C	45.00	36
7153232	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of “velour” Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	150.00	150.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153233	Flexible nylon mesh back, padded; heights of 40.6 cm (16 in.), 43.1 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N/C	75.00	12
7153234	Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	65.00	140.00	12
7153235	Padded back cushion, contoured, including a rigid, contoured back	165.00	240.00	36
7153236	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	270.00	270.00	36
7153237	Power reclining back system, including a control external to the joystick control	750.00	750.00	36
7153238	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	1,000.00	1,000.00	36
7153239	Pelvic positioning belt, auto buckle	N/C	6.00	36
7153240	U-type armrest, short; flip-away; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	150.00	60
7153241	T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 27.9 cm to 35.6 cm (11 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	150.00	60
7153242	U-type armrest, long; flip-away; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	150.00	60
7153243	T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 27.9 cm to 35.6 cm (11 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	150.00	60
7153244	Armrest pad, straight, short	N/C	6.00	12
7153245	Armrest pad, straight, long	N/C	6.00	12

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153246	Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 35.6 cm to 58.4 cm (14 in. to 23 in.)	N/C	100.00	60
7153247	Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 35.6 cm to 58.4 cm (14 in. to 23 in.)	N/C	100.00	60
7153248	Elevating leg-rest, compensating; detachable and pivoting, with locking mechanism; adjustable length; standard folding footplate, standard size or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, flat, padded, height and depth-adjustable	100.00	200.00	36
7153249	Power elevating leg-rest, with control per pair, including a control external to the joystick control	1,030.00	1,130.00	36
7153250	Power elevating leg-rest, with control per unit, including a control external to the joystick control	1,030.00	1,130.00	36
7153251	Padded calf-rest, flat	15.00	15.00	36
7153252	Folding footplate, standard, standard size	N/C	6.00	36
7153253	Folding footplate, standard, oversize	29.00	35.00	36
7153254	Footplate, angle and depth-adjustable, standard size	44.00	50.00	36
7153255	Footplate, angle and depth-adjustable, oversize	49.00	55.00	36
7153256	Full-width footplate, in two lockable parts; angle-adjustable	88.00	100.00	36
7153257	Heel loop, adjustable	N/C	3.00	36
7153258	Headrest bracket, height and depth-adjustable	35.00	35.00	36
7153259	Headrest cushion, flat, all sizes	40.00	40.00	36
FRAME				
7153260	Anti-tipping wheels, non-detachable except with tools	N/C	4.00	60
7153261	Front impact guard with rollers	10.00	10.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
DRIVE SYSTEM				
7153262	Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N/C	185.00	36
7153263	Standard joystick control for multi-purpose programmable electronics; joystick handle; toggle switches or push buttons for on/off functions, horn, function selection; battery charge display	195.00	380.00	36
7153264	Compact joystick control, proportional	195.00	380.00	36
7153265	Standard side bracket for joystick control; adjustable forward-rearward position	N/C	25.00	36
7153266	Swivel side bracket for joystick control; with locking mechanism	N/C	95.00	36
7153267	Midline bracket for joystick control; flip-back to provide total clearance for seat access	70.00	95.00	36
7153268	Controller for basic programmable electronics	N/C	350.00	36
7153269	Controller for multi-purpose programmable electronics	225.00	575.00	36
7153270	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N/C	450.00	36
7153271	Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick and controller	N/C	450.00	36
7153272	Battery charger; on board; compatible with group 22 NF or group 24 batteries	N/C	115.00	36
7153273	Internal control system for the joystick control for one (1) power repositioning accessory	185.00	185.00	36
7153274	Internal control system for the joystick control for four (4) power repositioning accessories	325.00	325.00	36
7153275	Adapted head control, proportional, including mounting bracket	1,000.00	1,000.00	36
7153276	Adapted head control, non-proportional, including mounting bracket	500.00	500.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153277	Adapted breath control, non-proportional, including mounting bracket	400.00	400.00	36
7153278	Adapted chin control, proportional, including mounting bracket	800.00	800.00	36
7153279	Adapted chin control, non-proportional, including mounting bracket	700.00	700.00	36
7153280	Adapted Mini joystick control, proportional, including mounting bracket	2,500.00	2,500.00	36
7153281	Mounting bracket for adapted control	400.00	400.00	36
7153282	Adapted control interface, with bracket and display	750.00	750.00	36
7153283	Mounting bracket for interface	125.00	125.00	36
7153284	Ball, stick, T-type, or mushroom handle	15.00	15.00	36
7153285	Course correction system	1,000.00	1,000.00	36
WHEELS AND TIRES				
7153286	Drive wheel, inner tube tire	N/C	100.00	36
7153287	Front caster wheel, inner tube	N/C	45.00	36
7153288	Airless insert for drive wheel	75.00	75.00	36
7153289	Airless insert for caster wheel	30.00	30.00	36

**PRICE
(including all
the basic
components)**

**7153290 POWERED WHEELCHAIR
SUBCATEGORY “OBESE (MID-FRONT OR MEDIAL DRIVE WHEELS)”**

SUNRISE MEDICAL CANADA INC.

8,000.00

“XCEL” MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 249.5 kg (550 lb.)

Seat-to-floor height: 41.9 cm to 49.5 cm (16½ in. to 19½ in.)

Frame: mid-wheel drive base, overall width ≤ 73,3 cm (29 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

BASIC AND OPTIONAL COMPONENTS

**Unit price of
component
during device
purchase**

**Unit price for
component
replacement**

**Warranty
(months)**

BODY SUPPORT SYSTEM

7153291	Seat-to-back assembly structure; resizable; back canes angle adjustable from 90° to 110° by maximum increments of 6°; non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10 ; anchor for headrest bracket	N/C	550.00	36
7153292	Rigid metal seat for cushion; two strips of “hook” Velcro, 2.5 cm (1 in.); widths of 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.); depths of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in)	N/C	260.00	36
7153293	Padded seat cushion, contoured; removable and washable outer cover, water-resistant or combined with an internal incontinence cover; two strips of “velour” Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	490.00	490.00	36
7153294	Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N/C	180.00	12

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153295	Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	310.00	490.00	12
7153296	Padded back cushion, contoured, including a rigid, contoured back	310.00	490.00	36
7153297	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	995.00	995.00	36
7153298	Power reclining back system, including a control external to the joystick control	2,500.00	2,500.00	36
7153299	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	3,500.00	3,500.00	36
7153300	Pelvic positioning belt, auto buckle	N/C	45.00	36
7153301	U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 38.7 cm (7 in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	225.00	60
7153302	T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 34.3 cm (7 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	225.00	60
7153303	U-type armrest, long, flip-away, height-adjustable from 17.8 cm to 38.7 cm (7 in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	225.00	60
7153304	T-type armrest, long, detachable; adjustable in height from 17.8 cm to 34.3 cm (7 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	225.00	60
7153305	Armrest pad, straight, short	N/C	20.00	12
7153306	Armrest pad, straight, long	N/C	20.00	12
7153307	One-piece footrest platform, 90°, adjustable length	N/C	225.00	60

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153308	Parallel footrest, 70 angle, detachable and pivoting with locking mechanism; standard folding footplate; standard size; adjustable heel-loop; adjustable length of 31.8 cm to 49.5 cm (12½ in. to 19½ in.)	N/C	225.00	60
7153309	Elevating leg-rests, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rests, contoured and padded, height and depth-adjustable	112.50	225.00	36
7153310	Power elevating leg-rest, with control per pair, including a control external to the joystick control	882.50	995.00	36
7153311	Power elevating leg-rest, with control per unit, including a control external to the joystick control	882.50	995.00	36
7153312	Power leg-rest, one piece, including a control external to the joystick control	1,770.00	1,995.00	36
7153313	Padded calf-rest, contoured	100.00	100.00	36
7153314	Folding footplate, standard, standard size	N/C	100.00	36
7153315	Folding footplate, standard, oversize	N/C	100.00	36
7153316	Footplate, angle and depth-adjustable, standard size	N/C	100.00	36
7153317	Footplate, angle and depth-adjustable, oversize	N/C	100.00	36
7153318	Heel loop, adjustable	N/C	45.00	36
7153319	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	75.00	75.00	36
7153320	Headrest cushion, contoured, all sizes	70.00	70.00	36
FRAME				
7153321	Front impact guard with rollers	20.00	20.00	36
DRIVE SYSTEM				
7153322	Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N/C	329.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153323	Standard joystick control for multi-purpose programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	200.00	529.00	36
7153324	Compact joystick control, proportional	N/C	329.00	36
7153325	Standard side bracket for joystick control; adjustable forward-rearward position	N/C	140.00	36
7153326	Swivel side bracket for joystick control; with locking mechanism	N/C	230.00	36
7153327	Midline bracket for joystick control; flip-back to provide total clearance for seat access	60.00	200.00	36
7153328	Controller for basic programmable electronics	N/C	659.00	36
7153329	Controller for multi-purpose programmable electronics	100.00	759.00	36
7153330	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N/C	900.00	36
7153331	Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick and controller	N/C	900.00	36
7153332	Battery charger; external; compatible with group 24 batteries	N/C	199.00	36
7153333	Internal control system for the joystick control for one (1) power repositioning accessory	350.00	350.00	36
7153334	Internal control system for the joystick control for four (4) power repositioning accessories	500.00	500.00	36
7153335	Adapted head control, proportional, including mounting bracket	1,100.00	1,100.00	36
7153336	Adapted head control, non-proportional, including mounting bracket	2,200.00	2,200.00	36
7153337	Adapted breath control, non-proportional, including mounting bracket	1,200.00	1,200.00	36
7153338	Adapted chin control, proportional, including mounting bracket	600.00	600.00	36
7153339	Adapted chin control, non-proportional, including mounting bracket	600.00	600.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153340	Adapted Mini joystick control, proportional, including mounting bracket	1,510.00	1,510.00	36
7153341	Adapted control interface, with bracket and display	1,100.00	1,100.00	36
7153342	Mounting bracket for interface	350.00	350.00	36
7153343	Mounting bracket for adapted control	350.00	350.00	36
7153344	Ball, stick, T-type, or mushroom handle	52.00	52.00	36
WHEELS AND TIRES				
7153345	Driving wheel, inner tube tires	N/C	150.00	36
7153346	Front caster wheel, semi-pneumatic or inner tube	N/C	80.00	36
7153347	Rear caster wheel, semi-pneumatic or inner tube	N/C	80.00	36
7153348	Airless insert for driving wheel	45.00	45.00	36

DIVISION II: PEDIATRIC WHEEL CHAIRS

SUBDIVISION 1: MANUAL WHEEL CHAIRS

PRICE
(including all
the basic
components)

7151339	MANUAL WHEELCHAIRS SUBCATEGORY “MULTI-ADJUSTABLE PERFORMANCE (FOLDING FRAME)”	
	MOTION COMPOSITES INC.	2,195.00
	“HELIO K” MODEL	

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Device weight: 14.5 kg (32 lb.)

Front seat-to-floor height: 33 cm to 54 cm (13 in. to 21¼ in.)

Rear seat-to-floor height: 31.8 cm to 50.8 cm (12½ in. to 20 in.)

Frame: straight back canes or bend back canes, height and angle-adjustable; non-slip push handles; four tie-down points for adapted transport

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM				
7151340	Flexible nylon mesh seat, with mesh-stretching system; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.)	N/C	36.00	12
7151341	Flat foam seat cushion, 5.1 cm (2 in.); two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion	63.00	63.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7151342	Flexible nylon mesh back, padded; heights of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N/C	32.33	12
7151343	Pelvic positioning belt, auto buckle	N/C	13.75	36
7151344	Pelvic positioning belt, Velcro	N/C	47.50	36
7151345	T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	118.00	60
7151346	T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	120.33	60
7151347	I-type armrest	50.00	168.00	60
7151348	L-type armrest; height-adjustable	N/C	118.00	60
7151349	Armrest pad, straight, short	N/C	4.75	12
7151350	Armrest pad, straight, long	N/C	5.58	12
7151351	Armrest pad, tubular, for L-type armrest	35.25	40.00	12
7151352	Clothing guard, flexible, for L-type armrest	77.00	77.00	36
7151353	Clothing guard, rigid, for L-type armrest	77.00	77.00	36
7151354	70° footrest, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 20.3 cm to 48.3 cm (8 in. to 19 in.)	N/C	48.00	60
7151355	90° footrest, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 20.3 cm to 48.3 cm (8 in. to 19 in.)	N/C	48.00	60
7151356	Elevating leg-rest; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment points as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	153.38	201.38	36
7151357	Padded calf-rest	48.75	48.75	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7151358	Calf-rest strap, single or double	20.00	20.00	36
7151359	Folding footplate, standard, standard size; plastic	N/C	7.75	36
7151360	Folding footplate, standard, oversize	10.00	17.75	36
7151361	Footplate, angle and depth-adjustable, standard size	90.00	97.75	36
7151362	Footplate, angle and depth-adjustable, oversize	90.00	97.75	36
7151363	Full-width footplate, one piece, folding; angle-adjustable	120.00	135.50	36
7151364	Heel loop, adjustable	N/C	4.50	36
7151365	Headrest cushion, contoured, all sizes	85.00	85.00	36
7151366	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	90.00	90.00	36
FRAME				
7151367	Push handle, raised, detachable	N/C	100.00	36
7151368	Anti-tipping wheels, detachable or pivoting, with locking mechanism	N/C	21.00	60
7151369	Fold-away back spreader bar to fold chair; with anchor for headrest bracket	70.00	70.00	36
7151370	Wheelchair growth kit to enlarge chair by 5.1 cm (2 in.)	N/A	250.00	36
7151371	Cane holder	30.00	30.00	36
DRIVE SYSTEM				
7151372	Handrim, smooth	N/C	14.50	36
7151373	Handrim, plastic-coated	N/C	32.00	36
7151374	Non-slip handrim, foam	110.00	124.50	36
7151375	Standard wheel lock, push-to-lock, or pull-to-lock	N/C	14.00	36
7151376	Anti-rollback brake	106.00	120.00	36
7151377	Plug-in wheel lock extension	10.00	10.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7151378	Caster fork to adjust height and angle perpendicular to the ground to compensate for changes in the rear seat-to-floor height	N/C	9.63	36
WHEELS AND TIRES				
7151379	Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); 2.5 cm (1 in.) wide	N/C	24.91	36
7151380	Front mag wheel, semi-pneumatic tire, 12.7 cm (5 in.) or 17.8 cm (7 in.); 2.5 cm (1 in.) wide	N/C	8.65	36
7151381	Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity by increments of 0.63 cm (¼ in.) on a horizontal range of 8.9 cm (3½ in.); adjustable rear height for up to 5° of seat tilt, compatible with all wheel diameters	N/C	9.63	36
7151382	Threaded rear axle	N/C	4.75	36
7151383	Spoked rear wheel, semi-pneumatic tire, 61 cm (24 in.); 3.5 cm (1⅜ in.) wide	N/C	52.88	36
7151384	Spoked rear wheel, semi-pneumatic tire, 55.9 cm (22 in.); 3.5 cm (1⅜ in.) wide	N/C	52.88	36
7151385	Spoked rear wheel with inner tube tire, high pressure; 55.9 cm (22 in.) or 61 cm (24 in.)	60.00	112.88	36
7151386	Spoke guard	65.00	65.00	36

SUBSECTION 2: POWERED WHEELCHAIRS

PRICE
(including all
the basic
components)

7153351	POWERED WHEELCHAIR SUBCATEGORY “MULTI-PURPOSE (MID-FRONT OR MEDIAL DRIVE WHEELS)” SUNRISE MEDICAL CANADA INC. “323 E” MODEL	4,875.00
----------------	--	-----------------

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 181.4 kg (400 lb.)

Seat-to-floor height: 41.9 cm to 52 cm (16½ in. to 20½ in.)

Frame: mid-wheel drive base, suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

BASIC AND OPTIONAL COMPONENTS

	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
--	--	--------------------------------------	-------------------

BODY SUPPORT SYSTEM

7153352	Seat-to-back assembly structure; resizable; back canes angle-adjustable from 90° to 110° by maximum increments of 6°; non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle-adjustable from 0° to 10°; anchor for headrest bracket	N/C	550.00	36
7153353	Rigid metal seat for cushion; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.) or 38.1 cm (15 in.)	N/C	75.00	36
7153354	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	225.00	225.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153355	Flexible nylon mesh back, padded; heights of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N/C	160.00	12
7153356	Padded back cushion, contoured, including a rigid, contoured back	90.00	250.00	36
7153357	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	350.00	350.00	36
7153358	Power reclining back system, including a control external to the joystick control	1,590.00	1,590.00	36
7153359	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	1,650.00	1,650.00	36
7153420	Pelvic positioning belt, auto buckle	N/C	30.00	36
7153421	U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 38.7 cm (7 in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	175.00	60
7153422	T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 34.3 cm (7 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	175.00	60
7153423	U-type armrest, long; flip-away; height-adjustable, from 17.8 cm to 38.7 cm (7 in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	175.00	60
7153424	T-type armrest, long, detachable; height-adjustable, from 17.8 cm to 34.3 cm (7 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest, armrest pad, straight	N/C	175.00	60
7153425	Armrest pad, straight, short	N/C	20.00	12
7153426	Armrest pad, straight, long	N/C	20.00	12
7153427	One-piece footrest platform, 90°, adjustable length	N/C	225.00	60

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153428	90° footrest, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 14 cm to 49.5 cm (5½ in. to 19½ in.)	N/C	225.00	60
7153429	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, contoured	112.50	225.00	36
7153430	Power elevating leg-rest, with control per pair, including a control external to the joystick control	637.50	750.00	36
7153431	Power elevating leg-rest, with control per unit, including a control external to the joystick control	637.50	750.00	36
7153432	Power leg-rest, one-piece, including a control external to the joystick control	1,275.00	1,500.00	36
7153433	Padded calf-rest, contoured	35.00	35.00	36
7153434	Folding footplate, standard, standard size	N/C	80.00	36
7153435	Folding footplate, standard, oversize	N/C	80.00	36
7153436	Footplate, angle and depth-adjustable, standard size	N/C	80.00	36
7153437	Footplate, angle and depth-adjustable, oversize	N/C	80.00	36
7153438	Heel loop, adjustable	N/C	30.00	36
7153439	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	75.00	75.00	36
7153440	Headrest cushion, contoured, all sizes	70.00	70.00	36
FRAME				
7153441	Front impact guard with rollers	20.00	20.00	36
DRIVE SYSTEM				
7153442	Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N/C	329.00	36
7153443	Standard joystick control for multi-purpose programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	200.00	529.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153444	Compact joystick control, proportional	N/C	329.00	36
7153445	Standard side bracket for joystick control; adjustable forward-rearward position	N/C	140.00	36
7153446	Swivel side bracket for joystick control; with locking mechanism	N/C	230.00	36
7153447	Midline bracket for joystick control; flip-back to provide total clearance for seat access	60.00	200.00	36
7153448	Controller for basic programmable electronics	N/C	659.00	36
7153449	Controller for multi-purpose programmable electronics	100.00	759.00	36
7153450	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N/C	600.00	36
7153451	Motor for multi-functional programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N/C	600.00	36
7153452	Battery charger; external; compatible with group 22 NF or group 24 batteries	N/C	199.00	36
7153453	Internal control system for the joystick control for one (1) power repositioning accessory	350.00	350.00	36
7153454	Internal control system for the joystick control for four (4) power repositioning accessories	500.00	500.00	36
7153455	Adapted head control, proportional, including mounting bracket	1,100.00	1,100.00	36
7153456	Adapted head control, non-proportional, including mounting bracket	2,200.00	2,200.00	36
7153457	Adapted breath control, non-proportional, including mounting bracket	1,200.00	1,200.00	36
7153458	Adapted chin control, proportional, including mounting bracket	600.00	600.00	36
7153459	Adapted chin control, non-proportional, including mounting bracket	600.00	600.00	36
7153460	Adapted Mini joystick control, proportional, including mounting bracket	1,510.00	1,510.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153461	Mounting bracket for adapted control	350.00	350.00	36
7153462	Adapted control interface, with bracket and display	1,100.00	1,100.00	36
7153463	Mounting bracket for interface	350.00	350.00	36
7153464	Ball, stick, T-type, or mushroom handle	52.00	52.00	36
7153465	Course correction system	895.00	895.00	36
WHEELS AND TIRES				
7153466	Drive wheel, inner tube tire	N/C	150.00	36
7153467	Front caster wheel, semi-pneumatic or inner tube	N/C	80.00	36
7153468	Rear caster wheel, semi-pneumatic	N/C	80.00	36
7153469	Airless insert for drive wheel	45.00	45.00	36

PRICE
(including all
the basic
components)

7153360 POWERED WHEELCHAIR
SUBCATEGORY “MULTI-PURPOSE (MID-REAR DRIVE WHEELS)”

SUNRISE MEDICAL CANADA INC.

4,875.00

“747 E” MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 181.4 kg (400 lb.)

Seat-to-floor height: 42.5 cm to 52 cm (16¾ in. to 20½ in.)

Frame: mid-rear wheel drive base, suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

BASIC AND OPTIONAL COMPONENTS

**Unit price of
component
during device
purchase**

**Unit price for
component
replacement**

**Warranty
(months)**

BODY SUPPORT SYSTEM

7153361	Seat-to-back assembly structure; resizable; back canes angle-adjustable from 90° to 110° by maximum increments of 6°; push handles, covered with “non-slip” sheath; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle-adjustable from 0° to 10°; anchor for headrest bracket	N/C	550.00	36
7153362	Rigid metal seat for cushion; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider to stabilize cushions; widths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.) or 38.1 cm (15 in.)	N/C	75.00	36
7153363	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	225.00	225.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153364	Flexible nylon mesh back, padded; heights of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N/C	160.00	12
7153365	Padded back cushion, contoured, including a rigid, contoured back	90.00	250.00	36
7153366	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	350.00	350.00	36
7153367	Power reclining back device, including a control external to the joystick control	1,590.00	1,590.00	36
7153368	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	1,650.00	1,650.00	36
7153369	Pelvic positioning belt, auto buckle	N/C	30.00	36
7153370	U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 38.7 cm (7 in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	175.00	60
7153371	T-type armrest, short, detachable; height-adjustable, from 17.8 cm to 34.3 cm (7 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism, clothing guard, rigid, built into armrest, armrest pad, straight	N/C	175.00	60
7153372	U-type armrest, long; flip-away; height-adjustable, from 17.8 cm to 38.7 cm (7 in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	175.00	60
7153373	T-type armrest, long, detachable; height-adjustable, from 17.8 cm to 34.3 cm (7 in. to 13½ in.) maximum increments of 2.5 cm (1 in.), with locking mechanism, clothing guard, rigid, built into armrest, armrest pad, straight	N/C	175.00	60
7153374	Armrest pad, straight, short	N/C	20.00	12
7153375	Armrest pad, straight, long	N/C	20.00	12
7153376	90° footrest, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 14 cm to 49.5 cm (5½ in. to 19½ in.)	N/C	225.00	60

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153377	70° footrest, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 14 cm to 49.5 cm (5½ in. to 19½ in.)	N/C	225.00	60
7153378	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, contoured	N/C	225.00	36
7153379	Power elevating leg-rest, with control per pair, including a control external to the joystick control	637.50	862.50	36
7153380	Power elevating leg-rest, with control per unit, including a control external to the joystick control	637.50	862.50	36
7153381	Padded calf-rest, contoured	35.00	35.00	36
7153382	Folding footplate, standard, standard size	N/C	80.00	36
7153383	Folding footplate, standard, oversize	N/C	80.00	36
7153384	Footplate, angle and depth-adjustable, standard size	N/C	80.00	36
7153385	Footplate, angle and depth-adjustable, oversize	N/C	80.00	36
7153386	Folding footplate, full-size, one-piece; fixed angle	N/C	160.00	36
7153387	Heel loop, adjustable	N/C	30.00	36
7153388	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	75.00	75.00	36
7153389	Headrest cushion, contoured, all sizes	70.00	70.00	36
FRAME				
7153390	Anti-tipping wheels, non-detachable except with tools	N/C	80.00	60
7153391	Front impact guard with rollers	20.00	20.00	36
DRIVE SYSTEM				
7153392	Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N/C	329.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153393	Standard joystick control for multi-purpose programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	200.00	529.00	36
7153394	Compact joystick control, proportional	N/C	329.00	36
7153395	Standard side bracket for joystick control; adjustable forward-rearward position	N/C	140.00	36
7153396	Swivel side bracket for joystick control; with locking mechanism	N/C	230.00	36
7153397	Midline bracket for joystick control; flip-back to provide total clearance for seat access	60.00	200.00	36
7153398	Controller for basic programmable electronics	N/C	659.00	36
7153399	Controller for multi-purpose programmable electronics	100.00	759.00	36
7153400	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N/C	600.00	36
7153401	Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N/C	600.00	36
7153402	Battery charger; external; compatible with group 22 NF or group 24 batteries	N/C	199.00	36
7153403	Internal control system for the joystick control for one (1) power repositioning accessory	350.00	350.00	36
7153404	Internal control system for the joystick control for four (4) power repositioning accessories	500.00	500.00	36
7153405	Adapted head control, proportional, including mounting bracket	1,100.00	1,100.00	36
7153406	Adapted head control, non-proportional, including mounting bracket	2,200.00	2,200.00	36
7153407	Adapted breath control, non-proportional, including mounting bracket	1,200.00	1,200.00	36
7153408	Adapted chin control, proportional, including mounting bracket	600.00	600.00	36
7153409	Adapted chin control, non-proportional, including mounting bracket	600.00	600.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153410	Adapted Mini joystick control, proportional, including mounting bracket	1,510.00	1,510.00	36
7153411	Mounting bracket for adapted control	350.00	350.00	36
7153412	Adapted control interface, with bracket and display	1,100.00	1,100.00	36
7153413	Mounting bracket for interface	350.00	350.00	36
7153414	Ball, stick, T-type, or mushroom handle	52.00	52.00	36
7153415	Course correction system	895.00	895.00	36
WHEELS AND TIRES				
7153416	Drive wheel, inner tube tire	N/C	150.00	36
7153417	Front caster wheel, inner tube tire	N/C	80.00	36
7153418	Airless insert for drive wheel	40.00	40.00	36
7153419	Airless insert for caster wheel	45.00	45.00	36

DIVISION III: COMPLEMENTS FOR WHEEL CHAIRS**SUBDIVISION 1: WHEEL CHAIR SEAT CUSHIONS AND COVERS**

	Description	Maximum price
4490223	Standardized cushion, multilayer or injected foam	400.00
4490249	Standardized cushion, viscoelastic foam and gel	400.00
4499646	Standardized cushion, viscofluid foam and gel	400.00
4499869	Standardized cushion, static air-adjustable, single-compartment (by adjusting pressure or cell quantity)	500.00
4490215	Standardized cushion, static air-adjustable, multi-compartment (by adjusting pressure or cell quantity)	500.00
4499695	Standardized cushion, viscoelastic gel	500.00
4490231	Standardized cushion, viscofluid gel	500.00
4490256	Standardized cushion, foam with air insert	500.00
+4490248	Standardized convoluted cushion, fusion-bonded thermoplastic polymer	500.00
4490272	Customized cushion, multilayer or injected foam	425.00
4490280	Customized cushion, viscoelastic foam and gel	425.00
4490298	Customized cushion, viscofluid foam and gel	425.00
4490306	Customized cushion, foam with air insert	525.00
+4490307	Customized cushion, fusion-bonded thermoplastic polymer	600.00
4498847	Non-listed specialized seat cushion (S.C.)	S.C.
+4020510	Standard cover for specialized seat cushion	75.00
+4020511	Commercial waterproof cover for specialized seat cushion	100.00
+4020512	Surcharge payable for 2 commercial waterproof covers, provided with purchase or replacement of specialized seat cushion, as substitution for 2 standard covers	50.00
+4020513	Waterproof cover for seat cushion (any size)	75.00
+4020514	Non-listed cover provided, extra or replacement	S.C.
+4020515	Surcharge payable for bariatric cushion over than 20 inches width	150.00

**SUBDIVISION 2: BATTERIES FOR POWERED WHEEL CHAIRS
BATTERIES (GEL)**

**Price including delivery,
guarantee, and recovery
of non-compliant or
defective batteries
(price per pair)**

SUPPLIER: EAST PENN / POWER BATTERY

GROUP 22NF BATTERIES

4498010 Model: 8G22NF

257.14

SUPPLIER: EAST PENN / POWER BATTERY

GROUP 24 BATTERIES

4498671 Model: 8G24T881

333.64

SUPPLIER: EAST PENN / POWER BATTERY

GROUP U1 BATTERIES

4498051 Model: 8GU1

166.00

DIVISION IV: OTHER LOCOMOTOR ASSISTS
SUBDIVISION 1: ADULT POSITIONING BASES

PRICE
(including all
the basic
components)

7156052	ADULT POSITIONING BASES SUBCATEGORY “MULTI-ADJUSTABLE TILT”	
	SUNRISE MEDICAL CANADA INC.	1,798.00
	“QUICKIE IRIS” MODEL	

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 136.1 kg (300 lb.)

Seat-to-floor height: 31.7 cm to 49.5 cm (12½ in. to 19½ in.)

Frame: structure compatible with commercial positioning device anchors; back height from 38.1 cm to 61 cm (15 in. to 24 in.) by maximum increments of 5,1 cm (2 in.); back cane angle-adjustable from 90° to 120° by maximum increments of 8°; non-slip push handles or push bar, raised; anchor for headrest bracket; tilt system for minimum angulation of 45°; four tie-down points for adapted transport

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM				
7156053	Flat rigid seat; metal; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)	N/C	158.00	36
7156054	Reclining back with cylinder; continuous inclination up to a minimum of 120°	420.00	420.00	36
7156055	Pelvic positioning belt, auto buckle	N/C	35.00	36
7156056	Pelvic positioning belt, Velcro	N/C	29.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7156057	U-type armrest, short; detachable; height-adjustable, from 25.4 cm to 36.8 cm (10 in. to 14½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	120.00	60
7156058	T-type armrest, short; detachable; height-adjustable, from 18.4 cm to 40 cm (7¼ in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	120.00	60
7156059	U-type armrest, long; detachable; height-adjustable, from 25.4 cm to 36.8 cm (10 in. to 14½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	120.00	60
7156060	T-type armrest, long; detachable; height-adjustable, from 18.4 cm to 40 cm (7¼ in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	120.00	60
7156061	Armrest pad, straight, short	N/C	9.00	12
7156062	Armrest pad, straight, long	N/C	9.00	12
7156063	Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 29.2 cm to 48.3 cm (11½ in. to 19 in.)	N/C	116.00	60
7156064	Parallel footrest, 70° or 90° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 29.2 cm to 48.3 cm (11½ in. to 19 in.)	N/C	116.00	60
7156065	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, height and depth-adjustable	19.00	135.00	36
7156066	Padded calf-rest, contoured	20.00	20.00	36
7156067	Calf-rest strap, single	19.00	19.00	36
7156068	Footplate, angle and depth-adjustable, standard size	N/C	40.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7156069	Footplate, angle and depth-adjustable, oversize	N/C	40.00	36
7156070	Folding footplate, standard, standard size	N/C	9.00	36
7156071	Folding footplate, standard, oversize	N/C	9.00	36
7156072	Full-width footplate, one piece, folding; angle-adjustable	28.00	108.00	36
7156073	Heel loop, adjustable	N/C	11.00	36
7156074	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	75.00	75.00	36
7156075	Headrest cushion, padded and contoured, all sizes	70.00	70.00	36
FRAME				
7156076	Anti-tipping wheels, detachable or pivoting, with locking mechanism	N/C	28.00	60
7156077	Heavy-duty option to increase maximum weight capacity to 181.4 kg (400 lb.)	320.00	N/A	36
DRIVE SYSTEM				
7156078	Handrim, smooth	N/C	40.00	36
7156079	Handrim, plastic-coated	N/C	40.00	36
7156080	Non-slip handrim, foam	85.00	125.00	36
7156081	Handrim with vertical or oblique projections	45.00	85.00	36
7156082	Standard wheel lock, push-to-lock	N/C	32.00	36
7156083	Plug-in wheel lock extension	7.00	7.00	36
7156084	Caster fork, height-adjustable, compatible with all available wheel diameters	N/C	32.00	36
WHEELS AND TIRES				
7156085	Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.)	N/C	15.00	36
7156086	Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.)	N/C	15.00	36

BASIC AND OPTIONAL COMPONENTS

		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7156087	Rear axle, quick release system, with push-button locking mechanism	N/C	33.00	36
7156088	Threaded rear axle	N/C	5.00	36
7156089	Rear mag wheel, semi-pneumatic tire, 30.5 cm (12 in.) or 40.6 cm (16 in.)	N/C	80.00	36
7156090	Spoked rear wheel, semi-pneumatic tire, 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3.5 cm (1 $\frac{3}{8}$ in.) wide	N/C	80.00	36
7156091	Spoke guard	20.00	20.00	36

PRICE
(including all
the basic
components)

7156092 ADULT POSITIONING BASES
SUBCATEGORY “MULTI-ADJUSTABLE WITH BALANCED CENTRE
OF GRAVITY”

ORTHOFAB INC.

1,055.00

“TANGO CE” MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Seat-to-floor height: 35.6 cm to 50.8 cm (14 in. to 20 in.)

Frame: structure compatible with commercial positioning device anchors; back height from 40.6 cm to 61 cm (16 in. to 24 in.) by maximum increments of 2.51 cm (1 in.); back cane angle-adjustable from 90° to 120° by maximum increments of 8°; non-slip push handles or push bar, raised; anchor for headrest bracket; tilt system for minimum angulation of 45°; four tie-down points for adapted transport

BASIC AND OPTIONAL COMPONENTS

**Unit price of
component
during device
purchase**

**Unit price for
component
replacement**

**Warranty
(months)**

BODY SUPPORT SYSTEM

7156093	Flat rigid seat; metal; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.8 cm (22 in.)	N/C	40.00	36
7156094	Reclining back with cylinder; continuous inclination up to a minimum of 120°	270.00	270.00	36
7156095	Pelvic positioning belt, auto buckle	N/C	6.00	36
7156096	Pelvic positioning belt, Velcro	N/C	15.00	36
7156098	T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	150.00	60
7156100	T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to	N/C	150.00	60

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight			
7156101	Armrest pad, straight, short	N/C	6.00	12
7156102	Armrest pad, straight, long	N/C	6.00	12
7156103	Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 48.3 cm to 53.3 cm (19 in. to 21 in.)	N/C	172.00	60
7156104	Parallel footrest, 70° or 90° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or additionally for 70° footrest, from 48.3 cm to 53.3 cm (19 in. to 21 in.)	N/C	172.00	60
7156105	Elevating leg-rest, compensating; detachable and pivoting, with locking mechanism; adjustable length; standard folding footplate, standard size or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; Padded calf-rest, height and depth-adjustable	28.00	200.00	36
7156106	Padded calf-rest, flat	15.00	15.00	36
7156107	Calf-rest strap, double	15.00	15.00	36
7156108	Footplate, angle and depth-adjustable, standard size	N/C	50.00	36
7156109	Footplate, angle and depth-adjustable, oversize	N/C	55.00	36
7156110	Folding footplate, standard, standard size	N/C	6.00	36
7156111	Folding footplate, standard, oversize	N/C	35.00	36
7156112	Full-width footplate, in two lockable parts, angle-adjustable	N/C	100.00	36
7156113	Heel loop, adjustable	N/C	3.00	36
7156114	Headrest bracket, height and depth-adjustable	35.00	35.00	36
7156115	Headrest cushion, padded and flat, all sizes	40.00	40.00	36

FRAME

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7156116	Anti-tipping wheels, detachable or pivoting, with locking mechanism	N/C	12.00	60
7156117	Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	119.00	N/A	36
DRIVE SYSTEM				
7156118	Handrim, smooth	N/C	80.00	36
7156119	Handrim, plastic-coated	N/C	80.00	36
7156120	Non-slip handrim, foam	40.00	120.00	36
7156121	Handrim with oblique projections	N/C	80.00	36
7156122	Standard wheel lock, push-to-lock	N/C	30.00	36
7156123	Plug-in wheel lock extension	10.00	10.00	36
7156124	Caster fork, height-adjustable, compatible with all available wheel diameters	N/C	15.00	36
WHEELS AND TIRES				
7156125	Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); widths of 3.2 cm (1¼ in.) or 3.8 cm (1½ in.)	N/C	40.00	36
7156126	Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); 3.8 cm (1½ in.) wide	N/C	40.00	36
7156127	Rear axle, quick release system, with push-button locking mechanism	N/C	15.00	36
7156128	Threaded rear axle	N/C	2.00	36
7156129	Rear mag wheel, semi-pneumatic tire, 30.5 cm (12 in.)	N/C	100.00	36
7156130	Spoked rear wheel, semi-pneumatic tire, 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3.2 cm (1¼ in.) wide	N/C	100.00	36
7156131	Spoke guard	70.00	70.00	36

PRICE
(including all
the basic
components)

**7156132 ADULT POSITIONING BASES
SUBCATEGORY “MULTI-ADJUSTABLE CYLINDER”**

ORTHOFAB INC.

1,055.00

“TANGO AC” MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Seat-to-floor height: 35.6 cm to 50.8 cm (14 in. to 20 in.)

Frame: structure compatible with commercial positioning device anchors; back height from 40.6 cm to 61 cm (16 in. to 24 in.) by maximum increments of 2.5 cm (1 in.); back cane angle-adjustable from 90° to 120° by maximum increments of 8°; non-slip push handles or push bar, raised; anchor for headrest bracket; tilt system for minimum angulation of 45°; four tie-down points for adapted transport

BASIC AND OPTIONAL COMPONENTS

**Unit price of
component
during device
purchase**

**Unit price for
component
replacement**

**Warranty
(months)**

BODY SUPPORT SYSTEM

7156133	Flat rigid seat; metal; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.8 cm (22 in.)	N/C	40.00	36
7156134	Reclining back with cylinder; continuous inclination up to a minimum of 120°	270.00	270.00	36
7156135	Pelvic positioning belt, auto buckle	N/C	6.00	36
7156136	Pelvic positioning belt, Velcro	N/C	15.00	36
7156137	U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	150.00	60

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7156139	U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	150.00	60
7156141	Armrest pad, straight, short	N/C	6.00	12
7156142	Armrest pad, straight, long	N/C	6.00	12
7156143	Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 48.3 cm to 53.3 cm (19 in. to 21 in.)	N/C	172.00	60
7156144	Parallel footrest, 70° or 90° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) and additionally for the 70° footrest, from 48.3 cm to 53.3 cm (19 in. to 21 in.)	N/C	172.00	60
7156145	Elevating leg-rest, compensating; detachable and pivoting, with locking mechanism; adjustable length; standard folding footplate, standard size or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, height and depth-adjustable	28.00	200.00	36
7156146	Padded calf-rest, flat	15.00	15.00	36
7156147	Calf-rest strap, double	15.00	15.00	36
7156148	Footplate, angle and depth-adjustable, standard size	N/C	50.00	36
7156149	Footplate, angle and depth-adjustable, oversize	N/C	55.00	36
7156150	Folding footplate, standard, standard size	N/C	6.00	36
7156151	Folding footplate, standard, oversize	N/C	35.00	36
7156152	Full-width footplate, in two lockable parts; angle-adjustable	N/C	100.00	36
7156153	Heel loop, adjustable	N/C	3.00	36
7156154	Headrest bracket, height and depth-adjustable	35.00	35.00	36
7156155	Headrest cushion, padded and flat, all sizes	40.00	40.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
FRAME				
7156156	Anti-tipping wheels, detachable or pivoting, with locking mechanism	N/C	12.00	60
7156157	Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	119.00	N/A	36
DRIVE SYSTEM				
7156158	Handrim, smooth	N/C	80.00	36
7156159	Handrim, plastic-coated	N/C	80.00	36
7156160	Non-slip handrim, foam	40.00	120.00	36
7156161	Handrim with oblique projections	N/C	80.00	36
7156162	Standard wheel lock, push-to-lock	N/C	30.00	36
7156163	Telescopic wheel lock extension	10.00	10.00	36
7156164	Caster fork, height-adjustable, compatible with all available wheel diameters	N/C	15.00	36
WHEELS AND TIRES				
7156165	Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); widths of 3.2 cm (1¼ in.) or 3.8 cm (1½ in.)	N/C	40.00	36
7156166	Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); 3.8 cm (1½ in.) wide	N/C	40.00	36
7156167	Rear axle, quick release system, with push-button locking mechanism	N/C	15.00	36
7156168	Threaded rear axle	N/C	2.00	36
7156169	Rear mag wheel, semi-pneumatic tire, 30.5 cm (12 in.)	N/C	100.00	36
7156170	Spoked rear wheel, semi-pneumatic tire, 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3.2 cm (1¼ in.) wide	N/C	100.00	36
7156171	Spoke guard	70.00	70.00	36

PRICE
(including all
the basic
components)

7156172 ADULT POSITIONING BASES
SUBCATEGORY “MULTI-ADJUSTABLE WITH CONSTANT OR NEAR-CONSTANT FRONT SEAT-TO-FLOOR HEIGHT”

PDG PRODUCT DESIGN GROUP INC.

1,150.00

“BENTLEY” MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Seat-to-floor height: 35.6 cm to 48.3 cm (14 in. to 19 in.)

Frame: structure compatible with commercial positioning device anchors; back height of 53.3 cm (21 in.) or 61 cm (24 in.); back cane angle-adjustable from 90° to 120° by maximum increments of 8°; non-slip push bar, raised; anchor for headrest bracket; tilt system for minimum angulation of 45°; four tie-down points for adapted transport

BASIC AND OPTIONAL COMPONENTS

**Unit price of
component
during device
purchase**

**Unit price for
component
replacement**

**Warranty
(months)**

BODY SUPPORT SYSTEM

7156173	Flat rigid seat; metal; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N/C	10.76	36
7156174	Reclining back with cylinder; continuous inclination up to a minimum of 120°	187.50	187.50	36
7156175	Pelvic positioning belt, auto buckle	N/C	21.00	36
7156176	Pelvic positioning belt, Velcro	N/C	33.00	36
7156177	U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	7.50	60

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7156179	U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	7.50	60
7156181	Armrest pad, straight, short	N/C	3.05	12
7156182	Armrest pad, straight, long	N/C	2.20	12
7156183	Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 25.4 cm to 38.1 cm (10 in. to 15 in.), from 30.5 cm to 40.6 cm (12 in. to 16 in.) or from 38.1 cm to 48.3 cm (15 in. to 19 in.)	N/C	52.50	60
7156184	Parallel footrest, 70° or 90° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 25.4 cm to 38.1 cm (10 in. to 15 in.), from 27.9 cm to 38.1 cm (11 in. to 15 in.), from 33 cm to 43.2 cm (13 in. to 17 in.) or from 38.1 cm to 48.3 cm (15 in. to 19 in.)	N/C	52.50	60
7156185	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, height and depth-adjustable	37.50	90.00	36
7156186	Padded calf-rest, flat	22.50	22.50	36
7156187	Calf-rest strap, single	35.00	35.00	36
7156188	Footplate, angle and depth-adjustable, standard size	N/C	4.95	36
7156189	Footplate, angle and depth-adjustable, oversize	N/C	5.60	36
7156190	Folding footplate, standard, standard size	N/C	3.34	36
7156191	Folding footplate, standard, oversize	N/C	3.34	36
7156192	Full-width footplate, one piece, folding; angle-adjustable	80.10	90.00	36
7156193	Heel loop, adjustable	N/C	0.75	36
7156194	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	50.00	50.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7156195	Headrest cushion, padded, flat or contoured, all sizes	37.00	37.00	36
FRAME				
7156196	Anti-tipping wheels, detachable or pivoting, with locking mechanism	N/C	5.00	60
7156197	Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	550.00	N/A	36
DRIVE SYSTEM				
7156198	Handrim, smooth	N/C	8.00	36
7156199	Handrim, plastic-coated	2.40	10.40	36
7156200	Non-slip handrim, foam	179.50	187.50	36
7156201	Handrim with vertical projections	57.00	65.00	36
7156202	Standard wheel lock, push-to-lock	N/C	1.80	36
7156203	Plug-in wheel lock extension	2.74	2.74	36
7156204	Caster fork, height-adjustable, compatible with all available wheel diameters	N/C	5.09	36
WHEELS AND TIRES				
7156205	Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); 3 cm (1 ³ / ₁₆ in.) wide	N/C	8.34	36
7156206	Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); 3 cm (1 ³ / ₁₆ in.) wide	N/C	8.34	36
7156207	Rear axle, quick release system, with push-button locking mechanism	N/C	3.00	36
7156208	Threaded rear axle	N/C	0.03	36
7156209	Rear mag wheel, semi-pneumatic tire, 30.5 cm (12 in.)	N/C	12.00	36
7156210	Spoked rear wheel, semi-pneumatic tire, 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3 cm (1 ³ / ₁₆ in.) wide	N/C	23.62	36
7156211	Spoke guard	43.00	43.00	36

SUBDIVISION 2: PEDIATRIC POSITIONING BASES

**PRICE
(including all
the basic
components)**

**7156212 PEDIATRIC POSITIONING BASES
SUBCATEGORY “MULTI-ADJUSTABLE TILT”**

SUNRISE MEDICAL CANADA INC.

1,650.00

“ZIPPIE IRIS” MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 102.1 kg (225 lb.)

Seat-to-floor height: 38.1 cm to 48.3 cm (15 in. to 19 in.)

Frame: structure compatible with commercial positioning device anchors; back height from 40.6 cm to 63.5 cm (16 in. to 25 in.) by maximum increments of 5,1 cm (2 in.); back cane angle-adjustable from 90° to 120° by maximum increments of 8°; non-slip push handles or push bar, raised; anchor for headrest bracket; tilt system for minimum angulation of 45°; four tie-down points for adapted transport

BASIC AND OPTIONAL COMPONENTS

**Unit price of
component
during device
purchase**

**Unit price for
component
replacement**

**Warranty
(months)**

BODY SUPPORT SYSTEM

7156213	Flat rigid seat; metal; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 25.4 cm (10 in.), 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.); depths of 30.5 cm (12 in.), 35.6 cm (14 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N/C	158.00	36
7156214	Pelvic positioning belt, auto buckle	N/C	35.00	36
7156215	Pelvic positioning belt, Velcro	N/C	29.00	36
7156216	I-type armrest, short; detachable; height-adjustable, from 18.4 cm to 40 cm (7¼ in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	120.00	60

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7156217	T-type armrest, short; detachable; height-adjustable, from 18.4 cm to 40 cm (7¼ in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	120.00	60
7156218	I-type armrest, long; detachable; height-adjustable, from 18.4 cm to 40 cm (7¼ in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	120.00	60
7156219	T-type armrest, long; detachable; height-adjustable, from 18.4 cm to 40 cm (7¼ in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	120.00	60
7156220	Armrest pad, straight, short	N/C	9.00	12
7156221	Armrest pad, straight, long	N/C	9.00	12
7156222	70° footrest, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 17.8 cm to 33 cm (7 in. to 13 in.)	N/C	116.00	60
7156223	90° footrest, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 17.8 cm to 33 cm (7 in. to 13 in.)	N/C	116.00	60
7156224	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, height and depth-adjustable	19.00	135.00	36
7156225	Padded calf-rest	20.00	20.00	36
7156226	Calf-rest strap, single	19.00	19.00	36
7156227	Footplate, angle and depth-adjustable, standard size	N/C	40.00	36
7156228	Footplate, angle and depth-adjustable, oversize	N/C	40.00	36
7156229	Folding footplate, standard, standard size	N/C	9.00	36
7156230	Folding footplate, standard, oversize	N/C	9.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7156231	Full-width footplate, one piece, folding; angle-adjustable	28.00	108.00	36
7156232	Heel loop, adjustable	N/C	11.00	36
7156233	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	75.00	75.00	36
7156234	Headrest cushion, padded and contoured, all sizes	70.00	70.00	36
FRAME				
7156235	Anti-tipping wheels, detachable or pivoting, with locking mechanism	N/C	28.00	60
DRIVE SYSTEM				
7156236	Handrim, smooth	N/C	40.00	36
7156237	Handrim, plastic-coated	N/C	40.00	36
7156238	Non-slip handrim, foam	85.00	125.00	36
7156239	Handrim with vertical or oblique projections	45.00	85.00	36
7156240	Standard wheel lock, push-to-lock	N/C	32.00	36
7156241	Plug-in wheel lock extension	7.00	7.00	36
7156242	Caster fork, height-adjustable, compatible with all available wheel diameters	N/C	32.00	36
WHEELS AND TIRES				
7156243	Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.)	N/C	15.00	36
7156244	Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.)	N/C	15.00	36
7156245	Rear axle, quick release system, with push-button locking mechanism	N/C	33.00	36
7156246	Threaded rear axle	N/C	5.00	36
7156247	Rear mag wheel, semi-pneumatic tire, 30.5 cm (12 in.)	N/C	80.00	36

BASIC AND OPTIONAL COMPONENTS

		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7156248	Spoked rear wheel, semi-pneumatic tire, 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3.5 cm (1 $\frac{3}{8}$ in.) wide	N/C	80.00	36
7156249	Spoke guard	20.00	20.00	36

DIVISION V: STROLLERS AND ORTHOMOBILES

DEVICE	Maximum price
Buggy Major-type stroller, including footrests and harness	
4495602 less than three years of age *	660.00
4495610 three years of age and over	660.00

Available Component(s)	
4495651 padded seat	96.00
4494993 other components	S.C.
4493862 thoracic support	96.00
4493870 chest pad	57.00

DURATION OF GUARANTEE: 12 months

DEVICE	Maximum price
---------------	----------------------

4495701 Other strollers*

S.C.

2192300 Orthomobiles

S.C.