

**Notice** 001-2022

Health Insurance Act (chapter A-29)

Tariff for insured devices which compensate for a motor deficiency and related services

- Amendments

The RÉGIE DE L'ASSURANCE MALADIE DU QUÉBEC

HEREBY GIVES NOTICE that it has made, by resolution CA-553-22-02-23 of its board of directors, dated 23 February 2022, the Regulation to amend the Tariff for insured devices which compensate for a motor deficiency and related services, the text of which appears below.

Québec, 24 February 2022

ORIGINAL SIGNED by

Sonia Marceau Secretary General of the Régie de l'assurance maladie du Québec

# REGULATION TO AMEND THE TARIFF FOR INSURED DEVICES WHICH COMPENSATE FOR A MOTOR DEFIENCY AND RELATED SERVICES

Health Insurance Act (chapter A-29, s. 3, 5th par. and s. 72.1, 1st par.)

- 1. The Tariff for insured devices which compensate for a motor deficiency and related services (chapter A-29, r. 9) is amended by replacing SCHEDULE I with the Schedule 1 attached hereto.
- 2. This regulation comes into force on 1 April 2022.



TITLE ONE: PROSTHESES, ORTHOSES, AMBULATION AIDS OR STANDING AIDS

# PART I: AIDS FURNISHED BY AN INSTITUTION OR A LABORATORY

DIVISION I: LOWER-LIMB PROSTHESES SUBDIVISION 1: FOOT PROSTHESES

|         | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---------|---|--|--|---------------------------------|-----------------------|
| 1120001 | Prosthesis for total amputation of second, third and fourth<br>toe, of two or of all of those toes, made from plaster or<br>digital mold of insured person  | 159.00   |  |                                 | 3                     |
|         | BASIC COMPONENTS AND SUPPLEMENTS  |  |  |                                 |                       |
|         | Restoration of anterior part of foot, on rigid or pliable sole  |  |  |                                 |                       |
|         | Longitudinal arch support  Compensatory sole for limb not fitted with a prosthesis  |  |  |                                 |                       |
|         | COMPONENT AND SUPPLEMENT AVAILABLE  |  |  |                                 |                       |
|         | None  |  |  |                                 |                       |
|         | ADJUSTMENTS AVAILABLE   |  |  |                                 |                       |
|         | Any pertinent adjustment  |  |  |                                 |                       |
|         |   |  |  |                                 |                       |
|         | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee (months)    |
| 1120002 | Prosthesis for total amputation of first toe, with or without amputation of second, third, fourth or fifth toe, made from plaster or digital mold of insured person   | Purchase or replacement of                               | price<br>Replacement<br>of component                             | adjustement                     |                       |
| 1120002 | Prosthesis for total amputation of first toe, with or without amputation of second, third, fourth or fifth toe, made from   | Purchase or replacement of device                        | price<br>Replacement<br>of component                             | adjustement                     | (months)              |
| 1120002 | Prosthesis for total amputation of first toe, with or without amputation of second, third, fourth or fifth toe, made from plaster or digital mold of insured person  BASIC COMPONENTS AND SUPPLEMENTS   | Purchase or replacement of device                        | price<br>Replacement<br>of component                             | adjustement                     | (months)              |
| 1120002 | Prosthesis for total amputation of first toe, with or without amputation of second, third, fourth or fifth toe, made from plaster or digital mold of insured person  BASIC COMPONENTS AND SUPPLEMENTS Restoration of anterior part of foot, on rigid or pliable sole  Longitudinal arch support   | Purchase or replacement of device                        | price<br>Replacement<br>of component                             | adjustement                     | (months)              |
| 1120002 | Prosthesis for total amputation of first toe, with or without amputation of second, third, fourth or fifth toe, made from plaster or digital mold of insured person  BASIC COMPONENTS AND SUPPLEMENTS Restoration of anterior part of foot, on rigid or pliable sole  Longitudinal arch support Correction or shank   | Purchase or replacement of device                        | price<br>Replacement<br>of component                             | adjustement                     | (months)              |
| 1120002 | Prosthesis for total amputation of first toe, with or without amputation of second, third, fourth or fifth toe, made from plaster or digital mold of insured person  BASIC COMPONENTS AND SUPPLEMENTS Restoration of anterior part of foot, on rigid or pliable sole  Longitudinal arch support Correction or shank  COMPONENT AND SUPPLEMENT AVAILABLE       | Purchase or replacement of device                        | price<br>Replacement<br>of component                             | adjustement                     | (months)              |
|         | Prosthesis for total amputation of first toe, with or without amputation of second, third, fourth or fifth toe, made from plaster or digital mold of insured person  BASIC COMPONENTS AND SUPPLEMENTS Restoration of anterior part of foot, on rigid or pliable sole  Longitudinal arch support Correction or shank  COMPONENT AND SUPPLEMENT AVAILABLE  None | Purchase or replacement of device                        | price<br>Replacement<br>of component                             | adjustement                     | (months)              |

|         | DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum price Replacement of component or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---------|--|--|--|---------------------------------|-----------------------|
| 1120000 | Prosthesis for transmetatarsal or transtarsal amputation without length difference of the lower limbs, with ankle support, made from plaster or digital mold of insured person | 365.00   |  |                                 | 6                     |
|         | BASIC COMPONENTS AND SUPPLEMENTS   |  |  |                                 |                       |
|         | Restoration of anterior part of foot<br>Laminated or molded plastic or molded leather socket   |  |  |                                 |                       |
|         | COMPONENTS AND SUPPLEMENTS AVAILABLE   |  |  |                                 |                       |
| 1125601 | OPTIONAL COMPONENTS Leg support (where necessary) Ankle joints: See division on common optional components   | 74.00  | N. A.  |                                 |                       |
|         | SUPPLEMENTS AVAILABLE  | *  | *  |                                 |                       |
|         | Stump sock and sheath  |  |  |                                 |                       |
|         | * (consult Division III of this Part for the codes and prices of these supplements)  |  |  |                                 |                       |
|         | ADJUSTMENTS AVAILABLE Any pertinent adjustment   |  |  |                                 |                       |

# SUBDIVISION 2: ANKLE DISARTICULATION PROSTHESES

| DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---|--|--|---------------------------------|-----------------------|
| 1130000 Prosthesis transtarsal with length difference of the lower limbs or ankle disarticulation (Symes) temporary             | 147.00   |  |                                 | *                     |
| BASIC COMPONENTS AND SUPPLEMENTS  |  |  |                                 |                       |
| Laminated or molded plastic socket, adjustable or not, made from plaster or digital mold of insured person                      |  |  |                                 |                       |
| Temporary foot (loan)<br>Socket adaptor   |  |  |                                 |                       |
| *DURATION OF GUARANTEE : Life of prosthesis   |  |  |                                 |                       |
| COMPONENTS AND SUPPLEMENTS AVAILABLE  |  |  |                                 |                       |
| BASIC COMPONENT   |  |  |                                 |                       |
| 1135500 Laminated or molded plastic adjustable socket, made fro<br>plaster or digital mold of insured person                    | om N. C.   | N. A.  |                                 |                       |
| OPTIONAL COMPONENT  |  |  |                                 |                       |
| 1135605 Foam flexible double comfort for prosthesis transtarsal   | 47.00  | 47.00  |                                 | 3                     |
| <ul><li>Stump sock and sheath</li><li>(consult Division III of this Part for the codes and pric of these supplements)</li></ul> | *<br>es  | *  |                                 |                       |
| ADJUSTMENT AVAILABLE  |  |  |                                 |                       |
| None  |  |  |                                 |                       |
| DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
| 1130001 Prosthesis transtarsal with length difference of the lower limbs or ankle disarticulation (Symes)                       | 616.00   |  |                                 | 6                     |

BASIC COMPONENTS AND SUPPLEMENTS

Laminated plastic socket or molded, made from plaster or digital mold of insured person, with or without medial or posterior window

SACH foot

## COMPONENTS AND SUPPLEMENTS AVAILABLE

## BASIC COMPONENTS

----- Any pertinent adjustment

| 1135501 SACH foot   | N. C.    | 205.00   | 3 |
|---|----------|----------|---|
| 1135502 Laminated plastic socket, made from plaster or digital mold of insured person, with or without medial or posterior window | N. C.    | 474.00   |   |
| OPTIONAL COMPONENTS   |          |          |   |
| 1135600 Symes foot trial socket   | 240.00   | N. A.    |   |
| 1135601 Chopart amputation foot   | 1,017.00 | 1,222.00 |   |
| 1135602 Symes foot  | 1,819.00 | 2,024.00 |   |
| 1135603 Silicone laminated extensible double socket   | 147.00   | 147.00   | 3 |
| 1135604 Foam flexible double comfort socket for transtarsal prosthesis  | 47.00    | 47.00    | 3 |
| SUPPLEMENTS AVAILABLE   |          |          |   |
| Stump sock and sheath   | *        | *        | 3 |
| * (consult Division III of this Part for the codes and prices of these supplements)   |          |          | 3 |
| SUPPLEMENTS AVAILABLE   |          |          |   |

# **SUBDIVISION 3: TRANSTIBIAL PROSTHESES**

|         | DEVICE  | Maximum price Purchase or replacement of device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---------|---|---|--|---------------------------------|-----------------------|
| 1140000 | Post-operative tibial prosthesis necessitating obligatory renewal of plaster mold   | 424.00  |  |                                 | *                     |
|         | BASIC COMPONENTS AND SUPPLEMENTS  |   |  |                                 |                       |
|         | Lycra compressible socks (4) Plaster sockets (2) Means of suspension (belt) SACH foot (loan) Adjustable pylon (loan) *DURATION OF GUARANTEE: Life of prosthesis |   |  |                                 |                       |
|         | COMPONENTS AND SUPPLEMENTS AVAILABLE  |   |  |                                 |                       |
|         | BASIC COMPONENTS  |   |  |                                 |                       |
|         | Plaster sockets (2)<br>Means of suspension (belt)   | N. C.<br>N. C.                                  | N. A.<br>N. A.   |                                 |                       |
|         | SUPPLEMENT AVAILABLE  |   |  |                                 |                       |
| 1145700 | Lycra compressible sock   | N. C.   | N. A.  |                                 |                       |
|         | ADJUSTMENT AVAILABLE  |   |  |                                 |                       |
|         | None  |   |  |                                 |                       |
|         | DEVICE  | Maximum price Purchase or replacement of device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
| 1140001 | Pneumatic post-operative transtibial prosthesis, non-articulated  | 369.00  |  |                                 | *                     |
|         | BASIC COMPONENTS AND SUPPLEMENTS  |   |  |                                 |                       |
|         | Inflatable bag or case (new or recycled and sterilized) Distal pad Suspension straps Mobility frame (loan) Electric pump (loan)                                 |   |  |                                 |                       |
|         | *DURATION OF GUARANTEE : Life of prosthesis   |   |  |                                 |                       |
|         | COMPONENT AND SUPPLEMENT AVAILABLE  |   |  |                                 |                       |

| None  |  |  |                                 |                       |
|---|--|--|---------------------------------|-----------------------|
| SUPPLEMENTS AVAILABLE   |  |  |                                 |                       |
| Stump sock * (consult Division III of this Part for the codes and prices of these supplements)  | *  | *  |                                 |                       |
| ADJUSTMENT AVAILABLE  |  |  |                                 |                       |
| None  |  |  |                                 |                       |
| DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
| 1140002 Pneumatic post-operative transtibial prosthesis, articulated  | 427.00   |  |                                 | *                     |
| BASIC COMPONENTS AND SUPPLEMENTS  Inflatable bag or case (new or recycled and sterilized) Thigh lacer system (loan) Knee joint system (loan) Universal socket (loan) Modular system (loan) SACH foot (loan) Air pump (loan)  *DURATION OF GUARANTEE: Life of prosthesis |  |  |                                 |                       |
| COMPONENTS AND SUPPLEMENTS AVAILABLE  |  |  |                                 |                       |
| SUPPLEMENTS AVAILABLE   |  |  |                                 |                       |
| Stump sock * (consult Division III of this Part for the codes and prices of these supplements)  | *  | *  |                                 |                       |
| ADJUSTMENT AVAILABLE  |  |  |                                 |                       |

| DEVICE  Maximum price Purchase or replacement of device or supplement  Maximum price Purchase or replacement of component price or supplement  Maximum price price Maximum price price of component of component price or supplement |
|--|
|--|

320.00

# BASIC COMPONENTS AND SUPPLEMENTS

None

1140003 Temporary trantibial prosthesis

Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person

|                               | Temporary foot (loan)<br>Endoskeletal system (loan)  |  |  |                      |                       |
|-------------------------------|--|--|--|----------------------|-----------------------|
|                               | *DURATION OF GUARANTEE : Life of prosthesis  |  |  |                      |                       |
|                               | COMPONENTS AND SUPPLEMENTS AVAILABLE   |  |  |                      |                       |
|                               | BASIC COMPONENT  |  |  |                      |                       |
| 1145502                       | Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person   | N. C.  | N. A.  |                      |                       |
|                               | OPTIONAL COMPONENT   |  |  |                      |                       |
|                               | None   |  |  |                      |                       |
|                               | SUPPLEMENTS AVAILABLE  |  |  |                      |                       |
|                               | Stump sock * (consult Division III of this Part for the codes and prices of these supplements)   | *  | *  |                      |                       |
|                               | ADJUSTMENT AVAILABLE   |  |  |                      |                       |
|                               | None   |  |  |                      |                       |
|                               |  | Maximum price  | Maximum price  | Maximum              | Comment               |
|                               | DEVICE   | Purchase or replacement of device                      | Replacement of component or supplement               | adjustement<br>price | Guarantee<br>(months) |
| 1140004                       | DEVICE  Exoskeletal transtibial prosthesis   | replacement of   | Replacement of component                             | -                    |                       |
| 1140004                       |  | replacement of device                                  | Replacement of component                             | -                    | (months)              |
| 1140004                       | Exoskeletal transtibial prosthesis   | replacement of device                                  | Replacement of component                             | -                    | (months)              |
| 1140004                       | Exoskeletal transtibial prosthesis  BASIC COMPONENTS AND SUPPLEMENTS  Laminated or molded plastic tibial socket, made from   | replacement of device                                  | Replacement of component                             | -                    | (months)              |
| 1140004                       | Exoskeletal transtibial prosthesis  BASIC COMPONENTS AND SUPPLEMENTS  Laminated or molded plastic tibial socket, made from plaster or digital mold of insured person  SACH foot Medial wedge   | replacement of device                                  | Replacement of component                             | -                    | (months)              |
| 1140004                       | Exoskeletal transtibial prosthesis  BASIC COMPONENTS AND SUPPLEMENTS  Laminated or molded plastic tibial socket, made from plaster or digital mold of insured person  SACH foot Medial wedge Ankle block   | replacement of device                                  | Replacement of component                             | -                    | (months)              |
| 1145503<br>1135501            | Exoskeletal transtibial prosthesis  BASIC COMPONENTS AND SUPPLEMENTS  Laminated or molded plastic tibial socket, made from plaster or digital mold of insured person  SACH foot Medial wedge Ankle block  COMPONENTS AND SUPPLEMENTS AVAILABLE   | replacement of device                                  | Replacement of component                             | -                    | (months)              |
| 1145503<br>1135501<br>1145504 | Exoskeletal transtibial prosthesis  BASIC COMPONENTS AND SUPPLEMENTS  Laminated or molded plastic tibial socket, made from plaster or digital mold of insured person  SACH foot Medial wedge Ankle block  COMPONENTS AND SUPPLEMENTS AVAILABLE  BASIC COMPONENTS  Ankle block SACH foot Laminated or molded plastic tibial socket, made from   | replacement of device  484.00  N. C. N. C.             | Replacement of component or supplement  N. A. 205.00 | -                    | (months)              |
| 1145503<br>1135501<br>1145504 | Exoskeletal transtibial prosthesis  BASIC COMPONENTS AND SUPPLEMENTS  Laminated or molded plastic tibial socket, made from plaster or digital mold of insured person  SACH foot Medial wedge Ankle block  COMPONENTS AND SUPPLEMENTS AVAILABLE  BASIC COMPONENTS  Ankle block SACH foot Laminated or molded plastic tibial socket, made from plaster or digital mold of insured person | replacement of device  484.00  N. C. N. C. N. C. N. C. | N. A. 205.00 286.00                                  | -                    | (months)              |

| 1145602 Low or no return energy foot<br>1145603 Moderate energy return foot<br>1145604 Dynamic response foot with torsion<br>1145605 Femoral device with plastic ischiatic support<br>1145607 Foam flexible prosthetic cover | 259.00<br>610.00<br>1,256.00<br>317.00<br>289.00         | 464.00<br>815.00<br>1,461.00<br>317.00<br>289.00     |                                 | 3                     |
|--|--|--|---------------------------------|-----------------------|
| SUPPLEMENTS AVAILABLE  |  |  |                                 |                       |
| <ul><li> Stump sock and sheath</li><li>* (consult Division III of this Part for the codes and prices of these supplements)</li></ul>   | *  | *  |                                 |                       |
| ADJUSTMENTS AVAILABLE  |  |  |                                 |                       |
| 1146500 Socket lining (leather, plastic or other material)<br>1146501 Lengthening of a tibial prosthesis   |  |  | 30.00<br>186.00                 |                       |
| Any pertinent adjustment   |  |  |                                 |                       |
| DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum price Replacement of component or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
| 1140005 Endoskeletal transtibial prosthesis  | 797.00   |  |                                 | 6                     |
| BASIC COMPONENTS AND SUPPLEMENTS   |  |  |                                 |                       |
| Laminated plastic tibial socket, made from plaster or digital mold of insured person   |  |  |                                 |                       |
| SACH foot and adapter<br>Complete endoskeletal system (modular components,<br>prosthetic cover and prosthetic socks (2))   |  |  |                                 |                       |
| COMPONENTS AND SUPPLEMENTS AVAILABLE   |  |  |                                 |                       |
| BASIC COMPONENTS   |  |  |                                 |                       |
| 1135501 SACH foot  | N. C.  |  |                                 |                       |
| 1145508 Adapter 1145509 Laminated or molded plastic tibial socket, made from plaster or digital mold of insured person   | N. C.<br>N. C.   |  |                                 | 3                     |
| 1145510 Complete endoskeletal system<br>1145511 Prosthetic cover<br>1145512 Medial wedge   | N. C<br>N. C<br>N. C                                     | . 122.00   |                                 |                       |
| OPTIONAL COMPONENTS  |  |  |                                 |                       |
| 1145608 Trial socket<br>1145609 Low or no return energy foot<br>1145610 Moderate energy return foot  | 199.00<br>259.00<br>610.00                               | N. A.<br>464.00<br>815.00                            |                                 |                       |

| 1145612<br>1145613<br>1145615 | Dynamic response foot with torsion Foot with high energy return, adult Foot with high energy return, pediatric Femoral device with plastic ischiatic support Titanium modular system and carbon fiber pylon SUPPLEMENTS AVAILABLE | 1,256.00<br>2,484.00<br>929.00<br>317.00<br>250.00 | 1,461.00<br>2,689.00<br>1,134.00<br>317.00<br>N. A. |                   | 3         |
|-------------------------------|---|--|---|-------------------|-----------|
|                               | Stump sock * (consult Division III of this Part for the codes and prices of these supplements)  | *  | *   |                   |           |
|                               | ADJUSTMENTS AVAILABLE   |  |   |                   |           |
|                               | Socket lining (leather, plastic or other material)<br>Lengthening of tibial part of prosthesis, excluding<br>replacement of prosthetic cover and prosthetic sock  |  |   | 30.00<br>163.00   |           |
|                               | Any pertinent adjustment  |  |   |                   |           |
|                               | DEVICE  | Maximum price<br>Purchase or                       | Maximum price<br>Replacement of                     | Maximum           | Guarantee |
|                               |   | replacement of device                              | component or supplement                             | adjustement price | (months)  |
| 1140006                       | Prosthetic restoration of a leg   |  |   | adjustement price | (months)  |
| 1140006                       |   | device   |   | adjustement price |           |
| 1140006                       | Prosthetic restoration of a leg   | device   |   | adjustement price |           |
| 1140006                       | Prosthetic restoration of a leg BASIC COMPONENTS AND SUPPLEMENTS  | device   |   | adjustement price |           |
| 1140006                       | Prosthetic restoration of a leg  BASIC COMPONENTS AND SUPPLEMENTS  Prosthetic foam-rubber calf  | device   |   | adjustement price |           |
|                               | Prosthetic restoration of a leg  BASIC COMPONENTS AND SUPPLEMENTS  Prosthetic foam-rubber calf  COMPONENTS AND SUPPLEMENTS AVAILABLE  | device   | supplement  | adjustement price |           |
|                               | Prosthetic restoration of a leg  BASIC COMPONENTS AND SUPPLEMENTS  Prosthetic foam-rubber calf  COMPONENTS AND SUPPLEMENTS AVAILABLE  BASIC COMPONENT   | 196.00   | supplement  | adjustement price |           |
|                               | Prosthetic restoration of a leg  BASIC COMPONENTS AND SUPPLEMENTS  Prosthetic foam-rubber calf  COMPONENTS AND SUPPLEMENTS AVAILABLE  BASIC COMPONENT  Prosthetic foam-rubber calf  | 196.00   | supplement  | adjustement price |           |
|                               | Prosthetic restoration of a leg  BASIC COMPONENTS AND SUPPLEMENTS  Prosthetic foam-rubber calf  COMPONENTS AND SUPPLEMENTS AVAILABLE  BASIC COMPONENT  Prosthetic foam-rubber calf  OPTIONAL COMPONENT                            | 196.00   | supplement  | adjustement price |           |

# SUBDIVISION 4: KNEE DISARTICULATION PROSTHESES

Mobility frame (loan)
Electric pump (loan)

|         | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum price Replacement of component or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---------|---|--|--|---------------------------------|-----------------------|
| 1150000 | Post-operative knee disarticulation prosthesis necessitating obligatory renewal of plaster or digital mold  | 681.00   |  |                                 | *                     |
|         | BASIC COMPONENTS AND SUPPLEMENTS  |  |  |                                 |                       |
|         | Lycra compressible socks (4) Plaster sockets (2) Means of suspension (belt) SACH foot (loan) Adjustable pylon (loan) Suspension cable, distal pad, ring |  |  |                                 |                       |
|         | *DURATION OF GUARANTEE : Life of prosthesis   |  |  |                                 |                       |
|         | COMPONENTS AND SUPPLEMENTS AVAILABLE  |  |  |                                 |                       |
|         | BASIC COMPONENTS  |  |  |                                 |                       |
| 1155501 | Plaster sockets (2) Means of suspension (belt) Suspension cable, distal pad, ring   | N. C.<br>N. C.<br>N. C.                                  | N. A.<br>N. A.<br>N. A.                              |                                 |                       |
|         | SUPPLEMENT AVAILABLE  |  |  |                                 |                       |
| 155700  | Lycra compressible socks (4)  | N. C.  | N. A.  |                                 |                       |
|         | ADJUSTMENT AVAILABLE  |  |  |                                 |                       |
|         | None  |  |  |                                 |                       |
|         | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum price Replacement of component or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
| 1150002 | Pneumatic post-operative knee disarticulation prosthesis  | 363.00   |  |                                 | *                     |
|         | BASIC COMPONENTS AND SUPPLEMENTS  |  |  |                                 |                       |
|         | Inflatable bag or case (new or recycled and sterilized) Distal pad Suspension straps Mehility from (loop)   |  |  |                                 |                       |

|         | COMPONENTS AND SUPPLEMENTS AVAILABLE   |  |  |                                 |                       |
|---------|--|--|--|---------------------------------|-----------------------|
|         | SUPPLEMENTS AVAILABLE  |  |  |                                 |                       |
|         | Stump sock * (consult Division III of this Part for the codes and prices of these supplements)               | *  | *  |                                 |                       |
|         | ADJUSTMENT AVAILABLE   |  |  |                                 |                       |
|         | None   |  |  |                                 |                       |
|         | DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
| 1150001 | Temporary knee disarticulation prosthesis  | 361.00   |  |                                 | *                     |
|         | BASIC COMPONENTS AND SUPPLEMENTS   |  |  |                                 |                       |
|         | Laminated or molded plastic adjustable or not socket,<br>made from plaster or digital mold of insured person |  |  |                                 |                       |
|         | Temporary foot (loan)<br>Endoskeletal system (loan)  |  |  |                                 |                       |
|         | *GUARANTEE PERIOD: Life of prosthesis  |  |  |                                 |                       |
|         | COMPONENTS AND SUPPLEMENTS AVAILABLE   |  |  |                                 |                       |
|         | BASIC COMPONENT  |  |  |                                 |                       |
| 1155503 | Laminated or molded plastic adjustable or not socket,<br>made from plaster or digital mold of insured person | N. C.  | N. A.  |                                 |                       |
|         | OPTIONAL COMPONENTS  |  |  |                                 |                       |
|         | None   |  |  |                                 |                       |
|         | ADJUSTMENT AVAILABLE   |  |  |                                 |                       |
|         | Stump sock * (consult Division III of this Part for the codes and prices of these supplements)               | *  | *  |                                 |                       |
|         | ADJUSTMENT AVAILABLE   |  |  |                                 |                       |
|         | None   |  |  |                                 |                       |

\*DURATION OF GUARANTEE : Life of prosthesis

| DEVICE  | Purchase or<br>replacement of<br>device  | price<br>Replacement<br>of component<br>or supplement                               | adjustement price | Guarantee (months) |
|---|--|---|-------------------|--------------------|
| 1150003 Exoskeletal knee disarticulation prosthesis   | 1,088.00   |   |                   | 6                  |
| BASIC COMPONENTS AND SUPPLEMENTS  |  |   |                   |                    |
| Laminated plastic tibiofemoral socket, made from plaste or digital mold of insured person   | er   |   |                   |                    |
| External knee joints SACH foot and ankle block  |  |   |                   |                    |
| COMPONENTS AND SUPPLEMENTS AVAILABLE  |  |   |                   |                    |
| BASIC COMPONENTS  |  |   |                   |                    |
| 1155504 Ankle block<br>1135501 SACH foot<br>1155505 Laminated plastic tibiofemoral socket, made from plaste<br>or digital mold of insured person  | N. C.<br>N. C.<br>N. C.  | N. A.<br>205.00<br>358.00   |                   | 3                  |
| 1155507 External knee joints  | N. C.  | 382.00  |                   |                    |
| OPTIONAL COMPONENTS   |  |   |                   |                    |
| 1155606 Trial socket 1155600 Low or no return energy foot 1155601 Moderate energy return foot 1155602 Dynamic response foot with torsion 1155603 Foot with high energy return, adult 1155604 Foot with high energy return, pediatric 1155607 Exoskeletal knee (K1/K2) 1155608 Foam flexible cover for tibial part | 199.00<br>259.00<br>610.00<br>1,256.00<br>2,484.00<br>929.00<br>1,158.00<br>289.00 | N. A.<br>464.00<br>815.00<br>1,461.00<br>2,689.00<br>1,134.00<br>1,540.00<br>289.00 |                   |                    |
| SUPPLEMENTS AVAILABLE   |  |   |                   |                    |
| Stump sock * (consult Division III of this Part for the codes and pric of these supplements)  | *<br>es  | *   |                   |                    |
| ADJUSTMENTS AVAILABLE   |  |   |                   |                    |
| 1156500 Socket lining (leather, plastic or other material)<br>1156501 Lengthening of tibial part  |  |   | 30.00<br>316.93   |                    |
| Any pertinent adjustment  |  |   |                   |                    |

|         | DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---------|--|--|--|---------------------------------|-----------------------|
| 1150004 | Endoskeletal knee disarticulation prosthesis   | 2,286.00   |  |                                 | 6                     |
|         | BASIC COMPONENTS AND SUPPLEMENTS   |  |  |                                 |                       |
|         | Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person   |  |  |                                 |                       |
|         | SACH foot<br>Complete endoskeletal system with uniaxial locking knee<br>(modular components, prosthetic cover and prosthetic<br>socks (2)). If child, uniaxial knee (3R38) |  |  |                                 |                       |
|         | COMPONENTS AND SUPPLEMENTS AVAILABLE   |  |  |                                 |                       |
|         | BASIC COMPONENTS   |  |  |                                 |                       |
| 1135501 | SACH foot  | N. C.  | 205.00   |                                 |                       |
| 1155508 | Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person   | N. C.  | 358.00   |                                 | 3                     |
|         | Complete endoskeletal system   | N. C.  | N. A.  |                                 |                       |
|         | Knee with uniaxial locking   | N. C.  | 1,374.00   |                                 |                       |
| 1155511 | Prosthetic cover   | N. C.  | 330.00   |                                 |                       |
|         | OPTIONAL COMPONENTS  |  |  |                                 |                       |
|         | Trial socket   | 199.00   | N. A.  |                                 |                       |
|         | Low or no return energy foot   | 259.00   | 464.00   |                                 |                       |
|         | Moderate energy return foot  | 610.00   | 815.00   |                                 |                       |
|         | Dynamic response foot with torsion   | 1,256.00   | 1,461.00   |                                 |                       |
|         | Foot with high energy return, adult Foot with high energy return, pediatric  | 2,484.00<br>929.00                                       | 2,689.00<br>1,134.00   |                                 |                       |
|         | Uniaxial knee, other   | 929.00<br>N. C.  | 1,134.00   |                                 |                       |
|         | Polycentric knee   | 433.00   |  |                                 |                       |
|         | Titanium modular system and carbon fiber pylon   | 250.00   | N. A.  |                                 |                       |
|         | SUPPLEMENTS AVAILABLE  |  |  |                                 |                       |
|         | Stump sock * (consult Division III of this Part for the codes and prices of these supplements)   | *  | *  |                                 |                       |
|         | ADJUSTMENTS AVAILABLE  |  |  |                                 |                       |
| 1156502 | Socket lining (leather, plastic or other material)   |  |  | 30,00                           |                       |
| 1156503 | Lengthening of tibial part of prosthesis, excluding replacement of prosthetic cover and prosthetic sock  |  |  | 163,00                          |                       |
|         | Any pertinent adjustment   |  |  |                                 |                       |

# **SUBDIVISION 5: TRANSFEMORAL PROSTHESES**

\*GUARANTEE PERIOD: Life of prosthesis

|         | DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---------|--|--|--|---------------------------------|-----------------------|
| 1160000 | Post-operative transfemoral prosthesis necessitating obligatory renewal of plaster mold  | 644.00   |  |                                 | *                     |
|         | BASIC COMPONENTS AND SUPPLEMENTS   |  |  |                                 |                       |
|         | Compressible Lycra socks (4) Plaster sockets (2) Means of suspension (belt) SACH foot (loan) Adjustable pylon with joint (loan) Suspension cable, distal pad, ring |  |  |                                 |                       |
|         | *GUARANTEE PERIOD: Life of prosthesis  |  |  |                                 |                       |
|         | COMPONENTS AND SUPPLEMENTS AVAILABLE   |  |  |                                 |                       |
|         | BASIC COMPONENTS   |  |  |                                 |                       |
| 165501  | Plaster sockets (2) Means of suspension (belt) Suspension cable, distal pad, ring  | N. C.<br>N. C.<br>N. C.                                  | N. A.<br>N. A.<br>N. A.  |                                 |                       |
|         | SUPPLEMENT AVAILABLE   |  |  |                                 |                       |
| 165700  | Compressible Lycra socks (4)   | N. C.  | N. A.  |                                 |                       |
|         | ADJUSTMENT AVAILABLE   |  |  |                                 |                       |
|         | None   |  |  |                                 |                       |
|         | DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guaranted (months)    |
| 160001  | Pneumatic post-operative transfemoral prosthesis   | 415.00   |  |                                 | *                     |
|         | BASIC COMPONENTS AND SUPPLEMENTS   |  |  |                                 |                       |
|         | Inflatable bag or case (new or recycled and sterilized) Distal pad Suspension straps Mobility frame (loan) Electric pump (loan)                                    |  |  |                                 |                       |

# COMPONENTS AND SUPPLEMENTS AVAILABLE

# SUPPLEMENTS AVAILABLE

----- Stump sock

\* (consult Division III of this Part for the codes and prices of these supplements)

# ADJUSTMENT AVAILABLE

ADJUSTMENT AVAILABLE

None

None

|         | DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---------|--|--|--|---------------------------------|-----------------------|
| 1160002 | Temporary transfemoral prosthesis  | 392.00   |  |                                 | *                     |
|         | BASIC COMPONENTS AND SUPPLEMENTS   |  |  |                                 |                       |
|         | Laminated or molded plastic socket, made from plaster or digital mold of insured person        |  |  |                                 |                       |
|         | Temporary foot (loan)<br>Endoskeletal system (loan)  |  |  |                                 |                       |
|         | *GUARANTEE PERIOD: Life of prosthesis  |  |  |                                 |                       |
|         | COMPONENTS AND SUPPLEMENTS AVAILABLE   |  |  |                                 |                       |
|         | BASIC COMPONENT  |  |  |                                 |                       |
| 1165503 | Laminated or molded plastic socket, made from plaster or digital mold of insured person        | N. C.  | N. A.  |                                 |                       |
|         | OPTIONAL COMPONENT   |  |  |                                 |                       |
|         | None   |  |  |                                 |                       |
|         | SUPPLEMENTS AVAILABLE  |  |  |                                 |                       |
|         | Stump sock * (consult Division III of this Part for the codes and prices of these supplements) | *  | *  |                                 |                       |

|         | DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---------|--|--|--|---------------------------------|-----------------------|
| 1160003 | Exoskeletal transfemoral prosthesis with constant friction knee                                    | 1,034.00   |  |                                 | 6                     |
|         | BASIC COMPONENTS AND SUPPLEMENTS   |  |  |                                 |                       |
|         | Laminated plastic femoral socket, made from plaster or digital mold of insured person              |  |  |                                 |                       |
|         | Uniaxial constant friction knee<br>SACH foot   |  |  |                                 |                       |
|         | COMPONENTS AND SUPPLEMENTS AVAILABLE   |  |  |                                 |                       |
|         | BASIC COMPONENTS   |  |  |                                 |                       |
| 1135501 | SACH foot  | N. C.  | 205.00   |                                 |                       |
|         | Laminated plastic femoral socket, made from plaster or digital mold of insured person              | N. C.  | 358.00   |                                 | 3                     |
| 1165507 | Exoskeletal constant friction knee   | N. C.  | 536.00   |                                 |                       |
|         | OPTIONAL COMPONENTS  |  |  |                                 |                       |
| 1165600 | Trial socket   | 199.00   | N. A.  |                                 |                       |
|         | Low or no return energy foot   | 259.00   | 464.00   |                                 |                       |
|         | Moderate energy return foot  | 610.00   | 815.00   |                                 |                       |
|         | Dynamic response foot with torsion   | 1,256.00   | 1,461.00   |                                 |                       |
|         | Foot with high energy return, adult  | 2,484.00   | 2,689.00   |                                 |                       |
|         | Foot with high energy return, pediatric  | 929.00   | 1,134.00   |                                 |                       |
| 1165601 | Foam flexible cover for tibial part  | 289.00   | 289.00   |                                 |                       |
| 1165602 | Exoskeletal knee, other  | 1,004.00   | 1,540.00   |                                 |                       |
|         | SUPPLEMENTS AVAILABLE  |  |  |                                 |                       |
|         | Stump sock   | *  | *  |                                 |                       |
|         | * (consult Division III of this Part for the codes and prices of these supplements)                |  |  |                                 |                       |
|         | ADJUSTMENT AVAILABLE   |  |  |                                 |                       |
|         | Socket lining (leather, plastic or other material)<br>Lengthening of tibial part of the prosthesis |  |  | 30.00<br>327.00                 |                       |
|         | Any pertinent adjustment   |  |  |                                 |                       |

|         | DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum price Replacement of component or supplement | Maximum<br>adjustement<br>price | Guarantee (months) |
|---------|--|--|--|---------------------------------|--------------------|
| 1160004 | Exoskeletal transfemoral prosthesis with friction locking knee, for child                          | 1,034.00   |  |                                 | 6                  |
|         | BASIC COMPONENTS AND SUPPLEMENTS   |  |  |                                 |                    |
|         | Laminated plastic femoral socket, made from plaster or digital mold of insured person              |  |  |                                 |                    |
|         | Friction locking knee, for child<br>SACH foot  |  |  |                                 |                    |
|         | COMPONENTS AND SUPPLEMENTS AVAILABLE   |  |  |                                 |                    |
|         | BASIC COMPONENTS   |  |  |                                 |                    |
| 1135501 | SACH foot  | N. C.  | 205.00   |                                 |                    |
|         | Laminated plastic femoral socket, made from plaster or   | N. C.<br>N. C.   | 358.00   |                                 | 3                  |
| 1103300 | digital mold of insured person   | Ν. Ο.  | 336.00   |                                 | 3                  |
| 1165509 | Friction locking knee, for child   | N. C.  | 536.00   |                                 |                    |
|         | OPTIONAL COMPONENTS  |  |  |                                 |                    |
|         | Trial socket   | 199.00   | N. A.  |                                 |                    |
|         | Low or no return energy foot   | 259.00   | 464.00   |                                 |                    |
|         | Moderate energy return foot  | 610.00   | 815.00   |                                 |                    |
|         | Dynamic response foot with torsion   | 1,256.00   | 1,461.00   |                                 |                    |
|         | Foot with high energy return, pediatric  | 929.00   | 1,134.00   |                                 |                    |
| 1165606 | Foam flexible cover for tibial part  | 289.00   | 289.00   |                                 |                    |
| 1165607 | Exoskeletal knee, other  | 1,004.00   | 1,540.00   |                                 |                    |
|         | SUPPLEMENTS AVAILABLE  |  |  |                                 |                    |
|         | Stump sock * (consult Division III of this Part for the codes and prices of these supplements)     | *  | *  |                                 |                    |
|         | ADJUSTMENTS AVAILABLE  |  |  |                                 |                    |
|         | Socket lining (leather, plastic or other material)<br>Lengthening of tibial part of the prosthesis |  |  | 30.00<br>327.00                 |                    |
|         | Any pertinent adjustment   |  |  |                                 |                    |

|   | DEVICE   | Maximum price Purchase or replacement of device  | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---|--|--|--|---------------------------------|-----------------------|
| 1160005   | Endoskeletal transfemoral prosthesis   | 1,599.00   |  |                                 | 6                     |
|   | BASIC COMPONENTS AND SUPPLEMENTS   |  |  |                                 |                       |
|   | Laminated plastic femoral socket, made from plaster or digital mold of insured person  |  |  |                                 |                       |
|   | SACH foot<br>Complete endoskeletal system with uniaxial constant<br>friction knee (modular components, prosthetic cover and<br>prosthetic socks (2))   |  |  |                                 |                       |
|   | COMPONENTS AND SUPPLEMENTS AVAILABLE   |  |  |                                 |                       |
|   | BASIC COMPONENTS   |  |  |                                 |                       |
|   | SACH foot<br>Laminated plastic femoral socket, made from plaster or<br>digital mold of insured person  | N. C.<br>N. C.   | 205.00<br>358.00   |                                 | 3                     |
| 1165516   | Complete endoskeletal system Uniaxial constant friction knee (3R16) Prosthetic cover   | N. C.<br>N. C.<br>N. C.  | N. A.<br>577.00<br>330.00  |                                 |                       |
|   | OPTIONAL COMPONENTS  |  |  |                                 |                       |
| 1155600<br>1155601<br>1155602<br>1155603<br>1155604<br>1165609<br>1165610 | Trial socket Low or no return energy foot Moderate energy return foot Dynamic response foot with torsion Foot with high energy return, adult Foot with high energy return, pediatric Uniaxial knee Polycentric knee Titanium modular system and carbon fiber pylon | 199.00<br>259.00<br>610.00<br>1,256.00<br>2,484.00<br>929.00<br>797.00<br>1,230.00<br>250.00 | ,  |                                 |                       |
|   | SUPPLEMENTS AVAILABLE  |  |  |                                 |                       |
|   | Stump sock * (consult Division III of this Part for the codes and prices of these supplements)   | *  | *  |                                 |                       |
| 1165701   | Prosthetic socks (2)   | N. C.  | 36.00  |                                 |                       |
|   | ADJUSTMENTS AVAILABLE  |  |  |                                 |                       |
| 1166505   | Socket lining (leather, plastic or other material) Lengthening of tibial part of the prosthesis, excluding replacement of prosthetic cover and prosthetic sock   |  |  | 30.00<br>163.00                 |                       |

----- Any pertinent adjustment

|         | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---------|---|--|--|---------------------------------|-----------------------|
| 1160006 | Bilateral transfemoral stubbies prosthesis  | 1,668.00   |  |                                 | 6                     |
|         | BASIC COMPONENTS AND SUPPLEMENTS  |  |  |                                 |                       |
|         | Laminated plastic femoral sockets, made from plaster or<br>digital mold of insured person (2)         |  |  |                                 |                       |
|         | SACH or modified feet (2)   |  |  |                                 |                       |
|         | COMPONENTS AND SUPPLEMENTS AVAILABLE  |  |  |                                 |                       |
|         | BASIC COMPONENTS  |  |  |                                 |                       |
|         | Modified foot   | N. C.  | N. A.  |                                 |                       |
|         | SACH foot<br>Laminated plastic femoral socket, made from plaster or<br>digital mold of insured person | N. C.<br>N. C.   | 205.00<br>358.00   |                                 |                       |
|         | OPTIONAL COMPONENTS   |  |  |                                 |                       |
|         | Trial socket (2)  | 397.00   | N. A.  |                                 |                       |
|         | Foot plates for truncated prostheses (2)  | 401.00<br>N. A.  | 811.00   |                                 |                       |
| 1103013 | Foot plate for truncated prosthesis (1) SUPPLEMENTS AVAILABLE   | N. A.  | 419.00   |                                 |                       |
|         | Stump sock * (consult Division III of this Part for the codes and prices of these supplements)        | *  | *  |                                 |                       |
|         | ADJUSTMENTS AVAILABLE   |  |  |                                 |                       |
| 1166506 | Socket lining (leather, plastic or other material)  |  |  | 30.00                           |                       |
|         |   |  |  |                                 |                       |

# SUBDIVISION 6: HIP DISARTICULATION AND HEMIPELVIC PROSTHESES

|         | DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum price Replacement of component or supplement | Maximum<br>adjustement<br>price | Guarantee (months)    |
|---------|--|--|--|---------------------------------|-----------------------|
| 1170000 | Temporary hip disarticulation prosthesis   | 1,129.00   |  |                                 | 6                     |
|         | BASIC COMPONENTS AND SUPPLEMENTS   |  |  |                                 |                       |
|         | Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person   |  |  |                                 |                       |
|         | Foam seat made from plaster or digital mold of insured person Anchor plate to be cast (non reusable) Temporary foot (loan)   |  |  |                                 |                       |
|         | COMPONENTS AND SUPPLEMENTS AVAILABLE   |  |  |                                 |                       |
|         | SUPPLEMENTS AVAILABLE  |  |  |                                 |                       |
|         | None   |  |  |                                 |                       |
|         | ADJUSTMENTS AVAILABLE  |  |  |                                 |                       |
|         | Any pertinent adjustment   |  |  |                                 |                       |
|         | DEVICE   | Maximum price<br>Purchase or<br>replacement of           | Maximum price Replacement of component               | Maximum<br>adjustement          | Guarantee<br>(months) |
|         |  | device   | or supplement  | price                           | ,                     |
| 1170001 | Endoskeletal hip disarticulation prosthesis  | device<br>4,417.00                                       | •  | price                           | 6                     |
| 1170001 | Endoskeletal hip disarticulation prosthesis  BASIC COMPONENTS AND SUPPLEMENTS  |  | •  | price                           |                       |
| 1170001 | •  |  | •  | price                           |                       |
| 1170001 | BASIC COMPONENTS AND SUPPLEMENTS  Laminated plastic socket, made from plaster or digital mold of insured person  SACH foot  Complete endoskeletal system with uniaxial constant friction knee (modular components, prosthetic cover and prosthetic socks (2))  Hip joint   |  | •  | price                           |                       |
| 1170001 | BASIC COMPONENTS AND SUPPLEMENTS  Laminated plastic socket, made from plaster or digital mold of insured person  SACH foot  Complete endoskeletal system with uniaxial constant friction knee (modular components, prosthetic cover and prosthetic socks (2))  |  | •  | price                           |                       |
| 1135501 | BASIC COMPONENTS AND SUPPLEMENTS  Laminated plastic socket, made from plaster or digital mold of insured person  SACH foot  Complete endoskeletal system with uniaxial constant friction knee (modular components, prosthetic cover and prosthetic socks (2))  Hip joint  Angled titanium adapter (10, 20 or 30 degrees) |  | •  | price                           |                       |

| 1175500 II.  | N. C     | 1.00(.00 |  |
|--|----------|----------|--|
| 1175509 Hip joint                                      | N. C.    | 1,826.00 |  |
| 1175510 Angled titanium adapter (10, 20 or 30 degrees) | N. C.    | 283.00   |  |
|  |          |          |  |
| OPTIONAL COMPONENTS                                    |          |          |  |
| 1175600 Trial socket                                   | 396.00   | N. A.    |  |
|  |          |          |  |
| 1155600 Low or no return energy foot                   | 259.00   | 464.00   |  |
| 1155601 Moderate energy return foot                    | 610.00   | 815.00   |  |
| 1155602 Dynamic response foot with torsion             | 1,256.00 | 1,461.00 |  |
| 1155603 Foot with high energy return, adult            | 2,484.00 | 2,689.00 |  |
| 1155604 Foot with high energy return, pediatric        | 929.00   | 1,134.00 |  |
| 1175601 Titanium modular system and carbon fiber pylon | 250.00   | N. A.    |  |
| SUPPLEMENTS AVAILABLE                                  |          |          |  |
| 1175700 Pant-style sock                                | 81.00    | 81.00    |  |
| 1175701 Prosthetic socks (2)                           | N. C.    | 36.00    |  |
| ADHIGTMENTS AVAILADIE                                  |          |          |  |

ADJUSTMENTS AVAILABLE

1176500 Lengthening of tibial part of prosthesis, excluding replacement of prosthetic cover and prosthetic sock 163.00

----- Any pertinent adjustment

| ^^ | DEVICE | Maximum price Purchase or replacement of device  Maximum price price Maximum price dadjustement of component price or supplement  Maximum price maximum price of component of component price or supplement |
|----|--------|---|
|----|--------|---|

#### 1170002 Temporary hemipelvic prosthesis

1,164.00

# BASIC COMPONENTS AND SUPPLEMENTS

Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person

Foam seat made from plaster or digital mold of insured person

Anchor plate to be cast (non reusable) Temporary foot (loan)

\*DURATION OF GUARANTEE: Life of prosthesis

#### COMPONENTS AND SUPPLEMENTS AVAILABLE

**BASIC COMPONENTS** 

None

SUPPLEMENTS AVAILABLE

None

ADJUSTMENTS AVAILABLE

----- Any pertinent adjustment

| DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device   | price Replacement of component or supplement                                       | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---|--|--|---------------------------------|-----------------------|
| 1180000 Endoskeletal hemipelvic prosthesis  | 4,414.00   |  |                                 | 6                     |
| BASIC COMPONENTS AND SUPPLEMENTS  |  |  |                                 |                       |
| Laminated plastic socket, made from plaster or digital mold of insured person   |  |  |                                 |                       |
| SACH foot Complete endoskeletal system with uniaxial constant friction knee (3R16) (modular components, prosthetic cover and prosthetic socks (2)) Hip joint (7E7) Angled titanium adapter (10, 20 or 30 degrees)   |  |  |                                 |                       |
| COMPONENTS AND SUPPLEMENTS AVAILABLE  |  |  |                                 |                       |
| BASIC COMPONENTS  |  |  |                                 |                       |
| 1135501 SACH foot<br>1185500 Laminated plastic socket, made from plaster or digital<br>mold of insured person   | N. C.<br>N. C.   |  |                                 |                       |
| 1185501 Complete endoskeletal system 1185502 Uniaxial constant friction knee (3R16) 1185504 Prosthetic cover 1185505 Hip joint (7E7) 1185506 Angled titanium adapter (10, 20 or 30 degrees) OPTIONAL COMPONENTS   | N. C.<br>N. C.<br>N. C.<br>N. C.<br>N. C.  | 577.00<br>173.00<br>N. A.  |                                 |                       |
| 1185600 Trial socket 1185601 Uniaxial knee (K1/K2) 1185602 Polycentric knee 1156000 Low or no return energy foot 1155601 Moderate energy return foot 1155602 Dynamic response foot with torsion 1155603 Foot with high energy return, adult 1185603 Titanium modular system and carbon fiber pylon 1185604 Pant-style sock 1185605 Prosthetic socks (2) | 396.00<br>797.00<br>1,230.00<br>259.00<br>610.00<br>1,256.00<br>2,484.00<br>250.00<br>81.00<br>N. C. | 1,374.00<br>1,807.00<br>464.00<br>815.00<br>1,461.00<br>2,689.00<br>N. A.<br>81.00 |                                 |                       |
| ADJUSTMENTS AVAILABLE   |  |  | 162.00                          |                       |
| 1186500 Lengthening of tibial part of prosthesis, excluding replacement of prosthetic cover and prosthetic sock   |  |  | 163.00                          |                       |

----- Any pertinent adjustment

Maximum

Maximum price

# SUBDIVISION 7:COMPONENTS AND SUPPLEMENTS OPTIONAL FOR LOWER-LIMB PROSTHESES

| I         | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum price Replacement of component or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|-----------|---|--|--|---------------------------------|-----------------------|
| A         | ADAPTERS (PERMANENT PROSTHESIS ONLY)  |  |  |                                 |                       |
| 1195500 S | Static rotator (rotary table)   | 697.00   | 697.00   |                                 |                       |
| 1195501 S | Shock and torsion absorber  | 1,830.00   | 1,830.00   |                                 |                       |
|           | Forsion adapter   | 734.00   | 734.00   |                                 |                       |
| 1195504 S | Specialized adapters  | 333.00   | 333.00   |                                 |                       |
| S         | STUMP SOCK AND SHEATH   |  |  |                                 |                       |
| 1195505 S | Sock or sheath without gel  | 31.00  | 31.00  |                                 |                       |
| 1195506 S | Sock or sheath with gel   | 62.00  | 62.00  |                                 |                       |
| Ι         | DOUBLE SOCKETS  |  |  |                                 |                       |
| 1195507 F | Foam flexible double comfort socket   | 94.00  | 94.00  |                                 |                       |
| 1195508 Т | Thermoplastic flexible double comfort socket  | 186.00   | 186.00   |                                 |                       |
|           | Copolymer double socket   | 389.00   | 389.00   |                                 |                       |
| 1195511 S | Silicon or urethane double socket without distal attachment                                 | 444.00   | 444.00   |                                 |                       |
| 1195512 S | Silicon or urethane double socket with distal attachment                                    | 557.00   | 557.00   |                                 |                       |
| 1195513 I | Double socket with seal rings   | 760.00   | 760.00   |                                 |                       |
|           | MEANS OF SUSPENSION (OTHER THAN DOUBLE SOCKET)  |  |  |                                 |                       |
|           | Expulsion valve   | 131.00   | 131.00   |                                 |                       |
|           | Succion valve with or without seat (permanent prosthesis only)                              | 198.00   | 198.00   |                                 |                       |
| 1195516 Т | Fibial belt   | 72.00  | 72.00  |                                 |                       |
| 1195517 ነ | Y strap for tibial belt   | 25.00  | 25.00  |                                 |                       |
|           | Silesian belt made by the provider  | 72.00  | 72.00  |                                 |                       |
|           | Silesian belt made by an external provider  | 135.00   | 135.00   |                                 |                       |
| 1195520 N | Neoprene silesian belt (permanent prosthesis only)  | 152.00   | 152.00   |                                 |                       |
|           | Pelvic belt (titanium joint and band) (permanent prosthesis only)                           | 400.00   | 400.00   |                                 |                       |
| 1195522 F | Pelvic belt (plastic joint and band)  | 228.00   | 228.00   |                                 |                       |
|           | Pelvic belt (metal joint and band)  | 296.00   | 296.00   |                                 |                       |
|           | Supracondylar strap   | 40.00  | 40.00  |                                 |                       |
|           | Lateral, distal and proximal attachment/rotation control system (permanent prosthesis only) | 335.00   | 335.00   |                                 |                       |

| 1195526 Suspension system with toothed attachment          | 219.00 | 219.00 |
|--|--------|--------|
| 1195527 Elastic suspension sheat                           | 44.00  | 44.00  |
| 1195529 Gel suspension lining (permanent prosthesis only)  | 164.00 | 164.00 |
| 1195530 Suspension lining not covered whit nylon on inside | 99.00  | 99.00  |
| 1195531 Suspension lining covered with nylon on inside     | 88.00  | 88.00  |
| 1195532 Thigh lacer with uniaxial joints                   | 504.00 | 504.00 |
| 1195533 Thigh lacer with polycentric joints                | 678.00 | 678.00 |
| AMBULATION AIDS  |        |        |
| 3495700 Simple cane  | 10.19  | 10.19  |
| 3495701 Crutches with axillary support, height-adjustable  | 20.38  | 20.38  |
| 3495703 Crutches with forearm support, height-adjustable   | 56.05  | 56.05  |

# DIVISION II: UPPER-LIMB PROSTHESES SUBDIVISION 1: HAND PROSTHESES

BASIC COMPONENT

|         | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum price Replacement of component or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---------|---|--|--|---------------------------------|-----------------------|
| 1210001 | Thumb prosthesis made from plaster or digital mold of insured person  | 468.00   |  |                                 | 1                     |
| 1210002 | Index prosthesis made from plaster or digital mold of insured person  | 468.00   |  |                                 |                       |
| 1210003 | Middle finger prosthesis made from plaster or digital mold of insured person  | 468.00   |  |                                 |                       |
| 1210004 | Ring finger prosthesis made from plaster or digital mold of insured person  | 468.00   |  |                                 |                       |
| 1210005 | Little finger prosthesis made from plaster or digital mold of insured person  | 468.00   |  |                                 |                       |
|         | BASIC COMPONENTS AND SUPPLEMENTS  |  |  |                                 |                       |
|         | Compensatory part for finger and prosthetic cover   |  |  |                                 |                       |
|         | COMPONENT AND SUPPLEMENT AVAILABLE FOR FINGER PROSTHESES  |  |  |                                 |                       |
|         | Trial prosthesis for one finger (external provider) Attachment to adjacent finger(s) or palm                        | 418.00<br>285.00   | N. A.<br>N. A.                                       |                                 |                       |
|         | ADJUSTMENT AVAILABLE  |  |  |                                 |                       |
|         | Any pertinent adjustment  |  |  |                                 |                       |
|         | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum price Replacement of component or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
| 1220000 | Passive partial hand prosthesis, made from plaster or digital mold of insured person                                | 1,845.00   |  |                                 | 1                     |
|         | BASIC COMPONENTS AND SUPPLEMENTS  |  |  |                                 |                       |
|         | Compensatory part Prosthetic partial hand and prosthetic glove, made from plaster or digital mold of insured person |  |  |                                 |                       |
|         | COMPONENTS AND SUPPLEMENTS AVAILABLE  |  |  |                                 |                       |

1225500 Prosthetic partial hand and prosthetic glove, made from plaster or digital mold of insured person

OPTIONAL COMPONENT

1225600 Trial prosthesis for a partial hand (external provider)

ADJUSTMENT AVAILABLE

------ Any pertinent adjustment

# SUBDIVISION 2: WRIST DISARTICULATION PROSTHESES

Wrist friction joint

| DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee (months)    |
|--|--|--|---------------------------------|-----------------------|
| 1230000 Temporary mechanical wrist disarticulation or transradial amputation prosthesis  |  |  |                                 | *                     |
| BASIC COMPONENTS AND SUPPLEMENTS   |  |  |                                 |                       |
| Wrist friction joint (loan) Rigid plastic socket, made from plaster or digital mold of insured person Suspension harness (loan) Tricipital pad (loan) Control cable, connections, terminals and housing (reinforced materials) |  |  |                                 |                       |
| *DURATION OF GUARANTEE : Life of prosthesis  |  |  |                                 |                       |
| COMPONENT AND SUPPLEMENT AVAILABLE   |  |  |                                 |                       |
| BASIC COMPONENT  |  |  |                                 |                       |
| None   |  |  |                                 |                       |
| OPTIONAL COMPONENT   |  |  |                                 |                       |
| None   |  |  |                                 |                       |
| SUPPLEMENT AVAILABLE   |  |  |                                 |                       |
| None   |  |  |                                 |                       |
| ADJUSTMENT AVAILABLE   |  |  |                                 |                       |
| None   |  |  |                                 |                       |
| DEVICE   | Maximum price Purchase or replacement of device          | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
| 1230001 Mechanical wrist disarticulation or distal transradial amputation prosthesis   | 567.00   |  |                                 | 6                     |
| BASIC COMPONENTS AND SUPPLEMENTS   |  |  |                                 |                       |

| Rigid plastic socket, made from plaster or digital mold of |
|--|
| insured person   |
|  |

Suspension harness Tricipital pad Control cable, connections, terminals and housing (reinforced materials)

# COMPONENTS AND SUPPLEMENTS AVAILABLE

## BASIC COMPONENTS

| 1235500 Rigid plastic socket, made from plaster or digital mold of insured person               | N. C.  | 59.00  |  |
|---|--------|--------|--|
| 1235501 Suspension harness  | N. C.  | 219.00 |  |
| 1235502 Control cable, connections, terminals and housing                                       | N. C.  | 114.00 |  |
| (reinforced materials)  |        |        |  |
| 1235503 Wrist friction joint  | N. C.  | 296.00 |  |
| 1235504 Tricipital pad  | N. C.  | 50.00  |  |
| OPTIONAL COMPONENTS   | 40500  |        |  |
| 1235600 Wrist disarticulation trial socket  | 105.00 | N. A.  |  |
| Other optional components (consult Subdivision 6 for the codes and prices of these components)  |        |        |  |
| SUPPLEMENTS AVAILABLE   |        |        |  |
| Stump sock  * (consult Division III of this Part for the codes and prices of these supplements) | *      | *      |  |

ADJUSTMENT AVAILABLE

1236500 Lengthening of prosthesis

157.00

3

3

3

# **SUBDIVISION 3: TRANSRADIAL PROSTHESES**

| I         | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum price Replacement of component or supplement             | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|-----------|---|--|--|---------------------------------|-----------------------|
| 1240002 I | Passive endoskeletal transradial prosthesis   | 615.00   |  |                                 | 6                     |
| I         | BASIC COMPONENTS AND SUPPLEMENTS  |  |  |                                 |                       |
|           | Rigid plastic socket, made from plaster or digital mold of nsured person  |  |  |                                 |                       |
| (         | Complete endoskeletal system and socket anchor  |  |  |                                 |                       |
| I         | Prosthetic cover  |  |  |                                 |                       |
| (         | COMPONENTS AND SUPPLEMENTS AVAILABLE  |  |  |                                 |                       |
| I         | BASIC COMPONENTS  |  |  |                                 |                       |
|           | Rigid plastic socket, made from plaster or digital mold of nsured person  | N. C.  | 59.00  |                                 | 3                     |
|           | Complete endoskeletal system Prosthetic cover   | N. C.<br>N. C.   | N. A.<br>34.00   |                                 |                       |
| (         | OPTIONAL COMPONENTS   |  |  |                                 |                       |
| (         | Transradial trial socket Other optional components (consult Subdivision 6 for the codes and prices of these components) | 53.00  | N. A.  |                                 |                       |
| S         | SUPPLEMENTS AVAILABLE   |  |  |                                 |                       |
| *         | Stump sock (consult Division III of this Part for the codes and prices of these supplements)                            | *  | *  |                                 |                       |
| A         | ADJUSTMENT AVAILABLE  |  |  |                                 |                       |
| <i>I</i>  | Any pertinent adjustment  |  |  |                                 |                       |
| ]         | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
| 1230002 I | Passive wrist or exoskeletal transradial prosthesis   | 355.00   |  |                                 | 6                     |

|         | Rigid plastic socket, made from plaster or digital mold of insured person   |  |  |                                 |                    |
|---------|---|--|--|---------------------------------|--------------------|
|         | Wrist friction joint  |  |  |                                 |                    |
|         | COMPONENTS AND SUPPLEMENTS AVAILABLE  |  |  |                                 |                    |
|         | BASIC COMPONENTS  |  |  |                                 |                    |
| 1235507 | Rigid plastic socket, made from plaster or digital mold of insured person   | N. C.  | 59.00  |                                 | 3                  |
| 1235508 | Wrist friction joint  | N. C.  | 296.00   |                                 |                    |
|         | OPTIONAL COMPONENTS   |  |  |                                 |                    |
| 1235602 | Transradial trial socket Custom-made forearm restoration Other optional components (consult Subdivision 6 for the codes and prices of these components) | 53.00<br>78.00   | N. A.<br>78.00                                       |                                 |                    |
|         | SUPPLEMENTS AVAILABLE   |  |  |                                 |                    |
|         | Stump sock * (consult Division III of this Part for the codes and prices of these supplements)  | *  | *  |                                 |                    |
|         | ADJUSTMENTS AVAILABLE   |  |  |                                 |                    |
| 1236501 | Lengthening of prosthesis   |  |  | 157.00                          | 3                  |
|         | Any pertinent adjustment  |  |  |                                 |                    |
|         | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum price Replacement of component or supplement | Maximum<br>adjustement<br>price | Guarantee (months) |
| 1240000 | Temporary mechanical transradial prosthesis with multiple-<br>action joints   | - 276.00   |  |                                 | *                  |

## BASIC COMPONENTS AND SUPPLEMENTS

Wrist friction joint (loan)

Rigid plastic socket, made from plaster or digital mold of insured person

Forearm restoration (permanent prosthesis)
External multiple-action elbow joints (loan)
Suspension harness (loan)
Armband (loan)
Control cable, connections, terminals and housing (reinforced materials)

# \*DURATION OF GUARANTEE : Life of prosthesis

## SUPPLEMENTS AVAILABLE

----- Stump sock \* \*

\* (consult Division III of this Part for the codes and prices of these supplements)

## ADJUSTMENT AVAILABLE

codes and prices of these components)

----- Any pertinent adjustment

| 1240001 Mechanical transradial prosthesis with multiple-action joints  BASIC COMPONENTS AND SUPPLEMENTS  Wrist friction joint Rigid plastic socket, made from plaster or digital mold of insured person Forearm restoration Multiple-action elbow joints Suspension harness Armband Control cable, connections, terminals and housing (reinforced materials)  COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS  BASIC COMPONENTS  1245500 Rigid plastic socket, made from plaster or digital mold of insured person  1245501 Wrist friction joint N. C. 296.00 1245502 Multiple-action elbow joints N. C. 452.00 1245503 Forearm restoration N. C. 157.00 3 1245504 Suspension harness N. C. 219.00 3 1245506 Control cable, connections, terminals and housing (reinforced materials) N. C. 35.00 3 OPTIONAL COMPONENTS |         | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---|---------|---|--|--|---------------------------------|-----------------------|
| Wrist friction joint Rigid plastic socket, made from plaster or digital mold of insured person Forearm restoration Multiple-action elbow joints Suspension harness Armband Control cable, connections, terminals and housing (reinforced materials)  COMPONENTS AND SUPPLEMENTS AVAILABLE  BASIC COMPONENTS  1245500 Rigid plastic socket, made from plaster or digital mold of insured person  1245501 Wrist friction joint N. C. 296.00 1245502 Multiple-action elbow joints N. C. 452.00 1245503 Forearm restoration N. C. 157.00 3 1245504 Suspension harness N. C. 219.00 3 1245506 Control cable, connections, terminals and housing (reinforced materials)  N. C. 35.00 3 OPTIONAL COMPONENTS  |         | *   | 1,133.00   |  |                                 | 6                     |
| Rigid plastic socket, made from plaster or digital mold of insured person  Forearm restoration  Multiple-action elbow joints  Suspension harness  Armband  Control cable, connections, terminals and housing (reinforced materials)  COMPONENTS AND SUPPLEMENTS AVAILABLE  BASIC COMPONENTS  1245500 Rigid plastic socket, made from plaster or digital mold of insured person  1245501 Wrist friction joint  N. C. 296.00  1245502 Multiple-action elbow joints  N. C. 452.00  1245503 Forearm restoration  N. C. 157.00  3  1245504 Suspension harness  N. C. 219.00  3  1245506 Control cable, connections, terminals and housing (reinforced materials)  OPTIONAL COMPONENTS  |         | BASIC COMPONENTS AND SUPPLEMENTS  |  |  |                                 |                       |
| Multiple-action elbow joints Suspension harness Armband Control cable, connections, terminals and housing (reinforced materials)  COMPONENTS AND SUPPLEMENTS AVAILABLE  BASIC COMPONENTS  1245500 Rigid plastic socket, made from plaster or digital mold of insured person  1245501 Wrist friction joint  N. C. 296.00  1245502 Multiple-action elbow joints  N. C. 452.00  1245503 Forearm restoration  N. C. 157.00  3 1245504 Suspension harness  N. C. 219.00  3 1245506 Control cable, connections, terminals and housing (reinforced materials)  1245507 Armband  N. C. 35.00  3 OPTIONAL COMPONENTS   |         | Rigid plastic socket, made from plaster or digital mold of  |  |  |                                 |                       |
| BASIC COMPONENTS  1245500 Rigid plastic socket, made from plaster or digital mold of insured person  1245501 Wrist friction joint  1245502 Multiple-action elbow joints  1245503 Forearm restoration  1245504 Suspension harness  N. C. 157.00  3 1245504 Control cable, connections, terminals and housing (reinforced materials)  1245507 Armband  N. C. 35.00  3 OPTIONAL COMPONENTS   |         | Multiple-action elbow joints Suspension harness Armband Control cable, connections, terminals and housing |  |  |                                 |                       |
| 1245500 Rigid plastic socket, made from plaster or digital mold of insured person  1245501 Wrist friction joint 1245502 Multiple-action elbow joints 1245503 Forearm restoration 1245504 Suspension harness 1245504 Control cable, connections, terminals and housing (reinforced materials)  1245507 Armband  OPTIONAL COMPONENTS  N. C. 61.00  N. C. 296.00  N. C. 452.00  N. C. 157.00  3  N. C. 219.00  3  N. C. 219.00  3  OPTIONAL COMPONENTS   |         | COMPONENTS AND SUPPLEMENTS AVAILABLE  |  |  |                                 |                       |
| insured person  1245501 Wrist friction joint  1245502 Multiple-action elbow joints  N. C. 452.00  1245503 Forearm restoration  N. C. 157.00  3  1245504 Suspension harness  N. C. 219.00  3  1245506 Control cable, connections, terminals and housing (reinforced materials)  1245507 Armband  N. C. 35.00  3  OPTIONAL COMPONENTS   |         | BASIC COMPONENTS  |  |  |                                 |                       |
| 1245502 Multiple-action elbow joints       N. C.       452.00         1245503 Forearm restoration       N. C.       157.00       3         1245504 Suspension harness       N. C.       219.00       3         1245506 Control cable, connections, terminals and housing (reinforced materials)       N. C.       114.00       3         1245507 Armband       N. C.       35.00       3         OPTIONAL COMPONENTS       OPTIONAL COMPONENTS       35.00       3  |         |   | N. C.  | 61.00  |                                 | 3                     |
| 1245502 Multiple-action elbow joints       N. C.       452.00         1245503 Forearm restoration       N. C.       157.00       3         1245504 Suspension harness       N. C.       219.00       3         1245506 Control cable, connections, terminals and housing (reinforced materials)       N. C.       114.00       3         1245507 Armband       N. C.       35.00       3         OPTIONAL COMPONENTS       OPTIONAL COMPONENTS       35.00       3  | 1245501 | Wrist friction joint  | N. C.  | 296.00   |                                 |                       |
| 1245503 Forearm restoration       N. C.       157.00       3         1245504 Suspension harness       N. C.       219.00       3         1245506 Control cable, connections, terminals and housing (reinforced materials)       N. C.       114.00       3         1245507 Armband       N. C.       35.00       3         OPTIONAL COMPONENTS  |         |   |  |  |                                 |                       |
| 1245504 Suspension harness N. C. 219.00 3 1245506 Control cable, connections, terminals and housing (reinforced materials) 1245507 Armband N. C. 35.00 3 OPTIONAL COMPONENTS  |         |   |  |  |                                 | 3                     |
| 1245506 Control cable, connections, terminals and housing (reinforced materials) 1245507 Armband  OPTIONAL COMPONENTS  N. C. 114.00 3 N. C. 35.00 3   |         |   |  |  |                                 |                       |
| (reinforced materials) 1245507 Armband N. C. 35.00 3 OPTIONAL COMPONENTS  |         |   |  |  |                                 |                       |
| 1245507 Armband N. C. 35.00 3 OPTIONAL COMPONENTS   |         |   | 11. 0.   | 111.00   |                                 | 3                     |
|   |         |   | N. C.  | 35.00  |                                 | 3                     |
| 1245600 Transradial trial socket 53.00 N. A.  |         | OPTIONAL COMPONENTS   |  |  |                                 |                       |
|   | 1245600 | Transradial trial socket  | 53.00  | N. A.  |                                 |                       |
|   |         | 1 1 : 64  |  |  |                                 |                       |

## SUPPLEMENTS AVAILABLE

----- Stump sock \* \*

\* (consult Division III of this Part for the codes and prices of these supplements)

# ADJUSTMENTS AVAILABLE

1246500 Lengthening of prosthesis

----- Any pertinent adjustment

157.00

3

## SUBDIVISION 4: ELBOW DISARTICULATION PROSTHESES

| D          | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|------------|---|--|--|---------------------------------|-----------------------|
|            | emporary mechanical or passive exoskeletal elbow isarticulation prosthesis                          | 351.00   |  |                                 | *                     |
| В          | ASIC COMPONENTS AND SUPPLEMENTS   |  |  |                                 |                       |
| Ri         | Vrist friction joint (loan) igid plastic socket, made from plaster or digital mold of asured person |  |  |                                 |                       |
|            | orearm restoration (permanent prosthesis) xternal elbow joints, monocentric and lockable (loan)     |  |  |                                 |                       |
|            | uspension harness (loan)<br>Control cable   |  |  |                                 |                       |
| *I         | DURATION OF GUARANTEE : Life of prosthesis  |  |  |                                 |                       |
| SI         | UPPLEMENTS AVAILABLE  |  |  |                                 |                       |
| *          | tump sock<br>(consult Division III of this Part for the codes and prices<br>f these supplements)    | *  | *  |                                 |                       |
| A          | DJUSTMENT AVAILABLE   |  |  |                                 |                       |
| A          | ny pertinent adjustment   |  |  |                                 |                       |
| D          | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
| 1250001 Pa | assive exoskeletal elbow disarticulation prosthesis   | 766.00   |  |                                 | 6                     |
| В          | ASIC COMPONENTS AND SUPPLEMENTS   |  |  |                                 |                       |
|            | igid plastic socket, made from plaster or digital mold of sured person                              |  |  |                                 |                       |
| Fo         | Vrist friction joint orearm restoration uspension harness   |  |  |                                 |                       |

COMPONENTS AND SUPPLEMENTS AVAILABLE

## BASIC COMPONENTS

| 1255500 Wrist friction joint 1255501 Rigid plastic socket, made from plaster or digital mold of insured person | N. C.<br>N. C. | 296.00<br>170.00 |
|--|----------------|------------------|
| 1255502 Forearm restoration  | N. C.          | 157.00           |
| 1255503 Suspension harness made by the provider  | N. C.          | 143.00           |

## ADJUSTMENT AVAILABLE

1256500 Lengthening of cubital part of the prosthesis

142.00

|         | DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum price Replacement of component or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---------|--|--|--|---------------------------------|-----------------------|
| 1250002 | Mechanical exoskeletal elbow disarticulation prosthesis  | 2,894.00   |  |                                 | 6                     |
|         | BASIC COMPONENTS AND SUPPLEMENTS   |  |  |                                 |                       |
|         | Wrist friction joint<br>Rigid plastic socket, made from plaster or digital mold of<br>insured person |  |  |                                 |                       |
|         | Forearm restoration<br>External elbow joints, monocentric and lockable (2)                           |  |  |                                 |                       |
|         | Suspension harness Control cables Elbow lock cable   |  |  |                                 |                       |
|         | COMPONENTS AND SUPPLEMENTS AVAILABLE   |  |  |                                 |                       |
|         | BASIC COMPONENTS   |  |  |                                 |                       |
| 1255505 | Rigid plastic socket, made from plaster or digital mold of insured person                            | N. C.  | 170.00   |                                 | 3                     |
|         | Wrist friction joint Elbow joints with external lock (pair)  | N. C.<br>N. C.   | 296.00<br>933.00                                     |                                 |                       |
| 1255508 | Forearm restoration  | N. C.  | 157.00   |                                 | 3                     |
| 1255509 | Suspension harness made by the provider  | N. C.  | 143.00   |                                 | 3                     |
|         | Control cable  | N. C.  | 131.00   |                                 | 3                     |
| 1255511 | Elbow lock cable   | N. C.  | 32.00  |                                 |                       |
|         | OPTIONAL COMPONENTS  |  |  |                                 |                       |
| 1255600 | Elbow disarticulation trial socket   | 76.00  | N. A.  |                                 |                       |

| 1255601 Transhumeral and elbow disarticulation prosthesis suspension harness, made by an external provider | 449.00             | 592.00             |        |   |
|--|--------------------|--------------------|--------|---|
| 1255602 Flexion assist mechanism without lock<br>1255603 Flexion assist mechanism with lock                | 286.00<br>1,322.00 | 286.00<br>1,322.00 |        | 3 |
| 1255604 External monocentric elbow joint without lock  | N. C.              | 295.00             |        |   |
| 1255605 External sliding centre elbow joint  | N. C.              | 452.00             |        |   |
| 1255606 External polycentric free-moving elbow joint   | N. C.              | 397.00             |        |   |
| 1255607 Elbow joints with external lock, heavy-duty (pair)   | 631.00             | 1,564.00           |        |   |
| Other optional components (consult Subdivision 6 for the codes and prices of these components)             |                    |                    |        |   |
| SUPPLEMENTS AVAILABLE  |                    |                    |        |   |
| Stump sock   | *                  | *                  |        |   |
| * (consult Division III of this Part for the codes and prices of these supplements)                        |                    |                    |        |   |
| ADJUSTMENTS AVAILABLE  |                    |                    |        |   |
| 1256501 Lengthening of cubital part of the prosthesis  |                    |                    | 142.00 | 3 |

| DEVICE  Maximum price price Maximum Purchase or Replacement adjustement of device or supplement  Maximum price price of component of component or supplement |
|--|
|--|

1250003 Temporary mechanical or passive transhumeral exoskeletal prosthesis

351.00

## BASIC COMPONENTS AND SUPPLEMENTS

Wrist friction joint (loan)

----- Any pertinent adjustment

Rigid plastic socket, made from plaster or digital mold of insured person

Forearm restoration (permanent prosthesis)

Elbow with internal/external lock (loan)

Suspension harness (loan)

Control cable (loan)

Elbow lock cable (loan)

\*DURATION OF GUARANTEE: Life of prosthesis

#### SUPPLEMENTS AVAILABLE

----- Stump sock
\* (consult Division III of this Part for the codes and prices

of these supplements)

ale.

## ADJUSTMENT AVAILABLE

|         | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---------|---|--|--|---------------------------------|-----------------------|
| 1250004 | Mechanical exoskeletal transhumeral prosthesis  | 1,743.00   |  |                                 | 6                     |
|         | BASIC COMPONENTS AND SUPPLEMENTS  |  |  |                                 |                       |
|         | Wrist friction joint<br>Rigid plastic socket, made from plaster or digital mold of<br>insured person                                    |  |  |                                 |                       |
|         | Forearm restoration Elbow with internal/external lock Suspension harness Control cable Elbow lock cable                                 |  |  |                                 |                       |
|         | COMPONENTS AND SUPPLEMENTS AVAILABLE  |  |  |                                 |                       |
|         | BASIC COMPONENTS  |  |  |                                 |                       |
| 1255513 | Rigid plastic socket, made from plaster or digital mold of insured person   | N. C.  | 170.00   |                                 | 3                     |
| 1255514 | Wrist friction joint  | N. C.  | 296.00   |                                 |                       |
|         | Elbow with internal/external lock   | N. C.  | ,  |                                 |                       |
|         | Forearm restoration   | N. C.  |  |                                 | 3                     |
|         | Suspension harness made by the provider   | N. C.  |  |                                 | 3                     |
|         | Control cable   | N. C.  | 131.00   |                                 | 3                     |
| 1255519 | Elbow lock cable  | N. C.  | 22.00  |                                 |                       |
|         | OPTIONAL COMPONENTS   |  |  |                                 |                       |
|         | Transhumeral prosthesis trial socket Transhumeral and elbow disarticulation prosthesis suspension harness, made by an external provider | 76.00<br>449.00  | N. A.<br>592.00  |                                 |                       |
| 1255610 | Thoracic harness with shoulder strap  | 68.00  | 68.00  |                                 |                       |
|         | Elbow with internal/external lock, heavy-duty   | 936.00   | 1,936.00   |                                 |                       |
|         | Flexion assist mechanism without lock   | 286.00   | 286.00   |                                 | 3                     |
| 1255613 | Flexion assist mechanism with lock  | 1,322.00   | 1,322.00   |                                 |                       |
| 1255614 | Nudge control   | 437.00   | 437.00   |                                 | 3                     |
|         | Other optional components (consult Subdivision 6 for the codes and prices of these components)  |  |  |                                 |                       |
|         | SUPPLEMENTS AVAILABLE   |  |  |                                 |                       |
|         | Stump sock * (consult Division III of this Part for the codes and prices of these supplements)  | *  | *  |                                 |                       |

142,00

3

| DEVICE   | Maximum price Purchase or replacement of device          | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|--|--|--|---------------------------------|-----------------------|
| 1250005 Passive exoskeletal transhumeral prosthesis  | 609.00   |  |                                 | 6                     |
| BASIC COMPONENTS AND SUPPLEMENTS   |  |  |                                 |                       |
| Rigid plastic socket, made from plaster or digital mold of insured person                                  |  |  |                                 |                       |
| Wrist friction joint   |  |  |                                 |                       |
| Forearm restoration Suspension harness   |  |  |                                 |                       |
| COMPONENTS AND SUPPLEMENTS AVAILABLE   |  |  |                                 |                       |
| BASIC COMPONENTS   |  |  |                                 |                       |
| Rigid plastic socket, made from plaster or digital mold of insured person                                  | N. C.  | 170.00   |                                 | 3                     |
| 1255522 Wrist friction joint   | N. C.  | 296.00   |                                 |                       |
| 1255523 Forearm restoration  | N. C.  | 157.00   |                                 | 3                     |
| 1255524 Suspension harness made by the provider  | N. C.  | 143.00   |                                 | 3                     |
| OPTIONAL COMPONENTS  |  |  |                                 |                       |
| 1255615 Transhumeral prosthesis trial socket   | 76.00  | N. A.  |                                 |                       |
| 1255616 Transhumeral and elbow disarticulation prosthesis suspension harness, made by an external provider | 449.00   | 592.00   |                                 |                       |
| 1255617 Thoracic harness with shoulder strap   | 68.00  | 68.00  |                                 |                       |
| 1255618 Lockable elbow joint   | 226.00   | 226.00   |                                 |                       |
| 1255619 Ratchet elbow joint  | 419.00   | 419.00   |                                 |                       |
| DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |

Rigid plastic socket, made from plaster or digital mold of insured person

Complete endoskeletal system (modular components and prosthetic cover)

Prosthetic socks (2)

## COMPONENTS AND SUPPLEMENTS AVAILABLE

## BASIC COMPONENTS

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

| 1265500 Rigid plastic socket, made from plaster or digital mold of insured person                          | N. C.  | 170.00 |  |
|--|--------|--------|--|
| 1265501 Complete endoskeletal system transhumeral prosthesis   | N. C.  | N. A.  |  |
| 1265502 Prosthetic cover   | N. C.  | 140.00 |  |
| OPTIONAL COMPONENTS  |        |        |  |
| 1265600 Transhumeral prosthesis trial socket   | 76.00  | N. A.  |  |
| 1265601 Suspension harness made by the provider  | 143.00 | 143.00 |  |
| 1265602 Transhumeral and elbow disarticulation prosthesis suspension harness, made by an external provider | 592.00 | 592.00 |  |
| 1265603 Thoracic harness with shoulder strap   | 68.00  | 68.00  |  |
| 1265604 Harness to activate elbow lock (e.g. at the waist)   | 21.00  | 21.00  |  |
| 1265605 Expulsion valve  | 131.00 | 131.00 |  |
| 1265606 Shoulder-activated external elbow joint with lock  | N. C.  | 985.00 |  |
| Other optional components (consult Subdivision 6 for the codes and prices of these components)             |        |        |  |
| SUPPLEMENTS AVAILABLE  |        |        |  |
| Stump sock * (consult Division III of this Part for the codes and prices of these supplements)             | *      | *      |  |

3

## SUBDIVISION 5: SHOULDER DISARTICULATION AND THORACIC PROSTHESES

Arm and shoulder restoration

|        | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|--------|---|--|--|---------------------------------|-----------------------|
|        | Temporary mechanical exoskeletal shoulder disarticulation prosthesis  | 343.00   |  |                                 | *                     |
|        | BASIC COMPONENTS AND SUPPLEMENTS  |  |  |                                 |                       |
|        | Rigid plastic socket, made from plaster or digital mold of insured person   |  |  |                                 |                       |
|        | Forearm restoration (permanent prosthesis) Wrist friction joint (loan) Shoulder joint (loan) Thoracic suspension harness (loan) Control cable (loan) Elbow with internal/external lock (loan) Elbow lock cable (loan) |  |  |                                 |                       |
|        | *DURATION OF GUARANTEE : Life of prosthesis   |  |  |                                 |                       |
|        | SUPPLEMENTS AVAILABLE   |  |  |                                 |                       |
|        | Stump sock * (consult Division III of this Part for the codes and prices of these supplements)  | *  | *  |                                 |                       |
|        | ADJUSTMENT AVAILABLE  |  |  |                                 |                       |
|        | Any pertinent adjustment  |  |  |                                 |                       |
|        | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
| 270001 | Mechanical exoskeletal shoulder disarticulation prosthesis  | 2,559.00   |  |                                 | 6                     |
|        | BASIC COMPONENTS AND SUPPLEMENTS  |  |  |                                 |                       |
|        | Wrist friction joint<br>Rigid plastic socket, made from plaster or digital mold of<br>insured person  |  |  |                                 |                       |
|        | Forearm restoration Elbow with internal/external lock   |  |  |                                 |                       |

Shoulder joint
Thoracic suspension harness
Control cable, connections, terminals and housing
(reinforced materials and pulley)
Elbow lock cable

#### COMPONENTS AND SUPPLEMENTS AVAILABLE

#### BASIC COMPONENTS

| 1275500 Rigid plastic socket, made from plaster or digital mold of insured person                          | N. C.    | 186.00   | 3 |
|--|----------|----------|---|
| 1275501 Thoracic suspension harness  | N. C.    | 61.00    | 3 |
| 1275503 Control cable, connections, terminals and housing (reinforced materials and pulley)                | N. C.    | 323.00   | 3 |
| 1275504 Elbow lock cable   | N. C.    | 32.00    |   |
| 1275505 Wrist friction joint   | N. C.    | 296.00   |   |
| 1275506 Elbow with internal/external lock  | N. C.    | 1,000.00 |   |
| 1275507 Forearm restoration  | N. C.    | 157.00   | 3 |
| 1275508 Arm and shoulder restoration   | N. C.    | 258.00   | 3 |
| 1275509 Standard shoulder joint and socket anchor  | N. C.    | 562.00   |   |
| OPTIONAL COMPONENTS  |          |          |   |
| 1275600 Shoulder disarticulation prosthesis trial socket   | 125.00   | N. A.    |   |
| 1275601 High mobility shoulder joint and socket anchor   | 2,722.00 | 3,284.00 |   |
| 1275602 Transhumeral and elbow disarticulation prosthesis suspension harness, made by an external provider | 531.00   | 592.00   |   |
| 1275603 Elbow with internal/external lock, heavy-duty  | 936.00   | 1,936.00 |   |
| 1275604 Flexion assist mechanism   | 305.00   | 305.00   |   |
| 1275605 Nudge control  | 437.00   | 437.00   | 3 |
| 1275606 Control cable pulley   | 143.00   | 143.00   |   |
|  |          |          |   |

----- Other optional components (consult Subdivision 6 for the codes and prices of these components)

## SUPPLEMENTS AVAILABLE

----- Stump sock

#### ADJUSTMENT AVAILABLE

1276500 Lengthening of cubital part of the prosthesis

142.00

<sup>\* (</sup>consult Division III of this Part for the codes and prices of these supplements)

|         | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---------|---|--|--|---------------------------------|-----------------------|
| 1270002 | Passive endoskeletal shoulder disarticulation prosthesis  | 2,749.00   |  |                                 | 6                     |
|         | BASIC COMPONENTS AND SUPPLEMENTS  |  |  |                                 |                       |
|         | Rigid plastic socket, made from plaster or digital mold of insured person   |  |  |                                 |                       |
|         | Complete endoskeletal system (modular components and prosthetic cover) Shoulder joint Thoracic suspension harness |  |  |                                 |                       |
|         | COMPONENTS AND SUPPLEMENTS AVAILABLE  |  |  |                                 |                       |
|         | BASIC COMPONENTS  |  |  |                                 |                       |
|         | Rigid plastic socket, made from plaster or digital mold of insured person   | N. C.  | 186.00   |                                 | 3                     |
|         | Standard shoulder joint and socket anchor<br>Complete endoskeletal system with elbow lock                         | N. C.<br>N. C.   | 562.00<br>N. A.  |                                 |                       |
| 1275514 | Endoskeletal system elbow joint lock cable  | N. C.  | 74.00  |                                 |                       |
|         | Prosthetic cover<br>Suspension harness made by the provider   | N. C.<br>N. C.   | 168.00<br>66.00  |                                 | 3                     |
|         | OPTIONAL COMPONENTS   |  |  |                                 |                       |
| 1275607 | Shoulder disarticulation prosthesis trial socket  | 125.00   | N. A.  |                                 |                       |
| 1275608 | Shoulder-activated external elbow joint with lock   | N. C.  | 985.00   |                                 |                       |
| 1275609 | High mobility shoulder joint and socket anchor  | 2,722.00   | 3,284.00   |                                 |                       |
| 1265610 | Transhumeral and elbow disarticulation prosthesis suspension harness, made by an external provider                | 526.00   | 592.00   |                                 |                       |
|         | Other optional components (consult Subdivision 6 for the codes and prices of these components)                    |  |  |                                 |                       |
|         | SUPPLEMENTS AVAILABLE   |  |  |                                 |                       |
|         | Stump sock * (consult Division III of this Part for the codes and prices of these supplements)                    | *  | *  |                                 |                       |

ADJUSTMENT AVAILABLE

codes and prices of these components)

| DEVICE   | Maximum price Purchase or replacement of device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee (months) |
|--|---|--|---------------------------------|--------------------|
| 1280000 Mechanical exoskeletal thoracic prosthesis   | 2,863.00  |  |                                 | 6                  |
| BASIC COMPONENTS AND SUPPLEMENT  | S   |  |                                 |                    |
| Wrist friction joint Rigid plastic socket, made from plaster or digital insured person Forearm restoration Elbow with internal/external lock Arm and shoulder restoration Shoulder joint Thoracic suspension harness Scapular belt restoration Control cable, connections, terminals and housing (reinforced materials and pulley) |   |  |                                 |                    |
| Elbow lock cable   | LADIE   |  |                                 |                    |
| COMPONENTS AND SUPPLEMENTS AVAI BASIC COMPONENTS   | LABLE   |  |                                 |                    |
| 1285502 Rigid plastic socket, made from plaster or digital   | al mold of N. C.                                | 325.00   |                                 | 3                  |
| insured person   | ar more or                                      | 323.00   |                                 | 3                  |
| 1285503 Thoracic suspension harness  | N. C.   | 61.00  |                                 | 3                  |
| 1285504 Control cable, connections, terminals and housi (reinforced materials and pulley)  | ng N. C.  | 323.00   |                                 | 3                  |
| 1285505 Elbow lock cable   | N. C.   |  |                                 |                    |
| 1285506 Wrist friction joint   | N. C.   |  |                                 |                    |
| 1285507 Elbow with internal/external lock  | N. C.   | 1,000.00   |                                 |                    |
| 1285508 Forearm restoration  | N. C.   | 157.00   |                                 | 3                  |
| 1285509 Arm restoration  | N. C.   | 258.00   |                                 | 3                  |
| 1285510 Scapular belt restoration  | N. C.   | 24.00  |                                 |                    |
| 1285511 Standard shoulder joint and socket anchor  | N. C.   | 562.00   |                                 |                    |
| OPTIONAL COMPONENTS  |   |  |                                 |                    |
| 1285600 Thoracic prosthesis trial socket   | 246.00  |  |                                 |                    |
| 1285601 Elbow with internal/external lock heavy duty   | 936.00  | ,  |                                 |                    |
| 1285602 Flexion assist mechanism   | 305.00  |  |                                 |                    |
| 1285603 High mobility shoulder joint and socket anchor   | 3,284.00  | 3,284.00   |                                 |                    |
| 1285604 Nudge control  | 437.00  | 437.00   |                                 | 3                  |
| Other optional components (consult Subdivision   | n 6 for the                                     |  |                                 |                    |
| and and prince of these components)  |   |  |                                 |                    |

## SUPPLEMENTS AVAILABLE

----- Stump sock

\* (consult Division III of this Part for the codes and prices of these supplements)

## ADJUSTMENT AVAILABLE

1286500 Lengthening of cubital part of the prosthesis

142.00

3

| DEVICE                         |   | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|--------------------------------|---|--|--|---------------------------------|-----------------------|
| 1280001 Passive e              | ndoskeletal thoracic prosthetis   | 1,742.00   |  |                                 | 6                     |
| BASIC C                        | OMPONENTS AND SUPPLEMENTS   |  |  |                                 |                       |
| Rigid pla insured p            | stic socket, made from plaster or digital mold of erson                         |  |  |                                 |                       |
| prosthetic                     | e endoskeletal system (modular components and<br>c cover)<br>suspension harness |  |  |                                 |                       |
| Shoulder                       | joint and socket anchor belt restoration  |  |  |                                 |                       |
| COMPO                          | NENTS AND SUPPLEMENTS AVAILABLE   |  |  |                                 |                       |
| BASIC C                        | OMPONENTS   |  |  |                                 |                       |
| 1285512 Rigid pla<br>insured p | stic socket, made from plaster or digital mold of erson                         | N. C.  | 325.00   |                                 | 3                     |
| 1285513 Complete               | endoskeletal system with elbow lock   | N. C.  | N. A.  |                                 |                       |
| 1285514 Endoskel               | etal system elbow joint lock cable  | N. C.  | 74.00  |                                 |                       |
| 1285515 Standard               | shoulder joint and socket anchor  | N. C.  | 562.00   |                                 |                       |
| 1285516 Prosthetic             |   | N. C.  |  |                                 |                       |
|                                | suspension harness  | N. C.  |  |                                 | 3                     |
| 1285518 Scapular               | belt restoration  | N. C.  | 24.00  |                                 |                       |
| OPTION.                        | AL COMPONENTS   |  |  |                                 |                       |
|                                | prosthesis trial socket   | 246.00   |  |                                 |                       |
|                                | activated external elbow joint with lock  | N. C.  | 985.00   |                                 |                       |
| 1285607 Nudge co               | ntrol   | 437.00   | 437.00   |                                 |                       |
|                                | ional components (consult Subdivision 6 for the prices of these components)     |  |  |                                 |                       |
| SUPPLE                         | MENTS AVAILABLE   |  |  |                                 |                       |
| Stump so                       | ck  | *  | *  |                                 |                       |

\* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENT AVAILABLE

## SUBDIVISION 6: BASIC OR OPTIONAL COMPONENTS FOR UPPER-LIMB PROSTHESES

WRISTS, HOOKS, HANDS, PROSTHETIC GLOVES, ELBOW JOINTS, SHOULDER JOINTS AND OTHERS

| WRISTS FOR PROSTHESES  | Maximum substitution price of component at the time of purchase or replacement of prosthesis | Maximum<br>replacement<br>price of<br>component |  |
|--|--|---|--|
| 1295501 Wrist friction joint with flexion or rotation<br>1295502 Quick disconnect wrist including a socket<br>1295503 Extra socket for wrist | 230.00<br>400.00<br>110.57   | 526.00<br>696.00<br>110.57                      |  |
| HOOKS  | Maximum substitution price of component at the time of purchase or replacement of prosthesis | Maximum<br>replacement<br>price of<br>component |  |
| 1295504 Hook for work<br>1295505 Hook for adult or child<br>1295506 Anchoring part for cable for passive hand and hook                       | 875.00<br>764.00<br>32.00  | 875.00<br>764.00<br>32.00                       |  |
| 1295507 Cable extension for different terminal   | 33.00  | 33.00   |  |
| HANDS  | Maximum substitution price of component at the time of purchase or replacement of prosthesis | Maximum<br>replacement<br>price of<br>component |  |
| 1295508 Passive hand<br>1295509 Mechanical hand  | 503.00<br>1,525.00   | 503.00<br>1,525.00                              |  |

| PROSTHETIC GLOVES   | Maximum substitution price of component at the time of purchase or replacement of prosthesis | Maximum<br>replacement<br>price of<br>component |  |
|---|--|---|--|
| 1295510 Silicone prosthetic glove<br>1295511 Vinyl prosthetic glove   | 594.00<br>265.00   | 594.00<br>265.00                                |  |
| ELBOW JOINTS  | Maximum substitution price of component at the time of purchase or replacement of prosthesis | Maximum<br>replacement<br>price of<br>component |  |
| 1295512 External monocentric elbow joint without lock   | 295.00   | 295.00  |  |
| 1295513 External monocentric elbow joint with lock  | 1,365.00   | 1,365.00  |  |
| 1295514 External sliding centre elbow joint   | 452.00   | 452.00  |  |
| 1295515 External polycentric free-moving joint  | 82.91  | 883.74  |  |
| CONTROLS  | Maximum substitution price of component at the time of purchase or replacement of prosthesis | Maximum<br>replacement<br>price of<br>component |  |
| 1295516 Truncular abdominal or scapular control 1295517 Nudge control where shoulder-activated lock elbow is used | 57.00<br>428.00  | 57.00<br>428.00                                 |  |

# DIVISION III: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES SUPPLEMENTS FOR PROSTHESES

| Description                                     | Maximum price Purchase or time of replacement of prosthesis  Maximum price at the replacement of socks | <u></u> |
|---|--|---------|
| SUPPLEMENTS FOR PROSTHESES                      |  |         |
| STUMP SOCKS AND SHEATHS                         |  |         |
| 1295519 Sock or sheath without silicone/gel (1) | 31.00 31.00  |         |
| 1295520 Sock or sheath with silicone/gel (1)    | 62.00 62.00  |         |

# DIVISION IV: LOWER-LIMB ORTHOSES SUBDIVISION 1: TIBIAL ORTHOSES

|                    | DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|--------------------|--|--|--|---------------------------------|-----------------------|
| 2140000            | Tibial orthosis with unilateral upright  | 278.00   |  |                                 | 6                     |
|                    | BASIC COMPONENTS AND SUPPLEMENTS   |  |  |                                 |                       |
|                    | Standard stirrup and unilateral upright Ankle free joint. aluminum (1) Rigid tibial band including cover Retaining strap |  |  |                                 |                       |
|                    | COMPONENTS AND SUPPLEMENTS AVAILABLE   |  |  |                                 |                       |
|                    | BASIC COMPONENTS   |  |  |                                 |                       |
| 2145501<br>2145502 | Standard stirrup Ankle free joint Rigid tibial band including cover Retaining strap (each)                               | N. C.<br>N. C.<br>N. C.<br>N. C.                         | 72.00<br>86.00<br>35.00<br>17.00                                 |                                 | 3                     |
|                    | OPTIONAL COMPONENTS  |  |  |                                 |                       |
|                    | Custom-made laminated or molded plastic stirrup, made from mold of insured person  | 5.00   | 77.00  |                                 |                       |
|                    | Ankle joint with assisted dorsiflexion   | 8.00   | 94.00  |                                 |                       |
| 2145602            | Double-action ankle joint  | 98.00  | 184.00   |                                 |                       |
|                    | SUPPLEMENT AVAILABLE   |  |  |                                 |                       |
|                    | None   |  |  |                                 |                       |
|                    | ADJUSTMENT AVAILABLE   |  |  |                                 |                       |
|                    | Any pertinent adjustment   |  |  |                                 |                       |
|                    | DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
| 2140001            | Tibial orthosis with bilateral uprights made by the provider   | 206.00   |  |                                 | 6                     |

## BASIC COMPONENTS AND SUPPLEMENTS

Regular stirrup, including two uprights Ankle free joints, with uprights (2) Rigid band with tibial cover

# Retaining strap

# COMPONENTS AND SUPPLEMENTS AVAILABLE

## BASIC COMPONENTS

| 2145504 Standard stirrup  | N. C.  | 72.00  |
|---|--------|--------|
| 2145505 Ankle free joint (replacement unit price)   | N. C.  | 86.00  |
| 2145508 Rigid tibial band including cover   | N. C.  | 35.00  |
| 2145503 Retaining strap (each)  | N. C.  | 17.00  |
| OPTIONAL COMPONENTS   |        |        |
| 2145603 Custom-made laminated or molded plastic stirrup, made from mold of insured person | 5.00   | 77.00  |
| 2145604 Ankle joints with assisted dorsiflexion (replacement unit price)                  | 16.00  | 94.00  |
| 2145605 Double-action ankle joints (replacement unit price)                               | 196.00 | 184.00 |

## SUPPLEMENT AVAILABLE

None

## ADJUSTMENT AVAILABLE

|         | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---------|---|--|--|---------------------------------|-----------------------|
| 2140003 | Tibial orthosis with bilateral uprights, made by an external provider         | 224.00   |  |                                 | 6                     |
|         | BASIC COMPONENTS AND SUPPLEMENTS  |  |  |                                 |                       |
|         | Shoe attachment system Joint system allowing functional mobility of the ankle |  |  |                                 |                       |
|         | Rigid band with tibial cover<br>Retaining strap                               |  |  |                                 |                       |
|         | COMPONENTS AND SUPPLEMENTS AVAILABLE  |  |  |                                 |                       |
|         | BASIC COMPONENTS  |  |  |                                 |                       |
|         | Shoe attachment system Joint system allowing functional mobility of the ankle | N. C.<br>N. C.   | N. A.<br>N. A.   |                                 |                       |
|         | Rigid band with tibial cover<br>Retaining strap (each)                        | N. C.<br>N. C.   | N. A.<br>17.00   |                                 |                       |

## SUPPLEMENT AVAILABLE

None

## ADJUSTMENT AVAILABLE

| DEVICE  |                              | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---|------------------------------|--|--|---------------------------------|-----------------------|
| 2140004 Molded tibial orthosis, made to of insured person   | rom plaster or digital mold  | 87.00  |  |                                 | 6                     |
| BASIC COMPONENTS AND  | SUPPLEMENTS                  |  |  |                                 |                       |
| Molded plastic posterior shell<br>with infra-patellar support ext<br>rigid material<br>Calf retaining strap |                              |  |  |                                 |                       |
| COMPONENTS AND SUPPL  | LEMENTS AVAILABLE            |  |  |                                 |                       |
| BASIC COMPONENT   |                              |  |  |                                 |                       |
| 2145503 Retaining strap (each)  |                              | N. C.  | 17.00  |                                 |                       |
| OPTIONAL COMPONENTS   |                              |  |  |                                 |                       |
| 2145606 Molded or laminated plastic in from a plaster mold, with rigio                                      |                              | 35.00  | 35.00  |                                 |                       |
| 2145607 Thermoplastic anterior shell n orthosis (bivalve section)   | nade from a mold, built into | 46.00  | 46.00  |                                 |                       |
| SUPPLEMENTS AVAILABI  | Æ                            |  |  |                                 |                       |
| None  |                              |  |  |                                 |                       |
| ADJUSTMENT AVAILABLE  | Ξ                            |  |  |                                 |                       |
| Any pertinent adjustment  |                              |  |  |                                 |                       |
| DEVICE  |                              | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
| 2140005 Molded tibial orthosis, prefab  | ricated                      | 82.00  |  |                                 | 6                     |

Rigid molded plastic posterior or anterior shell, one-piece, including calf and extending under foot, prefabricated

Calf retaining strap

<u>NOTICE</u>: This orthosis has neither a hinge, nor an upright, nor a rigid lateral band, and can be inserted into a conventional shoe. Therefore, it is not a walking boot.

#### COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENT

2145503 Retaining strap (each)

N. C. 17.00

1

OPTIONAL COMPONENT

None

SUPPLEMENT AVAILABLE

None

None

SUPPLEMENTS AVAILABLE

ADJUSTMENT AVAILABLE

| DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum price<br>Replacement of<br>component or<br>supplement | Maximum adjustement price | Guarantee<br>(months) |
|---|--|---|---------------------------|-----------------------|
| 2140006 Prefabricated supramalleolar tibial orthosis  | 159.00   |   |                           | 6                     |
| BASIC COMPONENTS AND SUPPLEMENTS  |  |   |                           |                       |
| Rigid thermoplastic anterior or posterior shell, one-piece, extending over ankle and under foot |  |   |                           |                       |
| Retaining strap over ankle  |  |   |                           |                       |
| COMPONENTS AND SUPPLEMENTS AVAILABLE  |  |   |                           |                       |
| BASIC COMPONENT   |  |   |                           |                       |
| 2145503 Retaining strap (each)  | N. C.  | 17.00   |                           |                       |
| OPTIONAL COMPONENT  |  |   |                           |                       |

----- Other common optional components (consult Subdivision 6 for the codes and prices of these components)

## ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

|         | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum price<br>Replacement of<br>component or<br>supplement    | Maximum adjustement price       | Guarantee<br>(months) |
|---------|---|--|--|---------------------------------|-----------------------|
| 2140007 | Supramalleolar tibial orthosis, made from plaster or digital mold of insured person                   | 34.00  |  |                                 | 6                     |
|         | BASIC COMPONENTS AND SUPPLEMENTS  |  |  |                                 |                       |
|         | Rigid thermoplastic anterior or posterior shell, one-piece, extending over ankle and under foot       |  |  |                                 |                       |
|         | Rettaining strap over ankle   |  |  |                                 |                       |
|         | COMPONENTS AND SUPPLEMENTS AVAILABLE  |  |  |                                 |                       |
|         | BASIC COMPONENT   |  |  |                                 |                       |
| 2145503 | Retaining strap (each)  | N. C.  | 17.00  |                                 |                       |
|         | OPTIONAL COMPONENT  |  |  |                                 |                       |
|         | None  |  |  |                                 |                       |
|         | Other common optional components (consult Subdivision 6 for the codes and prices of these components) |  |  |                                 |                       |
|         | SUPPLEMENTS AVAILABLE   |  |  |                                 |                       |
|         | None  |  |  |                                 |                       |
|         | ADJUSTMENT AVAILABLE  |  |  |                                 |                       |
|         | Any pertinent adjustment  |  |  |                                 |                       |
|         | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee (months)    |

or supplement

## BASIC COMPONENTS AND SUPPLEMENTS

Thermoplastic shell with cover, mold from insured person, covering the entire circumference of leg and foot, with closure system and fabric lining

BASIC COMPONENT

None

OPTIONAL COMPONENT

None

SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

| DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum price Replacement of component or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|--|--|--|---------------------------------|-----------------------|
| 2140009 Orthosis for leg shortened by 7.6 cm (3 in.) or more, excluding any prosthetic knee joint  | 459.00   |  |                                 | 6                     |
| BASIC COMPONENTS AND SUPPLEMENTS   |  |  |                                 |                       |
| SACH foot<br>Laminated plastic tibial shell with tibial or foot support  |  |  |                                 |                       |
| Retaining straps (2)   |  |  |                                 |                       |
| COMPONENTS AND SUPPLEMENTS AVAILABLE   |  |  |                                 |                       |
| BASIC COMPONENTS   |  |  |                                 |                       |
| 1135501 SACH foot<br>2145511 Laminated plastic tibial shell with tibial or foot support  | N. C.<br>N. C.   | 205.00<br>N. A.                                      |                                 |                       |
| 2145512 Retaining strap (each)   | N. C.  | 17.00  |                                 |                       |
| OPTIONAL COMPONENTS  |  |  |                                 |                       |
| 2145608 Trial socket 1155600 Low or no return energy foot 1155601 Moderate energy return foot 1155602 Dynamic response foot with torsion | 269.00<br>259.00<br>610.00<br>1,256.00                   | 464.00<br>815.00                                     |                                 |                       |

| 1155603 Foot with high energy return, adult                                  | 2,484.00 | 2,689.00 |
|--|----------|----------|
| 1155604 Foot with high energy return, pediatric                              | 929.00   | 1,134.00 |
| 2145609 Thigh lacer with two rigid bands with femoral cover                  | 194.00   | 194.00   |
| 2145610 Complete or full leather thigh lacer, without ischiatic support      | 200.00   | 200.00   |
| 2145611 Complete or full leather thigh lacer, with leather ischiatic support | 212.00   | 212.00   |
| 2145612 Thermoplastic femoral shell without ischiatic support                | 61.00    | 61.00    |
| 2145613 Thermoplastic femoral shell with thermoplastic ischiatic support     | 70.00    | 70.00    |
| 2145614 Hip free joint   | 145.00   | 145.00   |

SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

## **SUBDIVISION 2: TIBIOFEMORAL ORTHOSES**

|         | DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | price Replacement of component | Maximum<br>adjustement<br>price | Guarantee (months)    |
|---------|--|--|--------------------------------|---------------------------------|-----------------------|
| 2150000 | Thermoplastic non-articulated tibiofemoral orthosis, made from plaster or digital mold of insured person | 155.00   |                                |                                 | 6                     |
|         | BASIC COMPONENTS AND SUPPLEMENTS   |  |                                |                                 |                       |
|         | Thermoplastic splint, thigh, knee and leg<br>Retaining straps (4)  |  |                                |                                 |                       |
|         | COMPONENTS AND SUPPLEMENTS AVAILABLE   |  |                                |                                 |                       |
|         | BASIC COMPONENTS   |  |                                |                                 |                       |
| 2145503 | Retaining strap (each)   | N. C.  | 17.00                          |                                 |                       |
|         | OPTIONAL COMPONENT   |  |                                |                                 |                       |
|         | None   |  |                                |                                 |                       |
|         | SUPPLEMENT AVAILABLE   |  |                                |                                 |                       |
|         | None   |  |                                |                                 |                       |
|         | ADJUSTMENT AVAILABLE   |  |                                |                                 |                       |
|         | Any pertinent adjustment   |  |                                |                                 |                       |
|         | DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | price Replacement of component | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
| 2150002 | Tibiofemoral orthosis with free joints, prefabricated  | 523.00   |                                |                                 | 6                     |
|         | BASIC COMPONENTS AND SUPPLEMENTS   |  |                                |                                 |                       |
|         | Knee free joints Femoral and tibial rigid bands Retaining straps (4)                                     |  |                                |                                 |                       |
|         | COMPONENTS AND SUPPLEMENTS AVAILABLE   |  |                                |                                 |                       |
|         | BASIC COMPONENTS   |  |                                |                                 |                       |
| 2145503 | Retaining strap (each)   | N. C.  | 17.00                          |                                 |                       |
|         |  |  |                                |                                 |                       |

|         | ADJUSTMENT AVAILABLE   |  |                                |                                 |                    |
|---------|--|--|--------------------------------|---------------------------------|--------------------|
|         | Any pertinent adjustment   |  |                                |                                 |                    |
|         | DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | price Replacement of component | Maximum<br>adjustement<br>price | Guarantee (months) |
| 2150003 | Prefabricated tibiofemoral orthosis with unilateral free joint                       | 556.00   |                                |                                 | 6                  |
|         | BASIC COMPONENTS   |  |                                |                                 |                    |
|         | Unilateral knee free joint<br>Femoral and tibial rigid bands<br>Retaining straps (4) |  |                                |                                 |                    |
|         | COMPONENTS AND SUPPLEMENTS AVAILABLE   |  |                                |                                 |                    |
|         | BASIC COMPONENT  |  |                                |                                 |                    |
| 2145503 | Retaining strap (each)   | N. C.  | 17.00                          |                                 |                    |
|         | OPTIONAL COMPONENT   |  |                                |                                 |                    |
|         | None   |  |                                |                                 |                    |
|         | SUPPLEMENT AVAILABLE   |  |                                |                                 |                    |
|         | ADJUSTMENT AVAILABLE   |  |                                |                                 |                    |
|         | Any pertinent adjustment   |  |                                |                                 |                    |

OPTIONAL COMPONENT

SUPPLEMENTS AVAILABLE

None

None

|           | DEVICE   | Purchase or replacement of device                        | price Replacement of component or supplement | Maximum<br>adjustement<br>price | Guarantee (months) |
|-----------|--|--|--|---------------------------------|--------------------|
|           | Tibiofemoral anti-recurvatum knee orthosis, Swedish-type, prefabricated                    | 316.00   |  |                                 | 6                  |
| ]         | BASIC COMPONENTS AND SUPPLEMENTS   |  |  |                                 |                    |
| ]         | Rigid structure<br>Femoral and tibial rigid bands<br>Retaining straps (4)                  |  |  |                                 |                    |
| (         | COMPONENTS AND SUPPLEMENTS AVAILABLE   |  |  |                                 |                    |
| ]         | BASIC COMPONENT  |  |  |                                 |                    |
| 2145503 1 | Retaining strap (each)   | N. C.  | 17.00  |                                 |                    |
| (         | OPTIONAL COMPONENT   |  |  |                                 |                    |
| ]         | None   |  |  |                                 |                    |
| \$        | SUPPLEMENT AVAILABLE   |  |  |                                 |                    |
| ]         | None   |  |  |                                 |                    |
| 1         | ADJUSTMENT AVAILABLE   |  |  |                                 |                    |
| ,         | Any pertinent adjustment   |  |  |                                 |                    |
| ]         | DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum price Replacement of component       | Maximum<br>adjustement<br>price | Guarantee (months) |
|           | Dynamic knee orthosis, made by the provider from plaster or digital mold of insured person | 350.00   |  |                                 | 6                  |
| ]         | BASIC COMPONENTS AND SUPPLEMENTS   |  |  |                                 |                    |
| ]         | Plastic or metal femoral and tibial rigid cuffs  |  |  |                                 |                    |
|           | Polycentric knee free joints<br>Retaining straps (4)                                       |  |  |                                 |                    |
|           |  |  |  |                                 |                    |
| (         | COMPONENTS AND SUPPLEMENTS AVAILABLE   |  |  |                                 |                    |

| 2155500 Free knee joints (replacement unit price)   | N. C.   | 188.00   |                                 |                       |
|---|---|--|---------------------------------|-----------------------|
| 2145503 Retaining strap (each)  | N. C.   | 17.00  |                                 |                       |
| OPTIONAL COMPONENTS   |   |  |                                 |                       |
| 2155600 Lockable knee joints (replacement unit price)   | 76.00   | 226.00   |                                 |                       |
| SUPPLEMENTS AVAILABLE   |   |  |                                 |                       |
| None  |   |  |                                 |                       |
| ADJUSTMENT AVAILABLE  |   |  |                                 |                       |
| None  |   |  |                                 |                       |
| DEVICE  | Maximum price Purchase or replacement of device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
| 2150006 Dynamic knee orthosis, made by external provider from plaster or digital mold of insured person | 856.00  |  |                                 | 6                     |
| BASIC COMPONENTS AND SUPPLEMENTS  |   |  |                                 |                       |
| Plastic or metal femoral and tibial rigid cuffs   |   |  |                                 |                       |
| Polycentric knee free joints<br>Retaining straps (4)  |   |  |                                 |                       |
| COMPONENTS AND SUPPLEMENTS AVAILABLE  |   |  |                                 |                       |
| BASIC COMPONENTS  |   |  |                                 |                       |
| 2155501 Free knee joints (replacement unit price)   | N. C.   | 188.00   |                                 |                       |
| 2145503 Retaining strap (each)  | N. C.   | 17.00  |                                 |                       |
| SUPPLEMENTS AVAILABLE   |   |  |                                 |                       |
| 2155601 Lockable knee joints (replacement unit price)   | 76.00   | 226.00   |                                 |                       |
| 2155602 Crutches with forearm support, height-adjustable  | 56.05   | 56.05  |                                 |                       |
| ADJUSTMENT AVAILABLE  |   |  |                                 |                       |
| Any pertinent adjustment  |   |  |                                 |                       |

|         | DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee (months) |
|---------|--|--|--|---------------------------------|--------------------|
| 2150007 | Tibiofemoral orthosis with unilateral free joint, made by<br>external provider from plaster or digital mold of insured<br>person | 883.00   |  |                                 | 6                  |
|         | BASIC COMPONENTS AND SUPPLEMENTS   |  |  |                                 |                    |
|         | Unilateral knee free joint<br>Femoral and tibial rigid bands<br>Retaining straps (4)   |  |  |                                 |                    |
|         | COMPONENTS AND SUPPLEMENTS AVAILABLE   |  |  |                                 |                    |
|         | BASIC COMPONENTS   |  |  |                                 |                    |
| 2145503 | Retaining strap (each)   | N. C.  | 17.00  |                                 |                    |
|         | OPTIONAL COMPONENT   |  |  |                                 |                    |
|         | None   |  |  |                                 |                    |
|         | SUPPLEMENT AVAILABLE   |  |  |                                 |                    |
|         | None   |  |  |                                 |                    |
|         | ADJUSTMENT AVAILABLE   |  |  |                                 |                    |
|         | Any pertinent adjustment   |  |  |                                 |                    |

## **SUBDIVISION 3: FEMORAL ORTHOSES**

|         | DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---------|--|--|--|---------------------------------|-----------------------|
| 2160001 | Articulated femoral orthosis with rigid femoral and tibial bands, made from tracing  | 754.00   |  |                                 | 6                     |
|         | BASIC COMPONENTS AND SUPPLEMENTS   |  |  |                                 |                       |
|         | Standard stirrup Ankle free joints (2) Knee free joints (2) Thigh lacer with two rigid bands with femoral cover and rigid band with tibial cover |  |  |                                 |                       |
|         | Retaining straps   |  |  |                                 |                       |
|         | COMPONENTS AND SUPPLEMENTS AVAILABLE   |  |  |                                 |                       |
|         | None   |  |  |                                 |                       |
|         | BASIC COMPONENTS   |  |  |                                 |                       |
|         | Standard stirrup Free ankle joint (replacement unit price)   | N. C.<br>N. C.   | 72.00<br>86.00   |                                 |                       |
| 2165502 | Free knee joints (replacement unit price)  | N. C.  | 188.00   |                                 |                       |
| 2165503 | Thigh lacer with two rigid bands with femoral cover  | N. C.  | 149.00   |                                 |                       |
| 2145503 | Retaining strap (each)   | N. C.  | 17.00  |                                 |                       |
|         | OPTIONAL COMPONENTS  |  |  |                                 |                       |
| 2165600 | Custom-made laminated or molded plastic stirrup, made  | 5.00   | 77.00  |                                 |                       |
| 2165601 | from mold of insured person  Ankle joint with assisted dorsiflexion (replacement unit  | 16.00  | 94.00  |                                 |                       |
| 2165602 | price) Double-action ankle joint (replacement unit price)  | 196.00   | 184.00   |                                 |                       |
| 2165603 | Lockable knee joints (replacement unit price)  | 76.00  | 226.00   |                                 |                       |
| 2165604 | Complete or full leather thigh lacer, without ischiatic  | 51.00  | 200.00   |                                 |                       |
| 2165605 | support Complete or full leather thigh lacer, with leather ischiatic support   | 63.00  | 212.00   |                                 |                       |

SUPPLEMENT AVAILABLE

None

## ADJUSTMENT AVAILABLE

|         | DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum price Replacement of component or supplement | Maximum<br>adjustement<br>price | Guarante<br>(months) |
|---------|--|--|--|---------------------------------|----------------------|
| 2160002 | Articulated femoral orthosis made of rigid material, made from plaster or digital mold of insured person   | 447.00   |  |                                 | 6                    |
|         | BASIC COMPONENTS AND SUPPLEMENTS   |  |  |                                 |                      |
|         | Thermoplastic femoral shell without ischiatic support or thigh lacer with two rigid bands with femoral cover  Knee free joints (2)  Thermoplastic anterior or posterior tibial shell extending under foot or tibial rigid band and stirrup |  |  |                                 |                      |
|         | Retaining straps (3)   |  |  |                                 |                      |
|         | COMPONENTS AND SUPPLEMENTS AVAILABLE   |  |  |                                 |                      |
|         | BASIC COMPONENTS   |  |  |                                 |                      |
| 2165505 | Thermoplastic femoral shell without ischiatic support  | N. C.  | 49.00  |                                 |                      |
| 2165506 | Thigh lacer with two rigid bands with femoral cover  | N. C.  | 149.00   |                                 |                      |
| 2165507 | Thermoplastic anterior or posterior tibial shell extending under foot  | N. C.  | 50.00  |                                 |                      |
| 2165508 | Rigid band with tibial cover   | N. C.  | 63.00  |                                 |                      |
|         | Standard stirrup   | N. C.  | 72.00  |                                 |                      |
|         | Free knee joints (replacement unit price)  | N. C.  | 188.00   |                                 |                      |
| 2145503 | Retaining strap (each)   | N. C.  | 17.00  |                                 |                      |
|         | OPTIONAL COMPONENTS  |  |  |                                 |                      |
|         | Custom-made laminated or molded plastic stirrup, made from mold of insured person  | 5.00   | 77.00  |                                 |                      |
|         | Lockable knee joints (replacement unit price)  | 76.00  | 226.00   |                                 |                      |
| 2165608 | Thermoplastic ischiatic support  | 63.00  | N. A.  |                                 |                      |
|         | Thermoplastic femoral shell with Thermoplastic ischiatic support   | N. A.  | 85.00  |                                 |                      |
| 2165610 | Complete or full leather thigh lacer, without ischiatic support  | 51.00  | 200.00   |                                 |                      |
| 2165611 | Complete or full leather thigh lacer, with leather ischiatic support   | 63.00  | 212.00   |                                 |                      |

# SUPPLEMENT AVAILABLE

None

## ADJUSTMENT AVAILABLE

|         | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum price Replacement of component or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---------|---|--|--|---------------------------------|-----------------------|
| 2160003 | Thermoplastic non-articulated femoral orthosis, made from plaster or digital mold of insured person | 174.00   |  |                                 | 6                     |
|         | BASIC COMPONENTS AND SUPPLEMENTS  |  |  |                                 |                       |
|         | Thermoplastic splint, thigh, knee, leg and foot   |  |  |                                 |                       |
|         | Retaining straps (4)  |  |  |                                 |                       |
|         | COMPONENTS AND SUPPLEMENTS AVAILABLE  |  |  |                                 |                       |
|         | BASIC COMPONENT   |  |  |                                 |                       |
| 2145503 | Retaining strap (each)  | N. C.  | 17.00  |                                 |                       |
|         | OPTIONAL COMPONENT  |  |  |                                 |                       |
| 2165612 | Thermoplastic ischiatic support   | 63.00  | N. A.  |                                 |                       |
|         | SUPPLEMENT AVAILABLE  |  |  |                                 |                       |
|         | None  |  |  |                                 |                       |
|         | ADJUSTMENT AVAILABLE  |  |  |                                 |                       |
|         | Any pertinent adjustment  |  |  |                                 |                       |

## **SUBDIVISION 4: COXOFEMORAL ORTHOSES**

|         | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---------|---|--|--|---------------------------------|-----------------------|
| 2170000 | Articulated coxofemoral orthosis with rigid femoral and tibial cuffs made from tracing  | 852.00   |  |                                 | 6                     |
|         | BASIC COMPONENTS AND SUPPLEMENTS  |  |  |                                 |                       |
|         | Standard stirrup Ankle free joints (2) Knee free joints (2) Thigh lacer with two rigid bands with femoral cover and rigid bands with tibial cover |  |  |                                 |                       |
|         | Hip joint (metal part), all types   |  |  |                                 |                       |
|         | Retaining straps (4) Pelvic belt and rigid band   |  |  |                                 |                       |
|         | COMPONENTS AND SUPPLEMENTS AVAILABLE  |  |  |                                 |                       |
|         | BASIC COMPONENTS  |  |  |                                 |                       |
|         | Standard stirrup Free ankle joints (2) (replacement price)  | N. C.<br>N. C.   | 72.00<br>86.00   |                                 |                       |
| 2175502 | Retaining strap (each) Rigid band with tibial cover Free knee joints (2) (replacement unit price)   | N. C.<br>N. C.<br>N. C.                                  | 17.00<br>63.00<br>188.00   |                                 |                       |
| 2175505 | Thigh lacer with two rigid bands with femoral cover   | N. C.  | 75.00  |                                 |                       |
|         | Hip free joint<br>Pelvic belt and rigid band  | N. C.<br>N. C.   | 145.00<br>108.00   |                                 |                       |
|         | OPTIONAL COMPONENTS   |  |  |                                 |                       |
| 2175600 | Custom-made laminated or molded plastic stirrup, made from mold of insured person   | 5.00   | 77.00  |                                 |                       |
| 2175601 | Ankle joints with assisted dorsiflexion (replacement unit price)  | 16.00  | 94.00  |                                 |                       |
| 2175603 | Double-action ankle joints (replacement unit price)   | 196.00   | 184.00   |                                 |                       |
| 2175604 | Lockable knee joints (replacement unit price)   | 76.00  | 226.00   |                                 |                       |
|         | Locking or multiaxial hip joint<br>Replacement of pelvic belt rigid band  | 131.00<br>N. A.  | 276.00<br>34.00  |                                 |                       |
| 2175607 | Pelvic belt (leather)   | N. A.  | 75.00  |                                 |                       |

|         | Complete or full leather thigh lacer, without ischiatic support Complete or full leather thigh lacer, with leather ischiatic support SUPPLEMENT AVAILABLE None | 125.00<br>137.00   | 200.00<br>212.00   |                                 |                       |
|---------|--|--|--|---------------------------------|-----------------------|
|         | ADJUSTMENT AVAILABLE   |  |  |                                 |                       |
|         | Any pertinent adjustment   |  |  |                                 |                       |
|         | DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
| 2170001 | Molded articulated coxofemoral orthosis, made from plaster or digital mold of insured person   | 886.00   |  |                                 | 6                     |
|         | BASIC COMPONENTS AND SUPPLEMENTS   |  |  |                                 |                       |
|         | Thermoplastic femoral shell without ischiatic support or thigh lacer with two rigid bands with femoral leather cover   |  |  |                                 |                       |
|         | Knee free joints (2)<br>Hip free joint<br>Thermoplastic posterior or anterior tibial shell extending<br>under foot   |  |  |                                 |                       |

N.C.

N.C.

N. C.

N. C.

N.C.

N.C.

N. C.

N.A.

N.A.

49.00

149.00

50.00

188.00

145.00

17.00

108.00

34.00

75.00

Retaining straps (4) Pelvic belt and rigid band

BASIC COMPONENTS

under foot

2145503 Retaining strap (each)

2175612 Pelvic belt (leather)

2175517 Pelvic belt and rigid band

2175516 Hip free joint

COMPONENTS AND SUPPLEMENTS AVAILABLE

2175512 Thermoplastic femoral shell without ischiatic support

2175513 Thigh lacer with two rigid bands with femoral cover

2175515 Free knee joints (2) (replacement unit price)

OPTIONAL COMPONENTS

2175611 Replacement of pelvic belt rigid band

2175514 Thermoplastic posterior or anterior tibial shell extending

| 2175613 Lockable knee joints (replacement unit price)   | 76.00                              | 226.00                             |
|---|------------------------------------|------------------------------------|
| 2175614 Locking or multiaxial hip joint 2175615 Dorsal lumbar sacral shell built into orthosis 2175616 Thermoplastic ischiatic support 2175617 Thermoplastic femoral shell with thermoplastic ischiatic support | 131.00<br>172.00<br>63.00<br>N. A. | 276.00<br>172.00<br>N. A.<br>85.00 |
| SUPPLEMENT AVAILABLE  |                                    |                                    |
| None  |                                    |                                    |
| ADJUSTMENT AVAILABLE  |                                    |                                    |
| Any pertinent adjustment  |                                    |                                    |

| DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|--|--|--|---------------------------------|-----------------------|
| 2170002 Prefabricated unilateral pelvifemoral abduction orthosis, hip jointed  | 690.00   |  |                                 | 6                     |
| BASIC COMPONENTS AND SUPPLEMENTS   |  |  |                                 |                       |
| Thermoplastic pelvic shell Hip joint Thermoplastic femoral shell Retaining straps (3 or more)  |  |  |                                 |                       |
| COMPONENTS AND SUPPLEMENTS AVAILABLE   |  |  |                                 |                       |
| BASIC COMPONENTS   |  |  |                                 |                       |
| 2175518 Thermoplastic pelvic shell<br>2175519 Thermoplastic femoral shell<br>2175520 Locking or multiaxial hip joint<br>2145503 Retaining strap (each) | N. C.<br>N. C.<br>N. C.<br>N. C.                         | 264.00<br>217.00<br>276.00<br>17.00                              |                                 |                       |

OPTIONAL COMPONENT

None

SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

## SUBDIVISION 5: BILATERAL LOWER-LIMB ORTHOSES

| DEVICE  | Maximum price Purchase or replacement of device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee (months) |
|---|---|--|---------------------------------|--------------------|
| 2190000 Femoral derotation orthosis for child   | 513.00  |  |                                 | 6                  |
| BASIC COMPONENTS AND SUPPLEMENTS  |   |  |                                 |                    |
| Articulated metal bar with ratchet, fixed to boots  |   |  |                                 |                    |
| Boots with rigid footplate and soft shell for Ponseti method  |   |  |                                 |                    |
| COMPONENTS AND SUPPLEMENTS AVAILABLE  |   |  |                                 |                    |
| BASIC COMPONENTS  |   |  |                                 |                    |
| 2195500 Articulated metal bar 2195502 Boots with rigid footplate and soft shell for Ponseti method (replacement unit price) | N. C.<br>N. A.                                  | 213.00<br>150.00   |                                 |                    |
| OPTIONAL COMPONENT  |   |  |                                 |                    |
| 2195601 Flexible semi-rigid bar   | N. C.   | 84.00  |                                 |                    |
| SUPPLEMENT AVAILABLE  |   |  |                                 |                    |
| None  |   |  |                                 |                    |
| ADJUSTMENT AVAILABLE  |   |  |                                 |                    |
| Any pertinent adjustment  |   |  |                                 |                    |
| DEVICE  | Maximum price Purchase or replacement of device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee (months) |
| 2190001 Coxofemoral derotation orthosis with torsion cable  | 501.00  |  |                                 | 6                  |
| BASIC COMPONENTS AND SUPPLEMENTS  |   |  |                                 |                    |
| Regular stirrup Torsion cable Pelvic belt with cover  |   |  |                                 |                    |

COMPONENTS AND SUPPLEMENTS AVAILABLE

Hip free joint

#### BASIC COMPONENTS

| 2195503 Regular stirrup<br>2195504 Torsion cable<br>2195505 Hip free joint<br>2195506 Pelvic belt with cover | N. C.<br>N. C.<br>N. C.<br>N. C. | 72.00<br>221.00<br>145.00<br>53.00 |
|--|----------------------------------|------------------------------------|
| OPTIONAL COMPONENT   |                                  |                                    |
| 2195602 Knee joint   | 83.00                            | 83.00                              |
| SUPPLEMENT AVAILABLE   |                                  |                                    |
| None   |                                  |                                    |
| ADJUSTMENT AVAILABLE   |                                  |                                    |

|  | DEVICE | Maximum price<br>Purchase or<br>replacement of<br>device | price<br>Replacement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|--|--------|--|----------------------|---------------------------------|-----------------------|
|--|--------|--|----------------------|---------------------------------|-----------------------|

2190002 Prefabricated pelvifemoral abduction orthosis (S.W.A.S.H. type)

1,381.00

N. C.

895.00

5

## BASIC COMPONENTS AND SUPPLEMENTS

Pelvic band with rigid pelvic and lumbar sacral support and cover

Two thigh bands

----- Any pertinent adjustment

Metal abduction bars connecting pelvic and thigh bands

Retaining straps (4)

COMPONENT AND SUPPLEMENT AVAILABLE

2195507 Pelvic band with rigid pelvic and lumbar sacral support

BASIC COMPONENTS

| 2195508 Two thigh bands                              | N. C. | 384.00 |
|--|-------|--------|
| 2195509 Bars, S.W.A.S.Htype (replacement unit price) | N. C. | 135.00 |

OPTIONAL COMPONENT

2195603 Built-in shoulder straps on both thigh bands connecting 22.00 22.00 legs to shoulders

SUPPLEMENT AVAILABLE

None

## ADJUSTMENT AVAILABLE

|         | DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---------|--|--|--|---------------------------------|-----------------------|
| 2190003 | Non-articulated thermoplastic pelvifemoral abduction orthosis for child, made from plaster or digital mold of insured person | 341.00   |  |                                 | 6                     |
|         | Thermoplastic orthosis Retaining straps (4)  |  |  |                                 |                       |
|         | COMPONENTS AND SUPPLEMENTS AVAILABLE   |  |  |                                 |                       |
|         | BASIC COMPONENT  |  |  |                                 |                       |
| 2145503 | Retaining strap (each)   | N. C.  | 17.00  |                                 |                       |
|         | OPTIONAL COMPONENT   |  |  |                                 |                       |
| 2195604 | Extension to feet inclusively  | 89.00  | N. A.  |                                 |                       |
|         | SUPPLEMENT AVAILABLE   |  |  |                                 |                       |
|         | None   |  |  |                                 |                       |
|         | ADJUSTMENT AVAILABLE   |  |  |                                 |                       |
|         | Any pertinent adjustment   |  |  |                                 |                       |
|         | DEVICE   | Maximum price Purchase or replacement of device          | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee (months)    |
| 2190004 | Prefabricated bilateral pelvifemoral orthosis, for young child   | 130.00   |  |                                 | 6                     |
|         | BASIC COMPONENTS   |  |  |                                 |                       |
|         | Cloth harness or prefabricated plastic splint  |  |  |                                 |                       |
|         | COMPONENT AND SUPPLEMENT AVAILABLE   |  |  |                                 |                       |
|         | OPTIONAL COMPONENT   |  |  |                                 |                       |
|         | None   |  |  |                                 |                       |

## SUPPLEMENT AVAILABLE

None

## ADJUSTMENT AVAILABLE

|         | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum price Replacement of component or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---------|---|--|--|---------------------------------|-----------------------|
| 2180000 | Custom-made bilateral articulated pelvifemoral abduction orthosis | 873.00   |  |                                 | 6                     |
|         | BASIC COMPONENTS AND SUPPLEMENTS                                  |  |  |                                 |                       |
|         | Rigid bands with femoral cover (2)                                |  |  |                                 |                       |
|         | Metal bar<br>Hips joints<br>Pelvic band<br>Retaining straps (5)   |  |  |                                 |                       |
|         | COMPONENTS AND SUPPLEMENTS AVAILABLE                              |  |  |                                 |                       |
|         | BASIC COMPONENTS  |  |  |                                 |                       |
| 2185500 | Rigid bands with femoral cover (2)                                | N. C.  | 231.00   |                                 |                       |
| 2145503 | Retaining strap (each)  | N. C.  | 17.00  |                                 |                       |
|         | OPTIONAL COMPONENT  |  |  |                                 |                       |
|         | None  |  |  |                                 |                       |
|         | SUPPLEMENT AVAILABLE  |  |  |                                 |                       |
|         | None  |  |  |                                 |                       |
|         | ADJUSTMENT AVAILABLE  |  |  |                                 |                       |
|         | Any pertinent adjustment  |  |  |                                 |                       |

## SUBDIVISION 6: OPTIONAL COMMON COMPONENTS FOR LOWER-LIMB ORTHOSES

|         |   | Maximum price Purchase or replacement of device | Maximum<br>price of<br>component<br>alone |  |
|---------|---|---|---|--|
|         | KNEE JOINTS   |   |   |  |
| 2195511 | Knee free joint Lockable knee joint   | 188.00<br>226.00                                | 188.00<br>226.00                          |  |
| 2195512 | Ratchet knee joint BARS   | 419.00  | 419.00                                    |  |
| 2195513 | Abduction rod, Scottish Rite-type   | 221.00  | 221.00                                    |  |
|         | STRAPS  |   |   |  |
| 2195515 | Additional retaining strap Malleolar strap Knee stabilisation component (3 or 4 attachment points)            | 17.00<br>11.00<br>48.00                         | 17.00<br>11.00<br>48.00                   |  |
|         | LININGS   |   |   |  |
| 2195517 | Full thermoformable foam lining for tibial orthosis   | 28.00   | 28.00                                     |  |
|         | STIRRUPS  |   |   |  |
|         | Standard stirrup<br>Custom-made thermoplastic stirrup, made from plaster or<br>digital mold of insured person | 72.00<br>77.00                                  | 72.00<br>77.00                            |  |
|         | PROTECTIONS   |   |   |  |
| 2195520 | Heel loop (bedridden person)  | 15.00   | 15.00                                     |  |
|         | BUILD-UPS   |   |   |  |
| 2195521 | External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (1/4 in.)                   | 10.00   | 10.00                                     |  |
| 2195522 | External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)         | 10.00   | 10.00                                     |  |
|         | SUSPENSION  |   |   |  |
| 2195523 | Pelvic belt with cover  | N. A.   | 75.00                                     |  |

## SUBDIVISION 7: LOWER-LIMB ORTHOSES SUPPLEMENTS

| DEVICE   | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|--|---|--|---------------------------------|-----------------------|
| 3495700 Simple cane<br>3495701 Crutches with axillary support, height-adjustable | 10.19<br>20.38                                  | 10.19<br>20.38                                       |                                 |                       |
| 3495703 Crutches with forearm support, height-adjustable                         | 56.05   | 56.05  |                                 |                       |

## DIVISION V: UPPER-LIMB ORTHOSES SUBDIVISION 1: HAND ORTHOSES THAT MAY INCLUDE THE THUMB AND THE OTHER FINGERS

|         | DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---------|--|--|--|---------------------------------|-----------------------|
| 2210024 |  | 54.00<br>54.00<br>54.00<br>54.00                         | N. A.<br>N. A.<br>N. A.<br>N. A.<br>N. A.                        |                                 | 2                     |
|         | ADJUSTMENT AVAILABLE   |  |  |                                 |                       |
|         | Any pertinent adjustment   |  |  |                                 |                       |
|         | DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum price Replacement of component or supplement             | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|         | Passive orthosis for proximal and/or distal interphalangeal joints, made from thermoplastic mold of insured person |  |  |                                 | 2                     |
| 2210034 |  | 29.00<br>29.00<br>29.00<br>29.00<br>29.00                | N. A.  |                                 |                       |
|         | DAGIG GOLIDONENTO AND SYMPTY DE CONTROL  |  |  |                                 |                       |
|         | BASIC COMPONENTS AND SUPPLEMENTS  Thermoplastic splint molded on insured person Retaining system                   |  | N. A.<br>N. A.   |                                 |                       |
|         | Thermoplastic splint molded on insured person  |  |  |                                 |                       |

## ADJUSTMENT AVAILABLE

|         | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---------|---|--|--|---------------------------------|-----------------------|
|         | Prefabricated dynamic orthosis for distal and/or proximal   |  |  |                                 | 2                     |
|         | interphalangeal joints  |  |  |                                 |                       |
| 2210061 |   | 74.00  | N. A.  |                                 |                       |
| 2210062 |   | 74.00  | N. A.  |                                 |                       |
|         | Middle finger   | 74.00  | N. A.  |                                 |                       |
|         | Ring finger Little finger   | 74.00<br>74.00   | N. A.<br>N. A.   |                                 |                       |
| 2210003 | BASIC COMPONENTS AND SUPPLEMENTS  | ,  | 1111   |                                 |                       |
|         | Support pads  |  | N. A.  |                                 |                       |
|         | Dynamic tension system  |  | N. A.  |                                 |                       |
|         | COMPONENT AND SUPPLEMENT AVAILABLE  |  |  |                                 |                       |
|         | None  |  |  |                                 |                       |
|         | ADJUSTMENT AVAILABLE  |  |  |                                 |                       |
|         | Any pertinent adjustment  |  |  |                                 |                       |
|         | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
| 2210000 | Passive orthosis of metacarpophalangeal joints, prefabricated or made from mold of insured person | 73.00  |  |                                 | 2                     |
|         | BASIC COMPONENTS AND SUPPLEMENTS  |  |  |                                 |                       |
|         | Metacarpal supports Phalangeal supports Strap (1)   |  |  |                                 |                       |
|         | ADJUSTMENT AVAILABLE  |  |  |                                 |                       |
|         | Any pertinent adjustment  |  |  |                                 |                       |

|         | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---------|---|--|--|---------------------------------|-----------------------|
| 2210001 | Prefabricated dynamic orthosis for metacarpophalangeal joints   | 169.00   |  |                                 | 2                     |
|         | BASIC COMPONENTS AND SUPPLEMENTS  |  |  |                                 |                       |
|         | Metacarpal supports Phalangeal supports Articular pivots Dynamic tension system   |  |  |                                 |                       |
|         | COMPONENT AND SUPPLEMENT AVAILABLE  |  |  |                                 |                       |
|         | None  |  |  |                                 |                       |
|         | ADJUSTMENT AVAILABLE  |  |  |                                 |                       |
|         | Any pertinent adjustment  |  |  |                                 |                       |
|         | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
| 2220000 | Passive thumb orthosis including carpometacarpal, metacarpophalangeal joints, with or without interphalangeal joints, made from plaster or digital mold of insured person | 64.00  |  |                                 | 2                     |
|         | BASIC COMPONENTS AND SUPPLEMENTS  |  |  |                                 |                       |
|         | Molded component, thermoplastic or other rigid material   |  |  |                                 |                       |
|         | Straps  |  |  |                                 |                       |
|         | COMPONENT AND SUPPLEMENT AVAILABLE  |  |  |                                 |                       |
|         | None  |  |  |                                 |                       |
|         | ADJUSTMENT AVAILABLE  |  |  |                                 |                       |
|         |   |  |  |                                 |                       |

|         | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---------|---|--|--|---------------------------------|-----------------------|
| 2220001 | Thermoplastic passive thumb orthosis including carpometacarpal, metacarpophalangeal with or without interphalangeal joints, made from thermoplastic mold of insured person or prefabricated | 122.00   |  |                                 | 2                     |
|         | BASIC COMPONENTS AND SUPPLEMENTS  |  |  |                                 |                       |
|         | Molded component made of rigid material Straps  |  |  |                                 |                       |
|         | COMPONENT AND SUPPLEMENT AVAILABLE  |  |  |                                 |                       |
|         | None  |  |  |                                 |                       |
|         | ADJUSTMENT AVAILABLE  |  |  |                                 |                       |
|         | Any pertinent adjustment  |  |  |                                 |                       |
|         | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
| 2220003 | Dynamic thumb orthosis, which may include   | 87.00  |  |                                 | 2                     |
|         | carpometacarpal, metacarpophalangeal with or without interphalangeal joints, made from plaster or digital mold of insured person  |  |  |                                 |                       |
|         | interphalangeal joints, made from plaster or digital mold of  |  |  |                                 |                       |
|         | interphalangeal joints, made from plaster or digital mold of insured person   |  |  |                                 |                       |
|         | interphalangeal joints, made from plaster or digital mold of insured person  BASIC COMPONENTS AND SUPPLEMENTS  Stabilizing components made of rigid material  Dynamic tension system        |  |  |                                 |                       |
|         | interphalangeal joints, made from plaster or digital mold of insured person  BASIC COMPONENTS AND SUPPLEMENTS  Stabilizing components made of rigid material Dynamic tension system Straps  |  |  |                                 |                       |

| DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee (months)    |
|---|--|--|---------------------------------|-----------------------|
| 2220004 Thermoplastic dynamic thumb orthosis, which may include carpometacarpal, metacarpophalangeal with or without interphalangeal joints, made from mold of insurperson or prefabricated                           | 150.00<br>ed   |  |                                 | 2                     |
| BASIC COMPONENTS AND SUPPLEMENTS  |  |  |                                 |                       |
| Stabilizing components made of rigid material Dynamic tension system Strap (1)  |  |  |                                 |                       |
| COMPONENT AND SUPPLEMENT AVAILABLE  |  |  |                                 |                       |
| None  |  |  |                                 |                       |
| ADJUSTMENT AVAILABLE  |  |  |                                 |                       |
| Any pertinent adjustment  |  |  |                                 |                       |
|   |  |  |                                 |                       |
| DEVICE  | Maximum price Purchase or replacement of device          | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
| DEVICE  2220005 Prefabricated passive orthosis for hand and fingers, palr or dorsal   | Purchase or replacement of device                        | price<br>Replacement<br>of component<br>or supplement            | adjustement                     |                       |
| 2220005 Prefabricated passive orthosis for hand and fingers, palr   | Purchase or replacement of device                        | price<br>Replacement<br>of component<br>or supplement            | adjustement                     | (months)              |
| 2220005 Prefabricated passive orthosis for hand and fingers, palr or dorsal   | Purchase or replacement of device                        | price<br>Replacement<br>of component<br>or supplement            | adjustement                     | (months)              |
| 2220005 Prefabricated passive orthosis for hand and fingers, palr or dorsal  BASIC COMPONENTS AND SUPPLEMENTS   | Purchase or replacement of device                        | price<br>Replacement<br>of component<br>or supplement            | adjustement                     | (months)              |
| 2220005 Prefabricated passive orthosis for hand and fingers, palr or dorsal  BASIC COMPONENTS AND SUPPLEMENTS  Palmar or dorsal rigid shell covering hand and fingers   | Purchase or replacement of device                        | price<br>Replacement<br>of component<br>or supplement            | adjustement                     | (months)              |
| 2220005 Prefabricated passive orthosis for hand and fingers, palr or dorsal  BASIC COMPONENTS AND SUPPLEMENTS  Palmar or dorsal rigid shell covering hand and fingers  Straps (2)                                     | Purchase or replacement of device                        | price<br>Replacement<br>of component<br>or supplement            | adjustement                     | (months)              |
| 2220005 Prefabricated passive orthosis for hand and fingers, palr or dorsal  BASIC COMPONENTS AND SUPPLEMENTS  Palmar or dorsal rigid shell covering hand and fingers  Straps (2)  COMPONENT AND SUPPLEMENT AVAILABLE | Purchase or replacement of device                        | price<br>Replacement<br>of component<br>or supplement            | adjustement                     | (months)              |

## SUBDIVISION 2: WRIST AND HAND ORTHOSES

|         | DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee (months)    |
|---------|--|--|--|---------------------------------|-----------------------|
|         | Prefabicated rigid passive orthosis for wrist and hand including fingers and thumb, palmar or dorsal   | 130.00   |  |                                 | 2                     |
|         | BASIC COMPONENTS AND SUPPLEMENTS   |  |  |                                 |                       |
|         | Thermoplastic splint<br>Straps   |  |  |                                 |                       |
|         | COMPONENT AND SUPPLEMENT AVAILABLE   |  |  |                                 |                       |
|         | None   |  |  |                                 |                       |
|         | ADJUSTMENT AVAILABLE   |  |  |                                 |                       |
|         | Any pertinent adjustment   |  |  |                                 |                       |
|         | DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|         | Passive orthosis for wrist, palmar or dorsal, including thumb extension, where applicable, made from plaster or digital mold of insured person | 85.00  |  |                                 | 2                     |
|         | BASIC COMPONENTS AND SUPPLEMENTS   |  |  |                                 |                       |
|         | Thermoplastic splint, or reinforced integral leather splint, including one or more finger extension, where applicable                          |  |  |                                 |                       |
|         | Palmar or dorsal metacarpal support<br>Straps (2)  |  |  |                                 |                       |
|         | COMPONENTS AND SUPPLEMENTS AVAILABLE   |  |  |                                 |                       |
|         | BASIC COMPONENT  |  |  |                                 |                       |
| 2145503 | Retaining strap (each)   | N. C.  | 17.00  |                                 |                       |
|         | OPTIONAL COMPONENTS  |  |  |                                 |                       |
| 2235601 | Finger traction apparatus Flexion glove Wrist free joints  | 65.00<br>35.00<br>39.00                                  | N. A.  |                                 |                       |

| 2235603 Full thermoformable foam lining for splint  | 28.00  | N. A.  |                                 |                       |
|---|--|--|---------------------------------|-----------------------|
| 2235604 Molded leather strap  | 18.00  | 18.00  |                                 |                       |
| ADJUSTMENT AVAILABLE  |  |  |                                 |                       |
| Any pertinent adjustment  |  |  |                                 |                       |
| DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum price Replacement of component or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
| 2230002 Prefabricated thermoplastic passive orthosis for wrist, or made from mold of insured person   | 81.00  |  |                                 | 2                     |
| BASIC COMPONENTS AND SUPPLEMENTS  |  |  |                                 |                       |
| Prefabricated rigid splint, including one or more finger extension, where applicable Palmar or dorsal metacarpal support Straps (2) or multipoint attachment system |  |  |                                 |                       |
| COMPONENTS AND SUPPLEMENTS AVAILABLE  |  |  |                                 |                       |
| OPTIONAL COMPONENTS   |  |  |                                 |                       |
| <ul><li>2235605 Finger traction apparatus</li><li>2235606 Flexion glove</li><li>2235607 Wrist free joints (incompatible with wrist traction apparatus)</li></ul>    | 65.00<br>35.00<br>39.00                                  | N. A.<br>N. A.<br>39.00                              |                                 |                       |
| 2235608 Wrist traction apparatus (incompatible with wrist free joints)  | 21.00  | N. A.  |                                 |                       |
| 2235609 Molded leather strap  | 18.00  | 18.00  |                                 |                       |
| ADJUSTMENT AVAILABLE  |  |  |                                 |                       |

| Maximum price Purchase or replacement of device  Maximum price price Maximum Guarante (months) |
|--|
|--|

2230003 Prefabricated static wrist and dynamic finger orthosis, which may include the thumb

706.00

2

#### BASIC COMPONENTS AND SUPPLEMENTS

Transverse and longitudinal bars Palmar or dorsal support Finger and thumb traction apparatus

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

## SUBDIVISION 3: ELBOW, WRIST AND HAND ORTHOSES

|   | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---|---|--|--|---------------------------------|-----------------------|
|   | Thermoplastic passive orthosis for elbow orthosis, anterior or posterior, prefabricated or molded on the insured person | 274.00   |  |                                 | 2                     |
|   | BASIC COMPONENTS AND SUPPLEMENTS  |  |  |                                 |                       |
|   | Rigid splint including arm and forearm<br>Straps (2)  |  |  |                                 |                       |
|   | COMPONENTS AND SUPPLEMENTS AVAILABLE  |  |  |                                 |                       |
|   | OPTIONAL COMPONENTS   |  |  |                                 |                       |
| 2255600 Suspension strap 2255601 Elbow pad and strap 2255602 Elbow free joint 2255603 Lockable elbow joint 2255604 Ratchet elbow joint 2255605 Turnbuckle | Elbow pad and strap Elbow free joint Lockable elbow joint Ratchet elbow joint   | 18.00<br>71.00<br>78.00<br>226.00<br>419.00              | N. A.<br>71.00<br>78.00<br>226.00<br>419.00<br>N. A.             |                                 |                       |
|   | ADJUSTMENT AVAILABLE  |  |  |                                 |                       |
|   | Any pertinent adjustment  |  |  |                                 |                       |
|   | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|   | Passive elbow orthosis, anterior or posterior, made from plaster or digital mold of insured person                      | 102.00   |  |                                 | 2                     |
|   | BASIC COMPONENTS AND SUPPLEMENTS  |  |  |                                 |                       |
|   | Arm and forearm rigid splint including interior cover   |  |  |                                 |                       |
|   | Straps (2)  |  |  |                                 |                       |
|   | COMPONENTS AND SUPPLEMENTS AVAILABLE  |  |  |                                 |                       |
|   | OPTIONAL COMPONENTS   |  |  |                                 |                       |
| 2255607<br>2255608  | Suspension strap Elbow pad and strap Elbow free joint Lockable elbow joint  | 18.00<br>71.00<br>78.00<br>226.00                        | N. A.<br>71.00<br>78.00<br>226.00                                |                                 |                       |

 2255610 Ratchet elbow joint
 419.00
 419.00

 2255611 Turnbuckle
 10.00
 N. A.

## ADJUSTMENT AVAILABLE

#### SUBDIVISION 4: SHOULDER, ELBOW, WRIST AND HAND ORTHOSES

|         | DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum price Replacement of component or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---------|--|--|--|---------------------------------|-----------------------|
| 2270000 | Glenohumeral orthosis, made from plaster or digital mold of insured person   | 118.00   |  |                                 | 2                     |
|         | BASIC COMPONENTS AND SUPPLEMENTS   |  |  |                                 |                       |
|         | Shoulder-to-epicondyle molded thermoplastic sleeve   |  |  |                                 |                       |
|         | Thoracic strap (1) Retaining straps (2)  |  |  |                                 |                       |
|         | COMPONENTS AND SUPPLEMENTS AVAILABLE   |  |  |                                 |                       |
|         | OPTIONAL COMPONENT   |  |  |                                 |                       |
| 2275600 | Suspension strap   | 18.00  | N. A.  |                                 |                       |
|         | ADJUSTMENT AVAILABLE   |  |  |                                 |                       |
|         | Any pertinent adjustment   |  |  |                                 |                       |
|         | DEVICE   | Maximum price<br>Purchase or<br>replacement of           | Maximum<br>price<br>Replacement                      | Maximum<br>adjustement          | Guarantee (months)    |
|         |  | device   | of component or supplement                           | price                           | (                     |
| 2270001 | Adjustable passive abduction orthosis for the shoulder, elbow, wrist and hand supported, prefabricated   | -  | _  | price                           | 2                     |
| 2270001 |  | device   | _  | price                           |                       |
| 2270001 | elbow, wrist and hand supported, prefabricated   | device   | _  | price                           |                       |
| 2270001 | elbow, wrist and hand supported, prefabricated  BASIC COMPONENTS AND SUPPLEMENTS  Thoracic and pelvic support Adjustable shoulder abduction system Arm, forearm and hand supporting splints Anchor straps (4)  | device   | _  | price                           |                       |
| 2270001 | elbow, wrist and hand supported, prefabricated  BASIC COMPONENTS AND SUPPLEMENTS  Thoracic and pelvic support Adjustable shoulder abduction system Arm, forearm and hand supporting splints Anchor straps (4) Pads                                     | device   | _  | price                           |                       |
| 2270001 | elbow, wrist and hand supported, prefabricated  BASIC COMPONENTS AND SUPPLEMENTS  Thoracic and pelvic support Adjustable shoulder abduction system Arm, forearm and hand supporting splints Anchor straps (4) Pads  COMPONENT AND SUPPLEMENT AVAILABLE | device   | _  | price                           |                       |

| DEVICE   | Maximum price Purchase or replacement of device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee (months) |
|--|---|--|---------------------------------|--------------------|
| 2270002 Glenohumeral orthosis prefabricated or molded on the insured person  | 192.00  |  |                                 | 2                  |
| BASIC COMPONENTS AND SUPPLEMENTS   |   |  |                                 |                    |
| Fabric or thermoplastic sleeve molded on insured person, covering the shoulder and 2/3 of humerus Thoracic strap Humeral strap and/or sleeve |   |  |                                 |                    |
| COMPONENT AND SUPPLEMENT AVAILABLE   |   |  |                                 |                    |
| None   |   |  |                                 |                    |
| ADJUSTMENT AVAILABLE   |   |  |                                 |                    |
| Any pertinent adjustment   |   |  |                                 |                    |

# DIVISION VI: TRUNK AND CERVICAL ORTHOSES SUBDIVISION 1: TRUNK ORTHOSE

|         | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum price Replacement of component or supplement             | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---------|---|--|--|---------------------------------|-----------------------|
| 2320000 | Prefabricated lumbar sacral orthosis, to limit<br>anteroposterior and lateral movements of the lumbar<br>region, thermoplastic or metal structure   | 277.00   |  |                                 | 3                     |
|         | BASIC COMPONENTS AND SUPPLEMENTS  |  |  |                                 |                       |
|         | Rigid posterior support with lumbar and sacral support, covering 50% of trunk circumference Textile or thermoplastic abdominal component with attachment system Comfort cover on inside   |  |  |                                 |                       |
|         | COMPONENT AND SUPPLEMENT AVAILABLE  |  |  |                                 |                       |
|         | None  |  |  |                                 |                       |
|         | ADJUSTMENT AVAILABLE  |  |  |                                 |                       |
|         | Any pertinent adjustment  |  |  |                                 |                       |
|         |   |  |  |                                 |                       |
|         | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
| 2320001 | DEVICE  Lumbar sacral orthosis with rigid molded thermoplastic plate, molded on the insured person  | Purchase or replacement of                               | price<br>Replacement<br>of component                             | adjustement                     |                       |
| 2320001 | Lumbar sacral orthosis with rigid molded thermoplastic  | Purchase or replacement of device                        | price<br>Replacement<br>of component                             | adjustement                     | (months)              |
| 2320001 | Lumbar sacral orthosis with rigid molded thermoplastic plate, molded on the insured person  | Purchase or replacement of device                        | price<br>Replacement<br>of component                             | adjustement                     | (months)              |
| 2320001 | Lumbar sacral orthosis with rigid molded thermoplastic plate, molded on the insured person  BASIC COMPONENTS AND SUPPLEMENTS  Lumbar sacral belt with attachment system   | Purchase or replacement of device                        | price<br>Replacement<br>of component                             | adjustement                     | (months)              |
| 2320001 | Lumbar sacral orthosis with rigid molded thermoplastic plate, molded on the insured person  BASIC COMPONENTS AND SUPPLEMENTS  Lumbar sacral belt with attachment system  Lumbar sacral insertable thermoplastic plate                                     | Purchase or replacement of device                        | price<br>Replacement<br>of component                             | adjustement                     | (months)              |
| 2320001 | Lumbar sacral orthosis with rigid molded thermoplastic plate, molded on the insured person  BASIC COMPONENTS AND SUPPLEMENTS  Lumbar sacral belt with attachment system  Lumbar sacral insertable thermoplastic plate  COMPONENT AND SUPPLEMENT AVAILABLE | Purchase or replacement of device                        | price<br>Replacement<br>of component                             | adjustement                     | (months)              |

| DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---|--|--|---------------------------------|-----------------------|
| 2320002 Complete lumbar sacral region immobilization orthosis, made from plaster or digital mold of insured person  | 211.00   |  |                                 | 3                     |
| BASIC COMPONENTS AND SUPPLEMENTS  |  |  |                                 |                       |
| Rigid shell covering 95% or more of surface of trunk circumference with support on iliac crests. Must extend up to last thoracic vertebraes  Anterior attachment system |  |  |                                 |                       |
| COMPONENT AND SUPPLEMENT AVAILABLE  |  |  |                                 |                       |
| None  |  |  |                                 |                       |
| ADJUSTMENT AVAILABLE  |  |  |                                 |                       |
| Any pertinent adjustment  |  |  |                                 |                       |
| DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee (months)    |
| 2340001 Custom-made rigid-frame dorsal lumbar sacral stabilizing orthosis with openwork structure, limiting movements of the spine                                      | 159.00   |  |                                 | 3                     |
| BASIC COMPONENTS AND SUPPLEMENTS  |  |  |                                 |                       |
| Rigid posterior component covering at least 50% of lumbar sacral circumference, with extension covering upper thoracic region. Comfort lining included.                 |  |  |                                 |                       |
| Non-stretchable textile or thermoplastic abdominal chest pad with attachment system. Comfort lining included.   |  |  |                                 |                       |
| Axillary straps (2)   |  |  |                                 |                       |
| COMPONENT AND SUPPLEMENT AVAILABLE  |  |  |                                 |                       |
| OPTIONAL COMPONENT  |  |  |                                 |                       |
| None  |  |  |                                 |                       |
|   |  |  |                                 |                       |
| ADJUSTMENT AVAILABLE  |  |  |                                 |                       |

| 2340002 Dorsal lumbar sacral orthosis with rigid molded thermoplastic plate, made from mold of insured person  BASIC COMPONENTS AND SUPPLEMENTS  Lumbar sacral belt surronding trunk, with attachment system Dorsal lumbar sacral thermoplastic plate  Axillary straps (2) | 3                     |
|--|-----------------------|
| Lumbar sacral belt surronding trunk, with attachment system  Dorsal lumbar sacral thermoplastic plate  |                       |
| system  Dorsal lumbar sacral thermoplastic plate   |                       |
| Avillary strans (2)  |                       |
| rainary suaps (2)  |                       |
| COMPONENT AND SUPPLEMENT AVAILABLE   |                       |
| None   |                       |
| ADJUSTMENT AVAILABLE   |                       |
| Any pertinent adjustment   |                       |
| DEVICE Replacement adjustement   | Guarantee<br>(months) |
| 2340701 Prefabricated dorsal lumbar sacral orthosis made from textile with stay  463.00  | 3                     |
| BASIC COMPONENTS AND SUPPLEMENTS   |                       |
| Textile surrounding trunk with posterior extension (thoracic to sacral vertebrae) Rigid stays (2 or more) Multipoint attachment system   |                       |
| =  |                       |
| COMPONENT AND SUPPLEMENT AVAILABLE   |                       |
|  |                       |
| COMPONENT AND SUPPLEMENT AVAILABLE   |                       |

|                    | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee (months) |
|--------------------|---|--|--|---------------------------------|--------------------|
| 2340004            | Plastic dorsal lumbar sacral immobilization orthosis with<br>bilateral overlapping resulting from double molding, made<br>from plaster or digital mold of insured person                          | 172.00   |  |                                 | 3                  |
|                    | BASIC COMPONENTS AND SUPPLEMENTS  |  |  |                                 |                    |
|                    | Overlapping anterior and posterior shells (sacral supports to high posterior thoracic vertebrae. Anterior pelvic and sternal supports) including inner comfort cover.                             |  |  |                                 |                    |
|                    | Straps (4)  |  |  |                                 |                    |
|                    | COMPONENTS AND SUPPLEMENTS AVAILABLE  |  |  |                                 |                    |
|                    | OPTIONAL COMPONENTS   |  |  |                                 |                    |
| 2345601<br>2345602 | Rigid strenal support Minerva cervical extension Removable elastic abdominal band Built-in anterior sheath for pendulous abdomen  | 173.00<br>275.00<br>73.00<br>73.00                       | 173.00<br>275.00<br>73.00<br>73.00                               |                                 |                    |
|                    | ADJUSTMENT AVAILABLE  |  |  |                                 |                    |
|                    | Any pertinent adjustment  |  |  |                                 |                    |
|                    | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee (months) |
| 2340005            | Thermoplastic prefabricated molded plastic dorsal lumbar sacral immobilization orthosis   | 301.00   |  |                                 | 3                  |
|                    | BASIC COMPONENTS AND SUPPLEMENTS  |  |  |                                 |                    |
|                    | Shell covering 95% or more of surface of trunk circumference with support on iliac crests and sacrum. Extends up to last high posterior thoracic vertebraes. Anterior pelvic and sternal support. |  |  |                                 |                    |
|                    | Frontal attachment system   |  |  |                                 |                    |
|                    | COMPONENT AND SUPPLEMENT AVAILABLE  |  |  |                                 |                    |
|                    | OPTIONAL COMPONENT  |  |  |                                 |                    |
| 2345604            | Comfort lining for trunk orthosis   | 79.00  |  |                                 |                    |

## ADJUSTMENT AVAILABLE

| DEVICE  | Maximum price Purchase or replacement of device          | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---|--|--|---------------------------------|-----------------------|
| 2340006 Thermoplastic dorsal lumbar sacral immobilization orthosis made from plaster or digital mold of insure person   |  |  |                                 | 3                     |
| BASIC COMPONENTS AND SUPPLEMENTS  |  |  |                                 |                       |
| Shell covering 95% or more of surface of trunk circumference with support on iliac crests and sacru Extends up to last high posterior thoracic vertebraes Anterior pelvic and sternal support.  Frontal attachment system |  |  |                                 |                       |
| COMPONENTS AND SUPPLEMENTS AVAILAB  | BLE  |  |                                 |                       |
| OPTIONAL COMPONENTS   |  |  |                                 |                       |
| 2345605 Comfort lining for trunk orthosis<br>2345606 Built-in anterior sheath for pendulous abdomen   | 79.00<br>73.00   |  |                                 |                       |
| ADJUSTMENT AVAILABLE  |  |  |                                 |                       |
| Any pertinent adjustment  |  |  |                                 |                       |
| DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee (months)    |
| 2350000 Prefabricated hyperextension orthosis   | 239.00   |  |                                 | 3                     |
| BASIC COMPONENTS AND SUPPLEMENTS  |  |  |                                 |                       |
| Rigid anterior frame with sternal, lateral thoracic an support.  Posterior mid-dorsal support.  Lateral attachment system   |  |  |                                 |                       |
| COMPONENT AND SUPPLEMENT AVAILABLE  | E  |  |                                 |                       |
| None  |  |  |                                 |                       |
| ADJUSTMENT AVAILABLE  |  |  |                                 |                       |
| Any pertinent adjustment  |  |  |                                 |                       |

|         | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum price Replacement of component or supplement             | Maximum<br>adjustement<br>price | Guarantee (months) |
|---------|---|--|--|---------------------------------|--------------------|
| 2380000 | Cervical dorsal lumbar sacral correcting orthosis with<br>thermoplastic base, made from plaster or digital mold of<br>insured person  | 593.00   |  |                                 | 3                  |
|         | BASIC COMPONENTS AND SUPPLEMENTS  |  |  |                                 |                    |
|         | Thermoplastic pelvic component, made from plaster or digital mold of insured person.  Metal structure attached to pelvic area and extending to base of skull.  Comfort cushions included at supports. |  |  |                                 |                    |
|         | Straps (2)  |  |  |                                 |                    |
|         | COMPONENTS AND SUPPLEMENTS AVAILABLE  |  |  |                                 |                    |
|         | BASIC COMPONENT   |  |  |                                 |                    |
| 2385600 | Pelvic component, made from plaster or digital mold of insured person   | N. C.  | 136.00   |                                 | 3                  |
|         | ADJUSTMENT AVAILABLE  |  |  |                                 |                    |
|         | Any pertinent adjustment  |  |  |                                 |                    |
|         | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee (months) |
|         | Nocturnal hypercorrective dorsal lumbar sacral orthosis,<br>made by the provider from plaster or digital mold of<br>insured person  | 148.00   |  |                                 | 3                  |
|         | COMPONENTS AND SUPPLEMENTS AVAILABLE  |  |  |                                 |                    |
|         | One-piece or bivalve thermoplastic shell. Subaxillary and contralateral trochanter support.  Anterior or posterior closure system   |  |  |                                 |                    |
|         | Full thermoformable foam lining   |  |  |                                 |                    |
|         |   |  |  |                                 |                    |
|         | Full thermoformable foam lining   |  |  |                                 |                    |

| DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee (months) |
|--|--|--|---------------------------------|--------------------|
| 2380002 Nocturnal hypercorrective dorsal lumbar sacral orthosis, made by an external provider from plaster or digital mold of insured person           | 759.00   |  |                                 | 3                  |
| BASIC COMPONENTS AND SUPPLEMENTS   |  |  |                                 |                    |
| One-piece or bivalve shell. Subaxillary and contralateral trochanter support.  Anterior or posterior closure system Full thermoformable foam lining    |  |  |                                 |                    |
| COMPONENT AND SUPPLEMENT AVAILABLE   |  |  |                                 |                    |
| None   |  |  |                                 |                    |
| ADJUSTMENT AVAILABLE   |  |  |                                 |                    |
| Any pertinent adjustment   |  |  |                                 |                    |
| DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee (months) |
| 2380003 Prefabricated corrective dorsal lumbar sacral orthosis   | 220.00   |  |                                 | 3                  |
| BASIC COMPONENTS AND SUPPLEMENTS   |  |  |                                 |                    |
| Thermoplastic shell with sacral, trochanter and subaxillary support Posterior closure with attachment system Full thermoformable foam lining on inside |  |  |                                 |                    |
| Straps (2)   |  |  |                                 |                    |
| COMPONENT AND SUPPLEMENT AVAILABLE   |  |  |                                 |                    |
| None   |  |  |                                 |                    |
| ADJUSTMENT AVAILABLE   |  |  |                                 |                    |
|  |  |  |                                 |                    |

| DEVICE  | Maximum price Purchase or replacement of device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---|---|--|---------------------------------|-----------------------|
| 2380005 Corrective dorsal lumbar sacral orthosis, made from plaster or digital mold of insured person             | 167.00  |  |                                 | 3                     |
| BASIC COMPONENTS AND SUPPLEMENTS  |   |  |                                 |                       |
| Thermoplastic shell with sacral, trochanter and subay support Posterior closure with attachment system Straps (2) | killary   |  |                                 |                       |
| COMPONENTS AND SUPPLEMENTS AVAILABI   | LE  |  |                                 |                       |
| OPTIONAL COMPONENTS   |   |  |                                 |                       |
| 2385601 Hinge (unit price) 2385602 Full-surface, thermoformable foam corrective interfa                           | 18.00<br>ce 46.00                               | 18.00<br>46.00   |                                 |                       |
| 2385603 Full removable membrane inside corset   | 71.00   | 71.00  |                                 |                       |
| ADJUSTMENT AVAILABLE  |   |  |                                 |                       |
| Any pertinent adjustment  |   |  |                                 |                       |
| DEVICE  | Maximum price Purchase or replacement of device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
| 2340007 Corrective orthosis for child, Cheneau-type   | 1,266.00  |  |                                 | 3                     |
| COMPONENT AND SUPPLEMENT AVAILABLE  |   |  |                                 |                       |
| None  |   |  |                                 |                       |
| ADJUSTMENT AVAILABLE  |   |  |                                 |                       |

#### **SUBDIVISION 2: CERVICAL ORTHOSES**

|         | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum price Replacement of component or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---------|---|--|--|---------------------------------|-----------------------|
| 2370000 | Prefabricated thermoformable foam cervical immobilization orthosis, Molded on the insured person  | 62.00  |  |                                 | 3                     |
|         | BASIC COMPONENTS AND SUPPLEMENTS  |  |  |                                 |                       |
|         | Rigid thermoformable foam collar with submental, sternal and suboccipital supports Velcro strap (1) Textile cover   |  |  |                                 |                       |
|         | COMPONENTS AND SUPPLEMENTS AVAILABLE  |  |  |                                 |                       |
|         | OPTIONAL COMPONENTS   |  |  |                                 |                       |
|         | Sternal support, oversize<br>Additional extension   | 213.00<br>60.00  | N. A.<br>N. A.                                       |                                 |                       |
|         | ADJUSTMENT AVAILABLE  |  |  |                                 |                       |
|         | Any pertinent adjustment  |  |  |                                 |                       |
|         |   |  |  |                                 |                       |
|         | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum price Replacement of component or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
| 2370001 | DEVICE  Prefabricated bivalve cervical immobilization orthosis  | Purchase or replacement of                               | price<br>Replacement<br>of component                 | adjustement                     |                       |
| 2370001 |   | Purchase or replacement of device                        | price<br>Replacement<br>of component                 | adjustement                     | (months)              |
| 2370001 | Prefabricated bivalve cervical immobilization orthosis  | Purchase or replacement of device                        | price<br>Replacement<br>of component                 | adjustement                     | (months)              |
| 2370001 | Prefabricated bivalve cervical immobilization orthosis  BASIC COMPONENTS AND SUPPLEMENTS  Thermoplastic shell covered with comfort foam on inside   | Purchase or replacement of device                        | price<br>Replacement<br>of component                 | adjustement                     | (months)              |
| 2370001 | Prefabricated bivalve cervical immobilization orthosis  BASIC COMPONENTS AND SUPPLEMENTS  Thermoplastic shell covered with comfort foam on inside or rigid thermoformable bivalve foam with lateral straps  Submental, sternal and suboccipital supports  | Purchase or replacement of device                        | price<br>Replacement<br>of component                 | adjustement                     | (months)              |
| 2370001 | Prefabricated bivalve cervical immobilization orthosis  BASIC COMPONENTS AND SUPPLEMENTS  Thermoplastic shell covered with comfort foam on inside or rigid thermoformable bivalve foam with lateral straps  Submental, sternal and suboccipital supports  Additional lining   | Purchase or replacement of device                        | price<br>Replacement<br>of component                 | adjustement                     | (months)              |
| 2375602 | Prefabricated bivalve cervical immobilization orthosis BASIC COMPONENTS AND SUPPLEMENTS Thermoplastic shell covered with comfort foam on inside or rigid thermoformable bivalve foam with lateral straps Submental, sternal and suboccipital supports Additional lining COMPONENT AND SUPPLEMENT AVAILABLE  | Purchase or replacement of device                        | price<br>Replacement<br>of component                 | adjustement                     | (months)              |
| 2375602 | Prefabricated bivalve cervical immobilization orthosis  BASIC COMPONENTS AND SUPPLEMENTS  Thermoplastic shell covered with comfort foam on inside or rigid thermoformable bivalve foam with lateral straps  Submental, sternal and suboccipital supports Additional lining  COMPONENT AND SUPPLEMENT AVAILABLE  OPTIONAL COMPONENTS  Thoracic extension | Purchase or replacement of device  143.00                | price Replacement of component or supplement  N. A.  | adjustement                     | (months)              |

|         | DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---------|--|--|--|---------------------------------|-----------------------|
|         | Prefabricated thoraco-cervical immobilization orthosis with multiple vertical uprights   | 275.00   |  |                                 | 3                     |
|         | BASIC COMPONENTS AND SUPPLEMENTS   |  |  |                                 |                       |
|         | Mandibular and occipital supports linked by two straps   |  |  |                                 |                       |
|         | Sternal and high dorsal supports linked by two shoulder straps Vertical uprights supporting cervical component to thoracic portion Comfort lining  |  |  |                                 |                       |
|         | COMPONENT AND SUPPLEMENT AVAILABLE   |  |  |                                 |                       |
|         | BASIC COMPONENT  |  |  |                                 |                       |
| 2375500 | Comfort lining   | N. C.  | 99.00  |                                 |                       |
|         | ADJUSTMENT AVAILABLE   |  |  |                                 |                       |
|         | Any pertinent adjustment   |  |  |                                 |                       |
|         |  | Maximum price  | Maximum  |                                 |                       |
|         | DEVICE   | Purchase or replacement of device                        | price<br>Replacement<br>of component<br>or supplement            | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
| 2370003 | Thermoplastic thoracocervical immobilization orthosis, made from plaster or digital mold of insured person   | Purchase or replacement of                               | Replacement of component   | adjustement                     |                       |
| 2370003 | Thermoplastic thoracocervical immobilization orthosis,   | Purchase or replacement of device                        | Replacement of component   | adjustement                     | (months)              |
| 2370003 | Thermoplastic thoracocervical immobilization orthosis, made from plaster or digital mold of insured person   | Purchase or replacement of device                        | Replacement of component   | adjustement                     | (months)              |
| 2370003 | Thermoplastic thoracocervical immobilization orthosis, made from plaster or digital mold of insured person  BASIC COMPONENTS AND SUPPLEMENTS   | Purchase or replacement of device                        | Replacement of component   | adjustement                     | (months)              |
| 2370003 | Thermoplastic thoracocervical immobilization orthosis, made from plaster or digital mold of insured person  BASIC COMPONENTS AND SUPPLEMENTS  Thermoplastic anterior shell with chin support to sternum  Thermoplastic posterior shell with dorsal support from occiput to last thoracic vertebraes                                    | Purchase or replacement of device                        | Replacement of component   | adjustement                     | (months)              |
| 2370003 | Thermoplastic thoracocervical immobilization orthosis, made from plaster or digital mold of insured person  BASIC COMPONENTS AND SUPPLEMENTS  Thermoplastic anterior shell with chin support to sternum  Thermoplastic posterior shell with dorsal support from occiput to last thoracic vertebraes  Attachment system with straps (4) | Purchase or replacement of device                        | Replacement of component   | adjustement                     | (months)              |

#### **DIVISION VII: AMBULATION AIDS**

| DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee (months)    |
|---|--|--|---------------------------------|-----------------------|
| 4490009 Quad cane, height-adjustable  | 35.42  |  |                                 | 12                    |
| BASIC COMPONENT AND SUPPLEMENT  |  |  |                                 |                       |
| Tip   |  |  |                                 |                       |
| COMPONENTS AND SUPPLEMENTS AVAILABLE  |  |  |                                 |                       |
| BASIC COMPONENT   |  |  |                                 |                       |
| 4495727 Tip (per pair)  | N. C.  | 2.57   |                                 |                       |
| DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
| 4490017 Crutches with axillary support, height-adjustable   | 20.24  |  |                                 | 12                    |
| BASIC COMPONENTS AND SUPPLEMENTS  |  |  |                                 |                       |
| Tips (2) Axillary pads (2) Handrest covers (2)  |  |  |                                 |                       |
| COMPONENTS AND SUPPLEMENTS AVAILABLE  |  |  |                                 |                       |
| BASIC COMPONENTS  |  |  |                                 |                       |
| 4495727 Tips (per pair)<br>4495743 Axillary pads (per pair)<br>4495750 Handrest covers (per pair) | N. C.<br>N. C.<br>N. C.                                  | 2.57<br>2.57<br>2.57   |                                 |                       |
| OPTIONAL COMPONENTS   |  |  |                                 |                       |
| 4495768 Flip-up ice tips with four or five prongs Pair Unit                                       | 10.29<br>N. A.   | N. A.<br>5.14  |                                 |                       |
| DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee (months)    |

| 4490018 | Crutches with forearm support, height-adjustable                               | 55.66  |  |                                 | 12                    |
|---------|--|--|--|---------------------------------|-----------------------|
|         | BASIC COMPONENTS AND SUPPLEMENTS   |  |  |                                 |                       |
|         | Tips (2)   |  |  |                                 |                       |
|         | COMPONENTS AND SUPPLEMENTS AVAILABLE   |  |  |                                 |                       |
|         | BASIC COMPONENTS   |  |  |                                 |                       |
| 4495727 | Tips (per pair)  | N. C.  | 2.57   |                                 |                       |
|         | OPTIONAL COMPONENTS  |  |  |                                 |                       |
| 4495768 | Flip-up ice tips with four or five prongs<br>Pair<br>Unit                      | 10.29<br>N. A.   | N. A.<br>5.14  |                                 |                       |
|         | DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
| 4490082 | Anterior walker, folding, without wheels or with wheels (2), height-adjustable | 50.60  |  |                                 | 12                    |
|         | BASIC COMPONENTS AND SUPPLEMENTS   |  |  |                                 |                       |
|         | Tips (2)   |  |  |                                 |                       |
|         | COMPONENTS AND SUPPLEMENTS AVAILABLE   |  |  |                                 |                       |
|         | BASIC COMPONENTS   |  |  |                                 |                       |
| 4495727 | Tips (2)   | N. C.  | 2.57   |                                 |                       |
|         | OPTIONAL COMPONENTS  |  |  |                                 |                       |
| 4495776 | Walker skis on rear legs   | 10.14  | 10.14  |                                 |                       |
|         | Pair<br>Unit   | 12.14<br>6.07  | 12.14<br>6.07  |                                 |                       |
| 4495826 | Rear hand brakes   | 0.07   | 0.07   |                                 |                       |
|         | Pair   | 51.39  | N. A.  |                                 |                       |
|         | Unit   | N. A.  | 25.69  |                                 |                       |
| 4495784 | Forearm supports   | 156.74   | NT A   |                                 |                       |
|         | Pair<br>Unit   | 156.74<br>78.38  | N. A.<br>78.38   |                                 |                       |
|         | DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |

| 4490085 | Anterior walker, without wheels or with wheels (2), height-adjustable, weighted or bariatric type  | 111.32  |  |                        | 12                               |
|---------|--|---|--|------------------------|----------------------------------|
|         | BASIC COMPONENTS AND SUPPLEMENTS   |   |  |                        |                                  |
|         | Tips (2)   |   |  |                        |                                  |
|         | COMPONENTS AND SUPPLEMENTS AVAILABLE   |   |  |                        |                                  |
|         | BASIC COMPONENTS   |   |  |                        |                                  |
| 4495727 | Tips (per pair)  | N. C.   | 2.57   |                        |                                  |
|         | OPTIONAL COMPONENTS  |   |  |                        |                                  |
| 4495776 | Walker skis on rear legs<br>Pair   | 12.14   | 12.14  |                        |                                  |
|         | Unit   | 6.07  | 6.07   |                        |                                  |
| 4405027 | 6 Rear hand brakes   | 0.07  | 0.07   |                        |                                  |
| 4493826 |  |   |  |                        |                                  |
|         | Pair   | 51.39   | N. A.  |                        |                                  |
|         | Unit   | N. A.   | 25.69  |                        |                                  |
| 4495784 | Forearm supports   |   |  |                        |                                  |
|         | Pair   | 156.74  | N. A.  |                        |                                  |
|         | Unit   | 78.38   | 78.38  |                        |                                  |
|         | Cint   | 70.50   | 70.30  |                        |                                  |
|         |  |   |  |                        |                                  |
|         |  | Maximum price   | Maximum  |                        |                                  |
|         |  | Purchase or   | price  | Maximum                | Guarantee                        |
|         |  |   |  |                        |                                  |
|         | DEVICE   |   | Replacement                                      | adjustement            |                                  |
|         | DEVICE   | replacement of  |  | -                      | (months)                         |
|         | DEVICE   |   | of component                                     | adjustement price      |                                  |
|         | DEVICE   | replacement of  |  | -                      |                                  |
| 4490083 |  | replacement of device   | of component                                     | -                      | (months)                         |
| 4490083 | 3 Anterior walker, folding, with 2 wheels, height-adjustable,  | replacement of  | of component                                     | -                      |                                  |
| 4490083 |  | replacement of device   | of component                                     | -                      | (months)                         |
| 4490083 | 3 Anterior walker, folding, with 2 wheels, height-adjustable, for child  | replacement of device   | of component                                     | -                      | (months)                         |
| 4490083 | 3 Anterior walker, folding, with 2 wheels, height-adjustable,  | replacement of device   | of component                                     | -                      | (months)                         |
| 4490083 | 3 Anterior walker, folding, with 2 wheels, height-adjustable, for child  | replacement of device   | of component                                     | -                      | (months)                         |
| 4490083 | 3 Anterior walker, folding, with 2 wheels, height-adjustable, for child  | replacement of device   | of component                                     | -                      | (months)                         |
| 4490083 | 3 Anterior walker, folding, with 2 wheels, height-adjustable, for child  BASIC COMPONENTS AND SUPPLEMENTS  | replacement of device   | of component                                     | -                      | (months)                         |
| 4490083 | 3 Anterior walker, folding, with 2 wheels, height-adjustable, for child  BASIC COMPONENTS AND SUPPLEMENTS  Tips (2)  | replacement of device   | of component                                     | -                      | (months)                         |
| 4490083 | 3 Anterior walker, folding, with 2 wheels, height-adjustable, for child  BASIC COMPONENTS AND SUPPLEMENTS  | replacement of device   | of component                                     | -                      | (months)                         |
| 4490083 | 3 Anterior walker, folding, with 2 wheels, height-adjustable, for child  BASIC COMPONENTS AND SUPPLEMENTS  Tips (2)  COMPONENTS AND SUPPLEMENTS AVAILABLE  | replacement of device   | of component                                     | -                      | (months)                         |
| 4490083 | 3 Anterior walker, folding, with 2 wheels, height-adjustable, for child  BASIC COMPONENTS AND SUPPLEMENTS  Tips (2)  | replacement of device   | of component                                     | -                      | (months)                         |
|         | 3 Anterior walker, folding, with 2 wheels, height-adjustable, for child  BASIC COMPONENTS AND SUPPLEMENTS  Tips (2)  COMPONENTS AND SUPPLEMENTS AVAILABLE  BASIC COMPONENTS  | replacement of device   | of component<br>or supplement                    | -                      | (months)                         |
|         | 3 Anterior walker, folding, with 2 wheels, height-adjustable, for child  BASIC COMPONENTS AND SUPPLEMENTS  Tips (2)  COMPONENTS AND SUPPLEMENTS AVAILABLE  | replacement of device   | of component                                     | -                      | (months)                         |
|         | 3 Anterior walker, folding, with 2 wheels, height-adjustable, for child  BASIC COMPONENTS AND SUPPLEMENTS  Tips (2)  COMPONENTS AND SUPPLEMENTS AVAILABLE  BASIC COMPONENTS  | replacement of device   | of component<br>or supplement                    | -                      | (months)                         |
|         | 3 Anterior walker, folding, with 2 wheels, height-adjustable, for child  BASIC COMPONENTS AND SUPPLEMENTS  Tips (2)  COMPONENTS AND SUPPLEMENTS AVAILABLE  BASIC COMPONENTS  | replacement of device  156.86  N. C.                            | of component<br>or supplement<br>2.57<br>Maximum | price                  | (months)                         |
|         | 3 Anterior walker, folding, with 2 wheels, height-adjustable, for child  BASIC COMPONENTS AND SUPPLEMENTS  Tips (2)  COMPONENTS AND SUPPLEMENTS AVAILABLE  BASIC COMPONENTS  Tips (per pair)   | replacement of device  156.86  N. C.  Maximum price             | 2.57  Maximum price                              | price                  | (months)                         |
|         | 3 Anterior walker, folding, with 2 wheels, height-adjustable, for child  BASIC COMPONENTS AND SUPPLEMENTS  Tips (2)  COMPONENTS AND SUPPLEMENTS AVAILABLE  BASIC COMPONENTS  | replacement of device  156.86  N. C.  Maximum price Purchase or | of component<br>or supplement<br>2.57<br>Maximum | price                  | (months)  12  Guarantee          |
|         | 3 Anterior walker, folding, with 2 wheels, height-adjustable, for child  BASIC COMPONENTS AND SUPPLEMENTS  Tips (2)  COMPONENTS AND SUPPLEMENTS AVAILABLE  BASIC COMPONENTS  Tips (per pair)   | N. C.  Maximum price Purchase or replacement of                 | 2.57  Maximum price Replacement                  | Maximum<br>adjustement | (months)                         |
|         | 3 Anterior walker, folding, with 2 wheels, height-adjustable, for child  BASIC COMPONENTS AND SUPPLEMENTS  Tips (2)  COMPONENTS AND SUPPLEMENTS AVAILABLE  BASIC COMPONENTS  Tips (per pair)   | replacement of device  156.86  N. C.  Maximum price Purchase or | 2.57  Maximum price Replacement of component     | price                  | (months)  12  Guarantee          |
|         | 3 Anterior walker, folding, with 2 wheels, height-adjustable, for child  BASIC COMPONENTS AND SUPPLEMENTS  Tips (2)  COMPONENTS AND SUPPLEMENTS AVAILABLE  BASIC COMPONENTS  Tips (per pair)   | N. C.  Maximum price Purchase or replacement of                 | 2.57  Maximum price Replacement                  | Maximum<br>adjustement | (months)  12  Guarantee          |
| 4495727 | Anterior walker, folding, with 2 wheels, height-adjustable, for child  BASIC COMPONENTS AND SUPPLEMENTS  Tips (2)  COMPONENTS AND SUPPLEMENTS AVAILABLE  BASIC COMPONENTS  Tips (per pair)  DEVICE   | N. C.  Maximum price Purchase or replacement of device          | 2.57  Maximum price Replacement of component     | Maximum<br>adjustement | (months)  12  Guarantee          |
| 4495727 | Anterior walker, folding, with 2 wheels, height-adjustable, for child  BASIC COMPONENTS AND SUPPLEMENTS  Tips (2)  COMPONENTS AND SUPPLEMENTS AVAILABLE  BASIC COMPONENTS  Tips (per pair)  DEVICE  Posterior walker, folding, with wheels (2 or 4), and height- | N. C.  Maximum price Purchase or replacement of                 | 2.57  Maximum price Replacement of component     | Maximum<br>adjustement | (months)  12  Guarantee (months) |
| 4495727 | Anterior walker, folding, with 2 wheels, height-adjustable, for child  BASIC COMPONENTS AND SUPPLEMENTS  Tips (2)  COMPONENTS AND SUPPLEMENTS AVAILABLE  BASIC COMPONENTS  Tips (per pair)  DEVICE   | N. C.  Maximum price Purchase or replacement of device          | 2.57  Maximum price Replacement of component     | Maximum<br>adjustement | (months)  12  Guarantee          |
| 4495727 | Anterior walker, folding, with 2 wheels, height-adjustable, for child  BASIC COMPONENTS AND SUPPLEMENTS  Tips (2)  COMPONENTS AND SUPPLEMENTS AVAILABLE  BASIC COMPONENTS  Tips (per pair)  DEVICE  Posterior walker, folding, with wheels (2 or 4), and height- | N. C.  Maximum price Purchase or replacement of device          | 2.57  Maximum price Replacement of component     | Maximum<br>adjustement | (months)  12  Guarantee (months) |
| 4495727 | Anterior walker, folding, with 2 wheels, height-adjustable, for child  BASIC COMPONENTS AND SUPPLEMENTS  Tips (2)  COMPONENTS AND SUPPLEMENTS AVAILABLE  BASIC COMPONENTS  Tips (per pair)  DEVICE  Posterior walker, folding, with wheels (2 or 4), and height- | N. C.  Maximum price Purchase or replacement of device          | 2.57  Maximum price Replacement of component     | Maximum<br>adjustement | (months)  12  Guarantee (months) |

Tips (2)

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

| Maximum price   Purchase or replacement of components   Plexible seat   Front bumpers (4)   Wheelbrakes (4)   Plexible seat   Foroth bumpers (4)   Plexible seat   Foroth bumpers (4)   Plexible seat   Foroth bumpers (4)   Plexible seat   Plexible seat   Possible seat     |         | BASIC COMPONENTS   |                            |                                |             |    |
|--|---------|--|----------------------------|--------------------------------|-------------|----|
| 156.74   | 4495727 | Tips (2)   | N. C.                      | 2.57                           |             |    |
| Pair Unit 156.74 N. A. 78.38 78.38  DEVICE  Maximum price Purchase or replacement of device 157.80  4490166 Walker with wheels 4, height-adjustable with thoracic support, depth-adjustable and width-adjustable, for child 157.80  Steel frame Thoracic support, with cover Flexible seat Front bumpers (4) Wheelbrakes (4)  COMPONENTS AND SUPPLEMENTS AVAILABLE  BASIC COMPONENTS  4495835 Steel frame, height-adjustable with cover N. C. 298.54  4495843 Thoracic support, depth-adjustable with cover N. C. 34.70  4495875 Front bumpers (4) N. C. 34.70  OPTIONAL COMPONENTS  4495817 Lower-limb abductor 178.57 178.57   |         | OPTIONAL COMPONENTS  |                            |                                |             |    |
| Maximum price Purchase or replacement of englacement of component of component of component of support, depth-adjustable with thoracic Steel frame Thoracic support, with cover Flexible seat Front bumpers (4) Wheelbrakes (4)  COMPONENTS AND SUPPLEMENTS AVAILABLE  BASIC COMPONENTS  4495855 Steel frame, height-adjustable with cover 4495867 Flexible seat 4495867 Flexible seat 4495883 Wheelbrakes (4)  OPTIONAL COMPONENTS  449589 Lower-limb abductor  NEXT STREET Price Replacement of component of comp |         | Pair   |                            |                                |             |    |
| support, depth-adjustable and width-adjustable, for child  Steel frame Thoracic support, with cover Flexible seat Front bumpers (4) Wheelbrakes (4)  COMPONENTS AND SUPPLEMENTS AVAILABLE  BASIC COMPONENTS  4495835 Steel frame, height-adjustable AVAILABLE N. C. 566.72 AV95843 Thoracic support, depth-adjustable with cover N. C. 298.54  4495867 Flexible seat N. C. 69.37 AV95875 Front bumpers (4) N. C. N. A. AV95883 Wheelbrakes (4) OPTIONAL COMPONENTS  4495917 Lower-limb abductor 178.57 178.57  |         | DEVICE   | Purchase or replacement of | price Replacement of component | adjustement |    |
| Thoracic support, with cover Flexible seat Front bumpers (4) Wheelbrakes (4)  COMPONENTS AND SUPPLEMENTS AVAILABLE  BASIC COMPONENTS  4495835 Steel frame, height-adjustable 4495843 Thoracic support, depth-adjustable with cover N. C. 298.54  4495867 Flexible seat 4495875 Front bumpers (4) N. C. N. A. 4495883 Wheelbrakes (4) OPTIONAL COMPONENTS  4495917 Lower-limb abductor 178.57 178.57  |         |  | 657.80                     |                                |             | 12 |
| BASIC COMPONENTS  4495835 Steel frame, height-adjustable   |         | Thoracic support, with cover<br>Flexible seat<br>Front bumpers (4) |                            |                                |             |    |
| 4495835 Steel frame, height-adjustable 4495843 Thoracic support, depth-adjustable with cover N. C. 298.54  4495867 Flexible seat N. C. 69.37  4495875 Front bumpers (4) N. C. N. A. 4495883 Wheelbrakes (4) N. C. 34.70  OPTIONAL COMPONENTS  4495917 Lower-limb abductor 178.57 178.57  |         | COMPONENTS AND SUPPLEMENTS AVAILABLE                               |                            |                                |             |    |
| 4495843 Thoracic support, depth-adjustable with cover       N. C.       298.54         4495867 Flexible seat       N. C.       69.37         4495875 Front bumpers (4)       N. C.       N. A.         4495883 Wheelbrakes (4)       N. C.       34.70         OPTIONAL COMPONENTS         4495917 Lower-limb abductor       178.57       178.57   |         | BASIC COMPONENTS   |                            |                                |             |    |
| 4495875 Front bumpers (4) N. C. N. A. 4495883 Wheelbrakes (4)  OPTIONAL COMPONENTS  4495917 Lower-limb abductor  178.57  N. C. N. A. 34.70  178.57   |         |  |                            |                                |             |    |
| 4495917 Lower-limb abductor 178.57 178.57  | 4495875 | Front bumpers (4) Wheelbrakes (4)                                  | N. C.                      | N. A.                          |             |    |
| 4495933 Thoracic support cover only N. A. 102.79   | 4495917 |  | 178.57                     | 178.57                         |             |    |
|  | 4495933 | Thoracic support cover only  | N. A.                      | 102.79                         |             |    |

## **DIVISION VIII: STANDING AIDS**

| DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|--|--|--|---------------------------------|-----------------------|
| 2192276 Parapodium, for child (Variety Village system) | 2,561.88   |  |                                 | 3                     |
| BASIC COMPONENTS AND SUPPLEMENTS                       |  |  |                                 |                       |
| Prefabricated parapodium orthosis                      |  |  |                                 |                       |
| COMPONENT AND SUPPLEMENT AVAILABLE                     |  |  |                                 |                       |
| None   |  |  |                                 |                       |
| ADJUSTMENT AVAILABLE                                   |  |  |                                 |                       |
| Any pertinent adjustment                               |  |  |                                 |                       |
| DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee (months)    |
| 2192292 Parapodium, for adult (Variety Village system) | 3,479.50   |  |                                 | 3                     |
| BASIC COMPONENTS AND SUPPLEMENTS                       |  |  |                                 |                       |
| Prefabricated parapodium orthosis                      |  |  |                                 |                       |
| COMPONENT AND SUPPLEMENT AVAILABLE                     |  |  |                                 |                       |
| None   |  |  |                                 |                       |
| ADJUSTMENT AVAILABLE                                   |  |  |                                 |                       |
| Any pertinent adjustment                               |  |  |                                 |                       |
| DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
| 2192284 Orthopodium                                    | 1,505.48   |  |                                 | 3                     |

BASIC COMPONENTS AND SUPPLEMENTS

Prefabricated orthopodium

## COMPONENT AND SUPPLEMENT AVAILABLE

None

## ADJUSTMENT AVAILABLE

## PART II: AIDS FURNISHED SOLELY BY AN INSTITUTION DIVISION I: UPPER-LIMB PROSTHESES

Electrode (1) Li-Ion batteries (2) Fast charger

| DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|--|--|--|---------------------------------|-----------------------|
| 1240010 Temporary myoelectric transradial prosthesis   | 90.00  |  |                                 | 6                     |
| BASIC COMPONENTS AND SUPPLEMENTS   |  |  |                                 |                       |
| Single thermoplastic socket, made from plaster or digital mold of insured person   |  |  |                                 |                       |
| Electrical system (1 battery cable, 1 electrode cable, 1 connection system, 1 coupling component) (loan)                                       |  |  |                                 |                       |
| Lamination collar (wrist) (loan) Battery pack (loan) Electrode (1) (billed on permanent prosthesis) Li-Ion batteries (2) (loan) Charger (loan) |  |  |                                 |                       |
| COMPONENT AND SUPPLEMENT AVAILABLE   |  |  |                                 |                       |
| None   |  |  |                                 |                       |
| ADJUSTMENT AVAILABLE   |  |  |                                 |                       |
| Any pertinent adjustment   |  |  |                                 |                       |
| DEVICE   | Maximum price Purchase or replacement of device          | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarante<br>(months)  |
| 240011 Myoelectric transradial prosthesis  | 3,133.00   |  |                                 | 6                     |
| BASIC COMPONENTS AND SUPPLEMENTS   |  |  |                                 |                       |
| Single laminated plastic socket, made from plaster or digital mold of insured person   |  |  |                                 |                       |
| Electrical system (1 battery cable, 1 electrode cable, 1 connection system, 1 coupling component)  |  |  |                                 |                       |
| Lamination collar (wrist) Battery Pack   |  |  |                                 |                       |

#### Forearm restoration

## COMPONENTS AND SUPPLEMENTS AVAILABLE

## BASIC COMPONENTS

| 1245511 Simple laminated plastic socket, made from plaster or digital mold of insured person              | N. C. | 79.00  |
|---|-------|--------|
| 1245512 Electrical system (1 battery cable, 1 electrode cable, 1 connection system, 1 coupling component) | N. C. | 427.00 |
| 1245514 Lamination collar (wrist)   | N. C. | 186.00 |
| 1245515 Battery Pack  | N. C. | 156.00 |
| 1245516 First electrode   | N. C. | 789.00 |
| 1245517 Li-Ion battery  | N. C. | 422.00 |
| 1245518 Battery charger   | N. C. | 671.00 |
| 1245519 Forearm restoration with myoelectric prosthesis   | N. C. | 142.00 |
| OPTIONAL COMPONENTS   |       |        |
| 1245611 Tansradial prosthesis trial socket  | 53.00 | N. A.  |
| ADJUSTMENT AVAILABLE  |       |        |

| DEVICE  | Maximum price Purchase or replacement of device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---|---|--|---------------------------------|-----------------------|
| 1240012 Temporary myoelectric wrist disarticulation prosthesis (transitional)   | 96.00   |  |                                 | 6                     |
| BASIC COMPONENTS AND SUPPLEMENTS  |   |  |                                 |                       |
| Single thermoplastic socket, made from plaster or digita mold of insured person   | 1   |  |                                 |                       |
| Electrical system (1 battery cable, 1 electrode cable, electrical system connection) (loan) Battery pack (loan) Electrode (billed on permanent prosthesis) Li-Ion batteries (2) (loan) Charger (loan) |   |  |                                 |                       |
| OPTIONAL COMPONENTS   |   |  |                                 |                       |
| None  |   |  |                                 |                       |
| ADJUSTMENT AVAILABLE  |   |  |                                 |                       |
| Any pertinent adjustment  |   |  |                                 |                       |
| DEVICE  | Maximum price Purchase or                       | Maximum price Replacement  | Maximum adjustement             | Guarantee             |

| DEVICE | Maximum price Purchase or replacement of device | price Replacement of component or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|--------|---|--|---------------------------------|-----------------------|
|        |   |  |                                 |                       |

1240013 Myoelectric wrist disarticulation prosthesis

2,862.00

6

#### BASIC COMPONENTS AND SUPPLEMENTS

Single laminated thermoplastic socket, made from plaster or digital mold of insured person

Electrical system (1 battery cable, 1 electrode cable, electrical system connection)
Battery pack
Electrode (1)

Forearm restoration

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

| 1245520 Single laminated thermoplastic socket, made from plaster or digital mold of insured person | N. C.  | 81.00  |
|--|--------|--------|
| 1245522 Electrical system (1 battery cable, 1 electrode cable, electrical system connection)       | N. C.  | 293.00 |
| 1245515 Battery pack   | N. C.  | 156.00 |
| 1245523 First electrode  | N. C.  | 789.00 |
| 1245517 Li-Ion battery   | N. C.  | 422.00 |
| 1245524 Fast charger   | N. C.  | 671.00 |
| 1245525 Forearm restoration with myoelectric prosthesis  | N. C.  | 142.00 |
| OPTIONAL COMPONENT   |        |        |
| 1245613 Wrist disarticulation prosthesis trial socket  | 105.00 | N. A.  |

SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

| Purchase or replacement of device  Purchase or replacement of device  Purchase or replacement of device  Replacement of component price  Guarantee (months) | device or supplement |
|---|----------------------|
|---|----------------------|

1250010 Temporary myoelectric elbow disarticulation prosthesis

363.00

6

#### BASIC COMPONENTS AND SUPPLEMENTS

Single laminated thermoplastic socket, made from plaster or digital mold of insured person

Electrical system (1 battery cable, 1 electrode cable, 1 connection system, 1 coupling component) (loan)

Forearm restoration (reused with permanent prosthesis) (loan)

Lamination collar (wrist) (loan)

Elbow joints with external lock (reused with permanent prosthesis)

Battery pack (loan)

Suspension harness

Electrode (billed on permanent prosthesis)

Li-Ion batteries (2) (loan)

Charger (loan)

Control cable for flexing elbow

SUPPLEMENT AVAILABLE

None

## ADJUSTMENT AVAILABLE

|  | DEVICE   | Maximum price<br>Purchase or<br>replacement of<br>device                      | Maximum<br>price<br>Replacement<br>of component<br>or supplement             | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|--|--|---|--|---------------------------------|-----------------------|
| 1250011  | Myoelectric elbow disarticulation prosthesis   | 3,885.00  |  |                                 | 6                     |
|  | BASIC COMPONENTS AND SUPPLEMENTS   |   |  |                                 |                       |
|  | Single laminated thermoplastic socket, made from plaster or digital mold of insured person   |   |  |                                 |                       |
|  | Electrical system (1 battery cable, 1 electrode cable, 1 connection system, 1 coupling component)  |   |  |                                 |                       |
|  | Forearm restoration Lamination collar (wrist) Elbow joints with external lock Battery pack Suspension harness Electrode (1) Li-Ion batteries (2) Fast charger Control cable for flexing elbow Elbow lock cable   |   |  |                                 |                       |
|  | COMPONENTS AND SUPPLEMENTS AVAILABLE   |   |  |                                 |                       |
|  | BASIC COMPONENTS   |   |  |                                 |                       |
| 1255530  | Single laminated thermoplastic socket, made from plaster or digital mold of insured person   | N. C.   | 170.00   |                                 |                       |
| 1255531  | Electrical system (1 battery cable, 1 electrode cable, 1 connection system, 1 coupling component)  | N. C.   | 427.00   |                                 |                       |
| 1255533<br>1255534<br>1245515<br>1255535<br>1245536<br>1245517<br>1245524<br>1255537 | Forearm restoration for myoelectric prosthesis Lamination collar (wrist) Elbow joints with external lock Battery pack Suspension harness Electrode (1) Li-Ion batteries (2) Fast charger Control cable for flexing elbow Elbow lock cable  OPTIONAL COMPONENTS | N. C.<br>N. C.<br>N. C.<br>N. C.<br>N. C.<br>N. C.<br>N. C.<br>N. C.<br>N. C. | 186.00<br>933.00<br>156.00<br>143.00<br>789.00<br>422.00<br>671.00<br>128.00 |                                 |                       |
|  |  |   |  |                                 |                       |
| 1255630  | Trial socket   | 59.00   | N. A.  |                                 |                       |

# ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

|  | DEVICE | Maximum price Purchase or replacement of device  Maximum price Maximum price Maximum Guarantee (months) or supplement |
|--|--------|---|
|--|--------|---|

1260010 Temporary myoelectric transhumeral prosthesis

363.00

6

#### BASIC COMPONENTS

Single laminated thermoplastic socket, made from plaster or digital mold of insured person

Electrical system (1 battery cable, 1 electrode cable, 1 connection system, 1 coupling component) (loan)

Forearm restoration (reused with permanent prosthesis)

Lamination collar (wrist) (loan)
Elbow with internal/external lock (loan)
Battery pack (loan)
Suspension harness
Electrode (billed on permanent prosthesis)
Li-Ion batteries (2) (loan)
Charger (loan)
Control cable for flexing elbow

SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

| DEVICE  | Maximum price Purchase or replacement of device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---|---|--|---------------------------------|-----------------------|
| 12(0011 Mary 12-44) 400 0 100 0 100 0 100 0 100 | 4.461.00  |  |                                 | (                     |

1260011 Myoelectric transhumeral prosthesis

4,461.00

#### BASIC COMPONENTS AND SUPPLEMENTS

Single laminated thermoplastic socket, made from plaster or digital mold of insured person

Electrical system (1 connecting cable, 1 electrode cable, 1 coaxial outlet, 1 coupling component)

Lamination collar (wrist)

Elbow with internal/external lock

Battery pack

Suspension harness

Electrode (1)

Li-Ion batteries (2)

Fast charger

Control cable for flexing elbow

Elbow lock cable

#### COMPONENTS AND SUPPLEMENTS AVAILABLE

#### BASIC COMPONENTS

| 1265530 Single laminated thermoplastic socket, made from plaster or digital mold of insured person        | N. C.  | 170.00   |
|---|--------|----------|
| 1265531 Electrical system (1 connecting cable, 1 electrode cable, 1 coaxial outlet, 1 coupling component) | N. C.  | 427.00   |
| 1265532 Elbow with internal/external lock   | N. C.  | 1,000.00 |
| 1265533 Lamination collar (wrist)   | N. C.  | 186.00   |
| 1245515 Battery pack  | N. C.  | 156.00   |
| 1265534 Humeral suspension harness  | N. C.  | 143.00   |
| 1265535 First electrode   | N. C.  | 789.00   |
| 1245517 Li-Ion battery (1)  | N. C.  | 422.00   |
| 1245524 Fast charger  | N. C.  | 671.00   |
| 1265536 Control cable for flexing elbow   | N. C.  | 128.00   |
| 1265538 Elbow lock cable  | N. C.  | 22.00    |
| OPTIONAL COMPONENTS   |        |          |
| 1265630 Transhumeral prosthesis trial socket  | 59.00  | N. A.    |
| 1265631 Elbow with internal/external lock, heavy-duty   | 936.00 | 1,936.00 |

#### SUPPLEMENT AVAILABLE

None

# ADJUSTMENT AVAILABLE

# ----- Any pertinent adjustment

|         | DEVICE  | Maximum price<br>Purchase or<br>replacement of<br>device | Maximum<br>price<br>Replacement<br>of component<br>or supplement | Maximum<br>adjustement<br>price | Guarantee<br>(months) |
|---------|---|--|--|---------------------------------|-----------------------|
| 1260012 | Electro-mechanical cubital prosthesis   | 4,083.00   |  |                                 | 6                     |
|         | BASIC COMPONENTS AND SUPPLEMENTS  |  |  |                                 |                       |
|         | Single laminated thermoplastic socket, made from plaster or digital mold of insured person  |  |  |                                 |                       |
|         | Electrical system (1 battery cable, 1 connecting cable from switch to connection system, switch, connection system, 1 coupling component) |  |  |                                 |                       |
|         | Lamination collar (wrist) Elbow with internal/external lock Forearm restoration   |  |  |                                 |                       |
|         | Li-Ion batteries (2) (loan)<br>Battery pack   |  |  |                                 |                       |
|         | Fast charger<br>Control cable for flexing elbow<br>Elbow lock cable   |  |  |                                 |                       |
|         | COMPONENTS AND SUPPLEMENTS AVAILABLE  |  |  |                                 |                       |
|         | BASIC COMPONENTS  |  |  |                                 |                       |
| 1265540 | Single laminated thermoplastic socket, made from plaster or digital mold of insured person  | N. C.  | 79.00  |                                 |                       |
| 1265541 | Electrical system (1 battery cable, 1 connecting cable from switch to connection system, connection system, 1 coupling component)         | N. C.  | 1,032.00   |                                 |                       |
| 1265542 | Lamination collar (wrist)   | N. C.  | 186.00   |                                 |                       |
|         | Elbow with internal/external lock   | N. C.  | 1,000.00   |                                 |                       |
|         | Forearm restoration   | N. C.  | 142.00   |                                 |                       |
|         | Battery pack  | N. C.  | 156.00   |                                 |                       |
|         | Li-Ion batteries (2)  | N. C.  | 422.00   |                                 |                       |
|         | Fast charger  Control coble for flexing albert  | N. C.  | 671.00   |                                 |                       |
|         | Control cable for flexing elbow<br>Elbow lock cable   | N. C.<br>N. C.   | 128.00<br>22.00  |                                 |                       |
|         | OPTIONAL COMPONENTS   |  |  |                                 |                       |
| 1265640 | Transhumeral trial socket   | 59.00  | N. A.  |                                 |                       |

| 1265641 Elbow with internal/external lock, heavy-duty<br>1265642 4-step transducer            | 936.00<br>650.00 | 1,936.00<br>1,286.00 |
|---|------------------|----------------------|
| SUPPLEMENTS AVAILABLE   |                  |                      |
| Stump sock * (consult Division II of this Part for the codes and prices of these supplements) | *                | *                    |
| ADJUSTMENT AVAILABLE Any pertinent adjustment   |                  |                      |

## SUBDIVISION 1: OPTIONAL COMMON COMPONENTS FOR UPPER-LIMB PROSTHESES

| MVOFI  | FCTRIC   | <b>ELBOWS</b> |
|--------|----------|---------------|
| DITTEL | TALERIU. | CLBUWS        |

| 3255640 Passive myoelectric elbow<br>3255641 Elbow with flexion assistance mechanism and built-in<br>electrical system | 7,555.00<br>S. C. | 7,555.00<br>S. C. |
|--|-------------------|-------------------|
| MYOELECTRIC WRISTS   |                   |                   |
| 3235640 Myoelectrically controlled prosthetic wrist, including a control unit  | 5,840.00          | 5,840.00          |
| 3235641 Quick electrical disconnect wrist  | 1,161.00          | 1,161.00          |
| 3235642 Flexion wrist for myoelectric hand   | 1,403.00          | 1,403.00          |
| MYOELECTRIC HANDS  |                   |                   |
| 3225640 Myoelectric transcarpal hand   | 7,294.00          | 7,294.00          |
| 3225641 Myoelectric hand with proportional control   | 8,435.00          | 8,435.00          |
| 3225642 Myoelectric hand without proportional control  | 5,650.00          | 5,650.00          |
| MYOELECTRIC HOOKS  |                   |                   |
| 3225643 Myoelectric transcarpal hook   | 7,045.00          | 7,045.00          |
| 3225644 Myoelectric hook with proportional control   | 9,112.00          | 9,112.00          |
| 3225645 Myoelectric hook without proportional control  | 6,304.00          | 6,304.00          |
| CABLES   |                   |                   |
| 1295640 Control cable  | 131.00            | 131.00            |
| 1295642 Additional electrode cable   | 107.00            | 107.00            |
| ELECTRICAL SYSTEM  |                   |                   |
| ELECTRICAL SYSTEM  |                   |                   |
| 1295643 Electrical system activation mechanism (toggle, pressure switch, pull switch, etc.)                            | 593.00            | 593.00            |
| 1295644 Additional electrode   | 789.00            | 789.00            |
| 1295645 Suction electrode  | 136.00            | 925.00            |
| 1295646 Thin internal batteries  | 927.00            | 1,349.00          |
| SLIP-ON FACILITATOR  |                   |                   |
| 1295647 Prosthesis slip-on sock  | 73.00             | 73.00             |
| MEANS OF SUSPENSION  |                   |                   |
| 1295648 Suspension harness made by the provider  | 143.00            | 143.00            |
| 1295649 Transhumeral and elbow disarticulation prosthesis suspension harness, made by an external provider             | 592.00            | 592.00            |
| 1295650 Thoracic harness with shoulder strap   | 75.00             | 75.00             |
| 1295651 Harness to activate elbow lock   | 21.00             | 21.00             |
|  |                   |                   |

DOUBLE SOCKETS

| 1295652 Foam flexible double comfort socket          | 94.00  | 94.00  |
|--|--------|--------|
| 1295653 Thermoplastic flexible double comfort socket | 186.00 | 186.00 |

# PROSTHETIC GLOVES

See the optional components for upper-limb prostheses section SUBDIVISION 6: BASIC OR OPTIONAL COMPONENTS FOR UPPER-LIMB PROSTHESES

# DIVISION II: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES

See Title One, Part I, Division III, "SOCKS FOR PROSTHESES"

# **DIVISION III: AMBULATION AIDS**

4490181 Other non-listed ambulation aids S. C.

GUARANTEE PERIOD: 1 year

4490421 Non-listed ambulation aid component (S. C.)

S. C.

#### PART III: ELEMENTS INCLUDED IN THE PRICES OF THE DEVICES:

- 1. The maximum price for the purchase or replacement of an insured device referred to in Part I or II of this Title includes the following elements:
- (1) the maximum price for its basic components and supplements;
- (2) the cost of its manufacture;
- (3) the cost of fittings required while it is being manufactured, up to and including the final installation;
- (4) the cost of fittings and repairs during the guarantee period referred to in this Title in respect of each device, beginning immediately after the final installation and during which any fitting or repair of a device used under normal conditions is made, in order to bring the device into conformity with the original medical prescription, where the beneficiary's physical condition has not changed, and to enable the beneficiary to derive maximum benefit from the device.
- 2. The maximum replacement cost of a component or supplement for a device referred to in Part I or II of this Title includes the following elements:
- (1) the cost price of the materials;
- (2) the cost of its manufacture, if any;
- (3) the cost of fitting and installation.
- 3. The maximum price for a cane includes the safety tip, and the fixed price for a pair of height-adjustable axillary crutches includes the safety tips, the axillary pads and the elastomer handrest covers.
- 4. The maximum price for a standard post-operative prosthesis assumed by the Board following the amputation of a lower limb includes
- 5. The maximum price for a post-operative pneumatic prosthesis assumed by the Board following the amputation of a lower limb includes

TITLE TWO: LOCOMOTOR AND POSTURE ASSISTS (FURNISHED SOLELY BY AN INSTITUTION)

## PART I: LOCOMOTOR ASSISTS DIVISION I: MANUAL WHEELCHAIRS

#### **SUBDIVISION 1: MASS GROUP 1**

PRICE (including all the basic components)

#### 7210000 MANUAL WHEELCHAIRS

1,600.00

CATEGORY FMA-GM 1-A-P2 (RIGID FRAME)

MOTION COMPOSITES INC.

## "APEX P" DEVICE

Technical specifications of the device Maximum weight capacity: 50 kg (110 lb.)

**Device weight:** 11.7 kg (25.8 lb.) **Overall width:** 63 cm (24¾ in.)

Front seat-to-floor height: 35.6 cm to 53.3 cm (14 in. to 21 in.) Rear seat-to-floor height: 35.6 cm to 53.3 cm (14 in. to 19.5 in.)

| BASIC AND OPTIONAL COMPONENTS   | Unit price of<br>component<br>during device<br>purchase | Unit price for component replacement | Warranty<br>(months) |
|---|---|--------------------------------------|----------------------|
| BODY SUPPORT SYSTEM   |   |                                      |                      |
| 7210001 Seat, flexible, tension adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 25.4 cm (10 in.), 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.), 35.4 cm (14 in.) or 38.1 cm (15 in.); depths of 25.4 cm (10 in.), 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.), 35.4 cm (14 in.) or 38.1 cm (15 in.) | N. C.   | 85.72                                | 1                    |
| 7210002 Seat, rigid base  | 200.00  | 285.72                               | 12                   |
| 7210003 Seat cushion, multilayer, flat, 5.1 cm (2 in.); including removable, waterproof and machine washable cover  | N. C.   | 30.00                                | 12                   |
| 7210005 Back support, flexible, non tension adjustable; heights from 22.9 cm (9 in.) to 53.3 cm (21 in.)  | N. C.   | 52.50                                | 1                    |
| 7210006 Back support, flexible, tension adjustable  | 72.00   | 124.50                               | 1                    |
| 7210026 Push handle, with hand grip   | 49.00   | 49.00                                | 12                   |
| 7210027 Push bar, raised, removable   | 36.00   | 36.00                                | 12                   |
| 7210007 Postural support pelvic belt  | 20.00   | 20.00                                | 12                   |
| 7210008 T-shaped arm support, short, removable; height-adjustable, from 15.2 cm to 35.6 cm (6 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard  | N. C.   | 41.74                                | 1                    |

| 7210009 T-shaped arm support, long, removable; height-adjustable, from 15.2 cm to 35.6 cm (6 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard   | N. C.          | 41.74          | 1  |
|---|----------------|----------------|----|
| 7210011 I-shaped arm support, flip-up; with locking mechanism   | 75.00          | 116.74         | 1  |
| 7210010 L-shaped arm support, swing-away from 20.3 cm to 27,9 cm (8 in. to 11 in.)  | N. C.          | 41.74          | 1  |
| 7210019 Clothing guard for I-shaped or L-shaped arm support   | 100.00         | 100.00         | 12 |
| 7210013 Arm support pad, short, straight  | N. C.          | 6.61           | 1  |
| 7210014 Arm support pad, long, straight   | N. C.          | 6.61           | 1  |
| 7210015 Arm support pad, tubular  | N. C.          | 6.61           | 1  |
| 7210016 Arm support pad, contoured  | 25.00          | 31.61          | 1  |
| 7210017 Arm support pad, gel  | 40.00          | 46.61          | 1  |
| 7210023 Foot support, fixed   | N. C.          | 49.35          | 12 |
| 7210024 Foot support, full width, flip-up, angle and depth  | 120.00         | 169.35         | 12 |
| adjustable  | 120.00         | 109.33         | 12 |
| 7210020 Calf support strap, single  | 60.00          | 60.00          | 12 |
| 7210020 Call support strap, single 7210021 Calf support strap, double   | 60.00          | 60.00          | 12 |
| 7210021 Can support strap, double 7210022 Heel loop, adjustable   | 60.00          | 60.00          | 12 |
| /210022 freet loop, aujustable  | 00.00          | 00.00          | 12 |
| FRAME   |                |                |    |
| 7210028 Securement points for strap-type tiedowns for transport   | N. C.          | 133.55         | 12 |
| 7210029 Anti-tip device   | 99.00          | 99.00          | 12 |
| 7210030 Reflective devices  | 20.00          | 20.00          | 12 |
| 7210031 Cane holder   | 40.00          | 40.00          | 12 |
| ,210031 Cuite Holder  | 10.00          | 10.00          | 12 |
| DRIVE SYSTEM  |                |                |    |
| 7210032 Handrim, smooth   | N. C.          | 19.89          | 12 |
| 7210033 Handrim, plasticized  | 100.00         | 119.89         | 12 |
| 7210034 Handrim, anti-slip  | 245.00         | 264.89         | 12 |
| 7210035 Handrim, ergonomic  | 245.00         | 264.89         | 12 |
| 7210036 Handrim, with oblique projection  | 245.00         | 264.89         | 12 |
| 7210037 Parking brake, push-type activation   | N. C.          | 23.02          | 12 |
| 7210038 Parking brake, pull-type activation   | N. C.          | 23.02          | 12 |
| 7210039 Parking brake, scissor-type mechanism   | N. C.          | 23.02          | 12 |
| 7210040 Anti-rollback brake   | 50.00          | 50.00          | 12 |
| 7210041 Brake lever extension, plug-in  | 5.00           | 5.00           | 12 |
| 7210042 Fork, adjustable height   | N. C.          | 35.47          | 12 |
|   |                |                |    |
| WHEELS AND TIRES  | N. C           | 22.70          | 10 |
| 7210047 Drive wheel, spoked; 50.8 cm (20 in.), 55.9 cm (22 in.) or  | N. C.          | 33.70          | 12 |
| 61 cm (24 in.)  | 100.00         | 122.70         | 12 |
| 7210048 Drive wheel, with puncture proof tire; 55.9 cm (22 in.) or  | 100.00         | 133.70         | 12 |
| 61 cm (24 in.)  | N. C           | 10.00          |    |
| 7210049 Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9  |                | 10.08          | 1  |
|   | N. C.          |                |    |
| cm (22 in.) or 61 cm (24 in.)   |                | 10.00          | 1  |
| 7210050 Drive wheel tire, standard pressure inner tube; 50.8 cm (20   | N. C.          | 10.08          | 1  |
|   |                | 10.08          | 1  |
| <ul> <li>7210050 Drive wheel tire, standard pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)</li> <li>7210051 Drive wheel tire, high pressure inner tube; 50.8 cm (20</li> </ul>   |                | 10.08<br>60.08 | 1  |
| <ul> <li>7210050 Drive wheel tire, standard pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)</li> <li>7210051 Drive wheel tire, high pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)</li> </ul>  | N. C.<br>50.00 |                |    |
| <ul> <li>7210050 Drive wheel tire, standard pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)</li> <li>7210051 Drive wheel tire, high pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)</li> <li>7210043 Caster wheel, with solid tire; 7.6 cm (3 in.), 10.2 cm (4</li> </ul> | N. C.          |                |    |
| <ul> <li>7210050 Drive wheel tire, standard pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)</li> <li>7210051 Drive wheel tire, high pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)</li> </ul>  | N. C.<br>50.00 | 60.08          | 1  |

| 7210044 Caster wheel, semi-pneumatic tire; 10.2 cm (4 in.); 12.7 cm (5 in.) or 15.2 cm (6 in.) | N. C. | 15.86 | 12 |
|--|-------|-------|----|
| 7210045 Caster wheel, with standard pressure inner tube tire; 15,2 cm (6 in.)                  | N. C. | 15.86 | 12 |
| 7210046 Quick release drive wheel axle   | N. C. | 30.00 | 12 |
| 7210052 Adapter for amputee axle position  | N. C. | N. C. | 12 |
| 7210053 Spoke guards   | 49.00 | 49.00 | 12 |
| 7210054 Drive wheel camber; 0°, 2°, 4°, 6° or 8°   | N. C. | 52.90 | 12 |

1,150.00

CATEGORY FMA-GM 1-B-P2 (FOLDING FRAME)

SUNRISE MEDICAL CANADA INC.

# "QUICKIE 2 E" DEVICE

including clothing guard

## TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 50 kg (110 lb.)

**Device weight:** 15.2 kg (33.5 lb.)

**Overall width:** 49 cm to 78.7 cm (19¼ in. à 31 in.)

Front seat-to-floor height: 34.3 cm to 55.9 cm (13½ in. to 22 in.) Rear seat-to-floor height: 33 cm to 55.9 cm (13 in. to 22 in.)

|         | BASIC AND OPTIONAL COMPONENTS  | Unit price for<br>component<br>during device<br>purchase | Unit price for component replacement | Warranty<br>(months) |
|---------|--|--|--------------------------------------|----------------------|
|         | BODY SUPPORT SYSTEM  |  |                                      |                      |
|         | Seat, flexible, tension adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 25.4 cm (10 in.), 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.), 35.4 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.); | N. C.  | 35.00                                | 1                    |
|         | depths of 25.4 cm (10 in.), 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.), 35.4 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.)   |  |                                      |                      |
| 7210317 | Seat depth adjustement   | N. C.  | N. C.                                | 12                   |
|         | Seat cushion, multilayer flat, 5.1 cm (2 in.); including removable, waterproof and machine washable cover  | N. C.  | 50.00                                | 12                   |
| 7210249 | Back support, flexible, non tension adjustable   | N. C.  | 35.00                                | 1                    |
|         | Back support, flexible, tension adjustable   | 40.00  | 75.00                                | 1                    |
|         | Back support upright, straight, height and angle ajustable   | N. C.  | 65.00                                | 12                   |
| 7210252 | Back support upright, angled, height and angle ajustable   | N. C.  | 65.00                                | 12                   |
| 7210285 | Push handle, fixed, with hand grip   | N. C.  | 15.00                                | 12                   |
|         | Push handle, raised, removable   | 5.00   | 20.00                                | 12                   |
|         | Pelvic positioning belt  | N. C.  | 25.00                                | 12                   |
| 7210254 | T-shaped arm support, short, removable; height-adjustable, 17.8 cm to 34.3 cm (7 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism;  | N. C.  | 114.00                               | 1                    |

| 7210255 T-shaped arm support, long, removable; height-adjustable,   | N. C.          | 114.00          | 1        |
|---|----------------|-----------------|----------|
| from 17.8 cm to 34.3 cm (7 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism;         |                |                 |          |
| including clothing guard 7210256 U-shaped arm support, short, flip-up and removable;                                | N. C.          | 114.00          | 1        |
| height-adjustable, from 21.6 cm to 34.3 cm (8½ in. of   | 1 0.           | 111.00          | •        |
| 13½ in.) by maximum increments of 2.5 cm (1 in.), with  |                |                 |          |
| locking mechanism; including clothing guard   |                |                 |          |
| 7210257 U-shaped arm support, long, flip-up and removable; height-  | N. C.          | 114.00          | 1        |
| adjustable, from 21.6 cm to 34.3 cm (8½ in. of 13½ in.) by  |                |                 |          |
| maximum increments of 2.5 cm (1 in.), with locking  |                |                 |          |
| mechanism; including clothing guard   | N. C           | 114.00          |          |
| 7210259 I-shaped arm support, flip-up; height-adjustable, from 15.8 cm to 37.6 cm (61/4 in to 143/4 in) by maximum  | N. C.          | 114.00          | 1        |
| increments of 2.5 cm (1 in.), with locking mechanism  |                |                 |          |
| 7210258 L-shaped arm support, swing-away; from 22.9 cm to 33 cm   | N. C.          | 114.00          | 1        |
| (9 in. to 13 in.)   |                |                 |          |
| 7210267 Clothing guard for L-shaped arm support   | 20.00          | 20.00           | 12       |
| 7210261 Arm support pad, short, straight 7210262 Arm support pad, long, straight                                    | N. C.<br>N. C. | 6.00<br>6.00    | 1<br>1   |
| 7210262 Arm support pad, tolig, straight 7210263 Arm support pad, tubular   | N. C.<br>N. C. | 6.00            | 1        |
| 7210264 Arm support pad, contoured  | 9.00           | 15.00           | 1        |
| 7210265 Arm support pad, gel  | 14.00          | 20.00           | 1        |
| 7210268 Parallel lower leg support, swing-away inward or outward;   | N. C.          | 55.00           | 12       |
| 70°, 80° or 90°; with locking mechanism; adjustable length  |                |                 |          |
| from 8.9 cm to 24.2 cm ( $3\frac{1}{2}$ in. to $9\frac{1}{2}$ in.) or from 22.9 cm to 50.8 cm (9 in. to 20 in.)     |                |                 |          |
| 7210270 Lower leg support, compensating elevating   | 55.00          | 110.00          | 12       |
| 7210275 Foot support, flip-up, not angle adjustable, standard lenght  | N. C.          | 35.00           | 12       |
|   |                |                 |          |
| 7210276 Foot support, flip-up, not angle adjustable, extra long   | N. C.          | 35.00           | 12       |
| 7210277 Foot support, flip-up, angle and depth adjustable, standard   | N. C.          | 35.00           | 12       |
| length 7210278 Foot support, flip-up, angle and depth adjustable, extra   | N. C.          | 35.00           | 12       |
| long  | 14. 0.         | 33.00           | 12       |
| 7210279 Foot support, flip-up, full width   | 72.00          | 107.00          | 12       |
| 7210273 Padded calf support, angle, height and depth adjustable, including flat pad                                 | 25.00          | 25.00           | 12       |
| 7210271 Calf support strap, single  | 15.00          | 15.00           | 12       |
| 7210272 Calf support strap, double  | 18.00          | 18.00           | 12       |
| 7210274 Heel loop, adjustable   | 1.00           | 1.00            | 12       |
| 7210282 Back support tension bar 7210283 Securement for head support for back support tension bar                   | 45.00<br>40.00 | 45.00<br>40.00  | 12<br>12 |
| 7210283 Securement for flead support for back support tension bar 7210281 Head support, height and depth adjustable | 55.00          | 55.00           | 12       |
| 7210280 Contoured cushion for head support, all sizes   | 35.00          | 35.00           | 12       |
| ,210200 Contoured custion for nead support, an sizes  | 33.00          | 23.00           | 12       |
| FRAME   | N. C           | 100.00          | 10       |
| 7210288 Securement points for strap-type tiedowns for transport 7210289 Anti-tip device                             | N. C.<br>N. C. | 100.00<br>18.00 | 12<br>12 |
| 7210299 Reflective devices  | 5.00           | 5.00            | 12       |
| 7210284 Front impact guard  | 10.00          | 10.00           | 12       |
| 7210291 Cane holder   | 28.00          | 28.00           | 12       |
|   |                |                 |          |

| 7210318 Growth kit  | N. C.  | N. C.  | 12 |
|---|--------|--------|----|
| DRIVE SYSTEM  |        |        |    |
| 7210293 Handrim, smooth   | N. C.  | 40.00  | 12 |
| 7210294 Handrim, plasticized  | N. C.  | 40.00  | 12 |
| 7210295 Handrim, anti-slip  | 35.00  | 75.00  | 12 |
| 7210296 Handrim, ergonomic  | 70.00  | 110.00 | 12 |
| 7210297 Handrim, with vertical projection   | 40.00  | 80.00  | 12 |
| 7210292 Unilateral manuel propulsion mechanism  | 305.00 | 345.00 | 12 |
| 7210299 Parking brake, push-type activation   | N. C.  | 25.00  | 12 |
| 7210300 Parking brake, pull-type activation   | N. C.  | 25.00  | 12 |
| 7210298 Parking brake, unilateral activation  | 125.00 | 150.00 | 12 |
| 7210301 Anti-rollback brake   | 36.00  | 36.00  | 12 |
| 7210302 Brake lever extension, plug-in  | 5.00   | 5.00   | 12 |
| 7210303 Fork, adjustable height   | N. C.  | 15.00  | 12 |
| WHEELS AND TIRES  |        |        |    |
| 7210309 Drive wheel, spoked; 50.8 cm (20 in.), 55.9 cm (22 in.) or  | N. C.  | 65.00  | 12 |
| 61 cm (24 in.)  | IV. C. | 03.00  | 12 |
| 7210310 Drive wheel, with puncture proof tire; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)                                   | 15.00  | 80.00  | 12 |
| 7210311 Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)  | N. C.  | 20.00  | 1  |
| 7210312 Drive wheel tire, standard pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)                          | N. C.  | 20.00  | 1  |
| 7210313 Drive wheel tire, high pressure inner tube; 55.9 cm (22 in.) or 61 cm (24 in.)  | N. C.  | 20.00  | 1  |
| 7210305 Caster wheel, with semi-pneumatic tire; 10.2 cm (4 in.), 12.7 cm (5 in.), 15.2 cm (6 in.), 17.8 cm (7 in.) or 20.3 cm (8 in.) | N. C.  | 15.00  | 12 |
| 7210306 Caster wheel, with standard pressure inner tube tire; 15.2 cm (6 in.), 17.8 cm (7 in.) or 20.3 cm (8 in.)                     | N. C.  | 15.00  | 12 |
| 7210307 Drive wheel axle, fixed   | N. C.  | 10.00  | 12 |
| 7210308 Quick release drive wheel axle  | N. C.  | 10.00  | 12 |
| 7210314 Adaptor for amputee position  | 25.00  | 25.00  | 12 |
| 7210315 Spoke guards  | 20.00  | 20.00  | 12 |
| 7210316 Drive wheel camber; 0° or 2°  | N. C.  | 2.00   | 12 |
|   |        |        |    |

| PRICE          |
|----------------|
| (including all |
| the basic      |
| components)    |

1,600.00

CATEGORY FMA-GM 2-A-P2 (RIGID FRAME)

SUNRISE MEDICAL CANADA INC.

## "QUICKIE NITRUM" DEVICE

## TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 120 kg (265 lb.)

**Device weight:** 13.2 kg (29 lb.)

**Overall width:** 48.3 cm to 78.7 cm (19 in. to 31 in.)

Front seat-to-floor height: 40.6 cm to 53.3 cm (16 in. to 20 in.) Rear seat-to-floor height: 33 cm to 50.8 cm (13 in. to 20 in.)

| BASIC AND OPTIONAL COMPONENTS   | Unit price for<br>component<br>during device<br>purchase | Unit price for component replacement | Warranty<br>(months) |
|---|--|--------------------------------------|----------------------|
| BODY SUPPORT SYSTEM   |  |                                      |                      |
| 7210056 Seat, flexible, tension adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 30.5 cm (12 in.), 33 cm (13 in.), 35.4 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.4 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.) | N. C.  | 35.00                                | 1                    |
| 7210057 Seat, rigid base  | 115.00   | 150.00                               | 12                   |
| 7210058 Seat cushion, multilayer, flat, 5.1 cm (2 in.); including removable, waterproof and machine washable cover  | N. C.  | 50.00                                | 12                   |
| 7210060 Back support, flexible, non tension adjustable; heights from 20.3 cm (8 in.) to 53.3 cm (21 in.)  | N. C.  | 35.00                                | 1                    |
| 7210061 Back support, flexible, tension adjustable  | 40.00  | 75.00                                | 1                    |
| 7210078 Push handle with hand grip  | 15.00  | 15.00                                | 12                   |
| 7210062 Postural support pelvic belt  | 25.00  | 25.00                                | 12                   |
| 7210063 T-shaped arm support, short, removable; height-adjustable, from 16.5 cm to 34.3 cm (6½ in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard   | N. C.  | 114.00                               | 1                    |
| 7210064 T-shaped arm support, long, removable; height-adjustable, from 16.5 cm to 34.3 cm (6½ in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard  | N. C.  | 114.00                               | 1                    |
| 7210065 L-shaped arm support, swing-away from 22.9 cm to 35.6 cm (9 in. to 14 in.)  | N. C.  | 114.00                               | 1                    |
| 7210072 Clothing guard for L-shaped arm support   | 20.00  | 20.00                                | 12                   |
| 7210066 Arm support pad, short, straight  | N. C.  | 6.00                                 | 1                    |

| 7210067 Arm support pad, long, straight                             | N. C.  | 6.00   | 1   |
|---|--------|--------|-----|
| 7210068 Arm support pad, tubular                                    | N. C.  | 6.00   | 1   |
| 7210069 Arm support pad, contoured                                  | 9.00   | 15.00  | 1   |
| 7210070 Arm support pad, gel  | 14.00  | 20.00  | 1   |
| 7210076 Foot support, fixed   | N. C.  | 65.00  | 12  |
| 7210077 Foot support, full width, flip-up, angle and depth          | N. C.  | 65.00  | 12  |
| adjustable  | 1 0.   | 02.00  |     |
| 7210073 Calf support strap, single                                  | 15.00  | 15.00  | 12  |
| 7210074 Calf support strap, double                                  | 18.00  | 18.00  | 12  |
| 7210075 Heel loop, adjustable                                       | 1.00   | 1.00   | 12  |
| 17 0  |        |        |     |
| FRAME   |        |        |     |
| 7210079 Securement points for strap-type tiedowns for transport     | N. C.  | 185.00 | 12  |
| 7210080 Anti-tip device   | 18.00  | 18.00  | 12  |
| 7210081 Reflective devices  | 5.00   | 5.00   | 12  |
| 7210082 Cane holder   | 28.00  | 28.00  | 12  |
|   |        |        |     |
| DRIVE SYSTEM  |        |        |     |
| 7210083 Handrim, smooth   | N. C.  | 40.00  | 12  |
| 7210084 Handrim, plasticized  | N. C.  | 40.00  | 12  |
| 7210085 Handrim, anti-slip  | 35.00  | 75.00  | 12  |
| 7210086 Handrim, ergonomic  | 70.00  | 110.00 | 12  |
| 7210087 Handrim, with vertical or oblique projection                | 40.00  | 80.00  | 12  |
| 7210088 Parking brake, push-type activation                         | N. C.  | 25.00  | 12  |
| 7210089 Parking brake, pull-type activation                         | N. C.  | 25.00  | 12  |
| 7210090 Parking brake, scissor-type mechanism                       | 10.00  | 35.00  | 12  |
| 7210091 Anti-rollback brake   | 36.00  | 36.00  | 12  |
| 7210092 Brake lever extension plug-in                               | 5.00   | 5.00   | 12  |
| 7210093 Fork, ajustable height                                      | N. C.  | 35.00  | 12  |
| WHEELS AND TIRES  |        |        |     |
| 7210098 Drive wheel, spoked; 50.8 cm (20 in.), 55.9 cm (22 in.), 61 | N. C.  | 65.00  | 12  |
| cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.)                     | N. C.  | 05.00  | 12  |
| 7210099 Drive wheel, with puncture proof tire; 50.8 cm (20 in.),    | 15.00  | 80.00  | 12  |
| 55.9 cm (22 in.), 61 cm (24 in.) or 66 cm (26 in.)                  | 13.00  | 80.00  | 12  |
|   | N. C   | 20.00  | 1   |
| 7210100 Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9    | N. C.  | 20.00  | 1   |
| cm (22 in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26          |        |        |     |
| in.)  | N. C   | 20.00  | 1   |
| 7210101 Drive wheel tire, standard pressure inner tube; 50.8 cm (20 | N. C.  | 20.00  | 1   |
| in.), 55.9 cm (22 in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66      |        |        |     |
| cm (26 in.)   | N.C    | 20.00  | 1   |
| 7210102 Drive wheel tire, high pressure inner tube; 55.9 cm (22     | N. C.  | 20.00  | 1   |
| in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.)            |        |        |     |
| 7210095 (2-4  | N. C.  | 15.00  | 12  |
| 7210095 Caster wheel, with semi-pneumatic tire; 7.6 cm (3 in.),     | IV. C. | 13.00  | 12  |
| 10.2 cm (4 in.), 12.7 cm (5 in.) or 15,2 cm (6 in.)                 |        |        |     |
| 7210096 Caster wheel, with standard pressure inner tube tire; 15.2  | N. C.  | 15.00  | 12  |
| cm (6 in.)  | N. 6   | 10.00  | 4.0 |
| 7210097 Quick release drive wheel axle                              | N. C.  | 10.00  | 12  |
| 7210103 Adaptor for amputee position                                | 50.00  | 50.00  | 12  |
| 7210104 Spoke guards  | 20.00  | 20.00  | 12  |
| 7210105 Drive wheel camber; 0°, 3° or 6°                            | N. C.  | 20.00  | 12  |

2,495.00

CATEGORY FMA-GM 2-A-P2 (FOLDING FRAME)

MOTION COMPOSITES INC.

## "HELIO C2" DEVICE

# TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 120.2 kg (265 lb.)

**Device weight:** 12.5 kg (26.5 lb.) **Overall width:** 63.5 cm (25.2 in.)

Front seat-to-floor height: 33 cm to 54.6 cm (13 in. to  $21\frac{1}{2}$  in.) Rear seat-to-floor height: 31.8 cm to 51.4 cm ( $12\frac{1}{2}$  in. to  $21\frac{1}{4}$  in.)

|         | BASIC AND OPTIONAL COMPONENTS   | Unit price for<br>component<br>during device<br>purchase | Unit price for component replacement | Warranty<br>(months) |
|---------|---|--|--------------------------------------|----------------------|
|         | BODY SUPPORT SYSTEM   |  |                                      |                      |
| 7210320 | Seat, flexible, tension adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.) | N. C.  | 20.35                                | 1                    |
| 7210321 | Seat, rigid base  | 200.00   | 220.35                               | 12                   |
|         | Seat cushion, multilayer foam, flat, 5.1 cm (2 in.); including removable, waterproof and machine washable cover   | N. C.  | 30.00                                | 12                   |
| 7210324 | Back support, flexible, non tension adjustable  | N. C.  | 37.90                                | 1                    |
| 7210325 | Back support, flexible, tension adjustable  | 20.00  | 57.90                                | 1                    |
| 7210326 | Back support upright, straight, height and angle ajustable  | N. C.  | 94.65                                | 12                   |
| 7210327 | Back support upright, angled, height and angle ajustable  | N. C.  | 94.65                                | 12                   |
| 7210358 | Push handle, fixed, with hand grip  | N. C.  | 49.00                                | 12                   |
| 7210328 | Postural support pelvic belt  | N. C.  | 20.00                                | 12                   |
| 7210329 | T-shaped arm support, short, removable; height-adjustable, from 15.2 cm to 35.6 cm (6 in. to 10 in.), from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard   | N. C.  | 41.74                                | 1                    |
| 7210330 | T-shaped arm support, long, removable; height-adjustable, from 15.2 cm to 35.6 cm (6 in. to 10 in.), from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard  | N. C.  | 41.74                                | 1                    |

| 7210331 U-shaped arm support, short, flip-up and removable;   | N. C.         | 41.74         | 1        |
|---|---------------|---------------|----------|
| height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.)  | 14. C.        | 71./7         | 1        |
| or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum  |               |               |          |
| increments of 2.5 cm (1 in.), with locking mechanism;   |               |               |          |
| including clothing guard  |               |               |          |
| 7210332 U-shaped arm support, long, flip-up and removable; height-  | N. C.         | 41.74         | 1        |
| adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or  |               |               |          |
| from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum   |               |               |          |
| increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard  |               |               |          |
| 7210333 L-shaped arm support, swing-away  | N. C.         | 41.74         | 1        |
| 7210334 Arm support pad, short, straight  | N. C.         | 6.61          | 1        |
| 7210335 Arm support pad, long, straight   | N. C.         | 6.61          | 1        |
| 7210336 Arm support pad, tubular  | N. C.         | 6.61          | 1        |
| 7210337 Arm support pad, contoured  | 25.00         | 31.60         | 1        |
| 7210338 Arm support pad, gel  | 40.00         | 46.61         | 1        |
| 7210340 Clothing guard for L-shaped arm support   | 100.00        | 100.00        | 12       |
| 7210341 Parallel lower leg support, swing-away outward; 60°, 70° or 80°; with locking mechanism; adjustable length from | N. C.         | 36.87         | 12       |
| 34.3 cm to 52.1 cm (13½ in. to 20½ in.),  |               |               |          |
| or 90° (front mount) with locking mechanism; adjustable   |               |               |          |
| length from 19.1 cm to 36.9 cm (7½ in. to 14½ in.)  |               |               |          |
| 7210342 Parallel lower leg support, swing-away inward; 60°, 70° or  | N. C.         | 36.87         | 12       |
| 80°; with locking mechanism; adjustable length from   | 11. 6.        | 30.07         | 12       |
| 34.3 cm to 52.1 cm ( $13\frac{1}{2}$ in. to $20\frac{1}{2}$ in.),   |               |               |          |
| or 90° (front mount) with locking mechanism; adjustable   |               |               |          |
| length from 19.1 cm to 36.9 cm (7½ in. to 14½ in.)  |               |               |          |
| 7210343 Lower leg support, compensating elevating   | 130.00        | 166.87        | 12       |
| Foot support, flip-up, not angle adjustable, standard lenght  | N. C.         | 4.73          | 12       |
| Foot support, flip-up, not angle adjustable, extra long   | N. C.         | 4.73          | 12       |
| root support, hip-up, not angle adjustable, extra long  |               |               |          |
| 7210350 Foot support, flip-up, angle and depth adjustable, standard   | 25.00         | 29.73         | 12       |
| length 7210351 Foot support, flip-up, angle and depth adjustable, extra   | 25.00         | 29.73         | 12       |
| long  | 23.00         | 27.13         | 12       |
| 7210352 Foot support, flip-up, full width   | 120.00        | 124.73        | 12       |
| 7210346 Padded calf support, angle, height and depth adjustable,  | 85.00         | 85.00         | 12       |
| including flat pad  |               |               |          |
| 7210344 Calf support strap, single  | 60.00         | 60.00         | 12       |
| 7210345 Calf support strap, double<br>7210347 Heel loop, adjustable   | 60.00<br>5.00 | 60.00<br>5.00 | 12<br>12 |
| 7210347 Heel loop, adjustable 7210355 Back support tension bar  | 30.00         | 30.00         | 12       |
| ***   |               |               |          |
| 7210356 Securement for head support for back support tension bar  | 150.00        | 150.00        | 12       |
| 7210354 Head support, height and depth adjustable   | 90.00         | 90.00         | 12       |
| 7210353 Contoured cushion for head support, all sizes   | 85.00         | 85.00         | 12       |
| FRAME   |               |               |          |
| 7210359 Securement points for strap-type tiedowns for transport   | N. C.         | 188.15        | 12       |
| 7210360 Anti-tip device   | N. C.         | 16.93         | 12       |
| 7210361 Reflective devices  | 20.00         | 20.00         | 12       |
|   |               |               |          |

| 7210357 Front impact guard   | 35.00  | 35.00  | 12 |
|--|--------|--------|----|
| 7210362 Cane holder  | 60.00  | 60.00  | 12 |
|  |        |        |    |
| DRIVE SYSTEM   |        |        |    |
| 7210364 Handrim, smooth  | N. C.  | 19.89  | 12 |
| 7210365 Handrim, plasticized   | 100.00 | 119.89 | 12 |
| 7210366 Handrim, anti-slip   | 245.00 | 264.89 | 12 |
| 7210367 Handrim, ergonomic   | 245.00 | 264.89 | 12 |
| 7210368 Handrim, with oblique projection                             | 245.00 | 264.89 | 12 |
| 7210363 Unilateral manuel propulsion mechanism                       | 950.00 | 969.89 | 12 |
| 7210370 Parking brake, push-type activation                          | N. C.  | 23.02  | 12 |
| 7210371 Parking brake, pull-type activation                          | N. C.  | 23.02  | 12 |
| 7210369 Parking brake, unilateral activation                         | 295.00 | 318.02 | 12 |
| 7210372 Anti-rollback brake  | 50.00  | 50.00  | 12 |
| 7210373 Brake lever extension, plug-in                               | 5.00   | 5.00   | 12 |
| 7210374 Fork, adjustable height                                      | N. C.  | 5.36   | 12 |
|  |        |        |    |
| WHEELS AND TIRES   |        |        |    |
| 7210380 Drive wheel, spoked  | N. C.  | 33.70  | 12 |
| 7210381 Drive wheel, with puncture proof tire                        | 100.00 | 133.70 | 12 |
| 7210382 Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9     | N. C.  | 10.08  | 1  |
| cm (22 in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26           |        |        |    |
| in.)   |        |        |    |
| 7210383 Drive wheel tire, standard pressure inner tube; 50.8 cm (20  | N. C.  | 10.08  | 1  |
| in.), 55.9 cm (22 in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66       |        |        |    |
| cm (26 in.)  |        |        |    |
| 7210384 Drive wheel tire, high pressure inner tube; 50.8 cm (20      | 50.00  | 60.08  | 1  |
| in.), 55.9 cm (22 in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66       |        |        |    |
| cm (26 in.)  |        |        |    |
| 7210375 Caster wheel, with solid tire; from 7.6 cm to 20.3 cm (3 in. | N. C.  | 15.86  | 12 |
| to 8 in.)  |        |        |    |
| 7210376 Caster wheel, with pneumatic tire; from 10.2 cm to 15.2      | N. C.  | 15.86  | 12 |
| cm (4 in. to 6 in.)  |        |        |    |
| 7210377 Caster wheel, with standard pressure inner tube tire; 15.2   | N. C.  | 15.86  | 12 |
| cm (6 in.) or 20.3 cm (8 in.)  |        |        |    |
| 7210378 Drive wheel axle, fixed                                      | N. C.  | 5.00   | 12 |
| 7210379 Quick release drive wheel axle                               | 25.00  | 30.00  | 12 |
| 7210385 Adaptor for amputee position                                 | 90.00  | 90.00  | 12 |
| 7210386 Spoke guards   | 49.00  | 49.00  | 12 |
| 7210387 Drive wheel camber; 0°, 3° or 6°                             | N. C.  | 169.40 | 12 |
|  |        |        |    |

1,400.00

CATEGORY FMA-GM 2-B-P2 (RIGID FRAME)

SUNRISE MEDICAL CANADA INC.

## "QUICKIE 5R" DEVICE

# TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 120 kg (265 lb.)

**Device weight:** 14.7 kg (32.5 lb.)

**Overall width:** 48.3 cm to 78.7 (19 in. to 31 in.)

Front seat-to-floor height: 35.6 cm to 53.3 cm (14 in. to 21 in.) Rear seat-to-floor height: 33 cm to 50.8 cm (13 in. to 20 in.)

| BASIC AND OPTIONAL COMPONENTS   | Unit price for<br>component<br>during device<br>purchase | Unit price for component replacement | Warranty<br>(months) |
|---|--|--------------------------------------|----------------------|
| BODY SUPPORT SYSTEM   |  |                                      |                      |
| 7210107 Seat, flexible, tension adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 30.5 cm (12 in.), 33 cm (13 in.), 35.4 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.4 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.) | N. C.  | 35.00                                | 1                    |
| 7210108 Seat, rigid base  | 115.00   | 150.00                               | 12                   |
| 7210109 Seat cushion, multilayer foam, flat, 5.1 cm (2 in.); including removable, waterproof and machine washable cover   | N. C.  | 50.00                                | 12                   |
| 7210111 Back support, flexible, non tension adjustable; heights from 25.4 cm to 53.3 cm (10 in. to 21 in.)  | N. C.  | 35.00                                | 1                    |
| 7210112 Back support, flexible, tension adjustable  | 40.00  | 75.00                                | 1                    |
| 7210129 Push handle with hand grip  | 15.00  | 15.00                                | 12                   |
| 7210113 Postural support pelvic belt  | 25.00  | 25.00                                | 12                   |
| 7210114 T-shaped arm support, short, removable; height-adjustable, from 17.8 cm to 34.3 cm (7 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard   | N. C.  | 114.00                               | 1                    |
| 7210115 T-shaped arm support, long, removable; height-adjustable, from 17.8 cm to 34.3 cm (7 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard  | N. C.  | 114.00                               | 1                    |
| 7210116 L-shaped arm support, swing-away  | N. C.  | 114.00                               | 1                    |
| 7210123 Clothing guard for L-shaped arm support   | 20.00  | 20.00                                | 12                   |
| 7210117 Arm support pad, short, straight  | N. C.  | 6.00                                 | 1                    |
| 7210118 Arm support pad, long, straight   | N. C.  | 6.00                                 | 1                    |
| 7210119 Arm support pad, tubular  | N. C.  | 6.00                                 | 1                    |

| 7210120 Arm support pad, contoured                                    | 9.00   | 15.00  | 1  |
|---|--------|--------|----|
| 7210121 Arm support pad, gel  | 14.00  | 20.00  | 1  |
| 7210127 Foot support, fixed   | N. C.  | 65.00  | 12 |
| 7210128 Foot support, full width, flip-up, angle and depth adjustable | N. C.  | 65.00  | 12 |
| 7210124 Calf support strap, single                                    | 15.00  | 15.00  | 12 |
| 7210125 Calf support strap, double                                    | 18.00  | 18.00  | 12 |
| 7210126 Heel loop, adjustable   | 1.00   | 1.00   | 12 |
| ,210120 11001 100p, uajusmote   | 1.00   | 1.00   | 12 |
| FRAME   |        |        |    |
| 7210130 Securement points for strap-type tiedowns for transport       | N. C.  | 185.00 | 12 |
| 7210131 Anti-tip device   | 18.00  | 18.00  | 12 |
| 7210132 Reflective devices  | 5.00   | 5.00   | 12 |
| 7210133 Cane holder   | 28.00  | 28.00  | 12 |
| DRIVE SYSTEM  |        |        |    |
| 7210134 Handrim, smooth   | N. C.  | 40.00  | 12 |
| 7210135 Handrim, plasticized  | N. C.  | 40.00  | 12 |
| 7210136 Handrim, anti-slip  | 35.00  | 75.00  | 12 |
| 7210137 Handrim, ergonomic  | 70.00  | 110.00 | 12 |
| 7210138 Handrim, with vertical or oblique projection                  | 40.00  | 80.00  | 12 |
| 7210139 Parking brake, push-type activation                           | N. C.  | 25.00  | 12 |
| 7210140 Parking brake, pull-type activation                           | N. C.  | 25.00  | 12 |
| 7210141 Parking brake, scissor-type mechanism                         | 10.00  | 35.00  | 12 |
| 7210142 Anti-rollback brake   | 36.00  | 36.00  | 12 |
| 7210143 Brake lever extension, plug-in                                | 5.00   | 5.00   | 12 |
| 7210144 Fork, adjustable height                                       | N. C.  | 35.00  | 12 |
| 72101111 ork, adjustable height                                       | 14. C. | 33.00  | 12 |
| WHEELS AND TIRES  |        |        |    |
| 7210149 Drive wheel, spoked   | N. C.  | 65.00  | 12 |
| 7210150 Drive wheel, with puncture proof tire                         | 15.00  | 80.00  | 12 |
| 7210151 Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9      | N. C.  | 20.00  | 1  |
| cm (22 in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26            |        |        |    |
| in.)  |        |        |    |
| 7210152 Drive wheel tire, standard pressure inner tube; 50.8 cm (20   | N. C.  | 20.00  | 1  |
| in.), 55.9 cm (22 in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66        |        |        |    |
| cm (26 in.)   |        |        |    |
| 7210152   | N. C.  | 20.00  | 1  |
| Drive wheel tire, high pressure inner tube; 33.9 cm (22               |        |        |    |
| in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.)              |        |        |    |
| 7210146 Caster wheel, with semi-pneumatic tire; 7.6 cm (3 in.),       | N. C.  | 15.00  | 12 |
| 10.2 cm (4 in.), 12.7 cm (5 in.) or 15.2 cm (6 in.)                   |        |        |    |
| 7210147 Caster wheel, with standard pressure inner tube tire; 15.2    | N. C.  | 15.00  | 12 |
| cm (6 in.)  |        |        |    |
| 7210148 Quick release drive wheel axle                                | N. C.  | 10.00  | 12 |
| 7210154 Adaptor for amputee position                                  | 50.00  | 50.00  | 12 |
| 7210154 Adaptor for amputee position 7210155 Spoke guards             | 20.00  | 20.00  | 12 |
| 7210156 Drive wheel camber; 0°, 3°, 4°, 6° or 8°                      | N. C.  | 20.00  | 12 |
| 7210130 Drive wheel camber, 0, 3, 4, 0 010                            | 14. C. | 20.00  | 12 |

| PRICE          |
|----------------|
| (including all |
| the basic      |
| components)    |

980.00

CATEGORY FMA-GM 2-B-P2 (RIGID FRAME)

MOTION COMPOSITES INC.

## "APEX A" DEVICE

# TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 120.2 kg (265 lb.)

**Device weight:** 11.7 kg (24.3 lb.) **Overall width:** 60.96 cm (24¾ po)

Front seat-to-floor height: 35.6 cm to 53.3 cm (14 in. to 21 in.) Rear seat-to-floor height: 35.6 cm to 50.8 cm (14 in. to 20 in.)

| BASIC AND OPTIONAL COMPONENTS  | Unit price for<br>component<br>during device<br>purchase | Unit price for component replacement | Warranty<br>(months) |
|--|--|--------------------------------------|----------------------|
| BODY SUPPORT SYSTEM  |  |                                      |                      |
| 7210578 Seat, flexible, tension adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 30.5 cm (12 in.), 33 cm (13 in.), 35.4 cm (14 in.), 38.1 cm (15 in.) 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.4 cm (14 in.), 38.1 cm (15 in.) 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); | N. C.  | 85.72                                | 1                    |
| 7210579 Seat, rigid base   | 200.00   | 285.72                               | 12                   |
| 7210580 Seat cushion, multilayer, flat, 5.1 cm (2 in.); including removable, waterproof and machine washable cover   | N. C.  | 30.00                                | 12                   |
| 7210582 Back support, flexible, non tension adjustable; heights from 22.9 cm to 53.3 cm (9 in. to 21 in.)  | N. C.  | 52.50                                | 1                    |
| 7210583 Back support, flexible, tension adjustable   | 72.00  | 124.50                               | 1                    |
| 7210599 Push handle with hand grip   | 49.00  | 49.00                                | 12                   |
| 7210584 Postural support pelvic belt   | 20.00  | 20.00                                | 12                   |
| 7210585 T-shaped arm support, short, removable; height-adjustable, from 15.2 cm to 35.6 cm (6 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard   | N. C.  | 41.74                                | 1                    |
| 7210586 T-shaped arm support, long, removable; height-adjustable, from 15.2 cm to 35.6 cm (6 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard  | N. C.  | 41.74                                | 1                    |
| 7210587 L-shaped arm support, swing-away from 20.3 cm to 27,9 cm (8 in. to 11 in.)   | N. C.  | 41.74                                | 1                    |
| 7210593 Clothing guard for L-shaped arm support  | 100.00   | 100.00                               | 12                   |
| 7210588 Arm support pad, short, straight   | N. C.  | 6.61                                 | 1                    |
| 7210589 Arm support pad, long, straight  | N. C.  | 6.61                                 | 1                    |
| 7210590 Arm support pad, tubular   | N. C.  | 6.61                                 | 1                    |

| 7210501 A  | 25.00          | 21.71  | 1  |
|--|----------------|--------|----|
| 7210591 Arm support pad, contoured   | 25.00          | 31.61  | 1  |
| 7210592 Arm support pad, gel   | 40.00<br>N. C. | 46.61  | 1  |
| 7210597 Foot support, fixed  |                | 49.35  | 12 |
| 7210598 Foot support, full width, flip-up, angle and depth adjustable;   | 120.00         | 169.35 | 12 |
| 7210594 Calf support strap, single   | 60.00          | 60.00  | 12 |
| 7210595 Calf support strap, double   | 60.00          | 60.00  | 12 |
| 7210596 Heel loop, adjustable  | 60.00          | 60.00  | 12 |
| FRAME  |                |        |    |
| 7210600 Securement points for strap-type tiedowns for transport  | N. C.          | 133.55 | 12 |
| 7210601 Anti-tip device  | 99.00          | 99.00  | 12 |
| 7210602 Reflective devices   | 20.00          | 20.00  | 12 |
| 7210603 Cane holder  | 40.00          | 40.00  | 12 |
| DRIVE SYSTEM   |                |        |    |
| 7210604 Handrim, smooth  | N. C.          | 19.89  | 12 |
| 7210605 Handrim, plasticized   | 100.00         | 119.89 | 12 |
| 7210606 Handrim, anti-slip   | 245.00         | 264.89 | 12 |
| 7210607 Handrim, ergonomic   | 245.00         | 264.89 | 12 |
| 7210608 Handrim, with oblique projection   | 245.00         | 264.89 | 12 |
| 7210609 Parking brake, push-type activation  | N. C.          | 23.02  | 12 |
| 7210610 Parking brake, pull-type activation  | N. C.          | 23.02  | 12 |
| 7210611 Parking brake, scissor-type mechanism  | N. C.          | 23.02  | 12 |
| 7210612 Anti-rollback brake  | 50.00          | 50.00  | 12 |
| 7210613 Brake lever extension, plug-in   | 5.00           | 5.00   | 12 |
| 7210614 Fork, adjustable height  | N. C.          | 35.47  | 12 |
| WHEELS AND TIRES   |                |        |    |
| 7210619 Drive wheel, spoked; 50.8 cm (20 in.), 55.9 cm (22 in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.)                        | N. C.          | 33.70  | 12 |
| 7210620 Drive wheel, with puncture proof tire; 55.9 cm (22 in.), 61 cm (24 in.) or 66 cm (26 in.)  | 100.00         | 133.70 | 12 |
| 7210621 Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)   | N. C.          | 10.08  | 1  |
| 7210622 Drive wheel tire, standard pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66         | N. C.          | 10.08  | 1  |
| cm (26 in.) 7210623 Drive wheel tire, high pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66 | 50.00          | 60.08  | 1  |
| cm (26 in.) 7210615 Caster wheel, with solid tire; 7.6 cm (3 in.), 10.2 cm (4 in.), 12.7 cm (5 in.) or 15.2 cm (6 in.)                     | N. C.          | 15.86  | 12 |
| 7210616 Caster wheel, with semi-pneumatic tire; 10.2 cm (4 in.), 12.7 cm (5 in.) or 15.2 cm (6 in.)  | N. C.          | 15.86  | 12 |
| 7210617 Caster wheel, with standard pressure inner tube tire; 15.2 cm (6 in.)  | N. C.          | 15.86  | 12 |
| 7210618 Quick release drive wheel axle   | N. C.          | 30.00  | 12 |
| 7210624 Adapter for amputee axle position  | N. C.          | N. C.  | 12 |
| 7210625 Spoke guards   | 49.00          | 49.00  | 12 |
| 7210626 Drive wheel camber; 0°, 2°, 4°, 6° or 8°   | N. C.          | 52.90  | 12 |
|  |                |        |    |

1,050.00

CATEGORY FMA-GM 2-B-P2 (FOLDING FRAME)

SUNRISE MEDICAL CANADA INC.

## "QUICKIE Q2 LITE" DEVICE

# TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 120 kg (265 lb.)

Device weight: 15 kg (33 lb.)

**Overall width:** 48.9 cm to 78.7 cm (19¼ in. to 31 in.)

Front seat-to-floor height: 35.6 cm to 53.3 cm (14 in. to 21 in.) Rear seat-to-floor height: 33 cm to 53.3 cm (13 in. to 21 in.)

|  | BASIC AND OPTIONAL COMPONENTS  | Unit price for<br>component<br>during device<br>purchase    | Unit price for component replacement                         | Warranty<br>(months)                |
|--|--|---|--|-------------------------------------|
|  | BODY SUPPORT SYSTEM  |   |  |                                     |
| 7210390<br>7210391   | Seat, flexible, tension adjustable; strips of "hook" Velcro,<br>Seat, rigid base<br>Seat cushion, multilayer foam, flat, 5.1 cm (2 in.);<br>including removable, waterproof and machine washable<br>cover  | N. C.<br>115.00<br>N. C.                                    | 35.00<br>150.00<br>50.00                                     | 1<br>12<br>12                       |
| 7210394<br>7210395<br>7210396<br>7210427<br>7210397<br>7210398 | Back support, flexible, non tension adjustable Back support, flexible, tension adjustable Back support upright, straight, height and angle ajustable Back support upright, angled, height and angle ajustable Push handle, fixed, with hand grip Pelvic positioning belt T-shaped arm support, short, removable; height-adjustable, from 17.8 cm to 34.3 cm (7 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard | N. C.<br>40.00<br>N. C.<br>N. C.<br>N. C.<br>N. C.<br>N. C. | 35.00<br>75.00<br>65.00<br>65.00<br>15.00<br>25.00<br>114.00 | 1<br>1<br>12<br>12<br>12<br>12<br>1 |
|  | T-shaped arm support, long, removable; height-adjustable, from 17.8 cm to 34.3 cm (7 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard   | N. C.   | 114.00   | 1                                   |
|  | U-shaped arm support, short, flip-up and removable; height-adjustable, from 21.6 cm to 34.3 cm (8½ in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard   | N. C.   | 114.00   | 1                                   |
|  | U-shaped arm support, long, flip-up and removable; height-adjustable, from 21.6 cm to 34.3 cm (8½ in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard  | N. C.   | 114.00   | 1                                   |
| 7210409  | L-shaped arm support, swing-away<br>Clothing guard for L-shaped arm support<br>Arm support pad, short, straight  | N. C.<br>20.00<br>N. C.                                     | 114.00<br>20.00<br>6.00                                      | 1<br>12<br>1                        |

| 7210404 Arm support pad, long, straight 7210405 Arm support pad, tubular 7210406 Arm support pad, contoured 7210407 Arm support pad, gel 7210410 Parallel lower leg support, swing-away outward or inward; 70° or 80°; with locking mechanism; adjustable length from 8.9 cm to 24.1 cm (3½ in. to 9½ in.); or 60°, 70° or 80°; with locking mechanism; adjustable length from 22.9 cm to 50.8 cm (9 in. to 20 in.) | N. C.<br>N. C.<br>9.00<br>14.00<br>N. C. | 6.00<br>6.00<br>15.00<br>20.00<br>55.00 | 1<br>1<br>1<br>1<br>12 |
|---|--|---|------------------------|
| 7210412 Lower leg support, compensating elevating   | 55.00                                    | 110.00                                  | 12                     |
| 7210417 Foot support, flip-up, not angle adjustable, standard lenght  | N. C.                                    | 35.00                                   | 12                     |
| 7210418 Foot support, flip-up, not angle adjustable, extra long   | N. C.                                    | 35.00                                   | 12                     |
| 7210419 Foot support, flip-up, angle and depth adjustable, standard   | N. C.                                    | 35.00                                   | 12                     |
| length 7210420 Foot support, flip-up, angle and depth adjustable, extra long  | N. C.                                    | 35.00                                   | 12                     |
| 7210421 Foot support, flip-up, full width   | 72.00                                    | 107.00                                  | 12                     |
| 7210415 Padded calf support, angle, height and depth adjustable, including flat pad   | 25.00                                    | 25.00                                   | 12                     |
| 7210413 Calf support strap, single  | 15.00                                    | 15.00                                   | 12                     |
| 7210414 Calf support strap, double  | 18.00                                    | 18.00                                   | 12                     |
| 7210416 Heel loop, adjustable   | 1.00                                     | 1.00                                    | 12                     |
| 7210424 Back support tension bar  | 45.00                                    | 45.00                                   | 12                     |
| 7210425 Securement for head support for back support tension bar  | 40.00                                    | 40.00                                   | 12                     |
| 7210423 Head support, height and depth adjustable   | 55.00                                    | 55.00                                   | 12                     |
| 7210422 Contoured cushion for head support, all sizes   | 35.00                                    | 35.00                                   | 12                     |
| FRAME   |  |   |                        |
| 7210428 Securement points for strap-type tiedowns for transport   | N. C.                                    | 100.00                                  | 12                     |
| 7210429 Anti-tip device   | N. C.                                    | 18.00                                   | 12                     |
| 7210430 Reflective devices  | 5.00                                     | 5.00                                    | 12                     |
| 7210426 Front impact guard  | 10.00                                    | 10.00                                   | 12                     |
| 7210431 Cane holder   | 28.00                                    | 28.00                                   | 12                     |
| DRIVE SYSTEM  |  |   |                        |
| 7210433 Handrim, smooth   | N. C.                                    | 40.00                                   | 12                     |
| 7210434 Handrim, plasticized  | N. C.                                    | 40.00                                   | 12                     |
| 7210435 Handrim, anti-slip  | 35.00                                    | 75.00                                   | 12                     |
| 7210436 Handrim, ergonomic  | 70.00                                    | 110.00                                  | 12                     |
| 7210437 Handrim, with vertical or oblique projection  | 40.00<br>305.00                          | 80.00<br>345.00                         | 12<br>12               |
| 7210432 Unilateral manuel propulsion mechanism 7210439 Parking brake, push-type activation  | N. C.                                    | 25.00                                   | 12                     |
| 7210439 Tarking brake, pull-type activation   | N. C.                                    | 25.00                                   | 12                     |
| 7210438 Parking brake, unilateral activation  | 125.00                                   | 150.00                                  | 12                     |
| 7210441 Anti-rollback brake   | 36.00                                    | 36.00                                   | 12                     |
| 7210442 Brake lever extension, plug-in  | 5.00                                     | 5.00                                    | 12                     |
| 7210443 Fork, adjustable height   | N. C.                                    | 15.00                                   | 12                     |
| WHEELS AND TIRES  |  |   |                        |
| 7210449 Drive wheel, spoked   | N. C.                                    | 65.00                                   | 12                     |
| 7210450 Drive wheel, with puncture proof tire   | 15.00                                    | 80.00                                   | 12                     |

| 7210451 Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9 cm (22 in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.)               | N. C. | 20.00 | 1  |
|--|-------|-------|----|
| 7210452 Drive wheel tire, standard pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.) | N. C. | 20.00 | 1  |
| 7210453 Drive wheel tire, high pressure inner tube; 55.9 cm (22 in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.)                       | N. C. | 20.00 | 1  |
| 7210445 Caster wheel, with semi-pneumatic tire; 7.6 cm (3 in.), 10.2 cm (4 in.), 12.7 cm (5 in.), 15.2 cm (6 in.) or 20.3 cm (8 in.)           | N. C. | 15.00 | 12 |
| 7210446 Caster wheel, with standard pressure inner tube tire; 15.2 cm (6 in.)  | N. C. | 15.00 | 12 |
| 7210447 Drive wheel axle, fixed  | N. C. | 10.00 | 12 |
| 7210448 Quick release drive wheel axle   | N. C. | 10.00 | 12 |
| 7210454 Adaptor for amputee position   | 25.00 | 25.00 | 12 |
| 7210455 Spoke guards   | 20.00 | 20.00 | 12 |
| 7210456 Drive wheel camber; 0° or 2°   | N. C. | 2.00  | 12 |

| PRICE          |
|----------------|
| (including all |
| the basic      |
| components)    |

1,055.00

CATEGORY FMA-GM 2-B-P2 (FOLDING FRAME)

ORTHOFAB INC.

# "PRIMA" DEVICE

# TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 120 kg (265 lb.)

**Device weight:** 15 kg (33.6 lb.) **Overall width:** 66 cm (26 in.)

Front seat-to-floor height: 35.6 cm to 50.8 cm (14 in. to 20 in.)
Rear seat-to-floor height: 34.3 cm to 52.1 cm (13½ in. to 20½ in.)

| BASIC AND OPTIONAL COM  | PONENTS   | Unit price for<br>component<br>during device<br>purchase | Unit price for component replacement | Warranty<br>(months) |
|---|---|--|--------------------------------------|----------------------|
| BODY SUPPORT SYSTEM 7210628 Seat, flexible, tension adjustable 2.5 cm (1 in.) wide or wider; han of 35.6 cm (14 in.), 38.1 cm (15 43.2 cm (17 in.), 45.7 cm (18 in. cm (20 in.); depths of 35.6 cm (14 in.), 38.1 c (16 in.), 43.2 cm (17 in.), 45.7 cm | in.), 40.6 cm (16 in.),<br>48.3 cm (19 in.) or 50.8<br>cm (15 in.), 40.6 cm | N. C.  | 40.00                                | 60                   |
| or 50.8 cm (20 in.)  7210629 Seat, rigid base 7210630 Seat cushion, injected foam, flat, removable, waterproof and mach   |   | 20.00<br>N. C.   | 60.00<br>80.00                       | 60<br>60             |
| 7210632 Back support, flexible, non tensi 7210633 Back support, flexible, tension ac 7210634 Back support upright, straight, he 7210635 Back support upright, angled, he  | djustable<br>eight and angle ajustable                                      | N. C.<br>N. C.<br>N. C.<br>N. C.                         | 100.00<br>100.00<br>75.00<br>75.00   | 60<br>60<br>60       |
| 7210665 Push handle, fixed, with hand gr<br>7210636 Pelvic positioning belt<br>7210637 T-shaped arm support, short, ren<br>from 20.3 cm to 30.5 cm (8 in. to<br>to 35.6 cm (10 in. to 14 in.) by m<br>2.5 cm (1 in.), with locking mech                 | novable; height-adjustable, o 12 in.) or from 25.4 cm naximum increments of | N. C.<br>N. C.<br>N. C.                                  | 10.00<br>10.00<br>110.00             | 60<br>60<br>60       |
| guard 7210638 T-shaped arm support, long, rem from 20.3 cm to 30.5 cm (8 in. to to 35.6 cm (10 in. to 14 in.) by m 2.5 cm (1 in.), with locking mech guard  | o 12 in.) or from 25.4 cm<br>naximum increments of                          | N. C.  | 110.00                               | 60                   |

| 7210639 U-shaped arm support, short, flip-up and removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard                     | N. C.  | 110.00 | 60 |
|--|--------|--------|----|
| 7210640 U-shaped arm support, long, flip-up and removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard                      | N. C.  | 110.00 | 60 |
| 7210641 L-shaped arm support, swing-away; including clothing guard   | N. C.  | 110.00 | 60 |
| 7210642 Arm support pad, short, straight   | N. C.  | 8.00   | 60 |
| 7210643 Arm support pad, long, straight  | N. C.  | 8.00   | 60 |
| 7210644 Arm support pad, tubular   | 8.00   | 16.00  | 60 |
| 7210645 Arm support pad, contoured   | 20.00  | 28.00  | 60 |
| 7210646 Arm support pad, gel   | 72.00  | 80.00  | 60 |
| 7210648 Parallel lower leg support, swing-away outward; 60° or   | N. C.  | 20.00  | 60 |
| 70°; with locking mechanism; adjustable length from 30.5 cm to 35.6 cm (12 in. to 14 in.), or from 35.6 cm to 45.7 cm (14 in. to 18 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.); or 90°; with locking mechanism; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) | 14. C. | 20.00  | 00 |
| 7210649 Parallel lower leg support, swing-away inward; 60° or 70°;   | N. C.  | 20.00  | 60 |
| with locking mechanism; adjustable length from 30.5 cm to 35.6 cm (12 in. to 14 in.), or from 35.6 cm to 45.7 cm (14 in. to 18 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.); or 90°; with locking mechanism; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.)      | IV. C. | 20.00  | 00 |
| 7210650 Lower leg support, compensating elevating  | 100.00 | 120.00 | 60 |
| 7210655 Foot support, flip-up, not angle adjustable, standard lenght   | N. C.  | 15.00  | 60 |
| 7210055 1 oot support, riip up, not angle adjustatore, standard rengin   | 14. C. | 13.00  | 00 |
| 7210656 Foot support, flip-up, not angle adjustable, extra long  | N. C.  | 15.00  | 60 |
| 7210657 Foot support, flip-up, angle and depth adjustable, standard length   | N. C.  | 15.00  | 60 |
| 7210658 Foot support, flip-up, angle and depth adjustable, extra long  | 45.00  | 60.00  | 60 |
| 7210659 Foot support, flip-up, full width  | 85.00  | 100.00 | 60 |
| 7210653 Padded calf support, angle, height and depth adjustable, including flat pad  | 50.00  | 50.00  | 60 |
| 7210651 Calf support strap, single   | 15.00  | 15.00  | 60 |
| 7210652 Calf support strap, double   | 30.00  | 30.00  | 60 |
| 7210654 Heel loop, adjustable  | 5.00   | 5.00   | 60 |
| 7210662 Back support tension bar   | 35.00  | 35.00  | 60 |
| 7210663 Securement for head support for back support tension bar   | 90.00  | 90.00  | 60 |
| 7210661 Head support, height and depth adjustable  | 40.00  | 40.00  | 60 |
| 7210660 Contoured cushion for head support, all sizes  | 40.00  | 40.00  | 60 |
|  |        |        |    |
| FRAME  | N. C   | N. C   | (0 |
| 7210666 Securement points for strap-type tiedowns for transport  | N. C.  | N. C.  | 60 |
| 7210667 Anti-tip device  | N. C.  | 12.00  | 60 |
|  |        |        |    |

| 7210668 Reflective devices   | 50.00           | 50.00  | 60 |
|--|-----------------|--------|----|
| 7210664 Front impact guard   | 5.00            | 5.00   | 60 |
| 7210669 Cane holder  | 25.00           | 25.00  | 60 |
| DDIVE OVETEM   |                 |        |    |
| DRIVE SYSTEM 7210671 Handrim, smooth   | N. C.           | 80.00  | 60 |
|  | N. C.<br>N. C.  | 80.00  | 60 |
| 7210672 Handrim, plasticized<br>7210673 Handrim, anti-slip   | N. C.<br>80.00  | 160.00 | 60 |
| <u>*</u>   | 140.00          | 220.00 | 60 |
| 7210674 Handrim, ergonomic   | 140.00<br>N. C. | 80.00  | 60 |
| 7210675 Handrim, with oblique projection   |                 |        |    |
| 7210670 Unilateral manuel propulsion mechanism   | 470.00          | 550.00 | 60 |
| 7210677 Parking brake, push-type activation  | N. C.           | 30.00  | 60 |
| 7210678 Parking brake, pull-type activation  | N. C.           | 30.00  | 60 |
| 7210676 Parking brake, unilateral activation   | 140.00          | 170.00 | 60 |
| 7210679 Anti-rollback brake  | 45.00           | 45.00  | 60 |
| 7210680 Brake lever extension, telescopic  | 10.00           | 10.00  | 60 |
| 7210681 Fork, adjustable height  | N. C.           | 20.00  | 60 |
| WHEELS AND TIRES   |                 |        |    |
| 7210687 Drive wheel, spoked  | N. C.           | 30.00  | 60 |
| 7210688 Drive wheel, with puncture proof tire  | N. C.           | 30.00  | 60 |
| 7210689 Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9   | N. C.<br>N. C.  | 30.00  | 60 |
| cm (22 in.) or 61 cm (24 in.)  | N. C.           | 30.00  | 00 |
| 7210690 Drive wheel tire, standard pressure inner tube; 50.8 cm (20                                      | N. C.           | 30.00  | 60 |
| in.), 55.9 cm (22 in.) or 61 cm (24 in.)   |                 |        |    |
| 7210691 Drive wheel tire, high pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.) | N. C.           | 30.00  | 60 |
| 7210683 Caster wheel, with semi-pneumatic tire; 12.7 cm (5 in.),   | N. C.           | 40.00  | 60 |
| 15.2 cm (6 in.), 17.8 cm (7 in.) or 20.3 cm (8 in.)  | 14. 6.          | 10.00  | 00 |
| 7210684 Caster wheel, with standard pressure inner tube tire; 15.2                                       | N. C.           | 40.00  | 60 |
| cm (6 in.) or 20.3 cm (8 in.)  |                 |        |    |
| 7210685 Drive wheel axle, fixed  | N. C.           | 7.00   | 60 |
| 7210686 Quick release drive wheel axle   | N. C.           | 7.00   | 60 |
| 7210692 Adaptor for amputee position   | 50.00           | 50.00  | 60 |
| 7210693 Spoke guards   | 70.00           | 70.00  | 60 |
| 7210694 Drive wheel camber; 3°   | N. C.           | N. C.  | 60 |

| PRICE          |
|----------------|
| (including all |
| the basic      |
| components)    |

1,055.00

CATEGORY FMA-GM 2-C-P1 (FOLDING FRAME)

ORTHOFAB INC.

# "PRIMA 4" DEVICE

# TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 120 kg (265 lb.)

**Device weight:** 15.9 kg (35 lb.) **Overall width:** 67.3 cm (26½ in.)

Front seat-to-floor height: 35.6 cm to 50.8 cm (14 in. to 20 in.) Rear seat-to-floor height: 33 cm to 49.6 cm (13 in. to 19½ in.)

| BAS  | SIC AND OPTIONAL COMPONENTS   | Unit price for<br>component<br>during device<br>purchase | Unit price for component replacement | Warranty<br>(months) |
|--|---|--|--------------------------------------|----------------------|
|  | DY SUPPORT SYSTEM   |  |                                      |                      |
| 2.5 c<br>of 35<br>43.2<br>cm (<br>deptl<br>(16 i | t, flexible, tension adjustable; strips of "hook" Velcro, cm (1 in.) wide or wider; handle to fold chair; widths 5.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 (20 in.); ths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) 0.8 cm (20 in.) | N. C.  | 40.00                                | 60                   |
|  | cushion, injected foam, flat, 5.1 cm (2 in.); including ovable, waterproof and machine washable cover   | N. C.  | 80.00                                | 60                   |
| 7210461 Back                                     | k support, flexible, non tension adjustable   | N. C.  | 100.00                               | 60                   |
|  | k support, flexible, tension adjustable   | N. C.  | 100.00                               | 60                   |
|  | k support upright, straight, height and angle ajustable   | N. C.  | 75.00                                | 60                   |
| 7210464 Back                                     | k support upright, angled, height and angle ajustable   | N. C.  | 75.00                                | 60                   |
| 7210487 Push                                     | h handle, fixed, with hand grip   | N. C.  | 10.00                                | 60                   |
| 7210465 Pelv                                     | vic positioning belt  | N. C.  | 10.00                                | 60                   |
| from<br>to 35                                    | naped arm support, short, removable; height-adjustable, in 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm 5.6 cm (10 in. to 14 in.) by maximum increments of cm (1 in.), with locking mechanism; including clothing rd  | N. C.  | 110.00                               | 60                   |
| 7210467 T-sh<br>from<br>to 35                    | naped arm support, long, removable; height-adjustable, in 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm 5.6 cm (10 in. to 14 in.) by maximum increments of cm (1 in.), with locking mechanism; including clothing  | N. C.  | 110.00                               | 60                   |

| 7210468 U-shaped arm support, short, flip-up and removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard  | N. C.          | 110.00 | 60 |
|---|----------------|--------|----|
| 7210469 U-shaped arm support, long, flip-up and removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard   | N. C.          | 110.00 | 60 |
| 7210470 Arm support pad, short, straight  | N. C.          | 8.00   | 60 |
| 7210471 Arm support pad, long, straight   | N. C.          | 8.00   | 60 |
| 7210472 Arm support pad, contoured  | 20.00          | 28.00  | 60 |
| 7210473 Arm support pad, gel  | 72.00          | 80.00  | 60 |
| 7210475 Parallel lower leg support, swing-away inward or outward; 60° or 70°; with locking mechanism; adjustable length from 30.5 cm to 35.6 cm (12 in. to 14 in.), or from 35.6 cm to 45.7 cm (14 in. to 18 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.); or 90°; with locking mechanism; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) | N. C.          | 50.00  | 60 |
| 7210476 Lower leg support, compensating elevating   | N. C.          | 50.00  | 60 |
|   | N. C.<br>N. C. |        | 60 |
| 7210480 Foot support, flip-up, not angle adjustable, standard lenght  | N. C.          | 15.00  | 60 |
| 7210481 Foot support, flip-up, not angle adjustable, extra long   | N. C.          | 15.00  | 60 |
| 7210482 Foot support, flip-up, angle and depth adjustable, standard length  | N. C.          | 15.00  | 60 |
| 7210483 Foot support, flip-up, angle and depth adjustable, extra long   | 25.00          | 40.00  | 60 |
| 7210478 Padded calf support, angle, height and depth adjustable, including flat pad   | 50.00          | 50.00  | 60 |
| 7210477 Calf support strap, single  | 15.00          | 15.00  | 60 |
| 7210479<br>Heel loop, adjustable  | 5.00           | 5.00   | 60 |
| 7210485 Head support, height and depth adjustable   | 40.00          | 40.00  | 60 |
| 7210484 Contoured cushion for head support, all sizes   | 40.00          | 40.00  | 60 |
| FRAME   |                |        |    |
| 7210488 Securement points for strap-type tiedowns for transport   | N. C.          | N. C.  | 60 |
| 7210489 Anti-tip device   | N. C.          | 12.00  | 60 |
| 7210409 Reflective devices  | 50.00          | 50.00  | 60 |
| 7210486 Front impact guard  | 5.00           | 5.00   | 60 |
| 7210491 Cane holder   | 25.00          | 25.00  | 60 |
| 7210171 Cuite Holder  | 23.00          | 23.00  | 00 |
| DRIVE SYSTEM  |                |        |    |
| 7210493 Handrim, smooth   | N. C.          | 80.00  | 60 |
| 7210494 Handrim, plasticized  | N. C.          | 80.00  | 60 |
| 7210492 Unilateral manuel propulsion mechanism  | 470.00         | 550.00 | 60 |
| 7210495 Parking brake, push-type activation   | N. C.          | 30.00  | 60 |
| 7210496 Parking brake, pull-type activation   | N. C.          | 30.00  | 60 |
| 7210497 Brake lever extension, telescopic   | 10.00          | 10.00  | 60 |
| 7210498 Fork, adjustable height   | N. C.          | 20.00  | 60 |
| · •   |                |        |    |

| 7210695 MANUAL WHEELCHAIRS  |                          | 885.00    |    |
|---|--------------------------|-----------|----|
|   | cor                      | mponents) |    |
|   | (including all the basic |           |    |
|   |                          |           |    |
|   |                          | PRICE     |    |
| 7210507 Drive wheel camber; 3°                                      | N. C.                    | N. C.     | 60 |
| 7210506 Adaptor for amputee position                                | 50.00                    | 50.00     | 60 |
| 7210502 Quick release drive wheel axle                              | N. C.                    | 7.00      | 60 |
| 7210501 Drive wheel axle, fixed                                     | N. C.                    | 7.00      | 60 |
| 15.2 cm (6 in.), 17.8 cm (7 in.) or 20.3 cm (8 in.)                 |                          |           |    |
| 7210500 Caster wheel, with semi-pneumatic tire; 12.7 cm (5 in.),    | N. C.                    | 40.00     | 60 |
| in.), 55.9 cm (22 in.) or 61 cm (24 in.)                            |                          |           |    |
| 7210505 Drive wheel tire, standard pressure inner tube; 50.8 cm (20 | N. C.                    | 30.00     | 60 |
| cm (22 in.) or 61 cm (24 in.)                                       | N. C.                    | 30.00     | 00 |
| 7210504 Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9    | N. C.                    | 30.00     | 60 |
| 7210503 Drive wheel, spoked   | N. C.                    | 30.00     | 60 |
| WHEELS AND TIRES  |                          |           |    |

CATEGORY FMA-GM 2-C-P1 (FOLDING FRAME)

MOTION COMPOSITES INC.

"HELIO A6" DEVICE

# TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 120 kg (265 lb.)

**Device weight:** 13.9 kg (30.6 lb.) Overall width: 63.5 cm (25 in.)

Front seat-to-floor height: 30.5 cm to 52.1 cm (12 in. to 20½ in.) **Rear seat-to-floor height:** 30.5 cm to 51.4 cm (12 in. to 201/4 in.)

|         | BASIC AND OPTIONAL COMPONENTS   | Unit price for<br>component<br>during device<br>purchase | Unit price for component replacement | Warranty<br>(months) |
|---------|---|--|--------------------------------------|----------------------|
|         | BODY SUPPORT SYSTEM   |  |                                      |                      |
|         | Seat, flexible, tension adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.) | N. C.  | 20.35                                | 1                    |
|         | Seat cushion, multilayer foam, flat, 5.1 cm (2 in.); including removable, waterproof and machine washable cover   | N. C.  | 30.00                                | 12                   |
| 7210699 | Back support, flexible, non tension adjustable  | N. C.  | 32.16                                | 1                    |
| 7210700 | Back support, flexible, tension adjustable  | 20.00  | 52.16                                | 1                    |
| 7210701 | Back support upright, straight, height and angle ajustable  | N. C.  | 66.42                                | 12                   |

| 7210702 Back support upright, angled, height and angle ajustable  | N. C.  | 66.42  | 12 |
|---|--------|--------|----|
| 7210724 Push handle, fixed, with hand grip  | N. C.  | 49.00  | 12 |
| 7210703 Pelvic positioning belt   | N. C.  | 20.00  | 12 |
| 7210704 T-shaped arm support, short, removable; height-adjustable, from 15.2 cm to 35.6 cm (6 in. to 10 in.), from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard | N. C.  | 41.74  | 1  |
|   |        |        |    |
| 7210705 T-shaped arm support, long, removable; height-adjustable, from 15.2 cm to 35.6 cm (6 in. to 10 in.), from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard  | N. C.  | 41.74  | 1  |
| 7210706 U-shaped arm support, short, flip-up and removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard                                | N. C.  | 41.74  | 1  |
| 7210707 U-shaped arm support, long, flip-up and removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard                                 | N. C.  | 41.74  | 1  |
| 7210708 Arm support pad, short, straight  | N. C.  | 6.61   | 1  |
| 7210709 Arm support pad, long, straight   | N. C.  | 6.61   | 1  |
| 7210710 Arm support pad, contoured  | 25.00  | 31.61  | 1  |
| 7210710 Arm support pad, contoured 7210711 Arm support pad, gel   | 40.00  | 46.61  | 1  |
| 7210712 Parallel lower leg support, swing-away outward; 60°, 70° or 80°; with locking mechanism; adjustable length from 34.3 cm to 52.1 cm (13½ in. to 20½ in.), or 90° (front mount) with locking mechanism; adjustable length from 19.1 cm to 36.9 cm (7½ in. to 14½ in.)                     | N. C.  | 36.87  | 12 |
| 7210713 Lower leg support, compensating elevating   | 130.00 | 166.87 | 12 |
| 7210717 Foot support, flip-up, not angle adjustable, standard lenght  | N. C.  | 4.73   | 12 |
| 7210718 Foot support, flip-up, not angle adjustable, extra long   | N. C.  | 4.73   | 12 |
| 7210719 Foot support, flip-up, angle and depth adjustable, standard length  | 25.00  | 29.73  | 12 |
| 7210720 Foot support, flip-up, angle and depth adjustable, extra long   | 25.00  | 29.73  | 12 |
| 7210715 Padded calf support, angle, height and depth adjustable, including flat pad   | 85.00  | 85.00  | 12 |
| 7210714 Calf support strap, single  | 60.00  | 60.00  | 12 |
| 7210716 Heel loop, adjustable   | 5.00   | 5.00   | 12 |
| 7210722 Head support, height and depth adjustable   | 90.00  | 90.00  | 12 |
| 7210721 Contoured cushion for head support, all sizes   | 85.00  | 85.00  | 12 |
| FRAME   |        |        |    |
| 7210725 Securement points for strap-type tiedowns for transport   | N. C.  | 104.45 | 12 |

| 7210726 Anti-tip device  | N. C.  | 16.93  | 12 |
|--|--------|--------|----|
| 7210727 Reflective devices   | 20.00  | 20.00  | 12 |
| 7210723 Front impact guard   | 35.00  | 35.00  | 12 |
| 7210728 Cane holder  | 60.00  | 60.00  | 12 |
| DRIVE SYSTEM   |        |        |    |
| 7210730 Handrim, smooth  | N. C.  | 19.89  | 12 |
| 7210731 Handrim, plasticized   | 100.00 | 119.89 | 12 |
| 7210729 Unilateral manuel propulsion mechanism                             | 298.13 | 318.02 | 12 |
| 7210732 Parking brake, push-type activation                                | N. C.  | 23.02  | 12 |
| 7210733 Parking brake, pull-type activation                                | N. C.  | 23.02  | 12 |
| 7210734 Brake lever extension, plug-in                                     | 5.00   | 5.00   | 12 |
| 7210735 Fork, adjustable height  | N. C.  | 5.36   | 12 |
| WHEELS AND TIRES   |        |        |    |
| 7210740 Drive wheel, spoked  | N. C.  | 33.70  | 12 |
| 7210741 Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9           | N. C.  | 10.08  | 1  |
| cm (22 in.) or 61 cm (24 in.)  |        |        |    |
| 7210742 Drive wheel tire, standard pressure inner tube; 50.8 cm (20        | N. C.  | 10.08  | 1  |
| in.), 55.9 cm (22 in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.) |        |        |    |
| 7210736 Caster wheel, with solid tire; from 7.6 cm to 20.3 cm (3 in.       | N. C.  | 15.86  | 12 |
| to 8 in.)  |        |        |    |
| 7210737 Caster wheel, with semi-pneumatic tire; from 10.2 cm to            | N. C.  | 15.86  | 12 |
| 15.2 cm (4 in. to 6. in.)  |        |        |    |
| 7210738 Drive wheel axle, fixed  | N. C.  | 5.00   | 12 |
| 7210739 Quick release drive wheel axle                                     | 25.00  | 30.00  | 12 |
| 7210743 Adaptor for amputee position                                       | 90.00  | 90.00  | 12 |
| 7210744 Drive wheel camber; 0° or 3°                                       | N. C.  | 169.40 | 12 |
|  |        |        |    |
|  |        |        |    |

985.00

CATEGORY FMA-GM 2-C-P1 (FOLDING FRAME)

LES ÉQUIPEMENTS ADAPTÉS PHYSIPRO INC.

# "XL5" DEVICE

# TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 120 kg (265 lb.)

**Device weight:** 18.9 kg (37.7 lb.)

**Overall width:** 57.2 cm à 72.3 cm (22½ in. to 28½ in.)

Front seat-to-floor height: 29.3 cm to 53.3 cm ( $11\frac{1}{2}$  in. to 21 in.) Rear seat-to-floor height: 29.3 cm to 49.6 cm ( $11\frac{1}{2}$  in. to  $19\frac{1}{2}$  in.)

|         | BASIC AND OPTIONAL COMPONENTS   | Unit price for<br>component<br>during device<br>purchase | Unit price for component replacement | Warranty<br>(months) |
|---------|---|--|--------------------------------------|----------------------|
|         | BODY SUPPORT SYSTEM   |  |                                      |                      |
|         | Seat, flexible, tension adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.) | N. C.  | 30.00                                | 1                    |
| 7210747 | Seat cushion, multilayer foam, flat, 5.1 cm (2 in.), 7.6 cm (3 in.) or 10.2 cm (4 in.); including removable, waterproof and machine washable cover  | N. C.  | 84.00                                | 12                   |
| 7210749 | Back support, flexible, non tension adjustable  | N. C.  | 35.50                                | 1                    |
|         | Back support, flexible, tension adjustable  | 59.50  | 95.00                                | 1                    |
| 7210751 | Back support upright, straight, height and angle ajustable  | N. C.  | 28.00                                | 12                   |
| 7210752 | Back support upright, angled, height and angle ajustable  | N. C.  | 28.00                                | 12                   |
| 7210774 | Push handle, fixed, with hand grip  | N. C.  | 17.50                                | 12                   |
| 7210753 | Pelvic positioning belt   | N. C.  | 15.50                                | 12                   |
|         | T-shaped arm support, short, removable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard  | N. C.  | 90.00                                | 1                    |
| 7210755 | T-shaped arm support, long, removable; height-adjustable, from 20.3 cm to 35.6 cm (8 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard   | N. C.  | 90.00                                | 1                    |

| 7210756 U-shaped arm support, short, flip-up and removable; height-adjustable, from 17.2 cm to 24.2 cm (6¾ in. to 9½ in.) or from 21.6 cm to 33 cm (8½ in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking                            | N. C.  | 90.00  | 1  |
|--|--------|--------|----|
| 7210757 U-shaped arm support, long, flip-up and removable; height-   | N. C.  | 90.00  | 1  |
| 7210758 Arm support pad, short, straight   | N. C.  | 5.50   | 1  |
| 7210759 Arm support pad, long, straight  | N. C.  | 5.50   | 1  |
| 7210760 Arm support pad, contoured   | 34.50  | 40.00  | 1  |
| 7210761 Arm support pad, gel   | 50.50  | 56.00  | 1  |
| 7210762 Parallel lower leg support, swing-away outward; 60°, 70° or 90°; with locking mechanism; adjustable length from 26.7 cm to 33 cm (10½ in. to 13 in.), from 30.5 cm to 43.2 cm (12 in. to 17 in.) or from 40.6 cm to 53.3 cm (16 in. to 21 in.) | N. C.  | 59.50  | 12 |
| 7210763 Lower leg support, compensating elevating  | 130.50 | 190.00 | 12 |
| 7210767 Foot support, flip-up, not angle adjustable, standard lenght   | N. C.  | 28.00  | 12 |
| 7210768 Foot support, flip-up, not angle adjustable, extra long  | 7.00   | 35.00  | 12 |
| 7210769 Foot support, flip-up, angle and depth adjustable, standard length   | 22.00  | 50.00  | 12 |
| 7210770 Foot support, flip-up, angle and depth adjustable, extra long  | 37.00  | 65.00  | 12 |
| 7210765 Padded calf support, angle, height and depth adjustable, including flat or contoured pad   | 60.50  | 60.50  | 12 |
| 7210764 Calf support strap, single   | 20.00  | 20.00  | 12 |
| 7210766 Heel loop, adjustable  | 3.00   | 3.00   | 12 |
| 7210772 Head support, height and depth adjustable  | 80.00  | 80.00  | 12 |
| 7210771 Contoured cushion for head support, all sizes  | 57.00  | 57.00  | 12 |
| FRAME  |        |        |    |
| 7210775 Securement points for strap-type tiedowns for transport  | N. C.  | 5.00   | 12 |
| 7210776 Anti-tip device  | N. C.  | 17.00  | 12 |
| 7210777 Reflective devices   | 5.00   | 5.00   | 12 |
| 7210773 Front impact guard   | 35.00  | 35.00  | 12 |
| 7210778 Cane holder  | 30.00  | 30.00  | 12 |
| DRIVE SYSTEM   |        |        |    |
| 7210780 Handrim, smooth  | N. C.  | 16.00  | 12 |
| 7210781 Handrim, plasticized   | 18.00  | 34.00  | 12 |
| 7210779 Unilateral manuel propulsion mechanism   | 804.00 | 820.00 | 12 |
| 7210782 Parking brake, push-type activation  | N. C.  | 25.00  | 12 |
| 7210783 Parking brake, pull-type activation  | N. C.  | 25.00  | 12 |
| 7210784 Brake lever extension, telescopic or fixe  | 10.00  | 10.00  | 12 |
| 7210785 Fork, adjustable height  | N. C.  | 12.00  | 12 |

| WHEELS AND TIRES  |                |           |    |
|---|----------------|-----------|----|
| 7210790 Drive wheel, spoked   | N. C.          | 24.50     | 12 |
| 7210791 Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9    | N. C.          | 21.00     | 1  |
| cm (22 in.) or 61 cm (24 in.)                                       |                |           |    |
| 7210792 Drive wheel tire, standard pressure inner tube; 50.8 cm (20 | N. C.          | 21.00     | 1  |
| in.), 55.9 cm (22 in.) or 61 cm (24 in.)                            |                |           |    |
| 7210787 Caster wheel, with semi-pneumatic tire; 12.7 cm (5 in.),    | N. C.          | 11.25     | 12 |
| 15.2 cm (6 in.), 17.8 cm (7 in.) or 20.3 cm (8 in.)                 |                |           |    |
| 7210788 Drive wheel axle, fixed                                     | N. C.          | 5.00      | 12 |
| 7210789 Quick release drive wheel axle                              | 5.00           | 10.00     | 12 |
| 7210793 Adaptor for amputee position                                | 20.00          | 20.00     | 12 |
| 7210794 Drive wheel camber; 0° or 3°                                | N. C.          | 50.00     | 12 |
|   |                | PRICE     |    |
|   | (including all |           |    |
|   | t              | he basic  |    |
|   | COI            | mponents) |    |
| 7210795 MANUAL WHEELCHAIRS  | 1              | ,150.00   |    |

CATEGORY FMA-GM 2-C-P1 (FOLDING FRAME)

SUNRISE MEDICAL CANADA INC.

### "QUICKIE 2" DEVICE

# TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 120 kg (265 lb.)

**Device weight:** 16.8 kg (37 lb.)

**Overall width:** 49.6 cm to 78.7 cm (19½ in. to 31 in.)

Front seat-to-floor height: 34.3 cm to 55.9 cm (13½ in. to 22 in.) Rear seat-to-floor height: 33 cm to 55.9 cm (13 in. to 22 in.)

| BASIC AND OPTIONAL COMPONENTS  | Unit price for<br>component<br>during device<br>purchase | Unit price for component replacement | Warranty<br>(months) |
|--|--|--------------------------------------|----------------------|
| BODY SUPPORT SYSTEM  7210796 Seat, flexible, tension adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45. cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (2 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.) | 7  | 35.00                                | 1                    |
| 7210797 Seat cushion, multilayer foam, flat, 5.1 cm (2 in.); including removable, waterproof and machine washable cover  | N. C.  | 50.00                                | 12                   |
| 7210799 Back support, flexible, non tension adjustable   | N. C.  | 35.00                                | 1                    |
| 7210800 Back support, flexible, tension adjustable   | 40.00  | 75.00                                | 1                    |
| 7210801 Back support upright, straight, height and angle ajustable   | N. C.  | 65.00                                | 12                   |
| 7210802 Back support upright, angled, height and angle ajustable   | N. C.  | 65.00                                | 12                   |
| 7210824 Push handle, fixed, with hand grip   | N. C.  | 15.00                                | 12                   |

| 7210803 Pelvic positioning belt   | N. C. | 25.00  | 12       |
|---|-------|--------|----------|
| 7210804 T-shaped arm support, short, removable; height-adjustable,              | N. C. | 114.00 | 1        |
| from 17.8 cm to 34.3 cm (7 in. to 13½ in.) by maximum                           |       |        |          |
| increments of 2.5 cm (1 in.), with locking mechanism;                           |       |        |          |
| including clothing guard  |       |        |          |
| 7210805 T-shaped arm support, long, removable; height-adjustable,               | N. C. | 114.00 | 1        |
| from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm                       |       |        |          |
| to 35.6 cm (10 in. to 14 in.) by maximum increments of                          |       |        |          |
| 2.5 cm (1 in.), with locking mechanism; including clothing                      |       |        |          |
| guard   |       |        |          |
| 7210806 U-shaped arm support, short, flip-up and removable;                     | N. C. | 114.00 | 1        |
| height-adjustable, from 21.6 cm to 34.3 cm (8.5 in. to 13½                      |       |        |          |
| in.) by maximum increments of 2.5 cm (1 in.), with locking                      |       |        |          |
| mechanism; including clothing guard   |       |        |          |
|   |       |        |          |
| 7210807 U-shaped arm support, long, flip-up and removable; height-              | N. C. | 114.00 | 1        |
| adjustable, from 21.6 cm to 34.3 cm (8.5 in. to 13½ in.) by                     |       |        |          |
| maximum increments of 2.5 cm (1 in.), with locking                              |       |        |          |
| mechanism; including clothing guard   |       |        |          |
|   |       |        |          |
| 7210808 Arm support pad, short, straight  | N. C. | 6.00   | 1        |
| 7210809 Arm support pad, long, straight   | N. C. | 6.00   | 1        |
| 7210810 Arm support pad, contoured  | 9.00  | 15.00  | 1        |
| 7210811 Arm support pad, gel  | 14.00 | 20.00  | 1        |
| 7210812 Parallel lower leg support, swing-away inward; 70°, 80° or              | N. C. | 55.00  | 12       |
| 90°; with locking mechanism; adjustable length from 8.9                         |       |        |          |
| cm to 24.2 cm ( $3\frac{1}{2}$ in. to $9\frac{1}{2}$ in.) or from 22.9 cm to    |       |        |          |
| 50.8 cm (9 in. to 20 in.)   |       |        |          |
| 7210813 Lower leg support, non-compensating elevating                           | 35.00 | 90.00  | 12       |
|   |       |        |          |
| 7210817 Foot support, flip-up, not angle adjustable, standard lenght            | N. C. | 35.00  | 12       |
|   |       |        |          |
| 7210818 Foot support, flip-up, not angle adjustable, extra long                 | N. C. | 35.00  | 12       |
| 7010010 F   | NG    | 25.00  | 10       |
| 7210819 Foot support, flip-up, angle and depth adjustable, standard             | N. C. | 35.00  | 12       |
| length  | NG    | 25.00  | 10       |
| 7210820 Foot support, flip-up, angle and depth adjustable, extra                | N. C. | 35.00  | 12       |
| long  | 25.00 | 25.00  | 10       |
| 7210815 Padded calf support, angle, height and depth adjustable,                | 25.00 | 25.00  | 12       |
| including flat pad 7210814 Calf support strap, single                           | 15.00 | 15.00  | 12       |
| 7210814 Carl support strap, single 7210816 Heel loop, adjustable                | 1.00  | 1.00   | 12<br>12 |
| 7210816 Free Roop, adjustable 7210822 Head support, height and depth adjustable | 55.00 | 55.00  | 12       |
| /210822 Head support, neight and depth adjustable                               | 33.00 | 33.00  | 12       |
| 7210821 Contoured cushion for head support, all sizes                           | 35.00 | 35.00  | 12       |
| 7210021 Contoured custion for head support, an sizes                            | 33.00 | 33.00  | 12       |
| FRAME   |       |        |          |
| 7210825 Securement points for strap-type tiedowns for transport                 | N. C. | 100.00 | 12       |
| 7210826 Anti-tip device   | N. C. | 18.00  | 12       |
| 7210827 Reflective devices  | 5.00  | 5.00   | 12       |
| 7210823 Front impact guard  | 10.00 | 10.00  | 12       |
| 7210828 Cane holder   | 28.00 | 28.00  | 12       |
|   |       |        |          |

| DRIVE S | YSTEM |
|---------|-------|
|---------|-------|

| DIG VE STSTEM  |        |        |    |
|--|--------|--------|----|
| 7210830 Handrim, smooth  | N. C.  | 40.00  | 12 |
| 7210831 Handrim, plasticized   | N. C.  | 40.00  | 12 |
| 7210829 Unilateral manuel propulsion mechanism   | 305.00 | 345.00 | 12 |
| 7210832 Parking brake, push-type activation  | N. C.  | 25.00  | 12 |
| 7210833 Parking brake, pull-type activation  | N. C.  | 25.00  | 12 |
| 7210834 Brake lever extension, plug-in   | 5.00   | 5.00   | 12 |
| 7210835 Fork, adjustable height  | N. C.  | 15.00  | 12 |
| WHEELS AND TIRES   |        |        |    |
| 7210840 Drive wheel, spoked  | N. C.  | 65.00  | 12 |
| 7210841 Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)                       | N. C.  | 20.00  | 1  |
| 7210842 Drive wheel tire, standard pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)         | N. C.  | 20.00  | 1  |
| 7210837 Caster wheel, with semi-pneumatic tire; 12.7 cm (5 in.), 15.2 cm (6 in.), 17.8 cm (7 in.) or 20.3 cm (8 in.) | N. C.  | 15.00  | 12 |
| 7210838 Drive wheel axle, fixed  | N. C.  | 10.00  | 12 |
| 7210839 Quick release drive wheel axle   | N. C.  | 10.00  | 12 |
| 7210843 Adaptor for amputee position   | 25.00  | 25.00  | 12 |
| 7210844 Drive wheel camber; 0° or 2°   | N. C.  | 2.00   | 12 |
|  |        |        |    |

| PRICE          |
|----------------|
| (including all |
| the basic      |
| components)    |

### 7210508 MANUAL WHEELCHAIRS

1,150.00

CATEGORY FMA-GM 3-C-P2 (FOLDING FRAME)

LES ÉQUIPEMENTS ADAPTÉS PHYSIPRO INC.

### "XL RF" DEVICE

### TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 159 kg (350 lb.)

**Device weight:** 17.7 kg (39 lb.)

**Overall width:** 62.3 cm to 82.5 cm (24½ in. to 32½ in.)

Front seat-to-floor height: 29.3 cm to 53.3 cm (11½ in. to 21 in.)
Rear seat-to-floor height: 29.3 cm to 52.1 cm (11½ in. to 20½ in.)

|         | BASIC AND OPTIONAL COMPONENTS  | Unit price for<br>component<br>during device<br>purchase | Unit price for component replacement | Warranty<br>(months) |
|---------|--|--|--------------------------------------|----------------------|
| 7210500 | BODY SUPPORT SYSTEM Seat, flexible, tension adjustable; strips of "hook" Velcro,   | N. C.  | 30.00                                | 1                    |
| 7210309 | 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.) | Ν. ε.  | 30.00                                | 1                    |
| 7210510 | Seat, rigid base   | 85.00  | 115.00                               | 12                   |
|         | Seat cushion, multilayer foam, flat, 5.1 cm (2 in.), 7.6 cm (3 in.) or 10.2 cm (4 in.); including removable, waterproof and machine washable cover   | N. C.  | 84.00                                | 12                   |
| 7210513 | Back support, flexible, non tension adjustable   | N. C.  | 35.50                                | 1                    |
|         | Back support, flexible, tension adjustable   | 59.50  | 95.00                                | 1                    |
| 7210515 | Back support upright, straight, height and angle ajustable   | N. C.  | 28.00                                | 12                   |
| 7210516 | Back support upright, angled, height and angle ajustable   | N. C.  | 28.00                                | 12                   |
| 7210547 | Push handle, fixed, with hand grip   | N. C.  | 17.50                                | 12                   |
| 7210517 | Pelvic positioning belt  | N. C.  | 15.50                                | 12                   |
| 7210518 | T-shaped arm support, short, removable; height-adjustable, from 17.8 cm to $30.5$ cm (7 in. to $12$ in.) by maximum increments of $2.5$ cm (1 in.), with locking mechanism; including clothing guard   | N. C.  | 90.00                                | 1                    |

| 7210519 T-shaped arm support, long, removable; height-adjustable, from 20.3 cm to 35.6 cm (8 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism;  | N. C.          | 90.00        | 1        |
|---|----------------|--------------|----------|
| including clothing guard  |                |              |          |
| 7210520 U-shaped arm support, short, flip-up and removable; height-adjustable, from 17.2 cm to 24.2 cm (6¾ in. to 9½ in.) or from 21.6 cm to 33 cm (8½ in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking | N. C.          | 90.00        | 1        |
| mechanism; including clothing guard   | N. C.          | 90.00        | 1        |
| 7210521 U-shaped arm support, long, flip-up and removable; height-adjustable, from 30.5 cm to 41.9 cm (12 in. to 16½ in.) by  |                |              | 1        |
| 7210522 L-shaped arm support, swing-away, including clothing  | N. C.          | 90.00        | 1        |
| guard 7210522 Arm guarant and short straight  | N. C.          | 5.50         | 1        |
| 7210523 Arm support pad, short, straight  | N. C.<br>N. C. | 5.50<br>5.50 | 1        |
| 7210525 Arm support pad, long, straight   | 66.00          |              | 1        |
| 7210525 Arm support pad, tubular  | 34.50          | 71.50        | 1        |
| 7210526 Arm support pad, contoured  |                | 40.00        | 1        |
| 7210527 Arm support pad, gel  | 50.50          | 56.00        | 1        |
| 7210530 Parallel lower leg support, swing-away inward and outward; 60°, 70° or 90°; with locking mechanism;   | N. C.          | 59.50        | 12       |
| adjustable length from 26.7 cm to 33 cm (10½ in. to 13  |                |              |          |
| in.), from 30.5 cm to 43.2 cm (12 in. to 17 in.) or from  |                |              |          |
| 40.6 cm to 53.3 cm (16 in. to 21 in.)   |                |              |          |
| 7210532 Lower leg support, compensating elevating   | 130.50         | 190.00       | 12       |
| 7210537 Foot support, flip-up, not angle adjustable, standard lenght  | N. C.          | 28.00        | 12       |
| 7210538 Foot support, flip-up, not angle adjustable, extra long   | 7.00           | 35.00        | 12       |
| 7210539 Foot support, flip-up, angle and depth adjustable, standard length  | 22.00          | 50.00        | 12       |
| 7210540 Foot support, flip-up, angle and depth adjustable, extra long   | 37.00          | 65.00        | 12       |
| 7210541 Foot support, flip-up, full width   | 102.00         | 130.00       | 12       |
| 7210535 Padded calf support, angle, height and depth adjustable,  | 60.50          | 60.50        | 12       |
| 7210533 Calf support strap, single  | 20.00          | 20.00        | 12       |
| 7210534 Calf support strap, double  | 20.00          | 20.00        | 12       |
| 7210534 Call support strap, double 7210536 Heel loop, adjustable  | 3.00           | 3.00         |          |
| 7210536 Free 100p, adjustable 7210544 Back support tension bar  | 50.00          | 50.00        | 12<br>12 |
| 7210544 Back support tension bar 7210545 Securement for head support for back support tension bar   | 95.00          | 95.00        | 12       |
|   | 80.00          | 80.00        | 12       |
| 7210543 Head support, height and depth adjustable   | 80.00          | 80.00        | 12       |
| 7210542 Contoured cushion for head support, all sizes   | 57.00          | 57.00        | 12       |
| FRAME   |                |              |          |
| 7210548 Securement points for strap-type tiedowns for transport   | N. C.          | 5.00         | 12       |
| 7210549 Anti-tip device   | N. C.          | 17.00        | 12       |
| 7210550 Reflective devices  | 5.00           | 5.00         | 12       |
| 7210536 Reflective devices 7210546 Front impact guard   | 35.00          | 35.00        | 12       |
| 7210540 Front Impact guard<br>7210551 Cane holder   | 30.00          | 30.00        | 12       |
| 7210331 Cane notice   | 30.00          | 50.00        | 12       |
| DRIVE SYSTEM  |                |              |          |
| 7210553 Handrim, smooth   | N. C.          | 16.00        | 12       |
| 7210554 Handrim, plasticized  | 18.00          | 34.00        | 12       |
|   |                |              |          |

| 7210555 Handrim, anti-slip   | 64.00  | 80.00  | 12 |
|--|--------|--------|----|
| 7210556 Handrim, ergonomic   | 89.00  | 105.00 | 12 |
| 7210557 Handrim, with vertical projection  | 64.00  | 80.00  | 12 |
| 7210552 Unilateral manuel propulsion mechanism   | 804.00 | 820.00 | 12 |
| 7210559 Parking brake, push-type activation  | N. C.  | 25.00  | 12 |
| 7210560 Parking brake, pull-type activation  | N. C.  | 25.00  | 12 |
| 7210558 Parking brake, unilateral activation   | 175.00 | 200.00 | 12 |
| 7210561 Anti-rollback brake  | 75.00  | 75.00  | 12 |
| 7210562 Brake lever extension, telescopic or fixe  | 10.00  | 10.00  | 12 |
| 7210563 Fork, adjustable height  | N. C.  | 12.00  | 12 |
| WHEELS AND TIRES   |        |        |    |
| 7210569 Drive wheel, spoked  | N. C.  | 24.50  | 12 |
| 7210570 Drive wheel, with puncture proof tire  | 65.50  | 90.00  | 12 |
| 7210571 Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9                                 | N. C.  | 21.00  | 1  |
| cm (22 in.), 61 cm (24 in.) or 66 cm (26 in.)  |        |        |    |
| 7210572 Drive wheel tire, standard pressure inner tube; 50.8 cm (20                              | N. C.  | 21.00  | 1  |
| in.), 55.9 cm (22 in.), 61 cm (24 in.) or 66 cm (26 in.)   |        |        |    |
| 7210573 Drive wheel tire, high pressure inner tube; 50.8 cm (20                                  | 25.00  | 46.00  | 1  |
| in.), 55.9 cm (22 in.), 61 cm (24 in.) or 66 cm (26 in.)   |        |        |    |
| 7210565 Caster wheel, with semi-pneumatic tire; 12.7 cm (5 in.),                                 | N. C.  | 11.25  | 12 |
| 15.2 cm (6 in.), 17.8 cm (7 in.) or 20.3 cm (8 in.)  |        |        |    |
| 7210566 Caster wheel, with standard pressure inner tube tire; 15.2 cm (6 in.) or 20.3 cm (8 in.) | 38.75  | 50.00  | 12 |
| 7210567 Drive wheel axle, fixed  | N. C.  | 5.00   | 12 |
| 7210568 Quick release drive wheel axle   | 5.00   | 10.00  | 12 |
| 7210574 Adaptor for amputee position   | 20.00  | 20.00  | 12 |
| 7210575 Spoke guards   | 56.00  | 56.00  | 12 |
| 7210576 Drive wheel camber; 0° or 3°   | N. C.  | 50.00  | 12 |
|  |        |        |    |

### 7210845 MANUAL WHEELCHAIRS

1,285.00

CATEGORY FMA-GM 3-C-P2 (FOLDING FRAME)

ORTHOFAB INC.

# "PRIMA ROBUSTE" DEVICE

# TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 159 kg (350 lb.)

**Device weight:** 16.8 kg (37 lb.) **Overall width :** 72.9 cm (28.7 in.)

Front seat-to-floor height: 35.6 cm to 50.8 cm (14 in. to 20 in.) Rear seat-to-floor height: 33 cm to 49.6 cm (13 in. to 19½ in.)

|         | BASIC AND OPTIONAL COMPONENTS  | Unit price for<br>component<br>during device<br>purchase | Unit price for component replacement | Warranty<br>(months) |
|---------|--|--|--------------------------------------|----------------------|
|         | BODY SUPPORT SYSTEM  |  |                                      |                      |
|         | Seat, flexible, tension adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.); | N. C.  | 40.00                                | 60                   |
|         | depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)   |  |                                      |                      |
| 7210847 | Seat, rigid base   | 20.00  | 60.00                                | 60                   |
|         | Seat cushion, injected foam, flat, 5.1 cm (2 in.); including removable, waterproof and machine washable cover  | N. C.  | 80.00                                | 60                   |
| 7210850 | Back support, flexible, non tension adjustable   | N. C.  | 100.00                               | 60                   |
| 7210851 | Back support, flexible, tension adjustable   | N. C.  | 100.00                               | 60                   |
| 7210852 | Back support upright, straight, height and angle ajustable   | N. C.  | 75.00                                | 60                   |
| 7210853 | Back support upright, angled, height and angle ajustable   | N. C.  | 75.00                                | 60                   |
| 7210883 | Push handle, fixed, with hand grip   | N. C.  | 10.00                                | 60                   |
|         | Pelvic positioning belt  | N. C.  | 10.00                                | 60                   |
| 7210855 | T-shaped arm support, short, removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard             | N. C.  | 110.00                               | 60                   |
|         | T-shaped arm support, long, removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard              | N. C.  | 110.00                               | 60                   |

| 7210857 U-shaped arm support, short, flip-up and removable;  | N. C.          | 110.00         | 60       |
|--|----------------|----------------|----------|
| height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.)   |                |                |          |
| or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum   |                |                |          |
| increments of 2.5 cm (1 in.), with locking mechanism;  |                |                |          |
| including clothing guard   |                |                |          |
| 7210858 U-shaped arm support, long, flip-up and removable; height-   | N. C.          | 110.00         | 60       |
| adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or   |                |                |          |
| from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum  |                |                |          |
| increments of 2.5 cm (1 in.), with locking mechanism;  |                |                |          |
| including clothing guard   |                |                |          |
| 7210859 L-shaped arm support, swing-away, including clothing   | N. C.          | 110.00         | 60       |
| guard  |                |                |          |
| 7210860 Arm support pad, short, straight   | N. C.          | 8.00           | 60       |
| 7210861 Arm support pad, long, straight  | N. C.          | 8.00           | 60       |
| 7210862 Arm support pad, tubular   | 8.00           | 16.00          | 60       |
| 7210863 Arm support pad, contoured   | 20.00          | 28.00          | 60       |
| 7210864 Arm support pad, gel   | 72.00          | 80.00          | 60       |
| 7210866 Parallel lower leg support, swing-away outward; 60° or   | N. C.          | 20.00          | 60       |
| 70°; with locking mechanism; adjustable length from  |                |                |          |
| 30.5 cm to 35.6 cm (12 in. to 14 in.), or from 35.6 cm to  |                |                |          |
| 45.7 cm (14 in. to 18 in.) or from 43.2 cm to 53.3 cm (17  |                |                |          |
| in. to 21 in.);  |                |                |          |
| or 90°; with locking mechanism; adjustable length from   |                |                |          |
| 35.6 cm to 48.3 cm (14 in. to 19 in.)  | N. C           | 20.00          | 60       |
| 7210867 Parallel lower leg support, swing-away inward; 60° or 70°;   | N. C.          | 20.00          | 60       |
| with locking mechanism; adjustable length from 30.5 cm   |                |                |          |
| to 35.6 cm (12 in. to 14 in.), or from 35.6 cm to 45.7 cm  |                |                |          |
| (14 in. to 18 in.) or from 43.2 cm to 53.3 cm (17 in. to 21  |                |                |          |
| in.);  |                |                |          |
| or 90°; with locking mechanism; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.)                           |                |                |          |
| 7210868 Lower leg support, compensating elevating  | 100.00         | 120.00         | 60       |
| 7210808 Lower leg support, compensating clevating 7210873 Foot support, flip-up, not angle adjustable, standard lenght | N. C.          | 15.00          | 60       |
| 7210073 100t support, mp-up, not angle adjustable, standard length   | N. C.          | 13.00          | 00       |
| 7210874 Foot support, flip-up, not angle adjustable, extra long  | N. C.          | 15.00          | 60       |
|  |                |                |          |
| 7210875 Foot support, flip-up, angle and depth adjustable, standard  | N. C.          | 15.00          | 60       |
| length   |                |                |          |
| 7210876 Foot support, flip-up, angle and depth adjustable, extra   | 45.00          | 60.00          | 60       |
| long   |                |                |          |
| 7210877 Foot support, flip-up, full width  | 85.00          | 100.00         | 60       |
| 7210871 Padded calf support, angle, height and depth adjustable,   | 50.00          | 50.00          | 60       |
| including flat pad   |                |                |          |
| 7210869 Calf support strap, single   | 15.00          | 15.00          | 60       |
| 7210870 Calf support strap, double   | 30.00          | 30.00          | 60       |
| 7210872 Heel loop, adjustable  | 5.00           | 5.00           | 60       |
| 7210880 Back support tension bar   | 35.00          | 35.00          | 60       |
| 7210881 Securement for head support for back support tension bar   | 90.00          | 90.00          | 60       |
| 7210879 Head support, height and depth adjustable  | 40.00          | 40.00          | 60       |
| <b>TALONTO</b> G   | 40.00          | 40.00          |          |
| 7210878 Contoured cushion for head support, all sizes  | 40.00          | 40.00          | 60       |
| EDAME  |                |                | 60       |
| FRAME 7210884 Sequement points for strong type tiedexyng for transport   | NI C           | N C            | 60       |
| 7210884 Securement points for strap-type tiedowns for transport 7210885 Anti-tip device                                | N. C.<br>N. C. | N. C.<br>12.00 | 60<br>60 |
| 1210005 Anti-up device   | 1 <b>v.</b> C. | 12.00          | 00       |
|  |                |                |          |

| 7210886 Reflective devices  | 50.00          | 50.00          | 60       |
|---|----------------|----------------|----------|
| 7210882 Front impact guard  | 5.00           | 5.00           | 60       |
| 7210887 Cane holder   | 25.00          | 25.00          | 60       |
| DRIVE SYSTEM  |                |                |          |
| 7210889 Handrim, smooth   | N. C.          | 80.00          | 60       |
| 7210890 Handrim, plasticized  | N. C.          | 80.00          | 60       |
| 7210891 Handrim, anti-slip  | 80.00          | 160.00         | 60       |
| 7210892 Handrim, ergonomic  | 140.00         | 220.00         | 60       |
| 7210893 Handrim, with oblique projection                            | N. C.          | 80.00          | 60       |
| 7210888 Unilateral manuel propulsion mechanism                      | 470.00         | 550.00         | 60       |
| 7210895 Parking brake, push-type activation                         | N. C.          | 30.00          | 60       |
| 7210896 Parking brake, pull-type activation                         | N. C.          | 30.00          | 60       |
| 7210894 Parking brake, unilateral activation                        | 140.00         | 170.00         | 60       |
| 7210897 Anti-rollback brake   | 45.00          | 45.00          | 60       |
| 7210898 Brake lever extension, telescopic                           | 10.00          | 10.00          | 60       |
| 7210899 Fork, adjustable height                                     | N. C.          | 20.00          | 60       |
| WHEELS AND TIRES  |                |                |          |
| 7210905 Drive wheel, spoked   | N. C.          | 30.00          | 60       |
| 7210906 Drive wheel, with puncture proof tire                       | N. C.          | 30.00          | 60       |
| 7210907 Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9    | N. C.          | 30.00          | 60       |
| cm (22 in.) or 61 cm (24 in.)                                       |                |                |          |
| 7210908 Drive wheel tire, standard pressure inner tube; 50.8 cm (20 | N. C.          | 30.00          | 60       |
| in.), 55.9 cm (22 in.) or 61 cm (24 in.)                            |                |                |          |
| 7210909 Drive wheel tire, high pressure inner tube; 50.8 cm (20     | N. C.          | 30.00          | 60       |
| in.), 55.9 cm (22 in.) or 61 cm (24 in.)                            |                |                |          |
| 7210901 Caster wheel, with semi-pneumatic tire; 12.7 cm (5 in.),    | N. C.          | 40.00          | 60       |
| 15.2 cm (6 in.), 17.8 cm (7 in.) or 20.3 cm (8 in.)                 |                |                |          |
| 7210902 Caster wheel, with standard pressure inner tube tire; 15.2  | N. C.          | 40.00          | 60       |
| cm (6 in.) or 20.3 cm (8 in.)                                       | NC             | 7.00           | (0       |
| 7210903 Drive wheel axle, fixed                                     | N. C.<br>N. C. | 7.00           | 60       |
| 7210904 Quick release drive wheel axle                              | N. C.<br>50.00 | 7.00           | 60       |
| 7210910 Adaptor for amputee position 7210911 Spoke guards           | 70.00          | 50.00<br>70.00 | 60<br>60 |
| • •   | 70.00<br>N. C. |                |          |
| 7210912 Drive wheel camber; 3°                                      | N. C.          | N. C.          | 60       |

# DIVISION II: POWERED WHEELCHAIRS

**SUBDIVISION 1: MASS GROUP 1** 

| PRICE          |
|----------------|
| (including all |
| the basic      |
| components)    |

4,275.00

7213000 POWERED WHEELCHAIR

CATEGORY FMO-GM 1-B-P2 (MID-WHEEL DRIVE)

AMYLIOR INC.

### "ALLTRACK M ATM1B" DEVICE

### TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 50 kg (110 lb.)

**Seat-to-floor height:** 39.5 cm to 52.1 cm (15½ in. to 20½ in.)

Frame: mid-wheel drive base, overall width  $\leq 63.5$  cm (25 in.)

| BASIC AND OPTIONAL COMPONENTS   | Unit price of<br>component<br>during device<br>purchase | Unit price for component replacement | Warranty<br>(months) |
|---|---|--------------------------------------|----------------------|
| BODY SUPPORT SYSTEM   |   |                                      |                      |
| 7213001 Seat-to-back assembly structure; resizable  | N. C.   | 550.00                               | 12                   |
| 7213002 Rigid seat base, witdth and depth adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.) | N. C.   | 200.00                               | 12                   |
| 7213003 Seat, padded and contoured  | 200.00  | 400.00                               | 1                    |
| 7213006 Back support, padded and contoured; heights of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.), 61 cm (24 in.), 63.5 cm (25 in.), 66 cm (26 in.) or 71 cm (28 in.)   | N. C.   | 450.00                               | 1                    |
| 7213005 Back support, flexible, tension adjustable  | N. C.   | 450.00                               | 1                    |
| 7213007 Back support upright, straight, height and angle adjustable;  | N. C.   | 94.00                                | 12                   |
| 7213008 Push handle, with hand grip   | N. C.   | 8.00                                 | 12                   |
| 7213010 Powered reclining back support, including biomechanical adjustment  | 1,800.00  | 1,800.00                             | 12                   |
| 7213011 Power tilt mechanism  | 1,600.00  | 1,600.00                             | 12                   |

| 7213012 Postural support pelvic belt  | N. C.    | 25.00    | 12       |
|---|----------|----------|----------|
| 7213013 T-shaped arm support, short, removable; height-adjustable,  | N. C.    | 150.00   | 1        |
| from 18.42 cm to 38.7 cm (7 <sup>1</sup> / <sub>4</sub> in. to 15 <sup>1</sup> / <sub>4</sub> in.) by maximum                 |          |          |          |
| increments of 2.5 cm (1 in.), with locking mechanism  |          |          |          |
| 7212014 T should am over out long nemovable height adjustable   | N. C.    | 150.00   | 1        |
| 7213014 T-shaped arm support, long, removable; height-adjustable, from 18.42 cm to 38.7 cm (71/4 in. to 151/4 in.) by maximum | N. C.    | 150.00   | 1        |
| increments of 2.5 cm (1 in.), with locking mechanism  |          |          |          |
| `   | 22.00    | 102.00   |          |
| 7213015 U-shaped arm support, short, flip-up and removable;   | 33.00    | 183.00   | 1        |
| height-adjustable, from 18.42 cm to 38.7 cm (7½ in. to  |          |          |          |
| 15 <sup>1</sup> / <sub>4</sub> in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism                           |          |          |          |
| 7213016 U-shaped arm support, long, flip-up and removable; height-  | 33.00    | 183.00   | 1        |
| adjustable, from 18.42 cm to 38.7 cm (7 <sup>1</sup> / <sub>4</sub> in. to 15 <sup>1</sup> / <sub>4</sub> in.)                | 33.00    | 103.00   | 1        |
| by maximum increments of 2.5 cm (1 in.), with locking   |          |          |          |
| mechanism   |          |          |          |
| 7213018 I-shaped arm support, flip-up; height-adjustable, from  | 33.00    | 183.00   | 1        |
| $18.42 \text{ cm to } 38.7 \text{ cm } (7\frac{1}{4} \text{ in. to } 15\frac{1}{4} \text{ in.}) \text{ by maximum}$           |          |          |          |
| increments of 2.5 cm (1 in.), with locking mechanism  |          |          |          |
| 7213019 L-shaped arm support, flip-up; height-adjustable, from  | 25.00    | 175.00   | 1        |
| 17.8 cm to 38,1 cm (7 in. to 15 in.) by maximum   |          |          |          |
| increments of 2.5 cm (1 in.), with locking mechanism  |          |          |          |
| 7213020 Arm support pad, short, straight  | N. C.    | 13.00    | 1        |
| 7213021 Arm support pad, long, straight   | N. C.    | 13.00    | 1        |
| 7213022 Arm support pad, contoured  | 7.00     | 20.00    | 1        |
| 7213023 Arm support pad, gel  | 19.00    | 32.00    | 1        |
| 7213024 Parallel lower leg support, 60°, 70°, 80° or 90°; detachable and pivoting with locking mechanism; adjustable length   | N. C.    | 192.00   | 12       |
| from 14 cm to 49.5 cm (5½ in. to 19½ in.)   |          |          |          |
| · · · · · · · · · · · · · · · · · · ·   | 100.00   | 200.00   | 12       |
| 7213025 Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as       | 108.00   | 300.00   | 12       |
| the fixed lower leg support or supplied with its fastening  |          |          |          |
| system  |          |          |          |
| 7213026 Powered elevating lower leg support, individually   | 558.00   | 750.00   | 12       |
| 7213027 Powered elevating lower leg support, paired control   | 558.00   | 750.00   | 12       |
| 7213028 One-piece powered elevating lower leg support   | 1,308.00 | 1,500.00 | 12       |
| 7213029 Padded calf support, angle, height and depth adjustable,  | 70.00    | 70.00    | 12       |
| including contoured pad   |          |          |          |
| 7213030 Foot support, separate, flip-up, not angle adjustable,  | N. C.    | 50.00    | 12       |
| standard lenght   |          |          |          |
| 7213031 Foot support, separate, flip-up, not angle adjustable, extra  | 30.00    | 80.00    | 12       |
| long  |          |          |          |
| 7213032 Foot support, separate, flip-up, angle and depth adjustable,  | 30.00    | 80.00    | 12       |
| standard lenght   |          |          |          |
| 7213033 Foot support, separate, flip-up, angle and depth adjustable,  | 30.00    | 80.00    | 12       |
| 7213034 Foot support, flip-up, one-piece platform   | 110.00   | 160.00   | 12       |
| 7213035 Heel loop, adjustable   | 10.00    | 10.00    | 12       |
| 7213036 Head support, depth adjustable  | 90.00    | 90.00    | 12       |
| 7213037 Contoured cushion for head support, all sizes   | 50.00    | 50.00    | 12       |
| 7213038 Back support tension bar  | 100.00   | 100.00   | 12<br>12 |
| 7213039 Securement for head support for back support tension bar  | 20.00    | 20.00    | 12       |
| FRAME   |          |          |          |
| 7213040 Front impact guard  | 20.00    | 20.00    | 12       |
|   |          |          |          |

| 7213041 Lighting systems   | 400.00         | 400.00        | 12 |
|--|----------------|---------------|----|
| 7213042 Reflective devices   | N. C.          | 10.00         | 12 |
| 7213043 Emergency flashers   | N. C.          | N. C.         | 12 |
| 7213044 Triangular-shaped flag, orange, 300 cm <sup>2</sup> minimum surface                                  | 10.00          | 10.00         | 12 |
| 7213011 Ittaligulat-shaped hag, orange, 300 cm minimum surface   | 10.00          | 10.00         | 12 |
| 7213045 Securement points for strap-type tiedowns for transport  | N. C.          | N. C.         | 12 |
| DRIVE SYSTEM   |                |               |    |
| 7213046 Standard control device for multipurpose programmable  | N. C.          | 750.00        | 12 |
| electronics; drive control device; toggle or push switches   | 1              | 720.00        | 12 |
| the functions: start-stop, horn and function selection;  |                |               |    |
| battery charge level indicator   |                |               |    |
|  |                |               |    |
| 7213047 Compact control device   | N. C.          | 750.00        | 12 |
| 7213048 Control device operated by an assistant  | 750.00         | 750.00        | 12 |
| 7213049 Control device for powered repositionning, for an  | 200.00         | 200.00        | 12 |
| accessory  |                |               |    |
| 7213050 Control device for powered repositionning, for four  | 600.00         | 600.00        | 12 |
| accessories  |                |               |    |
| 7213051 Infrared option  | N. C.          | N. C.         | 12 |
| 7213052 Bluetooth option   | N. C.          | N. C.         | 12 |
| 7213053 Separate control for powered tilt mechanism  | 250.00         | 250.00        | 12 |
| 7213054 Control device support, standard lateral, adjustable front-  | N. C.          | 100.00        | 12 |
| rear position  |                |               |    |
| 7213055 Control device support, lateral, flip-up with locking  | 100.00         | 200.00        | 12 |
| mechanism, adjustable front-rear position  | 100.00         | 200.00        | 12 |
| 7213056 Control device support, central, flip-up, adjustable front-  | 200.00         | 300.00        | 12 |
| rear position  | 200.00         | 300.00        | 12 |
| 7213057 Controller for multipurpose programmable electronic  | N. C.          | 660.00        | 12 |
| system   | N. C.          | 000.00        | 12 |
| 7213058 Motor, including electric brake  | N. C.          | 600.00        | 12 |
| 7213060 Battery charger, compatible with group 22NF or 24  | N. C.<br>N. C. | 219.00        | 12 |
| batteries batteries  | N. C.          | 219.00        | 12 |
|  | 4,000.00       | 4,000.00      | 12 |
| 7213061 Adapted non-proportional control, cephalic 7213062 Adapted non-proportional control, chin-controlled | 600.00         | 600.00        | 12 |
| • •  |                |               |    |
| 7213063 Adapted non-proportional control, breath-controlled  | 1,500.00       | 1,500.00      | 12 |
| 7213064 Adapted proportional control, cephalic   | 4,000.00       | 4,000.00      | 12 |
| 7213065 Adapted proportional control, chin-controlled  | 1,500.00       | 1,500.00      | 12 |
| 7213066 Adapted proportional control, mini joystick  | 1,500.00       | 1,500.00      | 12 |
| 7213067 Mounting bracket for adapted control   | 350.00         | 350.00        | 12 |
| 7213068 Adapted control interface  | 350.00         | 1,100.00      | 12 |
| 7213069 Mounting bracket for interface   | 350.00         | 350.00        | 12 |
| 7213070 Lever extension, ball  | 58.00          | 58.00         | 12 |
| 7213071 Lever extension, conicospherical   | 58.00          | 58.00         | 12 |
| 7213072 Lever extension, stick   | 58.00          | 58.00         | 12 |
| 7213073 Lever extension, T-shaped  | 58.00          | 58.00         | 12 |
| 7213074 Lever extension, mushroom  | 80.00          | 80.00         | 12 |
| 7213075 Lever extension, U-shaped  | 95.00          | 95.00         | 12 |
| 7213076 Trajectory correction system   | 895.00         | 895.00        | 12 |
|  |                |               |    |
| WHEELS AND TIRES   | **             | <b>5</b> 0.00 |    |
| 7213077 Drive wheel; 31.75 cm (12½ in.) or 35.6 cm (14 in.)  | N. C.          | 70.00         | 12 |
| 7213078 Drive wheel tire, standard pressure inner tube; 31.75 cm   | N. C.          | 58.00         | 1  |
| (12½ in.) or 35.6 cm (14 in.)  |                |               |    |

| 17.00 | 75.00                   | 1  |
|-------|-------------------------|--|
| N. C. | 70.00                   | 12   |
| N. C. | 70.00                   | 12   |
|       |                         |  |
| N. C. | 70.00                   | 12   |
|       |                         |  |
| N. C. | 29.00                   | 12   |
| N. C. | 38.00                   | 12   |
|       | N. C.<br>N. C.<br>N. C. | N. C. 70.00<br>N. C. 70.00<br>N. C. 70.00<br>N. C. 29.00 |

| PRICE          |
|----------------|
| (including all |
| the basic      |
| components)    |

7213086 **POWERED WHEELCHAIR** 

4,575.00

CATEGORY FMO-GM 1-B-P2 (MID-REAR WHEEL DRIVE)

AMYLIOR INC.

### "ALLTRACK R ATR1B" DEVICE

### TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 50 kg (110 lb.)

**Seat-to-floor height:** 38,7 cm to 52,1 cm (15¼ in. to 20½ in.)

Frame: mid-rear wheel drive base, overall width  $\leq$  66 cm (26 in.)

| BASIC AND OPTIONAL COMPONENTS                                       | Unit price of component during device purchase | Unit price for component replacement | Warranty<br>(months) |
|---|--|--------------------------------------|----------------------|
| BODY SUPPORT SYSTEM   |  |                                      |                      |
| 7213087 Seat-to-back assembly structure; resizable                  | N. C.  | 550.00                               | 12                   |
| 7213088 Rigid seat base, witdth and depth adjustable; strips of     | N. C.  | 200.00                               | 12                   |
| "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of              |  |                                      |                      |
| 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm         |  |                                      |                      |
| (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17           |  |                                      |                      |
| in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.);       |  |                                      |                      |
| depths of 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.)        | ,  |                                      |                      |
| 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2          |  |                                      |                      |
| cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm            |  |                                      |                      |
| (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)                      |  |                                      |                      |
| 7213089 Seat, padded and contoured                                  | 200.00   | 400.00                               | 1                    |
| 7213092 Back support, padded and contoured; heights of 40.6 cm      | N. C.  | 450.00                               | 1                    |
| (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19           | 1 0.   |                                      | -                    |
| in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.),         |  |                                      |                      |
| 58.4 cm (23 in.), 61 cm (24 in.), 63.5 cm (25 in.), 66 cm           |  |                                      |                      |
| (26 in.) or 71.1 cm (28 in.)  |  |                                      |                      |
| 7213091 Back support, flexible, tension adjustable                  | N. C.  | 450.00                               | 1                    |
| 7213093 Back support upright, straight, height and angle adjustable | ; N. C.  | 94.00                                | 12                   |
| angle-adjustable from 86° to 122° by maximum increment              |  |                                      |                      |
| of 4°   |  |                                      |                      |
| 7213094 Push handle, with hand grip                                 | N. C.  | 8.00                                 | 12                   |
| 7213096 Powered reclining back support, including biomechanical     | 1,800.00                                       | 1,800.00                             | 12                   |
| adjustment  |  |                                      |                      |
| 7213097 Power tilt mechanism  | 1,600.00                                       | 1,600.00                             | 12                   |
| 7213098 Postural support pelvic belt                                | N. C.  | 25.00                                | 12                   |
|   |  |                                      |                      |

| 7213099 T-shaped arm support, short, removable; height-adjustable, from 18.4 cm to 38.7 cm (7½ in. to 15½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism;   | N. C.  | 150.00 | 1  |
|---|--------|--------|----|
| 7213100 T-shaped arm support, long, removable; height-adjustable, from 18.4 cm to 38.7 cm (7 <sup>1</sup> / <sub>4</sub> in. to 15 <sup>1</sup> / <sub>4</sub> in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism | N. C.  | 150.00 | 1  |
| 7213101 U-shaped arm support, short, flip-up and removable; height-adjustable, from 18.4 cm to 38.7 cm (7½ in. to 15½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism  | 33.00  | 183.00 | 1  |
| 7213102 U-shaped arm support, long, flip-up and removable; height-adjustable, from 18.4 cm to 38.7 cm (7½ in. to 15½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism   | 33.00  | 183.00 | 1  |
| 7213104 I-shaped arm support, flip-up; height-adjustable, from 18.4 cm to 38.7 cm (7½ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism   | 33.00  | 183.00 | 1  |
| 7213105 L-shaped arm support, flip-up; height-adjustable, from 17.8 cm to 38.1 cm (7 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism   | 25.00  | 175.00 | 1  |
| 7213106 Arm support pad, short, straight  | N. C.  | 13.00  | 1  |
| 7213107 Arm support pad, long, straight   | N. C.  | 13.00  | 1  |
| 7213108 Arm support pad, contoured  | 7.00   | 20.00  | 1  |
| 7213109 Arm support pad, gel  | 19.00  | 32.00  | 1  |
| 7213110 Parallel lower leg support, 60°, 70°, 80° or 90°; detachable and pivoting with locking mechanism; adjustable length from 14 cm to 49.5 cm (5½ in. to 19½ in.)   | N. C.  | 192.00 | 12 |
| 7213111 Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening system   | 108.00 | 300.00 | 12 |
| 7213112 Powered elevating lower leg support, individually   | 558.00 | 750.00 | 12 |
| 7213113 Powered elevating lower leg support, paired control   | 558.00 | 750.00 | 12 |
| 7213114 Padded calf support, angle, height and depth adjustable, including contoured pad  | 70.00  | 70.00  | 12 |
| 7213115 Foot support, separate, flip-up, not angle adjustable, standard lenght  | N. C.  | 50.00  | 12 |
| 7213116 Foot support, separate, flip-up, not angle adjustable, extra long   | 30.00  | 80.00  | 12 |
| 7213117 Foot support, separate, flip-up, angle and depth adjustable, standard lenght  | 30.00  | 80.00  | 12 |
| 7213118 Foot support, separate, flip-up, angle and depth adjustable, extra long   | 30.00  | 80.00  | 12 |
| 7213119 Heel loop, adjustable   | 10.00  | 10.00  | 12 |
| 7213120 Head support, depth adjustable  | 90.00  | 90.00  | 12 |
| 7213121 Contoured cushion for head support, all sizes   | 50.00  | 50.00  | 12 |
| 7213122 Back support tension bar  | 100.00 | 100.00 | 12 |
| 7213123 Securement for head support for back support tension bar  | 20.00  | 20.00  | 12 |

| FRAME   |          |          |    |
|---|----------|----------|----|
| 7213124 Anti-tip device   | N. C.    | 70.00    | 12 |
| 7213125 Front impact guard  | 20.00    | 20.00    | 12 |
| 7213126 Lighting systems  | 400.00   | 400.00   | 12 |
| 7213127 Reflective devices  | N. C.    | 10.00    | 12 |
| 7213128 Emergency flashers  | N. C.    | N. C.    | 12 |
| 7213129 Triangular-shaped flag, orange, 300 cm <sup>2</sup> minimum surface       | 10.00    | 10.00    | 12 |
| mangatar shaped rag, stange, 500 on minimum sarrace                               |          |          |    |
| 7213130 Securement points for strap-type tiedowns for transport                   | N. C.    | N. C.    | 12 |
| DRIVE SYSTEM  |          |          |    |
| 7213131 Standard control device for multipurpose programmable                     | N. C.    | 750.00   | 12 |
| electronics; drive control device; toggle or push switches                        |          |          |    |
| the functions: start-stop, horn and function selection;                           |          |          |    |
| battery charge level indicator  |          |          |    |
| 7212122 Compact control davisa  | N. C.    | 750.00   | 12 |
| 7213132 Compact control device<br>7213133 Control device operated by an assistant | 750.00   | 750.00   | 12 |
| 7213134 Control device for powered repositionning, for an                         | 200.00   | 200.00   | 12 |
| accessory   | 200.00   | 200.00   | 12 |
| 7213135 Control device for powered repositionning, for four                       | 600.00   | 600.00   | 12 |
| accessories   | 000.00   | 000.00   |    |
| 7213136 Infrared option   | N. C.    | N. C.    | 12 |
| 7213137 Bluetooth option  | N. C.    | N. C.    | 12 |
| 7213138 Separate control for powered tilt mechanism                               | 250.00   | 250.00   | 12 |
| 7213139 Control device support, standard lateral, adjustable front-               | N. C.    | 100.00   | 12 |
| rear position   |          |          |    |
| 7213140 Control device support, lateral, flip-up with locking                     | 100.00   | 200.00   | 12 |
| mechanism, adjustable front-rear position   |          |          |    |
| 7213141 Control device support, central, flip-up, adjustable front-               | 200.00   | 300.00   | 12 |
| rear position   | 200.00   | 200.00   | 12 |
| 7213142 Controller for multipurpose programmable electronic                       | N. C.    | 660.00   | 12 |
| 7213143 Motor, including electric brake   | N. C.    | 600.00   | 12 |
| 7213145 Battery charger, compatible with group 22NF or 24                         | N. C.    | 219.00   | 12 |
| batteries   | 14. C.   | 217.00   | 12 |
| 7213146 Adapted non-proportional control, cephalic                                | 4,000.00 | 4,000.00 | 12 |
| 7213147 Adapted non-proportional control, chin-controlled                         | 600.00   | 600.00   | 12 |
| 7213148 Adapted non-proportional control, breath-controlled                       | 1,500.00 | 1,500.00 | 12 |
| 7213149 Adapted proportional control, cephalic                                    | 4,000.00 | 4,000.00 | 12 |
| 7213150 Adapted proportional control, chin-controlled                             | 1,500.00 | 1,500.00 | 12 |
| 7213151 Adapted proportional control, mini joystick                               | 1,500.00 | 1,500.00 | 12 |
| 7213152 Mounting bracket for adapted control                                      | 350.00   | 350.00   | 12 |
| 7213153 Adapted control interface   | 350.00   | 1,100.00 | 12 |
| 7213154 Mounting bracket for interface  | 350.00   | 350.00   | 12 |
| 7213155 Lever extension, ball   | 58.00    | 58.00    | 12 |
| 7213156 Lever extension, conicospherical  | 58.00    | 58.00    | 12 |
| 7213157 Lever extension, stick  | 58.00    | 58.00    | 12 |
| 7213158 Lever extension, T-shaped   | 58.00    | 58.00    | 12 |
| 7213159 Lever extension, mushroom   | 80.00    | 80.00    | 12 |
| 7213160 Lever extension, U-shaped   | 95.00    | 95.00    | 12 |
| 7213161 Trajectory correction system  | 895.00   | 895.00   | 12 |
|   |          |          |    |

| 7213171 POWERED WHEEL CHAIR  |       | 1 675 00                                      |    |
|--|-------|---|----|
|  | (inc  | PRICE<br>cluding all<br>he basic<br>nponents) |    |
| 7213169 Fork, standard   | N. C. | 38.00   | 12 |
| 7213168 Suspension independent of wheels   | N. C. | 29.00   | 12 |
| 7213167 Caster wheel, with puncture proof tire; 20.3 cm (8 in.) or 22.9 cm (9 in.)               | N. C. | 70.00   | 12 |
| 7213166 Caster wheel, with standard pressure inner tube tire; 20.3 cm (8 in.) or 22.9 cm (9 in.) | N. C. | 70.00   | 12 |
| (12½ in.) or 35.6 cm (14 in.)<br>7213164 Puncture proof tire for drive wheel                     | 17.00 | 75.00   | 1  |
| 7213163 Drive wheel tire, standard pressure inner tube; 31.8 cm                                  | N. C. | 58.00   | 1  |
| 7213162 Drive wheel; 31.8 cm (12½ in.) or 35.6 cm (14 in.)                                       | N. C. | 70.00   | 12 |

POWERED WHEELCHAIR

4,675.00

CATEGORY FMO-GM 1-B-P2 (MID-WHEEL DRIVE)

AMYLIOR INC.

# "ALLTRACK M ATM1C" DEVICE

# TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 50 kg (110 lb.)

**Seat-to-floor height:** 39,5 cm to 52,1 cm (15½ in. to 20½ in.)

Frame: mid-wheel drive base, overall width  $\leq$  64.47 cm (25.38 in.)

| BASIC AND OPTIONAL COMPONENTS                                   | Unit price of<br>component<br>during device<br>purchase | Unit price for component replacement | Warranty (months) |
|---|---|--------------------------------------|-------------------|
| BODY SUPPORT SYSTEM   |   |                                      |                   |
| 7213172 Seat-to-back assembly structure; resizable              | N. C.   | 550.00                               | 12                |
| 7213173 Rigid seat base, witdth and depth adjustable; strips of | N. C.   | 200.00                               | 12                |
| "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of          |   |                                      |                   |
| 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm     |   |                                      |                   |
| (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17       |   |                                      |                   |
| in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.);   |   |                                      |                   |
| depths of 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.),   |   |                                      |                   |
| 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2      |   |                                      |                   |
| cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm        |   |                                      |                   |
| (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)                  |   |                                      |                   |
| 7213174 Seat, padded and contoured                              | 200.00  | 400.00                               | 1                 |
| 7213174 Seat, padded and contoured; heights of 40.6 cm          | N. C.   | 450.00                               | 1                 |
| (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19       | 14. C.  | 430.00                               | 1                 |
| in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.),     |   |                                      |                   |
| 58.4 cm (23 in.), 61 cm (24 in.), 66 cm (26 in.) or 71.1 cm     |   |                                      |                   |
| (28 in.)  |   |                                      |                   |
| 7213176 Back support, flexible, tension adjustable              | N. C.   | 450.00                               | 1                 |
|   |   |                                      |                   |

| 7213178 Back support upright, straight, height and angle adjustable; angle-adjustable from $86^{\circ}$ to $122^{\circ}$ by maximum increments of $4^{\circ}$                              | N. C.             | 94.00            | 12       |
|--|-------------------|------------------|----------|
| 7213179 Push handle, with hand grip 7213181 Powered reclining back support, including biomechanical adjustment   | N. C.<br>1,800.00 | 8.00<br>1,800.00 | 12<br>12 |
| 7213182 Power tilt mechanism   | 1,600.00          | 1,600.00         | 12       |
| 7213183 Postural support pelvic belt   | N. C.             | 25.00            | 12       |
| 7213184 T-shaped arm support, short, removable; height-adjustable,   | N. C.             | 150.00           | 1        |
| from 18.4 cm to 38.7 cm (7 <sup>1</sup> / <sub>4</sub> in. to 15 <sup>1</sup> / <sub>4</sub> in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism                          | 14. C.            | 130.00           | •        |
| 7213185 T-shaped arm support, long, removable; height-adjustable, from 18.4 cm to 38.7 cm (71/4 in. to 151/4 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism          | N. C.             | 150.00           | 1        |
| 7213186 U-shaped arm support, short, flip-up and removable; height-adjustable, from 18.4 cm to 38.7 cm (7½ in. to 15½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism | 33.00             | 183.00           | 1        |
| 7213187 U-shaped arm support, long, flip-up and removable; height-adjustable, from 18.4 cm to 38.7 cm (7½ in. to 15½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism  | 33.00             | 183.00           | 1        |
| 7213189 I-shaped arm support, flip-up; height-adjustable, from 18.4 cm to 38.7 cm (71/4 in. to 151/4 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism                  | 33.00             | 183.00           | 1        |
| 7213190 L-shaped arm support, flip-up; height-adjustable, from 17.8 cm to 38.1 cm (7 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism                        | 25.00             | 175.00           | 1        |
| 7213191 Arm support pad, short, straight   | N. C.             | 13.00            | 1        |
| 7213192 Arm support pad, long, straight  | N. C.             | 13.00            | 1        |
| 7213193 Arm support pad, contoured   | 7.00              | 20.00            | 1        |
| 7213194 Arm support pad, gel   | 19.00             | 32.00            | 1        |
| 7213195 Parallel lower leg support, 60°, 70°, 80° or 90°; detachable and pivoting with locking mechanism; adjustable length from 14 cm to 49.5 cm (5½ in. to 19½ in.)                      | N. C.             | 192.00           | 12       |
| 7213196 Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening system  | 108.00            | 300.00           | 12       |
| 7213197 Powered elevating lower leg support, individually  | 558.00            | 750.00           | 12       |
| 7213198 Powered elevating lower leg support, paired control  | 558.00            | 750.00           | 12       |
| 7213199 One-piece powered elevating lower leg support  | 1,308.00          | 1,500.00         | 12       |
| 7213200 Padded calf support, angle, height and depth adjustable, including contoured pad   | 70.00             | 70.00            | 12       |
| 7213201 Foot support, separate, flip-up, not angle adjustable, standard lenght   | N. C.             | 50.00            | 12       |
| 7213202 Foot support, separate, flip-up, not angle adjustable, extra long  | 30.00             | 80.00            | 12       |
| 7213203 Foot support, separate, flip-up, angle and depth adjustable, standard lenght   | 30.00             | 80.00            | 12       |
| 7213204 Foot support, separate, flip-up, angle and depth adjustable, extra long  | 30.00             | 80.00            | 12       |

| 7213205 Foot support, flip-up, one-piece platform   | 110.00         | 160.00   | 12 |
|---|----------------|----------|----|
| 7213206 Heel loop, adjustable   | 10.00          | 10.00    | 12 |
| 7213207 Head support, depth adjustable  | 90.00          | 90.00    | 12 |
| 7213208 Contoured cushion for head support, all sizes                                     | 50.00          | 50.00    | 12 |
| 7213209 Back support tension bar  | 100.00         | 100.00   | 12 |
| 7213210 Securement for head support for back support tension bar                          | 20.00          | 20.00    | 12 |
| FRAME   |                |          |    |
| 7213211 Front impact guard  | 20.00          | 20.00    | 12 |
| 7213211 Front impact guard<br>7213212 Lighting systems                                    | N. C.          | 400.00   | 12 |
| 7213213 Reflective devices  | N. C.<br>N. C. | 10.00    | 12 |
| 7213214 Emergency flashers  | N. C.          | N. C.    | 12 |
| 7213214 Emergency Hashers 7213215 Triangular-shaped flag, orange, 300 cm2 minimum surface | 10.00          | 10.00    | 12 |
| 7213213 Thangular-shaped hag, orange, 500 cm2 minimum surface                             | 10.00          | 10.00    | 12 |
| 7213216 Securement points for strap-type tiedowns for transport                           | N. C.          | N. C.    | 12 |
| DRIVE SYSTEM  |                |          |    |
| 7213217 Standard control device for multipurpose programmable                             | N. C.          | 750.00   | 12 |
| electronics; drive control device; toggle or push switches                                |                |          |    |
| the functions: start-stop, horn and function selection;                                   |                |          |    |
| battery charge level indicator  |                |          |    |
| 7213218 Compact control device  | N. C.          | 750.00   | 12 |
| 7213219 Control device operated by an assistant   | 750.00         | 750.00   | 12 |
| 7213220 Control device for powered repositionning, for an                                 | 200.00         | 200.00   | 12 |
| accessory   |                |          |    |
| 7213221 Control device for powered repositionning, for four                               | 600.00         | 600.00   | 12 |
| accessories   |                |          |    |
| 7213222 Infrared option   | N. C.          | N. C.    | 12 |
| 7213223 Bluetooth option  | N. C.          | N. C.    | 12 |
| 7213224 Separate control for powered tilt mechanism                                       | 250.00         | 250.00   | 12 |
| 7213225 Control device support, standard lateral, adjustable front-                       | N. C.          | 100.00   | 12 |
| rear position   |                |          |    |
| 7213226 Control device support, lateral, flip-up with locking                             | 100.00         | 200.00   | 12 |
| mechanism, adjustable front-rear position   |                |          |    |
| 7213227 Control device support, central, flip-up, adjustable front-                       | 200.00         | 300.00   | 12 |
| rear position   |                |          |    |
| 7213228 Controller for multipurpose programmable electronic                               | N. C.          | 660.00   | 12 |
| system  |                |          |    |
| 7213229 Motor, including electric brake   | N. C.          | 600.00   | 12 |
| 7213231 Battery charger, compatible with group 24 batteries                               | N. C.          | 219.00   | 12 |
| 7213232 Adapted non-proportional control, cephalic  | 4,000.00       | 4,000.00 | 12 |
| 7213233 Adapted non-proportional control, chin-controlled                                 | 600.00         | 600.00   | 12 |
| 7213234 Adapted non-proportional control, breath-controlled                               | 1,500.00       | 1,500.00 | 12 |
| 7213235 Adapted proportional control, cephalic  | 4,000.00       | 4,000.00 | 12 |
| 7213236 Adapted proportional control, chin-controlled                                     | 1,500.00       | 1,500.00 | 12 |
| 7213237 Adapted proportional control, mini joystick                                       | 1,500.00       | 1,500.00 | 12 |
| 7213238 Mounting bracket for adapted control  | 350.00         | 350.00   | 12 |
| 7213239 Adapted control interface   | 350.00         | 1,100.00 | 12 |
| 7213240 Mounting bracket for interface  | 350.00         | 350.00   | 12 |
| 7213241 Lever extension, ball   | 58.00          | 58.00    | 12 |
| 7213242 Lever extension, conicospherical  | 58.00          | 58.00    | 12 |
| 7213243 Lever extension, stick  | 58.00          | 58.00    | 12 |
|   |                |          |    |

| 7213244 Lever extension, T-shaped   | 58.00  | 58.00  | 12 |
|---|--------|--------|----|
| 7213245 Lever extension, mushroom   | 80.00  | 80.00  | 12 |
| 7213246 Lever extension, U-shaped   | 95.00  | 95.00  | 12 |
| 7213247 Trajectory correction system  | 895.00 | 895.00 | 12 |
| WHEELS AND TIRES  |        |        |    |
| 7213248 Drive wheel; 31.8 cm (12½ in.) or 35.6 cm (14 in.)                    | N. C.  | 70.00  | 12 |
| 7213249 Drive wheel tire, standard pressure inner tube; 31.8 cm               | N. C.  | 58.00  | 1  |
| (12½ in.) or 35.6 cm (14 in.)   |        |        |    |
| 7213250 Puncture proof tire for drive wheel                                   | 17.00  | 75.00  | 1  |
| 7213251 Caster wheel, with semi-pneumatic tire; 15.2 cm (6 in.)               | N. C.  | 70.00  | 12 |
| 7213252 Caster wheel, with standard pressure inner tube tire; 20.3 cm (8 in.) | N. C.  | 70.00  | 12 |
| 7213253 Caster wheel, with puncture proof tire; 20.3 cm (8 in.)               | N. C.  | 70.00  | 12 |
| 7213254 Suspension independent of wheels                                      | N. C.  | 29.00  | 12 |
| 7213255 Fork, standard  | N. C.  | 38.00  | 12 |

PRICE (including all the basic components)

7213257 **POWERED WHEELCHAIR** 

4,975.00

CATEGORY FMO-GM 1-C-P2 (MID-REAR WHEEL DRIVE)

AMYLIOR INC.

### "ALLTRACK R ATR1C" DEVICE

### TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 50 kg (110 lb.)

**Seat-to-floor height:** 38,7 cm to 52.1 cm  $(15\frac{1}{4}$  in. to  $20\frac{1}{2}$  in.)

Frame: mid-rear wheel drive base, overall width  $\leq$  64.47 cm (25.38 in.)

| BASIC AND OPTIONAL COMPONENTS  | Unit price of<br>component<br>during device<br>purchase | Unit price for component replacement | Warranty<br>(months) |
|--|---|--------------------------------------|----------------------|
| BODY SUPPORT SYSTEM  |   |                                      |                      |
| 7213258 Seat-to-back assembly structure; resizable                   | N. C.   | 550.00                               | 12                   |
| 7213259 Rigid seat base, witdth and depth adjustable; strips of      | N. C.   | 200.00                               | 12                   |
| "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of               |   |                                      |                      |
| 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm          |   |                                      |                      |
| (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17            |   |                                      |                      |
| in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.);        |   |                                      |                      |
| depths of 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.),        |   |                                      |                      |
| 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2           |   |                                      |                      |
| cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm             |   |                                      |                      |
| (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)                       |   |                                      |                      |
| 7213260 Seat, padded and contoured                                   | 200.00  | 400.00                               | 1                    |
| 7213263 Back support, padded and contoured; heights of 40.6 cm       | N. C.   | 450.00                               | 1                    |
| (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19            |   |                                      |                      |
| in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.),          |   |                                      |                      |
| 58.4 cm (23 in.), 61 cm (24 in.), 63.5 cm (25 in.), 66 cm            |   |                                      |                      |
| (26 in.) or 71.1 cm (28 in.)   |   |                                      |                      |
| 7213262 Back support, flexible, tension adjustable                   | N. C.   | 450.00                               | 1                    |
| 7213264 Back support upright, straight, height and angle adjustable; | N. C.   | 94.00                                | 12                   |
| angle-adjustable from 86° to 122° by maximum increments              |   |                                      |                      |
| of 4°  |   |                                      |                      |
| 7213265 Push handle, with hand grip                                  | N. C.   | 8.00                                 | 12                   |
| 7213267 Powered reclining back support, including biomechanical      | 1,800.00  | 1,800.00                             | 12                   |
| adjustment   |   |                                      |                      |
| 7213268 Power tilt mechanism   | 1,600.00  | 1,600.00                             | 12                   |
| 7213269 Postural support pelvic belt                                 | N. C.   | 25.00                                | 12                   |

| 7213270 T-shaped arm support, short, removable; height-adjustable, from 18.4 cm to 38.7 cm (7½ in. to 15½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism             | N. C.  | 150.00 | 1  |
|--|--------|--------|----|
| 7213271 T-shaped arm support, long, removable; height-adjustable, from 18.4 cm to 38.7 cm (7½ in. to 15½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism              | N. C.  | 150.00 | 1  |
| 7213272 U-shaped arm support, short, flip-up and removable; height-adjustable, from 18.4 cm to 38.7 cm (7½ in. to 15½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism | 33.00  | 183.00 | 1  |
| 7213273 U-shaped arm support, long, flip-up and removable; height-adjustable, from 18.4 cm to 38.7 cm (7½ in. to 15½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism  | 33.00  | 183.00 | 1  |
| 7213275 I-shaped arm support, flip-up; height-adjustable, from 18.4 cm to 38.7 cm (7½ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism                      | 33.00  | 183.00 | 1  |
| 7213276 L-shaped arm support, flip-up; height-adjustable, from 17.8 cm to 38.1 cm (7 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism                        | 25.00  | 175.00 | 1  |
| 7213277 Arm support pad, short, straight   | N. C.  | 13.00  | 1  |
| 7213278 Arm support pad, long, straight  | N. C.  | 13.00  | 1  |
| 7213279 Arm support pad, contoured   | 7.00   | 20.00  | 1  |
| 7213280 Arm support pad, gel   | 19.00  | 32.00  | 1  |
| 7213281 Parallel lower leg support, 60°, 70°, 80° or 90°; detachable and pivoting with locking mechanism; adjustable length from 14 cm to 49,5 cm (5½ in. to 19½ in.)                      | N. C.  | 192.00 | 12 |
| 7213282 Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening system  | 108.00 | 300.00 | 12 |
| 7213283 Powered elevating lower leg support, individually  | 558.00 | 750.00 | 12 |
| 7213284 Powered elevating lower leg support, paired control  | 558.00 | 750.00 | 12 |
| 7213285 Padded calf support, angle, height and depth adjustable, including contoured pad   | 70.00  | 70.00  | 12 |
| 7213286 Foot support, separate, flip-up, not angle adjustable, standard lenght   | N. C.  | 50.00  | 12 |
| 7213287 Foot support, separate, flip-up, not angle adjustable, extra long  | 30.00  | 80.00  | 12 |
| 7213288 Foot support, separate, flip-up, angle and depth adjustable, standard lenght   | 30.00  | 80.00  | 12 |
| 7213289 Foot support, separate, flip-up, angle and depth adjustable, extra long  | 30.00  | 80.00  | 12 |
| 7213290 Heel loop, adjustable  | 10.00  | 10.00  | 12 |
| 7213291 Head support, depth adjustable   | 90.00  | 90.00  | 12 |
| 7213292 Contoured cushion for head support, all sizes  | 50.00  | 50.00  | 12 |
| 7213293 Back support tension bar   | 100.00 | 100.00 | 12 |
| 7213294 Securement for head support for back support tension bar   | 20.00  | 20.00  | 12 |
|  |        |        |    |

| EDAME   |                |                |          |
|---|----------------|----------------|----------|
| FRAME 7213295 Anti-tip device   | N. C.          | 70.00          | 12       |
| 7213295 Anni-up device 7213296 Front impact guard   | 20.00          | 20.00          | 12       |
| 7213290 Front impact guard<br>7213297 Lighting systems                                    | N. C.          | 400.00         | 12       |
| 7213297 Eighting systems 7213298 Reflective devices                                       | N. C.          | 10.00          | 12       |
| 7213298 Refrective devices 7213299 Emergency flashers                                     | N. C.<br>N. C. | N. C.          | 12       |
| 7213299 Emergency Hashers 7213300 Triangular-shaped flag, orange, 300 cm2 minimum surface | 10.00          | 10.00          | 12       |
| 7213300 Thanguar-shaped hag, orange, 500 cm2 minimum surface                              | 10.00          | 10.00          | 12       |
| 7213301 Securement points for strap-type tiedowns for transport                           | N. C.          | N. C.          | 12       |
| DRIVE SYSTEM  |                |                |          |
| 7213302 Standard control device for multipurpose programmable                             | N. C.          | 750.00         | 12       |
| electronics; drive control device; toggle or push switches                                |                |                |          |
| the functions: start-stop, horn and function selection;                                   |                |                |          |
| battery charge level indicator  |                |                |          |
| 7213303 Compact control device  | N. C.          | 750.00         | 12       |
| 7213304 Control device operated by an assistant   | 750.00         | 750.00         | 12       |
| 7213305 Control device for powered repositionning, for an                                 | 200.00         | 200.00         | 12       |
| accessory   | 200.00         | 200.00         | 12       |
| 7213306 Control device for powered repositionning, for four                               | 600.00         | 600.00         | 12       |
| accessories   | 000.00         | 000.00         | 12       |
| 7213307 Infrared option   | N. C.          | N. C.          | 12       |
| 7213308 Bluetooth option  | N. C.          | N. C.          | 12       |
| 7213309 Separate control for powered tilt mechanism                                       | 250.00         | 250.00         | 12       |
| 7213310 Control device support, standard lateral, adjustable front-                       | N. C.          | 100.00         | 12       |
| rear position   |                |                |          |
| 7213311 Control device support, lateral, flip-up with locking                             | 100.00         | 200.00         | 12       |
| mechanism, adjustable front-rear position   |                |                |          |
| 7213312 Control device support, central, flip-up, adjustable front-                       | 200.00         | 300.00         | 12       |
| rear position   |                |                |          |
| 7213313 Controller for multipurpose programmable electronic                               | N. C.          | 660.00         | 12       |
| system  |                |                |          |
| 7213314 Motor, including electric brake   | N. C.          | 600.00         | 12       |
| 7213316 Battery charger, compatible with group 24 batteries                               | N. C.          | 219.00         | 12       |
| 7213317 Adapted non-proportional control, cephalic  | 4,000.00       | 4,000.00       | 12       |
| 1 1   |                |                | 12       |
| 7213318 Adapted non-proportional control, chin-controlled                                 | 600.00         | 600.00         | 12       |
| 7213319 Adapted non-proportional control, breath-controlled                               | 1,500.00       | 1,500.00       | 12       |
| 7213320 Adapted proportional control, cephalic  | 4,000.00       | 4,000.00       | 12       |
| 7213321 Adapted proportional control, chin-controlled                                     | 1,500.00       | 1,500.00       | 12       |
| 7213322 Adapted proportional control, mini joystick                                       | 1,500.00       | 1,500.00       | 12       |
| 7213323 Mounting bracket for adapted control  | 350.00         | 350.00         | 12       |
| 7213324 Adapted control interface   | 350.00         | 1,100.00       | 12       |
| 7213325 Mounting bracket for interface  | 350.00         | 350.00         | 12       |
| 7213326 Lever extension, ball   | 58.00<br>58.00 | 58.00<br>58.00 | 12<br>12 |
| 7213327 Lever extension, conicospherical<br>7213328 Lever extension, stick                | 58.00<br>58.00 | 58.00<br>58.00 | 12       |
| 7213328 Lever extension, stick 7213329 Lever extension, T-shaped                          | 58.00<br>58.00 | 58.00          | 12       |
| 7213330 Lever extension, mushroom   | 80.00          | 80.00          | 12       |
| 7213331 Lever extension, U-shaped   | 95.00          | 95.00          | 12       |
| 7213332 Trajectory correction system  | 895.00         | 895.00         | 12       |
| 7213332 Trajectory Correction System  | 693.00         | 075.00         | 12       |

# WHEELS AND TIRES

| 7213333 Drive wheel; 31.8 cm (12½ in.) or 35.6 cm (14 in.)                  | N. C. | 70.00 | 12 |
|---|-------|-------|----|
| 7213334 Drive wheel tire, standard pressure inner tube; 31.8 cm             | N. C. | 58.00 | 1  |
| $(12\frac{1}{2} \text{ in.}) \text{ or } 35.6 \text{ cm } (14 \text{ in.})$ |       |       |    |
| 7213335 Puncture proof tire for drive wheel                                 | 17.00 | 75.00 | 1  |
| 7213337 Caster wheel, with standard pressure inner tube tire; 20.3          | N. C. | 70.00 | 12 |
| cm (8 in.) or 22.9 cm (9 in.)   |       |       |    |
| 7213338 Caster wheel, with puncture proof tire; 20.3 cm (8 in.) or          | N. C. | 70.00 | 12 |
| 22.9 cm (9 in.)   |       |       |    |
| 7213339 Suspension independent of wheels                                    | N. C. | 29.00 | 12 |
| 7213340 Fork, standard  | N. C. | 38.00 | 12 |
|   |       |       |    |

| PRICE          |
|----------------|
| (including all |
| the basic      |
| components)    |

7213342 POWERED WHEELCHAIR 3,950.00

CATEGORY FMO-GM 2-A-P2 (MID-WHEEL DRIVE)

SUNRISE MEDICAL CANADA INC.

### "QUICKIE Q500M I" DEVICE

### TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 120 kg (265 lb.)

**Seat-to-floor height:** 41.9 cm to 50.8 cm (16½ in. to 20 in.)

Frame: mid-front wheel drive base, overall width  $\leq$  61 cm (24 in.)

| BASIC AND OPTIONAL COMPONENTS  | Unit price of<br>component<br>during device<br>purchase | Unit price for component replacement | Warranty (months) |
|--|---|--------------------------------------|-------------------|
| BODY SUPPORT SYSTEM  |   |                                      |                   |
| 7213343 Seat-to-back assembly structure; resizable                         | N. C.   | 400.00                               | 12                |
| 7213344 Rigid seat base, witdth and depth adjustable; strips of            | N. C.   | 195.00                               | 12                |
| "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of                     |   |                                      |                   |
| 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.),                      |   |                                      |                   |
| 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9               |   |                                      |                   |
| cm (22 in.);   |   |                                      |                   |
| depths of 35. 6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16                 |   |                                      |                   |
| in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.),                |   |                                      |                   |
| 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)                     |   |                                      |                   |
| 7213345 Seat, padded and contoured   | N. C.   | 195.00                               | 1                 |
| 7213346 Back support, flexible, non tension adjustable; heights of         | N. C.   | 90.00                                | 1                 |
| 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.),                      |   |                                      |                   |
| 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9                 |   |                                      |                   |
| cm (22 in.), 58.4 cm (23 in.), 61 cm (24 in.), 63.5 cm (25                 |   |                                      |                   |
| in.), 66 cm (26 in.), 68.6 cm (27 in.) or 71.1 cm (28 in.)                 |   |                                      |                   |
| 7213347 Back support, flexible, tension adjustable                         | 60.00   | 150.00                               | 1                 |
| 7213348 Back support, padded and contoured; heights of 53.3 cm             | N. C.   | 90.00                                | 1                 |
| (21 in.), 57.2 cm (22½ in.) or 61 cm (24 in.)                              |   |                                      |                   |
| 7213349 Back support upright, straight, height and angle adjustable;       | N. C.   | 250.00                               | 12                |
| angle-adjustable from 85° to 110° by increments of 4°                      |   |                                      |                   |
| 7213350 Push handle, with hand grip  | N. C.   | 90.00                                | 12                |
| 7213352 Powered reclining back support, including biomechanical adjustment | 1,250.00  | 1,250.00                             | 12                |
| 7213353 Power tilt mechanism   | 1,200.00  | 1,200.00                             | 12                |
| 7213354 Postural support pelvic belt                                       | N. C.   | 25.00                                | 12                |
| 121333 1 1 ostatut support potvie oott                                     | 11. C.  | 23.00                                | 12                |

| 7213355 T-shaped arm support, short, removable; height-adjustable, from 20.3 cm to 38.1 cm (8 in. to 15 in.) by maximum  | N. C.          | 150.00          | 1       |
|--|----------------|-----------------|---------|
| increments of 2.5 cm (1 in.), with locking mechanism   |                |                 |         |
| 7213356 T-shaped arm support, long, removable; height-adjustable, from 20.3 cm to 38.1 cm (8 in. to 15 in.) by maximum   | N. C.          | 150.00          | 1       |
| increments of 2.5 cm (1 in.), with locking mechanism   | N.C            | 150.00          | 1       |
| 7213357 U-shaped arm support, short, flip-up and removable; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to  | N. C.          | 150.00          | 1       |
| 15 in.) by maximum increments of 2.5 cm (1 in.), with  |                |                 |         |
| locking mechanism  |                |                 |         |
| 7213358 U-shaped arm support, long, flip-up and removable; height-   | N. C.          | 150.00          | 1       |
| adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking   |                |                 |         |
| mechanism  | N. C           | 150.00          | 1       |
| 7213360 I-shaped arm support, flip-up; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism | N. C.          | 150.00          | 1       |
| 7213361 L-shaped arm support, flip-up; height-adjustable, from 28  | N. C.          | 150.00          | 1       |
| cm to 38.1 cm (11 in. to 15 in.) by maximum increments of  |                |                 |         |
| 2.5 cm (1 in.), with locking mechanism   |                |                 |         |
| 7213362 Arm support pad, short, straight   | N. C.          | 15.00           | 1       |
| 7213363 Arm support pad, long, straight  | N. C.          | 15.00           | 1       |
| 7213364 Arm support pad, contoured   | 5.00           | 20.00           | 1       |
| 7213365 Arm support pad, gel<br>7213366 Parallel lower leg support, 60°, 65°, 70°, 80°, 85° or 90°;  | 70.00<br>N. C. | 85.00<br>135.00 | 1<br>12 |
| removable and pivoting with locking mechanism;   | N. C.          | 155.00          | 12      |
| adjustable length from 33 cm to 50,8 cm (13 in. to 22 in.)   |                |                 |         |
| 7213367 Lower leg support, compensating elevating; with locking  | 15.00          | 150.00          | 12      |
| mechanism; compatible with the same fastening system as  |                |                 |         |
| the fixed lower leg support or supplied with its fastening   |                |                 |         |
| system   | 265.00         | <b>7</b> 0000   | 40      |
| 7213368 Powered elevating lower leg support, individually  | 365.00         | 500.00          | 12      |
| 7213369 Powered elevating lower leg support, paired control  | 365.00         | 500.00          | 12      |
| 7213370 One-piece powered elevating lower leg support  | 845.00         | 980.00          | 12      |
| 7213371 Padded calf support, angle, height and depth adjustable, including flat pad  | 70.00          | 70.00           | 12      |
| 7213372 Foot support, separate, flip-up, not angle adjustable,   | N. C.          | 35.00           | 12      |
| standard lenght  | 11. 6.         | 33.00           | 12      |
| 7213373 Foot support, separate, flip-up, not angle adjustable, extra   | N. C.          | 35.00           | 12      |
| long   |                |                 |         |
| 7213374 Foot support, separate, flip-up, angle and depth adjustable, standard lenght   | N. C.          | 35.00           | 12      |
| 7213375 Foot support, separate, flip-up, angle and depth adjustable, extra long  | N. C.          | 35.00           | 12      |
| 7213376 Foot support, flip-up, one-piece platform  | 190.00         | 225.00          | 12      |
| 7213377 Heel loop, adjustable  | 5.00           | 5.00            | 12      |
| 7213378 Head support, depth adjustable   | 55.00          | 55.00           | 12      |
| 7213379 Contoured cushion for head support, all sizes  | 35.00          | 35.00           | 12      |
| 7213380 Back support tension bar   | 20.00          | 20.00           | 12      |
| 7213381 Securement for head support for back support tension bar   | 40.00          | 40.00           | 12      |
| FRAME  |                |                 |         |
| 7213382 Front impact guard   | 12.00          | 12.00           | 12      |
| 1 0  |                | *****           |         |

| 7213383 Lighting systems  | 425.00          | 425.00          | 12       |
|---|-----------------|-----------------|----------|
| 7213384 Reflective devices  | N. C.           | 5.00            | 12       |
| 7213385 Emergency flashers  | 15.00           | 15.00           | 12       |
| 7213386 Triangular-shaped flag, orange, 300 cm2 minimum surface   | 15.00           | 15.00           | 12       |
| 7213387 Securement points for strap-type tiedowns for transport   | N. C.           | 100.00          | 12       |
| DRIVE SYSTEM  |                 |                 |          |
| 7213388 Standard control device for multipurpose programmable electronics; drive control device; toggle or push switches the functions: start-stop, horn and function selection; battery charge level indicator | N. C.           | 585.00          | 12       |
| 7213389 Compact control device  | N. C.           | 585.00          | 12       |
| 7213390 Control device operated by an assistant   | 560.00          | 560.00          | 12       |
| 7213391 Control device for powered repositionning, for an accessory   | 100.00          | 100.00          | 12       |
| 7213392 Control device for powered repositionning, for four accessories   | 350.00          | 350.00          | 12       |
| 7213393 Infrared option   | N. C.           | N. C.           | 12       |
| 7213394 Bluetooth option  | N. C.           | N. C.           | 12       |
| 7213395 Separate control for powered tilt mechanism   | 510.00          | 510.00          | 12       |
| 7213396 Control device support, standard lateral, adjustable front-<br>rear position  | N. C.           | 85.00           | 12       |
| 7213397 Control device support, lateral, flip-up with locking mechanism, adjustable front-rear position   | N. C.           | 85.00           | 12       |
| 7213398 Control device support, central, flip-up, adjustable front-<br>rear position  | 65.00           | 150.00          | 12       |
| 7213399 Controller for multipurpose programmable electronic system  | N. C.           | 575.00          | 12       |
| 7213400 Motor   | N. C.           | 430.00          | 12       |
| 7213401 Electric brake  | N. C.           | 60.00           | 12       |
| 7213402 Battery charger, compatible with group 22NF or 24 batteries   | N. C.           | 145.00          | 12       |
| 7213403 Adapted non-proportional control, cephalic  | 1,200.00        | 1,200.00        | 12       |
|   |                 |                 | 12       |
| 7213404 Adapted non-proportional control, chin-controlled   | 1,200.00        | 1,200.00        |          |
| 7213405 Adapted non-proportional control, breath-controlled   | 850.00          | 850.00          | 12       |
| 7213406 Adapted proportional control, cephalic  | 1,500.00        | 1,500.00        | 12       |
| 7213407 Adapted proportional control, chin-controlled   | 1,100.00        | 1,100.00        | 12       |
| 7213408 Adapted proportional control, mini joystick   | 1,800.00        | 1,800.00        | 12       |
| 7213409 Mounting bracket for adapted control  | 250.00          | 250.00          | 12       |
| 7213410 Adapted control interface   | 365.00          | 950.00          | 12       |
| 7213411 Mounting bracket for interface  | 400.00<br>55.00 | 400.00<br>55.00 | 12<br>12 |
| 7213412 Lever extension, ball 7213413 Lever extension, conicospherical  | 25.00           | 25.00           | 12       |
| 7213414 Lever extension, stick  | 55.00           | 55.00           | 12       |
| 7213415 Lever extension, T-shaped   | 65.00           | 65.00           | 12       |
| 7213416 Lever extension, mushroom   | 55.00           | 55.00           | 12       |
| 7213417 Lever extension, U-shaped   | 55.00           | 55.00           | 12       |
| 7213418 Trajectory correction system  | 550.00          | 550.00          | 12       |
| WHEELS AND TIRES  |                 |                 |          |
| 7213419 Drive wheel; 33 cm (13 in.)   | N. C.           | 75.00           | 12       |
| 7213420 Drive wheel tire, standard pressure inner tube; 33 cm (13 in.)  | N. C.           | 55.00           | 1        |
|   |                 |                 |          |

| 7213421 Puncture proof tire for drive wheel                     | 10.00 | 65.00                                  | 1  |
|---|-------|--|----|
| 7213422 Caster wheel, with semi-pneumatic tire; 17.8 cm (7 in.) | N. C. | 25.00                                  | 12 |
| 7213425 Suspension independent of wheels                        | N. C. | 120.00                                 | 12 |
| 7213426 Fork, standard  | N. C. | 45.00                                  | 12 |
|   | · ·   | PRICE acluding all the basic mponents) |    |
| 7213428 POWERED WHEELCHAIR                                      |       | 4,495.00                               |    |
| CATEGORY FMO-GM 2-A-P2 (MID-REAR WHEEL DRIVE)                   |       |  |    |
| ORTHOFAB INC.   |       |  |    |
|   |       |  |    |

Maximum weight capacity: 120 kg (265 lb.)

**Seat-to-floor height:** 39,4 cm to 52,1 cm (15½ in. to 20½ in.)

Frame: mid-rear wheel drive base, overall width ≤ 61 cm (24 in.)

|         | BASIC AND OPTIONAL COMPONENTS   | Unit price of<br>component<br>during device<br>purchase | Unit price for component replacement | Warranty<br>(months) |
|---------|---|---|--------------------------------------|----------------------|
|         | BODY SUPPORT SYSTEM   |   |                                      |                      |
| 7213429 | Seat-to-back assembly structure; resizable  | N. C.   | 240.00                               | 60                   |
|         | Rigid seat base, witdth and depth adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.) or 58.4 cm (23 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.) or 53.3 cm (21 in.) | N. C.   | 70.00                                | 60                   |
| 7213431 | Seat, padded and contoured  | 50.00   | 120.00                               | 60                   |
|         | Back support, padded and contoured; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)   | N. C.   | 300.00                               | 60                   |
| 7213432 | Back support, flexible, non tension adjustable; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)   | N. C.   | 300.00                               | 60                   |
| 7213433 | Back support, flexible, tension adjustable  | N. C.   | 300.00                               | 60                   |
|         | Back support upright, straight, height and angle adjustable; angle-adjustable from $90^\circ$ to $110^\circ$ by maximum increments of $6^\circ$   | N. C.   | 75.00                                | 60                   |
| 7213436 | Push handle, with hand grip   | N. C.   | 105.00                               | 60                   |
| 7213438 | Powered reclining back support, including biomechanical adjustment  | 700.00  | 700.00                               | 60                   |

| 7213439 Power tilt mechanism 7213440 Postural support pelvic belt 7213441 T-shaped arm support, short, removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of                         | 600.00<br>N. C.<br>N. C. | 600.00<br>10.00<br>110.00 | 60<br>60<br>60 |
|---|--------------------------|---------------------------|----------------|
| 2.5 cm (1 in.), with locking mechanism  7213442 T-shaped arm support, long, removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of  | N. C.                    | 110.00                    | 60             |
| 2.5 cm (1 in.), with locking mechanism 7213443 U-shaped arm support, short, flip-up and removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism | N. C.                    | 110.00                    | 60             |
| 7213444 U-shaped arm support, long, flip-up and removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum  | N. C.                    | 110.00                    | 60             |
| increments of 2.5 cm (1 in.), with locking mechanism 7213445 U-shaped arm support, flip-up; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism        | N. C.                    | 110.00                    | 60             |
| 7213447 L-shaped arm support, swing-away outward; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 27.9 cm to 35.6 cm (11 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism  | N. C.                    | 110.00                    | 60             |
| 7213448 Arm support pad, short, straight  | N. C.                    | 8.00                      | 60             |
| 7213449 Arm support pad, long, straight   | N. C.                    | 8.00                      | 60             |
| 7213450 Arm support pad, contoured  | 26.00                    | 34.00                     | 60             |
| 7213451 Arm support pad, gel  | 72.00                    | 80.00                     | 60             |
| 7213452 Parallel lower leg support, 60° or 70°; removable and pivoting with locking mechanism; adjustable length from 36.6 cm to 48.3 cm (14 in. to 19 in.) or from 45.7 cm to 58.4 cm (18 in. to 23 in.)   | N. C.                    | 100.00                    | 60             |
| 7213453 Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening system   | 200.00                   | 300.00                    | 60             |
| 7213454 Powered elevating lower leg support, individually   | 900.00                   | 1,000.00                  | 60             |
| 7213455 Powered elevating lower leg support, paired control   | 900.00                   | 1,000.00                  | 60             |
| 7213456 Padded calf support, angle, height and depth adjustable, including flat pad   | 30.00                    | 30.00                     | 60             |
| 7213457 Foot support, separate, flip-up, not angle adjustable, standard lenght  | N. C.                    | 10.00                     | 60             |
| 7213458 Foot support, separate, flip-up, not angle adjustable, extra long   | 20.00                    | 30.00                     | 60             |
| 7213459 Foot support, separate, flip-up, angle and depth adjustable, standard lenght  | 25.00                    | 35.00                     | 60             |
| 7213460 Foot support, separate, flip-up, angle and depth adjustable, extra long   | 35.00                    | 45.00                     | 60             |
| 7213461 Heel loop, adjustable   | 5.00                     | 5.00                      | 60             |
| 7213462 Head support, depth adjustable  | 35.00                    | 35.00                     | 60             |
| 7213463 Contoured cushion for head support  | 65.00                    | 65.00                     | 60             |

| 7213464 Back support tension bar   | 5.00     | 5.00     | 60 |
|--|----------|----------|----|
| 7213465 Securement for head support for back support tension bar                     | 15.00    | 15.00    | 60 |
| EDAME  |          |          |    |
| FRAME  | N. C.    | 2.00     | 60 |
| 7213466 Anti-tip device  |          | 3.00     | 60 |
| 7213467 Front impact guard   | 5.00     | 5.00     | 60 |
| 7213468 Lighting systems   | 175.00   | 175.00   | 60 |
| 7213469 Reflective devices   | N. C.    | 50.00    | 60 |
| 7213470 Emergency flashers   | 150.00   | 150.00   | 60 |
| 7213471 Triangular-shaped flag, orange, 300 cm2 minimum surface                      | 5.00     | 5.00     | 60 |
| 7213472 Securement points for strap-type tiedowns for transport                      | N. C.    | N. C.    | 60 |
| DRIVE SYSTEM   |          |          |    |
| 7213473 Standard control device for multipurpose programmable                        | N. C.    | 800.00   | 60 |
| electronics; drive control device; toggle or push switches                           |          |          |    |
| the functions: start-stop, horn and function selection;                              |          |          |    |
| battery charge level indicator   |          |          |    |
| 7212474 (2   | NG       | 000 00   | 60 |
| 7213474 Compact control device   | N. C.    | 800.00   | 60 |
| 7213475 Control device operated by an assistant                                      | 200.00   | 200.00   | 60 |
| 7213476 Control device for powered repositionning, for an accessory                  | N. C.    | N. C.    | 60 |
| 7213477 Control device for powered repositionning, for four                          | N. C.    | N. C.    | 60 |
| accessories  |          |          |    |
| 7213478 Infrared option  | N. C.    | N. C.    | 60 |
| 7213479 Bluetooth option   | 1,600.00 | 1,600.00 | 60 |
| 7213480 Separate control for powered tilt mechanism                                  | 350.00   | 350.00   | 60 |
| 7213481 Control device support, standard lateral, adjustable front-                  | N. C.    | 200.00   | 60 |
| rear position  |          |          |    |
| 7213482 Control device support, lateral, flip-up with locking                        | N. C.    | 200.00   | 60 |
| mechanism, adjustable front-rear position  |          |          |    |
| 7213483 Control device support, central, flip-up, adjustable front-<br>rear position | N. C.    | 200.00   | 60 |
| 7213484 Controller for multipurpose programmable electronic                          | N. C.    | 575.00   | 60 |
| system   |          |          |    |
| 7213485 Motor, including electric brake  | N. C.    | 600.00   | 60 |
| 7213487 Battery charger, compatible with group 22NF or 24                            | N. C.    | 130.00   | 60 |
| batteries  | 500.00   | 500.00   | 60 |
| 7213488 Adapted non-proportional control, cephalic                                   |          |          |    |
| 7213489 Adapted non-proportional control, chin-controlled                            | 700.00   | 700.00   | 60 |
| 7213490 Adapted non-proportional control, breath-controlled                          | 500.00   | 500.00   | 60 |
| 7213491 Adapted proportional control, cephalic                                       | 500.00   | 500.00   | 60 |
| 7213492 Adapted proportional control, chin-controlled                                | 500.00   | 500.00   | 60 |
| 7213493 Adapted proportional control, mini joystick                                  | 2,500.00 | 2,500.00 | 60 |
| 7213494 Mounting bracket for adapted control   | N. C.    | N. C.    | 60 |
| 7213495 Adapted control interface  | N. C.    | 800.00   | 60 |
| 7213496 Mounting bracket for interface   | 100.00   | 100.00   | 60 |
| 7213497 Lever extension, ball  | 20.00    | 20.00    | 60 |
| 7213498 Lever extension, conicospherical   | 20.00    | 20.00    | 60 |
| 7213499 Lever extension, stick   | 15.00    | 15.00    | 60 |
| 7213500 Lever extension, T-shaped  | 15.00    | 15.00    | 60 |
| 7213501 Lever extension, mushroom  | 15.00    | 15.00    | 60 |
| 7213501 Lever extension, Hushroom 7213502 Lever extension, U-shaped                  | 15.00    | 15.00    | 60 |
| 1213532 Dover extension, o snaped  | 15.00    | 13.00    | 00 |

| 1,000.00  | 1,000.00  | 60   |
|---|---|--|
| N. C.   | 160.00  | 60   |
| N. C.   | 40.00   | 60   |
| 35.00   | 75.00   | 60   |
| N. C.   | 75.00   | 60   |
| N. C.   | 75.00   | 60   |
| N. C.   | 100.00  | 60   |
| N. C.   | 100.00  | 60   |
|   | PRICE<br>(including all<br>the basic<br>components)                                   |  |
|   | 4,100.00  |  |
|   |   |  |
|   |   |  |
|   |   |  |
|   |   |  |
| · in.)  |   |  |
| able separately   |   |  |
| Unit price of<br>component<br>during device<br>purchase | Unit price for component replacement  | Warranty (months)  |
|   |   |  |
| N. C.   | 400.00  | 12   |
|   | N. C. N. C. 35.00 N. C. N. C. N. C. N. C. N. C. Unit price of component during device | N. C. 160.00 N. C. 40.00  35.00 75.00 N. C. 75.00 N. C. 75.00 N. C. 100.00 N. C. 100.00 PRICE (including all the basic components)  4,100.00  Unit price of component during device Unit price for component replacement |

| 7213517 Back support, flexible, non tension adjustable; heights of 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.), 61 cm (24 in.), 63.5 cm (25 in.), 66 cm (26 in.), 68.6 cm (27 in.), 71.1 cm (28 in.), 73.6 cm (29 in.) or 76.2 cm (30 in.) | N. C.    | 90.00    | 1  |
|---|----------|----------|----|
| 7213518 Back support, flexible, tension adjustable  | 60.00    | 150.00   | 1  |
| 7213519 Back support, padded and contoured; heights of 53.3 cm (21 in.), 57.2 cm (22½ in.) or 61 cm (24 in.)  | N. C.    | 90.00    | 1  |
| 7213520 Back support upright, straight, height and angle adjustable; angle-adjustable from 85° to 110° by increments of 4°  | N. C.    | 250.00   | 12 |
| 7213521 Push handle, with hand grip   | N. C.    | 90.00    | 12 |
| 7213523 Powered reclining back support, including biomechanical adjustment  | 1,250.00 | 1,250.00 | 12 |
| 7213524 Power tilt mechanism  | 1,200.00 | 1,200.00 | 12 |
| 7213525 Postural support pelvic belt  | N. C.    | 25.00    | 12 |
| 7213526 T-shaped arm support, short, removable; height-adjustable, from 20.3 cm to 38.1 cm (8 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism;   | N. C.    | 150.00   | 1  |
| 7213527 T-shaped arm support, long, removable; height-adjustable, from 20.3 cm to 38.1 cm (8 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism   | N. C.    | 150.00   | 1  |
| 7213528 U-shaped arm support, short, flip-up and removable; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism   | N. C.    | 150.00   | 1  |
| 7213529 U-shaped arm support, long, flip-up and removable; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism  | N. C.    | 150.00   | 1  |
| 7213531 I-shaped arm support, flip-up; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism  | N. C.    | 150.00   | 1  |
| 7213532 L-shaped arm support, flip-up; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism  | N. C.    | 150.00   | 1  |
| 7213533 Arm support pad, short, straight  | N. C.    | 15.00    | 1  |
| 7213534 Arm support pad, long, straight   | N. C.    | 15.00    | 1  |
| 7213535 Arm support pad, contoured  | 5.00     | 20.00    | 1  |
| 7213536 Arm support pad, gel  | 70.00    | 85.00    | 1  |
| 7213537 Parallel lower leg support, 60°, 65°, 70°, 80°, 85° or 90°; removable and pivoting with locking mechanism; adjustable length from 33 cm to 50.8 cm (13 in. to 22 in.)   | N. C.    | 135.00   | 12 |
| 7213538 Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening system   | 15.00    | 150.00   | 12 |
| 7213539 Powered elevating lower leg support, individually   | 365.00   | 500.00   | 12 |
| 7213540 Powered elevating lower leg support, paired control   | 365.00   | 500.00   | 12 |
| 7213541 Padded calf support, angle, height and depth adjustable, including flat pad   | 70.00    | 70.00    | 12 |
| 7213542 Foot support, separate, flip-up, not angle adjustable, standard lenght  | N. C.    | 35.00    | 12 |

| 7213543 Foot support, separate, flip-up, not angle adjustable, extra   | N. C.  | 35.00   | 12                         |
|--|--|---|----------------------------|
|  | IV. C.   | 33.00   | 12                         |
| long 7213544 Foot support, separate, flip-up, angle and depth adjustable, standard lenght  | N. C.  | 35.00   | 12                         |
| 7213545 Foot support, separate, flip-up, angle and depth adjustable, extra long  | N. C.  | 35.00   | 12                         |
| 7213546 Heel loop, adjustable  | 5.00   | 5.00  | 12                         |
| 7213540 Heat support, depth adjustable   | 55.00  | 55.00   | 12                         |
| 7213547 Read support, acpur adjustation 7213548 Contoured cushion for head support, all sizes  | 35.00  | 35.00   | 12                         |
| 7213549 Back support tension bar   | 20.00  | 20.00   | 12                         |
| 7213549 Back support tension bar 7213550 Securement for head support for back support tension bar  | 40.00  | 40.00   | 12                         |
| 7213330 Securement for nead support for back support tension bar   | 40.00  | 40.00   | 12                         |
| FRAME  |  |   |                            |
| 7213551 Anti-tip device  | N. C.  | 12.00   | 12                         |
| 7213552 Front impact guard   | 12.00  | 12.00   | 12                         |
| 7213553 Lighting systems   | 425.00   | 425.00  | 12                         |
| 7213554 Reflective devices   | N. C.  | 5.00  | 12                         |
| 7213555 Emergency flashers   | 15.00  | 15.00   | 12                         |
|  | 15.00  |   |                            |
| 7213556 Triangular-shaped flag, orange, 300 cm2 minimum surface  | 13.00  | 15.00   | 12                         |
| 7213557 Securement points for strap-type tiedowns for transport  | N. C.  | 100.00  | 12                         |
| DRIVE SYSTEM   |  |   |                            |
| 7213558 Standard control device for multipurpose programmable  | N. C.  | 585.00  | 12                         |
| electronics; drive control device; toggle or push switches   |  |   |                            |
| the functions: start-stop, horn and function selection;  |  |   |                            |
| battery charge level indicator   |  |   |                            |
| g:g:   |  |   |                            |
| 7213559 Compact control device   | N. C.  | 585.00  | 12                         |
| 7213560 Control device operated by an assistant  | 560.00   | 560.00  | 12                         |
| 7213561 Control device for powered repositionning, for an  | 100.00   | 100.00  | 12                         |
| accessory  |  |   |                            |
| 7213562 Control device for powered repositionning, for four  | 350.00   | 350.00  | 12                         |
| accessories  |  |   |                            |
| 7213563 Infrared option  | N. C.  | N. C.   | 12                         |
| 7213564 Bluetooth option   | N. C.  | N. C.   | 12                         |
| 7213565 Separate control for powered tilt mechanism  | 510.00   | 510.00  | 12                         |
| 7213566 Control device support, standard lateral, adjustable front-  | N. C.  | 85.00   | 12                         |
| rear position  |  |   |                            |
| 7213567 Control device support, lateral, flip-up with locking  | N. C.  | 85.00   | 12                         |
| mechanism, adjustable front-rear position  |  |   |                            |
| 7213568 Control device support, central, flip-up, adjustable front-  | 65.00  | 150.00  | 12                         |
| rear position  |  |   |                            |
|  | N. C.  | 575.00  | 12                         |
| 7215309 Colliforner for multipurpose programmable electronic   |  |   |                            |
| 7213569 Controller for multipurpose programmable electronic system   |  |   |                            |
| system   | N. C.  | 430.00  | 12                         |
| system<br>7213570 Motor  | N. C.<br>N. C.                                   | 430.00<br>60.00                                   | 12<br>12                   |
| system 7213570 Motor 7213571 Electric brake  | N. C.  | 60.00   | 12                         |
| system<br>7213570 Motor  |  |   |                            |
| system 7213570 Motor 7213571 Electric brake 7213572 Battery charger, compatible with group 22NF or 24 batteries  | N. C.  | 60.00   | 12                         |
| system 7213570 Motor 7213571 Electric brake 7213572 Battery charger, compatible with group 22NF or 24 batteries 7213573 Adapted non-proportional control, cephalic   | N. C.<br>N. C.<br>1,200.00                       | 60.00<br>145.00<br>1,200.00                       | 12<br>12<br>12             |
| system 7213570 Motor 7213571 Electric brake 7213572 Battery charger, compatible with group 22NF or 24 batteries 7213573 Adapted non-proportional control, cephalic 7213574 Adapted non-proportional control, chin-controlled   | N. C.<br>N. C.<br>1,200.00<br>1,200.00           | 60.00<br>145.00<br>1,200.00<br>1,200.00           | 12<br>12<br>12<br>12       |
| system 7213570 Motor 7213571 Electric brake 7213572 Battery charger, compatible with group 22NF or 24 batteries 7213573 Adapted non-proportional control, cephalic 7213574 Adapted non-proportional control, chin-controlled 7213575 Adapted non-proportional control, breath-controlled | N. C.<br>N. C.<br>1,200.00<br>1,200.00<br>850.00 | 60.00<br>145.00<br>1,200.00<br>1,200.00<br>850.00 | 12<br>12<br>12<br>12<br>12 |
| system 7213570 Motor 7213571 Electric brake 7213572 Battery charger, compatible with group 22NF or 24 batteries 7213573 Adapted non-proportional control, cephalic 7213574 Adapted non-proportional control, chin-controlled   | N. C.<br>N. C.<br>1,200.00<br>1,200.00           | 60.00<br>145.00<br>1,200.00<br>1,200.00           | 12<br>12<br>12<br>12       |

| 1,800.00 | 1,800.00  | 12   |
|----------|---|--|
| 250.00   | 250.00  | 12   |
| 365.00   | 950.00  | 12   |
| 400.00   | 400.00  | 12   |
| 55.00    | 55.00   | 12   |
| 25.00    | 25.00   | 12   |
| 55.00    | 55.00   | 12   |
| 65.00    | 65.00   | 12   |
| 55.00    | 55.00   | 12   |
| 55.00    | 55.00   | 12   |
| 550.00   | 550.00  | 12   |
|          |   |  |
| N. C.    | 75.00   | 12   |
| N. C.    | 55.00   | 1  |
| 10.00    | 65.00   | 1  |
| N. C.    | 25.00   | 12   |
| N. C.    | 120.00  | 12   |
| N. C.    | 45.00   | 12   |
|          | 250.00<br>365.00<br>400.00<br>55.00<br>25.00<br>55.00<br>55.00<br>55.00<br>550.00<br>N. C.<br>N. C. | 250.00 250.00<br>365.00 950.00<br>400.00 400.00<br>55.00 55.00<br>25.00 25.00<br>55.00 65.00<br>65.00 65.00<br>55.00 55.00<br>55.00 55.00<br>55.00 55.00<br>50.00 550.00<br>N. C. 75.00<br>N. C. 55.00<br>N. C. 25.00<br>N. C. 25.00<br>N. C. 120.00 |

# PRICE (including all the basic components)

### 7213598 **POWERED WHEELCHAIR**

4,495.00

CATEGORY FMO-GM 2-B-P2 (MID-WHEEL DRIVE)

ORTHOFAB INC.

### "OASIS PCM" DEVICE

### TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 120 kg (265 lb.)

**Seat-to-floor height:** 39,4 cm to 52,1 cm (15½ in. to 20½ in.)

Frame: mid-wheel drive base, overall width  $\leq 61$  cm (24 in.)

| BASIC AND OPTIONAL COMPONENTS  | Unit price of<br>component<br>during device<br>purchase | Unit price for component replacement | Warranty<br>(months) |
|--|---|--------------------------------------|----------------------|
| BODY SUPPORT SYSTEM  |   |                                      |                      |
| 7213599 Seat-to-back assembly structure; resizable   | N. C.   | 240.00                               | 60                   |
| 7213600 Rigid seat base, witdth and depth adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.) or 58.4 cm (23 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 | N. C.   | 70.00                                | 60                   |
| in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.) or 53.3 cm (21 in.)   |   |                                      |                      |
| 7213601 Seat, padded and contoured   | 50.00   | 120.00                               | 60                   |
| 7213604 Back support, padded and contoured; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)  | N. C.   | 300.00                               | 60                   |
| 7213602 Back support, flexible, non tension adjustable; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)  | N. C.   | 300.00                               | 60                   |
| 7213603 Back support, flexible, tension adjustable   | N. C.   | 300.00                               | 60                   |
| 7213605 Back support upright, straight, height and angle adjustable; angle-adjustable from 90° to 110° by maximum increments of 6°   | N. C.   | 75.00                                | 60                   |
| 7213606 Push handle, with hand grip  | N. C.   | 105.00                               | 60                   |
| 7213608 Powered reclining back support, including biomechanical adjustment   | 700.00  | 700.00                               | 60                   |
| 7213609 Power tilt mechanism   | 600.00  | 600.00                               | 60                   |
| 7213610 Postural support pelvic belt   | N. C.   | 10.00                                | 60                   |

| 7213611 T-shaped arm support, short, removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism;            | N. C.    | 110.00   | 60 |
|--|----------|----------|----|
| 7213612 T-shaped arm support, long, removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism              | N. C.    | 110.00   | 60 |
| 7213613 U-shaped arm support, short, flip-up and removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism | N. C.    | 110.00   | 60 |
| 7213614 U-shaped arm support, long, flip-up and removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism  | N. C.    | 110.00   | 60 |
| 7213615 U-shaped arm support, flip-up; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism  | N. C.    | 110.00   | 60 |
| 7213617 L-shaped arm support, swing-away outward; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 27.9 cm to 35.6 cm (11 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism           | N. C.    | 110.00   | 60 |
| 7213618 Arm support pad, short, straight   | N. C.    | 8.00     | 60 |
| 7213619 Arm support pad, long, straight  | N. C.    | 8.00     | 60 |
| 7213620 Arm support pad, contoured   | 26.00    | 34.00    | 60 |
| 7213621 Arm support pad, gel   | 72.00    | 80.00    | 60 |
| 7213622 Parallel lower leg support, 60° or 70°; removable and  | N. C.    | 100.00   | 60 |
| pivoting with locking mechanism; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 45.7 cm to 58.4 cm (18 in. to 23 in.)  |          |          |    |
| 7213623 Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening system  | 200.00   | 300.00   | 60 |
| 7213624 Powered elevating lower leg support, individually  | 900.00   | 1,000.00 | 60 |
| 7213625 Powered elevating lower leg support, paired control  | 900.00   | 1,000.00 | 60 |
| 7213626 One-piece powered elevating lower leg support  | 1,400.00 | 1,500.00 | 60 |
| 7213627 Padded calf support, angle, height and depth adjustable, including flat pad  | 30.00    | 30.00    | 60 |
| 7213628 Foot support, separate, flip-up, not angle adjustable, standard lenght   | N. C.    | 10.00    | 60 |
| 7213629 Foot support, separate, flip-up, not angle adjustable, extra long  | 20.00    | 30.00    | 60 |
| 7213630 Foot support, separate, flip-up, angle and depth adjustable, standard lenght   | 25.00    | 35.00    | 60 |
| 7213631 Foot support, separate, flip-up, angle and depth adjustable, extra long  | 35.00    | 45.00    | 60 |
| 7213632 Foot support, flip-up, one-piece platform  | 415.00   | 425.00   | 60 |
| 7213633 Heel loop, adjustable  | 5.00     | 5.00     | 60 |
| 7213634 Head support, depth adjustable   | 35.00    | 35.00    | 60 |
| 7213635 Contoured cushion for head support   | 65.00    | 65.00    | 60 |
| 7213636 Back support tension bar   | 5.00     | 5.00     | 60 |
| **   |          |          |    |

| 7213637 Securement for head support for back support tension bar  | 15.00    | 15.00    | 60 |
|---|----------|----------|----|
| FRAME   |          |          |    |
| 7213638 Front impact guard  | 5.00     | 5.00     | 60 |
| 7213639 Lighting systems  | 175.00   | 175.00   | 60 |
| 7213640 Reflective devices  | N. C.    | 50.00    | 60 |
| 7213641 Emergency flashers  | 150.00   | 150.00   | 60 |
| 7213642 Triangular-shaped flag, orange, 300 cm2 minimum surface   | 5.00     | 5.00     | 60 |
| 7213643 Securement points for strap-type tiedowns for transport   | N. C.    | N. C.    | 60 |
| DRIVE SYSTEM  |          |          |    |
| 7213644 Standard control device for multipurpose programmable electronics; drive control device; toggle or push switches the functions: start-stop, horn and function selection; battery charge level indicator | N. C.    | 800.00   | 60 |
| 7213645 Compact control device  | N. C.    | 800.00   | 60 |
| 7213646 Control device operated by an assistant   | 200.00   | 200.00   | 60 |
| 7213647 Control device for powered repositionning, for an   | N. C.    | N. C.    | 60 |
| accessory 7213648 Control device for powered repositionning, for four accessories   | N. C.    | N. C.    | 60 |
| 7213649 Infrared option   | N. C.    | N. C.    | 60 |
| 7213650 Bluetooth option  | 1,600.00 | 1,600.00 | 60 |
| 7213651 Separate control for powered tilt mechanism   | 350.00   | 350.00   | 60 |
| 7213652 Control device support, standard lateral, adjustable front-rear position  | N. C.    | 200.00   | 60 |
| 7213653 Control device support, lateral, flip-up with locking mechanism, adjustable front-rear position   | N. C.    | 200.00   | 60 |
| 7213654 Control device support, central, flip-up, adjustable front-<br>rear position  | N. C.    | 200.00   | 60 |
| 7213655 Controller for multipurpose programmable electronic system  | N. C.    | 575.00   | 60 |
| 7213656 Motor, including electric brake   | N. C.    | 600.00   | 60 |
| 7213658 Battery charger, compatible with group 22NF or 24   | N. C.    | 130.00   | 60 |
|   |          |          |    |
| 7213659 Adapted non-proportional control, cephalic  | 500.00   | 500.00   | 60 |
| 7213660 Adapted non-proportional control, chin-controlled   | 700.00   | 700.00   | 60 |
| 7213661 Adapted non-proportional control, breath-controlled   | 500.00   | 500.00   | 60 |
| 7213662 Adapted proportional control, cephalic  | 500.00   | 500.00   | 60 |
| 7213663 Adapted proportional control, chin-controlled   | 500.00   | 500.00   | 60 |
| 7213664 Adapted proportional control, mini joystick   | 2,500.00 | 2,500.00 | 60 |
| 7213665 Mounting bracket for adapted control  | N. C.    | N. C.    | 60 |
| 7213666 Adapted control interface   | N. C.    | 800.00   | 60 |
| 7213667 Mounting bracket for interface  | 100.00   | 100.00   | 60 |
| 7213668 Lever extension, ball   | 20.00    | 20.00    | 60 |
| 7213669 Lever extension, conicospherical  | 20.00    | 20.00    | 60 |
| 7213670 Lever extension, stick  | 15.00    | 15.00    | 60 |
| 7213671 Lever extension, T-shaped   | 15.00    | 15.00    | 60 |
| 7213672 Lever extension, mushroom   | 15.00    | 15.00    | 60 |
| 7213673 Lever extension, U-shaped   | 15.00    | 15.00    | 60 |
| 7213674 Trajectory correction system  | 1,000.00 | 1,000.00 | 60 |

| WHEELS AND TIRES  |  |   |                      |
|---|--|---|----------------------|
| 7213675 Drive wheel; 35.6 cm (14 in.)   | N. C.  | 160.00  | 60                   |
| 7213676 Drive wheel tire, standard pressure inner tube; 35.6 cm (14 in.)  | N. C.  | 40.00   | 60                   |
| 7213677 Puncture proof tire for drive wheel   | 35.00  | 75.00   | 60                   |
| 7213679 Caster wheel, with standard pressure inner tube tire; 20.3 cm (8 in.) or 22.9 cm (9 in.)  | N. C.  | 75.00   | 60                   |
| 7213680 Caster wheel, with puncture proof tire; 20.3 cm (8 in.) or 22.9 cm (9 in.)  | N. C.  | 75.00   | 60                   |
| 7213681 Suspension independent of wheels<br>7213683 Fork, adjustable height   | N. C.<br>N. C.   | 100.00<br>100.00                                    | 60<br>60             |
|   |  | PRICE<br>(including all<br>the basic<br>components) |                      |
| 7213684 POWERED WHEELCHAIR  |  | 3,950.00  |                      |
| CATEGORY FMO-GM 2-B-P2 (MID-FRONT WHEEL DRIVE)  |  |   |                      |
| SUNRISE MEDICAL CANADA INC.   |  |   |                      |
| "QUICKIE Q500M MixIE" DEVICE  |  |   |                      |
| TECHNICAL SPECIFICATIONS OF THE DEVICE<br>Maximum weight capacity: 120 kg (265 lb.)   |  |   |                      |
| <b>Seat-to-floor height:</b> 41.9 cm to 49.5 cm (16½ in. to 19½   | in.)   |   |                      |
| Seat-to-floor height: $41.9 \text{ cm}$ to $49.5 \text{ cm}$ ( $16\frac{1}{2} \text{ in.}$ to $19\frac{1}{2} \text{ Frame}$ : mid-front wheel drive base, overall width $\leq 61 \text{ cm}$  |  |   |                      |
|   | n (24 in.)   |   |                      |
| Frame: mid-front wheel drive base, overall width $\leq 61$ cm   | n (24 in.)   | Unit price for                                      |                      |
| Frame: mid-front wheel drive base, overall width $\leq 61$ cm   | n (24 in.)   | Unit price for component replacement                | Warranty<br>(months) |
| Frame: mid-front wheel drive base, overall width ≤ 61 cm  Drive system: manual freewheel lever; control cable repla   | Unit price of component during device                                    | component   | -                    |
| Frame: mid-front wheel drive base, overall width ≤ 61 cm  Drive system: manual freewheel lever; control cable repla  BASIC AND OPTIONAL COMPONENTS  | Unit price of component during device purchase  N. C. N. C.              | component   | •                    |
| Frame: mid-front wheel drive base, overall width ≤ 61 cm  Drive system: manual freewheel lever; control cable repla  BASIC AND OPTIONAL COMPONENTS  BODY SUPPORT SYSTEM  7213685 Seat-to-back assembly structure; resizable  7213686 Rigid seat base, witdth and depth adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or   | Unit price of component during device purchase  N. C. N. C.              | component replacement 400.00                        | (months)             |
| Frame: mid-front wheel drive base, overall width ≤ 61 cm  Drive system: manual freewheel lever; control cable replated BASIC AND OPTIONAL COMPONENTS  BODY SUPPORT SYSTEM  7213685 Seat-to-back assembly structure; resizable 7213686 Rigid seat base, witdth and depth adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.) | Unit price of component during device purchase  N. C. N. C.  N. C. N. C. | component replacement  400.00 195.00                | (months)  12 12      |

| 7213690 Back support, padded and contoured; heights of 53.3 cm (21 in.), 57.2 cm (22½ in.) or 61 cm (24 in.)               | N. C.          | 90.00    | 1  |
|--|----------------|----------|----|
| 7213691 Back support upright, straight, height and angle adjustable; angle-adjustable from 85° to 110° by increments of 4° | N. C.          | 250.00   | 12 |
| 7213692 Push handle, with hand grip  | N. C.          | 90.00    | 12 |
| 7213694 Powered reclining back support, including biomechanical  | 1,250.00       | 1,250.00 | 12 |
| adjustment   | 1,230.00       | 1,230.00 | 12 |
| 7213695 Power tilt mechanism   | 1,200.00       | 1,200.00 | 12 |
| 7213696 Postural support pelvic belt   | N. C.          | 25.00    | 12 |
| 7213697 T-shaped arm support, short, removable; height-adjustable,   | N. C.<br>N. C. | 150.00   | 12 |
| from 20.3 cm to 38.1 cm (8 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism                  | N. C.          | 150.00   | 1  |
|  |                |          |    |
| 7213698 T-shaped arm support, long, removable; height-adjustable,  | N. C.          | 150.00   | 1  |
| from 20.3 cm to 38.1 cm (8 in. to 15 in.) by maximum   |                |          |    |
| increments of 2.5 cm (1 in.), with locking mechanism   |                |          |    |
| 7213699 U-shaped arm support, short, flip-up and removable;  | N. C.          | 150.00   | 1  |
| height-adjustable, from 25.4 cm to 38.1 cm (10 in. to  |                |          |    |
| 15 in.) by maximum increments of 2.5 cm (1 in.), with  |                |          |    |
| locking mechanism  |                | 4.50.00  |    |
| 7213700 U-shaped arm support, long, flip-up and removable; height-   | N. C.          | 150.00   | 1  |
| adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by  |                |          |    |
| maximum increments of 2.5 cm (1 in.), with locking   |                |          |    |
| mechanism  | NG             | 150.00   | 1  |
| 7213702 I-shaped arm support, flip-up; height-adjustable, from 25.4  | N. C.          | 150.00   | 1  |
| cm to 38.1 cm (10 in. to 15 in.) by maximum increments of  |                |          |    |
| 2.5 cm (1 in.), with locking mechanism   | NG             | 150.00   | 1  |
| 7213703 L-shaped arm support, flip-up; height-adjustable, from   | N. C.          | 150.00   | 1  |
| 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum   |                |          |    |
| increments of 2.5 cm (1 in.), with locking mechanism   | N. C.          | 15.00    | 1  |
| 7213704 Arm support pad, short, straight 7213705 Arm support pad, long, straight   | N. C.<br>N. C. | 15.00    | 1  |
| 7213705 Arm support pad, folig, straight 7213706 Arm support pad, contoured  | 5.00           | 20.00    | 1  |
| 7213700 Arm support pad, comouned<br>7213707 Arm support pad, gel  | 70.00          | 85.00    | 1  |
| 7213707 Arm support pad, ger<br>7213708 Parallel lower leg support, 60°, 65°, 70°, 80°, 85° or 90°;                        | 70.00<br>N. C. | 135.00   | 12 |
| removable and pivoting with locking mechanism;   | N. C.          | 133.00   | 12 |
| adjustable length from 33 cm to 50.8 cm (13 in. to 22 in.)   |                |          |    |
| adjustable length from 35 cm to 30.6 cm (13 m. to 22 m.)   |                |          |    |
| 7213709 Lower leg support, compensating elevating; with locking  | 15.00          | 150.00   | 12 |
| mechanism; compatible with the same fastening system as  |                |          |    |
| the fixed lower leg support or supplied with its fastening   |                |          |    |
| system   |                |          |    |
| 7213710 Powered elevating lower leg support, individually  | 365.00         | 500.00   | 12 |
| 7213711 Powered elevating lower leg support, paired control  | 365.00         | 500.00   | 12 |
| 7213712 One-piece powered elevating lower leg support  | 845.00         | 980.00   | 12 |
| 7213713 Padded calf support, angle, height and depth adjustable,   | 70.00          | 70.00    | 12 |
| including flat pad   | , 0.00         | , 0.00   | 1- |
| 7213714 Foot support, separate, flip-up, not angle adjustable,   | N. C.          | 35.00    | 12 |
| standard lenght  |                |          |    |
| 7213715 Foot support, separate, flip-up, not angle adjustable, extra   | N. C.          | 35.00    | 12 |
| long   |                |          |    |
| 7213716 Foot support, separate, flip-up, angle and depth adjustable,   | N. C.          | 35.00    | 12 |
| standard lenght  |                |          |    |
| -  |                |          |    |

| 7213717 Foot support, separate, flip-up, angle and depth adjustable, extra long | N. C.    | 35.00    | 12 |
|---|----------|----------|----|
| 7213718 Foot support, flip-up, one-piece platform                               | 190.00   | 225.00   | 12 |
| 7213719 Heel loop, adjustable   | 5.00     | 5.00     | 12 |
| 7213720 Head support, depth adjustable  | 55.00    | 55.00    | 12 |
| 7213721 Contoured cushion for head support, all sizes                           | 35.00    | 35.00    | 12 |
| 7213722 Back support tension bar  | 20.00    | 20.00    | 12 |
| 7213723 Securement for head support for back support tension bar                | 40.00    | 40.00    | 12 |
| ,,,   |          |          |    |
| FRAME   |          |          |    |
| 7213724 Front impact guard  | 12.00    | 12.00    | 12 |
| 7213725 Lighting systems  | 425.00   | 425.00   | 12 |
| 7213726 Reflective devices  | N. C.    | 5.00     | 12 |
| 7213727 Emergency flashers  | 15.00    | 15.00    | 12 |
| 7213728 Triangular-shaped flag, orange, 300 cm2 minimum surface                 | 15.00    | 15.00    | 12 |
| 7213729 Securement points for strap-type tiedowns for transport                 | N. C.    | 100.00   | 12 |
| DRIVE SYSTEM  |          |          |    |
| 7213730 Standard control device for multipurpose programmable                   | N. C.    | 585.00   | 12 |
| electronics; drive control device; toggle or push switches                      | 14. C.   | 303.00   | 12 |
| the functions: start-stop, horn and function selection;                         |          |          |    |
| battery charge level indicator  |          |          |    |
|   |          |          |    |
| 7213731 Compact control device  | N. C.    | 585.00   | 12 |
| 7213732 Control device operated by an assistant                                 | 560.00   | 560.00   | 12 |
| 7213733 Control device for powered repositionning, for an                       | 100.00   | 100.00   | 12 |
| accessory   |          |          |    |
| 7213734 Control device for powered repositionning, for four                     | 350.00   | 350.00   | 12 |
| accessories 7213735 Infrared option   | N. C.    | N. C.    | 12 |
| 7213735 Illustooth option   | N. C.    | N. C.    | 12 |
| 7213737 Separate control for powered tilt mechanism                             | 510.00   | 510.00   | 12 |
| 7213738 Control device support, standard lateral, adjustable front-             | N. C.    | 85.00    | 12 |
| rear position   |          |          |    |
| 7213739 Control device support, lateral, flip-up with locking                   | N. C.    | 85.00    | 12 |
| mechanism, adjustable front-rear position                                       |          |          |    |
| 7213740 Control device support, central, flip-up, adjustable front-             | 65.00    | 150.00   | 12 |
| rear position 7213741 Controller for multipurpose programmable electronic       | N. C.    | 575.00   | 12 |
| system  | 14. C.   | 373.00   | 12 |
| 7213742 Motor   | N. C.    | 430.00   | 12 |
| 7213743 Electric brake  | N. C.    | 60.00    | 12 |
| 7213744 Battery charger, compatible with group 22NF or 24                       | N. C.    | 145.00   | 12 |
| batteries   |          | - 1212   |    |
| 7213745 Adapted non-proportional control, cephalic                              | 1,200.00 | 1,200.00 | 12 |
| 7213746 Adapted non-proportional control, chin-controlled                       | 1,200.00 | 1,200.00 | 12 |
| 7213747 Adapted non-proportional control, breath-controlled                     | 850.00   | 850.00   | 12 |
| 7213748 Adapted proportional control, cephalic                                  | 1,500.00 | 1,500.00 | 12 |
| 7213749 Adapted proportional control, chin-controlled                           | 1,100.00 | 1,100.00 | 12 |
| 7213750 Adapted proportional control, mini joystick                             | 1,800.00 | 1,800.00 | 12 |
| 7213751 Mounting bracket for adapted control                                    | 250.00   | 250.00   | 12 |
| 7213752 Adapted control interface   | 365.00   | 950.00   | 12 |
| 7213753 Mounting bracket for interface  | 400.00   | 400.00   | 12 |
|   |          |          |    |

| 7213754 Lever extension, ball                                     | 55.00  | 55.00  | 12 |
|---|--------|--------|----|
| ·   |        |        |    |
| 7213755 Lever extension, conicospherical                          | 25.00  | 25.00  | 12 |
| 7213756 Lever extension, stick                                    | 55.00  | 55.00  | 12 |
| 7213757 Lever extension, T-shaped                                 | 65.00  | 65.00  | 12 |
| 7213758 Lever extension, mushroom                                 | 55.00  | 55.00  | 12 |
| 7213759 Lever extension, U-shaped                                 | 55.00  | 55.00  | 12 |
| 7213760 Trajectory correction system                              | 550.00 | 550.00 | 12 |
| WHEELS AND TIRES  |        |        |    |
| 7213761 Drive wheel; 33 cm (13 in.)                               | N. C.  | 75.00  | 12 |
| 7213762 Drive wheel tire, standard pressure inner tube; 33 cm (13 | N. C.  | 55.00  | 1  |
| in.)  |        |        |    |
| 7213763 Puncture proof tire for drive wheel                       | 10.00  | 65.00  | 1  |
| 7213764 Caster wheel, with semi-pneumatic tire; 17.8 cm (7 in.)   | N. C.  | 25.00  | 12 |
| 7213767 Suspension independent of wheels                          | N. C.  | 120.00 | 12 |
| 7213768 Fork, standard  | N. C.  | 45.00  | 12 |
|   |        |        |    |

| PRICE          |
|----------------|
| (including all |
| the basic      |
| components)    |

7213770 POWERED WHEELCHAIR

4,495.00

CATEGORY FMO-GM 2-B-P2 (MID-REAR WHEEL DRIVE)

ORTHOFAB INC.

#### "OASIS PC" DEVICE

#### TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 120 kg (265 lb.)

**Seat-to-floor height:** 39,4 cm to 49,6 cm (15½ in. to 19½ in.)

Frame: mid-rear wheel drive base, overall width  $\leq$  61 cm (24 in.)

| BASIC AND OPTIONAL COMPONENTS  | Unit price of<br>component<br>during device<br>purchase | Unit price for component replacement | Warranty (months) |
|--|---|--------------------------------------|-------------------|
| BODY SUPPORT SYSTEM  |   |                                      |                   |
| 7213771 Seat-to-back assembly structure; resizable                         | N. C.   | 240.00                               | 60                |
| 7213772 Rigid seat base, witdth and depth adjustable; strips of            | N. C.   | 70.00                                | 60                |
| "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of                     |   |                                      |                   |
| 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2                 |   |                                      |                   |
| cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm                   |   |                                      |                   |
| (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.) or 58.4 cm (23                |   |                                      |                   |
| in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm                |   |                                      |                   |
| (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.)             |   |                                      |                   |
| or 53.3 cm (21 in.)  |   |                                      |                   |
| 7213773 Seat, padded and contoured   | 50.00   | 120.00                               | 60                |
| 7213776 Back support, padded and contoured; heights of 45.7 cm             | N. C.   | 300.00                               | 60                |
| (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21                  |   |                                      |                   |
| in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61.0 cm (24 in.)               |   |                                      |                   |
| 7213774 Back support, flexible, non tension adjustable; heights of         | N. C.   | 300.00                               | 60                |
| 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3                 |   |                                      |                   |
| cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61.0 cm                 |   |                                      |                   |
| (24 in.)   |   |                                      |                   |
| 7213775 Back support, flexible, tension adjustable                         | N. C.   | 300.00                               | 60                |
| 7213777 Back support upright, straight, height and angle adjustable;       | N. C.   | 75.00                                | 60                |
| angle-adjustable from 90° to 110° by maximum increments                    |   |                                      |                   |
| of 6°  |   |                                      |                   |
| 2213778 Push handle, with hand grip  | N. C.   | 105.00                               | 60                |
| 7213780 Powered reclining back support, including biomechanical adjustment | 700.00  | 700.00                               | 60                |
| 7213781 Power tilt mechanism   | 600.00  | 600.00                               | 60                |
| 7213782 Postural support pelvic belt                                       | N. C.   | 10.00                                | 60                |

| 7213783 T-shaped arm support, short, removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism  | N. C.  | 110.00   | 60 |
|---|--------|----------|----|
| 7213784 T-shaped arm support, long, removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism   | N. C.  | 110.00   | 60 |
| 7213785 U-shaped arm support, short, flip-up and removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism  | N. C.  | 110.00   | 60 |
| 7213786 U-shaped arm support, long, flip-up and removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism   | N. C.  | 110.00   | 60 |
| 7213787 U-shaped arm support, flip-up; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism   | N. C.  | 110.00   | 60 |
| 7213789 L-shaped arm support, swing-away outward; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 27.9 cm to 35.6 cm (11 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism  | N. C.  | 110.00   | 60 |
| 7213790 Arm support pad, short, straight  | N. C.  | 8.00     | 60 |
| 7213791 Arm support pad, long, straight   | N. C.  | 8.00     | 60 |
| 7213792 Arm support pad, contoured  | 26.00  | 34.00    | 60 |
| 7213793 Arm support pad, gel  | 72.00  | 80.00    | 60 |
| 7213794 Parallel lower leg support, 60° or 70°; removable and pivoting with locking mechanism; adjustable from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 45.7 cm to 58.4 cm (18 in. to 23 in.); or 70°; removable and pivoting with locking mechanism; adjustable length from 25.4 cm to 35.6 cm (10 in. to 14 in.), from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 45.7 cm to 58.4 cm (18 in. to 23 in.) | N. C.  | 100.00   | 60 |
| 7213795 Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening system   | 200.00 | 300.00   | 60 |
| 7213796 Powered elevating lower leg support, individually   | 900.00 | 1,000.00 | 60 |
| 7213797 Powered elevating lower leg support, paired control   | 900.00 | 1,000.00 | 60 |
| 7213798 Padded calf support, angle, height and depth adjustable, including flat pad   | 30.00  | 30.00    | 60 |
| 7213799 Foot support, separate, flip-up, not angle adjustable, standard lenght  | N. C.  | 10.00    | 60 |
| 7213800 Foot support, separate, flip-up, not angle adjustable, extra  | 20.00  | 30.00    | 60 |
| 7213801 Foot support, separate, flip-up, angle and depth adjustable, standard lenght  | 25.00  | 35.00    | 60 |
| 7213802 Foot support, separate, flip-up, angle and depth adjustable, extra long   | 35.00  | 45.00    | 60 |
| 7213803 Heel loop, adjustable   | 5.00   | 5.00     | 60 |

| 7213804 Head support, depth adjustable                                 | 35.00    | 35.00    | 60 |
|--|----------|----------|----|
| 7213805 Contoured cushion for head support, all sizes                  | 65.00    | 65.00    | 60 |
| 7213806 Back support tension bar                                       | 5.00     | 5.00     | 60 |
| 7213807 Securement for head support for back support tension bar       | 15.00    | 15.00    | 60 |
| FRAME  |          |          |    |
| 7213808 Anti-tip device  | N. C.    | 3.00     | 60 |
| 7213809 Front impact guard   | 5.00     | 5.00     | 60 |
| 7213810 Lighting systems   | 175.00   | 175.00   | 60 |
| 7213811 Reflective devices   | N. C.    | 50.00    | 60 |
| 7213812 Emergency flashers   | 150.00   | 150.00   | 60 |
| 7213813 Triangular-shaped flag, orange, 300 cm2 minimum surface        | 5.00     | 5.00     | 60 |
| 7213814 Securement points for strap-type tiedowns for transport        | N. C.    | N. C.    | 60 |
| DRIVE SYSTEM   |          |          |    |
| 7213815 Standard control device for multipurpose programmable          | N. C.    | 800.00   | 60 |
| electronics; drive control device; toggle or push switches             |          |          |    |
| the functions: start-stop, horn and function selection;                |          |          |    |
| battery charge level indicator   |          |          |    |
| cattery charge level material  |          |          |    |
| 7213816 Compact control device   | N. C.    | 800.00   | 60 |
| 7213817 Control device operated by an assistant                        | 200.00   | 200.00   | 60 |
| 7213818 Control device for powered repositionning, for an              | N. C.    | N. C.    | 60 |
| accessory  | N. C.    | IV. C.   | 00 |
| 7213819 Control device for powered repositionning, for four            | N. C.    | N. C.    | 60 |
| accessories  |          |          |    |
| 7213820 Infrared option  | N. C.    | N. C.    | 60 |
| 7213821 Bluetooth option   | 1,600.00 | 1,600.00 | 60 |
| 7213822 Separate control for powered tilt mechanism                    | 350.00   | 350.00   | 60 |
| 7213823 Control device support, standard lateral, adjustable front-    | N. C.    | 200.00   | 60 |
| rear position  |          |          |    |
| 7213824 Control device support, lateral, flip-up with locking          | N. C.    | 200.00   | 60 |
| mechanism, adjustable front-rear position                              |          |          |    |
| 7213825 Control device support, central, flip-up, adjustable front-    | N. C.    | 200.00   | 60 |
| rear position  |          |          |    |
| 7213826 Controller for multipurpose programmable electronic            | N. C.    | 575.00   | 60 |
| system   |          |          |    |
| 7213827 Motor, including electric brake                                | N. C.    | 600.00   | 60 |
| 7213829 Battery charger, compatible with 22NF or 24 batteries          | N. C.    | 130.00   | 60 |
|  |          |          |    |
| 7213830 Adapted non-proportional control, cephalic                     | 500.00   | 500.00   | 60 |
| 7213831 Adapted non-proportional control, chin-controlled              | 700.00   | 700.00   | 60 |
| 7213832 Adapted non-proportional control, breath-controlled            | 500.00   | 500.00   | 60 |
| 7213833 Adapted proportional control, cephalic                         | 500.00   | 500.00   | 60 |
| 7213834 Adapted proportional control, chin-controlled                  | 500.00   | 500.00   | 60 |
| 7213835 Adapted proportional control, mini joystick                    | 2,500.00 | 2,500.00 | 60 |
| 7213836 Mounting bracket for adapted control                           | N. C.    | N. C.    | 60 |
| 7213837 Adapted control interface                                      | N. C.    | 800.00   | 60 |
| 7213838 Mounting bracket for interface                                 | 100.00   | 100.00   | 60 |
| 7213839 Lever extension, ball  | 20.00    | 20.00    | 60 |
| 7213840 Lever extension, conicospherical                               | 20.00    | 20.00    | 60 |
|  | 15.00    | 15.00    | 60 |
| 7213841 Lever extension, stick   | 15.00    | 15.00    | 60 |
| 7213842 Lever extension, T-shaped<br>7213843 Lever extension, mushroom | 15.00    | 15.00    | 60 |
| 1213073 Level Caulision, musimooni                                     | 15.00    | 13.00    | OU |

| 7213844 Lever extension, U-shaped<br>7213845 Trajectory correction system  | 15.00<br>1,000.00                     | 15.00<br>1,000.00                                  | 60<br>60             |
|--|---------------------------------------|--|----------------------|
| WHEELS AND TIRES   |                                       |  |                      |
| 7213846 Drive wheel; 35.6 cm (14 in.)  | N. C.                                 | 160.00   | 60                   |
| 7213847 Drive wheel tire, standard pressure inner tube; 35.6 cm (14 in.)   | N. C.                                 | 40.00  | 60                   |
| 7213848 Puncture proof tire for drive wheel  | 35.00                                 | 75.00  | 60                   |
| 7213850 Caster wheel, with standard pressure inner tube tire; 20.3 cm (8 in.) or 22.9 cm (9 in.)   | N. C.                                 | 75.00  | 60                   |
| 7213851 Caster wheel, with puncture proof tire; 20.3 cm (8 in.) or 22.9 cm (9 in.)   | N. C.                                 | 75.00  | 60                   |
| 7213852 Suspension independent of wheels   | N. C.                                 | 100.00   | 60                   |
| 7213854 Fork, adjustable height  | N. C.                                 | 100.00   | 60                   |
|  | ·                                     | PRICE<br>including all<br>the basic<br>components) |                      |
| 7213855 <b>POWERPER WATER CHAIR</b>  |                                       | 4,100.00   |                      |
| POWERED WHEELCHAIR   |                                       |  |                      |
| POWERED WHEELCHAIR  CATEGORY FMO-GM 2-B-P2 (MID-REAR WHEEL DRIVE)  |                                       |  |                      |
| CATEGORY FMO-GM 2-B-P2 (MID-REAR WHEEL   |                                       |  |                      |
| CATEGORY FMO-GM 2-B-P2 (MID-REAR WHEEL DRIVE)  |                                       |  |                      |
| CATEGORY FMO-GM 2-B-P2 (MID-REAR WHEEL DRIVE)  SUNRISE MEDICAL CANADA INC.   |                                       |  |                      |
| CATEGORY FMO-GM 2-B-P2 (MID-REAR WHEEL DRIVE)  SUNRISE MEDICAL CANADA INC.  "QUICKIE Q500H MixIE" DEVICE  TECHNICAL SPECIFICATIONS OF THE DEVICE Maximum weight capacity: 120 kg (265 lb.)   | in.)                                  |  |                      |
| CATEGORY FMO-GM 2-B-P2 (MID-REAR WHEEL DRIVE)  SUNRISE MEDICAL CANADA INC.  "QUICKIE Q500H MixIE" DEVICE  TECHNICAL SPECIFICATIONS OF THE DEVICE  Maximum weight capacity: 120 kg (265 lb.)  Seat-to-floor height: 41.9 cm to 50.8 cm (16½ in. to 20 in.)  | ŕ                                     |  |                      |
| CATEGORY FMO-GM 2-B-P2 (MID-REAR WHEEL DRIVE)  SUNRISE MEDICAL CANADA INC.  "QUICKIE Q500H MixIE" DEVICE  TECHNICAL SPECIFICATIONS OF THE DEVICE  Maximum weight capacity: 120 kg (265 lb.)  Seat-to-floor height: 41.9 cm to 50.8 cm (16½ in. to 20 in.)  Frame: mid-rear wheel drive base, overall width ≤ 61 cm (24  Drive system: manual freewheel lever; control cable replacea | Unit price of component during device | Jnit price for component replacement               | Warranty<br>(months) |
| CATEGORY FMO-GM 2-B-P2 (MID-REAR WHEEL DRIVE)  SUNRISE MEDICAL CANADA INC.  "QUICKIE Q500H MixIE" DEVICE  TECHNICAL SPECIFICATIONS OF THE DEVICE  Maximum weight capacity: 120 kg (265 lb.)  Seat-to-floor height: 41.9 cm to 50.8 cm (16½ in. to 20 in.)  Frame: mid-rear wheel drive base, overall width ≤ 61 cm (24  Drive system: manual freewheel lever; control cable replacea | Unit price of component during device | component  | •                    |

| 7213859 Back support, flexible, non tension adjustable; heights of 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.), 61 cm (24 in.), 63.5 cm (25 in.), 66 cm (26 in.), 68.6 cm (27 in.), 71.1 cm (28 in.), 73.6 cm (29 in.) or 76.2 cm (30 in.) | N. C.    | 90.00    | 1  |
|---|----------|----------|----|
| 7213860 Back support, flexible, tension adjustable  | 60.00    | 150.00   | 1  |
| 7213861 Back support, padded and contoured; heights of 53.3 cm  | N. C.    | 90.00    | 1  |
| (21 in.), 57.2 cm (22½ in.) or 61 cm (24 in.)   |          |          |    |
| 7213862 Back support upright, straight, height and angle adjustable; angle-adjustable from 85° to 110° by increments of 4°  | N. C.    | 250.00   | 12 |
| 7213863 Push handle, with hand grip   | N. C.    | 90.00    | 12 |
| 7213865 Powered reclining back support, including biomechanical adjustment  | 1,250.00 | 1,250.00 | 12 |
| 7213866 Power tilt mechanism  | 1,200.00 | 1,200.00 | 12 |
| 7213867 Postural support pelvic belt  | N. C.    | 25.00    | 12 |
| 7213868 T-shaped arm support, short, removable; height-adjustable, from 20.3 cm to 38.1 cm (8 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism  | N. C.    | 150.00   | 1  |
| 7213869 T-shaped arm support, long, removable; height-adjustable, from 20.3 cm to 38.1 cm (8 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism   | N. C.    | 150.00   | 1  |
| 7213870 U-shaped arm support, short, flip-up and removable; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism   | N. C.    | 150.00   | 1  |
| 7213871 U-shaped arm support, long, flip-up and removable; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism  | N. C.    | 150.00   | 1  |
| 7213873 I-shaped arm support, flip-up; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism  | N. C.    | 150.00   | 1  |
| 7213874 L-shaped arm support, flip-up; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism  | N. C.    | 150.00   | 1  |
| 7213875 Arm support pad, short, straight  | N. C.    | 15.00    | 1  |
| 7213876 Arm support pad, long, straight   | N. C.    | 15.00    | 1  |
| 7213877 Arm support pad, contoured  | 5.00     | 20.00    | 1  |
| 7213878 Arm support pad, gel  | 70.00    | 85.00    | 1  |
| 7213879 Parallel lower leg support, 60°, 65°, 70°, 80°, 85° or 90°; removable and pivoting with locking mechanism; adjustable length from 33 cm to 50.8 cm (13 in. to 22 in.)   | N. C.    | 135.00   | 12 |
| 7213880 Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening system   | 15.00    | 150.00   | 12 |
| 7213881 Powered elevating lower leg support, individually   | 365.00   | 500.00   | 12 |
| 7213882 Powered elevating lower leg support, paired control   | 365.00   | 500.00   | 12 |
| 7213883 Padded calf support, angle, height and depth adjustable, including flat pad   | 70.00    | 70.00    | 12 |
| 7213884 Foot support, separate, flip-up, not angle adjustable, standard lenght  | N. C.    | 35.00    | 12 |

| 7213885 Foot support, separate, flip-up, not angle adjustable, extra long  | N. C.    | 35.00    | 12 |
|--|----------|----------|----|
| 7213886 Foot support, separate, flip-up, angle and depth adjustable, standard lenght                                     | N. C.    | 35.00    | 12 |
| 7213887 Foot support, separate, flip-up, angle and depth adjustable, extra long  | N. C.    | 35.00    | 12 |
| 7213888 Heel loop, adjustable  | 5.00     | 5.00     | 12 |
| 7213889 Head support, depth adjustable   | 55.00    | 55.00    | 12 |
| 7213890 Contoured cushion for head support, all sizes  | 35.00    | 35.00    | 12 |
| 7213891 Back support tension bar   | 20.00    | 20.00    | 12 |
| 7213892 Securement for head support for back support tension bar   | 40.00    | 40.00    | 12 |
| 7213892 Securement for nead support for back support tension bar   | 40.00    | 40.00    | 12 |
| FRAME  | N. C     | 12.00    | 10 |
| 7213893 Anti-tip device  | N. C.    | 12.00    | 12 |
| 7213894 Front impact guard   | 12.00    | 12.00    | 12 |
| 7213895 Lighting systems   | 425.00   | 425.00   | 12 |
| 7213896 Reflective devices   | N. C.    | 5.00     | 12 |
| 7213897 Emergency flashers   | 15.00    | 15.00    | 12 |
| 7213898 Triangular-shaped flag, orange, 300 cm2 minimum surface  | 15.00    | 15.00    | 12 |
| 7213899 Securement points for strap-type tiedowns for transport  | N. C.    | 100.00   | 12 |
| DRIVE SYSTEM   |          |          |    |
| 7213900 Standard control device for multipurpose programmable electronics; drive control device; toggle or push switches | N. C.    | 585.00   | 12 |
| the functions: start-stop, horn and function selection;  |          |          |    |
| battery charge level indicator   |          |          |    |
| 7213901 Compact control device   | N. C.    | 585.00   | 12 |
| 7213902 Control device operated by an assistant  | 560.00   | 560.00   | 12 |
| 7213903 Control device for powered repositionning, for an  | 100.00   | 100.00   | 12 |
| accessory  |          |          |    |
| 7213904 Control device for powered repositionning, for four accessories  | 350.00   | 350.00   | 12 |
| 7213905 Infrared option  | N. C.    | N. C.    | 12 |
| 7213906 Bluetooth option   | N. C.    | N. C.    | 12 |
| 7213907 Separate control for powered tilt mechanism  | 510.00   | 510.00   | 12 |
| 7213908 Control device support, standard lateral, adjustable front-  | N. C.    | 85.00    | 12 |
| rear position  |          |          |    |
| 7213909 Control device support, lateral, flip-up with locking mechanism, adjustable front-rear position                  | N. C.    | 85.00    | 12 |
| 7213910 Control device support, central, flip-up, adjustable front-<br>rear position                                     | 65.00    | 150.00   | 12 |
| 7213911 Controller for multipurpose programmable electronic system   | N. C.    | 575.00   | 12 |
| 7213912 Motor  | N. C.    | 430.00   | 12 |
| 7213913 Electric brake   | N. C.    | 60.00    | 12 |
| 7213914 Battery charger, compatible with group 22NF or 24  | N. C.    | 145.00   | 12 |
| batteries  | Ν. Ο.    | 143.00   | 12 |
| 7213915 Adapted non-proportional control, cephalic   | 1,200.00 | 1,200.00 | 12 |
| 7213916 Adapted non-proportional control, chin-controlled  | 1,200.00 | 1,200.00 | 12 |
| 7213917 Adapted non-proportional control, breath-controlled  | 850.00   | 850.00   | 12 |
| 7213918 Adapted proportional control, cephalic   | 1,500.00 | 1,500.00 | 12 |
| 7213919 Adapted proportional control, chin-controlled  | 1,100.00 | 1,100.00 | 12 |
|  |          |          |    |

| 7213920 Adapted proportional control, mini joystick                      | 1,800.00 | 1,800.00 | 12 |
|--|----------|----------|----|
| 7213921 Mounting bracket for adapted control                             | 250.00   | 250.00   | 12 |
| 7213922 Adapted control interface  | 365.00   | 950.00   | 12 |
| 7213923 Mounting bracket for interface                                   | 400.00   | 400.00   | 12 |
| 7213924 Lever extension, ball  | 55.00    | 55.00    | 12 |
| 7213925 Lever extension, conicospherical                                 | 25.00    | 25.00    | 12 |
| 7213926 Lever extension, stick   | 55.00    | 55.00    | 12 |
| 7213927 Lever extension, T-shaped  | 65.00    | 65.00    | 12 |
| 7213928 Lever extension, mushroom  | 55.00    | 55.00    | 12 |
| 7213929 Lever extension, U-shaped  | 55.00    | 55.00    | 12 |
| 7213930 Trajectory correction system                                     | 550.00   | 550.00   | 12 |
| WHEELS AND TIRES   |          |          |    |
| 7213931 Drive wheel; 35.6 cm (14 in.)                                    | N. C.    | 75.00    | 12 |
| 7213932 Drive wheel tire, standard pressure inner tube; 35.6 cm (14 in.) | N. C.    | 55.00    | 1  |
| 7213933 Puncture proof tire for drive wheel                              | 10.00    | 65.00    | 1  |
| 7213934 Caster wheel, with semi-pneumatic tire; 22.9 cm (9 in.)          | N. C.    | 25.00    | 12 |
| 7213937 Suspension independent of wheels                                 | N. C.    | 120.00   | 12 |
| 7213938 Fork, standard   | N. C.    | 45.00    | 12 |

7213940 POWERED WHEELCHAIR

4,100.00

CATEGORY FMO-GM 2-C-P2 (MID-FRONT WHEEL DRIVE)

SUNRISE MEDICAL CANADA INC.

#### "QUICKIE Q700M" DEVICE

#### TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 120 kg (265 lb.)

**Seat-to-floor height:** 41.9 cm to 50.8 cm (16½ in. to 20 in.)

Frame: mid-front wheel drive base, overall width  $\leq$  61 cm (24 in.)

|         | BASIC AND OPTIONAL COMPONENTS   | Unit price of<br>component<br>during device<br>purchase | Unit price for component replacement | Warrant<br>(months |
|---------|---|---|--------------------------------------|--------------------|
|         | BODY SUPPORT SYSTEM   |   |                                      |                    |
| 7213941 | Seat-to-back assembly structure; resizable  | N. C.   | 400.00                               | 12                 |
|         | Rigid seat base, witdth and depth adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.) | N. C.   | 195.00                               | 12                 |
| 213943  | Seat, padded and contoured  | N. C.   | 195.00                               | 1                  |
|         | Back support, flexible, non tension adjustable; heights of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 55.9 cm (22 in.), 58.4 cm (23 in.), 61 cm (24 in.), 63.5 cm (25 in.), 66 cm (26 in.), 68.6 cm (27 in.) or 71.1 cm (28 in.)   | N. C.   | 90.00                                | 1                  |
| 213945  | Back support, flexible, tension adjustable  | 60.00   | 150.00                               | 1                  |
|         | Back support, padded and contoured; heights of 53.3 cm (21 in.), 57.2 cm (22½ in.) or 61 cm (24 in.)  | N. C.   | 90.00                                | 1                  |
|         | Back support upright, straight, height and angle adjustable; angle-adjustable from $85^\circ$ to $110^\circ$ by increments of $4^\circ$   | N. C.   | 250.00                               | 12                 |
| 213948  | Push handle, with hand grip   | N. C.   | 90.00                                | 12                 |
|         | Powered reclining back support, including biomechanical   | 1,250.00  | 1,250.00                             | 12                 |
| 213951  | Power tilt mechanism  | 1,200.00  | 1,200.00                             | 12                 |
| 213952  | Postural support pelvic belt  | N. C.   | 25.00                                | 12                 |
|         | T-shaped arm support, short, removable; height-adjustable, from 20.3 cm to 38.1 cm (8 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism  | N. C.   | 150.00                               | 1                  |

| 7213954 T-shaped arm support, long, removable; height-adjustable, from 20.3 cm to 38.1 cm (8 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism               | N. C.   | 150.00 | 1  |
|---|---------|--------|----|
| 7213955 U-shaped arm support, short, flip-up and removable; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism | N. C.   | 150.00 | 1  |
| 7213956 U-shaped arm support, long, flip-up and removable; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking            | N. C.   | 150.00 | 1  |
| 7213958 I-shaped arm support, flip-up; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism                      | N. C.   | 150.00 | 1  |
| 7213959 L-shaped arm support, flip-up; height-adjustable, from 25.4 cm to 38.1 cm (110 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism                     | N. C.   | 150.00 | 1  |
| 7213960 Arm support pad, short, straight  | N. C.   | 15.00  | 1  |
| 7213961 Arm support pad, long, straight   | N. C.   | 15.00  | 1  |
| 7213962 Arm support pad, contoured  | 5.00    | 20.00  | 1  |
| 7213963 Arm support pad, gel  | 70.00   | 85.00  | 1  |
| 7213964 Parallel lower leg support, 60°, 65°, 70°, 80°, 85° or 90°;   | N. C.   | 135.00 | 12 |
| removable and pivoting with locking mechanism; adjustable length from 33 cm to 50.8 cm (13 in. to 22 in.)   | 1,7 0,7 | 100100 |    |
| 7213965 Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening system | 15.00   | 150.00 | 12 |
| 7213966 Powered elevating lower leg support, individually   | 365.00  | 500.00 | 12 |
| 7213967 Powered elevating lower leg support, paired control   | 365.00  | 500.00 | 12 |
| 7213968 One-piece powered elevating lower leg support   | 845.00  | 980.00 | 12 |
| 7213969 Padded calf support, angle, height and depth adjustable,  | 70.00   | 70.00  | 12 |
| including flat pad  | 70.00   | 70.00  | 12 |
| 7213970 Foot support, separate, flip-up, not angle adjustable, standard lenght  | N. C.   | 35.00  | 12 |
| 7213971 Foot support, separate, flip-up, not angle adjustable, extra long   | N. C.   | 35.00  | 12 |
| 7213972 Foot support, separate, flip-up, angle and depth adjustable, standard lenght  | N. C.   | 35.00  | 12 |
| 7213973 Foot support, separate, flip-up, angle and depth adjustable, extra long   | N. C.   | 35.00  | 12 |
| 7213974 Foot support, flip-up, one-piece platform   | 190.00  | 225.00 | 12 |
| 7213975 Heel loop, adjustable   | 5.00    | 5.00   | 12 |
| 7213976 Head support, depth adjustable  | 55.00   | 55.00  | 12 |
| 7213977 Contoured cushion for head support, all sizes   | 35.00   | 35.00  | 12 |
| 7213978 Back support tension bar  | 20.00   | 20.00  | 12 |
| 7213979 Securement for head support for back support tension bar  | 40.00   | 40.00  | 12 |
| FRAME   |         |        |    |
| 7213980 Front impact guard  | 12.00   | 12.00  | 12 |
| 7213981 Lighting systems  | N. C.   | 425.00 | 12 |
| 7213982 Reflective devices  | N. C.   | 5.00   | 12 |
| 7213983 Emergency flashers  | 15.00   | 15.00  | 12 |
| 7213984 Triangular-shaped flag, orange, 300 cm2 minimum surface   | 15.00   | 15.00  | 12 |

| 7213985 Securement points for strap-type tiedowns for transport  | N. C.    | 100.00   | 12 |
|--|----------|----------|----|
| DRIVE SYSTEM 7213986 Standard control device for multipurpose programmable electronics; drive control device; toggle or push switches the functions: start-stop, horn and function selection; battery charge level indicator | N. C.    | 585.00   | 12 |
| 7213987 Compact control device   | N. C.    | 585.00   | 12 |
| 7213988 Control device operated by an assistant  | 560.00   | 560.00   | 12 |
| 7213989 Control device for powered repositionning, for an accessory  | 100.00   | 100.00   | 12 |
| 7213990 Control device for powered repositionning, for four accessories  | 350.00   | 350.00   | 12 |
| 7213991 Infrared option  | N. C.    | N. C.    | 12 |
| 7213992 Bluetooth option   | N. C.    | N. C.    | 12 |
| 7213993 Separate control for powered tilt mechanism  | 510.00   | 510.00   | 12 |
| 7213994 Control device support, standard lateral, adjustable front-<br>rear position   | N. C.    | 85.00    | 12 |
| 7213995 Control device support, lateral, flip-up with locking mechanism, adjustable front-rear position  | N. C.    | 85.00    | 12 |
| 7213996 Control device support, central, flip-up, adjustable front-<br>rear position   | 65.00    | 150.00   | 12 |
| 7213997 Controller for multipurpose programmable electronic system   | N. C.    | 575.00   | 12 |
| 7213998 Motor  | N. C.    | 430.00   | 12 |
| 7213999 Electric brake   | N. C.    | 60.00    | 12 |
| 7214000 Battery charger, compatible with group 22NF or 24 batteries  | N. C.    | 145.00   | 12 |
| 7214001 Adapted non-proportional control, cephalic   | 1,200.00 | 1,200.00 | 12 |
| 7214002 Adapted non-proportional control, chin-controlled  | 1,200.00 | 1,200.00 | 12 |
| 7214003 Adapted non-proportional control, breath-controlled  | 850.00   | 850.00   | 12 |
| 7214004 Adapted proportional control, cephalic   | 1,500.00 | 1,500.00 | 12 |
| 7214005 Adapted proportional control, chin-controlled  | 1,100.00 | 1,100.00 | 12 |
| 7214006 Adapted proportional control, mini joystick  | 1,800.00 | 1,800.00 | 12 |
| 7214007 Mounting bracket for adapted control   | 250.00   | 250.00   | 12 |
| 7214008 Adapted control interface  | 365.00   | 950.00   | 12 |
| 7214009 Mounting bracket for interface   | 400.00   | 400.00   | 12 |
| 7214010 Lever extension, ball  | 55.00    | 55.00    | 12 |
| 7214011 Lever extension, conicospherical   | 25.00    | 25.00    | 12 |
| 7214012 Lever extension, stick   | 55.00    | 55.00    | 12 |
| 7214013 Lever extension, T-shaped  | 65.00    | 65.00    | 12 |
| 7214014 Lever extension, mushroom  | 55.00    | 55.00    | 12 |
| 7214015 Lever extension, U-shaped  | 55.00    | 55.00    | 12 |
| 7214016 Trajectory correction system   | 550.00   | 550.00   | 12 |
| WHEELS AND TIRES   |          |          |    |
| 7214017 Drive wheel; 35.6 cm (14 in.)  | N. C.    | 75.00    | 12 |
| 7214018 Drive wheel tire, standard pressure inner tube; 35.6 cm (14 in.)   | N. C.    | 55.00    | 1  |
| 7214019 Puncture proof tire for drive wheel  | 10.00    | 65.00    | 1  |
| 7214020 Caster wheel, with semi-pneumatic tire; 15.2 cm (6 in.)  | N. C.    | 25.00    | 12 |
| 7214023 Suspension independent of wheels   | N. C.    | 120.00   | 12 |
| 7214024 Fork, standard   | N. C.    | 45.00    | 12 |

7214026 POWERED WHEELCHAIR 4,100.00

CATEGORY FMO-GM 2-C-P2 (MID-REAR WHEEL DRIVE)

SUNRISE MEDICAL CANADA INC.

## "QUICKIE Q500H" DEVICE

#### TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 120 kg (265 lb.)

**Seat-to-floor height:** 41.9 cm to 50.8 cm (16½ in. to 20 in.)

Frame: mid-rear wheel drive base, overall width  $\leq$  61 cm (24 in.)

|         | BASIC AND OPTIONAL COMPONENTS   | Unit price of<br>component<br>during device<br>purchase | Unit price for component replacement | Warranty<br>(months) |
|---------|---|---|--------------------------------------|----------------------|
|         | BODY SUPPORT SYSTEM   |   |                                      |                      |
| 7214027 | Seat-to-back assembly structure; resizable  | N. C.   | 400.00                               | 12                   |
| 7214028 | Rigid seat base, witdth and depth adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.) | N. C.   | 195.00                               | 12                   |
| 7214030 | Seat, padded and contoured<br>Back support, flexible, non tension adjustable; heights of<br>50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.),<br>58.4 cm (23 in.), 61.0 cm (24 in.), 63.5 cm (25 in.), 66 cm<br>(26 in.), 68.6 cm (27 in.), 71.1 cm (28 in.), 73.6 cm (29 in.)<br>or 76.2 cm (30 in.)   | N. C.<br>N. C.  | 195.00<br>90.00                      | 1<br>1               |
| 7214031 | Back support, flexible, tension adjustable  | 60.00   | 150.00                               | 1                    |
|         | Back support, padded and contoured; heights of 53.3 cm (21 in.), 57.2 cm (22½ in.) or 61 cm (24 in.)  | N. C.   | 90.00                                | 1                    |
|         | Back support upright, straight, height and angle adjustable; angle-adjustable from 85° to 110° by increments of 4°  | N. C.   | 250.00                               | 12                   |
| 7214034 | Push handle, with hand grip   | N. C.   | 90.00                                | 12                   |
| 7214036 | Powered reclining back support, including biomechanical adjustment  | 1,250.00  | 1,250.00                             | 12                   |
| 7214037 | Power tilt mechanism  | 1,200.00  | 1,200.00                             | 12                   |
|         | Postural support pelvic belt  | N. C.   | 25.00                                | 12                   |
|         | T-shaped arm support, short, removable; height-adjustable, from 20.3 cm to 38.1 cm (8 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism  | N. C.   | 150.00                               | 1                    |

| 7214040 T-shaped arm support, long, removable; height-adjustable, from 20.3 cm to 38.1 cm (8 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism   | N. C.   | 150.00   | 1   |
|---|---|--|---|
| 7214041 U-shaped arm support, short, flip-up and removable; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism   | N. C.   | 150.00   | 1   |
| 7214042 U-shaped arm support, long, flip-up and removable; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking  | N. C.   | 150.00   | 1   |
| 7214044 I-shaped arm support, flip-up; height-adjustable, from 25,4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism  | N. C.   | 150.00   | 1   |
| 7214045 L-shaped arm support, flip-up; height-adjustable, from 25,4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism  | N. C.   | 150.00   | 1   |
| 7214046 Arm support pad, short, straight  | N. C.   | 15.00  | 1   |
| 7214047 Arm support pad, long, straight   | N. C.   | 15.00  | 1   |
| 7214048 Arm support pad, contoured  | 5.00  | 20.00  | 1   |
| 7214049 Arm support pad, gel  | 70.00   | 85.00  | 1   |
| 7214050 Parallel lower leg support, 60°, 65°, 70°, 80°, 85° or 90°;   | 70.00<br>N. C.  | 135.00   | 12  |
| removable and pivoting with locking mechanism; adjustable length from 33 cm to 50.8 cm (13 in. to 22 in.)   | N. C.   | 133.00   | 12  |
| 7214051 Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening system   | 15.00   | 150.00   | 12  |
|   |   |  |   |
| · · · · · · · · · · · · · · · · · · ·   | 365.00  | 500.00   | 12  |
| 7214052 Powered elevating lower leg support, individually   | 365.00  | 500.00   | 12  |
| 7214052 Powered elevating lower leg support, individually 7214053 Powered elevating lower leg support, paired control 7214054 Padded calf support, angle, height and depth adjustable,  | 365.00<br>365.00<br>70.00   | 500.00<br>500.00<br>70.00  | 12<br>12<br>12  |
| <ul> <li>7214052 Powered elevating lower leg support, individually</li> <li>7214053 Powered elevating lower leg support, paired control</li> <li>7214054 Padded calf support, angle, height and depth adjustable, including flat pad</li> <li>7214055 Foot support, separate, flip-up, not angle adjustable, standard lenght</li> </ul>   | 365.00  | 500.00   | 12  |
| <ul> <li>7214052 Powered elevating lower leg support, individually</li> <li>7214053 Powered elevating lower leg support, paired control</li> <li>7214054 Padded calf support, angle, height and depth adjustable, including flat pad</li> <li>7214055 Foot support, separate, flip-up, not angle adjustable, standard lenght</li> <li>7214056 Foot support, separate, flip-up, not angle adjustable, extra long</li> </ul>  | 365.00<br>70.00<br>N. C.<br>N. C.   | 500.00<br>70.00<br>35.00<br>35.00  | 12<br>12<br>12  |
| <ul> <li>7214052 Powered elevating lower leg support, individually</li> <li>7214053 Powered elevating lower leg support, paired control</li> <li>7214054 Padded calf support, angle, height and depth adjustable, including flat pad</li> <li>7214055 Foot support, separate, flip-up, not angle adjustable, standard lenght</li> <li>7214056 Foot support, separate, flip-up, not angle adjustable, extra long</li> <li>7214057 Foot support, separate, flip-up, angle and depth adjustable, standard lenght</li> </ul>  | 365.00<br>70.00<br>N. C.<br>N. C.<br>N. C.  | 500.00<br>70.00<br>35.00<br>35.00  | 12<br>12<br>12<br>12  |
| <ul> <li>7214052 Powered elevating lower leg support, individually</li> <li>7214053 Powered elevating lower leg support, paired control</li> <li>7214054 Padded calf support, angle, height and depth adjustable, including flat pad</li> <li>7214055 Foot support, separate, flip-up, not angle adjustable, standard lenght</li> <li>7214056 Foot support, separate, flip-up, not angle adjustable, extra long</li> <li>7214057 Foot support, separate, flip-up, angle and depth adjustable, standard lenght</li> <li>7214058 Foot support, separate, flip-up, angle and depth adjustable, extra long</li> </ul>   | 365.00<br>70.00<br>N. C.<br>N. C.<br>N. C.<br>N. C.   | 500.00<br>70.00<br>35.00<br>35.00<br>35.00   | 12<br>12<br>12<br>12<br>12  |
| <ul> <li>7214052 Powered elevating lower leg support, individually</li> <li>7214053 Powered elevating lower leg support, paired control</li> <li>7214054 Padded calf support, angle, height and depth adjustable, including flat pad</li> <li>7214055 Foot support, separate, flip-up, not angle adjustable, standard lenght</li> <li>7214056 Foot support, separate, flip-up, not angle adjustable, extra long</li> <li>7214057 Foot support, separate, flip-up, angle and depth adjustable, standard lenght</li> <li>7214058 Foot support, separate, flip-up, angle and depth adjustable, extra long</li> <li>7214059 Heel loop, adjustable</li> </ul>  | 365.00<br>70.00<br>N. C.<br>N. C.<br>N. C.<br>N. C.<br>5.00   | 500.00<br>70.00<br>35.00<br>35.00<br>35.00<br>35.00<br>5.00  | 12<br>12<br>12<br>12<br>12<br>12  |
| <ul> <li>7214052 Powered elevating lower leg support, individually</li> <li>7214053 Powered elevating lower leg support, paired control</li> <li>7214054 Padded calf support, angle, height and depth adjustable, including flat pad</li> <li>7214055 Foot support, separate, flip-up, not angle adjustable, standard lenght</li> <li>7214056 Foot support, separate, flip-up, not angle adjustable, extra long</li> <li>7214057 Foot support, separate, flip-up, angle and depth adjustable, standard lenght</li> <li>7214058 Foot support, separate, flip-up, angle and depth adjustable, extra long</li> <li>7214059 Heel loop, adjustable</li> <li>7214060 Head support, depth adjustable</li> </ul>  | 365.00<br>70.00<br>N. C.<br>N. C.<br>N. C.<br>N. C.<br>5.00<br>55.00  | 500.00<br>70.00<br>35.00<br>35.00<br>35.00<br>5.00<br>55.00  | 12<br>12<br>12<br>12<br>12<br>12<br>12<br>12                                    |
| <ul> <li>7214052 Powered elevating lower leg support, individually</li> <li>7214053 Powered elevating lower leg support, paired control</li> <li>7214054 Padded calf support, angle, height and depth adjustable, including flat pad</li> <li>7214055 Foot support, separate, flip-up, not angle adjustable, standard lenght</li> <li>7214056 Foot support, separate, flip-up, not angle adjustable, extra long</li> <li>7214057 Foot support, separate, flip-up, angle and depth adjustable, standard lenght</li> <li>7214058 Foot support, separate, flip-up, angle and depth adjustable, extra long</li> <li>7214059 Heel loop, adjustable</li> <li>7214060 Head support, depth adjustable</li> <li>7214061 Contoured cushion for head support, all sizes</li> </ul>   | 365.00<br>70.00<br>N. C.<br>N. C.<br>N. C.<br>N. C.<br>5.00<br>55.00<br>35.00   | 500.00<br>70.00<br>35.00<br>35.00<br>35.00<br>5.00<br>55.00<br>35.00   | 12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12                        |
| <ul> <li>7214052 Powered elevating lower leg support, individually</li> <li>7214053 Powered elevating lower leg support, paired control</li> <li>7214054 Padded calf support, angle, height and depth adjustable, including flat pad</li> <li>7214055 Foot support, separate, flip-up, not angle adjustable, standard lenght</li> <li>7214056 Foot support, separate, flip-up, not angle adjustable, extra long</li> <li>7214057 Foot support, separate, flip-up, angle and depth adjustable, standard lenght</li> <li>7214058 Foot support, separate, flip-up, angle and depth adjustable, extra long</li> <li>7214059 Heel loop, adjustable</li> <li>7214060 Head support, depth adjustable</li> <li>7214061 Contoured cushion for head support, all sizes</li> <li>7214062 Back support tension bar</li> </ul>   | 365.00<br>70.00<br>N. C.<br>N. C.<br>N. C.<br>N. C.<br>5.00<br>55.00<br>35.00<br>20.00  | 500.00<br>70.00<br>35.00<br>35.00<br>35.00<br>5.00<br>55.00<br>35.00<br>20.00  | 12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12                  |
| <ul> <li>7214052 Powered elevating lower leg support, individually</li> <li>7214053 Powered elevating lower leg support, paired control</li> <li>7214054 Padded calf support, angle, height and depth adjustable, including flat pad</li> <li>7214055 Foot support, separate, flip-up, not angle adjustable, standard lenght</li> <li>7214056 Foot support, separate, flip-up, not angle adjustable, extra long</li> <li>7214057 Foot support, separate, flip-up, angle and depth adjustable, standard lenght</li> <li>7214058 Foot support, separate, flip-up, angle and depth adjustable, extra long</li> <li>7214059 Heel loop, adjustable</li> <li>7214060 Head support, depth adjustable</li> <li>7214061 Contoured cushion for head support, all sizes</li> </ul>   | 365.00<br>70.00<br>N. C.<br>N. C.<br>N. C.<br>N. C.<br>5.00<br>55.00<br>35.00   | 500.00<br>70.00<br>35.00<br>35.00<br>35.00<br>5.00<br>55.00<br>35.00   | 12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12                        |
| <ul> <li>7214052 Powered elevating lower leg support, individually</li> <li>7214053 Powered elevating lower leg support, paired control</li> <li>7214054 Padded calf support, angle, height and depth adjustable, including flat pad</li> <li>7214055 Foot support, separate, flip-up, not angle adjustable, standard lenght</li> <li>7214056 Foot support, separate, flip-up, not angle adjustable, extra long</li> <li>7214057 Foot support, separate, flip-up, angle and depth adjustable, standard lenght</li> <li>7214058 Foot support, separate, flip-up, angle and depth adjustable, extra long</li> <li>7214059 Heel loop, adjustable</li> <li>7214060 Head support, depth adjustable</li> <li>7214061 Contoured cushion for head support, all sizes</li> <li>7214062 Back support tension bar</li> <li>7214063 Securement for head support for back support tension bar</li> </ul>   | 365.00<br>70.00<br>N. C.<br>N. C.<br>N. C.<br>N. C.<br>5.00<br>55.00<br>35.00<br>20.00  | 500.00<br>70.00<br>35.00<br>35.00<br>35.00<br>5.00<br>55.00<br>35.00<br>20.00  | 12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12                  |
| <ul> <li>7214052 Powered elevating lower leg support, individually</li> <li>7214053 Powered elevating lower leg support, paired control</li> <li>7214054 Padded calf support, angle, height and depth adjustable, including flat pad</li> <li>7214055 Foot support, separate, flip-up, not angle adjustable, standard lenght</li> <li>7214056 Foot support, separate, flip-up, not angle adjustable, extra long</li> <li>7214057 Foot support, separate, flip-up, angle and depth adjustable, standard lenght</li> <li>7214058 Foot support, separate, flip-up, angle and depth adjustable, extra long</li> <li>7214059 Heel loop, adjustable</li> <li>7214060 Head support, depth adjustable</li> <li>7214061 Contoured cushion for head support, all sizes</li> <li>7214062 Back support tension bar</li> <li>7214063 Securement for head support for back support tension bar</li> <li>FRAME</li> </ul>                                  | 365.00<br>70.00<br>N. C.<br>N. C.<br>N. C.<br>N. C.<br>5.00<br>55.00<br>35.00<br>20.00<br>40.00                                     | 500.00<br>70.00<br>35.00<br>35.00<br>35.00<br>5.00<br>55.00<br>35.00<br>20.00<br>40.00   | 12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12            |
| <ul> <li>7214052 Powered elevating lower leg support, individually</li> <li>7214053 Powered elevating lower leg support, paired control</li> <li>7214054 Padded calf support, angle, height and depth adjustable, including flat pad</li> <li>7214055 Foot support, separate, flip-up, not angle adjustable, standard lenght</li> <li>7214056 Foot support, separate, flip-up, not angle adjustable, extra long</li> <li>7214057 Foot support, separate, flip-up, angle and depth adjustable, standard lenght</li> <li>7214058 Foot support, separate, flip-up, angle and depth adjustable, extra long</li> <li>7214059 Heel loop, adjustable</li> <li>7214060 Head support, depth adjustable</li> <li>7214061 Contoured cushion for head support, all sizes</li> <li>7214062 Back support tension bar</li> <li>7214063 Securement for head support for back support tension bar</li> <li>FRAME</li> <li>7214064 Anti-tip device</li> </ul> | 365.00<br>70.00<br>N. C.<br>N. C.<br>N. C.<br>N. C.<br>5.00<br>55.00<br>35.00<br>20.00<br>40.00<br>N. C.                            | 500.00<br>70.00<br>35.00<br>35.00<br>35.00<br>5.00<br>55.00<br>35.00<br>20.00<br>40.00   | 12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12                  |
| 7214052 Powered elevating lower leg support, individually 7214053 Powered elevating lower leg support, paired control 7214054 Padded calf support, angle, height and depth adjustable, including flat pad 7214055 Foot support, separate, flip-up, not angle adjustable, standard lenght 7214056 Foot support, separate, flip-up, not angle adjustable, extra long 7214057 Foot support, separate, flip-up, angle and depth adjustable, standard lenght 7214058 Foot support, separate, flip-up, angle and depth adjustable, extra long 7214059 Heel loop, adjustable 7214060 Head support, depth adjustable 7214061 Contoured cushion for head support, all sizes 7214062 Back support tension bar 7214063 Securement for head support for back support tension bar FRAME 7214064 Anti-tip device 7214065 Front impact guard   | 365.00<br>70.00<br>N. C.<br>N. C.<br>N. C.<br>N. C.<br>5.00<br>55.00<br>35.00<br>20.00<br>40.00<br>N. C.<br>12.00                   | 500.00<br>70.00<br>35.00<br>35.00<br>35.00<br>5.00<br>55.00<br>35.00<br>20.00<br>40.00<br>12.00<br>12.00                                     | 12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12            |
| 7214052 Powered elevating lower leg support, individually 7214053 Powered elevating lower leg support, paired control 7214054 Padded calf support, angle, height and depth adjustable, including flat pad 7214055 Foot support, separate, flip-up, not angle adjustable, standard lenght 7214056 Foot support, separate, flip-up, not angle adjustable, extra long 7214057 Foot support, separate, flip-up, angle and depth adjustable, standard lenght 7214058 Foot support, separate, flip-up, angle and depth adjustable, extra long 7214059 Heel loop, adjustable 7214060 Head support, depth adjustable 7214061 Contoured cushion for head support, all sizes 7214062 Back support tension bar 7214063 Securement for head support for back support tension bar FRAME 7214064 Anti-tip device 7214065 Front impact guard 7214066 Lighting systems  | 365.00<br>70.00<br>N. C.<br>N. C.<br>N. C.<br>N. C.<br>5.00<br>55.00<br>35.00<br>20.00<br>40.00<br>N. C.<br>12.00<br>N. C.          | 500.00<br>70.00<br>35.00<br>35.00<br>35.00<br>35.00<br>5.00<br>55.00<br>35.00<br>20.00<br>40.00<br>12.00<br>12.00<br>425.00                  | 12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12      |
| 7214052 Powered elevating lower leg support, individually 7214053 Powered elevating lower leg support, paired control 7214054 Padded calf support, angle, height and depth adjustable, including flat pad 7214055 Foot support, separate, flip-up, not angle adjustable, standard lenght 7214056 Foot support, separate, flip-up, not angle adjustable, extra long 7214057 Foot support, separate, flip-up, angle and depth adjustable, standard lenght 7214058 Foot support, separate, flip-up, angle and depth adjustable, extra long 7214059 Heel loop, adjustable 7214060 Head support, depth adjustable 7214061 Contoured cushion for head support, all sizes 7214062 Back support tension bar 7214063 Securement for head support for back support tension bar FRAME 7214064 Anti-tip device 7214065 Front impact guard 7214066 Lighting systems 7214067 Reflective devices   | 365.00<br>70.00<br>N. C.<br>N. C.<br>N. C.<br>N. C.<br>5.00<br>55.00<br>35.00<br>20.00<br>40.00<br>N. C.<br>12.00<br>N. C.<br>N. C. | 500.00<br>70.00<br>35.00<br>35.00<br>35.00<br>35.00<br>5.00<br>55.00<br>35.00<br>20.00<br>40.00<br>12.00<br>12.00<br>425.00<br>5.00          | 12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>1 |
| 7214052 Powered elevating lower leg support, individually 7214053 Powered elevating lower leg support, paired control 7214054 Padded calf support, angle, height and depth adjustable, including flat pad 7214055 Foot support, separate, flip-up, not angle adjustable, standard lenght 7214056 Foot support, separate, flip-up, not angle adjustable, extra long 7214057 Foot support, separate, flip-up, angle and depth adjustable, standard lenght 7214058 Foot support, separate, flip-up, angle and depth adjustable, extra long 7214059 Heel loop, adjustable 7214060 Head support, depth adjustable 7214061 Contoured cushion for head support, all sizes 7214062 Back support tension bar 7214063 Securement for head support for back support tension bar FRAME 7214064 Anti-tip device 7214065 Front impact guard 7214066 Lighting systems 7214067 Reflective devices 7214068 Emergency flashers                                | 365.00<br>70.00<br>N. C.<br>N. C.<br>N. C.<br>N. C.<br>5.00<br>55.00<br>35.00<br>20.00<br>40.00<br>N. C.<br>12.00<br>N. C.<br>N. C. | 500.00<br>70.00<br>35.00<br>35.00<br>35.00<br>35.00<br>5.00<br>55.00<br>35.00<br>20.00<br>40.00<br>12.00<br>12.00<br>425.00<br>5.00<br>15.00 | 12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>1 |
| 7214052 Powered elevating lower leg support, individually 7214053 Powered elevating lower leg support, paired control 7214054 Padded calf support, angle, height and depth adjustable, including flat pad 7214055 Foot support, separate, flip-up, not angle adjustable, standard lenght 7214056 Foot support, separate, flip-up, not angle adjustable, extra long 7214057 Foot support, separate, flip-up, angle and depth adjustable, standard lenght 7214058 Foot support, separate, flip-up, angle and depth adjustable, extra long 7214059 Heel loop, adjustable 7214060 Head support, depth adjustable 7214061 Contoured cushion for head support, all sizes 7214062 Back support tension bar 7214063 Securement for head support for back support tension bar FRAME 7214064 Anti-tip device 7214065 Front impact guard 7214066 Lighting systems 7214067 Reflective devices   | 365.00<br>70.00<br>N. C.<br>N. C.<br>N. C.<br>N. C.<br>5.00<br>55.00<br>35.00<br>20.00<br>40.00<br>N. C.<br>12.00<br>N. C.<br>N. C. | 500.00<br>70.00<br>35.00<br>35.00<br>35.00<br>35.00<br>5.00<br>55.00<br>35.00<br>20.00<br>40.00<br>12.00<br>12.00<br>425.00<br>5.00          | 12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>12<br>1 |

DRIVE SYSTEM

| 7214071 Standard control device for multipurpose programmable electronics; drive control device; toggle or push switches the functions: start-stop, horn and function selection; battery charge level indicator | N. C.    | 585.00   | 12 |
|---|----------|----------|----|
| 7214072 Compact control device  | N. C.    | 585.00   | 12 |
| 7214073 Control device operated by an assistant   | 560.00   | 560.00   | 12 |
| 7214074 Control device for powered repositionning, for an accessory   | 100.00   | 100.00   | 12 |
| 7214075 Control device for powered repositionning, for four accessories   | 350.00   | 350.00   | 12 |
| 7214076 Infrared option   | N. C.    | N. C.    | 12 |
| 7214077 Bluetooth option  | N. C.    | N. C.    | 12 |
| 7214078 Separate control for powered tilt mechanism   | 510.00   | 510.00   | 12 |
| 7214079 Control device support, standard lateral, adjustable front-<br>rear position  | N. C.    | 85.00    | 12 |
| 7214080 Control device support, lateral, flip-up with locking mechanism, adjustable front-rear position   | N. C.    | 85.00    | 12 |
| 7214081 Control device support, central, flip-up, adjustable front-<br>rear position  | 65.00    | 150.00   | 12 |
| 7214082 Controller for multipurpose programmable electronic system  | N. C.    | 575.00   | 12 |
| 7214083 Motor   | N. C.    | 430.00   | 12 |
| 7214084 Electric brake  | N. C.    | 60.00    | 12 |
| 7214085 Battery charger, compatible with group 22NF or 24   | N. C.    | 145.00   | 12 |
| 7214086 Adapted non-proportional control, cephalic  | 1,200.00 | 1,200.00 | 12 |
| 7214087 Adapted non-proportional control, chin-controlled   | 1,200.00 | 1,200.00 | 12 |
| 7214088 Adapted non-proportional control, breath-controlled   | 850.00   | 850.00   | 12 |
| 7214089 Adapted proportional control, cephalic  | 1,500.00 | 1,500.00 | 12 |
| 7214090 Adapted proportional control, chin-controlled   | 1,100.00 | 1,100.00 | 12 |
| 7214091 Adapted proportional control, mini joystick   | 1,800.00 | 1,800.00 | 12 |
| 7214092 Mounting bracket for adapted control  | 250.00   | 250.00   | 12 |
| 7214093 Adapted control interface   | 365.00   | 950.00   | 12 |
| 7214094 Mounting bracket for interface  | 400.00   | 400.00   | 12 |
| 7214095 Lever extension, ball   | 55.00    | 55.00    | 12 |
| 7214096 Lever extension, conicospherical  | 25.00    | 25.00    | 12 |
| 7214097 Lever extension, stick  | 55.00    | 55.00    | 12 |
| 7214098 Lever extension, T-shaped   | 65.00    | 65.00    | 12 |
| 7214099 Lever extension, mushroom   | 55.00    | 55.00    | 12 |
| 7214100 Lever extension, U-shaped   | 55.00    | 55.00    | 12 |
| 7214101 Trajectory correction system  | 550.00   | 550.00   | 12 |
| WHEELS AND TIRES  | NG       | 75.00    | 12 |
| 7214102 Drive wheel; 35.6 cm (14 in.)   | N. C.    | 75.00    | 12 |
| 7214103 Drive wheel tire, standard pressure inner tube; 35.6 cm (14 in.)  | N. C.    | 55.00    | 1  |
| 7214104 Puncture proof tire for drive wheel   | 10.00    | 65.00    | 1  |
| 7214105 Caster wheel, with semi-pneumatic tire; 22.9 cm (9 in.)   | N. C.    | 25.00    | 12 |
| 7214108 Suspension independent of wheels  | N. C.    | 120.00   | 12 |
| 7214109 Fork, standard  | N. C.    | 45.00    | 12 |

| PRICE          |
|----------------|
| (including all |
| the basic      |
| components)    |

7214111 POWERED WHEELCHAIR 4,600.00

CATEGORY FMO-GM 3-B-P2 (MID-FRONT WHEEL DRIVE)

SUNRISE MEDICAL CANADA INC.

#### "QUICKIE Q700M HD-MixIE" DEVICE

#### TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 159 kg (350 lb.)

**Seat-to-floor height:** 41.9 cm to 50.8 cm ( $16\frac{1}{2} \text{ in.}$  to 20 in.)

Frame: mid-front wheel drive base, overall width  $\leq$  61 cm (24 in.)

|        | BASIC AND OPTIONAL COMPONENTS                                  | Unit price of<br>component<br>during device<br>purchase | Unit price for component replacement | Warranty<br>(months) |
|--------|--|---|--------------------------------------|----------------------|
|        | BODY SUPPORT SYSTEM  |   |                                      |                      |
| 721411 | 2 Seat-to-back assembly structure; resizable                   | N. C.   | 400.00                               | 12                   |
| 721411 | 3 Rigid seat base, witdth and depth adjustable; strips of      | N. C.   | 195.00                               | 12                   |
|        | "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of         |   |                                      |                      |
|        | 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.),          |   |                                      |                      |
|        | 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9     |   |                                      |                      |
|        | cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.);               |   |                                      |                      |
|        | depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16      |   |                                      |                      |
|        | in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.),    |   |                                      |                      |
|        | 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)         |   |                                      |                      |
| 721411 | 4 Seat, padded and contoured                                   | N. C.   | 195.00                               | 1                    |
|        | 5 Back support, flexible, non tension adjustable; heights of   | N. C.   | 90.00                                | 1                    |
|        | 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.),          |   |                                      |                      |
|        | 58.4 cm (23 in.), 61 cm (24 in.), 63.5 cm (25 in.), 66 cm      |   |                                      |                      |
|        | (26 in.), 68.6 cm (27 in.), 71.1 cm (28 in.), 73.6 cm (29 in.) |   |                                      |                      |
|        | or 76.2 cm (30 in.)  |   |                                      |                      |
| 721411 | 6 Back support, flexible, tension adjustable                   | 60.00   | 150.00                               | 1                    |
| 721411 | 7 Back support, padded and contoured; heights of 53.3 cm       | N. C.   | 90.00                                | 1                    |
|        | (21 in.), 57.2 cm (22½ in.) or 61 cm (24 in.)                  |   |                                      |                      |
| 721411 | 8 Back support upright, straight, height and angle adjustable; | N. C.   | 250.00                               | 12                   |
|        | angle-adjustable from 85° to 110° by increments of 4°          |   |                                      |                      |
| 721411 | 9 Push handle, with hand grip                                  | N. C.   | 90.00                                | 12                   |
|        | 1 Powered reclining back support, including biomechanical      | 1,250.00  | 1,250.00                             | 12                   |
|        | adjustment   |   |                                      |                      |
| 721412 | 2 Power tilt mechanism   | 1,200.00  | 1,200.00                             | 12                   |
| 721412 | 3 Postural support pelvic belt                                 | N. C.   | 25.00                                | 12                   |
|        | _  |   |                                      |                      |

| 7214124 T-shaped arm support, short, removable; height-adjustable, from 20.3 cm to 38.1 cm (8 in. to 15 in.) by maximum  | N. C.  | 150.00 | 1  |
|--|--------|--------|----|
| increments of 2.5 cm (1 in.), with locking mechanism   |        |        |    |
| 7214125 T-shaped arm support, long, removable; height-adjustable, from 20.3 cm to 38.1 cm (8 in. to 15 in.) by maximum   | N. C.  | 150.00 | 1  |
| increments of 2.5 cm (1 in.), with locking mechanism 7214126 U-shaped arm support, short, flip-up and removable; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking | N. C.  | 150.00 | 1  |
| mechanism  |        |        |    |
| 7214127 U-shaped arm support, short, flip-up and removable; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with  | N. C.  | 150.00 | 1  |
| locking mechanism  |        |        |    |
| 7214129 I-shaped arm support, flip-up; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism   | N. C.  | 150.00 | 1  |
| 7214130 L-shaped arm support, flip-up height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism  | N. C.  | 150.00 | 1  |
| 7214131 Arm support pad, short, straight   | N. C.  | 15.00  | 1  |
| 7214132 Arm support pad, long, straight  | N. C.  | 15.00  | 1  |
| 7214133 Arm support pad, contoured   | 5.00   | 20.00  | 1  |
| 7214134 Arm support pad, gel   | 70.00  | 85.00  | 1  |
| 7214135 Parallel lower leg support, 60°, 65°, 70°, 80°, 85° or 90°;  | N. C.  | 135.00 | 12 |
| removable and pivoting with locking mechanism; adjustable length from 33 cm to 50.8 cm (13 in. to 22 in.)  | 10.    | 132100 |    |
| 7214136 Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening system  | 15.00  | 150.00 | 12 |
| 7214137 Powered elevating lower leg support, individually  | 365.00 | 500.00 | 12 |
| 7214138 Powered elevating lower leg support, paired control  | 365.00 | 500.00 | 12 |
| 7214139 One-piece powered elevating lower leg support  | 845.00 | 980.00 | 12 |
| 7214139 One-piece powered elevating lower leg support 7214140 Padded calf support, angle, height and depth adjustable,   | 70.00  | 70.00  | 12 |
| including flat   | 70.00  | 70.00  | 12 |
| 7214141 Foot support, separate, flip-up, not angle adjustable, standard lenght   | N. C.  | 35.00  | 12 |
| 7214142 Foot support, separate, flip-up, not angle adjustable, extra long  | N. C.  | 35.00  | 12 |
| 7214143 Foot support, separate, flip-up, angle and depth adjustable, standard lenght   | N. C.  | 35.00  | 12 |
| 7214144 Foot support, separate, flip-up, angle and depth adjustable, extra long  | N. C.  | 35.00  | 12 |
| 7214145 Foot support, flip-up, one-piece platform  | 190.00 | 225.00 | 12 |
| 7214146 Heel loop, adjustable  | 5.00   | 5.00   | 12 |
| 7214147 Head support, depth adjustable   | 55.00  | 55.00  | 12 |
| 7214148 Contoured cushion for head support, all sizes  | 35.00  | 35.00  | 12 |
| 7214149 Back support tension bar   | 20.00  | 20.00  | 12 |
| 7214150 Securement for head support for back support tension bar   | 40.00  | 40.00  | 12 |
| FRAME  |        |        |    |
| 7214151 Front impact guard   | 12.00  | 12.00  | 12 |
| ×  | 12.00  | -2.00  | 12 |

| 7214152 Lighting systems  | 425.00   | 425.00   | 12 |
|---|----------|----------|----|
| 7214153 Reflective devices  | N. C.    | 5.00     | 12 |
| 7214154 Emergency flashers  | 15.00    | 15.00    | 12 |
| 7214155 Triangular-shaped flag, orange, 300 cm2 minimum surface   | 15.00    | 15.00    | 12 |
| 7214156 Securement points for strap-type tiedowns for transport   | N. C.    | 100.00   | 12 |
| DRIVE SYSTEM  |          |          |    |
| 7214157 Standard control device for multipurpose programmable electronics; drive control device; toggle or push switches the functions: start-stop, horn and function selection; battery charge level indicator | N. C.    | 585.00   | 12 |
| 7214158 Compact control device  | N. C.    | 585.00   | 12 |
| 7214159 Control device operated by an assistant   | 560.00   | 560.00   | 12 |
| 7214160 Control device for powered repositionning, for an accessory   | 100.00   | 100.00   | 12 |
| 7214161 Control device for powered repositionning, for four accessories   | 350.00   | 350.00   | 12 |
| 7214162 Infrared option   | N. C.    | N. C.    | 12 |
| 7214163 Bluetooth option  | N. C.    | N. C.    | 12 |
| 7214164 Separate control for powered tilt mechanism   | 510.00   | 510.00   | 12 |
| 7214165 Control device support, standard lateral, adjustable front-   | N. C.    | 85.00    | 12 |
| rear position   |          |          |    |
| 7214166 Control device support, lateral, flip-up with locking mechanism, adjustable front-rear position   | N. C.    | 85.00    | 12 |
| 7214167 Control device support, central, flip-up, adjustable front-<br>rear position  | 65.00    | 150.00   | 12 |
| 7214168 Controller for multipurpose programmable electronic system  | N. C.    | 575.00   | 12 |
| 7214169 Motor   | N. C.    | 430.00   | 12 |
| 7214170 Electric brake  | N. C.    | 60.00    | 12 |
| 7214171 Battery charger, compatible with group 22NF or 24 batteries   | N. C.    | 145.00   | 12 |
| 7214172 Adapted non-proportional control, cephalic  | 1,200.00 | 1,200.00 | 12 |
| 7214173 Adapted non-proportional control, chin-controlled   | 1,200.00 | 1,200.00 | 12 |
| 7214174 Adapted non-proportional control, breath-controlled   | 850.00   | 850.00   | 12 |
| 7214175 Adapted proportional control, cephalic  | 1,500.00 | 1,500.00 | 12 |
| 7214176 Adapted proportional control, chin-controlled   | 1,100.00 | 1,100.00 | 12 |
| 7214177 Adapted proportional control, mini joystick   | 1,800.00 | 1,800.00 | 12 |
| 7214178 Mounting bracket for adapted control  | 250.00   | 250.00   | 12 |
| 7214179 Adapted control interface   | 365.00   | 950.00   | 12 |
| 7214180 Mounting bracket for interface  | 400.00   | 400.00   | 12 |
| 7214181 Lever extension, ball   | 55.00    | 55.00    | 12 |
| 7214182 Lever extension, conicospherical  | 25.00    | 25.00    | 12 |
| 7214183 Lever extension, stick  | 55.00    | 55.00    | 12 |
| 7214184 Lever extension, T-shaped   | 65.00    | 65.00    | 12 |
| 7214185 Lever extension, mushroom   | 55.00    | 55.00    | 12 |
| 7214186 Lever extension, U-shaped   | 55.00    | 55.00    | 12 |
| 7214187 Trajectory correction system  | 550.00   | 550.00   | 12 |
| WHEELS AND TIRES  |          |          |    |
| 7214188 Drive wheel; 35.6 cm (14 in.)   | N. C.    | 75.00    | 12 |
| 7214189 Drive wheel tire, standard pressure inner tube; 35.6 cm (14 in.)  | N. C.    | 55.00    | 1  |
| <i>)</i>  |          |          |    |

| 7214190 Puncture proof tire for drive wheel                     | 10.00 | 65.00  | 1  |
|---|-------|--|----|
| 7214191 Caster wheel, with semi-pneumatic tire; 15.2 cm (6 in.) | N. C. | 25.00  | 12 |
| 7214194 Suspension independent of wheels                        | N. C. | 120.00   | 12 |
| 7214195 Fork, standard  | N. C. | 45.00  | 12 |
|   | 1     | PRICE<br>cluding all<br>the basic<br>mponents) |    |
| 7214197 POWERED WHEELCHAIR                                      |       | 4,495.00                                       |    |
| CATEGORY FMO-GM 3-B-P2 (MID-REAR WHEEL DRIVE)                   |       |  |    |
| ORTHOFAB INC.   |       |  |    |

#### "OASIS PC-03" DEVICE

# TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 136 kg (300 lb.)

**Seat-to-floor height:** 39,4 cm to 49,6 cm (15½ in. to 19½ in.)

Frame: mid-rear wheel drive base, overall width  $\leq$  61 cm (24 in.)

|         | BASIC AND OPTIONAL COMPONENTS  | Unit price of<br>component<br>during device<br>purchase | Unit price for component replacement | Warranty<br>(months) |
|---------|--|---|--------------------------------------|----------------------|
|         | BODY SUPPORT SYSTEM  |   |                                      |                      |
| 7214198 | Seat-to-back assembly structure; resizable   | N. C.   | 240.00                               | 60                   |
| 7214199 | Rigid seat base, witdth and depth adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of       | N. C.   | 70.00                                | 60                   |
|         | 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2   |   |                                      |                      |
|         | cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm   |   |                                      |                      |
|         | (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.) or 58.4 cm (23  |   |                                      |                      |
|         | in.);  |   |                                      |                      |
|         | depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17  |   |                                      |                      |
|         | in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.) or  |   |                                      |                      |
|         | 53.3 cm (21 in.)   |   |                                      |                      |
|         | Seat, padded and contoured   | 50.00   | 120.00                               | 60                   |
| 7214203 | Back support, padded and contoured; heights of 45.7 cm   | N. C.   | 300.00                               | 60                   |
|         | (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21  |   |                                      |                      |
|         | in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)   |   |                                      |                      |
| 7214201 | Back support, flexible, non tension adjustable; heights of   | N. C.   | 300.00                               | 60                   |
|         | 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3   |   |                                      |                      |
|         | cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm   |   |                                      |                      |
|         | (24 in.)   |   | • • • • • •                          |                      |
|         | Back support, flexible, tension adjustable   | N. C.   | 300.00                               | 60                   |
| 7214204 | Back support upright, straight, height and angle adjustable; angle-adjustable from 90° to 110° by maximum increments | N. C.   | 75.00                                | 60                   |
|         | of $6^{\circ}$   |   |                                      |                      |
|         | Push handle, with hand grip  | N. C.   | 105.00                               | 60                   |
|         | Powered reclining back support, including biomechanical  | 700.00  | 700.00                               | 60                   |
|         | adjustment   |   |                                      |                      |

| 7214208 Power tilt mechanism 7214209 Postural support pelvic belt 7214210 T-shaped arm support, short, removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm                                    | 600.00<br>N. C.<br>N. C. | 600.00<br>10.00<br>110.00 | 60<br>60<br>60 |
|---|--------------------------|---------------------------|----------------|
| to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism   | N.C                      | 110.00                    | 60             |
| 7214211 T-shaped arm support, long, removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in) by maximum increments of 2.5 cm (1 in.), with locking mechanism          | N. C.                    | 110.00                    | 60             |
| 7214212 U-shaped arm support, short, flip-up and removable; height-adjustable, 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism | N. C.                    | 110.00                    | 60             |
| 7214213 U-shaped arm support, long, flip-up and removable; height-adjustable, 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism  | N. C.                    | 110.00                    | 60             |
| 7214214 U-shaped arm support, flip-up; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism                 | N. C.                    | 110.00                    | 60             |
| 7214216 L-shaped arm support, swing-away outward; height-adjustable, from 20.3 cm to 28 cm (8 in. to 11 in.) or from 28 cm to 35.6 cm (11 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism          | N. C.                    | 110.00                    | 60             |
| 7214217 Arm support pad, short, straight  | N. C.                    | 8.00                      | 60             |
| 7214218 Arm support pad, long, straight   | N. C.                    | 8.00                      | 60             |
| 7214219 Arm support pad, contoured  | 26.00                    | 34.00                     | 60             |
| 7214220 Arm support pad, gel  | 72.00                    | 80.00                     | 60             |
| 7214221 Parallel lower leg support, 60° or 70°; removable and pivoting with locking mechanism; adjustable length from 35.6 cm to 48.3cm (14 in. to 19 in.) or from 45.7 cm to 58,4 cm (18 in. to 23 in.)                          | N. C.                    | 100.00                    | 60             |
| 7214222 Lower leg support, compensating elevating; with locking   | 200.00                   | 300.00                    | 60             |
| 7214223 Powered elevating lower leg support, individually   | 900.00                   | 1,000.00                  | 60             |
| 7214224 Powered elevating lower leg support, paired control   | 900.00                   | 1,000.00                  | 60             |
| 7214225 Padded calf support, angle, height and depth adjustable, including flat or contoured pad  | 30.00                    | 30.00                     | 60             |
| 7214226 Foot support, separate, flip-up, not angle adjustable, standard lenght  | N. C.                    | 10.00                     | 60             |
| 7214227 Foot support, separate, flip-up, not angle adjustable, extra long   | 20.00                    | 30.00                     | 60             |
| 7214228 Foot support, separate, flip-up, angle and depth adjustable, standard lenght  | 25.00                    | 35.00                     | 60             |
| 7214229 Foot support, separate, flip-up, angle and depth adjustable, standard lenght  | 35.00                    | 45.00                     | 60             |
| 7214230 Heel loop, adjustable   | 5.00                     | 5.00                      | 60             |
| 7214231 Head support, depth adjustable  | 35.00<br>65.00           | 35.00                     | 60             |
| 7214232 Contoured cushion for head support, all sizes 7214233 Back support tension bar  | 5.00                     | 65.00<br>5.00             | 60<br>60       |
| 7214234 Securement for head support for back support tension bar  | 15.00                    | 15.00                     | 60             |
| 1217237 Securement for nead support for back support tension bar  | 15.00                    | 13.00                     | 00             |

| FRAME  |          |          |    |
|--|----------|----------|----|
| 7214235 Anti-tip device  | N. C.    | 3.00     | 60 |
| 7214236 Front impact guard   | 5.00     | 5.00     | 60 |
| 7214237 Lighting systems   | 175.00   | 175.00   | 60 |
| 7214238 Reflective devices   | N. C.    | 50.00    | 60 |
| 7214239 Emergency flashers   | 150.00   | 150.00   | 60 |
| 7214240 Triangular-shaped flag, orange, 300 cm2 minimum surface  | 5.00     | 5.00     | 60 |
| , 21.2.10 1.11.11.gum outpet ing, outings, 5000 cm2 infinition outlier                                       | 2.00     | 2.00     |    |
| 7214241 Securement points for strap-type tiedowns for transport  | N. C.    | N. C.    | 60 |
| DRIVE SYSTEM   |          |          |    |
| 7214242 Standard control device for multipurpose programmable  | N. C.    | 800.00   | 60 |
| electronics; drive control device; toggle or push switches   |          |          |    |
| the functions: start-stop, horn and function selection;  |          |          |    |
| battery charge level indicator   |          |          |    |
| 7214243 Compact control device   | N. C.    | 800.00   | 60 |
| 7214244 Control device operated by an assistant  | 200.00   | 200.00   | 60 |
| 7214244 Control device operated by an assistant<br>7214245 Control device for powered repositionning, for an | N. C.    | N. C.    | 60 |
| accessory  | N. C.    | N. C.    | 00 |
| 7214246 Control device for powered repositionning, for four  | N. C.    | N. C.    | 60 |
| accessories  |          |          |    |
| 7214247 Infrared option  | N. C.    | N. C.    | 60 |
| 7214248 Bluetooth option   | 1,600.00 | 1,600.00 | 60 |
| 7214249 Separate control for powered tilt mechanism  | 350.00   | 350.00   | 60 |
| 7214250 Control device support, standard lateral, adjustable front-  | N. C.    | 200.00   | 60 |
| rear position  |          |          |    |
| 7214251 Control device support, lateral, flip-up with locking  | N. C.    | 200.00   | 60 |
| mechanism, adjustable front-rear position  | 7 0.     | _00.00   |    |
| 7214252 Control device support, central, flip-up, adjustable front-  | N. C.    | 200.00   | 60 |
| rear position  |          |          |    |
| 7214253 Controller for multipurpose programmable electronic  | N. C.    | 575.00   | 60 |
| system   |          |          |    |
| 7214254 Motor, including electric brake  | N. C.    | 600.00   | 60 |
| 7214256 Battery charger, compatible with group 22NF or 24  | N. C.    | 130.00   | 60 |
| batteries  |          |          |    |
| 7214257 Adapted non-proportional control, cephalic   | 500.00   | 500.00   | 60 |
| 7214258 Adapted non-proportional control, chin-controlled  | 700.00   | 700.00   | 60 |
| 7214259 Adapted non-proportional control, breath-controlled  | 500.00   | 500.00   | 60 |
| 7214260 Adapted proportional control, cephalic   | 500.00   | 500.00   | 60 |
| 7214261 Adapted proportional control, chin-controlled  | 500.00   | 500.00   | 60 |
| 7214262 Adapted proportional control, mini joystick  | 2,500.00 | 2,500.00 | 60 |
| 7214263 Mounting bracket for adapted control   | N. C.    | N. C.    | 60 |
| 7214264 Adapted control interface  | N. C.    | 800.00   | 60 |
| 7214265 Mounting bracket for interface   | 100.00   | 100.00   | 60 |
| 7214266 Lever extension, ball  | 20.00    | 20.00    | 60 |
| 7214267 Lever extension, conicospherical   | 20.00    | 20.00    | 60 |
| 7214268 Lever extension, stick   | 15.00    | 15.00    | 60 |
| 7214269 Lever extension, T-shaped  | 15.00    | 15.00    | 60 |
| 7214270 Lever extension, mushroom  | 15.00    | 15.00    | 60 |
| 7214271 Lever extension, U-shaped  | 15.00    | 15.00    | 60 |
| 7214272 Trajectory correction system   | 1,000.00 | 1,000.00 | 60 |
| • •  | •        | •        |    |

| 7214273 Drive wheel; 35.6 cm (14 in.)   | N. C.  | 160.00  | 60                   |
|---|--|---|----------------------|
| 7214274 Drive wheel tire, standard pressure inner tube; 35.6 cm (14 in.)  | N. C.  | 40.00   | 60                   |
| 7214275 Puncture proof tire for drive wheel   | 35.00  | 75.00   | 60                   |
| 7214277 Caster wheel, with standard pressure inner tube tire; 20.3 cm (8 in.) or 22.9 cm (9 in.)  | N. C.  | 75.00   | 60                   |
| 7214278 Caster wheel, puncture proof tire; 20.3 cm (8 in.) or 22.9 cm (9 in.)   | N. C.  | 75.00   | 60                   |
| 7214279 Suspension independent of wheels  | N. C.  | 100.00  | 60                   |
| 7214281 Fork, adjustable height   | N. C.  | 100.00  | 60                   |
|   |  | PRICE<br>(including all<br>the basic<br>components) |                      |
| 7214282 POWERED WHEELCHAIR  |  | 4,600.00  |                      |
| CATEGORY FMO-GM 3-C-P2 (MID-FRON WHEEL DRIVE)   |  |   |                      |
| SUNRISE MEDICAL CANADA INC,   |  |   |                      |
| "QUICKIE Q700M HD-E" DEVICE   |  |   |                      |
| TECHNICAL SPECIFICATIONS OF THE DEVICE Maximum weight capacity: 159 kg (350 lb.)  Seat-to-floor height: 41.9 cm to 50.8 cm (16½ in. to 20 in.   | )  |   |                      |
| <b>Frame:</b> mid-front wheel drive base, overall width ≤ 61 cm   | (24 in.)   |   |                      |
|   |  |   |                      |
| Drive system: manual freewheel lever; control cable replace   | ceable separately  |   |                      |
| Drive system: manual freewheel lever; control cable replace   | Unit price of component during device purchase                           | Unit price for component replacement                | Warranty<br>(months) |
| •   | Unit price of component during device                                    | component   | •                    |
| BASIC AND OPTIONAL COMPONENTS   | Unit price of component during device                                    | component   | •                    |
| BASIC AND OPTIONAL COMPONENTS  BODY SUPPORT SYSTEM  7214283 Seat-to-back assembly structure; resizable 7214284 Rigid seat base, witdth and depth adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or   | Unit price of component during device purchase  N. C. N. C.  N. C. N. C. | component replacement 400.00                        | (months)             |
| BODY SUPPORT SYSTEM  7214283 Seat-to-back assembly structure; resizable  7214284 Rigid seat base, witdth and depth adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)  7214285 Seat, padded and contoured  7214286 Back support, flexible, non tension adjustable; heights of 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.), 61 cm (24 in.), 63.5 cm (25 in.), 66 cm (26 in.), 68.6 cm (27 in.), 71.1 cm (28 in.), 73.6 cm (29 in.) | Unit price of component during device purchase  N. C. N. C.  N. C. N. C. | component replacement 400.00 195.00                 | (months)  12 12      |

| 7214289 Back support upright, straight, height and angle adjustable; angle-adjustable from 85° to 110° by increments of 4°   | N. C.    | 250.00   | 12 |
|--|----------|----------|----|
| 7214290 Push handle, with hand grip  | N. C.    | 90.00    | 12 |
| 7214292 Powered reclining back support, including biomechanical adjustment   | 1,250.00 | 1,250.00 | 12 |
| 7214293 Power tilt mechanism   | 1,200.00 | 1,200.00 | 12 |
| 7214294 Postural support pelvic belt   | N. C.    | 25.00    | 12 |
| 7214295 T-shaped arm support, short, removable; height-adjustable,   | N. C.    | 150.00   | 1  |
| from 20.3 cm to 38.1 cm (8 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism  |          |          |    |
| 7214296 T-shaped arm support, long, removable; height-adjustable, from 20.3 cm to 38.1 cm (8 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism                | N. C.    | 150.00   | 1  |
| increments of 2.5 cm (1 m.), with locking incentainsin   |          |          |    |
| 7214297 U-shaped arm support, short, flip-up and removable; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism  | N. C.    | 150.00   | 1  |
| 7214298 U-shaped arm support, long, flip-up and removable; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism   | N. C.    | 150.00   | 1  |
| 7214300 I-shaped arm support, flip-up; height-adjustable, from 25.4  | N. C.    | 150.00   | 1  |
| cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism   |          |          |    |
| 7214301 L-shaped arm support, flip-up or swing-away outward; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism | N. C.    | 150.00   | 1  |
| 7214302 Arm support pad, short, straight   | N. C.    | 15.00    | 1  |
| 7214303 Arm support pad, long, straight  | N. C.    | 15.00    | 1  |
| 7214304 Arm support pad, contoured   | 5.00     | 20.00    | 1  |
| 7214305 Arm support pad, gel   | 70.00    | 85.00    | 1  |
| 7214306 Parallel lower leg support, 60°, 65°, 70°, 80°, 85° or 90°;  | N. C.    | 135.00   | 12 |
| removable and pivoting with locking mechanism; adjustable length from 33 cm to 50.8 cm (13 in. to 22 in.)  | 1 0.     | 100100   |    |
| 7214307 Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening system  | 15.00    | 150.00   | 12 |
| 7214308 Powered elevating lower leg support, individually  | 365.00   | 500.00   | 12 |
| 7214309 Powered elevating lower leg support, paired control  | 365.00   | 500.00   | 12 |
| 7214310 One-piece powered elevating lower leg support  | 845.00   | 980.00   | 12 |
| 7214311 Padded calf support, angle, height and depth adjustable, including flat  | 70.00    | 70.00    | 12 |
| 7214312 Foot support, separate, flip-up, not angle adjustable, standard lenght   | N. C.    | 35.00    | 12 |
| 7214313 Foot support, separate, flip-up, not angle adjustable, extra long  | N. C.    | 35.00    | 12 |
| 7214314 Foot support, separate, flip-up, angle and depth adjustable, standard lenght   | N. C.    | 35.00    | 12 |
|  |          |          |    |

| 7214315 Foot support, separate, flip-up, angle and depth adjustable, extra long | N. C.    | 35.00    | 12 |
|---|----------|----------|----|
| 7214316 Foot support, flip-up, one-piece platform                               | 190.00   | 225.00   | 12 |
| 7214317 Heel loop, adjustable   | 5.00     | 5.00     | 12 |
|   | 55.00    | 55.00    | 12 |
| 7214318 Head support, depth adjustable  |          |          |    |
| 7214319 Contoured cushion for head support, all sizes                           | 35.00    | 35.00    | 12 |
| 7214320 Back support tension bar  | 20.00    | 20.00    | 12 |
| 7214321 Securement for head support for back support tension bar                | 40.00    | 40.00    | 12 |
| FRAME   |          |          |    |
| 7214322 Front impact guard  | 12.00    | 12.00    | 12 |
| 7214323 Lighting systems  | N. C.    | 425.00   | 12 |
| 7214324 Reflective devices  | N. C.    | 5.00     | 12 |
| 7214325 Emergency flashers  | 425.00   | 425.00   | 12 |
| 7214326 Triangular-shaped flag, orange, 300 cm2 minimum surface                 | 15.00    | 15.00    | 12 |
| 7214327 Securement points for strap-type tiedowns for transport                 | N. C.    | 100.00   | 12 |
| DRIVE SYSTEM  |          |          |    |
| 7214328 Standard control device for multipurpose programmable                   | N. C.    | 585.00   | 12 |
| electronics; drive control device; toggle or push switches                      |          |          |    |
| the functions: start-stop, horn and function selection;                         |          |          |    |
| battery charge level indicator  |          |          |    |
| 7214329 Compact control device  | N. C.    | 585.00   | 12 |
| 7214330 Control device operated by an assistant                                 | 560.00   | 560.00   | 12 |
| 7214331 Control device for powered repositionning, for an                       | 100.00   | 100.00   | 12 |
| accessory   |          |          |    |
| 7214332 Control device for powered repositionning, for four                     | 350.00   | 350.00   | 12 |
| accessories   |          |          |    |
| 7214333 Infrared option   | N. C.    | N. C.    | 12 |
| 7214334 Bluetooth option  | N. C.    | N. C.    | 12 |
| 7214335 Separate control for powered tilt mechanism                             | 510.00   | 510.00   | 12 |
| 7214336 Control device support, standard lateral, adjustable front-             | N. C.    | 85.00    | 12 |
| rear position   |          |          |    |
| 7214337 Control device support, lateral, flip-up with locking                   | N. C.    | 85.00    | 12 |
| mechanism, adjustable front-rear position                                       |          |          |    |
| 7214338 Control device support, central, flip-up, adjustable front-             | 65.00    | 150.00   | 12 |
| rear position   |          |          |    |
| 7214339 Controller for multipurpose programmable electronic                     | N. C.    | 575.00   | 12 |
| system  |          |          |    |
| 7214340 Motor   | N. C.    | 430.00   | 12 |
| 7214341 Electric brake  | N. C.    | 60.00    | 12 |
| 7214342 Battery charger, compatible with group 22NF or 24 batteries             | N. C.    | 145.00   | 12 |
| 7214343 Adapted non-proportional control, cephalic                              | 1,200.00 | 1,200.00 | 12 |
| 7214344 Adapted non-proportional control, chin-controlled                       | 1,200.00 | 1,200.00 | 12 |
|   | 850.00   |          |    |
| 7214345 Adapted non-proportional control, breath-controlled                     |          | 850.00   | 12 |
| 7214346 Adapted proportional control, cephalic                                  | 1,500.00 | 1,500.00 | 12 |
| 7214347 Adapted proportional control, chin-controlled                           | 1,100.00 | 1,100.00 | 12 |
| 7214348 Adapted proportional control, mini joystick                             | 1,800.00 | 1,800.00 | 12 |
| 7214349 Mounting bracket for adapted control                                    | 250.00   | 250.00   | 12 |
| 7214350 Adapted control interface   | 365.00   | 950.00   | 12 |
| 7214351 Mounting bracket for interface  | 400.00   | 400.00   | 12 |
|   |          |          |    |

| 7214352 Lever extension, ball                                       | 55.00  | 55.00  | 12 |
|---|--------|--------|----|
| 7214353 Lever extension, conicospherical                            | 25.00  | 25.00  | 12 |
| 7214354 Lever extension, stick                                      | 55.00  | 55.00  | 12 |
| 7214355 Lever extension, T-shaped                                   | 65.00  | 65.00  | 12 |
| 7214356 Lever extension, mushroom                                   | 55.00  | 55.00  | 12 |
| 7214357 Lever extension, U-shaped                                   | 55.00  | 55.00  | 12 |
| 7214358 Trajectory correction system                                | 550.00 | 550.00 | 12 |
| WHEELS AND TIRES  |        |        |    |
| 7214359 Drive wheel; 35.6 cm (14 in.)                               | N. C.  | 75.00  | 12 |
| 7214360 Drive wheel tire, standard pressure inner tube; 35.6 cm (14 | N. C.  | 55.00  | 1  |
| in.)  |        |        |    |
| 7214361 Puncture proof tire for drive wheel                         | 10.00  | 65.00  | 1  |
| 7214362 Caster wheel, with semi-pneumatic tire; 15.2 cm (6 in.)     | N. C.  | 25.00  | 12 |
| 7214365 Suspension independent of wheels                            | N. C.  | 120.00 | 12 |
| 7214366 Fork, standard  | N. C.  | 45.00  | 12 |
|   |        |        |    |

PRICE (including all the basic components)

7214368 POWERED WHEELCHAIR

4,600.00

CATEGORY FMO-GM 3-C-P2 (MID-REAR WHEEL DRIVE)

SUNRISE MEDICAL CANADA INC.

#### "QUICKIE Q500H HD-E" DEVICE

#### TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 159 kg (350 lb.)

**Seat-to-floor height:** 41.9 cm to 50.8 cm (16½ in. to 20 in.)

Frame: mid-rear wheel drive base, overall width  $\leq$  61 cm (24 in.)

| BASIC AND OPTIONAL COMPONENTS  | Unit price of<br>component<br>during device<br>purchase | Unit price for component replacement | Warranty<br>(months) |
|--|---|--------------------------------------|----------------------|
| BODY SUPPORT SYSTEM  |   |                                      |                      |
| 7214369 Seat-to-back assembly structure; resizable   | N. C.   | 400.00                               | 12                   |
| 7214370 Rigid seat base, witdth and depth adjustable; strips of  | N. C.   | 195.00                               | 12                   |
| "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of   |   |                                      |                      |
| 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.),  |   |                                      |                      |
| 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9   |   |                                      |                      |
| cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.);   |   |                                      |                      |
| depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16  |   |                                      |                      |
| in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.),  |   |                                      |                      |
| 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)   |   |                                      |                      |
|  |   |                                      |                      |
| 7214371 Seat, padded and contoured   | N. C.   | 195.00                               | 1                    |
| 7214372 Back support, flexible, non tension adjustable; heights of   | N. C.   | 90.00                                | 1                    |
| 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.),  |   |                                      |                      |
| 58.4 cm (23 in.), 61 cm (24 in.), 63.5 cm (25 in.), 66 cm  |   |                                      |                      |
| (26 in.), 68.6 cm (27 in.), 71.1 cm (28 in.), 73.6 cm (29 in.)   |   |                                      |                      |
| or 76.2 cm (30 in.) 7214373 Back support, flexible, tension adjustable   | 60.00   | 150.00                               | 1                    |
| 7214374 Back support, nextore, tension adjustable 7214374 Back support, padded and contoured; heights of 53.3 cm | N. C.   | 90.00                                | 1                    |
| (21 in.), 57.2 cm (22½ in.) or 61 cm (24 in.)  | N. C.   | 90.00                                | 1                    |
| 7214375 Back support upright, straight, height and angle adjustable;   | N. C.   | 250.00                               | 12                   |
| angle-adjustable from 85° to 110° by increments of 4°  | 14. 6.  | 230.00                               | 12                   |
| 7214376 Push handle, with hand grip  | N. C.   | 90.00                                | 12                   |
| 7214378 Powered reclining back support, including biomechanical  | 1,250.00  | 1,250.00                             | 12                   |
| adjustment   | -,== 3.00   | -,                                   |                      |
| 7214379 Power tilt mechanism   | 1,200.00  | 1,200.00                             | 12                   |
| 7214380 Postural support pelvic belt   | N. C.   | 25.00                                | 12                   |
|  |   |                                      |                      |

| 7214381 T-shaped arm support, short, removable; height-adjustable, from 20.3 cm to 38.1 cm (8 in. to 15 in.) by maximum  | N. C.          | 150.00         | 1      |
|--|----------------|----------------|--------|
| increments of 2.5 cm (1 in.), with locking mechanism   |                |                |        |
| 7214382 T-shaped arm support, long, removable; height-adjustable, from 20.3 cm to 38.1 cm (8 in. to 15 in.) by maximum   | N. C.          | 150.00         | 1      |
| increments of 2.5 cm (1 in.), with locking mechanism 7214383 U-shaped arm support, short, flip-up and removable; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with | N. C.          | 150.00         | 1      |
| locking mechanism 7214384 U-shaped arm support, long, flip-up and removable; height-   | N. C.          | 150.00         | 1      |
| adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism   |                |                |        |
| 7214386 I-shaped arm support, flip-up; height-adjustable, from 25.4 cm to 38.1 cm (9 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism  | N. C.          | 150.00         | 1      |
| 7214387 L-shaped arm support, flip-up or swing-away outward; height-adjustable, from 25.4 cm to 38.1 cm (11 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking   | N. C.          | 150.00         | 1      |
| mechanism  | N. C           | 15.00          | 1      |
| 7214388 Arm support pad, short, straight   | N. C.<br>N. C. | 15.00<br>15.00 | 1<br>1 |
| 7214389 Arm support pad, long, straight 7214390 Arm support pad, contoured   | 5.00           | 20.00          | 1      |
| 7214391 Arm support pad, gel   | 70.00          | 85.00          | 1      |
| 7214392 Parallel lower leg support, 60°, 65°, 70°, 80°, 85° or 90°;  | N. C.          | 135.00         | 12     |
| removable and pivoting with locking mechanism; adjustable length from 33 cm to 50.8 cm (13 in. to 22 in.)  | 11. 6.         | 133.00         | 12     |
| adjustable length from 55 cm to 50.6 cm (15 m. to 22 m.)   |                |                |        |
| 7214393 Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening   | 15.00          | 150.00         | 12     |
| system   | 265.00         | 500.00         | 12     |
| 7214394 Powered elevating lower leg support, individually  | 365.00         | 500.00         | 12     |
| 7214395 Powered elevating lower leg support, paired control  | 365.00         | 500.00         | 12     |
| 7214396 Padded calf support, angle, height and depth adjustable, including flat  | 70.00          | 70.00          | 12     |
| 7214397 Foot support, separate, flip-up, not angle adjustable, standard lenght   | N. C.          | 35.00          | 12     |
| 7214398 Foot support, separate, flip-up, not angle adjustable, extra long  | N. C.          | 35.00          | 12     |
| 7214399 Foot support, separate, flip-up, angle and depth adjustable, standard lenght   | N. C.          | 35.00          | 12     |
| 7214400 Foot support, separate, flip-up, angle and depth adjustable, extra long  | N. C.          | 35.00          | 12     |
| 7214401 Heel loop, adjustable  | 5.00           | 5.00           | 12     |
| 7214402 Head support, depth adjustable   | 55.00          | 55.00          | 12     |
| 7214403 Contoured cushion for head support, all sizes  | 35.00          | 35.00          | 12     |
| 7214404 Back support tension bar   | 20.00          | 20.00          | 12     |
| 7214405 Securement for head support for back support tension bar   | 40.00          | 40.00          | 12     |

| FRAME   |                |                |    |
|---|----------------|----------------|----|
| 7214406 Anti-tip device   | N. C.          | 12.00          | 12 |
| 7214407 Front impact guard  | 12.00          | 12.00          | 12 |
| 7214408 Lighting systems  | N. C.          | 425.00         | 12 |
| 7214409 Reflective devices  | N. C.          | 5.00           | 12 |
| 7214410 Emergency flashers  | 15.00          | 15.00          | 12 |
| 7214411 Triangular-shaped flag, orange, 300 cm2 minimum surface   | 15.00          | 15.00          | 12 |
| 7214412 Securement points for strap-type tiedowns for transport   | N. C.          | 100.00         | 12 |
| DRIVE SYSTEM  |                |                |    |
| 7214413 Standard control device for multipurpose programmable   | N. C.          | 585.00         | 12 |
| electronics; drive control device; toggle or push switches  |                |                |    |
| the functions: start-stop, horn and function selection; battery charge level indicator                  |                |                |    |
| 7214414 Compact control device  | N. C.          | 585.00         | 12 |
| 7214415 Control device operated by an assistant   | 560.00         | 560.00         | 12 |
| 7214416 Control device for powered repositionning, for an   | 100.00         | 100.00         | 12 |
| accessory   |                |                |    |
| 7214417 Control device for powered repositionning, for four accessories                                 | 350.00         | 350.00         | 12 |
| 7214418 Infrared option   | N. C.          | N. C.          | 12 |
| 7214419 Bluetooth option  | N. C.<br>N. C. | N. C.<br>N. C. | 12 |
| 7214420 Separate control for powered tilt mechanism   | 510.00         | 510.00         | 12 |
|   | N. C.          | 85.00          | 12 |
| 7214421 Control device support, standard lateral, adjustable front-<br>rear position                    | N. C.          | 83.00          | 12 |
| 7214422 Control device support, lateral, flip-up with locking mechanism, adjustable front-rear position | N. C.          | 85.00          | 12 |
| 7214423 Control device support, central, flip-up, adjustable front-rear position                        | 65.00          | 150.00         | 12 |
| 7214424 Controller for multipurpose programmable electronic   | N. C.          | 575.00         | 12 |
| system  |                |                |    |
| 7214425 Motor   | N. C.          | 430.00         | 12 |
| 7214426 Electric brake  | N. C.          | 60.00          | 12 |
| 7214427 Battery charger, compatible with group 22NF or 24 batteries                                     | N. C.          | 145.00         | 12 |
| 7214428 Adapted non-proportional control, cephalic  | 1,200.00       | 1,200.00       | 12 |
| 7214429 Adapted non-proportional control, chin-controlled   | 1,200.00       | 1,200.00       | 12 |
| 7214430 Adapted non-proportional control, breath-controlled   | 850.00         | 850.00         | 12 |
| 7214431 Adapted proportional control, cephalic  | 1,500.00       | 1,500.00       | 12 |
| 7214432 Adapted proportional control, chin-controlled   | 1,100.00       | 1,100.00       | 12 |
| 7214433 Adapted proportional control, mini joystick   | 1,800.00       | 1,800.00       | 12 |
| 7214434 Mounting bracket for adapted control  | 250.00         | 250.00         | 12 |
| 7214435 Adapted control interface   | 365.00         | 950.00         | 12 |
| 7214436 Mounting bracket for interface  | 400.00         | 400.00         | 12 |
| 7214437 Lever extension, ball   | 55.00          | 55.00          | 12 |
| 7214438 Lever extension, conicospherical  | 25.00          | 25.00          | 12 |
| 7214439 Lever extension, stick  | 55.00          | 55.00          | 12 |
| 7214440 Lever extension, T-shaped   | 65.00          | 65.00          | 12 |
| 7214441 Lever extension, mushroom   | 55.00          | 55.00          | 12 |
| 7214442 I II -l I   | 55.00          | 55.00          | 10 |

55.00

550.00

55.00

550.00

12

12

7214442 Lever extension, U-shaped

7214443 Trajectory correction system

| WHEELS AND TIRES | 5 |  |
|------------------|---|--|
|------------------|---|--|

| 7214444 Drive wheel; 35.6 cm (14 in.)                               | N. C. | 75.00  | 12 |
|---|-------|--------|----|
| 7214445 Drive wheel tire, standard pressure inner tube; 35.6 cm (14 | N. C. | 55.00  | 1  |
| in.)  |       |        |    |
| 7214446 Puncture proof tire for drive wheel                         | 10.00 | 65.00  | 1  |
| 7214447 Caster wheel, with semi-pneumatic tire; 22.9 cm (9 in.)     | N. C. | 25.00  | 12 |
| 7214450 Suspension independent of wheels                            | N. C. | 120.00 | 12 |
| 7214451 Fork, standard  | N. C. | 45.00  | 12 |
|   |       |        |    |

| PRICE          |
|----------------|
| (including all |
| the basic      |
| components)    |

7214453 POWERED WHEELCHAIR 7,275.00

CATEGORY FMO-GM 4-B-P2 (MID-WHEEL DRIVE)

AMYLIOR INC.

### "ALLTRACK M ATM4B" DEVICE

#### TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 249 kg (550 lb.)

**Seat-to-floor height:** 41.2 cm to 51.4 cm (161/4 in. to 201/4 in.)

Frame: mid-wheel drive base, overall width  $\leq 84$  cm (33 in.)

| BASIC AND OPTIONAL COMPONENTS  | Unit price of<br>component<br>during device<br>purchase | Unit price for component replacement | Warranty (months) |
|--|---|--------------------------------------|-------------------|
| BODY SUPPORT SYSTEM  |   |                                      |                   |
| 7214454 Seat-to-back assembly structure; resizable   | N. C.   | 550.00                               | 12                |
| 7214455 Rigid seat base, witdth and depth adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.), 61 cm (24 in.), 63.5 (25 in.), 66 cm (26 in.), 68.5 cm (27 in.) or 71.1 cm (28 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 | N. C.   | 200.00                               | 12                |
| cm (24 in.)  |   |                                      |                   |
| 7214456 Seat, padded and contoured   | 350.00  | 550.00                               | 1                 |
| 7214459 Back support, padded and contoured; heights of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.), 61 cm (24 in.), 63.5 cm (25 in.), 66 cm (26 in.) or 71.1 cm (28 in.)  | N. C.   | 500.00                               | 1                 |
| 7214458 Back support, flexible, tension adjustable   | N. C.   | 500.00                               | 1                 |
| 7214460 Back support upright, straight, height and angle adjustable; angle-adjustable from 82° to 110° by maximum increments of 4°   | N. C.   | 94.00                                | 12                |
| 7214461 Push handle, with hand grip  | N. C.   | 8.00                                 | 12                |
| 7214463 Powered reclining back support, including biomechanical adjustment   | 2,500.00  | 2,500.00                             | 12                |
| 7214464 Power tilt mechanism   | 2,200.00  | 2,200.00                             | 12                |
| 7214465 Postural support pelvic belt   | N. C.   | 25.00                                | 12                |
|  |   |                                      |                   |

| 7214466 | T-shaped arm support, short, removable; height-adjustable, from 18.4 cm to 38.7 cm (71/4 in. to 151/4 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism               | N. C.    | 150.00   | 1  |
|---------|--|----------|----------|----|
| 7214467 | 7 T-shaped arm support, long, removable; height-adjustable, from 18.4 cm to 38.7 cm (71/4 in. to 151/4 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism              | N. C.    | 150.00   | 1  |
| 7214468 | B U-shaped arm support, short, flip-up and removable; height-adjustable, from 18.4 cm to 38.7 cm (71/4 in. to 151/4 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism | 33.00    | 183.00   | 1  |
| 7214469 | U-shaped arm support, long, flip-up and removable; height-adjustable, from 18.4 cm to 38.7 cm (7½ in. to 15½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism        | 33.00    | 183.00   | 1  |
| 7214471 | I-shaped arm support, flip-up; height-adjustable, from 18.4 cm to 38.7 cm (7½ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism                            | 33.00    | 183.00   | 1  |
| 7214472 | 2 L-shaped arm support, flip-up; height-adjustable, from 17.8 cm to 38.1 cm (7 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism                            | 25.00    | 175.00   | 1  |
| 7214473 | 3 Arm support pad, short, straight   | N. C.    | 13.00    | 1  |
|         | Arm support pad, long, straight  | N. C.    | 13.00    | 1  |
|         | 5 Arm support pad, contoured   | 7.00     | 20.00    | 1  |
|         | 6 Arm support pad, gel   | 19.00    | 32.00    | 1  |
|         | 7 Parallel lower leg support, 60°, 70°; detachable and   | N. C.    | 192.00   | 12 |
| /2177// | pivoting with locking mechanism; adjustable length from 31.8 cm to 49.5 cm (12½ in. to 19½ in.)  | IV. C.   | 172.00   | 12 |
| 7214478 | B Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening system      | 108.00   | 300.00   | 12 |
| 7214479 | Powered elevating lower leg support, individually  | 808.00   | 1,000.00 | 12 |
|         |  | 808.00   | 1,000.00 |    |
|         | Powered elevating lower leg support, paired control  |          |          | 12 |
|         | One-piece powered elevating lower leg support  | 1,808.00 | 2,000.00 | 12 |
|         | 2 Padded calf support, angle, height and depth adjustable, including contoured pad   | 70.00    | 70.00    | 12 |
|         | 3 Foot support, separate, flip-up, not angle adjustable, standard lenght   | N. C.    | 50.00    | 12 |
|         | Foot support, separate, flip-up, not angle adjustable, extra long  | 30.00    | 80.00    | 12 |
|         | 5 Foot support, separate, flip-up, angle and depth adjustable, standard lenght   | 30.00    | 80.00    | 12 |
|         | Foot support, separate, flip-up, angle and depth adjustable, extra long  | 30.00    | 80.00    | 12 |
|         | Foot support, flip-up, one-piece platform  | 110.00   | 160.00   | 12 |
|         | B Heel loop, adjustable  | 10.00    | 10.00    | 12 |
|         | Head support, depth adjustable   | 90.00    | 90.00    | 12 |
|         | Contoured cushion for head support, all sizes  | 50.00    | 50.00    | 12 |
|         | Back support tension bar   | 100.00   | 100.00   | 12 |
| 7214492 | 2 Securement for head support for back support tension bar   | 20.00    | 20.00    | 12 |
|         | FRAME  |          |          |    |
| 7214493 | 3 Front impact guard   | 20.00    | 20.00    | 12 |
|         | Lighting systems   | 400.00   | 400.00   | 12 |
| 7214495 | Reflective devices   | N. C.    | 10.00    | 12 |
|         |  |          |          |    |

| 7014406 E  | N. C     | N. C     | 10 |
|--|----------|----------|----|
| 7214496 Emergency flashers   | N. C.    | N. C.    | 12 |
| 7214497 Triangular-shaped flag, orange, 300 cm2 minimum surface                                    | 10.00    | 10.00    | 12 |
|  |          |          |    |
| 7214498 Securement points for strap-type tiedowns for transport                                    | N. C.    | N. C.    | 12 |
| DRIVE SYSTEM   |          |          |    |
| 7214499 Standard control device for multipurpose programmable                                      | N. C.    | 750.00   | 12 |
| electronics; drive control device; toggle or push switches   |          |          |    |
| the functions: start-stop, horn and function selection;  |          |          |    |
| battery charge level indicator   |          |          |    |
| , 5  |          |          |    |
| 7214500 Compact control device   | N. C.    | 750.00   | 12 |
| 7214501 Control device operated by an assistant  | 750.00   | 750.00   | 12 |
| 7214502 Control device for powered repositionning, for an  | 350.00   | 350.00   | 12 |
| accessory  |          |          |    |
| 7214503 Control device for powered repositionning, for four  | 600.00   | 600.00   | 12 |
| accessories  |          |          |    |
| 7214504 Infrared option  | N. C.    | N. C.    | 12 |
| 7214505 Bluetooth option   | N. C.    | N. C.    | 12 |
| 7214506 Separate control for powered tilt mechanism  | 250.00   | 250.00   | 12 |
| 7214507 Control device support, standard lateral, adjustable front-                                | N. C.    | 100.00   | 12 |
| rear position  |          |          |    |
| 7214508 Control device support, lateral, flip-up with locking                                      | 100.00   | 200.00   | 12 |
| mechanism, adjustable front-rear position  | 100.00   | 200.00   | 12 |
| 7214509 Control device support, central, flip-up, adjustable front-                                | 200.00   | 300.00   | 12 |
| rear position  | 200.00   | 300.00   | 12 |
| 7214510 Controller for multipurpose programmable electronic  | N. C.    | 783.00   | 12 |
| system   | N. C.    | 783.00   | 12 |
| 7214511 Motor, including electric brake  | N. C.    | 600.00   | 12 |
| 7214511 Motor, metading electric brake 7214513 Battery charger, compatible with group 24 batteries | N. C.    | 219.00   | 12 |
| 7214313 Battery charger, companion with group 24 batteries   | 14. C.   | 217.00   | 12 |
| 7214514 Adapted non-proportional control, cephalic   | 4,000.00 | 4,000.00 | 12 |
| 7214515 Adapted non-proportional control, chin-controlled  | 600.00   | 600.00   | 12 |
| 7214516 Adapted non-proportional control, breath-controlled  | 1,500.00 | 1,500.00 | 12 |
| 7214517 Adapted non proportional control, orealn controlled  | 4,000.00 | 4,000.00 | 12 |
| 7214518 Adapted proportional control, chin-controlled  | 1,500.00 | 1,500.00 | 12 |
| 7214519 Adapted proportional control, mini joystick  | 1,500.00 | 1,500.00 | 12 |
| 7214520 Mounting bracket for adapted control   | 350.00   | 350.00   | 12 |
| 7214521 Adapted control interface  | 350.00   | 1,100.00 | 12 |
| 7214522 Mounting bracket for interface   | 350.00   | 350.00   | 12 |
| 7214523 Lever extension, ball  | 58.00    | 58.00    | 12 |
| 7214524 Lever extension, conicospherical   | 58.00    | 58.00    | 12 |
| 7214525 Lever extension, stick   | 58.00    | 58.00    | 12 |
| 7214526 Lever extension, T-shaped  | 58.00    | 58.00    | 12 |
| 7214527 Lever extension, mushroom  | 80.00    | 80.00    | 12 |
| 7214528 Lever extension, U-shaped  | 95.00    | 95.00    | 12 |
| 7214529 Trajectory correction system   | 895.00   | 895.00   | 12 |
|  | 0,0.00   | 0,2.00   | 12 |
| WHEELS AND TIRES   |          |          |    |
| 7214530 Drive wheel; 35.6 cm (14 in.)  | N. C.    | 70.00    | 12 |
| 7214531 Drive wheel tire, standard pressure inner tube; 35.6 cm (14                                | N. C.    | 58.00    | 1  |
| in.)   | 17.00    | 75.00    | 4  |
| 7214532 Puncture proof tire for drive wheel  | 17.00    | 75.00    | 1  |
|  |          |          |    |

| 7214534 Caster wheel, with standard pressure inner tube tire; 20.3 | N. C. | 70.00 | 12 |
|--|-------|-------|----|
| cm (8 in.)   | N. C  | 70.00 | 12 |
| 7214535 Caster wheel, with puncture proof tire; 20.3 cm (8 in.)    | N. C. | 70.00 | 12 |
| 7214536 Suspension independent of wheels                           | N. C. | 29.00 | 12 |
| 7214537 Fork, standard   | N. C. | 38.00 | 12 |

# DIVISION III: COMPLEMENTS FOR WHEELCHAIRS SUBDIVISION 1: FACULTATIVE COMPONENTS

| Fz                      | ACULTATIVE COMPONENTS  | Maximum unit<br>price of<br>component<br>during device<br>purchase | Maximum unit price for component replacement | Warranty<br>(months) |
|-------------------------|--|--|--|----------------------|
| BODY SUPPO              | ORT SYSTEM   |  |  |                      |
| 7810014 Elastic mesh s  | eat  | 495.00   | 495.00                                       | 12                   |
| 7810000 Dynamic back    | for manual wheelchair  | 330.00   | 550.00                                       | 12                   |
| 7810032 Reclining cylin | nder back support  | 415.00   | 635.00                                       | 12                   |
| 7810006 Stump support   | a, adjustable  | 330.00   | 330.00                                       | 12                   |
| 7810020 Safety pelvic b | pelt   | 325.00   | 325.00                                       | 12                   |
| 7810025 Five points saf |  | 150.00   | 150.00                                       | 12                   |
| 7811017 Back support t  | ension bar (FMA-GM 2-C-P1)   | 40.00  | 40.00  | 12                   |
|                         | r head support for back support tension bar,<br>ble (FMA-GM 2-C-P1)        | 100.00   | 100.00                                       | 12                   |
|                         | or angle-adjustable foot support<br>3-P2 pliant), (FMA-GM 2-C-P1), (FMA-GM | 10.00  | 10.00  | 12                   |
|                         | For angle-adjustable foot support A-P2), (FMO-GM 2-B-P2), (FMO-GM 3-B-P2)  | 40.00  | 40.00  | 12                   |
| FRAME                   |  |  |  |                      |
| 7810015 Angle adjustat  | ole push handle  | 105.00   | 105.00                                       | 12                   |
| 7810017 Front locking   | tilt for positioning base  | 35.00  | 35.00  | 12                   |
| DRIVE SYST              | EM   |  |  |                      |
| 7810008 Handrim with    | thumb grip   | 270.00   | 295.00                                       | 12                   |
| 7810010 Handrim, plast  | tic-coated, ultra-light  | 185.00   | 230.00                                       | 12                   |
| 7810012 Propulsion ass  | istance module   | 4,950.00   | 5,225.00                                     | 12                   |
| 7810013 Mid-wheel ma    | nual propulsion for positioning base                                       | 495.00   | 990.00                                       | 12                   |
|                         | sitioning module; 4 accessories<br>A-P2), (FMO-GM 2-B-P2), (FMO-GM 3-B-    | 768.00   | 768.00                                       | 12                   |

# SUBDIVISION 2: BATTERIES FOR POWERED WHEELCHAIRS BATTERIES (GEL)

|   | Price including delivery, |
|---|---------------------------|
| 4590000 SUPPLIER: EAST PENN / POWER BATTERY | 375.80                    |
| GROUP 22NF BATTERIES                        |                           |
| Model: 8G22NF                               |                           |
|   |                           |
| 4590001 SUPPLIER: EAST PENN / POWER BATTERY | 492.36                    |
| GROUP 24 BATTERIES                          |                           |
| Model: 8G24T881                             |                           |
|   |                           |
| 4590002 SUPPLIER: EAST PENN / POWER BATTERY | 242.61                    |

**GROUP U1 BATTERIES** 

Model: 8GU1

DIVISION IV: POSITIONNING BASES SUBDIVISION 1: MASS GROUP 1

|   |   | PRICE                                |                      |
|---|---|--------------------------------------|----------------------|
|   |   | (including all                       |                      |
|   |   | the basic                            |                      |
|   |   | components)                          |                      |
| 7216000 POSITIONING BASES   |   | 1,425.00                             |                      |
| CATEGORY BPO-GM 1-A-P2 (RIGID FRAME)  |   |                                      |                      |
| SUNRISE MEDICAL CANADA INC.   |   |                                      |                      |
| "ZIPPIE IRIS" DEVICE  |   |                                      |                      |
| TECHNICAL SPECIFICATIONS OF THE DEVICE Maximum weight capacity: 50 kg (110 lb.)  Seat-to-floor height: 33 cm to 48.3 cm (13 in. to 19 in.)  Frame: back height from 35.6 cm to 63.5 cm (14 in. to 25 in.)   | n.)   |                                      |                      |
| BASIC AND OPTIONAL COMPONENTS   | Unit price of<br>component<br>during device<br>purchase | Unit price for component replacement | Warranty<br>(months) |
| BODY SUPPORT SYSTEM   |   |                                      |                      |
| 7216001 Seat, rigid base, depth and width adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 25.4 cm (10 in.), 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.); depths of 25.4 cm (10 in.), 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.) | N. C.   | 75.00                                | 12                   |
| 7216002 Back support, rigid plate   | N. C.   | 150.00                               | 1                    |
| 7216003 Back support, flexible, tension adjustable  | 35.00   |                                      | 1                    |
| 7216005 Dynamic back support  | 175.00  | 175.00                               | 1                    |
| 7216004 Reclining back support  | 420.00  | 420.00                               | 1                    |
| 7216006 Back support upright, straight, angle and height adjustable; adjustable from 85° to 120° by increments of 5°;   | N. C.   | 40.00                                | 12                   |
| 7216007 Push handle, with hand grip   | N. C.   | N. C.                                | 12                   |
| 7216008 Raised and adjustable push bar, with hand grip  | 95.00   | 95.00                                | 12                   |
| 7216009 Power tilt mechanism controlled by the occupant   | 850.00  | 850.00                               | 12                   |
| 7216010 Postural support pelvic belt  | N. C.   | 25.00                                | 12                   |
| 7216011 T-shaped arm support, short, removable; height-adjustable, from 17,8 cm to 40.1 cm (7 in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard   | N. C.   | 114.00                               | 1                    |
| 7216012 T-shaped arm support, long, removable; height-adjustable, from 17,8 cm to 40.1 cm (7 in. to 15¾ in.) by maximum   | N. C.   | 114.00                               | 1                    |

N.C.

6.00

1

increments of 2.5 cm (1 in.), with locking mechanism;

including clothing guard 7216013 Arm support pad, short, straight

| 7216014 Arm support pad, long, straight  | N. C.          | 6.00   | 1   |
|--|----------------|--------|-----|
| 7216015 Arm support pad, contoured   | 9.00           | 15.00  | 1   |
| 7216016 Arm support pad, gel   | 14.00          | 20.00  | 1   |
| 7216017 Lower leg support, parallel, removable and swing-away;                       | N. C.          | 55.00  | 12  |
| adjustable length from 8.9 cm to 24.2 cm (3½ in. to 9½ in.)                          |                |        |     |
| or from 22.9 cm to 50.8 cm (9 in. to 19 in.)   |                | 440.00 |     |
| 7216020 Lower leg support, compensating elevating; with locking                      | 55.00          | 110.00 | 12  |
| mechanism; compatible with the same fastening system as                              |                |        |     |
| the fixed lower leg support or supplied with its own                                 |                |        |     |
| fastening system   | 25.00          | 25.00  | 12  |
| 7216023 Padded calf support, angle, height and depth adjustable,                     | 25.00          | 25.00  | 12  |
| including flat   | 15.00          | 15.00  | 12  |
| 7216021 Calf support strap, single   | 15.00<br>18.00 | 15.00  | 12  |
| 7216022 Calf support strap, double   |                | 18.00  | 12  |
| 7216024 Foot support, separate, flip-up, depth and angle adjustable, standard lenght | N. C.          | 35.00  | 12  |
| 7216025 Foot support, separate, flip-up, depth and angle adjustable,                 | N. C.          | 35.00  | 12  |
| extra long   |                |        |     |
| 7216026 Foot support, flip-up, full width, depth and angle                           | N. C.          | 35.00  | 12  |
| adjustable   |                |        |     |
| 7216027 Heel loop, adjustable  | 1.00           | 1.00   | 12  |
| 7216028 Head support, depth adjustable   | 55.00          | 55.00  | 12  |
| 7216029 Contoured cushion for head support, all sizes                                | 35.00          | 35.00  | 12  |
| 7216030 Back support tension bar   | 35.00          | 35.00  | 12  |
| 7216031 Securement for head support for back support tension bar,                    | 40.00          | 40.00  | 12  |
| height adjustable  |                |        |     |
| FRAME  |                |        |     |
| 7216032 Anti-tip device  | N. C.          | 18.00  | 12  |
| 7216033 Reflective devices   | 5.00           | 5.00   | 12  |
| 7216034 Securement points for strap-type tiedowns for transport                      | N. C.          | 100.00 | 12  |
| DRIVE SYSTEM   |                |        |     |
| 7216035 Handrim, smooth  | N. C.          | 40.00  | 12  |
| 7216036 Handrim, plasticized   | N. C.          | 40.00  | 12  |
| 7216037 Parking brake, push-type activation  | N. C.          | 25.00  | 12  |
| 7216038 Parking brake, pull-type activation  | N. C.          | 25.00  | 12  |
| 7216039 Brake lever extension, plug-in   | 5.00           | 5.00   | 12  |
| 7216040 Fork, adjustable height  | N. C.          | 15.00  | 12  |
| WHEELS AND TIRES   |                |        |     |
| 7216041 Drive wheel, spoked; 50.8 cm (20 in.), 55.9 cm (22 in.) or                   | N. C.          | 65.00  | 12  |
| 61 cm (24 in.)   |                |        |     |
| 7216042 Drive wheel, plastic; 30.5 cm (12 in.), 40.6 cm (16 in.),                    | N. C.          | 65.00  | 12  |
| 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)                                 |                |        |     |
| 7216043 Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9                     | N. C.          | 20.00  | 1   |
| cm (22 in.) or 61 cm (24 in.); width of 2.9 cm (13% in.)                             | N. C.          | 20.00  | 1   |
| 7216044 Drive wheel tire, standard pressure inner tube; 30.5 cm                      | N. C.          | 20.00  | 1   |
| (12 in.), 40.6 cm (16 in.), 50.8 cm (20 in.), 55.9 cm (22 in.)                       | 14. C.         | 20.00  | 1   |
| or 61 cm (24 in.) width of 2.9 cm (13% in.)  |                |        |     |
|  | N ~            | 15.00  | 4.5 |
| 7216045 Caster wheel, with semi-pneumatic tire; 10.2 cm (4 in.),                     | N. C.          | 15.00  | 12  |
| 12.7 cm (5 in.), 15.2 cm (6 in.) or 20.3 cm (8 in.)                                  | N 6            | 10.00  | 4.5 |
| 7216046 Drive wheel axle, fixed  | N. C.          | 10.00  | 12  |
| 7216047 Drive wheel axle, quick release  | N. C.          | 10.00  | 12  |
| 7216048 Spoke guards   | 20.00          | 20.00  | 12  |

| PRICE          |
|----------------|
| (including all |
| the basic      |
| components)    |

|         |   |   | (including all the basic             |                      |
|---------|---|---|--------------------------------------|----------------------|
| 7216049 | POSITIONING BASES   |   | 1,055.00                             |                      |
|         | CATEGORY BPO-GM 2-A-P2 (RIGID FRAME)  |   | 1,033.00                             |                      |
|         | ORTHOFAB INC.   |   |                                      |                      |
|         | "TANGO AC" DEVICE   |   |                                      |                      |
|         | TECHNICAL SPECIFICATIONS OF THE DEVICE  |   |                                      |                      |
|         | Maximum weight capacity: 120 kg (265 lb.) Seat-to-floor height: 33 cm to 48.3 cm (13 in. to 19 in.)   |   |                                      |                      |
|         | <b>Frame:</b> back height from 45.7 cm to 61 cm (18 in. to 24 in.)  | )   |                                      |                      |
|         | BASIC AND OPTIONAL COMPONENTS   | Unit price of<br>component<br>during device<br>purchase | Unit price for component replacement | Warranty<br>(months) |
|         | BODY SUPPORT SYSTEM   |   |                                      |                      |
|         | Seat, rigid base, depth adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.) | N. C.   | 40.00                                | 60                   |
| 7216051 | Back support, rigid plate   | N. C.   | 200.00                               | 60                   |
| 7216052 | Back support, flexible, tension adjustable  | N. C.   | 200.00                               | 60                   |
| 7216054 | Dynamic back support  | 110.00  | 110.00                               | 60                   |
|         | Reclining back support  | 210.00  | 210.00                               | 60                   |
|         | Back support upright, straight, angle and height adjustable; angle-adjustable from $90^{\circ}$ to $120^{\circ}$ by maximum increments of $8^{\circ}$   | N. C.   | 75.00                                | 60                   |
| 7216056 | Push handle, with hand grip   | N. C.   | 20.00                                | 60                   |
| 7216057 | Raised and adjustable push bar, with hand grip  | 130.00  | 150.00                               | 60                   |
| 7216058 | Power tilt mechanism controlled by the occupant   | 1,000.00  | 1,000.00                             | 60                   |
|         | Postural support pelvic belt  | N. C.   | 10.00                                | 60                   |
| 7216060 | U-shaped arm support, short, removable; height-adjustable from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing   | N. C.   | 110.00                               | 60                   |
|         | U-shaped arm support, long, removable; height-adjustable from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm  | N. C.   | 110.00                               | 60                   |

N. C.

N. C.

20.00

8.00

8.00

28.00

60

60

60

to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing

guard

7216062 Arm support pad, short, straight

7216063 Arm support pad, long, straight

7216064 Arm support pad, contoured

| 701/0/7  | 72.00  | 00.00  | 60  |
|--|--------|--------|-----|
| 7216065 Arm support pad, gel   | 72.00  | 80.00  | 60  |
| 7216066 Lower leg support, parallel, removable and swing-away;           | N. C.  | 40.00  | 60  |
| adjustable length from 27.9 cm to 48.3 cm (11 in. to 19 in.)             |        |        |     |
|  |        |        |     |
| 7216069 Lower leg support, compensating elevating; with locking          | N. C.  | 40.00  | 60  |
| mechanism; compatible with the same fastening system as                  |        |        |     |
| the fixed lower leg support or supplied with its fastening               |        |        |     |
| system   |        |        |     |
| 7216072 Padded calf support, angle, height and depth adjustable,         | 100.00 | 100.00 | 60  |
|  | 100.00 | 100.00 | 00  |
| including flat   | 15.00  | 15.00  | (0) |
| 7216070 Calf support strap, single                                       | 15.00  | 15.00  | 60  |
| 7216071 Calf support strap, double                                       | 30.00  | 30.00  | 60  |
| 7216073 Foot support, separate, flip-up, depth and angle adjustable,     | N. C.  | 55.00  | 60  |
| standard lenght  |        |        |     |
| 7216074 Foot support, separate, flip-up, depth and angle adjustable,     | N. C.  | 55.00  | 60  |
| extra long   |        |        |     |
| 7216075 Foot support, flip-up, full width, depth and angle               | 45.00  | 100.00 | 60  |
| adjustable   |        |        |     |
| 7216076 Heel loop, adjustable  | 5.00   | 5.00   | 60  |
| 7216077 Head support, depth adjustable                                   | 20.00  | 20.00  | 60  |
|  |        |        |     |
| 7216078 Contoured cushion for head support, all sizes                    | 30.00  | 30.00  | 60  |
| 7216079 Back support tension bar   | 50.00  | 50.00  | 60  |
| 7216080 Securement for head support for back support tension bar,        | 50.00  | 50.00  | 60  |
| height adjustable  |        |        |     |
| FRAME  |        |        |     |
|  | N. C   | 12.00  | (0  |
| 7216081 Anti-tip device  | N. C.  | 12.00  | 60  |
| 7216082 Reflective devices   | 50.00  | 50.00  | 60  |
| 7216083 Securement points for strap-type tiedowns for transport          | N. C.  | N. C.  | 60  |
| DDIVE CYCEPA   |        |        |     |
| DRIVE SYSTEM   | N. 6   | 00.00  | 60  |
| 7216084 Handrim, smooth  | N. C.  | 80.00  | 60  |
| 7216085 Handrim, plasticized   | N. C.  | 80.00  | 60  |
| 7216086 Parking brake, push-type activation                              | N. C.  | 30.00  | 60  |
| 7216087 Parking brake, pull-type activation                              | N. C.  | 30.00  | 60  |
| 7216088 Brake lever extension, telescopic                                | 10.00  | 10.00  | 60  |
| 7216089 Fork, adjustable height  | N. C.  | 10.00  | 60  |
|  |        |        |     |
| WHEELS AND TIRES   |        |        |     |
| 7216090 Drive wheel, spoked; 50.8 cm (20 in.), 55.9 cm (22 in.) or       | N. C.  | 30.00  | 60  |
| 61 cm (24 in.)   |        |        |     |
| 7216091 Drive wheel, plastic; 30.5 cm (12 in.)                           | N. C.  | 30.00  | 60  |
| 7216092 Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9         | N. C.  | 30.00  | 60  |
| cm (22 in.) or 61 cm (24 in); widths of 2.5 cm (1 in.) or                | IV. C. | 30.00  | 00  |
|  |        |        |     |
| 3.8 cm (1½ in.)  | 37.6   | 20.00  | 60  |
| 7216093 Drive wheel tire, standard pressure inner tube; 50.8 cm (20      | N. C.  | 30.00  | 60  |
| in.), 55.9 cm (22 in.) or 61 cm (24 in.); widths of 2.5 cm               |        |        |     |
| $(1 \text{ in.}) \text{ or } 3.8 \text{ cm } (1\frac{1}{2} \text{ in.})$ |        |        |     |
| 7216094 Caster wheel, with semi-pneumatic tire; 12.7 cm (5 in.),         | N. C.  | 40.00  | 60  |
| 15.2 cm (6 in.), 17.8 cm (7 in.) or 20.3 cm (8 in.); widths              |        |        |     |
| of 2.5 cm (1 in.) or 3.8 cm (1½ in.)                                     |        |        |     |
| 7216095 Drive wheel axle, fixed  | N. C.  | 7.00   | 60  |
| 7216096 Drive wheel axle, quick release                                  | N. C.  | 7.00   | 60  |
| 7216097 Spoke guards   | 70.00  | 70.00  | 60  |
| 1210091 Spoke guarus   | /0.00  | 70.00  | 00  |

| PRICE          |
|----------------|
| (including all |
| the basic      |
| components)    |

### 7216098 **POSITIONING BASES**

1,100.00

CATEGORY BPO-GM 2-A-P2 (RIGID FRAME)

SUNRISE MEDICAL CANADA INC.

### "QUICKIE SR45" DEVICE

### TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 120 kg (265 lb.)

**Seat-to-floor height:** 35.6 cm to 52.2 cm (14 in. to 20½ in.)

| BASIC AND OPTIONAL COMPONENTS  | Unit price of<br>component<br>during device<br>purchase | Unit price for component replacement | Warranty<br>(months) |
|--|---|--------------------------------------|----------------------|
| BODY SUPPORT SYSTEM  |   |                                      |                      |
| 216099 Seat, rigid base, depth adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.) | N. C.   | 75.00                                | 12                   |
| 7216100 Back support, rigid plate  | N. C.   | 150.00                               | 1                    |
| 216101 Back support, flexible, tension adjustable  | 35.00   | 185.00                               | 1                    |
| 216103 Dynamic back support  | 175.00  | 175.00                               | 1                    |
| 216102 Reclining back support  | 420.00  | 420.00                               | 1                    |
| 216104 Back support upright, straight, angle and height adjustable; angle-adjustable from 85° to 120° by maximum increments of 5°  | N. C.   | 40.00                                | 12                   |
| 216105 Push handle, with hand grip   | N. C.   | N. C.                                | 12                   |
| 2216106 Raised and adjustable push bar, with hand grip   | 95.00   | 95.00                                | 12                   |
| 216107 Power tilt mechanism controlled by the occupant   | 850.00  | 850.00                               | 12                   |
| 216108 Postural support pelvic belt  | N. C.   | 25.00                                | 12                   |
| from 18.4 cm to 40.1 cm (7½ in. to 15¾ in.) or U-type arm support, short, flip-up; height-adjustable, from 24.9 cm to 40.1 cm (9¾ in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing  | N. C.   | 114.00                               | 1                    |
| 7216110 T-shaped arm support, long, removable; height-adjustable, from 18.4 cm to 41.1 cm (7½ in. to 15¾ in.) or U-type arm support, long, flip-up; height-adjustable, from 24.9 cm to 40.1 cm (9¾ in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard   | N. C.   | 114.00                               | 1                    |
| 216111 Arm support pad, short, straight  | N. C.   | 6.00                                 | 1                    |
| 216112 Arm support pad, long, straight   | N. C.   | 6.00                                 | 1                    |

| 7216113 Arm support pad, contoured                                   | 9.00   | 15.00  | 1  |
|--|--------|--------|----|
| 7216114 Arm support pad, gel   | 14.00  | 20.00  | 1  |
| 7216115 Lower leg support, parallel, removable and swing-away;       | N. C.  | 55.00  | 12 |
| adjustable length from 7.6 cm to 24.2 cm (3 in. to 9½ in.)           |        |        |    |
| or from 22.9 cm to 48.3 cm (9 in. to 19 in.)                         |        |        |    |
| 7216118 Lower leg support, compensating elevating; with locking      | 55.00  | 110.00 | 12 |
| mechanism; compatible with the same fastening system as              |        |        |    |
| the fixed lower leg support or supplied with its fastening           |        |        |    |
| system   |        |        |    |
| 7216121 Padded calf support, angle, height and depth adjustable,     | 25.00  | 25.00  | 12 |
| including flat   | 23.00  | 23.00  | 12 |
| 7216119 Calf support strap, single                                   | 15.00  | 15.00  | 12 |
| 7216120 Calf support strap, double                                   | 18.00  | 18.00  | 12 |
| 7216122 Foot support, separate, flip-up, depth and angle adjustable, | N. C.  | 35.00  | 12 |
| standard lenght  | 14. C. | 33.00  | 12 |
| 7216123 Foot support, separate, flip-up, depth and angle adjustable, | N. C.  | 35.00  | 12 |
| extra long   | 14. C. | 33.00  | 12 |
| 7216124 Foot support, flip-up, full width, depth and angle           | N. C.  | 35.00  | 12 |
| adjustable   | N. C.  | 33.00  | 12 |
| 7216125 Heel loop, adjustable  | 1.00   | 1.00   | 12 |
| 7216126 Head support, depth adjustable                               | 55.00  | 55.00  | 12 |
| 7216127 Contoured cushion for head support, all sizes                | 35.00  | 35.00  | 12 |
| **   |        |        |    |
| 7216128 Back support tension bar                                     | 35.00  | 35.00  | 12 |
| 7216129 Securement for head support for back support tension bar,    | 40.00  | 40.00  | 12 |
| height adjustable  |        |        |    |
| ED AME   |        |        |    |
| FRAME  | N. C   | 10.00  | 10 |
| 7216130 Anti-tip device  | N. C.  | 18.00  | 12 |
| 7216131 Reflective devices   | 5.00   | 5.00   | 12 |
| 7216132 Securement points for strap-type tiedowns for transport      | N. C.  | 100.00 | 12 |
| DDWIR GNOWN  |        |        |    |
| DRIVE SYSTEM   | N. C   | 40.00  | 10 |
| 7216133 Handrim, smooth  | N. C.  | 40.00  | 12 |
| 7216134 Handrim, plasticized   | N. C.  | 40.00  | 12 |
| 7216135 Parking brake, push-type activation                          | N. C.  | 25.00  | 12 |
| 7216136 Parking brake, pull-type activation                          | N. C.  | 25.00  | 12 |
| 7216137 Brake lever extension, plug-in                               | 5.00   | 5.00   | 12 |
| 7216138 Fork, adjustable height                                      | N. C.  | 15.00  | 12 |
| WHEELS AND TIRES   |        |        |    |
| 7216139 Drive wheel, spoked; 50.8 cm (20 in.), 55.9 cm (22 in.) or   | N. C.  | 65.00  | 12 |
| 61 cm (24 in.)   | 14. C. | 03.00  | 12 |
| 7216140 Drive wheel, plastic; 30.5 cm (12 in.), 40.6 cm (16 in.),    | N. C.  | 65.00  | 12 |
|  | N. C.  | 03.00  | 12 |
| 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)                 | N.C    | 20.00  | 1  |
| 7216141 Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9     | N. C.  | 20.00  | 1  |
| cm (22 in.) or 61 cm (24 in.); width of 2.9 cm (1\% in.)             | NG     | 20.00  | 1  |
| 7216142 Drive wheel tire, standard pressure inner tube; 30.5 cm      | N. C.  | 20.00  | 1  |
| (12 in.), 40.6 cm (16 in.), 50.8 cm (20 in.), 55.9 cm (22 in.)       |        |        |    |
| or 61 cm (24 in.); width of 4.5 cm (1¾ in.)                          | N. 6   | 4.7.00 | 10 |
| 7216143 Caster wheel, with semi-pneumatic tire; 10.2 cm (4 in.),     | N. C.  | 15.00  | 12 |
| 12.7 cm (5 in.), 15.2 cm (6 in.) or 20.3 cm (8 in.)                  | × ~    | 10.00  |    |
| 7216144 Drive wheel axle, fixed                                      | N. C.  | 10.00  | 12 |
| 7216145 Drive wheel axle, quick release                              | N. C.  | 10.00  | 12 |
| 7216146 Spoke guards   | 20.00  | 20.00  | 12 |
|  |        |        |    |

| PRICE          |
|----------------|
| (including all |
| the basic      |
| components)    |

### 7216147 **POSITIONING BASES**

1,108.00

CATEGORY BPO-GM 2-B-P2 (RIGID FRAME)

LES ÉQUIPEMENTS ADAPTÉS PHYSIPRO INC.

### "NEOX" DEVICE

### TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 120 kg (265 lb.)

**Seat-to-floor height:** 30.5 cm to 50.8 cm (12 in. to 20 in.) **Frame:** back height from 40.6 cm to 68.6 cm (16 in. to 27 in.)

|         | BASIC AND OPTIONAL COMPONENTS   | Unit price of<br>component<br>during device<br>purchase | Unit price for component replacement | Warranty<br>(months) |
|---------|---|---|--------------------------------------|----------------------|
|         | BODY SUPPORT SYSTEM   |   |                                      |                      |
|         | Seat, rigid base, depth adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.) | N. C.   | 115.00                               | 12                   |
| 7216149 | Back support, rigid plate   | N. C.   | 69.00                                | 1                    |
|         | Back support, flexible, tension adjustable  | 26.00   | 95.00                                | 1                    |
| 7216152 | Dynamic back support  | 241.50  | 241.50                               | 1                    |
|         | Reclining back support  | 462.00  | 462.00                               | 1                    |
|         | Back support upright, straight, angle and height adjustable; angle-adjustable from $85^{\circ}$ to $120^{\circ}$ by maximum increments of $5^{\circ}$   | N. C.   | 28.00                                | 12                   |
|         | Push handle, with hand grip   | N. C.   | 17.50                                | 12                   |
|         | Raised and adjustable push bar, with hand grip  | 47.50   | 65.00                                | 12                   |
| 7216156 | Power tilt mechanism controlled by the occupant   | 750.00  | 750.00                               | 12                   |
| 7216157 | Postural support pelvic belt  | N. C.   | 15.50                                | 12                   |
|         | T-shaped arm support, short, removable; height-adjustable from 17.2 cm to 26.7 cm ( $6\frac{3}{4}$ in. to $10\frac{1}{2}$ in.), from 20.3 cm to 31.8 cm (8 in. to $12\frac{1}{2}$ in.) or from 25.4 cm to 36.9 cm (10 in. to $14\frac{1}{2}$ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard   | N. C.   | 90.00                                | 1                    |
|         | U-shaped arm support, long, flip-up or removable; height-adjustable from 17.2 cm to 24.2 cm (6% in. to 9% in.), 21.6 cm to 33 cm (8½ in. to 13 in.) or from 30.5 cm to 41.9 cm (12 in. to $16\frac{1}{2}$ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard  | N. C.   | 90.00                                | 1                    |
|         | Arm support pad, short, straight  | N. C.   | 5.50                                 | 1                    |
|         | Arm support pad, long, straight   | N. C.   | 5.50                                 | 1                    |
| 7216162 | Arm support pad, contoured  | 34.50   | 40.00                                | 1                    |

| 7216163 Arm support pad, gel 7216164 Lower leg support, parallel, removable and swing-away;  | 50.50<br>N. C. | 56.00<br>59.50 | 1<br>12  |
|--|----------------|----------------|----------|
| adjustable length from 26.7 cm to 33 cm ( $10\frac{1}{2}$ in. to 13 in.), from 30.5 cm to 43.2 cm ( $12$ in. to 17 in.) or from 40.6 cm to 53.3 cm ( $16$ in. to 21 in.)           |                |                |          |
| 7216167 Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening | 130.50         | 190.00         | 12       |
| system 7216170 Padded calf support, angle, height and depth adjustable, including flat or contoured pad  | 60.50          | 60.50          | 12       |
| 7216168 Calf support strap, single   | 20.00          | 20.00          | 12       |
| 7216169 Calf support strap, double   | 20.00          | 20.00          | 12       |
| 7216171 Foot support, separate, flip-up, depth and angle adjustable, standard lenght   | N. C.          | 50.00          | 12       |
| 7216172 Foot support, separate, flip-up, depth and angle adjustable, extra long  | 15.00          | 65.00          | 12       |
| 7216173 Foot support, flip-up, full width, depth and angle adjustable  | 80.00          | 130.00         | 12       |
| 7216174 Heel loop, adjustable  | 3.00           | 3.00           | 12       |
| 7216175 Head support, depth adjustable   | 80.00          | 80.00          | 12       |
| 7216176 Contoured cushion for head support, all sizes  | 57.00          | 57.00          | 12       |
| 7216177 Back support tension bar   | 30.00          | 30.00          | 12       |
| 7216178 Securement for head support for back support tension bar, height adjustable  | 57.00          | 57.00          | 12       |
| FRAME  |                | 45.00          | 10       |
| 7216179 Anti-tip device  | N. C.          | 17.00          | 12       |
| 7216180 Reflective devices   | 5.00           | 5.00           | 12       |
| 7216181 Securement points for strap-type tiedowns for transport  | N. C.          | 5.00           | 12       |
| DRIVE SYSTEM   |                | 4.5.00         |          |
| 7216182 Handrim, smooth  | N. C.          | 16.00          | 12       |
| 7216183 Handrim, plasticized   | 18.00          | 34.00          | 12       |
| 7216184 Parking brake, push-type activation  | N. C.          | 25.00          | 12       |
| 7216185 Parking brake, pull-type activation  | N. C.          | 25.00          | 12       |
| 7216186 Brake lever extension, telescopic or fixed   | 10.00          | 10.00          | 12       |
| 7216187 Fork, adjustable height  | N. C.          | 12.00          | 12       |
| WHEELS AND TIRES   |                |                |          |
| 7216188 Drive wheel, spoked; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)  | N. C.          | 21.00          | 12       |
| 7216189 Drive wheel, plastic; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)   | N. C.          | 21.00          | 12       |
| 7216190 Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)   | N. C.          | 24.50          | 1        |
| 7216191 Drive wheel tire, standard pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)   | N. C.          | 24.50          | 1        |
| 7216192 Caster wheel, with semi-pneumatic tire; 12.7 cm (5 in.), 15.2 cm (6 in.) or 20.3 cm (8 in.); widths of 3.8 cm  | N. C.          | 11.25          | 12       |
| (1½ in.) 7216193 Drive wheel axle, fixed   | N. C.          | 5.00           | 12       |
|  | N. C.<br>5.00  | 10.00          | 12<br>12 |
| 7216194 Drive wheel axle, quick release  | 56.00          |                | 12       |
| 7216195 Spoke guards   | 30.00          | 56.00          | 12       |

| PRICE          |
|----------------|
| (including all |
| the basic      |
| components)    |

### 7216196 **POSITIONING BASES**

1,150.00

CATEGORY BPO-GM 2-C-P1 (RIGID FRAME)

LES ÉQUIPEMENTS ADAPTÉS PHYSIPRO INC.

### "NEOX DYNAMIC" DEVICE

### TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 120 kg (265 lb.)

Seat-to-floor height: 33 cm to 48.3 cm (13 in. to 19 in.) Frame: back height from 40.6 cm to 63.5 cm (16 in. to 25 in.

|         | BASIC AND OPTIONAL COMPONENTS   | Unit price of<br>component<br>during device<br>purchase | Unit price for component replacement | Warranty<br>(months) |
|---------|---|---|--------------------------------------|----------------------|
|         | BODY SUPPORT SYSTEM   |   |                                      |                      |
|         | Seat, rigid base, depth adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.) | N. C.   | 115.00                               | 12                   |
| 7216198 | Back support, rigid plate   | N. C.   | 69.00                                | 1                    |
|         | Back support, flexible, tension adjustable  | 26.00   | 95.00                                | 1                    |
|         | Reclining back support  | 462.00  | 462.00                               | 1                    |
|         | Back support upright, straight, angle and height adjustable; angle-adjustable from 85° to 120° by maximum increments of 5°  | N. C.   | 28.00                                | 12                   |
| 7216202 | Push handle, with hand grip   | N. C.   | 17.50                                | 12                   |
|         | Raised and adjustable push bar, with hand grip  | 47.50   | 65.00                                | 12                   |
| 7216204 | Postural support pelvic belt  | N. C.   | 15.50                                | 12                   |
|         | T-shaped arm support, short, removable; height-adjustable, from 20.3 cm to 39.4 cm (8 in. to 15½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard   | N. C.   | 90.00                                | 1                    |
| 7216206 | U-shaped arm support, long, flip-up or removable; height-adjustable, from 17.2 cm to 41.9 cm (6¾ in. to 16½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard  | N. C.   | 90.00                                | 1                    |
| 7216207 | Arm support pad, short, straight  | N. C.   | 5.50                                 | 1                    |
|         | Arm support pad, long, straight   | N. C.   | 5.50                                 | 1                    |
|         | Arm support pad, contoured  | 34.50   | 40.00                                | 1                    |
|         | Arm support pad, gel  | 50.50   | 56.00                                | 1                    |
|         | Lower leg support, parallel, removable and swing-away; adjustable length from 26.7 cm to 53.3 cm (10½ in. to 21 in.)  | N. C.   | 59.50                                | 12                   |

| 701/01/47   | 120.50 | 100.00 | 10 |
|---|--------|--------|----|
| 7216214 Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as                 | 130.50 | 190.00 | 12 |
| the fixed lower leg support or supplied with its fastening system   |        |        |    |
| 7216217 Padded calf support, angle, height and depth adjustable,  | 60.50  | 60.50  | 12 |
| including flat or contoured pad   |        |        |    |
| 7216215 Calf support strap, single  | 20.00  | 20.00  | 12 |
| 7216216 Calf support strap, double  | 20.00  | 20.00  | 12 |
| 7216218 Foot support, separate, flip-up, depth and angle adjustable, standard lenght  | N. C.  | 50.00  | 12 |
| 7216219 Foot support, separate, flip-up, depth and angle adjustable, extra long   | 15.00  | 65.00  | 12 |
| 7216220 Foot support, flip-up, full width, depth and angle adjustable   | 80.00  | 130.00 | 12 |
| 7216221 Heel loop, adjustable   | 3.00   | 3.00   | 12 |
| 7216222 Head support, depth adjustable  | 80.00  | 80.00  | 12 |
| 7216223 Contoured cushion for head support, all sizes   | 57.00  | 57.00  | 12 |
| 7216224 Back support tension bar  | 30.00  | 30.00  | 12 |
| 7216225 Securement for head support for back support tension bar,   | 57.00  | 57.00  | 12 |
| height adjustable   |        |        |    |
| FRAME   |        |        |    |
| 7216226 Anti-tip device   | N. C.  | 17.00  | 12 |
| 7216227 Reflective devices  | 5.00   | 5.00   | 12 |
| 7216228 Securement points for strap-type tiedowns for transport   | N. C.  | 5.00   | 12 |
| DRIVE SYSTEM  |        |        |    |
| 7216229 Handrim, smooth   | N. C.  | 16.00  | 12 |
| 7216230 Handrim, plasticized  | 18.00  | 34.00  | 12 |
| 7216231 Parking brake, push-type activation   | N. C.  | 25.00  | 12 |
| 7216232 Parking brake, pull-type activation   | N. C.  | 25.00  | 12 |
| 7216233 Brake lever extension, telescopic or fixed  | 10.00  | 10.00  | 12 |
| 7216234 Fork, adjustable height   | N. C.  | 12.00  | 12 |
| WHEELS AND TIRES  |        |        |    |
| 7216235 Drive wheel, spoked; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)   | N. C.  | 21.00  | 12 |
| 7216236 Drive wheel, plastic; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)  | N. C.  | 21.00  | 12 |
| 7216237 Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in); width of 2.9 cm (13/8 in.)               | N. C.  | 24.50  | 1  |
| 7216238 Drive wheel tire, standard pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in); width of 2.8 cm (11/8 in.) | N. C.  | 24.50  | 1  |
| 7216239 Caster wheel, with semi-pneumatic tire; 12.7 cm (5 in.), 15.2 cm (6 in.) or 20.3 cm (8 in.); width of 3.8 cm (1½ in.)           | N. C.  | 11.25  | 12 |
| 7216240 Drive wheel axle, fixed   | N. C.  | 5.00   | 12 |
| 7216241 Drive wheel axle, quick release   | 5.00   | 10.00  | 12 |
| 7216242 Spoke guards  | 56.00  | 56.00  | 12 |
|   |        |        |    |

including clothing guard 7216256 Arm support pad, short, straight 7216257 Arm support pad, long, straight

| PRICE          |
|----------------|
| (including all |
| the basic      |
| components)    |

|  |  | (including all   |          |
|--|--|------------------|----------|
|  |  | the basic        |          |
|  |  | components)      |          |
| 7216243 POSITIONING BASES                                  |  | 1,055.00         |          |
| CATEGORY BPO-GM 3-A-P2 (RIGID FRAM                         | E)                                     |                  |          |
| ORTHOFAB INC.  |  |                  |          |
| OKTHOLAD INC.  |  |                  |          |
| "TANGO AC-03" DEVICE                                       |  |                  |          |
| TECHNICAL SPECIFICATIONS OF THE                            | DEVICE                                 |                  |          |
| Maximum weight capacity: 136 kg (300 lb.)                  |  |                  |          |
| Seat-to-floor height: 33 cm to 48.3 cm (13 in.             | to 19 in.)                             |                  |          |
| Frame: back height from 45.7 cm to 61 cm (18               | in. to 24 in.)                         |                  |          |
|  | Unit price of                          |                  |          |
|  | component                              | Unit price for   | Warranty |
| BASIC AND OPTIONAL COMPONENTS                              | during device                          | component        | (months) |
|  | purchase                               | replacement      | (montas) |
| DODY CYPDODE CYCENY  |  |                  |          |
| BODY SUPPORT SYSTEM  | 1,1,1,1, N. C.                         | 40.00            | (0)      |
| 7216244 Seat, rigid base, depth adjustable; strips of "hoo |  | 40.00            | 60       |
| 2.5 cm (1 in.) wide or wider; widths of 35.6 cm            | × /-                                   |                  |          |
| 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17            |  |                  |          |
| 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20            | ın.),                                  |                  |          |
| 53.3 cm (21 in.) or 55.9 cm (22 in.);                      |  |                  |          |
| depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.          |  |                  |          |
| (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8         | cm                                     |                  |          |
| (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)             |  |                  |          |
| 701/045 Peak   | N.C.                                   | 200.00           | (0       |
| 7216245 Back support, rigid plate                          | N. C.                                  | 200.00           | 60       |
| 7216246 Back support, flexible, tension adjustable         | N. C.<br>110.00                        | 200.00           | 60       |
| 7216248 Dynamic back support                               | 210.00                                 | 110.00<br>210.00 | 60<br>60 |
| 7216247 Reclining back support                             |  |                  |          |
| 7216249 Back support upright, straight, angle and height   |  | 75.00            | 60       |
| angle-adjustable from 90° to 120° by maximum               | increments                             |                  |          |
| of 8°<br>7216250 Push handle, with hand grip               | N. C.                                  | 20.00            | 60       |
|  | 130.00                                 |                  |          |
| 7216251 Raised and adjustable push bar, with hand grip     | 130.00                                 | 150.00           | 60       |
| 7216252 Power tilt mechanism controlled by the occupan     | nt 1,000.00                            | 1,000.00         | 60       |
| 7216253 Postural support pelvic belt                       | N. C.                                  | 10.00            | 60       |
| 7216254 U-shaped arm support, short, flip-up or remova     |  | 110.00           | 60       |
| adjustable from 20.3 cm to 30.5 cm (8 in. to 12            |  |                  |          |
| 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximu            |  |                  |          |
| increments of 2.5 cm (1 in.), with locking mech            |  |                  |          |
| including clothing guard                                   | ······································ |                  |          |
| 7216255 U-shaped arm support, long, flip-up or removal     | ole; height- N. C.                     | 110.00           | 60       |
| adjustable from 20.3 cm to 30.5 cm (8 in. to 12            |  | 110.00           | 00       |
| 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximu            |  |                  |          |
| increments of 2.5 cm (10 in.), with locking mech           |  |                  |          |
| increments of 2.5 cm (1 m.), with locking mech             | amsill,                                |                  |          |

N. C.

N. C.

8.00

8.00

60

60

| 7216258 Arm support pad, contoured  | 20.00<br>72.00 | 28.00<br>80.00 | 60<br>60 |
|---|----------------|----------------|----------|
| 7216259 Arm support pad, gel 7216260 Lower leg support, parallel, removable and swing-away; adjustable length from 27.9 cm to 48.3 cm (11 in. to 19 in.)                                  | N. C.          | 40.00          | 60       |
| 7216263 Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening system | N. C.          | 40.00          | 60       |
| 7216266 Padded calf support, angle, height and depth adjustable, including flat pad   | 100.00         | 100.00         | 60       |
| 7216264 Calf support strap, single  | 15.00          | 15.00          | 60       |
| 7216265 Calf support strap, double  | 30.00          | 30.00          | 60       |
| 7216267 Foot support, separate, flip-up, depth and angle adjustable, standard lenght  | N. C.          | 55.00          | 60       |
| 7216268 Foot support, separate, flip-up, depth and angle adjustable, extra long   | N. C.          | 55.00          | 60       |
| 7216269 Foot support, flip-up, full width, depth and angle adjustable   | 45.00          | 100.00         | 60       |
| 7216270 Heel loop, adjustable   | 5.00           | 5.00           | 60       |
| 7216271 Head support, depth adjustable  | 20.00          | 20.00          | 60       |
| 7216272 Contoured cushion for head support, all sizes   | 30.00          | 30.00          | 60       |
| 7216273 Back support tension bar  | 50.00          | 50.00          | 60       |
| 7216274 Securement for head support for back support tension bar, height adjustable   | 50.00          | 50.00          | 60       |
| FRAME   |                |                |          |
| 7216275 Anti-tip device   | N. C.          | 12.00          | 60       |
| 7216276 Reflective devices  | 50.00          | 50.00          | 60       |
| 7216277 Securement points for strap-type tiedowns for transport   | N. C.          | N. C.          | 60       |
| DRIVE SYSTEM  |                |                |          |
| 7216278 Handrim, smooth   | N. C.          | 80.00          | 60       |
| 7216279 Handrim, plasticized  | N. C.          | 80.00          | 60       |
| 7216280 Parking brake, push-type activation   | N. C.          | 30.00          | 60       |
| 7216281 Parking brake, pull-type activation   | N. C.          | 30.00          | 60       |
| 7216282 Brake lever extension, telescopic   | 10.00          | 10.00          | 60       |
| 7216283 Fork, adjustable height   | N. C.          | 10.00          | 60       |

| WHEELS AND TIRES  |   |  |                              |
|---|---|--|------------------------------|
| 7216284 Drive wheel, spoked; 30.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)   | N. C.   | 30.00                                      | 60                           |
| 7216285 Drive wheel, plastic; 30.5 cm (12 in.)  | N. C.   | 30.00                                      | 60                           |
| 7216286 Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9  | N. C.<br>N. C.  | 30.00                                      | 60                           |
| cm (22 in.) or 61 cm (24 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.)  | N. C.   | 30.00                                      | 00                           |
| 7216287 Drive wheel tire, standard pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); widths of 2.5 cm  | N. C.   | 30.00                                      | 60                           |
| (1 in.) or 3.8 cm (1½ in.) 7216288 Caster wheel, with semi-pneumatic tire; 12.7 cm (5 in.), 15.2 cm (6 in.), 17.8 cm (7 in.) or 20.3 cm (8 in.); widths   | N. C.   | 40.00                                      | 60                           |
| of 2.5 cm (1 in.) or 3.8 cm (1½ in.)  |   |  |                              |
| 7216289 Drive wheel axle, fixed   | N. C.   | 7.00                                       | 60                           |
| 7216290 Drive wheel axle, quick release   | N. C.   | 7.00                                       | 60                           |
| 7216291 Spoke guards  | 70.00   | 70.00                                      | 60                           |
|   |   | PRICE (including all the basic components) |                              |
| 7216292 POSITIONING BASES   |   | 1,285.00                                   |                              |
| CATEGORY BPO-GM 3-B-P1 (RIGID FRAME)  |   |  |                              |
|   |   |  |                              |
| ORTHOFAB INC.   |   |  |                              |
| ORTHOFAB INC. "TANGO CE" DEVICE   |   |  |                              |
| "TANGO CE" DEVICE  TECHNICAL SPECIFICATIONS OF THE DEVICE  Maximum weight capacity: 159 kg (350 lb.)  Seat-to-floor height: 35.6 cm to 50.8 cm (14 in. to 20 in.)   |   |  |                              |
| "TANGO CE" DEVICE TECHNICAL SPECIFICATIONS OF THE DEVICE Maximum weight capacity: 159 kg (350 lb.)  |   |  |                              |
| "TANGO CE" DEVICE  TECHNICAL SPECIFICATIONS OF THE DEVICE  Maximum weight capacity: 159 kg (350 lb.)  Seat-to-floor height: 35.6 cm to 50.8 cm (14 in. to 20 in.)   | Unit price of component during device purchase                      | Unit price for component replacement       | Warranty<br>(months)         |
| "TANGO CE" DEVICE  TECHNICAL SPECIFICATIONS OF THE DEVICE  Maximum weight capacity: 159 kg (350 lb.)  Seat-to-floor height: 35.6 cm to 50.8 cm (14 in. to 20 in.)  Frame: back height from 40.6 cm to 61 cm (16 in. to 24 in.)  BASIC AND OPTIONAL COMPONENTS   | component<br>during device  | component                                  | •                            |
| "TANGO CE" DEVICE  TECHNICAL SPECIFICATIONS OF THE DEVICE  Maximum weight capacity: 159 kg (350 lb.)  Seat-to-floor height: 35.6 cm to 50.8 cm (14 in. to 20 in.)  Frame: back height from 40.6 cm to 61 cm (16 in. to 24 in.)  | component<br>during device  | component                                  | •                            |
| "TANGO CE" DEVICE  TECHNICAL SPECIFICATIONS OF THE DEVICE  Maximum weight capacity: 159 kg (350 lb.)  Seat-to-floor height: 35.6 cm to 50.8 cm (14 in. to 20 in.)  Frame: back height from 40.6 cm to 61 cm (16 in. to 24 in.)  BASIC AND OPTIONAL COMPONENTS  BODY SUPPORT SYSTEM  7216293 Seat, rigid base, depth adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm   | component<br>during device<br>purchase                              | component<br>replacement                   | (months)                     |
| "TANGO CE" DEVICE  TECHNICAL SPECIFICATIONS OF THE DEVICE  Maximum weight capacity: 159 kg (350 lb.)  Seat-to-floor height: 35.6 cm to 50.8 cm (14 in. to 20 in.)  Frame: back height from 40.6 cm to 61 cm (16 in. to 24 in.)  BASIC AND OPTIONAL COMPONENTS  BODY SUPPORT SYSTEM  7216293 Seat, rigid base, depth adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)   | component<br>during device<br>purchase                              | component replacement 40.00                | (months)                     |
| "TANGO CE" DEVICE  TECHNICAL SPECIFICATIONS OF THE DEVICE  Maximum weight capacity: 159 kg (350 lb.)  Seat-to-floor height: 35.6 cm to 50.8 cm (14 in. to 20 in.)  Frame: back height from 40.6 cm to 61 cm (16 in. to 24 in.)  BASIC AND OPTIONAL COMPONENTS  BODY SUPPORT SYSTEM  7216293 Seat, rigid base, depth adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)   | component<br>during device<br>purchase<br>N. C.                     | component replacement  40.00               | (months)  60                 |
| "TANGO CE" DEVICE  TECHNICAL SPECIFICATIONS OF THE DEVICE Maximum weight capacity: 159 kg (350 lb.) Seat-to-floor height: 35.6 cm to 50.8 cm (14 in. to 20 in.) Frame: back height from 40.6 cm to 61 cm (16 in. to 24 in.)  BASIC AND OPTIONAL COMPONENTS  BODY SUPPORT SYSTEM  7216293 Seat, rigid base, depth adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)  7216294 Back support, rigid plate 7216295 Back support, flexible, tension adjustable 7216296 Reclining back support 7216297 Back support upright, straight, angle and height adjustable; angle-adjustable from 90° to 120° by maximum increments | component<br>during device<br>purchase  N. C.  N. C.  N. C.         | 200.00<br>200.00                           | (months)  60  60  60         |
| "TANGO CE" DEVICE  TECHNICAL SPECIFICATIONS OF THE DEVICE  Maximum weight capacity: 159 kg (350 lb.)  Seat-to-floor height: 35.6 cm to 50.8 cm (14 in. to 20 in.)  Frame: back height from 40.6 cm to 61 cm (16 in. to 24 in.)  BASIC AND OPTIONAL COMPONENTS  BODY SUPPORT SYSTEM  7216293 Seat, rigid base, depth adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)  7216294 Back support, rigid plate  7216295 Back support, flexible, tension adjustable 7216296 Reclining back support 7216297 Back support upright, straight, angle and height adjustable;   | component<br>during device<br>purchase  N. C.  N. C.  N. C.  210.00 | 200.00<br>200.00<br>210.00                 | (months)  60  60  60  60  60 |

| 7216299  | Raised and adjustable push bar, with hand grip                 | 130.00 | 150.00 | 60 |
|----------|--|--------|--------|----|
| 7216300  | ) Postural support pelvic belt                                 | N. C.  | 10.00  | 60 |
|          |  | N. C.  | 110.00 | 60 |
| /210301  | T-shaped arm support, short, removable; height-adjustable      | N. C.  | 110.00 | 00 |
|          | from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm      |        |        |    |
|          | to 35.6 cm (10 in. to 14 in.) by maximum increments of         |        |        |    |
|          | 2.5 cm (1 in.), with locking mechanism                         |        |        |    |
| 7216302  | 2 T-shaped arm support, long, removable; height-adjustable     | N. C.  | 110.00 | 60 |
|          | from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm      |        |        |    |
|          | to 35.6 cm (10 in. to 14 in.) by maximum increments of         |        |        |    |
|          | 2.5 cm (1 in.), with locking mechanism                         |        |        |    |
| 7216303  | 3 Arm support pad, short, straight                             | N. C.  | 8.00   | 60 |
|          | 4 Arm support pad, long, straight                              | N. C.  | 8.00   | 60 |
|          |  | 20.00  | 28.00  | 60 |
|          | 5 Arm support pad, contoured                                   |        |        |    |
|          | 6 Arm support pad, gel   | 72.00  | 80.00  | 60 |
| 721630   | 7 Lower leg support, parallel, removable and swing-away;       | N. C.  | 40.00  | 60 |
|          | adjustable length from 27.9 cm to 48.3 cm (11 in. to 19 in.)   |        |        |    |
| 701/01/  |  | N. C   | 40.00  | 60 |
| 7216310  | Lower leg support, compensating elevating; with locking        | N. C.  | 40.00  | 60 |
|          | mechanism; compatible with the same fastening system as        |        |        |    |
|          | the fixed lower leg support or supplied with its fastening     |        |        |    |
|          | system   |        |        |    |
| 7216313  | Padded calf support, angle, height and depth adjustable,       | 100.00 | 100.00 | 60 |
|          | including flat   |        |        |    |
| 7216311  | Calf support strap, single                                     | 15.00  | 15.00  | 60 |
|          | 2 Calf support strap, double                                   | 30.00  | 30.00  | 60 |
|          | Foot support, separate, flip-up, depth and angle adjustable,   | N. C.  | 55.00  | 60 |
| /21031-  | standard lenght  | N. C.  | 33.00  | 00 |
| 7216314  | 5 Foot support, separate, flip-up, depth and angle adjustable, | N. C.  | 55.00  | 60 |
| /21031.  | extra long   | IV. C. | 33.00  | 00 |
| 7216316  | 6 Foot support, flip-up, full width, depth and angle           | 45.00  | 100.00 | 60 |
| 7210310  | adjustable   | 13.00  | 100.00 | 00 |
| 7216317  | 7 Heel loop, adjustable  | 5.00   | 5.00   | 60 |
|          | Head support, depth adjustable                                 | 20.00  | 20.00  | 60 |
|          |  |        |        |    |
|          | Contoured cushion for head support, all sizes                  | 30.00  | 30.00  | 60 |
|          | ) Back support tension bar                                     | 50.00  | 50.00  | 60 |
| 7216321  | Securement for head support for back support tension bar,      | 50.00  | 50.00  | 60 |
|          | height adjustable  |        |        |    |
|          | EDAME  |        |        |    |
| 701/202  | FRAME  | N C    | 12.00  | (0 |
|          | 2 Anti-tip device  | N. C.  | 12.00  | 60 |
|          | 3 Reflective devices   | 50.00  | 50.00  | 60 |
| 7216324  | 4 Securement points for strap-type tiedowns for transport      | N. C.  | N. C.  | 60 |
|          | DDIVE SVSTEM   |        |        |    |
| 701 (20) | DRIVE SYSTEM   | N. C   | 00.00  | 60 |
|          | 5 Handrim, smooth  | N. C.  | 80.00  | 60 |
|          | 6 Handrim, plasticized   | N. C.  | 80.00  | 60 |
|          | 7 Parking brake, push-type activation                          | N. C.  | 30.00  | 60 |
|          | Parking brake, pull-type activation                            | N. C.  | 30.00  | 60 |
| 7216329  | Brake lever extension, telescopic                              | 10.00  | 10.00  | 60 |
| 7216330  | ) Fork, adjustable height                                      | N. C.  | 10.00  | 60 |
|          |  |        |        |    |
|          | WHEELS AND TIRES   | _      |        |    |
| 7216331  | 1 Drive wheel, spoked; 50.8 cm (20 in.), 55.9 cm (22 in.) or   | N. C.  | 30.00  | 60 |
|          | 61 cm (24 in.)   |        |        |    |
|          |  |        |        |    |

| 7216332 Drive wheel, plastic; 30.5 cm (12 in.)                      | N. C. | 30.00 | 60 |
|---|-------|-------|----|
| 7216333 Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9    | N. C. | 30.00 | 60 |
| cm (22 in.) or 61 cm (24 in.); widths of 2.5 cm (1 in.) or          |       |       |    |
| $3.8 \text{ cm} (1\frac{1}{2} \text{ in.})$                         |       |       |    |
| 7216334 Drive wheel tire, standard pressure inner tube; 50.8 cm (20 | N. C. | 30.00 | 60 |
| in.), 55.9 cm (22 in.) or 61 cm (24 in.); widths of 2.5 cm          |       |       |    |
| (1 in.) or 3.8 cm (1½ in.)  |       |       |    |
| 7216335 Caster wheel, with semi-pneumatic tire; 12.7 cm (5 in.),    | N. C. | 40.00 | 60 |
| 15.2 cm (6 in.), 17.8 cm (7 in.) or 20.3 cm (8 in.); widths         |       |       |    |
| of 2.5 cm (1 in.) or 3.8 cm (1½ in.)                                |       |       |    |
| 7216336 Drive wheel axle, fixed                                     | N. C. | 7.00  | 60 |
| 7216337 Drive wheel axle, quick release                             | N. C. | 7.00  | 60 |
| 7216338 Spoke guards  | 70.00 | 70.00 | 60 |
| 7216339 Clothing guard  | N. C. | N. C. | 60 |
|   |       |       |    |

### DIVISION V: STROLLERS AND ORTHOMOBILES

| DEVICE   | Maximum price |
|--|---------------|
| Buggy Major-type stroller, including footrests and harness |               |
| 4495602 less than three years of age *                     | 660.00        |
| 4495610 three years of age and over                        | 660.00        |
| Available Component(s)                                     |               |
| 4495651 padded seat  | 96.00         |
| 4494993 other components                                   | S. C.         |
| 4493862 thoracic support                                   | 96.00         |
| 4493870 chest pad  | 57.00         |
|  |               |

### **DURATION OF GUARANTEE: 12 months**

| DEVICE                   | Maximum<br>price |
|--------------------------|------------------|
| 4495701 Other strollers* | S. C.            |
| 2192300 Orthomobiles     | S. C.            |

| PART II: PUSTURE   |   | Maximum                              |  |
|--|---|--------------------------------------|--|
|  | Description   | price                                |  |
| DEVICE   |   |                                      |  |
|  | ng device<br>ce of the positioning device is equal to the total<br>ne positioning components.   | *                                    |  |
| WARRA  | NTY PERIOD: 3 months  |                                      |  |
| 4490249 Standardi<br>4499646 Standardi   | zed cushion, multilayer or injected foam<br>zed cushion, viscoelastic foam and gel<br>zed cushion, viscofluid foam and gel<br>zed cushion, static air-adjustable, single- | 400.00<br>400.00<br>400.00<br>500.00 |  |
| 4490215 Standardi  | zed cushion, static air-adjustable, multi-<br>nent (by adjusting pressure or cell quantity)   | 500.00                               |  |
| 4499695 Standardi<br>4490231 Standardi<br>4490256 Standardi<br>4490248 Standardi | zed cushion, viscoelastic gel<br>zed cushion, viscofluid gel<br>zed cushion, foam with air insert   | 500.00<br>500.00<br>500.00<br>500.00 |  |
| 4490272 Customiz   | ed cushion, multilayer or injected foam   | 425.00                               |  |
| 4490280 Customiz   | ed cushion, viscoelastic foam and gel   | 425.00                               |  |
| 4490298 Customiz   | ed cushion, viscofluid foam and gel   | 425.00                               |  |
| 4490306 Customiz   | ed cushion, foam with air insert  | 525.00                               |  |
| 4490307 Customiz   | ed cushion, fusion-bonded thermoplastic polymer   | 600.00                               |  |
| 4020511  | cover for specialized seat cushion ial waterproof cover for specialized seat cushion  | 75.00<br>100.00                      |  |
| provided   | e payable for 2 commercial waterproof covers, with purchase or replacement of specialized seat as substitution for 2 standard covers                                      | 50.00                                |  |
| 4020513 Waterpro   | of cover for seat cushion (all sizes)   | 75.00                                |  |
|  | e payable for bariatric cushion, width of more cm (20 in.)  | 150.00                               |  |
|  | e pediatric posture seat for adaptable stroller,<br>positioning for torso, pelvis and lower limbs   | 1 200,00                             |  |
|  | ng components for head and neck, standardized or zed modular components   | 350.00                               |  |
| 4565060 Positionir standardiz  | ng components for torso, pelvis or both, zed or standardized modular components, seat cushion   | 450.00                               |  |
| -  | ng belt specialized for pelvis, standardized  | 100.00                               |  |
| 4565061 Positionin   | ng harness for torso, standardized  | 100.00                               |  |

| 4565062 Right upper limb positioning components, standardized or standardized modular components   | 170.00   |
|--|--|
| 4565063 Left upper limb positioning components, standardized or standardized modular components  | 170.00   |
| 4565064 Right lower limb positioning components, standardized or standardized modular components   | 200.00   |
| 4565066 Left lower limb positioning components, standardized or standardized modular components  | 200.00   |
| 4565067 Bilateral upper limb positioning components, standardized or standardized modular components   | 200.00   |
| 4565068 Bilateral lower limb positioning components, standardized or standardized modular components   | 200.00   |
| 4565071 Additional or replacement standard cover for specialized back  | 75.00  |
| 4565074 Additional or replacement waterproof cover for specialized back  | 100.00   |
| 4565072 Surcharge payable upon purchase or replacement of back or cover for complete or partial water proofing   | 50.00  |
| 4565075 Surcharge payable for a large positioning component for torso, pelvis or both, width or height of more than 50.8 cm  | 50.00  |
| (20 in.)   |  |
| (20 in.) 4565080 Surcharge payable for hardware allowing thoracic supports to swing away, flip back or fold  | 200.00   |
| 4565080 Surcharge payable for hardware allowing thoracic supports  | 200.00<br>450.00   |
| 4565080 Surcharge payable for hardware allowing thoracic supports to swing away, flip back or fold   |  |
| 4565080 Surcharge payable for hardware allowing thoracic supports to swing away, flip back or fold  4499900 Head or neck components, moulded or customized   | 450.00   |
| <ul> <li>4565080 Surcharge payable for hardware allowing thoracic supports to swing away, flip back or fold</li> <li>4499900 Head or neck components, moulded or customized</li> <li>4499888 Torso positioning components, moulded or customized</li> <li>4499889 Bilateral lower limb positioning components, moulded or customized</li> <li>4499890 Torso and pelvic positioning component, one-piece, customized contouring</li> </ul>  | 450.00<br>500.00<br>300.00<br>900.00   |
| 4565080 Surcharge payable for hardware allowing thoracic supports to swing away, flip back or fold  4499900 Head or neck components, moulded or customized  4499888 Torso positioning components, moulded or customized  4499889 Bilateral lower limb positioning components, moulded or customized  4499890 Torso and pelvic positioning component, one-piece, customized contouring  4499891 Pelvic positioning component, moulded or customized, excluding seat cushion   | 450.00<br>500.00<br>300.00<br>900.00<br>200.00   |
| <ul> <li>4565080 Surcharge payable for hardware allowing thoracic supports to swing away, flip back or fold</li> <li>4499900 Head or neck components, moulded or customized</li> <li>4499888 Torso positioning components, moulded or customized</li> <li>4499889 Bilateral lower limb positioning components, moulded or customized</li> <li>4499890 Torso and pelvic positioning component, one-piece, customized contouring</li> <li>4499891 Pelvic positioning component, moulded or customized,</li> </ul>  | 450.00<br>500.00<br>300.00<br>900.00   |
| <ul> <li>4565080 Surcharge payable for hardware allowing thoracic supports to swing away, flip back or fold</li> <li>4499900 Head or neck components, moulded or customized</li> <li>4499888 Torso positioning components, moulded or customized</li> <li>4499889 Bilateral lower limb positioning components, moulded or customized</li> <li>4499890 Torso and pelvic positioning component, one-piece, customized contouring</li> <li>4499891 Pelvic positioning component, moulded or customized, excluding seat cushion</li> <li>4499892 Torso positioning harness, customized</li> </ul>  | 450.00<br>500.00<br>300.00<br>900.00<br>200.00<br>100.00                               |
| <ul> <li>4565080 Surcharge payable for hardware allowing thoracic supports to swing away, flip back or fold</li> <li>4499900 Head or neck components, moulded or customized</li> <li>4499888 Torso positioning components, moulded or customized</li> <li>4499889 Bilateral lower limb positioning components, moulded or customized</li> <li>4499890 Torso and pelvic positioning component, one-piece, customized contouring</li> <li>4499891 Pelvic positioning component, moulded or customized, excluding seat cushion</li> <li>4499892 Torso positioning harness, customized</li> <li>4499894 Right upper limb positioning components, moulded or customized</li> </ul>  | 450.00<br>500.00<br>300.00<br>900.00<br>200.00<br>100.00<br>270.00                     |
| 4499801 Helicological contouring 449981 Pelvic positioning component, moulded or customized, excluding seat cushion 4499892 Torso positioning component, moulded or customized, excluding seat cushion 4499895 Left upper limb positioning components, moulded or customized   | 450.00<br>500.00<br>300.00<br>900.00<br>200.00<br>100.00<br>270.00<br>270.00           |
| 4499800 Surcharge payable for hardware allowing thoracic supports to swing away, flip back or fold  4499900 Head or neck components, moulded or customized  4499888 Torso positioning components, moulded or customized  4499889 Bilateral lower limb positioning components, moulded or customized  4499890 Torso and pelvic positioning component, one-piece, customized contouring  4499891 Pelvic positioning component, moulded or customized, excluding seat cushion  4499892 Torso positioning harness, customized  4499894 Right upper limb positioning components, moulded or customized  4499895 Left upper limb positioning components, moulded or customized  4499896 Right lower limb positioning components, moulded or customized | 450.00<br>500.00<br>300.00<br>900.00<br>200.00<br>100.00<br>270.00<br>270.00<br>300.00 |
| 4499800 Surcharge payable for hardware allowing thoracic supports to swing away, flip back or fold  4499900 Head or neck components, moulded or customized  4499888 Torso positioning components, moulded or customized  4499889 Bilateral lower limb positioning components, moulded or customized  4499890 Torso and pelvic positioning component, one-piece, customized contouring  4499891 Pelvic positioning component, moulded or customized, excluding seat cushion  4499892 Torso positioning harness, customized  4499894 Right upper limb positioning components, moulded or customized  4499895 Left upper limb positioning components, moulded or customized  4499896 Right lower limb positioning components, moulded or            | 450.00<br>500.00<br>300.00<br>900.00<br>200.00<br>100.00<br>270.00<br>270.00           |

#### PART III: ELEMENTS INCLUDED IN THE PRICES OF THE DEVICES

- 1. The maximum or the fixed price for the purchase or replacement of an insured device referred to in Part I or II of this Title includes the following elements:
- (1) the maximum or fixed price for its basic components, its optional components and its and supplements, if any;
- (2) the cost of its manufacture;
- (3) the cost of adjustments required while it is being manufactured, up to and including the final installation;
- (4) the cost of adjustments and repairs during the guarantee period referred to in this Title in respect of each device or in the contract with the supplier, beginning immediately after the final installation and during which any adjustment or repair of a device used under normal conditions is made, in order to bring the device into conformity with the original prescription, where the beneficiary's physical condition has not changed, and to enable the beneficiary to derive maximum benefit from the device.
- 2. The replacement cost of a component or supplement for a device includes the following elements:
- (1) the cost price of the materials;
- (2) the cost of its manufacture, if any;
- (3) the cost of adjustment and installation.

### TITLE THREE: INSURED RELATED SERVICES PART I: PROSTHESES, ORTHOSES, AMBULATION AIDS OR STANDING AIDS

### Labour rate or lump sum

|         |   | Laboratory (s.25) | Institution (s.25) |
|---------|---|-------------------|--------------------|
| Codes   | Description   |                   |                    |
| 5550001 | Labour for the manufacture of a device with at least one component whose purchase or replacement price is stated as « S.C. » or for the repair of an orthosis, prosthesis, ambulation aid, standing aid or their components and supplements (rate per minute) | 1.55              | 0.00               |
| 5442257 | Lump sum for initial purchase or replacement of an ambulation aid provided as a complement to an orthosis or prosthesis   | 23.21             | 0.00               |
| 5442258 | Lump sum for initial purchase or replacement of an ambulation aid provided as a device to an adult  | 46.42             | 0.00               |
| 5442259 | Lump sum for initial purchase or replacement of an ambulation aid provided as a device to a person under 19 years of age  | 69.60             | 0.00               |

### LUMP SUM FOR INITIAL PURCHASE OR REPLACEMENT OF LOWER LIMB PROSTHESES

|         |  | Laboratory (s.25) | Institution (s.25) |
|---------|--|-------------------|--------------------|
| Codes   | Description Description  |                   |                    |
| 1127511 | Lump sum for initial purchase or replacement of a prosthesis for total amputation of second, third and fourth toe, of two or of all of those toes, made from plaster or digital mold of insured person (1120001)                           | 535.00            | 0.00               |
| 1127512 | Lump sum for initial purchase or replacement of a prosthesis for total amputation of first toe, with or without amputation of second, third, fourth or fifth toe, made from plaster or digital mold of insured person (1120002)            | 439.00            | 0.00               |
| 1127510 | Lump sum for initial purchase or replacement of a prosthesis for transmetatarsal or transtarsal amputation without length difference of the lower limbs, with ankle support, made from plaster or digital mold of insured person (1120000) | 1,190.00          | 0.00               |
| 1137510 | Lump sum for initial purchase or replacement of a prosthesis transtarsal with length difference of the lower limbs or ankle disarticulation (Temporary) Symes (1130000)  | 1,600.00          | 0.00               |

| 1137511 | Lump sum for initial purchase or replacement of a prosthesis transtarsal with length difference of the lower limbs or ankle disarticulation (Symes) (1130001)                 | 1,507.00 | 0.00 |
|---------|---|----------|------|
| 1137611 | Lump sum for initial purchase or replacement of a Symes foot trial socket (1135600)   | 485.00   | 0.00 |
| 1147510 | Lump sum for initial purchase or replacement of a post-<br>operative tibial prosthesis necessitating obligatory renewal<br>of plaster or digital mold (1140000)               | 708.00   | 0.00 |
| 1147511 | Lump sum for initial purchase or replacement of a pneumatic post-operative transtibial prosthesis, non-articulated (1140001)  | 266.00   | 0.00 |
| 1147512 | Lump sum for initial purchase or replacement of a pneumatic post-operative transtibial prosthesis, articulated (1140002)  | 370.00   | 0.00 |
| 1147513 | Lump sum for initial purchase or replacement of a temporary trantibial prosthesis (1140003)   | 1,444.50 | 0.00 |
| 1147514 | Lump sum for initial purchase or replacement of a exoskeletal transtibial prosthesis (1140004)  | 1,842.00 | 0.00 |
| 1147614 | Lump sum for initial purchase or replacement of a transtibial prosthesis trial socket (1145601)   | 397.00   | 0.00 |
| 1147515 | Lump sum for initial purchase or replacement of a endoskeletal transtibial prosthesis (1140005)   | 1,695.50 | 0.00 |
| 1147615 | Lump sum for initial purchase or replacement of a endoskeletal transtibial prosthesis trial socket (1145608)  | 397.00   | 0.00 |
| 1147516 | Lump sum for initial purchase or replacement of a prosthetic restoration of a leg (1140006)   | 1,457.50 | 0.00 |
| 1157510 | Lump sum for initial purchase or replacement of a post-<br>operative knee disarticulation prosthesis necessitating<br>obligatory renewal of plaster or digital mold (1150000) | 1,124.00 | 0.00 |
| 1157512 | Lump sum for initial purchase or replacement of a pneumatic post-operative knee disarticulation prosthesis (1150002)  | 300.00   | 0.00 |
| 1157511 | Lump sum for initial purchase or replacement of a temporary knee disarticulation prosthesis (1150001)   | 2,097.50 | 0.00 |
| 1157513 | Lump sum for initial purchase or replacement of a exoskeletal knee disarticulation prosthesis (1150003)   | 2,482.50 | 0.00 |
| 1157613 | Lump sum for initial purchase or replacement of a exoskeletal knee disarticulation prosthesis trial socket (1155606)  | 326.50   | 0.00 |
| 1157514 | Lump sum for initial purchase or replacement of a endoskeletal knee disarticulation prosthesis (1150004)  | 2,354.00 | 0.00 |

| 1157614 Lump sum for initial purchase or replacement of a exoskeletal knee disarticulation prosthesis trial socket (1155609)  | 427.00   | 0.00 |
|---|----------|------|
| 1167510 Lump sum for initial purchase or replacement of a post-<br>operative transfemoral prosthesis necessitating obligatory<br>renewal of plaster or digital mold (1160000) | 781.00   | 0.00 |
| 1167511 Lump sum for initial purchase or replacement of a pneumatic post-operative transfemoral prosthesis (1160001)  | 383.50   | 0.00 |
| 1167512 Lump sum for initial purchase or replacement of a temporary transfemoral prosthesis (1160002)   | 1,885.00 | 0.00 |
| 1167513 Lump sum for initial purchase or replacement of a exoskeletal transfemoral prosthesis with constant friction knee (1160003)   | 1,643.50 | 0.00 |
| 1167613 Lump sum for initial purchase or replacement of a exoskeletal transfemoral prosthesis with constant friction knee trial socket (1165600)                              | 322.00   | 0.00 |
| 1167514 Lump sum for initial purchase or replacement of a exoskeletal transfemoral prosthesis with friction locking knee, for child (1160004)                                 | 2,088.00 | 0.00 |
| 1167614 Lump sum for initial purchase or replacement of a exoskeletal transfemoral prosthesis with friction locking knee trial socket, for child (1165605)                    | 416.00   | 0.00 |
| 1167515 Lump sum for initial purchase or replacement of a endoskeletal transfemoral prosthesis (1160005)  | 3,037.00 | 0.00 |
| 1167615 Lump sum for initial purchase or replacement of a endoskeletal transfemoral prosthesis trial socket (1165608)   | 567.00   | 0.00 |
| 1167516 Lump sum for initial purchase or replacement of a bilateral transfemoral stubbies prosthesis (1160006)  | 3,229.00 | 0.00 |
| 1167616 Lump sum for initial purchase or replacement of a bilateral transfemoral stubbies prosthesis trial sockets (2) (1165613)  | 599.00   | 0.00 |
| 1177510 Lump sum for initial purchase or replacement of a temporary hip disarticulation prosthesis (1170000)  | 3,102.00 | 0.00 |
| 1177511 Lump sum for initial purchase or replacement of a endoskeletal hip disarticulation prosthesis (1170001)   | 2,729.00 | 0.00 |
| 1177611 Lump sum for initial purchase or replacement of a endoskeletal hip disarticulation prosthesis trial socket (1175600)  | 476.00   | 0.00 |
| 1177512 Lump sum for initial purchase or replacement of a temporary hemipelvic prosthesis (1170002)   | 2,680.00 | 0.00 |

| 1187510 Lump sum for initial purchase or replacement of a endoskeletal hemipelvic prosthesis (1180000)              | 4,026.00 | 0.00 |
|---|----------|------|
| 1187610 Lump sum for initial purchase or replacement of a endoskeletal hemipelvic prosthesis trial socket (1185600) | 476.00   | 0.00 |
| 1197610 Lump sum for initial purchase or replacement of a valve for any prosthesis                                  | 200.00   | 0.00 |

# LUMP SUM FOR INITIAL PURCHASE OR REPLACEMENT OF UPPER LIMB PROSTHESES

|         |   | Laboratory (s.25) | Institution (s.25) |
|---------|---|-------------------|--------------------|
| Codes   | Description   |                   |                    |
| 1217511 | Lump sum for initial purchase or replacement of a thumb prosthesis made from plaster or digital mold of insured person (1210001)                      | 561.00            | 0.00               |
| 1217512 | Lump sum for initial purchase or replacement of a index prosthesis made from plaster or digital mold of insured person (1210002)                      | 530.00            | 0.00               |
| 1217513 | Lump sum for initial purchase or replacement of a middle finger prosthesis made from plaster or digital mold of insured person (1210003)              | 530.00            | 0.00               |
| 1217514 | Lump sum for initial purchase or replacement of a ring finger prosthesis made from plaster or digital mold of insured person (1210004)                | 530.00            | 0.00               |
| 1217515 | Lump sum for initial purchase or replacement of a little finger prosthesis made from plaster or digital mold of insured person (1210005)              | 530.00            | 0.00               |
| 1227510 | Lump sum for initial purchase or replacement of a passive partial hand prosthesis, made from plaster or digital mold of insured person (1220000)      | 320.00            | 0.00               |
| 1237510 | Lump sum for initial purchase or replacement of a temporary mechanical wrist disarticulation or transradial amputation prosthesis (1230000)           | 2,117.50          | 0.00               |
| 1237511 | Lump sum for initial purchase or replacement of a mechanical wrist disarticulation or distal transradial amputation prosthesis (1230001)              | 1,475.00          | 0.00               |
| 1237611 | Lump sum for initial purchase or replacement of a mechanical wrist disarticulation or distal transradial amputation prosthesis trial socket (1235600) | 151.00            | 0.00               |

| 1247512 Lump sum for initial purchase or replacemen endoskeletal transradial prosthesis (1240002)                                    |   | 0.00 |
|--|---|------|
| Lump sum for initial purchase or replacemen endoskeletal transradial prosthesis trial socke  | = | 0.00 |
| 1237512 Lump sum for initial purchase or replacemen wrist or exoskeletal transradial prosthesis (12                                  |   | 0.00 |
| 1237612 Lump sum for initial purchase or replacemen wrist or exoskeletal transradial prosthesis tria (1235601)                       | = | 0.00 |
| 1247510 Lump sum for initial purchase or replacemen temporary mechanical transradial prosthesis vaction joints (1240000)             |   | 0.00 |
| 1247511 Lump sum for initial purchase or replacemen mechanical transradial prosthesis with multip joints (1240001)                   |   | 0.00 |
| 1247611 Lump sum for initial purchase or replacemen mechanical transradial prosthesis with multip joints trial socket (1245600)      |   | 0.00 |
| 1257510 Lump sum for initial purchase or replacemen temporary mechanical or passive exoskeletal disarticulation prosthesis (1250000) |   | 0.00 |
| 1257511 Lump sum for initial purchase or replacemen exoskeletal elbow disarticulation prosthesis (                                   | _ | 0.00 |
| 1257512 Lump sum for initial purchase or replacemen mechanical exoskeletal elbow disarticulation (1250002)                           |   | 0.00 |
| 1257612 Lump sum for initial purchase or replacemen mechanical exoskeletal elbow disarticulation trial socket (1255600)              |   | 0.00 |
| 1257513 Lump sum for initial purchase or replacemen temporary mechanical or passive transhumera prosthesis (1250003)                 |   | 0.00 |
| 1257514 Lump sum for initial purchase or replacemen mechanical exoskeletal transhumeral prosther                                     |   | 0.00 |
| 1257614 Lump sum for initial purchase or replacemen mechanical exoskeletal transhumeral prosther (1255608)                           |   | 0.00 |
| 1257515 Lump sum for initial purchase or replacemen exoskeletal transhumeral prosthesis (1250005)                                    | = | 0.00 |
| 1257615 Lump sum for initial purchase or replacemen exoskeletal transhumeral prosthetic trial sock                                   | = | 0.00 |

| 1267510 Lump sum for initial purchase or replacement of a passive endoskeletal transhumeral prosthetic (1260000)                            | 2,043.00 | 0.00 |
|---|----------|------|
| 1267610 Lump sum for initial purchase or replacement of a passive endoskeletal transhumeral prosthetic trial socket (1265600)               | 370.00   | 0.00 |
| 1277510 Lump sum for initial purchase or replacement of a temporary mechanical exoskeletal shoulder disarticulation prosthesis (1270000)    | 5,775.00 | 0.00 |
| 1277511 Lump sum for initial purchase or replacement of a mechanical exoskeletal shoulder disarticulation prosthesis (1270001)              | 3,314.00 | 0.00 |
| 1277611 Lump sum for initial purchase or replacement of a mechanical exoskeletal shoulder disarticulation prosthesis trial socket (1275600) | 416.00   | 0.00 |
| 1277512 Lump sum for initial purchase or replacement of a passive endoskeletal shoulder disarticulation prosthesis (1270002)                | 3,068.00 | 0.00 |
| 1277612 Lump sum for initial purchase or replacement of a passive endoskeletal shoulder disarticulation prosthesis trial socket (1275607)   | 416.00   | 0.00 |
| 1287510 Lump sum for initial purchase or replacement of a mechanical exoskeletal thoracic prosthesis (1280000)                              | 3,234.00 | 0.00 |
| 1287610 Lump sum for initial purchase or replacement of a mechanical exoskeletal thoracic prosthesis trial socket (1285600)                 | 416.00   | 0.00 |
| 1287511 Lump sum for initial purchase or replacement of a passive endoskeletal thoracic prosthetis (1280001)                                | 2,965.00 | 0.00 |
| 1287611 Lump sum for initial purchase or replacement of a passive endoskeletal thoracic prosthetic restoration trial socket (1285605)       | 416.00   | 0.00 |

# LUMP SUM FOR INITIAL PURCHASE OR REPLACEMENT OF LOWER LIMB ORTHOSES

|         |  | Laboratory (s.25) | Institution (s.25) |
|---------|--|-------------------|--------------------|
| Codes   | Description  |                   |                    |
| 2147510 | Lump sum for initial purchase or replacement of a tibial orthosis with unilateral upright (2140000)                      | 589.00            | 0.00               |
| 2147511 | Lump sum for initial purchase or replacement of a tibial orthosis with bilateral uprights made by the provider (2140001) | 668.00            | 0.00               |

| 2147513 Lump sum for initial purchase or replacement of a tibial orthosis with bilateral uprights, made by an external provider (2140003)                                    | 650.00   | 0.00 |
|--|----------|------|
| 2147514 Lump sum for initial purchase or replacement of a molded plastic tibial orthosis, made from plaster or digital mold of insured person (2140004)                      | 525.00   | 0.00 |
| 2147614 Lump sum for initial purchase or replacement of a molded or laminated plastic infra-patellar support, made from a plaster mold, with rigid reinforcement (2145606)   | 103.00   | 0.00 |
| 2147624 Lump sum for initial purchase or replacement of a thermoplastic anterior shell made from a mold, built into orthosis (bivalve section) (2145607)                     | 129.00   | 0.00 |
| 2147515 Lump sum for initial purchase or replacement of a molded plastic tibial orthosis, prefabricated (2140005)  | 145.00   | 0.00 |
| 2147516 Lump sum for initial purchase or replacement of a prefabricated supramalleolar tibial orthosis (2140006)   | 201.00   | 0.00 |
| 2147517 Lump sum for initial purchase or replacement of a supramalleolar tibial orthosis, made from plaster or digital mold of insured person (2140007)                      | 553.00   | 0.00 |
| 2147518 Lump sum for initial purchase or replacement of a precut thermoplastic slipper-type tibial orthosis, mold from insured person, pediatric format (2140008)            | 424.00   | 0.00 |
| 2147519 Lump sum for initial purchase or replacement of a Orthosis for leg shortened by 7.6 cm (3 in.) or more, excluding any prosthetic knee joint (2140009)                | 1,461.00 | 0.00 |
| 2147619 Lump sum for initial purchase or replacement of a Orthosis for leg shortened by 7.6 cm (3 in.) or more, excluding any prosthetic knee joint trial socket (2145608)   | 747.00   | 0.00 |
| 2157510 Lump sum for initial purchase or replacement of a thermoplastic non-articulated tibiofemoral orthosis, made from plaster or digital mold of insured person (2150000) | 588.00   | 0.00 |
| 2157512 Lump sum for initial purchase or replacement of a tibiofemoral orthosis with free joints, prefabricated (2150002)  | 195.00   | 0.00 |
| (2150002) 2157513 Lump sum for initial purchase or replacement of a prefabricated tibial orthosis with unilateral free joint (2150003)                                       | 304.00   | 0.00 |
| 2157514 Lump sum for initial purchase or replacement of a tibiofemoral anti-recurvatum knee orthosis, Swedish-type, prefabricated (21500004)                                 | 256.00   | 0.00 |

| 2157515 Lump sum for initial purchase or replacement of a dynamic knee orthosis, made by the provider from plaster or digital mold of insured person (2150005)   | 926.00   | 0.00 |
|--|----------|------|
| 2157516 Lump sum for initial purchase or replacement of a dynamic knee orthosis, made by external provider from plaster or digital mold of insured person (2150006)  | 420.00   | 0.00 |
| 2157517 Lump sum for initial purchase or replacement of a tibiofemoral orthosis with unilateral free joint, made by external provider from plaster or digital mold of insured person (2150007)             | 420.00   | 0.00 |
| 2167511 Lump sum for initial purchase or replacement of a articulated femoral orthosis with rigid femoral and tibial bands, made from tracing (2160001)  | 1,143.00 | 0.00 |
| 2167512 Lump sum for initial purchase or replacement of a articulated femoral orthosis made of rigid material, made from plaster or digital mold of insured person (2160002)                               | 1,343.00 | 0.00 |
| 2167513 Lump sum for initial purchase or replacement of a thermoplastic non-articulated femoral orthosis, made from plaster or digital mold of insured person (2160003)                                    | 880.00   | 0.00 |
| 2177510 Lump sum for initial purchase or replacement of a articulated coxofemoral orthosis with rigid femoral and tibial cuffs, made from tracing (2170000)  | 1,027.00 | 0.00 |
| 2177511 Lump sum for initial purchase or replacement of a molded plastic articulated coxofemoral orthosis, made from plaster or digital mold of insured person (2170001)                                   | 1,568.00 | 0.00 |
| 2175712 Lump sum for initial purchase or replacement of a prefabricated unilateral pelvifemoral abduction orthosis, hip jointed (2170002)  | 287.00   | 0.00 |
| 2197510 Lump sum for initial purchase or replacement of a femoral derotation orthosis for child (2190000)  | 269.00   | 0.00 |
| 2197501 Lump sum for initial purchase or replacement of a coxofemoral derotation orthosis with torsion cable (2190001)   | 463.00   | 0.00 |
| 2197512 Lump sum for initial purchase or replacement of a prefabricated pelvifemoral abduction orthosis (S.W.A.S.H. type) (2190002)  | 397.00   | 0.00 |
| 2197513 Lump sum for initial purchase or replacement of a non-<br>articulated thermoplastic pelvifemoral abduction orthosis<br>for child, made from plaster or digital mold of insured<br>person (2190003) | 1,146.00 | 0.00 |

| 2197514 Lump sum for initial purchase or replacement of a         | 324.00   | 0.00 |
|---|----------|------|
| prefabricated bilateral pelvifemoral orthosis, for young          |          |      |
| child (2190004)   |          |      |
| 2187510 Lump sum for initial purchase or replacement of a custom- | 1,114.00 | 0.00 |
| made bilateral articulated pelvifemoral abduction orthosis        |          |      |
| (2180000)   |          |      |

# LUMP SUM FOR INITIAL PURCHASE OR REPLACEMENT OF UPPER LIMB ORTHOSES

|         |   | Laboratory (s.25) | Institution (s.25) |
|---------|---|-------------------|--------------------|
| Codes   | Description Description   | (3.23)            | (3.23)             |
| 2217521 | Lump sum for initial purchase or replacement of a prefabricated passive orthosis for proximal and/or distal interphalangeal joints, first finger (2210021, 2210022, 2210023, 2210024 or 221+J7664:J7669                                 | 166.00            | 0.00               |
| 2217522 | Lump sum for initial purchase or replacement of a prefabricated passive orthosis for proximal and/or distal interphalangeal joints, additional finger (2210021, 2210022, 2210023, 2210024 or 2210025)                                   | 75.00             | 0.00               |
| 2217531 | Lump sum for initial purchase or replacement of a passive orthosis for proximal and/or distal interphalangeal joints, made from thermoplastic mold of insured person, first finger (2210031, 2210032, 2210033, 2210034 or 2210035)      | 191.00            | 0.00               |
| 2217532 | Lump sum for initial purchase or replacement of a passive orthosis for proximal and/or distal interphalangeal joints, made from thermoplastic mold of insured person, additional finger (2210031, 2210032, 2210033, 2210034 or 2210035) | 100.00            | 0.00               |
| 2217561 | Lump sum for initial purchase or replacement of a prefabricated dynamic orthosis for distal and/or proximal interphalangeal joints, first finger (2210061, 2210062, 2210063, 2210064 or 2210065)  | 196.00            | 0.00               |
| 2217562 | Lump sum for initial purchase or replacement of a prefabricated dynamic orthosis for distal and/or proximal interphalangeal joints, additional finger (2210061, 2210062, 2210063, 2210064 or 2210065)                                   | 112.00            | 0.00               |
| 2217510 | Lump sum for initial purchase or replacement of a passive orthosis of metacarpophalangeal joints, prefabricated or made from mold of insured person (2210000)   | 276.00            | 0.00               |
| 2217511 | Lump sum for initial purchase or replacement of a prefabricated dynamic orthosis for metacarpophalangeal joints (2210001)   | 232.00            | 0.00               |

| 2227510 Lump sum for initial purchase or replacement of a passive thumb orthosis including carpometacarpal, metacarpophalangeal joints, with or without interphalangeal joints, made from plaster or digital mold of insured person (2210000)              | 335.00 | 0.00 |
|--|--------|------|
| 2227511 Lump sum for initial purchase or replacement of a thermoplastic passive thumb orthosis including carpometacarpal, metacarpophalangeal with or without interphalangeal joints, made from thermoplastic mold of person or prefabricated (2220001)    | 174.00 | 0.00 |
| 2227513 Lump sum for initial purchase or replacement of a dynamic thumb orthosis, which may include carpometacarpal, metacarpophalangeal with or without interphalangeal joints, made from plaster or digital mold of insured person (2220003)             | 366.00 | 0.00 |
| 2227514 Lump sum for initial purchase or replacement of a thermoplastic dynamic thumb orthosis, which may include carpometacarpal, metacarpophalangeal with or without interphalangeal joints, made from mold of insured person or prefabricated (2220004) | 260.00 | 0.00 |
| 2227515 Lump sum for initial purchase or replacement of a prefabricated passive orthosis for hand and fingers, palmar or dorsal (2220005)  | 182.00 | 0.00 |
| 2237510 Lump sum for initial purchase or replacement of a prefabicated rigid passive orthosis for wrist and hand including fingers and thumb, palmar or dorsal (2230000)   | 163.00 | 0.00 |
| 2237511 Lump sum for initial purchase or replacement of a Passive orthosis for wrist, palmar or dorsal, including thumb extension, where applicable, made from plaster or digital mold of insured person (2230001)   | 414.00 | 0.00 |
| 2237512 Prefabricated thermoplastic passive orthosis for wrist, or made from mold of insured person (2230002)  | 165.00 | 0.00 |
| 2237513 Lump sum for initial purchase or replacement of a prefabricated static wrist and dynamic finger orthosis, which may include prefabricated thumb (2230003)  | 235.00 | 0.00 |
| 2257510 Lump sum for initial purchase or replacement of a prefabricated thermoplastic passive orthosis for elbow orthosis, anterior or posterior, made from mold of insured person (2250000)   | 207.00 | 0.00 |
| 2257511 Lump sum for initial purchase or replacement of a Passive elbow orthosis, anterior or posterior, made from plaster or digital mold of insured person (2250001)   | 501.00 | 0.00 |

| 2277510 Lump sum for initial purchase or replacement of a glenohumeral orthosis, made from plaster or digital mold of insured person (2270000)  | 445.00 | 0.00 |
|---|--------|------|
| 2277511 Lump sum for initial purchase or replacement of a prefabricated and supported adjustable passive abduction orthosis for the shoulder, elbow, wrist and hand airplane design (2270510) | 198.00 | 0.00 |
| 2277512 Lump sum for initial purchase or replacement of a glenohumeral orthosis prefabricated or made from mold of insured person (2270002)   | 285.00 | 0.00 |

|         |  | Laboratory (s.25) | Institution (s.25)                    |
|---------|--|-------------------|---------------------------------------|
| Codes   | Description  | , í               | , , , , , , , , , , , , , , , , , , , |
| 2327510 | Lump sum for initial purchase or replacement of a prefabricated lumbar sacral orthosis, to limit anteroposterior and lateral movements of lumbar region, thermoplastic or metal structure (2320000)                            | 162.00            | 0.00                                  |
| 2327511 | Lump sum for initial purchase or replacement of a lumbar sacral orthosis with rigid molded thermoplastic plate, made from mold of insured person (2320001)   | 199.00            | 0.00                                  |
| 2327512 | Lump sum for initial purchase or replacement of a complete lumbar sacral region immobilization orthosis, made from plaster or digital mold of insured person (2320002)   | 721.00            | 0.00                                  |
| 2347511 | Lump sum for initial purchase or replacement of a custom-<br>made rigid-frame dorsal lumbar sacral stabilizing orthosis<br>with openwork structure, limiting movements of the spine<br>(2340001)                               | 338.00            | 0.00                                  |
| 2347512 | Lump sum for initial purchase or replacement of a dorsal lumbar sacral orthosis with rigid molded thermoplastic plate, made from mold of insured person (2340002)  | 234.00            | 0.00                                  |
| 2347513 | Lump sum for initial purchase or replacement of a prefabricated dorsal lumbar sacral orthosis made from textile with stay (2340003)  | 229.00            | 0.00                                  |
| 2347514 | Lump sum for initial purchase or replacement of a plastic dorsal lumbar sacral immobilization orthosis with bilateral overlapping resulting from double molding, made from plaster or digital mold of insured person (2340004) | 993.00            | 0.00                                  |

| 2347515 | Lump sum for initial purchase or replacement of a thermoplastic prefabricated molded plastic dorsal lumbar sacral immobilization orthosis (2340005)   | 360.00   | 0.00 |
|---------|---|----------|------|
| 2347516 | Lump sum for initial purchase or replacement of a<br>thermoplastic dorsal lumbar sacral immobilization orthosis<br>made from plaster or digital mold of insured person<br>(2340006)                       | 899.00   | 0.00 |
| 2357510 | Lump sum for initial purchase or replacement of a prefabricated hyperextension orthosis (2350000)   | 308.00   | 0.00 |
| 2387510 | Lump sum for initial purchase or replacement of a cervical dorsal lumbar sacral correcting orthosis with thermoplastic base, made from plaster or digital mold of insured person (2380000)                | 1,164.00 | 0.00 |
| 2387511 | Lump sum for initial purchase or replacement of a nocturnal hypercorrective cervical dorsal lumbar sacral orthosis, made by the provider from plaster or digital mold of insured person (2380001)         | 728.00   | 0.00 |
| 2387512 | Lump sum for initial purchase or replacement of a nocturnal hypercorrective cervical dorsal lumbar sacral orthosis, made by an external provider from plaster or digital mold of insured person (2380002) | 246.00   | 0.00 |
| 2387513 | Lump sum for initial purchase or replacement of a prefabricated corrective dorsal lumbar sacral orthosis (2380003)  | 547.00   | 0.00 |
| 2387515 | Lump sum for initial purchase or replacement of a corrective dorsal lumbar sacral orthosis, made from plaster or digital mold of insured person (2380005)   | 1,004.00 | 0.00 |
| 2347517 | Lump sum for initial purchase or replacement of a corrective orthosis for child, Cheneau-type (2340007)   | 2,124.00 | 0.00 |
| 2377510 | Lump sum for initial purchase or replacement of a prefabricated thermoformable foam cervical immobilization orthosis, made from mold of insured person (2370000)  | 379.00   | 0.00 |
| 2377511 | Lump sum for initial purchase or replacement of a prefabricated bivalve cervical immobilization orthosis (2370001)  | 193.00   | 0.00 |
| 2377512 | Lump sum for initial purchase or replacement of a prefabricated thoraco-cervical immobilization orthosis with multiple vertical uprights (2370002)  | 225.00   | 0.00 |
| 2377513 | Lump sum for initial purchase or replacement of a thermoplastic thoracocervical immobilization orthosis, made from digital mold of insured personmold of insured person (2370003)                         | 1,064.00 | 0.00 |

|         |  | Institution (s.57) |
|---------|--|--------------------|
| Codes   | Description  | , ,                |
|         | Labour for the manufacture or repair of a locomotor assist, positioning device or their components, including repairs made under supplier's warranty (rate per minute) | 0.00               |
| 4499968 | Lump sum for the initial purchase or replacement of a manual wheel chair   | 0.00               |
| 4499992 | Lump sum for the initial purchase or replacement of a powered wheel chair  | 0.00               |
| 5442260 | Lump sum for initial purchase or replacement of a positioning base   | 0.00               |
| 5442272 | Non-listed lump sum for initial purchase or replacement of adapted stroller (S.C.)   | 0.00               |
| 4495552 | Lump sum for the initial purchase or replacement of a Buggy Major-type stroller  | 0.00               |
| 4499596 | Lump sum for the initial purchase or replacement of a propulsion assistance module   | 0.00               |
| 4499950 | Lump sum when a device must be adjusted to the growth of an insured person under age 19  | 0.00               |
| 4499935 | Lump sum for initial purchase or replacement of a manual wheelchair when the insured person dies before taking final receipt of device                                 | 0.00               |
| 4499927 | Lump sum for initial purchase or replacement of a powered wheelchair when the insured person dies before taking final receipt of device                                | 0.00               |
| 5442269 | Lump sum for initial purchase or replacement of a positioning base when the insured person dies before taking final receipt of device                                  | 0.00               |
| 4499943 | Lump sum for initial purchase or replacement of a stroller when the insured person dies before taking final receipt of device  | 0.00               |
| 5442254 | Lump sum for specialized cushion seat positioning  | 0.00               |
| 5442261 | Lump sum for head or neck positioning  | 0.00               |
| 5442262 | Lump sum for positioning of torso, pelvis or both (excluding specialized seat cushion-related service)   | 0.00               |

| 5442263 Lump sum for right upper limb positioning | 0.00 |
|---|------|
| 5442264 Lump sum for left upper limb positioning  | 0.00 |
| 5442265 Lump sum for right lower limb positioning | 0.00 |
| 5442266 Lump sum for left lower limb positioning  | 0.00 |