SCHEDULE I (s. 1)

TARIFF FOR DEVICES WHICH COMPENSATE FOR A MOTOR DEFICIENCY AND INSURED RELATED SERVICES



LE ONE: PROSTHESES, ORTHOSES, AMBULATION AIDS OR STANDING AIDS	5
ART I: AIDS FURNISHED BY AN INSTITUTION OR A LABORATORY	6
DIVISION I: LOWER-LIMB PROSTHESES	6
SUBDIVISION 1: FOOT PROSTHESES	6
SUBDIVISION 2: ANKLE PROSTHESES	8
SUBDIVISION 3: TIBIAL PROSTHESES	11
SUBDIVISION 4: TIBIOFEMORAL PROSTHESES	19
SUBDIVISION 5: FEMORAL PROSTHESES	26
SUBDIVISION 6: COXOFEMORAL AND HEMIPELVIC PROSTHESES	36
SUBDIVISION 7: LOWER-LIMB PROSTHESES	45
DIVISION II: UPPER-LIMB PROSTHESES	46
SUBDIVISION 1: HAND PROSTHESES	46
SUBDIVISION 2: WRIST PROSTHESES	48
SUBDIVISION 3: CUBITAL PROSTHESES	49
SUBDIVISION 4: CUBITOHUMERAL PROSTHESES	52
SUBDIVISION 5: HUMERAL PROSTHESES	53
SUBDIVISION 6: GLENOHUMERAL AND THORACIC PROSTHESES	55
SUBDIVISION 7: BASIC OR OPTIONAL COMPONENTS FOR UPPER-LIMB PROSTHESES	60
SUBDIVISION 8 : UPPER-LIMB PROSTHESES	65
DIVISION III: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES	66
DIVISION IV: LOWER-LIMB ORTHOSES	78
SUBDIVISION 1: TIBIAL ORTHOSES	78
SUBDIVISION 2: TIBIOFEMORAL ORTHOSES	84
SUBDIVISION 3: FEMORAL ORTHOSES	88
SUBDIVISION 4: COXOFEMORAL ORTHOSES	99
SUBDIVISION 5: BILATERAL LOWER-LIMB ORTHOSES	108
SUBDIVISION 6: ADDITIONAL COMPONENTS FOR TIBIAL, FEMORAL AND COXOFEMORAL ORTHOSES	111
SUBDIVISION 7: LOWER-LIMB ORTHOSES	112
DIVISION V: UPPER-LIMB ORTHOSES	113
SUBDIVISION 1: HAND ORTHOSES THAT MAY INCLUDE THE THUMB AND THE OTHER FINGERS	113
SUBDIVISION 2: WRIST AND HAND ORTHOSES	117
SUBDIVISION 3: ELBOW, WRIST AND HAND ORTHOSES	120
SUBDIVISION 4: SHOULDER, ELBOW, WRIST AND HAND ORTHOSES	121
SUBDIVISION 5: UPPER-LIMB ORTHOSES	123
DIVISION VI: TRUNK AND CERVICAL ORTHOSES	124
SUBDIVISION 1: TRUNK ORTHOSES	124
SUBDIVISION 2: CERVICAL ORTHOSES	130
SUBDIVISION 3: OTHER TRUNK AND CERVICAL ORTHOSES	132
DIVISION VII: AMBULATION AIDS	133
DIVISION VIII: STANDING AIDS	137

PART II: AIDS FURNISHED SOLELY BY AN INSTITUTION	138
DIVISION I: UPPER-LIMB PROSTHESES	138
DIVISION II: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES	146
DIVISION III: AMBULATION AIDS	147
PART III: ELEMENTS INCLUDED IN THE PRICES OF THE DEVICES	148
TITLE TWO: LOCOMOTOR AND POSTURE ASSISTS (FURNISHED SOLELY BY AN INSTITUTION)	149
PART I: LOCOMOTOR ASSISTS	150
DIVISION I: ADULT WHEELCHAIRS	150
SUBDIVISION 1: MANUAL WHEELCHAIRS	150
SUBDIVISION 2: LIGHTWEIGHT MANUAL WHEELCHAIRS	172
SUBDIVISION 3: POWERED WHEELCHAIRS	175
DIVISION II: PEDIATRIC WHEELCHAIRS	209
SUBDIVISION 1: MANUAL WHEELCHAIRS	209
SUBDIVISION 2: POWERED WHEELCHAIRS	212
DIVISION III: COMPLEMENTS FOR WHEELCHAIRS	221
SUBDIVISION 1: FACULTATIVE COMPONENTS	221
SUBDIVISION 2: BATTERIES FOR POWERED WHEELCHAIRS	222
DIVISION IV: OTHER LOCOMOTOR ASSISTS	223
SUBDIVISION 1: ADULT POSITIONING BASES	223
SUBDIVISION 2: PEDIATRIC POSITIONING BASES	235
DIVISION V: STROLLERS AND ORTHOMOBILES	238
PART II: POSTURE DEVICE	239
PART III: ELEMENTS INCLUDED IN THE PRICES OF THE DEVICES	242
TITLE THREE: INSURED RELATED SERVICES	243
PART I: PROSTHESES, ORTHOSES, AMBULATION AIDS OR STANDING AIDS	243
PART II: LOCOMOTOR AND POSTURE ASSISTS	244

TITLE ONE: PROSTHESES, ORTHOSES, AMBULATION AIDS OR STANDING AIDS

PART I: AIDS FURNISHED BY AN INSTITUTION OR A LABORATORY

DIVISION I: LOWER-LIMB PROSTHESES SUBDIVISION 1: FOOT PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1120534	Prosthesis for total amputation of second, third and fourth toe, of two or of all of those toes, made from plaster or digital mold of insured person	583.50			3
	BASIC COMPONENTS AND SUPPLEMENTS				
	Filler for anterior part of foot, on rigid or pliable sole				
	Compensatory sole for limb not fitted with a COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENTS AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1120542	Prosthesis for total amputation of first toe, with or without amputation of second, third, fourth or fifth toe, made from plaster or digital mold of insured person	618.65			3
	BASIC COMPONENTS AND SUPPLEMENTS				
	Filler for anterior part of foot, on rigid or pliable sole Longitudinal arch support Correction or shank Compensatory sole for limb not fitted with a COMPONENT AND SUPPLEMENT AVAILABLE				
	None ADJUSTMENTS AVAILABLE Any pertinent adjustment				

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1120518	Prosthesis for transmetatarsal or transcalcaneal amputation with ankle support, made from plaster or digital mold of insured person	1,349.38			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Filler for anterior or posterior part of foot Laminated or molded plastic or molded leather socket Leg support where necessary COMPONENTS AND SUPPLEMENTS AVAILABLE				
	OPTIONAL COMPONENTS				
	Ankle joints:				
1125632	Gilette joints				
	pair	164.89			
	single	N. A.	91.27		
1125640	Oklahoma joints				
	pair	158.10			
1105657	single W. C	N. A.	88.75		
1123637	Wafer joints pair	177.20	N. A.		
	single	N. A.	98.11		
1125665	Tamarak joints	14. 74.	70.11		
1122002	pair	171.78	N. A.		
	single	N. A.	95.40		
1125673	Gaffney joints				
	pair	185.70			
	single	N. A.	100.63		
	SUPPLEMENTS AVAILABLE				
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
3194016	Nylon sheath	19.83	23.04		
	ADJUSTMENTS AVAILABLE				
	4				

SUBDIVISION 2: ANKLE PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1130103	Temporary Symes prosthesis	1,430.88			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person				
	Temporary foot (loan)				
	*DURATION OF GUARANTEE : Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENT				
1145523	Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person	N. C.	N. A.		
	OPTIONAL COMPONENTS				
	Supracondylar strap	151.64			3
1135524	Foam flexible double comfort socket	135.70	279.51		3
1145598	Thigh lacer	259.89	284.84		3
	SUPPLEMENTS AVAILABLE				
3492501		10.19			
	Crutches with axillary support, height-adjustable Crutches with forearm support, height-adjustable	20.38 56.05			
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*			
3194016	Nylon sheath, 45.7 cm (18 in.) to 55.9 cm (22 in.)	19.83	23.04		
3194024	Nylon sheath, 80.0 cm (31½ in.) to 92.7 cm (36½ in.)	25.84	29.02		
3194081	Nylon sheath with elastic band, 55.9 cm (22 in.) to 66.0 cm (26 in.)	40.89	44.25		
3194099	Nylon sheath with elastic band, 73.7 cm (29 in.) to 86.4 cm (34 in.)	40.89	44.25		
	ADJUSTMENT AVAILABLE				
	None				

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1130509	Symes prosthesis	2,224.40			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic socket, made from plaster or digital mold of insured person, with or without medial or posterior window				
	SACH foot				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	SACH foot Laminated plastic socket, made from plaster or digital mold of insured person, with or without medial or posterior window	N. C. N. C.			3
	OPTIONAL COMPONENTS				
1195502	Trial socket	179.94	N. A.		
	Supracondylar strap	151.64			3
	Symes foot	N. C.	308.34		
	Dynamic response foot (Seattle)	377.75			
	Dynamic response foot (Seattle Light)	492.87	805.71		
	Dynamic response foot (Step Light)	298.29			
	Dynamic response foot (USMC)	184.57			
	Dynamic foot, for child (1K10)	37.93			
	Silicone laminated extensible double socket	334.47	621.75		3
1135524	Foam flexible double comfort socket	135.70	279.51		3
	Thigh lacer with reinforced uniaxial ball-bearing joints	842.98	867.86		3
	Thigh lacer with light uniaxial ball-bearing joints	727.82	752.70		3
1145689	Thigh lacer with polycentric joints	1,102.58	1,128.16		3
	SUPPLEMENTS AVAILABLE				
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
3194016	Nylon sheath, 45.7 cm (18 in.) to 55.9 cm (22 in.)	19.83	23.04		

3194024 Nylon sheath, 80.0 cm (31½ in.) to 92.7 cm (36½ in.)	25.84	29.02
3194099 Nylon sheath with elastic band, 73.7 cm (29 in.) to 86.4 cm (34 in.)	40.89	44.25
3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05

ADJUSTMENTS AVAILABLE

----- Any pertinent adjustment

Updated : July 13, 2020

SUBDIVISION 3: TIBIAL PROSTHESES

DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1140011 Post-operative tibia obligatory renewal	al prosthesis necessitating of plaster or digital mold	983.38			*
BASIC COMPON	ENTS AND SUPPLEMENTS				
Lycra compressible Plaster sockets (2) Means of suspension SACH foot (loan) Adjustable pylon (on (belt)				
*DURATION OF prosthesis	GUARANTEE : Life of				
COMPONENTS A AVAILABLE	AND SUPPLEMENTS				
BASIC COMPON	ENTS				
1145515 Plaster sockets (2) 1195510 Means of suspension	on (belt)	N. C. N. C.			
SUPPLEMENTS A	AVAILABLE				
	e sock ary support, height-adjustable arm support, height-adjustable	N. C. 20.38 56.05	20.38		
ADJUSTMENT A	VAILABLE				
DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1140060 Pneumatic post-op articulated	erative tibial prosthesis, non-	771.28			*
BASIC COMPON	ENTS AND SUPPLEMENTS				
Inflatable bag or ca Distal pad Suspension straps Mobility frame (lo					
, (

Updated : July 13, 2020

Electric pump (loan)

*DURATION OF GUARANTEE: Life of

prosthesis

COMPONENTS AND SUPPLEMENTS

AVAILABLE

SUPPLEMENTS AVAILABLE

3492550 Crutches with axillary support, height-adjustable 20.38 20.38 3492551 Crutches with forearm support, height-adjustable 56.05 56.05

----- Stump sock *

* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENT AVAILABLE

None

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
--------	--	---	---------------------------	--------------------

988.07

1140078 Pneumatic post-operative tibial prosthesis,

articulated

BASIC COMPONENTS AND SUPPLEMENTS

Inflatable bag or case

Thigh lacer system (loan)

Knee joint system (loan)

Universal socket (loan)

Modular system (loan)

SACH foot (loan)

Air pump (loan)

*DURATION OF GUARANTEE : Life of

prosthesis

COMPONENTS AND SUPPLEMENTS

AVAILABLE

SUPPLEMENTS AVAILABLE

3492550 Crutches with axillary support, height-adjustable 20.38 20.38 3492551 Crutches with forearm support, height-adjustable 56.05 56.05

Updated: July 13, 2020

----- Stump sock

* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENT AVAILABLE

None

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1140102	Temporary tibial prosthesis	1,415.76			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person				
	Temporary foot (loan) Endoskeletal system (loan)				
	*DURATION OF GUARANTEE : Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENT				
1145523	Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person	N. C.	N. A.		
	OPTIONAL COMPONENTS				
1145598	Thigh lacer	259.89	284.84		3
	Supracondylar strap	151.64	209.06		3
1145549	Foam flexible double comfort socket	148.68	267.47		3
1145564	Tibial belt with Y strap	117.87	213.70		3
	Suspension lining covered with nylon on inside	91.67	103.34		J
1145705	Suspension lining not covered with nylon on inside	116.71	131.19		
1145713	Latex suspension lining	51.83	65.06		
	Elastic suspension lining	43.68	56.93		
	SUPPLEMENTS AVAILABLE				
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		

Updated: July 13, 2020

Tariff for devices	which compen	sate for a mote	or deficiency	and insured related service	es
				(authentic version	n)

SCHEDULE 1 Tariff for devices which compensate for a motor deficiency and insured (aut						nted services ntic version)
3194032	Nylon tibial sheath, 15.2 cm (18 in.)	(6 in.) to 45.7 cm	19.83	23.04		
3194040	Nylon tibial sheath, 55.9 cm (31½ in.)	(22 in.) to 80.0 cm	19.83	23.04		
3194107	Nylon sheath with tibial elas (10 in.) to 55.9 cm (22 in.)	tic band, 25.4 cm	33.67	36.86		
3194115	Nylon sheath with tibial elas (20 in.) to 73.7 cm (29 in.)	tic band, 50.8 cm	31.81	35.02		
3194206	Nylon suction sheath (all size	es)	31.81	35.02		
3492550	Crutches with axillary suppo	rt, height-adjustable	20.38	20.38		
	Crutches with forearm support		56.05	56.05		
	ADJUSTMENTS AVAILAI	BLE				
	None					
	DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1140508	Exoskeletal tibial prosthesis		2,279.47			6
	BASIC COMPONENTS AN	ND SUPPLEMENTS				
	Laminated plastic tibial sock or digital mold of insured pe	_				
	CACILE4					
	SACH foot					
	Medial wedge					
	Medial wedge	PLEMENTS				
	Medial wedge Ankle block COMPONENTS AND SUP	PLEMENTS				
	Medial wedge Ankle block COMPONENTS AND SUP AVAILABLE	PLEMENTS	N. C.	N. A.		
1125491	Medial wedge Ankle block COMPONENTS AND SUP AVAILABLE BASIC COMPONENTS	PLEMENTS	N. C. N. C.			
1125491 1125509	Medial wedge Ankle block COMPONENTS AND SUP: AVAILABLE BASIC COMPONENTS Ankle block	et, made from plaster				3
1125491 1125509 1145531	Medial wedge Ankle block COMPONENTS AND SUP: AVAILABLE BASIC COMPONENTS Ankle block SACH foot Laminated plastic tibial sock	et, made from plaster	N. C.	322.38		3
1125491 1125509 1145531 1145457	Medial wedge Ankle block COMPONENTS AND SUPAVAILABLE BASIC COMPONENTS Ankle block SACH foot Laminated plastic tibial sock or digital mold of insured pe	et, made from plaster rson	N. C. N. C.	322.38 1,824.20		3
1125491 1125509 1145531 1145457	Medial wedge Ankle block COMPONENTS AND SUPAVAILABLE BASIC COMPONENTS Ankle block SACH foot Laminated plastic tibial sock or digital mold of insured pe	et, made from plaster rson	N. C. N. C.	322.38 1,824.20 N. A.		3
1125491 1125509 1145531 1145457	Medial wedge Ankle block COMPONENTS AND SUP AVAILABLE BASIC COMPONENTS Ankle block SACH foot Laminated plastic tibial sock or digital mold of insured pe Medial wedge OPTIONAL COMPONENT	eet, made from plaster rson	N. C. N. C.	322.38 1,824.20 N. A.		3

Updated : July 13, 2020

			(
1145630 Silicone gel double socket	320.56	642.96	3
1145648 Silicone gel double socket, with medial wedge	351.51	673.76	3
1146554 Silicone gel flexible double socket, with distal attachment	953.92	1,003.77	3
1146570 Silicone gel flexible double socket, with distal	N. A.	706.42	
attachment, excluding replacement of distal	14. 74.	700.42	3
attachment			3
1145564 Tibial belt with Y strap	117.87	213.70	3
1135532 Supracondylar strap	151.64	209.06	3
1145697 Suspension lining covered with nylon on inside	91.67	103.34	
1145705 Suspension lining not covered with nylon on inside	116.71	131.19	
1145713 Latex suspension lining	51.83	65.06	
1145721 Elastic suspension lining	43.68	56.93	
1125517 Articulated foot	152.59	469.96	
1125574 Dynamic response foot, spring and prosthetic cover	364.05	676.91	
included (Quantum)	1.12.10	100.60	
1125624 Adapter for foot (Quantum)	142.49	198.68	
1125582 Dynamic response foot (Seattle Light)	492.87	805.71	
1125590 Dynamic response foot (Sten foot)	81.79 194.14	394.55 507.01	
1125608 Dynamic response foot (SAFE foot) 1125616 Dynamic response foot (1D10, 1D11)	165.67	482.92	
1125566 Dynamic response foot (FB10, 1B11)	377.75	690.58	
1125541 Dynamic response foot (Carbon Copy II)	314.74	627.55	
1125707 Dynamic foot, for child (1K10)	37.93	350.84	
1125806 Multiaxial foot with rotator (1A29)	236.61	549.43	
1165539 Femoral device with plastic ischiatic support	983.94	1,045.34	3
1145663 Thigh lacer with reinforced uniaxial ball-bearing	842.98	867.86	
joints			3
1145671 Thigh lacer with light uniaxial ball-bearing joints	727.82	752.70	3
1145689 Thigh lacer with polycentric joints	1,102.58	1,128.16	3
1145739 Replacement of thigh lacer with recovery and	N. A.	561.34	2
reinstallation of existing joints			3
1145580 Suction valve and seat	291.87	398.27	
1145655 Suction valve	N. A.	279.43	
1145747 Foam flexible prosthetic cover	117.68	167.45	
SUPPLEMENTS AVAILABLE			
3194032 Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm (18 in.)	19.83	23.04	
3194040 Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm (31½ in.)	19.83	23.04	
3194107 Nylon sheath with tibial elastic band, 25.4 cm (10 in.) to 55.9 cm (22 in.)	33.67	36.86	
3194115 Nylon sheath with tibial elastic band, 50.8 cm (20 in.) to 73.7 cm (29 in.)	31.81	35.02	
3194206 Nylon suction sheath (all sizes)	31.81	35.02	
3194198 Prosthetic socks, per pair	32.32	45.53	
3492501 Cane	10.19	10.19	

				(
	Crutches with axillary support, height-adjustable	20.38			
3492551	Crutches with forearm support, height-adjustable	56.05	56.05		
	Stump sock	*	*		
	* (consult Division III of this Part for the codes and prices of these supplements)				
	ADJUSTMENTS AVAILABLE				
1146521	Socket lining (leather, plastic or other material)			241.50	
	Lengthening of a tibial prosthesis Any pertinent adjustment			439.17	
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1141514	Endoskeletal tibial prosthesis	2,378.35			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic tibial socket, made from plaster or digital mold of insured person				
	Medial wedge SACH foot and adapter Complete endoskeletal system (modular components, prosthetic cover and prosthetic socks (2))				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	SACH foot	N. C.			
	Adapter Laminated plastic tibial socket, made from plaster	N. C. N. C.			
1143331	or digital mold of insured person	N. C.	1,024.20		3
1195528	Complete endoskeletal system	N. C.	N. A.		
	Prosthetic cover	N. C.			
1145457	Medial wedge	N. C.	N. A.		
1105505	OPTIONAL COMPONENTS	150.42	3.T .		
	Trial socket Foam or molded plastic flexible double comfort socket	170.42 148.68			3
1145556	Foam or molded plastic flexible double comfort socket, with medial wedge	181.21	298.15		3
	2				

Updated : July 13, 2020

			(
1145648 Silicone gel double socket, with medial wedge	351.51	673.76	3
1146554 Silicone gel flexible double socket, with distal	953.92	1,003.77	3
attachment 1146562 Silicone gel flexible double socket, with attachment	995.06	1,044.87	3
and pneumatic cushion			3
1146570 Silicone gel flexible double socket, with distal	N. A.	706.42	
attachment, excluding replacement of distal attachment			3
1145564 Tibial belt with Y strap	117.87	213.70	3
1135532 Supracondylar strap	151.64	209.06	3
1145697 Suspension lining covered with nylon on inside	91.67	103.34	
1145705 Suspension lining not covered with nylon on inside	116.71	131.19	
1145713 Latex suspension lining	51.83	65.06	
1145721 Elastic suspension lining	43.68	56.93	
1125715 Articulated foot and adapter	187.98	503.01	
1125723 Articulated foot without adapter	N. A.	321.97	
1125566 Dynamic response foot (Seattle)	377.75	690.58	
1125541 Dynamic response foot (Carbon Copy II)	314.74	627.55	
1125707 Dynamic foot, for child (1K10)	37.93	350.84	
1125798 Dynamic response foot, spring, prosthetic cover	325.69	638.46	
and foam included (Quantum)	56.15	104.12	
1125780 Adapter for foot (Quantum)	56.17	104.13	
1125582 Dynamic response foot (Seattle Light)	492.87	805.71	
1125590 Dynamic response foot (Sten foot)	81.79	394.55	
1125608 Dynamic response foot (SAFE foot)	194.14	507.01	
1125616 Dynamic response foot (1D10, 1D11)	165.67	482.92	
1125681 Dynamic response foot (Step Light)	298.29	611.09	
1125699 Dynamic response foot (USMC)	184.57	497.34	
1125731 Dynamic plus foot (1D25)	449.00	761.84	
1125749 Multiaxial foot with rotator (1A30)	692.37	1,015.10	
1125756 Multiaxial foot with rotator (Endolite)	605.20	918.01	
1125764 Dynamic response foot with rotator (Endolite)	808.00	1,120.83	
1165539 Femoral device with plastic ischiatic support	983.94	1,045.34	3
1145663 Thigh lacer with reinforced uniaxial ball-bearing joints	842.98	867.86	3
1145671 Thigh lacer with light uniaxial ball-bearing joints	727.82	752.70	3
1145689 Thigh lacer with polycentric joints	1,102.58	1,128.16	3
1145739 Replacement of thigh lacer with recovery and	N. A.	561.34	
reinstallation of existing joints			3
1145580 Suction valve and seat	291.87	398.27	
1145655 Suction valve	N. A.	279.43	
1135557 Ankle rotator (4R39, 4R40)	786.32	871.50	
1135607 Ankle rotator (4R85)	703.68	780.35	
1135615 Titanium modular system and carbon fiber pylon	97.29	N. A.	
SUPPLEMENTS AVAILABLE			
	10.02	22.04	
3194032 Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm (18 in.)	19.83	23.04	

----- Any pertinent adjustment

			(auther	tic version)
3194040 Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm (31½ in.)	19.83	23.04		
3194107 Nylon sheath with tibial elastic band, 25.4 cm (10 in.) to 55.9 cm (22 in.)	33.67	36.86		
3194115 Nylon sheath with tibial elastic band, 50.8 cm (20 in.) to 73.7 cm (29 in.)	31.81	35.02		
3194206 Nylon sheath (all sizes)	31.81	35.02		
3194222 Prosthetic socks, per pair	N. C.	39.13		
3492501 Cane	10.19	10.19		
3492550 Crutches with axillary support, height-adjustable	20.38	20.38		
3492551 Crutches with forearm support, height-adjustable	56.05	56.05		
Stump sock * (consult Division III of this Part for the codes a prices of these supplements)	*und	*		
ADJUSTMENTS AVAILABLE				
1146521 Socket lining (leather, plastic or other material)			241.50	
1146547 Lengthening of tibial part of prosthesis, excluding replacement of prosthetic cover and prosthetic so	_		293.11	
Any pertinent adjustment				
Any pertinent adjustment DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Purchase or replacement of	Replacement of component or	adjustement	
DEVICE	Purchase or replacement of device	Replacement of component or	adjustement	(months)
DEVICE 1141753 Prosthetic restoration of a leg	Purchase or replacement of device	Replacement of component or	adjustement	(months)
DEVICE 1141753 Prosthetic restoration of a leg BASIC COMPONENTS AND SUPPLEMENTS	Purchase or replacement of device	Replacement of component or	adjustement	(months)
DEVICE 1141753 Prosthetic restoration of a leg BASIC COMPONENTS AND SUPPLEMENTS Prosthetic foam-rubber calf COMPONENTS AND SUPPLEMENTS	Purchase or replacement of device	Replacement of component or	adjustement	(months)
DEVICE 1141753 Prosthetic restoration of a leg BASIC COMPONENTS AND SUPPLEMENTS Prosthetic foam-rubber calf COMPONENTS AND SUPPLEMENTS AVAILABLE	Purchase or replacement of device	Replacement of component or	adjustement	(months)
DEVICE 1141753 Prosthetic restoration of a leg BASIC COMPONENTS AND SUPPLEMENTS Prosthetic foam-rubber calf COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS	Purchase or replacement of device 2,526.37	Replacement of component or supplement	adjustement	(months)
DEVICE 1141753 Prosthetic restoration of a leg BASIC COMPONENTS AND SUPPLEMENTS Prosthetic foam-rubber calf COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS 1145622 Prosthetic foam-rubber calf OPTIONAL COMPONENT	Purchase or replacement of device 2,526.37	Replacement of component or supplement N. A.	adjustement	(months)
DEVICE 1141753 Prosthetic restoration of a leg BASIC COMPONENTS AND SUPPLEMENTS Prosthetic foam-rubber calf COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS 1145622 Prosthetic foam-rubber calf	Purchase or replacement of device 2,526.37	Replacement of component or supplement	adjustement	(months)

SUBDIVISION 4: TIBIOFEMORAL PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1150010	Post-operative tibiofemoral prosthesis necessitating obligatory renewal of plaster or digital mold	1,455.70			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Lycra compressible socks (4) Plaster sockets (2) Means of suspension (belt) SACH foot (loan) Adjustable pylon (loan) Suspension cable, distal pad, ring				
	*DURATION OF GUARANTEE : Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1195510	Plaster sockets (2) Means of suspension (belt) Suspension cable, distal pad, ring	N. C. N. C. N. C.	N. A.		
	SUPPLEMENTS AVAILABLE				
3492550	Lycra compressible socks (4) Crutches with axillary support, height-adjustable Crutches with forearm support, height-adjustable	N. C. 20.38 56.05	20.38		
	ADJUSTMENT AVAILABLE				
	None				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1150101	Pneumatic post-operative tibiofemoral prosthesis, non-articulated	765.82			*

Updated : July 13, 2020

BASIC COMPONENTS AND SUPPLEMENTS

Inflatable bag or case

Distal pad

Suspension straps

Mobility frame (loan)

Electric pump (loan)

*DURATION OF GUARANTEE: Life of

prosthesis

COMPONENTS AND SUPPLEMENTS

AVAILABLE

SUPPLEMENTS AVAILABLE

3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05

------ Stump sock *

* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENT AVAILABLE

None

	Maximum price	Maximum price	Maximum	
	Purchase or	Replacement of	adjustement	
DEVICE	replacement of device	component or supplement	price	Guarantee (months)

1150051 Pneumatic post-operative tibiofemoral prosthesis, articulated

982.62

BASIC COMPONENTS AND SUPPLEMENTS

Inflatable bag or case

Thigh lacer system (loan)

Knee joint system (loan)

Modular system (loan)

Universal socket (loan)

SACH foot (loan)

Air pump (loan)

*DURATION OF GUARANTEE: Life of

prosthesis

COMPONENTS AND SUPPLEMENTS

AVAILABLE

SUPPLEMENTS AVAILABLE

Updated: July 13, 2020

	Crutches with axillary support, height-adjustable Crutches with forearm support, height-adjustable	20.38 56.05	20.38 56.05		
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
	ADJUSTMENT AVAILABLE				
	None				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1150069	Temporary tibiofemoral prosthesis	1,709.48			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person				
	Temporary foot (loan) Endoskeletal system (loan)				
	*GUARANTEE PERIOD: Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENT				
1145523	Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person	N. C.	N. A.		
	OPTIONAL COMPONENTS				
1145549	Foam flexible double comfort socket	148.68	267.47		3
	Silesian belt	179.51	206.44		3
	Pelvic belt (steel joint and band) Pelvic belt (plastic joint and band)	365.60 302.59			3 3
1105/03	SUPPLEMENTS AVAILABLE	302.39	557.51		3
3194057	Nylon sheath, 50.8 cm (20 in.) to 61.0 cm (24 in.)	19.83	23.04		
	Nylon sheath with elastic band, 45.7 cm (18 in.) to 55.9 cm (22 in.)	33.67	36.86		
3194206	Nylon suction sheath (all sizes)	31.81	35.02		
3492501		10.19			
3492550	Crutches with axillary support, height-adjustable	20.38	20.38		

56.05

56.05

3492551 Crutches with forearm support, height-adjustable

	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
	ADJUSTMENT AVAILABLE				
	None				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1150507	Exoskeletal tibiofemoral prosthesis	4,102.85			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person				
	External knee joints SACH foot and ankle block				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1125509 1155506	Ankle block SACH foot Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person	N. C. N. C. N. C.	322.38		3
	External knee joints OPTIONAL COMPONENTS	N. C.	923.92		
1195551	Trial socket Foam flexible double comfort socket	219.90 180.78			
1146554	Silicone gel flexible double socket, with distal attachment	953.92	1,003.77		3
1146570	Silicone gel flexible double socket, with distal attachment, excluding replacement of distal attachment	N. A.	706.42		3
	Silesian belt	179.51			3
	Neoprene Silesian belt	177.36			
	Pelvic belt (titanium joint and band)	462.91			3
	Pelvic belt (plastic joint and band)	302.59			3
	Pelvic belt (steel joint and band) Articulated foot	365.60 152.59			3

1151505 Endoskeletal tibiofemoral prosthesis	4,833.11			6
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1156504 Lengthening of tibial part Any pertinent adjustment			439.17	
1146521 Socket lining (leather, plastic or other material)			241.50	
ADJUSTMENTS AVAILABLE				
Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
3492551 Crutches with forearm support, height-adjustable	56.05	56.05		
3492550 Crutches with axillary support, height-adjustable	20.38	20.38		
3492501 Cane	10.19			
3194198 Prosthetic socks, per pair	32.32			
55.9 cm (22 in.) 3194206 Nylon suction sheath (all sizes)	31.81	35.02		
3194123 Nylon sheath with elastic band, 45.7 cm (18 in.) to	33.67	36.86		
SUPPLEMENTS AVAILABLE 3194057 Nylon sheath, 50.8 cm (20 in.) to 61.0 cm (24 in.)	19.83	23.04		
1145747 Foam flexible cover for tibial part	117.68	167.45		
1145655 Suction valve	N. A.			
1145580 Suction valve and seat	291.87	398.27		
1155563 Constant friction knee (3P1)	78.10	*		
1155647 Constant friction knee (3P25)	154.85	*		
1125772 Multiaxial foot with rotator (1A29)	236.61	549.43		
1125707 Dynamic foot, for child (1K10)	37.93	350.84		
1125541 Dynamic response foot (Carbon Copy II)	314.74	627.55		
1125566 Dynamic response foot (Seattle)	377.75	690.58		
1125616 Dynamic response foot (1D10, 1D11)	165.67	482.92		
1125608 Dynamic response foot (SAFE foot)	194.14			
1125590 Dynamic response foot (Sten foot)	81.79			
1125582 Dynamic response foot (Seattle Light)	492.87			
included (Quantum) 1125624 Adapter for foot (Quantum)	142.49	198.68		
1125574 Dynamic response foot, spring and prosthetic cover	364.05	676.91		
			(autileii	iic version)

BASIC COMPONENTS AND SUPPLEMENTS

Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person

SACH foot

Complete endoskeletal system with knee (3R21) (modular components, prosthetic cover and prosthetic socks (2)). If child, uniaxial knee (3R38)

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

1125509 SACH foot	N. C.	322.38	
1155506 Laminated plastic tibiofemoral socket, made from	N. C.	2,501.46	
plaster or digital mold of insured person			3
1195528 Complete endoskeletal system	N. C.	N. A.	
1155555 Knee (3R21)	N. C.	1,529.38	
1165596 Prosthetic cover	N. C.	759.14	
OPTIONAL COMPONENTS			
1195551 Trial socket	219.90	N. A.	
1195569 Foam flexible double comfort socket	180.78	326.36	
1146554 Silicone gel flexible double socket, with distal	953.92	1,003.77	3
1146570 Silicone gel flexible double socket, with distal	N. A.	706.42	
attachment, excluding replacement of distal attachment			3
1165570 Silesian belt	179.51	206.44	3
1165828 Neoprene Silesian belt	177.36	209.98	
1165588 Pelvic belt (steel joint and band)	365.60	622.37	3
1165703 Pelvic belt (plastic joint and band)	302.59	559.37	3
1165711 Pelvic belt (titanium joint and band)	462.91	719.76	3
1125715 Articulated foot and adapter	187.98	503.01	
1125723 Articulated without adapter	N. A.	321.97	
1125574 Dynamic response foot, spring and prosthetic cover included (Quantum)	364.05	676.91	
1125780 Adapter for foot (Quantum)	56.17	104.13	
1125707 Dynamic foot, for child (1K10)	37.93	350.84	
1125582 Dynamic response foot (Seattle Light)	492.87	805.71	
1125590 Dynamic response foot (Sten foot)	81.79	394.55	
1125608 Dynamic response foot (SAFE foot)	194.14	507.01	
1125616 Dynamic response foot (1D10, 1D11)	165.67	482.92	
1125566 Dynamic response foot (Seattle)	377.75	690.58	
1125541 Dynamic response foot (Carbon Copy II)	314.74	627.55	
1125681 Dynamic response foot (Step Light)	298.29	611.09	
1125699 Dynamic response foot (USMC)	184.57	497.34	
1125731 Dynamic plus foot (1D25)	449.00	761.84	
1125749 Multiaxial foot with rotator (1A30)	692.37	1,015.10	
1125756 Multiaxial foot with rotator (Endolite)	605.20	918.01	
1125764 Dynamic response foot with rotator (Endolite)	808.00	1,120.83	
1155571 Multiaxial knee, for child (TK40C) (used with	494.75	2,011.61	
DAW endoskeletal system)			

----- Any pertinent adjustment

			`
1155589 Uniaxial constant friction knee, for child (TK1C1)	116.61	1,633.41	
1155597 Uniaxial knee, for child (3R38)	N. C.	1,271.73	
1155605 Uniaxial knee with lock, for child (3R39)	N. C.	1,404.63	
1155613 Polycentric-joint knee with assisted extension,	491.12	2,018.86	
titanium (3R30)	.,	_,,,,,,,,,	
1155621 Multiaxial knee with rotator, for child (3R66)	N. C.	1,497.73	
		,	
1155639 Polycentric-joint knee with lock, titanium (3R32)	308.41	1,825.24	
, ,			
1145580 Suction valve and seat	291.87	398.27	
1145655 Suction valve	N. A.	279.43	
1135557 Ankle rotator (4R39, 4R40)	786.32	871.50	
1135607 Ankle rotator (4R85)	703.68	780.35	
1135615 Titanium modular system and carbon fiber pylon	97.29	N. A.	
SUPPLEMENTS AVAILABLE			
3194032 Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm	19.83	23.04	
(18 in.)	13.03	23.01	
3194040 Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm	19.83	23.04	
(31½ in.)			
3194230 Nylon sheath with elastic band	33.67	36.86	
3194115 Nylon sheath with tibial elastic band, 50.8 cm	31.81	35.02	
(20 in.) to 73.7 cm (29 in.)			
3194206 Nylon sheath (all sizes)	31.81	35.02	
3194172 Prosthetic socks, per pair	N. C.	55.69	
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	
Stump sock	*	*	
* (consult Division III of this Part for the codes and			
prices of these supplements)			
ADJUSTMENTS AVAILABLE			
1146521 Socket lining (leather, plastic or other material)			241.50
1146547 Lengthening of tibial part of prosthesis, excluding			293.11
replacement of prosthetic cover and prosthetic sock			

SUBDIVISION 5: FEMORAL PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Post-operative femoral prosthesis necessitating obligatory renewal of plaster or digital mold	1,420.11			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Compressible Lycra socks (4) Plaster sockets (2) Means of suspension (belt) SACH foot (loan) Adjustable pylon with joint (loan)				
	Suspension cable, distal pad, ring *GUARANTEE PERIOD: Life of prosthesis				
	GUARANTEE FERIOD. Life of prosulesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1195510	Plaster sockets (2) Means of suspension (belt) Suspension cable, distal pad, ring	N. C. N. C. N. C.	N. A.		
	SUPPLEMENTS AVAILABLE				
3492550	Compressible Lycra socks (4) Crutches with axillary support, height-adjustable Crutches with forearm support, height-adjustable	N. C. 20.38 56.05	20.38		
	ADJUSTMENT AVAILABLE				
	None				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Pneumatic post-operative femoral prosthesis, non-articulated	765.82			*
	BASIC COMPONENTS AND SUPPLEMENTS				

Inflatable bag or case

Distal pad

Suspension straps

Mobility frame (loan)

Electric pump (loan)

*GUARANTEE PERIOD: Life of prosthesis

COMPONENTS AND SUPPLEMENTS AVAILABLE

SUPPLEMENTS AVAILABLE

3492550 Crutches with axillary support, height-adjustable 20.38 20.38 3492551 Crutches with forearm support, height-adjustable 56.05 56.05

----- Stump sock

* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENT AVAILABLE

None

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
--------	---	---	---------------------------	--------------------

1160068 Pneumatic post-operative femoral prosthesis, articulated

982.62

BASIC COMPONENTS AND SUPPLEMENTS

Inflatable bag or case

Thigh lacer system (loan)

Knee joint system (loan)

Modular system (loan)

Universal socket (loan)

SACH foot (loan)

Air pump (loan)

*GUARANTEE PERIOD: Life of prosthesis

COMPONENTS AND SUPPLEMENTS AVAILABLE

SUPPLEMENTS AVAILABLE

3492550 Crutches with axillary support, height-adjustable

20.38 20.38

Updated: July 13, 2020

3492551	Crutches with forearm support, height-adjustable	56.05	56.05		
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
	ADJUSTMENT AVAILABLE				
	None				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1160100	Temporary femoral prosthesis	1,593.47			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated or molded plastic socket, made from plaster or digital mold of insured person				
	Temporary foot (loan) Endoskeletal system (loan)				
	*GUARANTEE PERIOD: Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Laminated or molded plastic socket, made from plaster or digital mold of insured person	N. C.	N. A.		
	OPTIONAL COMPONENTS				
1165703	Silesian belt Pelvic belt (plastic joint and band) Pelvic belt (steel joint and band)	179.51 302.59 365.60			3 3 3
	SUPPLEMENTS AVAILABLE				
3194065	Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	19.83	23.04		
	Nylon sheath with elastic band, 15.2 cm (6 in.) to 45.7 cm (18 in.)	37.35	40.53		
	Nylon sheath with V opening, 15.2 cm (6 in.) to 50.8 cm (20 in.)	38.73	41.94		
	Nylon suction sheath (all sizes)	31.81 10.19	35.02 10.19		
	Crutches with axillary support, height-adjustable	20.38			

56.05

56.05

3492551 Crutches with forearm support, height-adjustable

	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
	ADJUSTMENT AVAILABLE				
	None				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Exoskeletal femoral prosthesis with constant friction knee (3P25)	3,787.94			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic femoral socket, made from plaster or digital mold of insured person				
	Constant friction knee (3P25) SACH foot				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1125509	SACH foot	N. C.	322.38		
	Laminated plastic femoral socket, made from plaster or digital mold of insured person	N. C.	2,257.26		3
1155522	Constant friction knee (3P25)	N. C.	1,078.60		
	OPTIONAL COMPONENTS				
1195577	Trial socket	199.11	N. A.		
1165570	Silesian belt	179.51	206.44		3
1165828	Neoprene Silesian belt	177.36	209.98		
	Pelvic belt (steel joint and band)	365.60	622.37		3
	Pelvic belt (titanium joint and band)	462.91	719.76		3
	Pelvic belt (plastic joint and band)	302.59	559.37		3
1146554	Silicone gel flexible double socket, with distal attachment	953.92	1,003.77		3
	Silicone gel double socket, with distal attachment, excluding replacement of distal attachment	N. A.	706.42		3
1145580	Suction valve and seat	291.87	398.27		
1145655	Suction valve	N. A.	279.43		
1125517	Articulated foot	152.59	469.96		

1125574 Dynamic response foot, spring and prosthetic cover	364.05	676.91	
included (Quantum)	1.42.40	100.60	
1125624 Adapter for foot (Quantum)	142.49	198.68	
1125582 Dynamic response foot (Seattle Light)	492.87 81.79	805.71	
1125590 Dynamic response foot (Sten foot) 1125608 Dynamic response foot (SAFE foot)	81.79 194.14	394.55 507.01	
1125616 Dynamic response foot (ID10, ID11)	165.67	482.92	
1125566 Dynamic response foot (Seattle)	377.75	690.58	
1125541 Dynamic response foot (Carbon Copy II)	314.74	627.55	
1125707 Dynamic foot, for child (1K10)	37.93	350.84	
1145747 Foam flexible cover for tibial part	37.93 117.68	167.45	
1143/4/ Foam nexible cover for tibiar part	117.08	107.43	
1165604 Safety knee (3P23, 3P24)	143.87	1,222.37	
1165612 Manual locking knee (3P4)	23.28	1,102.00	
1165620 Manual locking knee (3P52)	132.92	1,211.55	
1165646 Geriatric knee with manual lock (3K9)	54.81	1,133.34	
1165729 Constant friction locking knee (3P4F)	46.56	1,125.11	
SUPPLEMENTS AVAILABLE			
3194065 Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	19.83	23.04	
3194131 Nylon sheath with elastic band, 15.2 cm (6 in.) to 45.7 cm (18 in.)	37.35	40.53	
3194149 Nylon sheath with V opening, 15.2 cm (6 in.) to 50.8 cm (20 in.)	38.73	41.94	
3194156 Wool socks, 3-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	41.30	44.63	
3194164 Wool socks, 5-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	41.44	45.56	
3194198 Prosthetic socks, per pair	32.32	45.53	
3194206 Nylon suction sheath (all sizes)	31.81	35.02	
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	
Stump sock	*	*	
* (consult Division III of this Part for the codes and prices of these supplements)			
ADJUSTMENTS AVAILABLE			
1146521 Lengthening of tibial part of the prosthesis			241.50
1166537 Socket lining (leather, plastic or other material) Any pertinent adjustment			439.17

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1160605	Exoskeletal femoral prosthesis with friction locking knee, for child (3P21)	3,625.63			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic femoral socket, made from plaster or digital mold of insured person				
	Friction locking knee, for child (3P21) SACH foot				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1125509	SACH foot	N. C.	322.38		
1165505	Laminated plastic femoral socket, made from plaster or digital mold of insured person	N. C.	2,257.26		3
1165737	Friction locking knee, for child (3P21)	N. C.	915.64		
	OPTIONAL COMPONENTS				
1195577	Trial socket	199.11	N. A.		
1165570	Silesian belt	179.51	206.44		3
1165828	Neoprene Silesian belt	177.36	209.98		
1165588	Pelvic belt (steel joint and band)	365.60	622.37		3
	Pelvic belt (titanium joint and band)	462.91	719.76		3
1165703	Pelvic belt (plastic joint and band)	302.59	559.37		3
	Silicone gel flexible double socket, with distal attachment	953.92	1,003.77		3
1146570	Silicone gel double socket, with distal attachment, excluding replacement of distal attachment	N. A.	706.42		3
1145580	Suction valve and seat	291.87	398.27		
	Suction valve	N. A.			
1125517	Articulated foot	152.59	469.96		
1125574	Dynamic response foot, spring and prosthetic cover included (Quantum)	364.05			
1125624	Adapter for foot (Quantum)	142.49	198.68		
	Dynamic response foot (Seattle Light)	492.87	805.71		
	Dynamic response foot (Sten foot)	81.79	394.55		
1125608	Dynamic response foot (SAFE foot)	194.14	507.01		
	Dynamic response foot (1D10, 1D11)	165.67	482.92		
	Dynamic response foot (Seattle)	377.75			
1125541	Dynamic response foot (Carbon Copy II)	314.74	627.55		

			(auther	ntic version)
1125707 Dynamic foot, for child (1K10)	37.93	350.84		
1145747 Foam flexible cover for tibial part	117.68			
1165745 Friction locking knee, for child (3P50)	46.56	962.11		
	40.30	902.11		
SUPPLEMENTS AVAILABLE				
3194065 Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	19.83	23.04		
3194131 Nylon sheath with elastic band, 15.2 cm (6 in.) to 45.7 cm (18 in.)	37.35	40.53		
3194149 Nylon sheath with V opening, 15.2 cm (6 in.) to 50.8 cm (20 in.)	38.73	41.94		
3194156 Wool socks, 3-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	41.30	44.63		
3194164 Wool socks, 5-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	41.44	45.56		
3194198 Prosthetic socks, per pair	32.32	45.53		
3194206 Nylon suction sheath (all sizes)	31.81			
3492501 Cane	10.19			
3492550 Crutches with axillary support, height-adjustable	20.38	20.38		
3492551 Crutches with forearm support, height-adjustable	56.05	56.05		
Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
ADJUSTMENTS AVAILABLE				
1146521 Lengthening of tibial part of the prosthesis			241.50	
1166537 Socket lining (leather, plastic or other material) Any pertinent adjustment			439.17	
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1161504 Endoskeletal femoral prosthesis	4,413.42			6
BASIC COMPONENTS AND SUPPLEMENTS				
Laminated plastic femoral socket, made from plaster or digital mold of insured person				
0.1.077.0				

SACH foot

Complete endoskeletal system with uniaxial constant friction knee (3R16) (modular components, prosthetic cover and prosthetic socks (2))

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

1165505 Laminated plastic femoral socket, made from plaster or digital mold of insured person N. C. 2,257.26 1195528 Complete endoskeletal system N. C. N. A. 1165653 Uniaxial constant friction knee (3R16) N. C. 600.23 1165596 Prosthetic cover N. C. 759.14 OPTIONAL COMPONENTS 1195577 Trial socket 199.11 N. A. 1165570 Silesian belt 179.51 206.44 3 1165828 Neoprene Silesian belt 177.36 209.98 1165588 Pelvic belt (steel joint and band) 365.60 622.37 3 1165701 Pelvic belt (titanium joint and band) 462.91 719.76 3 1165703 Pelvic belt (plastic joint and band) 302.59 559.37 3
Plaster or digital mold of insured person 3 1195528 Complete endoskeletal system N. C. N. A. 1165653 Uniaxial constant friction knee (3R16) N. C. 600.23 1165596 Prosthetic cover N. C. 759.14 OPTIONAL COMPONENTS 1195577 Trial socket 199.11 N. A. 1165570 Silesian belt 179.51 206.44 3 1165828 Neoprene Silesian belt 177.36 209.98 1165588 Pelvic belt (steel joint and band) 365.60 622.37 3 1165711 Pelvic belt (titanium joint and band) 462.91 719.76 3 3 1165703 Pelvic belt (plastic joint and band) 302.59 559.37 3
1165653 Uniaxial constant friction knee (3R16) N. C. 600.23 1165596 Prosthetic cover N. C. 759.14 OPTIONAL COMPONENTS 1195577 Trial socket 199.11 N. A. 1165570 Silesian belt 179.51 206.44 3 1165828 Neoprene Silesian belt 177.36 209.98 1165588 Pelvic belt (steel joint and band) 365.60 622.37 3 1165711 Pelvic belt (titanium joint and band) 462.91 719.76 3 1165703 Pelvic belt (plastic joint and band) 302.59 559.37 3
1165653 Uniaxial constant friction knee (3R16) N. C. 600.23 1165596 Prosthetic cover N. C. 759.14 OPTIONAL COMPONENTS 1195577 Trial socket 199.11 N. A. 1165570 Silesian belt 179.51 206.44 3 1165828 Neoprene Silesian belt 177.36 209.98 1165588 Pelvic belt (steel joint and band) 365.60 622.37 3 1165711 Pelvic belt (titanium joint and band) 462.91 719.76 3 1165703 Pelvic belt (plastic joint and band) 302.59 559.37 3
1165596 Prosthetic cover N. C. 759.14 OPTIONAL COMPONENTS 1195577 Trial socket 199.11 N. A. 1165570 Silesian belt 179.51 206.44 3 1165828 Neoprene Silesian belt 177.36 209.98 1165588 Pelvic belt (steel joint and band) 365.60 622.37 3 1165711 Pelvic belt (titanium joint and band) 462.91 719.76 3 1165703 Pelvic belt (plastic joint and band) 302.59 559.37 3
OPTIONAL COMPONENTS 1195577 Trial socket 199.11 N. A. 1165570 Silesian belt 179.51 206.44 3 1165828 Neoprene Silesian belt 177.36 209.98 1165588 Pelvic belt (steel joint and band) 365.60 622.37 3 1165711 Pelvic belt (titanium joint and band) 462.91 719.76 3 1165703 Pelvic belt (plastic joint and band) 302.59 559.37 3
1195577 Trial socket 199.11 N. A. 1165570 Silesian belt 179.51 206.44 3 1165828 Neoprene Silesian belt 177.36 209.98 1165588 Pelvic belt (steel joint and band) 365.60 622.37 3 1165711 Pelvic belt (titanium joint and band) 462.91 719.76 3 1165703 Pelvic belt (plastic joint and band) 302.59 559.37 3
1165570 Silesian belt 179.51 206.44 3 1165828 Neoprene Silesian belt 177.36 209.98 1165588 Pelvic belt (steel joint and band) 365.60 622.37 3 1165711 Pelvic belt (titanium joint and band) 462.91 719.76 3 1165703 Pelvic belt (plastic joint and band) 302.59 559.37 3
1165570 Silesian belt 179.51 206.44 3 1165828 Neoprene Silesian belt 177.36 209.98 1165588 Pelvic belt (steel joint and band) 365.60 622.37 3 1165711 Pelvic belt (titanium joint and band) 462.91 719.76 3 1165703 Pelvic belt (plastic joint and band) 302.59 559.37 3
1165828 Neoprene Silesian belt 177.36 209.98 1165588 Pelvic belt (steel joint and band) 365.60 622.37 3 1165711 Pelvic belt (titanium joint and band) 462.91 719.76 3 1165703 Pelvic belt (plastic joint and band) 302.59 559.37 3
1165588 Pelvic belt (steel joint and band) 365.60 622.37 3 1165711 Pelvic belt (titanium joint and band) 462.91 719.76 3 1165703 Pelvic belt (plastic joint and band) 302.59 559.37 3
1165711 Pelvic belt (titanium joint and band) 462.91 719.76 3 1165703 Pelvic belt (plastic joint and band) 302.59 559.37 3
1165703 Pelvic belt (plastic joint and band) 302.59 559.37 3
a b
1146554 Silicone gel flexible double socket, with distal 953.92 1,003.77
attachment 3
1146570 Silicone gel flexible double socket, with distal N. A. 706.42
attachment, excluding replacement of distal
attachment
1145580 Suction valve and seat 291.87 398.27
1145655 Suction valve N. A. 279.43
1125715 Articulated foot and adapter 187.98 503.01
1125723 Articulated without adapter N. A. 321.97
1125725 Articulated without adapter 1125725 Articulated without ad
included (Quantum)
1125780 Adapter for foot (Quantum) 56.17 104.13
1125707 Dynamic foot, for child (1K10) 37.93 350.84
1125787 Dynamic response foot (Seattle Light) 492.87 805.71
1125590 Dynamic response foot (Sten foot) 81.79 394.55
1125608 Dynamic response foot (SAFE foot) 194.14 507.01
1125616 Dynamic response foot (1D10, 1D11) 165.67 482.92
1125566 Dynamic response foot (Seattle) 377.75 690.58
1125541 Dynamic response foot (Carbon Copy II) 314.74 627.55
1125681 Dynamic response foot (Step Light) 298.29 611.09
1125699 Dynamic response foot (USMC) 184.57 497.34
1125731 Dynamic plus foot (1D25) 449.00 761.84
1125749 Multiaxial foot with rotator (1A30) 692.37 1,015.10
1125749 Multiaxial foot with rotator (Endolite) 695.20 918.01
1125764 Dynamic response foot with rotator (Endolite) 808.00 1,120.83
1125704 Dynamic response foot with foliator (Endonte) 808.00 1,120.85 1165802 Uniaxial knee with lock, for child (3R39) 872.38 1,475.82
1165810 Uniaxial constant friction knee (3R18) 194.56 794.80
·
1165661 Manual locking knee (3R17) 392.37 1,009.64
1165687 4-axis polycentric knee (3R20) 406.14 1,009.56
1165752 Manual locking knee, aluminum (3R40) 289.51 902.55
1165760 Manual locking knee, titanium (3R33) 687.09 1,291.91 1165778 Safety knee, titanium (3R49) 623.48 1,229.34
1105 / / 6 Salety Kilot, Hailiulii (SK47) 025.46 1,227.54

Updated : July 13, 2020 33

			(ddillell)	iic version)
1165836 Multiaxial knee with rotator, for child (3R66)	897.48	1,497.73		
1135557 Ankle rotator (4R39, 4R40)	786.32	,		
1135607 Ankle rotator (4R85)	703.68			
1155548 Knee rotator (4R57)	900.35			
1165794 Multiaxial knee, for child (TK40C)	1,409.94			
1165844 Uniaxial constant friction knee with or without	1,033.12	•		
lock, for child (TK1C1)	1,033.12	1,033.41		
1165851 Uniaxial knee, for child (3R38)	665.92	1,271.73		
1135615 Titanium modular system and carbon fiber pylon	97.29	· ·		
1133013 Thailidin modular system and carbon moer pyron	91.29	N. A.		
SUPPLEMENTS AVAILABLE				
3194065 Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	19.83	23.04		
, , , , , , , , , , , , , , , , , , , ,				
3194131 Nylon sheath with elastic band, 15.2 cm (6 in.) to 45.7 cm (18 in.)	37.35	40.53		
3194248 Nylon sheath with V opening, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	38.73	41.94		
3194156 Wool socks, 3-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	41.30	44.63		
3194164 Wool socks, 5-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	41.44	45.56		
3194206 Nylon suction sheath (all sizes)	31.81	35.02		
3492501 Cane	10.19			
3492550 Crutches with axillary support, height-adjustable	20.38			
3492551 Crutches with forearm support, height-adjustable	56.05			
5472551 Crutches with forearm support, neight-adjustable	30.03	30.03		
Stump sock	*	*		
* (consult Division III of this Part for the codes and				
prices of these supplements)				
3194172 Prosthetic socks (2)	N. C.	55.69		
31741/2 110strictic socks (2)	Ν. C.	33.09		
ADJUSTMENTS AVAILABLE				
1146521 Lengthening of tibial part of the prosthesis,			241.50	
excluding replacement of prosthetic cover and			241.30	
prosthetic sock				
-			293.11	
1146547 Socket lining (leather, plastic or other material)			293.11	
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1162254 Bilateral femoral stubbies	4,810.40			6
110220 Dilateral Telliotal Stateofer	1,010.70			U

3

3 3 3

241.50

BASIC COMPONENTS AND SUPPLEMENTS

Laminated plastic femoral sockets, made from
plaster or digital mold of insured person (2)

SACH or modified feet (2)

COMPONENTS AND SUPPLEMENTS

BASIC COMPONENTS			
1125558 Modified foot	N. C.	N. A.	
1125509 SACH foot	N. C.	322.38	
1165695 Laminated plastic femoral socket, made from	N. C.	2,256.13	
plaster or digital mold of insured person			
OPTIONAL COMPONENTS			
1195577 Trial socket	199.11	N. A.	
1165570 Silesian belt	179.51	206.44	
1165828 Neoprene Silesian belt	177.36	209.98	
1165588 Pelvic belt (steel joint and band)	365.60	622.37	
1165703 Pelvic belt (plastic joint and band)	302.59	559.37	
1165711 Pelvic belt (titanium joint and band)	462.91	719.76	
1145580 Suction valve and seat	291.87	398.27	
1145655 Suction valve	N. A.	279.43	
SUPPLEMENTS AVAILABLE			
3194065 Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	19.83	23.04	
3194131 Nylon sheath with elastic band, 15.2 cm (6 in.) to	37.35	40.53	
45.7 cm (18 in.)	20.72	41.04	
3194149 Nylon sheath with V opening, 15.2 cm (6 in.) to 50.8 cm (20 in.)	38.73	41.94	
3194156 Wool socks, 3-ply, with V opening, sizes 1, 2, 3, 4,	41.30	44.63	
from 15.2 cm (6 in.) to 50.8 cm (20 in.)			
3194164 Wool socks, 5-ply, with V opening, sizes 1, 2, 3, 4,	41.44	45.56	
from 15.2 cm (6 in.) to 50.8 cm (20 in.)	71.77	43.30	
nom 15.2 cm (6 m.) to 50.6 cm (20 m.)			
3194206 Nylon suction sheath (all sizes)	31.81	35.02	
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	
C4	*	*	
Stump sock * (consult Division III of this Port for the codes and	*	71*	

* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENTS AVAILABLE

1146521 Socket lining (leather, plastic or other material)

----- Any pertinent adjustment

SUBDIVISION 6: COXOFEMORAL AND HEMIPELVIC PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Exoskeletal coxofemoral prosthesis with constant friction knee (3P25)	5,761.23			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic socket, made from plaster or digital mold of insured person				
	Constant friction knee (3P25) SACH foot Hip joint – Canadian type (CHJ-100, CHJ-75)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1175504	SACH foot Laminated plastic socket, made from plaster or digital mold of insured person	N. C. N. C.			
1175512	Hip joint – Canadian type (CHJ-100, CHJ-75)	N. C.	674.37		
1155522	Constant friction knee (3P25)	N. C.	1,078.60		
	OPTIONAL COMPONENTS				
1195593	Trial socket	359.40	N. A.		
1145580	Suction valve and seat	291.87	398.27		
	Suction valve	N. A.	279.43		
	Articulated foot	152.59			
	Dynamic response foot, spring and prosthetic cover included (Quantum)	364.05	676.91		
	Adapter for foot (Quantum)	142.49	198.68		
	Dynamic response foot (Seattle Light)	492.87			
	Dynamic response foot (Sten foot)	81.79			
	Dynamic response foot (SAFE foot)	194.14			
	Dynamic response foot (1D10, 1D11)	165.67			
	Dynamic response foot (Seattle)	377.75			
	Dynamic response foot (Garbon Copy II)	314.74			
	Dynamic foot, for child (1K10)	37.93			
	Foam flexible cover for tibial part	117.68			
1165604	Safety knee (3P23, 3P24)	143.87	1,222.37		

1170604 Exoskeletal coxofemoral prost locking knee, for child (3P21)	hesis with friction	5,598.54			6
DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1166537 Lengthening of tibial part of th Any pertinent adjustment				439.17	
ADJUSTMENTS AVAILABL	F				
3492551 Crutches with forearm support	height-adjustable	56.05	56.05		
3492550 Crutches with axillary support,	• •	20.38			
3492501 Cane		10.19	10.19		
3194180 Pant-style sock		24.13	32.42		
3194198 Prosthetic socks, per pair		32.32	45.53		
SUPPLEMENTS AVAILABL	E				
1165729 Constant friction locking knee	(3P4F)	46.56	1,125.11		
1165646 Geriatric knee with manual loc	k (3K9)	54.81	1,133.34		
1165620 Manual locking knee (3P52)		132.92	1,211.55		
1165612 Manual locking knee (3P4)		23.28	1,102.00		
				(auther	tic version)
SCHEDULE 1	Tariff for devices wh	nich compensate for	a motor deficiency	and insured rela	ted services

	DEVICE	Purchase or replacement of device	Replacement of component or supplement	adjustement price	Guarantee (months)
	Exoskeletal coxofemoral prosthesis with friction locking knee, for child (3P21)	5,598.54			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic socket, made from plaster or digital mold of insured person				
	Friction locking knee, for child (3P21) SACH foot				
	Hip joint – Canadian type (CHJ-100, CHJ-75)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1125509	SACH foot	N. C.	322.38		
	Laminated plastic socket, made from plaster or digital mold of insured person	N. C.	3,464.90		
1175512	Hip joint – Canadian type (CHJ-100, CHJ-75)	N. C.	674.37		
1165737	Friction locking knee, for child (3P21)	N. C.	915.64		
	OPTIONAL COMPONENTS				
1195593	Trial socket	359.40	N. A.		
1145580	Suction valve and seat	291.87	398.27		
Undata	od - July 12, 2020				37

001		1		-	•
SC	нь	(I)	UH	JH.	- 1

N. A. 152.59 364.05 142.49 492.87 81.79 194.14 165.67 377.75 314.74	279.43 469.96 676.91 198.68 805.71 394.55 507.01 482.92 690.58
364.05 142.49 492.87 81.79 194.14 165.67 377.75	676.91 198.68 805.71 394.55 507.01 482.92 690.58
142.49 492.87 81.79 194.14 165.67 377.75	198.68 805.71 394.55 507.01 482.92 690.58
492.87 81.79 194.14 165.67 377.75	805.71 394.55 507.01 482.92 690.58
492.87 81.79 194.14 165.67 377.75	805.71 394.55 507.01 482.92 690.58
81.79 194.14 165.67 377.75	394.55 507.01 482.92 690.58
194.14 165.67 377.75	507.01 482.92 690.58
165.67 377.75	482.92 690.58
377.75	690.58
314 74	
311.71	627.55
37.93	350.84
117.68	167.45
46.56	962.11
32.32	45.53
24.13	32.42
10.19	10.19
20.38	20.38
56.05	56.05
	37.93 117.68 46.56 32.32 24.13 10.19 20.38

ADJUSTMENTS AVAILABLE

1166537 Lengthening of tibial part of the prosthesis

----- Any pertinent adjustment

439.17

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
--------	---	---	---------------------------------	-----------------------

1171503 Endoskeletal coxofemoral prosthesis

7,656.84

6

BASIC COMPONENTS AND SUPPLEMENTS

Laminated plastic socket, made from plaster or digital mold of insured person

SACH foot

Complete endoskeletal system wth uniaxial constant friction knee (3R16) (modular components, prosthetic cover and prosthetic socks (2))

Hip joint (7E7)

COMPONENTS AND SUPPLEMENTS

AVAILABLE

BASIC COMPONENTS

1125509 SACH foot N. C. 322.38

1175504 Laminated plastic socket, made from plaster or digital mold of insured person	N. C.	3,464.90
1195528 Complete endoskeletal system	N. C.	N. A.
1165653 Uniaxial constant friction knee (3R16)	N. C.	600.23
1175538 Prosthetic cover	N. C.	959.28
1175561 Hip joint (7E7)	N. C.	N. A.
OPTIONAL COMPONENTS		
1195593 Trial socket	359.40	N. A.
1175553 Joint of hip joint (7E7)	N. A.	2,238.59
1175579 Joint of hip joint, for child (7E8)	264.46	1,681.37
1165810 Uniaxial constant friction knee (3R18)	194.56	794.80
1165679 Safety knee (3R15)	312.39	914.09
1165661 Manual locking knee (3R17)	392.37	1,009.64
1165687 4-axis polycentric knee (3R20)	406.14	1,009.56
1165752 Manual locking knee, aluminum (3R40)	289.51	902.55
1165760 Manual locking knee, titanium (3R33)	687.09	1,291.91
1165778 Safety knee. titanium (3R49)	623.48	1,229.34
1165836 Multiaxial knee with rotator, for child (3R66)	897.48	1,497.73
, ()		,
1165802 Multiaxial knee, for child (TK40C)	872.38	1,475.82
1165794 Uniaxial constant friction knee, with or without	1,409.94	2,011.61
1165844 Knee rotator (4R57)	1,033.12	1,633.41
1155548 Multiaxial knee, for child (TK40C)	900.35	978.87
1135557 Ankle rotator (4R39, 4R40)	786.32	871.50
1135607 Ankle rotator (4R85)	703.68	780.35
1125715 Articulated foot and adapter	187.98	503.01
1125723 Articulated without adapter	N. A.	321.97
1125798 Dynamic response foot, spring and prosthetic cover	325.69	638.46
included (Quantum)		
1125780 Adapter for foot (Quantum)	56.17	104.13
1125707 Dynamic foot, for child 1K10	37.93	350.84
1125582 Dynamic response foot (Seattle Light)	492.87	805.71
1125590 Dynamic response foot (Sten foot)	81.79	394.55
1125608 Dynamic response foot (SAFE foot)	194.14	507.01
1125616 Dynamic response foot (1D10 or 1D11)	165.67	482.92
1125566 Dynamic response foot (Seattle)	377.75	690.58
1125541 Dynamic response foot (Carbon Copy II)	314.74	627.55
1125681 Dynamic response foot (Step Light)	298.29	611.09
1125699 Dynamic response foot (USMC)	184.57	497.34
1125731 Dynamic plus foot (1D25)	449.00	761.84
1125749 Multiaxial foot with rotator (1A30)	692.37	1,015.10
1125756 Multiaxial foot with rotator (Endolite)	605.20	918.01
1125764 Dynamic response foot with rotator (Endolite)	808.00	1,120.83
1135615 Titanium modular system and carbon fiber pylon	97.29	N. A.
SUPPLEMENTS AVAILABLE		
3194180 Pant-style sock	24.13	32.42
3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
, 11 , U J		

SCHEDULE 1	Tariff for devices which o	compensate for a motor	or deficiency and	l insured related services (authentic version)
3492551 Crutches with forearm suppor	t, height-adjustable	56.05	56.05	
3194214 Prosthetic socks (2)		N. C.	49.60	
ADJUSTMENTS AVAILAB	LE			
1146547 Lengthening of tibial part of prosthetic cov				293.11
Any pertinent adjustment				

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1180504	Exoskeletal hemipelvic prosthesis, with constant friction knee (3P25)	5,951.90			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic socket, made from plaster or digital mold of insured person				
	Constant friction knee (3P25) SACH foot Hip joint – Canadian type (CHJ-100, CHJ-75)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	SACH foot Laminated plastic socket, made from plaster or digital mold of insured person	N. C. N. C.			
1175512	Hip joint – Canadian type (CHJ-100, CHJ-75)	N. C.	674.37		
1155522	Constant friction knee (3P25)	N. C.	1,078.60		
	OPTIONAL COMPONENTS				
1195593	Trial socket	359.40	N. A.		
1125517	Articulated foot	152.59	469.96		
1125574	Dynamic response foot, spring and prosthetic cover included (Quantum)	364.05	676.91		
1125624	Adapter for foot (Quantum)	142.49	198.68		
	Dynamic response foot (Seattle Light)	492.87			
	Dynamic response foot (Sten foot)	81.79			
	Dynamic response foot (SAFE foot)	194.14			
	Dynamic response foot (1D10 or 1D11)	165.67			
1125566	Dynamic response foot (Seattle)	377.75	690.58		

Tariff for devices which compensate for a motor deficiency and insured re	lated services
(auth	entic version)

SCHEDULE 1	Tariff for devices w	hich compensate for a	a motor deficiency		ated services
1125541 Dynamic response foot (Carl 1125707 Dynamic foot, for child (1K		314.74 37.93	627.55 350.84		,
1145747 Foam flexible cover for tibia		117.68	167.45		
1165604 Safety knee (3P23, 3P24) 1165612 Manual locking knee (3P4)		143.87 23.28	1,222.37 1,102.00		
1165620 Manual locking knee (3P52)		132.92	1,211.55		
1165646 Geriatric knee with manual l		54.81	1,133.34		
1165729 Constant friction locking known	ee (3P4F)	46.56	1,125.11		
SUPPLEMENTS AVAILA	BLE				
3194198 Prosthetic socks, per pair		32.32	45.53		
3194180 Pant-style sock		24.13	32.42		
3492501 Cane		10.19	10.19		
3492550 Crutches with axillary suppo		20.38	20.38		
3492551 Crutches with forearm support	ort, height-adjustable	56.05	56.05		
ADJUSTMENTS AVAILAI	BLE				
1166537 Lengthening of tibial part of Any pertinent adjustment	the prosthesis			439.17	
DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1181601 Exoskeletal hemipelvic pros locking knee, for child (3P2)		5,789.22			6
BASIC COMPONENTS AN	ID SUPPLEMENTS				
Laminated plastic socket, madigital mold of insured person	-				
Friction locking knee, for ch	ild (3P21)				

Updated : July 13, 2020 41

SACH foot

AVAILABLE

BASIC COMPONENTS

Hip joint – Canadian type (CHJ-100, CHJ-75)

COMPONENTS AND SUPPLEMENTS

OPTIONAL COMPONENTS

1195593 Trial socket	359.40	N. A.
1125517 Articulated foot	152.59	469.96
1125574 Dynamic response foot, spring and prosthetic cover	364.05	676.91
included (Quantum)		
1125624 Adapter for foot (Quantum)	142.49	198.68
1125582 Dynamic response foot (Seattle Light)	492.87	805.71
1125590 Dynamic response foot (Sten foot)	81.79	394.55
1125608 Dynamic response foot (SAFE foot)	194.14	507.01
1125616 Dynamic response foot (1D10 or 1D11)	165.67	482.92
1125566 Dynamic response foot (Seattle)	377.75	690.58
1125541 Dynamic response foot (Carbon Copy II)	314.74	627.55
1125707 Dynamic foot, for child (1K10)	37.93	350.84
1145747 Foam flexible cover for tibial part	117.68	167.45
1165745 Friction locking knee, for child (3P50)	46.56	962.11
SUPPLEMENTS AVAILABLE		
3194198 Prosthetic socks, per pair	32.32	45.53
3194180 Pant-style sock	24.13	32.42
3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05

ADJUSTMENTS AVAILABLE

1166537 Lengthening of tibial part of the prosthesis

----- Any pertinent adjustment

439.17

DEVICE Maximum price Maximum price Maximum price Purchase or Replacement of replacement of device supplement Supplement Price Maximum adjustement price (months)	Guarantee (months)
---	-----------------------

1181502 Endoskeletal hemipelvic prosthesis

7,881.38

6

BASIC COMPONENTS AND SUPPLEMENTS

Laminated plastic socket, made from plaster or digital mold of insured person

SACH foot

Complete endoskeletal system with uniaxial constant friction knee (3R16) (modular components, prosthetic cover and prosthetic socks (2))

Hip joint (7E7)

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

1125509 SACH foot	N. C.	322.38
1175504 Laminated plastic socket, made from plaster or	N. C.	3,464.90
digital mold of insured person		ŕ
•		
1195528 Complete endoskeletal system	N. C.	N. A.
1165653 Uniaxial constant friction knee (3R16)	N. C.	600.23
1175538 Prosthetic cover	N. C.	959.28
1175561 Hip joint (7E7)	N. C.	N. A.
OPTIONAL COMPONENTS		
1195593 Trial socket	359.40	N. A.
1175553 Joint of hip joint (7E7)	N. A.	2,238.59
1175579 Joint of hip joint, for child (7E8)	264.46	1,681.37
1165810 Uniaxial constant friction knee (3R18)	194.56	794.80
1165679 Safety knee (3R15)	312.39	914.09
1165661 Manual locking knee (3R17)	392.37	1,009.64
1165687 4-axis polycentric knee (3R20)	406.14	1,009.56
1165752 Manual locking knee, aluminum (3R40)	289.51	902.55
1165760 Manual locking knee, titanium (3R33)	687.09	1,291.91
1165778 Safety knee, titanium (3R49)	623.48	1,229.34
1165836 Multiaxial knee with rotator, for child (3R66)	897.48	1,497.73
1165802 Uniaxial knee with lock, for child (3R39)	872.38	1,475.82
1165794 Multiaxial knee, for child (TK40C)	1,409.94	2,011.61
1165844 Uniaxial constant friction knee, with or without lock, for child (TK1C1)	1,033.12	1,633.41
1155548 Knee rotator (4R57)	900.35	978.87
1135557 Ankle rotator (4R39, 4R40)	786.32	871.50
1135607 Ankle rotator (4R85)	703.68	780.35
1125715 Articulated foot and adapter	187.98	503.01
1125723 Articulated without adapter	N. A.	321.97
1125798 Dynamic response foot, spring and prosthetic cover	325.69	638.46
included (Quantum)		
1125780 Adapter for foot (Quantum)	56.17	104.13
1125707 Dynamic foot, for child (1K10)	37.93	350.84
1125582 Dynamic response foot (Seattle Light)	492.87	805.71
1125590 Dynamic response foot (Sten foot)	81.79	394.55
1125608 Dynamic response foot (SAFE foot)	194.14	507.01
1125616 Dynamic response foot (1D10, 1D11)	165.67	482.92
1125566 Dynamic response foot (Seattle)	377.75	690.58
1125541 Dynamic response foot (Carbon Copy II)	314.74	627.55
1125681 Dynamic response foot (Step Light)	298.29	610.79
1125699 Dynamic response foot (USMC)	184.57	497.34
1125731 Dynamic plus foot (1D25)	449.00	761.84
1125749 Multiaxial foot with rotator (1A30)	692.37	1,015.10
1125756 Multiaxial foot with rotator (Endolite)	605.20	918.01
1125764 Dynamic response foot with rotator (Endolite)	808.00	1,120.83
1135615 Titanium modular system and carbon fiber pylon	97.29	N. A.

SUPPLEMENTS AVAILABLE

3194180 Pant-style sock	24.13	32.42
3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05
3194214 Prosthetic socks (2)	N. C.	49.60

ADJUSTMENTS AVAILABLE)

1146547 Lengthening of tibial part of prosthesis, excluding replacement of prosthetic cover and prosthetic sock

293.11

----- Any pertinent adjustment

SUBDIVISION 7: LOWER-LIMB PROSTHESES

DEVICE	Purchase or F	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1142009 Other lower-limb prostheses *	S. C.			6

^{*} When price is below that of the similar prosthesis

DIVISION II: UPPER-LIMB PROSTHESES SUBDIVISION 1: HAND PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Prosthetic restoration of one finger (thumb) made from plaster or digital mold of insured person	929.27			1
1211756	Prosthetic restoration of one finger (index) made from plaster or digital mold of insured person	929.27			
	Prosthetic restoration of one finger (middle finger) made from plaster or digital mold of insured person	929.27			
	Prosthetic restoration of one finger (ring finger) made from plaster or digital mold of insured person	929.27			
	Prosthetic restoration of one finger (little finger) made from plaster or digital mold of insured person	929.27			
	BASIC COMPONENTS AND SUPPLEMENTS				
	Compensatory part for finger and prosthetic cover (Realistic)				
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Prosthetic partial hand restoration, made from plaster or digital mold of insured person	1,689.55			1

BASIC COMPONENTS AND SUPPLEMENTS

Compensatory part

Prosthetic partial hand and prosthetic glove, made from plaster or digital mold of insured person (Realistic)

COMPONENTS AND SUPPLEMENTS AVAILABLE

1295807 Prosthetic partial hand and prosthetic glove, made from plaster or digital mold of insured person (Realistic)

N. C. 779.26

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

SUBDIVISION 2: WRIST PROSTHESES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1230507 Exoskeletal cubital or wrist prosthesis	2,053.13			6
BASIC COMPONENTS AND SUPPLEMENTS				
Wrist friction joint Rigid plastic socket, made from plaster or digital mold of insured person				
Suspension harness Tricipital pad Control cable, connections, terminals and housing (reinforced materials)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1235514 Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,383.42		3
1295500 Suspension harness	N. C.	207.14		3
1295518 Control cable, connections, terminals and housing (reinforced materials)	N. C.			3
1295526 Wrist friction joint	N. C.			
1295757 Tricipital pad	N. C.	. 207.27		
OPTIONAL COMPONENTS				
1245547 Metal elbow joints, flexible	509.97	609.61		
1295765 Anchoring part for cable for passive hand and hook	41.92	78.85		3
Other optional components (consult Subdivision VII for the codes and prices of these components)				
SUPPLEMENTS AVAILABLE				
Stump sock * (consult Division III of this Part for the codes and prices of these supplements) 3190014 Nylon stump sheath	19.83			
ADJUSTMENTS AVAILABLE	17.03	25.01		
1246511 Lengthening of prosthesis Any pertinent adjustment			379.15	3
				40

SUBDIVISION 3: CUBITAL PROSTHESES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1241504 Endoskeletal cubital prosthetic restoration	2,021.38			6
BASIC COMPONENTS AND SUPPLEMEN	NTS			
Rigid plastic socket, made from plaster or dig mold of insured person	ital			
Passive hand with flexible fingers and prosthe glove (Otto Bock) Complete endoskeletal system (including mod components and prosthetic cover)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1235514 Rigid plastic socket, made from plaster or dig mold of insured person	ital N. C.	1,383.42		3
1295534 Complete endoskeletal system 1295542 Prosthetic cover 3222817 Passive hand with flexible fingers (Otto Bock 3223005 Prosthetic glove (Otto Bock)	N. C. N. C. N. C. N. C.	396.58 382.18		
OPTIONAL COMPONENTS				
1245547 Metal elbow joints, flexible Other optional components (consult Subdivisive VII for the codes and prices of these components)		609.61		
SUPPLEMENTS AVAILABLE				
3293164 Prosthetic socks, per pair Stump sock * (consult Division III of this Part for the cod prices of these supplements)	32.32 * es and			
3190014 Nylon stump sheath	19.83	23.04		
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1231752	Exoskeletal cubital or wrist prosthetic restoration	1,926.25			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Passive hand with flexible fingers and prosthetic glove (Otto Bock) Rigid plastic socket, made from plaster or digital mold of insured person				
	Wrist friction joint				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1235514	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,383.42		3
3222817	Wrist friction joint Passive hand with flexible fingers (Otto Bock) Prosthetic glove (Otto Bock) OPTIONAL COMPONENTS	N. C. N. C. N. C.	382.18		
	Suspension harness Other optional components (consult Subdivision VII for the codes and prices of these components)	132.41	207.14		
	SUPPLEMENTS AVAILABLE				
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*			
3190014	Nylon stump sheath	19.83	23.04		
	ADJUSTMENTS AVAILABLE Lengthening of prosthesis Any pertinent adjustment			379.15	3
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)

1240514	Cubital prosthesis with multiple-action joints	2,999.09			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Wrist friction joint Rigid plastic socket, made from plaster or digital mold of insured person				
	Forearm restoration Multiple-action elbow joints Suspension harness Armband Control cable, connections, terminals and housing (reinforced materials)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1245539	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,709.82		3
1295526	Wrist friction joint	N. C.	449.24		
1245554	Multiple-action elbow joints	N. C.	746.50		
1245562	Forearm restoration	N. C.	622.01		3
1295500	Suspension harness	N. C.	207.14		3
	Control cable, connections, terminals and housing (reinforced materials)	N. C.	251.48		3
1295799	Armband	N. C.	237.23		3
	OPTIONAL COMPONENTS				
1295815	Anchoring part for cable for passive hand and hook	47.22	81.82		3
	Other optional components (consult Subdivision VII for the codes and prices of these components)				
	SUPPLEMENTS AVAILABLE				
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
3190014	Nylon stump sheath	19.83	23.04		
	ADJUSTMENTS AVAILABLE				
	Lengthening of prosthesis Any pertinent adjustment			379.15	3

SUBDIVISION 4: CUBITOHUMERAL PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1250505	Exoskeletal cubitohumeral prosthesis	3,945.20			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Wrist friction joint Rigid plastic socket, made from plaster or digital mold of insured person				
	Forearm restoration Joints with external lock (E-500, E-1500) Suspension harness Control cables (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,726.60		3
1255520 1245562 1295591	Wrist friction joint Joints with external lock (E-500, E-1500) Forearm restoration Suspension harness	N. C. N. C. N. C. N. C.	1,443.41 622.01 224.22		3 3
1295641	Control cables (2) OPTIONAL COMPONENTS	N. C.	312.20		3
	Flexion assist mechanism Anchoring part for cable for passive hand and hook	435.22 47.22			3
	Other optional components (consult Subdivision VII for the codes and prices of these components)				
	SUPPLEMENTS AVAILABLE Stump sock * (consult Division III of this Part for the codes and	*	*		
3190014	prices of these supplements) Nylon stump sheath	19.83	23.04		
	ADJUSTMENTS AVAILABLE				
	Lengthening of cubital part of the prosthesis Any pertinent adjustment			379.15	3

SUBDIVISION 5: HUMERAL PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1260504	Exoskeletal humeral prosthesis	3,929.99			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Wrist friction joint Rigid plastic socket, made from plaster or digital mold of insured person				
	Forearm restoration Elbow with internal lock (E-400) Suspension harness Control cables (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1265511	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,680.65		3
1265529 1245562 1295591	Wrist friction joint Elbow with internal lock (E-400) Forearm restoration Suspension harness Control cables (2)	N. C. N. C. N. C. N. C. N. C.	1,183.60 622.01 224.22		3 3 3
	OPTIONAL COMPONENTS				
1295815	Anchoring part for cable for passive hand and hook	47.22	81.82		3
1295575	Flexion assist mechanism Nudge control Other optional components (consult Subdivision VII for the codes and prices of these components)	292.73 483.57			3 3
	SUPPLEMENTS AVAILABLE				
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
3190014	Nylon stump sheath ADJUSTMENTS AVAILABLE	19.83	23.04		
1246520	Lengthening of cubital part of the prosthesis			379.15	3

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1261502	Endoskeletal humeral prosthetic restoration	3,315.26			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person				
	Passive hand with flexible fingers and prosthetic glove (Otto Bock)				
	Complete endoskeletal system (modular components and prosthetic cover)				
	Suspension harness Prosthetic socks (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1265511	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,680.65		3
1295658	Complete endoskeletal system	N. C.	N. A.		
	Prosthetic cover	N. C.			
	Suspension harness Passive hand with flexible fingers (Otto Bock)	N. C. N. C.			3
	Prosthetic glove (Otto Bock)	N. C. N. C.			
	OPTIONAL COMPONENTS				
1205021		262.05	5(1.54		
	Flexion wrist Shoulder-activated lock elbow	363.95 371.99			
	Other optional components (consult Subdivision	3/1.//	702.02		
	VII for the codes and prices of these components)				
1295815	Anchoring part for cable for passive hand and hook	47.22	81.82		
	SUPPLEMENTS AVAILABLE				
	Prosthetic socks, per pair	N. C.			
	Stump sock	*	*		
	* (consult Division III of this Part for the codes and prices of these supplements)				
3190014	Nylon stump sheath	19.83	23.04		
	•	23,100			
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				

SUBDIVISION 6: GLENOHUMERAL AND THORACIC PROSTHESES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1270503 Exoskeletal glenohumeral prosthesis	5,776.50)		6
BASIC COMPONENTS AND SUPPLEMENTS				
Wrist friction joint Rigid plastic socket, made from plaster or digital				
mold of insured person				
Forearm restoration				
Elbow with internal lock (E-400) Flexion assist mechanism				
Arm restoration				
Shoulder joint (FAJ-100)				
Suspension harness				
Control cables (2), connections, terminals and				
housing (reinforced materials and pulley)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1275510 Rigid plastic socket, made from plaster or digital	N. C.	2,205.98		
mold of insured person				3
1295666 Suspension harness	N. C.	239.61		3
1295674 Control cables (2), connections, terminals and housing (reinforced materials and pulley)	N. C.	467.49		3
1295526 Wrist friction joint	N. C.	449.24		
1265529 Elbow with internal lock (E-400)	N. C.			
1245562 Forearm restoration	N. C.	622.01		3
1265537 Arm restoration	N. C.			3
1265545 Shoulder joint (FAJ-100)	N. C.			
1295690 Flexion assist mechanism	N. C.	407.65		3
OPTIONAL COMPONENTS				
1295575 Nudge control	483.57			3
1295815 Anchoring part for cable for passive hand and hook	47.22	81.82		3

SUPPLEMENTS AVAILABLE

----- Stump sock

3190014	* (consult Division III of this Part for the codes and prices of these supplements) Nylon stump sheath ADJUSTMENT AVAILABLE Lengthening of cubital part of the prosthesis	19.83	23.04	379.15	3
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1271501	Endoskeletal glenohumeral prosthetic restoration	4,228.79			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person				
	Passive hand with flexible fingers and prosthetic glove (Otto Bock) Complete endoskeletal system (modular components and prosthetic cover) Suspension harness				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	2,205.98		3
1295682	Complete endoskeletal system	N. C.	N. A.		
1275528	Prosthetic cover	N. C.	558.39		
	Suspension harness	N. C.			3
	Passive hand with flexible fingers (Otto Bock)	N. C.			
3223005	Prosthetic glove (Otto Bock)	N. C.	330.56		
	OPTIONAL COMPONENTS				
1295831	Flexion wrist	363.95	561.54		
	Shoulder-activated lock elbow	371.99			
1295815	Anchoring part for cable for passive hand and hook	47.22	81.82		3
	Other optional components (consult Subdivision VII for the codes and prices of these components)				
	Nudge control where shoulder-activated lock elbow is used	483.57	592.66		3

SUPPLEMENTS AVAILABLE

	Prosthetic socks, per pair Stump sock	32.32			
	* (consult Division III of this Part for the codes and				
3190014	prices of these supplements) Nylon stump sheath	19.83	23.04		
519001.	ADJUSTMENT AVAILABLE	15,00	25101		
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1280502	Exoskeletal thoracic prosthesis	7,620.44			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Wrist friction joint Rigid plastic socket, made from plaster or digital mold of insured person				
	Forearm restoration Elbow with internal lock (E-400) Flexion assist mechanism Arm restoration Shoulder joint (FAJ-100) Suspension harness Control cables (2), connections, terminals and housing (reinforced materials and pulley)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1285519	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	2,710.08		3
1295666	Suspension harness	N. C.	239.61		3
1295674	Control cables (2), connections, terminals and	N. C.	467.49		3
1295526	housing (reinforced materials and pulley) Wrist friction joint	N. C.	449.24		
	Elbow with internal lock (E-400)	N. C. N. C.			
	Forearm restoration	N. C.	*		3
	Arm restoration	N. C.			3
	Shoulder joint (FAJ-100)	N. C.			
	Flexion assist mechanism	N. C.			3
	OPTIONAL COMPONENTS				

SCHE	DULE 1	Tariff for devices whi	ich compensate for	a motor deficiency		ed services tic version)
1295575	Nudge control		483.57	592.66		3
1295815	Anchoring part for cable for	or passive hand and hook	47.22	81.82		3
	Other optional components VII for the codes and price					
	SUPPLEMENTS AVAILA	ABLE				
	Stump sock * (consult Division III of the prices of these supplement Nylon stump sheath		19.83			
	ADJUSTMENT AVAILA	BLE				
1246529	Lengthening of cubital par	t of the prosthesis			379.15	3
	DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1281500	Endoskeletal thoracic pros	thetic restoration	4,656.50			6
	BASIC COMPONENTS A	AND SUPPLEMENTS				
	Rigid plastic socket, made mold of insured person	from plaster or digital				
	Passive hand with flexible glove (Otto Bock) Complete endoskeletal sys components and prosthetic Suspension harness	tem (modular				
	COMPONENTS AND SU AVAILABLE	PPLEMENTS				
	BASIC COMPONENTS					
	Rigid plastic socket, made mold of insured person	from plaster or digital	N. C.	2,710.08		3
1275528 1295666	Complete endoskeletal sys Prosthetic cover Suspension harness Passive hand with flexible		N. C. N. C. N. C. N. C.	558.39 239.61		3
	Prosthetic glove, fitting inc		N. C.	330.56		
	OPTIONAL COMPONEN	ITS				

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

			(dddirentie version)
1295815 Anchoring part for cable for passive hand and hook	47.22	81.82	3
Other optional components (consult Subdivision VII for the codes and prices of these components)			
1295856 Nudge control where shoulder-activated lock elbow is used	483.57	592.66	3
SUPPLEMENTS AVAILABLE			
3293180 Prosthetic socks, per pair Stump sock * (consult Division III of this Part for the codes and	32.32	45.53	
prices of these supplements) 3190014 Nylon stump sheath	19.83	23.04	
ADJUSTMENT AVAILABLE			

SCHEDULE 1

----- Any pertinent adjustment

SUBDIVISION 7: BASIC OR OPTIONAL COMPONENTS FOR UPPER-LIMB PROSTHESES

WRISTS, HOOKS, HANDS, PROSTHETIC GLOVES, ELBOW JOINTS, SHOULDER JOINTS AND OTHERS

WRISTS FOR EXOSKELETAL PROSTHESES	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
3232725 Quick disconnect wrist including a socket (FM-100)	75.36	516.39	
3232733 Quick disconnect wrist including a socket (FM-100S)	538.50	978.00	
3232741 Quick disconnect wrist including a socket (WD-400)	56.17	495.55	
3232758 Quick disconnect wrist including a socket (WD-400S)	197.29	636.77	
3232790 Quick disconnect wrist including a socket (WD-400SS)	523.44	962.85	
3232766 Wrist for child (CAPP)	N. C.	446.34	
3232865 Flexion wrist for child (CAPP)	93.19	532.54	
3232774 Flexion wrist (FW-200, FW-300, FW-500)	216.51	655.89	
3232808 Flexion wrist (FW-500S)	770.03	1,209.62	
3232782 Flexion wrist (18-00)	369.96	810.95	
3232816 Flexion wrist (FW-50)	379.54	820.48	
3299005 Extra socket for wrist (WD-400)	50.69	50.69	
3299013 Extra socket for wrist (WD-400S, WD-400SS)	109.63	109.63	
3299021 Extra socket for wrist (FM-100)	67.12	67.12	
HOOKS	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
3222908 Dorrance hook, farmer's-type (6)	2,111.60	2,180.46	
3222940 Dorrance hook, farmer's-type (7 LO)	1,188.05	1,256.89	
3222916 APRL hook (302-00)	1,678.60	1,746.10	
3222924 Sierra hook	2,082.76	2,151.62	
3222619 Hook, model 99X or equivalent: use, shape, cost (10X, 10P, 99X8, 88X5, 5X, 5XA)	614.90	678.19	
3222973 Hook (12P)	675.60	744.47	
3223013 Hook (99P)	635.85	744.47	

			(authentic version)
3223393 Voluntary closing hook, for adult (TRS, Grip I)	1,508.68	1,577.54	
3223401 Voluntary closing hook, for adult (TRS, Grip II)	1,466.21	1,533.69	
3223419 Voluntary closing hook, for adult (TRS, Grip III)	1,638.86	1,707.71	
3223427 Voluntary closing hook, for child (TRS, Grip I)	1,040.07	1,108.91	
3223435 Voluntary closing hook, for child (TRS, Grip II)	1,014.02	1,082.86	
3223443 Voluntary closing hook, for child (TRS, Grip III)	909.93	978.75	
3223450 Voluntary closing hook, for child (TRS, Grip IV)	953.79	1,022.60	
PASSIVE HANDS FOR PROSTHETIC RESTORATION	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
3222858 Steeper hand for child, including prosthetic glove and installation	37.01	561.61	
3222692 Centri hand for child, including prosthetic glove and installation	53.43	578.08	
3222866 Hosmer hand for adult, including prosthetic glove and installation	147.99	672.59	
3222627 Otto Bock hand for adult, including prosthetic glove and installation	N. C.	524.67	
PASSIVE HANDS FOR FUNCTIONAL PROSTHESES	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
3222643 Steeper hand for child, including prosthetic glove and installation	465.96	561.61	
3222684 Centri hand for child, including prosthetic glove and installation	482.44	578.08	
3222635 Hosmer hand for adult, including prosthetic glove and installation	576.93	672.59	
3222874 Otto Bock hand for adult, including prosthetic glove and installation	428.96	524.67	

	MECHANICAL HANDS	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
3222841	Voluntary opening Sierra hand, including prosthetic glove and installation	2,359.61	2,455.21	
3222809	Voluntary opening APRL hand and prosthetic glove, installation included	2,686.99	2,782.65	
3222833	Voluntary closing Otto Bock hand and prosthetic glove, installation included (8K15)	1,072.95	1,168.60	
3222676	Voluntary closing Otto Bock hand and prosthetic glove, installation included (8K25)	1,072.95	1,168.60	
3222668	Voluntary closing Otto Bock hand and prosthetic glove, installation included (8K21, 8K23)	693.44	787.63	
3222650	Voluntary closing Otto Bock hand and prosthetic glove, installation included, for endoskeletal system (8K27)	827.74	921.90	
3222726	Becker Imperial hand, prosthetic glove and protective glove, installation included	1,142.86	1,237.09	
3222734	Robin Aid hand and Realistic prosthetic glove, installation included (RA-100)	1,040.07	1,135.74	
3222742	Dorrance hand and Realistic prosthetic glove, installation included	1,943.07	2,037.24	
3222759	Voluntary closing APRL hand and Realistic prosthetic glove, installation included	2,686.99	2,782.65	
3222767	Becker hand, Realistic prosthetic glove and protective glove, installation included (BLG-100)	1,074.34	1,169.95	
	Robin Aid hand and Realistic prosthetic glove, installation included (RA-200)	1,040.07	1,135.74	
	Becker hand and Realistic prosthetic glove, installation included (BP-100)	860.58	1,100.65	
	MITTS FOR CHILDREN TO REPLACE PASSIVE HAND	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
	Hosmer mitt, installation included Crawl mitt and prosthetic glove, installation included	N. C. 109.63	331.28 622.90	

PROSTHETIC GLOVES	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
3223005 Otto Bock prosthetic glove, installation included 3223120 Realistic prosthetic glove, installation included 3225500 Silicone prosthetic glove	N. C. N. C. 385.75	330.56 338.44 742.97	12
ELBOW JOINTS	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
1245588 External monocentric free-moving locking joint (E-5500)	1,038.62	1,831.07	
1245596 External monocentric free-moving locking joint (E-1500)	649.47	1,443.41	
1245604 External polycentric free-moving joint (MA-50, MA-75, MA-100)	82.20	876.20	
1245653 Constant friction elbow, for child (E-50) 1245661 Elbow with internal lock (E-400HD)	N. C. N. C.	1,182.87 1,210.36	
SHOULDER JOINTS	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
1245620 Abduction-adduction joint (SAJ-75)	N. C.	684.20	
1245638 Abduction-adduction joint (SAJ-100)	106.88	937.86	
1245646 Free movement joint (Hosmer)	37.01	867.98	
1245679 Joint (FS-50, FS-75)	N. C.	763.71	

CONTROLS	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
1295583 Truncular abdominal or scapular control, including manufacturing, fitting and installation time as well as materials	77.27	119.48	

SUBDIVISION 8 : UPPER-LIMB PROSTHESES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1242007 Other upper-limb prostheses **	S. C			*

*GUARANTEE PERIOD: Hand prostheses: 1 month

Others: 6 months

** When price is below that of the similar

prosthesis

Updated: July 13, 2020 65

DIVISION III: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES SUPPLEMENTS FOR PROSTHESES

Description	Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks	
SUPPLEMENTS FOR PROSTHESES			
STUMP SOCKS			
WOOL $2-3-5$ PLY			
Width: 15.2 cm (6 in.)			
3493004 length: 25.4 cm (10 in.)	10.28	15.52	
3493012 length: 30.5 cm (12 in.)	11.17	16.57	
3493020 length: 35.6 cm (14 in.)	12.55	17.92	
3493038 length: 40.6 cm (16 in.)	13.60	18.80	
3493046 length: 45.7 cm (18 in.)	14.78	20.05	
3493053 length: 50.8 cm (20 in.)	15.88	21.08	
3493061 length: 55.9 cm (22 in.)	17.08	22.46	
3493079 length: 61.0 cm (24 in.)	18.89	24.11	
3493087 length: 66.0 cm (26 in.)	20.10	25.47	
3493095 length: 71.1 cm (28 in.)	21.31	26.52	
3493103 length: 76.2 cm (30 in.)	22.22	27.60	
3493111 length: 81.3 cm (32 in.)	23.58	28.93	
Width: 17.8 cm (7 in.)			
3493129 length: 25.4 cm (10 in.)	11.03	16.41	
3493137 length: 30.5 cm (12 in.)	12.26	17.63	
3493145 length: 35.6 cm (14 in.)	13.74	19.16	
3493152 length: 40.6 cm (16 in.)	15.28	20.64	
3493160 length: 45.7 cm (18 in.)	17.08	22.46	
3493178 length: 50.8 cm (20 in.)	18.73	24.11	
3493186 length: 55.9 cm (22 in.)	19.93	25.30	
3493194 length: 61.0 cm (24 in.)	21.31	26.67	
3493202 length: 66.0 cm (26 in.)	22.96	28.32	
3493210 length: 71.1 cm (28 in.)	24.18	29.55	
3493228 length: 76.2 cm (30 in.)	25.40	30.74	
3493236 length: 81.3 cm (32 in.)	26.90	32.25	
Width: 20.3 cm (8 in.)			
3493244 length: 25.4 cm (10 in.)	12.66	18.08	
3493251 length: 30.5 cm (12 in.)	14.37	19.54	
3493269 length: 35.6 cm (14 in.)	15.70	21.08	
3493277 length: 40.6 cm (16 in.)	17.34	22.75	
3493285 length: 45.7 cm (18 in.)	18.89	24.11	
3493293 length: 50.8 cm (20 in.)	20.39	25.80	
3493301 length: 55.9 cm (22 in.)	21.91	27.27	
3493319 length: 61.0 cm (24 in.)	23.73	29.11	
3493327 length: 66.0 cm (26 in.)	25.40	30.62	
3493335 length: 71.1 cm (28 in.)	27.05	32.44	

3493343 length: 76.2 cm (30 in.)	28.26	33.64
3493350 length: 81.3 cm (32 in.)	29.91	35.29
,		
Width: 22.9 cm (9 in.)		
3493368 length: 25.4 cm (10 in.)	14.51	19.90
3493376 length: 30.5 cm (12 in.)	16.34	21.55
3493384 length: 35.6 cm (14 in.)	17.99	23.36
3493392 length: 40.6 cm (16 in.)	19.48	24.87
3493400 length: 45.7 cm (18 in.)	21.44	26.84
3493418 length: 50.8 cm (20 in.)	23.11	28.47
3493426 length: 55.9 cm (22 in.)	24.77	30.13
3493434 length: 61.0 cm (24 in.)	26.27	31.63
3493442 length: 66.0 cm (26 in.)	28.12	33.50
3493459 length: 71.1 cm (28 in.)	29.91	35.29
3493467 length: 76.2 cm (30 in.)	31.43	36.64
3493475 length: 81.3 cm (32 in.)	33.09	38.29
3493473 lengui. 81.3 cm (32 m.)	33.09	36.29
Width: 25.4 cm (10 in.)		
3493483 length: 25.4 cm (10 in.)	16.34	21.55
3493491 length: 30.5 cm (12 in.)	17.70	23.06
3493509 length: 35.6 cm (14 in.)	19.80	25.18
3493517 length: 40.6 cm (16 in.)	21.62	26.84
3493525 length: 45.7 cm (18 in.)	23.26	28.66
3493533 length: 50.8 cm (20 in.)	25.23	30.62
3493541 length: 55.9 cm (22 in.)	27.05	32.44
3493558 length: 61.0 cm (24 in.)	28.71	34.07
3493566 length: 66.0 cm (26 in.)	30.36	35.58
3493574 length: 71.1 cm (28 in.)	32.33	37.68
3493582 length: 76.2 cm (30 in.)	34.13	39.39
	35.95	41.34
3493590 length: 81.3 cm (32 in.)	33.93	41.34
Width: 30.5 cm (12 in.)		
3493608 length: 25.4 cm (10 in.)	21.75	26.99
3493616 length: 30.5 cm (12 in.)	23.40	28.79
3493624 length: 35.6 cm (14 in.)	25.40	30.74
3493632 length: 40.6 cm (16 in.)	27.05	32.44
3493640 length: 45.7 cm (18 in.)	29.00	34.22
3493657 length: 50.8 cm (20 in.)	30.81	36.07
3493665 length: 55.9 cm (22 in.)	32.61	37.87
3493673 length: 61.0 cm (24 in.)	34.58	39.84
3493681 length: 66.0 cm (26 in.)	35.95	41.18
3493699 length: 71.1 cm (28 in.)	38.05	43.30
3493707 length: 71.1 cm (26 in.)	39.60	44.97
3493715 length: 81.3 cm (32 in.)	41.52	46.94
5.75,15 longui. 61.5 om (52 m.)	11.52	10.77

Description	Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks	
WOOL 6-PLY			
Width: 15.2 cm (6 in.)			
3493723 length: 25.4 cm (10 in.)	11.17	16.57	
3493731 length: 30.5 cm (12 in.)	12.39	17.74	
3493749 length: 35.6 cm (14 in.)	13.74	19.16	
3493756 length: 40.6 cm (16 in.)	14.96	20.34	
3493764 length: 45.7 cm (18 in.)	16.34	21.55	
3493772 length: 50.8 cm (20 in.)	17.51	22.75	
3493780 length: 55.9 cm (22 in.)	18.89	24.11	
3493798 length: 61.0 cm (24 in.)	20.72	26.08	
3493806 length: 66.0 cm (26 in.)	22.05	27.43	
3493814 length: 71.1 cm (28 in.)	23.26	28.66	
3493822 length: 76.2 cm (30 in.)	24.47	29.85	
3493830 length: 81.3 cm (32 in.)	25.98	31.35	
Width: 17.8 cm (7 in.)			
3493848 length: 25.4 cm (10 in.)	12.26	17.63	
3493855 length: 30.5 cm (12 in.)	13.47	18.80	
3493863 length: 35.6 cm (14 in.)	15.28	20.47	
3493871 length: 40.6 cm (16 in.)	16.78	22.14	
3493889 length: 45.7 cm (18 in.)	18.89	24.11	
3493897 length: 50.8 cm (20 in.)	20.52	25.93	
3493905 length: 55.9 cm (22 in.)	22.05	27.43	
3493913 length: 61.0 cm (24 in.)	23.58	28.79	
3493921 length: 66.0 cm (26 in.)	25.40	30.62	
3493939 length: 71.1 cm (28 in.)	26.46	31.80	
3493947 length: 76.2 cm (30 in.)	27.93	33.33	
3493954 length: 81.3 cm (32 in.)	29.78	35.16	
Width: 20.3 cm (8 in.)			
3493962 length: 25.4 cm (10 in.)	14.05	19.27	
3493970 length: 30.5 cm (12 in.)	15.70	20.94	
3493988 length: 35.6 cm (14 in.)	17.34	22.75	
3493996 length: 40.6 cm (16 in.)	19.20	24.57	
3494002 length: 45.7 cm (18 in.)	20.72	26.08	
3494010 length: 50.8 cm (20 in.)	22.54	27.74	
3494028 length: 55.9 cm (22 in.)	24.18	29.55	
3494036 length: 61.0 cm (24 in.)	25.98	31.35	
3494044 length: 66.0 cm (26 in.)	27.78	33.17	
3494051 length: 71.1 cm (28 in.)	29.78	35.16	
3494069 length: 76.2 cm (30 in.)	31.30	36.64	
3494077 length: 81.3 cm (32 in.)	32.94	38.29	
- , , ,			

Width: 22.9 cm (9 in.)		
3494085 length: 25.4 cm (10 in.)	15.88	21.24
3494093 length: 30.5 cm (12 in.)	17.84	23.21
3494101 length: 35.6 cm (14 in.)	19.80	25.18
3494119 length: 40.6 cm (16 in.)	21.44	26.84
3494127 length: 45.7 cm (18 in.)	23.58	28.93
3494135 length: 50.8 cm (20 in.)	25.40	30.74
3494143 length: 55.9 cm (22 in.)	27.19	32.55
3494150 length: 61.0 cm (24 in.)	29.00	34.22
3494168 length: 66.0 cm (26 in.)	30.98	36.18
3494176 length: 71.1 cm (28 in.)	32.94	38.29
3494184 length: 76.2 cm (30 in.)	34.43	39.84
3494192 length: 81.3 cm (32 in.)	36.41	41.67
0 17 137 2 1118 (110 1111 (110 1111)	• • • • • • • • • • • • • • • • • • • •	
Width: 25.4 cm (10 in.)		
3494200 length: 25.4 cm (10 in.)	17.84	23.21
3494218 length: 30.5 cm (12 in.)	19.48	24.87
3494226 length: 35.6 cm (14 in.)	21.75	27.14
3494234 length: 40.6 cm (16 in.)	23.58	28.93
3494242 length: 45.7 cm (18 in.)	25.54	30.93
3494259 length: 50.8 cm (20 in.)	27.78	33.17
3494267 length: 55.9 cm (22 in.)	29.78	35.16
3494275 length: 61.0 cm (24 in.)	31.72	37.11
3494283 length: 66.0 cm (26 in.)	33.53	38.77
3494291 length: 71.1 cm (28 in.)	35.66	41.01
3494309 length: 76.2 cm (30 in.)	37.47	42.83
3494317 length: 81.3 cm (32 in.)	39.60	44.79
Width: 30.5 cm (12 in.)		
3494325 length: 25.4 cm (10 in.)	23.86	29.25
3494333 length: 30.5 cm (12 in.)	25.66	31.07
3494341 length: 35.6 cm (14 in.)	27.93	33.33
3494358 length: 40.6 cm (16 in.)	29.78	35.16
3494366 length: 45.7 cm (18 in.)	31.88	37.25
3494374 length: 50.8 cm (20 in.)	33.98	39.22
3494382 length: 55.9 cm (22 in.)	35.95	41.18
3494390 length: 61.0 cm (24 in.)	38.05	43.30
3494408 length: 66.0 cm (26 in.)	39.47	44.79
3494416 length: 71.1 cm (28 in.)	41.67	47.06
3494424 length: 76.2 cm (30 in.)	43.67	48.90
3494432 length: 81.3 cm (32 in.)	45.63	51.00

Description	Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks	
WOOL AND NYLON 2-3-5 PLY			
Width: 15.2 cm (6 in.)			
3494440 length: 25.4 cm (10 in.)	14.20	19.54	
3494457 length: 30.5 cm (12 in.)	14.20	19.54	
3494465 length: 35.6 cm (14 in.)	16.34	21.55	
3494473 length: 40.6 cm (16 in.)	16.34	21.55	
3494481 length: 45.7 cm (18 in.)	16.34	21.55	
3494499 length: 50.8 cm (20 in.)	18.59	23.81	
3494507 length: 55.9 cm (22 in.)	18.59	23.81	
Width: 17.8 cm (7 in.)			
3494515 length: 25.4 cm (10 in.)	14.20	19.54	
3494523 length: 30.5 cm (12 in.)	14.20		
3494531 length: 35.6 cm (14 in.)	16.34	21.55	
3494549 length: 40.6 cm (16 in.)	16.34	21.55	
3494556 length: 45.7 cm (18 in.)	16.34	21.55	
3494564 length: 50.8 cm (20 in.)	18.59	23.81	
3494572 length: 55.9 cm (22 in.)	18.59	23.81	
3494580 length: 61.0 cm (24 in.)	18.59	23.81	
Width: 20.3 cm (8 in.)			
3494598 length: 25.4 cm (10 in.)	16.34	21.55	
3494606 length: 30.5 cm (12 in.)	16.34	21.55	
3494614 length: 35.6 cm (14 in.)	16.34	21.55	
3494622 length: 40.6 cm (16 in.)	18.59	23.81	
3494630 length: 45.7 cm (18 in.)	18.59	23.81	
3494648 length: 50.8 cm (20 in.)	18.59	23.81	
3494655 length: 55.9 cm (22 in.)	21.31	26.52	
3494663 length: 61.0 cm (24 in.)	21.31	26.52	
3494671 length: 66.0 cm (26 in.)	21.31	26.52	
3494689 length: 71.1 cm (28 in.)	21.31	26.52	
Width: 22.9 cm (9 in.)			
3494697 length: 25.4 cm (10 in.)	16.34		
3494705 length: 30.5 cm (12 in.)	16.34		
3494713 length: 35.6 cm (14 in.)	18.59		
3494721 length: 40.6 cm (16 in.)	18.59		
3494739 length: 45.7 cm (18 in.)	18.59	23.81	
3494747 length: 50.8 cm (20 in.)	21.31	26.52	
3494754 length: 55.9 cm (22 in.)	21.31	26.52	
3494762 length: 61.0 cm (24 in.)	21.31	26.52	
3494770 length: 66.0 cm (26 in.)	21.31	26.52	
3494788 length: 71.1 cm (28 in.)	21.31	26.52	
3494796 length: 101.6 cm (40 in.) 3494804 length: 106.7 cm (42 in.)	16.34 16.34	21.55 21.55	
5474004 ICIIgui. 100./ CIII (42 III.)	10.34	21.33	

			(authentic version)
3494812 length: 111.8 cm (44 in.)	18.59	23.81	
3494820 length: 116.8 cm (46 in.)	18.59		
3494838 length: 121.9 cm (48 in.)	18.59		
3494846 length: 127.0 cm (50 in.)	21.31		
3494853 length: 132.1 cm (52 in.)	21.31		
Width: 25.4 cm (10 in.)			
•	1624	01.55	
3494861 length: 25.4 cm (10 in.)	16.34		
3494879 length: 30.5 cm (12 in.)	18.59		
3494887 length: 35.6 cm (14 in.)	18.59		
3494895 length: 40.6 cm (16 in.)	18.59		
3494903 length: 45.7 cm (18 in.)	21.31		
3494911 length: 50.8 cm (20 in.)	21.31	26.52	
3494929 length: 55.9 cm (22 in.)	21.31		
3494937 length: 61.0 cm (24 in.)	21.31		
3494945 length: 66.0 cm (26 in.)	23.40		
3494952 length: 101.6 cm (40 in.)	16.34		
3494960 length: 106.7 cm (42 in.)	16.34		
3494978 length: 111.8 cm (44 in.)	18.59		
3494986 length: 116.8 cm (46 in.)	18.59		
3494994 length: 121.9 cm (48 in.)	21.31		
3495009 length: 127.0 cm (50 in.)	21.31	26.52	
3495017 length: 132.1 cm (52 in.)	21.31	26.52	
Width: 30.5 cm (12 in.)			
3495025 length: 25.4 cm (10 in.)	18.59	23.81	
3495033 length: 30.5 cm (12 in.)	21.31	26.52	
3495041 length: 35.6 cm (14 in.)	21.31	26.52	
3495058 length: 40.6 cm (16 in.)	21.31	26.52	
3495066 length: 45.7 cm (18 in.)	21.31	26.52	
3495074 length: 50.8 cm (20 in.)	21.31	26.52	
	Maximum price	Maximum price	
Description	Purchase or	at the time of	
1	replacement of	replacement of	
WOOL AND NIVLON (DLV	prosthesis	socks	
WOOL AND NYLON 6-PLY			
Width: 15.2 cm (6 in.)			
3495082 length: 30.5 cm (12 in.)	15.70		
3495090 length: 35.6 cm (14 in.)	17.51		
3495108 length: 40.6 cm (16 in.)	17.51	22.91	
3495116 length: 45.7 cm (18 in.)	17.51		
3495124 length: 50.8 cm (20 in.)	19.80		
3495132 length: 55.9 cm (22 in.)	19.80	25.18	
Width: 17.8 cm (7 in.)			
3495140 length: 25.4 cm (10 in.)	17.51	22.91	
3495157 length: 30.5 cm (12 in.)	15.70	20.94	
3495165 length: 35.6 cm (14 in.)	17.51	22.91	
3495173 length: 40.6 cm (16 in.)	17.51	22.91	
t is the rengin toro on (10 mil)	17.51	22.71	

SCHEDULE 1	Tariff for devices which compensate for	a motor deficiency	and insured related services
SCHEDOLL 1	Turri for devices which compensate for	a motor deficiency	(authentic version)
3495181 length: 45.7 cm (18 in.)	17.51	22.91	
3495199 length: 50.8 cm (20 in.)	19.80	25.18	
3495207 length: 55.9 cm (22 in.)	19.80	25.18	
Width: 20.3 cm (8 in.)			
3495215 length: 25.4 cm (10 in.)	17.51	22.91	
3495223 length: 30.5 cm (12 in.)	17.51	22.91	
3495231 length: 35.6 cm (14 in.)	17.51	22.91	
3495249 length: 40.6 cm (16 in.)	19.80	25.18	
3495256 length: 45.7 cm (18 in.)	19.80	25.18	
3495264 length: 50.8 cm (20 in.)	19.80	25.18	
3495272 length: 55.9 cm (22 in.)	22.96	28.19	
3495280 length: 61.0 cm (24 in.)	22.96	28.19	
Width: 22.9 cm (9 in.)			
3495298 length: 30.5 cm (12 in.)	17.51	22.91	
3495306 length: 35.6 cm (14 in.)	19.80	25.18	
3495314 length: 40.6 cm (16 in.)	19.80	25.18	
3495322 length: 45.7 cm (18 in.)	19.80	25.18	
3495330 length: 50.8 cm (20 in.)	22.96	28.19	
3495348 length: 55.9 cm (22 in.)	22.96	28.19	
3495355 length: 61.0 cm (24 in.)	22.96	28.19	
Description	Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks	
ULTRA WOOL 3-5 PLY	,		
Width: 15.2 cm (6 in.)			
3495363 length: 25.4 cm (10 in.)	15.70	20.94	
3495371 length: 30.5 cm (12 in.)	15.70	20.94	
3495389 length: 35.6 cm (14 in.)	17.99	23.21	
3495397 length: 40.6 cm (16 in.)	17.99	23.21	
3495405 length: 45.7 cm (18 in.)	17.99	23.21	
3495413 length: 50.8 cm (20 in.)	20.39	25.80	
24054211 1 550			

3495421 length: 55.9 cm (22 in.) 25.80 20.39 3495439 length: 61.0 cm (24 in.) 20.39 25.80 Width: 17.8 cm (7 in.) 3495447 length: 25.4 cm (10 in.) 20.94 15.70 3495454 length: 30.5 cm (12 in.) 15.70 20.94 3495462 length: 35.6 cm (14 in.) 17.99 23.21 3495470 length: 40.6 cm (16 in.) 23.21 17.99 3495488 length: 45.7 cm (18 in.) 17.99 23.21

3495496 length: 50.8 cm (20 in.)

3495504 length: 55.9 cm (22 in.)

3495512 length: 61.0 cm (24 in.)

Updated: July 13, 2020 72

25.80

25.80

25.80

20.39

20.39

20.39

			•	
Width: 20.3 cm (8 in.)				
3495520 length: 25.4 cm (10 in.)	17.99	23.21		
3495538 length: 30.5 cm (12 in.)	17.99	23.21		
3495546 length: 35.6 cm (14 in.)	17.99	23.21		
3495553 length: 40.6 cm (16 in.)	20.39	25.80		
3495561 length: 45.7 cm (18 in.)	20.39	25.80		
3495579 length: 50.8 cm (20 in.)	20.39	25.80		
3495587 length: 55.9 cm (22 in.)	23.58	28.93		
3495595 length: 61.0 cm (24 in.)	23.58	28.93		
Width: 22.9 cm (9 in.)				
3495603 length: 25.4 cm (10 in.)	17.99	23.21		
3495611 length: 30.5 cm (12 in.)	17.99	23.21		
3495629 length: 35.6 cm (14 in.)	20.39	25.80		
3495637 length: 40.6 cm (16 in.)	20.39	25.80		
3495645 length: 45.7 cm (18 in.)	20.39	25.80		
3495652 length: 50.8 cm (20 in.)	23.58	28.93		
3495660 length: 55.9 cm (22 in.)	23.58	28.93		
3495678 length: 61.0 cm (24 in.)	23.58	28.93		
Width: 25.4 cm (10 in.)				
3495686 length: 25.4 cm (10 in.)	17.99	23.21		
3495694 length: 30.5 cm (12 in.)	20.39	25.80		
3495702 length: 35.6 cm (14 in.)	20.39	25.80		
3495710 length: 40.6 cm (16 in.)	20.39	25.80		
3495728 length: 45.7 cm (18 in.)	23.58	28.93		
3495736 length: 50.8 cm (20 in.)	23.58	28.93		
3495744 length: 55.9 cm (22 in.)	23.58	28.93		
3495751 length: 61.0 cm (24 in.)	23.58	28.93		
Width: 30.5 cm (12 in.)				
3495769 length: 25.4 cm (10 in.)	20.39	25.80		
3495777 length: 30.5 cm (12 in.)	23.58	26.06		
3495785 length: 35.6 cm (14 in.)	23.58	28.93		
3495793 length: 40.6 cm (16 in.)	23.58	28.93		
Description	Maximum price Purchase or replacement of	Maximum price at the time of replacement of		
	prosthesis	socks		
WOOL AND LYCRA				
Extra narrow short				
3495801 Extra light	14.20	19.54		
3493801 Extra right 3495819 Light	15.14	20.47		
3495827 Thick	16.02	21.40		
3495835 Very thick	17.08	22.30		
5 175 055 For Julion	17.00	22.50		

	Narrow short			
2/058/12	Extra light	15.14	20.47	
3495850		16.02	21.40	
3495868		17.08	22.30	
	Very thick	17.99	23.21	
3473070	•	17.55	23.21	
	Narrow long or wide short			
3495884	Extra light	17.51	22.75	
3495892	Light	18.43	23.81	
3495900	Thick	19.35	24.73	
3495918	Very thick	20.26	25.60	
	Wide long			
3495926	Extra light	20.26	25.60	
3495934	_	21.31	26.52	
3495942	•	22.22	27.43	
	Very thick	23.58	28.93	
			Maximum price	
	Description	Purchase or	at the time of	
	<i>D</i> esemption	replacement of	replacement of	
		prosthesis	socks	
	COTTON 3 – 5 PLY			
	Width: 15.2 cm (6 in.)			
3495967				
2405075	length: 25.4 cm (10 in.)	7.73	13.08	
<i>5</i> 4939/3	length: 25.4 cm (10 in.) length: 30.5 cm (12 in.)	7.73 8.64	13.08 14.00	
	=			
3495983 3495991	length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.)	8.64 9.53 10.44	14.00 14.87 15.81	
3495983 3495991 3496007	length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.)	8.64 9.53 10.44 11.17	14.00 14.87 15.81 16.57	
3495983 3495991 3496007 3496015	length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.)	8.64 9.53 10.44 11.17 12.07	14.00 14.87 15.81 16.57 17.48	
3495983 3495991 3496007 3496015 3496023	length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.)	8.64 9.53 10.44 11.17 12.07 13.00	14.00 14.87 15.81 16.57 17.48 18.36	
3495983 3495991 3496007 3496015 3496023 3496031	length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.)	8.64 9.53 10.44 11.17 12.07 13.00 14.37	14.00 14.87 15.81 16.57 17.48 18.36 19.54	
3495983 3495991 3496007 3496015 3496023 3496031 3496049	length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.) length: 66.0 cm (26 in.)	8.64 9.53 10.44 11.17 12.07 13.00 14.37 15.28	14.00 14.87 15.81 16.57 17.48 18.36 19.54 20.64	
3495983 3495991 3496007 3496015 3496023 3496031 3496049	length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.)	8.64 9.53 10.44 11.17 12.07 13.00 14.37	14.00 14.87 15.81 16.57 17.48 18.36 19.54	
3495983 3495991 3496007 3496015 3496023 3496031 3496049	length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.) length: 66.0 cm (26 in.)	8.64 9.53 10.44 11.17 12.07 13.00 14.37 15.28	14.00 14.87 15.81 16.57 17.48 18.36 19.54 20.64	
3495983 3495991 3496007 3496015 3496023 3496031 3496049 3496056	length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.) length: 66.0 cm (26 in.) length: 71.1 cm (28 in.)	8.64 9.53 10.44 11.17 12.07 13.00 14.37 15.28	14.00 14.87 15.81 16.57 17.48 18.36 19.54 20.64	
3495983 3495991 3496007 3496015 3496023 3496031 3496049 3496056	length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.) length: 71.1 cm (28 in.) Width: 17.8 cm (7 in.)	8.64 9.53 10.44 11.17 12.07 13.00 14.37 15.28 16.16	14.00 14.87 15.81 16.57 17.48 18.36 19.54 20.64 21.55	
3495983 3495991 3496007 3496015 3496023 3496031 3496049 3496056	length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.) length: 66.0 cm (26 in.) length: 71.1 cm (28 in.) Width: 17.8 cm (7 in.)	8.64 9.53 10.44 11.17 12.07 13.00 14.37 15.28 16.16	14.00 14.87 15.81 16.57 17.48 18.36 19.54 20.64 21.55	
3495983 3495991 3496007 3496015 3496023 3496031 3496049 3496056 3496064 3496072 3496080	length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.) length: 66.0 cm (26 in.) length: 71.1 cm (28 in.) Width: 17.8 cm (7 in.) length: 25.4 cm (10 in.) length: 30.5 cm (12 in.)	8.64 9.53 10.44 11.17 12.07 13.00 14.37 15.28 16.16	14.00 14.87 15.81 16.57 17.48 18.36 19.54 20.64 21.55	
3495983 3495991 3496007 3496015 3496023 3496031 3496049 3496056 3496064 3496072 3496080 3496098	length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.) length: 66.0 cm (26 in.) length: 71.1 cm (28 in.) Width: 17.8 cm (7 in.) length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.)	8.64 9.53 10.44 11.17 12.07 13.00 14.37 15.28 16.16 8.44 9.38 10.44	14.00 14.87 15.81 16.57 17.48 18.36 19.54 20.64 21.55	
3495983 3495991 3496007 3496015 3496023 3496031 3496049 3496056 3496064 3496072 3496080 3496098 3496106	length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.) length: 71.1 cm (28 in.) Width: 17.8 cm (7 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.)	8.64 9.53 10.44 11.17 12.07 13.00 14.37 15.28 16.16 8.44 9.38 10.44 11.66	14.00 14.87 15.81 16.57 17.48 18.36 19.54 20.64 21.55	
3495983 3495991 3496007 3496015 3496023 3496031 3496049 3496056 3496064 3496072 3496080 3496098 3496106 3496114	length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.) length: 66.0 cm (26 in.) length: 71.1 cm (28 in.) Width: 17.8 cm (7 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.)	8.64 9.53 10.44 11.17 12.07 13.00 14.37 15.28 16.16 8.44 9.38 10.44 11.66 13.00	14.00 14.87 15.81 16.57 17.48 18.36 19.54 20.64 21.55	
3495983 3495991 3496007 3496015 3496023 3496031 3496049 3496056 3496064 3496072 3496080 3496098 3496106 3496114 3496122	length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.) length: 66.0 cm (26 in.) length: 71.1 cm (28 in.) Width: 17.8 cm (7 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.)	8.64 9.53 10.44 11.17 12.07 13.00 14.37 15.28 16.16 8.44 9.38 10.44 11.66 13.00 14.20	14.00 14.87 15.81 16.57 17.48 18.36 19.54 20.64 21.55	
3495983 3495991 3496007 3496015 3496023 3496031 3496049 3496056 3496064 3496072 3496080 3496080 3496114 3496114 3496122 3496130	length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.) length: 66.0 cm (26 in.) length: 71.1 cm (28 in.) Width: 17.8 cm (7 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.)	8.64 9.53 10.44 11.17 12.07 13.00 14.37 15.28 16.16 8.44 9.38 10.44 11.66 13.00 14.20 15.28	14.00 14.87 15.81 16.57 17.48 18.36 19.54 20.64 21.55 13.68 14.59 15.81 16.84 18.36 19.54 20.47	
3495983 3495991 3496007 3496015 3496023 3496031 3496049 3496056 3496064 3496072 3496080 3496098 3496106 3496114 3496122 3496130 3496148	length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.) length: 66.0 cm (26 in.) length: 71.1 cm (28 in.) Width: 17.8 cm (7 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 55.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.)	8.64 9.53 10.44 11.17 12.07 13.00 14.37 15.28 16.16 8.44 9.38 10.44 11.66 13.00 14.20 15.28 16.34	14.00 14.87 15.81 16.57 17.48 18.36 19.54 20.64 21.55 13.68 14.59 15.81 16.84 18.36 19.54 20.47 21.55	

Width: 20.3 cm (8 in.)		
3496163 length: 25.4 cm (10 in.)	9.81	15.05
3496171 length: 30.5 cm (12 in.)	10.74	16.10
3496189 length: 35.6 cm (14 in.)	12.07	17.33
3496197 length: 40.6 cm (16 in.)	13.15	18.56
3496205 length: 45.7 cm (18 in.)	14.37	19.54
3496213 length: 50.8 cm (20 in.)	15.42	20.79
3496221 length: 55.9 cm (22 in.)	16.78	21.99
3496239 length: 61.0 cm (24 in.)	17.99	23.36
3496247 length: 66.0 cm (26 in.)	19.20	24.57
3496254 length: 71.1 cm (28 in.)	20.72	25.93
Width: 22.9 cm (9 in.)		
3496262 length: 25.4 cm (10 in.)	11.03	16.41
3496270 length: 30.5 cm (12 in.)	12.26	17.63
3496288 length: 35.6 cm (14 in.)	13.60	18.98
3496296 length: 40.6 cm (16 in.)	14.78	20.16
3496304 length: 45.7 cm (18 in.)	16.34	21.68
3496312 length: 50.8 cm (20 in.)	17.51	22.91
3496320 length: 55.9 cm (22 in.)	18.89	24.11
3496338 length: 61.0 cm (24 in.)	19.93	25.30
3496346 length: 66.0 cm (26 in.)	21.31	26.67
3496353 length: 71.1 cm (28 in.)	22.81	28.19
Width: 25.4 cm (10 in.)		
3496361 length: 25.4 cm (10 in.)	12.26	17.63
3496379 length: 30.5 cm (12 in.)	13.47	18.80
3496387 length: 35.6 cm (14 in.)	15.14	20.47
3496395 length: 40.6 cm (16 in.)	16.34	21.68
3496403 length: 45.7 cm (18 in.)	17.70	22.91
3496411 length: 50.8 cm (20 in.)	19.20	24.57
3496429 length: 55.9 cm (22 in.)	20.52	25.93
3496437 length: 61.0 cm (24 in.)	21.91	27.27
3496445 length: 66.0 cm (26 in.)	23.11	28.32
3496452 length: 71.1 cm (28 in.)	24.47	29.85
Width: 30.5 cm (12 in.)		
3496460 length: 25.4 cm (10 in.)	16.60	21.85
3496478 length: 30.5 cm (12 in.)	17.70	23.06
3496486 length: 35.6 cm (14 in.)	19.35	24.73
3496494 length: 40.6 cm (16 in.)	20.72	25.93
3496502 length: 45.7 cm (18 in.)	22.05	27.27
3496510 length: 50.8 cm (20 in.)	23.40	28.79
3496528 length: 55.9 cm (22 in.)	24.77	30.13
3496536 length: 61.0 cm (24 in.)	26.27	31.52
3496544 length: 66.0 cm (26 in.)	27.35	32.73
3496551 length: 71.1 cm (28 in.)	28.71	34.07

Description	Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks	
WOOL 5-PLY			
3496569 length: 30.5 cm (12 in.) 3496577 length: 33.0 cm (13 in.) 3496585 length: 35.6 cm (14 in.) 3496593 length: 38.1 cm (15 in.) 3496601 length: 40.6 cm (16 in.) 3496619 length: 45.7 cm (18 in.)	9.81 10.28 10.44 11.17 11.48 12.26		
Description	Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks	
WOOL 3-5 PLY			
Width (max.): 15.2 cm (6 in.)			
3496627 width (min.): 7.6, 8.9, 10.2 cm (3, 3½, 4 in.) length: 20.3 cm (8 in.)	9.97	15.35	
3496635 width (min.): 7.6 cm (3 in.) length: 25.4 cm (10 in.)	9.97	15.35	
3496643 width (min.): 8.9 cm (3½ in.) length: 25.4 cm (10 in.)	10.28	15.52	
3496650 width (min.): 10.2 cm (4 in.) length: 25.4 cm (10 in.)	10.58	15.93	
3496668 width (min.): 7.6 cm (3 in.) length: 30.5 cm (12 in.)	11.03	16.41	
3496676 width (min.): 8.9 cm (3½ in.) length: 30.5 cm (12 in.)	11.17	16.57	
3496684 width (min.): 10.2 cm (4 in.) length: 30.5 cm (12 in.)	11.66	16.84	
3496692 width (min.): 7.6 cm (3 in.) length: 35.6 cm (14 in.)	12.26	17.63	
3496700 width (min.): 8.9 cm (3½ in.) length: 35.6 cm (14 in.)	12.55	17.92	
3496718 width (min.): 10.2 cm (4 in.) length: 35.6 cm (14 in.)	12.86	18.23	
3496726 width (min.): 7.6 cm (3 in.) length: 40.6 cm (16 in.)	13.27	18.67	
3496734 width (min.): 8.9 cm (3½ in.) length: 40.6 cm (16 in.)	13.60	18.80	
3496742 width (min.): 10.2 cm (4 in.) length: 40.6 cm (16 in.)	14.05	19.43	

Width (max.): 17.8 cm (7 in.)		
3496759 width (min.): 8.9, 10.2, 11.4, 12,7 cm (3½, 4, 4½, 5 in.) length: 20.3 cm (8 in.)	11.17	16.57
3496767 width (min.): 8.9 cm (3½ in.) length: 25.4 cm (10 in.)	10.58	15.93
3496775 width (min.): 10.2 cm (4 in.) length: 25.4 cm (10 in.)	11.03	16.41
3496783 width (min.): 11.4 cm (4½ in.) length: 25.4 cm (10 in.)	11.66	16.84
3496791 width (min.): 12.7 cm (5 in.) length: 25.4 cm (10 in.)	12.55	17.92
3496809 width (min.): 8.9 cm (3½ in.) length: 30.5 cm (12 in.)	11.66	16.99
3496817 width (min.): 10.2 cm (4 in.) length: 30.5 cm (12 in.)	12.26	17.63
3496825 width (min.): 11.4 cm (4½ in.) length: 30.5 cm (12 in.)	12.86	18.23
3496833 width (min.): 12.7 cm (5 in.) length: 30.5 cm (12 in.)	13.60	18.80
3496841 width (min.): 8.9 cm (3½ in.) length: 35.6 cm (14 in.)	13.60	18.80
3496858 width (min.): 10.2 cm (4 in.) length: 35.6 cm (14 in.)	13.74	19.16
3496866 width (min.): 11.4 cm (4½ in.) length: 35.6 cm (14 in.)	14.51	19.72
3496874 width (min.): 12.7 cm (5 in.) length: 35.6 cm (14 in.)	15.14	20.47
3496882 width (min.): 8.9 cm (3½ in.) length: 40.6 cm (16 in.)	14.78	20.05
3496890 width (min.): 10.2 cm (4 in.) length: 40.6 cm (16 in.)	15.28	20.64
3496908 width (min.): 11.4 cm (4½ in.) length: 40.6 cm (16 in.)	15.88	21.08
3496916 width (min.): 12.7 cm (5 in.) length: 40.6 cm (16 in.)	16.60	21.85
Width (max.): 20.3 cm (8 in.)		
3496924 width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 20.3 cm (8 in.)	12.86	18.23

3496932 width (min.): 10.2, 11.4, 12.7 cm (4, 4½, . 5 in.)

3496940 width (min.):10.2, 11.4, 12.7 cm (4, 4½, 5 in.)

3496957 width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.)

3496965 width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.)

length: 25.4 cm (10 in.)

length: 30.5 cm (12 in.)

length: 35.6 cm (14 in.)

length: 40.6 cm (16 in.)

Updated: July 13, 2020 77

12.66

14.20

15.54

17.34

18.08

19.54

20.94

22.75

DIVISION IV: LOWER-LIMB ORTHOSES SUBDIVISION 1: TIBIAL ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2140564	Tibial orthosis with unilateral upright	585.43			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Regular stirrup Ankle free joint. aluminum (1) Rigid metal cuff with leather or thermoplastic jacket, including cover				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2135507	Regular stirrup	N. C.	128.82		
2135937	Ankle free joint, aluminum	N. C.	174.19		
2135903	Rigid metal cuff with leather or thermoplastic jacket, including cover	N. C.	169.22		3
	OPTIONAL COMPONENTS				
2135523	Laminated or molded plastic stirrup, made from mold of insured person	350.14	445.22		
2135606	Single malleolar strap	109.86	153.95		
	Double malleolar strap	128.95			
	Ankle spring joint, aluminum, single	8.23			
2135911	Ankle free joint, stainless steel, single	58.94	230.49		
2135812	Ankle spring joint, stainless steel, single	79.46	251.12		
2135929	Double-action ankle spring joint, aluminum, single	35.63	207.29		
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (1/4 in.)	69.15	69.15		
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional $0.6~{\rm cm}$ (½ in.)	23.56	23.56		
	SUPPLEMENTS AVAILABLE				
3492501	Cane	10.19	10.19		
3492550	Crutches with axillary support, height-adjustable	20.38	20.38		
3492551	Crutches with forearm support, height-adjustable	56.05	56.05		
	ADJUSTMENTS AVAILABLE				
2136752	Stirrup changeover			84.32	
	Any pertinent adjustment				

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2140507	Tibial orthosis with bilateral uprights	700.29			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Regular stirrup Ankle free joints, aluminum (2) Rigid metal cuff with leather or thermoplastic jacket, including cover Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2135507	Regular stirrup Ankle free joints, aluminum	N. C.	128.82		
2135846	pair	N. C.	308.99		
2135655	-	N. A.			
2135903	Rigid metal cuff with leather or thermoplastic jacket, including cover	N. C.	169.22		
2195527	Retention straps, each	N. C.	36.98		
	OPTIONAL COMPONENTS				
2135531	Rectangular stirrup	53.82	175.58		
2135523	Laminated or molded plastic stirrup, made from mold of insured person	350.14	445.22		
2135606	Single malleolar strap	109.86	153.95		
2135614	Double malleolar strap Rectangular stirrup	128.95	174.82		
2135747	pair	16.45	292.95		
2135853	single Ankle free joints, stainless steel	N. A.	188.94		
2135861	pair	136.66	395.80		
2135671	single Ankle spring joints, stainless steel	N. A.	230.49		
2135879	pair	158.95	437.00		
2135689	•	N. A.			

Gilette ankle joints

Double-action ankle	spring joints, aluminum				
2135887 pair 2135754 single		71.25 N. A.	347.75 207.29		
_	n orthosis or shoe for limb fitted	69.15	69.15		
2125516 External build-up or	n orthosis or shoe for limb fitted additional 0.6 cm (¼ in.)	23.56	23.56		
SUPPLEMENTS A	VAILABLE				
3492501 Cane		10.19	10.19		
3492550 Crutches with axilla 3492551 Crutches with forear		20.38 56.05	20.38 56.05		
ADJUSTMENTS A	VAILABLE				
2136752 Stirrup changeover Any pertinent adjust	tment			84.32	
DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2140572 Molded plastic tibia digital mold of insur	l orthosis, made from plaster or red person	592.37			6
digital mold of insur		592.37			6
digital mold of insur BASIC COMPONE Molded plastic ante	red person INTS AND SUPPLEMENTS rior or posterior shell with rt extending under foot	592.37			6
Molded plastic ante infra-patellar suppor	red person INTS AND SUPPLEMENTS rior or posterior shell with rt extending under foot	592.37			6
Molded plastic ante infra-patellar suppor Calf and foot retention	red person ENTS AND SUPPLEMENTS rior or posterior shell with rt extending under foot on straps ND SUPPLEMENTS	592.37			6
Molded plastic ante infra-patellar suppor Calf and foot retention COMPONENTS ANAVAILABLE	red person NTS AND SUPPLEMENTS rior or posterior shell with rt extending under foot on straps ND SUPPLEMENTS	592.37 N. C.	36.98		6
Molded plastic ante infra-patellar suppor Calf and foot retentic COMPONENTS ALAVAILABLE BASIC COMPONE	red person NTS AND SUPPLEMENTS rior or posterior shell with ret extending under foot on straps ND SUPPLEMENTS NTS		36.98		6
Molded plastic ante infra-patellar suppor Calf and foot retention COMPONENTS AT AVAILABLE BASIC COMPONE 2195527 Retention straps, each OPTIONAL COMP	red person INTS AND SUPPLEMENTS rior or posterior shell with rt extending under foot on straps ND SUPPLEMENTS INTS Ch ONENTS In orthosis or shoe for limb fitted		36.98 69.15		6
Molded plastic anterinfra-patellar suppor Calf and foot retention COMPONENTS AND AVAILABLE BASIC COMPONENTS AND AVAILABLE 2125516 External build-up on with orthosis, first 0 2125516 External build-up on available and availa	red person INTS AND SUPPLEMENTS rior or posterior shell with rt extending under foot on straps ND SUPPLEMENTS INTS Ch ONENTS In orthosis or shoe for limb fitted	N. C.			6

Tariff for devices which compensate for	r a motor	deficiency	and insured	related	services
			(au	thentic	version)

			(authentic version)
2155646 pair	164.89	143.74	
2155893 single	N. A.	91.08	
Oklahoma ankle joints			
2155653 pair	158.10	136.96	
2155901 single	N. A.	88.58	
Wafer ankle joints			
2155661 pair	177.20	156.09	
2155919 single	N. A.	98.11	
Tamarak ankle joints			
2155679 pair	171.78	150.63	
2155927 single	N. A.	95.40	
Gaffney ankle joints			
2155687 pair	185.70	162.85	
2155935 single	N. A.	100.63	
2195584 Full thermoformable foam lining for night orthosis	84.58	138.29	
SUPPLEMENTS AVAILABLE			
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	
ADJUSTMENT AVAILABLE			
Any pertinent adjustment			

Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Purchase or replacement of	replacement of component or	Purchase or Replacement of replacement of component or price

2140580 Molded plastic tibial orthosis, prefabricated

SCHEDULE 1

234.94

6

BASIC COMPONENTS AND SUPPLEMENTS

Rigid molded plastic posterior shell, one-piece, including calf and extending under foot, prefabricated or rigid spiral band
Calf and foot retention straps

NOTICE: This orthosis has neither a hinge, nor an upright, nor a rigid lateral band, and cannot be inserted into a conventional shoe. Therefore, it is not a walking boot.

COMPONENTS AND SUPPLEMENTS AVAILABLE

Updated: July 13, 2020

BASIC COMPONENTS

N. C.	36.98		1
ed 69.15	69.15		
ed 23.56	23.56		
s 84.58	138.29		
10 19	10 19		
Maximum price	Maximum price	Maximum	
Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
Purchase or replacement of	Replacement of component or supplement	adjustement	
Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
Purchase or replacement of device 2,495.16	Replacement of component or supplement	adjustement	(months)
Purchase or replacement of device	Replacement of component or supplement 322.38	adjustement	(months)
Purchase or replacement of device 2,495.16 N. C.	Replacement of component or supplement 322.38 N. A.	adjustement	(months)
	ed 69.15 ed 23.56 s 84.58	ed 69.15 69.15 ed 23.56 23.56 s 84.58 138.29 10.19 10.19 20.38 20.38	ed 69.15 69.15 ed 23.56 23.56 s 84.58 138.29 10.19 10.19 20.38 20.38

2155695 pair	274.54	360.75
2155943 single	N. A.	231.03
Knee joints with ring lock (Becker 1002-B4)		
2155604 pair	367.83	454.11
2155950 single	N. A.	278.53
Knee joints with lock, Swiss-type (Becker 1003-B4)		
2155703 pair	447.77	550.88
2155968 single	N. A.	323.40
Polycentric knee joints (USMC-0225-10)		
2155638 pair	348.92	434.86
2155976 single	N. A.	238.92
Polycentric knee joints, for child (Becker 1006-C8)		
2155711 pair	489.76	576.00
2155984 single	N. A.	310.78
Eccentric uniaxial knee free joints (Becker 1008-B4)		
2155562 pair	414.34	500.63
2155992 single	N. A.	302.11
Eccentric uniaxial ring knee joints (Becker 1012-B4)		
2155729 pair	432.24	518.50
2156016 single	N. A.	308.04
2155745 Thigh lacer with two metal bands with femoral leather jacket	224.45	285.66
2155737 Complete or full leather thigh lacer, without	147.86	402.00
ischiatic support		
2155752 Complete or full leather thigh lacer, with leather ischiatic support	302.08	566.53
2155760 Molded plastic femoral shell without ischiatic	300.20	386.39
support		
2155778 Molded plastic femoral shell with molded plastic ischiatic support	383.44	506.01
2175610 Pelvic belt and metal band	294.13	317.17
2175511 Pelvic belt (leather)	N. A.	228.33
2175578 Replacement of pelvic belt metal band	N. A.	178.82
2175594 Hip joint (metal part), all types	307.24	353.06
3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

Updated : July 13, 2020

SUBDIVISION 2: TIBIOFEMORAL ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Molded plastic non-articulated tibiofemoral orthosis, made from plaster or digital mold of insured person	812.98			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Molded plastic splint, thigh, knee and leg Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2195527	Retention straps, each	N. C.	36.98		
	OPTIONAL COMPONENTS				
2195550	Abduction rod	130.48	153.56		
	Knee cap and straps	108.15			
	External build-up on shoe for limb fitted with orthosis, for the first 0.6 cm (1/4 in.)	69.15	69.15		
2125532	External build-up on shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	23.56	23.56		
	SUPPLEMENTS AVAILABLE				
3492501		10.19			
	Crutches with axillary support, height-adjustable	20.38			
3492551	Crutches with forearm support, height-adjustable	56.05	56.05		
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2150548	Tibiofemoral orthosis with joint(s), prefabricated	809.69			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	One or two knee(s) free(s) joint(s) Femoral and tibial rigid cuffs				

tranc
traps

COMPONENTS AND SUPPLEMENTS

AVAILABLE

DASIC COMPONENTS	BASIC	COMPONENTS
------------------	-------	------------

2195527 Retention straps, each	N. C.	36.98
OPTIONAL COMPONENTS		
2125524 Evitamal havild are an aboa for limb fitted with	60.15	(0.15

2125524 External build-up on shoe for limb fitted with orthosis, for the first 0.6 cm (¼ in.)

2125532 External build-up on shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)

23.56

23.56

SUPPLEMENTS AVAILABLE

3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2150555	Tibiofemoral anti-recurvatum knee orthosis, Swedish-type, prefabricated	396.70)		6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Metal structure Rigid cuffs Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2195527	Retention straps, each OPTIONAL COMPONENTS	N. C	. 36.98		
2125524	External build-up on shoe for limb fitted with orthosis, for the first 0.6 cm (1/4 in.)	69.15	69.15		
2125532	External build-up on shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	23.56	23.56		

Updated: July 13, 2020

SUPPLEMENTS AVAILABLE

3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2150605	Dynamic knee orthosis, made from plaster or digital mold of insured person	1,192.22			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Plastic or metal femoral and tibial rigid cuffs				
	One or two polycentric(s) knee(s) free joint(s), aluminum (USMC F08-200-1000)				
	Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Polycentric knee free joints, aluminum (USMC F08-200-1000)				
2155786	pair	N. C.	327.99		
2155471	single	N. A.	211.94		
2195527	Retention straps, each	N. C.	36.98		
	OPTIONAL COMPONENTS				
	Polycentric knee free joints, steel (USMC F08-220-1000)				
2155836	pair	45.22	374.73		
2155463	=	N. A.	235.31		
	Polycentric knee joints with lock, aluminum (USMC F08-200-4000)				
2155794	_	38.37	366.39		
2155455	single Polycentric knee joints with lock, steel (USMC F08-220-4000)	N. A.	231.15		
2155844	pair	90.46	418.47		
2155448	single Variable amplitude knee joints, aluminum (USMC F08-200-1001)	N. A.	257.20		

Updated : July 13, 2020

SCHE	DULE 1 Tariff for devices wh	nich compensate for	a motor deficiency		ated services entic version)
2155851	nair	N. C.	327.99		
2155430	=	N. A.			
_100 100	Variable amplitude knee joints, steel (USMC F08-200-1001)	1.1.2	2119		
2155869		45.22	374.73		
2155422	•	N. A.	235.31		
	Knee cap and straps	108.15	152.22		
2125524	External build-up on shoe for limb fitted with orthosis, for the first 0.6 cm (1/4 in.)	69.15	69.15		
2125532	External build-up on shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	23.56	23.56		
	SUPPLEMENTS AVAILABLE				
3492501	Cane	10.19	10.19		
	Crutches with axillary support, height-adjustable	20.38	20.38		
3492551	Crutches with forearm support, height-adjustable	56.05	56.05		
	ADJUSTMENT AVAILABLE None				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guaranted (months)
2150597	Adjustable knee orthosis designed to limit flexion and extension movements (Donjoy, Generation II), prefabricated	421.78			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Rigid plastic cuffs, with foam Metal knee joints with ratchet Retention straps				
	COMPONENTS AND SUPPLEMENTS				
	AVAILABLE				
2195527	AVAILABLE	N. C.	36.98		
	AVAILABLE BASIC COMPONENTS Retention straps, each SUPPLEMENTS AVAILABLE				
3492501	AVAILABLE BASIC COMPONENTS Retention straps, each SUPPLEMENTS AVAILABLE Cane	10.19	10.19		
3492501	AVAILABLE BASIC COMPONENTS Retention straps, each SUPPLEMENTS AVAILABLE		10.19		
3492501 3492550	AVAILABLE BASIC COMPONENTS Retention straps, each SUPPLEMENTS AVAILABLE Cane	10.19	10.19 20.38		

----- Any pertinent adjustment

SUBDIVISION 3: FEMORAL ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2160505	Articulated femoral orthosis with rigid metal femoral and tibial cuffs	1,540.43			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Regular stirrup Ankle free joints, aluminum (2) Knee free joints, aluminum (2) (Becker S-2005-B4) Thigh lacer with two rigid metal bands and leather femoral jacket and metal cuff with leather or thermoplastic tibial jacket Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Regular stirrup Rigid metal cuff with leather or thermoplastic tibial jacket Ankle free joints, aluminum	N. C. N. C.			
2135846		N. C.	308.99		
2135655	•	N. A.			
2155513	pair	N. C.	360.75		
2155414		N. A.	228.34		
2195501	Thigh lacer with two rigid metal bands and leather femoral jacket	N. C.	285.66		
2195527	Retention straps, each	N. C.	36.98		
	OPTIONAL COMPONENTS				
2135531	Rectangular stirrup	53.82	175.58		
	Laminated or molded plastic stirrup, made from mold of insured person	350.14			
2135606	Single malleolar strap	109.86	153.95		
2135614	Double malleolar strap	128.95	174.82		
2135705	Knee cap and straps	108.15	152.22		

Ankle spring joints, aluminum		
2135747 pair	16.45	292.95
2135853 single	N. A.	188.94
Double-action ankle spring joints, aluminum		
2135887 pair	71.25	347.75
2135754 single	N. A.	207.29
Knee joints with ring lock (Becker 1002-B4)		
2155521 pair	91.80	454.11
2155406 single	N. A.	309.92
Knee joints with lock, Swiss-type (Becker 1003-B4)		
2155547 pair	228.86	550.88
2155398 single	N. A.	323.40
Polycentric knee joints (USMC-0225-10)		
2155554 pair	72.62	434.86
2155380 single	N. A.	230.71
Polycentric knee joints, for child (Becker 1006-C8)		
2155877 pair	215.13	576.00
2155372 single	N. A.	300.50
Eccentric uniaxial knee free joints (Becker 1008-B4)		
2155588 pair	139.74	500.63
2155364 single	N. A.	341.14
Eccentric uniaxial ring knee joints (Becker 1012-B4)		
2155885 pair	156.20	518.50
2155356 single	N. A.	312.03
2155737 Complete or full leather thigh lacer, without ischiatic support	147.86	402.00
2155752 Complete or full leather thigh lacer, with leather ischiatic support	302.08	566.53
2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (1/4 in.)	69.15	69.15
2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	23.56	23.56
SUPPLEMENTS AVAILABLE		
2402501 Comp	10.10	10.10
3492501 Cane 3492550 Crutches with avillary support, height adjustable	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05

ADJUSTMENTS AVAILABLE

2136752 Stirrup changeover

84.32

----- Any pertinent adjustment

Updated: July 13, 2020

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2160604	Molded plastic articulated femoral orthosis, made from plaster or digital mold of insured person	1,474.96			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Molded plastic femoral shell without ischiatic support Knee free joints, aluminum (2) (Becker S-2005-				
	B4) Molded plastic anterior or posterior tibial shell extending under foot Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS				
2155802	Molded plastic femoral shell without ischiatic support	N. C.	384.83		
2155810	Molded plastic anterior or posterior tibial shell extending under foot Knee free joints, aluminum (Becker S-2005-B4)	N. C.	429.55		
2155513	main.	N. C.	360.75		
2155414	•	N. C. N. A.	228.34		
	Retention straps, each	N. C.	36.98		
	OPTIONAL COMPONENTS				
2135820	Regular stirrup	88.64	128.82		
	Ankle free joints with overlapping	69.69			
	Gilette ankle joints				
2155646	pair	164.89	143.74		
2155893	single Oklahoma ankle joints	N. A.	91.08		
2155653		158.10	136.96		
2155901	-	N. A.			
	Wafer ankle joints				
2155661	•	177.20			
2155919	_	N. A.	98.11		
2155679	Tamarak ankle joints	171.78	150.63		
2155927	-	N. A.			
_100/21	Gaffney ankle joints	11. 11.	23.10		
2155687		185.70	162.85		

----- Any pertinent adjustment

2155935 single	N. A.	100.63	
2135606 Single malleolar strap	109.86	153.95	
2135705 Knee cap and straps	108.15	152.22	
Ankle spring joints, aluminum			
2135747 pair	16.45	292.95	
2135853 single	N. A.	188.94	
Double-action ankle spring joints, aluminum			
2135887 pair	71.25	347.75	
2135754 single	N. A.	207.29	
Knee joints with ring lock (Becker 1002-B4)			
2155521 pair	91.80	454.11	
2155406 single	N. A.	309.92	
Knee joints with lock, Swiss-type (Becker 1003-			
B4)			
2155547 pair	228.86	550.88	
2155398 single	N. A.	323.40	
Polycentric knee joints (USMC-0225-10)			
0.1	50.60	121.06	
2155554 pair	72.62	434.86	
2155380 single	N. A.	230.71	
Polycentric knee joints, for child (Becker 1006-C8)			
2155877 pair	215.13	576.00	
2155377 pan 2155372 single	N. A.	300.50	
Eccentric uniaxial knee free joints (Becker 1008-	N. A.	300.30	
B4)			
2155588 pair	139.74	500.63	
2155364 single	N. A.	341.14	
Eccentric uniaxial ring knee joints (Becker 1012-	11.71.	3 11.1 1	
B4)			
2155885 pair	156.20	518.50	
2155356 single	N. A.	312.03	
2155497 Molded plastic ischiatic support	106.88	N. A.	
2155489 Molded plastic femoral shell with molded plastic	N. A.	500.47	
ischiatic support			
2125508 External build-up on orthosis or shoe for limb fitted	69.15	69.15	
with orthosis, first 0.6 cm (¼ in.)			
2125516 External build-up on orthosis or shoe for limb fitted	23.56	23.56	
with orthosis, each additional 0.6 cm (1/4 in.)	23.30	23.30	
SUPPLEMENTS AVAILABLE			
	10.10	10.10	
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	
ADJUSTMENTS AVAILABLE			
2136752 Stirrup changeover			
A my mouth and a dissature and			

Updated : July 13, 2020 91

84.32

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2160703	Articulated femoral orthosis with rigid metal femoral cuffs and molded plastic posterior or anterior tibial shell, made from plaster or digital mold of insured person	1,503.70			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Thigh lacer with two rigid metal bands and femoral leather jacket Knee free joints, aluminum (2) (Becker S-2005-B4) Molded plastic posterior or anterior tibial shell extending under foot Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2195501	Thigh lacer with two rigid metal bands and femoral leather jacket	N. C.	285.66		
2155810	Molded plastic posterior or anterior tibial shell extending under foot Knee free joints, aluminum (Becker S-2005-B4)	N. C.	429.55		
2155513	nair	N. C.	360.75		
2155414	_	N. A.	228.34		
	Retention straps, each	N. C.			
	OPTIONAL COMPONENTS				
2155828	Ankle free joints with overlapping Gilette ankle joints	69.69	N. A.		
2155646	· · · · · · · · · · · · · · · · · · ·	164.89	143.74		
2155893	•	N. A.			
	Oklahoma ankle joints				
2155653	•	158.10			
2155901	Wafer ankle joints	N. A.			
2155661	•	177.20			
2155919	_	N. A.	98.11		
2155679	Tamarak ankle joints	171.78	150.63		
2155927	•	1/1./8 N. A.			
2133321	Gaffney ankle joints	IV. A.	<i>93.</i> 4 0		

2155687 pair	185.70	162.85
2155935 single	N. A.	100.52
2135606 Single malleolar strap	109.86	153.95
2135705 Knee cap and straps	108.15	152.22
Ankle spring joints, aluminum		
2135747 pair	16.45	292.95
2135853 single	N. A.	188.94
Double-action ankle spring joints, aluminum		
1 00		
2135887 pair	71.25	347.75
2135754 single	N. A.	207.29
Knee joints with ring lock (Becker 1002-B4)		
2155521 pair	91.80	454.11
2155406 single	N. A.	309.92
Knee joints with lock, Swiss-type (Becker 1003-		
B4)	228.86	550.88
2155547 pair	228.80 N. A.	
2155398 single	N. A.	323.40
Polycentric knee joints (USMC-0225-10)		
2155554 pair	72.62	434.86
2155380 single	N. A.	230.71
Polycentric knee joints, for child (Becker 1006-C8)		
2155877 pair	215.13	576.00
2155372 single	N. A.	300.50
Eccentric uniaxial knee free joints (Becker 1008-		
B4)		
2155588 pair	139.74	500.63
2155364 single	N. A.	341.14
Eccentric uniaxial ring knee joints (Becker 1012-		
B4)		
2155885 pair	156.20	518.50
2155356 single	N. A.	312.03
2155737 Complete or full leather thigh lacer, without	147.86	402.00
ischiatic support		
2155752 Complete or full leather thigh lacer, with leather ischiatic support	302.08	566.53
2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (1/4 in.)	69.15	69.15
2125516 External build-up on orthosis or shoe for limb fitted	23.56	23.56
with orthosis, each additional $0.6 \text{ cm} (\frac{1}{4} \text{ in.})$		
SUPPLEMENTS AVAILABLE		
3492501 Cane	10.10	10.19
	10.19	10.17
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492550 Crutches with axillary support, height-adjustable 3492551 Crutches with forearm support, height-adjustable		

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

Updated : July 13, 2020

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2160802	Articulated femoral orthosis with molded plastic femoral shell, made from plaster or digital mold of insured person, and rigid metal cuff with tibial leather jacket	1,684.77			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Regular stirrup Ankle free joints, aluminum (2) Knee free joints, aluminum (2) (Becker S-2005-B4) Rigid metal cuff with leather or thermoplastic jacket, including tibial cover				
	Molded plastic femoral shell without ischiatic support Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Regular stirrup Rigid metal cuff with leather or thermoplastic jacket, including tibial cover	N. C. N. C.			
	Ankle free joints, aluminum				
2135739	pair	N. C.	284.99		
2135655	-	N. A.	174.19		
	Knee free joints, aluminum (Becker S-2005-B4)				
2155513	pair	N. C.	360.75		
2155414	single	N. A.	228.34		
2155802	Molded plastic femoral shell without ischiatic support	N. C.	384.83		
2195527	Retention straps, each	N. C.	36.98		
	OPTIONAL COMPONENTS				
2135531	Rectangular stirrup	53.82	175.58		
	Laminated or molded plastic stirrup, made from mold of insured person	350.14			
2135606	Single malleolar strap	109.86	153.95		
	Double malleolar strap	128.95			
2135705	Knee cap and straps	108.15	152.22		

	Ankle spring joints, aluminum		
2135747	1 00	16.45	292.95
2135853		N. A.	188.94
	Double-action ankle spring joints, aluminum		
2135887	pair	71.25	347.75
2135754	single	N. A.	207.29
	Knee joints with ring lock (Becker 1002-B4)		
2155521	•	91.80	454.11
2155406	-	N. A.	309.92
	Knee joints with lock, Swiss-type (Becker 1003-B4)		
2155547	pair	228.86	550.88
2155398	•	N. A.	323.40
	Polycentric knee joints (USMC-0225-10)		
2155554	pair	72.62	434.86
2155380	-	N. A.	230.71
	Polycentric knee joints, for child (Becker 1006-C8)		
2155877	pair	215.13	576.00
2155372	_	N. A.	300.50
	Eccentric uniaxial knee free joints (Becker 1008-B4)		
2155588	pair	139.74	500.63
2155364	single	N. A.	341.14
	Eccentric uniaxial ring knee joints (Becker 1012-B4)		
2155885	pair	156.20	518.50
2155356	single	N. A.	312.03
	Molded plastic ischiatic support	106.88	N. A.
2155489	Molded plastic femoral shell with molded plastic ischiatic support	N. A.	500.47
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (1/4 in.)	69.15	69.15
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	23.56	23.56
	SUPPLEMENTS AVAILABLE		
3492501	Cane	10.19	10.19
	Crutches with axillary support, height-adjustable	20.38	20.38
	Crutches with forearm support, height-adjustable	56.05	56.05
J 1 72JJ1	eracenes with forearm support, height-aujustable	30.03	30.03

ADJUSTMENTS AVAILABLE

2136752 Stirrup changeover

------ Any pertinent adjustment

Updated : July 13, 2020 95

84.32

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2160547	Molded plastic non-articulated femoral orthosis, made from plaster or digital mold of insured person	914.01			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Molded plastic splint, thigh, knee, leg and foot				
	Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2195527	Retention straps, each	N. C.	36.98		
	OPTIONAL COMPONENTS				
2135705	Knee cap and straps	108.15	152.22		
2195550	Abduction rod	130.48	153.56		
2155497	Molded plastic ischiatic support	106.88	N. A.		
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (1/4 in.)	69.15	69.15		
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional $0.6~{\rm cm}(^{1}\!\!/_{\!4}~{\rm in.})$	23.56	23.56		
	SUPPLEMENTS AVAILABLE				
3492501	Cane	10.19	10.19		
	Crutches with axillary support, height-adjustable	20.38			
3492551	Crutches with forearm support, height-adjustable	56.05	56.05		
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)

6

2160539 Articulated femoral orthosis with unilateral upright with rigid metal femoral and tibial cuffs

1,191.97

BASIC COMPONENTS AND SUPPLEMENTS

Regular stirrup

Unilateral ankle free joint, aluminum

Unilateral knee free joint, aluminum (Becker S-2005-B4)

Rigid metal cuffs with leather femoral and tibial jacket, including cover

Retention straps

COMPONENTS AND SUPPLEMENTS

AVAILABLE

BASIC COMPONENTS

2135507 Regular stirrup	N. C.	128.82
2135556 Rigid metal cuff with leather tibial jacket, including cover	N. C.	169.22
2135895 Unilateral ankle free joint, aluminum	N. C.	174.19
2135770 Unilateral knee free joint, aluminum (Becker S-2005-B4)	N. C.	231.03
2195592 Rigid metal cuff with leather femoral jacket, including cover	N. C.	285.66
2195527 Retention straps, each	N. C.	36.98
OPTIONAL COMPONENTS		
2135523 Laminated or molded plastic stirrup, made from mold of insured person	350.14	445.22
2135606 Single malleolar strap	109.86	153.95
2135614 Double malleolar strap	128.95	174.82
2135705 Knee cap and straps	108.15	152.22
2135663 Ankle spring joint, aluminum	8.23	175.74
2135929 Double-action ankle spring joint, aluminum	35.63	207.29
2135788 Knee joint with ring lock (Becker 1002-B4)	46.56	274.98

2135796 Eccentric uniaxial knee free joint (Becker 1008-B4)	69.90	298.24	
2135804 Eccentric uniaxial ring knee joint (Becker 1012-B4)	78.10	309.48	
2175594 Hip joint (metal part), all types	307.24	353.06	
2175610 Pelvic belt and metal band	294.13	317.17	
2175511 Pelvic belt (leather)	N. A.	228.33	
2175578 Replacement of pelvic belt metal band	N. A.	178.82	
2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (1/4 in.)	69.15	69.15	
2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	23.56	23.56	
SUPPLEMENTS AVAILABLE			
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	

ADJUSTMENTS AVAILABLE

2136752 Stirrup changeover 84.32

----- Any pertinent adjustment

SUBDIVISION 4: COXOFEMORAL ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Articulated coxofemoral orthosis with rigid metal femoral and tibial cuffs	2,227.12			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Regular stirrup				
	Ankle free joints, aluminum (2)				
	Knee free joints, aluminum (2) (Becker S-2005-				
	B4)				
	Thigh lacer with two rigid metal bands and femoral leather jacket, including cover, and rigid metal cuff with leather or thermoplastic tibial jacket				
	Hip joint (metal part), all types				
	Retention straps Pelvic belt and metal band				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2135507	Regular stirrup	N. C.	128.82		
	Ankle free joints, aluminum				
2135739	pair	N. C.	284.99		
2135655	=	N. A.	174.19		
	Retention straps, each	N. C.			
	Rigid metal cuff with leather or thermoplastic tibial jacket	N. C.	169.22		
	Knee free joints, aluminum (Becker S-2005-B4)				
2155513	pair	N. C.	360.75		
2155414		N. A.			
2195618	Thigh lacer with two rigid metal bands and femoral leather jacket, including cover	N. C.			
2175560	Hip joint (metal part), all types	N. C.	353.06		
2175537	Pelvic belt and metal band	N. C.	317.17		
	OPTIONAL COMPONENTS				
2135531	Rectangular stirrup	53.82	175.58		
2135523	Laminated or molded plastic stirrup, made from mold of insured person	350.14	445.22		
2135606	Single malleolar strap	109.86	153.95		

2135705 Knee cap and straps Ankle spring joints, aluminum	108.15	152.22
2135747 pair	16.45	292.95
2135853 single	N. A.	188.94
Double-action ankle spring joints, aluminum	1.0.120	1000
2135887 pair	71.25	347.75
2135754 single	N. A.	207.29
Knee joints with ring lock (Becker 1002-B4)		
2155521 pair	91.80	454.11
2155406 single	N. A.	309.92
Knee joints with lock, Swiss-type (Becker 1003-B4)		
2155547 pair	228.86	550.88
2155398 single	N. A.	323.40
Polycentric knee joints (USMC-0225-10)		
2155554 pair	72.62	434.86
2155380 single	N. A.	230.71
Polycentric knee joints, for child (Becker 1006-C8)		
2155877 pair	215.13	576.00
2155372 single	N. A.	300.50
Eccentric uniaxial knee free joints (Becker 1008-B4)		
2155588 pair	139.74	500.63
2155364 single	N. A.	341.14
Eccentric uniaxial ring knee joints (Becker 1012-B4)		
2155885 pair	156.20	518.50
2155356 single	N. A.	312.03
2175578 Replacement of pelvic belt metal band	N. A.	178.82
2175511 Pelvic belt (leather)	N. A.	228.33
2155737 Complete or full leather thigh lacer, without ischiatic support	147.86	402.00
2155752 Complete or full leather thigh lacer, with leather ischiatic support	302.08	566.53
2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (1/4 in.)	69.15	69.15
2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	23.56	23.56

	SUPPLEMENTS AVAILABLE				
3492501	Cane	10.19			
	Crutches with axillary support, height-adjustable	20.38	20.38		
3492551	Crutches with forearm support, height-adjustable	56.05	56.05		
	ADJUSTMENTS AVAILABLE				
2136752	Stirrup changeover			84.32	
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Molded plastic articulated coxofemoral orthosis, made from plaster or digital mold of insured person	2,141.46			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Molded plastic femoral shell without ischiatic				
	support Knee free joints, aluminum (2) (Becker S-2005-				
	B4)				
	Hip joint (metal part), all types				
	Molded plastic posterior or anterior tibial shell				
	extending under foot Retention straps				
	Pelvic belt and metal band				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Molded plastic femoral shell without ischiatic support	N. C.	384.83		
	Molded plastic posterior or anterior tibial shell	N. C.	429.55		
	extending under foot Knee free joints, aluminum (Becker S-2005-B4)				
2155513	pair	N. C.	360.75		
2155414	single	N. A.			
2175560	Hip joint (metal part), all types	N. C.	353.06		
2195527	Retention straps, each	N. C.	36.98		
	Pelvic belt and metal band	N. C.	317.17		
	OPTIONAL COMPONENTS				
2175578	Replacement of pelvic belt metal band	N. A.	178.82		

			(
2175511 Pelvic belt (leather)	N. A.	228.33	
2155828 Ankle free joints with overlapping	69.69	N. A.	
Gilette ankle joints			
2155646 pair	164.89	143.74	
2155893 single	N. A.	91.08	
Oklahoma ankle joints			
2155653 pair	158.10	136.96	
2155901 single	N. A.	88.58	
Wafer ankle joints			
2155661 pair	177.20	156.09	1
2155919 single	N. A.	98.11	
Tamarak ankle joints	151.50	150.62	
2155679 pair	171.78	150.63	
2155927 single	N. A.	95.40	
Gaffney ankle joints	105.70	162.05	
2155687 pair	185.70	162.85	
2155935 single	N. A.	100.63	
2135606 Single malleolar strap	109.86 108.15	153.95	
2135705 Knee cap and straps Ankle spring joints, aluminum	108.13	152.22	
	16.45	202.05	
2135747 pair	16.45 N. A.	292.95	
2135853 single 2135820 Regular stirrup	N. A. 88.64	188.94 128.82	
Double-action ankle spring joints, aluminum	00.04	120.02	
Double-action alikie spring joints, aruninum			
2135887 pair	71.25	347.75	
2135754 single	N. A.	207.29	
Knee joints with ring lock (Becker 1002-B4)	11.11.	207.29	
j			
2155521 pair	91.80	454.11	
2155406 single	N. A.	309.92	
Knee joints with lock, Swiss-type (Becker 1003-			
B4)			
2155547 pair	228.86	550.88	
2155398 single	N. A.	323.40	
Polycentric knee joints (USMC-0225-10)			
2155554 pair	72.62	434.86	
2155380 single	N. A.	230.71	
Polycentric knee joints, for child (Becker 1006-C8)			
2155877 pair	215.13	576.00	
2155372 single	N. A.	300.50	
Eccentric uniaxial knee free joints (Becker 1008-			
B4)	120.74	500.62	
2155588 pair	139.74	500.63	
2155364 single Faccartain variously sing lines in into (Packer 1012)	N. A.	341.14	
Eccentric uniaxial ring knee joints (Becker 1012-			
B4)	156.20	510 50	
2155885 pair	156.20 N. A.	518.50	
2155356 single	N. A.	312.03	

SCHED	ULE 1 Tariff for devices wh	nich compensate for	a motor deficiency		nted services ntic version)
	Molded plastic femoral shell with molded plastic schiatic support	N. A.	500.47		
2125508 E	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (1/4 in.)	69.15	69.15		
2125516 E	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	23.56	23.56		
S	SUPPLEMENTS AVAILABLE				
3492501 C	Cane	10.19	10.19		
	Crutches with axillary support, height-adjustable	20.38			
3492551 C	Crutches with forearm support, height-adjustable	56.05	56.05		
A	ADJUSTMENTS AVAILABLE				
	stirrup changeover Any pertinent adjustment			84.32	
D	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
fe aı	Articulated coxofemoral orthosis with rigid metal emoral cuffs and molded plastic posterior or nterior tibial shell, made from plaster or digital hold of insured person	2,205.72			6
В	BASIC COMPONENTS AND SUPPLEMENTS				
	Thigh lacer with two rigid metal bands and femoral				
	eather jacket Knee free joints, aluminum (2) (Becker S-2005-				
	34)				
Н	Hip joint (metal part), all types				
ez R	Molded plastic posterior or anterior tibial shell xtending under foot Retention straps Pelvic belt and metal band				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
В	BASIC COMPONENTS				

N. C.

429.55

leather jacket

extending under foot

2155810 Molded plastic posterior or anterior tibial shell

Knee free joints, aluminum (Becker S-2005-B4)

2155513 pair	N. C.	360.75
2155414 single	N. A.	228.34
2195527 Retention straps, each	N. C.	36.98
2175560 Hip joint (metal part), all types	N. C.	353.06
2175537 Pelvic belt and metal band	N. C.	317.17
OPTIONAL COMPONENTS		
2155828 Ankle free joints with overlapping	69.69	N. A.
Gilette ankle joints		
2155646 pair	164.89	143.74
2155893 single	N. A.	91.08
Oklahoma ankle joints		
2155653 pair	158.10	136.96
2155901 single	N. A.	88.58
Wafer ankle joints		
2155661 pair	177.20	156.09
2155919 single	N. A.	98.11
Tamarak ankle joints		
2155679 pair	171.78	150.63
2155927 single	N. A.	95.40
Gaffney ankle joints		
2155687 pair	185.70	162.85
2155935 single	N. A.	100.63
Ankle spring joints, aluminum		
2135747 pair	16.45	292.95
2135853 single	N. A.	188.94
Double-action ankle spring joints, aluminum		
2135887 pair	71.25	347.75
2135754 single	N. A.	207.29
2135606 Single malleolar strap	109.86	153.95
Knee joints with ring lock (Becker 1002-B4)		
2155521 pair	91.80	454.11
2155406 single	N. A.	309.92
Knee joints with lock, Swiss-type (Becker 1003-B4)		
2155547 pair	228.86	550.88
2155398 single	N. A.	323.40
Polycentric knee joints (USMC-0225-10)	IV. A.	323.40
2155554 pair	72.62	434.86
2155380 single	N. A.	230.71
Polycentric knee joints, for child (Becker 1006-C8)	11, 11,	230.71
2155877 pair	215.13	576.00
2155377 pan 2155372 single	N. A.	300.50
21000 / 2 Single	11. 11.	500.50

Eccentric uniaxial knee free joints (Becker 1008-B4)				
2155588 pair	139.74	500.63		
2155364 single	N. A.	341.14		
Eccentric uniaxial ring knee joints (Becker 1012-	11.71.	311.11		
B4)				
2155885 pair	156.20	518.50		
2155356 single	N. A.	312.03		
2135705 Knee cap and straps	108.15	152.22		
2155737 Complete or full leather thigh lacer, without ischiatic support	147.86	402.00		
2155752 Complete or full leather thigh lacer, with leather ischiatic support	302.08	566.53		
2175578 Replacement of pelvic belt metal band	N. A.	178.82		
2175511 Pelvic belt (leather)	N. A.	228.33		
2125508 External build-up on orthosis or shoe for limb fitted	69.15	69.15		
with orthosis, first 0.6 cm (1/4 in.)	0,,,,	0,1-2		
2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	23.56	23.56		
SUPPLEMENTS AVAILABLE				
3492501 Cane	10.19	10.19		
3492550 Crutches with axillary support, height-adjustable	20.38	20.38		
3492551 Crutches with forearm support, height-adjustable	56.05	56.05		
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2170801 Articulated coxofemoral orthosis with molded plastic femoral shell, made from plaster or digital mold of insured person, and rigid metal cuff with	2,488.12			6
leather or thermoplastic tibial jacket				-

BASIC COMPONENTS AND SUPPLEMENTS

Regular stirrup Ankle free joints, aluminum (2) Knee free joints, aluminum (2) (Becker S-2005-B4)

Rigid metal cuff with leather or thermoplastic jacket, including tibial cover

Molded plastic femoral shell without ischiatic support

Hip joint (metal part), all types

Retention straps

Pelvic belt and metal band

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

2135507 Regular stirrup 2135556 Rigid metal cuff with leather or thermoplastic jacket, including tibial cover	N. C. N. C.	128.82 169.22
Knee free joints, aluminum (Becker S-2005-B4)		
2155513 pair	N. C.	360.75
2155414 single	N. A.	228.34
Ankle free joints, aluminum	N. C	204.00
2135739 pair	N. C.	284.99
2135655 single	N. A.	174.19
2155802 Molded plastic femoral shell without ischiatic support	N. C.	384.83
2175560 Hip joint (metal part), all types	N. C.	353.06
2195527 Retention straps, each	N. C.	36.98
2175537 Pelvic belt and metal band	N. C.	317.17
OPTIONAL COMPONENTS		
2135531 Rectangular stirrup	53.82	175.58
2135523 Molded or laminated plastic stirrup, made from mold of insured person	350.14	445.22
2135606 Single malleolar strap	109.86	153.95
2135614 Double malleolar strap	128.95	174.82
2135705 Knee cap and straps	84.48	115.29
Ankle spring joints, aluminum		
2135747 pair	16.45	292.95
2135853 single	N. A.	188.94
Double-action ankle spring joints, aluminum		
2135887 pair	71.25	347.75
2135754 single	N. A.	207.29
Knee joints with ring lock (Becker 1002-B4)		
2155521 pair	91.80	454.11
2155406 single	N. A.	309.92
Knee joints with lock, Swiss-type (Becker 1003-B4)		

106 Updated: July 13, 2020

2155547 pair 2155398 single Polycentric knee joints (USMC-0225-10)	228.86 N. A.	550.88 323.40
2155554 pair 2155380 single Polycentric knee joints, for child (Becker 1006-C8)	72.62 N. A.	434.86 230.71
2155877 pair 2155372 single Eccentric uniaxial knee free joints (Becker 1008-B4)	215.13 N. A.	576.00 300.50
2155588 pair 2155364 single Eccentric uniaxial ring knee joints (Becker 1012-B4)	139.74 N. A.	500.63 341.14
2155885 pair 2155356 single 2155497 Molded plastic ischiatic support 2155489 Molded plastic femoral shell with molded plastic	156.20 N. A. 106.88 N. A.	518.50 312.03 N. A. 500.47
ischiatic support 2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (1/4 in.)	69.15	69.15
2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.) 2175578 Replacement of pelvic belt metal band	23.56 N. A.	23.56 178.82
2175511 Pelvic belt (leather)	N. A.	228.33
SUPPLEMENTS AVAILABLE 3492501 Cane 3492550 Crutches with axillary support, height-adjustable 3492551 Crutches with forearm support, height-adjustable	10.19 20.38 56.05	10.19 20.38 56.05

ADJUSTMENTS AVAILABLE

2136752 Stirrup changeover 84.32

----- Any pertinent adjustment

SUBDIVISION 5: BILATERAL LOWER-LIMB ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2190502	Femoral derotation orthosis	132.52			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Metal bar with ratchet, fixed to shoes				
	COMPONENT AND SUPPLEMENT AVAILABLE				
3325500	Articulated metal bar Boots with rigid footplate and soft shell for Ponseti method	91.27	N. A.		
	pair	337.26	379.42		
	single ADJUSTMENTS AVAILABLE	N. A.	207.33		
2196509 2196517	Shoe changeover (unriveted) Shoe changeover (riveted) Any pertinent adjustment			40.27 53.64	
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2190510	Coxofemoral derotation orthosis with torsion cable	566.43			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Regular stirrup Torsion cable Polycio halt (leather)				
	Pelvic belt (leather) Hip free joint (metal part) COMPONENTS AND SUPPLEMENTS AVAILABLE				
	Hip free joint (metal part) COMPONENTS AND SUPPLEMENTS				
2135507	Hip free joint (metal part) COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS Regular stirrup	N. C.			
2135507 2195535	Hip free joint (metal part) COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS Regular stirrup Torsion cable	N. C.	129.92		
2135507 2195535 2175586	Hip free joint (metal part) COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS Regular stirrup		129.92 109.18		
2135507 2195535 2175586 2175602	Hip free joint (metal part) COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS Regular stirrup Torsion cable Hip free joint (metal part)	N. C. N. C.	129.92 109.18		

SUPPLEMENTS AVAILABLE

	Crutches with axillary support, height-adjustable Crutches with forearm support, height-adjustable	20.38 56.05			
2136752	ADJUSTMENTS AVAILABLE Stirrup changeover Any pertinent adjustment			84.32	
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2190528	Pelvifemoral abduction orthosis, custom made	384.89			6
	BASIC COMPONENTS AND SUPPLEMENTS Two plastic thigh cuffs Metal bar COMPONENT AND SUPPLEMENT None ADJUSTMENT AVAILABLE Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2190544	Molded plastic pelvifemoral abduction orthosis for child, made from plaster or digital mold of insured person BASIC COMPONENTS AND SUPPLEMENTS Molded plastic orthosis Retention straps COMPONENTS AND SUPPLEMENTS AVAILABLE	Purchase or replacement of	Replacement of component or	adjustement	
2190544 2195527	Molded plastic pelvifemoral abduction orthosis for child, made from plaster or digital mold of insured person BASIC COMPONENTS AND SUPPLEMENTS Molded plastic orthosis Retention straps COMPONENTS AND SUPPLEMENTS	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2190536	Pelvifemoral orthosis, for young child	250.56	5		6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Cloth harness or prefabricated plastic splint				
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2180008	Articulated pelvifemoral abduction orthosis, Scottish Rite-type	1,568.52			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Rigid metal cuffs with leather or thermoplastic femoral jacket (2) Metal bar Universal joints Pelvic band Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2195600	Rigid metal cuffs with leather or thermoplastic femoral jacket (2)	N. C.	292.68		
2195527	Retention straps, each	N. C.	. 36.98		
	SUPPLEMENTS AVAILABLE				
	Crutches with axillary support, height-adjustable	20.38			
3492551	Crutches with forearm support, height-adjustable	56.05	56.05		
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				

SUBDIVISION 6: ADDITIONAL COMPONENTS FOR TIBIAL, FEMORAL AND COXOFEMORAL ORTHOSES

	Purchase or	ximum price component alone	
2135564 Regular stirrup, additional	88.64	109.06	
2135598 Rectangular stirrup, additional	141.16	171.37	

SUBDIVISION 7: LOWER-LIMB ORTHOSES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2190601 Other lower-limb orthoses *	S C			6

^{*} When price is below that of the similar orthosis

DIVISION V: UPPER-LIMB ORTHOSES SUBDIVISION 1: HAND ORTHOSES THAT MAY INCLUDE THE THUMB AND THE OTHER FINGERS

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Prefabricated passive orthosis for proximal and distal interphalangeal joints				2
	Thumb				
	If first finger	161.45	N. A.		
2210011	If additional finger	38.61	N. A.		
	Index				
	If first finger	161.00			
	If additional finger	38.61	N. A.		
	Middle finger				
	If first finger	161.00			
2210052	If additional finger	38.61	N. A.		
	Ring finger				
2210060	If first finger	161.00	N. A.		
2210078	If additional finger	38.61	N. A.		
	Little finger				
2210086	If first finger	161.00	N. A.		
2210094	If additional finger	38.61	N. A.		
	BASIC COMPONENTS AND SUPPLEMENTS				
	Thermoplastic or metal splint Straps				
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Prefabricated dynamic orthosis for distal and/or proximal interphalangeal joints				2
	Thumb				
2210102		156.88	NT A		
	If first finger If additional finger	156.88 37.74	N. A. N. A.		
	11 auditional illiggi	37.74	IN. A.		

Index		
2210128 If first finger	156.88	N. A.
2210136 If additional fir	nger 37.74	N. A.
Middle finger		
2210144 If first finger	156.88	N. A.
2210151 If additional fir	nger 37.74	N. A.
Ring finger		
2210169 If first finger	156.88	N. A.
2210177 If additional fir	nger 37.74	N. A.
Little finger		
2210185 If first finger	156.88	N. A.
2210193 If additional fir	nger 37.74	N. A.

BASIC COMPONENTS AND SUPPLEMENTS

Support pads Springs

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)	
2210516 Prefabricated dynamic orthosis for	209.97	7		2	-

2

2210516 Prefabricated dynamic orthosis for metacarpophalangeal joints

BASIC COMPONENTS AND SUPPLEMENTS

Metacarpal bars

Phalangeal bars

Articular pivots

Elastic bands

Piano wire

Other types of springs

COMPONENT AND SUPPLEMENT

AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEV	VICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
meta	sive thumb orthosis including carpometacarpal, tacarpophalangeal and interphalangeal joints, de from plaster or digital mold of insured person	371.42			2
BAS	SIC COMPONENTS AND SUPPLEMENTS				
Mol Straj	olded component, thermoplastic or other material aps				
	MPONENT AND SUPPLEMENT AILABLE				
Non	ne				
ADJ	JUSTMENT AVAILABLE				
Any	y pertinent adjustment				
DEV	VICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2220036 Mol	lded plastic passive thumb orthosis including	240.51			
carp inter	pometacarpal, metacarpophalangeal and erphalangeal joints, made from mold of insured son or prefabricated	240.31			2
carp inter pers	pometacarpal, metacarpophalangeal and erphalangeal joints, made from mold of insured	240.31			2
carp inter pers	pometacarpal, metacarpophalangeal and erphalangeal joints, made from mold of insured son or prefabricated SIC COMPONENTS AND SUPPLEMENTS	240.31			2
carp inter pers BAS Mol Straj	pometacarpal, metacarpophalangeal and erphalangeal joints, made from mold of insured son or prefabricated SIC COMPONENTS AND SUPPLEMENTS	240.31			2
carp inter pers BAS Mol Straj	pometacarpal, metacarpophalangeal and erphalangeal joints, made from mold of insured son or prefabricated SIC COMPONENTS AND SUPPLEMENTS Idded thermoplastic component aps MPONENT AND SUPPLEMENT CAILABLE	240.31			2
carp inter pers BAS Mol Straj COM AVA	pometacarpal, metacarpophalangeal and erphalangeal joints, made from mold of insured son or prefabricated SIC COMPONENTS AND SUPPLEMENTS Idded thermoplastic component aps MPONENT AND SUPPLEMENT CAILABLE	240.31			2

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2220028 Dynamic thumb orthosis, which may include carpometacarpal, metacarpophalangeal and interphalangeal joints, made from plaster or digital mold of insured person	502.47	,		2
BASIC COMPONENTS AND SUPPLEMENTS				
Stabilizing components Traction apparatus made with springs Piano wire, elastic bands Straps				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
DEVICE 2220044 Molded plastic dynamic thumb orthosis, which may include carpometacarpal, metacarpophalangeal and interphalangeal joints, made from mold of insured person or prefabricated	Purchase or replacement of	Replacement of component or supplement	adjustement	
2220044 Molded plastic dynamic thumb orthosis, which may include carpometacarpal, metacarpophalangeal and interphalangeal joints, made from mold of insured	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
2220044 Molded plastic dynamic thumb orthosis, which may include carpometacarpal, metacarpophalangeal and interphalangeal joints, made from mold of insured person or prefabricated	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
2220044 Molded plastic dynamic thumb orthosis, which may include carpometacarpal, metacarpophalangeal and interphalangeal joints, made from mold of insured person or prefabricated BASIC COMPONENTS AND SUPPLEMENTS Stabilizing components Traction apparatus made with springs Piano wire, elastic bands	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
2220044 Molded plastic dynamic thumb orthosis, which may include carpometacarpal, metacarpophalangeal and interphalangeal joints, made from mold of insured person or prefabricated BASIC COMPONENTS AND SUPPLEMENTS Stabilizing components Traction apparatus made with springs Piano wire, elastic bands Straps COMPONENT AND SUPPLEMENT	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
2220044 Molded plastic dynamic thumb orthosis, which may include carpometacarpal, metacarpophalangeal and interphalangeal joints, made from mold of insured person or prefabricated BASIC COMPONENTS AND SUPPLEMENTS Stabilizing components Traction apparatus made with springs Piano wire, elastic bands Straps COMPONENT AND SUPPLEMENT AVAILABLE	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)

SUBDIVISION 2: WRIST AND HAND ORTHOSES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2230548 Passive orthosis for wrist and hand including fingers and thumb, palmar or dorsal, made from plaster or digital mold of insured person	534.75			2
BASIC COMPONENTS AND SUPPLEMENTS				
Splint Straps Bilateral fixed joints for dorsal orthosis				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
OPTIONAL COMPONENT				
2231124 Finger separator, including straps	19.53	N. A.		
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2230555 Molded plastic passive orthosis for wrist and hand including fingers and thumb, palmar or dorsal, made from mold of insured person or prefabricated				2
BASIC COMPONENTS AND SUPPLEMENTS				
Thermoplastic splint Straps Bilateral fixed joints for dorsal orthosis COMPONENTS AND SUPPLEMENTS AVAILABLE				
OPTIONAL COMPONENT				
2231124 Finger separator, including straps	19.53	N. A.		
ADJUSTMENT AVAILABLE Any pertinent adjustment				

DEVICE	Maximum prio Purchase or replacement of device	Replacement	of adjustement	(filiarantee
2230563 Passive orthosis for wrist, palmar or of including thumb extension, where approximately from plaster or digital mold of insured	plicable, made	.29		2
BASIC COMPONENTS AND SUPP	PLEMENTS			
Thermoplastic splint, palmar or dorsa reinforced molded leather splint, inclu- extension, where applicable				
Palmar or dorsal metacarpal bar Straps				
COMPONENTS AND SUPPLEMEN AVAILABLE	NTS			
OPTIONAL COMPONENT				
2231132 Full leather lining of thermoplastic sp	olint 69	.26 N.	A.	
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum prio Purchase or replacement of device	Replacement	of adjustement	(inarantee
DEVICE 2230571 Plastic or molded plastic passive orth including thumb extension, where approximately from mold of insured person or prefail	Purchase or replacement of device osis for wrist, 309 plicable, made	Replacement f component o supplement	of adjustement	Guarantee
2230571 Plastic or molded plastic passive orth including thumb extension, where app	Purchase or replacement of device osis for wrist, plicable, made bricated	Replacement f component o supplement	of adjustement	t Guarantee (months)
2230571 Plastic or molded plastic passive orth including thumb extension, where app from mold of insured person or prefai	Purchase or replacement of device osis for wrist, plicable, made bricated PLEMENTS bricated or	Replacement f component o supplement	of adjustement	t Guarantee (months)
2230571 Plastic or molded plastic passive orth including thumb extension, where application mold of insured person or prefate BASIC COMPONENTS AND SUPPORTS Plastic or molded plastic splint, prefate made from mold of insured person, in thumb extension, where applicable Palmar or dorsal metacarpal bar	Purchase or replacement of device osis for wrist, plicable, made bricated PLEMENTS bricated or including	Replacement f component o supplement	of adjustement	t Guarantee t (months)
2230571 Plastic or molded plastic passive orth including thumb extension, where approximately from mold of insured person or prefate BASIC COMPONENTS AND SUPPONENTS AND SUPPONENTS AND SUPPONENTS AND SUPPLEMENTS AND SUPPLEMENTS AND SUPPLEMENTS AND SUPPLEMENTS AND SUPPLEMENTS	Purchase or replacement of device osis for wrist, plicable, made bricated PLEMENTS bricated or including	Replacement f component o supplement	of adjustement	t Guarantee t (months)

SCHEDULE 1 Tariff for devices whi	ch compensate for	a motor deficiency		nted services ntic version)
2231165 Flexion glove 2231140 Wrist free joints (incompatible with wrist traction apparatus)	113.72 77.24			
2231173 Wrist traction apparatus (incompatible with wrist free joints) ADJUSTMENT AVAILABLE	92.96	N. A.		
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2230589 Prefabricated static wrist and dynamic finger orthosis, which may include Swanson-type thumb	610.23			2
BASIC COMPONENTS AND SUPPLEMENTS Transverse and longitudinal bars Palmar support Finger and thumb traction apparatus				
COMPONENT AND SUPPLEMENT AVAILABLE				
None ADJUSTMENT AVAILABLE Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarante (months)
2230514 Custom-made tenodesis orthosis	870.34			2
BASIC COMPONENTS AND SUPPLEMENTS				
Stabilizing components for thumb, index finger and middle finger Metacarpophalangeal joints Wrist joints Forearm stabilizing component Telescoping rod				
COMPONENT AND SUPPLEMENT AVAILABLE				

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

SUBDIVISION 3: ELBOW, WRIST AND HAND ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Molded plastic passive elbow orthosis, anterior or posterior, made from mold of insured person	418.49			2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Splint including arm and forearm Straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	OPTIONAL COMPONENTS				
2255503	Suspension strap Elbow pad and strap Uniaxial or polycentric bilateral elbow joints	30.32 108.15 94.03	N. A. 152.22 N. A.		
3492659	Turnbuckle	92.46	N. A.		
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2250009	Passive elbow orthosis, anterior or posterior, made from plaster or digital mold of insured person	538.22			2
	BASIC COMPONENTS AND SUPPLEMENTS				
	BASIC COMPONENTS AND SUPPLEMENTS Splint including arm and forearm Straps				
	Splint including arm and forearm				
	Splint including arm and forearm Straps COMPONENTS AND SUPPLEMENTS				
2255511	Splint including arm and forearm Straps COMPONENTS AND SUPPLEMENTS AVAILABLE OPTIONAL COMPONENTS Suspension strap	30.32			
2255511 2255503	Splint including arm and forearm Straps COMPONENTS AND SUPPLEMENTS AVAILABLE OPTIONAL COMPONENTS	30.32 108.15 94.03	152.22		

SUBDIVISION 4: SHOULDER, ELBOW, WRIST AND HAND ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2270007	Glenohumeral orthosis, made from plaster or digital mold of insured person	538.22	:		2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Shoulder-to-epicondyle molded thermoplastic sleeve Thoracic straps Velcro straps for adjusting sleeve circumference				
	COMPONENTS AND SUPPLEMENTS AVAILABLE OPTIONAL COMPONENT				
	Suspension strap ADJUSTMENT AVAILABLE Any pertinent adjustment	30.32	N. A.		
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2270510	Prefabricated adjustable passive abduction orthosis for the shoulder, elbow, wrist and hand airplane design	1,077.46	í		2
	BASIC COMPONENTS AND SUPPLEMENTS Thoracic and pelvic support Adjustable shoulder and elbow joints Arm, forearm and hand splints Adjustable stabilizing bar between truncular and humeral support Anchor straps Pads				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	OPTIONAL COMPONENT				
2275501	Pelvihumeral mobilization bar	131.97	N. A.		
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)

2270015 Prefabricated glenohumeral orthosis

433.73

2

BASIC COMPONENTS AND SUPPLEMENTS

Shoulder-to-epicondyle molded thermoplastic sleeve

Thoracic straps

Velcro straps for adjusting sleeve circumference

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

Updated: July 13, 2020

SUBDIVISION 5: UPPER-LIMB ORTHOSES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2290609 Other upper-limb orthoses *	S. C			2

²²⁹⁰⁶⁰⁹ Other upper-limb orthoses *

Updated: July 13, 2020 123

^{*} When the price is below that of the similar orthosis

DIVISION VI: TRUNK AND CERVICAL ORTHOSES SUBDIVISION 1: TRUNK ORTHOSE

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2320505 Prefabricated lumbar sacral immobilization orthosis, to limit anteroposterior and lateral movements of the spine, molded plastic or metal structure, Harris, Knight or Williams-type	516.27	7		3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2320604 Lumbar sacral orthosis with rigid molded thermoplastic plate, made from mold of insured person (Ortho-mold-type)	326.13	}		3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2320513 Plastic lumbar sacral immobilization orthosis, made from plaster or digital mold of insured person	984.00)		3

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2340503 Custom-made rigid-frame dorsal lumbar immobilization orthosis (Taylor or Harris-Taylor-	703.64			3
COMPONENTS AND SUPPLEMENTS AVAILABLE				
OPTIONAL COMPONENTS				
3342508 Axilla crutch 2345502 Corrective pad	66.62 66.81			3 3
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2340602 Dorsal lumbar orthosis with rigid molded thermoplastic plate, made from mold of insured person (Ortho-mold-type) COMPONENT AND SUPPLEMENT AVAILABLE	457.08			3
None				
ADJUSTMENT AVAILABLE Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2340701 Rigid dorsal lumbar immobilization orthosis covered in whale fabric (Taylor or Harris-Taylor-type) (Camp, Airway make)	385.96			3

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2340537 Plastic dorsal lumbar sacral immobilization orthosis with bilateral overlapping resulting from double molding, made from plaster or digital mold of insured person	1,566.19			3
COMPONENT AND SUPPLEMENT AVAILABLE				
3125500 Minerva cervical extension	255.50	386.69		
ADJUSTMENT AVAILABLE Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2340404 Prefabricated molded plastic dorsal lumbar sacral immobilization orthosis (Boston Overlap Bracetype)	616.62			3
COMPONENT AND SUPPLEMENT AVAILABLE				
3125500 Minerva cervical extension	255.50	386.69		
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)

aximum price Purchase or placement of device 558.08	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
aximum price Purchase or placement of device	Maximum price Replacement of component or supplement	adjustement	(months)
Purchase or placement of device	Replacement of component or supplement	adjustement	(months)
Purchase or placement of device	Replacement of component or supplement	adjustement	(months)
Purchase or placement of device	Replacement of component or supplement	adjustement	(months)
558.08			3
eximum price Purchase or placement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2,039.97			3
N. C.	1,211.49		3

SCHEDULE 1

DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2380004 Prefabricated cerv immobilization or (Milwaukee-type)	thosis with molded plastic base	1,615.67			3
BASIC COMPON	NENT AND SUPPLEMENT				
Prefabricated pelv COMPONENTS AVAILABLE	ric component AND SUPPLEMENTS				
BASIC COMPON	IENT				
2385516 Prefabricated pelv	ric component	N. C.	816.89		3
ADJUSTMENT A	AVAILABLE				
Any pertinent adju	ıstment				
DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	orrective cervical dorsal lumbar ade from plaster or digital mold	1,471.29			3
COMPONENT A AVAILABLE	ND SUPPLEMENT				
None ADJUSTMENT A Any pertinent adju					
DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
BASIC COMPON	mbar sacral orthosis (Lyonnais- NENT AND SUPPLEMENT ric component, made from plaster insured person	2,079.90			3

COMPONENTS AND SUPPLEMENTS AVAILAE BASIC COMPONENT 2385524 Prefabricated pelvic component, made from plaster N. C. 1,211.49 or digital mold of insured person 3 ADJUSTMENT AVAILABLE ----- Any pertinent adjustment Maximum price Maximum price Maximum Purchase or Replacement of Guarantee **DEVICE** adjustement replacement of component or (months) price device supplement 2380525 Prefabricated corrective dorsal lumbar orthosis 1,044.42 3 (Boston-type) COMPONENT AND SUPPLEMENT None ADJUSTMENT AVAILABLE ----- Any pertinent adjustment Maximum price Maximum price Maximum Purchase or Replacement of Guarantee **DEVICE** adjustement replacement of component or (months) price device supplement 2380012 Corrective dorsal lumbar orthosis, made from 1,577.27 plaster or digital mold of insured person (Boston-3 type) COMPONENT AND SUPPLEMENT None ADJUSTMENT AVAILABLE ----- Any pertinent adjustment Maximum price Maximum price Maximum Purchase or Replacement of Guarantee DEVICE adjustement replacement of component or (months) price device supplement 3 2340000 Corrective orthosis for child, Cheneau-type 2,655.46 COMPONENT AND SUPPLEMENT None

Updated: July 13, 2020 129

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

SUBDIVISION 2: CERVICAL ORTHOSES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2370500 Thermoplastic cervical orthosis with sternal support, made from plaster or digital mold of insured person COMPONENT AND SUPPLEMENT AVAILABLE	816.42	2		3
None				
ADJUSTMENT AVAILABLE Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2370559 Prefabricated semi-rigid cervical orthosis (Philadelphia design)	216.95	5		3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2370518 Cervical orthosis with multiple vertical uprights	373.19)		3
COMPONENT AND SUPPLEMENT				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
NOTICE: A Halo cervical orthosis (Halo vest) is not an insured device. Therefore, it cannot be considered in the same way as a Minerva cervical orthosis.				

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2370526 Minerva molded plastic cervical orthosis, made from plaster or digital mold of insured person	1,640.52	2		3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
NOTICE: A Halo cervical orthosis (Halo vest) is not an insured device. Therefore, it cannot be considered in the same way as a Minerva cervical orthosis.				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2370609 Minerva prefabricated cervical orthosis	960.99)		3
2370609 Minerva prefabricated cervical orthosis COMPONENT AND SUPPLEMENT	960.99)		3
-	960.99)		3
COMPONENT AND SUPPLEMENT	960.99			3
COMPONENT AND SUPPLEMENT None	960.99			3
COMPONENT AND SUPPLEMENT None ADJUSTMENT AVAILABLE	960.99			3
COMPONENT AND SUPPLEMENT None ADJUSTMENT AVAILABLE Any pertinent adjustment NOTICE: A Halo cervical orthosis (Halo vest) is not an insured device. Therefore, it cannot be considered in the same way as a Minerva cervical	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
COMPONENT AND SUPPLEMENT None ADJUSTMENT AVAILABLE Any pertinent adjustment NOTICE: A Halo cervical orthosis (Halo vest) is not an insured device. Therefore, it cannot be considered in the same way as a Minerva cervical orthosis.	Maximum price Purchase or replacement of	Maximum price Replacement of component or supplement	adjustement	Guarantee
COMPONENT AND SUPPLEMENT None ADJUSTMENT AVAILABLE Any pertinent adjustment NOTICE: A Halo cervical orthosis (Halo vest) is not an insured device. Therefore, it cannot be considered in the same way as a Minerva cervical orthosis. DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	adjustement	Guarantee (months)
COMPONENT AND SUPPLEMENT None ADJUSTMENT AVAILABLE Any pertinent adjustment NOTICE: A Halo cervical orthosis (Halo vest) is not an insured device. Therefore, it cannot be considered in the same way as a Minerva cervical orthosis. DEVICE 2370534 Cervical orthosis (SOMI-type) COMPONENTS AND SUPPLEMENTS	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	adjustement	Guarantee (months)
COMPONENT AND SUPPLEMENT None ADJUSTMENT AVAILABLE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	adjustement	Guarantee (months)

Updated : July 13, 2020

SUBDIVISION 3: OTHER TRUNK AND CERVICAL ORTHOSES

DEVICE	Maximum price Maximum p Purchase or Replacemer replacement of component device supplement	nt of adjustement adjustement (months)
2390607 Other trunk orthoses *	S. C.	3
2371003 Other cervical orthoses *	S. C.	3

^{*} When the price is below that of the similar orthosis

Updated: July 13, 2020

DIVISION VII: AMBULATION AIDS

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
4490009	Quad cane, height-adjustable	35.42			12
	BASIC COMPONENT AND SUPPLEMENT				
	Tip				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENT				
4495727	Tip (per pair)	N. C.	2.57		
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
4490017	Crutches with axillary support, height-adjustable	20.24			12
	BASIC COMPONENTS AND SUPPLEMENTS				
	Tips (2) Axillary pads (2) Handrest covers (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
4495727 4495743 4495750	Tips (per pair) Axillary pads (per pair) Handrest covers (per pair)	N. C. N. C. N. C.	2.57		
	OPTIONAL COMPONENTS				
4495768	Flip-up ice tips with four or five prongs Pair Unit	10.29 N. A.			

Updated : July 13, 2020

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)	
4490018	Crutches with forearm support, height-adjustable	55.66			12
	BASIC COMPONENTS AND SUPPLEMENTS				
	Tips (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
4495727	Tips (per pair)	N. C.	2.57		
	OPTIONAL COMPONENTS				
4495768	Flip-up ice tips with four or five prongs Pair Unit	10.29 N. A.			
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guaranted (months)
4490082	DEVICE Anterior walker, folding, without wheels or with wheels (2), height-adjustable	Purchase or replacement of	Replacement of component or supplement	adjustement	
4490082	Anterior walker, folding, without wheels or with	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
4490082	Anterior walker, folding, without wheels or with wheels (2), height-adjustable	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
4490082	Anterior walker, folding, without wheels or with wheels (2), height-adjustable BASIC COMPONENTS AND SUPPLEMENTS	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
4490082	Anterior walker, folding, without wheels or with wheels (2), height-adjustable BASIC COMPONENTS AND SUPPLEMENTS Tips (2) COMPONENTS AND SUPPLEMENTS	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
	Anterior walker, folding, without wheels or with wheels (2), height-adjustable BASIC COMPONENTS AND SUPPLEMENTS Tips (2) COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
	Anterior walker, folding, without wheels or with wheels (2), height-adjustable BASIC COMPONENTS AND SUPPLEMENTS Tips (2) COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS	Purchase or replacement of device 50.60	Replacement of component or supplement	adjustement	(months)
4495727	Anterior walker, folding, without wheels or with wheels (2), height-adjustable BASIC COMPONENTS AND SUPPLEMENTS Tips (2) COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS Tips (2)	Purchase or replacement of device 50.60	Replacement of component or supplement	adjustement	(months)
4495727	Anterior walker, folding, without wheels or with wheels (2), height-adjustable BASIC COMPONENTS AND SUPPLEMENTS Tips (2) COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS Tips (2) OPTIONAL COMPONENTS	Purchase or replacement of device 50.60	Replacement of component or supplement 2.57	adjustement	(months)
4495727	Anterior walker, folding, without wheels or with wheels (2), height-adjustable BASIC COMPONENTS AND SUPPLEMENTS Tips (2) COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS Tips (2) OPTIONAL COMPONENTS Walker skis on rear legs	Purchase or replacement of device 50.60 N. C.	Replacement of component or supplement 2.57	adjustement	(months)
4495727 4495776	Anterior walker, folding, without wheels or with wheels (2), height-adjustable BASIC COMPONENTS AND SUPPLEMENTS Tips (2) COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS Tips (2) OPTIONAL COMPONENTS Walker skis on rear legs Pair	Purchase or replacement of device 50.60 N. C.	Replacement of component or supplement 2.57	adjustement	(months)
4495727 4495776	Anterior walker, folding, without wheels or with wheels (2), height-adjustable BASIC COMPONENTS AND SUPPLEMENTS Tips (2) COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS Tips (2) OPTIONAL COMPONENTS Walker skis on rear legs Pair Unit	Purchase or replacement of device 50.60 N. C.	Replacement of component or supplement 2.57 12.14 6.07	adjustement	(months)
4495727 4495776	Anterior walker, folding, without wheels or with wheels (2), height-adjustable BASIC COMPONENTS AND SUPPLEMENTS Tips (2) COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS Tips (2) OPTIONAL COMPONENTS Walker skis on rear legs Pair Unit Rear hand brakes	Purchase or replacement of device 50.60 N. C. 12.14 6.07	Replacement of component or supplement 2.57 12.14 6.07 N. A.	adjustement	(months)
4495727 4495776 4495826	Anterior walker, folding, without wheels or with wheels (2), height-adjustable BASIC COMPONENTS AND SUPPLEMENTS Tips (2) COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS Tips (2) OPTIONAL COMPONENTS Walker skis on rear legs Pair Unit Rear hand brakes Pair	Purchase or replacement of device 50.60 N. C. 12.14 6.07	Replacement of component or supplement 2.57 12.14 6.07 N. A.	adjustement	(months)
4495727 4495776 4495826	Anterior walker, folding, without wheels or with wheels (2), height-adjustable BASIC COMPONENTS AND SUPPLEMENTS Tips (2) COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS Tips (2) OPTIONAL COMPONENTS Walker skis on rear legs Pair Unit Rear hand brakes Pair Unit	Purchase or replacement of device 50.60 N. C. 12.14 6.07	Replacement of component or supplement 2.57 12.14 6.07 N. A. 25.69	adjustement	(months)

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
4490085	Anterior walker, without wheels or with wheels (2), height-adjustable, weighted or bariatric type	111.32			12
	BASIC COMPONENTS AND SUPPLEMENTS				
	Tips (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
4495727	Tips (per pair)	N. C.	2.57		
	OPTIONAL COMPONENTS				
	Walker skis on rear legs Pair Unit Rear hand brakes	12.14 6.07	6.07		
	Pair Unit	51.39 N. A.			
4495784	Forearm supports	N. A.	23.69		
	Pair	156.74	N. A.		
	Unit	78.38	78.38		
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
4490083	Anterior walker, folding, with 2 wheels, height-adjustable, for child	156.86			12
	BASIC COMPONENTS AND SUPPLEMENTS				
	Tips (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
4405727	Tips (per pair)	N. C.	2.57		

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Posterior walker, folding, with wheels (2 or 4), and height-adjustable, for child	232.76			12
	BASIC COMPONENTS AND SUPPLEMENTS Tips (2) COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
4495727	Tips (2)	N. C.	2.57		
	OPTIONAL COMPONENTS				
	Forearm supports (2) Pair Unit	156.74 78.38	N. A. 78.38		
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Walker with wheels 4, height-adjustable with thoracic support, depth-adjustable and width-adjustable, for child	657.80			12
	BASIC COMPONENTS AND SUPPLEMENTS Steel frame Thoracic support, with cover Flexible seat Front bumpers (4) Wheelbrakes (4)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS				
4495835	Steel frame, height-adjustable Thoracic support, depth-adjustable with cover	N. C. N. C.			
4495875 4495883	Flexible seat Front bumpers (4) Wheelbrakes (4)	N. C. N. C. N. C.	N. A.		
	OPTIONAL COMPONENTS				
	Lower-limb abductor Back/headrest and cover	178.57 280.09			

DIVISION VIII: STANDING AIDS

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2192276 Parapodium, for child (Variety Village system) BASIC COMPONENTS AND SUPPLEMENTS Prefabricated parapodium orthosis COMPONENT AND SUPPLEMENT None	2,540.04	1		3
ADJUSTMENT AVAILABLE Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2192292 Parapodium, for adult (Variety Village system)	3,449.83	3		3
BASIC COMPONENTS AND SUPPLEMENTS				
Prefabricated parapodium orthosis				
COMPONENT AND SUPPLEMENT				
None ADJUSTMENT AVAILABLE Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2192284 Orthopodium	1,492.64	1		3
BASIC COMPONENTS AND SUPPLEMENTS Prefabricated orthopodium COMPONENT AND SUPPLEMENT None ADJUSTMENT AVAILABLE Any pertinent adjustment				

Updated : July 13, 2020

PART II: AIDS FURNISHED SOLELY BY AN INSTITUTION DIVISION I: UPPER-LIMB PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1242106	Myoelectric cubital prosthesis	5,894.95			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Single laminated plastic socket, made from plaster or digital mold of insured person				
	Electrical system (1 connecting cable, 1 electrode cable, 1 coaxial outlet, 1 coupling component)				
	Lamination collar (wrist) Pack Electrode (1) Standard battery Standard charger Prosthetic glove (Otto Bock)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1245687	Simple laminated plastic socket, made from plaster or digital mold of insured person	N. C.	2,519.36		
1245695	Electrical system (1 connecting cable, 1 electrode cable, 1 coaxial outlet, 1 coupling component)	N. C.	*		
1245703	Lamination collar (wrist)	N. C.	*		
1245752		N. C.	*		
	First electrode	N. C.			
	Additional electrode	1,546.57			
	Additional electrode cable	87.67			
	Standard battery Standard charger	N. C. N. C.			
	Prosthetic glove (Otto Bock)	N. C. N. C.			
0220000	OPTIONAL COMPONENTS	1			
	Double flexoform socket	305.89			
3223039	Electric hand (Otto Bock) for one 6¾ electrode	4,501.09	4,501.09		
3223302	Electric hand (Otto Bock) for one 71/4 and 73/4 electrode	5,093.00	5,093.00		
3223310	Electric hand (Otto Bock) for one 81/4 electrode	5,336.89	5,336.89		

3223328 Electric hand (Otto Bock) for two 6¾ electrodes	4,028.39	4,028.39
3223336 Electric hand (Otto Bock) for two 71/4 and 73/4	5,548.58	5,548.58
electrodes	•	,
3223344 Electric hand (Otto Bock) for two 81/4 electrodes	5,831.91	5,831.91
Electric hands (VASI):		
3223047 - 0 to 3 years for one electrode	6,163.14	6,163.14
3223054 - 2 to 6 years for two electrodes	6,163.14	6,163.14
3223062 - 5 to 9 years for two electrodes	6,568.71	6,568.71
3223070 Electric hand (Steeper), 1.75	3,887.22	3,887.22
3223351 Electric hand (Steeper), 2.00	4,050.29	4,050.29
3223369 Electric hand (Steeper), 2.25 to 3.25	4,373.66	4,373.66
3223088 Electric hand 2000 (Otto Bock) for two 5 electrodes	6,313.88	6,313.88
3223377 Electric hand 2000 (Otto Bock) for two 5½ and 6	6,611.19	6,611.19
electrodes		
3223385 Electric hand 2000 (Otto Bock) for two 6½ electrodes	6,879.75	6,879.75
1245828 Electronic box for electric hand 2000	1,474.35	1,474.35
1245836 Battery (1) for electric hand 2000	42.47	42.47
1245844 Electrode cables (2) for electric hand 2000	132.92	132.92
1245802 Charger for hand 2000	142.49	142.49
3223096 Electric hook for one electrode	5,225.93	5,225.93
3223104 Electric hook for two electrodes	5,039.58	5,039.58
Electronics module system:		
3232824 Electric wrist rotator	385.03	385.03
3232832 Myoelectrically controlled prosthetic wrist, including a control unit	5,864.97	5,864.97
1245919 Rapid charger	799.73	799.73
1245810 Activating switch	256.43	256.43
Adaptations to make prosthesis mechanical:		
3232840 Quick disconnect wrist	785.12	785.12
3222965 Hook, 99X-type	624.93	693.79
1295716 Suspension harness	132.41	207.14
-	176.73	
1295724 Control cable, terminal connections and housing (reinforced materials)	1/0./3	251.48
SUPPLEMENT AVAILABLE		
1245851 Conductor gel	6.84	6.84
ADJUGTMENT ANALI ADI E		

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

Updated: July 13, 2020

^{*} Repair. Indicate materials and labour. Suppporting documents must be kept on file

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1242502	Myoelectric prosthesis for dislocation of wrist	5,581.41			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Single laminated plastic socket, made from plaster or digital mold of insured person				
	Electrical system (1 connecting cable, 1 electrode cable) Pack Electrode (1) Standard battery Standard charger Prosthetic glove (Otto Bock)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1245927	Single laminated plastic socket, made from plaster or digital mold of insured person	N. C.	2,374.32		
1245935	Electrical system (1 connecting cable, 1 electrode cable)	N. C.	*		
1245752	· · · · · · · · · · · · · · · · · · ·	N. C.	*		
1245711	First electrode	N. C.	*		
1245729	Additional electrode	1,546.57	1,546.57		
1245745	Additional electrode cable	87.67	87.67		
	Standard battery	N. C.			
	Standard charger	N. C.			
3223005	Prosthetic glove (Otto Bock), fitting included	N. C.	330.56		
	OPTIONAL COMPONENTS				
1245786	Double flexoform socket	305.89	424.66		
3223039	Electric hand (Otto Bock) for one 6¾ electrode	4,501.09	4,501.09		
3223302	Electric hand (Otto Bock) for one 71/4 or 73/4 electrode	5,093.00	5,093.00		
3223310	Electric hand (Otto Bock) for one 81/4 electrode	5,336.89	5,336.89		
3223328	Electric hand (Otto Bock) for two 6¾ electrodes	4,028.39	4,028.39		

3223336 Electric hand (Otto Bock) for two 71/4 and 73/4	5,548.58	5,548.58
electrodes		
3223344 Electric hand (Otto Bock) for two 8¼ electrodes	5,831.91	5,831.91
3223070 Electric hand (Steeper), 1.75	3,887.22	3,887.22
3223351 Electric hand (Steeper), 2.00	4,050.29	4,050.29
3223369 Electric hand (Steeper), 2.25 to 3.25	4,373.66	4,373.66
3223088 Electric hand 2000 (Otto Bock) for two 5	6,313.88	6,313.88
electrodes	•	·
3223377 Electric hand 2000 (Otto Bock) for two 5½ and 6	6,611.19	6,611.19
electrodes		
3223385 Electric hand 2000 (Otto Bock) for two 61/2	6,879.75	6,879.75
electrodes		
1245828 Electronic box for electric hand 2000	1,474.35	1,474.35
1245836 Battery (1) for electric hand 2000	42.47	42.47
1245844 Electrode cables (2) for electric hand 2000	132.92	132.92
1245802 Charger for hand 2000	142.49	142.49
3223096 Electric hook for one electrode	5,225.93	5,225.93
3223104 Electric hook for two electrodes	5,039.58	5,039.58
1245919 Rapid charger	799.73	799.73
1245810 Activating switch	256.43	256.43
SUPPLEMENT AVAILABLE		
1245851 Conductor gel	6.84	6.84
ADULOTMENT AVAILABLE		

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

^{*} Repair. Indicate materials and labour. Supporting documents must be kept on file

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
--------	---	---	---------------------------------	--------------------

8,839.76

6

1262104 Myoelectric humeral prosthesis

BASIC COMPONENTS AND SUPPLEMENTS

Single laminated plastic socket, made from plaster or digital mold of insured person

Electrical system (1 connecting cable, 1 electrode cable, 1 coaxial outlet, 1 coupling component)

Lamination collar (wrist)
Elbow with internal lock, model E-400
Pack

Electrode (1) Standard battery Standard charger Prosthetic glove (Otto Bock)		
COMPONENTS AND SUPPLEMENT AVAILABLE	NTS	
BASIC COMPONENTS		
1245869 Single laminated plastic socket, made or digital mold of insured person	e from plaster N. C.	3,289.16
1245695 Electrical system (1 connecting cable cable, 1 coaxial outlet, 1 coupling con		*
1265529 Elbow with internal lock, model E-40	00 N. C.	1,183.60
1245703 Lamination collar (wrist)	N. C.	*
1245752 Pack	N. C.	*
1245711 First electrode	N. C.	*
1245729 Additional electrode	1,546.57	1,546.57
1245745 Additional electrode cable	87.67	87.67
1245760 Standard battery	N. C.	*
1245778 Standard charger	N. C.	*
3223005 Prosthetic glove (Otto Bock), fitting	included N. C.	330.56
OPTIONAL COMPONENTS		
1265560 Double flexoform socket	386.21	504.94
1265578 Additional cost of socket where elborexternal lock		228.82
3223039 Electric hand (Otto Bock) for one 63/2	electrode 4,501.09	4,501.09
3223302 Electric hand (Otto Bock) for one 71/2 electrode	5,093.00 5,093.00	5,093.00
3223310 Electric hand (Otto Bock) for one 81/4	selectrode 5,336.89	5,336.89
3223328 Electric hand (Otto Bock) for two 63/2	electrodes 4,028.39	4,028.39
3223336 Electric hand (Otto Bock) for two 71/2 electrodes	a and 7 ³ / ₄ 5,548.58	5,548.58
3223344 Electric hand (Otto Bock) for two 81/2	s electrodes 5,831.91	5,831.91
Electric hands (VASI):		
3223047 - 0 to 3 years for one electrode	6,163.14	6,163.14
3223054 - 2 to 6 years for two electrodes	6,163.14	6,163.14
3223062 - 5 to 9 years for two electrodes	6,568.71	6,568.71
3223070 Electric hand (Steeper), 1.75	3,887.22	3,887.22
3223351 Electric hand (Steeper), 2.00	4,050.29	4,050.29
3223369 Electric hand (Steeper), 2.25 to 3.25	4,373.66	4,373.66
3223088 Electric hand 2000 (Otto Bock) for two electrodes	vo 5 6,313.88	6,313.88
3223377 Electric hand 2000 (Otto Bock) for two electrodes	wo 5½ and 6 6,611.19	6,611.19

3223385 Electric hand 2000 (Otto Bock) for two 6½ electrodes	6,879.75	6,879.75	
1245828 Electronic box for electric hand 2000	1,474.35	1,474.35	
1245836 Battery (1) for electric hand 2000	42.47	42.47	
1245844 Electrode cables (2) for electric hand 2000	132.92	132.92	
1245802 Charger for hand 2000	142.49	142.49	
3223096 Electric hook for one electrode	5,225.93	5,225.93	
3223104 Electric hook for two electrodes	5,039.58	5,039.58	
Electronics module system:			
3232824 Electric wrist rotator	385.03	385.03	
3232832 Myoelectrically controlled prosthetic wrist,	5,864.97	5,864.97	
including a control unit	3,00 7	2,00, 7	
1265586 Electric elbow (Hosmer) with switch (including one	8,330.40	8,330.40	
battery, charger, switch)	,	,	
1245919 Rapid charger	799.73	799.73	
1245810 Activating switch	256.43	256.43	
Adaptations to make prosthesis mechanical:			
3232840 Quick disconnect wrist	785.12	785.12	
3222965 Hook, 99X-type	624.93	693.79	
1295716 Suspension harness	132.41	207.14	
1295724 Control cable, terminal connections and housing	176.73	251.48	
(reinforced materials)			
1295559 Flexion assist mechanism	435.22	535.09	
SUPPLEMENTS AVAILABLE			
1245851 Conductor gel	6.84	6.84	

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

^{*} Repair. Indicate materials and labour. Supporting documents must be kept on file

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1242205 Electro-mechanical cubital prosthesis	4,573.86			6

BASIC COMPONENTS AND SUPPLEMENTS

Single laminated plastic socket, made from plaster or digital mold of insured person

Electrical system (1 connecting cable, 1 coaxial outlet, cable connecting switch to coaxial outlet, switch)

Lamination collar (wrist)

Standard batteries (2)

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

1245687 Single laminated plastic socket, made from plaster or digital mold of insured person	N. C.	2,519.36
1245885 Electrical system (1 connecting cable, 1 coaxial outlet, cable connecting switch to coaxial outlet, switch)	N. C.	*
1245703 Lamination collar (wrist)	N. C.	*
1245752 Pack	N. C.	*
1245893 Standard batteries (2)	N. C.	*
1245778 Standard charger	N. C.	*
3223005 Prosthetic glove (Otto Bock)	N. C.	330.56
OPTIONAL COMPONENTS		
1245786 Double flexoform socket	305.89	424.66
3223039 Electric hand (Otto Bock) for one 6¾ electrode	4,501.09	4,501.09
3223302 Electric hand (Otto Bock) for one 71/4 or 73/4 electrode	5,093.00	5,093.00
3223310 Electric hand (Otto Bock) for one 81/4 electrode	5,336.89	5,336.89
3223328 Electric hand (Otto Bock) for two 6¾ electrodes	4,028.39	4,028.39
3223336 Electric hand (Otto Bock) for two 71/4 and 73/4 electrodes	5,548.58	5,548.58
3223344 Electric hand (Otto Bock) for two 81/4 electrodes	5,831.91	5,831.91
Electric hands (VASI):		
3223047 - 0 to 3 years for one electrode	6,163.14	6,163.14
3223054 - 2 to 6 years for two electrodes	6,163.14	6,163.14
3223062 - 5 to 9 years for two electrodes	6,568.71	6,568.71
3223070 Electric hand (Steeper), 1.75	3,887.22	3,887.22
3223351 Electric hand (Steeper), 2.00	4,050.29	4,050.29
3223369 Electric hand (Steeper), 2.25 to 3.25	4,373.66	4,373.66
3223096 Electric hook for one electrode	5,225.93	5,225.93
3223104 Electric hook for two electrodes	5,039.58	5,039.58
1245919 Rapid charger	799.73	799.73
1245810 Activating switch	256.43	256.43
Adaptations to make prosthesis mechanical:		
3232840 Quick disconnect wrist	785.12	785.12
3222965 Hook, 99X-type	624.93	693.79
1295716 Suspension harness	132.41	207.14
1295724 Control cable, terminal connections and housing (reinforced materials)	176.73	251.48

SUPPLEMENTS AVAILABLE

----- Stump sock

* (consult Division II of this Part for the codes and prices of these supplements)

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DIVISION II: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES

See Title One, Part I, Division III, "SOCKS FOR PROSTHESES"

DIVISION III: AMBULATION AIDS

4490181 Other non-listed ambulation aids S. C.

GUARANTEE PERIOD: 1 year

4490421 Non-listed ambulation aid component (S. C.) S. C.

PART III: ELEMENTS INCLUDED IN THE PRICES OF THE DEVICES:

- 1. The maximum price for the purchase or replacement of an insured device referred to in Part I or II of this Title includes the following elements:
- (1) the maximum price for its basic components and supplements;
- (2) the cost of its manufacture;
- (3) the cost of fittings required while it is being manufactured, up to and including the final installation;
- (4) the cost of fittings and repairs during the guarantee period referred to in this Title in respect of each device, beginning immediately after the final installation and during which any fitting or repair of a device used under normal conditions is made, in order to bring the device into conformity with the original medical prescription, where the beneficiary's physical condition has not changed, and to enable the beneficiary to derive maximum benefit from the device.
- 2. The maximum replacement cost of a component or supplement for a device referred to in Part I or II of this Title includes the following elements:
- (1) the cost price of the materials;
- (2) the cost of its manufacture, if any;
- (3) the cost of fitting and installation.
- 3. The maximum price for a cane includes the safety tip, and the fixed price for a pair of height-adjustable axillary crutches includes the safety tips, the axillary pads and the elastomer handrest covers.
- 4. The maximum price for a standard post-operative prosthesis assumed by the Board following the amputation of a lower limb includes the supply, even if temporary, of the components required for the entire time the prosthesis is worn, the work performed in the operating room, the waiting period, the application of a rigid bandage, the fixation of the pylon and foot, and the changing of the rigid bandage as required.
- 5. The maximum price for a post-operative pneumatic prosthesis assumed by the Board following the amputation of a lower limb includes the supply, even if temporary, of the components required for the entire time the prosthesis is worn, the work performed at the institution, the waiting period, and the installation of the pneumatic lining, metallic support and means of suspension.
- 6. The maximum price for a temporary prosthesis assumed by the Board includes, for the entire time the prosthesis is worn, the supply, even if temporary, of the components, the manufacture of or modifications made to the socket, the means of suspension required, as well as the alignment and fittings required.

TITLE TWO: LOCOMOTOR AND POSTURE ASSISTS (FURNISHED SOLELY BY AN INSTITUTION)

PART I: LOCOMOTOR ASSISTS
DIVISION I: ADULT WHEELCHAIRS
SUBDIVISION 1: MANUAL WHEELCHAIRS

PRICE (including all the basic components)

7150000 MANUAL WHEELCHAIRS

910.00

IN SUBCATEGORY "BASIC (FOLDING FRAME)"

MOTION COMPOSITES INC.

"CHRONOS" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Device weight: 15.9 kg (35 lb.)

Overall width: 19.1 cm (7½ in.) over the nominal seat width at 0° rear wheel camber

Front seat-to-floor height: 31.8 cm to 52.1 cm ($12\frac{1}{2} \text{ in.}$ to $20\frac{1}{2} \text{ in.}$) Rear seat-to-floor height: 31.1 cm to 48.3 cm ($12\frac{1}{4} \text{ in.}$ to 19 in.)

Frame: straight back canes or bend back canes from 8° to 10°, height and angleadjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of

6°; non-slip push handles; four tie-down points for adapted transport

BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM			
7150001 Flexible nylon mesh seat, with mesh-stretch system; two strips of "hook" Velcro, 2.5 cm (1 wide or wider; handle to fold chair; widths of a cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 depths of 40.6 cm (16 in.), 43.2 cm (17 in.) or a cm (18 in.)	in.) 40.6 in.);	36.00	12
7150002 Flat foam seat cushion, 5.1 cm (2 in.); two strip "velour" Velcro 5.1 cm (2 in.) wide, under cushion		63.00	36
7150003 Flat foam seat cushion, 7.6 cm (3 in.); two strip "velour" Velcro 5.1 cm (2 in.) wide, under cushion		104.00	36
7150004 Flexible nylon mesh back, padded; heights of 4 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in. 48.3 cm (19 in.)		32.33	12
7150005 Flexible nylon mesh back, padded, tens adjustable; minimum of four horizontal, adjustastraps spread across the height of the back		115.33	12

			()
7150006 Pelvic positioning belt, auto buckle	N. C.	13.75	36
7150007 Pelvic positioning belt, Velcro	N. C.	47.50	36
7150008 U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	118.00	60
7150009 U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.33	60
7150010 Amount and attacket about	N. C.	175	12
7150011 Armest pad, straight, short	N. C. N. C.	4.75	12
7150011 Armrest pad, straight, long 7150012 Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel	N. C. N. C.	5.58 23.88	12
loop; adjustable length from 34.3 cm to 44.5 cm $(13\frac{1}{2} \text{ in. to } 17\frac{1}{2} \text{ in.})$, from 40 cm to 50.8 cm $(15\frac{3}{4} \text{ in. to } 20 \text{ in.})$ or from 43.2 cm to 53.3 cm $(17 \text{ in. to } 21 \text{ in.})$			60
7150013 Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 34.3 cm to 44.5 cm (13½ in. to 17½ in.), from 40 cm to 50.8 cm (15¾ in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.)	N. C.	48.00	60
7150014 Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	177.50	201.38	36
7150015 Padded calf-rest	48.75	48.75	36
7150015 Fadded can-rest 7150016 Folding footplate, standard, standard size; plastic	N. C.	7.75	50
			36
7150017 Folding footplate, standard, oversize	10.00	17.75	36
7150018 Footplate, angle and depth-adjustable, standard size	90.00	97.75	36
7150019 Footplate, angle and depth-adjustable, oversize	90.00	97.75	36
7150020 Heal loop, adjustable		4.50	27
7150020 Heel loop, adjustable 7150021 Headrest cushion, contoured, all sizes	85.00	4.50 85.00	36 36

		`	` /
7150022 Headrest bracket, height and depth-adjustable, or articulated uniball bracket	90.00	90.00	36
FRAME			
7150023 Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	21.00	60
7150024 Fold-away back spreader bar to fold chair; with anchor for headrest bracket	70.00	70.00	36
7150025 Front impact guard with rollers	35.00	35.00	36
7150026 Cane holder	30.00	30.00	36
DRIVE SYSTEM			
7150027 Handrim, smooth	N. C.	14.50	36
7150028 Handrim, plastic-coated	N. C.	32.00	36
7150029 Standard wheel lock, push-to-lock or pull-to-lock	N. C.	14.00	26
•			36
7150030 Plug-in wheel lock extension	10.00	10.00	36
7150031 Caster fork to adjust height and angle perpendicular	N. C.	9.63	
to the ground to compensate for changes in the rear seat-to-floor height			36
WHEELS AND TIRES			
7150032 Front mag wheel; semi-pneumatic tire; 20.3 cm (8 in.); 2.5 cm (1 in.) wide	N. C.	24.91	36
7150033 Front mag wheel; semi-pneumatic tire; 12.7 cm (5	N. C.	8.65	
in.), 15.2 cm (6 in.) or 17.8 cm (7 in.); 2.5 cm (1 in.) wide			36
7150034 Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity to	N. C.	9.63	
at least two horizontal positions; rear height adjustable for 5° of seat tilt, compatible with all wheel diameters			36
7150035 Threaded rear axle	N. C.	4.75	36
7150036 Adapter for "amputee" axle position	53.00	53.00	36
7150037 Spoked rear wheel; semi-pneumatic tire; 61 cm (24 in.); 3.2 cm (11/4 in.) wide		52.88	36
7150038 Spoked rear wheel; semi-pneumatic tire; 50.8 cm	N. C.	52.88	
(20 in.) or 55.9 cm (22 in.); 3.2 cm (11/4 in.) wide			36

PRICE (including all the basic components)

7151421 MANUAL WHEELCHAIRS

1,040.00

IN SUBCATEGORY "INTERMEDIATE (CLASS A FOLDING FRAME)"

MOTION COMPOSITES INC.

"COBALT 1" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Device weight: 16.8 kg (37 lb.)

Overall width: 19,1 cm ($7\frac{1}{2}$ in.) over the nominal seat width at 0° rear

wheel camber

Front seat-to-floor height: 35.6 cm to 55.9 cm (14 in. to 22 in.) Rear seat-to-floor height: 33.7 cm to 52.1 cm ($13\frac{1}{4} \text{ in.}$ to $20\frac{1}{2} \text{ in.}$) Frame: straight back canes or bend back canes from 8° to 10° , height and angle-adjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of 6° ; non-slip push handles; four tie-down points

for adapted transport

BASIC AND OPTIONAL COMPONENTS	Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM			
7151422 Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N. C.	36.00	12
7151423 Flat foam seat cushion 5.1 cm (2 in.); two strips of "velour" Velcro, 5.1 cm (2 in.) wide, under the cushion	63.00	63.00	36
7151424 Flat foam seat cushion, 7.6 cm (3 in.); two strips of "velour" Velcro, 5.1 cm (2 in.) wide, under the cushion	104.00	104.00	36
7151425 Seat – width modification to 48.3 cm (19 in.)	100.00		36
7151426 Seat – width modification to 50.8 cm (20 in.)	100.00		36
7151427 Flexible nylon mesh back, padded; heights of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N. C.	32.33	12

7151428 Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	83.00	115.33	12
7151429 Pelvic positioning belt, auto buckle	N. C.	13.75	36
7151430 Pelvic positioning belt, Velcro	N. C.	47.50	36
7151431 U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	118.00	60
7151432 T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	118.00	60
7151433 U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight		120.33	60
7151434 T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.33	60
7151435 Armrest pad, straight, short 7151436 Armrest pad, straight, long 7151437 Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding	N. C. N. C. N. C.	4.75 5.58 23.88	12 12
footplate, standard size, plastic; adjustable heel loop; adjustable length from 34.3 cm to 44.5 cm (13½ in. to 17½ in.), from 40 cm to 50.8 cm (15¾ in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.)			60
7151438 Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 34.3 cm to 44.5 cm (13½ in. to 17½ in.), from 40 cm to 50.8 cm (15¾ in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.)	N. C.	48.00	60

			(www.ion.io
7151439 Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	177.50	201.38	36
7151440 Padded calf-rest	48.75	48.75	36
7151441 Calf-rest strap, single or double	20.00	20.00	36
7151442 Folding footplate, standard, standard size; plastic		7.75	36
7151443 Folding footplate, standard, oversize; plastic	10.00	17.75	36
7151444 Footplate, angle and depth-adjustable, standard size	90.00	97.75	36
7151445 Footplate, angle and depth-adjustable, oversize	90.00	97.75	36
7151446 Heel loop, adjustable	N. C.	4.50	36
7151447 Headrest cushion, contoured, all sizes	85.00	85.00	36
7151448 Headrest bracket, height and depth-adjustable, or articulated uniball bracket	90.00	90.00	36
FRAME			
7151449 Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	21.00	60
7151450 Fold-away back spreader bar to fold chair; with anchor for headrest bracket	70.00	70.00	36
7151451 Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	400.00		36
7151452 Front impact guard with rollers	35.00	35.00	36
7151453 Cane holder	30.00	30.00	36
DRIVE SYSTEM			
7151454 Handrim, smooth	N. C.	14.50	36
7151455 Handrim, plastic-coated	N. C.	32.00	36
7151456 Handrim with oblique projections	110.00	124.50	36
7151457 Non-slip foam handrim	110.00	124.50	36
7151458 Standard wheel lock, push-to-lock or pull-to-lock	N. C.	14.00	36
7151459 Anti-rollback brake	106.00	120.00	36
7151460 Plug-in wheel lock extension	10.00	10.00	36
7151461 Caster fork to adjust height and angle perpendicular	N. C.	9.63	
to the ground to compensate for changes in the rear seat-to-floor height			36

WHEELS AND TIRES			
7151462 Front mag wheel; semi-pneumatic tire; 20.3 cm (8	N. C.	24.91	36
in.); 2.5 cm (1 in.) wide			30
7151463 Front mag wheel; semi-pneumatic tire; 12.7 cm (5	N. C.	8.65	26
in.), 15.2 cm (6 in.) or 17.8 cm (7 in.); 2.5 cm (1 in.) wide			36
7151464 Front wheel; inner tube; 15.2 cm (6 in.) or 20.3 cm	40.00	64.91	26
(8 in.)			36
7151465 Rear axle, quick release system, with push-button	N. C.	9.63	
locking mechanism; adjustable centre of gravity to			
four horizontal positions; rear height adjustable for 5° of seat tilt, compatible with all wheel diameters			36
5 of seat thit, companion with an wheel diameters			
7151466 Threaded rear axle	N. C.	4.75	36
7151467 Adapter for "amputee" axle position	53.00	53.00	36
7151468 Spoked rear wheel; semi-pneumatic tire; 61 cm (24	N. C.	52.88	36
in.); 3.2 cm (1 ¹ / ₄ in.) wide			30
7151469 Spoked rear wheel; semi-pneumatic tire; 50.8 cm	N. C.	52.88	
(20 in.) or 55.9 cm (22 in.); 3.2 cm (1 ¹ / ₄ in.) wide			36
7151470 Rear wheel; inner tube, standard pressure; 50.8 cm	50.00	102.88	
(20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)			36
7151471 Rear wheel, heavy-duty; semi-pneumatic tire; 55.9	80.00	132.88	36
cm (22 in.) or 61 cm (24 in.)	(5.00	(5.00	
7151472 Spoke guard	65.00	65.00	36
		PRICE	
		cluding all	
		he basic	
7151012 MANUAL WHEEL CHAIDS		mponents)	

7151013 MANUAL WHEELCHAIRS

1,175.00

IN SUBCATEGORY "INTERMEDIATE (CLASS A FOLDING FRAME)"

ORTHOFAB INC.

"PRIMA 4" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Device weight: 18 kg (40 lb.)

Overall width: 19,8 cm (7\% in.) over the nominal seat width at 0° rear wheel camber

Front seat-to-floor height: 35.6 cm to 55.2 cm (14 in. to 21³/₄ in.)

Rear seat-to-floor height: 33.7 cm to 49.8 cm (13¹/₄ in. to 19⁵/₈ in.)

Frame: straight back canes or bend back canes from 8° to 10° , height and angle-adjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of 6° ; non-slip push handles; four tie-down points for adapted transport

BASIC AND OPTIONAL COMPONENTS	Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM			
7150039 Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N. C.	30.00	12
7150040 Flat foam seat cushion, 5.1 cm (2 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	60.00	60.00	36
7150041 Flat foam seat cushion, 7.6 cm (3 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	65.00	65.00	36
7150042 Seat – width modification to 48.3 cm (19 in.)	99.00		36
7150043 Seat – width modification to 50.8 cm (20 in.)	99.00		36
7150044 Flexible nylon mesh back, padded; heights of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.) or 58.4 cm (23 in.)	N. C.	80.00	12
7150045 Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	40.00	120.00	12
7150046 Pelvic positioning belt, auto buckle	N. C.	6.00	36
7150047 Pelvic positioning belt, Velcro	N. C.	15.00	36
7150048 U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60

Updated: July 13, 2020

7150049 T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7150050 U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7150051 T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7150052 Armrest pad, straight, short 7150053 Armrest pad, straight, long 7150054 Parallel footrest, 60° angle, detachable and	N. C. N. C. N. C.	6.00 6.00 100.00	12 12
pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 48.3 cm to 53.3 cm (19 in. to 21 in.)			60
7150055 Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 48.3 cm to 53.3 cm (19 in. to 21 in.)	N. C.	100.00	60
7150056 Elevating leg-rest, compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; padded calf-rest, height and depth-adjustable	100.00	200.00	36
7150057 Padded calf-rest	15.00	15.00	36
7150058 Calf-rest strap, single or double	15.00	15.00	36
7150059 Folding footplate, standard, standard size; plastic	N. C.	6.00	36
7150060 Folding footplate, standard, oversize; plastic	29.00	35.00	36
7150061 Footplate, angle and depth-adjustable, standard size	44.00	50.00	36

			(authentic version)
7150062 Footplate, angle and depth-adjustable, oversize	49.00	55.00	36
7150063 Heel loop, adjustable	N. C.	3.00	36
7150064 Headrest cushion, flat, all sizes	40.00	40.00	36
7150065 Headrest bracket, height and depth-adjustable	35.00	35.00	36
FRAME			
7150066 Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	12.00	60
7150067 Fold-away back spreader bar to fold chair; with anchor for headrest bracket	75.00	75.00	36
7150068 Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	103.00	N. A.	36
7150069 Front impact guard with rollers	10.00	10.00	36
7150070 Cane holder	25.00	25.00	36
DRIVE SYSTEM			
7150071 Handrim, smooth	N. C.	80.00	36
7150072 Handrim, plastic-coated	N. C.	80.00	36
7150073 Handrim with oblique projections	N. C.	80.00	36
7150074 Non-slip foam handrim	40.00	120.00	36
7150075 Standard wheel lock, push-to-lock or pull-to-lock	N. C.	30.00	36
7150076 Anti-rollback brake	25.00	55.00	36
7150077 Plug-in wheel lock extension	10.00	10.00	36
7150077 Trag in wheel fock extension 7150078 Caster fork to adjust height and angle perpendicular	N. C.	15.00	30
to the ground to compensate for changes in the rear seat-to-floor height	1	13.00	36
WHEELS AND TIRES			
7150079 Front mag wheel; semi-pneumatic tire; 17.8 cm (7	N. C.	40.00	
in.), 2.54 cm (1 in.) wide; or 20.3 cm (8 in.), 3.2 cm (1½ in.) or 3.8 cm (1½ in.) wide			36
7150080 Front mag wheel; semi-pneumatic tire; 12.7 cm (5 in.) or 15.2 cm (6 in.); 3.8 cm (1½ in.) wide	N. C.	40.00	36
iii.) 61 13.2 cm (0 iii.), 3.0 cm (1/2 iii.) wide			50
7150081 Front wheel; inner tube; 15.2 cm (6 in.), 17.8 cm (7 in.) or 20.3 cm (8 in.)	10.00	50.00	36
7150082 Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity to	N. C.	15.00	
four horizontal positions; rear height adjustable for 5° of seat tilt, compatible with all wheel diameters			36
7150083 Threaded rear axle	N. C.	2.00	36
7150084 Adapter for "amputee" axle position	10.00	10.00	36
7150085 Spoked rear wheel; semi-pneumatic tire; 61 cm (24	N. C.	100.00	36
in.); 3.2 cm (1 ¹ / ₄ in.) wide			50

7171014 MANUAL WHIPEL CHAIDS		1 0 40 00	
	co	mponents)	
	1	the basic	
	(in	cluding all	
		PRICE	
7150089 Spoke guard	70.00	70.00	36
cm (22 in.) or 61 cm (24 in.)	2 2 1 2 2		36
7150088 Rear wheel, heavy-duty; semi-pneumatic tire; 55.9	50.00	150.00	
(20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	14. 6.	100.00	36
7150087 Rear wheel; inner tube, standard pressure; 50.8 cm	N. C.	100.00	()
			(authentic version)

7151014 MANUAL WHEELCHAIRS

1,040.00

IN SUBCATEGORY "INTERMEDIATE (CLASS B FOLDING FRAME)"

MOTION COMPOSITES INC.

"COBALT 2" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Device weight: 15.9 kg (35 lb.)

Overall width: 19,1 cm (7½ in.) over the nominal seat width at 0° rear wheel camber

Front seat-to-floor height: 31.8 cm to 52.1 cm ($12\frac{1}{2} \text{ in.}$ to $20\frac{1}{2} \text{ in.}$)
Rear seat-to-floor height: 30.5 cm to 48.9 cm (12 in. to $19\frac{1}{4} \text{ in.}$)

Frame: straight back canes or bend back canes from 8° to 10°, height and angle-adjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of

6°; non-slip push handles; four tie-down points for adapted transport

BASIC AND OPTIONAL COMPONENTS	Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM			
7151015 Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N. C.	36.00	12
7151016 Flat foam seat cushion, 5.1 cm (2 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	63.00	63.00	36
7151017 Flat foam seat cushion, 7.6 cm (3 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	104.00	104.00	36
7151018 Seat – width modification to 48.3 cm (19 in.)	100.00		36
7151019 Seat – width modification to 50.8 cm (20 in.)	100.00		36

				(ddifference version)
38.1 cm (15 in	mesh back, padded; heights of .), 40.6 cm (16 in.), 43.2 cm (17 in.), .) 48.3 cm (19 in.) or 50.8 cm (20	N. C.	32.33	12
7151021 Flexible nylon adjustable; mir	mesh back, padded, tension- nimum of four horizontal, adjustable cross the height of the back	83.00	115.33	12
7151022 Pelvic position	ing belt, auto buckle	N. C.	13.75	36
7151023 Pelvic position	ing belt, Velcro	N. C.	47.50	36
adjustable, from in.) or from 25 maximum incre	s, short; detachable; height- m 20.3 cm to 30.5 cm (8 in. to 12 .4 cm to 35.6 cm (10 in. to 14 in.) by ements of 2.5 cm (1 in.), with nism; clothing guard, rigid, built into st pad, straight	N. C.	118.00	60
adjustable, from in.) or from 25 maximum incre	, short; detachable; height- m 20.3 cm to 30.5 cm (8 in. to 12 .4 cm to 35.6 cm (10 in. to 14 in.) by ements of 2.5 cm (1 in.), with nism; clothing guard, rigid, built into st pad, straight	N. C.	118.00	60
from 20.3 cm t 25.4 cm to 35. increments of 2	s, long; detachable; height-adjustable, o 30.5 cm (8 in. to 12 in.) or from 6 cm (10 in. to 14 in.) by maximum 2.5 cm (1 in.), with locking othing guard, rigid, built into st pad, straight		120.33	60
from 20.3 cm t 25.4 cm to 35. increments of 2	o, long; detachable; height-adjustable, o 30.5 cm (8 in. to 12 in.) or from 6 cm (10 in. to 14 in.) by maximum 2.5 cm (1 in.), with locking othing guard, rigid, built into st pad, straight	N. C.	120.33	60
pivoting with l	<u> </u>	N. C. N. C. N. C.	4.75 5.58 23.88	12 12
loop; adjustabl (13½ in. to 17½	e length from 34.3 cm to 44.5 cm /2 in.), from 40 cm to 50.8 cm (15 ³ / ₄ from 43.2 cm to 53.3 cm (17 in. to			60

			(watering version)
7151031 Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 34.3 cm to 44.5 cm (13½ in. to 17½ in.), from 40 cm to 50.8 cm (15¾ in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.)	N. C.	48.00	60
7151032 Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	177.50	201.38	36
7151033 Padded calf-rest	48.75	48.75	36
7151034 Calf-rest strap, single or double	20.00	20.00	36
7151035 Folding footplate, standard, standard size; plastic		7.75	26
			36
7151036 Folding footplate, standard, oversize; plastic	10.00	17.75	36
7151037 Footplate, angle and depth-adjustable, standard size	90.00	97.75	36
7151038 Footplate, angle and depth-adjustable, oversize	90.00	97.75	36
7151039 Heel loop, adjustable	N. C.	4.50	36
7151040 Headrest cushion, contoured, all sizes	85.00	85.00	36
7151041 Headrest bracket, height and depth-adjustable, or articulated uniball bracket	90.00	90.00	36
FRAME			
7151042 Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	21.00	60
7151043 Fold-away back spreader bar to fold chair; with anchor for headrest bracket	70.00	70.00	36
7151044 Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	400.00		36
7151045 Front impact guard with rollers	35.00	35.00	36
7151046 Cane holder	30.00	30.00	36
DRIVE SYSTEM			
7151047 Handrim, smooth	N. C.	14.50	36
7151048 Handrim, plastic-coated	N. C.	32.00	36
7151049 Non-slip foam handrim	110.00	124.50	36
7151050 Handrim with oblique projections	110.00	124.50	36

			(authoritic version)
7151052 Anti-rollback brake 7151053 Plug-in wheel lock extension	106.00 10.00	120.00 10.00	36 36
7151054 Caster fork to adjust height and angle perpendicular to the ground to compensate for changes in the rear seat-to-floor height	N. C.	9.63	36
WHEELS AND TIRES			
7151055 Front mag wheel; semi-pneumatic tire; 20.3 cm (8 in.); 2.5 cm (1 in.) wide	N. C.	24.91	36
7151056 Front mag wheel; semi-pneumatic tire; 12.7 cm (5 in.), 15.2 cm (6 in.) or 17.8 cm (7 in.); 2.5 cm (1 in.) wide	N. C.	8.65	36
7151057 Front wheel; inner tube; 15.2 cm (6 in.) or 20.3 cm (8 in.)	40.00	64.91	36
7151058 Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity to four horizontal positions; rear height adjustable for 5° of seat tilt, compatible with all wheel diameters	N. C.	9.63	36
7151059 Threaded rear axle	N. C.	4.75	36
7151060 Adapter for "amputee" axle position	53.00	53.00	36
7151061 Spoked rear wheel; semi-pneumatic tire; 61 cm (24 in.); 3.2 cm (1 ¹ / ₄ in.) wide	N. C.	52.88	36
7151062 Spoked rear wheel; semi-pneumatic tire; 50.8 cm (20 in.) or 55.9 cm (22 in.); 3.2 cm (1¼ in.) wide	N. C.	52.88	36
7151063 Rear wheel, heavy-duty; semi-pneumatic tire; 55.9 cm (22 in.) or 61 cm (24 in.)	80.00	132.88	36
7151064 Rear wheel; inner tube, standard pressure; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	50.00	102.88	36
7151065 Spoke guard	65.00	65.00	36

PRICE (including all the basic components)

7151066 MANUAL WHEELCHAIRS

1,200.00

IN SUBCATEGORY "MULTI-ADJUSTABLE (CLASS A FOLDING FRAME)"

MOTION COMPOSITES INC.

"PLATINE 1" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Device weight: 16.8 kg (37 lb.)

Overall width: 19,1 cm (7½ in.) over the nominal seat width at 0° rear wheel camber

Front seat-to-floor height: 35.6 cm to 55.9 cm (14 in. to 22 in.)
Rear seat-to-floor height: 34.9 cm to 52.1 cm ($13\frac{3}{4} \text{ in.}$ to $20\frac{1}{2} \text{ in.}$)

Frame : straight back canes or bend back canes from 8° to 10°, height and angle-adjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of

6°; non-slip push handles; four tie-down points for adapted transport

BASIC AND OPTIONAL COMPONENTS	Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM			
7151067 Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N. C.	36.00	12
7151068 Flat foam seat cushion, 5.1 cm (2 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	63.00	63.00	36
7151069 Flat foam seat cushion, 7.6 cm (3 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	104.00	104.00	36
7151070 Seat – depth modification to 48.3 cm (19 in.)	N. C.	N. A.	36
7151071 Seat – depth modification to 50.8 cm (20 in.)	N. C.	N. A.	36
7151072 Seat – width modification to 53.3 cm (21 in.) 7151073 Seat – width modification to 55.9 cm (22 in.)	400.00 400.00	N. A. N. A.	36 36
/1510/5 Scat – width modification to 55.7 cm (22 m.)	700.00	1 v. A.	30

7151074 Flexible nylon mesh back, padded; heights of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.) 7151075 Flexible nylon mesh back, padded, tensionadjustable; minimum of four horizontal, adjustable straps spread across the height of the back 7151076 Pelvic positioning belt, auto buckle N. C. 13.75 7151077 Pelvic positioning belt, Velcro N. C. 47.50 7151078 L-type armrest, long; pivoting and detachable; height-adjustable by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid or flexible, detachable; tubular armrest pad)
7151075 Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back 7151076 Pelvic positioning belt, auto buckle 7151077 Pelvic positioning belt, Velcro N. C. 47.50 7151078 L-type armrest, long; pivoting and detachable; height-adjustable by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard,	12
7151077 Pelvic positioning belt, Velcro N. C. 47.50 7151078 L-type armrest, long; pivoting and detachable; height-adjustable by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard,	12
7151078 L-type armrest, long; pivoting and detachable; height-adjustable by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard,	36
height-adjustable by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard,	36
	60
7151079 U-type armrest, short; detachable; height- adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	60
7151080 T-type armrest, short; detachable; height- adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	60
7151081 U-type armrest, long; detachable; height-adjustable, N. C. 120.33 from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	60
7151082 T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	60
7151083 Armrest pad, straight, short N. C. 4.75	12
7151085 Armirest pad, straight, short 7151084 Armrest pad, straight, long N. C. 5.58	12
7151085 Armrest pad, tubular, for L-type armrest N. C. 40.00	12
7151086 Clothing guard rigid for L type approach N. C. 77.00	
7151086 Clothing guard, rigid, for L-type armrest N. C. 77.00 7151087 Clothing guard, flexible, for L-type armrest N. C. 77.00	36 36
56 , , , , , , , , , , , , , , , , , , ,	- 0

7151088 Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 34.3 cm to 44.5 cm (13½ in. to 17½ in.), from 40 cm to 50.8 cm (15¾ in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.)	N. C.	23.88	60
7151089 Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 34.3 cm to 44.5 cm (13½ in. to 17½ in.), from 40 cm to 50.8 cm (15¾ in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.)	N. C.	48.00	60
7151090 Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	177.50	201.38	36
7151091 Padded calf-rest	48.75	48.75	36
7151091 Fadded can-rest 7151092 Calf-rest strap, single or double	20.00	20.00	36
7151093 Folding footplate, standard, standard size; plastic	N. C.	7.75	36
7151094 Folding footplate, standard, oversize; plastic	10.00	17.75	36
7151095 Footplate, angle and depth-adjustable, standard size	90.00	97.75	36
7151096 Footplate, angle and depth-adjustable, oversize	90.00	97.75	36
7151097 Full-width footplate, one piece, folding; fixed angle or angle-adjustable	120.00	135.50	36
7151098 Heel loop, adjustable	N. C.	4.50	36
7151099 Headrest cushion, contoured, all sizes	85.00	85.00	36
7151100 Headrest bracket, height and depth-adjustable, or articulated uniball bracket	90.00	90.00	36

FRAME			
7151101 Fold-away back spreader bar to fold chair; with anchor for headrest bracket	70.00	70.00	36
7151102 Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	21.00	60
7151103 Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	400.00	N. A.	36
7151104 Front impact guard with rollers	35.00	35.00	36
7151105 Cane holder	30.00	30.00	36
DRIVE SYSTEM			
7151106 Handrim, smooth	N. C.	14.50	36
7151107 Handrim, plastic-coated	N. C.	32.00	36
7151108 Handrim with oblique projections	110.00	124.50	36
7151109 Non-slip foam handrim	110.00	124.50	36
7151110 Standard wheel lock, push-to-lock or pull-to-lock	N. C.	14.00	36
7151111 Anti-rollback brake	106.00	120.00	36
7151112 Plug-in wheel lock extension	10.00	10.00	36
7151113 Caster fork to adjust height and angle perpendicular	N. C.	9.63	
to the ground to compensate for changes in the rear seat-to-floor height			36
WHEELS AND TIRES			
7151114 Front mag wheel; semi-pneumatic tire; 20.3 cm (8	N. C.	24.91	26
in.); 2.5 cm (1 in.) wide			36
7151115 Front mag wheel; semi-pneumatic tire; 12.7 cm (5	N. C.	8.65	
in), 15.2 cm (6 in.) or 17.8 cm (7 in.); 2.5 cm (1 in.) wide			36
7151116 Front wheel; inner tube; 15.2 cm (6 in.) or 20.3 cm (8 in.)	40.00	64.91	36
7151117 Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity by maximum increments of 0.63 cm (¼ in.) on a horizontal range of 6.4 cm (2½ in.); adjustable rear	N. C.	9.63	
height by maximum increments of 2 cm (¾ in.) for up to 6.4 cm (2½ in.) of seat tilt, compatible with all wheel diameters			36
7151118 Threaded rear axle	N. C.	4.75	36
7151119 Adapter for "amputee" axle position	53.00	53.00	36
7151120 Spoked rear wheel; semi-pneumatic tire; 61 cm (24 in.); 3.2 cm (1½ in.) wide	N. C.	52.88	36
7151121 Spoked rear wheel; semi-pneumatic tire; 50.8 cm (20 in.) or 55.9 cm (22 in.); 3.2 cm (1¼ in.) wide	N. C.	52.88	36
7151122 Spoked rear wheel; inner tube, high pressure; 55.9 cm (22 in.) or 61 cm (24 in.)	60.00	112.88	36
7151123 Spoked rear wheel; inner tube, standard pressure; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	50.00	102.88	36

7151124 Rear wheel, heavy-duty; semi-pneumatic tire; 55.9 cm (22 in.) or 61 cm (24 in.)	80.00	132.88	36
7151125 Rear wheel camber, 3° or 6°	100.00	100.00	36
7151126 Spoke guard	65.00	65.00	36

7151127 MANUAL WHEELCHAIRS

1,200.00

IN SUBCATEGORY "MULTI-ADJUSTABLE (CLASS B FOLDING MOTION COMPOSITES INC.

"PLATINE 2" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Device weight: 15.9 kg (35 lb.)

Overall width: 19,1 cm (7½ in.) over the nominal seat width at 0° rear wheel camber

Front seat-to-floor height: 31.8 cm to 52.1 cm ($12\frac{1}{2} \text{ in.}$ to $20\frac{1}{2} \text{ in.}$) Rear seat-to-floor height: 31.8 cm to 48.9 cm ($12\frac{1}{2} \text{ in.}$ to $19\frac{1}{4} \text{ in.}$)

Frame: straight back canes or bend back canes from 8° to 10°, height and angleadjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of

6°; non-slip push handles; four tie-down points for adapted transport

BASIC AND OPTIONAL COMPONENTS	Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM			
7151128 Flexible nylon mesh seat, with mesh-stretching	N. C.	36.00	
system; two strips of "hook" Velcro, 2.5 cm (1 in.)			
wide or wider; handle to fold chair; widths of 35.6			
cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2			12
cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or			12
50.8 cm (20 in.); depths of 38.1 cm (15 in.),			
40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18			
in.)			
7151129 Flat foam seat cushion, 5.1 cm (2 in.); two strips of	63.00	63.00	
"velour" Velcro 5.1 cm (2 in.) wide, under the			36
cushion			
7151130 Flat foam seat cushion, 7.6 cm (3 in.); two strips of	104.00	104.00	
"velour" Velcro 5.1 cm (2 in.) wide, under the			36
cushion			
7151131 Flexible nylon mesh back, padded; heights of	N. C.	32.33	
38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.),			12
45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20			
in.)			
7151132 Flexible nylon mesh back, padded, tension-	83.00	115.33	
adjustable; minimum of four horizontal, adjustable			12
straps spread across the height of the back			
7151122 Polyio mositioning helt outs hyalds	N C	12 75	
7151133 Pelvic positioning belt, auto buckle	N. C.	13.75	36

7151134 Pelvic positioning belt, Velcro	N. C.	47.50	36
7151135 U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	118.00	60
7151136 T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	118.00	60
7151137 U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.33	60
7151138 T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.33	60
7151139 L-type armrest, long; pivoting and detachable; height-adjustable by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, flexible or rigid, detachable; tubular armrest pad.	N. C.	118.00	60
7151140 Armrest pad, straight, short	N. C.	4.75	12
7151141 Armrest pad, straight, long	N. C.	5.58	12
7151142 Armrest pad, tubular, for L-type armrest	N. C.	40.00	12
7151143 Clothing guard, rigid, for L-type armrest	N. C.	77.00	36
7151144 Clothing guard, flexible, for L-type armrest	N. C.	77.00	36
7151145 Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 34.3 cm to 44.5 cm	N. C.	23.88	60
(13½ in. to 17½ in.), from 40 cm to 50.8 cm (15¾ in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.)			30

				(ddifference version)
7	151146 Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 34.3 cm to 44.5 cm (13½ in. to 17½ in.), from 40 cm to 50.8 cm (15¾ in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.)	N. C.	48.00	60
7	151147 Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	177.50	201.38	36
7	151148 Padded calf-rest	48.75	48.75	36
7	151149 Calf-rest strap, single or double	20.00	20.00	36
7	151150 Folding footplate, standard, standard size; plastic	N. C.	7.75	36
7	151151 Folding footplate, standard, oversize; plastic	10.00	17.75	36
7	151152 Footplate, angle and depth-adjustable, standard size	90.00	97.75	36
7	151153 Footplate, angle and depth-adjustable, oversize	90.00	97.75	36
7	151154 Full-width footplate, one piece, folding; fixed angle or angle-adjustable	120.00	135.50	36
7	151155 Heel loop, adjustable	N. C.	4.50	36
	151156 Headrest cushion, contoured, all sizes	85.00	85.00	36
7	151157 Headrest bracket, height and depth-adjustable, or articulated uniball bracket	90.00	90.00	36
	FRAME			
7	151158 Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	21.00	60
7	151159 Fold-away back spreader bar to fold chair; with anchor for headrest bracket	70.00	70.00	36
	151160 Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	400.00	N. A.	36
	151161 Front impact guard with rollers	35.00	35.00	36
7	151162 Cane holder	30.00	30.00	36
	DRIVE SYSTEM			
	151163 Handrim, smooth	N. C.	14.50	36
	151164 Handrim, plastic-coated	N. C.	32.00	36
	151165 Handrim with oblique projections	110.00	124.50	36
	151166 Non-slip foam handrim	110.00	124.50	36
7	151167 Standard wheel lock, push-to-lock or pull-to-lock	N. C.	14.00	36
7	151168 Anti-rollback brake	106.00	120.00	36
	151169 Plug-in wheel lock extension	10.00	10.00	36
,	0			20

7151170 Caster fork to adjust height and angle perpendicular to the ground to compensate for changes in the rear seat-to-floor height	N. C.	9.63	36
WHEELS AND TIRES			
7151171 Front mag wheel; semi-pneumatic tire; 20.3 cm (8 in.); 2.5 cm (1 in.) wide	N. C.	24.91	36
7151172 Front mag wheel; semi-pneumatic tire; 12.7 cm (5 in.), 15.2 cm (6 in.) or 17.8 cm (7 in.); 2.5 cm (in.) wide	N. C.	8.65	36
7151173 Front wheel; inner tube; 15.2 cm (6 in.) or 20.3 cm (8 in.)	40.00	64.91	36
7151174 Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity by maximum increments of 0.63 cm (¼ in.) on a horizontal range of 6.4 cm (2½ in.); adjustable rear height by maximum increments of 2 cm (¾ in.) for up to 6.4 cm (2½ in.) of seat tilt, compatible with all wheel diameters	N. C.	9.63	36
7151175 Threaded rear axle	N. C.	4.75	36
7151176 Adapter for "amputee" axle position	53.00	53.00	36
7151177 Spoked rear wheel; semi-pneumatic tire; 61 cm (24 in.); 3.2 cm (1 ¹ / ₄ in.)	N. C.	52.88	36
7151178 Spoked rear wheel; semi-pneumatic tire; 50.8 cm (20 in.) or 55.9 cm (22 in.); 3.2 cm (1¼ in.) wide	N. C.	52.88	36
7151179 Rear wheel, heavy-duty; semi-pneumatic tire; 55.9 cm (22 in.) or 61 cm (24 in.)	80.00	132.88	36
7151180 Rear wheel, heavy-duty; inner tube, high pressure; 55.9 cm (22 in.) or 61 cm (24 in.)	92.00	144.88	36
7151181 Spoked rear wheel; inner tube, standard pressure; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	50.00	102.88	36
7151182 Spoked rear wheel; inner tube, high pressure; 55.9 cm (22 in.) or 61 cm (24 in.)	60.00	112.88	36
7151183 Rear wheel camber, 3° or 6°	100.00	100.00	36
7151184 Spoke guard	65.00	65.00	36

SUBDIVISION 2: LIGHTWEIGHT MANUAL WHEELCHAIRS

PRICE (including all the basic components)

7151258 LIGHTWEIGHT MANUAL WHEELCHAIR

1,190.00

IN SUBCATEGORY "CLASS 2 RIGID PERFORMANCE FRAME"

SUNRISE MEDICAL CANADA INC.

"QUICKIE QRI" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 120.2 kg (265 lb.)

Device weight: 13.6 kg (30 lb.)

Overall width: 20,3 cm (8 in.) over the nominal seat width at 0° rear wheel camber

Front seat-to-floor height: 38.1 cm to 53.3 cm (15 in. to 21 in.) Rear seat-to-floor height: 35.6 cm to 53.3 cm (14 in. to 21 in.)

Frame: Fold-away back canes, height-adjustable and angle-adjustable from 80° to 100° by maximum increments of 6° ; built into push handles, non-slip; four tie-down points for

adapted transport

BASIC AND OPTIONAL COMPONENTS	Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM			
Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm	N. C.	55.00	
(15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.) or 48.3 cm (19 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.) or 48.3 cm (19 in.)			12
Flat foam seat cushion, 5.1 cm (2 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	48.00	48.00	36
Flat foam seat cushion, 7.6 cm (3 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	55.00	55.00	36
Flexible nylon mesh back, padded; heights of 25.4 cm (10 in.), 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N. C.	40.00	12

Updated: July 13, 2020

7151263 Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps—except for backs ≤ 38.1 cm (15 in.)—spread across the height of the back	N. C.	45.00	12
7151264 Pelvic positioning belt, auto buckle	N. C.	35.00	36
7151265 Pelvic positioning belt, Velcro	N. C.	29.00	36
7151266 L-type armrest, long; pivoting and detachable; height-adjustable, from 22.9 cm to 33 cm (9 in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, detachable; armrest pad, tubular	N. C.	96.00	60
7151267 T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 27.9 cm (7 in. to 11 in.) or from 21.6 cm to 34,3 cm (8½ in. to 13½ in.), with locking mechanism; armrest pad, straight	24.00	120.00	60
7151268 Armrest pad, tubular, for L-type armrest	N. C.	2.00	12
7151269 Armrest pad, straight, short or long	7.00	9.00	12
7151270 Clothing guard, flexible	N. C.	22.00	36
7151271 Clothing guard, rigid, for L-type armrest	N. C.	20.00	36
7151272 Calf-rest strap, single	N. C.	19.00	36
7151273 Calf-rest strap, double	6.00	25.00	36
7151274 Footplate, full-width, standard, aluminum	N. C.	65.00	36
7151275 Footplate, full-width, angle-adjustable	N. C.	111.00	36
FRAME			
7151276 Push handle, bolt-on or fold-down	N. C.	51.00	36
7151277 Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	28.00	60
DRIVE SYSTEM			
7151278 Handrim, smooth	N. C.	40.00	36
7151279 Handrim, plastic-coated	N. C.	40.00	36
7151280 Non-slip foam handrim	85.00	125.00	36
7151281 Handrim with vertical or oblique projections	45.00	85.00	36
7151282 Standard wheel lock, push-to-lock or pull-to-lock	N. C.	32.00	36
7151283 Scissor lock	4.00	36.00	36
7151284 Anti-rollback brake	34.00	66.00	36
7151285 Plug-in wheel lock extension	7.00	7.00	36
7151286 Caster fork to adjust height	N. C.	32.00	36
WHEELS AND TIRES			
7151287 Front mag wheel; semi-pneumatic tire; 12.7 cm (5 in.); 2.5 cm (1 in.) or 3.8 cm (1½ in.) wide	N. C.	15.00	36

7151288 Front mag wheel; semi-pneumatic tire; 10.2 (4 in.), 2.5 cm (1 in.) or 3.3 cm (1½ in.) wide; or 15.2 cm (6 in.), 2.5 cm (1 in.) or 3.8 cm (1½ in.) wide	N. C.	15.00	36
7151289 Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity by maximum increments of 0.63 cm (1/4 in.); adjustable rear height by maximum increments of 1.3 cm (1/2 in.) for up to 7.6 cm (3 in.) of seat tilt; tilt can be obtained in combination with the frame shape	N. C.	33.00	36
7151290 Rear axle, quick release system, with lever mechanism	8.00	41.00	36
7151291 Spoked rear wheel, heavy-duty; semi-pneumatic tire; 61 cm (24 in.)	N. C.	80.00	36
7151292 Spoked rear wheel, heavy-duty; semi-pneumatic tire; 55.9 cm (22 in.), 63.5 cm (25 in.) or 66 cm (26 in.)	N. C.	80.00	36
7151293 Spoked rear wheel, heavy-duty; inner tube, high pressure; 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.)	N. C.	80.00	36
7151294 Spoked rear wheel, heavy-duty; inner tube, standard pressure; 55.9 cm (22 in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.)	N. C.	80.00	36
7151295 Spoke guard	20.00	20.00	36

SUBDIVISION 3: POWERED WHEELCHAIRS

PRICE		
(including all		
the basic		
components)		

7153000 POWERED WHEELCHAIR

4,560.00

SUBCATEGORY "INTERMEDIATE COMPACT (MID-FRONT, MEDIAL, OR MID-REAR DRIVE WHEELS)"

SUNRISE MEDICAL CANADA INC.

"323 IC" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 136 kg (300 lb.)

Seat-to-floor height: 41.3 cm to 51.4 cm ($16\frac{1}{4}$ in. to $20\frac{1}{4}$ in.) without power tilt system and 41.3 cm to 47.6 cm ($16\frac{1}{4}$ in. to $18\frac{3}{4}$ in.) with power tilt system

Frame: mid-wheel drive base, overall width \leq 61 cm (24 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153001	BODY SUPPORT SYSTEM Seat-to-back assembly structure; resizable; back	N. C.	550.00	
, , , , ,	canes angle- adjustable from 90° to 110° by maximum increments of 6°; non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle-adjustable from 0° to 5° minimum; anchor for headrest bracket			36
7153002	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)		75.00	36

			(-	,
7153003	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	225.00	225.00	36
7153004	Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	160.00	12
7153005	Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	40.00	200.00	12
7153006	Padded back cushion, contoured, including a rigid, contoured back	90.00	250.00	36
7153007	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	350.00	350.00	36
7153008	Power tilt system for minimum angulation of 0° to 45°, including controller on joystick control	1,650.00	1,650.00	36
7153009	Pelvic positioning belt, auto buckle	N. C.	30.00	36
7153010	U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10½ in.) or from 26 cm to 38.7 cm (10½ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153011	T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153012	U-type armrest, long; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight		175.00	60
7153013	T-type armrest, long; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight		175.00	60

			(,
7153014	Armrest pad, straight, short	N. C.	20.00	12
7153015	Armrest pad, straight, long	N. C.	20.00	12
7153017	One-piece footrest platform, 90° angle, adjustable	N. C.	225.00	60
	length			60
7153018	Parallel footrest, adjustable angle 60° or 70°,	N. C.	225.00	
	detachable and pivoting with locking mechanism;			
	standard folding footplate, standard size; adjustable			60
	heel loop; adjustable length from 31.8 cm to 39.4			00
	cm ($12\frac{1}{2}$ in. to $15\frac{1}{2}$ in.) or from 36.8 cm to 49,5 cm			
	(14½ in. to 19½ in.)			
7153019	Elevating leg-rest, non-compensating; detachable	N. C.	225.00	
	and pivoting with locking mechanism; adjustable			
	length; standard folding footplate, standard or oversize; compatible with the same attachment			
	point as the footrest or supplied with its own			36
	attachments; calf-rest, contoured and padded,			
	height and depth-adjustable			
	neight und deput adjustable			
7153020	Padded calf-rest	35.00	35.00	36
7153020	Folding footplate, standard, standard size	N. C.	80.00	36
7153022	Folding footplate, standard, oversize	N. C.	80.00	36
7153023	Footplate, angle and depth-adjustable, standard size	N. C.	80.00	
				36
7153024	Footplate, angle and depth-adjustable, oversize	N. C.	80.00	26
				36
7153025	Heel loop, adjustable	N. C.	30.00	36
7153026	Headrest bracket, height and depth-adjustable, or	75.00	75.00	36
	articulated uniball bracket			30
7153027	Headrest cushion, contoured, all sizes	70.00	70.00	36
	FRAME			
7153029	Front impact guard with rollers	20.00	20.00	36
,15502)	Trone impact gaara wan roners	20.00	20.00	30
	DRIVE SYSTEM			
7153030	Standard joystick control for basic programmable		329.00	
	electronics; joystick handle; push buttons for on/off			
	functions, horn, function selection; battery charge			36
	display			
7152021	Ct 1 1 1 1 1 4 C 1 - 4 1 4 1	N. C.	140.00	
7153031	Standard side bracket for joystick control; adjustable forward-rearward position	N. C.	140.00	36
7153032	Swivel side bracket for joystick control; with	N. C.	230.00	
/133032	locking mechanism	N. C.	230.00	36
7153033	Midline bracket for joystick control; flip-back to	60.00	200.00	
/133033	provide total clearance for seat access	00.00	200.00	36
7153034	Controller for basic programmable electronics	N. C.	659.00	36
7153035	Motor for basic programmable electronics;	N. C.	600.00	30
	propulsion provided by two electric direct-drive			
	motors; variable speed, controlled by joystick			36
	control and controller			
7153036	Battery charger; external; compatible with group 22	N. C.	199.00	26
	NF batteries			36

				(authentic version)
7153037	Ball, stick, T-type, or mushroom handle	55.00	55.00	36
	WHEELS AND TIRES			
7153038	Drive wheel, inner tube tire	N. C.	150.00	36
7153039	Front caster wheel, semi-pneumatic or inner tube	N. C.	80.00	36
7153040	Rear caster wheel, semi-pneumatic	N. C.	80.00	36
7153041	Airless insert for drive wheel	45.00	45.00	36
			PRICE (including all the basic components)	
7153044	POWERED WHEELCHAIR SUBCATEGORY "LOW-SEAT COMPACT MULTI-PURPOSE (MID-FRONT OR MEDIAL DRIVE WHEELS)"		4,875.00	
	SUNRISE MEDICAL CANADA INC.			
	"323 PC" MODEL			
	Seat-to-floor height: 39.4 cm to 51.4 cm (15½ in. to 20 39.4 cm to 48.3 cm (15½ in. to 19 in.) with power tilt sy Frame: mid-wheel drive base, overall width ≤ 61 c reflectors; electric red tail-lights; reflective strip on plug-in; four tie-down points for adapted transport	em (24 in.); suspension each side; triangular	on; front white	
	Drive system: electromagnetic brakes, manual free replaceable separately	ewheel lever; joystick	k control cable	
	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BASIC AND OPTIONAL COMPONENTS BODY SUPPORT SYSTEM	component during	component	<u> </u>

				,
7153046	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N. C.	75.00	36
7153047	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	225.00	225.00	36
7153048	Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	160.00	12
7153049	Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	40.00	200.00	12
7153050	Padded back cushion, contoured, including a rigid, contoured back	90.00	250.00	36
7153051	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	350.00	350.00	36
7153052	Power reclining back system, including a control external to the joystick control	1,590.00	1,590.00	36
7153053	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	1,650.00	1,650.00	36
7153054	Pelvic positioning belt, auto buckle	N. C.	30.00	36
7153055	U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153056	T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60

7153057	U-type armrest, long; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153058	T-type armrest, long; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153059	Armrest pad, straight, short	N. C.	20.00	12
7153060	Armrest pad, straight, long	N. C.	20.00	12
	One-piece footrest platform, 90° angle, adjustable length	N. C.	225.00	60
7153062	Parallel footrest, adjustable angle 60° or 70°, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 31.8 cm to 39.4 cm (12½ in. to 15½ in.) or from 36.8 cm to 49.5 cm (14½ in. to 19½ in.)	N. C.	225.00	60
7153063	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	112.50	225.00	36
7153064	Power elevating leg-rest, with control per pair, including a control external to the joystick control	637.50	750.00	36
7153065	Power elevating leg-rest, with control per unit, including a control external to the joystick control	637.50	750.00	36
7153066	Power leg-rest, one piece, including a control external to the joystick control	1,275.00	1,500.00	36
7153067	Padded calf-rest, contoured	35.00	35.00	36
7153068	Folding footplate, standard, standard size	N. C.	80.00	36
7153069	Folding footplate, standard, oversize	N. C.	80.00	36
7153070	Footplate, angle and depth-adjustable, standard size	N. C.	80.00	36
7153071	Footplate, angle and depth-adjustable, oversize	N. C.	80.00	36
7153072	Heel loop, adjustable	N. C.	30.00	36
7153073	Headrest bracket, height and depth-adjustable, or	75.00	75.00	
	articulated uniball bracket			36
7153074	Headrest cushion, contoured, all sizes	70.00	70.00	36

7153075	FRAME Front impact guard with rollers	20.00	20.00	36
7153076	DRIVE SYSTEM Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N. C.	329.00	36
7153077	Standard joystick control for multi-purpose programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	200.00	529.00	36
7153078	Compact joystick control, proportional	N. C.	329.00	36
	Standard side bracket for joystick control; adjustable forward-rearward position	N. C.	140.00	36
7153080	Swivel side bracket for joystick control; with locking mechanism	N. C.	230.00	36
7153081	Midline bracket for joystick control; flip-back to provide total clearance for seat access	60.00	200.00	36
7153082	Controller for basic programmable electronics	N. C.	659.00	36
7153083	Controller for multi-purpose programmable electronics	100.00	759.00	36
7153084	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N. C.	600.00	36
7153085	Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N. C.	600.00	36
7153086	Internal control system for the joystick control for one (1) power repositioning accessory	350.00	350.00	36
7153087	Internal control system for the joystick control for four (4) power repositioning accessories	500.00	500.00	36
7153088	Battery charger; external; compatible with group 22 NF or group 24 batteries	N. C.	199.00	36
7153089	Adapted head control, proportional, including mounting bracket	1,100.00	1,100.00	36

7153090	Adapted head control, non-proportional, including mounting bracket	2,200.00	2,200.00	36
7153091	Adapted breath control, non-proportional, including mounting bracket	1,200.00	1,200.00	36
7153092	Adapted chin control, proportional, including mounting bracket	600.00	600.00	36
7153093	Adapted chin control, non-proportional, including mounting bracket	600.00	600.00	36
7153094	Adapted Mini joystick control, proportional, including mounting bracket	1,510.00	1,510.00	36
7153095	Mounting bracket for adapted control	350.00	350.00	36
7153096	Adapted control interface, with bracket and display	1,100.00	1,100.00	36
7153097	Mounting bracket for interface	350.00	350.00	36
7153098	Ball, stick, T-type, or mushroom handle	52.00	52.00	36
7153099	Course correction system	895.00	895.00	36
	WHEELS AND TIRES			
7153100	Drive wheel, inner tube tire	N. C.	150.00	36
7153101	Front caster wheel, semi-pneumatic or inner tube	N. C.	80.00	36
7153102	Rear caster wheel, semi-pneumatic	N. C.	80.00	36
7153103	Airless insert for drive wheel	45.00	45.00	36

PRICE (including all the basic components)

7153470 **POWERED WHEELCHAIR**

4,200.00

SUBCATEGORY "LOW-SEAT COMPACT MULTI-PURPOSE (MID-FRONT OR MEDIAL DRIVE WHEELS)"

PRIDE MOBILITY PRODUCTS COMPANY

"Q6 EDGE 2" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Seat-to-floor height: 41.9 cm to 47 cm ($16\frac{1}{2}$ in. to $18\frac{1}{2}$ in.) without power tilt system and 42.5 cm to 49.5 cm ($16\frac{3}{4}$ in. to $19\frac{1}{2}$ in.) with power tilt system

Frame: mid-front-wheel drive base, overall width \leq 61 cm (24 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
·	BODY SUPPORT SYSTEM			
7153471	Seat-to-back assembly structure; resizable; back canes angle-adjustable from 90° to 110° by maximum increments of 6°; push bar or non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10; anchor for headrest bracket	N. C.	500.00	36
7153472	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 35.6 cm to 40.6 cm (14 in. to 16 in.) or 40.6 cm to 50.8 cm (16 in. to 20 in.)	N. C.	65.00	36
7153473	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	175.00	175.00	36
7153474	Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	60.00	12
7153475	Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	90.00	150.00	12
7153476	Back cushion, padded and contoured, including or built into a rigid back, flat or contoured	215.00	275.00	36
7153477	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	591.00	591.00	36
7153478	Power reclining back system, including a control external to the joystick control	1,500.00	1,500.00	36
7153479	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	2,000.00	2,000.00	36
7153480	Pelvic positioning belt, auto buckle	N. C.	25.00	36

7153481	U-type armrest, short; flip-away; height-adjustable, from 22.9 cm to 33 cm (9 in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	215.00	60
7153482	T-type armrest, short; detachable; height-adjustable, from 19.6 cm to 24.8 cm (7 ³ / ₄ in. to 9 ³ / ₄ in.), from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	215.00	60
7153483	U-type armrest, long; flip-away; height-adjustable, from 22.9 cm to 33 cm (9 in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	221.00	60
7153484	T-type armrest, long; detachable; height-adjustable, from 19.6 cm to 24.8 cm (7¾ in. to 9¾ in.), from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. à 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	221.00	60
7153485	Armrest pad, straight, short	N. C.	10.00	12
	Armrest pad, straight, long	N. C.	16.00	12
7153487	Parallel footrest, adjustable angle 60° to 90°, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 27.9 cm to 33 cm (11 in. to 13 in.), from 33 cm à 41.9 cm (13 in. to 16½ in.) or from 39.4 cm to 49.5 cm (15½ in. to	N. C.	135.00	60
7153488	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	224.50	246.00	36
7153489	Power elevating leg-rest, with control per pair, including a control external to the joystick control	1,678.50	1,700.00	36
7153490	Power elevating leg-rest, with control per unit, including a control external to the joystick control	978.50	1,000.00	36
7153491	One-piece footrest platform, 90° angle, adjustable length	N. C.	43.00	60
7153492	Power leg-rest, one piece, including a control external to the joystick control	1,657.00	1,700.00	36

				(
	Padded calf-rest, flat	63.00	63.00	36
	Folding footplate, standard, standard size	N. C.	53.00	36
	Folding footplate, standard, oversize	14.00	67.00	36
/153496	Footplate, angle and depth-adjustable, standard size	117.00	170.00	36
7153497	Footplate, angle and depth-adjustable, oversize	167.00	220.00	36
7153498	Heel loop, adjustable	N. C.	12.00	36
	Headrest bracket, articulated uniball	90.00	90.00	36
7153500	Headrest cushion, contoured, all sizes	90.00	90.00	36
	FRAME			
7153501	Front impact guard with rollers	3.00	3.00	36
	DDINE CVCTEM			
7153502	DRIVE SYSTEM Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge	N. C.	330.00	36
	display			
7153503	Standard joystick control for multi-purpose programmable electronics; joystick handle; toggle	380.00	710.00	
	switches or push buttons for on/off functions, horn, function selection; battery charge display			36
7153504	Compact joystick control, proportional	315.00	645.00	36
7153505	Standard side bracket for joystick control;	N. C.	20.00	36
51525 06	adjustable forward-rearward position	N. G	00.00	30
7153506	Swivel side bracket for joystick control; with locking mechanism	N. C.	80.00	36
7153507	Midline bracket for joystick control; flip-back to provide total clearance for seat access	330.00	350.00	36
7153508	Controller for basic programmable electronics	N. C.	250.00	36
7153509	Controller for multi-purpose programmable electronics	75.00	325.00	36
7153510	Motor for basic programmable electronics; propulsion provided by two electric direct-drive	N. C.	275.00	
	motors; variable speed, controlled by joystick control and controller			36
7153511	Motor for multi-purpose programmable electronics;	N. C.	275.00	
	propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick and controller			36
7153512	Internal control system for the joystick control for one (1) power repositioning accessory	300.00	300.00	36
7153513	Internal control system for the joystick control for four (4) power repositioning accessories	375.00	375.00	36
7153514	Battery charger; external; compatible with group 22 NF batteries	N. C.	165.00	36

				()
7153515	Adapted head control, proportional, including mounting bracket	1,452.00	1,452.00	36
7153516	Adapted head control, non-proportional, including mounting bracket	2,539.00	2,539.00	36
7153517	Adapted breath control, non-proportional, including mounting bracket	1,222.00	1,222.00	36
7153518	Adapted chin control, proportional, including mounting bracket	1,302.00	1,302.00	36
7153519	Adapted chin control, non-proportional, including mounting bracket	1,302.00	1,302.00	36
7153520	Adapted Mini joystick control, proportional, including mounting bracket	1,302.00	1,302.00	36
7153521	Mounting bracket for adapted control	91.00	91.00	36
7153522	Adapted control interface, with bracket and display	1,118.00	1,118.00	36
7153523	Mounting bracket for interface	71.00	71.00	36
7153524	Ball, stick, T-type, or mushroom handle	40.00	40.00	36
7153525	Course correction system	869.00	869.00	36
	WHEELS AND TIRES			
7153526	Drive wheel, inner tube tire	N. C.	100.00	36
7153527	Front caster wheel, semi-pneumatic tire	N. C.	20.00	36
7153528	Rear caster wheel, semi-pneumatic tire	N. C.	20.00	36
7153529	Airless insert for drive wheel	60.00	60.00	36
			PRICE	
		(i	ncluding all	
			the basic	

7153106 POWERED WHEELCHAIR

5,710.00

SUBCATEGORY "LOW-SEAT COMPACT MULTI-PURPOSE

ORTHOFAB INC.

"OASIS PC" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 136 kg (300 lb.)

Seat-to-floor height: 39.3 cm to 52 cm ($15\frac{1}{2}$ in. to $20\frac{1}{2}$ in.) without power tilt system and 39.3 cm to 49.5 cm ($15\frac{1}{2}$ in. to $19\frac{1}{2}$ in.) with power tilt system

Frame: mid-rear wheel drive base, overall width \leq 61 cm (24 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153107	BODY SUPPORT SYSTEM Seat-to-back assembly structure; resizable; back canes angle adjustable from 90° to 110° by maximum increments of 6°; push bar or non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10°; anchor for headrest bracket	N. C.	240.00	36
7153108	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.) or 58.4 cm (23 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50,8 cm (20 in.) or 53.3 cm (21 in.)	N. C.	45.00	36
7153109	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	150.00	150.00	36
7153110	Flexible nylon mesh back, padded; heights of 40.6 cm (16 in.), 43.1 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	75.00	12
7153111	Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	65.00	140.00	12
7153112	Padded back cushion, contoured, including a rigid, contoured back	165.00	240.00	36

7153115	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	1,000.00	1,000.00	36
7153116	Pelvic positioning belt, auto buckle	N. C.	6.00	36
7153117	U-type armrest, short; flip-away; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7153118	T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 27.9 cm to 35.6 cm (11 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7153119	U-type armrest, long; flip-away; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7153120	T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 27.9 cm to 35.6 cm (11 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7153121 7153122 7153123	Armrest pad, straight, short Armrest pad, straight, long Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding	N. C. N. C. N. C.	6.00 6.00 100.00	12 12
	footplate, standard size; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or 45.7 cm to 58.4 cm (18 in. to 23 in.)			60
7153124	Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop;	N. C.	100.00	
	adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or 45.7 cm to 58.4 cm (18 in. to 23 in.)			60

7153125	Elevating leg-rest, compensating; detachable and pivoting, with locking mechanism; adjustable length; standard folding footplate, standard size or	100.00	200.00	
	oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, flat, padded, height- and depth-adjustable			36
7153126	Power elevating leg-rest, with control per unit, including a control external to the joystick control	1,030.00	1,130.00	36
7153127	Power elevating leg-rest, with control per pair, including a control external to the joystick control	1,030.00	1,130.00	36
7153128	Padded calf-rest, flat	15.00	15.00	36
7153129	Folding footplate, standard, standard size	N. C.	6.00	36
7153130	Folding footplate, standard, oversize	29.00	35.00	36
7153131	Footplate, angle and depth-adjustable, standard size	44.00	50.00	36
				30
7153132	Footplate, angle and depth-adjustable, oversize	49.00	55.00	36
7153133	Full-width footplate, in two lockable parts; angle-adjustable	88.00	100.00	36
7153134	Heel loop, adjustable	N. C.	3.00	36
7153135	Headrest bracket, height and depth-adjustable	35.00	35.00	36
7153136	Headrest cushion, flat, all sizes	40.00	40.00	36
	FRAME			
7153137	Anti-tipping wheels, non-detachable except with tools	N. C.	4.00	60
7153138	Front impact guard with rollers	10.00	10.00	36
	DRIVE SYSTEM			
7153139	Standard joystick control for basic programmable	N. C.	185.00	
	electronics; joystick handle; push buttons for on/off			26
	functions, horn, function selection; battery charge display			36
7152140		105.00	200.00	
7153140	Standard joystick control for multi-purpose programmable electronics; joystick handle; toggle	195.00	380.00	
	switches or push buttons for on/off functions, horn,			
	function selection; battery charge display			36
7153141	Compact joystick control, proportional	195.00	380.00	36
7153142	Standard side bracket for joystick control;	N. C.	25.00	36
7153143	adjustable forward-rearward position	N. C.	95.00	
/133143	Swivel side bracket for joystick control; with locking mechanism	IV. C.	<i>33.</i> 00	36
7153144	Midline bracket for joystick control; flip-back to	70.00	95.00	_
	provide total clearance for seat access			36

				(authentic version)
7153145	Controller for basic programmable electronics	N. C.	350.00	36
7153146	Controller for multi-purpose programmable	225.00	575.00	36
	electronics			30
7153147	Motor for basic programmable electronics;	N. C.	450.00	
	propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick			36
	control and controller			
7153148	Motor for multi-purpose programmable electronics;	N. C.	450.00	
	propulsion provided by two electric direct-drive			26
	motors; variable speed, controlled by joystick and			36
	controller			
7153149	Battery charger; on board; compatible with group	N. C.	115.00	36
7153150	22 NF or group 24 batteries Internal control system for the joystick control for	185.00	185.00	
/133130	one (1) power repositioning accessory	103.00	163.00	36
7153151	Internal control system for the joystick control for	325.00	325.00	
	four (4) power repositioning accessories			36
7153152	Adapted head control, proportional, including	1,000.00	1,000.00	
,	mounting bracket	-,	-,000	36
7153153	Adapted head control, non-proportional, including	500.00	500.00	36
	mounting bracket			30
7153154	Adapted breath control, non-proportional,	400.00	400.00	36
7153155	including mounting bracket Adapted chin control, proportional, including	800.00	800.00	
/133133	mounting bracket	800.00	800.00	36
7153156	Adapted chin control, non-proportional, including	700.00	700.00	26
	mounting bracket			36
7153157	Adapted Mini joystick control, proportional,	2,500.00	2,500.00	36
7153158	including mounting bracket Mounting bracket for adapted control	400.00	400.00	26
7153158	Adapted control interface, with bracket and display	750.00	400.00 750.00	36
/133137	Adapted control interface, with blacket and display	730.00	750.00	36
7153160	Mounting bracket for interface	125.00	125.00	36
7153161	Ball, stick, T-type, or mushroom handle	15.00	15.00	36
7153162	Course correction system	1,000.00	1,000.00	36
	WHEELS AND TIRES			
7153163	Drive wheel, inner tube tire	N. C.	100.00	36
7153164	Front caster wheel, inner tube tire	N. C.	45.00	36
7153165	Airless insert for drive wheel	75.00	75.00	36
7153166	Airless insert for caster wheel	30.00	30.00	36

PRICE
(including all
the basic
components)

7153167 MOTORIZED WHEELCHAIR

4,110.00

SUBCATEGORY "MULTI-PURPOSE PERFORMANCE (MID-FRONT OR MEDIAL DRIVE WHEELS)"

SUNRISE MEDICAL CANADA INC.

"323 PP" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 181.4 kg (400 lb.)

Seat-to-floor height: 39.4 cm to 51.4 cm ($15\frac{1}{2}$ in. to $20\frac{1}{4}$ in.) without power tilt system and 39.4 cm to 47.6 cm ($15\frac{1}{2}$ in. to $18\frac{3}{4}$ in.) with power tilt system

Frame: mid-wheel drive base, overall width \leq 66 cm (26 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153168	BODY SUPPORT SYSTEM Seat-to-back assembly structure; resizable; back canes angle adjustable from 90° to 110° by maximum increments of 6°; non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10°; anchor for headrest bracket	N. C.	550.00	36
7153169	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50,8 cm (20 in.)	N. C.	75.00	36

Updated: July 13, 2020

				(ddiffentile version)
7153170	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	225.00	225.00	36
715317	Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	160.00	12
7153172	2 Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	40.00	200.00	12
7153173	Padded back cushion, contoured, including a rigid, contoured back	90.00	250.00	36
7153174		350.00	350.00	36
7153175	Power reclining back system, including a control external to the joystick control	1,590.00	1,590.00	36
7153176	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	1,650.00	1,650.00	36
715317		N. C.	30.00	36
7153178	U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153179	T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153180	U-type armrest, long; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60

				,
7153181	T-type armrest, long; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153182	Armrest pad, straight, short	N. C.	20.00	12
	Armrest pad, straight, long	N. C.	20.00	12
	One-piece footrest platform, 90° angle, adjustable length	N. C.	225.00	60
7153185	Parallel footrest, adjustable angle 60° or 70°, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 31.8 cm to 39.4 cm (12½ in. to 15½ in.) or from 36.8 cm to 49.5 cm (14½ in. to 19½ in.)	N. C.	225.00	60
7153186	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	112.50	225.00	36
7153187	Power elevating leg-rest, with control per pair, including a control external to the joystick control	637.50	750.00	36
7153188	Power elevating leg-rest, with control per unit, including a control external to the joystick control	637.50	750.00	36
7153189	Power leg-rest, one piece, including a control external to the joystick control	1,275.00	1,500.00	36
7153190	Padded calf-rest, contoured	35.00	35.00	36
7153191	Folding footplate, standard, standard size	N. C.	80.00	36
7153192	Folding footplate, standard, oversize	N. C.	80.00	36
7153193	Footplate, angle and depth-adjustable, standard size	N. C.	80.00	36
7153194	Footplate, angle and depth-adjustable, oversize	N. C.	80.00	36
7153195	Heel loop, adjustable	N. C.	30.00	36
	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	75.00	75.00	36
7153197	Headrest cushion, contoured, all sizes	70.00	70.00	36
7153198	FRAME Front impact guard with rollers	20.00	20.00	36

	DRIVE SYSTEM			
7153199	Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N. C.	329.00	36
7153200	Standard joystick control for multi-purpose programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	200.00	529.00	36
7153201	Compact joystick control, proportional	N. C.	329.00	36
7153202	Standard side bracket for joystick control; adjustable forward-rearward position	N. C.	140.00	36
7153203	Swivel side bracket for joystick control; with locking mechanism	N. C.	230.00	36
7153204	Midline bracket for joystick control; flip-back to provide total clearance for seat access	60.00	200.00	36
7153205	Controller for basic programmable electronics	N. C.	659.00	36
7153206	Controller for multi-purpose programmable electronics	100.00	759.00	36
7153207	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N. C.	600.00	36
7153208	Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick and controller	N. C.	600.00	36
7153209	Battery charger; external; compatible with group 22 NF or group 24 batteries	N. C.	199.00	36
7153210	Internal control system for the joystick control for one (1) power repositioning accessory	350.00	350.00	36

				(ddifference version)
7153211	Internal control system for the joystick control for four (4) power repositioning accessories	500.00	500.00	36
7153212	Adapted head control, proportional, including mounting bracket	1,100.00	1,100.00	36
7153213	Adapted head control, non-proportional, including mounting bracket	2,200.00	2,200.00	36
7153214	Adapted breath control, non-proportional, including mounting bracket	1,200.00	1,200.00	36
7153215	Adapted chin control, proportional, including mounting bracket	600.00	600.00	36
7153216	Adapted chin control, non-proportional, including mounting bracket	600.00	600.00	36
7153217	Adapted Mini joystick control, proportional, including mounting bracket	1,510.00	1,510.00	36
7153218	Mounting bracket for adapted control	350.00	350.00	36
7153219	Adapted control interface, with bracket and display	1,100.00	1,100.00	36
7153220	Mounting bracket for interface	350.00	350.00	36
7153221	Ball, stick, T-type, or mushroom handle	52.00	52.00	36
7153222	Course correction system	895.00	895.00	36
	WHEELS AND TIRES			
7153223	Drive wheel, inner tube tire	N. C.	150.00	36
7153224	Front caster wheel, semi-pneumatic or inner tube	N. C.	80.00	36
7153225	Rear caster wheel, semi-pneumatic	N. C.	80.00	36
7153226	Airless insert for drive wheel	45.00	45.00	36
			PRICE ncluding all the basic	
		C	omponents)	

7153530 POWERED WHEELCHAIR

4,100.00

SUBCATEGORY "MULTI-PURPOSE PERFORMANCE (MID-FRONT OR MEDIAL DRIVE WHEELS)"

PRIDE MOBILITY PRODUCTS COMPANY

"Q6 EDGE Z" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 136 kg (300 lb.)

Seat-to-floor height: 44.5 cm to 49.5 cm $(17\frac{1}{2} \text{ in. to } 19\frac{1}{2} \text{ in.})$ without power tilt system and 46 cm to 51.1 cm (181/8 in. to 201/8 in.) with power tilt system

Frame: mid-front wheel drive base, overall width ≤ 66 cm (26 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

Updated: July 13, 2020

Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153531	BODY SUPPORT SYSTEM Seat-to-back assembly structure; resizable; back canes angle adjustable from 90° to 110° by maximum increments of 6°; push bar or non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10°; anchor for headrest bracket	N. C.	500.00	36
7153532	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 30.5 cm (12 in.), 33 cm (13 in.) from 35.6 cm to 40.6 cm (14 in. to 16 in.), from 40.6 cm to 50.8 cm (16 in. to 20 in.), or from 50.8 cm to 61 cm (20 in. to 24 in.); depths of 35.6 cm to 40.6 cm (14 in. to 16 in.), from 40.6 cm to 50.8 cm (16 in. to 20 in.), or from 50.8 cm to 61 cm (20 in. to 24 in.)	N. C.	65.00	36
7153533	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	175.00	175.00	36
7153534	Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	60.00	12
7153535	Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	90.00	150.00	12
7153536	Back cushion, padded and contoured, including or built into a rigid back, flat or contoured	215.00	275.00	36
7153537	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	591.00	591.00	36
7153538	Power reclining back system, including a control external to the joystick control	1,500.00	1,500.00	36
7153539	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	2,000.00	2,000.00	36

7153540 Pelvic positioning belt, auto buckle	N. C.	25.00	36
7153541 U-type armrest, short; flip-away; height-adjustable, from 22.9 cm to 33 cm (9 in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	215.00	60
7153542 T-type armrest, short; detachable; height-adjustable, from 19.6 cm to 24.8 cm (7 ³ / ₄ in. to 9 ³ / ₄ in.), from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from de 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	215.00	60
7153543 U-type armrest, long; flip-away; height-adjustable, from 22.9 cm to 33 cm (9 in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	221.00	60
7153544 T-type armrest, long; detachable; height-adjustable, from 19.6 cm to 24.8 cm (7 ³ / ₄ in. to 9 ³ / ₄ in.), from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from de 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	221.00	60
7153545 Armrest pad, straight, short	N. C.	10.00	12
7153546 Armrest pad, straight, long	N. C.	16.00	12
7153547 One-piece footrest platform, 90° angle, adjustable	N. C.	43.00	(0
length			60
7153548 Parallel footrest, adjustable angle from 60° to 90°, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 27.9 cm to 33 cm (11 in. to 13 in.), from 33 cm to 41.9 cm (13 in. to 16½ in.) or from 39.4 cm to 49.5 cm (15½ in. to	N. C.	135.00	60
19½ in) 7153549 Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	224.50	246.00	36
7153550 Power elevating leg-rest, with control per pair, including a control external to the joystick control	1,678.50	1,700.00	36

7153551	Power elevating leg-rest, with control per unit,	978.50	1,000.00	
	including a control external to the joystick control		,	36
7153552	Power leg-rest, one piece, including a control external to the joystick control	1,657.00	1,700.00	36
7153553	Calf-rest, padded, flat or contoured	63.00	63.00	36
7153554	Folding footplate, standard, standard size	N. C.	53.00	36
	Folding footplate, standard, oversize	14.00	67.00	36
7153556	Footplate, angle and depth-adjustable, standard size	117.00	170.00	36
7153557	Footplate, angle and depth-adjustable, oversize	167.00	220.00	36
7153558	Heel loop, adjustable	N. C.	12.00	36
	Headrest cushion, contoured, all sizes	90.00	90.00	36
	Headrest bracket, articulated uniball	90.00	90.00	36
	FRAME			
7153561	Front impact guard with rollers	3.00	3.00	36
	DRIVE SYSTEM			
7153562	Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N. C.	330.00	36
7153563	Standard joystick control for multi-purpose programmable electronics; joystick handle; toggle switches or push buttons for on/off functions, horn, function selection; battery charge display	380.00	710.00	36
7153564	Compact joystick control, proportional	315.00	645.00	36
	Standard side bracket for joystick control;	N. C.	20.00	
, 100000	adjustable forward-rearward position	1 5.	20.00	36
7153566	Swivel side bracket for joystick control; with locking mechanism	N. C.	80.00	36
7153567	Midline bracket for joystick control; flip-back to provide total clearance for seat access	330.00	350.00	36
7153568	Controller for basic programmable electronics	N. C.	300.00	36
7153569	Controller for multi-purpose programmable	50.00	350.00	26
	electronics			36
7153570	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N. C.	520.00	36
7153571	Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick and controller	N. C.	520.00	36

7153572 Internal control system for the joystick control for one (1) power repositioning accessory	300.00	300.00	36
7153573 Internal control system for the joystick control for four (4) power repositioning accessories	375.00	375.00	36
7153574 Battery charger; external; compatible with group 24 batteries	N. C.	165.00	36
7153575 Adapted head control, proportional, including mounting bracket	1,452.00	1,452.00	36
7153576 Adapted head control, non-proportional, including mounting bracket	2,539.00	2,539.00	36
7153577 Adapted breath control, non-proportional, including mounting bracket	1,222.00	1,222.00	36
7153578 Adapted chin control, proportional, including mounting bracket	1,302.00	1,302.00	36
7153579 Adapted chin control, non-proportional, including mounting bracket	1,302.00	1,302.00	36
7153580 Adapted Mini joystick control, proportional, including mounting bracket	1,302.00	1,302.00	36
7153581 Mounting bracket for adapted control	91.00	91.00	36
7153582 Adapted control interface, with bracket and display	1,118.00	1,118.00	36
7153583 Mounting bracket for interface	71.00	71.00	36
7153584 Ball, stick, T-type, or mushroom handle	40.00	40.00	36
7153585 Course correction system	869.00	869.00	36
WHEELS AND TIRES			
7153586 Drive wheel, inner tube tire	N. C.	100.00	36
7153587 Front caster wheel, semi-pneumatic tire	N. C.	30.00	36
7153588 Rear caster wheel, semi-pneumatic tire	N. C.	30.00	36
7153589 Airless insert for drive wheel	60.00	60.00	36

Updated : July 13, 2020

PRICE
(including all
the basic
components)

7153229 **POWERED WHEELCHAIR**

5,710.00

SUBCATEGORY "MULTI-PURPOSE PERFORMANCE (MID-REAR DRIVE WHEELS)"

ORTHOFAB INC.

"OASIS PP" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Seat-to-floor height: 39.4 cm to 52 cm (15½ in. to 20½ in.) without power tilt system

and 39.4 cm to 49.5 cm ($15\frac{1}{2}$ in. to $19\frac{1}{2}$ in.) with power tilt system

Frame: mid-rear wheel drive base, overall width \leq 66 cm (26 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153230	BODY SUPPORT SYSTEM Seat-to-back assembly structure; resizable; back canes angle adjustable from 90° to 110° by maximum increments of 6°; push bar or non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10; anchor for headrest bracket	N. C.	240.00	36
7153231	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.) or 58.4 cm (23 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.) or 53.3 cm (21 in.)		45.00	36

7153232 Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	150.00	150.00	36
7153233 Flexible nylon mesh back, padded; heights of 40.6 cm (16 in.), 43.1 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	75.00	12
7153234 Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	65.00	140.00	12
7153235 Padded back cushion, contoured, including a rigid, contoured back	165.00	240.00	36
7153236 Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	270.00	270.00	36
7153237 Power reclining back system, including a control external to the joystick control	750.00	750.00	36
7153238 Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	1,000.00	1,000.00	36
7153239 Pelvic positioning belt, auto buckle	N. C.	6.00	36
7153240 U-type armrest, short; flip-away; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7153241 T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 27.9 cm to 35.6 cm (11 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7153242 U-type armrest, long; flip-away; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60

7153243 T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 27.9 cm to 35.6 cm (11 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into	N. C.	150.00	60
armrest; armrest pad, straight	N. C.	6.00	12
7153244 Armrest pad, straight, short 7153245 Armrest pad, straight, long	N. C. N. C.	6.00	12 12
7153246 Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop;	N. C.	100.00	
adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 45.7 cm to 58.4 cm (18 in. to 23 in.)			60
7153247 Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 45.7 cm to 58.4 cm (18 in. to 23 in.)	N. C.	100.00	60
7153248 Elevating leg-rest, compensating; detachable and pivoting, with locking mechanism; adjustable length; standard folding footplate, standard size or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, flat, padded, height and depth-adjustable	100.00	200.00	36
7153249 Power elevating leg-rest, with control per pair, including a control external to the joystick control	1,030.00	1,130.00	36
7153250 Power elevating leg-rest, with control per unit, including a control external to the joystick control	1,030.00	1,130.00	36
7153251 Padded calf-rest, flat	15.00	15.00	36
7153252 Folding footplate, standard, standard size	N. C.	6.00	36
7153253 Folding footplate, standard, oversize	29.00	35.00	36
7153254 Footplate, angle and depth-adjustable, standard size	44.00	50.00	36
7153255 Footplate, angle and depth-adjustable, oversize	49.00	55.00	36
7153256 Full-width footplate, in two lockable parts; angle-adjustable	88.00	100.00	36
7153257 Heel loop, adjustable	N. C.	3.00	36
7153258 Headrest bracket, height and depth-adjustable	35.00	35.00	36
7153259 Headrest cushion, flat, all sizes FRAME	40.00	40.00	36
7153260 Anti-tipping wheels, non-detachable except with tools	N. C.	4.00	60
7153261 Front impact guard with rollers	10.00	10.00	36

DRIVE SYSTEM 7153262 Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge	N. C.	185.00	36
display 7153263 Standard joystick control for multi-purpose programmable electronics; joystick handle; toggle switches or push buttons for on/off functions, horn, function selection; battery charge display	195.00	380.00	36
7153264 Compact joystick control, proportional 7153265 Standard side bracket for joystick control;	195.00 N. C.	380.00 25.00	36
adjustable forward-rearward position 7153266 Swivel side bracket for joystick control; with locking mechanism	N. C.	95.00	36 36
7153267 Midline bracket for joystick control; flip-back to provide total clearance for seat access	70.00	95.00	36
7153268 Controller for basic programmable electronics	N. C.	350.00	36
7153269 Controller for multi-purpose programmable electronics	225.00	575.00	36
7153270 Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N. C.	450.00	36
7153271 Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick and controller	N. C.	450.00	36
7153272 Battery charger; on board; compatible with group 22 NF or group 24 batteries	N. C.	115.00	36
7153273 Internal control system for the joystick control for one (1) power repositioning accessory	185.00	185.00	36
7153274 Internal control system for the joystick control for four (4) power repositioning accessories	325.00	325.00	36
7153275 Adapted head control, proportional, including mounting bracket	1,000.00	1,000.00	36
7153276 Adapted head control, non-proportional, including mounting bracket	500.00	500.00	36
7153277 Adapted breath control, non-proportional, including mounting bracket	400.00	400.00	36
7153278 Adapted chin control, proportional, including mounting bracket	800.00	800.00	36
7153279 Adapted chin control, non-proportional, including mounting bracket	700.00	700.00	36

			(dddientie version)
7153280 Adapted Mini joystick control, proportional, including mounting bracket	2,500.00	2,500.00	36
7153281 Mounting bracket for adapted control	400.00	400.00	36
7153282 Adapted control interface, with bracket and display	750.00	750.00	36
7153283 Mounting bracket for interface	125.00	125.00	36
7153284 Ball, stick, T-type, or mushroom handle	15.00	15.00	36
7153285 Course correction system	1,000.00	1,000.00	36
WHEELS AND TIRES			
7153286 Drive wheel, inner tube tire	N. C.	100.00	36
7153287 Front caster wheel, inner tube	N. C.	45.00	36
7153288 Airless insert for drive wheel	75.00	75.00	36
7153289 Airless insert for caster wheel	30.00	30.00	36
		PRICE	
	(i	ncluding all	
		the basic	
	С	omponents)	
7153290 POWERED WHEELCHAIR		8,000.00	_

8,000.00

SUBCATEGORY "OBESE (MID-FRONT OR MEDIAL DRIVE WHEELS)"

SUNRISE MEDICAL CANADA INC.

"XCEL" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 249.5 kg (550 lb.)

Seat-to-floor height: 41.3 cm to 51.4 cm (161/4 in. to 201/4 in.) without power tilt system

and 43.2 cm to 48.3 cm (17 in. to 19 in.) with power tilt system

Frame: mid-wheel drive base, overall width ≤ 73,3 cm (29 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

204 Updated: July 13, 2020

Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7153291	Seat-to-back assembly structure; resizable; back canes angle adjustable from 90° to 110° by maximum increments of 6°; non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10; anchor for headrest bracket	N. C.	550.00	36
7153292	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.), 63.5 cm (25 in.), 66 cm (26 in.), 68.6 cm (27 in.) or 71.1 cm (28 in.); depths of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in), 58.4 cm (23 in.) or 61 cm (24 po.)	N. C.	260.00	36
7153293	Padded seat cushion, contoured; removable and washable outer cover, water-resistant or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	490.00	490.00	36
7153294	Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	180.00	12
7153295		310.00	490.00	12
7153296	Padded back cushion, contoured, including a rigid, contoured back	310.00	490.00	36
7153297	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	995.00	995.00	36
7153298	external to the joystick control	2,500.00	2,500.00	36
7153299	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	3,500.00	3,500.00	36
7153300	Pelvic positioning belt, auto buckle	N. C.	45.00	36

7153301	U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	225.00	60
7153302	T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	225.00	60
7153303	U-type armrest, long, flip-away, height-adjustable from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	225.00	60
7153304	T-type armrest, long, detachable; adjustable in height from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	225.00	60
7153305	Armrest pad, straight, short	N. C.	20.00	12
	Armrest pad, straight, long	N. C. N. C.	20.00	12
7153307		N. C.	225.00	60
7153308	Parallel footrest, adjustable angle 60° or 70°, detachable and pivoting with locking mechanism; standard folding footplate; standard size; adjustable heel-loop; adjustable length of 31.8 cm to 39.4 cm (12½ in. to 15½ in.) or from 36.8 cm to 49.5 cm (14½ in. to 19½ in.)	N. C.	225.00	60
7153309	Elevating leg-rests, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rests, contoured and padded, height and depth-adjustable	112.50	225.00	36
7153310	Power elevating leg-rest, with control per pair, including a control external to the joystick control	882.50	995.00	36
7153311	Power elevating leg-rest, with control per unit, including a control external to the joystick control	882.50	995.00	36

				,
7153312	Power leg-rest, one piece, including a control external to the joystick control	1,770.00	1,995.00	36
7153313	Padded calf-rest, contoured	100.00	100.00	36
	Folding footplate, standard, standard size	N. C.	100.00	36
7153315	Folding footplate, standard, oversize	N. C.	100.00	36
7153316	Footplate, angle and depth-adjustable, standard size	N. C.	100.00	
				36
7153317	Footplate, angle and depth-adjustable, oversize	N. C.	100.00	36
7153318	Heel loop, adjustable	N. C.	45.00	36
	Headrest bracket, height and depth-adjustable, or	75.00	75.00	
	articulated uniball bracket			36
7153320	Headrest cushion, contoured, all sizes	70.00	70.00	36
5150001	FRAME	20.00	20.00	2.6
7153321	Front impact guard with rollers	20.00	20.00	36
	DRIVE SYSTEM			
7153322	Standard joystick control for basic programmable	N. C.	329.00	
	electronics; joystick handle; push buttons for on/off			
	functions, horn, function selection; battery charge			36
	display			
7153323	Standard joystick control for multi-purpose	200.00	529.00	
	programmable electronics; joystick handle; push			
	buttons for on/off functions, horn, function			36
	selection; battery charge display			
	Compact joystick control, proportional	N. C.	329.00	36
7153325	Standard side bracket for joystick control;	N. C.	140.00	36
	adjustable forward-rearward position			
7153326		N. C.	230.00	36
515000	locking mechanism	60.00	200.00	
7153327	Midline bracket for joystick control; flip-back to	60.00	200.00	36
515000 0	provide total clearance for seat access	N. G	650.00	
7153328	Controller for basic programmable electronics	N. C.	659.00	36
7153329	Controller for multi-purpose programmable	100.00	759.00	36
7152220	electronics	N C	000 00	
7153330	Motor for basic programmable electronics;	N. C.	900.00	
	propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick			36
	control and controller			
7153331	Motor for multi-purpose programmable electronics;	N. C.	900.00	
/133331	propulsion provided by two electric direct-drive	N. C.	900.00	
	motors; variable speed, controlled by joystick and			36
	controller			
7153332	Battery charger; external; compatible with group	N. C.	199.00	
1133334	24 batteries	IV. C.	177.00	36
7153333	Internal control system for the joystick control for	350.00	350.00	
, 100000	one (1) power repositioning accessory	330.00	550.00	36
	(1) power repositioning acceptory			50

				· · · · · · · · · · · · · · · · · · ·
7153334	Internal control system for the joystick control for four (4) power repositioning accessories	500.00	500.00	36
7153335	Adapted head control, proportional, including mounting bracket	1,100.00	1,100.00	36
7153336	Adapted head control, non-proportional, including mounting bracket	2,200.00	2,200.00	36
7153337	Adapted breath control, non-proportional, including mounting bracket	1,200.00	1,200.00	36
7153338	Adapted chin control, proportional, including mounting bracket	600.00	600.00	36
7153339	Adapted chin control, non-proportional, including mounting bracket	600.00	600.00	36
7153340	Adapted Mini joystick control, proportional, including mounting bracket	1,510.00	1,510.00	36
7153341	Adapted control interface, with bracket and display	1,100.00	1,100.00	36
7153342	Mounting bracket for interface	350.00	350.00	36
7153343	Mounting bracket for adapted control	350.00	350.00	36
7153344	Ball, stick, T-type, or mushroom handle	52.00	52.00	36
	WHEELS AND TIRES			
7153345	Driving wheel, inner tube tires	N. C.	150.00	36
7153346	Front caster wheel, inner tube	N. C.	80.00	36
7153347	Rear caster wheel, semi-pneumatic	N. C.	80.00	36
7153348	Airless insert for driving wheel	45.00	45.00	36

DIVISION II: PEDIATRIC WHEELCHAIRS SUBDIVISION 1: MANUAL WHEELCHAIRS

PRICE
(including all
the basic
components)

7151339 MANUAL WHEELCHAIRS

2,195.00

SUBCATEGORY "MULTI-ADJUSTABLE PERFORMANCE (FOLDING FRAME)"

MOTION COMPOSITES INC.

"HELIO K" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Device weight: 14.5 kg (32 lb.)

Front seat-to-floor height: 34.3 cm to 54.6 cm ($13\frac{1}{2} \text{ in.}$ to $21\frac{1}{2} \text{ in.}$) Rear seat-to-floor height: 31.8 cm to 48.9 cm ($12\frac{1}{2} \text{ in.}$ to $19\frac{1}{4} \text{ in.}$)

Frame: straight back canes or bend back canes, height and angle-adjustable; non-slip

push handles; four tie-down points for adapted transport

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7151340	Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of	N. C.	36.00	
	30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.)			12
7151341	Flat foam seat cushion, 5.1 cm (2 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	63.00	63.00	36
7151342	Flexible nylon mesh back, padded; heights of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N. C.	32.33	12
7151343	Pelvic positioning belt, auto buckle	N. C.	13.75	36
7151344	Pelvic positioning belt, Velcro	N. C.	47.50	36

7151345	T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	118.00	60
7151346	T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.33	60
7151347	I-type armrest	50.00	168.00	60
7151348	L-type armrest; height-adjustable	N. C.	118.00	60
7151349	Armrest pad, straight, short	N. C.	4.75	12
7151350	Armrest pad, straight, long	N. C.	5.58	12
7151351	Armrest pad, tubular, for L-type armrest	35.25	40.00	12
				12
	Clothing guard, flexible, for L-type armrest	77.00	77.00	36
7151353	Clothing guard, rigid, for L-type armrest	77.00	77.00	36
7151354	70° footrest, detachable and pivoting with locking	N. C.	48.00	
	mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 12.7 cm to 53.3 cm (5 in. to 21 in.)			60
7151355	90° footrest, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 12.7 cm to 39.4 cm (5 in. to 15½ in.)	N. C.	48.00	60
7151356	Elevating leg-rest; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment points as the footrest or supplied with its own attachments; calfrest, contoured and padded, height and depthadjustable	153.38	201.38	36
7151357	Padded calf-rest	48.75	48.75	36
7151357		20.00	20.00	36
	Folding footplate, standard, standard size; plastic	N. C.	7.75	
0 1007	-5 F,	1	,.,.	36
7151360	Folding footplate, standard, oversize	10.00	17.75	36
7151361	Footplate, angle and depth-adjustable, standard size	90.00	97.75	36
				30
7151362	Footplate, angle and depth-adjustable, oversize	90.00	97.75	36
				50
7151363	Full-width footplate, one piece, folding; angle-	120.00	135.50	36
7151264	adjustable	NT 6	4.50	
/131364	Heel loop, adjustable	N. C.	4.50	36

				(authentic version)
7151365	Headrest cushion, contoured, all sizes	85.00	85.00	36
	Headrest bracket, height and depth-adjustable, or	90.00	90.00	26
	articulated uniball bracket			36
	FRAME			
7151367	Push handle, raised, detachable	N. C.	100.00	36
	Anti-tipping wheels, detachable or pivoting, with	N. C.	21.00	(0
	locking mechanism			60
7151369	Fold-away back spreader bar to fold chair; with	70.00	70.00	36
	anchor for headrest bracket			30
7151370	Wheelchair growth kit to enlarge chair by 5.1 cm	N. A.	250.00	36
7151271	(2 in.)	20.00	20.00	
7151371	Cane holder	30.00	30.00	36
	DRIVE SYSTEM			
7151372	Handrim, smooth	N. C.	14.50	36
7151373	Handrim, plastic-coated	N. C.	32.00	36
7151374	Non-slip handrim, foam	110.00	124.50	36
7151375	Standard wheel lock, push-to-lock, or pull-to-lock	N. C.	14.00	36
7151276	A 2 10 1 1 1	106.00	120.00	
7151376	Anti-rollback brake	106.00 10.00	120.00	36
7151377 7151378	Plug-in wheel lock extension Caster fork to adjust height and angle perpendicular	10.00 N. C.	10.00 9.63	36
/1313/6	to the ground to compensate for changes in the rear	N. C.	9.03	36
	seat-to-floor height			30
	WHEELS AND TIRES	37. 6	• 4 0 4	
7151379	Front mag wheel, semi-pneumatic tire, 20.3 cm	N. C.	24.91	36
7151200	(8 in.); 2.5 cm (1 in.) wide	N. C.	9.65	
7151380	Front mag wheel, semi-pneumatic tire, 12.7 cm (5 in.), 15.2 cm (6 in.) or 17.8 cm (7 in.); 2.5 cm	N. C.	8.65	36
	(1 in.) wide			30
7151381	Rear axle, quick release system, with push-button	N. C.	9.63	
	locking mechanism; adjustable centre of gravity by			
	increments of 0.63 cm (1/4 in.) on a horizontal range			
	of 8.9 cm (3½ in.); adjustable rear height for up to			36
	5° of seat tilt, compatible with all wheel diameters			
7151382	Threaded rear axle	N. C.	4.75	36
7151382	Spoked rear wheel, semi-pneumatic tire, 61 cm	N. C.	52.88	30
, 131303	(24 in.); 3.2 cm (1 ¹ / ₄ in.) wide	14. C.	52.00	36
7151384	Spoked rear wheel, semi-pneumatic tire, 55.9 cm	N. C.	52.88	2.5
	(22 in.); 3.2 cm (1 ¹ / ₄ in.) wide			36
7151385	Spoked rear wheel with inner tube tire, high	60.00	112.88	36
	pressure; 55.9 cm (22 in.) or 61 cm (24 in.)			
7151386	Spoke guard	65.00	65.00	36

SUBDIVISION 2: POWERED WHEELCHAIRS

PRICE
(including all
the basic
components)

7153351 POWERED WHEELCHAIR

4,875.00

SUBCATEGORY "MULTI-PURPOSE (MIDFRONT OR MEDIAL DRIVE WHEELS)"

SUNRISE MEDICAL CANADA INC.

"323 E" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 181.4 kg (400 lb.)

Seat-to-floor height: 39.4 cm to 51.4 cm ($15\frac{1}{2}$ in. to $20\frac{1}{4}$ in.) without power tilt system and 39.4 cm to 47.6 cm ($15\frac{1}{2}$ in. to $18\frac{3}{4}$ in.) with power tilt system

Frame: mid-wheel drive base, suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM 7153352 Seat-to-back assembly structure; resizable; back canes angle-adjustable from 90° to 110° by maximum increments of 6°; non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle-adjustable from 0° to 10°; anchor for headrest bracket	N. C.	550.00	36
7153353 Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.) or 38.1 cm (15 in.)	N. C.	75.00	36
7153354 Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	225.00	225.00	36

				(dddienie version)
715335	5 Flexible nylon mesh back, padded; heights of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N. C.	160.00	12
715335	6 Padded back cushion, contoured, including a rigid, contoured back	90.00	250.00	36
715335	7 Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	350.00	350.00	36
715335	8 Power reclining back system, including a control external to the joystick control	1,590.00	1,590.00	36
715335	9 Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	1,650.00	1,650.00	36
715342	0 Pelvic positioning belt, auto buckle	N. C.	30.00	36
715342	1 U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
715342	2 T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
715342	3 U-type armrest, long; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
715342	4 T-type armrest, long, detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest, armrest pad, straight	N. C.	175.00	60
	5 Armrest pad, straight, short	N. C.	20.00	12
	6 Armrest pad, straight, long 7 One-piece footrest platform, 90°, adjustable length	N. C. N. C.	20.00 225.00	12
, 155 12	, and proce to diese planterin, yo , augustuole leligin	11. 0.	223.00	60

7153428 Footrest; adjustable angle 60°, 70°, 80° or 90°, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 14 cm to 19.1 cm (5½ in. to 7½ in.), from 21.6 cm to 39.4 cm (8½ in. to 15½ in.) or from 26.7 cm to 39.4 cm (10½ in. to 15½ in.)	N. C.	225.00	60
7153429 Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, contoured	112.50	225.00	36
7153430 Power elevating leg-rest, with control per pair, including a control external to the joystick control	637.50	750.00	36
7153431 Power elevating leg-rest, with control per unit, including a control external to the joystick control	637.50	750.00	36
7153432 Power leg-rest, one-piece, including a control external to the joystick control	1,275.00	1,500.00	36
7153433 Padded calf-rest, contoured	35.00	35.00	36
7153434 Folding footplate, standard, standard size	N. C.	80.00	36
7153435 Folding footplate, standard, oversize	N. C.	80.00	36
7153436 Footplate, angle and depth-adjustable, standard size	N. C.	80.00	36
7153437 Footplate, angle and depth-adjustable, oversize	N. C.	80.00	36
7153438 Heel loop, adjustable	N. C.	30.00	36
7153439 Headrest bracket, height and depth-adjustable, or articulated uniball bracket	75.00	75.00	36
7153440 Headrest cushion, contoured, all sizes	70.00	70.00	36
FRAME			
7153441 Front impact guard with rollers	20.00	20.00	36
DRIVE SYSTEM			
7153442 Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N. C.	329.00	36
7153443 Standard joystick control for multi-purpose programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	200.00	529.00	36
7153444 Compact joystick control, proportional	N. C.	329.00	36
7153445 Standard side bracket for joystick control;	N. C.	140.00	
adjustable forward-rearward position			36
7153446 Swivel side bracket for joystick control; with locking mechanism	N. C.	230.00	36

			(authentic version)
7153447 Midline bracket for joystick control; flip-back to provide total clearance for seat access	60.00	200.00	36
7153448 Controller for basic programmable electronics	N. C.	659.00	36
7153449 Controller for multi-purpose programmable	100.00	759.00	
electronics			36
7153450 Motor for basic programmable electronics;	N. C.	600.00	
propulsion provided by two electric direct-drive			36
motors; variable speed, controlled by joystick			30
control and controller	N C	(00.00	
7153451 Motor for multi-functional programmable electronics; propulsion provided by two electric	N. C.	600.00	
direct-drive motors; variable speed, controlled by			36
joystick control and controller			
7153452 Battery charger; external; compatible with group 22	N. C.	199.00	26
NF or group 24 batteries			36
7153453 Internal control system for the joystick control for	350.00	350.00	
one (1) power repositioning accessory			36
7153454 Internal control system for the joystick control for	500.00	500.00	
four (4) power repositioning accessories	300.00	300.00	36
() 1			
7153455 Adapted head control, proportional, including	1,100.00	1,100.00	36
mounting bracket			30
7153456 Adapted head control, non-proportional, including	2,200.00	2,200.00	36
mounting bracket 7153457 Adapted breath control, non-proportional,	1,200.00	1,200.00	
including mounting bracket	1,200.00	1,200.00	36
7153458 Adapted chin control, proportional, including	600.00	600.00	26
mounting bracket			36
7153459 Adapted chin control, non-proportional, including	600.00	600.00	36
mounting bracket	1.510.00	1 510 00	
7153460 Adapted Mini joystick control, proportional, including mounting bracket	1,510.00	1,510.00	36
7153461 Mounting bracket for adapted control	350.00	350.00	36
7153462 Adapted control interface, with bracket and display	1,100.00	1,100.00	
			36
7153463 Mounting bracket for interface	350.00	350.00	36
7153464 Ball, stick, T-type, or mushroom handle	52.00	52.00	36
7153465 Course correction system	895.00	895.00	36
·	0,2.00	0,2.00	30
WHEELS AND TIRES	NG	150.00	26
7153466 Drive wheel, inner tube tire 7153467 Front caster wheel, semi-pneumatic or inner tube	N. C. N. C.	150.00 80.00	36
/13340/ Front caster wheel, senii-phedinatic of filler tube	N. C.	80.00	36
7153468 Rear caster wheel, semi-pneumatic	N. C.	80.00	36
7153469 Airless insert for drive wheel	45.00	45.00	36
		PRICE	
	G	ncluding all	
	(1	the basic	

components)

7153360 POWERED WHEELCHAIR

4,875.00

SUBCATEGORY "MULTI-PURPOSE (MIDREAR DRIVE WHEELS)"

SUNRISE MEDICAL CANADA INC.

"747 E" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 181.4 kg (400 lb.)

Seat-to-floor height: 38.7 cm to 51.4 cm (151/4 in. to 20 in.) without power tilt system

and 40 cm to 48.3 cm (153/4 in. to 19 in.) with power tilt system

Frame: mid-wheel drive base, suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153361	BODY SUPPORT SYSTEM Seat-to-back assembly structure; resizable; back canes angle-adjustable from 90° to 110° by maximum increments of 6°; push handles, covered with "non-slip" sheath; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle-adjustable from 0° to 10°; anchor for headrest bracket	N. C.	550.00	36
7153362	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider to stabilize cushions; widths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.) or 38.1 cm (15 in.)	N. C.	75.00	36
7153363	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base	225.00	225.00	36
7153364	Flexible nylon mesh back, padded; heights of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N. C.	160.00	12

				(dddientie version)
7153365	Padded back cushion, contoured, including a rigid, contoured back	90.00	250.00	36
7153366	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	350.00	350.00	36
7153367	Power reclining back device, including a control external to the joystick control	1,590.00	1,590.00	36
7153368	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	1,650.00	1,650.00	36
7153369	Pelvic positioning belt, auto buckle	N. C.	30.00	36
7153370	U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153371	T-type armrest, short, detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism, clothing guard, rigid, built into armrest, armrest pad, straight	N. C.	175.00	60
7153372	U-type armrest, long; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153373	T-type armrest, long, detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) maximum increments of 2.5 cm (1 in.), with locking mechanism, clothing guard, rigid, built into armrest, armrest pad, straight	N. C.	175.00	60
7153374 7153375 7153376	Armrest pad, straight, short Armrest pad, straight, long Footrest, adjustable to 80° or 90°, detachable and pivoting with locking mechanism; standard folding	N. C. N. C. N. C.	20.00 20.00 225.00	12 12
	footplate, standard size; adjustable heel loop; adjustable length from 14 cm to 19.1 cm (5½ in. to 7½ in.), 21.6 cm to 39.4 cm (8½ in. to 15½ in.) or from 26.7 cm to 39.4 cm (10½ in. to 15½ in.)			60

				(www.ioniaro vorbrein)
7153377	Footrest, adjustable to 60° or 70°, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 14 cm to 19.1 cm (5½ in. to 7½ in.), 21.6 cm to 39.4 cm (8½ in. to 15½ in.) or from 26.7 cm to 39.4 cm (10½ in. to 15½ in.)	N. C.	225.00	60
7153378	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, contoured	N. C.	225.00	36
7153379	Power elevating leg-rest, with control per pair, including a control external to the joystick control	637.50	862.50	36
7153380	Power elevating leg-rest, with control per unit, including a control external to the joystick control	637.50	862.50	36
7153381	Padded calf-rest, contoured	35.00	35.00	36
	Folding footplate, standard, standard size	N. C.	80.00	36
7153383	Folding footplate, standard, oversize	N. C.	80.00	36
7153384	Footplate, angle and depth-adjustable, standard size	N. C.	80.00	36
7153385	Footplate, angle and depth-adjustable, oversize	N. C.	80.00	36
7153386	Folding footplate, full-size, one-piece; fixed angle	N. C.	160.00	36
7153387	Heel loop, adjustable	N. C.	30.00	36
	Headrest bracket, height and depth-adjustable, or	75.00	75.00	36
	articulated uniball bracket			
7153389	Headrest cushion, contoured, all sizes	70.00	70.00	36
7153390	FRAME Anti-tipping wheels, non-detachable except with tools	N. C.	80.00	60
7153391	Front impact guard with rollers	20.00	20.00	36
7153392	DRIVE SYSTEM Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N. C.	329.00	36

				(authentic version)
7153393	Standard joystick control for multi-purpose programmable electronics; joystick handle; push	200.00	529.00	
	buttons for on/off functions, horn, function selection; battery charge display			36
	Compact joystick control, proportional	N. C.	329.00	36
7153395	Standard side bracket for joystick control; adjustable forward-rearward position	N. C.	140.00	36
7153396	Swivel side bracket for joystick control; with locking mechanism	N. C.	230.00	36
7153397	Midline bracket for joystick control; flip-back to provide total clearance for seat access	60.00	200.00	36
7153398	Controller for basic programmable electronics	N. C.	659.00	36
7153399	Controller for multi-purpose programmable electronics	100.00	759.00	36
7153400	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N. C.	600.00	36
7153401	Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N. C.	600.00	36
7153402	Battery charger; external; compatible with group 22 NF or group 24 batteries	N. C.	199.00	36
7153403	Internal control system for the joystick control for one (1) power repositioning accessory	350.00	350.00	36
7153404	Internal control system for the joystick control for four (4) power repositioning accessories	500.00	500.00	36
7153405	Adapted head control, proportional, including mounting bracket	1,100.00	1,100.00	36
7153406	Adapted head control, non-proportional, including mounting bracket	2,200.00	2,200.00	36
7153407	Adapted breath control, non-proportional, including mounting bracket	1,200.00	1,200.00	36
7153408	Adapted chin control, proportional, including mounting bracket	600.00	600.00	36
7153409	Adapted chin control, non-proportional, including mounting bracket	600.00	600.00	36
7153410	Adapted Mini joystick control, proportional, including mounting bracket	1,510.00	1,510.00	36
7153411	Mounting bracket for adapted control	350.00	350.00	36
7153412	Adapted control interface, with bracket and display	1,100.00	1,100.00	36
7153413	Mounting bracket for interface	350.00	350.00	36
7153414	Ball, stick, T-type, or mushroom handle	52.00	52.00	36
7153415	Course correction system	895.00	895.00	36

WHEELS AND TIRES

Tariff for devices which compensate for a motor deficiency and insured related services (authentic version)

SCHEDULE 1

7153416	Drive wheel, inner tube tire	N. C.	150.00	36
7153417	Front caster wheel, inner tube tire	N. C.	80.00	36
7153418	Airless insert for drive wheel	40.00	40.00	36
7153419	Airless insert for caster wheel	45.00	45.00	36

DIVISION III: COMPLEMENTS FOR WHEELCHAIRS SUBDIVISION 1: FACULTATIVE COMPONENTS

	FACULTATIVE COMPONENTS	Maximum unit price of component during device purchase	Maximum unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7800014	Elastic mesh seat	385.00	385.00	36
7800000	Dynamic back for manual wheelchair and positioning base	135.00	135.00	36
7800001	I-type armrest for reclining back	100.00	250.00	36
7800002	Armrest pad, contoured, short or long	24.00	30.00	12
7800003	Armrest pad, gel, short or long	32.00	38.00	12
7800004	Dynamic footrest for positioning base	45.00	160.00	36
7800005	Stump support, adjustable FRAME	260.00	260.00	36
7800015	Angle adjustable push handle	53.00	53.00	36
7800016	Angle adjustable push bar	75.00	75.00	36
7800017	Front locking tilt for positioning base	30.00	30.00	36
7800018	Growth kit to enhance depth by 7.6 cm (3 in.) for pediatric manual wheelchair	250.00	250.00	36
	DRIVE SYSTEM			
7800006	One-arm dual handrim drive for manual wheelchair	850.00	850.00	36
7800007	One-arm manual wheel locks kit	330.00	410.00	36
7800008	Handrim with thumb grip	110.00	125.00	36
7800009	Handrim with rubber traction band	110.00	125.00	36
7800010	Handrim, plastic-coated, ultra-light	N. C.	32.00	36
7800011	Fork-locking mechanism	105.00	105.00	36
	Propulsion assistance module	2,000.00	2,000.00	36
7800013	Mid-wheel manual propulsion for positioning base	225.00	700.00	36
7800019	Rear wheel camber device, 3° or 6° for pediatric manual wheelchair	200.00	200.00	36

SUBDIVISION 2: BATTERIES FOR POWERED WHEELCHAIRS BATTERIES (GEL)

	Price including delivery, guarantee, and recovery of defective or used batteries (price per pair)
4590000 SUPPLIER: EAST PENN / POWER BATTERY	315.75
GROUP 22NF BATTERIES Model: 8G22NF	
4590001 SUPPLIER: EAST PENN / POWER BATTERY	413.69
GROUP 24 BATTERIES Model: 8G24T881	
4590002 SUPPLIER: EAST PENN / POWER BATTERY	203.84
GROUP U1 BATTERIES Model: 8GU1	

DIVISION IV: OTHER LOCOMOTOR ASSISTS SUBDIVISION 1: ADULT POSITIONING BASES

PRICE (including all the basic components)

1,798.00

7156052 ADULT POSITIONING BASES

SUBCATEGORY "MULTI-ADJUSTABLE

TILT"

SUNRISE MEDICAL CANADA INC.

"QUICKIE IRIS" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 136.1 kg (300 lb.)

Seat-to-floor height: 31.7 cm to 49.5 cm (12½ in. to 19½ in.)

Frame: structure compatible with commercial positioning device anchors; back height from 38.1 cm to 61 cm (15 in. to 24 in.) by maximum increments of 5.1 cm (2 in.); back cane angle-adjustable from 90° to 120° by maximum increments of 8° ; non-slip push handles or push bar, raised; anchor for headrest bracket; tilt system for minimum angulation of 45° ; four tie-down points for adapted transport

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7156053	Flat rigid seat; metal; two strips of "hook" Velcro,	N. C.	158.00	
	2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm			
	(17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm			
	(20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.);			24
	depths of 35.6 cm (14 in.), 38.1 cm (15 in.),			36
	40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.),			
	48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)			
7156054	Reclining back with cylinder; continuous inclination up to a minimum of 120°	420.00	420.00	36
7156055	Pelvic positioning belt, auto buckle	N. C.	35.00	36
7156056	Pelvic positioning belt, Velcro	N. C.	29.00	36
7156057	U-type armrest, short; detachable; height-adjustable, from 25.4 cm to 36.8 cm (10 in. to	N. C.	120.00	
	14½ in.) by maximum increments of 2.5 cm (1 in.),			60
	with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight			60

				()
7156058	T-type armrest, short; detachable; height-adjustable, from 18.4 cm to 28.6 cm (7½ in. to 11¼ in.) or from 27.3 cm to 40 cm (10¾ in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.00	60
7156059	U-type armrest, long; detachable; height-adjustable, from 25.4 cm to 36.8 cm (10 in. to 14½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.00	60
7156060	T-type armrest, long; detachable; height-adjustable, from 18.4 cm to 28.6 cm (7½ in. to 11½ in.) or from 27.3 cm to 40 cm (10¾ in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.00	60
7156061	Armrest pad, straight, short	N. C.	9.00	12
7156062	Armrest pad, straight, long	N. C.	9.00	12
7156063	Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel	N. C.	116.00	60
	loop; adjustable length from 29.2 cm to 45.7 cm (11½ in. to 18 in.) or from 35.6 cm to 50.8 cm (14 in. to 20 in.)			00
7156064	Parallel footrest, 70° or 90° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 29.2 cm to 48.3 cm (11½ in. to 19 in.) for the 70° footrest and adjustable length from 17.8 cm to 35.6 cm (7 in. to 14 in.) for the 90° footrest	N. C.	116.00	60
7156065	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, height and depthadjustable	19.00	135.00	36
7156066	Padded calf-rest, contoured	20.00	20.00	36
7156067	Calf-rest strap, single	19.00	19.00	36
7156068	Footplate, angle and depth-adjustable, standard size	N. C.	40.00	36
7156069	Footplate, angle and depth-adjustable, oversize	N. C.	40.00	36
7156070	Folding footplate, standard, standard size		9.00	36
7156071	Folding footplate, standard, oversize	N. C.	9.00	36
7156072		28.00	108.00	36
7156073	Heel loop, adjustable	N. C.	11.00	36

				(ddiffentile version)
7156074	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	75.00	75.00	36
7156075	Headrest cushion, padded and contoured, all sizes	70.00	70.00	36
	FRAME			
7156076	Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	28.00	60
7156077	Heavy-duty option to increase maximum weight capacity to 181.4 kg (400 lb.)	320.00	N. A.	36
	DRIVE SYSTEM			
	Handrim, smooth	N. C.	40.00	36
	Handrim, plastic-coated	N. C.	40.00	36
	Non-slip handrim, foam	85.00	125.00	36
7156081	Handrim with vertical or oblique projections	45.00	85.00	36
7156082	Standard wheel lock, push-to-lock	N. C.	32.00	36
	Plug-in wheel lock extension	7.00	7.00	36
7156084	<u> </u>	N. C.	32.00	36
	WHEELS AND TIRES			
7156085	Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.)	N. C.	15.00	36
7156086	Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.)	N. C.	15.00	36
7156087	Rear axle, quick release system, with push-button locking mechanism	N. C.	33.00	36
7156088	Threaded rear axle	N. C.	5.00	36
	Rear mag wheel, semi-pneumatic tire, 30.5 cm	N. C.	80.00	36
7156090	(12 in.) or 40.6 cm (16 in.) Spoked rear wheel, semi-pneumatic tire, 50.8 cm	N. C.	80.00	
	(20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3.5 cm (13/8 in.) wide			36
7156091	Spoke guard	20.00	20.00	36

PRICE (including all the basic components)

7156092 ADULT POSITIONING BASES

1,055.00

SUBCATEGORY "MULTI-ADJUSTABLE WITH BALANCED CENTRE OF GRAVITY"

ORTHOFAB INC.

"TANGO CE" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Seat-to-floor height: 35.6 cm to 50.8 cm (14 in. to 20 in.)

Frame: structure compatible with commercial positioning device anchors; back height from 40.6 cm to 61 cm (16 in. to 24 in.) by maximum increments of 2.51 cm (1 in.); back cane angle-adjustable from 90° to 120° by maximum increments of 8°; non-slip push handles or push bar, raised; anchor for headrest bracket; tilt system for minimum angulation of 45°; four tie-down points for adapted transport

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7156093	Flat rigid seat; metal; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm to 48.3 cm (16 in. to 19 in.) or from 48.3 cm to 55.8 cm (19 in. to 22 in.)		40.00	36
7156094	Reclining back with cylinder; continuous inclination up to a minimum of 120°	270.00	270.00	36
7156095	Pelvic positioning belt, auto buckle	N. C.	6.00	36
7156096	Pelvic positioning belt, Velcro	N. C.	15.00	36
7156098	T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60

7156100	T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7156101	Armrest pad, straight, short	N. C.	6.00	12
7156102	Armrest pad, straight, long	N. C.	6.00	12
7156103	Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 48.3 cm to 53.3 cm (19 in. to 21 in.)	N. C.	172.00	60
7156104	Parallel footrest, 70° or 90° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or additionally for 70° footrest, from 48.3 cm to 53.3 cm (19 in. to 21 in.)	N. C.	172.00	60
7156105	Elevating leg-rest, compensating; detachable and pivoting, with locking mechanism; adjustable length; standard folding footplate, standard size or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; Padded calf-rest, height and depthadjustable	28.00	200.00	36
7156106	Padded calf-rest, flat	15.00	15.00	36
7156107	Calf-rest strap, double	15.00	15.00	36
7156108	Footplate, angle and depth-adjustable, standard size	N. C.	50.00	36
7156109	Footplate, angle and depth-adjustable, oversize	N. C.	55.00	36
7156110	Folding footplate, standard, standard size	N. C.	6.00	36
7156111	Folding footplate, standard, oversize	N. C.	35.00	36
7156112	Full-width footplate, in two lockable parts, angle-adjustable	N. C.	100.00	36
7156113	Heel loop, adjustable	N. C.	3.00	36
7156114	Headrest bracket, height and depth-adjustable	35.00	35.00	36
7156115	Headrest cushion, padded and flat, all sizes	40.00	40.00	36
7156116	FRAME Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	12.00	60
7156117	Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	119.00	N. A.	36

	DRIVE SYSTEM			
7156118	Handrim, smooth	N. C.	80.00	36
7156119	Handrim, plastic-coated	N. C.	80.00	36
7156120	Non-slip handrim, foam	40.00	120.00	36
7156121	Handrim with oblique projections	N. C.	80.00	36
7156122	Standard wheel lock, push-to-lock	N. C.	30.00	36
7156123	Plug-in wheel lock extension	10.00	10.00	36
7156124	Caster fork, height-adjustable, compatible with all available wheel diameters	N. C.	15.00	36
	WHEELS AND TIRES			
7156125	Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); widths of 3.2 cm (1½ in.) or 3.8 cm (1½ in.)	N. C.	40.00	36
7156126	Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); 3.8 cm (1½ in.) wide	N. C.	40.00	36
7156127	Rear axle, quick release system, with push-button locking mechanism	N. C.	15.00	36
7156128	Threaded rear axle	N. C.	2.00	36
7156129	Rear mag wheel, semi-pneumatic tire, 30.5 cm (12 in.)	N. C.	100.00	36
7156130	Spoked rear wheel, semi-pneumatic tire, 50.8 cm	N. C.	100.00	
	(20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3.2 cm (1 ¹ / ₄ in.) wide			36
7156131	Spoke guard	70.00	70.00	36

PRICE (including all the basic components)

7156132 ADULT POSITIONING BASES

1,055.00

SUBCATEGORY "MULTI-ADJUSTABLE CYLINDER"

ORTHOFAB INC.

"TANGO AC" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Seat-to-floor height: 35.6 cm to 50.8 cm (14 in. to 20 in.)

Frame: structure compatible with commercial positioning device anchors; back height from 40.6 cm to 61 cm (16 in. to 24 in.) by maximum increments of 2.5 cm (1 in.); back cane angle-adjustable from 90° to 120° by maximum increments of 8°; non-slip push handles or push bar, raised; anchor for headrest bracket; tilt system for minimum

angulation of 45°; four tie-down points for adapted transport

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7156133	Flat rigid seat; metal; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm to 48.3 cm (16 in. to 19 in.) or from 48.3 cm to 55.8 cm (19 in. to 22 in.)	N. C.	40.00	36
7156134	Reclining back with cylinder; continuous inclination up to a minimum of 120°	270.00	270.00	36
7156135	Pelvic positioning belt, auto buckle	N. C.	6.00	36
7156136	Pelvic positioning belt, Velcro	N. C.	15.00	36
7156137	U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60

7156139	U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum	N. C.	150.00	
	increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight			60
7156141	Armrest pad, straight, short	N. C.	6.00	12
7156142	Armrest pad, straight, long	N. C.	6.00	12
7156143	Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel	N. C.	172.00	60
	loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 48.3 cm to 53.3 cm (19 in. to 21 in.)			
7156144	Parallel footrest, 70° or 90° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm	N. C.	172.00	60
	(14 in. to 19 in.) and additionally for the 70° footrest, from 48.3 cm to 53.3 cm (19 in. to 21 in.)			
7156145	Elevating leg-rest, compensating; detachable and pivoting, with locking mechanism; adjustable length; standard folding footplate, standard size or	28.00	200.00	
	oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, height and depth- adjustable			36
7156146	Padded calf-rest, flat	15.00	15.00	36
	Calf-rest strap, double	15.00	15.00	36
	Footplate, angle and depth-adjustable, standard size	N. C.	50.00	36
	Footplate, angle and depth-adjustable, oversize	N. C.	55.00	36
7156150	Folding footplate, standard, standard size	NC	6.00	36
	Folding footplate, standard, oversize Full-width footplate, in two lockable parts; angle-	N. C. N. C.	35.00 100.00	36
	adjustable			36
7156153	Heel loop, adjustable	N. C.	3.00	36
7156154	Headrest bracket, height and depth-adjustable	35.00	35.00	36
7156155	Headrest cushion, padded and flat, all sizes	40.00	40.00	36
	FRAME		40.00	
7156156	Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	12.00	60
7156157	Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	119.00	N. A.	36

	DRIVE SYSTEM			
7156158	Handrim, smooth	N. C.	80.00	36
7156159	Handrim, plastic-coated	N. C.	80.00	36
7156160	Non-slip handrim, foam	40.00	120.00	36
7156161	Handrim with oblique projections	N. C.	80.00	36
7156162	Standard wheel lock, push-to-lock	N. C.	30.00	36
7156163	Telescopic wheel lock extension	10.00	10.00	36
7156164	Caster fork, height-adjustable, compatible with all available wheel diameters	N. C.	15.00	36
7156165	WHEELS AND TIRES	N. C.	40.00	
/130103	Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); widths of 3.2 cm (1½ in.) or 3.8 cm (1½ in.)	N. C.	40.00	36
7156166	Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); 3.8 cm (1½ in.) wide	N. C.	40.00	36
7156167	Rear axle, quick release system, with push-button locking mechanism	N. C.	15.00	36
7156168	Threaded rear axle	N. C.	2.00	36
7156169	Rear mag wheel, semi-pneumatic tire, 30.5 cm (12 in.)	N. C.	100.00	36
7156170	Spoked rear wheel, semi-pneumatic tire, 50.8 cm	N. C.	100.00	
	(20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3.2 cm (1½ in.) wide			36
7156171	Spoke guard	70.00	70.00	36

PRICE (including all the basic components)

7156172 ADULT POSITIONING BASES

1,150.00

SUBCATEGORY "MULTI-ADJUSTABLE WITH CONSTANT OR NEAR-CONSTANT FRONT SEAT-TO-FLOOR HEIGHT"

PDG PRODUCT DESIGN GROUP INC.

"BENTLEY" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Seat-to-floor height: 33 cm to 50.8 cm (13 in. to 20 in.)

Frame: structure compatible with commercial positioning device anchors; back height of 53.3 cm (21 in.) or 61 cm (24 in.); back cane angle-adjustable from 90° to 120° by maximum increments of 8°; non-slip push bar, raised; anchor for headrest bracket; tilt system for minimum angulation of 20°; four tie-down points for adapted transport

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7156173	Flat rigid seat; metal; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N. C.	10.76	36
7156174	Reclining back with cylinder; continuous inclination up to a minimum of 120°	187.50	187.50	36
7156175	Pelvic positioning belt, auto buckle	N. C.	21.00	36
7156176	Pelvic positioning belt, Velcro	N. C.	33.00	36
7156177	U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	7.50	60

7156179	U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	7.50	60
7156181	Armrest pad, straight, short	N. C.	3.05	12
7156182	Armrest pad, straight, long	N. C.	2.20	12
7156183	Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 33 cm to 43.2 cm	N. C.	52.50	60
	(13 in. to 17 in.) or from 38.1 cm to 48.3 cm (15 in. to 19 in.)			
7156184	Parallel footrest, 70° or 90° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 33 cm to 43.2 cm (13 in. to 17 in.) or from 38.1 cm to 48.3 cm (15 in. to 19 in.)	N. C.	52.50	60
7156185	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, height and depthadjustable	37.50	90.00	36
7156186	Padded calf-rest, flat	22.50	22.50	36
7156187	Calf-rest strap, single	35.00	35.00	36
7156188	Footplate, angle and depth-adjustable, standard size	N. C.	4.95	36
7156189	Footplate, angle and depth-adjustable, oversize	N. C.	5.60	36
7156190	Folding footplate, standard, standard size	N. C.	3.34	36
7156191	Folding footplate, standard, oversize	N. C.	3.34	36
7156192	Full-width footplate, one piece, folding; angle-adjustable	80.10	90.00	36
7156193	Heel loop, adjustable	N. C.	0.75	36
7156194	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	50.00	50.00	36
7156195	Headrest cushion, padded, flat or contoured, all sizes	37.00	37.00	36
7156196	FRAME Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	5.00	60
7156197	Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	550.00	N. A.	36
	DRIVE SYSTEM			
7156198	Handrim, smooth	N. C.	8.00	36
7156199	Handrim, plastic-coated	2.40	10.40	36

				(uutilelitie verbieli)
7156200	Non-slip handrim, foam	179.50	187.50	36
7156201	Handrim with vertical projections	57.00	65.00	36
7156202	Standard wheel lock, push-to-lock or pull-to-lock	N. C.	1.80	36
7156203	Plug-in wheel lock extension	2.74	2.74	36
7156204	Caster fork, height-adjustable, compatible with all available wheel diameters	N. C.	5.09	36
	WHEELS AND TIRES			
7156205	Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); 3 cm (13/16 in.) wide	N. C.	8.34	36
7156206	Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); 3 cm (13/16 in.) wide	N. C.	8.34	36
7156207	Rear axle, quick release system, with push-button locking mechanism	N. C.	3.00	36
7156208	Threaded rear axle	N. C.	0.03	36
7156209	Rear mag wheel, semi-pneumatic tire, 30.5 cm (12 in.)	N. C.	12.00	36
7156210	Spoked rear wheel, semi-pneumatic tire, 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3 cm (13/16 in.) wide	N. C.	23.62	36
7156211	Spoke guard	43.00	43.00	36

SUBDIVISION 2: PEDIATRIC POSITIONING BASES

PRICE
(including all
the basic
components)

7156212 PEDIATRIC POSITIONING BASES

1,650.00

SUBCATEGORY "MULTI-ADJUSTABLE

TILT"

SUNRISE MEDICAL CANADA INC.

"ZIPPIE IRIS" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 102.1 kg (225 lb.)

Seat-to-floor height: 33.7 cm to 48.3 cm (13½ in. to 19 in.)

Frame: structure compatible with commercial positioning device anchors; back height from 40.6 cm to 63.5 cm (16 in. to 25 in.) by maximum increments of 5,1 cm (2 in.); back cane angle-adjustable from 90° to 120° by maximum increments of 8°; non-slip push handles or push bar, raised; anchor for headrest bracket; tilt system for minimum angulation of 45°; four tie-down points for adapted transport

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7156213	Flat rigid seat; metal; two strips of "hook" Velcro,	N. C.	158.00	
	2.5 cm (1 in.) wide or wider; widths of 25.4 cm			
	(10 in.), 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm			
	(13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm			36
	(16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.);			30
	depths of 30.5 cm (12 in.), 35.6 cm (14 in.),			
	40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)			
7156014		N. C.	25.00	
/156214	Pelvic positioning belt, auto buckle	N. C.	35.00	36
7156215	Pelvic positioning belt, Velcro	N. C.	29.00	
7130213	Terrie positioning seri, verero	14. 6.	27.00	36
7156216	I-type armrest, short; detachable; height-adjustable,	N. C.	120.00	
	from 18.4 cm to 40 cm (7½ in. to 15¾ in.) by			
	maximum increments of 2.5 cm (1 in.), with			60
	locking mechanism; clothing guard, rigid, built into			60
	armrest; armrest pad, straight			
7156217	T-type armrest, short; detachable; height-	N. C.	120.00	
	adjustable, from 18.4 cm to 40 cm (7½ in. to 15¾			
	in.) by maximum increments of 2.5 cm (1 in.), with			60
	locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight			
	armesi, armesi pau, siraigni			

7156218	I-type armrest, long; detachable; height-adjustable, from 18.4 cm to 40 cm (7½ in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.00	60
7156219	T-type armrest, long; detachable; height-adjustable, from 18.4 cm to 40 cm (7½ in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.00	60
7156220	Armrest pad, straight, short	N. C.	9.00	12
7156221	Armrest pad, straight, long	N. C.	9.00	12
7156222	70° footrest, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 17.8 cm to 27.9 cm (7 in. to 11 in.), from 17.8 cm to 33 cm (7 in. to 13 in.), from 17.8 cm to 38,1 cm (7 in. to 15 in.) or from 30.5 cm to 40.6 cm (12 in. to 16 in.)	N. C.	116.00	60
7156223	90° footrest, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 17.8 cm to 22.9 cm (7 in. to 9 in.), from 17.8 cm to 33 cm (7 in. to 13 in.) or from 17.8 cm to 38.1 cm (7 in. to 15 in.)	N. C.	116.00	60
7156224	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, height and depthadjustable	19.00	135.00	36
7156225	Padded calf-rest	20.00	20.00	36
7156226	Calf-rest strap, single	19.00	19.00	36
7156227	Footplate, angle and depth-adjustable, standard size	N. C.	40.00	36
7156228	Footplate, angle and depth-adjustable, oversize	N. C.	40.00	36
7156229	Folding footplate, standard, standard size	N. C.	9.00	36
7156230	Folding footplate, standard, oversize	N. C.	9.00	36
7156231	Full-width footplate, one piece, folding; angle-adjustable	28.00	108.00	36
	Heel loop, adjustable	N. C.	11.00	36
	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	75.00	75.00	36
7156234	Headrest cushion, padded and contoured, all sizes	70.00	70.00	36
7156235	FRAME Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	28.00	60

	DRIVE SYSTEM			
7156236	Handrim, smooth	N. C.	40.00	36
7156237	Handrim, plastic-coated	N. C.	40.00	36
7156238	Non-slip handrim, foam	85.00	125.00	36
7156239	Handrim with vertical or oblique projections	45.00	85.00	36
7156240	Standard wheel lock, push-to-lock	N. C.	32.00	36
7156241	Plug-in wheel lock extension	7.00	7.00	36
7156242	Caster fork, height-adjustable, compatible with all available wheel diameters	N. C.	32.00	36
	WHEELS AND TIRES			
7156243	Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.)	N. C.	15.00	36
7156244	Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.)	N. C.	15.00	36
7156245	Rear axle, quick release system, with push-button locking mechanism	N. C.	33.00	36
7156246	Threaded rear axle	N. C.	5.00	36
7156247	Rear mag wheel, semi-pneumatic tire, 30.5 cm (12 in.)	N. C.	80.00	36
7156248	Spoked rear wheel, semi-pneumatic tire, 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3.5 cm	N. C.	80.00	36
7156249	(1% in.) wide Spoke guard	20.00	20.00	36

DIVISION V: STROLLERS AND ORTHOMOBILES

DEVICE	Maximum price
Buggy Major-type stroller, including footrests and harness	
4495602 less than three years of age *	660.00
4495610 three years of age and over	660.00
Available Component(s)	
4495651 padded seat	96.00
4494993 other components	S. C.
4493862 thoracic support	96.00
4493870 chest pad	57.00

DURATION OF GUARANTEE: 12 months

DEVICE	Maximum price
4495701 Other strollers*	S. C.
2192300 Orthomobiles	S. C.

PART II: POSTURE DEVICE

	Description	Maximum price
	DEVICE	
4565058	Positioning device * The price of the positioning device is equal to the total price of the positioning components.	*
	WARRANTY PERIOD: 3 months	
4490223	Standardized cushion, multilayer or injected foam	400.00
4490249	Standardized cushion, viscoelastic foam and gel	400.00
4499646	Standardized cushion, viscofluid foam and gel	400.00
4499869	Standardized cushion, static air-adjustable, single-compartment (by adjusting pressure or cell quantity)	500.00
4490215	Standardized cushion, static air-adjustable, multi- compartment (by adjusting pressure or cell quantity)	500.00
4499695	Standardized cushion, viscoelastic gel	500.00
4490231	Standardized cushion, viscofluid gel	500.00
4490256	Standardized cushion, foam with air insert	500.00
4490248	Standardized convoluted cushion, fusion-bonded thermoplastic polymer	500.00
4490272	Customized cushion, multilayer or injected foam	425.00
4490280	Customized cushion, viscoelastic foam and gel	425.00
4490298	Customized cushion, viscofluid foam and gel	425.00
4490306	Customized cushion, foam with air insert	525.00
4490307	Customized cushion, fusion-bonded thermoplastic polymer	600.00
4020510		75.00
4020511	Commercial waterproof cover for specialized seat cushion	100.00
4020512	Surcharge payable for 2 commercial waterproof covers, provided with purchase or replacement of specialized seat cushion, as substitution for 2 standard covers	50.00
4020513	Waterproof cover for seat cushion (all sizes)	75.00
4020515	Surcharge payable for bariatric cushion, width of more than 50.8 cm (20 in.)	150.00
4565078	Adjustable pediatric posture seat for adaptable stroller, including positioning for torso, pelvis and lower limbs	1 200,00
4565069	Positioning components for head and neck, standardized or standardized modular components	350.00

4565060	Positioning components for torso, pelvis or both, standardized or standardized modular components, excluding seat cushion	450.00
4565070	Positioning belt specialized for pelvis, standardized	100.00
4565061	Positioning harness for torso, standardized	100.00
4565062	Right upper limb positioning components, standardized or standardized modular components	170.00
4565063	Left upper limb positioning components, standardized or standardized modular components	170.00
4565064	Right lower limb positioning components, standardized or standardized modular components	200.00
4565066	Left lower limb positioning components, standardized or standardized modular components	200.00
4565067	Bilateral upper limb positioning components, standardized or standardized modular components	200.00
4565068	Bilateral lower limb positioning components, standardized or standardized modular components	200.00
4565071	Additional or replacement standard cover for specialized back	75.00
4565074	Additional or replacement waterproof cover for specialized back	100.00
4565072	Surcharge payable upon purchase or replacement of back or cover for complete or partial water	50.00
4565075	proofing Surcharge payable for a large positioning component for torso, pelvis or both, width or height of more than 50.8 cm (20 in.)	50.00
4565080	Surcharge payable for hardware allowing thoracic supports to swing away, flip back or fold	200.00
4499900	Head or neck components, moulded or customized	450.00
4499888	Torso positioning components, moulded or customized	500.00
4499889		300.00
4499890	Torso and pelvic positioning component, one- piece, customized contouring	900.00
4499891	Pelvic positioning component, moulded or customized, excluding seat cushion	200.00
4499892	_	100.00
4499894	Right upper limb positioning components, moulded or customized	270.00

4499895	Left upper limb positioning components, moulded or customized	270.00
4499896	Right lower limb positioning components, moulded or customized	300.00
4499897	Left lower limb positioning components, moulded or customized	300.00
4499899	Bilateral upper limb positioning components, moulded or customized	300.00

PART III: ELEMENTS INCLUDED IN THE PRICES OF THE DEVICES

- 1. The maximum or the fixed price for the purchase or replacement of an insured device referred to in Part I or II of this Title includes the following elements:
- (1) the maximum or fixed price for its basic components, its optional components and its and supplements, if any;
- (2) the cost of its manufacture;
- (3) the cost of adjustments required while it is being manufactured, up to and including the final installation;
- (4) the cost of adjustments and repairs during the guarantee period referred to in this Title in respect of each device or in the contract with the supplier, beginning immediately after the final installation and during which any adjustment or repair of a device used under normal conditions is made, in order to bring the device into conformity with the original prescription, where the beneficiary's physical condition has not changed, and to enable the beneficiary to derive maximum benefit from the device.
- 2. The replacement cost of a component or supplement for a device includes the following elements:
- (1) the cost price of the materials;
- (2) the cost of its manufacture, if any;
- (3) the cost of adjustment and installation.

TITLE THREE: INSURED RELATED SERVICES PART I: PROSTHESES, ORTHOSES, AMBULATION AIDS OR STANDING AIDS

Labour rate or lump sum

		Laboratory (s.25)	Institution (s.25)
Codes	Description		
5550001	Labour for the manufacture of a device with at least one component whose purchase or replacement price is stated as « S.C. » or for the repair of an orthosis, prosthesis, ambulation aid, standing aid or their components and supplements (rate per minute)	1.54	0.00
4499976	Lump sum for recovery, safety check, cleaning, reallocation and inventory management of a walker with thorax support	110.84	0.00
5442257	Lump sum for initial purchase or replacement of an ambulation aid provided as a complement to an orthosis or prosthesis	23.01	0.00
5442258	Lump sum for initial purchase or replacement of an ambulation aid provided as a device to an adult	46.02	0.00
5442259	Lump sum for initial purchase or replacement of an ambulation aid provided as a device to a person under 19 years of age	69.01	0.00

PART II: LOCOMOTOR AND POSTURE ASSISTS

Labour rate or lump sum

Institution (s.57)

Codes	Description	
5550000	Labour for the manufacture or repair of a locomotor assist, positioning device or their components, including repairs made under supplier's warranty (rate per minute)	0.00
4499968	Lump sum for the initial purchase or replacement of a manual wheel chair	0.00
4499992	Lump sum for the initial purchase or replacement of a powered wheel chair	0.00
5442260	Lump sum for initial purchase or replacement of a positioning base	0.00
5442272		0.00
4495552	Lump sum for the initial purchase or replacement of a Buggy Major-type stroller	0.00
4499596		0.00
4499950	Lump sum when a device must be adjusted to the growth of an insured person under age 19	0.00
4499935	Lump sum for initial purchase or replacement of a manual wheelchair when the insured person dies before taking final receipt of device	0.00
4499927	Lump sum for initial purchase or replacement of a powered wheelchair when the insured person dies before taking final receipt of device	0.00
5442269	Lump sum for initial purchase or replacement of a positioning base when the insured person dies before taking final receipt of device	0.00
4499943	Lump sum for initial purchase or replacement of a stroller when the insured person dies before taking final receipt of device	0.00
5442254	Lump sum for specialized cushion seat positioning	0.00

5442261	Lump sum for head or neck positioning	0.00
5442262	Lump sum for positioning of torso, pelvis or both (excluding specialized seat cushion-related service)	0.00
5442263	Lump sum for right upper limb positioning	0.00
5442264	Lump sum for left upper limb positioning	0.00
5442265	Lump sum for right lower limb positioning	0.00
5442266	Lump sum for left lower limb positioning	0.00