# SCHEDULE I (s. 1)

### TARIFF FOR DEVICES WHICH COMPENSATE FOR A MOTOR DEFICIENCY AND INSURED RELATED SERVICES



PART I: AIDS FURNISHED BY AN INSTITUTION OR A LABORATORY  DIVISION I: LOWER-LIMB PROSTHESES  SUBDIVISION 1: FOOT PROSTHESES  SUBDIVISION 2: ANKLE PROSTHESES  SUBDIVISION 3: TIBIAL PROSTHESES  SUBDIVISION 4: TIBIOFEMORAL PROSTHESES  SUBDIVISION 5: FEMORAL PROSTHESES	6 6 8 11 19 26 36 45
SUBDIVISION 1: FOOT PROSTHESES SUBDIVISION 2: ANKLE PROSTHESES SUBDIVISION 3: TIBIAL PROSTHESES SUBDIVISION 4: TIBIOFEMORAL PROSTHESES	6 8 11 19 26 36 45
SUBDIVISION 2: ANKLE PROSTHESES SUBDIVISION 3: TIBIAL PROSTHESES SUBDIVISION 4: TIBIOFEMORAL PROSTHESES	8 11 19 26 36 45
SUBDIVISION 3: TIBIAL PROSTHESES SUBDIVISION 4: TIBIOFEMORAL PROSTHESES	11 19 26 36 45
SUBDIVISION 4: TIBIOFEMORAL PROSTHESES	19 26 36 45
	26 36 45
SUBDIVISION 5: FEMORAL PROSTHESES	36 45
	45
SUBDIVISION 6: COXOFEMORAL AND HEMIPELVIC PROSTHESES	
SUBDIVISION 7: LOWER-LIMB PROSTHESES	46
DIVISION II: UPPER-LIMB PROSTHESES	
SUBDIVISION 1: HAND PROSTHESES	46
SUBDIVISION 2: WRIST PROSTHESES	48
SUBDIVISION 3: CUBITAL PROSTHESES	49
SUBDIVISION 4: CUBITOHUMERAL PROSTHESES	52
SUBDIVISION 5: HUMERAL PROSTHESES	53
SUBDIVISION 6: GLENOHUMERAL AND THORACIC PROSTHESES	55
SUBDIVISION 7: BASIC OR OPTIONAL COMPONENTS FOR UPPER-LIMB PROSTHESES	60
SUBDIVISION 8 : UPPER-LIMB PROSTHESES	65
DIVISION III: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES	66
DIVISION IV: LOWER-LIMB ORTHOSES	78
SUBDIVISION 1: TIBIAL ORTHOSES	78
SUBDIVISION 2: TIBIOFEMORAL ORTHOSES	84
SUBDIVISION 3: FEMORAL ORTHOSES	88
SUBDIVISION 4: COXOFEMORAL ORTHOSES	99
SUBDIVISION 5: BILATERAL LOWER-LIMB ORTHOSES	108
SUBDIVISION 6: ADDITIONAL COMPONENTS FOR TIBIAL, FEMORAL AND COXOFEMORAL ORTHOSES	111
SUBDIVISION 7: LOWER-LIMB ORTHOSES	112
DIVISION V: UPPER-LIMB ORTHOSES	113
SUBDIVISION 1: HAND ORTHOSES THAT MAY INCLUDE THE THUMB AND THE OTHER FINGERS	113
SUBDIVISION 2: WRIST AND HAND ORTHOSES	117
SUBDIVISION 3: ELBOW, WRIST AND HAND ORTHOSES	120
SUBDIVISION 4: SHOULDER, ELBOW, WRIST AND HAND ORTHOSES	121
SUBDIVISION 5: UPPER-LIMB ORTHOSES	123
DIVISION VI: TRUNK AND CERVICAL ORTHOSES	124
SUBDIVISION 1: TRUNK ORTHOSES	124
SUBDIVISION 2: CERVICAL ORTHOSES	130
SUBDIVISION 3: OTHER TRUNK AND CERVICAL ORTHOSES	132
DIVISION VII: AMBULATION AIDS	133
DIVISION VIII: STANDING AIDS	137

PART II: AIDS FURNISHED SOLELY BY AN INSTITUTION	138
DIVISION I: UPPER-LIMB PROSTHESES	138
DIVISION II: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES	146
DIVISION III: AMBULATION AIDS	147
PART III: ELEMENTS INCLUDED IN THE PRICES OF THE DEVICES	148
TITLE TWO: LOCOMOTOR AND POSTURE ASSISTS (FURNISHED SOLELY BY AN INSTITUTION)	149
PART I: LOCOMOTOR ASSISTS	150
DIVISION I: ADULT WHEELCHAIRS	150
SUBDIVISION 1: MANUAL WHEELCHAIRS	150
SUBDIVISION 2: LIGHTWEIGHT MANUAL WHEELCHAIRS	172
SUBDIVISION 3: POWERED WHEELCHAIRS	175
DIVISION II: PEDIATRIC WHEELCHAIRS	209
SUBDIVISION 1: MANUAL WHEELCHAIRS	209
SUBDIVISION 2: POWERED WHEELCHAIRS	212
DIVISION III: COMPLEMENTS FOR WHEELCHAIRS	221
SUBDIVISION 1: FACULTATIVE COMPONENTS	221
SUBDIVISION 2: BATTERIES FOR POWERED WHEELCHAIRS	222
DIVISION IV: OTHER LOCOMOTOR ASSISTS	223
SUBDIVISION 1: ADULT POSITIONING BASES	223
SUBDIVISION 2: PEDIATRIC POSITIONING BASES	235
DIVISION V: STROLLERS AND ORTHOMOBILES	238
PART II: POSTURE DEVICE	239
PART III: ELEMENTS INCLUDED IN THE PRICES OF THE DEVICES	242
TITLE THREE: INSURED RELATED SERVICES	243
PART I: PROSTHESES, ORTHOSES, AMBULATION AIDS OR STANDING AIDS	243
PART II: LOCOMOTOR AND POSTURE ASSISTS	244

#### TITLE ONE: PROSTHESES, ORTHOSES, AMBULATION AIDS OR STANDING AIDS

#### PART I: AIDS FURNISHED BY AN INSTITUTION OR A LABORATORY

DIVISION I: LOWER-LIMB PROSTHESES SUBDIVISION 1: FOOT PROSTHESES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1120534 Prosthesis for total amputation of second, third and fourth toe, of two or of all of those toes, made from plaster or digital mold of insured person	583.50	)		3
BASIC COMPONENTS AND SUPPLEMENTS Filler for anterior part of foot, on rigid or pliable sole Compensatory sole for limb not fitted with a				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENTS AVAILABLE Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1120542 Prosthesis for total amputation of first toe, with or without amputation of second, third, fourth or fifth toe, made from plaster or digital mold of insured person  BASIC COMPONENTS AND SUPPLEMENTS Filler for anterior part of foot, on rigid or pliable sole Longitudinal arch support Correction or shank Compensatory sole for limb not fitted with a	618.65	5		3
COMPONENT AND SUPPLEMENT AVAILABLE				
None ADJUSTMENTS AVAILABLE				

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1120518 Prosthesis for transmetatarsal or transcalcaneal amputation with ankle support, made from plaster	1,349.38			6
BASIC COMPONENTS AND SUPPLEMENTS				
Filler for anterior or posterior part of foot Laminated or molded plastic or molded leather socket Leg support where necessary COMPONENTS AND SUPPLEMENTS AVAILABLE				
OPTIONAL COMPONENTS Ankle joints:				
1125632 Gilette joints				
pair	164.89			
single	N. A.	91.27		
1125640 Oklahoma joints	150 10	37.4		
pair	158.10 N. A.			
single 1125657 Wafer joints	N. A.	88.73		
pair	177.20	N. A.		
single	N. A.			
1125665 Tamarak joints				
pair	171.78	N. A.		
single	N. A.	95.40		
1125673 Gaffney joints				
pair	185.70			
single	N. A.	100.63		
SUPPLEMENTS AVAILABLE				
Stump sock  * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
3194016 Nylon sheath	19.83	23.04		
ADJUSTMENTS AVAILABLE				
Any pertinent adjustment				

#### **SUBDIVISION 2: ANKLE PROSTHESES**

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1130103	Temporary Symes prosthesis	1,430.88			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person				
	Temporary foot (loan)				
	*DURATION OF GUARANTEE : Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENT				
	Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person	N. C.	N. A.		
	OPTIONAL COMPONENTS				
	Supracondylar strap	151.64			3
1135524	Foam flexible double comfort socket	135.70	279.51		3
1145598	Thigh lacer	259.89	284.84		3
	SUPPLEMENTS AVAILABLE				
3492501		10.19			
	Crutches with axillary support, height-adjustable	20.38			
	Crutches with forearm support, height-adjustable Stump sock	56.05 *	56.05 *		
	* (consult Division III of this Part for the codes and				
	prices of these supplements) Nylon sheath, 45.7 cm (18 in.) to 55.9 cm (22 in.)	19.83	23.04		
	Nylon sheath, 80.0 cm (31½ in.) to 92.7 cm	25.84			
	(36½ in.)				
	Nylon sheath with elastic band, 55.9 cm (22 in.) to 66.0 cm (26 in.)	40.89	44.25		
3194099	Nylon sheath with elastic band, 73.7 cm (29 in.) to 86.4 cm (34 in.)	40.89	44.25		
	ADJUSTMENT AVAILABLE				
	None				

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1130509	Symes prosthesis	2,224.40			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic socket, made from plaster or digital mold of insured person, with or without medial or posterior window SACH foot				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	SACH foot Laminated plastic socket, made from plaster or digital mold of insured person, with or without medial or posterior window	N. C. N. C.			3
	OPTIONAL COMPONENTS				
1135532 1125525 1125566 1125582 1125681 1125699 1125707 1135508 1135524 1145663	Trial socket Supracondylar strap Symes foot Dynamic response foot (Seattle) Dynamic response foot (Seattle Light) Dynamic response foot (Step Light) Dynamic response foot (USMC) Dynamic foot, for child (1K10) Silicone laminated extensible double socket Foam flexible double comfort socket  Thigh lacer with reinforced uniaxial ball-bearing joints Thigh lacer with polycentric joints	179.94 151.64 N. C. 377.75 492.87 298.29 184.57 37.93 334.47 135.70 842.98 727.82	209.06 308.34 690.58 805.71 611.09 497.34 350.84 621.75 279.51 867.86		3 3 3 3 3
	SUPPLEMENTS AVAILABLE				
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*			
	Nylon sheath, 45.7 cm (18 in.) to 55.9 cm (22 in.) Nylon sheath, 80.0 cm (31½ in.) to 92.7 cm (36½ in.)	19.83 25.84			

3194099 Nylon sheath with elastic band, 73.7 cm (29 in.) to	40.89	44.25
86.4 cm (34 in.)		
3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05

#### ADJUSTMENTS AVAILABLE

----- Any pertinent adjustment

#### **SUBDIVISION 3: TIBIAL PROSTHESES**

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Post-operative tibial prosthesis necessitating obligatory renewal of plaster or digital mold	983.38			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Lycra compressible socks (4) Plaster sockets (2) Means of suspension (belt) SACH foot (loan) Adjustable pylon (loan)				
	*DURATION OF GUARANTEE : Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Plaster sockets (2) Means of suspension (belt)	N. C. N. C.			
	SUPPLEMENTS AVAILABLE				
3492550 3492551	Lycra compressible sock Crutches with axillary support, height-adjustable Crutches with forearm support, height-adjustable ADJUSTMENT AVAILABLE None	N. C. 20.38 56.05	20.38		
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Pneumatic post-operative tibial prosthesis, non- articulated	771.28			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Inflatable bag or case Distal pad Suspension straps Mobility frame (loan) Electric pump (loan)				

\*DURATION OF GUARANTEE: Life of prosthesis

COMPONENTS AND SUPPLEMENTS

**AVAILABLE** 

SUPPLEMENTS AVAILABLE

3492550 Crutches with axillary support, height-adjustable 20.38 20.38 3492551 Crutches with forearm support, height-adjustable 56.05 56.05 ----- Stump sock

\* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENT AVAILABLE

None

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1140078 Pneumatic post-operative tibial prosthesis, articulated	988.07	• •		*
BASIC COMPONENTS AND SUPPLEMENTS				
Inflatable bag or case				

Inflatable bag or case

Thigh lacer system (loan)

Knee joint system (loan)

Universal socket (loan)

Modular system (loan)

SACH foot (loan)

Air pump (loan)

\*DURATION OF GUARANTEE: Life of prosthesis

COMPONENTS AND SUPPLEMENTS **AVAILABLE** 

SUPPLEMENTS AVAILABLE

3492550 Crutches with axillary support, height-adjustable 20.38 20.38 3492551 Crutches with forearm support, height-adjustable 56.05 56.05

----- Stump sock

\* (consult Division III of this Part for the codes and prices of these supplements)

#### ADJUSTMENT AVAILABLE

None

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1140102	Temporary tibial prosthesis	1,415.76			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person				
	Temporary foot (loan) Endoskeletal system (loan)				
	*DURATION OF GUARANTEE : Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENT				
	Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person	N. C.	N. A.		
	OPTIONAL COMPONENTS				
1145598	Thigh lacer	259.89	284.84		3
1135532	Supracondylar strap	151.64	209.06		3
1145549	Foam flexible double comfort socket	148.68	267.47		3
1145564	Tibial belt with Y strap	117.87	213.70		3
	Suspension lining covered with nylon on inside	91.67			J
	Suspension lining not covered with nylon on inside	116.71	131.19		
1145713	Latex suspension lining	51.83	65.06		
	Elastic suspension lining	43.68	56.93		
	SUPPLEMENTS AVAILABLE				
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
3194032	Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm (18 in.)	19.83	23.04		

		(authentic version)
19.83	23.04	
33.67	36.86	
31.81	35.02	
31.81	35.02	
20.38	20.38	
56.05	56.05	
	33.67 31.81 31.81 20.38	33.67 36.86 31.81 35.02 31.81 35.02 20.38 20.38

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1140508	Exoskeletal tibial prosthesis	2,279.47			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic tibial socket, made from plaster or digital mold of insured person				
	SACH foot Medial wedge Ankle block				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Ankle block	N. C.			
	SACH foot	N. C.			
1145531	Laminated plastic tibial socket, made from plaster or digital mold of insured person	N. C.	1,824.20		3
1145457	Medial wedge	N. C.	N. A.		
	OPTIONAL COMPONENTS				
1195585	Trial socket	170.42	N. A.		
1145754	Foam or molded plastic flexible double comfort socket	148.68	267.47		3
1145556	Foam or molded plastic flexible double comfort socket, with medial wedge	181.21	298.15		3
1145630	Silicone gel double socket	320.56	642.96		3
	Silicone gel double socket, with medial wedge	351.51			3

1146554 Silicone gel flexible double socket, with distal attachment	953.92	1,003.77	3
1146570 Silicone gel flexible double socket, with distal	N. A.	706.42	
attachment, excluding replacement of distal	IV. A.	700.42	3
attachment			J
1145564 Tibial belt with Y strap	117.87	213.70	3
1135532 Supracondylar strap	151.64	209.06	3
1145697 Suspension lining covered with nylon on inside	91.67	103.34	
1145705 Suspension lining not covered with nylon on inside	116.71	131.19	
1145713 Latex suspension lining	51.83	65.06	
1145721 Elastic suspension lining	43.68	56.93	
1125517 Articulated foot	152.59	469.96	
1125574 Dynamic response foot, spring and prosthetic cover	364.05	676.91	
included (Quantum)			
1125624 Adapter for foot (Quantum)	142.49	198.68	
1125582 Dynamic response foot (Seattle Light)	492.87	805.71	
1125590 Dynamic response foot (Sten foot)	81.79	394.55	
1125608 Dynamic response foot (SAFE foot)	194.14	507.01	
1125616 Dynamic response foot (1D10, 1D11)	165.67	482.92	
1125566 Dynamic response foot (Seattle)	377.75	690.58	
1125541 Dynamic response foot (Carbon Copy II)	314.74	627.55	
1125707 Dynamic foot, for child (1K10)	37.93	350.84	
1125806 Multiaxial foot with rotator (1A29)	236.61	549.43	
1165539 Femoral device with plastic ischiatic support	983.94	1,045.34	3
1145663 Thigh lacer with reinforced uniaxial ball-bearing joints	842.98	867.86	3
1145671 Thigh lacer with light uniaxial ball-bearing joints	727.82	752.70	2
			3
1145689 Thigh lacer with polycentric joints	1,102.58	1,128.16	3
1145739 Replacement of thigh lacer with recovery and	N. A.	561.34	3
reinstallation of existing joints			3
1145580 Suction valve and seat	291.87	398.27	
1145655 Suction valve	N. A.	279.43	
1145747 Foam flexible prosthetic cover	117.68	167.45	
SUPPLEMENTS AVAILABLE			
3194032 Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm	10.02	22.04	
	19.83	23.04	
(18 in.)	10.02	23.04	
3194040 Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm (31½ in.)	19.83	23.04	
3194107 Nylon sheath with tibial elastic band, 25.4 cm	33.67	36.86	
(10 in.) to 55.9 cm (22 in.)	33.07	30.80	
3194115 Nylon sheath with tibial elastic band, 50.8 cm	31.81	35.02	
(20 in.) to 73.7 cm (29 in.)	31.01	33.02	
3194206 Nylon suction sheath (all sizes)	31.81	35.02	
3194198 Prosthetic socks, per pair	32.32	45.53	
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
5.72550 Crawnes with animary support, height-adjustable	20.30	20.30	

3492551 Crutches with forearm support, height-adjustable Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	56.05	56.05		
ADJUSTMENTS AVAILABLE				
1146521 Socket lining (leather, plastic or other material) 1146539 Lengthening of a tibial prosthesis Any pertinent adjustment			241.50 439.17	

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1141514	Endoskeletal tibial prosthesis	2,378.35			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic tibial socket, made from plaster or digital mold of insured person				
	Medial wedge SACH foot and adapter Complete endoskeletal system (modular components, prosthetic cover and prosthetic socks (2))				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1125509	SACH foot	N. C.	322.38		
1124015	•	N. C.			
1145531	Laminated plastic tibial socket, made from plaster or digital mold of insured person	N. C.	1,824.20		3
1195528	Complete endoskeletal system	N. C.	N. A.		
	Prosthetic cover	N. C.	480.45		
1145457	Medial wedge	N. C.	N. A.		
	OPTIONAL COMPONENTS				
1195585	Trial socket	170.42	N. A.		
	Foam or molded plastic flexible double comfort socket	148.68			3
1145556	Foam or molded plastic flexible double comfort socket, with medial wedge	181.21	298.15		3
1145630	Silicone gel double socket	320.56	642.96		3

			`	
1145648 Silicone gel double socket, with medial wedge	351.51	673.76		3
1146554 Silicone gel flexible double socket, with distal	953.92	1,003.77		3
attachment				3
1146562 Silicone gel flexible double socket, with attachment and pneumatic cushion	995.06	1,044.87		3
1146570 Silicone gel flexible double socket, with distal	N. A.	706.42		
attachment, excluding replacement of distal	N. A.	700.42		3
attachment				3
1145564 Tibial belt with Y strap	117.87	213.70		3
1135532 Supracondylar strap	151.64	209.06		3
1145697 Suspension lining covered with nylon on inside	91.67	103.34		
1145705 Suspension lining not covered with nylon on inside	116.71	131.19		
1145713 Latex suspension lining	51.83	65.06		
1145721 Elastic suspension lining	43.68	56.93		
1125715 Articulated foot and adapter	187.98	503.01		
1125723 Articulated foot without adapter	N. A.	321.97		
1125566 Dynamic response foot (Seattle)	377.75	690.58		
1125541 Dynamic response foot (Carbon Copy II)	314.74	627.55		
1125707 Dynamic foot, for child (1K10)	37.93	350.84		
1125798 Dynamic response foot, spring, prosthetic cover	325.69	638.46		
and foam included (Quantum)				
1125780 Adapter for foot (Quantum)	56.17	104.13		
1125582 Dynamic response foot (Seattle Light)	492.87	805.71		
1125590 Dynamic response foot (Sten foot)	81.79	394.55		
1125608 Dynamic response foot (SAFE foot)	194.14	507.01		
1125616 Dynamic response foot (1D10, 1D11)	165.67	482.92		
1125681 Dynamic response foot (Step Light)	298.29	611.09		
1125699 Dynamic response foot (USMC)	184.57	497.34		
1125731 Dynamic plus foot (1D25)	449.00	761.84		
1125749 Multiaxial foot with rotator (1A30)	692.37	1,015.10		
1125756 Multiaxial foot with rotator (Endolite)	605.20	918.01		
1125764 Dynamic response foot with rotator (Endolite)	808.00	1,120.83		
1165539 Femoral device with plastic ischiatic support	983.94	1,045.34		3
1145663 Thigh lacer with reinforced uniaxial ball-bearing	842.98	867.86		3
joints				3
1145671 Thigh lacer with light uniaxial ball-bearing joints	727.82	752.70		3
1145689 Thigh lacer with polycentric joints	1,102.58	1,128.16		3
1145739 Replacement of thigh lacer with recovery and	N. A.	561.34		
reinstallation of existing joints				3
1145580 Suction valve and seat	291.87	398.27		
1145655 Suction valve	N. A.	279.43		
1135557 Ankle rotator (4R39, 4R40)	786.32	871.50		
1135607 Ankle rotator (4R85)	703.68	780.35		
1135615 Titanium modular system and carbon fiber pylon	97.29	N. A.		
SUPPLEMENTS AVAILABLE				

SUPPLEMENTS AVAILABLE

3194032 Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm (18 in.)	19.83	23.04	
3194040 Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm (31½ in.)	19.83	23.04	
3194107 Nylon sheath with tibial elastic band, 25.4 cm (10 in.) to 55.9 cm (22 in.)	33.67	36.86	
3194115 Nylon sheath with tibial elastic band, 50.8 cm (20 in.) to 73.7 cm (29 in.)	31.81	35.02	
3194206 Nylon sheath (all sizes)	31.81	35.02	
3194222 Prosthetic socks, per pair	N. C.	39.13	
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable Stump sock * (consult Division III of this Part for the codes and	56.05 *	56.05	
prices of these supplements)			
ADJUSTMENTS AVAILABLE			
1146521 Socket lining (leather, plastic or other material) 1146547 Lengthening of tibial part of prosthesis, excluding			241.50
replacement of prosthetic cover and prosthetic sock			293.11
Any pertinent adjustment			

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1141753 Prosthetic restoration of a leg BASIC COMPONENTS AND SUPPLEMENTS	2,526.37	,		2
Prosthetic foam-rubber calf COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1145622 Prosthetic foam-rubber calf OPTIONAL COMPONENT	N. C.	N. A.		
1165547 Thigh extension  ADJUSTMENT AVAILABLE	641.65	N. A.		2
Any pertinent adjustment				

#### **SUBDIVISION 4: TIBIOFEMORAL PROSTHESES**

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Post-operative tibiofemoral prosthesis necessitating obligatory renewal of plaster or digital mold	1,455.70			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Lycra compressible socks (4) Plaster sockets (2) Means of suspension (belt) SACH foot (loan) Adjustable pylon (loan) Suspension cable, distal pad, ring				
	*DURATION OF GUARANTEE : Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1195510	Plaster sockets (2) Means of suspension (belt) Suspension cable, distal pad, ring	N. C. N. C. N. C.	N. A.		
	SUPPLEMENTS AVAILABLE				
3492550	Lycra compressible socks (4) Crutches with axillary support, height-adjustable Crutches with forearm support, height-adjustable	N. C. 20.38 56.05	20.38		
	ADJUSTMENT AVAILABLE				
	None				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Pneumatic post-operative tibiofemoral prosthesis, non-articulated	765.82			*

BASIC COMPONENTS AND SUPPLEMENTS

Mobility frame (loan) Electric pump (loan)

\*DURATION OF GUARANTEE : Life of

prosthesis

COMPONENTS AND SUPPLEMENTS

**AVAILABLE** 

SUPPLEMENTS AVAILABLE

3492550 Crutches with axillary support, height-adjustable 20.38 20.38 3492551 Crutches with forearm support, height-adjustable 56.05 56.05 \*

\* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENT AVAILABLE

None

	Maximum price	Maximum price	Maximum	
DEVICE	Purchase or	Replacement of	adjustement	Guarantee
	replacement of	component or	price	(months)
	device	supplement		

982.62

1150051 Pneumatic post-operative tibiofemoral prosthesis,

articulated

BASIC COMPONENTS AND SUPPLEMENTS

Inflatable bag or case

Thigh lacer system (loan)

Knee joint system (loan)

Modular system (loan)

Universal socket (loan)

SACH foot (loan)

Air pump (loan)

\*DURATION OF GUARANTEE: Life of

prosthesis

COMPONENTS AND SUPPLEMENTS

**AVAILABLE** 

SUPPLEMENTS AVAILABLE

20.38

56.05

20.38

56.05

3492550 Crutches with axillary support, height-adjustable

3492551 Crutches with forearm support, height-adjustable

Stump sock  * (consult Division II prices of these supple	I of this Part for the codes and	*	*		
ADJUSTMENT AVA	AILABLE				
DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1150069 Temporary tibiofemo	ral prosthesis	1,709.48			*
BASIC COMPONEN	ITS AND SUPPLEMENTS				
	plastic adjustable socket, digital mold of insured person				
Temporary foot (loan Endoskeletal system (					
*GUARANTEE PER	IOD: Life of prosthesis				
COMPONENTS AND AVAILABLE	D SUPPLEMENTS				
BASIC COMPONEN	TT				
1145523 Laminated or molded made from plaster or	plastic adjustable socket, digital mold of insured person	N. C.	N. A.		
OPTIONAL COMPC	ONENTS				
1145549 Foam flexible double	comfort socket	148.68	267.47		3
1165570 Silesian belt		179.51	206.44		3
1165588 Pelvic belt (steel joint		365.60			3
1165703 Pelvic belt (plastic jo	int and band)	302.59	559.37		3
SUPPLEMENTS AV	AILABLE				
3194057 Nylon sheath, 50.8 cm	n (20 in.) to 61.0 cm (24 in.)	19.83	23.04		
3194123 Nylon sheath with ela 55.9 cm (22 in.)		33.67			
3194206 Nylon suction sheath	(all sizes)	31.81			
3492501 Cane		10.19			
3492550 Crutches with axillary	support, neight-adjustable	20.38	20.38		

56.05

56.05

----- Stump sock

3492551 Crutches with forearm support, height-adjustable

prices of these supplements)

\* (consult Division III of this Part for the codes and

	ADJUSTMENT AVAILABLE				
	None				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarante (months)
1150507	Exoskeletal tibiofemoral prosthesis	4,102.85			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person				
	External knee joints SACH foot and ankle block				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1125509	Ankle block SACH foot Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person	N. C. N. C. N. C.			3
1155514	External knee joints	N. C.	923.92		
	OPTIONAL COMPONENTS				
1195551	Trial socket	219.90	N. A.		
1195569	Foam flexible double comfort socket	180.78	326.36		
	Silicone gel flexible double socket, with distal attachment	953.92	,		3
1146570	Silicone gel flexible double socket, with distal attachment, excluding replacement of distal attachment	N. A.	706.42		3
	Silesian belt	179.51	206.44		3
	Neoprene Silesian belt	177.36			-
	Pelvic belt (titanium joint and band)	462.91			3
	Pelvic belt (plastic joint and band)	302.59			3
	Pelvic belt (steel joint and band) Articulated foot	365.60			3
	Dynamic response foot, spring and prosthetic cover included (Quantum)	152.59 364.05			

			(dddiferitie ve	0151011)
1125624 Adapter for foot (Quantum)	142.49	198.68		
1125582 Dynamic response foot (Seattle Light)	492.87	805.71		
1125590 Dynamic response foot (Sten foot)	81.79	394.55		
1125608 Dynamic response foot (SAFE foot)	194.14	507.01		
1125616 Dynamic response foot (1D10, 1D11)	165.67	482.92		
1125566 Dynamic response foot (Seattle)	377.75	690.58		
1125541 Dynamic response foot (Carbon Copy II)	314.74	627.55		
1125707 Dynamic foot, for child (1K10)	37.93	350.84		
1125772 Multiaxial foot with rotator (1A29)	236.61	549.43		
1155647 Constant friction knee (3P25)	154.85	1,078.60		
1155563 Constant friction knee (3P1)	78.10	1,000.42		
1145580 Suction valve and seat	291.87	398.27		
1145655 Suction valve	N. A.	279.43		
1145747 Foam flexible cover for tibial part	117.68	167.45		
SUPPLEMENTS AVAILABLE				
3194057 Nylon sheath, 50.8 cm (20 in.) to 61.0 cm (24 in.)	19.83	23.04		
3194123 Nylon sheath with elastic band, 45.7 cm (18 in.) to	33.67	36.86		
55.9 cm (22 in.)				
3194206 Nylon suction sheath (all sizes)	31.81	35.02		
3194198 Prosthetic socks, per pair	32.32	45.53		
3492501 Cane	10.19	10.19		
3492550 Crutches with axillary support, height-adjustable	20.38	20.38		
3492551 Crutches with forearm support, height-adjustable	56.05	56.05		
Stump sock	*	*		
* (consult Division III of this Part for the codes and				
prices of these supplements)				
1 ,				
ADJUSTMENTS AVAILABLE				
1146521 Socket lining (leather, plastic or other material)			241.50	
1156504 Lengthening of tibial part			439.17	
Any pertinent adjustment			TJ / . 1 /	
Any pertinent adjustment				

		Maximum price		
DEVICE	Purchase or	Replacement of	adjustement	Guarantee
DEVICE	replacement of	component or	price	(months)
	device	supplement		

1151505 Endoskeletal tibiofemoral prosthesis

4,833.11

6

#### BASIC COMPONENTS AND SUPPLEMENTS

Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person

SACH foot

Complete endoskeletal system with knee (3R21) (modular components, prosthetic cover and prosthetic socks (2)). If child, uniaxial knee (3R38)

## COMPONENTS AND SUPPLEMENTS AVAILABLE

#### BASIC COMPONENTS

<ul><li>1125509 SACH foot</li><li>1155506 Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person</li></ul>	N. C. N. C.	322.38 2,501.46	3
1195528 Complete endoskeletal system 1155555 Knee (3R21) 1165596 Prosthetic cover	N. C. N. C. N. C.	N. A. 1,529.38 759.14	
OPTIONAL COMPONENTS			
1195551 Trial socket	219.90	N. A.	
1195569 Foam flexible double comfort socket	180.78	326.36	
1146554 Silicone gel flexible double socket, with distal attachment	953.92	1,003.77	3
1146570 Silicone gel flexible double socket, with distal attachment, excluding replacement of distal attachment	N. A.	706.42	3
1165570 Silesian belt	179.51	206.44	3
1165828 Neoprene Silesian belt	177.36	209.98	
1165588 Pelvic belt (steel joint and band)	365.60	622.37	3
1165703 Pelvic belt (plastic joint and band)	302.59	559.37	3
1165711 Pelvic belt (titanium joint and band)	462.91	719.76	3
1125715 Articulated foot and adapter	187.98	503.01	
1125723 Articulated without adapter	N. A.	321.97	
1125574 Dynamic response foot, spring and prosthetic cover included (Quantum)	364.05	676.91	
1125780 Adapter for foot (Quantum)	56.17	104.13	
1125707 Dynamic foot, for child (1K10)	37.93	350.84	
1125582 Dynamic response foot (Seattle Light)	492.87	805.71	
1125590 Dynamic response foot (Sten foot)	81.79	394.55	
1125608 Dynamic response foot (SAFE foot)	194.14	507.01	
1125616 Dynamic response foot (1D10, 1D11)	165.67	482.92	
1125566 Dynamic response foot (Seattle)	377.75	690.58	
1125541 Dynamic response foot (Carbon Copy II)	314.74	627.55	
1125681 Dynamic response foot (Step Light)	298.29	611.09	
1125699 Dynamic response foot (USMC)	184.57	497.34	
1125731 Dynamic plus foot (1D25)	449.00	761.84	
1125749 Multiaxial foot with rotator (1A30)	692.37	1,015.10	
1125756 Multiaxial foot with rotator (Endolite)	605.20	918.01	
1125764 Dynamic response foot with rotator (Endolite)	808.00	1,120.83	
1155571 Multiaxial knee, for child (TK40C) (used with DAW endoskeletal system)	494.75	2,011.61	

1155589 Uniaxial constant friction knee, for child (TK1C1)	116.61	1,633.41	
1155597 Uniaxial knee, for child (3R38)	N. C.	1,271.73	
1155605 Uniaxial knee with lock, for child (3R39)	N. C.	1,404.63	
1155613 Polycentric-joint knee with assisted extension, titanium (3R30)	491.12	2,018.86	
1155621 Multiaxial knee with rotator, for child (3R66)	N. C.	1,497.73	
1155639 Polycentric-joint knee with lock, titanium (3R32)	308.41	1,825.24	
1145580 Suction valve and seat	291.87	398.27	
1145655 Suction valve	N. A.	279.43	
1135557 Ankle rotator (4R39, 4R40)	786.32	871.50	
1135607 Ankle rotator (4R85)	703.68	780.35	
1135615 Titanium modular system and carbon fiber pylon	97.29	N. A.	
SUPPLEMENTS AVAILABLE			
3194032 Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm (18 in.)	19.83	23.04	
3194040 Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm (31½ in.)	19.83	23.04	
3194230 Nylon sheath with elastic band	33.67	36.86	
3194115 Nylon sheath with tibial elastic band, 50.8 cm	31.81	35.02	
(20 in.) to 73.7 cm (29 in.)			
3194206 Nylon sheath (all sizes)	31.81	35.02	
3194172 Prosthetic socks, per pair	N. C.	55.69	
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	
Stump sock	*	*	
* (consult Division III of this Part for the codes and prices of these supplements)			
ADJUSTMENTS AVAILABLE			
ADJOSTNIENTS AVAILABLE			
1146521 Socket lining (leather, plastic or other material)			241.50
1146547 Lengthening of tibial part of prosthesis, excluding			293.11
replacement of prosthetic cover and prosthetic sock			

----- Any pertinent adjustment

#### **SUBDIVISION 5: FEMORAL PROSTHESES**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1160019 Post-operative femoral prosthesis necessitating obligatory renewal of plaster or digital mold	1,420.11			*
BASIC COMPONENTS AND SUPPLEMENT	ΓS			
Compressible Lycra socks (4) Plaster sockets (2) Means of suspension (belt) SACH foot (loan) Adjustable pylon with joint (loan) Suspension cable, distal pad, ring				
*GUARANTEE PERIOD: Life of prosthesis				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1145515 Plaster sockets (2) 1195510 Means of suspension (belt) 1195544 Suspension cable, distal pad, ring	N. C. N. C. N. C.			
SUPPLEMENTS AVAILABLE				
3194008 Compressible Lycra socks (4) 3492550 Crutches with axillary support, height-adjustab 3492551 Crutches with forearm support, height-adjustab		20.38		
ADJUSTMENT AVAILABLE				
None				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1160050 Pneumatic post-operative femoral prosthesis, narticulated	765.82			*
BASIC COMPONENTS AND SUPPLEMENT	ΓS			
T (1 . 11 1				

Inflatable bag or case

Electric pump (loan)

\*GUARANTEE PERIOD: Life of prosthesis

COMPONENTS AND SUPPLEMENTS AVAILABLE

SUPPLEMENTS AVAILABLE

3492550 Crutches with axillary support, height-adjustable 20.38 20.38 3492551 Crutches with forearm support, height-adjustable 56.05 56.05 \*

#### ADJUSTMENT AVAILABLE

None

	Maximum price	Maximum price	Maximum	
DEVICE	Purchase or	Replacement of	adiustement	Guarantee
DEVICE	replacement of	component or		(months)
	device	supplement	price	

982.62

1160068 Pneumatic post-operative femoral prosthesis,

articulated

BASIC COMPONENTS AND SUPPLEMENTS

Inflatable bag or case Thigh lacer system (loan) Knee joint system (loan)

Modular system (loan)

Universal socket (loan) SACH foot (loan)

Air pump (loan)

\*GUARANTEE PERIOD: Life of prosthesis

COMPONENTS AND SUPPLEMENTS AVAILABLE

SUPPLEMENTS AVAILABLE

3492550 Crutches with axillary support, height-adjustable

20.38

20.38

<sup>\* (</sup>consult Division III of this Part for the codes and prices of these supplements)

56.05

56.05

----- Stump sock

3492551 Crutches with forearm support, height-adjustable

	* (consult Division III of this Part for the codes and prices of these supplements)				
	ADJUSTMENT AVAILABLE				
	None				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1160100	Temporary femoral prosthesis	1,593.47			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated or molded plastic socket, made from plaster or digital mold of insured person				
	Temporary foot (loan) Endoskeletal system (loan)				
	*GUARANTEE PERIOD: Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1145523	Laminated or molded plastic socket, made from plaster or digital mold of insured person	N. C.	N. A.		
	OPTIONAL COMPONENTS				
1165570	Silesian belt	179.51	206.44		3
	Pelvic belt (plastic joint and band)	302.59			3
1165588	Pelvic belt (steel joint and band)	365.60	622.37		3
	SUPPLEMENTS AVAILABLE				
3194065	Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	19.83	23.04		
3194131	Nylon sheath with elastic band, 15.2 cm (6 in.) to 45.7 cm (18 in.)	37.35	40.53		
3194149	Nylon sheath with V opening, 15.2 cm (6 in.) to 50.8 cm (20 in.)	38.73	41.94		
3194206	Nylon suction sheath (all sizes)	31.81	35.02		
3492501		10.19			
	Crutches with axillary support, height-adjustable	20.38			
	Crutches with forearm support, height-adjustable	56.05			
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
	ADJUSTMENT AVAILABLE				

None

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1160506	Exoskeletal femoral prosthesis with constant friction knee (3P25)	3,787.94			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic femoral socket, made from plaster or digital mold of insured person				
	Constant friction knee (3P25) SACH foot				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1125509	SACH foot	N. C.	322.38		
1165505	Laminated plastic femoral socket, made from plaster or digital mold of insured person	N. C.	2,257.26		3
1155522	Constant friction knee (3P25)	N. C.	1,078.60		
	OPTIONAL COMPONENTS				
1195577	Trial socket	199.11	N. A.		
1165570	Silesian belt	179.51	206.44		3
1165828	Neoprene Silesian belt	177.36	209.98		
1165588	Pelvic belt (steel joint and band)	365.60	622.37		3
	Pelvic belt (titanium joint and band)	462.91			3
	Pelvic belt (plastic joint and band)	302.59			3
1146554	Silicone gel flexible double socket, with distal attachment	953.92	1,003.77		3
1146570	Silicone gel double socket, with distal attachment, excluding replacement of distal attachment	N. A.	706.42		3
1145580	Suction valve and seat	291.87	398.27		
1145655	Suction valve	N. A.	279.43		
1125517	Articulated foot	152.59	469.96		
	Dynamic response foot, spring and prosthetic cover included (Quantum)	364.05	676.91		
1125624	Adapter for foot (Quantum)	142.49	198.68		
	Dynamic response foot (Seattle Light)	492.87	805.71		

	DEVICE	Maximum price Purchase or	Maximum price Replacement of	Maximum	Guarantee
1166537	Lengthening of tibial part of the prosthesis  Socket lining (leather, plastic or other material)  Any pertinent adjustment			241.50 439.17	
	ADJUSTMENTS AVAILABLE				
	* (consult Division III of this Part for the codes and prices of these supplements)				
	· Stump sock	*	*		
	Crutches with forearm support, height-adjustable	56.05	56.05		
3492550	Crutches with axillary support, height-adjustable	20.38	20.38		
3492501		10.19	10.19		
	Nylon suction sheath (all sizes)	31.81			
3194198	Prosthetic socks, per pair	32.32	45.53		
3194164	Wool socks, 5-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	41.44	45.56		
3194156	6 Wool socks, 3-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	41.30	44.63		
	Nylon sheath with V opening, 15.2 cm (6 in.) to 50.8 cm (20 in.)	38.73			
	45.7 cm (18 in.)				
	Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.) Nylon sheath with elastic band, 15.2 cm (6 in.) to	19.83 37.35			
2104065	SUPPLEMENTS AVAILABLE	10.02	22.04		
1103729		40.30	1,123.11		
	Geriatric knee with manual lock (3K9) Constant friction locking knee (3P4F)	54.81 46.56	,		
	Manual locking knee (3P52)	132.92	,		
	Manual locking knee (3P4)	23.28	,		
	Safety knee (3P23, 3P24)	143.87	•		
	Foam flexible cover for tibial part	117.68			
	Dynamic foot, for child (1K10)	37.93			
	Dynamic response foot (Carbon Copy II)	314.74			
	Dynamic response foot (Seattle)	377.75			
	Dynamic response foot (D10, 1D11)	165.67			
1125608	Dynamic response foot (SAFE foot)	194.14	507.01	·	ŕ

de vice bus siement	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
---------------------	--------	---	---	---------------------------------	--------------------

1160605 Exoskeletal femoral prosthesis with friction locking knee, for child (3P21)

3,625.63

6

BASIC COMPONENTS AND SUPPLEMENTS

3

3

3 3 3

3

Laminated plastic femoral socket, made from plaster or digital mold of insured person

Friction locking knee, for child (3P21) SACH foot

## COMPONENTS AND SUPPLEMENTS AVAILABLE

#### BASIC COMPONENTS

Brisic Com Orderin			
1125509 SACH foot	N. C.	322.38	
1165505 Laminated plastic femoral socket, made from	N. C.	2,257.26	
plaster or digital mold of insured person			
1165737 Friction locking knee, for child (3P21)	N. C.	915.64	
OPTIONAL COMPONENTS			
1195577 Trial socket	199.11	N. A.	
1165570 Silesian belt	179.51	206.44	
1165828 Neoprene Silesian belt	177.36	209.98	
1165588 Pelvic belt (steel joint and band)	365.60	622.37	
1165711 Pelvic belt (titanium joint and band)	462.91	719.76	
1165703 Pelvic belt (plastic joint and band)	302.59	559.37	
1146554 Silicone gel flexible double socket, with distal	953.92	1,003.77	
attachment		,	
1146570 Silicone gel double socket, with distal attachment,	N. A.	706.42	
excluding replacement of distal attachment			
1145580 Suction valve and seat	291.87	398.27	
1145655 Suction valve	N. A.	279.43	
1125517 Articulated foot	152.59	469.96	
1125574 Dynamic response foot, spring and prosthetic cover	364.05	676.91	
included (Quantum)			
1125624 Adapter for foot (Quantum)	142.49	198.68	
1125582 Dynamic response foot (Seattle Light)	492.87	805.71	
1125590 Dynamic response foot (Sten foot)	81.79	394.55	
1125608 Dynamic response foot (SAFE foot)	194.14	507.01	
1125616 Dynamic response foot (1D10, 1D11)	165.67	482.92	
1125566 Dynamic response foot (Seattle)	377.75	690.58	
1125541 Dynamic response foot (Carbon Copy II)	314.74	627.55	
1125707 Dynamic foot, for child (1K10)	37.93	350.84	
1145747 Foam flexible cover for tibial part	117.68	167.45	
1165745 Friction locking knee, for child (3P50)	46.56	962.11	
CLIDDLE MENTC ANALLADI E			
SUPPLEMENTS AVAILABLE			
3194065 Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	19.83	23.04	
3194131 Nylon sheath with elastic band, 15.2 cm (6 in.) to	37.35	40.53	
45.7 cm (18 in.)			
3194149 Nylon sheath with V opening, 15.2 cm (6 in.) to	38.73	41.94	
50.8 cm (20 in.)			

1165596 Prosthetic cover

			(authent	ic version)
3194156 Wool socks, 3-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	41.30	44.63		
3194164 Wool socks, 5-ply, with V opening, sizes 1, 2, 3, 4,	41.44	45.56		
from 15.2 cm (6 in.) to 50.8 cm (20 in.)				
3194198 Prosthetic socks, per pair	32.32	45.53		
3194206 Nylon suction sheath (all sizes)	31.81	35.02		
3492501 Cane	10.19	10.19		
3492550 Crutches with axillary support, height-adjustable	20.38	20.38		
3492551 Crutches with forearm support, height-adjustable	56.05	56.05		
Stump sock	*	*		
* (consult Division III of this Part for the codes and prices of these supplements)				
ADJUSTMENTS AVAILABLE				
1146521 Lengthening of tibial part of the prosthesis			241.50	
1166537 Socket lining (leather, plastic or other material) Any pertinent adjustment			439.17	
	Maximum price Purchase or	Maximum price Replacement of	Maximum	Guarantee
DEVICE	i ui chase of	replacement of	adjustament	Guaranice

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1161504 Endoskeletal femoral prosthesis	4,413.42			6
BASIC COMPONENTS AND SUPPLEMENTS				
Laminated plastic femoral socket, made from plaster or digital mold of insured person				
SACH foot Complete endoskeletal system with uniaxial constant friction knee (3R16) (modular components, prosthetic cover and prosthetic sock (2))	is.			
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1125509 SACH foot 1165505 Laminated plastic femoral socket, made from plaster or digital mold of insured person	N. C. N. C.			3
1195528 Complete endoskeletal system 1165653 Uniaxial constant friction knee (3R16)	N. C. N. C.			

Updated : January 1, 2021 32

N. C.

759.14

3

3 3 3

3

#### OPTIONAL COMPONENTS

1195577 Trial socket	199.11	N. A.	
1165570 Silesian belt	179.51	206.44	
1165828 Neoprene Silesian belt	177.36	209.98	
1165588 Pelvic belt (steel joint and band)	365.60	622.37	
1165711 Pelvic belt (titanium joint and band)	462.91	719.76	
1165703 Pelvic belt (plastic joint and band)	302.59	559.37	
1146554 Silicone gel flexible double socket, with distal	953.92	1,003.77	
attachment			
1146570 Silicone gel flexible double socket, with distal	N. A.	706.42	
attachment, excluding replacement of distal			
attachment			
1145580 Suction valve and seat	291.87	398.27	
1145655 Suction valve	N. A.	279.43	
1125715 Articulated foot and adapter	187.98	503.01	
1125723 Articulated without adapter	N. A.	321.97	
1125574 Dynamic response foot, spring and prosthetic cover	364.05	676.91	
included (Quantum)			
1125780 Adapter for foot (Quantum)	56.17	104.13	
1125707 Dynamic foot, for child (1K10)	37.93	350.84	
1125582 Dynamic response foot (Seattle Light)	492.87	805.71	
1125590 Dynamic response foot (Sten foot)	81.79	394.55	
1125608 Dynamic response foot (SAFE foot)	194.14	507.01	
1125616 Dynamic response foot (1D10, 1D11)	165.67	482.92	
1125566 Dynamic response foot (Seattle)	377.75	690.58	
1125541 Dynamic response foot (Carbon Copy II)	314.74	627.55	
1125681 Dynamic response foot (Step Light)	298.29	611.09	
1125699 Dynamic response foot (USMC)	184.57	497.34	
1125731 Dynamic plus foot (1D25)	449.00	761.84	
1125749 Multiaxial foot with rotator (1A30)	692.37	1,015.10	
1125756 Multiaxial foot with rotator (Endolite)	605.20	918.01	
1125764 Dynamic response foot with rotator (Endolite)	808.00	1,120.83	
1165802 Uniaxial knee with lock, for child (3R39)	872.38	1,475.82	
1165810 Uniaxial constant friction knee (3R18)	194.56	794.80	
1165679 Safety knee (3R15)	312.39	914.09	
1165661 Manual locking knee (3R17)	392.37	1,009.64	
1165687 4-axis polycentric knee (3R20)	406.14	1,009.56	
1165752 Manual locking knee, aluminum (3R40)	289.51	902.55	
1165760 Manual locking knee, titanium (3R33)	687.09	1,291.91	
1165778 Safety knee, titanium (3R49)	623.48	1,229.34	
1165836 Multiaxial knee with rotator, for child (3R66)	897.48	1,497.73	
1135557 Ankle rotator (4R39, 4R40)	786.32	871.50	
1135607 Ankle rotator (4R85)	703.68	780.35	
1155548 Knee rotator (4R57)	900.35	978.87	
1165794 Multiaxial knee, for child (TK40C)	1,409.94	2,011.61	
1165844 Uniaxial constant friction knee with or without	1,033.12	1,633.41	
lock, for child (TK1C1)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,	
1165851 Uniaxial knee, for child (3R38)	665.92	1,271.73	
1135615 Titanium modular system and carbon fiber pylon	97.29	N. A.	
pylon	J / • = J	111 111	

SUPPLEMENTS AVAILABLE			
3194065 Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	19.83	23.04	
3194131 Nylon sheath with elastic band, 15.2 cm (6 in.) to	37.35	40.53	
45.7 cm (18 in.)			
3194248 Nylon sheath with V opening, from 15.2 cm (6 in.)	38.73	41.94	
to 50.8 cm (20 in.)			
3194156 Wool socks, 3-ply, with V opening, sizes 1, 2, 3, 4,	41.30	44.63	
from 15.2 cm (6 in.) to 50.8 cm (20 in.)			
3194164 Wool socks, 5-ply, with V opening, sizes 1, 2, 3, 4,	41.44	45.56	
from 15.2 cm (6 in.) to 50.8 cm (20 in.)			
3194206 Nylon suction sheath (all sizes)	31.81	35.02	
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	
Stump sock	*	*	
* (consult Division III of this Part for the codes and			
prices of these supplements)			
3194172 Prosthetic socks (2)	N. C.	55.69	
ADJUSTMENTS AVAILABLE			
ADJUSTINENTS AVAILABLE			
1146521 Lengthening of tibial part of the prosthesis,			241.50
excluding replacement of prosthetic cover and			
prosthetic sock			
1146547 Socket lining (leather, plastic or other material)			293.11
- · · · · · · · · · · · · · · · · · · ·			

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1162254 Bilateral femoral stubbies	4,810.40	)		6
BASIC COMPONENTS AND SUPPLEMENTS				
Laminated plastic femoral sockets, made from plaster or digital mold of insured person (2)				
SACH or modified feet (2)				
COMPONENTS AND SUPPLEMENTS				
BASIC COMPONENTS				
1125558 Modified foot	N. C.			
1125509 SACH foot	N. C.	322.38		

199.11	N. A.		
179.51	206.44		3
177.36	209.98		
365.60	622.37		3
302.59	559.37		3
462.91			3
N. A.	279.43		
19.83	23.04		
37.35	40.53		
38.73	41.94		
41.30	44.63		
41.44	45.56		
31.81	35.02		
10.19	10.19		
20.38	20.38		
56.05 *	56.05 *		
		241.50	
	179.51 177.36 365.60 302.59 462.91 291.87 N. A. 19.83 37.35 38.73 41.30 41.44 31.81 10.19 20.38 56.05	179.51 206.44 177.36 209.98 365.60 622.37 302.59 559.37 462.91 719.76 291.87 398.27 N. A. 279.43  19.83 23.04 37.35 40.53  38.73 41.94  41.30 44.63  41.44 45.56  31.81 35.02 10.19 10.19 20.38 20.38 56.05 56.05	179.51 206.44 177.36 209.98 365.60 622.37 302.59 559.37 462.91 719.76 291.87 398.27 N. A. 279.43  19.83 23.04 37.35 40.53  38.73 41.94  41.30 44.63  41.44 45.56  31.81 35.02 10.19 10.19 20.38 20.38 56.05 \$6.05 * *

#### SUBDIVISION 6: COXOFEMORAL AND HEMIPELVIC PROSTHESES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1170505 Exoskeletal coxofemoral prosthesis with constant friction knee (3P25)	5,761.23			6
BASIC COMPONENTS AND SUPPLEMENTS				
Laminated plastic socket, made from plaster or digital mold of insured person				
Constant friction knee (3P25) SACH foot Hip joint – Canadian type (CHJ-100, CHJ-75)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
<ul><li>1125509 SACH foot</li><li>1175504 Laminated plastic socket, made from plaster or digital mold of insured person</li></ul>	N. C. N. C.	322.38 3,464.90		
1175512 Hip joint – Canadian type (CHJ-100, CHJ-75)	N. C.	674.37		
1155522 Constant friction knee (3P25)	N. C.	1,078.60		
OPTIONAL COMPONENTS				
1195593 Trial socket	359.40	N. A.		
1145580 Suction valve and seat	291.87			
1145655 Suction valve	N. A.			
1125517 Articulated foot	152.59	469.96		
1125574 Dynamic response foot, spring and prosthetic cover	364.05	676.91		
included (Quantum)	142.40	100.60		
1125624 Adapter for foot (Quantum) 1125582 Dynamic response foot (Seattle Light)	142.49 492.87			
1125590 Dynamic response foot (Sten foot)	81.79			
1125608 Dynamic response foot (SAFE foot)	194.14			
1125616 Dynamic response foot (1D10, 1D11)	165.67			
1125566 Dynamic response foot (Seattle)	377.75			
1125541 Dynamic response foot (Carbon Copy II)	314.74			
1125707 Dynamic foot, for child (1K10)	37.93			
1145747 Foam flexible cover for tibial part	117.68	167.45		
1165604 Safety knee (3P23, 3P24)	143.87	1,222.37		
1165612 Manual locking knee (3P4)	23.28			

Tariff for devices which compensate for a motor deficiency and insured in	related services
(aut	thentic version)

SCHEDULE 1	Tariff for devices w	hich compensate for	a motor deficiency		ed services ic version)
1165729 Constant friction locking k	nee (3P4F)	46.56	1,125.11		
SUPPLEMENTS AVAILA	ABLE				
3194198 Prosthetic socks, per pair		32.32	45.53		
3194180 Pant-style sock		24.13	32.42		
3492501 Cane		10.19	10.19		
3492550 Crutches with axillary supp	oort, height-adjustable	20.38	20.38		
3492551 Crutches with forearm supp	port, height-adjustable	56.05	56.05		
ADJUSTMENTS AVAILA	ABLE				
1166537 Lengthening of tibial part of the control o	of the prosthesis			439.17	
DEVICE		Maximum price Purchase or	Maximum price Replacement of	Maximum	Guarantee

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1170604	Exoskeletal coxofemoral prosthesis with friction locking knee, for child (3P21)	5,598.54			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic socket, made from plaster or digital mold of insured person				
	Friction locking knee, for child (3P21) SACH foot Hip joint – Canadian type (CHJ-100, CHJ-75)				
	The John – Canadian type (Chi-100, Chi-75)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1125509	SACH foot	N. C.	322.38		
1175504	Laminated plastic socket, made from plaster or digital mold of insured person	N. C.	3,464.90		
1175512	Hip joint – Canadian type (CHJ-100, CHJ-75)	N. C.	674.37		
1165737	Friction locking knee, for child (3P21)	N. C.	915.64		
	OPTIONAL COMPONENTS				
1195593	Trial socket	359.40	N. A.		
	Suction valve and seat	291.87			
	Suction valve	N. A.			
	Articulated foot	152.59			
1125574	Dynamic response foot, spring and prosthetic cover included (Quantum)	364.05	676.91		

37 Updated: January 1, 2021

				/
1125582 Dynamic response foot (Seattle Light)	492.87	805.71		
1125590 Dynamic response foot (Sten foot)	81.79	394.55		
1125608 Dynamic response foot (SAFE foot)	194.14	507.01		
1125616 Dynamic response foot (1D10, 1D11)	165.67	482.92		
1125566 Dynamic response foot (Seattle)	377.75	690.58		
1125541 Dynamic response foot (Carbon Copy II)	314.74	627.55		
1125707 Dynamic foot, for child (1K10)	37.93	350.84		
1145747 Foam flexible cover for tibial part	117.68	167.45		
1165745 Constant friction locking knee, for child (3P50)	46.56	962.11		
SUPPLEMENTS AVAILABLE				
3194198 Prosthetic socks, per pair	32.32	45.53		
3194180 Pant-style sock	24.13	32.42		
3492501 Cane	10.19	10.19		
3492550 Crutches with axillary support, height-adjustable	20.38	20.38		
3492551 Crutches with forearm support, height-adjustable	56.05	56.05		
ADJUSTMENTS AVAILABLE				
1166537 Lengthening of tibial part of the prosthesis			439.17	

device supplement
-------------------

1171503 Endoskeletal coxofemoral prosthesis

----- Any pertinent adjustment

7,656.84

N.C.

322.38

6

#### BASIC COMPONENTS AND SUPPLEMENTS

Laminated plastic socket, made from plaster or digital mold of insured person

### SACH foot

Complete endoskeletal system wth uniaxial constant friction knee (3R16) (modular components, prosthetic cover and prosthetic socks (2))

Hip joint (7E7)

### COMPONENTS AND SUPPLEMENTS

AVAILABLE

1125509 SACH foot

### BASIC COMPONENTS

1175504 Laminated plastic socket, made from plaster or	N. C.	3,464.90
digital mold of insured person		
1195528 Complete endoskeletal system	N. C.	N. A.
1165653 Uniaxial constant friction knee (3R16)	N. C.	600.23
1175538 Prosthetic cover	N. C.	959.28

# OPTIONAL COMPONENTS

1195593 Trial socket	359.40	N. A.
1175553 Joint of hip joint (7E7)	N. A.	2,238.59
1175579 Joint of hip joint, for child (7E8)	264.46	1,681.37
1165810 Uniaxial constant friction knee (3R18)	194.56	794.80
1165679 Safety knee (3R15)	312.39	914.09
1165661 Manual locking knee (3R17)	392.37	1,009.64
1165687 4-axis polycentric knee (3R20)	406.14	1,009.56
1165752 Manual locking knee, aluminum (3R40)	289.51	902.55
1165760 Manual locking knee, titanium (3R33)	687.09	1,291.91
1165778 Safety knee. titanium (3R49)	623.48	1,229.34
1165836 Multiaxial knee with rotator, for child (3R66)	897.48	1,497.73
1165802 Multiaxial knee, for child (TK40C)	872.38	1,475.82
1165794 Uniaxial constant friction knee, with or without	1,409.94	2,011.61
1165844 Knee rotator (4R57)	1,033.12	1,633.41
1155548 Multiaxial knee, for child (TK40C)	900.35	978.87
1135557 Ankle rotator (4R39, 4R40)	786.32	871.50
1135607 Ankle rotator (4R85)	703.68	780.35
1125715 Articulated foot and adapter	187.98	503.01
1125723 Articulated without adapter	N. A.	321.97
1125798 Dynamic response foot, spring and prosthetic cover	325.69	638.46
included (Quantum)		
1125780 Adapter for foot (Quantum)	56.17	104.13
1125707 Dynamic foot, for child 1K10	37.93	350.84
1125582 Dynamic response foot (Seattle Light)	492.87	805.71
1125590 Dynamic response foot (Sten foot)	81.79	394.55
1125608 Dynamic response foot (SAFE foot)	194.14	507.01
1125616 Dynamic response foot (1D10 or 1D11)	165.67	482.92
1125566 Dynamic response foot (Seattle)	377.75	690.58
1125541 Dynamic response foot (Carbon Copy II)	314.74	627.55
1125681 Dynamic response foot (Step Light)	298.29	611.09
1125699 Dynamic response foot (USMC)	184.57	497.34
1125731 Dynamic plus foot (1D25)	449.00	761.84
1125749 Multiaxial foot with rotator (1A30)	692.37	1,015.10
1125756 Multiaxial foot with rotator (Endolite)	605.20	918.01
1125764 Dynamic response foot with rotator (Endolite)	808.00	1,120.83
1135615 Titanium modular system and carbon fiber pylon	97.29	N. A.
SUPPLEMENTS AVAILABLE		
3194180 Pant-style sock	24.13	32.42
3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05
3194214 Prosthetic socks (2)	N. C.	49.60

### ADJUSTMENTS AVAILABLE

1146547 Lengthening of tibial part of prosthesis, excluding replacement of prosthetic cover and prosthetic sock

293.11

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1180504	Exoskeletal hemipelvic prosthesis, with constant friction knee (3P25)	5,951.90	)		6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic socket, made from plaster or digital mold of insured person				
	Constant friction knee (3P25) SACH foot Hip joint – Canadian type (CHJ-100, CHJ-75)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1125509	SACH foot	N. C.	322.38		
1175504	Laminated plastic socket, made from plaster or digital mold of insured person	N. C.	3,464.90		
1175512	Hip joint – Canadian type (CHJ-100, CHJ-75)	N. C.	674.37		
1155522	Constant friction knee (3P25)	N. C.	1,078.60		
	OPTIONAL COMPONENTS				
1195593	Trial socket	359.40	N. A.		
1125517	Articulated foot	152.59	469.96		
	Dynamic response foot, spring and prosthetic cover included (Quantum)	364.05	676.91		
	Adapter for foot (Quantum)	142.49	198.68		
	Dynamic response foot (Seattle Light)	492.87	805.71		
	Dynamic response foot (Sten foot)	81.79	394.55		
	Dynamic response foot (SAFE foot)	194.14			
	Dynamic response foot (1D10 or 1D11)	165.67			
	Dynamic response foot (Seattle)	377.75			
1125541	Dynamic response foot (Carbon Copy II)	314.74	627.55		

			`	,
1125707 Dynamic foot, for child (1K10)	37.93	350.84		
1145747 Foam flexible cover for tibial part	117.68	167.45		
1165604 Safaty Imag (2D22, 2D24)	142.97	1 222 27		
1165604 Safety knee (3P23, 3P24)	143.87	1,222.37		
1165612 Manual locking knee (3P4)	23.28	1,102.00		
1165620 Manual locking knee (3P52)	132.92	1,211.55		
1165646 Geriatric knee with manual lock (3K9)	54.81	1,133.34		
1165729 Constant friction locking knee (3P4F)	46.56	1,125.11		
SUPPLEMENTS AVAILABLE				
3194198 Prosthetic socks, per pair	32.32	45.53		
3194180 Pant-style sock	24.13	32.42		
3492501 Cane	10.19	10.19		
3492550 Crutches with axillary support, height-adjustable	20.38	20.38		
3492551 Crutches with forearm support, height-adjustable	56.05	56.05		
ADJUSTMENTS AVAILABLE				

1166537 Lengthening of tibial part of the prosthesis ------ Any pertinent adjustment

439.17

replacement of component or device supplement (months)	DEVICE	Maximum price Purchase or	Replacement of	Maximum adjustement	Guarantee
		1	1	price	(monus)

1181601 Exoskeletal hemipelvic prosthesis, with friction locking knee, for child (3P21)

BASIC COMPONENTS AND SUPPLEMENTS

Laminated plastic socket, made from plaster or digital mold of insured person

Friction locking knee, for child (3P21) SACH foot Hip joint – Canadian type (CHJ-100, CHJ-75)

COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS 5,789.22

### OPTIONAL COMPONENTS

1195593 Trial socket	359.40	N. A.	
1125517 Articulated foot	152.59	469.96	
1125574 Dynamic response foot, spring and prosthetic cover	364.05	676.91	
included (Quantum)			
1125624 Adapter for foot (Quantum)	142.49	198.68	
1125582 Dynamic response foot (Seattle Light)	492.87	805.71	
1125590 Dynamic response foot (Sten foot)	81.79	394.55	
1125608 Dynamic response foot (SAFE foot)	194.14	507.01	
1125616 Dynamic response foot (1D10 or 1D11)	165.67	482.92	
1125566 Dynamic response foot (Seattle)	377.75	690.58	
1125541 Dynamic response foot (Carbon Copy II)	314.74	627.55	
1125707 Dynamic foot, for child (1K10)	37.93	350.84	
1145747 Foam flexible cover for tibial part	117.68	167.45	
1165745 Friction locking knee, for child (3P50)	46.56	962.11	
SUPPLEMENTS AVAILABLE			
3194198 Prosthetic socks, per pair	32.32	45.53	
3194180 Pant-style sock	24.13	32.42	
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	
ADILISTMENTS AVAILABLE			

### ADJUSTMENTS AVAILABLE

1166537 Lengthening of tibial part of the prosthesis

----- Any pertinent adjustment

439.17

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1181502 Endoskeletal hemipelvic prosthesis	7,881.38			6

### BASIC COMPONENTS AND SUPPLEMENTS

Laminated plastic socket, made from plaster or digital mold of insured person

### SACH foot

Complete endoskeletal system with uniaxial constant friction knee (3R16) (modular components, prosthetic cover and prosthetic socks (2))

Hip joint (7E7)

COMPONENTS AND SUPPLEMENTS AVAILABLE

1175504 Laminated plastic socket, made from plaster or	N. C.	3,464.90
digital mold of insured person		
1195528 Complete endoskeletal system	N. C.	N. A.
1165653 Uniaxial constant friction knee (3R16)	N. C.	600.23
1175538 Prosthetic cover	N. C.	959.28
1175561 Hip joint (7E7)	N. C.	N. A.
OPTIONAL COMPONENTS		
1195593 Trial socket	359.40	N. A.
1175553 Joint of hip joint (7E7)	N. A.	2,238.59
1175579 Joint of hip joint, for child (7E8)	264.46	1,681.37
1165810 Uniaxial constant friction knee (3R18)	194.56	794.80
1165679 Safety knee (3R15)	312.39	914.09
1165661 Manual locking knee (3R17)	392.37	1,009.64
1165687 4-axis polycentric knee (3R20)	406.14	1,009.56
1165752 Manual locking knee, aluminum (3R40)	289.51	902.55
1165760 Manual locking knee, titanium (3R33)	687.09	1,291.91
1165778 Safety knee, titanium (3R49)	623.48	1,229.34
1165836 Multiaxial knee with rotator, for child (3R66)	897.48	1,497.73
1165802 Uniaxial knee with lock, for child (3R39)	872.38	1,475.82
1165794 Multiaxial knee, for child (TK40C)	1,409.94	2,011.61
1165844 Uniaxial constant friction knee, with or without	1,033.12	1,633.41
lock, for child (TK1C1)		
1155548 Knee rotator (4R57)	900.35	978.87
1135557 Ankle rotator (4R39, 4R40)	786.32	871.50
1135607 Ankle rotator (4R85)	703.68	780.35
1125715 Articulated foot and adapter	187.98	503.01
1125723 Articulated without adapter	N. A.	321.97
1125798 Dynamic response foot, spring and prosthetic cover included (Quantum)	325.69	638.46
1125780 Adapter for foot (Quantum)	56.17	104.13
1125707 Dynamic foot, for child (1K10)	37.93	350.84
1125582 Dynamic response foot (Seattle Light)	492.87	805.71
1125590 Dynamic response foot (Sten foot)	81.79	394.55
1125608 Dynamic response foot (SAFE foot)	194.14	507.01
1125616 Dynamic response foot (DI10, 1D11)	165.67	482.92
1125566 Dynamic response foot (Seattle)	377.75	690.58
1125541 Dynamic response foot (Carbon Copy II)	314.74	627.55
1125681 Dynamic response foot (Step Light)	298.29	610.79
1125699 Dynamic response foot (USMC)	184.57	497.34
1125731 Dynamic plus foot (1D25)	449.00	761.84
1125749 Multiaxial foot with rotator (1A30)	692.37	1,015.10
1125749 Multiaxial foot with rotator (FASO) 1125756 Multiaxial foot with rotator (Endolite)	605.20	918.01
1125764 Dynamic response foot with rotator (Endolite)	808.00	1,120.83
1135615 Titanium modular system and carbon fiber pylon	97.29	1,120.65 N. A.
1133013 Thailiani modulai system and carbon from pyron	11.43	N. A.

### SUPPLEMENTS AVAILABLE

3194180 Pant-style sock	24.13	32.42	
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	
3194214 Prosthetic socks (2)	N. C.	49.60	
ADJUSTMENTS AVAILABLE)			
1146547 Lengthening of tibial part of prosthesis, excluding			293.11
replacement of prosthetic cover and prosthetic sock			

----- Any pertinent adjustment

# SUBDIVISION 7: LOWER-LIMB PROSTHESES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1142009 Other lower-limb prostheses *	S. C.			6

<sup>\*</sup> When price is below that of the similar prosthesis

# DIVISION II: UPPER-LIMB PROSTHESES SUBDIVISION 1: HAND PROSTHESES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
Prosthetic restoration of one finger (thumb) made from plaster or digital mold of insured person	929.27			1
Prosthetic restoration of one finger (index) made from plaster or digital mold of insured person	929.27			
Prosthetic restoration of one finger (middle finger) made from plaster or digital mold of insured person	929.27			
Prosthetic restoration of one finger (ring finger) made from plaster or digital mold of insured person	929.27			
Prosthetic restoration of one finger (little finger) made from plaster or digital mold of insured person	929.27			
BASIC COMPONENTS AND SUPPLEMENTS				
Compensatory part for finger and prosthetic cover (Realistic)				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
 Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
Prosthetic partial hand restoration, made from plaster or digital mold of insured person	1,689.55			1
BASIC COMPONENTS AND SUPPLEMENTS				
Compensatory part Prosthetic partial hand and prosthetic glove, made from plaster or digital mold of insured person (Realistic)				

# COMPONENTS AND SUPPLEMENTS AVAILABLE

1295807 Prosthetic partial hand and prosthetic glove, made from plaster or digital mold of insured person (Realistic)

N. C. 779.26

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

# **SUBDIVISION 2: WRIST PROSTHESES**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1230507 Exoskeletal cubital or wrist prosthesis	2,053.13			6
BASIC COMPONENTS AND SUPPLEMENTS				
Wrist friction joint Rigid plastic socket, made from plaster or digital mold of insured person				
Suspension harness Tricipital pad Control cable, connections, terminals and housing (reinforced materials)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1235514 Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,383.42		3
1295500 Suspension harness	N. C.	207.14		3
1295518 Control cable, connections, terminals and housing (reinforced materials)	N. C.	251.48		3
1295526 Wrist friction joint	N. C.	449.24		
1295757 Tricipital pad	N. C.	207.27		
OPTIONAL COMPONENTS				
1245547 Metal elbow joints, flexible	509.97	609.61		
1295765 Anchoring part for cable for passive hand and hook	41.92	78.85		3
Other optional components (consult Subdivision VII for the codes and prices of these components)				
SUPPLEMENTS AVAILABLE				
Stump sock  * (consult Division III of this Part for the codes and prices of these supplements)	*			
3190014 Nylon stump sheath  ADJUSTMENTS AVAILABLE	19.83	23.04		
1246511 Lengthening of prosthesis Any pertinent adjustment			379.15	3

# **SUBDIVISION 3: CUBITAL PROSTHESES**

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1241504	Endoskeletal cubital prosthetic restoration	2,021.38			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person				
	Passive hand with flexible fingers and prosthetic glove (Otto Bock) Complete endoskeletal system (including modular components and prosthetic cover)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,383.42		3
1295542 3222817	Complete endoskeletal system Prosthetic cover Passive hand with flexible fingers (Otto Bock) Prosthetic glove (Otto Bock)	N. C. N. C. N. C. N. C.	396.58 382.18		
	OPTIONAL COMPONENTS				
	Metal elbow joints, flexible Other optional components (consult Subdivision VII for the codes and prices of these components)	509.97	609.61		
	SUPPLEMENTS AVAILABLE				
	Prosthetic socks, per pair Stump sock * (consult Division III of this Part for the codes and	32.32	45.53		
3190014	prices of these supplements) Nylon stump sheath	19.83	23.04		
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)

	DEVICE	Maximum price Purchase or	Maximum price Replacement of	Maximum adjustement	Guarantee
	Lengthening of prosthesis Any pertinent adjustment			379.15	3
	ADJUSTMENTS AVAILABLE				
	Nylon stump sheath	19.83	23.04		
	* (consult Division III of this Part for the codes and prices of these supplements)				
	Stump sock	*	*		
	SUPPLEMENTS AVAILABLE				
	Other optional components (consult Subdivision VII for the codes and prices of these components)				
1295716	Suspension harness	132.41	207.14		
	OPTIONAL COMPONENTS				
	Prosthetic glove (Otto Bock)	N. C.			
	Wrist friction joint Passive hand with flexible fingers (Otto Bock)	N. C. N. C.			
	Rigid plastic socket, made from plaster or digital mold of insured person		7		3
	BASIC COMPONENTS  Pigid plastic scaled, made from plaster or digital	N. C.	1 202 42		
	AVAILABLE				
	COMPONENTS AND SUPPLEMENTS				
	Wrist friction joint				
	Passive hand with flexible fingers and prosthetic glove (Otto Bock) Rigid plastic socket, made from plaster or digital mold of insured person				
	BASIC COMPONENTS AND SUPPLEMENTS				
1231752	Exoskeletal cubital or wrist prosthetic restoration	1,926.25			6

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1240514 Cubital prosthesis with multiple-action joints	2,999.09	)		6

### BASIC COMPONENTS AND SUPPLEMENTS

Wrist friction joint

Rigid plastic socket, made from plaster or digital mold of insured person

Forearm restoration

Multiple-action elbow joints

Suspension harness

Armband

Control cable, connections, terminals and housing

(reinforced materials)

# COMPONENTS AND SUPPLEMENTS

AVAILABLE

### BASIC COMPONENTS

1245539 Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,709.82		3
1295526 Wrist friction joint	N. C.	449.24		
1245554 Multiple-action elbow joints	N. C.	746.50		
1245562 Forearm restoration	N. C.	622.01		3
1295500 Suspension harness	N. C.	207.14		3
1295518 Control cable, connections, terminals and housing (reinforced materials)	N. C.	251.48		3
1295799 Armband	N. C.	237.23		3
OPTIONAL COMPONENTS				
1295815 Anchoring part for cable for passive hand and hook	47.22	81.82		3
Other optional components (consult Subdivision VII for the codes and prices of these components)  SUPPLEMENTS AVAILABLE				J
Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
3190014 Nylon stump sheath	19.83	23.04		
ADJUSTMENTS AVAILABLE				
1246511 Lengthening of prosthesis Any pertinent adjustment			379.15	3

# SUBDIVISION 4: CUBITOHUMERAL PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1250505	Exoskeletal cubitohumeral prosthesis	3,945.20			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Wrist friction joint Rigid plastic socket, made from plaster or digital mold of insured person				
	Forearm restoration Joints with external lock (E-500, E-1500) Suspension harness Control cables (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,726.60		3
1295526	Wrist friction joint	N. C.	449.24		
	Joints with external lock (E-500, E-1500)	N. C.			
	Forearm restoration	N. C.			3
	Suspension harness Control cables (2)	N. C. N. C.			3 3
	OPTIONAL COMPONENTS	1	312.20		J
	Flexion assist mechanism	435.22	535.09		3
	Anchoring part for cable for passive hand and hook	47.22			
	Other optional components (consult Subdivision VII for the codes and prices of these components)				3
	SUPPLEMENTS AVAILABLE				
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
	Nylon stump sheath	19.83	23.04		
	ADJUSTMENTS AVAILABLE				
1246529	Lengthening of cubital part of the prosthesis			379.15	3
	Any pertinent adjustment				

# **SUBDIVISION 5: HUMERAL PROSTHESES**

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1260504	Exoskeletal humeral prosthesis	3,929.99	•		6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Wrist friction joint Rigid plastic socket, made from plaster or digital mold of insured person				
	Forearm restoration Elbow with internal lock (E-400) Suspension harness Control cables (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1265511	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,680.65		3
1295526	Wrist friction joint	N. C.	449.24		
	Elbow with internal lock (E-400)	N. C.	,		
	Forearm restoration	N. C.			3
	Suspension harness	N. C.			3
1295641	Control cables (2)	N. C.	312.20		3
	OPTIONAL COMPONENTS				
1295815	Anchoring part for cable for passive hand and hook	47.22	81.82		3
1295823	Flexion assist mechanism	292.73	392.58		3
	Nudge control	483.57			3
	Other optional components (consult Subdivision	103.37	372.00		3
	VII for the codes and prices of these components)				
	SUPPLEMENTS AVAILABLE				
	Stump sock	*	*		
	* (consult Division III of this Part for the codes and				
	prices of these supplements)				
3190014	Nylon stump sheath	19.83	23.04		
	ADJUSTMENTS AVAILABLE				
1246529	Lengthening of cubital part of the prosthesis			379.15	3
	Any pertinent adjustment			3,7.13	3
	7 my pertinent adjustment				

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Endoskeletal humeral prosthetic restoration BASIC COMPONENTS AND SUPPLEMENTS	3,315.26			6
	Rigid plastic socket, made from plaster or digital mold of insured person				
	Passive hand with flexible fingers and prosthetic glove (Otto Bock) Complete endoskeletal system (modular components and prosthetic cover) Suspension harness Prosthetic socks (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,680.65		3
1265552 1295591 3222817	Complete endoskeletal system Prosthetic cover Suspension harness Passive hand with flexible fingers (Otto Bock) Prosthetic glove (Otto Bock)	N. C. N. C. N. C. N. C. N. C.	474.03 224.22 382.18		3
	OPTIONAL COMPONENTS				
1295849	Flexion wrist Shoulder-activated lock elbow Other optional components (consult Subdivision VII for the codes and prices of these components) Anchoring part for cable for passive hand and hook	363.95 371.99 47.22	962.82		
	SUPPLEMENTS AVAILABLE				
3293172	Prosthetic socks, per pair Stump sock * (consult Division III of this Part for the codes and prices of these supplements) Nylon stump sheath	N. C. *	*		
	ADJUSTMENT AVAILABLE Any pertinent adjustment				

# SUBDIVISION 6: GLENOHUMERAL AND THORACIC PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1270503	Exoskeletal glenohumeral prosthesis	5,776.50			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Wrist friction joint Rigid plastic socket, made from plaster or digital mold of insured person				
	Forearm restoration Elbow with internal lock (E-400) Flexion assist mechanism Arm restoration Shoulder joint (FAJ-100) Suspension harness Control cables (2), connections, terminals and housing (reinforced materials and pulley)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1275510	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	2,205.98		3
1295666	Suspension harness	N. C.	239.61		3
	Control cables (2), connections, terminals and housing (reinforced materials and pulley)	N. C.			3
1295526	Wrist friction joint	N. C.	449.24		
	Elbow with internal lock (E-400)	N. C.	1,183.60		
1245562	Forearm restoration	N. C.	622.01		3
1265537	Arm restoration	N. C.	509.30		3
	Shoulder joint (FAJ-100)	N. C.	966.29		
1295690	Flexion assist mechanism	N. C.	407.65		3
	OPTIONAL COMPONENTS				
1295575	Nudge control	483.57	592.66		3
	Anchoring part for cable for passive hand and hook	47.22			3
	Other optional components (consult Subdivision VII for the codes and prices of these components)				-
	SUPPLEMENTS AVAILABLE				
	Stump sock	*	*		

\* (consult Division III of this Part for the codes and prices of these supplements)

3190014 Nylon stump sheath ADJUSTMENT AVAILABLE

is used

19.83 23.04

1246529 Lengthening of cubital part of the prosthesis			379.15	3
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1271501 Endoskeletal glenohumeral prosthetic restoration	4,228.79			6
BASIC COMPONENTS AND SUPPLEMENTS				
Rigid plastic socket, made from plaster or digital mold of insured person				
Passive hand with flexible fingers and prosthetic glove (Otto Bock) Complete endoskeletal system (modular components and prosthetic cover) Suspension harness				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1275510 Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	2,205.98		3
1295682 Complete endoskeletal system 1275528 Prosthetic cover 1295666 Suspension harness 3222817 Passive hand with flexible fingers (Otto Bock)	N. C. N. C. N. C. N. C.	558.39 239.61		3
3223005 Prosthetic glove (Otto Bock)	N. C.			
OPTIONAL COMPONENTS				
1295831 Flexion wrist 1295849 Shoulder-activated lock elbow 1295815 Anchoring part for cable for passive hand and hook	363.95 371.99 47.22	962.82		3
Other optional components (consult Subdivision VII for the codes and prices of these components)				3
1295856 Nudge control where shoulder-activated lock elbow	483.57	592.66		3

56 Updated: January 1, 2021

### SUPPLEMENTS AVAILABLE

3293180 Prosthetic socks, per pair	32.32	45.53
Stump sock	*	*
* (consult Division III of this Part for the codes and		
prices of these supplements)		
3190014 Nylon stump sheath	19.83	23.04

### ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

1280502 Exoskeletal thoracic prosthesis 7,620.44  BASIC COMPONENTS AND SUPPLEMENTS  Wrist friction joint Rigid plastic socket, made from plaster or digital mold of insured person  Forearm restoration Elbow with internal lock (E-400) Flexion assist mechanism Arm restoration Shoulder joint (FAJ-100) Suspension harness Control cables (2), connections, terminals and housing (reinforced materials and pulley)  COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS  1285519 Rigid plastic socket, made from plaster or digital mold of insured person  1295666 Suspension harness N. C. 2,710.08 mold of insured person  12956674 Control cables (2), connections, terminals and housing (reinforced materials and pulley) 1295526 Wrist friction joint N. C. 4467.49 housing (reinforced materials and pulley) 1295526 Wrist friction joint N. C. 449.24 1265529 Elbow with internal lock (E-400) N. C. 1,183.60 1245562 Forearm restoration N. C. 622.01 1265533 Arm restoration N. C. 966.29 1295690 Flexion assist mechanism N. C. 407.65 OPTIONAL COMPONENTS	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
Wrist friction joint Rigid plastic socket, made from plaster or digital mold of insured person  Forearm restoration Elbow with internal lock (E-400) Flexion assist mechanism Arm restoration Shoulder joint (FAJ-100) Suspension harness Control cables (2), connections, terminals and housing (reinforced materials and pulley)  COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS  1285519 Rigid plastic socket, made from plaster or digital mold of insured person  1295666 Suspension harness N. C. 2,710.08 mold of insured person  1295674 Control cables (2), connections, terminals and N. C. 467.49 housing (reinforced materials and pulley)  1295526 Wrist friction joint N. C. 449.24 housing (reinforced materials and pulley)  12955526 Forearm restoration N. C. 622.01 N. C. 1,183.60 N. C. 622.01 1265537 Arm restoration N. C. 509.30 1265545 Shoulder joint (FAJ-100) N. C. 966.29 1295690 Flexion assist mechanism N. C. 407.65 OPTIONAL COMPONENTS	1280502 Exoskeletal thoracic prosthesis	7,620.44			6
Rigid plastic socket, made from plaster or digital mold of insured person  Forearm restoration Elbow with internal lock (E-400) Flexion assist mechanism Arm restoration Shoulder joint (FAJ-100) Suspension harness Control cables (2), connections, terminals and housing (reinforced materials and pulley)  COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS  1285519 Rigid plastic socket, made from plaster or digital mold of insured person  1295666 Suspension harness N. C. 2,710.08 mold of insured person  1295574 Control cables (2), connections, terminals and housing (reinforced materials and pulley)  1295526 Wrist friction joint N. C. 449.24 1265529 Elbow with internal lock (E-400) N. C. 1,183.60 1245562 Forearm restoration N. C. 622.01 1265537 Arm restoration N. C. 966.29 1295690 Flexion assist mechanism N. C. 407.65 OPTIONAL COMPONENTS	BASIC COMPONENTS AND SUPPLEME	ENTS			
Elbow with internal lock (E-400) Flexion assist mechanism Arm restoration Shoulder joint (FAJ-100) Suspension harness Control cables (2), connections, terminals and housing (reinforced materials and pulley)  COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS  1285519 Rigid plastic socket, made from plaster or digital mold of insured person  1295666 Suspension harness N. C. 239.61 1295674 Control cables (2), connections, terminals and N. C. 467.49 housing (reinforced materials and pulley)  1295526 Wrist friction joint N. C. 449.24 1265529 Elbow with internal lock (E-400) N. C. 1,183.60 1245562 Forearm restoration N. C. 509.30 1265534 Shoulder joint (FAJ-100) N. C. 966.29 1295690 Flexion assist mechanism N. C. 407.65 OPTIONAL COMPONENTS	Rigid plastic socket, made from plaster or di	igital			
AVAILABLE  BASIC COMPONENTS  1285519 Rigid plastic socket, made from plaster or digital mold of insured person  1295666 Suspension harness  1295674 Control cables (2), connections, terminals and housing (reinforced materials and pulley)  1295526 Wrist friction joint  1265529 Elbow with internal lock (E-400)  1245562 Forearm restoration  N. C. 449.24  1265537 Arm restoration  N. C. 509.30  1265545 Shoulder joint (FAJ-100)  N. C. 966.29  1295690 Flexion assist mechanism  N. C. 407.65  OPTIONAL COMPONENTS	Elbow with internal lock (E-400) Flexion assist mechanism Arm restoration Shoulder joint (FAJ-100) Suspension harness Control cables (2), connections, terminals a	nd			
1285519 Rigid plastic socket, made from plaster or digital mold of insured person  1295666 Suspension harness 1295674 Control cables (2), connections, terminals and housing (reinforced materials and pulley)  1295526 Wrist friction joint 1265529 Elbow with internal lock (E-400) 1245562 Forearm restoration 1265537 Arm restoration 1265545 Shoulder joint (FAJ-100) 1265545 Shoulder joint (FAJ-100) 1295690 Flexion assist mechanism N. C. 2,710.08  N. C. 239.61 N. C. 467.49 N. C. 449.24 N. C. 449.24 N. C. 509.30 N. C. 622.01 N. C. 509.30 N. C. 966.29 N. C. 966.29 N. C. 407.65					
mold of insured person  1295666 Suspension harness N. C. 239.61 1295674 Control cables (2), connections, terminals and housing (reinforced materials and pulley) 1295526 Wrist friction joint N. C. 449.24 1265529 Elbow with internal lock (E-400) N. C. 1,183.60 1245562 Forearm restoration N. C. 622.01 1265537 Arm restoration N. C. 509.30 1265545 Shoulder joint (FAJ-100) N. C. 966.29 1295690 Flexion assist mechanism N. C. 407.65  OPTIONAL COMPONENTS	BASIC COMPONENTS				
1295674 Control cables (2), connections, terminals and housing (reinforced materials and pulley)   1295526 Wrist friction joint   N. C.   449.24   1265529 Elbow with internal lock (E-400)   N. C.   1,183.60   1245562 Forearm restoration   N. C.   622.01   1265537 Arm restoration   N. C.   509.30   1265545 Shoulder joint (FAJ-100)   N. C.   966.29   1295690 Flexion assist mechanism   N. C.   407.65   OPTIONAL COMPONENTS		igital N. C.	2,710.08		3
1295674 Control cables (2), connections, terminals and housing (reinforced materials and pulley)   1295526 Wrist friction joint	295666 Suspension harness	N. C.	239.61		3
295526 Wrist friction joint	295674 Control cables (2), connections, terminals ar	nd N. C.	467.49		3
1245562 Forearm restoration       N. C.       622.01         1265537 Arm restoration       N. C.       509.30         1265545 Shoulder joint (FAJ-100)       N. C.       966.29         1295690 Flexion assist mechanism       N. C.       407.65         OPTIONAL COMPONENTS	1295526 Wrist friction joint	N. C.	449.24		
1265537 Arm restoration       N. C.       509.30         1265545 Shoulder joint (FAJ-100)       N. C.       966.29         1295690 Flexion assist mechanism       N. C.       407.65         OPTIONAL COMPONENTS	265529 Elbow with internal lock (E-400)	N. C.	1,183.60		
1265545 Shoulder joint (FAJ-100)  N. C. 966.29 1295690 Flexion assist mechanism  N. C. 407.65  OPTIONAL COMPONENTS	1245562 Forearm restoration	N. C.	622.01		3
1295690 Flexion assist mechanism  N. C. 407.65  OPTIONAL COMPONENTS					3
OPTIONAL COMPONENTS	· · · · · · · · · · · · · · · · · · ·				
	295690 Flexion assist mechanism	N. C.	407.65		3
205575 Nudga control 492 57 502 66	OPTIONAL COMPONENTS				
1293575 Nudge control 485.57 592.00	1295575 Nudge control	483.57	592.66		3

			(autheni	ic version)
1295815 Anchoring part for cable for passive hand and hook	47.22	81.82		3
Other optional components (consult Subdivision VII for the codes and prices of these components)				
SUPPLEMENTS AVAILABLE				
Stump sock	*	*		
* (consult Division III of this Part for the codes and prices of these supplements)				
3190014 Nylon stump sheath	19.83	23.04		
ADJUSTMENT AVAILABLE				
1246529 Lengthening of cubital part of the prosthesis			379.15	3
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1281500 Endoskeletal thoracic prosthetic restoration	4,656.50			6

## BASIC COMPONENTS AND SUPPLEMENTS

Rigid plastic socket, made from plaster or digital mold of insured person

Passive hand with flexible fingers and prosthetic glove (Otto Bock) Complete endoskeletal system (modular components and prosthetic cover)

Suspension harness

# COMPONENTS AND SUPPLEMENTS

AVAILABLE

### BASIC COMPONENTS

1285519 Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	2,710.08	3
1295682 Complete endoskeletal system	N. C.	N. A.	
1275528 Prosthetic cover	N. C.	558.39	
1295666 Suspension harness	N. C.	239.61	3
3222817 Passive hand with flexible fingers (Otto Bock)	N. C.	382.18	
3223005 Prosthetic glove, fitting included (Otto Bock)	N. C.	330.56	
OPTIONAL COMPONENTS			
1295831 Flexion wrist	363.95	561.54	
1295849 Shoulder-activated lock elbow	371.99	962.82	

1295815 Anchoring part for cable for passive hand and hook	47.22	81.82	3
Other optional components (consult Subdivision VII for the codes and prices of these components) 1295856 Nudge control where shoulder-activated lock elbow is used	483.57	592.66	3
SUPPLEMENTS AVAILABLE			
3293180 Prosthetic socks, per pair Stump sock * (consult Division III of this Part for the codes and	32.32	45.53	
prices of these supplements) 3190014 Nylon stump sheath	19.83	23.04	

### ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

# SUBDIVISION 7: BASIC OR OPTIONAL COMPONENTS FOR UPPER-LIMB PROSTHESES

WRISTS, HOOKS, HANDS, PROSTHETIC GLOVES, ELBOW JOINTS, SHOULDER JOINTS AND OTHERS

WRISTS FOR EXOSKELETAL PROSTHESES	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
3232725 Quick disconnect wrist including a socket (FM-100)	75.36	516.39	
3232733 Quick disconnect wrist including a socket (FM-100S)	538.50	978.00	
3232741 Quick disconnect wrist including a socket (WD-400)	56.17	495.55	
3232758 Quick disconnect wrist including a socket (WD-400S)	197.29	636.77	
3232790 Quick disconnect wrist including a socket (WD-400SS)	523.44	962.85	
3232766 Wrist for child (CAPP)	N. C.	446.34	
3232865 Flexion wrist for child (CAPP)	93.19	532.54	
3232774 Flexion wrist (FW-200, FW-300, FW-500)	216.51	655.89	
3232808 Flexion wrist (FW-500S)	770.03	1,209.62	
3232782 Flexion wrist (18-00)	369.96	810.95	
3232816 Flexion wrist (FW-50)	379.54	820.48	
3299005 Extra socket for wrist (WD-400)	50.69	50.69	
3299013 Extra socket for wrist (WD-400S, WD-400SS)	109.63	109.63	
3299021 Extra socket for wrist (FM-100)	67.12	67.12	
HOOKS	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
3222908 Dorrance hook, farmer's-type (6) 3222940 Dorrance hook, farmer's-type (7 LO) 3222916 APRL hook (302-00) 3222924 Sierra hook	2,111.60 1,188.05 1,678.60 2,082.76	2,180.46 1,256.89 1,746.10 2,151.62	
3222619 Hook, model 99X or equivalent: use, shape, cost (10X, 10P, 99X8, 88X5, 5X, 5XA)	614.90	678.19	
3222973 Hook (12P)	675.60	744.47	

		(authentic version)
635.85 1,508.68	744.47 1,577.54	
1,466.21	1,533.69	
1,638.86	1,707.71	
1,040.07	1,108.91	
1,014.02	1,082.86	
909.93	978.75	
953.79	1,022.60	
Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
37.01	561.61	
53.43	578.08	
147.99	672.59	
N. C.	524.67	
Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
465.96	561.61	
482.44	578.08	
576.93	672.59	
428.96	524.67	
	1,508.68  1,466.21  1,638.86  1,040.07  1,014.02  909.93  953.79  Maximum substitution price of component at the time of purchase or replacement of prosthesis  37.01  53.43  147.99  N. C.  Maximum substitution price of component at the time of prosthesis  465.96  482.44  576.93	1,508.68 1,577.54  1,466.21 1,533.69  1,638.86 1,707.71  1,040.07 1,108.91  1,014.02 1,082.86  909.93 978.75  953.79 1,022.60  Maximum substitution price of component at the time of purchase or replacement of prosthesis  37.01 561.61  53.43 578.08  147.99 672.59  N. C. 524.67  Maximum substitution price of component at the time of purchase or replacement of prosthesis  465.96 561.61  482.44 578.08  576.93 672.59

MECHANICAL HANDS	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
3222841 Voluntary opening Sierra hand, including prosthetic glove and installation	2,359.61	2,455.21	
3222809 Voluntary opening APRL hand and prosthetic glove, installation included	2,686.99	2,782.65	
3222833 Voluntary closing Otto Bock hand and prosthetic glove, installation included (8K15)	1,072.95	1,168.60	
3222676 Voluntary closing Otto Bock hand and prosthetic glove, installation included (8K25)	1,072.95	1,168.60	
3222668 Voluntary closing Otto Bock hand and prosthetic glove, installation included (8K21, 8K23)	693.44	787.63	
3222650 Voluntary closing Otto Bock hand and prosthetic glove, installation included, for endoskeletal syste (8K27)		921.90	
3222726 Becker Imperial hand, prosthetic glove and protective glove, installation included	1,142.86	1,237.09	
3222734 Robin Aid hand and Realistic prosthetic glove, installation included (RA-100)	1,040.07	1,135.74	
3222742 Dorrance hand and Realistic prosthetic glove, installation included	1,943.07	2,037.24	
3222759 Voluntary closing APRL hand and Realistic prosthetic glove, installation included	2,686.99	2,782.65	
3222767 Becker hand, Realistic prosthetic glove and protective glove, installation included (BLG-100)	1,074.34	1,169.95	
3222775 Robin Aid hand and Realistic prosthetic glove, installation included (RA-200)	1,040.07	1,135.74	
3222783 Becker hand and Realistic prosthetic glove, installation included (BP-100)	860.58	1,100.65	
MITTS FOR CHILDREN TO REPLACE PASSIVE HAND	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
3222981 Hosmer mitt, installation included 3222999 Crawl mitt and prosthetic glove, installation included	N. C. 109.63	331.28 622.90	

PROSTHETIC GLOVES	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
3223005 Otto Bock prosthetic glove, installation included 3223120 Realistic prosthetic glove, installation included 3225500 Silicone prosthetic glove	N. C. N. C. 385.75	330.56 338.44 742.97	12
ELBOW JOINTS	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
1245588 External monocentric free-moving locking joint (E-5500)	1,038.62	1,831.07	
1245596 External monocentric free-moving locking joint (E-1500)	649.47	1,443.41	
1245604 External polycentric free-moving joint (MA-50, MA-75, MA-100)	82.20	876.20	
1245653 Constant friction elbow, for child (E-50)	N. C.	1,182.87	
1245661 Elbow with internal lock (E-400HD)	N. C.	1,210.36	
SHOULDER JOINTS	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
1245620 Abduction-adduction joint (SAJ-75)	N. C.	684.20	
1245638 Abduction-adduction joint (SAJ-100)	106.88	937.86	
1245646 Free movement joint (Hosmer)	37.01	867.98	
1245679 Joint (FS-50, FS-75)	N. C.	763.71	

CONTROLS	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
1295583 Truncular abdominal or scapular control, including manufacturing, fitting and installation time as well as materials	77.27	119.48	

### **SUBDIVISION 8: UPPER-LIMB PROSTHESES**

	Maximum price	Maximum price	Maximum	
DEVICE	Purchase or	Replacement of	adiustement	Guarantee
DEVICE	replacement of	component or	<i>3</i> .	(months)
	device	supplement	price	
	•	•	•	•

1242007 Other upper-limb prostheses \*\*

S. C.

\*

\*GUARANTEE PERIOD: Hand prostheses: 1 month

Others: 6 months

\*\* When price is below that of the similar

prosthesis

# DIVISION III: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES SUPPLEMENTS FOR PROSTHESES

	Maximum price Purchase or	Maximum price at the time of	
Description	replacement of prosthesis	replacement of socks	
SUPPLEMENTS FOR PROSTHESES	produited	504115	
STUMP SOCKS			
$\underline{WOOL \ 2-3-5 \ PLY}$			
Width: 15.2 cm (6 in.)			
3493004 length: 25.4 cm (10 in.)	10.28	15.52	
3493012 length: 30.5 cm (12 in.)	11.17	16.57	
3493020 length: 35.6 cm (14 in.)	12.55	17.92	
3493038 length: 40.6 cm (16 in.)	13.60	18.80	
3493046 length: 45.7 cm (18 in.)	14.78	20.05	
3493053 length: 50.8 cm (20 in.)	15.88	21.08	
3493061 length: 55.9 cm (22 in.)	17.08	22.46	
3493079 length: 61.0 cm (24 in.)	18.89	24.11	
3493087 length: 66.0 cm (26 in.)	20.10	25.47	
3493095 length: 71.1 cm (28 in.)	21.31	26.52	
3493103 length: 76.2 cm (30 in.)	22.22	27.60	
3493111 length: 81.3 cm (32 in.)	23.58	28.93	
Width: 17.8 cm (7 in.)			
3493129 length: 25.4 cm (10 in.)	11.03	16.41	
3493137 length: 30.5 cm (12 in.)	12.26	17.63	
3493145 length: 35.6 cm (14 in.)	13.74	19.16	
3493152 length: 40.6 cm (16 in.)	15.28	20.64	
3493160 length: 45.7 cm (18 in.)	17.08	22.46	
3493178 length: 50.8 cm (20 in.)	18.73	24.11	
3493186 length: 55.9 cm (22 in.)	19.93	25.30	
3493194 length: 61.0 cm (24 in.)	21.31	26.67	
3493202 length: 66.0 cm (26 in.)	22.96	28.32	
3493210 length: 71.1 cm (28 in.)	24.18	29.55	
3493228 length: 76.2 cm (30 in.)	25.40	30.74	
3493236 length: 81.3 cm (32 in.)	26.90	32.25	
Width: 20.3 cm (8 in.)			
3493244 length: 25.4 cm (10 in.)	12.66	18.08	
3493251 length: 30.5 cm (12 in.)	14.37	19.54	
3493269 length: 35.6 cm (14 in.)	15.70	21.08	
3493277 length: 40.6 cm (16 in.)	17.34	22.75	
3493285 length: 45.7 cm (18 in.)	18.89	24.11	
3493293 length: 50.8 cm (20 in.)	20.39	25.80	
3493301 length: 55.9 cm (22 in.)	21.91	27.27	
3493319 length: 61.0 cm (24 in.)	23.73	29.11	
3493327 length: 66.0 cm (26 in.)	25.40	30.62	
3493335 length: 71.1 cm (28 in.)	27.05	32.44	
3493343 length: 76.2 cm (30 in.)	28.26	33.64	

Updated: January 1, 2021

3493350 length: 81.3 cm (32 in.)	29.91	35.29
Width: 22.9 cm (9 in.)		
3493368 length: 25.4 cm (10 in.)	14.51	19.90
3493376 length: 30.5 cm (12 in.)	16.34	21.55
3493384 length: 35.6 cm (14 in.)	17.99	23.36
3493392 length: 40.6 cm (16 in.)	19.48	24.87
3493400 length: 45.7 cm (18 in.)	21.44	26.84
3493418 length: 50.8 cm (20 in.)	23.11	28.47
3493426 length: 55.9 cm (22 in.)	24.77	30.13
3493434 length: 61.0 cm (24 in.)	26.27	31.63
3493442 length: 66.0 cm (26 in.)	28.12	33.50
3493459 length: 71.1 cm (28 in.)	29.91	35.29
3493467 length: 76.2 cm (30 in.)	31.43	36.64
3493475 length: 81.3 cm (32 in.)	33.09	38.29
Width: 25.4 cm (10 in.)		
3493483 length: 25.4 cm (10 in.)	16.34	21.55
3493491 length: 30.5 cm (12 in.)	17.70	23.06
3493509 length: 35.6 cm (14 in.)	19.80	25.18
3493517 length: 40.6 cm (16 in.)	21.62	26.84
3493525 length: 45.7 cm (18 in.)	23.26	28.66
3493533 length: 50.8 cm (20 in.)	25.23	30.62
3493541 length: 55.9 cm (22 in.)	27.05	32.44
3493558 length: 61.0 cm (24 in.)	28.71	34.07
3493566 length: 66.0 cm (26 in.)	30.36	35.58
3493574 length: 71.1 cm (28 in.)	32.33	37.68
3493582 length: 76.2 cm (30 in.)	34.13	39.39
3493590 length: 81.3 cm (32 in.)	35.95	41.34
Width: 30.5 cm (12 in.)		
3493608 length: 25.4 cm (10 in.)	21.75	26.99
3493616 length: 30.5 cm (12 in.)	23.40	28.79
3493624 length: 35.6 cm (14 in.)	25.40	30.74
3493632 length: 40.6 cm (16 in.)	27.05	32.44
3493640 length: 45.7 cm (18 in.)	29.00	34.22
3493657 length: 50.8 cm (20 in.)	30.81	36.07
3493665 length: 55.9 cm (22 in.)	32.61	37.87
3493673 length: 61.0 cm (24 in.)	34.58	39.84
3493681 length: 66.0 cm (26 in.)	35.95	41.18
3493699 length: 71.1 cm (28 in.)	38.05	43.30
3493707 length: 76.2 cm (30 in.)	39.60	44.97
3493715 length: 81.3 cm (32 in.)	41.52	46.94

Description	Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks	
WOOL 6-PLY			
Width: 15.2 cm (6 in.)			
3493723 length: 25.4 cm (10 in.)	11.17	16.57	
3493731 length: 30.5 cm (12 in.)	12.39	17.74	
3493749 length: 35.6 cm (14 in.)	13.74	19.16	
3493756 length: 40.6 cm (16 in.)	14.96	20.34	
3493764 length: 45.7 cm (18 in.)	16.34	21.55	
3493772 length: 50.8 cm (20 in.)	17.51	22.75	
3493780 length: 55.9 cm (22 in.)	18.89	24.11	
3493798 length: 61.0 cm (24 in.)	20.72	26.08	
3493806 length: 66.0 cm (26 in.)	22.05	27.43	
3493814 length: 71.1 cm (28 in.)	23.26	28.66	
3493822 length: 76.2 cm (30 in.)	24.47	29.85	
3493830 length: 81.3 cm (32 in.)	25.98	31.35	
Width: 17.8 cm (7 in.)			
3493848 length: 25.4 cm (10 in.)	12.26	17.63	
3493855 length: 30.5 cm (12 in.)	13.47	18.80	
3493863 length: 35.6 cm (14 in.)	15.28	20.47	
3493871 length: 40.6 cm (16 in.)	16.78	22.14	
3493889 length: 45.7 cm (18 in.)	18.89	24.11	
3493897 length: 50.8 cm (20 in.)	20.52	25.93	
3493905 length: 55.9 cm (22 in.)	22.05	27.43	
3493913 length: 61.0 cm (24 in.)	23.58	28.79	
3493921 length: 66.0 cm (26 in.)	25.40	30.62	
3493939 length: 71.1 cm (28 in.)	26.46	31.80	
3493947 length: 76.2 cm (30 in.)	27.93	33.33	
3493954 length: 81.3 cm (32 in.)	29.78	35.16	
Width: 20.3 cm (8 in.)			
3493962 length: 25.4 cm (10 in.)	14.05	19.27	
3493970 length: 30.5 cm (12 in.)	15.70	20.94	
3493988 length: 35.6 cm (14 in.)	17.34		
3493996 length: 40.6 cm (16 in.)	19.20		
3494002 length: 45.7 cm (18 in.)	20.72	26.08	
3494010 length: 50.8 cm (20 in.)	22.54	27.74	
3494028 length: 55.9 cm (22 in.)	24.18	29.55	
3494036 length: 61.0 cm (24 in.)	25.98	31.35	
3494044 length: 66.0 cm (26 in.)	27.78	33.17	
3494051 length: 71.1 cm (28 in.)	29.78	35.16	
3494069 length: 76.2 cm (30 in.)	31.30		
3494077 length: 81.3 cm (32 in.)	32.94	38.29	

Width: 22.9 cm (9 in.)		
3494085 length: 25.4 cm (10 in.)	15.88	21.24
3494093 length: 30.5 cm (12 in.)	17.84	23.21
3494101 length: 35.6 cm (14 in.)	19.80	25.18
3494119 length: 40.6 cm (16 in.)	21.44	26.84
3494127 length: 45.7 cm (18 in.)	23.58	28.93
3494135 length: 50.8 cm (20 in.)	25.40	30.74
3494143 length: 55.9 cm (22 in.)	27.19	32.55
3494150 length: 61.0 cm (24 in.)	29.00	34.22
3494168 length: 66.0 cm (26 in.)	30.98	36.18
3494176 length: 71.1 cm (28 in.)	32.94	38.29
3494184 length: 76.2 cm (30 in.)	34.43	39.84
3494192 length: 81.3 cm (32 in.)	36.41	41.67
Width: 25.4 cm (10 in.)		
3494200 length: 25.4 cm (10 in.)	17.84	23.21
3494218 length: 30.5 cm (12 in.)	19.48	24.87
3494226 length: 35.6 cm (14 in.)	21.75	27.14
3494234 length: 40.6 cm (16 in.)	23.58	28.93
3494242 length: 45.7 cm (18 in.)	25.54	30.93
3494259 length: 50.8 cm (20 in.)	27.78	33.17
3494267 length: 55.9 cm (22 in.)	29.78	35.16
3494275 length: 61.0 cm (24 in.)	31.72	37.11
3494283 length: 66.0 cm (26 in.)	33.53	38.77
3494291 length: 71.1 cm (28 in.)	35.66	41.01
3494309 length: 76.2 cm (30 in.)	37.47	42.83
3494317 length: 81.3 cm (32 in.)	39.60	44.79
Width: 30.5 cm (12 in.)		
3494325 length: 25.4 cm (10 in.)	23.86	29.25
3494333 length: 30.5 cm (12 in.)	25.66	31.07
3494341 length: 35.6 cm (14 in.)	27.93	33.33
3494358 length: 40.6 cm (16 in.)	29.78	35.16
3494366 length: 45.7 cm (18 in.)	31.88	37.25
3494374 length: 50.8 cm (20 in.)	33.98	39.22
3494382 length: 55.9 cm (22 in.)	35.95	41.18
3494390 length: 61.0 cm (24 in.)	38.05	43.30
3494408 length: 66.0 cm (26 in.)	39.47	44.79
3494416 length: 71.1 cm (28 in.)	41.67	47.06
3494424 length: 76.2 cm (30 in.)	43.67	48.90
3494432 length: 81.3 cm (32 in.)	45.63	51.00

	Maximum price	Maximum price	
D : /:	Purchase or	at the time of	
Description	replacement of	replacement of	
	prosthesis	socks	
WOOL AND NYLON 2-3-5 PLY			
Width: 15.2 cm (6 in.)			
3494440 length: 25.4 cm (10 in.)	14.20	19.54	
3494457 length: 30.5 cm (12 in.)	14.20	19.54	
3494465 length: 35.6 cm (14 in.)	16.34	21.55	
3494473 length: 40.6 cm (16 in.)	16.34	21.55	
3494481 length: 45.7 cm (18 in.)	16.34	21.55	
3494499 length: 50.8 cm (20 in.)	18.59	23.81	
3494507 length: 55.9 cm (22 in.)	18.59	23.81	
Width: 17.8 cm (7 in.)			
3494515 length: 25.4 cm (10 in.)	14.20	19.54	
3494523 length: 30.5 cm (12 in.)	14.20	19.54	
3494531 length: 35.6 cm (14 in.)	16.34	21.55	
3494549 length: 40.6 cm (16 in.)	16.34	21.55	
3494556 length: 45.7 cm (18 in.)	16.34	21.55	
3494564 length: 50.8 cm (20 in.)	18.59	23.81	
3494572 length: 55.9 cm (22 in.)	18.59	23.81	
3494580 length: 61.0 cm (24 in.)	18.59	23.81	
Width: 20.3 cm (8 in.)			
3494598 length: 25.4 cm (10 in.)	16.34	21.55	
3494606 length: 30.5 cm (12 in.)	16.34	21.55	
3494614 length: 35.6 cm (14 in.)	16.34	21.55	
3494622 length: 40.6 cm (16 in.)	18.59	23.81	
3494630 length: 45.7 cm (18 in.)	18.59	23.81	
3494648 length: 50.8 cm (20 in.)	18.59	23.81	
3494655 length: 55.9 cm (22 in.)	21.31	26.52	
3494663 length: 61.0 cm (24 in.)	21.31	26.52	
3494671 length: 66.0 cm (26 in.)	21.31	26.52	
3494689 length: 71.1 cm (28 in.)	21.31	26.52	
Width: 22.9 cm (9 in.)			
3494697 length: 25.4 cm (10 in.)	16.34	21.55	
3494705 length: 30.5 cm (12 in.)	16.34	21.55	
3494713 length: 35.6 cm (14 in.)	18.59	23.81	
3494721 length: 40.6 cm (16 in.)	18.59	23.81	
3494739 length: 45.7 cm (18 in.)	18.59	23.81	
3494747 length: 50.8 cm (20 in.)	21.31	26.52	
3494754 length: 55.9 cm (22 in.)	21.31	26.52	
3494762 length: 61.0 cm (24 in.)	21.31	26.52	
3494770 length: 66.0 cm (26 in.)	21.31	26.52	
3494788 length: 71.1 cm (28 in.)	21.31	26.52	
3494796 length: 101.6 cm (40 in.)	16.34	21.55	
3494804 length: 106.7 cm (42 in.)	16.34	21.55	

			(authentic version)
3494812 length: 111.8 cm (44 in.)	18.59	23.81	
3494820 length: 116.8 cm (46 in.)	18.59	23.81	
3494838 length: 121.9 cm (48 in.)	18.59	23.81	
3494846 length: 127.0 cm (50 in.)	21.31	26.52	
3494853 length: 132.1 cm (52 in.)	21.31	26.52	
, ,	21.31	20.32	
Width: 25.4 cm (10 in.)			
3494861 length: 25.4 cm (10 in.)	16.34	21.55	
3494879 length: 30.5 cm (12 in.)	18.59	23.81	
3494887 length: 35.6 cm (14 in.)	18.59	23.81	
3494895 length: 40.6 cm (16 in.)	18.59	23.81	
3494903 length: 45.7 cm (18 in.)	21.31	26.52	
3494911 length: 50.8 cm (20 in.)	21.31	26.52	
3494929 length: 55.9 cm (22 in.)	21.31	26.52	
3494937 length: 61.0 cm (24 in.)	21.31	26.52	
3494945 length: 66.0 cm (26 in.)	23.40	28.79	
3494952 length: 101.6 cm (40 in.)	16.34	21.55	
3494960 length: 106.7 cm (42 in.)	16.34	21.55	
3494978 length: 111.8 cm (44 in.)	18.59	23.81	
3494986 length: 116.8 cm (46 in.)	18.59	23.81	
3494994 length: 121.9 cm (48 in.)	21.31	26.52	
3495009 length: 127.0 cm (50 in.)	21.31	26.52	
3495017 length: 132.1 cm (52 in.)	21.31	26.52	
Width: 30.5 cm (12 in.)			
3495025 length: 25.4 cm (10 in.)	18.59	23.81	
3495033 length: 30.5 cm (12 in.)	21.31	26.52	
3495041 length: 35.6 cm (14 in.)	21.31	26.52	
3495058 length: 40.6 cm (16 in.)	21.31	26.52	
3495066 length: 45.7 cm (18 in.)	21.31	26.52	
3495074 length: 50.8 cm (20 in.)	21.31	26.52	
	Maximum price	Maximum price	
Description	Purchase or	at the time of	
Description	replacement of	replacement of	
	prosthesis	socks	
WOOL AND NYLON 6-PLY			
Width: 15.2 cm (6 in.)			
24050001 4 20.5 (10.1)			
3495082 length: 30.5 cm (12 in.)	15.70	20.94	
	15.70 17.51	20.94 22.91	
3495082 length: 30.5 cm (12 in.) 3495090 length: 35.6 cm (14 in.) 3495108 length: 40.6 cm (16 in.)			
3495090 length: 35.6 cm (14 in.)	17.51	22.91	
3495090 length: 35.6 cm (14 in.) 3495108 length: 40.6 cm (16 in.)	17.51 17.51	22.91 22.91	
3495090 length: 35.6 cm (14 in.) 3495108 length: 40.6 cm (16 in.) 3495116 length: 45.7 cm (18 in.)	17.51 17.51 17.51	22.91 22.91 22.91	
3495090 length: 35.6 cm (14 in.) 3495108 length: 40.6 cm (16 in.) 3495116 length: 45.7 cm (18 in.) 3495124 length: 50.8 cm (20 in.)	17.51 17.51 17.51 19.80	22.91 22.91 22.91 25.18	
3495090 length: 35.6 cm (14 in.) 3495108 length: 40.6 cm (16 in.) 3495116 length: 45.7 cm (18 in.) 3495124 length: 50.8 cm (20 in.) 3495132 length: 55.9 cm (22 in.) Width: 17.8 cm (7 in.)	17.51 17.51 17.51 19.80 19.80	22.91 22.91 22.91 25.18 25.18	
3495090 length: 35.6 cm (14 in.) 3495108 length: 40.6 cm (16 in.) 3495116 length: 45.7 cm (18 in.) 3495124 length: 50.8 cm (20 in.) 3495132 length: 55.9 cm (22 in.) Width: 17.8 cm (7 in.) 3495140 length: 25.4 cm (10 in.)	17.51 17.51 17.51 19.80 19.80	22.91 22.91 22.91 25.18 25.18	
3495090 length: 35.6 cm (14 in.) 3495108 length: 40.6 cm (16 in.) 3495116 length: 45.7 cm (18 in.) 3495124 length: 50.8 cm (20 in.) 3495132 length: 55.9 cm (22 in.) Width: 17.8 cm (7 in.) 3495140 length: 25.4 cm (10 in.) 3495157 length: 30.5 cm (12 in.)	17.51 17.51 17.51 19.80 19.80	22.91 22.91 22.91 25.18 25.18 22.91 20.94	
3495090 length: 35.6 cm (14 in.) 3495108 length: 40.6 cm (16 in.) 3495116 length: 45.7 cm (18 in.) 3495124 length: 50.8 cm (20 in.) 3495132 length: 55.9 cm (22 in.) Width: 17.8 cm (7 in.) 3495140 length: 25.4 cm (10 in.)	17.51 17.51 17.51 19.80 19.80	22.91 22.91 22.91 25.18 25.18	

Tariff for devices which compensate for a motor deficiency and insured related service		LE 1	SCHEDU
(authentic version			
17.51	(10:)	1 45.7	2405101.1

	1	•	(authentic version)
3495181 length: 45.7 cm (18 in.)	17.51	22.91	
3495199 length: 50.8 cm (20 in.)	19.80	25.18	
3495207 length: 55.9 cm (22 in.)	19.80	25.18	
3473207 length. 33.7 cm (22 m.)	17.00	23.10	
Width: 20.3 cm (8 in.)			
3495215 length: 25.4 cm (10 in.)	17.51	22.91	
3495223 length: 30.5 cm (12 in.)	17.51	22.91	
3495231 length: 35.6 cm (14 in.)	17.51	22.91	
3495249 length: 40.6 cm (16 in.)	19.80	25.18	
3495256 length: 45.7 cm (18 in.)	19.80	25.18	
3495264 length: 50.8 cm (20 in.)	19.80	25.18	
3495272 length: 55.9 cm (22 in.)	22.96	28.19	
3495280 length: 61.0 cm (24 in.)	22.96	28.19	
Width: 22.9 cm (9 in.)			
3495298 length: 30.5 cm (12 in.)	17.51	22.91	
3495306 length: 35.6 cm (14 in.)	19.80	25.18	
3495314 length: 40.6 cm (16 in.)	19.80	25.18	
3495322 length: 45.7 cm (18 in.)	19.80	25.18	
3495330 length: 50.8 cm (20 in.)	22.96	28.19	
3495348 length: 55.9 cm (22 in.)	22.96	28.19	
3495355 length: 61.0 cm (24 in.)	22.96	28.19	
5475555 length. 01.0 cm (24 m.)	22.70	20.17	
	Maximum price	Maximum price	
Descripti	Purchase or	at the time of	
Descripti	on replacement of	replacement of	
Descripti	On		
Descripti  ULTRA WOOL 3 – 5 PLY	on replacement of prosthesis	replacement of	
•	on replacement of prosthesis	replacement of	
<u>ULTRA WOOL 3 – 5 PLY</u> Width: 15.2 cm (6 in.)	on replacement of prosthesis	replacement of socks	
ULTRA WOOL 3 – 5 PLY Width: 15.2 cm (6 in.) 3495363 length: 25.4 cm (10 in.)	replacement of prosthesis	replacement of socks	
ULTRA WOOL 3 – 5 PLY Width: 15.2 cm (6 in.) 3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.)	replacement of prosthesis  15.70 15.70	replacement of socks  20.94 20.94	
ULTRA WOOL 3 – 5 PLY Width: 15.2 cm (6 in.) 3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.) 3495389 length: 35.6 cm (14 in.)	replacement of prosthesis  7  15.70 15.70 17.99	replacement of socks  20.94 20.94 23.21	
ULTRA WOOL 3 – 5 PLY Width: 15.2 cm (6 in.)  3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.) 3495389 length: 35.6 cm (14 in.) 3495397 length: 40.6 cm (16 in.)	replacement of prosthesis  7  15.70 15.70 17.99 17.99	20.94 20.94 23.21 23.21	
ULTRA WOOL 3 – 5 PLY Width: 15.2 cm (6 in.)  3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.) 3495389 length: 35.6 cm (14 in.) 3495397 length: 40.6 cm (16 in.) 3495405 length: 45.7 cm (18 in.)	replacement of prosthesis  15.70 15.70 17.99 17.99 17.99	20.94 20.94 23.21 23.21 23.21	
ULTRA WOOL 3 – 5 PLY Width: 15.2 cm (6 in.)  3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.) 3495389 length: 35.6 cm (14 in.) 3495397 length: 40.6 cm (16 in.) 3495405 length: 45.7 cm (18 in.) 3495413 length: 50.8 cm (20 in.)	replacement of prosthesis  15.70 15.70 17.99 17.99 17.99 20.39	20.94 20.94 23.21 23.21 23.21 25.80	
ULTRA WOOL 3 – 5 PLY Width: 15.2 cm (6 in.)  3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.) 3495389 length: 35.6 cm (14 in.) 3495397 length: 40.6 cm (16 in.) 3495405 length: 45.7 cm (18 in.)	replacement of prosthesis  15.70 15.70 17.99 17.99 17.99	20.94 20.94 23.21 23.21 23.21	
ULTRA WOOL 3 – 5 PLY Width: 15.2 cm (6 in.)  3495363 length: 25.4 cm (10 in.)  3495371 length: 30.5 cm (12 in.)  3495389 length: 35.6 cm (14 in.)  3495397 length: 40.6 cm (16 in.)  3495405 length: 45.7 cm (18 in.)  3495413 length: 50.8 cm (20 in.)  3495421 length: 55.9 cm (22 in.)	replacement of prosthesis  15.70 15.70 17.99 17.99 17.99 20.39 20.39	20.94 20.94 23.21 23.21 23.21 25.80 25.80	
ULTRA WOOL 3 – 5 PLY  Width: 15.2 cm (6 in.)  3495363 length: 25.4 cm (10 in.)  3495371 length: 30.5 cm (12 in.)  3495389 length: 35.6 cm (14 in.)  3495397 length: 40.6 cm (16 in.)  3495405 length: 45.7 cm (18 in.)  3495413 length: 50.8 cm (20 in.)  3495421 length: 55.9 cm (22 in.)  3495439 length: 61.0 cm (24 in.)  Width: 17.8 cm (7 in.)	replacement of prosthesis  7  15.70 15.70 17.99 17.99 17.99 20.39 20.39 20.39 20.39	20.94 20.94 20.94 23.21 23.21 25.80 25.80 25.80	
ULTRA WOOL 3 – 5 PLY  Width: 15.2 cm (6 in.)  3495363 length: 25.4 cm (10 in.)  3495371 length: 30.5 cm (12 in.)  3495389 length: 35.6 cm (14 in.)  3495397 length: 40.6 cm (16 in.)  3495405 length: 45.7 cm (18 in.)  3495413 length: 50.8 cm (20 in.)  3495421 length: 55.9 cm (22 in.)  3495439 length: 61.0 cm (24 in.)  Width: 17.8 cm (7 in.)  3495447 length: 25.4 cm (10 in.)	replacement of prosthesis  15.70 15.70 17.99 17.99 20.39 20.39 20.39	20.94 20.94 23.21 23.21 23.21 25.80 25.80 25.80	
ULTRA WOOL 3 – 5 PLY  Width: 15.2 cm (6 in.)  3495363 length: 25.4 cm (10 in.)  3495371 length: 30.5 cm (12 in.)  3495389 length: 35.6 cm (14 in.)  3495397 length: 40.6 cm (16 in.)  3495405 length: 45.7 cm (18 in.)  3495413 length: 50.8 cm (20 in.)  3495421 length: 55.9 cm (22 in.)  3495439 length: 61.0 cm (24 in.)  Width: 17.8 cm (7 in.)  3495447 length: 25.4 cm (10 in.)  3495454 length: 30.5 cm (12 in.)	replacement of prosthesis  15.70 15.70 17.99 17.99 20.39 20.39 20.39 20.39	20.94 20.94 23.21 23.21 23.21 25.80 25.80 20.94 20.94	
ULTRA WOOL 3 – 5 PLY  Width: 15.2 cm (6 in.)  3495363 length: 25.4 cm (10 in.)  3495371 length: 30.5 cm (12 in.)  3495389 length: 35.6 cm (14 in.)  3495405 length: 40.6 cm (16 in.)  3495413 length: 50.8 cm (20 in.)  3495421 length: 55.9 cm (22 in.)  3495439 length: 61.0 cm (24 in.)  Width: 17.8 cm (7 in.)  3495447 length: 25.4 cm (10 in.)  3495454 length: 30.5 cm (12 in.)  3495462 length: 35.6 cm (14 in.)	replacement of prosthesis  15.70 15.70 15.70 17.99 17.99 20.39 20.39 20.39 15.70 15.70 17.99	20.94 20.94 23.21 23.21 25.80 25.80 20.94 20.94 20.94 23.21	
ULTRA WOOL 3 – 5 PLY  Width: 15.2 cm (6 in.)  3495363 length: 25.4 cm (10 in.)  3495371 length: 30.5 cm (12 in.)  3495389 length: 35.6 cm (14 in.)  3495405 length: 40.6 cm (16 in.)  3495413 length: 50.8 cm (20 in.)  3495421 length: 55.9 cm (22 in.)  3495439 length: 61.0 cm (24 in.)  Width: 17.8 cm (7 in.)  3495447 length: 25.4 cm (10 in.)  3495454 length: 30.5 cm (12 in.)  3495462 length: 35.6 cm (14 in.)  3495470 length: 40.6 cm (16 in.)	replacement of prosthesis  15.70 15.70 17.99 17.99 20.39 20.39 20.39 20.39 15.70 15.70 17.99 17.99 17.99	20.94 20.94 23.21 23.21 25.80 25.80 25.80 20.94 20.94 23.21 23.21	
ULTRA WOOL 3 – 5 PLY  Width: 15.2 cm (6 in.)  3495363 length: 25.4 cm (10 in.)  3495371 length: 30.5 cm (12 in.)  3495389 length: 35.6 cm (14 in.)  3495405 length: 40.6 cm (16 in.)  3495413 length: 50.8 cm (20 in.)  3495421 length: 55.9 cm (22 in.)  3495439 length: 61.0 cm (24 in.)  Width: 17.8 cm (7 in.)  3495447 length: 25.4 cm (10 in.)  3495454 length: 30.5 cm (12 in.)  3495462 length: 35.6 cm (14 in.)  3495470 length: 40.6 cm (16 in.)  3495488 length: 45.7 cm (18 in.)	replacement of prosthesis  15.70 15.70 17.99 17.99 17.99 20.39 20.39 20.39 15.70 15.70 17.99 17.99 17.99 17.99	20.94 20.94 23.21 23.21 25.80 25.80 25.80 20.94 20.94 23.21 23.21 23.21	
ULTRA WOOL 3 – 5 PLY  Width: 15.2 cm (6 in.)  3495363 length: 25.4 cm (10 in.)  3495371 length: 30.5 cm (12 in.)  3495389 length: 35.6 cm (14 in.)  3495405 length: 40.6 cm (16 in.)  3495413 length: 50.8 cm (20 in.)  3495421 length: 55.9 cm (22 in.)  3495439 length: 61.0 cm (24 in.)  Width: 17.8 cm (7 in.)  3495447 length: 25.4 cm (10 in.)  3495454 length: 30.5 cm (12 in.)  3495462 length: 35.6 cm (14 in.)  3495470 length: 40.6 cm (16 in.)  3495488 length: 45.7 cm (18 in.)  3495496 length: 50.8 cm (20 in.)	replacement of prosthesis  15.70 15.70 17.99 17.99 20.39 20.39 20.39 20.39 15.70 15.70 17.99 17.99 17.99 17.99 20.39	20.94 20.94 23.21 23.21 25.80 25.80 20.94 20.94 20.94 23.21 23.21 23.21 23.21 23.21	
ULTRA WOOL 3 – 5 PLY  Width: 15.2 cm (6 in.)  3495363 length: 25.4 cm (10 in.)  3495371 length: 30.5 cm (12 in.)  3495389 length: 35.6 cm (14 in.)  3495405 length: 40.6 cm (16 in.)  3495413 length: 50.8 cm (20 in.)  3495421 length: 55.9 cm (22 in.)  3495439 length: 61.0 cm (24 in.)  Width: 17.8 cm (7 in.)  3495447 length: 25.4 cm (10 in.)  3495454 length: 30.5 cm (12 in.)  3495462 length: 35.6 cm (14 in.)  3495470 length: 40.6 cm (16 in.)  3495488 length: 45.7 cm (18 in.)	replacement of prosthesis  15.70 15.70 17.99 17.99 17.99 20.39 20.39 20.39 15.70 15.70 17.99 17.99 17.99 17.99	20.94 20.94 23.21 23.21 25.80 25.80 25.80 20.94 20.94 23.21 23.21 23.21	

72 Updated: January 1, 2021

Width: 20.3 cm (8 in.)	4= 00		
3495520 length: 25.4 cm (10 in.)	17.99	23.21	
3495538 length: 30.5 cm (12 in.)	17.99	23.21	
3495546 length: 35.6 cm (14 in.)	17.99	23.21	
3495553 length: 40.6 cm (16 in.)	20.39	25.80	
3495561 length: 45.7 cm (18 in.)	20.39	25.80	
3495579 length: 50.8 cm (20 in.)	20.39	25.80	
3495587 length: 55.9 cm (22 in.)	23.58	28.93	
3495595 length: 61.0 cm (24 in.)	23.58	28.93	
Width: 22.9 cm (9 in.)			
3495603 length: 25.4 cm (10 in.)	17.99	23.21	
3495611 length: 30.5 cm (12 in.)	17.99	23.21	
3495629 length: 35.6 cm (14 in.)	20.39	25.80	
3495637 length: 40.6 cm (16 in.)	20.39	25.80	
3495645 length: 45.7 cm (18 in.)	20.39	25.80	
3495652 length: 50.8 cm (20 in.)	23.58	28.93	
3495660 length: 55.9 cm (22 in.)	23.58	28.93	
3495678 length: 61.0 cm (24 in.)	23.58	28.93	
Width: 25.4 cm (10 in.)			
3495686 length: 25.4 cm (10 in.)	17.99	23.21	
3495694 length: 30.5 cm (12 in.)	20.39	25.80	
3495702 length: 35.6 cm (14 in.)	20.39	25.80	
5 . 5 5 , 5 2 1011 gain 5 5 10 0 111 (1 1 1111.)	20.57		
3495710 length: 40.6 cm (16 in.)	20.39	25.80	
· · · · · · · · · · · · · · · · · · ·		25.80 28.93	
3495710 length: 40.6 cm (16 in.)	20.39		
3495710 length: 40.6 cm (16 in.) 3495728 length: 45.7 cm (18 in.)	20.39 23.58	28.93	
3495710 length: 40.6 cm (16 in.) 3495728 length: 45.7 cm (18 in.) 3495736 length: 50.8 cm (20 in.)	20.39 23.58 23.58	28.93 28.93	
3495710 length: 40.6 cm (16 in.) 3495728 length: 45.7 cm (18 in.) 3495736 length: 50.8 cm (20 in.) 3495744 length: 55.9 cm (22 in.)	20.39 23.58 23.58 23.58	28.93 28.93 28.93	
3495710 length: 40.6 cm (16 in.) 3495728 length: 45.7 cm (18 in.) 3495736 length: 50.8 cm (20 in.) 3495744 length: 55.9 cm (22 in.) 3495751 length: 61.0 cm (24 in.)	20.39 23.58 23.58 23.58	28.93 28.93 28.93	
3495710 length: 40.6 cm (16 in.) 3495728 length: 45.7 cm (18 in.) 3495736 length: 50.8 cm (20 in.) 3495744 length: 55.9 cm (22 in.) 3495751 length: 61.0 cm (24 in.) Width: 30.5 cm (12 in.)	20.39 23.58 23.58 23.58 23.58	28.93 28.93 28.93 28.93	
3495710 length: 40.6 cm (16 in.) 3495728 length: 45.7 cm (18 in.) 3495736 length: 50.8 cm (20 in.) 3495744 length: 55.9 cm (22 in.) 3495751 length: 61.0 cm (24 in.) Width: 30.5 cm (12 in.) 3495769 length: 25.4 cm (10 in.)	20.39 23.58 23.58 23.58 23.58 23.58	28.93 28.93 28.93 28.93	
3495710 length: 40.6 cm (16 in.) 3495728 length: 45.7 cm (18 in.) 3495736 length: 50.8 cm (20 in.) 3495744 length: 55.9 cm (22 in.) 3495751 length: 61.0 cm (24 in.) Width: 30.5 cm (12 in.) 3495769 length: 25.4 cm (10 in.) 3495777 length: 30.5 cm (12 in.)	20.39 23.58 23.58 23.58 23.58 20.39 23.58	28.93 28.93 28.93 28.93 25.80 26.06	
3495710 length: 40.6 cm (16 in.) 3495728 length: 45.7 cm (18 in.) 3495736 length: 50.8 cm (20 in.) 3495744 length: 55.9 cm (22 in.) 3495751 length: 61.0 cm (24 in.) Width: 30.5 cm (12 in.) 3495769 length: 25.4 cm (10 in.) 3495777 length: 30.5 cm (12 in.) 3495785 length: 35.6 cm (14 in.) 3495793 length: 40.6 cm (16 in.)	20.39 23.58 23.58 23.58 23.58 23.58 23.58 23.58 23.58 23.58 23.58	28.93 28.93 28.93 28.93 25.80 26.06 28.93 28.93	
3495710 length: 40.6 cm (16 in.) 3495728 length: 45.7 cm (18 in.) 3495736 length: 50.8 cm (20 in.) 3495744 length: 55.9 cm (22 in.) 3495751 length: 61.0 cm (24 in.) Width: 30.5 cm (12 in.) 3495769 length: 25.4 cm (10 in.) 3495777 length: 30.5 cm (12 in.) 3495785 length: 35.6 cm (14 in.)	20.39 23.58 23.58 23.58 23.58 23.58 23.58 23.58 23.58 23.58 23.58 23.58 23.58 23.68 23.78  Maximum price Max Purchase or at t replacement of replacement of replacement of replacement of replacement at t replacement of replacement o	28.93 28.93 28.93 28.93 25.80 26.06 28.93 28.93 28.93	
3495710 length: 40.6 cm (16 in.) 3495728 length: 45.7 cm (18 in.) 3495736 length: 50.8 cm (20 in.) 3495744 length: 55.9 cm (22 in.) 3495751 length: 61.0 cm (24 in.) Width: 30.5 cm (12 in.) 3495769 length: 25.4 cm (10 in.) 3495777 length: 30.5 cm (12 in.) 3495785 length: 35.6 cm (14 in.) 3495793 length: 40.6 cm (16 in.)	20.39 23.58 23.58 23.58 23.58 23.58 23.58 23.58 23.58 23.58 23.58	28.93 28.93 28.93 28.93 25.80 26.06 28.93 28.93	
3495710 length: 40.6 cm (16 in.) 3495728 length: 45.7 cm (18 in.) 3495736 length: 50.8 cm (20 in.) 3495744 length: 55.9 cm (22 in.) 3495751 length: 61.0 cm (24 in.) Width: 30.5 cm (12 in.) 3495769 length: 25.4 cm (10 in.) 3495777 length: 30.5 cm (12 in.) 3495785 length: 35.6 cm (14 in.) 3495793 length: 40.6 cm (16 in.)	20.39 23.58 23.58 23.58 23.58 23.58 23.58 23.58 23.58 23.58 23.58 23.58 23.58 23.68 23.78  Maximum price Max Purchase or at t replacement of replacement of replacement of replacement of replacement at t replacement of replacement o	28.93 28.93 28.93 28.93 25.80 26.06 28.93 28.93 28.93	
3495710 length: 40.6 cm (16 in.) 3495728 length: 45.7 cm (18 in.) 3495736 length: 50.8 cm (20 in.) 3495744 length: 55.9 cm (22 in.) 3495751 length: 61.0 cm (24 in.) Width: 30.5 cm (12 in.) 3495769 length: 25.4 cm (10 in.) 3495777 length: 30.5 cm (12 in.) 3495785 length: 35.6 cm (14 in.) 3495793 length: 40.6 cm (16 in.)  Description	20.39 23.58 23.58 23.58 23.58 23.58 23.58 23.58 23.58 23.58 23.58 23.58 23.58 23.68 23.78  Maximum price Max Purchase or at t replacement of replacement of replacement of replacement of replacement at t replacement of replacement o	28.93 28.93 28.93 28.93 25.80 26.06 28.93 28.93 28.93	
3495710 length: 40.6 cm (16 in.) 3495728 length: 45.7 cm (18 in.) 3495736 length: 50.8 cm (20 in.) 3495744 length: 55.9 cm (22 in.) 3495751 length: 61.0 cm (24 in.)  Width: 30.5 cm (12 in.)  3495769 length: 25.4 cm (10 in.) 3495777 length: 30.5 cm (12 in.) 3495785 length: 35.6 cm (14 in.) 3495793 length: 40.6 cm (16 in.)  Description	20.39 23.58 23.58 23.58 23.58 23.58 23.58 23.58 23.58 23.58 23.58 23.58 23.58 23.68 23.78  Maximum price Max Purchase or at t replacement of replacement of replacement of replacement of replacement at t replacement of replacement o	28.93 28.93 28.93 28.93 25.80 26.06 28.93 28.93 28.93	
3495710 length: 40.6 cm (16 in.) 3495728 length: 45.7 cm (18 in.) 3495736 length: 50.8 cm (20 in.) 3495744 length: 55.9 cm (22 in.) 3495751 length: 61.0 cm (24 in.) Width: 30.5 cm (12 in.) 3495769 length: 25.4 cm (10 in.) 3495777 length: 30.5 cm (12 in.) 3495785 length: 35.6 cm (14 in.) 3495793 length: 40.6 cm (16 in.)  Description  WOOL AND LYCRA  Extra narrow short	20.39 23.58 23.58 23.58 23.58 23.58 23.58 23.58 23.58 23.58  Maximum price Purchase or replacement of prosthesis	28.93 28.93 28.93 28.93 25.80 26.06 28.93 28.93 imum price the time of accement of socks	
3495710 length: 40.6 cm (16 in.) 3495728 length: 45.7 cm (18 in.) 3495736 length: 50.8 cm (20 in.) 3495744 length: 55.9 cm (22 in.) 3495751 length: 61.0 cm (24 in.)  Width: 30.5 cm (12 in.)  3495769 length: 25.4 cm (10 in.) 3495777 length: 30.5 cm (12 in.) 3495785 length: 35.6 cm (14 in.) 3495793 length: 40.6 cm (16 in.)  Description  WOOL AND LYCRA  Extra narrow short  3495801 Extra light	20.39 23.58 23.58 23.58 23.58 23.58 23.58 23.58 23.58  Maximum price Max 20.39 23.58 23.58 23.58 23.58 23.58 23.58	28.93 28.93 28.93 28.93 25.80 26.06 28.93 28.93 imum price the time of acement of socks	
3495710 length: 40.6 cm (16 in.) 3495728 length: 45.7 cm (18 in.) 3495736 length: 50.8 cm (20 in.) 3495744 length: 55.9 cm (22 in.) 3495751 length: 61.0 cm (24 in.)  Width: 30.5 cm (12 in.)  3495769 length: 25.4 cm (10 in.) 3495777 length: 30.5 cm (12 in.) 3495785 length: 35.6 cm (14 in.) 3495793 length: 40.6 cm (16 in.)  Description  WOOL AND LYCRA  Extra narrow short  3495801 Extra light 3495819 Light	20.39 23.58 23.58 23.58 23.58 23.58 23.58 23.58  Maximum price Max 20.39 23.58 23.58 23.58 23.58  Maximum price purchase or replacement of prosthesis	28.93 28.93 28.93 28.93 25.80 26.06 28.93 28.93 imum price time of acement of socks	

	Narrow short				
2405942	Extra light	15.14	20.47		
3495850		16.02	21.40		
3495868		17.08	22.30		
	Very thick	17.08	23.21		
3493670	•	17.99	23.21		
	Narrow long or wide short				
3495884	Extra light	17.51	22.75		
3495892	Light	18.43	23.81		
3495900	Thick	19.35	24.73		
3495918	Very thick	20.26	25.60		
	Wide long				
	•				
	Extra light	20.26	25.60		
3495934		21.31	26.52		
3495942		22.22	27.43		
3495959	Very thick	23.58	28.93		
		Maximum price	Maximum price		
	Description	Purchase or	at the time of		
	Bescription	replacement of	replacement of		
		prosthesis	socks		
	COTTON 3 – 5 PLY				
	Width: 15.2 cm (6 in.)				
3405067		7.72	12.08		
	length: 25.4 cm (10 in.)	7.73 8.64	13.08		
3495975	length: 25.4 cm (10 in.) length: 30.5 cm (12 in.)	8.64	14.00		
3495975 3495983	length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.)	8.64 9.53	14.00 14.87		
3495975 3495983 3495991	length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.)	8.64 9.53 10.44	14.00 14.87 15.81		
3495975 3495983 3495991 3496007	length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.)	8.64 9.53 10.44 11.17	14.00 14.87 15.81 16.57		
3495975 3495983 3495991 3496007 3496015	length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.)	8.64 9.53 10.44 11.17 12.07	14.00 14.87 15.81 16.57 17.48		
3495975 3495983 3495991 3496007 3496015 3496023	length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.)	8.64 9.53 10.44 11.17 12.07 13.00	14.00 14.87 15.81 16.57 17.48 18.36		
3495975 3495983 3495991 3496007 3496015 3496023 3496031	length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.)	8.64 9.53 10.44 11.17 12.07 13.00 14.37	14.00 14.87 15.81 16.57 17.48 18.36 19.54		
3495975 3495983 3495991 3496007 3496015 3496023 3496031 3496049	length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.) length: 66.0 cm (26 in.)	8.64 9.53 10.44 11.17 12.07 13.00 14.37 15.28	14.00 14.87 15.81 16.57 17.48 18.36 19.54 20.64		
3495975 3495983 3495991 3496007 3496015 3496023 3496031 3496049	length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.) length: 66.0 cm (26 in.) length: 71.1 cm (28 in.)	8.64 9.53 10.44 11.17 12.07 13.00 14.37	14.00 14.87 15.81 16.57 17.48 18.36 19.54		
3495975 3495983 3495991 3496007 3496015 3496023 3496031 3496049 3496056	length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.) length: 71.1 cm (28 in.) Width: 17.8 cm (7 in.)	8.64 9.53 10.44 11.17 12.07 13.00 14.37 15.28 16.16	14.00 14.87 15.81 16.57 17.48 18.36 19.54 20.64 21.55		
3495975 3495983 3495991 3496007 3496015 3496023 3496031 3496049 3496056	length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.) length: 66.0 cm (26 in.) length: 71.1 cm (28 in.) Width: 17.8 cm (7 in.)	8.64 9.53 10.44 11.17 12.07 13.00 14.37 15.28 16.16	14.00 14.87 15.81 16.57 17.48 18.36 19.54 20.64 21.55		
3495975 3495983 3495991 3496007 3496015 3496023 3496031 3496049 3496056	length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.) length: 71.1 cm (28 in.) Width: 17.8 cm (7 in.) length: 25.4 cm (10 in.) length: 30.5 cm (12 in.)	8.64 9.53 10.44 11.17 12.07 13.00 14.37 15.28 16.16	14.00 14.87 15.81 16.57 17.48 18.36 19.54 20.64 21.55		
3495975 3495983 3495991 3496007 3496015 3496023 3496031 3496049 3496056 3496064 3496072 3496080	length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.) length: 71.1 cm (28 in.) Width: 17.8 cm (7 in.) length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.)	8.64 9.53 10.44 11.17 12.07 13.00 14.37 15.28 16.16 8.44 9.38 10.44	14.00 14.87 15.81 16.57 17.48 18.36 19.54 20.64 21.55		
3495975 3495983 3495991 3496007 3496015 3496023 3496031 3496049 3496056 3496064 3496072 3496080 3496098	length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.) length: 71.1 cm (28 in.) Width: 17.8 cm (7 in.) length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.)	8.64 9.53 10.44 11.17 12.07 13.00 14.37 15.28 16.16 8.44 9.38 10.44 11.66	14.00 14.87 15.81 16.57 17.48 18.36 19.54 20.64 21.55		
3495975 3495983 3495991 3496007 3496015 3496023 3496031 3496049 3496056 3496064 3496072 3496080 3496098 3496106	length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.) length: 66.0 cm (26 in.) length: 71.1 cm (28 in.)  Width: 17.8 cm (7 in.) length: 35.6 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.)	8.64 9.53 10.44 11.17 12.07 13.00 14.37 15.28 16.16 8.44 9.38 10.44 11.66 13.00	14.00 14.87 15.81 16.57 17.48 18.36 19.54 20.64 21.55		
3495975 3495983 3495991 3496007 3496015 3496023 3496031 3496049 3496056 3496064 3496072 3496080 3496098 3496106 3496114	length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.) length: 71.1 cm (28 in.) Width: 17.8 cm (7 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.)	8.64 9.53 10.44 11.17 12.07 13.00 14.37 15.28 16.16 8.44 9.38 10.44 11.66 13.00 14.20	14.00 14.87 15.81 16.57 17.48 18.36 19.54 20.64 21.55		
3495975 3495983 3495991 3496007 3496015 3496023 3496031 3496049 3496056 3496064 3496072 3496080 3496098 3496114 3496114 3496122	length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.) length: 71.1 cm (28 in.) Width: 17.8 cm (7 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 45.7 cm (18 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.)	8.64 9.53 10.44 11.17 12.07 13.00 14.37 15.28 16.16 8.44 9.38 10.44 11.66 13.00 14.20 15.28	14.00 14.87 15.81 16.57 17.48 18.36 19.54 20.64 21.55 13.68 14.59 15.81 16.84 18.36 19.54 20.47		
3495975 3495983 3495991 3496007 3496015 3496023 3496031 3496049 3496056 3496064 3496072 3496080 3496098 3496106 3496114 3496122 3496130	length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.) length: 71.1 cm (28 in.)  Width: 17.8 cm (7 in.)  length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 55.9 cm (22 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.)	8.64 9.53 10.44 11.17 12.07 13.00 14.37 15.28 16.16 8.44 9.38 10.44 11.66 13.00 14.20 15.28 16.34	14.00 14.87 15.81 16.57 17.48 18.36 19.54 20.64 21.55 13.68 14.59 15.81 16.84 18.36 19.54 20.47 21.55		
3495975 3495983 3495991 3496007 3496015 3496023 3496031 3496049 3496056 3496064 3496072 3496080 3496098 3496106 3496114 3496122 3496130 3496148	length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.) length: 71.1 cm (28 in.)  Width: 17.8 cm (7 in.)  length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 55.9 cm (22 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.) length: 66.0 cm (26 in.)	8.64 9.53 10.44 11.17 12.07 13.00 14.37 15.28 16.16 8.44 9.38 10.44 11.66 13.00 14.20 15.28 16.34 17.51	14.00 14.87 15.81 16.57 17.48 18.36 19.54 20.64 21.55 13.68 14.59 15.81 16.84 18.36 19.54 20.47 21.55 22.75		
3495975 3495983 3495991 3496007 3496015 3496023 3496031 3496049 3496056 3496064 3496072 3496080 3496098 3496106 3496114 3496122 3496130 3496148	length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.) length: 71.1 cm (28 in.)  Width: 17.8 cm (7 in.)  length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 55.9 cm (22 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.)	8.64 9.53 10.44 11.17 12.07 13.00 14.37 15.28 16.16 8.44 9.38 10.44 11.66 13.00 14.20 15.28 16.34	14.00 14.87 15.81 16.57 17.48 18.36 19.54 20.64 21.55 13.68 14.59 15.81 16.84 18.36 19.54 20.47 21.55		

Width: 20.3 cm (8 in.)		
3496163 length: 25.4 cm (10 in.)	9.81	15.05
3496171 length: 30.5 cm (12 in.)	10.74	16.10
3496189 length: 35.6 cm (14 in.)	12.07	17.33
3496197 length: 40.6 cm (16 in.)	13.15	18.56
3496205 length: 45.7 cm (18 in.)	14.37	19.54
3496213 length: 50.8 cm (20 in.)	15.42	20.79
3496221 length: 55.9 cm (22 in.)	16.78	21.99
3496239 length: 61.0 cm (24 in.)	17.99	23.36
3496247 length: 66.0 cm (26 in.)	19.20	24.57
3496254 length: 71.1 cm (28 in.)	20.72	25.93
Width: 22.9 cm (9 in.)		
3496262 length: 25.4 cm (10 in.)	11.03	16.41
3496270 length: 30.5 cm (12 in.)	12.26	17.63
3496288 length: 35.6 cm (14 in.)	13.60	18.98
3496296 length: 40.6 cm (16 in.)	14.78	20.16
3496304 length: 45.7 cm (18 in.)	16.34	21.68
3496312 length: 50.8 cm (20 in.)	17.51	22.91
3496320 length: 55.9 cm (22 in.)	18.89	24.11
3496338 length: 61.0 cm (24 in.)	19.93	25.30
3496346 length: 66.0 cm (26 in.)	21.31	26.67
3496353 length: 71.1 cm (28 in.)	22.81	28.19
Width: 25.4 cm (10 in.)		
3496361 length: 25.4 cm (10 in.)	12.26	17.63
3496379 length: 30.5 cm (12 in.)	13.47	18.80
3496387 length: 35.6 cm (14 in.)	15.14	20.47
3496395 length: 40.6 cm (16 in.)	16.34	21.68
3496403 length: 45.7 cm (18 in.)	17.70	22.91
3496411 length: 50.8 cm (20 in.)	19.20	24.57
3496429 length: 55.9 cm (22 in.)	20.52	25.93
3496437 length: 61.0 cm (24 in.)	21.91	27.27
3496445 length: 66.0 cm (26 in.)	23.11	28.32
3496452 length: 71.1 cm (28 in.)	24.47	29.85
Width: 30.5 cm (12 in.)		
3496460 length: 25.4 cm (10 in.)	16.60	21.85
3496478 length: 30.5 cm (12 in.)	17.70	23.06
3496486 length: 35.6 cm (14 in.)	19.35	24.73
3496494 length: 40.6 cm (16 in.)	20.72	25.93
3496502 length: 45.7 cm (18 in.)	22.05	27.27
3496510 length: 50.8 cm (20 in.)	23.40	28.79
3496528 length: 55.9 cm (22 in.)	24.77	30.13
3496536 length: 61.0 cm (24 in.)	26.27	31.52
3496544 length: 66.0 cm (26 in.)	27.35	32.73
3496551 length: 71.1 cm (28 in.)	28.71	34.07

	Maximum price	Maximum price	
Description	Purchase or	at the time of	
Description	replacement of	replacement of	
	prosthesis	socks	
WOOL 5-PLY	•		
3496569 length: 30.5 cm (12 in.)	9.81	15.05	
3496577 length: 33.0 cm (13 in.)	10.28		
3496585 length: 35.6 cm (14 in.)	10.44		
3496593 length: 38.1 cm (15 in.)	11.17	16.41	
• , ,			
3496601 length: 40.6 cm (16 in.)	11.48	16.84	
3496619 length: 45.7 cm (18 in.)	12.26	17.63	
	Maximum price	Maximum price	
	Purchase or	at the time of	
Description	replacement of	replacement of	
	prosthesis	socks	
	productio	Journ	
WOOL 3-5 PLY			
Width (max.): 15.2 cm (6 in.)			
3496627 width (min.): 7.6, 8.9, 10.2 cm (3, 3½, 4 in.)	9.97	15.35	
length: 20.3 cm (8 in.)			
3496635 width (min.): 7.6 cm (3 in.) length: 25.4 cm (10 in.)	9.97	15.35	
5 170055 width (him.). 7.0 cm (5 m.) length. 25.1 cm (10 m.)	7.71	13.33	
3496643 width (min.): 8.9 cm (3½ in.) length: 25.4 cm	10.28	15.52	
(10 in.)	10.20	13.32	
3496650 width (min.): 10.2 cm (4 in.) length: 25.4 cm	10.58	15.02	
· · · · · · · · · · · · · · · · · · ·	10.38	15.93	
(10 in.)	44.00		
3496668 width (min.): 7.6 cm (3 in.) length: 30.5 cm (12 in.)	11.03	16.41	
3496676 width (min.): 8.9 cm (3½ in.) length: 30.5 cm	11.17	16.57	
(12 in.)			
3496684 width (min.): 10.2 cm (4 in.) length: 30.5 cm	11.66	16.84	
(12 in.)			
3496692 width (min.): 7.6 cm (3 in.) length: 35.6 cm (14 in.)	12.26	17.63	
5 150052 widen (min.). 7.0 cm (5 m.) rengen. 55.0 cm (1 m.)	12.20	17.03	
3496700 width (min.): 8.9 cm (3½ in.) length: 35.6 cm	12.55	17.92	
· · · · · · · · · · · · · · · · · · ·	12.33	17.92	
(14 in.)	10.00	10.66	
3496718 width (min.): 10.2 cm (4 in.) length: 35.6 cm	12.86	18.23	
(14 in.)			
3496726 width (min.): 7.6 cm (3 in.) length: 40.6 cm (16 in.)	13.27	18.67	
3496734 width (min.): 8.9 cm (3½ in.) length: 40.6 cm	13.60	18.80	
(16 in.)			
3496742 width (min.): 10.2 cm (4 in.) length: 40.6 cm	14.05	19.43	
(16 in.)	1 1.03	17.13	
(10 III.)			

Width	(max.):	17.8 cm	(7 in.)	)
-------	---------	---------	---------	---

3496759	width (min.): 8.9, 10.2, 11.4, 12,7 cm (3½, 4, 4½, 5 in.) length: 20.3 cm (8 in.)	11.17	16.57
3496767	width (min.): 8.9 cm (3½ in.) length: 25.4 cm	10.58	15.93
	(10 in.) width (min.): 10.2 cm (4 in.) length: 25.4 cm	11.03	16.41
3496783	(10 in.) width (min.): 11.4 cm (4½ in.) length: 25.4 cm	11.66	16.84
3496791	(10 in.) width (min.): 12.7 cm (5 in.) length: 25.4 cm	12.55	17.92
	(10 in.) width (min.): 8.9 cm (3½ in.) length: 30.5 cm	11.66	16.99
3496817	(12 in.) width (min.): 10.2 cm (4 in.) length: 30.5 cm	12.26	17.63
3496825	(12 in.) width (min.): 11.4 cm (4½ in.) length: 30.5 cm	12.86	18.23
3496833	(12 in.) width (min.): 12.7 cm (5 in.) length: 30.5 cm	13.60	18.80
3496841	(12 in.) width (min.): 8.9 cm (3½ in.) length: 35.6 cm	13.60	18.80
	(14 in.) width (min.): 10.2 cm (4 in.) length: 35.6 cm	13.74	19.16
	(14 in.) width (min.): 11.4 cm (4½ in.) length: 35.6 cm	14.51	19.72
	(14 in.) width (min.): 12.7 cm (5 in.) length: 35.6 cm	15.14	20.47
3496882	(14 in.) width (min.): 8.9 cm (3½ in.) length: 40.6 cm	14.78	20.05
3496890	(16 in.) width (min.): 10.2 cm (4 in.) length: 40.6 cm	15.28	20.64
	(16 in.) width (min.): 11.4 cm (4½ in.) length: 40.6 cm	15.88	21.08
	(16 in.) width (min.): 12.7 cm (5 in.) length: 40.6 cm	16.60	21.85
	(16 in.)		
	Width (max.): 20.3 cm (8 in.)		
3496924	width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 20.3 cm (8 in.)	12.86	18.23
3496932	width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 25.4 cm (10 in.)	12.66	18.08
3496940	width (min.):10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 30.5 cm (12 in.)	14.20	19.54
3496957	width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 35.6 cm (14 in.)	15.54	20.94
3496965	width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 40.6 cm (16 in.)	17.34	22.75

# DIVISION IV: LOWER-LIMB ORTHOSES SUBDIVISION 1: TIBIAL ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2140564	Tibial orthosis with unilateral upright	585.43			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Regular stirrup Ankle free joint. aluminum (1) Rigid metal cuff with leather or thermoplastic jacket, including cover				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2135507	Regular stirrup	N. C.	128.82		
	Ankle free joint, aluminum	N. C.			
2135903	Rigid metal cuff with leather or thermoplastic jacket, including cover	N. C.	169.22		3
	OPTIONAL COMPONENTS				
2135523	Laminated or molded plastic stirrup, made from mold of insured person	350.14	445.22		
2135606	Single malleolar strap	109.86	153.95		
2135614	Double malleolar strap	128.95	174.82		
	Ankle spring joint, aluminum, single	8.23	175.74		
	Ankle free joint, stainless steel, single	58.94			
2135812	Ankle spring joint, stainless steel, single	79.46	251.12		
2135929	Double-action ankle spring joint, aluminum, single	35.63	207.29		
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (1/4 in.)	69.15	69.15		
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm ( $\frac{1}{4}$ in.)	23.56	23.56		
	SUPPLEMENTS AVAILABLE				
3492501	Cane	10.19	10.19		
3492550	Crutches with axillary support, height-adjustable	20.38	20.38		
3492551	Crutches with forearm support, height-adjustable	56.05	56.05		
	ADJUSTMENTS AVAILABLE				
	Stirrup changeover Any pertinent adjustment			84.32	

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2140507	Tibial orthosis with bilateral uprights	700.29	•		6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Regular stirrup Ankle free joints, aluminum (2) Rigid metal cuff with leather or thermoplastic jacket, including cover Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2135507	Regular stirrup Ankle free joints, aluminum	N. C.	128.82		
2135846		N. C.	308.99		
2135655	•	N. A.			
	Rigid metal cuff with leather or thermoplastic	N. C.	169.22		
	jacket, including cover				
2195527	Retention straps, each	N. C.	36.98		
	OPTIONAL COMPONENTS				
2135531	Rectangular stirrup	53.82	175.58		
	Laminated or molded plastic stirrup, made from mold of insured person	350.14	445.22		
	Single malleolar strap	109.86	153.95		
	Double malleolar strap	128.95			
	Rectangular stirrup	120.73	1,		
2135747		16.45	292.95		
2135853		N. A.			
	Ankle free joints, stainless steel				
2135861	pair	136.66	395.80		
2135671	single	N. A.	230.49		
	Ankle spring joints, stainless steel				
2135879	•	158.95			
2135689	single	N. A.	251.12		

Double-action ankle spring joints, aluminum			
2135887 pair	71.25	347.75	
2135754 single	N. A.	207.29	
2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (1/4 in.)	69.15	69.15	
2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	23.56	23.56	
SUPPLEMENTS AVAILABLE			
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	
ADJUSTMENTS AVAILABLE			
2136752 Stirrup changeover Any pertinent adjustment			84.32

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2140572 Molded plastic tibial orthosis, made from plaster or digital mold of insured person	592.37	,		6
BASIC COMPONENTS AND SUPPLEMENTS				
Molded plastic anterior or posterior shell with infra-patellar support extending under foot Calf and foot retention straps				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
2195527 Retention straps, each	N. C.	36.98		
OPTIONAL COMPONENTS				
2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (1/4 in.)	69.15	69.15		
2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	23.56	23.56		
2155828 Ankle free joints with overlapping Gilette ankle joints	69.69	N. A.		

2155646 pair	164.89	143.74	
2155893 single	N. A.	91.08	
Oklahoma ankle joints			
2155653 pair	158.10	136.96	
2155901 single	N. A.	88.58	
Wafer ankle joints			
2155661 pair	177.20	156.09	
2155919 single	N. A.	98.11	
Tamarak ankle joints			
2155679 pair	171.78	150.63	
2155927 single	N. A.	95.40	
Gaffney ankle joints			
2155687 pair	185.70	162.85	
2155935 single	N. A.	100.63	
2195584 Full thermoformable foam lining for night orthosis	84.58	138.29	
SUPPLEMENTS AVAILABLE			
SULL EWIENTS AVAILABLE			
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	
ADJUSTMENT AVAILABLE			
Any pertinent adjustment			

DEVICE	Maximum price Purchase or	Replacement of	Maximum adjustement	Guarantee
	replacement of device	component or supplement		(months)

234.94

6

2140580 Molded plastic tibial orthosis, prefabricated

#### BASIC COMPONENTS AND SUPPLEMENTS

Rigid molded plastic posterior shell, one-piece, including calf and extending under foot, prefabricated or rigid spiral band

Calf and foot retention straps

NOTICE: This orthosis has neither a hinge, nor an upright, nor a rigid lateral band, and cannot be inserted into a conventional shoe. Therefore, it is not a walking boot.

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

	BASIC COMPONENTS				
2195527	Retention straps, each	N. C.	36.98		1
	OPTIONAL COMPONENTS				
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (1/4 in.)	69.15	69.15		
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional $0.6\ cm\ (\frac{1}{4}\ in.)$	23.56	23.56		
2195584	Full thermoformable foam lining for night orthosis	84.58	138.29		
	SUPPLEMENTS AVAILABLE				
	Cane Crutches with axillary support, height-adjustable Crutches with forearm support, height-adjustable	10.19 20.38 56.05	10.19 20.38 56.05		
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2140002	Tibial orthosis for leg shortened by 7.6 cm (3 in.) or more, excluding any prosthetic knee joint	2,495.16			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	SACH foot Polyester or acrylic tibial shell with tibial or foot support Retention straps				
	Polyester or acrylic tibial shell with tibial or foot support				
	Polyester or acrylic tibial shell with tibial or foot support Retention straps  COMPONENTS AND SUPPLEMENTS				
	Polyester or acrylic tibial shell with tibial or foot support Retention straps  COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS SACH foot Polyester or acrylic tibial shell with tibial or foot	N. C. N. C.	322.38 N. A.		
1125483	Polyester or acrylic tibial shell with tibial or foot support Retention straps  COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS SACH foot				
1125483 2195527	Polyester or acrylic tibial shell with tibial or foot support Retention straps  COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS SACH foot Polyester or acrylic tibial shell with tibial or foot support Retention straps, each	N. C.	N. A.		

2155943 single Knee joints with ring lock (Becker 1002-B4)	N. A.	231.03
2155604 pair 2155950 single Knee joints with lock, Swiss-type (Becker 1003-	367.83 N. A.	454.11 278.53
B4) 2155703 pair 2155968 single	447.77 N. A.	550.88 323.40
Polycentric knee joints (USMC-0225-10) 2155638 pair 2155976 single	348.92 N. A.	434.86 238.92
Polycentric knee joints, for child (Becker 1006-C8)	11.71	230.72
2155711 pair 2155984 single Eccentric uniaxial knee free joints (Becker 1008-	489.76 N. A.	576.00 310.78
B4) 2155562 pair 2155992 single  Feogratio prioriel sing knowicints (Rocker 1012)	414.34 N. A.	500.63 302.11
Eccentric uniaxial ring knee joints (Becker 1012-B4) 2155729 pair 2156016 single	432.24 N. A.	518.50 308.04
2155745 Thigh lacer with two metal bands with femoral leather jacket	224.45	285.66
2155737 Complete or full leather thigh lacer, without ischiatic support	147.86	402.00
2155752 Complete or full leather thigh lacer, with leather ischiatic support	302.08	566.53
2155760 Molded plastic femoral shell without ischiatic support	300.20	386.39
2155778 Molded plastic femoral shell with molded plastic ischiatic support	383.44	506.01
2175610 Pelvic belt and metal band 2175511 Pelvic belt (leather)	294.13 N. A.	317.17 228.33
2175578 Replacement of pelvic belt metal band	N. A.	178.82
2175594 Hip joint (metal part), all types	307.24	353.06
3492501 Cane 3492550 Crutches with axillary support, height-adjustable	10.19 20.38	10.19 20.38
3492551 Crutches with forearm support, height-adjustable ADJUSTMENT AVAILABLE	56.05	56.05
Any pertinent adjustment		

## **SUBDIVISION 2: TIBIOFEMORAL ORTHOSES**

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Molded plastic non-articulated tibiofemoral orthosis, made from plaster or digital mold of insured person	812.98			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Molded plastic splint, thigh, knee and leg Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2195527	Retention straps, each	N. C.	36.98		
	OPTIONAL COMPONENTS				
2135705 2125524	Abduction rod Knee cap and straps External build-up on shoe for limb fitted with orthosis, for the first 0.6 cm (1/4 in.) External build-up on shoe for limb fitted with	130.48 108.15 69.15	152.22 69.15		
	orthosis, each additional 0.6 cm (1/4 in.) SUPPLEMENTS AVAILABLE				
		10.19 20.38 56.05	20.38		
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2150548	Tibiofemoral orthosis with joint(s), prefabricated	809.69			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	One or two knee(s) free(s) joint(s) Femoral and tibial rigid cuffs Retention straps				

COMPONENTS AND SUPPLEMENTS AVAILABLE			
BASIC COMPONENTS			
2195527 Retention straps, each	N. C.	36.98	
OPTIONAL COMPONENTS			
2125524 External build-up on shoe for limb fitted with orthosis, for the first 0.6 cm (1/4 in.)	69.15	69.15	
2125532 External build-up on shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	23.56	23.56	
SUPPLEMENTS AVAILABLE			
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable 3492551 Crutches with forearm support, height-adjustable	20.38 56.05	20.38 56.05	
ADJUSTMENT AVAILABLE			
Any pertinent adjustment			
	Maximum price Maxi	mum nrice	

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2150555 Tibiofemoral anti-recurvatum knee orthosis, Swedish-type, prefabricated	396.70			6
BASIC COMPONENTS AND SUPPLEMENTS				
Metal structure Rigid cuffs Retention straps				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
2195527 Retention straps, each OPTIONAL COMPONENTS	N. C.	36.98		
2125524 External build-up on shoe for limb fitted with orthosis, for the first 0.6 cm (1/4 in.)	69.15	69.15		
2125532 External build-up on shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	23.56	23.56		

CLIDDI	EMENTS	Δ \/ Δ ΙΙ	<b>ARIF</b>
SUFFI		AVAII	ADLE

3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05

### ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Dynamic knee orthosis, made from plaster or digital mold of insured person	1,192.22			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Plastic or metal femoral and tibial rigid cuffs				
	One or two polycentric(s) knee(s) free joint(s), aluminum (USMC F08-200-1000)				
	Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Polycentric knee free joints, aluminum (USMC F08-200-1000)				
2155786		N. C.			
2155471	•	N. A.			
2195527	Retention straps, each	N. C.	36.98		
	OPTIONAL COMPONENTS				
	Polycentric knee free joints, steel (USMC F08-220-1000)				
2155836	pair	45.22	374.73		
	Polycentric knee joints with lock, aluminum	N. A.	235.31		
	(USMC F08-200-4000)	•••	266.20		
2155794	-	38.37	366.39		
2155455	Polycentric knee joints with lock, steel (USMC F08-220-4000)	N. A.	231.15		
2155844		90.46	418.47		
2155448	•	N. A.			

SCHEDULE 1 Tariff for devices	which compensate for	a motor deficiency	and insured rela	ited services
			(auther	ntic version)
2155851 pair	N. C.	327.99		
2155430 single	N. A.	211.94		
Variable amplitude knee joints, steel (USMC F08 200-1001)	8-			
2155869 pair	45.22	374.73		
155422 single	N. A.			
135705 Knee cap and straps	108.15	152.22		
125524 External build-up on shoe for limb fitted with orthosis, for the first 0.6 cm (¼ in.)	69.15	69.15		
2125532 External build-up on shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	23.56	23.56		
SUPPLEMENTS AVAILABLE				
492501 Cane	10.19	10.19		
492550 Crutches with axillary support, height-adjustable				
492551 Crutches with forearm support, height-adjustable		56.05		
ADJUSTMENT AVAILABLE				
None				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarante (months)
150597 Adjustable knee orthosis designed to limit flexion and extension movements (Donjoy, Generation I prefabricated				6
BASIC COMPONENTS AND SUPPLEMENTS	S			
Rigid plastic cuffs, with foam Metal knee joints with ratchet				

Metal knee joints with ratchet Retention straps COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS 2195527 Retention straps, each N. C. 36.98 SUPPLEMENTS AVAILABLE 3492501 Cane 10.19 10.19 3492550 Crutches with axillary support, height-adjustable 20.38 20.38 3492551 Crutches with forearm support, height-adjustable 56.05 56.05 ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

## **SUBDIVISION 3: FEMORAL ORTHOSES**

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2160505	Articulated femoral orthosis with rigid metal femoral and tibial cuffs	1,540.43			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Regular stirrup Ankle free joints, aluminum (2) Knee free joints, aluminum (2) (Becker S-2005-B4) Thigh lacer with two rigid metal bands and leather femoral jacket and metal cuff with leather or thermoplastic tibial jacket Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2135556	Regular stirrup Rigid metal cuff with leather or thermoplastic tibial jacket Ankle free joints, aluminum	N. C. N. C.			
2135846 2135655	pair	N. C. N. A.			
	single Thigh lacer with two rigid metal bands and leather femoral jacket	N. C. N. A. N. C.	228.34 285.66		
2195527	Retention straps, each OPTIONAL COMPONENTS	N. C.	36.98		
2135523	Rectangular stirrup Laminated or molded plastic stirrup, made from mold of insured person	53.82 350.14	445.22		
2135614	Single malleolar strap Double malleolar strap Knee cap and straps	109.86 128.95 108.15	174.82		

Ankle spring joints, aluminum			
2135747 pair	16.45	292.95	
2135853 single	N. A.	188.94	
Double-action ankle spring joints, aluminum	14. 74.	100.54	
Bodole detion dilate spring joints, drainingin			
2135887 pair	71.25	347.75	
2135754 single	N. A.	207.29	
Knee joints with ring lock (Becker 1002-B4)			
, , , , , , , , , , , , , , , , , , , ,			
2155521 pair	91.80	454.11	
2155406 single	N. A.	309.92	
Knee joints with lock, Swiss-type (Becker 1003-			
B4)			
2155547 pair	228.86	550.88	
2155398 single	N. A.	323.40	
Polycentric knee joints (USMC-0225-10)			
2155554 pair	72.62	434.86	
2155380 single	N. A.	230.71	
Polycentric knee joints, for child (Becker 1006-C8)			
2155877 pair	215.13	576.00	
2155372 single	N. A.	300.50	
Eccentric uniaxial knee free joints (Becker 1008-			
B4)			
2155588 pair	139.74	500.63	
2155364 single	N. A.	341.14	
Eccentric uniaxial ring knee joints (Becker 1012-			
B4)	156.20	<b>710.70</b>	
2155885 pair	156.20	518.50	
2155356 single	N. A.	312.03	
2155737 Complete or full leather thigh lacer, without ischiatic support	147.86	402.00	
2155752 Complete or full leather thigh lacer, with leather ischiatic support	302.08	566.53	
2125508 External build-up on orthosis or shoe for limb fitted	69.15	69.15	
with orthosis, first 0.6 cm (1/4 in.)			
2125516 External build-up on orthosis or shoe for limb fitted	23.56	23.56	
with orthosis, each additional 0.6 cm (¼ in.)	23.30	23.30	
with offiosis, each additional 0.0 cm (74 m.)			
SUPPLEMENTS AVAILABLE			
	10.10	10.10	
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	
ADJUSTMENTS AVAILABLE			
2126752 Stirmin changeaver			84.32
2136752 Stirrup changeover Any pertinent adjustment			04.32
Any pertinent adjustment			

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Molded plastic articulated femoral orthosis, made from plaster or digital mold of insured person	1,474.96			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Molded plastic femoral shell without ischiatic support Knee free joints, aluminum (2) (Becker S-2005-B4)				
	Molded plastic anterior or posterior tibial shell extending under foot Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS				
	Molded plastic femoral shell without ischiatic support	N. C.	384.83		
2155810	Molded plastic anterior or posterior tibial shell extending under foot Knee free joints, aluminum (Becker S-2005-B4)	N. C.	429.55		
2155513	pair	N. C.	360.75		
2155414	single	N. A.	228.34		
2195527	Retention straps, each	N. C.	36.98		
	OPTIONAL COMPONENTS				
2135820	Regular stirrup	88.64	128.82		
	Ankle free joints with overlapping	69.69			
	Gilette ankle joints				
2155646	pair	164.89	143.74		
2155893	=	N. A.	91.08		
2155653	Oklahoma ankle joints	158.10	136.96		
2155901	=	N. A.			
	Wafer ankle joints	11. 11.	00.50		
2155661	•	177.20	156.09		
2155919	<u> </u>	N. A.	98.11		
	Tamarak ankle joints	. <b>.</b>	4 = 0 < 0		
2155679		171.78			
2155927	Gaffney ankle joints	N. A.	95.40		
	Garmey annie juiits				

2155935 single	N. A.	100.63	
2135606 Single malleolar strap	109.86	153.95	
2135705 Knee cap and straps	108.15	152.22	
Ankle spring joints, aluminum			
2135747 pair	16.45	292.95	
2135853 single	N. A.	188.94	
Double-action ankle spring joints, aluminum			
2135887 pair	71.25	347.75	
2135754 single	N. A.	207.29	
Knee joints with ring lock (Becker 1002-B4)			
2155521 pair	91.80	454.11	
2155406 single	N. A.	309.92	
Knee joints with lock, Swiss-type (Becker 1003-			
B4)			
2155547 pair	228.86	550.88	
2155398 single	N. A.	323.40	
Polycentric knee joints (USMC-0225-10)			
2155554 pair	72.62	434.86	
2155380 single	N. A.	230.71	
Polycentric knee joints, for child (Becker 1006-C8)			
2155877 pair	215.13	576.00	
2155372 single	N. A.	300.50	
Eccentric uniaxial knee free joints (Becker 1008-			
B4)			
2155588 pair	139.74	500.63	
2155364 single	N. A.	341.14	
Eccentric uniaxial ring knee joints (Becker 1012-			
B4)			
2155885 pair	156.20	518.50	
2155356 single	N. A.	312.03	
2155497 Molded plastic ischiatic support	106.88	N. A.	
2155489 Molded plastic femoral shell with molded plastic	N. A.	500.47	
ischiatic support			
2125508 External build-up on orthosis or shoe for limb fitted	69.15	69.15	
with orthosis, first 0.6 cm (¼ in.)			
2125516 External hazild are an authoris an about for limb fitted	22.56	22.56	
2125516 External build-up on orthosis or shoe for limb fitted	23.56	23.56	
with orthosis, each additional 0.6 cm (1/4 in.)			
SUPPLEMENTS AVAILABLE			
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	
	30.03	50.05	
ADJUSTMENTS AVAILABLE			
2136752 Stirrup changeover			84.32
Any pertinent adjustment			

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Articulated femoral orthosis with rigid metal femoral cuffs and molded plastic posterior or anterior tibial shell, made from plaster or digital mold of insured person	1,503.70	1		6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Thigh lacer with two rigid metal bands and femoral leather jacket				
	Knee free joints, aluminum (2) (Becker S-2005-B4)				
	Molded plastic posterior or anterior tibial shell extending under foot Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Thigh lacer with two rigid metal bands and femoral leather jacket	N. C.	285.66		
2155810	Molded plastic posterior or anterior tibial shell extending under foot Knee free joints, aluminum (Becker S-2005-B4)	N. C.	429.55		
2155513	pair	N. C.	360.75		
2155414	<u>*</u>	N. A.			
	Retention straps, each	N. C.			
	OPTIONAL COMPONENTS				
	Ankle free joints with overlapping	69.69	N. A.		
	Gilette ankle joints				
2155646	•	164.89	143.74		
2155893	•	N. A.			
	Oklahoma ankle joints				
2155653	•	158.10			
2155901	single Wafer ankle joints	N. A.	88.58		
2155661		177.20	156.09		
2155919	<u>*</u>	N. A.			
	Tamarak ankle joints				
2155679		171.78	150.63		
2155927		N. A.	95.40		
	Gaffney ankle joints				

2155687 pair	185.70	162.85
2155935 single	N. A.	100.52
2135606 Single malleolar strap	109.86	153.95
2135705 Knee cap and straps	108.15	152.22
Ankle spring joints, aluminum		
2135747 pair	16.45	292.95
2135853 single	N. A.	188.94
Double-action ankle spring joints, aluminum		
1 83		
2135887 pair	71.25	347.75
2135754 single	N. A.	207.29
Knee joints with ring lock (Becker 1002-B4)		
<b>j</b>		
2155521 pair	91.80	454.11
2155406 single	N. A.	309.92
Knee joints with lock, Swiss-type (Becker 1003-		
B4)		
2155547 pair	228.86	550.88
2155398 single	N. A.	323.40
Polycentric knee joints (USMC-0225-10)	1.1.12	0200
2155554 pair	72.62	434.86
2155380 single	N. A.	230.71
Polycentric knee joints, for child (Becker 1006-C8)	11.71.	230.71
101,000,000		
2155877 pair	215.13	576.00
2155372 single	N. A.	300.50
Eccentric uniaxial knee free joints (Becker 1008-		
B4)		
2155588 pair	139.74	500.63
2155364 single	N. A.	341.14
Eccentric uniaxial ring knee joints (Becker 1012-		
B4)		
2155885 pair	156.20	518.50
2155356 single	N. A.	312.03
2155737 Complete or full leather thigh lacer, without	147.86	402.00
ischiatic support		
2155752 Complete or full leather thigh lacer, with leather	302.08	566.53
ischiatic support		
2125508 External build-up on orthosis or shoe for limb fitted	69.15	69.15
with orthosis, first 0.6 cm (¼ in.)		
	22.56	22.56
2125516 External build-up on orthosis or shoe for limb fitted	23.56	23.56
with orthosis, each additional 0.6 cm (¼ in.)		
SUPPLEMENTS AVAILABLE		
3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05
5472551 Crutones with forearm support, neight-adjustable	30.03	50.05

### ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

				(authentic version)	
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2160802	Articulated femoral orthosis with molded plastic femoral shell, made from plaster or digital mold of insured person, and rigid metal cuff with tibial leather jacket	1,684.77			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Regular stirrup Ankle free joints, aluminum (2) Knee free joints, aluminum (2) (Becker S-2005-B4) Rigid metal cuff with leather or thermoplastic jacket, including tibial cover				
	Molded plastic femoral shell without ischiatic support Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Regular stirrup Rigid metal cuff with leather or thermoplastic jacket, including tibial cover	N. C. N. C.			
2135739 2135655	1	N. C. N. A.			
	Knee free joints, aluminum (Becker S-2005-B4)				
2155513 2155414 2155802		N. C. N. A. N. C.	228.34		
2195527	Retention straps, each	N. C.	36.98		
	OPTIONAL COMPONENTS				
	Rectangular stirrup Laminated or molded plastic stirrup, made from mold of insured person	53.82 350.14			
2135614	Single malleolar strap Double malleolar strap Knee cap and straps	109.86 128.95 108.15	174.82		
	Ankle spring joints, aluminum				

## Double-action ankle spring joints, aluminum

2135887 pair	71.25	347.75	
2135754 single	N. A.	207.29	
Knee joints with ring lock (Becker 1002-B4)			
,			
2155521 pair	91.80	454.11	
2155406 single	N. A.	309.92	
Knee joints with lock, Swiss-type (Becker 1003-			
B4)			
2155547 pair	228.86	550.88	
2155398 single	N. A.	323.40	
Polycentric knee joints (USMC-0225-10)			
2155554 pair	72.62	434.86	
2155380 single	N. A.	230.71	
Polycentric knee joints, for child (Becker 1006-C8)			
2155877 pair	215.13	576.00	
2155372 single	N. A.	300.50	
Eccentric uniaxial knee free joints (Becker 1008-			
B4)			
2155588 pair	139.74	500.63	
2155364 single	N. A.	341.14	
Eccentric uniaxial ring knee joints (Becker 1012-			
B4)			
2155885 pair	156.20	518.50	
2155356 single	N. A.	312.03	
2155497 Molded plastic ischiatic support	106.88	N. A.	
2155489 Molded plastic femoral shell with molded plastic ischiatic support	N. A.	500.47	
2125508 External build-up on orthosis or shoe for limb fitted	69.15	69.15	
with orthosis, first 0.6 cm (¼ in.)			
2125516 External build-up on orthosis or shoe for limb fitted	23.56	23.56	
with orthosis, each additional 0.6 cm (¼ in.)			
SUPPLEMENTS AVAILABLE			
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	
ADJUSTMENTS AVAILABLE			
2136752 Stirrup changeover			84.32
Any pertinent adjustment			07.52
The pertinent adjustment			

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2160547	Molded plastic non-articulated femoral orthosis, made from plaster or digital mold of insured person	914.01			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Molded plastic splint, thigh, knee, leg and foot				
	Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2195527	Retention straps, each	N. C.	36.98		
	OPTIONAL COMPONENTS				
2135705	Knee cap and straps	108.15	152.22		
2195550	Abduction rod	130.48	153.56		
	Molded plastic ischiatic support	106.88			
	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (1/4 in.)	69.15			
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional $0.6 \text{ cm} (\frac{1}{4} \text{ in.})$	23.56	23.56		
	SUPPLEMENTS AVAILABLE				
3492501	Cane	10.19	10.19		
	Crutches with axillary support, height-adjustable	20.38	20.38		
	Crutches with forearm support, height-adjustable	56.05	56.05		
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2160539	Articulated femoral orthosis with unilateral upright with rigid metal femoral and tibial cuffs	1,191.97			6

Unilateral ankle free joint, aluminum
Unilateral knee free joint, aluminum (Becker S-2005-B4)
Rigid metal cuffs with leather femoral and tibial jacket, including cover
Retention straps

# COMPONENTS AND SUPPLEMENTS AVAILABLE

#### BASIC COMPONENTS

2135507 Regular stirrup	N. C.	128.82
2135556 Rigid metal cuff with leather tibial jacket, including cover	N. C.	169.22
2135895 Unilateral ankle free joint, aluminum	N. C.	174.19
2135770 Unilateral knee free joint, aluminum (Becker S-2005-B4)	N. C.	231.03
2195592 Rigid metal cuff with leather femoral jacket, including cover	N. C.	285.66
2195527 Retention straps, each	N. C.	36.98
OPTIONAL COMPONENTS		
2135523 Laminated or molded plastic stirrup, made from mold of insured person	350.14	445.22
2135606 Single malleolar strap	109.86	153.95
2135614 Double malleolar strap	128.95	174.82
2135705 Knee cap and straps	108.15	152.22
2135663 Ankle spring joint, aluminum	8.23	175.74
2135929 Double-action ankle spring joint, aluminum	35.63	207.29
2135788 Knee joint with ring lock (Becker 1002-B4)	46.56	274.98

2135796 Eccentric uniaxial knee free joint (Becker 1008-B4)	69.90	298.24	
2135804 Eccentric uniaxial ring knee joint (Becker 1012-B4)	78.10	309.48	
2175594 Hip joint (metal part), all types	307.24	353.06	
2175610 Pelvic belt and metal band	294.13	317.17	
2175511 Pelvic belt (leather)	N. A.	228.33	
2175578 Replacement of pelvic belt metal band	N. A.	178.82	
2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (1/4 in.)	69.15	69.15	
2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	23.56	23.56	
SUPPLEMENTS AVAILABLE			
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	
ADJUSTMENTS AVAILABLE			
2136752 Stirrup changeover Any pertinent adjustment			84.32

## **SUBDIVISION 4: COXOFEMORAL ORTHOSES**

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2170504	Articulated coxofemoral orthosis with rigid metal femoral and tibial cuffs	2,227.12			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Regular stirrup Ankle free joints, aluminum (2) Knee free joints, aluminum (2) (Becker S-2005-B4) Thigh lacer with two rigid metal bands and femoral leather jacket, including cover, and rigid metal cuff with leather or thermoplastic tibial jacket				
	Hip joint (metal part), all types				
	Retention straps Pelvic belt and metal band				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2135507	Regular stirrup Ankle free joints, aluminum	N. C.	128.82		
2135739		N. C.	284.99		
2135655	•	N. A.	174.19		
2195527	Retention straps, each	N. C.	36.98		
	Rigid metal cuff with leather or thermoplastic tibial jacket	N. C.	169.22		
	Knee free joints, aluminum (Becker S-2005-B4)				
2155513	pair	N. C.	360.75		
2155414	single	N. A.	228.34		
2195618	Thigh lacer with two rigid metal bands and femoral	N. C.	285.66		
	leather jacket, including cover				
2175560	Hip joint (metal part), all types	N. C.	353.06		
2175537	Pelvic belt and metal band	N. C.	317.17		
	OPTIONAL COMPONENTS				
2135531	Rectangular stirrup	53.82	175.58		
2135523	Laminated or molded plastic stirrup, made from mold of insured person	350.14			
2135606	Single malleolar strap	109.86	153.95		
	Knee cap and straps	108.15	152.22		
	Ankle spring joints, aluminum				
2135747	-	16.45			
	single	N. A.	188.94		

## Double-action ankle spring joints, aluminum

2135887 pair 2135754 single	71.25 N. A.	347.75 207.29
Knee joints with ring lock (Becker 1002-B4)		
2155521 pair	91.80	454.11
2155406 single	N. A.	309.92
Knee joints with lock, Swiss-type (Becker 1003-B4)		
2155547 pair	228.86	550.88
2155398 single	N. A.	323.40
Polycentric knee joints (USMC-0225-10)		
2155554 pair	72.62	434.86
2155380 single	N. A.	230.71
Polycentric knee joints, for child (Becker 1006-C8)		
2155877 pair	215.13	576.00
2155372 single	N. A.	300.50
Eccentric uniaxial knee free joints (Becker 1008-B4)		
2155588 pair	139.74	500.63
2155364 single	N. A.	341.14
Eccentric uniaxial ring knee joints (Becker 1012-B4)		
2155885 pair	156.20	518.50
2155356 single	N. A.	312.03
2175578 Replacement of pelvic belt metal band	N. A.	178.82
2175511 Pelvic belt (leather)	N. A.	228.33
2155737 Complete or full leather thigh lacer, without	147.86	402.00
ischiatic support		
2155752 Complete or full leather thigh lacer, with leather ischiatic support	302.08	566.53
2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (1/4 in.)	69.15	69.15
2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	23.56	23.56

SUPPLEMENTS AVAILABLE			
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	
ADJUSTMENTS AVAILABLE			
2136752 Stirrup changeover Any pertinent adjustment			84.32

DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2170603 Molded plastic articulated coxofer made from plaster or digital mold		2,141.46			6
BASIC COMPONENTS AND SU	JPPLEMENTS				
Molded plastic femoral shell with support Knee free joints, aluminum (2) (E B4) Hip joint (metal part), all types					
Molded plastic posterior or anterior extending under foot Retention straps Pelvic belt and metal band	or tibial shell				
COMPONENTS AND SUPPLEM AVAILABLE	MENTS				
BASIC COMPONENTS					
2155802 Molded plastic femoral shell with support	out ischiatic	N. C.	384.83		
2155810 Molded plastic posterior or anterior extending under foot Knee free joints, aluminum (Beck		N. C.	429.55		
2155513 pair 2155414 single 2175560 Hip joint (metal part), all types		N. C. N. A. N. C.			
2195527 Retention straps, each 2175537 Pelvic belt and metal band		N. C. N. C.	36.98 317.17		
OPTIONAL COMPONENTS 2175578 Replacement of pelvic belt metal	hand	N A	170 02		
•	vanu	N. A.			
2175511 Pelvic belt (leather)		N. A.	228.33		

2155828 Ankle free joints with overlapping	69.69	N. A.	
Gilette ankle joints			
2155646 pair	164.89	143.74	
2155893 single	N. A.	91.08	
Oklahoma ankle joints			
2155653 pair	158.10	136.96	
2155901 single	N. A.	88.58	
Wafer ankle joints			
2155661 pair	177.20	156.09	1
2155919 single	N. A.	98.11	
Tamarak ankle joints			
2155679 pair	171.78	150.63	
2155927 single	N. A.	95.40	
Gaffney ankle joints			
2155687 pair	185.70	162.85	
2155935 single	N. A.	100.63	
2135606 Single malleolar strap	109.86	153.95	
2135705 Knee cap and straps	108.15	152.22	
Ankle spring joints, aluminum			
2135747 pair	16.45	292.95	
2135853 single	N. A.	188.94	
2135820 Regular stirrup	88.64	128.82	
Double-action ankle spring joints, aluminum	00.04	120.02	
Double-action ankle spring joints, ardininum			
2135887 pair	71.25	347.75	
2135754 single	N. A.	207.29	
Knee joints with ring lock (Becker 1002-B4)		,,	
y			
2155521 pair	91.80	454.11	
2155406 single	N. A.	309.92	
Knee joints with lock, Swiss-type (Becker 1003-			
B4)			
2155547 pair	228.86	550.88	
2155398 single	N. A.	323.40	
Polycentric knee joints (USMC-0225-10)	112.	020.10	
2155554 pair	72.62	434.86	
2155380 single	N. A.	230.71	
Polycentric knee joints, for child (Becker 1006-C8)	11.71.	230.71	
<b>,,</b> , (= (=			
2155877 pair	215.13	576.00	
2155372 single	N. A.	300.50	
Eccentric uniaxial knee free joints (Becker 1008-			
B4)			
2155588 pair	139.74	500.63	
2155364 single	N. A.	341.14	
Eccentric uniaxial ring knee joints (Becker 1012-	- /• 12•	- · - · ·	
B4)			
2155885 pair	156.20	518.50	
2155356 single	N. A.	312.03	
	1 (* 1 <b>1</b>	2.2.02	

Tariff for devices which compensate for a motor deficiency and insured re	lated services
(auth	entic version)

			(authentic version)
2155489 Molded plastic femoral shell with molded plastic ischiatic support	N. A.	500.47	
2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (1/4 in.)	69.15	69.15	
2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	23.56	23.56	
SUPPLEMENTS AVAILABLE			
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	
ADJUSTMENTS AVAILABLE			
2136752 Stirrup changeover Any pertinent adjustment			84.32

SCHEDULE 1

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2170702 Articulated coxofemoral orthosis with rigid metal femoral cuffs and molded plastic posterior or anterior tibial shell, made from plaster or digital mold of insured person	2,205.72			6
BASIC COMPONENTS AND SUPPLEMENTS				
Thigh lacer with two rigid metal bands and femoral leather jacket Knee free joints, aluminum (2) (Becker S-2005-B4) Hip joint (metal part), all types	I			
Molded plastic posterior or anterior tibial shell extending under foot Retention straps Pelvic belt and metal band				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
2195501 Thigh lacer with two rigid metal bands and femoral leather jacket	N. C.	285.66		
2155810 Molded plastic posterior or anterior tibial shell extending under foot Knee free joints, aluminum (Becker S-2005-B4)	N. C.	429.55		

2195527 Retention straps, each	N. C.	36.98
2175560 Hip joint (metal part), all types	N. C.	353.06
2175537 Pelvic belt and metal band	N. C.	317.17
OPTIONAL COMPONENTS		
2155828 Ankle free joints with overlapping	69.69	N. A.
Gilette ankle joints	03.03	1,712
2155646 pair	164.89	143.74
2155893 single	N. A.	91.08
Oklahoma ankle joints		,
2155653 pair	158.10	136.96
2155901 single	N. A.	88.58
Wafer ankle joints		
2155661 pair	177.20	156.09
2155919 single	N. A.	98.11
Tamarak ankle joints	1-1-0	4.70.60
2155679 pair	171.78	150.63
2155927 single	N. A.	95.40
Gaffney ankle joints	185.70	162.05
2155687 pair 2155935 single	183.70 N. A.	162.85 100.63
Ankle spring joints, aluminum	IV. A.	100.03
2135747 pair	16.45	292.95
2135853 single	N. A.	188.94
Double-action ankle spring joints, aluminum	- 11	
1 00		
2135887 pair	71.25	347.75
2135754 single	N. A.	207.29
2135606 Single malleolar strap	109.86	153.95
Knee joints with ring lock (Becker 1002-B4)		
2155521 pair	91.80	454.11
2155406 single	N. A.	309.92
Knee joints with lock, Swiss-type (Becker 1003-	11.71.	507.72
B4)		
2155547 pair	228.86	550.88
2155398 single	N. A.	323.40
Polycentric knee joints (USMC-0225-10)		
2155554 pair	72.62	434.86
2155380 single	N. A.	230.71
Polycentric knee joints, for child (Becker 1006-C8)		
2155877 pair	215.13	576.00
2155377 pair 2155372 single	N. A.	300.50
21000,2 Single	11. 11.	500.50

6

Eccentric uniaxial knee free joints (Becker 1008-B4)				
2155588 pair	139.74	500.63		
2155364 single	N. A.			
Eccentric uniaxial ring knee joints (Becker 1012-				
B4)				
2155885 pair	156.20	518.50		
2155356 single	N. A.	312.03		
2135705 Knee cap and straps	108.15	152.22		
2155737 Complete or full leather thigh lacer, without ischiatic support	147.86	402.00		
2155752 Complete or full leather thigh lacer, with leather ischiatic support	302.08	566.53		
2175578 Replacement of pelvic belt metal band	N. A.	178.82		
2175511 Pelvic belt (leather)	N. A.	228.33		
2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (1/4 in.)	69.15	69.15		
2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	23.56	23.56		
SUPPLEMENTS AVAILABLE				
3492501 Cane	10.19	10.19		
3492550 Crutches with axillary support, height-adjustable	20.38	20.38		
3492551 Crutches with forearm support, height-adjustable	56.05	56.05		
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of	Maximum price Replacement of component or	Maximum adjustement price	Guarantee (months)

DEVICE	replacement of device	component or supplement	adjustement price	(m
2170801 Articulated coxofemoral orthosis with molded plastic femoral shell, made from plaster or digital	2,488.12			

BASIC COMPONENTS AND SUPPLEMENTS

mold of insured person, and rigid metal cuff with

Regular stirrup

Ankle free joints, aluminum (2)

leather or thermoplastic tibial jacket

Knee free joints, aluminum (2) (Becker S-2005-B4)

Rigid metal cuff with leather or thermoplastic jacket, including tibial cover

# COMPONENTS AND SUPPLEMENTS AVAILABLE

### BASIC COMPONENTS

2135507 Regular stirrup	N. C.	128.82
2135556 Rigid metal cuff with leather or thermoplastic	N. C.	169.22
jacket, including tibial cover		
Knee free joints, aluminum (Becker S-2005-B4)		
2155513 pair	N. C.	360.75
2155414 single	N. A.	228.34
Ankle free joints, aluminum		
2135739 pair	N. C.	284.99
2135655 single	N. A.	174.19
2155802 Molded plastic femoral shell without ischiatic	N. C.	384.83
support		
2175560 Hip joint (metal part), all types	N. C.	353.06
2195527 Retention straps, each	N. C.	36.98
2175537 Pelvic belt and metal band	N. C.	317.17
ODTIONAL COMPONENTS		
OPTIONAL COMPONENTS		
2135531 Rectangular stirrup	53.82	175.58
2135523 Molded or laminated plastic stirrup, made from	350.14	445.22
mold of insured person		
2135606 Single malleolar strap	109.86	153.95
2135614 Double malleolar strap	128.95	174.82
2135705 Knee cap and straps	84.48	115.29
Ankle spring joints, aluminum		
2135747 pair	16.45	292.95
2135853 single	N. A.	188.94
Double-action ankle spring joints, aluminum		
2135887 pair	71.25	347.75
2135754 single	N. A.	207.29
Knee joints with ring lock (Becker 1002-B4)	11.11.	207.29
2155521 pair	91.80	454.11
2155406 single	N. A.	309.92
Knee joints with lock, Swiss-type (Becker 1003-B4)		
2155547 pair	228.86	550.88
2155398 single	N. A.	323.40
Polycentric knee joints (USMC-0225-10)		
2155554 pair	72.62	434.86
2155380 single	N. A.	230.71

84.32

2136752 Stirrup changeover

----- Any pertinent adjustment

Polycentric knee joints, for child (Becker 1006-C8)

2155877 pair	215.13	576.00
2155372 single	N. A.	300.50
Eccentric uniaxial knee free joints (Becker 1008-		
B4)		
2155588 pair	139.74	500.63
2155364 single	N. A.	341.14
Eccentric uniaxial ring knee joints (Becker 1012-		
B4)		
2155885 pair	156.20	518.50
2155356 single	N. A.	312.03
2155497 Molded plastic ischiatic support	106.88	N. A.
2155489 Molded plastic femoral shell with molded plastic	N. A.	500.47
ischiatic support		
2125508 External build-up on orthosis or shoe for limb fitted	69.15	69.15
with orthosis, first 0.6 cm (1/4 in.)		
2125516 External build-up on orthosis or shoe for limb fitted	23.56	23.56
with orthosis, each additional 0.6 cm (¼ in.)		
2175578 Replacement of pelvic belt metal band	N. A.	178.82
2175511 Pelvic belt (leather)	N. A.	228.33
SUPPLEMENTS AVAILABLE		
SUPPLEMENTS AVAILABLE		
3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05
11 / C J		
ADJUSTMENTS AVAILABLE		

## SUBDIVISION 5: BILATERAL LOWER-LIMB ORTHOSES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2190502 Femoral derotation orthosis	132.52			6
BASIC COMPONENTS AND SUPPLEMENTS				
Metal bar with ratchet, fixed to shoes  COMPONENT AND SUPPLEMENT  AVAILABLE				
2195551 Articulated metal bar 3325500 Boots with rigid footplate and soft shell for Ponseti method	91.27	N. A.		
pair single ADJUSTMENTS AVAILABLE	337.26 N. A.			
2196509 Shoe changeover (unriveted) 2196517 Shoe changeover (riveted) Any pertinent adjustment			40.27 53.64	
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2190510 Coxofemoral derotation orthosis with torsion cable	566.43			6
BASIC COMPONENTS AND SUPPLEMENTS				
Regular stirrup Torsion cable Pelvic belt (leather) Hip free joint (metal part) COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
2135507 Regular stirrup 2195535 Torsion cable 2175586 Hip free joint (metal part)	N. C. N. C. N. C. N. C.	129.92 109.18		
2175602 Pelvic belt (leather)	N. C.	10,.10		
OPTIONAL COMPONENT	N. C.	203110		

20.38

20.38

SUPPLEMENTS AVAILABLE

3492550 Crutches with axillary support, height-adjustable

3492551 Crutches with forearm support, I ADJUSTMENTS AVAILABLE		56.05	56.05		
2136752 Stirrup changeover Any pertinent adjustment				84.32	
DEVICE		faximum price Purchase or eplacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2190528 Pelvifemoral abduction orthosis	, custom made	384.89			6
BASIC COMPONENTS AND S	SUPPLEMENTS				
Two plastic thigh cuffs Metal bar COMPONENT AND SUPPLEM None ADJUSTMENT AVAILABLE Any pertinent adjustment	MENT				
DEVICE		faximum price Purchase or eplacement of	Maximum price Replacement of component or	Maximum adjustement	Guarantee (months)
	-	device	supplement	price	(memon)
2190544 Molded plastic pelvifemoral aborehild, made from plaster or digit person		1,164.83			6
BASIC COMPONENTS AND S	SUPPLEMENTS				
Molded plastic orthosis Retention straps					
COMPONENTS AND SUPPLE AVAILABLE	EMENTS				
BASIC COMPONENTS					
2195527 Retention straps, each OPTIONAL COMPONENTS		N. C.	36.98		
2195550 Abduction rod		130.48			
3122603 Extension to feet inclusively 2135705 Knee cap and straps ADJUSTMENT AVAILABLE		666.42 108.15			

DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2190536 Pelvifemoral	orthosis, for young child	250.56	ó		6
BASIC COM	PONENTS AND SUPPLEMENTS				
Cloth harness	or prefabricated plastic splint				
COMPONEN AVAILABLI	IT AND SUPPLEMENT				
None					
ADJUSTME	NT AVAILABLE adjustment				
DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2180008 Articulated po Scottish Rite-	elvifemoral abduction orthosis,	1,568.52	2		6
BASIC COM	PONENTS AND SUPPLEMENTS				
femoral jacke Metal bar Universal join Pelvic band Retention stra	nts aps UTS AND SUPPLEMENTS				
BASIC COM	PONENTS				
2195600 Rigid metal c	uffs with leather or thermoplastic	N. C.	. 292.68		
2195527 Retention stra		N. C.	. 36.98		
SUPPLEME	NTS AVAILABLE				
3492550 Crutches with	axillary support, height-adjustable	20.38	3 20.38		
	n forearm support, height-adjustable NT AVAILABLE	56.05	56.05		
Any pertinent	adjustment				

### SUBDIVISION 6: ADDITIONAL COMPONENTS FOR TIBIAL, FEMORAL AND COXOFEMORAL ORTHOSES

	Maximum price Purchase or replacement of device  Maximum price of component alone	
2135564 Regular stirrup, additional 2135598 Rectangular stirrup, additional	88.64 109.06 141.16 171.37	

# **SUBDIVISION 7: LOWER-LIMB ORTHOSES**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2190601 Other lower-limb orthoses *	S. C.			6

<sup>\*</sup> When price is below that of the similar orthosis

# DIVISION V: UPPER-LIMB ORTHOSES SUBDIVISION 1: HAND ORTHOSES THAT MAY INCLUDE THE THUMB AND THE OTHER FINGERS

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Prefabricated passive orthosis for proximal and distal interphalangeal joints				2
	Thumb				
	If first finger	161.45			
2210011	If additional finger	38.61	N. A.		
	Index				
	If first finger	161.00			
2210037	If additional finger	38.61	N. A.		
	Middle finger				
	If first finger	161.00	N. A.		
2210052	If additional finger	38.61	N. A.		
	Ring finger				
	If first finger	161.00			
2210078	If additional finger	38.61	N. A.		
	Little finger				
2210086	If first finger	161.00	N. A.		
2210094	If additional finger	38.61	N. A.		
	BASIC COMPONENTS AND SUPPLEMENTS				
	Thermoplastic or metal splint Straps				
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Prefabricated dynamic orthosis for distal and/or proximal interphalangeal joints				2
	Thumb				
2210102	If first finger	156.88	N. A.		
	If additional finger	37.74			

Index		
2210128 If first finger	156.88	N. A.
2210136 If additional finger	37.74	N. A.
Middle finger		
2210144 If first finger	156.88	N. A.
2210151 If additional finger	37.74	N. A.
Ring finger		
2210169 If first finger	156.88	N. A.
2210177 If additional finger	37.74	N. A.
Little finger		
2210185 If first finger	156.88	N. A.
2210193 If additional finger	37.74	N. A.

#### BASIC COMPONENTS AND SUPPLEMENTS

Support pads Springs

COMPONENT AND SUPPLEMENT

**AVAILABLE** 

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)

2210516 Prefabricated dynamic orthosis for metacarpophalangeal joints

209.97

2

#### BASIC COMPONENTS AND SUPPLEMENTS

Metacarpal bars

Phalangeal bars

Articular pivots

Elastic bands

Piano wire

Other types of springs

COMPONENT AND SUPPLEMENT

**AVAILABLE** 

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
Passive thumb orthosis including carpometacarpal, metacarpophalangeal and interphalangeal joints, made from plaster or digital mold of insured person	371.42	2		2
BASIC COMPONENTS AND SUPPLEMENTS				
Molded component, thermoplastic or other material				
Straps				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
 Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
Molded plastic passive thumb orthosis including carpometacarpal, metacarpophalangeal and interphalangeal joints, made from mold of insured person or prefabricated	240.51	I		2
BASIC COMPONENTS AND SUPPLEMENTS				
Molded thermoplastic component Straps				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
 Any pertinent adjustment				

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2220028 Dynamic thumb orthosis, which may include carpometacarpal, metacarpophalangeal and interphalangeal joints, made from plaster or digital mold of insured person	502.47	1		2
BASIC COMPONENTS AND SUPPLEMENTS				
Stabilizing components Traction apparatus made with springs Piano wire, elastic bands Straps				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2220044 Molded plastic dynamic thumb orthosis, which may include carpometacarpal, metacarpophalangeal and interphalangeal joints, made from mold of insured person or prefabricated	310.17	7		2
BASIC COMPONENTS AND SUPPLEMENTS				
Stabilizing components Traction apparatus made with springs Piano wire, elastic bands Straps				
COMPONENT AND SUPPLEMENT AVAILABLE				
AVAILABLE				

#### **SUBDIVISION 2: WRIST AND HAND ORTHOSES**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2230548 Passive orthosis for wrist and hand including fingers and thumb, palmar or dorsal, made from plaster or digital mold of insured person	534.75			2
BASIC COMPONENTS AND SUPPLEMENTS				
Splint Straps Bilateral fixed joints for dorsal orthosis				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
OPTIONAL COMPONENT				
2231124 Finger separator, including straps	19.53	N. A.		
ADJUSTMENT AVAILABLE				
A second to the second				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Purchase or replacement of	Replacement of component or supplement	adjustement	
DEVICE  2230555 Molded plastic passive orthosis for wrist and hand including fingers and thumb, palmar or dorsal,	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
DEVICE  2230555 Molded plastic passive orthosis for wrist and hand including fingers and thumb, palmar or dorsal, made from mold of insured person or prefabricated	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
DEVICE  2230555 Molded plastic passive orthosis for wrist and hand including fingers and thumb, palmar or dorsal, made from mold of insured person or prefabricated  BASIC COMPONENTS AND SUPPLEMENTS  Thermoplastic splint Straps Bilateral fixed joints for dorsal orthosis COMPONENTS AND SUPPLEMENTS	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
DEVICE  2230555 Molded plastic passive orthosis for wrist and hand including fingers and thumb, palmar or dorsal, made from mold of insured person or prefabricated  BASIC COMPONENTS AND SUPPLEMENTS  Thermoplastic splint Straps Bilateral fixed joints for dorsal orthosis COMPONENTS AND SUPPLEMENTS AVAILABLE	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2230563	Passive orthosis for wrist, palmar or dorsal, including thumb extension, where applicable, made from plaster or digital mold of insured person	431.29			2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Thermoplastic splint, palmar or dorsal, or reinforced molded leather splint, including thumb extension, where applicable				
	Palmar or dorsal metacarpal bar Straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	OPTIONAL COMPONENT				
2231132	Full leather lining of thermoplastic splint	69.26	N. A.		
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2230571	Plastic or molded plastic passive orthosis for wrist, including thumb extension, where applicable, made from mold of insured person or prefabricated	309.96			2
	BASIC COMPONENTS AND SUPPLEMENTS				
	BASIC COMPONENTS AND SUPPLEMENTS  Plastic or molded plastic splint, prefabricated or made from mold of insured person, including thumb extension, where applicable				
	Plastic or molded plastic splint, prefabricated or made from mold of insured person, including				
	Plastic or molded plastic splint, prefabricated or made from mold of insured person, including thumb extension, where applicable Palmar or dorsal metacarpal bar				
	Plastic or molded plastic splint, prefabricated or made from mold of insured person, including thumb extension, where applicable Palmar or dorsal metacarpal bar Straps  COMPONENTS AND SUPPLEMENTS				

Maximum price Maximum price

~ ~		-		-	•
SC	нн	11)	ш	H.	1

2231165 Flexion glove	113.72	N. A.
2231140 Wrist free joints (incompatible with wrist traction	77.24	N. A.
apparatus)		
2231173 Wrist traction apparatus (incompatible with wrist	92.96	N. A.
free joints)		
ADJUSTMENT AVAILABLE		
Any pertinent adjustment		

DEVICE	Purchase or replacement of device	Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2230589 Prefabricated static wrist and dynamic finger orthosis, which may include Swanson-type thumb	610.23	3		2
BASIC COMPONENTS AND SUPPLEMENTS				
Transverse and longitudinal bars Palmar support Finger and thumb traction apparatus				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				

DEVICE	Maximum price Purchase or	Maximum price Replacement of	Maximum adjustement	Guarantee
DEVICE	replacement of device	component or supplement	price	(months)

#### 2230514 Custom-made tenodesis orthosis

----- Any pertinent adjustment

ADJUSTMENT AVAILABLE

870.34

2

#### BASIC COMPONENTS AND SUPPLEMENTS

Stabilizing components for thumb, index finger and middle finger
Metacarpophalangeal joints
Wrist joints

Forearm stabilizing component

Telescoping rod

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

### SUBDIVISION 3: ELBOW, WRIST AND HAND ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2250017	Molded plastic passive elbow orthosis, anterior or posterior, made from mold of insured person	418.49			2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Splint including arm and forearm Straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	OPTIONAL COMPONENTS				
2255511	Suspension strap	30.32	N. A.		
	Elbow pad and strap	108.15	152.22		
2255529	Uniaxial or polycentric bilateral elbow joints	94.03	N. A.		
3492659	Turnbuckle	92.46	N. A.		
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of	Maximum price Replacement of component or	Maximum adjustement	Guarantee (months)
		device	supplement	price	
2250009	Passive elbow orthosis, anterior or posterior, made from plaster or digital mold of insured person	_	supplement	price	2
2250009		device	supplement	price	
2250009	from plaster or digital mold of insured person	device	supplement	price	
2250009	from plaster or digital mold of insured person  BASIC COMPONENTS AND SUPPLEMENTS  Splint including arm and forearm	device	supplement	price	
2250009	from plaster or digital mold of insured person  BASIC COMPONENTS AND SUPPLEMENTS  Splint including arm and forearm Straps  COMPONENTS AND SUPPLEMENTS	device	supplement	price	
	from plaster or digital mold of insured person  BASIC COMPONENTS AND SUPPLEMENTS  Splint including arm and forearm  Straps  COMPONENTS AND SUPPLEMENTS  AVAILABLE	device		price	
2255511 2255503	from plaster or digital mold of insured person  BASIC COMPONENTS AND SUPPLEMENTS  Splint including arm and forearm  Straps  COMPONENTS AND SUPPLEMENTS  AVAILABLE  OPTIONAL COMPONENTS  Suspension strap  Elbow pad and strap	30.32 108.15	N. A. 152.22	price	
2255511 2255503	from plaster or digital mold of insured person  BASIC COMPONENTS AND SUPPLEMENTS  Splint including arm and forearm  Straps  COMPONENTS AND SUPPLEMENTS  AVAILABLE  OPTIONAL COMPONENTS  Suspension strap	device 538.22	N. A.	price	
2255511 2255503 2255529	from plaster or digital mold of insured person  BASIC COMPONENTS AND SUPPLEMENTS  Splint including arm and forearm  Straps  COMPONENTS AND SUPPLEMENTS  AVAILABLE  OPTIONAL COMPONENTS  Suspension strap  Elbow pad and strap	30.32 108.15	N. A. 152.22	price	
2255511 2255503 2255529	from plaster or digital mold of insured person  BASIC COMPONENTS AND SUPPLEMENTS  Splint including arm and forearm Straps  COMPONENTS AND SUPPLEMENTS AVAILABLE  OPTIONAL COMPONENTS Suspension strap Elbow pad and strap Uniaxial or polycentric bilateral elbow joints	30.32 108.15 94.03	N. A. 152.22 N. A.	price	

### SUBDIVISION 4: SHOULDER, ELBOW, WRIST AND HAND ORTHOSES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
Glenohumeral orthosis, made from plaster or digital mold of insured person	538.22			2
BASIC COMPONENTS AND SUPPLEMENTS				
Shoulder-to-epicondyle molded thermoplastic sleeve Thoracic straps Velcro straps for adjusting sleeve circumference				
COMPONENTS AND SUPPLEMENTS AVAILABLE OPTIONAL COMPONENT				
Suspension strap ADJUSTMENT AVAILABLE Any pertinent adjustment	30.32	N. A.		
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
Prefabricated adjustable passive abduction orthosis for the shoulder, elbow, wrist and hand airplane design	1,077.46			2
BASIC COMPONENTS AND SUPPLEMENTS Thoracic and pelvic support Adjustable shoulder and elbow joints Arm, forearm and hand splints Adjustable stabilizing bar between truncular and humeral support Anchor straps Pads				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
OPTIONAL COMPONENT				
Pelvihumeral mobilization bar ADJUSTMENT AVAILABLE Any pertinent adjustment	131.97	N. A.		

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2270015 Prefabricated glenohumeral orthosis	433.73	3		2
BASIC COMPONENTS AND SUPPLEMENTS				
Shoulder-to-epicondyle molded thermoplastic sleeve Thoracic straps Velcro straps for adjusting sleeve circumference				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				

# **SUBDIVISION 5: UPPER-LIMB ORTHOSES**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2290609 Other upper-limb orthoses *	S. C.			2

<sup>\*</sup> When the price is below that of the similar orthosis

Updated: January 1, 2021 123

# DIVISION VI: TRUNK AND CERVICAL ORTHOSES SUBDIVISION 1: TRUNK ORTHOSE

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2320505 Prefabricated lumbar sacral immobilization orthosis, to limit anteroposterior and lateral movements of the spine, molded plastic or metal structure, Harris, Knight or Williams-type	516.27	7		3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2320604 Lumbar sacral orthosis with rigid molded thermoplastic plate, made from mold of insured person (Ortho-mold-type)	326.13	3		3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2320513 Plastic lumbar sacral immobilization orthosis, made from plaster or digital mold of insured person	984.00	)		3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarante (months)
2340503 Custom-made rigid-frame dorsal lumbar immobilization orthosis (Taylor or Harris-Taylor-	703.64			3
COMPONENTS AND SUPPLEMENTS AVAILABLE				
OPTIONAL COMPONENTS				
3342508 Axilla crutch 2345502 Corrective pad	66.62 66.81			3 3
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarante (months)
2340602 Dorsal lumbar orthosis with rigid molded thermoplastic plate, made from mold of insured person (Ortho-mold-type)  COMPONENT AND SUPPLEMENT AVAILABLE	457.08			3
None				
ADJUSTMENT AVAILABLE Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarante (months)
2340701 Rigid dorsal lumbar immobilization orthosis covered in whale fabric (Taylor or Harris-Taylor-type) (Camp, Airway make)	385.96			3

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2340537 Plastic dorsal lumbar sacral immobilization orthosis with bilateral overlapping resulting from double molding, made from plaster or digital mold of insured person	1,566.19			3
COMPONENT AND SUPPLEMENT AVAILABLE				
3125500 Minerva cervical extension	255.50	386.69		
ADJUSTMENT AVAILABLE Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2340404 Prefabricated molded plastic dorsal lumbar sacral immobilization orthosis (Boston Overlap Bracetype)	616.62			3
COMPONENT AND SUPPLEMENT AVAILABLE				
3125500 Minerva cervical extension	255.50	386.69		
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)

Plastic dorsal lumbar sacral immobilization orthosis made from plaster or digital mold of insured person	1,351.42			3
COMPONENT AND SUPPLEMENT AVAILABLE				
Minerva cervical extension	255.50	386.69		
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
Prefabricated hyperextension orthosis (Jewitt, Florida Brace) COMPONENT AND SUPPLEMENT AVAILABLE	558.08			3
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
Cervical dorsal lumbar sacral immobilization orthosis with plastic base, made from plaster or digital mold of insured person (Milwaukee-type)	2,039.97			3
BASIC COMPONENT AND SUPPLEMENT				
Pelvic component, made from plaster or digital mold of insured person				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENT				
Pelvic component, made from plaster or digital mold of insured person	N. C.	1,211.49		3
	N. C.	1,211.49		3
	Minerva cervical extension  ADJUSTMENT AVAILABLE Any pertinent adjustment  DEVICE  Prefabricated hyperextension orthosis (Jewitt, Florida Brace) COMPONENT AND SUPPLEMENT AVAILABLE None  ADJUSTMENT AVAILABLE Any pertinent adjustment  DEVICE  Cervical dorsal lumbar sacral immobilization orthosis with plastic base, made from plaster or digital mold of insured person (Milwaukee-type)  BASIC COMPONENT AND SUPPLEMENT Pelvic component, made from plaster or digital mold of insured person COMPONENTS AND SUPPLEMENTS	AVAILABLE  Minerva cervical extension 255.50  ADJUSTMENT AVAILABLE  Any pertinent adjustment  Maximum price Purchase or replacement of device  Prefabricated hyperextension orthosis (Jewitt, Florida Brace)  COMPONENT AND SUPPLEMENT AVAILABLE  None  ADJUSTMENT AVAILABLE  Any pertinent adjustment  Maximum price Purchase or replacement of device  Purchase or replacement of device  Cervical dorsal lumbar sacral immobilization orthosis with plastic base, made from plaster or digital mold of insured person (Milwaukee-type)  BASIC COMPONENT AND SUPPLEMENT  Pelvic component, made from plaster or digital mold of insured person  COMPONENTS AND SUPPLEMENTS	AVAILABLE  Minerva cervical extension  ADJUSTMENT AVAILABLE  Any pertinent adjustment   Maximum price Purchase or replacement of device  Prefabricated hyperextension orthosis (Jewitt, Florida Brace)  COMPONENT AND SUPPLEMENT  AVAILABLE  None  ADJUSTMENT AVAILABLE  Any pertinent adjustment  Maximum price Purchase or replacement of component or supplement  Maximum price Purchase or replacement of component or supplement  ADJUSTMENT AVAILABLE  Any pertinent adjustment  Maximum price Purchase or replacement of component or supplement  Cervical dorsal lumbar sacral immobilization orthosis with plastic base, made from plaster or digital mold of insured person (Milwaukee-type)  BASIC COMPONENT AND SUPPLEMENT  Pelvic component, made from plaster or digital mold of insured person  COMPONENTS AND SUPPLEMENTS	AVAILABLE  Minerva cervical extension  ADJUSTMENT AVAILABLE  Any pertinent adjustment   Maximum price Purchase or replacement of device  Prefabricated hyperextension orthosis (Jewitt, Florida Brace)  COMPONENT AND SUPPLEMENT  ADJUSTMENT AVAILABLE Any pertinent adjustment  Maximum price Purchase or replacement of replacement of replacement of ocomponent or supplement  Maximum price Purchase or Replacement of component or supplement  ADJUSTMENT AVAILABLE Any pertinent adjustment  Maximum price Purchase or Replacement of component or supplement  ADJUSTMENT AVAILABLE Any pertinent adjustment  DEVICE  Cervical dorsal lumbar sacral immobilization orthosis with plastic base, made from plaster or digital mold of insured person (Milwaukee-type)  BASIC COMPONENT AND SUPPLEMENT  Pelvic component, made from plaster or digital mold of insured person  COMPONENTS AND SUPPLEMENTS

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2380004 Prefabricated cervical dorsal lumbar sacral immobilization orthosis with molded plastic base (Milwaukee-type)	1,615.67			3
BASIC COMPONENT AND SUPPLEMENT				
Prefabricated pelvic component COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENT				
2385516 Prefabricated pelvic component	N. C.	816.89		3
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2380020 Charleston hypercorrective cervical dorsal lumbar sacral orthosis, made from plaster or digital mold of insured person	1,471.29			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2380533 Cervical dorsal lumbar sacral orthosis (Lyonnais-	2,079.90			3
BASIC COMPONENT AND SUPPLEMENT				Ž.
Prefabricated pelvic component, made from plaster or digital mold of insured person				

----- Any pertinent adjustment

COMPONENTS AND SUPPLEMENTS AVAILAE

BASIC COMPONENT  2385524 Prefabricated pelvic component, made from plaster or digital mold of insured person  ADJUSTMENT AVAILABLE	N. C.	1,211.49		3
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2380525 Prefabricated corrective dorsal lumbar orthosis (Boston-type)	1,044.42	,		3
COMPONENT AND SUPPLEMENT				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2380012 Corrective dorsal lumbar orthosis, made from plaster or digital mold of insured person (Bostontype)  COMPONENT AND SUPPLEMENT	1,577.27			3
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2340000 Corrective orthosis for child, Cheneau-type	2,655.46			3
COMPONENT AND SUPPLEMENT				
None				

#### **SUBDIVISION 2: CERVICAL ORTHOSES**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2370500 Thermoplastic cervical orthosis with sternal support, made from plaster or digital mold of insured person	816.42			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2370559 Prefabricated semi-rigid cervical orthosis (Philadelphia design)	216.95			3
COMPONENT AND SUPPLEMENT AVAILABLE None ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2370518 Cervical orthosis with multiple vertical uprights	373.19	•		3
COMPONENT AND SUPPLEMENT				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
NOTICE: A Halo cervical orthosis (Halo vest) is not an insured device. Therefore, it cannot be considered in the same way as a Minerva cervical orthosis.				

			(	)
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2370526 Minerva molded plastic cervical orthosis, made from plaster or digital mold of insured person	1,640.52	2		3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
NOTICE: A Halo cervical orthosis (Halo vest) is not an insured device. Therefore, it cannot be considered in the same way as a Minerva cervical orthosis.				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2370609 Minerva prefabricated cervical orthosis	960.99	)		3
COMPONENT AND SUPPLEMENT				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
NOTICE: A Halo cervical orthosis (Halo vest) is not an insured device. Therefore, it cannot be considered in the same way as a Minerva cervical orthosis.				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2370534 Cervical orthosis (SOMI-type)  COMPONENTS AND SUPPLEMENTS  AVAILABLE	742.61			3
OPTIONAL COMPONENT				
ADJUSTMENT AVAILABLE				-
Any pertinent adjustment				

#### SUBDIVISION 3: OTHER TRUNK AND CERVICAL ORTHOSES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2390607 Other trunk orthoses *	S. C.			3
2371003 Other cervical orthoses *	S. C.			3

<sup>\*</sup> When the price is below that of the similar orthosis

#### **DIVISION VII: AMBULATION AIDS**

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
4490009	Quad cane, height-adjustable	35.42			12
	BASIC COMPONENT AND SUPPLEMENT				
	Tip				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENT				
4495727	Tip (per pair)	N. C.	2.57		
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
4490017	Crutches with axillary support, height-adjustable	20.24			12
	BASIC COMPONENTS AND SUPPLEMENTS				
	Tips (2) Axillary pads (2) Handrest covers (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
4495743	Tips (per pair) Axillary pads (per pair) Handrest covers (per pair)	N. C. N. C. N. C.	2.57		
	OPTIONAL COMPONENTS				
4495768	Flip-up ice tips with four or five prongs Pair Unit	10.29 N. A.			
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
4490018	Crutches with forearm support, height-adjustable	55.66			12

Tips (2)

COMPONENTS AND SUPPLEMENTS

**AVAILABLE** 

BASIC COMPONENTS

4495727 Tips (per pair) N. C. 2.57

OPTIONAL COMPONENTS

4495768 Flip-up ice tips with four or five prongs

Pair 10.29 N. A. Unit N. A. 5.14

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
4490082 Anterior walker, folding, without wheels or with wheels (2), height-adjustable	50.60			12
BASIC COMPONENTS AND SUPPLEMENTS				
Tips (2)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
4495727 Tips (2)	N. C.	2.57		
OPTIONAL COMPONENTS				
4495776 Walker skis on rear legs				
Pair	12.14	12.14		
Unit	6.07	6.07		
4495826 Rear hand brakes				
Pair	51.39			
Unit	N. A.	25.69		
4495784 Forearm supports				
Pair	156.74			
Unit	78.38	78.38		

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
4490085	Anterior walker, without wheels or with wheels (2), height-adjustable, weighted or bariatric type	111.32			12
	BASIC COMPONENTS AND SUPPLEMENTS				
	Tips (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
4495727	Tips (per pair)	N. C.	2.57		
	OPTIONAL COMPONENTS				
	Walker skis on rear legs Pair Unit Rear hand brakes	12.14 6.07			
1195020	Pair	51.39			
4495784	Unit Forearm supports Pair	N. A. 156.74			
	Unit	78.38			
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
4490083	Anterior walker, folding, with 2 wheels, height-adjustable, for child	156.86			12
	BASIC COMPONENTS AND SUPPLEMENTS				
	Tips (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
4405727	Tips (per pair)	N. C.	2.57		
4493121		Maximum price	Maximum price Replacement of	Maximum	Guarantee
4493727	DEVICE	Purchase or replacement of device	component or supplement	adjustement price	(months)
	<b>DEVICE</b> Posterior walker, folding, with wheels (2 or 4), and height-adjustable, for child	replacement of	component or supplement	•	

			•	
Tips (2) COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS	N. C	2.55		
4495727 Tips (2)	N. C.	2.57		
OPTIONAL COMPONENTS				
4495784 Forearm supports (2) Pair Unit	156.74 78.38			
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
4490166 Walker with wheels 4, height-adjustable with thoracic support, depth-adjustable and width-adjustable, for child	657.80			12
BASIC COMPONENTS AND SUPPLEMENTS Steel frame Thoracic support, with cover Flexible seat Front bumpers (4) Wheelbrakes (4)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
4495835 Steel frame, height-adjustable		566.72		
4495843 Thoracic support, depth-adjustable with cover	N. C.			
	N. C. N. C.			
4495867 Flexible seat		298.54		
4495867 Flexible seat 4495875 Front bumpers (4)	N. C.	298.54 69.37		
	N. C. N. C.	298.54 69.37 N. A.		
4495875 Front bumpers (4)	N. C. N. C. N. C.	298.54 69.37 N. A.		
4495875 Front bumpers (4) 4495883 Wheelbrakes (4)	N. C. N. C. N. C.	298.54 69.37 N. A. 34.70		

### DIVISION VIII: STANDING AIDS

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2192276 Parapodium, for child (Variety Village system)	2,540.04	ŀ		3
BASIC COMPONENTS AND SUPPLEMENTS				
Prefabricated parapodium orthosis				
COMPONENT AND SUPPLEMENT				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2192292 Parapodium, for adult (Variety Village system)	3,449.83	}		3
BASIC COMPONENTS AND SUPPLEMENTS				
Prefabricated parapodium orthosis				
COMPONENT AND SUPPLEMENT				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2192284 Orthopodium	1,492.64	ŀ		3
BASIC COMPONENTS AND SUPPLEMENTS				
Prefabricated orthopodium				
COMPONENT AND SUPPLEMENT				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				

# PART II: AIDS FURNISHED SOLELY BY AN INSTITUTION DIVISION I: UPPER-LIMB PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarante (months)
1242106	Myoelectric cubital prosthesis	5,894.95			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Single laminated plastic socket, made from plaster or digital mold of insured person				
	Electrical system (1 connecting cable, 1 electrode cable, 1 coaxial outlet, 1 coupling component) Lamination collar (wrist) Pack Electrode (1) Standard battery Standard charger Prosthetic glove (Otto Bock)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1245687	Simple laminated plastic socket, made from plaster or digital mold of insured person	N. C.	2,519.36		
1245695	Electrical system (1 connecting cable, 1 electrode cable, 1 coaxial outlet, 1 coupling component)	N. C.	*		
1245703	Lamination collar (wrist)	N. C.	*		
1245752	Pack	N. C.	*		
1245711	First electrode	N. C.	*		
1245729	Additional electrode	1,546.57	1,546.57		
	Additional electrode cable	87.67			
	Standard battery	N. C.			
	Standard charger	N. C.			
3223005	Prosthetic glove (Otto Bock)	N. C.	330.56		
	OPTIONAL COMPONENTS				
1245786	Double flexoform socket	305.89	424.66		
3223039	Electric hand (Otto Bock) for one 6¾ electrode	4,501.09	4,501.09		
	Electric hand (Otto Bock) for one 71/4 and 73/4 electrode	5,093.00	5,093.00		
	Electric hand (Otto Bock) for one 81/4 electrode	5,336.89	5,336.89		
3223328	Electric hand (Otto Bock) for two 6¾ electrodes	4,028.39	4,028.39		
3223336	Electric hand (Otto Bock) for two 71/4 and 73/4 electrodes	5,548.58	5,548.58		
3223344	Electric hand (Otto Bock) for two 81/4 electrodes	5,831.91	5,831.91		

Electric hands (VASI):		
3223047 - 0 to 3 years for one electrode	6,163.14	6,163.14
3223054 - 2 to 6 years for two electrodes	6,163.14	6,163.14
3223062 - 5 to 9 years for two electrodes	6,568.71	6,568.71
3223070 Electric hand (Steeper), 1.75	3,887.22	3,887.22
3223351 Electric hand (Steeper), 2.00	4,050.29	4,050.29
3223369 Electric hand (Steeper), 2.25 to 3.25	4,373.66	4,373.66
3223088 Electric hand 2000 (Otto Bock) for two 5 electrodes	6,313.88	6,313.88
3223377 Electric hand 2000 (Otto Bock) for two 5½ and 6 electrodes	6,611.19	6,611.19
3223385 Electric hand 2000 (Otto Bock) for two 6½ electrodes	6,879.75	6,879.75
1245828 Electronic box for electric hand 2000	1,474.35	1,474.35
1245836 Battery (1) for electric hand 2000	42.47	42.47
1245844 Electrode cables (2) for electric hand 2000	132.92	132.92
1245802 Charger for hand 2000	142.49	142.49
3223096 Electric hook for one electrode	5,225.93	5,225.93
3223104 Electric hook for two electrodes	5,039.58	5,039.58
Electronics module system:		
3232824 Electric wrist rotator	385.03	385.03
3232832 Myoelectrically controlled prosthetic wrist, including a control unit	5,864.97	5,864.97
1245919 Rapid charger	799.73	799.73
1245810 Activating switch	256.43	256.43
Adaptations to make prosthesis mechanical:		
3232840 Quick disconnect wrist	785.12	785.12
3222965 Hook, 99X-type	624.93	693.79
1295716 Suspension harness	132.41	207.14
1295724 Control cable, terminal connections and housing (reinforced materials)	176.73	251.48
SUPPLEMENT AVAILABLE		
1245851 Conductor gel	6.84	6.84

#### ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

<sup>\*</sup> Repair. Indicate materials and labour. Suppporting documents must be kept on file

DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1242502 Myoelectric prosthesis for dis	location of wrist	5,581.41			6
BASIC COMPONENTS ANI	O SUPPLEMENTS				
Single laminated plastic socke or digital mold of insured pers	· •				
Electrical system (1 connectin cable) Pack Electrode (1) Standard battery Standard charger Prosthetic glove (Otto Bock)	g cable, 1 electrode				
COMPONENTS AND SUPPAVAILABLE	LEMENTS				
BASIC COMPONENTS					
1245927 Single laminated plastic socker or digital mold of insured pers	_	N. C.	2,374.32		
1245935 Electrical system (1 connectin	g cable, 1 electrode	N. C.	*		
cable)		N. C.	*		
1245752 Pack		N. C.			
1245711 First electrode		N. C.			
1245729 Additional electrode		1,546.57	·		
1245745 Additional electrode cable		87.67			
1245760 Standard battery		N. C.			
1245778 Standard charger	C 1 1 1	N. C.			
3223005 Prosthetic glove (Otto Bock),		N. C.	330.56		
OPTIONAL COMPONENTS					
1245786 Double flexoform socket		305.89			
3223039 Electric hand (Otto Bock) for		4,501.09			
3223302 Electric hand (Otto Bock) for electrode	one $7\frac{1}{4}$ or $7\frac{3}{4}$	5,093.00	5,093.00		
3223310 Electric hand (Otto Bock) for	one 81/4 electrode	5,336.89	5,336.89		
3223328 Electric hand (Otto Bock) for		4,028.39			
3223336 Electric hand (Otto Bock) for electrodes		5,548.58	5,548.58		
3223344 Electric hand (Otto Bock) for	two 81/4 electrodes	5,831.91	5,831.91		
3223070 Electric hand (Steeper), 1.75		3,887.22			
3223351 Electric hand (Steeper), 2.00		4,050.29			
3223369 Electric hand (Steeper), 2.25 t		4,373.66	·		
3223088 Electric hand 2000 (Otto Bool electrodes	k) for two 5	6,313.88	6,313.88		

3223377 Electric hand 2000 (Otto Bock) for two 51/2 and 6	6,611.19	6,611.19
electrodes		
3223385 Electric hand 2000 (Otto Bock) for two 6½	6,879.75	6,879.75
electrodes		
1245828 Electronic box for electric hand 2000	1,474.35	1,474.35
1245836 Battery (1) for electric hand 2000	42.47	42.47
1245844 Electrode cables (2) for electric hand 2000	132.92	132.92
1245802 Charger for hand 2000	142.49	142.49
3223096 Electric hook for one electrode	5,225.93	5,225.93
3223104 Electric hook for two electrodes	5,039.58	5,039.58
1245919 Rapid charger	799.73	799.73
1245810 Activating switch	256.43	256.43
SUPPLEMENT AVAILABLE		
1245851 Conductor gel	6.84	6.84
ADJUSTMENT AVAILABLE		

----- Any pertinent adjustment

<sup>\*</sup> Repair. Indicate materials and labour. Supporting documents must be kept on file

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1262104 Myoelectric humeral prosthesis	8,839.76	, )		6

Single laminated plastic socket, made from plaster or digital mold of insured person

BASIC COMPONENTS AND SUPPLEMENTS

Electrical system (1 connecting cable, 1 electrode cable, 1 coaxial outlet, 1 coupling component)
Lamination collar (wrist)

Elbow with internal lock, model E-400

Pack

Electrode (1)

Standard battery

Standard charger

Prosthetic glove (Otto Bock)

COMPONENTS AND SUPPLEMENTS

**AVAILABLE** 

#### BASIC COMPONENTS

1245869 Single laminated plastic socket, made from plaster or digital mold of insured person	N. C.	3,289.16
1245695 Electrical system (1 connecting cable, 1 electrode cable, 1 coaxial outlet, 1 coupling component)	N. C.	*
1265529 Elbow with internal lock, model E-400	N. C.	1,183.60
1245703 Lamination collar (wrist)	N. C.	*
1245752 Pack	N. C.	*
1245711 First electrode	N. C.	*
1245729 Additional electrode	1,546.57	1,546.57
1245745 Additional electrode cable	87.67	87.67
1245760 Standard battery	N. C.	*
1245778 Standard charger	N. C.	*
3223005 Prosthetic glove (Otto Bock), fitting included	N. C.	330.56
OPTIONAL COMPONENTS		
1265560 Double flexoform socket	386.21	504.94
1265578 Additional cost of socket where elbow joint has	228.82	228.82
external lock		
3223039 Electric hand (Otto Bock) for one 63/4 electrode	4,501.09	4,501.09
3223302 Electric hand (Otto Bock) for one 71/4 or 73/4 electrode	5,093.00	5,093.00
3223310 Electric hand (Otto Bock) for one 81/4 electrode	5,336.89	5,336.89
3223328 Electric hand (Otto Bock) for two 6¾ electrodes	4,028.39	4,028.39
3223336 Electric hand (Otto Bock) for two 71/4 and 73/4 electrodes	5,548.58	5,548.58
3223344 Electric hand (Otto Bock) for two 81/4 electrodes	5,831.91	5,831.91
Electric hands (VASI):	6 1 60 1 4	6 162 14
3223047 - 0 to 3 years for one electrode	6,163.14	6,163.14
3223054 - 2 to 6 years for two electrodes	6,163.14	6,163.14
3223062 - 5 to 9 years for two electrodes	6,568.71	6,568.71
3223070 Electric hand (Steeper), 1.75	3,887.22	3,887.22
3223351 Electric hand (Steeper), 2.00	4,050.29	4,050.29
3223369 Electric hand (Steeper), 2.25 to 3.25	4,373.66	4,373.66
3223088 Electric hand 2000 (Otto Bock) for two 5 electrodes	6,313.88	6,313.88
3223377 Electric hand 2000 (Otto Bock) for two 5½ and 6 electrodes	6,611.19	6,611.19
3223385 Electric hand 2000 (Otto Bock) for two 6½ electrodes	6,879.75	6,879.75
1245828 Electronic box for electric hand 2000	1,474.35	1,474.35
1245836 Battery (1) for electric hand 2000	42.47	42.47

1245844 Electrode cables (2) for electric hand 2000	132.92	132.92
1245802 Charger for hand 2000	142.49	142.49
3223096 Electric hook for one electrode	5,225.93	5,225.93
3223104 Electric hook for two electrodes	5,039.58	5,039.58
Electronics module system:		
3232824 Electric wrist rotator	385.03	385.03
3232832 Myoelectrically controlled prosthetic wrist,	5,864.97	5,864.97
including a control unit	•	,
1265586 Electric elbow (Hosmer) with switch (including one	8,330.40	8,330.40
battery, charger, switch)		
1245919 Rapid charger	799.73	799.73
1245810 Activating switch	256.43	256.43
Adaptations to make prosthesis mechanical:		
3232840 Quick disconnect wrist	785.12	785.12
3222965 Hook, 99X-type	624.93	693.79
1295716 Suspension harness	132.41	207.14
1295724 Control cable, terminal connections and housing	176.73	251.48
(reinforced materials)		
1295559 Flexion assist mechanism	435.22	535.09
SUPPLEMENTS AVAILABLE		
1245851 Conductor gel	6.84	6.84
12 13 05 1 2 0 11 0 0 11 0 11 11 11 11 11 11 11 11 1	0.01	0.01
ADILISTMENT AVAILARLE		

#### ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

<sup>\*</sup> Repair. Indicate materials and labour. Supporting documents must be kept on file

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
--------	---	---	---------------------------------	--------------------

4,573.86

6

1242205 Electro-mechanical cubital prosthesis

BASIC COMPONENTS AND SUPPLEMENTS

Single laminated plastic socket, made from plaster or digital mold of insured person

Electrical system (1 connecting cable, 1 coaxial outlet, cable connecting switch to coaxial outlet, switch)

Lamination collar (wrist)

Standard batteries (2)

# COMPONENTS AND SUPPLEMENTS AVAILABLE

#### BASIC COMPONENTS

1245687 Single laminated plastic socket, made from plaster or digital mold of insured person	N. C.	2,519.36
1245885 Electrical system (1 connecting cable, 1 coaxial outlet, cable connecting switch to coaxial outlet, switch)	N. C.	*
1245703 Lamination collar (wrist)	N. C.	*
1245752 Pack	N. C.	*
1245893 Standard batteries (2)	N. C.	*
1245778 Standard charger	N. C.	*
3223005 Prosthetic glove (Otto Bock)	N. C.	330.56
OPTIONAL COMPONENTS		
1245786 Double flexoform socket	305.89	424.66
3223039 Electric hand (Otto Bock) for one 6¾ electrode	4,501.09	4,501.09
3223302 Electric hand (Otto Bock) for one 71/4 or 73/4	5,093.00	5,093.00
electrode	,	,
3223310 Electric hand (Otto Bock) for one 81/4 electrode	5,336.89	5,336.89
3223328 Electric hand (Otto Bock) for two 6¾ electrodes	4,028.39	4,028.39
3223336 Electric hand (Otto Bock) for two 71/4 and 73/4 electrodes	5,548.58	5,548.58
3223344 Electric hand (Otto Bock) for two 81/4 electrodes	5,831.91	5,831.91
Elastria harrida (VASD)		
Electric hands (VASI):	( 1(2 14	6 162 14
3223047 - 0 to 3 years for one electrode	6,163.14	6,163.14
3223054 - 2 to 6 years for two electrodes 3223062 - 5 to 9 years for two electrodes	6,163.14	6,163.14 6,568.71
· · · · · · · · · · · · · · · · · · ·	6,568.71	
3223070 Electric hand (Steeper), 1.75 3223351 Electric hand (Steeper), 2.00	3,887.22 4,050.29	3,887.22
3223369 Electric hand (Steeper), 2.25 to 3.25	4,373.66	4,050.29 4,373.66
3223096 Electric hand (Steeper), 2.23 to 3.23	5,225.93	5,225.93
3223104 Electric hook for two electrodes	5,039.58	5,039.58
1245919 Rapid charger	799.73	799.73
1245810 Activating switch	256.43	256.43
1243010 Activating switch	230.43	230.43
Adaptations to make prosthesis mechanical:		
3232840 Quick disconnect wrist	785.12	785.12
3222965 Hook, 99X-type	624.93	693.79
1295716 Suspension harness	132.41	207.14
1295724 Control cable, terminal connections and housing	176.73	251.48
(reinforced materials)		

# SUPPLEMENTS AVAILABLE

----- Stump sock

\* (consult Division II of this Part for the codes and prices of these supplements)

# ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

# DIVISION II: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES

See Title One, Part I, Division III, "SOCKS FOR PROSTHESES"

# **DIVISION III: AMBULATION AIDS**

4490181 Other non-listed ambulation aids S. C.

GUARANTEE PERIOD: 1 year

4490421 Non-listed ambulation aid component (S. C.) S. C.

#### PART III: ELEMENTS INCLUDED IN THE PRICES OF THE DEVICES:

- 1. The maximum price for the purchase or replacement of an insured device referred to in Part I or II of this Title includes the following elements:
- (1) the maximum price for its basic components and supplements;
- (2) the cost of its manufacture;
- (3) the cost of fittings required while it is being manufactured, up to and including the final installation;
- (4) the cost of fittings and repairs during the guarantee period referred to in this Title in respect of each device, beginning immediately after the final installation and during which any fitting or repair of a device used under normal conditions is made, in order to bring the device into conformity with the original medical prescription, where the beneficiary's physical condition has not changed, and to enable the beneficiary to derive maximum benefit from the device.
- 2. The maximum replacement cost of a component or supplement for a device referred to in Part I or II of this Title includes the following elements:
- (1) the cost price of the materials;
- (2) the cost of its manufacture, if any;
- (3) the cost of fitting and installation.
- 3. The maximum price for a cane includes the safety tip, and the fixed price for a pair of height-adjustable axillary crutches includes the safety tips, the axillary pads and the elastomer handrest covers.
- 4. The maximum price for a standard post-operative prosthesis assumed by the Board following the amputation of a lower limb includes the supply, even if temporary, of the components required for the entire time the prosthesis is worn, the work performed in the operating room, the waiting period, the application of a rigid bandage, the fixation of the pylon and foot, and the changing of the rigid bandage as required.
- 5. The maximum price for a post-operative pneumatic prosthesis assumed by the Board following the amputation of a lower limb includes the supply, even if temporary, of the components required for the entire time the prosthesis is worn, the work performed at the institution, the waiting period, and the installation of the pneumatic lining, metallic support and means of suspension.
- 6. The maximum price for a temporary prosthesis assumed by the Board includes, for the entire time the prosthesis is worn, the supply, even if temporary, of the components, the manufacture of or modifications made to the socket, the means of suspension required, as well as the alignment and fittings required.

# TITLE TWO: LOCOMOTOR AND POSTURE ASSISTS (FURNISHED SOLELY BY AN INSTITUTION)

PART I: LOCOMOTOR ASSISTS DIVISION I: ADULT WHEELCHAIRS SUBDIVISION 1: MANUAL WHEELCHAIRS

> PRICE (including all the basic components)

#### 7150000 MANUAL WHEELCHAIRS

910.00

IN SUBCATEGORY "BASIC (FOLDING FRAME)"

MOTION COMPOSITES INC.

#### "CHRONOS" MODEL

#### TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

**Device weight:** 15.9 kg (35 lb.)

Overall width: 19.1 cm (7½ in.) over the nominal seat width at 0° rear wheel camber

Front seat-to-floor height: 31.8 cm to 52.1 cm ( $12\frac{1}{2} \text{ in.}$  to  $20\frac{1}{2} \text{ in.}$ ) Rear seat-to-floor height: 31.1 cm to 48.3 cm ( $12\frac{1}{4} \text{ in.}$  to 19 in.)

**Frame:** straight back canes or bend back canes from 8° to 10°, height and angleadjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of

6°; non-slip push handles; four tie-down points for adapted transport

BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM			
7150001 Flexible nylon mesh seat, with mesh-stretching	N. C.	36.00	
system; two strips of "hook" Velcro, 2.5 cm (1 in.)			
wide or wider; handle to fold chair; widths of 40.6			12
cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.);			12
depths of 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7			
cm (18 in.)			
7150002 Flat foam seat cushion, 5.1 cm (2 in.); two strips of		63.00	
"velour" Velcro 5.1 cm (2 in.) wide, under the			36
cushion			
7150003 Flat foam seat cushion, 7.6 cm (3 in.); two strips of		104.00	
"velour" Velcro 5.1 cm (2 in.) wide, under the			36
cushion			
7150004 Flexible nylon mesh back, padded; heights of 40.6		32.33	
cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.) or			12
48.3 cm (19 in.)			
7150005 Flexible nylon mesh back, padded, tension-		115.33	
adjustable; minimum of four horizontal, adjustable			12
straps spread across the height of the back			
7150006 Palvia magitianing halt guta hualda	N C	12.75	
7150006 Pelvic positioning belt, auto buckle	N. C.	13.75	36

			`
7150007 Pelvic positioning belt, Velcro	N. C.	47.50	36
7150008 U-type armrest, short; detachable; height-	N. C.	118.00	
adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.)			
or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by			60
maximum increments of 2.5 cm (1 in.), with			00
locking mechanism; clothing guard, rigid, built into			
armrest; armrest pad, straight			
7150009 U-type armrest, long; detachable; height-adjustable,	N. C.	120.33	
from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from			
25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum			60
increments of 2.5 cm (1 in.), with locking			
mechanism; clothing guard, rigid, built into			
armrest; armrest pad, straight	N. C.	175	12
7150010 Armrest pad, straight, short 7150011 Armrest pad, straight, long	N. C. N. C.	4.75 5.58	12 12
7150011 Armiest pad, straight, long 7150012 Parallel footrest, 60° angle, detachable and pivoting	N. C. N. C.	23.88	12
with locking mechanism; standard folding	Ν. C.	23.00	
footplate, standard size, plastic; adjustable heel			
loop; adjustable length from 34.3 cm to 44.5 cm			60
$(13\frac{1}{2})$ in. to $17\frac{1}{2}$ in.), from 40 cm to 50.8 cm $(15\frac{3}{4})$			
in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to			
21 in.)			
7150013 Parallel footrest, 70° angle, detachable and pivoting	N. C.	48.00	
with locking mechanism; standard folding			
footplate, standard size, plastic; adjustable heel			
loop; adjustable length from 34.3 cm to 44.5 cm			60
$(13\frac{1}{2} \text{ in. to } 17\frac{1}{2} \text{ in.})$ , from 40 cm to 50.8 cm $(15\frac{3}{4} \text{ in.})$			
in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to			
21 in.)	177.50	201.20	
7150014 Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable	177.50	201.38	
length; standard folding footplate, standard or			
oversize, plastic; compatible with the same			36
attachment point as the footrest or supplied with its			50
own attachments; calf-rest, contoured and padded,			
height and depth-adjustable			
7150015 Padded calf-rest	48.75	48.75	36
7150016 Folding footplate, standard, standard size; plastic	N. C.	7.75	36
7150017 Folding footplate, standard, oversize	10.00	17.75	36
7150018 Footplate, angle and depth-adjustable, standard size	90.00	97.75	36
7150019 Footplate, angle and depth-adjustable, oversize	90.00	97.75	36
7150020 Heel loop, adjustable	0.7.00	4.50	36
7150021 Headrest cushion, contoured, all sizes	85.00	85.00	36
7150022 Headrest bracket, height and depth-adjustable, or articulated uniball bracket	90.00	90.00	36
FRAME			
7150023 Anti-tipping wheels, detachable or pivoting, with	N. C.	21.00	60
locking mechanism			00

		`	,
7150024 Fold-away back spreader bar to fold chair; with anchor for headrest bracket	70.00	70.00	36
7150025 Front impact guard with rollers	35.00	35.00	36
7150025 Front impact guard with roners 7150026 Cane holder	30.00	30.00	36
/130020 Cane notice	30.00	30.00	30
DRIVE SYSTEM			
7150027 Handrim, smooth	N. C.	14.50	36
7150028 Handrim, plastic-coated	N. C.	32.00	36
7150029 Standard wheel lock, push-to-lock or pull-to-lock	N. C.	14.00	36
7150030 Plug-in wheel lock extension	10.00	10.00	36
7150031 Caster fork to adjust height and angle perpendicular	N. C.	9.63	
to the ground to compensate for changes in the rear			36
seat-to-floor height			
WHEELS AND TIRES			
7150032 Front mag wheel; semi-pneumatic tire; 20.3 cm (8	N. C.	24.91	26
in.); 2.5 cm (1 in.) wide			36
7150033 Front mag wheel; semi-pneumatic tire; 12.7 cm (5	N. C.	8.65	
in.), 15.2 cm (6 in.) or 17.8 cm (7 in.); 2.5 cm (1			36
in.) wide			
7150034 Rear axle, quick release system, with push-button	N. C.	9.63	
locking mechanism; adjustable centre of gravity to			
at least two horizontal positions; rear height			26
adjustable for 5° of seat tilt, compatible with all			36
wheel diameters			
7150035 Threaded rear axle	N. C.	4.75	36
7150036 Adapter for "amputee" axle position	53.00	53.00	36
7150037 Spoked rear wheel; semi-pneumatic tire; 61 cm (24		52.88	36
in.); 3.2 cm (1¼ in.) wide			30
7150038 Spoked rear wheel; semi-pneumatic tire; 50.8 cm	N. C.	52.88	36
(20 in.) or 55.9 cm (22 in.); 3.2 cm (1 <sup>1</sup> / <sub>4</sub> in.) wide			30

PRICE (including all the basic components)

#### 7151421 MANUAL WHEELCHAIRS

1,040.00

IN SUBCATEGORY "INTERMEDIATE (CLASS A FOLDING FRAME)"

MOTION COMPOSITES INC.

## "COBALT 1" MODEL

# TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Device weight: 16.8 kg (37 lb.)

Overall width: 19,1 cm (7½ in.) over the nominal seat width at 0° rear

wheel camber

Front seat-to-floor height: 35.6 cm to 55.9 cm (14 in. to 22 in.)

Rear seat-to-floor height: 33.7 cm to 52,1 cm (13½ in. to 20½ in.)

Frame: straight back canes or bend back canes from 8° to 10°, height and angle-adjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of 6°; non-slip push handles; four tie-down points

for adapted transport

BASIC A	AND OPTIONAL COMPONENTS	Unit price for component during device purchase	Unit price for component replacement	Warı (mor	ranty nths)
BODY SUP	PORT SYSTEM				
system; two s wide or wide	on mesh seat, with mesh-stretching strips of "hook" Velcro, 2.5 cm (1 in.) r; handle to fold chair; widths of in.), 40.6 cm (16 in.), 43.2 cm (17 in.)	N. C.	36.00		
or 45.7 cm (1	18 in.); 40.0 cm (10 in.); 43.2 cm (17 in.) 18 in.); depths of 38.1 cm (15 in.), 40.6 43.2 cm (17 in.) or 45.7 cm (18 in.)			1	2
	at cushion 5.1 cm (2 in.); two strips of cro, 5.1 cm (2 in.) wide, under the	63.00	63.00	3	6
	at cushion, 7.6 cm (3 in.); two strips of cro, 5.1 cm (2 in.) wide, under the	104.00	104.00	3	6
7151425 Seat - width	modification to 48.3 cm (19 in.)	100.00		3	6
7151426 Seat - width	modification to 50.8 cm (20 in.)	100.00		3	6
•	n mesh back, padded; heights of	N. C.	32.33		
•	in.), 40.6 cm (16 in.), 43.2 cm (17 in.), in.), 48.3 cm (19 in.) or 50.8 cm			1	2
•	n mesh back, padded, tension-	83.00	115.33		
	ninimum of four horizontal, adjustable across the height of the back			1	2

			` ′
7151429 Pelvic positioning belt, auto buckle	N. C.	13.75	36
7151430 Pelvic positioning belt, Velcro	N. C.	47.50	36
7151431 U-type armrest, short; detachable; height-	N. C.	118.00	
adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.)			
or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by			(0)
maximum increments of 2.5 cm (1 in.), with			60
locking mechanism; clothing guard, rigid, built into			
armrest; armrest pad, straight			
7151432 T-type armrest, short; detachable; height-	N. C.	118.00	
adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.)			
or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by			60
maximum increments of 2.5 cm (1 in.), with			
locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight			
7151433 U-type armrest, long; detachable; height-adjustable,		120.33	
from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from		120.33	
25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum			
increments of 2.5 cm (1 in.), with locking			60
mechanism; clothing guard, rigid, built into			
armrest; armrest pad, straight			
7151434 T-type armrest, long; detachable; height-adjustable,	N. C.	120.33	
from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from			
25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum			60
increments of 2.5 cm (1 in.), with locking			
mechanism; clothing guard, rigid, built into armrest; armrest pad, straight			
7151435 Armrest pad, straight, short	N. C.	4.75	12
7151436 Armrest pad, straight, long	N. C.	5.58	12
7151437 Parallel footrest, 60° angle, detachable and pivoting	N. C.	23.88	
with locking mechanism; standard folding			
footplate, standard size, plastic; adjustable heel			
loop; adjustable length from 34.3 cm to 44.5 cm			60
$(13\frac{1}{2} \text{ in. to } 17\frac{1}{2} \text{ in.})$ , from 40 cm to 50.8 cm $(15\frac{3}{4} \text{ cm})$			
in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to			
21 in.)	N. C	40.00	
7151438 Parallel footrest, 70° angle, detachable and pivoting	N. C.	48.00	
with locking mechanism; standard folding			
footplate, standard size, plastic; adjustable heel loop; adjustable length from 34.3 cm to 44.5 cm			60
(13½ in. to 17½ in.), from 40 cm to 50.8 cm (15¾			00
in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to			
21 in.)			
,			

7151439 Elevating leg-rest, non-compensating; detachable 177.50 201.38	
and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded,	36
height and depth-adjustable	26
7151440 Padded calf-rest 48.75 48.75	
7151441 Calf-rest strap, single or double 20.00 20.00	
7151442 Folding footplate, standard, standard size; plastic 7.75 7151443 Folding footplate, standard, oversize; plastic 10.00 17.75	
7131443 Folding lootplate, standard, oversize; plastic 10.00 17.73	36
7151444 Footplate, angle and depth-adjustable, standard size 90.00 97.75	36
7151445 Footplate, angle and depth-adjustable, oversize 90.00 97.75	36
7151446 Heel loop, adjustable N. C. 4.50	36
7151447 Headrest cushion, contoured, all sizes 85.00 85.00	
7151448 Headrest bracket, height and depth-adjustable, or 90.00 90.00 articulated uniball bracket	
FRAME	
7151449 Anti-tipping wheels, detachable or pivoting, with N. C. 21.00 locking mechanism	60
7151450 Fold-away back spreader bar to fold chair; with 70.00 70.00 anchor for headrest bracket	36
7151451 Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	36
7151452 Front impact guard with rollers 35.00 35.00	36
7151453 Cane holder 30.00 30.00	36
DRIVE SYSTEM	
7151454 Handrim, smooth N. C. 14.50	
7151455 Handrim, plastic-coated N. C. 32.00	
7151456 Handrim with oblique projections 110.00 124.50	
7151457 Non-slip foam handrim 110.00 124.50	
7151458 Standard wheel lock, push-to-lock or pull-to-lock N. C. 14.00	36
7151459 Anti-rollback brake 106.00 120.00	36
7151460 Plug-in wheel lock extension 10.00 10.00	
7151461 Caster fork to adjust height and angle perpendicular N. C. 9.63	
to the ground to compensate for changes in the rear seat-to-floor height	36

WHEELS AND TIRES			
7151462 Front mag wheel; semi-pneumatic tire; 20.3 cm (8	N. C.	24.91	36
in.); 2.5 cm (1 in.) wide			30
7151463 Front mag wheel; semi-pneumatic tire; 12.7 cm (5	N. C.	8.65	
in.), 15.2 cm (6 in.) or 17.8 cm (7 in.); 2.5 cm (1			36
in.) wide	40.00	64.01	
7151464 Front wheel; inner tube; 15.2 cm (6 in.) or 20.3 cm (8 in.)	40.00	64.91	36
7151465 Rear axle, quick release system, with push-button	N. C.	9.63	
locking mechanism; adjustable centre of gravity to	11. C.	7.03	
four horizontal positions; rear height adjustable for			•
5° of seat tilt, compatible with all wheel diameters			36
•			
7151466 Threaded rear axle	N. C.	4.75	36
7151467 Adapter for "amputee" axle position	53.00	53.00	36
7151468 Spoked rear wheel; semi-pneumatic tire; 61 cm (24	N. C.	52.88	36
in.); 3.2 cm (1 <sup>1</sup> / <sub>4</sub> in.) wide			30
7151469 Spoked rear wheel; semi-pneumatic tire; 50.8 cm	N. C.	52.88	36
(20 in.) or 55.9 cm (22 in.); 3.2 cm (1 <sup>1</sup> / <sub>4</sub> in.) wide			30
7151470 Rear wheel; inner tube, standard pressure; 50.8 cm	50.00	102.88	36
(20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	00.00	122.00	
7151471 Rear wheel, heavy-duty; semi-pneumatic tire; 55.9	80.00	132.88	36
cm (22 in.) or 61 cm (24 in.) 7151472 Spoke guard	65.00	65.00	36
/1314/2 Spoke guard	65.00	03.00	30
		PRICE	
	(in	cluding all	
	1	the basic	
	co	mponents)	
7151013 MANUAL WHEELCHAIRS		1,175.00	

IN SUBCATEGORY "INTERMEDIATE (CLASS A FOLDING FRAME)"

ORTHOFAB INC.

## "PRIMA 4" MODEL

# TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Device weight: 18 kg (40 lb.)

Overall width: 19,8 cm (7\% in.) over the nominal seat width at 0° rear wheel camber

Front seat-to-floor height: 35.6 cm to 55.2 cm (14 in. to 21<sup>3</sup>/<sub>4</sub> in.) **Rear seat-to-floor height:** 33.7 cm to 49.8 cm (131/4 in. to 195/8 in.)

Updated: January 1, 2021 156 **Frame:** straight back canes or bend back canes from 8° to 10°, height and angle-adjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of 6°; non-slip push handles; four tie-down points for adapted transport

	BASIC AND OPTIONAL COMPONENTS	Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7150039	Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N. C.	30.00	12
7150040	Flat foam seat cushion, 5.1 cm (2 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	60.00	60.00	36
7150041	Flat foam seat cushion, 7.6 cm (3 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	65.00	65.00	36
7150042	Seat – width modification to 48.3 cm (19 in.)	99.00		36
7150043	Seat – width modification to 50.8 cm (20 in.)	99.00		36
	Flexible nylon mesh back, padded; heights of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.) or 58.4 cm (23 in.)	N. C.	80.00	12
	Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	40.00	120.00	12
7150046	Pelvic positioning belt, auto buckle	N. C.	6.00	36
7150047	Pelvic positioning belt, Velcro	N. C.	15.00	36
	U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.)	N. C.	150.00	
	or 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight			60
7150049	T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60

			,
7150050 U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking	N. C.	150.00	60
mechanism; clothing guard, rigid, built into			
armrest; armrest pad, straight			
7150051 T-type armrest, long; detachable; height-adjustable,	N. C.	150.00	
from 20.3 cm to 30.5 cm (8 in. to 12 in.) or 25.4 cm			
to 35.6 cm (10 in. to 14 in.) by maximum			60
increments of 2.5 cm (1 in.), with locking			
mechanism; clothing guard, rigid, built into armrest; armrest pad, straight			
7150052 Armrest pad, straight, short	N. C.	6.00	12
7150053 Armrest pad, straight, long	N. C.	6.00	12
7150054 Parallel footrest, 60° angle, detachable and pivoting	N. C.	100.00	
with locking mechanism; standard folding			
footplate, standard size, plastic; adjustable heel			60
loop; adjustable length from 35.6 cm to 48.3 cm			00
(14 in. to 19 in.) or from 48.3 cm to 53.3 cm (19 in.			
to 21 in.)	N. C	100.00	
7150055 Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding	N. C.	100.00	
footplate, standard size, plastic; adjustable heel			
loop; adjustable length from 35.6 cm to 48.3 cm			60
(14 in. to 19 in.) or from 48.3 cm to 53.3 cm (19 in.			
to 21 in.)			
7150056 Elevating leg-rest, compensating; detachable and	100.00	200.00	
pivoting with locking mechanism; adjustable			
length; standard folding footplate, standard or			26
oversize, plastic; compatible with the same			36
attachment point as the footrest or supplied with its own attachments; padded calf-rest, height and			
depth-adjustable			
7150057 Padded calf-rest	15.00	15.00	36
7150058 Calf-rest strap, single or double	15.00	15.00	36
7150059 Folding footplate, standard, standard size; plastic	N. C.	6.00	36
7150060 Folding footplate, standard, oversize; plastic	29.00	35.00	36
71500(1)	44.00	50.00	
7150061 Footplate, angle and depth-adjustable, standard size	44.00	50.00	36
7150062 Footplate, angle and depth-adjustable, oversize	49.00	55.00	
7130002 1 ootpiate, angle and depth-adjustable, oversize	49.00	33.00	36
7150063 Heel loop, adjustable	N. C.	3.00	36
7150064 Headrest cushion, flat, all sizes	40.00	40.00	36
7150065 Headrest bracket, height and depth-adjustable	35.00	35.00	36
			50
FRAME			
7150066 Anti-tipping wheels, detachable or pivoting, with	N. C.	12.00	
locking mechanism		- •	60
~			

			(additionate version)
7150067 Fold-away back spreader bar to fold chair; with anchor for headrest bracket	75.00	75.00	36
7150068 Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	103.00	N. A.	36
7150069 Front impact guard with rollers	10.00	10.00	36
7150070 Cane holder	25.00	25.00	36
DRIVE SYSTEM			
7150071 Handrim, smooth	N. C.	80.00	36
7150072 Handrim, plastic-coated	N. C.	80.00	36
7150073 Handrim with oblique projections	N. C.	80.00	36
7150074 Non-slip foam handrim	40.00	120.00	36
7150075 Standard wheel lock, push-to-lock or pull-to-lock	N. C.	30.00	36
7150076 Anti-rollback brake	25.00	55.00	36
7150077 Plug-in wheel lock extension	10.00	10.00	36
7150078 Caster fork to adjust height and angle perpendicular	N. C.	15.00	
to the ground to compensate for changes in the rear seat-to-floor height			36
WHEELS AND TIRES			
7150079 Front mag wheel; semi-pneumatic tire; 17.8 cm (7	N. C.	40.00	
in.), 2.54 cm (1 in.) wide; or 20.3 cm (8 in.), 3.2 cm			36
$(1\frac{1}{4} \text{ in.}) \text{ or } 3.8 \text{ cm } (1\frac{1}{2} \text{ in.}) \text{ wide}$			
7150080 Front mag wheel; semi-pneumatic tire; 12.7 cm (5	N. C.	40.00	36
in.) or 15.2 cm (6 in.); 3.8 cm (1½ in.) wide			30
7150081 Front wheel; inner tube; 15.2 cm (6 in.), 17.8 cm (7	10.00	50.00	36
in.) or 20.3 cm (8 in.)			30
7150082 Rear axle, quick release system, with push-button	N. C.	15.00	
locking mechanism; adjustable centre of gravity to			
four horizontal positions; rear height adjustable for			36
5° of seat tilt, compatible with all wheel diameters			30
7150002 TI 1 1 1 1	N. C	2.00	24
7150083 Threaded rear axle	N. C.	2.00 10.00	36
7150084 Adapter for "amputee" axle position	10.00		36
7150085 Spoked rear wheel; semi-pneumatic tire; 61 cm (24	N. C.	100.00	36
in.); 3.2 cm (1 <sup>1</sup> / <sub>4</sub> in.) wide			

			`	,
7150087 Rear wheel; inner tube, standard pressure; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N. C.	100.00		36
7150088 Rear wheel, heavy-duty; semi-pneumatic tire; 55.9 cm (22 in.) or 61 cm (24 in.)	50.00	150.00		36
7150089 Spoke guard	70.00	70.00		36
		PRICE cluding all		
	,	the basic		
		mponents)		

## 7151014 MANUAL WHEELCHAIRS

1,040.00

IN SUBCATEGORY "INTERMEDIATE (CLASS B FOLDING FRAME)"

MOTION COMPOSITES INC.

## "COBALT 2" MODEL

## TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

**Device weight:** 15.9 kg (35 lb.)

Overall width: 19,1 cm (7½ in.) over the nominal seat width at 0° rear wheel camber

Front seat-to-floor height: 31.8 cm to 52.1 cm ( $12\frac{1}{2} \text{ in.}$  to  $20\frac{1}{2} \text{ in.}$ ) Rear seat-to-floor height: 30.5 cm to 48.9 cm (12 in. to  $19\frac{1}{4} \text{ in.}$ )

**Frame:** straight back canes or bend back canes from 8° to 10°, height and angle-adjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of

6°; non-slip push handles; four tie-down points for adapted transport

BASIC AND OPTIONAL COMPONENTS	Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM			
7151015 Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N. C.	36.00	12
7151016 Flat foam seat cushion, 5.1 cm (2 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	63.00	63.00	36
7151017 Flat foam seat cushion, 7.6 cm (3 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	104.00	104.00	36
7151018 Seat – width modification to 48.3 cm (19 in.)	100.00		36
7151019 Seat – width modification to 50.8 cm (20 in.)	100.00		36

7151020 Flexible nylon mesh back, padded; heights of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.) 48.3 cm (19 in.) or 50.8 cm (20 in.)	N. C.	32.33	12
7151021 Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	83.00	115.33	12
7151022 Pelvic positioning belt, auto buckle	N. C.	13.75	36
7151023 Pelvic positioning belt, Velcro 7151024 U-type armrest, short; detachable; height- adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by	N. C. N. C.	47.50 118.00	36
maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight			60
7151025 T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	118.00	60
7151026 U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into		120.33	60
armrest; armrest pad, straight 7151027 T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.33	60
7151028 Armrest pad, straight, short	N. C.	4.75	12
7151029 Armrest pad, straight, long 7151030 Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel	N. C. N. C.	5.58 23.88	12
loop; adjustable length from 34.3 cm to 44.5 cm (13½ in. to 17½ in.), from 40 cm to 50.8 cm (15¾ in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.)			60
7151031 Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 34.3 cm to 44.5 cm (13½ in. to 17½ in.), from 40 cm to 50.8 cm (15¾ in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.)	N. C.	48.00	60

7151032 Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or	177.50	201.38	
oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable			36
7151033 Padded calf-rest	48.75	48.75	36
7151034 Calf-rest strap, single or double	20.00	20.00	36
7151035 Folding footplate, standard, standard size; plastic		7.75	36
7151036 Folding footplate, standard, oversize; plastic	10.00	17.75	36
7151037 Footplate, angle and depth-adjustable, standard size	90.00	97.75	36
7151038 Footplate, angle and depth-adjustable, oversize	90.00	97.75	36
7151039 Heel loop, adjustable	N. C.	4.50	36
7151040 Headrest cushion, contoured, all sizes	85.00	85.00	36
7151041 Headrest bracket, height and depth-adjustable, or articulated uniball bracket	90.00	90.00	36
FRAME			
7151042 Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	21.00	60
7151043 Fold-away back spreader bar to fold chair; with anchor for headrest bracket	70.00	70.00	36
7151044 Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	400.00		36
7151045 Front impact guard with rollers	35.00	35.00	36
7151046 Cane holder	30.00	30.00	36
DRIVE SYSTEM			
7151047 Handrim, smooth	N. C.	14.50	36
7151048 Handrim, plastic-coated	N. C.	32.00	36
7151049 Non-slip foam handrim	110.00	124.50	36
7151050 Handrim with oblique projections	110.00	124.50	36

			(ddiffentile version)
7151052 Anti-rollback brake	106.00	120.00	36
7151053 Plug-in wheel lock extension	10.00	10.00	36
7151054 Caster fork to adjust height and angle perpendicular	N. C.	9.63	
to the ground to compensate for changes in the rear			36
seat-to-floor height			
WHEELS AND TIRES			
7151055 Front mag wheel; semi-pneumatic tire; 20.3 cm (8	N. C.	24.91	36
in.); 2.5 cm (1 in.) wide			30
7151056 Front mag wheel; semi-pneumatic tire; 12.7 cm (5	N. C.	8.65	
in.), 15.2 cm (6 in.) or 17.8 cm (7 in.); 2.5 cm (1			36
in.) wide			
7151057 Front wheel; inner tube; 15.2 cm (6 in.) or 20.3 cm	40.00	64.91	36
(8 in.)			30
7151058 Rear axle, quick release system, with push-button	N. C.	9.63	
locking mechanism; adjustable centre of gravity to			
four horizontal positions; rear height adjustable for			26
5° of seat tilt, compatible with all wheel diameters			36
7151059 Threaded rear axle	N. C.	4.75	36
7151060 Adapter for "amputee" axle position	53.00	53.00	36
7151000 Adapter for amputee axie position 7151061 Spoked rear wheel; semi-pneumatic tire; 61 cm (24	N. C.	52.88	30
in.); 3.2 cm (1 <sup>1</sup> / <sub>4</sub> in.) wide	N. C.	32.88	36
,, , , , , , , , , , , , , , , , , , ,	N. C.	52 00	
7151062 Spoked rear wheel; semi-pneumatic tire; 50.8 cm	N. C.	52.88	36
(20 in.) or 55.9 cm (22 in.); 3.2 cm (1½ in.) wide	90.00	122.00	
7151063 Rear wheel, heavy-duty; semi-pneumatic tire; 55.9	80.00	132.88	36
cm (22 in.) or 61 cm (24 in.)	50.00	102.00	
7151064 Rear wheel; inner tube, standard pressure; 50.8 cm	50.00	102.88	36
(20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	65.00	65.00	2.6
7151065 Spoke guard	65.00	65.00	36

PRICE (including all the basic components)

## 7151066 MANUAL WHEELCHAIRS

1,200.00

IN SUBCATEGORY "MULTI-ADJUSTABLE (CLASS A FOLDING FRAME)"

MOTION COMPOSITES INC.

## "PLATINE 1" MODEL

# TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

**Device weight:** 16.8 kg (37 lb.)

Overall width: 19,1 cm (7½ in.) over the nominal seat width at 0° rear wheel camber

Front seat-to-floor height: 35.6 cm to 55.9 cm (14 in. to 22 in.) Rear seat-to-floor height: 34.9 cm to 52.1 cm ( $13\frac{3}{4}$  in. to  $20\frac{1}{2}$  in.)

**Frame :** straight back canes or bend back canes from 8° to 10°, height and angle-adjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of

6°; non-slip push handles; four tie-down points for adapted transport

	BASIC AND OPTIONAL COMPONENTS	Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7151067	Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N. C.	36.00	12
7151068	Flat foam seat cushion, 5.1 cm (2 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	63.00	63.00	36
7151069	Flat foam seat cushion, 7.6 cm (3 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	104.00	104.00	36
7151070	Seat – depth modification to 48.3 cm (19 in.)	N. C.	N. A.	36
	Seat – depth modification to 50.8 cm (20 in.)	N. C.	N. A.	36
7151072	Seat – width modification to 53.3 cm (21 in.)	400.00	N. A.	36
7151073	Seat – width modification to 55.9 cm (22 in.)	400.00	N. A.	36

7151074 Flexible nylon mesh back, padded; heights of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N. C.	32.33	12
7151075 Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	83.00	115.33	12
7151076 Pelvic positioning belt, auto buckle	N. C.	13.75	36
7151077 Pelvic positioning belt, Velcro 7151078 L-type armrest, long; pivoting and detachable; height-adjustable by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard,	N. C.	47.50 118.00	36 60
rigid or flexible, detachable; tubular armrest pad			
7151079 U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into	N. C.	118.00	60
armrest; armrest pad, straight 7151080 T-type armrest, short; detachable; height- adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into	N. C.	118.00	60
armrest; armrest pad, straight 7151081 U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into	N. C.	120.33	60
armrest; armrest pad, straight 7151082 T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into	N. C.	120.33	60
armrest; armrest pad, straight 7151083 Armrest pad, straight, short	N. C.	4.75	12
7151084 Armrest pad, straight, long	N. C.	5.58	12
7151085 Armrest pad, tubular, for L-type armrest	N. C.	40.00	12
7151086 Clothing guard, rigid, for L-type armrest	N. C.	77.00	36
7151087 Clothing guard, flexible, for L-type armrest	N. C.	77.00	36

			,
7151088 Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 34.3 cm to 44.5 cm (13½ in. to 17½ in.), from 40 cm to 50.8 cm (15¾ in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.)	N. C.	23.88	60
7151089 Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 34.3 cm to 44.5 cm (13½ in. to 17½ in.), from 40 cm to 50.8 cm (15¾ in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.)	N. C.	48.00	60
7151090 Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	177.50	201.38	36
7151091 Padded calf-rest	48.75	48.75	26
7151091 Fadded can-rest 7151092 Calf-rest strap, single or double	20.00	20.00	36 36
7151092 Can-rest strap, single of double 7151093 Folding footplate, standard, standard size; plastic	N. C.	7.75	36
7151094 Folding footplate, standard, standard size, plastic	10.00	17.75	30
7131074 Folding rootplate, standard, oversize, plastic	10.00	17.75	36
7151095 Footplate, angle and depth-adjustable, standard size	90.00	97.75	36
7151096 Footplate, angle and depth-adjustable, oversize	90.00	97.75	36
7151097 Full-width footplate, one piece, folding; fixed angle or angle-adjustable	120.00	135.50	36
7151098 Heel loop, adjustable	N. C.	4.50	36
7151099 Headrest cushion, contoured, all sizes	85.00	85.00	36
7151100 Headrest bracket, height and depth-adjustable, or articulated uniball bracket	90.00	90.00	36

FRAME			
7151101 Fold-away back spreader bar to fold chair; with anchor for headrest bracket	70.00	70.00	36
7151102 Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	21.00	60
7151103 Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	400.00	N. A.	36
7151104 Front impact guard with rollers	35.00	35.00	36
7151105 Cane holder	30.00	30.00	36
DRIVE SYSTEM			
7151106 Handrim, smooth	N. C.	14.50	36
7151107 Handrim, plastic-coated	N. C.	32.00	36
7151108 Handrim with oblique projections	110.00	124.50	36
7151109 Non-slip foam handrim	110.00	124.50	36
7151110 Standard wheel lock, push-to-lock or pull-to-lock	N. C.	14.00	36
7151111 Anti-rollback brake	106.00	120.00	36
7151112 Plug-in wheel lock extension	10.00	10.00	36
7151113 Caster fork to adjust height and angle perpendicular	N. C.	9.63	
to the ground to compensate for changes in the rear seat-to-floor height			36
WHEELS AND TIRES			
7151114 Front mag wheel; semi-pneumatic tire; 20.3 cm (8	N. C.	24.91	26
in.); 2.5 cm (1 in.) wide			36
7151115 Front mag wheel; semi-pneumatic tire; 12.7 cm (5	N. C.	8.65	
in), 15.2 cm (6 in.) or 17.8 cm (7 in.); 2.5 cm (1 in.) wide			36
7151116 Front wheel; inner tube; 15.2 cm (6 in.) or 20.3 cm (8 in.)	40.00	64.91	36
7151117 Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity by	N. C.	9.63	
maximum increments of 0.63 cm (¼ in.) on a			
horizontal range of 6.4 cm (2½ in.); adjustable rear			26
height by maximum increments of 2 cm ( $\frac{3}{4}$ in.) for			36
up to 6.4 cm ( $2\frac{1}{2}$ in.) of seat tilt, compatible with all wheel diameters			
7151118 Threaded rear axle	N. C.	4.75	36
7151119 Adapter for "amputee" axle position	53.00	53.00	36
7151120 Spoked rear wheel; semi-pneumatic tire; 61 cm	N. C.	52.88	36
(24 in.); 3.2 cm (1 <sup>1</sup> / <sub>4</sub> in.) wide			30
7151121 Spoked rear wheel; semi-pneumatic tire; 50.8 cm (20 in.) or 55.9 cm (22 in.); 3.2 cm (1 <sup>1</sup> / <sub>4</sub> in.) wide	N. C.	52.88	36
	60.00	112 00	
7151122 Spoked rear wheel; inner tube, high pressure; 55.9 cm (22 in.) or 61 cm (24 in.)	00.00	112.88	36
7151123 Spoked rear wheel; inner tube, standard pressure;	50.00	102.88	
50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	30.00	102.88	36
7151124 Rear wheel, heavy-duty; semi-pneumatic tire; 55.9	80.00	132.88	36
cm (22 in.) or 61 cm (24 in.)	400	100.00	
7151125 Rear wheel camber, 3° or 6°	100.00	100.00	36
7151126 Spoke guard	65.00	65.00	36

## 7151127 MANUAL WHEELCHAIRS

PRICE 1,200.00

IN SUBCATEGORY "MULTI-ADJUSTABLE (CLASS B FOLDING MOTION COMPOSITES INC.

## "PLATINE 2" MODEL

## TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Device weight: 15.9 kg (35 lb.)

Overall width: 19,1 cm (7½ in.) over the nominal seat width at 0° rear wheel camber

Front seat-to-floor height: 31.8 cm to 52.1 cm ( $12\frac{1}{2} \text{ in.}$  to  $20\frac{1}{2} \text{ in.}$ ) Rear seat-to-floor height: 31.8 cm to 48.9 cm ( $12\frac{1}{2} \text{ in.}$  to  $19\frac{1}{4} \text{ in.}$ )

**Frame :** straight back canes or bend back canes from  $8^{\circ}$  to  $10^{\circ}$ , height and angleadjustable; seat-to-back angle adjustable from  $90^{\circ}$  to  $105^{\circ}$  by maximum increments of

6°; non-slip push handles; four tie-down points for adapted transport

BASIC AND OPTIONAL COMPONENTS	Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM			
7151128 Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18	N. C.	36.00	12
in.) 7151129 Flat foam seat cushion, 5.1 cm (2 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	63.00	63.00	36
7151130 Flat foam seat cushion, 7.6 cm (3 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	104.00	104.00	36
7151131 Flexible nylon mesh back, padded; heights of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N. C.	32.33	12
7151132 Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	83.00	115.33	12
7151133 Pelvic positioning belt, auto buckle	N. C.	13.75	36
7151134 Pelvic positioning belt, Velcro	N. C.	47.50	36

7151135 U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	118.00	60
7151136 T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	118.00	60
7151137 U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.33	60
7151138 T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.33	60
7151139 L-type armrest, long; pivoting and detachable; height-adjustable by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, flexible or rigid, detachable; tubular armrest pad.	N. C.	118.00	60
7151140 Armrest pad, straight, short	N. C.	4.75	12
7151141 Armrest pad, straight, long	N. C.	5.58	12
7151142 Armrest pad, tubular, for L-type armrest	N. C.	40.00	12
7151143 Clothing guard, rigid, for L-type armrest	N. C.	77.00	36
7151144 Clothing guard, flexible, for L-type armrest	N. C.	77.00	36
7151145 Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel	N. C.	23.88	30
loop; adjustable length from 34.3 cm to 44.5 cm (13½ in. to 17½ in.), from 40 cm to 50.8 cm (15¾ in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.)			60
7151146 Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 34.3 cm to 44.5 cm (13½ in. to 17½ in.), from 40 cm to 50.8 cm (15¾	N. C.	48.00	60
in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.)			

length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable  7151148 Padded calf-rest 7151149 Calf-rest strap, single or double 7151150 Folding footplate, standard, standard size; plastic 7151151 Folding footplate, standard, oversize; plastic	36 36 36 36
7151148 Padded calf-rest48.757151149 Calf-rest strap, single or double20.007151150 Folding footplate, standard, standard size; plasticN. C.7.75	36 36
7151149 Calf-rest strap, single or double 20.00 20.00 7151150 Folding footplate, standard size; plastic N. C. 7.75	36 36
7151150 Folding footplate, standard, standard size; plastic N. C. 7.75	36
/ 1 M 1 M Folding loomblate standard oversize, plastic 10.00 1//2	36
7131131 Totaling Tootplates, Suntaines, OverSizes, Plastic	
7151152 Footplate, angle and depth-adjustable, standard size 90.00 97.75	36
7151153 Footplate, angle and depth-adjustable, oversize 90.00 97.75	36
7151154 Full-width footplate, one piece, folding; fixed angle 120.00 135.50 or angle-adjustable	36
7151155 Heel loop, adjustable N. C. 4.50	36
7151156 Headrest cushion, contoured, all sizes 85.00 85.00	36
7151157 Headrest bracket, height and depth-adjustable, or 90.00 90.00	
articulated uniball bracket	36
FRAME	
7151158 Anti-tipping wheels, detachable or pivoting, with N. C. 21.00 locking mechanism	60
7151159 Fold-away back spreader bar to fold chair; with 70.00 70.00 anchor for headrest bracket	36
7151160 Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	36
7151161 Front impact guard with rollers 35.00 35.00	36
7151162 Cane holder 30.00 30.00	36
DRIVE SYSTEM	
7151163 Handrim, smooth N. C. 14.50	36
7151164 Handrim, plastic-coated N. C. 32.00	36
7151165 Handrim with oblique projections 110.00 124.50	36
7151166 Non-slip foam handrim 110.00 124.50	36
7151167 Standard wheel lock, push-to-lock or pull-to-lock N. C. 14.00	36
7151168 Anti-rollback brake 106.00 120.00	36
7151169 Plug-in wheel lock extension 10.00 10.00	36
7151170 Caster fork to adjust height and angle perpendicular N. C. 9.63	
to the ground to compensate for changes in the rear seat-to-floor height	36
WHEELS AND TIRES	
7151171 Front mag wheel; semi-pneumatic tire; 20.3 cm N. C. 24.91	26
(8 in.); 2.5 cm (1 in.) wide	36
7151172 Front mag wheel; semi-pneumatic tire; 12.7 cm N. C. 8.65	
(5 in.), 15.2 cm (6 in.) or 17.8 cm (7 in.); 2.5 cm (in.) wide	36

7151173 Front wheel; inner tube; 15.2 cm (6 in.) or 20.3 cm (8 in.)	40.00 N. C.	64.91 9.63	36
7151174 Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity by maximum increments of 0.63 cm (¼ in.) on a horizontal range of 6.4 cm (2½ in.); adjustable rear height by maximum increments of 2 cm (¾ in.) for up to 6.4 cm (2½ in.) of seat tilt, compatible with all wheel diameters	N. C.	9.03	36
7151175 Threaded rear axle	N. C.	4.75	36
7151176 Adapter for "amputee" axle position	53.00	53.00	36
7151177 Spoked rear wheel; semi-pneumatic tire; 61 cm (24 in.); 3.2 cm (1 <sup>1</sup> / <sub>4</sub> in.)	N. C.	52.88	36
7151178 Spoked rear wheel; semi-pneumatic tire; 50.8 cm (20 in.) or 55.9 cm (22 in.); 3.2 cm (1½ in.) wide	N. C.	52.88	36
7151179 Rear wheel, heavy-duty; semi-pneumatic tire; 55.9 cm (22 in.) or 61 cm (24 in.)	80.00	132.88	36
7151180 Rear wheel, heavy-duty; inner tube, high pressure; 55.9 cm (22 in.) or 61 cm (24 in.)	92.00	144.88	36
7151181 Spoked rear wheel; inner tube, standard pressure; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	50.00	102.88	36
7151182 Spoked rear wheel; inner tube, high pressure; 55.9 cm (22 in.) or 61 cm (24 in.)	60.00	112.88	36
7151183 Rear wheel camber, 3° or 6°	100.00	100.00	36
7151184 Spoke guard	65.00	65.00	36

#### **SUBDIVISION 2: LIGHTWEIGHT MANUAL WHEELCHAIRS**

PRICE (including all the basic components)

## 7151258 LIGHTWEIGHT MANUAL WHEELCHAIR

1,190.00

IN SUBCATEGORY "CLASS 2 RIGID PERFORMANCE FRAME"

SUNRISE MEDICAL CANADA INC.

"QUICKIE QRI" MODEL

# TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 120.2 kg (265 lb.)

**Device weight:** 13.6 kg (30 lb.)

Overall width: 20,3 cm (8 in.) over the nominal seat width at 0° rear wheel camber

Front seat-to-floor height: 38.1 cm to 53.3 cm (15 in. to 21 in.) Rear seat-to-floor height: 35.6 cm to 53.3 cm (14 in. to 21 in.)

**Frame**: Fold-away back canes, height-adjustable and angle-adjustable from  $80^{\circ}$  to  $100^{\circ}$  by maximum increments of  $6^{\circ}$ ; built into push handles, non-slip; four tie-down points for

adapted transport

	BASIC AND OPTIONAL COMPONENTS	Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7151259	Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.) or 48.3 cm (19 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.) or 48.3 cm (19 in.)	N. C.	55.00	12
7151260	Flat foam seat cushion, 5.1 cm (2 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	48.00	48.00	36
7151261	Flat foam seat cushion, 7.6 cm (3 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	55.00	55.00	36
7151262	Flexible nylon mesh back, padded; heights of 25.4 cm (10 in.), 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N. C.	40.00	12

7151263 Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps—except for backs ≤ 38.1 cm (15 in.)—spread across the height of the back	N. C.	45.00	12
7151264 Pelvic positioning belt, auto buckle	N. C.	35.00	36
7151265 Pelvic positioning belt, Velcro 7151266 L-type armrest, long; pivoting and detachable; height-adjustable, from 22.9 cm to 33 cm (9 in. to	N. C. N. C.	29.00 96.00	36
13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, detachable; armrest pad, tubular			60
7151267 T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 27.9 cm (7 in. to 11	24.00	120.00	
in.) or from 21.6 cm to 34,3 cm (8½ in. to 13½ in.), with locking mechanism; armrest pad, straight			60
7151268 Armrest pad, tubular, for L-type armrest	N. C.	2.00	12
7151269 Armrest pad, straight, short or long	7.00	9.00	12
7151270 Clothing guard, flexible	N. C.	22.00	36
7151271 Clothing guard, rigid, for L-type armrest	N. C.	20.00	36
7151272 Calf-rest strap, single	N. C.	19.00	36
7151273 Calf-rest strap, double	6.00	25.00	36
7151274 Footplate, full-width, standard, aluminum	N. C.	65.00	36
7151275 Footplate, full-width, angle-adjustable	N. C.	111.00	36
FRAME			
7151276 Push handle, bolt-on or fold-down	N. C.	51.00	36
7151277 Anti-tipping wheels, detachable or pivoting, with	N. C.	28.00	
locking mechanism			60
DRIVE SYSTEM			
7151278 Handrim, smooth	N. C.	40.00	36
7151279 Handrim, plastic-coated	N. C.	40.00	36
7151280 Non-slip foam handrim	85.00	125.00	36
7151281 Handrim with vertical or oblique projections	45.00	85.00	36
7151282 Standard wheel lock, push-to-lock or pull-to-lock	N. C.	32.00	36
7151283 Scissor lock	4.00	36.00	36
7151284 Anti-rollback brake	34.00	66.00	36
7151285 Plug-in wheel lock extension	7.00	7.00	36
7151286 Caster fork to adjust height	N. C.	32.00	36

WHEELS AND TIRES			
7151287 Front mag wheel; semi-pneumatic tire; 12.7 cm (5 in.); 2.5 cm (1 in.) or 3.8 cm (1½ in.) wide	N. C.	15.00	36
7151288 Front mag wheel; semi-pneumatic tire; 10.2 (4 in.),	N. C.	15.00	
2.5 cm (1 in.) or 3.3 cm (1 <sup>1</sup> / <sub>4</sub> in.) wide; or 15.2 cm			36
(6 in.), $2.5 \text{ cm}$ (1 in.) or $3.8 \text{ cm}$ (1½ in.) wide			
7151289 Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity by maximum increments of 0.63 cm (1/4 in.); adjustable	N. C.	33.00	
rear height by maximum increments of 1.3 cm (1/2			36
in.) for up to 7.6 cm (3 in.) of seat tilt; tilt can be			
obtained in combination with the frame shape			
7151290 Rear axle, quick release system, with lever	8.00	41.00	36
mechanism	N. C	00.00	
7151291 Spoked rear wheel, heavy-duty; semi-pneumatic tire; 61 cm (24 in.)	N. C.	80.00	36
7151292 Spoked rear wheel, heavy-duty; semi-pneumatic	N. C.	80.00	
tire; 55.9 cm (22 in.), 63.5 cm (25 in.) or 66 cm (26			36
in.) 7151293 Spoked rear wheel, heavy-duty; inner tube, high	N. C.	80.00	
pressure; 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm	14. 6.	00.00	36
(26 in.)			
7151294 Spoked rear wheel, heavy-duty; inner tube,	N. C.	80.00	
standard pressure; 55.9 cm (22 in.), 61 cm (24 in.),			36
63.5 cm (25 in.) or 66 cm (26 in.)	20.00	20.00	26
7151295 Spoke guard	20.00	20.00	36

#### **SUBDIVISION 3: POWERED WHEELCHAIRS**

PRICE
(including all
the basic
components)

#### 7153000 POWERED WHEELCHAIR

4,560.00

SUBCATEGORY "INTERMEDIATE COMPACT (MID-FRONT, MEDIAL, OR MID-REAR DRIVE WHEELS)"

SUNRISE MEDICAL CANADA INC.

"323 IC" MODEL

#### TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 136 kg (300 lb.)

**Seat-to-floor height:** 41.3 cm to 51.4 cm ( $16\frac{1}{4}$  in. to  $20\frac{1}{4}$  in.) without power tilt system and 41.3 cm to 47.6 cm ( $16\frac{1}{4}$  in. to  $18\frac{3}{4}$  in.) with power tilt system

Frame: mid-wheel drive base, overall width  $\leq$  61 cm (24 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

**Drive system:** electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153001	BODY SUPPORT SYSTEM  Seat-to-back assembly structure; resizable; back canes angle- adjustable from 90° to 110° by maximum increments of 6°; non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle-adjustable from 0° to 5° minimum; anchor for headrest bracket	N. C.	550.00	36
7153002	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)		75.00	36

			(audille	mile version,
7153003	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	225.00	225.00	36
7153004	Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	160.00	12
7153005	Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	40.00	200.00	12
7153006	Padded back cushion, contoured, including a rigid, contoured back	90.00	250.00	36
7153007	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	350.00	350.00	36
7153008	Power tilt system for minimum angulation of 0° to 45°, including controller on joystick control	1,650.00	1,650.00	36
7153009	Pelvic positioning belt, auto buckle	N. C.	30.00	36
7153010	U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight		175.00	60
7153011	T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153012	U-type armrest, long; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight		175.00	60
7153013	T-type armrest, long; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight		175.00	60
7153014	Armrest pad, straight, short	N. C.	20.00	12

			(	,
7153015	Armrest pad, straight, long	N. C.	20.00	12
7153017	One-piece footrest platform, 90° angle, adjustable length	N. C.	225.00	60
7153018	Parallel footrest, adjustable angle 60° or 70°, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 31.8 cm to 39.4 cm (12½ in. to 15½ in.) or from 36.8 cm to 49,5 cm (14½ in. to 19½ in.)	N. C.	225.00	60
7153019	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	N. C.	225.00	36
7153020	Padded calf-rest	35.00	35.00	36
7153021	Folding footplate, standard, standard size	N. C.	80.00	36
7153022	Folding footplate, standard, oversize	N. C.	80.00	36
7153023	Footplate, angle and depth-adjustable, standard size		80.00	36
7153024	Footplate, angle and depth-adjustable, oversize	N. C.	80.00	36
7153025	Heel loop, adjustable	N. C.	30.00	36
7153026	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	75.00	75.00	36
7153027	Headrest cushion, contoured, all sizes	70.00	70.00	36
	FRAME			
7153029	Front impact guard with rollers	20.00	20.00	36
7153030	DRIVE SYSTEM Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N. C.	329.00	36
7153031	Standard side bracket for joystick control; adjustable forward-rearward position	N. C.	140.00	36
7153032	Swivel side bracket for joystick control; with locking mechanism	N. C.	230.00	36
7153033	Midline bracket for joystick control; flip-back to provide total clearance for seat access	60.00	200.00	36
7153034	Controller for basic programmable electronics	N. C.	659.00	36
7153035	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick	N. C.	600.00	36
7153036	control and controller Battery charger; external; compatible with group 22 NF batteries	N. C.	199.00	36
7153037	Ball, stick, T-type, or mushroom handle	55.00	55.00	36

				(authentic version)
7153038	WHEELS AND TIRES Drive wheel, inner tube tire	N. C.	150.00	36
7153039	Front caster wheel, semi-pneumatic or inner tube	N. C.	80.00	36
7153040 7153041	Rear caster wheel, semi-pneumatic Airless insert for drive wheel	N. C. 45.00	80.00 45.00	36 36
			PRICE (including all the basic components)	
7153044	POWERED WHEELCHAIR SUBCATEGORY "LOW-SEAT COMPACT MULTI-PURPOSE (MID-FRONT OR MEDIAL DRIVE WHEELS)" SUNRISE MEDICAL CANADA INC.		4,875.00	
	"323 PC" MODEL  TECHNICAL SPECIFICATIONS OF THE DE  Maximum weight capacity: 181.4 kg (400 lb.)  Seat-to-floor height: 39.4 cm to 51.4 cm (15½ in. to 20		nover tilt system and	

Frame: mid-wheel drive base, overall width  $\leq$  61 cm (24 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

**Drive system:** electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153045	BODY SUPPORT SYSTEM  Seat-to-back assembly structure; resizable; back canes angle- adjustable from 90° to 110° by maximum increments of 6°; non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle-adjustable from 0° to 10; anchor for headrest bracket	N. C.	550.00	36
7153046	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)		75.00	36

7153047	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	225.00	225.00	36
7153048	Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	160.00	12
7153049	Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	40.00	200.00	12
7153050	Padded back cushion, contoured, including a rigid, contoured back	90.00	250.00	36
7153051	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	350.00	350.00	36
7153052	Power reclining back system, including a control external to the joystick control	1,590.00	1,590.00	36
7153053	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	1,650.00	1,650.00	36
7153054	Pelvic positioning belt, auto buckle	N. C.	30.00	36
7153055	U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10½ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into	N. C.	175.00	60
7153056	armrest; armrest pad, straight T-type armrest, short; detachable; height- adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60

				,
7153057	U-type armrest, long; flip-away; height-adjustable,	N. C.	175.00	
	from 17.8 cm to 26 cm (7 in. to 101/4 in.) or from 26			
	cm to 38.7 cm ( $10\frac{1}{4}$ in. to $15\frac{1}{4}$ in.) by maximum			60
	increments of 2.5 cm (1 in.), with locking			00
	mechanism; clothing guard, rigid, built into			
	armrest; armrest pad, straight			
7153058	T-type armrest, long; detachable; height-adjustable,	N. C.	175.00	
	from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from			
	27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum			60
	increments of 2.5 cm (1 in.), with locking			00
	mechanism; clothing guard, rigid, built into			
	armrest; armrest pad, straight			
7153059	Armrest pad, straight, short	N. C.	20.00	12
7153060	Armrest pad, straight, long	N. C.	20.00	12
7153061	One-piece footrest platform, 90° angle, adjustable	N. C.	225.00	60
	length			60
7153062	Parallel footrest, adjustable angle 60° or 70°,	N. C.	225.00	
	detachable and pivoting with locking mechanism;			
	standard folding footplate, standard size; adjustable			60
	heel loop; adjustable length from 31.8 cm to 39.4			60
	cm ( $12\frac{1}{2}$ in. to $15\frac{1}{2}$ in.) or from 36.8 cm to 49.5 cm			
	(14½ in. to 19½ in.)			
7153063	Elevating leg-rest, non-compensating; detachable	112.50	225.00	
	and pivoting with locking mechanism; adjustable			
	length; standard folding footplate, standard or			
	oversize; compatible with the same attachment			36
	point as the footrest or supplied with its own			
	attachments; calf-rest, contoured and padded,			
	height and depth-adjustable			
7153064	Power elevating leg-rest, with control per pair,	637.50	750.00	2.6
	including a control external to the joystick control			36
7153065	Power elevating leg-rest, with control per unit,	637.50	750.00	26
	including a control external to the joystick control			36
7153066	Power leg-rest, one piece, including a control	1,275.00	1,500.00	2.6
	external to the joystick control	,	,	36
7153067	Padded calf-rest, contoured	35.00	35.00	36
7153068	Folding footplate, standard, standard size	N. C.	80.00	36
7153069	Folding footplate, standard, oversize	N. C.	80.00	36
7153070	Footplate, angle and depth-adjustable, standard size	N. C.	80.00	
	1 / 8 1 J			36
7153071	Footplate, angle and depth-adjustable, oversize	N. C.	80.00	•
				36
7153072	Heel loop, adjustable	N. C.	30.00	36
7153073	Headrest bracket, height and depth-adjustable, or	75.00	75.00	
	articulated uniball bracket			36
7153074	Headrest cushion, contoured, all sizes	70.00	70.00	36
	,			_

7153075	FRAME Front impact guard with rollers	20.00	20.00	36
7153076	<b>DRIVE SYSTEM</b> Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N. C.	329.00	36
7153077	Standard joystick control for multi-purpose programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	200.00	529.00	36
7153078	Compact joystick control, proportional	N. C.	329.00	36
7153079	1 0 0	N. C.	140.00	36
7153080	Swivel side bracket for joystick control; with locking mechanism	N. C.	230.00	36
7153081	Midline bracket for joystick control; flip-back to provide total clearance for seat access	60.00	200.00	36
7153082	Controller for basic programmable electronics	N. C.	659.00	36
7153083	Controller for multi-purpose programmable electronics	100.00	759.00	36
7153084	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N. C.	600.00	36
7153085	Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N. C.	600.00	36
7153086	Internal control system for the joystick control for one (1) power repositioning accessory	350.00	350.00	36
7153087	Internal control system for the joystick control for four (4) power repositioning accessories	500.00	500.00	36
7153088	Battery charger; external; compatible with group 22 NF or group 24 batteries	N. C.	199.00	36
7153089	Adapted head control, proportional, including mounting bracket	1,100.00	1,100.00	36

715309	O Adapted head control, non-proportional, including mounting bracket	2,200.00	2,200.00	36
715309	_	1,200.00	1,200.00	36
715309	2 Adapted chin control, proportional, including mounting bracket	600.00	600.00	36
715309	3 Adapted chin control, non-proportional, including mounting bracket	600.00	600.00	36
715309	4 Adapted Mini joystick control, proportional, including mounting bracket	1,510.00	1,510.00	36
715309	5 Mounting bracket for adapted control	350.00	350.00	36
715309	6 Adapted control interface, with bracket and display	1,100.00	1,100.00	36
715309	7 Mounting bracket for interface	350.00	350.00	36
715309	8 Ball, stick, T-type, or mushroom handle	52.00	52.00	36
715309	9 Course correction system	895.00	895.00	36
	WHEELS AND TIRES			
715310	0 Drive wheel, inner tube tire	N. C.	150.00	36
715310	1 Front caster wheel, semi-pneumatic or inner tube	N. C.	80.00	36
715310	2 Rear caster wheel, semi-pneumatic	N. C.	80.00	36
715310	3 Airless insert for drive wheel	45.00	45.00	36

PRICE (including all the basic components)

4,200.00

### 7153470 POWERED WHEELCHAIR

SUBCATEGORY "LOW-SEAT COMPACT MULTI-PURPOSE (MID-FRONT OR MEDIAL DRIVE WHEELS)"

PRIDE MOBILITY PRODUCTS COMPANY

"Q6 EDGE 2" MODEL

## TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

**Seat-to-floor height:** 41.9 cm to 47 cm (16½ in. to 18½ in.) without power tilt system and 42.5 cm to 40.5 cm (16¾ in. to 10¼ in.) with power tilt system.

and 42.5 cm to 49.5 cm ( $16\frac{3}{4}$  in. to  $19\frac{1}{2}$  in.) with power tilt system

**Frame:** mid-front-wheel drive base, overall width  $\leq$  61 cm (24 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

**Drive system:** electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7153471	Seat-to-back assembly structure; resizable; back canes angle-adjustable from 90° to 110° by maximum increments of 6°; push bar or non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10; anchor for headrest bracket	N. C.	500.00	36
7153472	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 35.6 cm to 40.6 cm (14 in. to 16 in.) or 40.6 cm to 50.8 cm (16 in. to 20 in.)	N. C.	65.00	36
7153473	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	175.00	175.00	36
7153474	Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	60.00	12
7153475	Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	90.00	150.00	12
7153476	Back cushion, padded and contoured, including or built into a rigid back, flat or contoured	215.00	275.00	36
7153477	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	591.00	591.00	36
7153478	Power reclining back system, including a control external to the joystick control	1,500.00	1,500.00	36
7153479	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	2,000.00	2,000.00	36
7153480	Pelvic positioning belt, auto buckle	N. C.	25.00	36

7153481	U-type armrest, short; flip-away; height-adjustable, from 22.9 cm to 33 cm (9 in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	215.00	60
7153482	T-type armrest, short; detachable; height-adjustable, from 19.6 cm to 24.8 cm (7 <sup>3</sup> / <sub>4</sub> in. to 9 <sup>3</sup> / <sub>4</sub> in.), from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	215.00	60
7153483	U-type armrest, long; flip-away; height-adjustable, from 22.9 cm to 33 cm (9 in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	221.00	60
7153484	T-type armrest, long; detachable; height-adjustable, from 19.6 cm to 24.8 cm (7 <sup>3</sup> / <sub>4</sub> in. to 9 <sup>3</sup> / <sub>4</sub> in.), from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. à 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	221.00	60
7153485		N. C.	10.00	12
	Armrest pad, straight, long	N. C.	16.00	12
	Parallel footrest, adjustable angle 60° to 90°,	N. C.	135.00	
, 155 10,	detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 27.9 cm to 33 cm (11 in. to 13 in.), from 33 cm à 41.9 cm (13 in. to 16½ in.) or from 39.4 cm to 49.5 cm (15½ in. to	1,1,5,	155100	60
7153488	19½ in.) Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	224.50	246.00	36
7153489	Power elevating leg-rest, with control per pair, including a control external to the joystick control	1,678.50	1,700.00	36
7153490	Power elevating leg-rest, with control per unit, including a control external to the joystick control	978.50	1,000.00	36
7153491	One-piece footrest platform, 90° angle, adjustable length	N. C.	43.00	60
7153492	Power leg-rest, one piece, including a control external to the joystick control	1,657.00	1,700.00	36
7153493	Padded calf-rest, flat	63.00	63.00	36

				(authentic version)
	Folding footplate, standard, standard size	N. C.	53.00	36
	Folding footplate, standard, oversize	14.00 117.00	67.00	36
/133490	Footplate, angle and depth-adjustable, standard size	117.00	170.00	36
7153497	Footplate, angle and depth-adjustable, oversize	167.00	220.00	36
7153498	Heel loop, adjustable	N. C.	12.00	36
	Headrest bracket, articulated uniball	90.00	90.00	36
7153500	Headrest cushion, contoured, all sizes	90.00	90.00	36
7153501	FRAME Front impact guard with rollers	3.00	3.00	36
	DRIVE SYSTEM			
7153502	Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge	N. C.	330.00	36
	display			
7153503	Standard joystick control for multi-purpose programmable electronics; joystick handle; toggle	380.00	710.00	26
	switches or push buttons for on/off functions, horn, function selection; battery charge display			36
7153504	Compact joystick control, proportional	315.00	645.00	36
7153505	Standard side bracket for joystick control;	N. C.	20.00	36
7152506	adjustable forward-rearward position	N. C	00.00	30
7153506	Swivel side bracket for joystick control; with locking mechanism	N. C.	80.00	36
7153507	Midline bracket for joystick control; flip-back to	330.00	350.00	
	provide total clearance for seat access			36
7153508	Controller for basic programmable electronics	N. C.	250.00	36
7153509	Controller for multi-purpose programmable	75.00	325.00	36
	electronics			30
7153510	Motor for basic programmable electronics; propulsion provided by two electric direct-drive	N. C.	275.00	36
	motors; variable speed, controlled by joystick control and controller			30
7153511	Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive	N. C.	275.00	
	motors; variable speed, controlled by joystick and controller			36
7153512	Internal control system for the joystick control for one (1) power repositioning accessory	300.00	300.00	36
7153513	Internal control system for the joystick control for four (4) power repositioning accessories	375.00	375.00	36
7153514	Battery charger; external; compatible with group 22 NF batteries	N. C.	165.00	36
7153515	Adapted head control, proportional, including mounting bracket	1,452.00	1,452.00	36

				,
7153516	Adapted head control, non-proportional, including mounting bracket	2,539.00	2,539.00	36
7153517	Adapted breath control, non-proportional, including mounting bracket	1,222.00	1,222.00	36
7153518	Adapted chin control, proportional, including mounting bracket	1,302.00	1,302.00	36
7153519	Adapted chin control, non-proportional, including mounting bracket	1,302.00	1,302.00	36
7153520	Adapted Mini joystick control, proportional, including mounting bracket	1,302.00	1,302.00	36
7153521	Mounting bracket for adapted control	91.00	91.00	36
7153522	Adapted control interface, with bracket and display	1,118.00	1,118.00	36
7153523	Mounting bracket for interface	71.00	71.00	36
7153524	Ball, stick, T-type, or mushroom handle	40.00	40.00	36
7153525	Course correction system	869.00	869.00	36
	WHEELS AND TIRES			
7153526	Drive wheel, inner tube tire	N. C.	100.00	36
7153527	Front caster wheel, semi-pneumatic tire	N. C.	20.00	36
7153528	Rear caster wheel, semi-pneumatic tire	N. C.	20.00	36
7153529	Airless insert for drive wheel	60.00	60.00	36
			PRICE	
		(in	ncluding all	
			the basic	

7153106 POWERED WHEELCHAIR

5,710.00

SUBCATEGORY "LOW-SEAT COMPACT MULTI-PURPOSE

ORTHOFAB INC.

"OASIS PC" MODEL

## TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 136 kg (300 lb.)

**Seat-to-floor height:** 39.3 cm to 52 cm ( $15\frac{1}{2}$  in. to  $20\frac{1}{2}$  in.) without power tilt system and 39.3 cm to 49.5 cm ( $15\frac{1}{2}$  in. to  $19\frac{1}{2}$  in.) with power tilt system

Frame: mid-rear wheel drive base, overall width  $\leq$  61 cm (24 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

**Drive system:** electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

BASIC AND OPTIONAL COMPONENTS

Unit price of component during device purchase

Unit price for component replacement

Warranty (months)

**BODY SUPPORT SYSTEM** 

7153107	Seat-to-back assembly structure; resizable; back canes angle adjustable from 90° to 110° by maximum increments of 6°; push bar or non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10°; anchor for headrest bracket	N. C.	240.00	36
7153108	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.) or 58.4 cm (23 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50,8 cm (20 in.) or 53.3 cm (21 in.)	N. C.	45.00	36
7153109	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	150.00	150.00	36
7153110	Flexible nylon mesh back, padded; heights of 40.6 cm (16 in.), 43.1 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	75.00	12
7153111	Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	65.00	140.00	12
7153112	Padded back cushion, contoured, including a rigid, contoured back	165.00	240.00	36

7153115	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick	1,000.00	1,000.00	36
7153116	control Pelvic positioning belt, auto buckle	N. C.	6.00	36
7153117	U-type armrest, short; flip-away; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7153118	T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 27.9 cm to 35.6 cm (11 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7153119	U-type armrest, long; flip-away; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7153120	T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 27.9 cm to 35.6 cm (11 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7153121	Armrest pad, straight, short	N. C.	6.00	12
7153122 7153123	Armrest pad, straight, long Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding	N. C. N. C.	6.00 100.00	12
7153124	footplate, standard size; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or 45.7 cm to 58.4 cm (18 in. to 23 in.) Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop;	N. C.	100.00	60
	adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or 45.7 cm to 58.4 cm (18 in. to 23 in.)			

				(ddifference version)
7153125	Elevating leg-rest, compensating; detachable and pivoting, with locking mechanism; adjustable length; standard folding footplate, standard size or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, flat, padded, height- and depth-adjustable	100.00	200.00	36
7153126	Power elevating leg-rest, with control per unit, including a control external to the joystick control	1,030.00	1,130.00	36
7153127	Power elevating leg-rest, with control per pair, including a control external to the joystick control	1,030.00	1,130.00	36
7153128	Padded calf-rest, flat	15.00	15.00	36
7153129	Folding footplate, standard, standard size	N. C.	6.00	36
	Folding footplate, standard, oversize	29.00	35.00	36
7153131	Footplate, angle and depth-adjustable, standard size	44.00	50.00	36
7153132	Footplate, angle and depth-adjustable, oversize	49.00	55.00	36
7153133	Full-width footplate, in two lockable parts; angle-adjustable	88.00	100.00	36
7153134	Heel loop, adjustable	N. C.	3.00	36
	Headrest bracket, height and depth-adjustable	35.00	35.00	36
7153136	Headrest cushion, flat, all sizes	40.00	40.00	36
	FRAME			
7153137	Anti-tipping wheels, non-detachable except with tools	N. C.	4.00	60
7153138	Front impact guard with rollers	10.00	10.00	36
7153139	DRIVE SYSTEM Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N. C.	185.00	36
7153140	Standard joystick control for multi-purpose programmable electronics; joystick handle; toggle switches or push buttons for on/off functions, horn, function selection; battery charge display	195.00	380.00	36
7153141	Compact joystick control, proportional	195.00	380.00	36
7153141	Standard side bracket for joystick control;	N. C.	25.00	30
	adjustable forward-rearward position			36
7153143	Swivel side bracket for joystick control; with locking mechanism	N. C.	95.00	36
7153144	Midline bracket for joystick control; flip-back to provide total clearance for seat access	70.00	95.00	36

				(authentic version)
7153145	Controller for basic programmable electronics	N. C.	350.00	36
	Controller for multi-purpose programmable	225.00	575.00	36
	electronics			30
7153147	Motor for basic programmable electronics;	N. C.	450.00	
	propulsion provided by two electric direct-drive			36
	motors; variable speed, controlled by joystick			
7153148	control and controller  Motor for multi-purpose programmable electronics;	N. C.	450.00	
/133140	propulsion provided by two electric direct-drive	IV. C.	430.00	
	motors; variable speed, controlled by joystick and			36
	controller			
7153149	Battery charger; on board; compatible with group	N. C.	115.00	36
	22 NF or group 24 batteries			30
7153150	Internal control system for the joystick control for	185.00	185.00	36
7152151	one (1) power repositioning accessory	225.00	225.00	
/133131	Internal control system for the joystick control for four (4) power repositioning accessories	325.00	325.00	36
7153152	Adapted head control, proportional, including	1,000.00	1,000.00	
,	mounting bracket	-,	-,	36
7153153	Adapted head control, non-proportional, including	500.00	500.00	36
	mounting bracket			30
7153154	Adapted breath control, non-proportional,	400.00	400.00	36
7152155	including mounting bracket Adapted chin control, proportional, including	200.00	200.00	
7153155	mounting bracket	800.00	800.00	36
7153156	Adapted chin control, non-proportional, including	700.00	700.00	
	mounting bracket			36
7153157	Adapted Mini joystick control, proportional,	2,500.00	2,500.00	36
	including mounting bracket			
7153158	Mounting bracket for adapted control	400.00	400.00	36
7153159	Adapted control interface, with bracket and display	750.00	750.00	36
7153160	Mounting bracket for interface	125.00	125.00	36
7153161	Ball, stick, T-type, or mushroom handle	15.00	15.00	
	· ·			36
7153162	Course correction system	1,000.00	1,000.00	36
	WHEELS AND TIRES			
7153163	Drive wheel, inner tube tire	N. C.	100.00	36
7153164	Front caster wheel, inner tube tire	N. C.	45.00	36
7153165	Airless insert for drive wheel	75.00	75.00	36
7153166	Airless insert for caster wheel	30.00	30.00	36

PRICE (including all the basic components)

# 7153167 MOTORIZED WHEELCHAIR

4,110.00

SUBCATEGORY "MULTI-PURPOSE PERFORMANCE (MID-FRONT OR MEDIAL DRIVE WHEELS)"

SUNRISE MEDICAL CANADA INC.

"323 PP" MODEL

## TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 181.4 kg (400 lb.)

**Seat-to-floor height:** 39.4 cm to 51.4 cm (15½ in. to 20¼ in.) without power tilt system and

39.4 cm to 47.6 cm ( $15\frac{1}{2} \text{ in.}$  to  $18\frac{3}{4} \text{ in.}$ ) with power tilt system

Frame: mid-wheel drive base, overall width  $\leq$  66 cm (26 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

**Drive system:** electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153168	BODY SUPPORT SYSTEM  Seat-to-back assembly structure; resizable; back canes angle adjustable from 90° to 110° by maximum increments of 6°; non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10°; anchor for headrest bracket	N. C.	550.00	36
7153169	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50,8 cm (20 in.)	N. C.	75.00	36

				(dddientie version)
7153170	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the	225.00	225.00	36
7153171	padded seat is built into the rigid base) Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	160.00	12
7153172	Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	40.00	200.00	12
7153173	Padded back cushion, contoured, including a rigid, contoured back	90.00	250.00	36
7153174	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	350.00	350.00	36
7153175	Power reclining back system, including a control external to the joystick control	1,590.00	1,590.00	36
7153176	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	1,650.00	1,650.00	36
7153177	Pelvic positioning belt, auto buckle	N. C.	30.00	36
7153178	U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10½ in.) or from 26 cm to 38.7 cm (10½ in. to 15½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into	N. C.	175.00	60
7153179	armrest; armrest pad, straight T-type armrest, short; detachable; height- adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153180	U-type armrest, long; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153181	T-type armrest, long; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153182	Armrest pad, straight, short	N. C.	20.00	12
7153183	Armrest pad, straight, long	N. C.	20.00	12
7153184	One-piece footrest platform, 90° angle, adjustable length	N. C.	225.00	60

7153185	Parallel footrest, adjustable angle 60° or 70°, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 31.8 cm to 39.4 cm (12½ in. to 15½ in.) or from 36.8 cm to 49.5 cm (14½ in. to 19½ in.)	N. C.	225.00	60
7153186	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	112.50	225.00	36
7153187	Power elevating leg-rest, with control per pair, including a control external to the joystick control	637.50	750.00	36
7153188	Power elevating leg-rest, with control per unit, including a control external to the joystick control	637.50	750.00	36
7153189	Power leg-rest, one piece, including a control external to the joystick control	1,275.00	1,500.00	36
7153190	Padded calf-rest, contoured	35.00	35.00	36
	Folding footplate, standard, standard size	N. C.	80.00	36
7153192	Folding footplate, standard, oversize	N. C.	80.00	36
7153193	Footplate, angle and depth-adjustable, standard size	N. C.	80.00	36
7153194	Footplate, angle and depth-adjustable, oversize	N. C.	80.00	36
7153195	Heel loop, adjustable	N. C.	30.00	36
	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	75.00	75.00	36
7153197	Headrest cushion, contoured, all sizes	70.00	70.00	36
	FRAME			
7153198	Front impact guard with rollers	20.00	20.00	36

	DRIVE SYSTEM			
7153199	Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off	N. C.	329.00	
	functions, horn, function selection; battery charge display			36
7153200	Standard joystick control for multi-purpose programmable electronics; joystick handle; push	200.00	529.00	
	buttons for on/off functions, horn, function selection; battery charge display			36
7153201	Compact joystick control, proportional	N. C.	329.00	36
7153202	Standard side bracket for joystick control; adjustable forward-rearward position	N. C.	140.00	36
7153203	Swivel side bracket for joystick control; with locking mechanism	N. C.	230.00	36
7153204	Midline bracket for joystick control; flip-back to provide total clearance for seat access	60.00	200.00	36
7153205	Controller for basic programmable electronics	N. C.	659.00	36
7153206	Controller for multi-purpose programmable electronics	100.00	759.00	36
7153207	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N. C.	600.00	36
7153208	Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick and controller	N. C.	600.00	36
7153209	Battery charger; external; compatible with group 22 NF or group 24 batteries	N. C.	199.00	36
7153210	Internal control system for the joystick control for one (1) power repositioning accessory	350.00	350.00	36

				`	
7153211	Internal control system for the joystick control for	500.00	500.00		36
<b>5150010</b>	four (4) power repositioning accessories	1 100 00	1 100 00		
7153212	Adapted head control, proportional, including	1,100.00	1,100.00		36
	mounting bracket				
7153213	Adapted head control, non-proportional, including	2,200.00	2,200.00		36
	mounting bracket				50
7153214	Adapted breath control, non-proportional,	1,200.00	1,200.00		36
	including mounting bracket				30
7153215	Adapted chin control, proportional, including	600.00	600.00		26
	mounting bracket				36
7153216	Adapted chin control, non-proportional, including	600.00	600.00		•
	mounting bracket				36
7153217	Adapted Mini joystick control, proportional,	1,510.00	1,510.00		
,10021,	including mounting bracket	1,610.00	1,610.00		36
7153218	Mounting bracket for adapted control	350.00	350.00		36
7153219	Adapted control interface, with bracket and display	1,100.00	1,100.00		30
/133217	Adapted control interface, with bracket and display	1,100.00	1,100.00		36
7153220	Mounting bracket for interface	350.00	350.00		36
	Ball, stick, T-type, or mushroom handle	52.00	52.00		30
/133221	Ban, suck, 1-type, or mushroom handle	32.00	32.00		36
7152222	C	895.00	905 00		36
/133222	Course correction system	893.00	895.00		30
	WHEELS AND TIRES				
7153223	Drive wheel, inner tube tire	N. C.	150.00		36
	Front caster wheel, semi-pneumatic or inner tube	N. C.	80.00		
7100221	Tront custor wheel, senii pheumatic or miler tuse	1 0.	00.00		36
7153225	Rear caster wheel, semi-pneumatic	N. C.	80.00		36
	Airless insert for drive wheel	45.00	45.00		36
, 100220					-
			PRICE		
		(i	ncluding all		
		(1)	the basic		
		CO	omponents)		

## 7153530 POWERED WHEELCHAIR

4,100.00

SUBCATEGORY "MULTI-PURPOSE PERFORMANCE (MID-FRONT OR MEDIAL DRIVE WHEELS)"

PRIDE MOBILITY PRODUCTS COMPANY

"Q6 EDGE Z" MODEL

## TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 136 kg (300 lb.)

Seat-to-floor height: 44.5 cm to 49.5 cm (17½ in. to 19½ in.) without power tilt system

and 46 cm to 51.1 cm (181/8 in. to 201/8 in.) with power tilt system

**Frame:** mid-front wheel drive base, overall width  $\leq$  66 cm (26 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

**Drive system:** electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153531	BODY SUPPORT SYSTEM Seat-to-back assembly structure; resizable; back canes angle adjustable from 90° to 110° by maximum increments of 6°; push bar or non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10°; anchor for headrest bracket	N. C.	500.00	36
7153532	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 30.5 cm (12 in.), 33 cm (13 in.) from 35.6 cm to 40.6 cm (14 in. to 16 in.), from 40.6 cm to 50.8 cm (16 in. to 20 in.), or from 50.8 cm to 61 cm (20 in. to 24 in.); depths of 35.6 cm to 40.6 cm (14 in. to 16 in.), from 40.6 cm to 50.8 cm (16 in. to 20 in.), or from 50.8 cm to 61 cm (20 in. to 24 in.)	N. C.	65.00	36
7153533	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the	175.00	175.00	36
7153534	padded seat is built into the rigid base) Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	60.00	12
7153535	Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	90.00	150.00	12
7153536	Back cushion, padded and contoured, including or built into a rigid back, flat or contoured	215.00	275.00	36
7153537	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	591.00	591.00	36
7153538	Power reclining back system, including a control external to the joystick control	1,500.00	1,500.00	36
7153539	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	2,000.00	2,000.00	36

7153540	Pelvic positioning belt, auto buckle	N. C.	25.00	36
	U-type armrest, short; flip-away; height-adjustable, from 22.9 cm to 33 cm (9 in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	215.00	60
7153542	T-type armrest, short; detachable; height-adjustable, from 19.6 cm to 24.8 cm (7 <sup>3</sup> / <sub>4</sub> in. to 9 <sup>3</sup> / <sub>4</sub> in.), from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from de 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	215.00	60
7153543	U-type armrest, long; flip-away; height-adjustable, from 22.9 cm to 33 cm (9 in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	221.00	60
7153544	T-type armrest, long; detachable; height-adjustable, from 19.6 cm to 24.8 cm (7¾ in. to 9¾ in.), from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from de 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into	N. C.	221.00	60
	armrest; armrest pad, straight	NC	10.00	10
	Armrest pad, straight, short	N. C. N. C.	10.00 16.00	12 12
	Armrest pad, straight, long One-piece footrest platform, 90° angle, adjustable	N. C. N. C.	43.00	12
	length	N. C.	43.00	60
7153548	Parallel footrest, adjustable angle from 60° to 90°, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 27.9 cm to 33 cm (11 in. to 13 in.), from 33 cm to 41.9 cm (13 in. to	N. C.	135.00	60
7153549	16½ in.) or from 39.4 cm to 49.5 cm (15½ in. to 19½ in.) Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or	224.50	246.00	24
7153550	oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable Power elevating leg-rest, with control per pair, including a control external to the joystick control	1,678.50	1,700.00	36
	<u> </u>			

				(dddientie version)
7153551	Power elevating leg-rest, with control per unit, including a control external to the joystick control	978.50	1,000.00	36
7153552	Power leg-rest, one piece, including a control external to the joystick control	1,657.00	1,700.00	36
7153553	Calf-rest, padded, flat or contoured	63.00	63.00	36
	Folding footplate, standard, standard size	N. C.	53.00	36
	Folding footplate, standard, oversize	14.00	67.00	36
	Footplate, angle and depth-adjustable, standard size	117.00	170.00	36
7153557	Footplate, angle and depth-adjustable, oversize	167.00	220.00	36
			4.00	
	Heel loop, adjustable	N. C.	12.00	36
	Headrest cushion, contoured, all sizes	90.00	90.00	36
7153560	Headrest bracket, articulated uniball	90.00	90.00	36
7153561	FRAME Front impact guard with rollers	3.00	3.00	36
7133301		3.00	3.00	30
7153562	DRIVE SYSTEM Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off	N. C.	330.00	
	functions, horn, function selection; battery charge display			36
7153563	Standard joystick control for multi-purpose	380.00	710.00	
	programmable electronics; joystick handle; toggle switches or push buttons for on/off functions, horn, function selection; battery charge display			36
7153564	Compact joystick control, proportional	315.00	645.00	36
	Standard side bracket for joystick control; adjustable forward-rearward position	N. C.	20.00	36
7153566	Swivel side bracket for joystick control; with locking mechanism	N. C.	80.00	36
7153567	Midline bracket for joystick control; flip-back to provide total clearance for seat access	330.00	350.00	36
7153568	Controller for basic programmable electronics	N. C.	300.00	36
	Controller for multi-purpose programmable electronics	50.00	350.00	36
7153570	Motor for basic programmable electronics;	N. C.	520.00	
	propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller			36
7153571	Motor for multi-purpose programmable electronics;	N. C.	520.00	
	propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick and controller			36

7153572 Internal control system for the joystick control for one (1) power repositioning accessory	300.00	300.00	36
7153573 Internal control system for the joystick control for	375.00	375.00	
four (4) power repositioning accessories			36
7153574 Battery charger; external; compatible with group	N. C.	165.00	36
24 batteries			30
7153575 Adapted head control, proportional, including mounting bracket	1,452.00	1,452.00	36
7153576 Adapted head control, non-proportional, including	2,539.00	2,539.00	
mounting bracket	2,337.00	2,337.00	36
7153577 Adapted breath control, non-proportional,	1,222.00	1,222.00	26
including mounting bracket			36
7153578 Adapted chin control, proportional, including	1,302.00	1,302.00	36
mounting bracket	1 202 00	1 202 00	
7153579 Adapted chin control, non-proportional, including mounting bracket	1,302.00	1,302.00	36
7153580 Adapted Mini joystick control, proportional,	1,302.00	1,302.00	36
including mounting bracket			30
7153581 Mounting bracket for adapted control	91.00	91.00	36
7153582 Adapted control interface, with bracket and display	1,118.00	1,118.00	36
7153583 Mounting bracket for interface	71.00	71.00	36
7153584 Ball, stick, T-type, or mushroom handle	40.00	40.00	30
7133364 Bail, Stick, 1-type, of musimoon handic	40.00	40.00	36
7153585 Course correction system	869.00	869.00	36
WHEELS AND TIRES			
7153586 Drive wheel, inner tube tire	N. C.	100.00	36
7153587 Front caster wheel, semi-pneumatic tire	N. C.	30.00	36
7153588 Rear caster wheel, semi-pneumatic tire	N. C.	30.00	36
7153589 Airless insert for drive wheel	60.00	60.00	36

PRICE (including all the basic components)

## 7153229 **POWERED WHEELCHAIR**

5,710.00

SUBCATEGORY "MULTI-PURPOSE PERFORMANCE (MID-REAR DRIVE WHEELS)"

ORTHOFAB INC.

"OASIS PP" MODEL

## TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

**Seat-to-floor height:** 39.4 cm to 52 cm ( $15\frac{1}{2}$  in. to  $20\frac{1}{2}$  in.) without power tilt system

and 39.4 cm to 49.5 cm ( $15\frac{1}{2}$  in. to  $19\frac{1}{2}$  in.) with power tilt system

Frame: mid-rear wheel drive base, overall width  $\leq$  66 cm (26 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

**Drive system:** electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153230	BODY SUPPORT SYSTEM Seat-to-back assembly structure; resizable; back canes angle adjustable from 90° to 110° by maximum increments of 6°; push bar or non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10; anchor for headrest bracket	N. C.	240.00	36
7153231	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.) or 58.4 cm (23 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.) or 53.3 cm (21 in.)		45.00	36

7153232 Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the	150.00	150.00	36
padded seat is built into the rigid base) 7153233 Flexible nylon mesh back, padded; heights of 40.6 cm (16 in.), 43.1 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	75.00	12
7153234 Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	65.00	140.00	12
7153235 Padded back cushion, contoured, including a rigid, contoured back	165.00	240.00	36
7153236 Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	270.00	270.00	36
7153237 Power reclining back system, including a control external to the joystick control	750.00	750.00	36
7153238 Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	1,000.00	1,000.00	36
7153239 Pelvic positioning belt, auto buckle	N. C.	6.00	36
7153240 U-type armrest, short; flip-away; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7153241 T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 27.9 cm to 35.6 cm (11 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7153242 U-type armrest, long; flip-away; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60

			` /
7153243 T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from	N. C.	150.00	
27.9 cm to 35.6 cm (11 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into			60
armrest; armrest pad, straight			
7153244 Armrest pad, straight, short	N. C.	6.00	12
7153245 Armrest pad, straight, long	N. C.	6.00	12
7153246 Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop;	N. C.	100.00	
adjustable length from 35.6 cm to 48.3 cm (14 in.			60
to 19 in.) or from 45.7 cm to 58.4 cm (18 in. to 23 in.)			
7153247 Parallel footrest, 70° angle, detachable and pivoting	N. C.	100.00	
with locking mechanism; standard folding			
footplate, standard size; adjustable heel loop;			(0
adjustable length from 35.6 cm to 48.3 cm (14 in.			60
to 19 in.) or from 45.7 cm to 58.4 cm (18 in. to 23			
in.)			
7153248 Elevating leg-rest, compensating; detachable and	100.00	200.00	
pivoting, with locking mechanism; adjustable			
length; standard folding footplate, standard size or			
oversize; compatible with the same attachment			36
point as the footrest or supplied with its own			
attachments; calf-rest, flat, padded, height and			
depth-adjustable	4 0 0 0 0 0	4.440.00	
7153249 Power elevating leg-rest, with control per pair,	1,030.00	1,130.00	36
including a control external to the joystick control	1 020 00	1 120 00	
7153250 Power elevating leg-rest, with control per unit,	1,030.00	1,130.00	36
including a control external to the joystick control	15.00	15.00	26
7153251 Padded calf-rest, flat	15.00	15.00	36
7153252 Folding footplate, standard, standard size 7153253 Folding footplate, standard, oversize	N. C. 29.00	6.00 35.00	36 36
7153254 Footplate, angle and depth-adjustable, standard size	44.00	50.00	30
7133234 Pootplate, angle and deput-adjustable, standard size	44.00	30.00	36
7153255 Footplate, angle and depth-adjustable, oversize	49.00	55.00	36
7153256 Full-width footplate, in two lockable parts; angle-	88.00	100.00	2.6
adjustable			36
7153257 Heel loop, adjustable	N. C.	3.00	36
7153258 Headrest bracket, height and depth-adjustable	35.00	35.00	26
			36
7153259 Headrest cushion, flat, all sizes	40.00	40.00	36
FRAME			
7153260 Anti-tipping wheels, non-detachable except with	N. C.	4.00	60
tools			00
7153261 Front impact guard with rollers	10.00	10.00	36

<b>DRIVE SYSTEM</b> 7153262 Standard joystick control for basic programmable	N. C.	185.00	
electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display			36
7153263 Standard joystick control for multi-purpose programmable electronics; joystick handle; toggle switches or push buttons for on/off functions, horn, function selection; battery charge display	195.00	380.00	36
7153264 Compact joystick control, proportional	195.00	380.00	36
7153265 Standard side bracket for joystick control; adjustable forward-rearward position	N. C.	25.00	36
7153266 Swivel side bracket for joystick control; with locking mechanism	N. C.	95.00	36
7153267 Midline bracket for joystick control; flip-back to provide total clearance for seat access	70.00	95.00	36
7153268 Controller for basic programmable electronics	N. C.	350.00	36
7153269 Controller for multi-purpose programmable electronics	225.00	575.00	36
7153270 Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N. C.	450.00	36
7153271 Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick and controller	N. C.	450.00	36
7153272 Battery charger; on board; compatible with group 22 NF or group 24 batteries	N. C.	115.00	36
7153273 Internal control system for the joystick control for one (1) power repositioning accessory	185.00	185.00	36
7153274 Internal control system for the joystick control for four (4) power repositioning accessories	325.00	325.00	36
7153275 Adapted head control, proportional, including mounting bracket	1,000.00	1,000.00	36
7153276 Adapted head control, non-proportional, including mounting bracket	500.00	500.00	36
7153277 Adapted breath control, non-proportional, including mounting bracket	400.00	400.00	36
7153278 Adapted chin control, proportional, including mounting bracket	800.00	800.00	36
7153279 Adapted chin control, non-proportional, including mounting bracket	700.00	700.00	36

			(	,
7153280 Adapted Mini joystick control, proportional, including mounting bracket	2,500.00	2,500.00		36
7153281 Mounting bracket for adapted control	400.00	400.00		36
7153282 Adapted control interface, with bracket and display	750.00	750.00		
7133202 Adapted control interface, with olderer and display	750.00	750.00		36
7153283 Mounting bracket for interface	125.00	125.00		36
7153284 Ball, stick, T-type, or mushroom handle	15.00	15.00		36
7153285 Course correction system	1,000.00	1,000.00		36
WHEELS AND TIRES				
7153286 Drive wheel, inner tube tire	N. C.	100.00		36
7153287 Front caster wheel, inner tube	N. C.	45.00		36
7153288 Airless insert for drive wheel	75.00	75.00		36
7153289 Airless insert for caster wheel	30.00	30.00		36
		PRICE		
	(i	ncluding all		
	·	the basic		
	c	omponents)		
7152200 DOWEDED WHEEL CHAID		0 000 00		

7153290 **POWERED WHEELCHAIR** 

8,000.00

SUBCATEGORY "OBESE (MID-FRONT OR MEDIAL DRIVE WHEELS)"

SUNRISE MEDICAL CANADA INC.

"XCEL" MODEL

## TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 249.5 kg (550 lb.)

**Seat-to-floor height:** 41.3 cm to 51.4 cm ( $16\frac{1}{4} \text{ in.}$  to  $20\frac{1}{4} \text{ in.}$ ) without power tilt system and 43.2 cm to 48.3 cm (17 in. to 19 in.) with power tilt system

**Frame:** mid-wheel drive base, overall width  $\leq 73.3$  cm (29 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

**Drive system:** electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153291	BODY SUPPORT SYSTEM Seat-to-back assembly structure; resizable; back canes angle adjustable from 90° to 110° by maximum increments of 6°; non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10; anchor for headrest bracket	N. C.	550.00	36
7153292	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.), 63.5 cm (25 in.), 66 cm (26 in.), 68.6 cm (27 in.) or 71.1 cm (28 in.); depths of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in), 58.4 cm (23 in.) or 61 cm (24 no.)	N. C.	260.00	36
7153293	in.) or 61 cm (24 po.) Padded seat cushion, contoured; removable and washable outer cover, water-resistant or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the	490.00	490.00	36
7153294	padded seat is built into the rigid base) Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	180.00	12
7153295	,	310.00	490.00	12
7153296	Padded back cushion, contoured, including a rigid, contoured back	310.00	490.00	36
7153297	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	995.00	995.00	36
7153298		2,500.00	2,500.00	36
7153299	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	3,500.00	3,500.00	36
7153300	Pelvic positioning belt, auto buckle	N. C.	45.00	36

7153301	U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	225.00	60
7153302	T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	225.00	60
7153303	U-type armrest, long, flip-away, height-adjustable from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	225.00	60
7153304	T-type armrest, long, detachable; adjustable in height from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	225.00	60
7153305	Armrest pad, straight, short	N. C.	20.00	12
	Armrest pad, straight, long	N. C.	20.00	12
7153307		N. C.	225.00	
7100007	length	14. 6.	223.00	60
7153308	Parallel footrest, adjustable angle 60° or 70°, detachable and pivoting with locking mechanism; standard folding footplate; standard size; adjustable heel-loop; adjustable length of 31.8 cm to 39.4 cm (12½ in. to 15½ in.) or from 36.8 cm to 49.5 cm (14½ in. to 19½ in.)	N. C.	225.00	60
7153309	Elevating leg-rests, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rests, contoured and padded, height and depth-adjustable	112.50	225.00	36
7153310	Power elevating leg-rest, with control per pair,	882.50	995.00	26
	including a control external to the joystick control			36
7153311	Power elevating leg-rest, with control per unit,	882.50	995.00	36
	including a control external to the joystick control			

				,
7153312	Power leg-rest, one piece, including a control external to the joystick control	1,770.00	1,995.00	36
7153313	Padded calf-rest, contoured	100.00	100.00	36
	Folding footplate, standard, standard size	N. C.	100.00	36
	Folding footplate, standard, oversize	N. C.	100.00	36
		N. C. N. C.	100.00	30
/133310	Footplate, angle and depth-adjustable, standard size	N. C.	100.00	36
7153317	Footplate, angle and depth-adjustable, oversize	N. C.	100.00	36
	Heel loop, adjustable	N. C.	45.00	36
7153319	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	75.00	75.00	36
7153320	Headrest cushion, contoured, all sizes	70.00	70.00	36
	FRAME			
7153321	Front impact guard with rollers	20.00	20.00	36
	DRIVE SYSTEM			
7153322	Standard joystick control for basic programmable	N. C.	329.00	
, 100022	electronics; joystick handle; push buttons for on/off	1 6.	029.00	
	functions, horn, function selection; battery charge			36
	display			30
	uispiay			
7153323	Standard joystick control for multi-purpose	200.00	529.00	
	programmable electronics; joystick handle; push			
	buttons for on/off functions, horn, function			36
	selection; battery charge display			
<b>515000</b> 4		N. G	222.00	2.6
	Compact joystick control, proportional	N. C.	329.00	36
7153325	<b>3 2</b>	N. C.	140.00	36
<b>515000</b> 6	adjustable forward-rearward position	N. G	220.00	
7153326	Swivel side bracket for joystick control; with	N. C.	230.00	36
7152227	locking mechanism	60.00	200.00	
7153327	Midline bracket for joystick control; flip-back to	60.00	200.00	36
71.52220	provide total clearance for seat access	N. C	650.00	26
7153328	÷ ÷	N. C.	659.00	36
7153329	Controller for multi-purpose programmable	100.00	759.00	36
7152220	electronics	N. C	000.00	
7153330	Motor for basic programmable electronics;	N. C.	900.00	
	propulsion provided by two electric direct-drive			36
	motors; variable speed, controlled by joystick			
7152221	control and controller	N. C	000.00	
7153331	Motor for multi-purpose programmable electronics;	N. C.	900.00	
	propulsion provided by two electric direct-drive			36
	motors; variable speed, controlled by joystick and			
7152222	controller	N. C	100.00	
7153332	Battery charger; external; compatible with group	N. C.	199.00	36
7150000	24 batteries	250.00	250.00	
/153333	Internal control system for the joystick control for	350.00	350.00	36
715000 (	one (1) power repositioning accessory	<b>500.00</b>	500 OC	
/153334	Internal control system for the joystick control for	500.00	500.00	36
	four (4) power repositioning accessories			

Adapted head control, proportional, including	1,100.00	1,100.00	36
Adapted head control, non-proportional, including	2,200.00	2,200.00	36
Adapted breath control, non-proportional,	1,200.00	1,200.00	36
Adapted chin control, proportional, including	600.00	600.00	36
Adapted chin control, non-proportional, including	600.00	600.00	36
Adapted Mini joystick control, proportional,	1,510.00	1,510.00	36
Adapted control interface, with bracket and display	1,100.00	1,100.00	36
Mounting bracket for interface	350.00	350.00	36
Mounting bracket for adapted control	350.00	350.00	36
Ball, stick, T-type, or mushroom handle	52.00	52.00	36
WHEELS AND TIRES			
Driving wheel, inner tube tires	N. C.	150.00	36
Front caster wheel, inner tube	N. C.	80.00	36
Rear caster wheel, semi-pneumatic	N. C.	80.00	36
Airless insert for driving wheel	45.00	45.00	36
	mounting bracket Adapted head control, non-proportional, including mounting bracket Adapted breath control, non-proportional, including mounting bracket Adapted chin control, proportional, including mounting bracket Adapted chin control, non-proportional, including mounting bracket Adapted Mini joystick control, proportional, including mounting bracket Adapted control interface, with bracket and display  Mounting bracket for interface Mounting bracket for adapted control Ball, stick, T-type, or mushroom handle  WHEELS AND TIRES  Driving wheel, inner tube tires Front caster wheel, inner tube Rear caster wheel, semi-pneumatic	mounting bracket Adapted head control, non-proportional, including mounting bracket Adapted breath control, non-proportional, including mounting bracket Adapted chin control, proportional, including mounting bracket Adapted chin control, non-proportional, including mounting bracket Adapted Chin control, non-proportional, including mounting bracket Adapted Mini joystick control, proportional, including mounting bracket Adapted control interface, with bracket and display  Mounting bracket for interface Mounting bracket for adapted control Ball, stick, T-type, or mushroom handle  WHEELS AND TIRES Driving wheel, inner tube tires Front caster wheel, inner tube Rear caster wheel, semi-pneumatic  N. C. Rear caster wheel, semi-pneumatic	mounting bracket Adapted head control, non-proportional, including mounting bracket Adapted breath control, non-proportional, including mounting bracket Adapted chin control, proportional, including mounting bracket Adapted chin control, proportional, including mounting bracket Adapted chin control, non-proportional, including mounting bracket Adapted chin control, non-proportional, including mounting bracket Adapted Mini joystick control, proportional, including mounting bracket Adapted control interface, with bracket and display  Mounting bracket for interface Mounting bracket for adapted control Ball, stick, T-type, or mushroom handle  WHEELS AND TIRES  Driving wheel, inner tube tires Front caster wheel, inner tube Rear caster wheel, semi-pneumatic  N. C. 80.00  Rear caster wheel, semi-pneumatic

# DIVISION II: PEDIATRIC WHEELCHAIRS SUBDIVISION 1: MANUAL WHEELCHAIRS

PRICE (including all the basic components)

## 7151339 MANUAL WHEELCHAIRS

2,195.00

SUBCATEGORY "MULTI-ADJUSTABLE PERFORMANCE (FOLDING FRAME)"

MOTION COMPOSITES INC.

## "HELIO K" MODEL

## TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

**Device weight:** 14.5 kg (32 lb.)

Front seat-to-floor height: 34.3 cm to 54.6 cm ( $13\frac{1}{2} \text{ in.}$  to  $21\frac{1}{2} \text{ in.}$ ) Rear seat-to-floor height: 31.8 cm to 48.9 cm ( $12\frac{1}{2} \text{ in.}$  to  $19\frac{1}{4} \text{ in.}$ )

Frame: straight back canes or bend back canes, height and angle-adjustable; non-slip

push handles; four tie-down points for adapted transport

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7151340	Flexible nylon mesh seat, with mesh-stretching	N. C.	36.00	
	system; two strips of "hook" Velcro, 2.5 cm (1 in.)			
	wide or wider; handle to fold chair; widths of			
	30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.),			12
	38.1 cm (15 in.) or 40.6 cm (16 in.); depths of			
	30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.),			
	38.1 cm (15 in.) or 40.6 cm (16 in.)			
7151341	Flat foam seat cushion, 5.1 cm (2 in.); two strips of	63.00	63.00	
	"velour" Velcro 5.1 cm (2 in.) wide, under the			36
	cushion			
7151342	Flexible nylon mesh back, padded; heights of	N. C.	32.33	
	30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.),			
	38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.),			12
	45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm			
	(20 in.)			
7151343	Pelvic positioning belt, auto buckle	N. C.	13.75	36
7151344	Pelvic positioning belt, Velcro	N. C.	47.50	36

7151345	T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into	N. C.	118.00	60
7151346	armrest; armrest pad, straight T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into	N. C.	120.33	60
7151347	armrest; armrest pad, straight I-type armrest	50.00	168.00	60
7151347	L-type armrest; height-adjustable	N. C.	118.00	60
7151349	Armrest pad, straight, short	N. C.	4.75	12
7151350	Armrest pad, straight, long	N. C.	5.58	12
7151351	Armrest pad, tubular, for L-type armrest	35.25	40.00	12
7151352	Clothing guard, flexible, for L-type armrest	77.00	77.00	36
7151353	Clothing guard, rigid, for L-type armrest	77.00	77.00	36
7151354	70° footrest, detachable and pivoting with locking mechanism; standard folding footplate, standard	N. C.	48.00	
	size, plastic; adjustable heel loop; adjustable length from 12.7 cm to 53.3 cm (5 in. to 21 in.)			60
7151355	90° footrest, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 12.7 cm to 39.4 cm (5 in. to 15½ in.)	N. C.	48.00	60
7151356	Elevating leg-rest; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic;	153.38	201.38	
	compatible with the same attachment points as the footrest or supplied with its own attachments; calfrest, contoured and padded, height and depthadjustable			36
7151357	Padded calf-rest	48.75	48.75	36
7151358	Calf-rest strap, single or double	20.00	20.00	36
7151359	Folding footplate, standard, standard size; plastic	N. C.	7.75	36
7151360	Folding footplate, standard, oversize	10.00	17.75	36
7151361	Footplate, angle and depth-adjustable, standard size	90.00	97.75	36
7151362	Footplate, angle and depth-adjustable, oversize	90.00	97.75	36
7151363	Full-width footplate, one piece, folding; angleadjustable	120.00	135.50	36
7151364	Heel loop, adjustable	N. C.	4.50	36
7151365	Headrest cushion, contoured, all sizes	85.00	85.00	36

				(www.ioi.ii.o (oi.oi.oi.)
7151366	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	90.00	90.00	36
	FRAME			
7151367	Push handle, raised, detachable	N. C.	100.00	36
7151368	Anti-tipping wheels, detachable or pivoting, with	N. C.	21.00	60
	locking mechanism			00
7151369	Fold-away back spreader bar to fold chair; with	70.00	70.00	36
7151270	anchor for headrest bracket	37.4	250.00	
/1513/0	Wheelchair growth kit to enlarge chair by 5.1 cm	N. A.	250.00	36
7151371	(2 in.) Cane holder	30.00	30.00	36
/1313/1	Cane notice	30.00	30.00	30
	DRIVE SYSTEM			
	Handrim, smooth	N. C.	14.50	36
	Handrim, plastic-coated	N. C.	32.00	36
	Non-slip handrim, foam	110.00	124.50	36
7151375		N. C.	14.00	36
	Anti-rollback brake	106.00	120.00	36
	Plug-in wheel lock extension	10.00	10.00	36
7151378	Caster fork to adjust height and angle perpendicular	N. C.	9.63	
	to the ground to compensate for changes in the rear			36
	seat-to-floor height			
	WHEELS AND TIRES			
7151379	Front mag wheel, semi-pneumatic tire, 20.3 cm	N. C.	24.91	26
	(8 in.); 2.5 cm (1 in.) wide			36
7151380	Front mag wheel, semi-pneumatic tire, 12.7 cm	N. C.	8.65	
	(5 in.), 15.2 cm (6 in.) or 17.8 cm (7 in.); 2.5 cm			36
	(1 in.) wide			
7151381	Rear axle, quick release system, with push-button	N. C.	9.63	
	locking mechanism; adjustable centre of gravity by			
	increments of 0.63 cm (1/4 in.) on a horizontal range			
	of 8.9 cm (3½ in.); adjustable rear height for up to			36
	5° of seat tilt, compatible with all wheel diameters			
7151382	Threaded rear axle	N. C.	4.75	36
7151382	Spoked rear wheel, semi-pneumatic tire, 61 cm	N. C.	52.88	
, 10 13 03	(24 in.); 3.2 cm (1 <sup>1</sup> / <sub>4</sub> in.) wide	11. 0.	22.00	36
7151384	Spoked rear wheel, semi-pneumatic tire, 55.9 cm	N. C.	52.88	2 -
	(22 in.); 3.2 cm (1 <sup>1</sup> / <sub>4</sub> in.) wide			36
7151385	Spoked rear wheel with inner tube tire, high	60.00	112.88	36
	pressure; 55.9 cm (22 in.) or 61 cm (24 in.)			30
7151386	Spoke guard	65.00	65.00	36

## **SUBDIVISION 2: POWERED WHEELCHAIRS**

PRICE (including all the basic components)

#### 7153351 POWERED WHEELCHAIR

4,875.00

SUBCATEGORY "MULTI-PURPOSE (MIDFRONT OR MEDIAL DRIVE WHEELS)"

SUNRISE MEDICAL CANADA INC.

"323 E" MODEL

## TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 181.4 kg (400 lb.)

**Seat-to-floor height:** 39.4 cm to 51.4 cm ( $15\frac{1}{2}$  in. to  $20\frac{1}{4}$  in.) without power tilt system and 39.4 cm to 47.6 cm ( $15\frac{1}{2}$  in. to  $18\frac{3}{4}$  in.) with power tilt system

**Frame:** mid-wheel drive base, suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

**Drive system:** electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM			
7153352 Seat-to-back assembly structure; resizable; back canes angle-adjustable from 90° to 110° by maximum increments of 6°; non-slip push handles structure compatible with commercial positioning device anchors; adjustable seat-to-floor height static rocker, angle-adjustable from 0° to 10°; anchor for headrest bracket	; ; ;	550.00	36
7153353 Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.) or 38.1 cm (15 in.)	f f	75.00	36
7153354 Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	i f	225.00	36

				`
7153355	Flexible nylon mesh back, padded; heights of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.),	N. C.	160.00	12
7153356	43.2 cm (17 in.) or 45.7 cm (18 in.)  Padded back cushion, contoured, including a rigid, contoured back	90.00	250.00	36
7153357	7 Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	350.00	350.00	36
7153358	Power reclining back system, including a control external to the joystick control	1,590.00	1,590.00	36
7153359	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	1,650.00	1,650.00	36
7153420	Pelvic positioning belt, auto buckle	N. C.	30.00	36
7153421	U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 101/4 in.) or from 26 cm to 38.7 cm (101/4 in. to 151/4 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153422	2 T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153423	3 U-type armrest, long; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 101/4 in.) or from 26 cm to 38.7 cm (101/4 in. to 151/4 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153424	T-type armrest, long, detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest, armrest pad, straight	N. C.	175.00	60
7153425	Armrest pad, straight, short	N. C.	20.00	12
	Armrest pad, straight, long	N. C.	20.00	12
	One-piece footrest platform, 90°, adjustable length	N. C.	225.00	60
7153428	Footrest; adjustable angle 60°, 70°, 80° or 90°, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 14 cm to 19.1 cm (5½ in. to 7½ in.), from 21.6 cm to 39.4 cm (8½ in.	N. C.	225.00	60
	to 15½ in.) or from 26.7 cm to 39.4 cm (10½ in. to 15½ in.)			

			(uumenne version)
7153429 Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, contoured	112.50	225.00	36
7153430 Power elevating leg-rest, with control per pair, including a control external to the joystick control	637.50	750.00	36
7153431 Power elevating leg-rest, with control per unit, including a control external to the joystick control	637.50	750.00	36
7153432 Power leg-rest, one-piece, including a control external to the joystick control	1,275.00	1,500.00	36
7153433 Padded calf-rest, contoured	35.00	35.00	36
7153434 Folding footplate, standard, standard size	N. C.	80.00	36
7153435 Folding footplate, standard, oversize	N. C.	80.00	36
7153436 Footplate, angle and depth-adjustable, standard size	N. C.	80.00	36
7153437 Footplate, angle and depth-adjustable, oversize	N. C.	80.00	36
7153438 Heel loop, adjustable	N. C.	30.00	36
7153439 Headrest bracket, height and depth-adjustable, or	75.00	75.00	30
articulated uniball bracket	75.00	73.00	36
7153440 Headrest cushion, contoured, all sizes	70.00	70.00	36
FRAME			
7153441 Front impact guard with rollers	20.00	20.00	36
DRIVE SYSTEM 7153442 Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N. C.	329.00	36
7153443 Standard joystick control for multi-purpose programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	200.00	529.00	36
7153444 Compact joystick control, proportional	N. C.	329.00	36
7153445 Standard side bracket for joystick control; adjustable forward-rearward position	N. C.	140.00	36
7153446 Swivel side bracket for joystick control; with locking mechanism	N. C.	230.00	36
7153447 Midline bracket for joystick control; flip-back to provide total clearance for seat access	60.00	200.00	36
7153448 Controller for basic programmable electronics	N. C.	659.00	36
7153449 Controller for multi-purpose programmable	100.00	759.00	
electronics	100.00	, 5, 100	36

7153450 Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N. C.	600.00	36
7153451 Motor for multi-functional programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N. C.	600.00	36
7153452 Battery charger; external; compatible with group 22 NF or group 24 batteries	N. C.	199.00	36
7153453 Internal control system for the joystick control for one (1) power repositioning accessory	350.00	350.00	36
7153454 Internal control system for the joystick control for four (4) power repositioning accessories	500.00	500.00	36
7153455 Adapted head control, proportional, including mounting bracket	1,100.00	1,100.00	36
7153456 Adapted head control, non-proportional, including mounting bracket	2,200.00	2,200.00	36
7153457 Adapted breath control, non-proportional, including mounting bracket	1,200.00	1,200.00	36
7153458 Adapted chin control, proportional, including mounting bracket	600.00	600.00	36
7153459 Adapted chin control, non-proportional, including mounting bracket	600.00	600.00	36
7153460 Adapted Mini joystick control, proportional, including mounting bracket	1,510.00	1,510.00	36
7153461 Mounting bracket for adapted control	350.00	350.00	36
7153462 Adapted control interface, with bracket and display	1,100.00	1,100.00	36
7153463 Mounting bracket for interface	350.00	350.00	36
7153464 Ball, stick, T-type, or mushroom handle	52.00	52.00	36
7153465 Course correction system	895.00	895.00	36
WHEELS AND TIRES			
7153466 Drive wheel, inner tube tire	N. C.	150.00	36
7153467 Front caster wheel, semi-pneumatic or inner tube	N. C.	80.00	36
7153468 Rear caster wheel, semi-pneumatic	N. C.	80.00	36
7153469 Airless insert for drive wheel	45.00	45.00	36
1155 107 Miless most for drive wheel	73.00	75.00	30

PRICE (including all the basic components)

## 7153360 POWERED WHEELCHAIR

4,875.00

SUBCATEGORY "MULTI-PURPOSE (MID-REAR DRIVE WHEELS)"

SUNRISE MEDICAL CANADA INC.

"747 E" MODEL

# TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 181.4 kg (400 lb.)

Seat-to-floor height: 38.7 cm to 51.4 cm (151/4 in. to 20 in.) without power tilt system

and 40 cm to 48.3 cm ( $15\frac{3}{4}$  in. to 19 in.) with power tilt system

**Frame:** mid-wheel drive base, suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

**Drive system:** electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7153361	Seat-to-back assembly structure; resizable; back canes angle-adjustable from 90° to 110° by maximum increments of 6°; push handles, covered with "non-slip" sheath; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle-adjustable from 0° to 10°; anchor for headrest bracket	N. C.	550.00	36
7153362	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider to stabilize cushions; widths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.) or 38.1 cm (15 in.)	N. C.	75.00	36
7153363	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base	225.00	225.00	36

7153364	Flexible nylon mesh back, padded; heights of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.),	N. C.	160.00	12
7153365	43.2 cm (17 in.) or 45.7 cm (18 in.) Padded back cushion, contoured, including a rigid, contoured back	90.00	250.00	36
7153366	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	350.00	350.00	36
7153367	Power reclining back device, including a control external to the joystick control	1,590.00	1,590.00	36
7153368	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	1,650.00	1,650.00	36
7153369	Pelvic positioning belt, auto buckle	N. C.	30.00	36
7153370	U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into	N. C.	175.00	60
7153371	armrest; armrest pad, straight T-type armrest, short, detachable; height- adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism, clothing guard, rigid, built into	N. C.	175.00	60
7153372	armrest, armrest pad, straight U-type armrest, long; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10½ in.) or from 26 cm to 38.7 cm (10½ in. to 15½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153373	T-type armrest, long, detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) maximum increments of 2.5 cm (1 in.), with locking mechanism, clothing guard, rigid, built into armrest, armrest pad, straight	N. C.	175.00	60
7153374 7153375 7153376	Armrest pad, straight, short Armrest pad, straight, long Footrest, adjustable to 80° or 90°, detachable and pivoting with locking mechanism; standard folding	N. C. N. C. N. C.	20.00 20.00 225.00	12 12
	footplate, standard size; adjustable heel loop; adjustable length from 14 cm to 19.1 cm (5½ in. to 7½ in.), 21.6 cm to 39.4 cm (8½ in. to 15½ in.) or from 26.7 cm to 39.4 cm (10½ in. to 15½ in.)			60

7153377	Footrest, adjustable to 60° or 70°, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 14 cm to 19.1 cm (5½ in. to 7½ in.), 21.6 cm to 39.4 cm (8½ in. to 15½ in.) or from 26.7 cm to 39.4 cm (10½ in. to 15½ in.)	N. C.	225.00	60
7153378	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, contoured	N. C.	225.00	36
7153379	Power elevating leg-rest, with control per pair, including a control external to the joystick control	637.50	862.50	36
7153380	Power elevating leg-rest, with control per unit, including a control external to the joystick control	637.50	862.50	36
7153381	Padded calf-rest, contoured	35.00	35.00	36
	Folding footplate, standard, standard size	N. C.	80.00	36
7153383	Folding footplate, standard, oversize	N. C.	80.00	36
7153384	Footplate, angle and depth-adjustable, standard size	N. C.	80.00	36
7153385	Footplate, angle and depth-adjustable, oversize	N. C.	80.00	36
7153386	Folding footplate, full-size, one-piece; fixed angle	N. C.	160.00	36
	Heel loop, adjustable	N. C.	30.00	36
	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	75.00	75.00	36
7153389	Headrest cushion, contoured, all sizes	70.00	70.00	36
<b>51.532</b> 00	FRAME	N. G	00.00	
7153390	Anti-tipping wheels, non-detachable except with tools	N. C.	80.00	60
7153391	Front impact guard with rollers	20.00	20.00	36
7153392	DRIVE SYSTEM Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions have function selection; better, charge	N. C.	329.00	36
	functions, horn, function selection; battery charge display			30

				,
7153393	Standard joystick control for multi-purpose programmable electronics; joystick handle; push	200.00	529.00	26
	buttons for on/off functions, horn, function selection; battery charge display			36
7153394	Compact joystick control, proportional	N. C.	329.00	36
7153395	Standard side bracket for joystick control; adjustable forward-rearward position	N. C.	140.00	36
7153396	Swivel side bracket for joystick control; with locking mechanism	N. C.	230.00	36
7153397	Midline bracket for joystick control; flip-back to provide total clearance for seat access	60.00	200.00	36
7153398	Controller for basic programmable electronics	N. C.	659.00	36
7153399	Controller for multi-purpose programmable electronics	100.00	759.00	36
7153400	Motor for basic programmable electronics; propulsion provided by two electric direct-drive	N. C.	600.00	
	motors; variable speed, controlled by joystick control and controller			36
7153401	Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive	N. C.	600.00	
	motors; variable speed, controlled by joystick control and controller			36
7153402	Battery charger; external; compatible with group 22 NF or group 24 batteries	N. C.	199.00	36
7153403	Internal control system for the joystick control for one (1) power repositioning accessory	350.00	350.00	36
7153404	Internal control system for the joystick control for four (4) power repositioning accessories	500.00	500.00	36
7153405	Adapted head control, proportional, including mounting bracket	1,100.00	1,100.00	36
7153406	Adapted head control, non-proportional, including mounting bracket	2,200.00	2,200.00	36
7153407	Adapted breath control, non-proportional, including mounting bracket	1,200.00	1,200.00	36
7153408	Adapted chin control, proportional, including mounting bracket	600.00	600.00	36
7153409	Adapted chin control, non-proportional, including mounting bracket	600.00	600.00	36
7153410	Adapted Mini joystick control, proportional, including mounting bracket	1,510.00	1,510.00	36
7153411	Mounting bracket for adapted control	350.00	350.00	36
7153412	Adapted control interface, with bracket and display	1,100.00	1,100.00	36
7153413	Mounting bracket for interface	350.00	350.00	36
7153414	_	52.00	52.00	36
7153415	Course correction system	895.00	895.00	36

#### SCHEDULE 1

#### WHEELS AND TIRES 7153416 Drive wheel, inner tube tire N. C. 150.00 36 7153417 Front caster wheel, inner tube tire N. C. 80.00 36 7153418 Airless insert for drive wheel 40.00 40.00 36 7153419 Airless insert for caster wheel 45.00 36 45.00

# DIVISION III: COMPLEMENTS FOR WHEELCHAIRS SUBDIVISION 1: FACULTATIVE COMPONENTS

	FACULTATIVE COMPONENTS	Maximum unit price of component during device purchase	Maximum unit price for component replacement	Warranty (months)
-	BODY SUPPORT SYSTEM			
7800014	Elastic mesh seat	385.00	385.00	36
7800000	Dynamic back for manual wheelchair and positioning base	135.00	135.00	36
7800001	I-type armrest for reclining back	100.00	250.00	36
7800002	Armrest pad, contoured, short or long	24.00	30.00	12
7800003	Armrest pad, gel, short or long	32.00	38.00	12
7800004	Dynamic footrest for positioning base	45.00	160.00	36
7800005	Stump support, adjustable	260.00	260.00	36
	FRAME			
7800015	Angle adjustable push handle	53.00	53.00	36
7800016	Angle adjustable push bar	75.00	75.00	36
7800017	Front locking tilt for positioning base	30.00	30.00	36
7800018	Growth kit to enhance depth by 7.6 cm (3 in.) for pediatric manual wheelchair	250.00	250.00	36
	DRIVE SYSTEM			
7800006	One-arm dual handrim drive for manual wheelchair	850.00	850.00	36
7800007	One-arm manual wheel locks kit	330.00	410.00	36
7800008	Handrim with thumb grip	110.00	125.00	36
7800009	Handrim with rubber traction band	110.00	125.00	36
7800010	Handrim, plastic-coated, ultra-light	N. C.	32.00	36
7800011	Fork-locking mechanism	105.00	105.00	36
7800012	Propulsion assistance module	2,000.00	2,000.00	36
7800013	Mid-wheel manual propulsion for positioning base	225.00	700.00	36
7800019	Rear wheel camber device, 3° or 6° for pediatric manual wheelchair	200.00	200.00	36

# SUBDIVISION 2: BATTERIES FOR POWERED WHEELCHAIRS **BATTERIES (GEL)**

Price including delivery, guarantee, and recovery of

	defective or used batteries (price per pair)
4590000 SUPPLIER: EAST PENN / POWER BATTERY	332.18
GROUP 22NF BATTERIES	
Model: 8G22NF	
4590001 SUPPLIER: EAST PENN / POWER BATTERY	435.22
GROUP 24 BATTERIES	
Model: 8G24T881	
4590002 SUPPLIER: EAST PENN / POWER BATTERY	214.45
GROUP U1 BATTERIES	
Model: 8GU1	

Updated: January 1, 2021 222 DIVISION IV: OTHER LOCOMOTOR ASSISTS SUBDIVISION 1: ADULT POSITIONING BASES

PRICE (including all the basic components)

7156052 ADULT POSITIONING BASES

1,798.00

 ${\bf SUBCATEGORY~`MULTI-ADJUSTABLE}$ 

TILT"

SUNRISE MEDICAL CANADA INC.

#### "QUICKIE IRIS" MODEL

#### TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 136.1 kg (300 lb.)

**Seat-to-floor height:** 31.7 cm to 49.5 cm (12½ in. to 19½ in.)

**Frame:** structure compatible with commercial positioning device anchors; back height from 38.1 cm to 61 cm (15 in. to 24 in.) by maximum increments of 5.1 cm (2 in.); back cane angle-adjustable from  $90^{\circ}$  to  $120^{\circ}$  by maximum increments of  $8^{\circ}$ ; non-slip push handles or push bar, raised; anchor for headrest bracket; tilt system for minimum angulation of  $45^{\circ}$ ; four tie-down points for adapted transport

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7156053	Flat rigid seat; metal; two strips of "hook" Velcro,	N. C.	158.00	
	2.5 cm (1 in.) wide or wider; widths of 35.6 cm			
	(14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm			
	(17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm			
	(20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.);			36
	depths of 35.6 cm (14 in.), 38.1 cm (15 in.),			
	40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.),			
	48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)			
7156054	<b>5</b> ,	420.00	420.00	36
7156055	inclination up to a minimum of 120°	N. C	25.00	
7156055	Pelvic positioning belt, auto buckle	N. C.	35.00	36
7156056	Pelvic positioning belt, Velcro	N. C.	29.00	36
7156057	U-type armrest, short; detachable; height-	N. C.	120.00	
	adjustable, from 25.4 cm to 36.8 cm (10 in. to			
	14½ in.) by maximum increments of 2.5 cm (1 in.),			60
	with locking mechanism; clothing guard, rigid, built			
	into armrest; armrest pad, straight			

				,
7156058	adjustable, from 18.4 cm to 28.6 cm (71/4 in. to	N. C.	120.00	
	$11\frac{1}{4}$ in.) or from 27.3 cm to 40 cm ( $10\frac{3}{4}$ in. to $15\frac{3}{4}$ in.) by maximum increments of 2.5 cm (1 in.), with			60
	locking mechanism; clothing guard, rigid, built into			
	armrest; armrest pad, straight			
7156059	U-type armrest, long; detachable; height-adjustable,	N. C.	120.00	
	from 25.4 cm to 36.8 cm (10 in. to 14½ in.) by			
	maximum increments of 2.5 cm (1 in.), with			60
	locking mechanism; clothing guard, rigid, built into			
	armrest; armrest pad, straight			
7156060	T-type armrest, long; detachable; height-adjustable,	N. C.	120.00	
	from 18.4 cm to 28.6 cm (7 <sup>1</sup> / <sub>4</sub> in. to 11 <sup>1</sup> / <sub>4</sub> in.) or			
	from 27.3 cm to 40 cm (10¾ in. to 15¾ in.) by			60
	maximum increments of 2.5 cm (1 in.), with			
	locking mechanism; clothing guard, rigid, built into			
7156061	armrest; armrest pad, straight	N. C.	9.00	12
	Armrest pad, straight, short Armrest pad, straight, long	N. C. N. C.	9.00	12
	Parallel footrest, 60° angle, detachable and pivoting	N. C.	116.00	12
7130003	with locking mechanism; footplate angle and depth-	14. C.	110.00	
	adjustable, standard size; adjustable heel loop;			
	adjustable length from 29.2 cm to 45.7 cm (11½ in.			60
	to 18 in.) or from 35.6 cm to 50.8 cm (14 in. to 20			
	in.)			
7156064	Parallel footrest, 70° or 90° angle, detachable and	N. C.	116.00	
	pivoting with locking mechanism; footplate angle			
	and depth-adjustable, standard size; adjustable heel			
	loop; adjustable length from 29.2 cm to 48.3 cm			60
	(11½ in. to 19 in.) for the 70° footrest and			
	adjustable length from 17.8 cm to 35.6 cm (7 in. to			
7156065	14 in.) for the 90° footrest	10.00	135.00	
/130003	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable	19.00	133.00	
	length; standard folding footplate, standard or			
	oversize; compatible with the same attachment			36
	points as the footrest or supplied with its own			30
	attachments; padded calf-rest, height and depth-			
	adjustable			
7156066	Padded calf-rest, contoured	20.00	20.00	36
7156067	Calf-rest strap, single	19.00	19.00	36
7156068	Footplate, angle and depth-adjustable, standard size	N. C.	40.00	36
				30
7156069	Footplate, angle and depth-adjustable, oversize	N. C.	40.00	36
<b>=</b> 4 <b>=</b>			0.00	
	Folding footplate, standard, standard size	N. C	9.00	36
7156071	Folding footplate, standard, oversize	N. C.	9.00	36
7156072	Full-width footplate, one piece, folding; angleadjustable	28.00	108.00	36
7156073	Heel loop, adjustable	N. C.	11.00	36

				,
7156074	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	75.00	75.00	36
7156075	Headrest cushion, padded and contoured, all sizes	70.00	70.00	36
	FRAME			
7156076	Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	28.00	60
7156077	Heavy-duty option to increase maximum weight capacity to 181.4 kg (400 lb.)	320.00	N. A.	36
	DRIVE SYSTEM			
7156078	Handrim, smooth	N. C.	40.00	36
	Handrim, plastic-coated	N. C.	40.00	36
7156080	Non-slip handrim, foam	85.00	125.00	36
7156081	Handrim with vertical or oblique projections	45.00	85.00	36
7156082	Standard wheel lock, push-to-lock	N. C.	32.00	36
7156083	Plug-in wheel lock extension	7.00	7.00	36
7156084	Caster fork, height-adjustable, compatible with all available wheel diameters	N. C.	32.00	36
	WHEELS AND TIRES			
7156085	Front mag wheel, semi-pneumatic tire, 20.3 cm	N. C.	15.00	
,	(8 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.)		20100	36
7156086	Front mag wheel, semi-pneumatic tire, 15.2 cm	N. C.	15.00	
	(6 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.)			36
7156087	Rear axle, quick release system, with push-button	N. C.	33.00	26
	locking mechanism			36
7156088	Threaded rear axle	N. C.	5.00	36
7156089	Rear mag wheel, semi-pneumatic tire, 30.5 cm	N. C.	80.00	36
	(12 in.) or 40.6 cm (16 in.)			
7156090	Spoked rear wheel, semi-pneumatic tire, 50.8 cm	N. C.	80.00	2.5
	(20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3.5 cm			36
7156001	(1% in.) wide	20.00	20.00	26
7156091	Spoke guard	20.00	20.00	36

PRICE (including all the basic components)

#### 7156092 ADULT POSITIONING BASES

1,055.00

SUBCATEGORY "MULTI-ADJUSTABLE WITH BALANCED CENTRE OF GRAVITY"

ORTHOFAB INC.

"TANGO CE" MODEL

#### TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

**Seat-to-floor height:** 35.6 cm to 50.8 cm (14 in. to 20 in.)

**Frame:** structure compatible with commercial positioning device anchors; back height from 40.6 cm to 61 cm (16 in. to 24 in.) by maximum increments of 2.51 cm (1 in.); back cane angle-adjustable from  $90^{\circ}$  to  $120^{\circ}$  by maximum increments of  $8^{\circ}$ ; non-slip push handles or push bar, raised; anchor for headrest bracket; tilt system for minimum angulation of  $45^{\circ}$ ; four tie-down points for adapted transport

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7156093	Flat rigid seat; metal; two strips of "hook" Velcro,	N. C.	40.00	
	2.5 cm (1 in.) wide or wider; widths of 35.6 cm			
	(14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm			
	(17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or			36
	50.8 cm (20 in.); depths of 40.6 cm to 48.3 cm			
	(16 in. to 19 in.) or from 48.3 cm to 55.8 cm (19 in.			
	to 22 in.)			
7156094	Reclining back with cylinder; continuous inclination up to a minimum of 120°	270.00	270.00	36
7156095	Pelvic positioning belt, auto buckle	N. C.	6.00	36
7156096	Pelvic positioning belt, Velcro	N. C.	15.00	36
7156098	T-type armrest, short; detachable; height-	N. C.	150.00	
	adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.)			
	or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight			60

				(uumenne version)
7156100	T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum	N. C.	150.00	60
	increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight			00
7156101	Armrest pad, straight, short	N. C.	6.00	12
7156102	Armrest pad, straight, long	N. C.	6.00	12
7156103	Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; footplate angle and depthadjustable, standard size; adjustable heel loop;	N. C.	172.00	60
	adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 48.3 cm to 53.3 cm (19 in. to 21 in.)			00
7156104	Parallel footrest, 70° or 90° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel	N. C.	172.00	
	loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or additionally for 70° footrest, from 48.3 cm to 53.3 cm (19 in. to 21 in.)			60
7156105	Elevating leg-rest, compensating; detachable and pivoting, with locking mechanism; adjustable length; standard folding footplate, standard size or	28.00	200.00	
	oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; Padded calf-rest, height and depth-			36
7156106	adjustable Padded calf-rest, flat	15.00	15.00	36
7156107	Calf-rest strap, double	15.00	15.00	36
7156108	<u> •</u>	N. C.	50.00	36
7156109	Footplate, angle and depth-adjustable, oversize	N. C.	55.00	36
7156110	Folding footplate, standard, standard size	N. C.	6.00	36
	Folding footplate, standard, oversize	N. C.	35.00	36
	Full-width footplate, in two lockable parts, angle-adjustable	N. C.	100.00	36
	Heel loop, adjustable	N. C.	3.00	36
7156114	Headrest bracket, height and depth-adjustable	35.00	35.00	36
7156115	Headrest cushion, padded and flat, all sizes	40.00	40.00	36
7156116	FRAME	NI C	12.00	
7156116	Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	12.00	60
7156117	Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	119.00	N. A.	36

	DRIVE SYSTEM			
7156118	Handrim, smooth	N. C.	80.00	36
7156119	Handrim, plastic-coated	N. C.	80.00	36
7156120	Non-slip handrim, foam	40.00	120.00	36
7156121	Handrim with oblique projections	N. C.	80.00	36
7156122	Standard wheel lock, push-to-lock	N. C.	30.00	36
7156123	Plug-in wheel lock extension	10.00	10.00	36
7156124	Caster fork, height-adjustable, compatible with all available wheel diameters	N. C.	15.00	36
	WHEELS AND TIRES			
7156125	Front mag wheel, semi-pneumatic tire, 20.3 cm	N. C.	40.00	
	(8 in.); widths of 3.2 cm (1½ in.) or 3.8 cm (1½ in.)			36
7156126	Front mag wheel, semi-pneumatic tire, 15.2 cm	N. C.	40.00	36
	(6 in.); 3.8 cm (1½ in.) wide			30
7156127	Rear axle, quick release system, with push-button	N. C.	15.00	36
	locking mechanism			30
7156128	Threaded rear axle	N. C.	2.00	36
7156129	Rear mag wheel, semi-pneumatic tire, 30.5 cm (12	N. C.	100.00	36
	in.)			
7156130	Spoked rear wheel, semi-pneumatic tire, 50.8 cm	N. C.	100.00	•
	(20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3.2 cm			36
	(1¼ in.) wide			
7156131	Spoke guard	70.00	70.00	36

PRICE (including all the basic components)

#### 7156132 ADULT POSITIONING BASES

1,055.00

SUBCATEGORY "MULTI-ADJUSTABLE CYLINDER"

ORTHOFAB INC.

"TANGO AC" MODEL

#### TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

**Seat-to-floor height:** 35.6 cm to 50.8 cm (14 in. to 20 in.)

**Frame:** structure compatible with commercial positioning device anchors; back height from 40.6 cm to 61 cm (16 in. to 24 in.) by maximum increments of 2.5 cm (1 in.); back cane angle-adjustable from  $90^{\circ}$  to  $120^{\circ}$  by maximum increments of  $8^{\circ}$ ; non-slip push handles or push bar, raised; anchor for headrest bracket; tilt system for minimum angulation of  $45^{\circ}$ ; four tie-down points for adapted transport

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7156133	Flat rigid seat; metal; two strips of "hook" Velcro,	N. C.	40.00	
	2.5 cm (1 in.) wide or wider; widths of 35.6 cm			
	(14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm			•
	(17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or			36
	50.8 cm (20 in.); depths of 40.6 cm to 48.3 cm			
	(16 in. to 19 in.) or from 48.3 cm to 55.8 cm (19 in.			
7156124	to 22 in.) Reclining back with cylinder; continuous	270.00	270.00	
/130134	inclination up to a minimum of 120°	270.00	270.00	36
7156135		N. C.	6.00	
,	,		****	36
7156136	Pelvic positioning belt, Velcro	N. C.	15.00	36
7156137	U-type armrest, short; detachable; height-	N. C.	150.00	
	adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.)			
	or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by			60
	maximum increments of 2.5 cm (1 in.), with			00
	locking mechanism; clothing guard, rigid, built into			
	armrest; armrest pad, straight			

7156139	U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from	N. C.	150.00	
	25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight			60
7156141	Armrest pad, straight, short	N. C.	6.00	12
7156142	Armrest pad, straight, long	N. C.	6.00	12
7156143	Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; footplate angle and depthadjustable, standard size; adjustable heel loop;	N. C.	172.00	
	adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 48.3 cm to 53.3 cm (19 in. to			60
7156144	21 in.) Parallel footrest, 70° or 90° angle, detachable and	N. C.	172.00	
/130144	pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel	N. C.	1/2.00	
	loop; adjustable length from 35.6 cm to 48.3 cm			60
	(14 in. to 19 in.) and additionally for the $70^{\circ}$			
	footrest, from 48.3 cm to 53.3 cm (19 in. to 21 in.)			
7156145	Elevating leg-rest, compensating; detachable and pivoting, with locking mechanism; adjustable length; standard folding footplate, standard size or	28.00	200.00	
	oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, height and depth-			36
	adjustable			
7156146	Padded calf-rest, flat	15.00	15.00	36
7156147	Calf-rest strap, double	15.00	15.00	36
7156148	Footplate, angle and depth-adjustable, standard size	N. C.	50.00	36
7156149	Footplate, angle and depth-adjustable, oversize	N. C.	55.00	36
7156150			6.00	
	Folding footplate, standard, standard size Folding footplate, standard, oversize	N. C.	6.00 35.00	36 36
	Full-width footplate, in two lockable parts; angle-	N. C. N. C.	100.00	
7130132	adjustable	11. 6.	100.00	36
7156153	Heel loop, adjustable	N. C.	3.00	36
7156154	Headrest bracket, height and depth-adjustable	35.00	35.00	36
7156155	Headrest cushion, padded and flat, all sizes	40.00	40.00	36
	FRAME			
7156156	Anti-tipping wheels, detachable or pivoting, with	N. C.	12.00	60
7156157	locking mechanism Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	119.00	N. A.	36

	DRIVE SYSTEM			
7156158	Handrim, smooth	N. C.	80.00	36
7156159	Handrim, plastic-coated	N. C.	80.00	36
7156160	Non-slip handrim, foam	40.00	120.00	36
7156161	Handrim with oblique projections	N. C.	80.00	36
7156162	Standard wheel lock, push-to-lock	N. C.	30.00	36
7156163	Telescopic wheel lock extension	10.00	10.00	36
7156164	Caster fork, height-adjustable, compatible with all available wheel diameters	N. C.	15.00	36
	WHEELS AND TIRES			
7156165	Front mag wheel, semi-pneumatic tire, 20.3 cm	N. C.	40.00	
	(8 in.); widths of 3.2 cm (1 <sup>1</sup> / <sub>4</sub> in.) or 3.8 cm (1 <sup>1</sup> / <sub>2</sub> in.)			36
7156166	Front mag wheel, semi-pneumatic tire, 15.2 cm	N. C.	40.00	36
	(6 in.); 3.8 cm (1½ in.) wide			30
7156167	Rear axle, quick release system, with push-button	N. C.	15.00	36
	locking mechanism			30
7156168	Threaded rear axle	N. C.	2.00	36
7156169	Rear mag wheel, semi-pneumatic tire, 30.5 cm	N. C.	100.00	36
	(12 in.)			30
7156170	Spoked rear wheel, semi-pneumatic tire, 50.8 cm	N. C.	100.00	
	(20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3.2 cm			36
	(1¼ in.) wide			
7156171	Spoke guard	70.00	70.00	36

PRICE (including all the basic components)

#### 7156172 ADULT POSITIONING BASES

1,150.00

SUBCATEGORY "MULTI-ADJUSTABLE WITH CONSTANT OR NEAR-CONSTANT FRONT SEAT-TO-FLOOR HEIGHT"

PDG PRODUCT DESIGN GROUP INC.

"BENTLEY" MODEL

#### TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Seat-to-floor height: 33 cm to 50.8 cm (13 in. to 20 in.)

**Frame:** structure compatible with commercial positioning device anchors; back height of 53.3 cm (21 in.) or 61 cm (24 in.); back cane angle-adjustable from 90° to 120° by maximum increments of 8°; non-slip push bar, raised; anchor for headrest bracket; tilt system for minimum angulation of 20°; four tie-down points for adapted transport

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7156173	Flat rigid seat; metal; two strips of "hook" Velcro,	N. C.	10.76	
	2.5 cm (1 in.) wide or wider; widths of 40.6 cm			
	(16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm			36
	(19 in.) or 50.8 cm (20 in.); depths of 40.6 cm			30
	(16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm			
	(19 in.) or 50.8 cm (20 in.)			
7156174	Reclining back with cylinder; continuous	187.50	187.50	36
	inclination up to a minimum of 120°			30
7156175	Pelvic positioning belt, auto buckle	N. C.	21.00	36
			•••	
	Pelvic positioning belt, Velcro	N. C.	33.00	36
7156177	U-type armrest, short; detachable; height-	N. C.	7.50	
	adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.)			
	or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by			60
	maximum increments of 2.5 cm (1 in.), with			
	locking mechanism; clothing guard, rigid, built into			
	armrest; armrest pad, straight			

				,
7156179	U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum	N. C.	7.50	
	increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight			60
7156181	Armrest pad, straight, short	N. C.	3.05	12
	Armrest pad, straight, long	N. C.	2.20	12
7156183	Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; footplate angle and depthadjustable, standard size; adjustable heel loop; adjustable length from 33 cm to 43.2 cm (13 in. to	N. C.	52.50	60
	17 in.) or from 38.1 cm to 48.3 cm (15 in. to 19 in.)			
7156184	Parallel footrest, 70° or 90° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 33 cm to 43.2 cm	N. C.	52.50	60
	(13 in. to 17 in.) or from 38.1 cm to 48.3 cm (15 in. to 19 in.)			
7156185	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or	37.50	90.00	
	oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, height and depth- adjustable			36
7156186	Padded calf-rest, flat	22.50	22.50	36
7156187		35.00	35.00	36
7156188	Footplate, angle and depth-adjustable, standard size	N. C.	4.95	36
7156189	Footplate, angle and depth-adjustable, oversize	N. C.	5.60	36
	Folding footplate, standard, standard size	N. C.	3.34	36
	Folding footplate, standard, oversize	N. C.	3.34	36
	Full-width footplate, one piece, folding; angle-adjustable	80.10	90.00	36
	Heel loop, adjustable	N. C.	0.75	36
	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	50.00	50.00	36
7156195	Headrest cushion, padded, flat or contoured, all sizes	37.00	37.00	36
	FRAME			
7156196	Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	5.00	60
7156197	Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	550.00	N. A.	36
#1#C100	DRIVE SYSTEM	31 G	0.00	2.0
7156198	Handrim, smooth	N. C.	8.00	36
	Handrim, plastic-coated	2.40	10.40	36
/136200	Non-slip handrim, foam	179.50	187.50	36

				,
7156201	Handrim with vertical projections	57.00	65.00	36
7156202	Standard wheel lock, push-to-lock or pull-to-lock	N. C.	1.80	36
7156203	Plug-in wheel lock extension	2.74	2.74	36
7156204	Caster fork, height-adjustable, compatible with all available wheel diameters	N. C.	5.09	36
	WHEELS AND TIRES			
7156205	Front mag wheel, semi-pneumatic tire, 20.3 cm	N. C.	8.34	36
	(8 in.); 3 cm (13/16 in.) wide			30
7156206	Front mag wheel, semi-pneumatic tire, 15.2 cm	N. C.	8.34	36
	(6 in.); 3 cm (13/16 in.) wide			30
7156207	Rear axle, quick release system, with push-button	N. C.	3.00	36
	locking mechanism			30
7156208	Threaded rear axle	N. C.	0.03	36
7156209	Rear mag wheel, semi-pneumatic tire, 30.5 cm (12	N. C.	12.00	36
	in.)			30
7156210	Spoked rear wheel, semi-pneumatic tire, 50.8 cm	N. C.	23.62	
	(20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3 cm			36
	(13/16 in.) wide			
7156211	Spoke guard	43.00	43.00	36

#### **SUBDIVISION 2: PEDIATRIC POSITIONING BASES**

PRICE (including all the basic components)

#### 7156212 PEDIATRIC POSITIONING BASES

1,650.00

SUBCATEGORY "MULTI-ADJUSTABLE TILT"

SUNRISE MEDICAL CANADA INC.

"ZIPPIE IRIS" MODEL

### TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 102.1 kg (225 lb.)

**Seat-to-floor height:** 33.7 cm to 48.3 cm (13½ in. to 19 in.)

**Frame:** structure compatible with commercial positioning device anchors; back height from 40.6 cm to 63.5 cm (16 in. to 25 in.) by maximum increments of 5,1 cm (2 in.); back cane angle-adjustable from 90° to 120° by maximum increments of 8°; non-slip push handles or push bar, raised; anchor for headrest bracket; tilt system for minimum angulation of 45°; four tie-down points for adapted transport

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7156213	Flat rigid seat; metal; two strips of "hook" Velcro,	N. C.	158.00	
	2.5 cm (1 in.) wide or wider; widths of 25.4 cm			
	(10 in.), 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm			
	(13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm			36
	(16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.);			30
	depths of 30.5 cm (12 in.), 35.6 cm (14 in.),			
	40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm			
	(18 in.)			
7156214	Pelvic positioning belt, auto buckle	N. C.	35.00	36
7156215	Pelvic positioning belt, Velcro	N. C.	29.00	36
	I-type armrest, short; detachable; height-adjustable,	N. C.	120.00	50
/130210	from 18.4 cm to 40 cm ( $7\frac{1}{4}$ in. to $15\frac{3}{4}$ in.) by	IV. C.	120.00	
	maximum increments of 2.5 cm (1 in.), with			60
	locking mechanism; clothing guard, rigid, built into			00
	armrest; armrest pad, straight			
7156217	T-type armrest, short; detachable; height-	N. C.	120.00	
	adjustable, from 18.4 cm to 40 cm (7½ in. to 15¾			
	in.) by maximum increments of 2.5 cm (1 in.), with			60
	locking mechanism; clothing guard, rigid, built into			
	armrest; armrest pad, straight			

				,
7156218	I-type armrest, long; detachable; height-adjustable, from 18.4 cm to 40 cm ( $7\frac{1}{4}$ in. to $15\frac{3}{4}$ in.) by	N. C.	120.00	
	maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into			60
	armrest; armrest pad, straight			
7156219	T-type armrest, long; detachable; height-adjustable,	N. C.	120.00	
	from 18.4 cm to 40 cm (71/4 in. to 153/4 in.) by			
	maximum increments of 2.5 cm (1 in.), with			60
	locking mechanism; clothing guard, rigid, built into			
	armrest; armrest pad, straight			
7156220	Armrest pad, straight, short	N. C.	9.00	12
	Armrest pad, straight, long	N. C.	9.00	12
7156222	70° footrest, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable	N. C.	116.00	
	length from 17.8 cm to 27.9 cm (7 in. to 11 in.),			60
	from 17.8 cm to 33 cm (7 in. to 13 in.), from 17.8			00
	cm to 38,1 cm (7 in. to 15 in.) or from 30.5 cm to			
	40.6 cm (12 in. to 16 in.)			
7156223	90° footrest, detachable and pivoting with locking	N. C.	116.00	
,	mechanism; footplate angle and depth-adjustable,			
	standard size; adjustable heel loop; adjustable			60
	length from 17.8 cm to 22.9 cm (7 in. to 9 in.),			60
	from 17.8 cm to 33 cm (7 in. to 13 in.) or from 17.8			
	cm to 38.1 cm (7 in. to 15 in.)			
7156224	Elevating leg-rest, non-compensating; detachable	19.00	135.00	
	and pivoting with locking mechanism; adjustable			
	length; standard folding footplate, standard or			
	oversize; compatible with the same attachment			36
	points as the footrest or supplied with its own			
	attachments; padded calf-rest, height and depth-			
	adjustable			•
7156225	Padded calf-rest	20.00	20.00	36
7156226	1. 6	19.00	19.00	36
/13622/	Footplate, angle and depth-adjustable, standard size	N. C.	40.00	36
7156228	Footplate, angle and depth-adjustable, oversize	N. C.	40.00	36
7156229	Folding footplate, standard, standard size	N. C.	9.00	36
7156230	Folding footplate, standard, oversize	N. C.	9.00	36
	Full-width footplate, one piece, folding; angle-	28.00	108.00	26
	adjustable			36
7156232	Heel loop, adjustable	N. C.	11.00	36
7156233	Headrest bracket, height and depth-adjustable, or	75.00	75.00	36
	articulated uniball bracket			50
7156234	Headrest cushion, padded and contoured, all sizes	70.00	70.00	36
	FRAME			
7156235	Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	28.00	60

	DRIVE SYSTEM			
7156236	Handrim, smooth	N. C.	40.00	36
7156237	Handrim, plastic-coated	N. C.	40.00	36
7156238	Non-slip handrim, foam	85.00	125.00	36
7156239	Handrim with vertical or oblique projections	45.00	85.00	36
7156240	Standard wheel lock, push-to-lock	N. C.	32.00	36
7156241	Plug-in wheel lock extension	7.00	7.00	36
7156242	Caster fork, height-adjustable, compatible with all available wheel diameters	N. C.	32.00	36
	WHEELS AND TIRES			
7156243	Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.)	N. C.	15.00	36
7156244	Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.)	N. C.	15.00	36
7156245	Rear axle, quick release system, with push-button locking mechanism	N. C.	33.00	36
7156246	Threaded rear axle	N. C.	5.00	36
7156247	Rear mag wheel, semi-pneumatic tire, 30.5 cm (12 in.)	N. C.	80.00	36
7156248	Spoked rear wheel, semi-pneumatic tire, 50.8 cm	N. C.	80.00	
	(20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3.5 cm (13% in.) wide			36
7156249	Spoke guard	20.00	20.00	36

## **DIVISION V: STROLLERS AND ORTHOMOBILES**

DEVICE	Maximum price
Buggy Major-type stroller, including footrests and harness	
4495602 less than three years of age *	660.00
4495610 three years of age and over	660.00
Available Component(s)	
4495651 padded seat	96.00
4494993 other components	S. C.
4493862 thoracic support	96.00
4493870 chest pad	57.00

### **DURATION OF GUARANTEE: 12 months**

DEVICE	Maximum price
4495701 Other strollers*	S. C.
2192300 Orthomobiles	S. C.

# PART II: POSTURE DEVICE

	Description	Maximum price
	DEVICE	
4565058	Positioning device  * The price of the positioning device is equal to the total price of the positioning components.	*
	WARRANTY PERIOD: 3 months	
4490223	Standardized cushion, multilayer or injected foam	400.00
4490249	Standardized cushion, viscoelastic foam and gel	400.00
4499646	Standardized cushion, viscofluid foam and gel	400.00
4499869	Standardized cushion, static air-adjustable, single- compartment (by adjusting pressure or cell quantity)	500.00
4490215	Standardized cushion, static air-adjustable, multi- compartment (by adjusting pressure or cell quantity)	500.00
4499695	Standardized cushion, viscoelastic gel	500.00
4490231	Standardized cushion, viscofluid gel	500.00
4490256	Standardized cushion, foam with air insert	500.00
4490248	Standardized convoluted cushion, fusion-bonded thermoplastic polymer	500.00
4490272	Customized cushion, multilayer or injected foam	425.00
4490280	Customized cushion, viscoelastic foam and gel	425.00
4490298	Customized cushion, viscofluid foam and gel	425.00
4490306	Customized cushion, foam with air insert	525.00
4490307	Customized cushion, fusion-bonded thermoplastic polymer	600.00
4020510	Standard cover for specialized seat cushion	75.00
4020511	Commercial waterproof cover for specialized seat cushion	100.00
4020512	Surcharge payable for 2 commercial waterproof covers, provided with purchase or replacement of specialized seat cushion, as substitution for 2 standard covers	50.00
4020513	Waterproof cover for seat cushion (all sizes)	75.00
4020515	Surcharge payable for bariatric cushion, width of more than 50.8 cm (20 in.)	150.00
4565078	Adjustable pediatric posture seat for adaptable stroller, including positioning for torso, pelvis and lower limbs	1 200,00
4565069	Positioning components for head and neck, standardized or standardized modular components	350.00
4565060	Positioning components for torso, pelvis or both, standardized or standardized modular components, excluding seat cushion	450.00
4565070	Positioning belt specialized for pelvis, standardized	100.00

4565061 4565062	Positioning harness for torso, standardized Right upper limb positioning components, standardized or standardized modular components	100.00 170.00
4565063	Left upper limb positioning components, standardized or standardized modular components	170.00
4565064	Right lower limb positioning components, standardized or standardized modular components	200.00
4565066	Left lower limb positioning components, standardized or standardized modular components	200.00
4565067	Bilateral upper limb positioning components, standardized or standardized modular components	200.00
4565068	Bilateral lower limb positioning components, standardized or standardized modular components	200.00
4565071	Additional or replacement standard cover for specialized back	75.00
4565074	Additional or replacement waterproof cover for	100.00
4565072	specialized back Surcharge payable upon purchase or replacement of back or cover for complete or partial water	50.00
4565075	proofing Surcharge payable for a large positioning component for torso, pelvis or both, width or height of more than 50.8 cm (20 in.)	50.00
4565080	Surcharge payable for hardware allowing thoracic supports to swing away, flip back or fold	200.00
4499900	Head or neck components, moulded or customized	450.00
4499888	Torso positioning components, moulded or customized	500.00
4499889		300.00
4499890	Torso and pelvic positioning component, one- piece, customized contouring	900.00
4499891	Pelvic positioning component, moulded or customized, excluding seat cushion	200.00
4499892 4499894	Torso positioning harness, customized Right upper limb positioning components, moulded or customized	100.00 270.00

4499895	Left upper limb positioning components, moulded	270.00
	or customized	
4499896	Right lower limb positioning components, moulded	300.00
	or customized	
4499897	Left lower limb positioning components, moulded	300.00
	or customized	
4499899	Bilateral upper limb positioning components,	300.00
	moulded or customized	

#### PART III: ELEMENTS INCLUDED IN THE PRICES OF THE DEVICES

- 1. The maximum or the fixed price for the purchase or replacement of an insured device referred to in Part I or II of this Title includes the following elements:
- (1) the maximum or fixed price for its basic components, its optional components and its and supplements, if any;
- (2) the cost of its manufacture;
- (3) the cost of adjustments required while it is being manufactured, up to and including the final installation;
- (4) the cost of adjustments and repairs during the guarantee period referred to in this Title in respect of each device or in the contract with the supplier, beginning immediately after the final installation and during which any adjustment or repair of a device used under normal conditions is made, in order to bring the device into conformity with the original prescription, where the beneficiary's physical condition has not changed, and to enable the beneficiary to derive maximum benefit from the device.
- 2. The replacement cost of a component or supplement for a device includes the following elements:
- (1) the cost price of the materials;
- (2) the cost of its manufacture, if any;
- (3) the cost of adjustment and installation.

# TITLE THREE: INSURED RELATED SERVICES PART I: PROSTHESES, ORTHOSES, AMBULATION AIDS OR STANDING AIDS

### Labour rate or lump sum

		Laboratory (s.25)	Institution (s.25)
Codes	Description		
5550001	Labour for the manufacture of a device with at least one component whose purchase or replacement price is stated as « S.C. » or for the repair of an orthosis, prosthesis, ambulation aid, standing aid or their components and supplements (rate per minute)	1.54	0.00
4499976	Lump sum for recovery, safety check, cleaning, reallocation and inventory management of a walker with thorax support	110.84	0.00
5442257	Lump sum for initial purchase or replacement of an ambulation aid provided as a complement to an orthosis or prosthesis	23.01	0.00
5442258	•	46.02	0.00
5442259	Lump sum for initial purchase or replacement of an ambulation aid provided as a device to a person under 19 years of age	69.01	0.00

### PART II: LOCOMOTOR AND POSTURE ASSISTS

# Labour rate or lump sum

Institution (s.57)

Codes	Description	
5550000		0.00
4499968	Lump sum for the initial purchase or replacement of a manual wheel chair	0.00
4499992	Lump sum for the initial purchase or replacement of a powered wheel chair	0.00
5442260	Lump sum for initial purchase or replacement of a positioning base	0.00
5442272	-	0.00
4495552	Lump sum for the initial purchase or replacement of a Buggy Major-type stroller	0.00
	Lump sum for the initial purchase or replacement of a propulsion assistance module	0.00
4499950	Lump sum when a device must be adjusted to the growth of an insured person under age 19	0.00
4499935	Lump sum for initial purchase or replacement of a manual wheelchair when the insured person dies before taking final receipt of device	0.00
4499927	Lump sum for initial purchase or replacement of a powered wheelchair when the insured person dies before taking final receipt of device	0.00
5442269	Lump sum for initial purchase or replacement of a positioning base when the insured person dies before taking final receipt of device	0.00
4499943	Lump sum for initial purchase or replacement of a stroller when the insured person dies before taking final receipt of device	0.00
5442254	Lump sum for specialized cushion seat positioning	0.00
5442261	Lump sum for head or neck positioning	0.00

5442262	Lump sum for positioning of torso, pelvis or both (excluding specialized seat cushion-related service)	0.00
5442263	Lump sum for right upper limb positioning	0.00
5442264	Lump sum for left upper limb positioning	0.00
5442265	Lump sum for right lower limb positioning	0.00
5442266	Lump sum for left lower limb positioning	0.00