SCHEDULE I (s. 1)

TARIFF FOR DEVICES WHICH COMPENSATE FOR A MOTOR DEFICIENCY AND INSURED RELATED SERVICES

Document produced by the Régie de l'assurance maladie du Québec and published on its website

Legal deposit - Library and Archives Canada, 2009

ISSN 1920-2318

Québec, 23 June 2021

FITLE ONE: PROSTHESES, ORTHOSES, AMBULATION AIDS OR STANDING AIDS	5
PART I: AIDS FURNISHED BY AN INSTITUTION OR A LABORATORY	6
DIVISION I: LOWER-LIMB PROSTHESES	6
SUBDIVISION 1: FOOT PROSTHESES	6
SUBDIVISION 2: ANKLE PROSTHESES	8
SUBDIVISION 3: TIBIAL PROSTHESES	11
SUBDIVISION 4: TIBIOFEMORAL PROSTHESES	19
SUBDIVISION 5: FEMORAL PROSTHESES	26
SUBDIVISION 6: COXOFEMORAL AND HEMIPELVIC PROSTHESES	36
SUBDIVISION 7: LOWER-LIMB PROSTHESES	45
DIVISION II: UPPER-LIMB PROSTHESES	46
SUBDIVISION 1: HAND PROSTHESES	46
SUBDIVISION 2: WRIST PROSTHESES	48
SUBDIVISION 3: CUBITAL PROSTHESES	49
SUBDIVISION 4: CUBITOHUMERAL PROSTHESES	52
SUBDIVISION 5: HUMERAL PROSTHESES	53
SUBDIVISION 6: GLENOHUMERAL AND THORACIC PROSTHESES	55
SUBDIVISION 7: BASIC OR OPTIONAL COMPONENTS FOR UPPER-LIMB PROSTHESES	60
SUBDIVISION 8 : UPPER-LIMB PROSTHESES	65
DIVISION III: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES	66
DIVISION IV: LOWER-LIMB ORTHOSES	78
SUBDIVISION 1: TIBIAL ORTHOSES	78
SUBDIVISION 2: TIBIOFEMORAL ORTHOSES	84
SUBDIVISION 3: FEMORAL ORTHOSES	88
SUBDIVISION 4: COXOFEMORAL ORTHOSES	99
SUBDIVISION 5: BILATERAL LOWER-LIMB ORTHOSES	108
SUBDIVISION 6: ADDITIONAL COMPONENTS FOR TIBIAL, FEMORAL AND COXOFEMORAL ORTHOSES	111
SUBDIVISION 7: LOWER-LIMB ORTHOSES	112
DIVISION V: UPPER-LIMB ORTHOSES	113
SUBDIVISION 1: HAND ORTHOSES THAT MAY INCLUDE THE THUMB AND THE OTHER FINGERS	113
SUBDIVISION 2: WRIST AND HAND ORTHOSES	117
SUBDIVISION 3: ELBOW, WRIST AND HAND ORTHOSES	120
SUBDIVISION 4: SHOULDER, ELBOW, WRIST AND HAND ORTHOSES	121
SUBDIVISION 5: UPPER-LIMB ORTHOSES	121
DIVISION VI: TRUNK AND CERVICAL ORTHOSES	124
SUBDIVISION 1: TRUNK ORTHOSES	124
SUBDIVISION 2: CERVICAL ORTHOSES	130
SUBDIVISION 3: OTHER TRUNK AND CERVICAL ORTHOSES	130
DIVISION VII: AMBULATION AIDS	132
DIVISION VIII: STANDING AIDS	133
	/

PART II: AIDS FURNISHED SOLELY BY AN INSTITUTION	138
DIVISION I: UPPER-LIMB PROSTHESES	138
DIVISION II: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES	146
DIVISION III: AMBULATION AIDS	147
PART III: ELEMENTS INCLUDED IN THE PRICES OF THE DEVICES	148
TLE TWO: LOCOMOTOR AND POSTURE ASSISTS (FURNISHED SOLELY BY AN INSTITUTION)	149
PART I: LOCOMOTOR ASSISTS	150
DIVISION I: ADULT WHEELCHAIRS	150
SUBDIVISION 1: MANUAL WHEELCHAIRS	150
SUBDIVISION 2: LIGHTWEIGHT MANUAL WHEELCHAIRS	172
SUBDIVISION 3: POWERED WHEELCHAIRS	175
DIVISION II: PEDIATRIC WHEELCHAIRS	209
SUBDIVISION 1: MANUAL WHEELCHAIRS	209
SUBDIVISION 2: POWERED WHEELCHAIRS	212
DIVISION III: COMPLEMENTS FOR WHEELCHAIRS	221
SUBDIVISION 1: FACULTATIVE COMPONENTS	221
SUBDIVISION 2: BATTERIES FOR POWERED WHEELCHAIRS	222
DIVISION IV: OTHER LOCOMOTOR ASSISTS	223
SUBDIVISION 1: ADULT POSITIONING BASES	223
SUBDIVISION 2: PEDIATRIC POSITIONING BASES	235
DIVISION V: STROLLERS AND ORTHOMOBILES	238
PART II: POSTURE DEVICE	239
PART III: ELEMENTS INCLUDED IN THE PRICES OF THE DEVICES	242
TLE THREE: INSURED RELATED SERVICES	243
PART I: PROSTHESES, ORTHOSES, AMBULATION AIDS OR STANDING AIDS	243
PART II: LOCOMOTOR AND POSTURE ASSISTS	244

TITLE ONE: PROSTHESES, ORTHOSES, AMBULATION AIDS OR STANDING AIDS

PART I: AIDS FURNISHED BY AN INSTITUTION OR A LABORATORY DIVISION I: LOWER-LIMB PROSTHESES SUBDIVISION 1: FOOT PROSTHESES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
120534 Prosthesis for total amputation of second, third and fourth toe, of two or of all of those toes, made from plaster or digital mold of insured person	588.52	2		3
BASIC COMPONENTS AND SUPPLEMENTS				
Filler for anterior part of foot, on rigid or pliable sole Compensatory sole for limb not fitted with a				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENTS AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
120542 Prosthesis for total amputation of first toe, with or without amputation of second, third, fourth or fifth toe, made from plaster or digital mold of insured person BASIC COMPONENTS AND SUPPLEMENTS	623.97	7		3
Filler for anterior part of foot, on rigid or pliable sole				
Longitudinal arch support Correction or shank Compensatory sole for limb not fitted with a				
Correction or shank				

ADJUSTMENTS AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guaranted (months)
1120518 Prosthesis for transmetatarsal or transcalcaneal amputation with ankle support, made from plaster	1,360.98			6
BASIC COMPONENTS AND SUPPLEMENTS				
Filler for anterior or posterior part of foot Laminated or molded plastic or molded leather socket Leg support where necessary COMPONENTS AND SUPPLEMENTS AVAILABLE				
OPTIONAL COMPONENTS				
Ankle joints:				
1125632 Gilette joints				
pair	166.31	N. A.		
single	N. A.	92.05		
1125640 Oklahoma joints				
pair	159.46			
single	N. A.	89.51		
1125657 Wafer joints				
pair	178.72			
single	N. A.	98.95		
1125665 Tamarak joints	172.26			
pair single	173.26 N. A.			
1125673 Gaffney joints	IN. A.	90.22		
pair	187.30	N. A.		
single	N. A.			
SUPPLEMENTS AVAILABLE	1.1.1.			
	*	*		
 Stump sock * (consult Division III of this Part for the codes an prices of these supplements) 		*		
3194016 Nylon sheath	20.00	23.24		
ADJUSTMENTS AVAILABLE				
Any pertinent adjustment				

----- Any pertinent adjustment

SUBDIVISION 2: ANKLE PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1130103	Temporary Symes prosthesis	1,443.19)		*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person				
	Temporary foot (loan)				
	*DURATION OF GUARANTEE : Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENT				
1145523	Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person	N. C	. N. A.		
	OPTIONAL COMPONENTS				
	Supracondylar strap	152.94	210.86		3
1135524	Foam flexible double comfort socket	136.87	281.91		3
1145598	Thigh lacer	262.13	287.29		3
	SUPPLEMENTS AVAILABLE				
3492501	Cane	10.19	0 10.19		
3492550	Crutches with axillary support, height-adjustable	20.38			
3492551	Crutches with forearm support, height-adjustable	56.05	56.05		
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	3	* *		
3194016	Nylon sheath, 45.7 cm (18 in.) to 55.9 cm (22 in.)	20.00	23.24		
	Nylon sheath, 80.0 cm (31 ¹ / ₂ in.) to 92.7 cm (36 ¹ / ₂ in.)	26.06			
3194081	Nylon sheath with elastic band, 55.9 cm (22 in.) to 66.0 cm (26 in.)	41.24	44.63		
3194099	Nylon sheath with elastic band, 73.7 cm (29 in.) to 86.4 cm (34 in.)	41.24	44.63		
	ADJUSTMENT AVAILABLE				
	None				

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1130509	Symes prosthesis	2,243.53			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic socket, made from plaster or digital mold of insured person, with or without medial or posterior window SACH foot				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1135516	SACH foot Laminated plastic socket, made from plaster or digital mold of insured person, with or without medial or posterior window	N. C. N. C.			3
	OPTIONAL COMPONENTS				
1195502	Trial socket	181.49	N. A.		
1135532	Supracondylar strap	152.94	210.86		3
1125525	Symes foot	N. C.	310.99		
	Dynamic response foot (Seattle)	381.00			
	Dynamic response foot (Seattle Light)	497.11			
	Dynamic response foot (Step Light)	300.86			
	Dynamic response foot (USMC)	186.16			
	Dynamic foot, for child (1K10)	38.26			2
	Silicone laminated extensible double socket	337.35			3
1135524	Foam flexible double comfort socket	136.87	281.91		3
	Thigh lacer with reinforced uniaxial ball-bearing joints	850.23	875.32		3
1145671	Thigh lacer with light uniaxial ball-bearing joints	734.08	759.17		3
1145689	Thigh lacer with polycentric joints	1,112.06	1,137.86		3
	SUPPLEMENTS AVAILABLE				
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
3194016	Nylon sheath, 45.7 cm (18 in.) to 55.9 cm (22 in.)	20.00	23.24		
	Nylon sheath, 80.0 cm (31 ¹ / ₂ in.) to 92.7 cm (36 ¹ / ₂ in.)	26.06	29.27		

3194099 Nylon sheath with elastic band, 73.7 cm (29 in.) to	41.24	44.63
86.4 cm (34 in.)		
3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05

ADJUSTMENTS AVAILABLE

----- Any pertinent adjustment

SUBDIVISION 3: TIBIAL PROSTHESES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
Post-operative tibial prosthesis necessitating obligatory renewal of plaster or digital mold	991.84			*
BASIC COMPONENTS AND SUPPLEMENTS				
Lycra compressible socks (4) Plaster sockets (2) Means of suspension (belt) SACH foot (loan) Adjustable pylon (loan)				
*DURATION OF GUARANTEE : Life of prosthesis				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
Plaster sockets (2) Means of suspension (belt)	N. C. N. C.	N. A. N. A.		
SUPPLEMENTS AVAILABLE				
Lycra compressible sock Crutches with axillary support, height-adjustable	N. C. 20.38			
Crutches with forearm support, height-adjustable ADJUSTMENT AVAILABLE None	56.05	56.05		
None				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
Pneumatic post-operative tibial prosthesis, non- articulated	777.91			*
BASIC COMPONENTS AND SUPPLEMENTS				
Inflatable bag or case Distal pad Suspension straps Mobility frame (loan) Electric pump (loan)				

*DURATION OF GUARANTEE : Life of prosthesis COMPONENTS AND SUPPLEMENTS AVAILABLE SUPPLEMENTS AVAILABLE				
 3492550 Crutches with axillary support, height-adjustable 3492551 Crutches with forearm support, height-adjustable Stump sock * (consult Division III of this Part for the codes and prices of these supplements) 	20.38 56.05 *	20.38 56.05 *		
ADJUSTMENT AVAILABLE				
None				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1140078 Pneumatic post-operative tibial prosthesis, articulated	996.57			*
BASIC COMPONENTS AND SUPPLEMENTS				
Inflatable bag or case Thigh lacer system (loan) Knee joint system (loan) Universal socket (loan) Modular system (loan) SACH foot (loan) Air pump (loan)				
*DURATION OF GUARANTEE : Life of prosthesis				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
SUPPLEMENTS AVAILABLE				

----- Stump sock

* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENT AVAILABLE

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1140102	Temporary tibial prosthesis	1,427.94			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person				
	Temporary foot (loan) Endoskeletal system (loan)				
	*DURATION OF GUARANTEE : Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENT				
1145523	Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person	N. C.	N. A.		
	OPTIONAL COMPONENTS				
1145598	Thigh lacer	262.13	287.29		3
1135532	Supracondylar strap	152.94	210.86		3
1145549	Foam flexible double comfort socket	149.96	269.77		3
1145564	Tibial belt with Y strap	118.88	215.54		3
	Suspension lining covered with nylon on inside	92.46			5
	Suspension lining not covered with nylon on inside	117.71	132.32		
1145713	Latex suspension lining	52.28	65.62		
	Elastic suspension lining	44.06			
	SUPPLEMENTS AVAILABLE				
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
3194032	Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm (18 in.)	20.00	23.24		

3194040 Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm	20.00	23.24
(31½ in.) 3194107 Nylon sheath with tibial elastic band, 25.4 cm	33.96	37.18
(10 in.) to 55.9 cm (22 in.)	22.00	25.22
3194115 Nylon sheath with tibial elastic band, 50.8 cm (20 in.) to 73.7 cm (29 in.)	32.08	35.32
3194206 Nylon suction sheath (all sizes)	32.08	35.32
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05

ADJUSTMENTS AVAILABLE

None

SCHEDULE 1

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1140508	Exoskeletal tibial prosthesis	2,299.07			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic tibial socket, made from plaster or digital mold of insured person				
	SACH foot Medial wedge Ankle block				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1125509 1145531	Ankle block SACH foot Laminated plastic tibial socket, made from plaster or digital mold of insured person	N. C. N. C. N. C.	325.15		3
1145457	Medial wedge	N. C.	N. A.		
	OPTIONAL COMPONENTS				
1145754	Trial socket Foam or molded plastic flexible double comfort socket	171.89 149.96			3
1145556	Foam or molded plastic flexible double comfort socket, with medial wedge	182.77	300.71		3
	Silicone gel double socket Silicone gel double socket, with medial wedge	323.32 354.53	648.49 679.55		3 3

1146554 Silicone gel flexible double socket, with distal	962.12	1,012.40	3
attachment		712.50	
1146570 Silicone gel flexible double socket, with distal	N. A.	712.50	2
attachment, excluding replacement of distal attachment			3
1145564 Tibial belt with Y strap	110.00	215 54	2
*	118.88 152.94	215.54	33
1135532 Supracondylar strap	92.46	210.86 104.23	3
1145697 Suspension lining covered with nylon on inside			
1145705 Suspension lining not covered with nylon on inside	117.71	132.32	
1145713 Latex suspension lining	52.28	65.62	
1145721 Elastic suspension lining	44.06	57.42	
1125517 Articulated foot	153.90	474.00	
1125574 Dynamic response foot, spring and prosthetic cover	367.18	682.73	
included (Quantum)			
1125624 Adapter for foot (Quantum)	143.72	200.39	
1125582 Dynamic response foot (Seattle Light)	497.11	812.64	
1125590 Dynamic response foot (Sten foot)	82.49	397.94	
1125608 Dynamic response foot (SAFE foot)	195.81	511.37	
1125616 Dynamic response foot (1D10, 1D11)	167.09	487.07	
1125566 Dynamic response foot (Seattle)	381.00	696.52	
1125541 Dynamic response foot (Carbon Copy II)	317.45	632.95	
1125707 Dynamic foot, for child (1K10)	38.26	353.86	
1125806 Multiaxial foot with rotator (1A29)	238.64	554.16	
1165539 Femoral device with plastic ischiatic support	992.40	1,054.33	3
1145663 Thigh lacer with reinforced uniaxial ball-bearing	850.23	875.32	
joints			3
1145671 Thigh lacer with light uniaxial ball-bearing joints	734.08	759.17	2
			3
1145689 Thigh lacer with polycentric joints	1,112.06	1,137.86	3
1145739 Replacement of thigh lacer with recovery and	N. A.	566.17	3
reinstallation of existing joints			5
1145580 Suction valve and seat	294.38	401.70	
1145655 Suction valve	N. A.	281.83	
1145747 Foam flexible prosthetic cover	118.69	168.89	
SUPPLEMENTS AVAILABLE			
3194032 Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm	20.00	23.24	
(18 in.)			
3194040 Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm	20.00	23.24	
(31½ in.)			
3194107 Nylon sheath with tibial elastic band, 25.4 cm (10 in.) to 55.9 cm (22 in.)	33.96	37.18	
3194115 Nylon sheath with tibial elastic band, 50.8 cm	32.08	35.32	
(20 in.) to 73.7 cm (29 in.)	52.00	55.52	
3194206 Nylon suction sheath (all sizes)	32.08	35.32	
3194198 Prosthetic socks, per pair	32.60	45.92	
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
5 172000 Crawnes mar annary support, horgin-aujustable	20.30	20.30	

	DULE 1	Tariff for devices wh	lien compensate for	a motor acherchery		tic version)	
	Crutches with forearm support, Stump sock * (consult Division III of this P prices of these supplements)		56.05 *	56.05 *	, ,	,	
	ADJUSTMENTS AVAILABL	E					
1146539	Socket lining (leather, plastic o Lengthening of a tibial prosthe Any pertinent adjustment				243.58 442.95		
	DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)	
1141514	Endoskeletal tibial prosthesis		2,398.80			6	
	BASIC COMPONENTS AND	SUPPLEMENTS					
	Laminated plastic tibial socket, or digital mold of insured perso	*					
	Medial wedge SACH foot and adapter Complete endoskeletal system components, prosthetic cover a (2))						
	COMPONENTS AND SUPPL AVAILABLE	EMENTS					
	BASIC COMPONENTS						
1125509	SACH foot		N. C.	325.15			
1124015	-		N. C.	N. A.			
	Laminated plastic tibial socket, or digital mold of insured perso		N. C.	1,839.89		3	
1195528	Complete endoskeletal system		N. C.	N. A.			
	Prosthetic cover		N. C.				
1145457	Medial wedge		N. C.	N. A.			
	OPTIONAL COMPONENTS						
1195585	Trial socket		171.89	N. A.			
	Foam or molded plastic flexible socket	e double comfort	149.96			3	
1145556	Foam or molded plastic flexible socket, with medial wedge	e double comfort	182.77	300.71		3	
	Silicone gel double socket		323.32	648.49		3	

			()
1145648 Silicone gel double socket, with medial wedge	354.53	679.55	3
1146554 Silicone gel flexible double socket, with distal attachment	962.12	1,012.40	3
1146562 Silicone gel flexible double socket, with attachment and pneumatic cushion	1,003.62	1,053.86	3
1146570 Silicone gel flexible double socket, with distal attachment, excluding replacement of distal attachment	N. A.	712.50	3
1145564 Tibial belt with Y strap	118.88	215.54	3
1135532 Supracondylar strap	152.94	210.86	3
1145697 Suspension lining covered with nylon on inside	92.46	104.23	
1145705 Suspension lining not covered with nylon on inside	117.71	132.32	
1145713 Latex suspension lining	52.28	65.62	
1145721 Elastic suspension lining	44.06	57.42	
1125715 Articulated foot and adapter	189.60	507.34	
1125723 Articulated foot without adapter	N. A.	324.74	
1125566 Dynamic response foot (Seattle)	381.00	696.52	
1125541 Dynamic response foot (Carbon Copy II)	317.45	632.95	
1125707 Dynamic foot, for child (1K10)	38.26	353.86	
1125798 Dynamic response foot, spring, prosthetic cover and foam included (Quantum)	328.49	643.95	
1125780 Adapter for foot (Quantum)	56.65	105.03	
1125582 Dynamic response foot (Seattle Light)	497.11	812.64	
1125590 Dynamic response foot (Sten foot)	82.49	397.94	
1125608 Dynamic response foot (SAFE foot)	195.81	511.37	
1125616 Dynamic response foot (1D10, 1D11)	167.09	487.07	
1125681 Dynamic response foot (Step Light)	300.86	616.35	
1125699 Dynamic response foot (USMC)	186.16	501.62	
1125731 Dynamic plus foot (1D25)	452.86	768.39	
1125749 Multiaxial foot with rotator (1A30)	698.32	1,023.83	
1125756 Multiaxial foot with rotator (Endolite)	610.40	925.90	
1125764 Dynamic response foot with rotator (Endolite)	814.95	1,130.47	
1165539 Femoral device with plastic ischiatic support	992.40	1,054.33	3
1145663 Thigh lacer with reinforced uniaxial ball-bearing joints	850.23	875.32	3
1145671 Thigh lacer with light uniaxial ball-bearing joints	734.08	759.17	3
1145689 Thigh lacer with polycentric joints	1,112.06	1,137.86	3
1145739 Replacement of thigh lacer with recovery and reinstallation of existing joints	N. A.	566.17	3
1145580 Suction valve and seat	294.38	401.70	
1145655 Suction valve	N. A.	281.83	
1135557 Ankle rotator (4R39, 4R40)	793.08	878.99	
1135607 Ankle rotator (4R85)	709.73	787.06	
1135615 Titanium modular system and carbon fiber pylon	98.13	N. A.	
SUPPLEMENTS AVAILABLE			

SUPPLEMENTS AVAILABLE

3194032 Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm (18 in.)	20.00	23.24		
3194040 Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm (31 ¹ / ₂ in.)	20.00	23.24		
3194107 Nylon sheath with tibial elastic band, 25.4 cm (10 in.) to 55.9 cm (22 in.)	33.96	37.18		
3194115 Nylon sheath with tibial elastic band, 50.8 cm (20 in.) to 73.7 cm (29 in.)	32.08	35.32		
3194206 Nylon sheath (all sizes)	32.08	35.32		
3194222 Prosthetic socks, per pair	N. C.	39.47		
3492501 Cane	10.19	10.19		
3492550 Crutches with axillary support, height-adjustable	20.38	20.38		
 3492551 Crutches with forearm support, height-adjustable Stump sock * (consult Division III of this Part for the codes and prices of these supplements) 	56.05 *	56.05 *		
ADJUSTMENTS AVAILABLE				
1146521 Socket lining (leather, plastic or other material) 1146547 Lengthening of tibial part of prosthesis, excluding			243.58	
replacement of prosthetic cover and prosthetic sock			295.63	

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1141753 Prosthetic restoration of a leg	2,548.10)		2
BASIC COMPONENTS AND SUPPLEMENTS				
Prosthetic foam-rubber calf				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1145622 Prosthetic foam-rubber calf	N. C.	N. A.		
OPTIONAL COMPONENT				
1165547 Thigh extension	647.17	N. A.		2
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				

SUBDIVISION 4: TIBIOFEMORAL PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1150010	Post-operative tibiofemoral prosthesis necessitating obligatory renewal of plaster or digital mold	1,468.22			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Lycra compressible socks (4) Plaster sockets (2) Means of suspension (belt) SACH foot (loan) Adjustable pylon (loan) Suspension cable, distal pad, ring				
	*DURATION OF GUARANTEE : Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1195510	Plaster sockets (2) Means of suspension (belt) Suspension cable, distal pad, ring	N. C. N. C. N. C.			
	SUPPLEMENTS AVAILABLE				
3492550	Lycra compressible socks (4) Crutches with axillary support, height-adjustable Crutches with forearm support, height-adjustable	N. C. 20.38 56.05			
	ADJUSTMENT AVAILABLE				
	None				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Pneumatic post-operative tibiofemoral prosthesis, non-articulated	772.41			*
	BASIC COMPONENTS AND SUPPLEMENTS				

Mobility frame (loan) Electric pump (loan)

*DURATION OF GUARANTEE : Life of prosthesis

COMPONENTS AND SUPPLEMENTS AVAILABLE

SUPPLEMENTS AVAILABLE

3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05
Stump sock	*	*

* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENT AVAILABLE

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1150051	Pneumatic post-operative tibiofemoral prosthesis, articulated	991.07			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Inflatable bag or case Thigh lacer system (loan) Knee joint system (loan) Modular system (loan) Universal socket (loan) SACH foot (loan) Air pump (loan)				
	*DURATION OF GUARANTEE : Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	SUPPLEMENTS AVAILABLE				

3492551	Crutches with axillary support, height-adjustable Crutches with forearm support, height-adjustable Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	20.38 56.05 *	56.05		
	ADJUSTMENT AVAILABLE None				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1150069	Temporary tibiofemoral prosthesis	1,724.18			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person				
	Temporary foot (loan) Endoskeletal system (loan)				
	*GUARANTEE PERIOD: Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENT				
	Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person	N. C.	N. A.		
	OPTIONAL COMPONENTS				
1145549	Foam flexible double comfort socket	149.96	269.77		3
1165570	Silesian belt	181.05	208.22		3
	Pelvic belt (steel joint and band)	368.74			3
	Pelvic belt (plastic joint and band)	305.19	564.18		3
	SUPPLEMENTS AVAILABLE	20.00	22.24		
	Nylon sheath, 50.8 cm (20 in.) to 61.0 cm (24 in.)	20.00			
	Nylon sheath with elastic band, 45.7 cm (18 in.) to 55.9 cm (22 in.)	33.96	37.18		
	Nylon suction sheath (all sizes)	32.08	35.32		
3492501	•	10.19	10.19		

20.38

20.38

56.05

*

56.05

*

3492551 Crutches with forearm support, height-adjustable	
S(1	

----- Stump sock

* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENT AVAILABLE

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1150507	Exoskeletal tibiofemoral prosthesis	4,138.13			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person				
	External knee joints SACH foot and ankle block				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Ankle block	N.C.			
1155506	SACH foot Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person	N. C. N. C.			3
1155514	External knee joints	N. C.	931.87		
	OPTIONAL COMPONENTS				
1195551	Trial socket	221.79	N. A.		
	Foam flexible double comfort socket	182.33			
1146554	Silicone gel flexible double socket, with distal attachment	962.12	1,012.40		3
1146570	Silicone gel flexible double socket, with distal attachment, excluding replacement of distal attachment	N. A.	712.50		3
1165570	Silesian belt	181.05	208.22		3
	Neoprene Silesian belt	178.89			
1165711	Pelvic belt (titanium joint and band)	466.89	725.95		3
	Pelvic belt (plastic joint and band)	305.19			3
	Pelvic belt (steel joint and band)	368.74			3
	Articulated foot	153.90			
1125574	Dynamic response foot, spring and prosthetic cover included (Quantum)	367.18	682.73		

	BASIC COMPONENTS AND SUPPLEMENTS				
115150	5 Endoskeletal tibiofemoral prosthesis	4,874.67			6
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1156504	 Socket lining (leather, plastic or other material) Lengthening of tibial part Any pertinent adjustment 			243.58 442.95	
	ADJUSTMENTS AVAILABLE				
	 Stump sock * (consult Division III of this Part for the codes and prices of these supplements) 	*	*		
	Crutches with forearm support, height-adjustable	56.05	56.05		
	Crutches with axillary support, height-adjustable	20.38	20.38		
3194198	8 Prosthetic socks, per pair	32.60 10.19	45.92 10.19		
	6 Nylon suction sheath (all sizes)	32.08	35.32		
319412	3 Nylon sheath with elastic band, 45.7 cm (18 in.) to 55.9 cm (22 in.)	33.96	37.18		
319405	7 Nylon sheath, 50.8 cm (20 in.) to 61.0 cm (24 in.)	20.00	23.24		
	SUPPLEMENTS AVAILABLE				
114574′	7 Foam flexible cover for tibial part	118.69	168.89		
	5 Suction valve	N. A.	281.83		
	0 Suction valve and seat	294.38	401.70		
	3 Constant friction knee (3P1)	78.77	1,009.02		
	7 Constant friction knee (3P25)	156.18	1,087.88		
	2 Multiaxial foot with rotator (1A29)	238.64	554.16		
	7 Dynamic foot, for child (1K10)	38.26	353.86		
	1 Dynamic response foot (Carbon Copy II)	317.45	632.95		
	6 Dynamic response foot (Seattle)	381.00	696.52		
	8 Dynamic response foot (SAFE foot) 6 Dynamic response foot (1D10, 1D11)	195.81	487.07		
	D Dynamic response foot (Sten foot)	82.49 195.81	397.94 511.37		
	2 Dynamic response foot (Seattle Light)	497.11	812.64		
			010 (1		

plaster or digital mold of insured person

SACH foot

Complete endoskeletal system with knee (3R21) (modular components, prosthetic cover and prosthetic socks (2)). If child, uniaxial knee (3R38)			
COMPONENTS AND SUPPLEMENTS AVAILABLE			
BASIC COMPONENTS			
1125509 SACH foot	N. C.	325.15	
1155506 Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person	N. C.	2,522.97	3
1195528 Complete endoskeletal system	N. C.	N. A.	
1155555 Knee (3R21)	N. C.	1,542.53	
1165596 Prosthetic cover	N. C.	765.67	
OPTIONAL COMPONENTS			
1195551 Trial socket	221.79	N. A.	
1195569 Foam flexible double comfort socket	182.33	329.17	
1146554 Silicone gel flexible double socket, with distal attachment	962.12	1,012.40	3
1146570 Silicone gel flexible double socket, with distal	N. A.	712.50	
attachment, excluding replacement of distal attachment			3
1165570 Silesian belt	181.05	208.22	3
1165828 Neoprene Silesian belt	178.89	211.79	
1165588 Pelvic belt (steel joint and band)	368.74	627.72	3
1165703 Pelvic belt (plastic joint and band)	305.19	564.18	3
1165711 Pelvic belt (titanium joint and band)	466.89	725.95	3
1125715 Articulated foot and adapter	189.60	507.34	
1125723 Articulated without adapter	N. A.	324.74	
1125574 Dynamic response foot, spring and prosthetic cover included (Quantum)	367.18	682.73	
1125780 Adapter for foot (Quantum)	56.65	105.03	
1125707 Dynamic foot, for child (1K10)	38.26	353.86	
1125582 Dynamic response foot (Seattle Light)	497.11	812.64	
1125590 Dynamic response foot (Sten foot)	82.49	397.94	
1125608 Dynamic response foot (SAFE foot)	195.81	511.37	
1125616 Dynamic response foot (1D10, 1D11)	167.09	487.07	
1125566 Dynamic response foot (Seattle)	381.00	696.52	
1125541 Dynamic response foot (Carbon Copy II)	317.45	632.95	
1125681 Dynamic response foot (Step Light)	300.86	616.35	
1125699 Dynamic response foot (USMC)	186.16	501.62	
1125731 Dynamic plus foot (1D25)	452.86	768.39	
1125749 Multiaxial foot with rotator (1A30)	698.32	1,023.83	
1125756 Multiaxial foot with rotator (Endolite)	610.40	925.90	
1125764 Dynamic response foot with rotator (Endolite)	814.95	1,130.47	
1155571 Multiaxial knee, for child (TK40C) (used with	499.00	2,028.91	

1155571 Multiaxial knee, for child (TK40C) (used with DAW endoskeletal system)

1155589 Uniaxial constant friction knee, for child (TK1C1)	117.61	1,647.46	
1155597 Uniaxial knee, for child (3R38)	N. C.	1,282.67	
1155605 Uniaxial knee with lock, for child (3R39)	N. C.	1,416.71	
1155613 Polycentric-joint knee with assisted extension,	495.34	2,036.22	
titanium (3R30)			
1155621 Multiaxial knee with rotator, for child (3R66)	N. C.	1,510.61	
1155639 Polycentric-joint knee with lock, titanium (3R32)	311.06	1,840.94	
1145580 Suction valve and seat	294.38	401.70	
1145655 Suction valve	N. A.	281.83	
1135557 Ankle rotator (4R39, 4R40)	793.08	878.99	
1135607 Ankle rotator (4R85)	709.73	787.06	
1135615 Titanium modular system and carbon fiber pylon	98.13	N. A.	
SUPPLEMENTS AVAILABLE			
3194032 Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm	20.00	23.24	
(18 in.)			
3194040 Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm	20.00	23.24	
$(31\frac{1}{2} \text{ in.})$			
3194230 Nylon sheath with elastic band	33.96	37.18	
3194115 Nylon sheath with tibial elastic band, 50.8 cm	32.08	35.32	
(20 in.) to 73.7 cm (29 in.)			
3194206 Nylon sheath (all sizes)	32.08	35.32	
3194172 Prosthetic socks, per pair	N. C.	56.17	
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	
Stump sock	*	*	
* (consult Division III of this Part for the codes and			
prices of these supplements)			
ADJUSTMENTS AVAILABLE			
1146521 Socket lining (leather, plastic or other material)			
1146547 Lengthening of tibial part of prosthesis, excluding			

1146547 Lengthening of tibial part of prosthesis, excluding replacement of prosthetic cover and prosthetic sock

----- Any pertinent adjustment

243.58 295.63

SUBDIVISION 5: FEMORAL PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1160019	Post-operative femoral prosthesis necessitating obligatory renewal of plaster or digital mold	1,432.32			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Compressible Lycra socks (4) Plaster sockets (2) Means of suspension (belt) SACH foot (loan) Adjustable pylon with joint (loan) Suspension cable, distal pad, ring				
	*GUARANTEE PERIOD: Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1195510	Plaster sockets (2) Means of suspension (belt) Suspension cable, distal pad, ring	N. C. N. C. N. C.	N. A.		
	SUPPLEMENTS AVAILABLE				
3492550	Compressible Lycra socks (4) Crutches with axillary support, height-adjustable Crutches with forearm support, height-adjustable	N. C. 20.38 56.05	20.38		
	ADJUSTMENT AVAILABLE				
	None				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guaranted (months)
1160050	Pneumatic post-operative femoral prosthesis, non- articulated	772.41			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Inflatable bag or case				

SCHE	DULE 1	Tariff for devices wh	ich compensate for a	a motor deficiency		ated services ntic version)
	Electric pump (loan)					
	*GUARANTEE PERIOD:	Life of prosthesis				
	COMPONENTS AND SUI AVAILABLE	PPLEMENTS				
	SUPPLEMENTS AVAILA	BLE				
3492551	Crutches with axillary supp Crutches with forearm supp Stump sock * (consult Division III of th prices of these supplements	oort, height-adjustable is Part for the codes and	20.38 56.05 *	20.38 56.05 *		
	ADJUSTMENT AVAILA	BLE				
	None					
	DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Pneumatic post-operative for articulated	emoral prosthesis,	991.07			*
	BASIC COMPONENTS A	ND SUPPLEMENTS				
	Inflatable bag or case Thigh lacer system (loan) Knee joint system (loan) Modular system (loan) Universal socket (loan) SACH foot (loan) Air pump (loan)					
	*GUARANTEE PERIOD:	Life of prosthesis				
	COMPONENTS AND SUI AVAILABLE	PPLEMENTS				
	SUPPLEMENTS AVAILA	BLE				

56.05

*

56.05

*

3492551	Crutches with forearm support, height-adjustable	

----- Stump sock

* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENT AVAILABLE

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1160100	Temporary femoral prosthesis	1,607.17			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated or molded plastic socket, made from plaster or digital mold of insured person				
	Temporary foot (loan) Endoskeletal system (loan)				
	*GUARANTEE PERIOD: Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Laminated or molded plastic socket, made from plaster or digital mold of insured person	N. C.	N. A.		
	OPTIONAL COMPONENTS				
1165570	Silesian belt	181.05	208.22		3
	Pelvic belt (plastic joint and band)	305.19			3
1165588	Pelvic belt (steel joint and band)	368.74	627.72		3
	SUPPLEMENTS AVAILABLE				
3194065	Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	20.00	23.24		
3194131	Nylon sheath with elastic band, 15.2 cm (6 in.) to 45.7 cm (18 in.)	37.67	40.88		
3194149	Nylon sheath with V opening, 15.2 cm (6 in.) to 50.8 cm (20 in.)	39.06	42.30		
3194206	Nylon suction sheath (all sizes)	32.08	35.32		
3492501		10.19			
	Crutches with axillary support, height-adjustable	20.38			
	Crutches with forearm support, height-adjustable Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	56.05 *			
	ADHISTMENT AVAILADIE				

DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1160506 Exoskeleta friction kn	l femoral prosthesis with constant ee (3P25)	3,820.52			6
BASIC CO	OMPONENTS AND SUPPLEMENTS				
	plastic femoral socket, made from ligital mold of insured person				
Constant fi SACH foo	riction knee (3P25) t				
COMPON AVAILAE	ENTS AND SUPPLEMENTS BLE				
BASIC CO	OMPONENTS				
1125509 SACH foo	t	N. C.	325.15		
	plastic femoral socket, made from ligital mold of insured person	N. C.	2,276.67		3
1155522 Constant fr	riction knee (3P25)	N. C.	1,087.88		
OPTIONA	L COMPONENTS				
1195577 Trial socke	et	200.82	N. A.		
1165570 Silesian be		181.05			3
1165828 Neoprene	Silesian belt	178.89	211.79		
1165588 Pelvic belt	(steel joint and band)	368.74	627.72		3
	(titanium joint and band)	466.89			3
	(plastic joint and band)	305.19			3
attachment		962.12			3
-	el double socket, with distal attachment, replacement of distal attachment	N. A.	712.50		3
1145580 Suction va	lve and seat	294.38	401.70		
1145655 Suction va	lve	N. A.	281.83		
1125517 Articulated	l foot	153.90	474.00		
1125574 Dynamic r included (0	esponse foot, spring and prosthetic cover Quantum)	367.18	682.73		
1125624 Adapter fo	r foot (Quantum)	143.72	200.39		
	esponse foot (Seattle Light)	497.11			

1125608 Dynamic response foot (SAFE foot)	195.81	511.37		
1125616 Dynamic response foot (1D10, 1D11)	167.09	487.07		
1125566 Dynamic response foot (Seattle)	381.00	696.52		
1125541 Dynamic response foot (Carbon Copy II)	317.45	632.95		
1125707 Dynamic foot, for child (1K10)	38.26	353.86		
1145747 Foam flexible cover for tibial part	118.69	168.89		
1165604 Safety knee (3P23, 3P24)	145.11	1,232.88		
1165612 Manual locking knee (3P4)	23.48	1,111.48		
1165620 Manual locking knee (3P52)	134.06	1,221.97		
1165646 Geriatric knee with manual lock (3K9)	55.28	1,143.09		
1165729 Constant friction locking knee (3P4F)	46.96	1,134.79		
SUPPLEMENTS AVAILABLE				
3194065 Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	20.00	23.24		
3194003 Nylon sheath with elastic band, 15.2 cm (6 in.) to	37.67			
45.7 cm (18 in.)	57.07	40.00		
3194149 Nylon sheath with V opening, $15.2 \text{ cm} (6 \text{ in.})$ to	39.06	42.30		
50.8 cm (20 in.) 3194156 Wool socks, 3-ply, with V opening, sizes 1, 2, 3, 4,	41.66	45.01		
from 15.2 cm (6 in.) to 50.8 cm (20 in.)	41.00	45.01		
3194164 Wool socks, 5-ply, with V opening, sizes 1, 2, 3, 4,	41.80	45.95		
from 15.2 cm (6 in.) to 50.8 cm (20 in.)	41.00	ч5.75		
3194198 Prosthetic socks, per pair	32.60	45.92		
3194206 Nylon suction sheath (all sizes)	32.00			
3492501 Cane	10.19			
3492550 Crutches with axillary support, height-adjustable	20.38			
3492550 Crutches with forearm support, height-adjustable	56.05			
Stump sock	\$0.05	\$0.05		
* (consult Division III of this Part for the codes and				
prices of these supplements)				
prices of these supplements)				
ADJUSTMENTS AVAILABLE				
1146521 Lengthening of tibial part of the prosthesis			243.58	
1166537 Socket lining (leather, plastic or other material)			442.95	
Any pertinent adjustment				
	Maximum price	Maximum price	Maximum	
DEVICE	Purchase or	Replacement of	adjustement	Guarantee
	replacement of	component or	price	(months)
	device	supplement	r•	
1160605 Exoskeletal femoral prosthesis with friction locking	3,656.81			
1 0	1.0.70 01			
knee, for child (3P21)	5,050.01			6

BASIC COMPONENTS AND SUPPLEMENTS

SCHEDULE 1	Tariff for devices which	compensate for a m	otor deficiency and	insured related services (authentic version)
Laminated plastic femoral so plaster or digital mold of insu				
Friction locking knee, for chi SACH foot	ld (3P21)			
COMPONENTS AND SUPP AVAILABLE	PLEMENTS			
BASIC COMPONENTS				
1125509 SACH foot		N. C.	325.15	
1165505 Laminated plastic femoral so	cket, made from	N. C.	2,276.67	
plaster or digital mold of insu			,	3
1165737 Friction locking knee, for chi	ld (3P21)	N. C.	923.51	
C I		1	20.01	
OPTIONAL COMPONENT	8			
1195577 Trial socket		200.82	N. A.	
1165570 Silesian belt		181.05	208.22	3
1165828 Neoprene Silesian belt		178.89	211.79	
1165588 Pelvic belt (steel joint and ba		368.74	627.72	3
1165711 Pelvic belt (titanium joint and		466.89	725.95	3
1165703 Pelvic belt (plastic joint and		305.19	564.18	3
1146554 Silicone gel flexible double s attachment	ocket, with distal	962.12	1,012.40	3
1146570 Silicone gel double socket, w excluding replacement of dis		N. A.	712.50	3
1145580 Suction valve and seat		294.38	401.70	
1145655 Suction valve		N. A.	281.83	
1125517 Articulated foot		153.90	474.00	
1125574 Dynamic response foot, sprin included (Quantum)	g and prosthetic cover	367.18	682.73	
1125624 Adapter for foot (Quantum)		143.72	200.39	
1125582 Dynamic response foot (Seat	tle Light)	497.11	812.64	
1125590 Dynamic response foot (Sea	•	82.49	397.94	
1125608 Dynamic response foot (SAF	·	195.81	511.37	
1125616 Dynamic response foot (1D1		167.09	487.07	
1125566 Dynamic response foot (Seat	tle)	381.00	696.52	
1125541 Dynamic response foot (Carb	oon Copy II)	317.45	632.95	
1125707 Dynamic foot, for child (1K1	0)	38.26	353.86	
1145747 Foam flexible cover for tibia	l part	118.69	168.89	
1165745 Friction locking knee, for chi	ld (3P50)	46.96	970.38	
SUPPLEMENTS AVAILAB	LE			
3194065 Nylon sheath, 20.3 cm (8 in.)	to 50.8 cm (20 in.)	20.00	23.24	
3194131 Nylon sheath with elastic bar 45.7 cm (18 in.)	id, 15.2 cm (6 in.) to	37.67	40.88	
3194149 Nylon sheath with V opening 50.8 cm (20 in.)	;, 15.2 cm (6 in.) to	39.06	42.30	

	Wool socks, 3-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	41.66	45.01		
3194164	Wool socks, 5-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	41.80	45.95		
	Prosthetic socks, per pair	32.60	45.92		
	Nylon suction sheath (all sizes)	32.08			
3492501	Cane	10.19	10.19		
3492550	Crutches with axillary support, height-adjustable	20.38	20.38		
3492551	Crutches with forearm support, height-adjustable	56.05	56.05		
	Stump sock	*	*		
	* (consult Division III of this Part for the codes and prices of these supplements)				
	ADJUSTMENTS AVAILABLE				
1146521	Lengthening of tibial part of the prosthesis			243.58	
	Socket lining (leather, plastic or other material)			442.95	
	Any pertinent adjustment				
		Maximum price	Maximum price	Maximum	
		Purchase or	Replacement of	adjustement	Guarantee
	DEVICE		-	aurusiemeni	
	DEVICE	replacement of	component or		(months)
	DEVICE		-	price	(months)
	DEVICE Endoskeletal femoral prosthesis	replacement of	component or supplement		(months)
1161504		replacement of device	component or supplement		. ,
1161504	Endoskeletal femoral prosthesis	replacement of device	component or supplement		
1161504	Endoskeletal femoral prosthesis BASIC COMPONENTS AND SUPPLEMENTS Laminated plastic femoral socket, made from plaster or digital mold of insured person	replacement of device	component or supplement		
1161504	Endoskeletal femoral prosthesis BASIC COMPONENTS AND SUPPLEMENTS Laminated plastic femoral socket, made from plaster or digital mold of insured person SACH foot	replacement of device	component or supplement		. ,
1161504	Endoskeletal femoral prosthesis BASIC COMPONENTS AND SUPPLEMENTS Laminated plastic femoral socket, made from plaster or digital mold of insured person SACH foot Complete endoskeletal system with uniaxial	replacement of device	component or supplement		
1161504	Endoskeletal femoral prosthesis BASIC COMPONENTS AND SUPPLEMENTS Laminated plastic femoral socket, made from plaster or digital mold of insured person SACH foot Complete endoskeletal system with uniaxial constant friction knee (3R16) (modular	replacement of device	component or supplement		
1161504	Endoskeletal femoral prosthesis BASIC COMPONENTS AND SUPPLEMENTS Laminated plastic femoral socket, made from plaster or digital mold of insured person SACH foot Complete endoskeletal system with uniaxial	replacement of device	component or supplement		
1161504	Endoskeletal femoral prosthesis BASIC COMPONENTS AND SUPPLEMENTS Laminated plastic femoral socket, made from plaster or digital mold of insured person SACH foot Complete endoskeletal system with uniaxial constant friction knee (3R16) (modular components, prosthetic cover and prosthetic socks	replacement of device	component or supplement		
1161504	Endoskeletal femoral prosthesis BASIC COMPONENTS AND SUPPLEMENTS Laminated plastic femoral socket, made from plaster or digital mold of insured person SACH foot Complete endoskeletal system with uniaxial constant friction knee (3R16) (modular components, prosthetic cover and prosthetic socks (2))	replacement of device	component or supplement		
1161504	Endoskeletal femoral prosthesis BASIC COMPONENTS AND SUPPLEMENTS Laminated plastic femoral socket, made from plaster or digital mold of insured person SACH foot Complete endoskeletal system with uniaxial constant friction knee (3R16) (modular components, prosthetic cover and prosthetic socks (2)) COMPONENTS AND SUPPLEMENTS	replacement of device	component or supplement		. ,
1161504	Endoskeletal femoral prosthesis BASIC COMPONENTS AND SUPPLEMENTS Laminated plastic femoral socket, made from plaster or digital mold of insured person SACH foot Complete endoskeletal system with uniaxial constant friction knee (3R16) (modular components, prosthetic cover and prosthetic socks (2)) COMPONENTS AND SUPPLEMENTS AVAILABLE	replacement of device	component or supplement		. ,
1161504 1125509 1165505	Endoskeletal femoral prosthesis BASIC COMPONENTS AND SUPPLEMENTS Laminated plastic femoral socket, made from plaster or digital mold of insured person SACH foot Complete endoskeletal system with uniaxial constant friction knee (3R16) (modular components, prosthetic cover and prosthetic socks (2)) COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS SACH foot Laminated plastic femoral socket, made from	replacement of device 4,451.38	component or supplement 325.15		. ,
1161504 1125509 1165505	Endoskeletal femoral prosthesis BASIC COMPONENTS AND SUPPLEMENTS Laminated plastic femoral socket, made from plaster or digital mold of insured person SACH foot Complete endoskeletal system with uniaxial constant friction knee (3R16) (modular components, prosthetic cover and prosthetic socks (2)) COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS SACH foot	replacement of device 4,451.38 N. C.	component or supplement 325.15		
1161504 1125509 1165505	Endoskeletal femoral prosthesis BASIC COMPONENTS AND SUPPLEMENTS Laminated plastic femoral socket, made from plaster or digital mold of insured person SACH foot Complete endoskeletal system with uniaxial constant friction knee (3R16) (modular components, prosthetic cover and prosthetic socks (2)) COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS SACH foot Laminated plastic femoral socket, made from plaster or digital mold of insured person	replacement of device 4,451.38 N. C. N. C. N. C.	component or supplement 325.15 2,276.67		6
1161504 1125509 1165505 1195528	Endoskeletal femoral prosthesis BASIC COMPONENTS AND SUPPLEMENTS Laminated plastic femoral socket, made from plaster or digital mold of insured person SACH foot Complete endoskeletal system with uniaxial constant friction knee (3R16) (modular components, prosthetic cover and prosthetic socks (2)) COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS SACH foot Laminated plastic femoral socket, made from	replacement of device 4,451.38 N. C.	component or supplement 325.15 2,276.67 N. A.		6

OPTIONAL COMPONENTS

1195577 Trial socket	200.82	N. A.	
1165570 Silesian belt	181.05	208.22	3
1165828 Neoprene Silesian belt	178.89	211.79	
1165588 Pelvic belt (steel joint and band)	368.74	627.72	3
1165711 Pelvic belt (titanium joint and band)	466.89	725.95	3
1165703 Pelvic belt (plastic joint and band)	305.19	564.18	3
1146554 Silicone gel flexible double socket, with distal	962.12	1,012.40	2
attachment			3
1146570 Silicone gel flexible double socket, with distal	N. A.	712.50	
attachment, excluding replacement of distal			3
attachment			
1145580 Suction valve and seat	294.38	401.70	
1145655 Suction valve	N. A.	281.83	
1125715 Articulated foot and adapter	189.60	507.34	
1125723 Articulated without adapter	N. A.	324.74	
1125574 Dynamic response foot, spring and prosthetic cover	367.18	682.73	
included (Quantum)			
1125780 Adapter for foot (Quantum)	56.65	105.03	
1125707 Dynamic foot, for child (1K10)	38.26	353.86	
1125582 Dynamic response foot (Seattle Light)	497.11	812.64	
1125590 Dynamic response foot (Sten foot)	82.49	397.94	
1125608 Dynamic response foot (SAFE foot)	195.81	511.37	
1125616 Dynamic response foot (1D10, 1D11)	167.09	487.07	
1125566 Dynamic response foot (Seattle)	381.00	696.52	
1125541 Dynamic response foot (Carbon Copy II)	317.45	632.95	
1125681 Dynamic response foot (Step Light)	300.86	616.35	
1125699 Dynamic response foot (USMC)	186.16	501.62	
1125731 Dynamic plus foot (1D25)	452.86	768.39	
1125749 Multiaxial foot with rotator (1A30)	698.32	1,023.83	
1125756 Multiaxial foot with rotator (Endolite)	610.40	925.90	
1125764 Dynamic response foot with rotator (Endolite)	814.95	1,130.47	
1165802 Uniaxial knee with lock, for child (3R39)	879.88	1,488.51	
1165810 Uniaxial constant friction knee (3R18)	196.23	801.64	
1165679 Safety knee (3R15)	315.08	921.95	
1165661 Manual locking knee (3R17)	395.74	1,018.32	
1165687 4-axis polycentric knee (3R20)	409.63	1,018.24	
1165752 Manual locking knee, aluminum (3R40)	292.00	910.31	
1165760 Manual locking knee, titanium (3R33)	693.00	1,303.02	
1165778 Safety knee, titanium (3R49)	628.84	1,239.91	
1165836 Multiaxial knee with rotator, for child (3R66)	905.20	1,510.61	
1135557 Ankle rotator (4R39, 4R40)	793.08	878.99	
1135607 Ankle rotator (4R85)	709.73	787.06	
1155548 Knee rotator (4R57)	908.09	987.29	
1165794 Multiaxial knee, for child (TK40C)	1,422.07	2,028.91	
1165844 Uniaxial constant friction knee with or without lock,	1,042.00	1,647.46	
for child (TK1C1)			
1165851 Uniaxial knee, for child (3R38)	671.65	1,282.67	
1135615 Titanium modular system and carbon fiber pylon	98.13	N. A.	

SUPPLEMENTS AVAILABLE				
3194065 Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	20.00	23.24		
3194131 Nylon sheath with elastic band, 15.2 cm (6 in.) to	37.67	40.88		
45.7 cm (18 in.)				
3194248 Nylon sheath with V opening, from 15.2 cm (6 in.)	39.06	42.30		
to 50.8 cm (20 in.)				
3194156 Wool socks, 3-ply, with V opening, sizes 1, 2, 3, 4,	41.66	45.01		
from 15.2 cm (6 in.) to 50.8 cm (20 in.)				
3194164 Wool socks, 5-ply, with V opening, sizes 1, 2, 3, 4,	41.80	45.95		
from 15.2 cm (6 in.) to 50.8 cm (20 in.)				
3194206 Nylon suction sheath (all sizes)	32.08	35.32		
3492501 Cane	10.19	10.19		
3492550 Crutches with axillary support, height-adjustable	20.38	20.38		
3492551 Crutches with forearm support, height-adjustable	56.05	56.05		
Stump sock	*	*		
* (consult Division III of this Part for the codes and				
prices of these supplements)				
3194172 Prosthetic socks (2)	N. C.	56.17		
ADJUSTMENTS AVAILABLE				
1146521 Lengthening of tibial part of the prosthesis,			243.58	
excluding replacement of prosthetic cover and				
prosthetic sock				
1146547 Socket lining (leather, plastic or other material)			295.63	

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1162254 Bilateral femoral stubbies	4,851.77			6
BASIC COMPONENTS AND SUPPLEMENTS				
Laminated plastic femoral sockets, made from plaster or digital mold of insured person (2)				
SACH or modified feet (2)				
COMPONENTS AND SUPPLEMENTS				
BASIC COMPONENTS				
1125558 Modified foot 1125509 SACH foot	N. C. N. C.			

OPTIONAL COMPONENTS

OF HONAL COMPONENTS				
1195577 Trial socket	200.82	N. A.		
1165570 Silesian belt	181.05	208.22		3
1165828 Neoprene Silesian belt	178.89	211.79		
1165588 Pelvic belt (steel joint and band)	368.74	627.72		3
1165703 Pelvic belt (plastic joint and band)	305.19	564.18		3
1165711 Pelvic belt (titanium joint and band)	466.89	725.95		3
1145580 Suction valve and seat	294.38	401.70		
1145655 Suction valve	N. A.	281.83		
SUPPLEMENTS AVAILABLE				
3194065 Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	20.00	23.24		
3194131 Nylon sheath with elastic band, 15.2 cm (6 in.) to 45.7 cm (18 in.)	37.67	40.88		
3194149 Nylon sheath with V opening, 15.2 cm (6 in.) to 50.8 cm (20 in.)	39.06	42.30		
3194156 Wool socks, 3-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	41.66	45.01		
3194164 Wool socks, 5-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	41.80	45.95		
3194206 Nylon suction sheath (all sizes)	32.08	35.32		
3492501 Cane	10.19	10.19		
3492550 Crutches with axillary support, height-adjustable	20.38	20.38		
3492551 Crutches with forearm support, height-adjustable	56.05	56.05		
Stump sock	*	*		
* (consult Division III of this Part for the codes and prices of these supplements)				
ADJUSTMENTS AVAILABLE				
1146521 Socket lining (leather, plastic or other material) Any pertinent adjustment			243.58	

Maximum price Maximum price Maximum Purchase or Replacement of Guarantee DEVICE adjustement replacement of component or (months) price device supplement 1170505 Exoskeletal coxofemoral prosthesis with constant 5,810.78 6 friction knee (3P25) BASIC COMPONENTS AND SUPPLEMENTS Laminated plastic socket, made from plaster or digital mold of insured person Constant friction knee (3P25) SACH foot Hip joint - Canadian type (CHJ-100, CHJ-75) COMPONENTS AND SUPPLEMENTS **AVAILABLE** BASIC COMPONENTS 1125509 SACH foot N. C. 325.15 1175504 Laminated plastic socket, made from plaster or N. C. 3,494.70 digital mold of insured person 1175512 Hip joint - Canadian type (CHJ-100, CHJ-75) N. C. 680.17 1155522 Constant friction knee (3P25) N. C. 1,087.88 OPTIONAL COMPONENTS 1195593 Trial socket 362.49 N. A. 1145580 Suction valve and seat 401.70 294.38 1145655 Suction valve N. A. 281.83 1125517 Articulated foot 153.90 474.00 1125574 Dynamic response foot, spring and prosthetic cover 367.18 682.73 included (Quantum) 1125624 Adapter for foot (Quantum) 143.72 200.39 1125582 Dynamic response foot (Seattle Light) 497.11 812.64 1125590 Dynamic response foot (Sten foot) 397.94 82.49 1125608 Dynamic response foot (SAFE foot) 195.81 511.37 1125616 Dynamic response foot (1D10, 1D11) 167.09 487.07 1125566 Dynamic response foot (Seattle) 696.52 381.00 1125541 Dynamic response foot (Carbon Copy II) 317.45 632.95 1125707 Dynamic foot, for child (1K10) 38.26 353.86 1145747 Foam flexible cover for tibial part 118.69 168.89 1165604 Safety knee (3P23, 3P24) 145.11 1,232.88 1165612 Manual locking knee (3P4) 23.48 1,111.48

SUBDIVISION 6: COXOFEMORAL AND HEMIPELVIC PROSTHESES

SCHE	DULE 1 Tariff for devices where the second s	nich compensate for	a motor deficiency		ted services tic version)
1165729	Constant friction locking knee (3P4F)	46.96	1,134.79		,
	SUPPLEMENTS AVAILABLE				
3194198	Prosthetic socks, per pair	32.60	45.92		
	Pant-style sock	24.34			
3492501	Cane	10.19	10.19		
	Crutches with axillary support, height-adjustable	20.38			
3492551	Crutches with forearm support, height-adjustable	56.05	56.05		
	ADJUSTMENTS AVAILABLE				
	Lengthening of tibial part of the prosthesis Any pertinent adjustment			442.95	
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarant (month
	Exoskeletal coxofemoral prosthesis with friction locking knee, for child (3P21)	5,646.69			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic socket, made from plaster or digital mold of insured person				
	Friction locking knee, for child (3P21) SACH foot Hip joint – Canadian type (CHJ-100, CHJ-75)				
	nip Joint – Canadian type (ChJ-100, ChJ-73)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1125509	SACH foot	N. C.	325.15		
	Laminated plastic socket, made from plaster or digital mold of insured person	N. C.	3,494.70		
1175512	Hip joint – Canadian type (CHJ-100, CHJ-75)	N. C.	680.17		
1165737	Friction locking knee, for child (3P21)	N. C.	923.51		
	OPTIONAL COMPONENTS				
1195593	Trial socket	362.49	N. A.		
1145580	Suction valve and seat	294.38	401.70		
	Suction valve	N. A.			
	Articulated foot	153.90			
	Dynamic response foot, spring and prosthetic cover included (Quantum)	367.18	682.73		

	DULE 1 Tariff	for devices whi	ich compensate for a	a motor deficiency		ntic version)
1125592		`	407.11	012 (4	× ×	,
	Dynamic response foot (Seattle Light))	497.11	812.64		
	Dynamic response foot (Sten foot)		82.49	397.94		
	Dynamic response foot (SAFE foot)		195.81	511.37		
	Dynamic response foot (1D10, 1D11)		167.09	487.07		
	Dynamic response foot (Seattle)	TT)	381.00	696.52		
	Dynamic response foot (Carbon Copy	711)	317.45	632.95		
	Dynamic foot, for child (1K10)		38.26	353.86		
1145747	Foam flexible cover for tibial part		118.69	168.89		
1165745	Constant friction locking knee, for ch SUPPLEMENTS AVAILABLE	ild (3P50)	46.96	970.38		
3194198	Prosthetic socks, per pair		32.60	45.92		
	Pant-style sock		24.34	32.70		
3492501			10.19	10.19		
	Crutches with axillary support, height	-adiustable	20.38	20.38		
	Crutches with forearm support, height		56.05	56.05		
	ADJUSTMENTS AVAILABLE					
	Lengthening of tibial part of the prost Any pertinent adjustment	hesis			442.95	
	DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarante (months)
1171503	Endoskeletal coxofemoral prosthesis		7,722.69			6
	BASIC COMPONENTS AND SUPP	LEMENTS				
	Laminated plastic socket, made from digital mold of insured person	plaster or				
	SACH foot Complete endoskeletal system wth un friction knee (3R16) (modular compo					
	prosthetic cover and prosthetic socks					
	· · · · · ·					
	prosthetic cover and prosthetic socks	(2))				
	prosthetic cover and prosthetic socks Hip joint (7E7) COMPONENTS AND SUPPLEMEN	(2))				
	prosthetic cover and prosthetic socks Hip joint (7E7) COMPONENTS AND SUPPLEMEN AVAILABLE BASIC COMPONENTS	(2))	N C	325.15		
1125509 1175504	prosthetic cover and prosthetic socks Hip joint (7E7) COMPONENTS AND SUPPLEMEN AVAILABLE	(2)) NTS	N. C. N. C.	325.15 3,494.70		
1125509 1175504	prosthetic cover and prosthetic socks Hip joint (7E7) COMPONENTS AND SUPPLEMEN AVAILABLE BASIC COMPONENTS SACH foot Laminated plastic socket, made from digital mold of insured person	(2)) NTS	N. C.	3,494.70		
1125509 1175504 1195528	prosthetic cover and prosthetic socks Hip joint (7E7) COMPONENTS AND SUPPLEMEN AVAILABLE BASIC COMPONENTS SACH foot Laminated plastic socket, made from	(2)) NTS plaster or				

OPTIONAL COMPONENTS

OPTIONAL COMPONENTS		
1195593 Trial socket	362.49	N. A.
1175553 Joint of hip joint (7E7)	N. A.	2,257.84
1175579 Joint of hip joint, for child (7E8)	266.73	1,695.83
1165810 Uniaxial constant friction knee (3R18)	196.23	801.64
1165679 Safety knee (3R15)	315.08	921.95
1165661 Manual locking knee (3R17)	395.74	1,018.32
1165687 4-axis polycentric knee (3R20)	409.63	1,018.24
1165752 Manual locking knee, aluminum (3R40)	292.00	910.31
1165760 Manual locking knee, titanium (3R33)	693.00	1,303.02
1165778 Safety knee. titanium (3R49)	628.84	1,239.91
1165836 Multiaxial knee with rotator, for child (3R66)	905.20	1,510.61
1165802 Multiaxial knee, for child (TK40C)	879.88	1,488.51
1165794 Uniaxial constant friction knee, with or without	1,422.07	2,028.91
1165844 Knee rotator (4R57)	1,042.00	1,647.46
1155548 Multiaxial knee, for child (TK40C)	908.09	987.29
1135557 Ankle rotator (4R39, 4R40)	793.08	878.99
1135607 Ankle rotator (4R85)	709.73	787.06
1125715 Articulated foot and adapter	189.60	507.34
1125723 Articulated without adapter	N. A.	324.74
1125798 Dynamic response foot, spring and prosthetic cover	328.49	643.95
included (Quantum)		
1125780 Adapter for foot (Quantum)	56.65	105.03
1125707 Dynamic foot, for child 1K10	38.26	353.86
1125582 Dynamic response foot (Seattle Light)	497.11	812.64
1125590 Dynamic response foot (Sten foot)	82.49	397.94
1125608 Dynamic response foot (SAFE foot)	195.81	511.37
1125616 Dynamic response foot (1D10 or 1D11)	167.09	487.07
1125566 Dynamic response foot (Seattle)	381.00	696.52
1125541 Dynamic response foot (Carbon Copy II)	317.45	632.95
1125681 Dynamic response foot (Step Light)	300.86	616.35
1125699 Dynamic response foot (USMC)	186.16	501.62
1125731 Dynamic plus foot (1D25)	452.86	768.39
1125749 Multiaxial foot with rotator (1A30)	698.32	1,023.83
1125756 Multiaxial foot with rotator (Endolite)	610.40	925.90
1125764 Dynamic response foot with rotator (Endolite)	814.95	1,130.47
1135615 Titanium modular system and carbon fiber pylon	98.13	N. A.
SUPPLEMENTS AVAILABLE		
3194180 Pant-style sock	24.34	32.70
3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05
3194214 Prosthetic socks (2)	N. C.	50.03

ADJUSTMENTS AVAILABLE

1146547 Lengthening of tibial part of prosthesis, excluding replacement of prosthetic cover and prosthetic sock 295.63

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Exoskeletal hemipelvic prosthesis, with constant friction knee (3P25)	6,003.09			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic socket, made from plaster or digital mold of insured person				
	Constant friction knee (3P25) SACH foot Hip joint – Canadian type (CHJ-100, CHJ-75)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1175504	SACH foot Laminated plastic socket, made from plaster or digital mold of insured person	N. C. N. C.			
1175512	Hip joint – Canadian type (CHJ-100, CHJ-75)	N. C.	680.17		
1155522	Constant friction knee (3P25)	N. C.	1,087.88		
	OPTIONAL COMPONENTS				
	Trial socket	362.49			
	Articulated foot	153.90			
	Dynamic response foot, spring and prosthetic cover included (Quantum)	367.18	682.73		
1125624	Adapter for foot (Quantum)	143.72	200.39		
	Dynamic response foot (Seattle Light)	497.11			
	Dynamic response foot (Sten foot)	82.49			
	Dynamic response foot (SAFE foot)	195.81			
	Dynamic response foot (1D10 or 1D11)	167.09			
	Dynamic response foot (Seattle)	381.00			
1125541	Dynamic response foot (Carbon Copy II)	317.45	632.95		

	EDULE 1 Tari	II for devices wi	hich compensate for a	a motor denciency		tic version)
1125707	Dynamic foot, for child (1K10)		38.26	353.86		
	Foam flexible cover for tibial part		118.69	168.89		
1165604	Safety knee (3P23, 3P24)		145.11	1,232.88		
	Manual locking knee (3P4)		23.48	1,111.48		
	Manual locking knee (3P52)		134.06			
	Geriatric knee with manual lock (3k	(9)	55.28	1,143.09		
	Constant friction locking knee (3P4	· ·	46.96	1,134.79		
	SUPPLEMENTS AVAILABLE					
3194198	Prosthetic socks, per pair		32.60	45.92		
3194180	Pant-style sock		24.34	32.70		
3492501	Cane		10.19	10.19		
3492550	Crutches with axillary support, heig	ht-adjustable	20.38	20.38		
3492551	Crutches with forearm support, heig	ht-adjustable	56.05	56.05		
	ADJUSTMENTS AVAILABLE					
	Lengthening of tibial part of the pro Any pertinent adjustment	sthesis			442.95	
	DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guaranted (months)
1181601	Exoskeletal hemipelvic prosthesis, v locking knee, for child (3P21)	with friction	5,839.01			6
	BASIC COMPONENTS AND SUP	PLEMENTS				
	Laminated plastic socket, made from digital mold of insured person	n plaster or				
	digital mold of insured person Friction locking knee, for child (3P2 SACH foot	21)				
	digital mold of insured person Friction locking knee, for child (3P2	21)				
	digital mold of insured person Friction locking knee, for child (3P2 SACH foot	21)), CHJ-75)				

OPTIONAL COMPONENTS

	SACH foot				
	Laminated plastic socket, made from plaster or digital mold of insured person				
	BASIC COMPONENTS AND SUPPLEMENTS				
11815	02 Endoskeletal hemipelvic prosthesis	7,949.16			6
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	37 Lengthening of tibial part of the prosthesis Any pertinent adjustment			442.95	
	ADJUSTMENTS AVAILABLE				
	51 Crutches with forearm support, height-adjustable	56.05	56.05		
	50 Crutches with axillary support, height-adjustable	20.38			
	80 Pant-style sock 01 Cane	24.34 10.19			
	98 Prosthetic socks, per pair	32.60			
	SUPPLEMENTS AVAILABLE				
11657	45 Friction locking knee, for child (3P50)	46.96	970.38		
11457	47 Foam flexible cover for tibial part	118.69	168.89		
	07 Dynamic foot, for child (1K10)	38.26			
	41 Dynamic response foot (Carbon Copy II)	317.45			
	66 Dynamic response foot (Seattle)	381.00			
	16 Dynamic response foot (1D10 or 1D11)	195.81			
	90 Dynamic response foot (Sten foot) 08 Dynamic response foot (SAFE foot)	82.49 195.81	397.94 511.37		
	82 Dynamic response foot (Seattle Light)	497.11	812.64		
	24 Adapter for foot (Quantum)	143.72			
11255	74 Dynamic response foot, spring and prosthetic cover included (Quantum)	367.18			
11255	93 Trial socket 17 Articulated foot	153.90			
		362.49	N. A.		

Hip joint (7E7)

COMPONENTS AND SUPPLEMENTS AVAILABLE

1175504 Laminated plastic socket, made from plaster or digital mold of insured person	N. C.	3,494.70
1195528 Complete endoskeletal system	N. C.	N. A.
1165653 Uniaxial constant friction knee (3R16)	N. C.	605.39
1175538 Prosthetic cover	N. C.	967.53
1175561 Hip joint (7E7)	N. C.	N. A.
OPTIONAL COMPONENTS		
1195593 Trial socket	362.49	N. A.
1175553 Joint of hip joint (7E7)	N. A.	2,257.84
1175579 Joint of hip joint, for child (7E8)	266.73	1,695.83
1165810 Uniaxial constant friction knee (3R18)	196.23	801.64
1165679 Safety knee (3R15)	315.08	921.95
1165661 Manual locking knee (3R17)	395.74	1,018.32
1165687 4-axis polycentric knee (3R20)	409.63	1,018.24
1165752 Manual locking knee, aluminum (3R40)	292.00	910.31
1165760 Manual locking knee, titanium (3R33)	693.00	1,303.02
1165778 Safety knee, titanium (3R49)	628.84	1,239.91
1165836 Multiaxial knee with rotator, for child (3R66)	905.20	1,510.61
1165802 Uniaxial knee with lock, for child (3R39)	879.88	1,488.51
1165794 Multiaxial knee, for child (TK40C)	1,422.07	2,028.91
1165844 Uniaxial constant friction knee, with or without lock, for child (TK1C1)	1,042.00	1,647.46
1155548 Knee rotator (4R57)	908.09	987.29
	793.08	987.29 878.99
1135557 Ankle rotator (4R39, 4R40)	795.08	878.99 787.06
1135607 Ankle rotator (4R85)	189.60	
1125715 Articulated foot and adapter		507.34
1125723 Articulated without adapter	N. A.	324.74
1125798 Dynamic response foot, spring and prosthetic cover included (Quantum)	328.49	643.95
1125780 Adapter for foot (Quantum)	56.65	105.03
1125707 Dynamic foot, for child (1K10)	38.26	353.86
1125582 Dynamic response foot (Seattle Light)	497.11	812.64
1125590 Dynamic response foot (Sten foot)	82.49	397.94
1125608 Dynamic response foot (SAFE foot)	195.81	511.37
1125616 Dynamic response foot (1D10, 1D11)	167.09	487.07
1125566 Dynamic response foot (Seattle)	381.00	696.52
1125541 Dynamic response foot (Carbon Copy II)	317.45	632.95
1125681 Dynamic response foot (Step Light)	300.86	616.35
1125699 Dynamic response foot (USMC)	186.16	501.62
1125731 Dynamic plus foot (1D25)	452.86	768.39
1125749 Multiaxial foot with rotator (1A30)	698.32	1,023.83
1125756 Multiaxial foot with rotator (Endolite)	610.40	925.90
1125764 Dynamic response foot with rotator (Endolite)	814.95	1,130.47
1135615 Titanium modular system and carbon fiber pylon	98.13	N. A.

295.63

SUPPLEMENTS AVAILABLE

3194180 Pant-style sock	24.34	32.70	
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	
3194214 Prosthetic socks (2)	N. C.	50.03	
ADJUSTMENTS AVAILABLE)			
1146547 Lengthening of tibial part of prosthesis, excluding			
replacement of prosthetic cover and prosthetic sock			

SUBDIVISION 7: LOWER-LIMB PROSTHESES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1142009 Other lower-limb prostheses *	S. C.			6

* When price is below that of the similar prosthesis

DIVISION II: UPPER-LIMB PROSTHESES SUBDIVISION 1: HAND PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1211755	Prosthetic restoration of one finger (thumb) made from plaster or digital mold of insured person	937.26			1
1211756	Prosthetic restoration of one finger (index) made from plaster or digital mold of insured person	937.26			
1211757	Prosthetic restoration of one finger (middle finger) made from plaster or digital mold of insured person	937.26			
1211758	Prosthetic restoration of one finger (ring finger) made from plaster or digital mold of insured person	937.26			
1211759	Prosthetic restoration of one finger (little finger) made from plaster or digital mold of insured person	937.26			
	BASIC COMPONENTS AND SUPPLEMENTS				
	Compensatory part for finger and prosthetic cover (Realistic)				
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)

1,704.08

1221753 Prosthetic partial hand restoration, made from plaster or digital mold of insured person

BASIC COMPONENTS AND SUPPLEMENTS

Compensatory part

Prosthetic partial hand and prosthetic glove, made from plaster or digital mold of insured person (Realistic) 1

COMPONENTS AND SUPPLEMENTS AVAILABLE

1295807	Prosthetic partial hand and prosthetic glove, made	N. C.	785.96
	from plaster or digital mold of insured person		
	(Realistic)		

ADJUSTMENT AVAILABLE

SUBDIVISION 2: WRIST PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1230507	Exoskeletal cubital or wrist prosthesis	2,070.79			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Wrist friction joint Rigid plastic socket, made from plaster or digital mold of insured person				
	Suspension harness Tricipital pad Control cable, connections, terminals and housing (reinforced materials)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,395.32		3
1295500	Suspension harness	N. C.	208.92		3
	Control cable, connections, terminals and housing (reinforced materials)	N. C.	253.64		3
	Wrist friction joint	N. C.			
1295757	Tricipital pad	N. C.	209.05		
	OPTIONAL COMPONENTS				
1245547	Metal elbow joints, flexible	514.36	614.85		
1295765	Anchoring part for cable for passive hand and hook	42.28	79.53		3
	Other optional components (consult Subdivision VII for the codes and prices of these components)				
	SUPPLEMENTS AVAILABLE				
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
3190014	Nylon stump sheath	20.00	23.24		
	ADJUSTMENTS AVAILABLE				
	Lengthening of prosthesis Any pertinent adjustment			382.41	3

SUBDIVISION 3: CUBITAL PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1241504	Endoskeletal cubital prosthetic restoration	2,038.76			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person				
	Passive hand with flexible fingers and prosthetic glove (Otto Bock) Complete endoskeletal system (including modular components and prosthetic cover)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,395.32		3
1295542 3222817	Complete endoskeletal system Prosthetic cover Passive hand with flexible fingers (Otto Bock) Prosthetic glove (Otto Bock)	N. C. N. C. N. C. N. C. N. C.	399.99 385.47		
5225000	OPTIONAL COMPONENTS	10.01	555110		
	Metal elbow joints, flexible Other optional components (consult Subdivision VII for the codes and prices of these components)	514.36	614.85		
	SUPPLEMENTS AVAILABLE				
	Prosthetic socks, per pair Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	32.60 *	45.92 *		
	Nylon stump sheath	20.00	23.24		
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)

SCHEDULE 1	Tariff for devices wh	ich compensate for a	a motor deficiency		ed services ic version)
1231752 Exoskeletal cubital o	r wrist prosthetic restoration	1,942.82			6
BASIC COMPONE	NTS AND SUPPLEMENTS				
glove (Otto Bock)	exible fingers and prosthetic made from plaster or digital on				
Wrist friction joint					
COMPONENTS AN AVAILABLE	D SUPPLEMENTS				
BASIC COMPONE	NTS				
1235514 Rigid plastic socket, mold of insured pers		N. C.	1,395.32		3
1295526 Wrist friction joint		N. C.	453.10		
3222817 Passive hand with fle 3223005 Prosthetic glove (Ott		N. C. N. C.	385.47 333.40		
OPTIONAL COMP					
	onents (consult Subdivision l prices of these components)	133.55	208.92		
SUPPLEMENTS AV	AILABLE				
Stump sock * (consult Division I prices of these supple 3190014 Nylon stump sheath	II of this Part for the codes and ements)	* 20.00	* 23.24		
ADJUSTMENTS A	VAILABLE				
1246511 Lengthening of prost Any pertinent adjust	hesis			382.41	3
DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarante (months
1240514 Cubital prosthesis wi	41	3,024.88			6

BASIC COMPONENTS AND SUPPLEMENTS

Wrist friction joint

Rigid plastic socket, made from plaster or digital mold of insured person			× ·	,
Forearm restoration Multiple-action elbow joints Suspension harness Armband Control cable, connections, terminals and housing				
(reinforced materials)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1245539 Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,724.52		3
1295526 Wrist friction joint	N. C.	453.10		
1245554 Multiple-action elbow joints	N. C.	752.92		
1245562 Forearm restoration	N. C.	627.36		3
1295500 Suspension harness	N. C.	208.92		3
1295518 Control cable, connections, terminals and housing (reinforced materials)	N. C.	253.64		3
1295799 Armband	N. C.	239.27		3
OPTIONAL COMPONENTS				
1295815 Anchoring part for cable for passive hand and hook	47.63	82.52		3
Other optional components (consult Subdivision VII for the codes and prices of these components)				
SUPPLEMENTS AVAILABLE				
Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
3190014 Nylon stump sheath	20.00	23.24		
	_0.00			
ADJUSTMENTS AVAILABLE				
1246511 Lengthening of prosthesis			382.41	3

SUBDIVISION 4: CUBITOHUMERAL PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1250505	Exoskeletal cubitohumeral prosthesis	3,979.13			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Wrist friction joint Rigid plastic socket, made from plaster or digital mold of insured person				
	Forearm restoration Joints with external lock (E-500, E-1500) Suspension harness Control cables (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,741.45		3
	Wrist friction joint	N. C.	453.10		
	Joints with external lock (E-500, E-1500)	N. C.			
	Forearm restoration	N. C.			3
	Suspension harness	N. C. N. C.			3 3
1293041	Control cables (2)	N. C.	314.88		3
	OPTIONAL COMPONENTS				
1295559	Flexion assist mechanism	438.96	539.69		3
1295815	Anchoring part for cable for passive hand and hook	47.63	82.52		3
	Other optional components (consult Subdivision VII for the codes and prices of these components)				5
	SUPPLEMENTS AVAILABLE				
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*			
3190014	Nylon stump sheath	20.00	23.24		
	ADJUSTMENTS AVAILABLE				
1246529	Lengthening of cubital part of the prosthesis			382.41	3
	Any pertinent adjustment				

SUBDIVISION 5: HUMERAL PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1260504	Exoskeletal humeral prosthesis	3,963.79			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Wrist friction joint Rigid plastic socket, made from plaster or digital mold of insured person				
	Forearm restoration Elbow with internal lock (E-400) Suspension harness Control cables (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1265511	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,695.10		3
1295526	Wrist friction joint	N. C.	453.10		
1265529	Elbow with internal lock (E-400)	N. C.	1,193.78		
	Forearm restoration	N. C.			3
	Suspension harness	N. C.			3
1295641	Control cables (2)	N. C.	314.88		3
	OPTIONAL COMPONENTS				
1295815	Anchoring part for cable for passive hand and hook	47.63	82.52		3
1295823	Flexion assist mechanism	295.25	395.96		3
1295575	Nudge control	487.73	597.76		3
	Other optional components (consult Subdivision				
	VII for the codes and prices of these components)				
	SUPPLEMENTS AVAILABLE				
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*			
3190014	Nylon stump sheath	20.00	23.24		
	ADJUSTMENTS AVAILABLE				
	Lengthening of cubital part of the prosthesis Any pertinent adjustment			382.41	3

_

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1261502	Endoskeletal humeral prosthetic restoration	3,343.77			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person				
	Passive hand with flexible fingers and prosthetic glove (Otto Bock) Complete endoskeletal system (modular components and prosthetic cover) Suspension harness Prosthetic socks (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,695.10		3
1265552 1295591 3222817	Complete endoskeletal system Prosthetic cover Suspension harness Passive hand with flexible fingers (Otto Bock) Prosthetic glove (Otto Bock)	N. C. N. C. N. C. N. C. N. C.	478.11 226.15		3
	OPTIONAL COMPONENTS				
1295831 1295849 	Flexion wrist Shoulder-activated lock elbow Other optional components (consult Subdivision VII for the codes and prices of these components) Anchoring part for cable for passive hand and hook	367.08 375.19 47.63	971.10		
	SUPPLEMENTS AVAILABLE				
3293172	Prosthetic socks, per pair Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	N. C. *	51.36 *		
3190014	Nylon stump sheath	20.00	23.24		
	ADJUSTMENT AVAILABLE Any pertinent adjustment				

_

SUBDIVISION 6: GLENOHUMERAL AND THORACIC PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1270503	Exoskeletal glenohumeral prosthesis	5,826.18			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Wrist friction joint Rigid plastic socket, made from plaster or digital mold of insured person				
	Forearm restoration Elbow with internal lock (E-400) Flexion assist mechanism Arm restoration Shoulder joint (FAJ-100) Suspension harness Control cables (2), connections, terminals and housing (reinforced materials and pulley) COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	2,224.95		3
1295666	Suspension harness	N. C.	241.67		3
1295674	Control cables (2), connections, terminals and housing (reinforced materials and pulley)	N. C.			3
1295526	Wrist friction joint	N. C.			
	Elbow with internal lock (E-400)	N. C.	· · · · · · · · · · · · · · · · · · ·		_
	Forearm restoration	N.C.			3
	Arm restoration	N. C. N. C.	513.68		3
	Shoulder joint (FAJ-100) Flexion assist mechanism	N. C. N. C.			3
	OPTIONAL COMPONENTS				
1295575	Nudge control	487.73	597.76		3
	Anchoring part for cable for passive hand and hook	47.63			
	Other optional components (consult Subdivision VII for the codes and prices of these components)				3
	SUPPLEMENTS AVAILABLE				
	Stump sock	*	*		

SCHE	EDULE 1 Tar	iff for devices whi	ch compensate for	a motor deficiency		ed services ic version)
3190014	* (consult Division III of this Part for prices of these supplements) Nylon stump sheath ADJUSTMENT AVAILABLE	or the codes and	20.00	23.24	× ×	,
1246529	Lengthening of cubital part of the p	rosthesis			382.41	3
	DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1271501	Endoskeletal glenohumeral prosthet	tic restoration	4,265.16			6
	BASIC COMPONENTS AND SUI	PLEMENTS				
	Rigid plastic socket, made from pla mold of insured person	ster or digital				
	Passive hand with flexible fingers a glove (Otto Bock) Complete endoskeletal system (mod components and prosthetic cover) Suspension harness	-				
	COMPONENTS AND SUPPLEMI AVAILABLE	ENTS				
	BASIC COMPONENTS					
	Rigid plastic socket, made from pla mold of insured person	ster or digital	N. C.	2,224.95		3
1275528 1295666	Complete endoskeletal system Prosthetic cover Suspension harness Passive hand with flexible fingers (1	Otto Bock)	N. C. N. C. N. C. N. C. N. C.	563.19 241.67		3
3223005	Prosthetic glove (Otto Bock)		N. C.	333.40		
	OPTIONAL COMPONENTS					
1295849	Flexion wrist Shoulder-activated lock elbow Anchoring part for cable for passive	e hand and hook	367.08 375.19 47.63	971.10		3
1295856	Other optional components (consult VII for the codes and prices of these Nudge control where shoulder-activ is used	e components)	487.73	597.76		3

SCHE	DULE 1	Tariff for devices whi	ich compensate for	a motor deficiency		ted services ntic version)
	SUPPLEMENTS AVAILABL	E				
	Prosthetic socks, per pair Stump sock		32.60 *	45.92 *		
	* (consult Division III of this F prices of these supplements) Nylon stump sheath	Part for the codes and	20.00	23.24		
	ADJUSTMENT AVAILABLE	L				
	Any pertinent adjustment					
	DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1280502	Exoskeletal thoracic prosthesis		7,685.98			6
	BASIC COMPONENTS AND	SUPPLEMENTS				
	Wrist friction joint Rigid plastic socket, made fror mold of insured person	n plaster or digital				
	Forearm restoration Elbow with internal lock (E-40 Flexion assist mechanism Arm restoration Shoulder joint (FAJ-100) Suspension harness Control cables (2), connection housing (reinforced materials a	s, terminals and				
	COMPONENTS AND SUPPL AVAILABLE	EMENTS				
	BASIC COMPONENTS					
	Rigid plastic socket, made fror mold of insured person	n plaster or digital	N. C.	2,733.39		3
1295666	Suspension harness		N. C.	241.67		3
	Control cables (2), connections	s, terminals and	N. C.	471.51		3
	housing (reinforced materials a	nd pulley)				5
	Wrist friction joint		N.C.			
	Elbow with internal lock (E-40	0)	N.C.	,		2
	Forearm restoration		N. C. N. C.			3
	Arm restoration Shoulder joint (FAJ-100)		N. C. N. C.			3
	Flexion assist mechanism		N. C. N. C.			3
	OPTIONAL COMPONENTS		14. C.			5
			105 53			2
1295575	Nudge control		487.73	597.76		3

SCHEDULE 1	l ariff for devices wh	ich compensate for	a motor deficiency		ic version)
1295815 Anchoring part for cable for pa	assive hand and hook	47.63	82.52		3
Other optional components (co VII for the codes and prices of					
SUPPLEMENTS AVAILABL	E				
Stump sock * (consult Division III of this F prices of these supplements) 3190014 Nylon stump sheath	Part for the codes and	* 20.00			
ADJUSTMENT AVAILABLE	3				
1246529 Lengthening of cubital part of	the prosthesis			382.41	3
DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1281500 Endoskeletal thoracic prosthet	c restoration	4,696.55			6
BASIC COMPONENTS AND	SUPPLEMENTS				
Rigid plastic socket, made from mold of insured person	n plaster or digital				
Passive hand with flexible fing glove (Otto Bock) Complete endoskeletal system components and prosthetic cov Suspension harness	(modular				
COMPONENTS AND SUPPI AVAILABLE	EMENTS				
BASIC COMPONENTS					
1285519 Rigid plastic socket, made from mold of insured person	n plaster or digital	N. C.	2,733.39		3
1295682 Complete endoskeletal system 1275528 Prosthetic cover 1295666 Suspension harness 3222817 Passive hand with flexible fing	ers (Otto Bock)	N. C. N. C. N. C. N. C.	563.19 241.67		3
3223005 Prosthetic glove, fitting includ OPTIONAL COMPONENTS		N. C.			

SCHEDULE 1	Tariff for devices which co	ompensate for a mot	for deficiency and ins	ured related services (authentic version)
1295815 Anchoring part for cable for	or passive hand and hook	47.63	82.52	3
Other optional components VII for the codes and price 1295856 Nudge control where shoul is used	s of these components)	487.73	597.76	3
SUPPLEMENTS AVAILA	ABLE			
3293180 Prosthetic socks, per pair Stump sock * (consult Division III of the		32.60 *	45.92 *	
prices of these supplement 3190014 Nylon stump sheath ADJUSTMENT AVAILA	, ,	20.00	23.24	

SUBDIVISION 7: BASIC OR OPTIONAL COMPONENTS FOR UPPER-LIMB PROSTHESES

WRISTS, HOOKS, HANDS, PROSTHETIC GLOVES, ELBOW JOINTS, SHOULDER JOINTS AND OTHERS

WRISTS FOR EXOSKELETAL PROSTHESES	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
3232725 Quick disconnect wrist including a socket (FM-100)	76.01	520.83	
3232733 Quick disconnect wrist including a socket (FM-100S)	543.13	986.41	
3232741 Quick disconnect wrist including a socket (WD-400)	56.65	499.81	
3232758 Quick disconnect wrist including a socket (WD-400S)	198.99	642.25	
3232790 Quick disconnect wrist including a socket (WD-400SS)	527.94	971.13	
3232766 Wrist for child (CAPP)	N. C.	450.18	
3232865 Flexion wrist for child (CAPP)	93.99	537.12	
3232774 Flexion wrist (FW-200, FW-300, FW-500)	218.37	661.53	
3232808 Flexion wrist (FW-500S)	776.65	1,220.02	
3232782 Flexion wrist (18-00)	373.14	817.92	
3232816 Flexion wrist (FW-50)	382.80	827.54	
3299005 Extra socket for wrist (WD-400)	51.13	51.13	
3299013 Extra socket for wrist (WD-400S, WD-400SS)	110.57	110.57	
3299021 Extra socket for wrist (FM-100)	67.70	67.70	
HOOKS	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
3222908 Dorrance hook, farmer's-type (6)	2,129.76	2,199.21	
3222940 Dorrance hook, farmer's-type (7 LO)	1,198.27	1,267.70	
3222916 APRL hook (302-00)	1,693.04	1,761.12	
3222924 Sierra hook	2,100.67	2,170.12	
3222619 Hook, model 99X or equivalent: use, shape, cost (10X, 10P, 99X8, 88X5, 5X, 5XA)	620.19	684.02	
3222973 Hook (12P)	681.41	750.87	

3223013 Hook (99P) 3223393 Voluntary closing hook, for adult (TRS, Grip I)	641.32 1,521.65	750.87 1,591.11
3223401 Voluntary closing hook, for adult (TRS, Grip II)	1,478.82	1,546.88
3223419 Voluntary closing hook, for adult (TRS, Grip III)	1,652.95	1,722.40
3223427 Voluntary closing hook, for child (TRS, Grip I)	1,049.01	1,118.45
3223435 Voluntary closing hook, for child (TRS, Grip II)	1,022.74	1,092.17
3223443 Voluntary closing hook, for child (TRS, Grip III)	917.76	987.17
3223450 Voluntary closing hook, for child (TRS, Grip IV)	961.99	1,031.39

	PASSIVE HANDS FOR PROSTHETIC RESTORATION	Maximum substitution price of component at the time of purchase or replacement of	Maximum replacement price of component	
3222858	Steeper hand for child, including prosthetic glove and installation	prosthesis 37.33	566.44	
3222692	Centri hand for child, including prosthetic glove and installation	53.89	583.05	
3222866	Hosmer hand for adult, including prosthetic glove and installation	149.26	678.37	
3222627	Otto Bock hand for adult, including prosthetic glove and installation	N. C.	529.18	
	PASSIVE HANDS FOR FUNCTIONAL PROSTHESES	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
		substitution price of component at the time of purchase or replacement of	replacement price of	
3222643	PROSTHESES Steeper hand for child, including prosthetic glove	substitution price of component at the time of purchase or replacement of prosthesis	replacement price of component	
3222643 3222684	PROSTHESES Steeper hand for child, including prosthetic glove and installation Centri hand for child, including prosthetic glove	substitution price of component at the time of purchase or replacement of prosthesis 469.97	replacement price of component 566.44	

) (·		
	MECHANICAL HANDS	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
3222841	Voluntary opening Sierra hand, including prosthetic glove and installation	2,379.90	2,476.32	
3222809	Voluntary opening APRL hand and prosthetic glove, installation included	2,710.10	2,806.58	
3222833	Voluntary closing Otto Bock hand and prosthetic glove, installation included (8K15)	1,082.18	1,178.65	
3222676	Voluntary closing Otto Bock hand and prosthetic glove, installation included (8K25)	1,082.18	1,178.65	
3222668	Voluntary closing Otto Bock hand and prosthetic glove, installation included (8K21, 8K23)	699.40	794.40	
3222650	Voluntary closing Otto Bock hand and prosthetic glove, installation included, for endoskeletal system (8K27)	834.86	929.83	
	Becker Imperial hand, prosthetic glove and protective glove, installation included	1,152.69	1,247.73	
3222734	Robin Aid hand and Realistic prosthetic glove, installation included (RA-100)	1,049.01	1,145.51	
	Dorrance hand and Realistic prosthetic glove, installation included	1,959.78	2,054.76	
3222759	Voluntary closing APRL hand and Realistic prosthetic glove, installation included	2,710.10	2,806.58	
	Becker hand, Realistic prosthetic glove and protective glove, installation included (BLG-100)	1,083.58	1,180.01	
	Robin Aid hand and Realistic prosthetic glove, installation included (RA-200)	1,049.01	1,145.51	
3222783	Becker hand and Realistic prosthetic glove, installation included (BP-100)	867.98	1,110.12	
	MITTS FOR CHILDREN TO REPLACE PASSIVE HAND	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
3222999	Hosmer mitt, installation included Crawl mitt and prosthetic glove, installation included	N. C. 110.57	334.13 628.26	

PROSTHETIC GLOVES	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
3223005 Otto Bock prosthetic glove, installation included 3223120 Realistic prosthetic glove, installation included 3225500 Silicone prosthetic glove	N. C. N. C. 389.07	333.40 341.35 749.36	12
ELBOW JOINTS	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
1245588 External monocentric free-moving locking joint (E- 5500)	1,047.55	1,846.82	
1245596 External monocentric free-moving locking joint (E- 1500)	655.06	1,455.82	
1245604 External polycentric free-moving joint (MA-50, MA-75, MA-100)	82.91	883.74	
1245653 Constant friction elbow, for child (E-50) 1245661 Elbow with internal lock (E-400HD)	N. C. N. C.	1,193.04 1,220.77	
SHOULDER JOINTS	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
1245620 Abduction-adduction joint (SAJ-75) 1245638 Abduction-adduction joint (SAJ-100) 1245646 Free movement joint (Hosmer) 1245679 Joint (FS-50, FS-75)	N. C. 107.80 37.33 N. C.	690.08 945.93 875.44 770.28	

CONTROLS	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
1295583 Truncular abdominal or scapular control, including manufacturing, fitting and installation time as well as materials	77.93	120.51	

SUBDIVISION 8 : UPPER-LIMB PROSTHESES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1242007 Other upper-limb prostheses **	S. C.			*
*GUARANTEE PERIOD:				
Hand prostheses: 1 month				
Others : 6 months				
** When price is below that of the similar prosthesis				

DIVISION III: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES SUPPLEMENTS FOR PROSTHESES

Description	Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks	
SUPPLEMENTS FOR PROSTHESES			
STUMP SOCKS			
WOOL 2 – 3 – 5 PLY			
Width: 15.2 cm (6 in.)			
3493004 length: 25.4 cm (10 in.)	10.37	15.65	
3493012 length: 30.5 cm (12 in.)	11.27	16.71	
3493020 length: 35.6 cm (14 in.)	12.66	18.07	
3493038 length: 40.6 cm (16 in.)	13.72	18.96	
3493046 length: 45.7 cm (18 in.)	14.91	20.22	
3493053 length: 50.8 cm (20 in.)	16.02	21.26	
3493061 length: 55.9 cm (22 in.)	17.23	22.65	
3493079 length: 61.0 cm (24 in.)	19.05	24.32	
3493087 length: 66.0 cm (26 in.)	20.27	25.69	
3493095 length: 71.1 cm (28 in.)	21.49	26.75	
3493103 length: 76.2 cm (30 in.)	22.41	27.84	
3493111 length: 81.3 cm (32 in.)	23.78	29.18	
Width: 17.8 cm (7 in.)			
3493129 length: 25.4 cm (10 in.)	11.12	16.55	
3493137 length: 30.5 cm (12 in.)	12.37	17.78	
3493145 length: 35.6 cm (14 in.)	13.86	19.32	
3493152 length: 40.6 cm (16 in.)	15.41	20.82	
3493160 length: 45.7 cm (18 in.)	17.23	22.65	
3493178 length: 50.8 cm (20 in.)	18.89	24.32	
3493186 length: 55.9 cm (22 in.)	20.10	25.52	
3493194 length: 61.0 cm (24 in.)	21.49	26.90	
3493202 length: 66.0 cm (26 in.)	23.16	28.56	
3493210 length: 71.1 cm (28 in.)	24.39	29.80	
3493228 length: 76.2 cm (30 in.)	25.62	31.00	
3493236 length: 81.3 cm (32 in.)	27.13	32.53	
Width: 20.3 cm (8 in.)			
3493244 length: 25.4 cm (10 in.)	12.77	18.24	
3493251 length: 30.5 cm (12 in.)	14.49	19.71	
3493269 length: 35.6 cm (14 in.)	15.84	21.26	
3493277 length: 40.6 cm (16 in.)	17.49	22.95	
3493285 length: 45.7 cm (18 in.)	19.05	24.32	
3493293 length: 50.8 cm (20 in.)	20.57	26.02	
3493301 length: 55.9 cm (22 in.)	22.10	27.50	
3493319 length: 61.0 cm (24 in.)	23.93	29.36	
3493327 length: 66.0 cm (26 in.)	25.62	30.88	
3493335 length: 71.1 cm (28 in.)	27.28	32.72	
3493343 length: 76.2 cm (30 in.)	28.50	33.93	

3493350 length: 81.3 cm (32 in.)	30.17	35.59
Width: 22.9 cm (9 in.)		
3493368 length: 25.4 cm (10 in.)	14.63	20.07
3493376 length: 30.5 cm (12 in.)	16.48	21.74
3493384 length: 35.6 cm (14 in.)	18.14	23.56
3493392 length: 40.6 cm (16 in.)	19.65	25.08
3493400 length: 45.7 cm (18 in.)	21.62	27.07
3493418 length: 50.8 cm (20 in.)	23.31	28.71
3493426 length: 55.9 cm (22 in.)	24.98	30.39
3493434 length: 61.0 cm (24 in.)	26.50	31.90
3493442 length: 66.0 cm (26 in.)	28.36	33.79
3493459 length: 71.1 cm (28 in.)	30.17	35.59
3493467 length: 76.2 cm (30 in.)	31.70	36.96
3493475 length: 81.3 cm (32 in.)	33.37	38.62
Width: 25.4 cm (10 in.)		
3493483 length: 25.4 cm (10 in.)	16.48	21.74
3493491 length: 30.5 cm (12 in.)	17.85	23.26
3493509 length: 35.6 cm (14 in.)	19.97	25.40
3493517 length: 40.6 cm (16 in.)	21.81	27.07
3493525 length: 45.7 cm (18 in.)	23.46	28.91
3493533 length: 50.8 cm (20 in.)	25.45	30.88
3493541 length: 55.9 cm (22 in.)	27.28	32.72
3493558 length: 61.0 cm (24 in.)	28.96	34.36
3493566 length: 66.0 cm (26 in.)	30.62	35.89
3493574 length: 71.1 cm (28 in.)	32.61	38.00
3493582 length: 76.2 cm (30 in.)	34.42	39.73
3493590 length: 81.3 cm (32 in.)	36.26	41.70
Width: 30.5 cm (12 in.)		
3493608 length: 25.4 cm (10 in.)	21.94	27.22
3493616 length: 30.5 cm (12 in.)	23.60	29.04
3493624 length: 35.6 cm (14 in.)	25.62	31.00
3493632 length: 40.6 cm (16 in.)	27.28	32.72
3493640 length: 45.7 cm (18 in.)	29.25	34.51
3493657 length: 50.8 cm (20 in.)	31.07	36.38
3493665 length: 55.9 cm (22 in.)	32.89	38.20
3493673 length: 61.0 cm (24 in.)	34.88	40.18
3493681 length: 66.0 cm (26 in.)	36.26	41.53
3493699 length: 71.1 cm (28 in.)	38.38	43.67
3493707 length: 76.2 cm (30 in.)	39.94	45.36
3493715 length: 81.3 cm (32 in.)	41.88	47.34

Description	Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks	
WOOL 6-PLY			
Width: 15.2 cm (6 in.)			
3493723 length: 25.4 cm (10 in.)	11.27	16.71	
3493731 length: 30.5 cm (12 in.)	12.50	17.89	
3493749 length: 35.6 cm (14 in.)	13.86	19.32	
3493756 length: 40.6 cm (16 in.)	15.09	20.51	
3493764 length: 45.7 cm (18 in.)	16.48	21.74	
3493772 length: 50.8 cm (20 in.)	17.66	22.95	
3493780 length: 55.9 cm (22 in.)	19.05	24.32	
3493798 length: 61.0 cm (24 in.)	20.90	26.30	
3493806 length: 66.0 cm (26 in.)	22.24	27.67	
3493814 length: 71.1 cm (28 in.)	23.46	28.91	
3493822 length: 76.2 cm (30 in.)	24.68	30.11	
3493830 length: 81.3 cm (32 in.)	26.20	31.62	
Width: 17.8 cm (7 in.)			
3493848 length: 25.4 cm (10 in.)	12.37	17.78	
3493855 length: 30.5 cm (12 in.)	13.59	18.96	
3493863 length: 35.6 cm (14 in.)	15.41	20.65	
3493871 length: 40.6 cm (16 in.)	16.92	22.33	
3493889 length: 45.7 cm (18 in.)	19.05	24.32	
3493897 length: 50.8 cm (20 in.)	20.70	26.15	
3493905 length: 55.9 cm (22 in.)	22.24	27.67	
3493913 length: 61.0 cm (24 in.)	23.78	29.04	
3493921 length: 66.0 cm (26 in.)	25.62	30.88	
3493939 length: 71.1 cm (28 in.)	26.69	32.07	
3493947 length: 76.2 cm (30 in.)	28.17	33.62	
3493954 length: 81.3 cm (32 in.)	30.04	35.46	
Width: 20.3 cm (8 in.)			
3493962 length: 25.4 cm (10 in.)	14.17	19.44	
3493970 length: 30.5 cm (12 in.)	15.84	21.12	
3493988 length: 35.6 cm (14 in.)	17.49	22.95	
3493996 length: 40.6 cm (16 in.)	19.37	24.78	
3494002 length: 45.7 cm (18 in.)	20.90	26.30	
3494010 length: 50.8 cm (20 in.)	22.73	27.98	
3494028 length: 55.9 cm (22 in.)	24.39	29.80	
3494036 length: 61.0 cm (24 in.)	26.20	31.62	
3494044 length: 66.0 cm (26 in.)	28.02	33.46	
3494051 length: 71.1 cm (28 in.)	30.04	35.46	
3494069 length: 76.2 cm (30 in.)	31.57	36.96	
3494077 length: 81.3 cm (32 in.)	33.22	38.62	

Width: 22.9 cm (9 in.)		
3494085 length: 25.4 cm (10 in.)	16.02	21.42
3494093 length: 30.5 cm (12 in.)	17.99	23.41
3494101 length: 35.6 cm (14 in.)	19.97	25.40
3494119 length: 40.6 cm (16 in.)	21.62	27.07
3494127 length: 45.7 cm (18 in.)	23.78	29.18
3494135 length: 50.8 cm (20 in.)	25.62	31.00
3494143 length: 55.9 cm (22 in.)	27.42	32.83
3494150 length: 61.0 cm (24 in.)	29.25	34.51
3494168 length: 66.0 cm (26 in.)	31.25	36.49
3494176 length: 71.1 cm (28 in.)	33.22	38.62
3494184 length: 76.2 cm (30 in.)	34.73	40.18
3494192 length: 81.3 cm (32 in.)	36.72	42.03
Width: 25.4 cm (10 in.)		
3494200 length: 25.4 cm (10 in.)	17.99	23.41
3494218 length: 30.5 cm (12 in.)	19.65	25.08
3494226 length: 35.6 cm (14 in.)	21.94	27.37
3494234 length: 40.6 cm (16 in.)	23.78	29.18
3494242 length: 45.7 cm (18 in.)	25.76	31.20
3494259 length: 50.8 cm (20 in.)	28.02	33.46
3494267 length: 55.9 cm (22 in.)	30.04	35.46
3494275 length: 61.0 cm (24 in.)	31.99	37.43
3494283 length: 66.0 cm (26 in.)	33.82	39.10
3494291 length: 71.1 cm (28 in.)	35.97	41.36
3494309 length: 76.2 cm (30 in.)	37.79	43.20
3494317 length: 81.3 cm (32 in.)	39.94	45.18
Width: 30.5 cm (12 in.)		
3494325 length: 25.4 cm (10 in.)	24.07	29.50
3494333 length: 30.5 cm (12 in.)	25.88	31.34
3494341 length: 35.6 cm (14 in.)	28.17	33.62
3494358 length: 40.6 cm (16 in.)	30.04	35.46
3494366 length: 45.7 cm (18 in.)	32.15	37.57
3494374 length: 50.8 cm (20 in.)	34.27	39.56
3494382 length: 55.9 cm (22 in.)	36.26	41.53
3494390 length: 61.0 cm (24 in.)	38.38	43.67
3494408 length: 66.0 cm (26 in.)	39.81	45.18
3494416 length: 71.1 cm (28 in.)	42.03	47.46
3494424 length: 76.2 cm (30 in.)	44.05	49.32
3494432 length: 81.3 cm (32 in.)	46.02	51.44

Description	Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks	
WOOL AND NYLON 2-3-5 PLY			
Width: 15.2 cm (6 in.)			
3494440 length: 25.4 cm (10 in.)	14.32	19.71	
3494457 length: 30.5 cm (12 in.)	14.32	19.71	
3494465 length: 35.6 cm (14 in.)	16.48		
3494473 length: 40.6 cm (16 in.)	16.48		
3494481 length: 45.7 cm (18 in.)	16.48		
3494499 length: 50.8 cm (20 in.)	18.75	24.01	
3494507 length: 55.9 cm (22 in.)	18.75	24.01	
Width: 17.8 cm (7 in.)			
3494515 length: 25.4 cm (10 in.)	14.32	19.71	
3494523 length: 30.5 cm (12 in.)	14.32	19.71	
3494531 length: 35.6 cm (14 in.)	16.48	21.74	
3494549 length: 40.6 cm (16 in.)	16.48	21.74	
3494556 length: 45.7 cm (18 in.)	16.48	21.74	
3494564 length: 50.8 cm (20 in.)	18.75	24.01	
3494572 length: 55.9 cm (22 in.)	18.75	24.01	
3494580 length: 61.0 cm (24 in.)	18.75	24.01	
Width: 20.3 cm (8 in.)			
3494598 length: 25.4 cm (10 in.)	16.48	21.74	
3494606 length: 30.5 cm (12 in.)	16.48	21.74	
3494614 length: 35.6 cm (14 in.)	16.48	21.74	
3494622 length: 40.6 cm (16 in.)	18.75	24.01	
3494630 length: 45.7 cm (18 in.)	18.75	24.01	
3494648 length: 50.8 cm (20 in.)	18.75	24.01	
3494655 length: 55.9 cm (22 in.)	21.49	26.75	
3494663 length: 61.0 cm (24 in.)	21.49	26.75	
3494671 length: 66.0 cm (26 in.)	21.49	26.75	
3494689 length: 71.1 cm (28 in.)	21.49	26.75	
Width: 22.9 cm (9 in.)			
3494697 length: 25.4 cm (10 in.)	16.48	21.74	
3494705 length: 30.5 cm (12 in.)	16.48	21.74	
3494713 length: 35.6 cm (14 in.)	18.75	24.01	
3494721 length: 40.6 cm (16 in.)	18.75	24.01	
3494739 length: 45.7 cm (18 in.)	18.75	24.01	
3494747 length: 50.8 cm (20 in.)	21.49	26.75	
3494754 length: 55.9 cm (22 in.)	21.49		
3494762 length: 61.0 cm (24 in.)	21.49		
3494770 length: 66.0 cm (26 in.)	21.49		
3494788 length: 71.1 cm (28 in.)	21.49		
3494796 length: 101.6 cm (40 in.) 3494804 length: 106.7 cm (42 in.)	16.48 16.48	21.74 21.74	
377007 101gui. 100.7 cm (42 m.)	10.40	21./4	

			(authentic v
3494812 length: 111.8 cm (44 in.)	18.75	24.01	
3494820 length: 116.8 cm (46 in.)	18.75	24.01	
3494838 length: 121.9 cm (48 in.)	18.75	24.01	
3494846 length: 127.0 cm (50 in.)	21.49	26.75	
3494853 length: 132.1 cm (52 in.)	21.49	26.75	
Width: 25.4 cm (10 in.)			
3494861 length: 25.4 cm (10 in.)	16.48	21.74	
3494879 length: 30.5 cm (12 in.)	18.75	24.01	
3494887 length: 35.6 cm (14 in.)	18.75	24.01	
3494895 length: 40.6 cm (16 in.)	18.75	24.01	
3494903 length: 45.7 cm (18 in.)	21.49	26.75	
3494911 length: 50.8 cm (20 in.)	21.49	26.75	
3494929 length: 55.9 cm (22 in.)	21.49	26.75	
3494937 length: 61.0 cm (24 in.)	21.49	26.75	
3494945 length: 66.0 cm (26 in.)	23.60	29.04	
3494952 length: 101.6 cm (40 in.)	16.48	21.74	
3494960 length: 106.7 cm (42 in.)	16.48	21.74	
3494978 length: 111.8 cm (44 in.)	18.75	24.01	
3494986 length: 116.8 cm (46 in.)	18.75	24.01	
3494994 length: 121.9 cm (48 in.)	21.49	26.75	
3495009 length: 127.0 cm (50 in.)	21.49	26.75	
3495017 length: 132.1 cm (52 in.)	21.49	26.75	
Width: 30.5 cm (12 in.)			
3495025 length: 25.4 cm (10 in.)	18.75	24.01	
3495033 length: 30.5 cm (12 in.)	21.49	26.75	
3495041 length: 35.6 cm (14 in.)	21.49	26.75	
3495058 length: 40.6 cm (16 in.)	21.49	26.75	
3495066 length: 45.7 cm (18 in.)	21.49	26.75	
3495074 length: 50.8 cm (20 in.)	21.49	26.75	
	Maximum price	Maximum price	
Description	Purchase or	at the time of	
-	replacement of	replacement of	
	prosthesis	socks	
WOOL AND NYLON 6-PLY			
Width: 15.2 cm (6 in.)			
3495082 length: 30.5 cm (12 in.)	15.84	21.12	
3495090 length: 35.6 cm (14 in.)	17.66	23.11	
3495108 length: 40.6 cm (16 in.)	17.66	23.11	
3495116 length: 45.7 cm (18 in.)	17.66	23.11	
3495124 length: 50.8 cm (20 in.)	19.97	25.40	
3495132 length: 55.9 cm (22 in.)	19.97	25.40	

Width: 17.8 cm (7 in.)

_

_

SCHEDULE 1

3495140 length: 25.4 cm (10 in.)	17.66
3495157 length: 30.5 cm (12 in.)	15.84
3495165 length: 35.6 cm (14 in.)	17.66
3495173 length: 40.6 cm (16 in.)	17.66

23.11 21.12 23.11 23.11

SCHEDULE 1	Tariff for devices which compensate for a	a motor deficiency	and insured related services (authentic version)
3495181 length: 45.7 cm (18 in.)	17.66	23.11	
3495199 length: 50.8 cm (20 in.)	19.00	25.40	
3495207 length: 55.9 cm (22 in.)	19.97	25.40	
-	19.97	25.40	
Width: 20.3 cm (8 in.)			
3495215 length: 25.4 cm (10 in.)	17.66	23.11	
3495223 length: 30.5 cm (12 in.)	17.66	23.11	
3495231 length: 35.6 cm (14 in.)	17.66	23.11	
3495249 length: 40.6 cm (16 in.)	19.97	25.40	
3495256 length: 45.7 cm (18 in.)	19.97	25.40	
3495264 length: 50.8 cm (20 in.)	19.97	25.40	
3495272 length: 55.9 cm (22 in.)	23.16	28.43	
3495280 length: 61.0 cm (24 in.)	23.16	28.43	
Width: 22.9 cm (9 in.)			
3495298 length: 30.5 cm (12 in.)	17.66	23.11	
3495306 length: 35.6 cm (14 in.)	19.97	25.40	
3495314 length: 40.6 cm (16 in.)	19.97	25.40	
3495322 length: 45.7 cm (18 in.)	19.97	25.40	
3495330 length: 50.8 cm (20 in.)	23.16	28.43	
3495348 length: 55.9 cm (22 in.)	23.16	28.43	
3495355 length: 61.0 cm (24 in.)	23.16	28.43	
Descriptio	n Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks	
ULTRA WOOL 3-5 PLY	n Purchase or replacement of	at the time of replacement of	
-	n Purchase or replacement of	at the time of replacement of	
<u>ULTRA WOOL 3 – 5 PLY</u> Width: 15.2 cm (6 in.) 3495363 length: 25.4 cm (10 in.)	n Purchase or replacement of	at the time of replacement of	
<u>ULTRA WOOL 3 – 5 PLY</u> Width: 15.2 cm (6 in.)	n Purchase or replacement of prosthesis 15.84 15.84	at the time of replacement of socks 21.12 21.12	
ULTRA WOOL 3 – 5 PLY Width: 15.2 cm (6 in.) 3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.) 3495389 length: 35.6 cm (14 in.)	n Purchase or replacement of prosthesis 15.84	at the time of replacement of socks 21.12	
<u>ULTRA WOOL 3 – 5 PLY</u> Width: 15.2 cm (6 in.) 3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.)	n Purchase or replacement of prosthesis 15.84 15.84	at the time of replacement of socks 21.12 21.12	
ULTRA WOOL 3 – 5 PLY Width: 15.2 cm (6 in.) 3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.) 3495389 length: 35.6 cm (14 in.) 3495397 length: 40.6 cm (16 in.) 3495405 length: 45.7 cm (18 in.)	n Purchase or replacement of prosthesis 15.84 15.84 18.14	at the time of replacement of socks 21.12 21.12 23.41	
ULTRA WOOL 3 – 5 PLY Width: 15.2 cm (6 in.) 3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.) 3495389 length: 35.6 cm (14 in.) 3495397 length: 40.6 cm (16 in.)	n Purchase or replacement of prosthesis 15.84 15.84 15.84 18.14 18.14	at the time of replacement of socks 21.12 21.12 23.41 23.41	
ULTRA WOOL 3 – 5 PLY Width: 15.2 cm (6 in.) 3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.) 3495389 length: 35.6 cm (14 in.) 3495397 length: 40.6 cm (16 in.) 3495405 length: 45.7 cm (18 in.)	n Purchase or replacement of prosthesis 15.84 15.84 18.14 18.14 18.14 18.14	at the time of replacement of socks 21.12 21.12 23.41 23.41 23.41 23.41	
ULTRA WOOL 3 – 5 PLY Width: 15.2 cm (6 in.) 3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.) 3495389 length: 35.6 cm (14 in.) 3495397 length: 40.6 cm (16 in.) 3495405 length: 45.7 cm (18 in.) 3495413 length: 50.8 cm (20 in.)	n Purchase or replacement of prosthesis 15.84 15.84 18.14 18.14 18.14 18.14 20.57	at the time of replacement of socks 21.12 21.12 23.41 23.41 23.41 23.41 26.02	
ULTRA WOOL 3 – 5 PLY Width: 15.2 cm (6 in.) 3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.) 3495389 length: 35.6 cm (14 in.) 3495405 length: 40.6 cm (16 in.) 3495405 length: 45.7 cm (18 in.) 3495413 length: 50.8 cm (20 in.) 3495421 length: 55.9 cm (22 in.)	n Purchase or replacement of prosthesis 15.84 15.84 18.14 18.14 18.14 18.14 20.57 20.57	at the time of replacement of socks 21.12 21.12 23.41 23.41 23.41 26.02 26.02	
ULTRA WOOL 3 – 5 PLY Width: 15.2 cm (6 in.) 3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.) 3495389 length: 35.6 cm (14 in.) 3495397 length: 40.6 cm (16 in.) 3495405 length: 45.7 cm (18 in.) 3495413 length: 50.8 cm (20 in.) 3495421 length: 55.9 cm (22 in.) 3495439 length: 61.0 cm (24 in.)	n Purchase or replacement of prosthesis 15.84 15.84 18.14 18.14 18.14 18.14 20.57 20.57	at the time of replacement of socks 21.12 21.12 23.41 23.41 23.41 26.02 26.02	
ULTRA WOOL 3 – 5 PLY Width: 15.2 cm (6 in.) 3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.) 3495389 length: 35.6 cm (14 in.) 3495397 length: 40.6 cm (16 in.) 3495405 length: 45.7 cm (18 in.) 3495413 length: 50.8 cm (20 in.) 3495421 length: 55.9 cm (22 in.) 3495439 length: 61.0 cm (24 in.) Width: 17.8 cm (7 in.)	n Purchase or replacement of prosthesis 15.84 15.84 15.84 18.14 18.14 18.14 18.14 20.57 20.57 20.57	at the time of replacement of socks 21.12 21.12 23.41 23.41 23.41 23.41 26.02 26.02 26.02	
ULTRA WOOL 3 – 5 PLY Width: 15.2 cm (6 in.) 3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.) 3495389 length: 35.6 cm (14 in.) 3495397 length: 40.6 cm (16 in.) 3495405 length: 45.7 cm (18 in.) 3495413 length: 50.8 cm (20 in.) 3495421 length: 55.9 cm (22 in.) 3495439 length: 61.0 cm (24 in.) Width: 17.8 cm (7 in.) 3495447 length: 25.4 cm (10 in.)	n Purchase or replacement of prosthesis 15.84 15.84 18.14 18.14 18.14 18.14 20.57 20.57 20.57 20.57	at the time of replacement of socks 21.12 21.12 23.41 23.41 23.41 23.41 26.02 26.02 26.02 26.02 21.12	
ULTRA WOOL 3 – 5 PLY Width: 15.2 cm (6 in.) 3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.) 3495389 length: 35.6 cm (14 in.) 3495397 length: 40.6 cm (16 in.) 3495405 length: 45.7 cm (18 in.) 3495413 length: 50.8 cm (20 in.) 3495421 length: 55.9 cm (22 in.) 3495439 length: 61.0 cm (24 in.) Width: 17.8 cm (7 in.) 3495447 length: 25.4 cm (10 in.) 3495454 length: 30.5 cm (12 in.)	n Purchase or replacement of prosthesis 15.84 15.84 18.14 18.14 18.14 18.14 20.57 20.57 20.57 20.57	at the time of replacement of socks 21.12 21.12 23.41 23.41 23.41 23.41 26.02 26.02 26.02 26.02 26.02 21.12 21.12	
ULTRA WOOL 3 – 5 PLY Width: 15.2 cm (6 in.) 3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.) 3495389 length: 35.6 cm (14 in.) 3495397 length: 40.6 cm (16 in.) 3495405 length: 45.7 cm (18 in.) 3495413 length: 50.8 cm (20 in.) 3495421 length: 55.9 cm (22 in.) 3495439 length: 61.0 cm (24 in.) Width: 17.8 cm (7 in.) 3495447 length: 25.4 cm (10 in.) 3495454 length: 30.5 cm (12 in.) 3495462 length: 35.6 cm (14 in.)	n Purchase or replacement of prosthesis 15.84 15.84 18.14 18.14 18.14 18.14 20.57 20.57 20.57 20.57	at the time of replacement of socks 21.12 21.12 23.41 23.41 23.41 23.41 26.02 26.02 26.02 26.02 21.12 21.12 21.12 21.12 23.41	
ULTRA WOOL 3 – 5 PLY Width: 15.2 cm (6 in.) 3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.) 3495389 length: 35.6 cm (14 in.) 3495397 length: 40.6 cm (16 in.) 3495405 length: 45.7 cm (18 in.) 3495413 length: 50.8 cm (20 in.) 3495421 length: 55.9 cm (22 in.) 3495439 length: 61.0 cm (24 in.) Width: 17.8 cm (7 in.) 3495454 length: 30.5 cm (12 in.) 3495462 length: 35.6 cm (14 in.) 3495470 length: 40.6 cm (16 in.)	n Purchase or replacement of prosthesis 15.84 15.84 18.14 18.14 18.14 18.14 20.57 20.57 20.57 20.57	at the time of replacement of socks 21.12 21.12 23.41 23.41 23.41 26.02 26.02 26.02 26.02 21.12 21.12 21.12 23.41 23.41 23.41 23.41	
ULTRA WOOL 3 – 5 PLY Width: 15.2 cm (6 in.) 3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.) 3495389 length: 35.6 cm (14 in.) 3495405 length: 40.6 cm (16 in.) 3495405 length: 45.7 cm (18 in.) 3495413 length: 50.8 cm (20 in.) 3495421 length: 55.9 cm (22 in.) 3495439 length: 61.0 cm (24 in.) Width: 17.8 cm (7 in.) 3495447 length: 25.4 cm (10 in.) 3495454 length: 30.5 cm (12 in.) 3495462 length: 35.6 cm (14 in.) 3495470 length: 40.6 cm (16 in.) 3495488 length: 45.7 cm (18 in.)	n Purchase or replacement of prosthesis 15.84 15.84 15.84 18.14 18.14 18.14 20.57 20.57 20.57 20.57	at the time of replacement of socks 21.12 21.12 23.41 23.41 23.41 26.02 26.02 26.02 26.02 26.02 21.12 21.12 21.12 21.12 23.41 23.41 23.41 23.41 23.41	

3495827 Thick	16.16 21.58	
3495819 Light	15.27 20.65	
3495801 Extra light	14.32 19.71	
Extra narrow short		
WOOL AND LYCRA		
	replacement of replacement of prosthesis socks	
Description	Purchase or at the time of	
	Maximum price Maximum price	
3495793 length: 40.6 cm (16 in.)	23.78 29.18	
3495785 length: 35.6 cm (14 in.)	23.78 29.18	
3495777 length: 30.5 cm (12 in.)	23.78 26.28	
3495769 length: 25.4 cm (10 in.)	20.57 26.02	
Width: 30.5 cm (12 in.)		
	2000 2000	
3495751 length: 61.0 cm (24 in.)	23.78 29.18	
3495744 length: 55.9 cm (22 in.)	23.78 29.18	
3495736 length: 50.8 cm (20 in.)	23.78 29.18	
3495728 length: 45.7 cm (18 in.)	23.78 29.18	
3495710 length: 40.6 cm (16 in.)	20.57 26.02	
3495702 length: 35.6 cm (14 in.)	20.57 26.02	
3495694 length: 30.5 cm (12 in.)	20.57 26.02	
3495686 length: 25.4 cm (10 in.)	18.14 23.41	
Width: 25.4 cm (10 in.)		
3495678 length: 61.0 cm (24 in.)	23.78 29.18	
3495660 length: 55.9 cm (22 in.)	23.78 29.18	
3495652 length: 50.8 cm (20 in.)	23.78 29.18	
3495645 length: 45.7 cm (18 in.)	20.57 26.02	
3495637 length: 40.6 cm (16 in.)	20.57 26.02	
3495629 length: 35.6 cm (14 in.)	20.57 26.02	
3495611 length: 30.5 cm (12 in.)	18.14 23.41	
3495603 length: 25.4 cm (10 in.)	18.14 23.41	
Width: 22.9 cm (9 in.)		
3495595 length: 61.0 cm (24 in.)	23.78 29.18	
3495587 length: 55.9 cm (22 in.)	23.78 29.18	
3495579 length: 50.8 cm (20 in.)	20.57 26.02	
3495561 length: 45.7 cm (18 in.)	20.57 26.02 20.57 26.02	
3495553 length: 40.6 cm (16 in.)	20.57 26.02	
3495546 length: 35.6 cm (14 in.)	18.14 23.41	
3495538 length: 30.5 cm (12 in.)	18.14 23.41	
3495520 length: 25.4 cm (10 in.)	18.14 23.41	
Width: 20.3 cm (8 in.)		

17.23

22.49

3495835 Very thick

SCHEDULE 1

	Narrow short			
3495843	Extra light	15.27	20.65	
3495850	•	16.16	21.58	
3495868	•	17.23	22.49	
	Very thick	18.14	23.41	
	Narrow long or wide short			
3495884	Extra light	17.66	22.95	
3495892		18.59	24.01	
3495900	6	19.52	24.94	
	Very thick	20.43	25.82	
	Wide long			
		20.42	25.92	
	Extra light	20.43	25.82	
3495934	-	21.49	26.75	
3495942		22.41	27.67	
5495959	Very thick	23.78	29.18	
		Maximum price	Maximum price	
	Description	Purchase or	at the time of	
	Description	replacement of	replacement of	
			socks	
		prosthesis	SOCKS	
	<u>COTTON 3 – 5 PLY</u>	prosthesis	SUCKS	
	<u>COTTON 3 – 5 PLY</u> Width: 15.2 cm (6 in.)	prosthesis	500K5	
	Width: 15.2 cm (6 in.)	prosthesis 7.80	13.19	
3495967		•		
3495967 3495975	Width: 15.2 cm (6 in.) length: 25.4 cm (10 in.)	7.80	13.19	
3495967 3495975 3495983	Width: 15.2 cm (6 in.) length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.)	7.80 8.71	13.19 14.12	
3495967 3495975 3495983 3495991	Width: 15.2 cm (6 in.) length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.)	7.80 8.71 9.61	13.19 14.12 15.00	
3495967 3495975 3495983 3495991 3496007	Width: 15.2 cm (6 in.) length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.)	7.80 8.71 9.61 10.53	13.19 14.12 15.00 15.95	
3495967 3495975 3495983 3495991 3496007 3496015	Width: 15.2 cm (6 in.) length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.)	7.80 8.71 9.61 10.53 11.27	13.19 14.12 15.00 15.95 16.71	
3495967 3495975 3495983 3495991 3496007 3496015 3496023	Width: 15.2 cm (6 in.) length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.)	7.80 8.71 9.61 10.53 11.27 12.17	13.19 14.12 15.00 15.95 16.71 17.63	
3495967 3495975 3495983 3495991 3496007 3496015 3496023 3496031	Width: 15.2 cm (6 in.) length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.)	7.80 8.71 9.61 10.53 11.27 12.17 13.11 14.49	13.19 14.12 15.00 15.95 16.71 17.63 18.52 19.71	
3495967 3495975 3495983 3495991 3496007 3496015 3496023 3496031 3496049	Width: 15.2 cm (6 in.) length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.)	7.80 8.71 9.61 10.53 11.27 12.17 13.11	13.19 14.12 15.00 15.95 16.71 17.63 18.52	
3495967 3495975 3495983 3495991 3496007 3496015 3496023 3496031 3496031 3496049 3496056	Width: 15.2 cm (6 in.) length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.) length: 66.0 cm (26 in.)	7.80 8.71 9.61 10.53 11.27 12.17 13.11 14.49 15.41	13.19 14.12 15.00 15.95 16.71 17.63 18.52 19.71 20.82	
3495967 3495975 3495983 3495991 3496007 3496015 3496023 3496031 3496049 3496056	Width: 15.2 cm (6 in.) length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.) length: 61.1 cm (26 in.) length: 71.1 cm (28 in.)	7.80 8.71 9.61 10.53 11.27 12.17 13.11 14.49 15.41	13.19 14.12 15.00 15.95 16.71 17.63 18.52 19.71 20.82	
3495967 3495975 3495983 3495991 3496007 3496015 3496023 3496031 3496049 3496056	Width: 15.2 cm (6 in.) length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.) length: 61.0 cm (26 in.) length: 71.1 cm (28 in.) Width: 17.8 cm (7 in.)	7.80 8.71 9.61 10.53 11.27 12.17 13.11 14.49 15.41 16.30	13.19 14.12 15.00 15.95 16.71 17.63 18.52 19.71 20.82 21.74	
3495967 3495975 3495983 3495991 3496007 3496015 3496023 3496031 3496049 3496056 3496064 3496064	Width: 15.2 cm (6 in.) length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.) length: 66.0 cm (26 in.) length: 71.1 cm (28 in.) Width: 17.8 cm (7 in.)	7.80 8.71 9.61 10.53 11.27 12.17 13.11 14.49 15.41 16.30 8.51	13.19 14.12 15.00 15.95 16.71 17.63 18.52 19.71 20.82 21.74	
3495967 3495975 3495983 3495991 3496007 3496015 3496023 3496031 3496049 3496056 3496064 3496072 3496080	Width: $15.2 \text{ cm} (6 \text{ in.})$ length: $25.4 \text{ cm} (10 \text{ in.})$ length: $30.5 \text{ cm} (12 \text{ in.})$ length: $35.6 \text{ cm} (14 \text{ in.})$ length: $40.6 \text{ cm} (16 \text{ in.})$ length: $45.7 \text{ cm} (18 \text{ in.})$ length: $50.8 \text{ cm} (20 \text{ in.})$ length: $55.9 \text{ cm} (22 \text{ in.})$ length: $61.0 \text{ cm} (24 \text{ in.})$ length: $71.1 \text{ cm} (28 \text{ in.})$ Width: $17.8 \text{ cm} (7 \text{ in.})$ length: $30.5 \text{ cm} (12 \text{ in.})$ length: $35.6 \text{ cm} (14 \text{ in.})$	7.80 8.71 9.61 10.53 11.27 12.17 13.11 14.49 15.41 16.30 8.51 9.46	13.19 14.12 15.00 15.95 16.71 17.63 18.52 19.71 20.82 21.74 13.80 14.72	
3495967 3495975 3495983 3495991 3496007 3496015 3496023 3496031 3496031 3496056 3496056 3496064 3496072 3496080 3496098	Width: $15.2 \text{ cm} (6 \text{ in.})$ length: $25.4 \text{ cm} (10 \text{ in.})$ length: $30.5 \text{ cm} (12 \text{ in.})$ length: $35.6 \text{ cm} (14 \text{ in.})$ length: $40.6 \text{ cm} (16 \text{ in.})$ length: $45.7 \text{ cm} (18 \text{ in.})$ length: $50.8 \text{ cm} (20 \text{ in.})$ length: $55.9 \text{ cm} (22 \text{ in.})$ length: $61.0 \text{ cm} (24 \text{ in.})$ length: $71.1 \text{ cm} (28 \text{ in.})$ Width: $17.8 \text{ cm} (7 \text{ in.})$ length: $30.5 \text{ cm} (12 \text{ in.})$ length: $35.6 \text{ cm} (14 \text{ in.})$ length: $40.6 \text{ cm} (16 \text{ in.})$	7.80 8.71 9.61 10.53 11.27 12.17 13.11 14.49 15.41 16.30 8.51 9.46 10.53	13.19 14.12 15.00 15.95 16.71 17.63 18.52 19.71 20.82 21.74 13.80 14.72 15.95	
3495967 3495975 3495983 3495991 3496007 3496015 3496023 3496031 3496031 3496049 3496056 3496064 3496072 3496080 3496088 3496098 3496106	Width: $15.2 \text{ cm} (6 \text{ in.})$ length: $25.4 \text{ cm} (10 \text{ in.})$ length: $30.5 \text{ cm} (12 \text{ in.})$ length: $35.6 \text{ cm} (14 \text{ in.})$ length: $40.6 \text{ cm} (16 \text{ in.})$ length: $45.7 \text{ cm} (18 \text{ in.})$ length: $50.8 \text{ cm} (20 \text{ in.})$ length: $55.9 \text{ cm} (22 \text{ in.})$ length: $61.0 \text{ cm} (24 \text{ in.})$ length: $66.0 \text{ cm} (26 \text{ in.})$ length: $71.1 \text{ cm} (28 \text{ in.})$ Width: $17.8 \text{ cm} (7 \text{ in.})$ length: $30.5 \text{ cm} (12 \text{ in.})$ length: $35.6 \text{ cm} (14 \text{ in.})$ length: $40.6 \text{ cm} (16 \text{ in.})$ length: $45.7 \text{ cm} (18 \text{ in.})$	7.80 8.71 9.61 10.53 11.27 12.17 13.11 14.49 15.41 16.30 8.51 9.46 10.53 11.76 13.11	13.19 14.12 15.00 15.95 16.71 17.63 18.52 19.71 20.82 21.74 13.80 14.72 15.95 16.98 18.52	
3495967 3495975 3495983 3495991 3496007 3496015 3496023 3496031 3496031 3496049 3496056 3496064 3496072 3496080 3496098 3496106 3496114	Width: $15.2 \text{ cm} (6 \text{ in.})$ length: $25.4 \text{ cm} (10 \text{ in.})$ length: $30.5 \text{ cm} (12 \text{ in.})$ length: $35.6 \text{ cm} (14 \text{ in.})$ length: $40.6 \text{ cm} (16 \text{ in.})$ length: $45.7 \text{ cm} (18 \text{ in.})$ length: $50.8 \text{ cm} (20 \text{ in.})$ length: $55.9 \text{ cm} (22 \text{ in.})$ length: $61.0 \text{ cm} (24 \text{ in.})$ length: $66.0 \text{ cm} (26 \text{ in.})$ length: $71.1 \text{ cm} (28 \text{ in.})$ Width: $17.8 \text{ cm} (7 \text{ in.})$ length: $30.5 \text{ cm} (12 \text{ in.})$ length: $35.6 \text{ cm} (14 \text{ in.})$ length: $40.6 \text{ cm} (16 \text{ in.})$ length: $45.7 \text{ cm} (18 \text{ in.})$ length: $50.8 \text{ cm} (20 \text{ in.})$	7.80 8.71 9.61 10.53 11.27 12.17 13.11 14.49 15.41 16.30 8.51 9.46 10.53 11.76	13.19 14.12 15.00 15.95 16.71 17.63 18.52 19.71 20.82 21.74 13.80 14.72 15.95 16.98	
3495967 3495975 3495983 3495991 3496007 3496015 3496023 3496031 3496031 3496049 3496056 3496064 3496072 3496064 3496072 3496080 3496106 3496114 3496122	Width: 15.2 cm (6 in.) length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.) length: 66.0 cm (26 in.) length: 71.1 cm (28 in.) Width: 17.8 cm (7 in.) length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.)	7.80 8.71 9.61 10.53 11.27 12.17 13.11 14.49 15.41 16.30 8.51 9.46 10.53 11.76 13.11 14.32 15.41	13.19 14.12 15.00 15.95 16.71 17.63 18.52 19.71 20.82 21.74 13.80 14.72 15.95 16.98 18.52 19.71 20.65	
3495967 3495975 3495983 3495991 3496007 3496015 3496023 3496031 3496031 3496049 3496056 3496056 3496072 3496080 3496072 3496080 3496114 3496112 3496130	Width: $15.2 \text{ cm} (6 \text{ in.})$ length: $25.4 \text{ cm} (10 \text{ in.})$ length: $30.5 \text{ cm} (12 \text{ in.})$ length: $35.6 \text{ cm} (14 \text{ in.})$ length: $40.6 \text{ cm} (16 \text{ in.})$ length: $45.7 \text{ cm} (18 \text{ in.})$ length: $50.8 \text{ cm} (20 \text{ in.})$ length: $55.9 \text{ cm} (22 \text{ in.})$ length: $61.0 \text{ cm} (24 \text{ in.})$ length: $66.0 \text{ cm} (26 \text{ in.})$ length: $71.1 \text{ cm} (28 \text{ in.})$ Width: $17.8 \text{ cm} (7 \text{ in.})$ length: $30.5 \text{ cm} (12 \text{ in.})$ length: $35.6 \text{ cm} (14 \text{ in.})$ length: $40.6 \text{ cm} (16 \text{ in.})$ length: $45.7 \text{ cm} (18 \text{ in.})$ length: $50.8 \text{ cm} (20 \text{ in.})$	7.80 8.71 9.61 10.53 11.27 12.17 13.11 14.49 15.41 16.30 8.51 9.46 10.53 11.76 13.11 14.32	13.19 14.12 15.00 15.95 16.71 17.63 18.52 19.71 20.82 21.74 13.80 14.72 15.95 16.98 18.52 19.71	

Width: 20.3 cm (8 in.)		
3496163 length: 25.4 cm (10 in.)	9.89	15.18
3496171 length: 30.5 cm (12 in.)	10.83	16.24
3496189 length: 35.6 cm (14 in.)	12.17	17.48
3496197 length: 40.6 cm (16 in.)	13.26	18.72
3496205 length: 45.7 cm (18 in.)	14.49	19.71
3496213 length: 50.8 cm (20 in.)	15.55	20.97
3496221 length: 55.9 cm (22 in.)	16.92 18.14	22.18
3496239 length: 61.0 cm (24 in.) 3496247 length: 66.0 cm (26 in.)	19.14	23.56 24.78
3496254 length: 71.1 cm (28 in.)	20.90	24.78
5490254 iengui. /1.1 cm (28 m.)	20.90	20.15
Width: 22.9 cm (9 in.)		
3496262 length: 25.4 cm (10 in.)	11.12	16.55
3496270 length: 30.5 cm (12 in.)	12.37	17.78
3496288 length: 35.6 cm (14 in.)	13.72	19.14
3496296 length: 40.6 cm (16 in.)	14.91	20.33
3496304 length: 45.7 cm (18 in.)	16.48	21.87
3496312 length: 50.8 cm (20 in.)	17.66	23.11
3496320 length: 55.9 cm (22 in.)	19.05	24.32
3496338 length: 61.0 cm (24 in.)	20.10	25.52
3496346 length: 66.0 cm (26 in.)	21.49	26.90
3496353 length: 71.1 cm (28 in.)	23.01	28.43
Width: 25.4 cm (10 in.)		
3496361 length: 25.4 cm (10 in.)	12.37	17.78
3496379 length: 30.5 cm (12 in.)	13.59	18.96
3496387 length: 35.6 cm (14 in.)	15.27	20.65
3496395 length: 40.6 cm (16 in.)	16.48	21.87
3496403 length: 45.7 cm (18 in.)	17.85	23.11
3496411 length: 50.8 cm (20 in.)	19.37	24.78
3496429 length: 55.9 cm (22 in.)	20.70	26.15
3496437 length: 61.0 cm (24 in.)	22.10	27.50
3496445 length: 66.0 cm (26 in.)	23.31	28.56
3496452 length: 71.1 cm (28 in.)	24.68	30.11
Width: 30.5 cm (12 in.)		
3496460 length: 25.4 cm (10 in.)	16.74	22.04
3496478 length: 30.5 cm (12 in.)	17.85	23.26
3496486 length: 35.6 cm (14 in.)	19.52	24.94
3496494 length: 40.6 cm (16 in.)	20.90	26.15
3496502 length: 45.7 cm (18 in.)	22.24	27.50
3496510 length: 50.8 cm (20 in.)	23.60	29.04
3496528 length: 55.9 cm (22 in.)	24.98	30.39
3496536 length: 61.0 cm (24 in.)	26.50	31.79
3496544 length: 66.0 cm (26 in.)	27.59	33.01
3496551 length: 71.1 cm (28 in.)	28.96	34.36

	Maximum price	Maximum price	
Description	Purchase or	at the time of	
Description	replacement of	replacement of	
	prosthesis	socks	
WOOL 5-PLY			
3496569 length: 30.5 cm (12 in.)	9.89	15.18	
3496577 length: 33.0 cm (12 in.)	10.37	15.65	
-	10.53	15.95	
3496585 length: 35.6 cm (14 in.)			
3496593 length: 38.1 cm (15 in.)	11.27	16.55	
3496601 length: 40.6 cm (16 in.)	11.58	16.98	
3496619 length: 45.7 cm (18 in.)	12.37	17.78	
	Maximum price	Maximum price	
	Purchase or	at the time of	
Description			
-	replacement of	replacement of	
	prosthesis	socks	
WOOL 3-5 PLY			
Width (max.): 15.2 cm (6 in.)			
3496627 width (min.): 7.6, 8.9, 10.2 cm (3, 3 ¹ / ₂ , 4 in.)	10.06	15.48	
length: 20.3 cm (8 in.)			
3496635 width (min.): 7.6 cm (3 in.) length: 25.4 cm (10 in.)	10.06	15.48	
3496643 width (min.): 8.9 cm (3 ¹ / ₂ in.) length: 25.4 cm	10.37	15.65	
(10 in.)			
3496650 width (min.): 10.2 cm (4 in.) length: 25.4 cm	10.67	16.07	
(10 in.)			
3496668 width (min.): 7.6 cm (3 in.) length: 30.5 cm (12 in.)	11.12	16.55	
5490008 width (mm.). 7.0 cm (5 m.) length. 50.5 cm (12 m.)	11.12	10.55	
3496676 width (min.): 8.9 cm (3 ¹ / ₂ in.) length: 30.5 cm	11.27	16.71	
(12 in.)	11.2/	10./1	
	11 54	16.00	
3496684 width (min.): 10.2 cm (4 in.) length: 30.5 cm	11.76	16.98	
(12 in.)			
3496692 width (min.): 7.6 cm (3 in.) length: 35.6 cm (14 in.)	12.37	17.78	
3496700 width (min.): 8.9 cm (3 ¹ / ₂ in.) length: 35.6 cm	12.66	18.07	
(14 in.)			
3496718 width (min.): 10.2 cm (4 in.) length: 35.6 cm	12.97	18.39	
(14 in.)			
3496726 width (min.): 7.6 cm (3 in.) length: 40.6 cm (16 in.)	13.38	18.83	
	13.38	10.03	
5456726 width (mini.). 7.6 cm (5 m.) length. 46.6 cm (16 m.)			
	12 70	18.06	
3496734 width (min.): 8.9 cm (3 ¹ / ₂ in.) length: 40.6 cm	13.72	18.96	
3496734 width (min.): 8.9 cm (3½ in.) length: 40.6 cm (16 in.)			
3496734 width (min.): 8.9 cm (3 ¹ / ₂ in.) length: 40.6 cm	13.72 14.17	18.96 19.60	

Width (max.): 17.8 cm (7 in.)

3496759 width (min.): 8.9, 10.2, 11.4, 12,7 cm (3½, 4, 4½, 5 in.) length: 20.3 cm (8 in.)	11.27	16.71
3496767 width (min.): 8.9 cm (3½ in.) length: 25.4 cm (10 in.)	10.67	16.07
3496775 width (min.): 10.2 cm (4 in.) length: 25.4 cm (10 in.)	11.12	16.55
3496783 width (min.): 11.4 cm (4 ¹ / ₂ in.) length: 25.4 cm (10 in.)	11.76	16.98
3496791 width (min.): 12.7 cm (5 in.) length: 25.4 cm (10 in.)	12.66	18.07
3496809 width (min.): 8.9 cm (3 ¹ / ₂ in.) length: 30.5 cm (12 in.)	11.76	17.14
3496817 width (min.): 10.2 cm (4 in.) length: 30.5 cm (12 in.)	12.37	17.78
3496825 width (min.): 11.4 cm (4½ in.) length: 30.5 cm (12 in.) 3496833 width (min.): 12.7 cm (5 in.) length: 30.5 cm	12.97 13.72	18.39 18.96
(12 in.) 3496841 width (min.): 8.9 cm (3½ in.) length: 35.6 cm	13.72	18.96
(14 in.) 3496858 width (min.): 10.2 cm (4 in.) length: 35.6 cm	13.86	19.32
(14 in.) 3496866 width (min.): 11.4 cm (4½ in.) length: 35.6 cm	14.63	19.89
(14 in.) 3496874 width (min.): 12.7 cm (5 in.) length: 35.6 cm	15.27	20.65
(14 in.) 3496882 width (min.): 8.9 cm ($3\frac{1}{2}$ in.) length: 40.6 cm	14.91	20.22
(16 in.) 3496890 width (min.): 10.2 cm (4 in.) length: 40.6 cm (16 in.)	15.41	20.82
3496908 width (min.): 11.4 cm (4½ in.) length: 40.6 cm (16 in.)	16.02	21.26
3496916 width (min.): 12.7 cm (5 in.) length: 40.6 cm (16 in.)	16.74	22.04
Width (max.): 20.3 cm (8 in.)		
3496924 width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 20.3 cm (8 in.)	12.97	18.39
3496932 width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 25.4 cm (10 in.)	12.77	18.24
3496940 width (min.):10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 30.5 cm (12 in.)	14.32	19.71
3496957 width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 35.6 cm (14 in.)	15.67	21.12
3496965 width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 40.6 cm (16 in.)	17.49	22.95

DIVISION IV: LOWER-LIMB ORTHOSES SUBDIVISION 1: TIBIAL ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2140564	Tibial orthosis with unilateral upright	590.46			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Regular stirrup Ankle free joint. aluminum (1) Rigid metal cuff with leather or thermoplastic jacket, including cover				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2135507	Regular stirrup	N. C.	129.93		
	Ankle free joint, aluminum	N. C.	175.69		
	Rigid metal cuff with leather or thermoplastic jacket, including cover	N. C.	170.68		3
	OPTIONAL COMPONENTS				
2135523	Laminated or molded plastic stirrup, made from mold of insured person	353.15	449.05		
2135606	Single malleolar strap	110.80	155.27		
2135614	Double malleolar strap	130.06	176.32		
	Ankle spring joint, aluminum, single	8.30	177.25		
	Ankle free joint, stainless steel, single	59.45	232.47		
2135812	Ankle spring joint, stainless steel, single	80.14	253.28		
2135929	Double-action ankle spring joint, aluminum, single	35.94	209.07		
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm ($\frac{1}{4}$ in.)	69.74	69.74		
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional $0.6 \text{ cm} (\frac{1}{4} \text{ in.})$	23.76	23.76		
	SUPPLEMENTS AVAILABLE				
3492501	Cane	10.19	10.19		
3492550	Crutches with axillary support, height-adjustable	20.38	20.38		
3492551	Crutches with forearm support, height-adjustable	56.05	56.05		
	ADJUSTMENTS AVAILABLE				
2136752	Stirrup changeover			85.05	
	Any pertinent adjustment				

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2140507	Tibial orthosis with bilateral uprights	706.31			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Regular stirrup Ankle free joints, aluminum (2) Rigid metal cuff with leather or thermoplastic jacket, including cover Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2135507	Regular stirrup Ankle free joints, aluminum	N. C.	129.93		
2135846		N. C.	311.65		
2135655		N. A.			
2135903	Rigid metal cuff with leather or thermoplastic jacket, including cover	N. C.	170.68		
2195527	Retention straps, each	N. C.	37.30		
	OPTIONAL COMPONENTS				
2135531	Rectangular stirrup	54.28	177.09		
2135523	Laminated or molded plastic stirrup, made from mold of insured person	353.15	449.05		
2135606	Single malleolar strap	110.80	155.27		
2135614	Double malleolar strap Rectangular stirrup	130.06	176.32		
2135747	pair	16.59	295.47		
2135853	single Ankle free joints, stainless steel	N. A.	190.56		
2135861	pair	137.84	399.20		
2135671	single Ankle spring joints, stainless steel	N. A.	232.47		
2135879		160.32			
2135689	single	N. A.	253.28		

Double-action ankle spring joints, aluminum

	Bouore aeron anne spring jonnes, arannian				
2135887	pair	71.86	350.74		
2135754		N. A.			
2125508	External build-up on orthosis or shoe for limb fitted	69.74	69.74		
	with orthosis, first 0.6 cm (1/4 in.)				
2125516	External build-up on orthosis or shoe for limb fitted	23.76	23.76		
	with orthosis, each additional 0.6 cm ($\frac{1}{4}$ in.)				
	SUPPLEMENTS AVAILABLE				
3492501	Cane	10.19	10.19		
3492550	Crutches with axillary support, height-adjustable	20.38	20.38		
3492551	Crutches with forearm support, height-adjustable	56.05	56.05		
	ADJUSTMENTS AVAILABLE				
	Stirrup changeover Any pertinent adjustment			85.05	
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarante (months
2140572		507.46	**		
21405/2	Molded plastic tibial orthosis, made from plaster or digital mold of insured person	597.46			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Molded plastic anterior or posterior shell with infra-				
	patellar support extending under foot				
	Calf and foot retention straps				
	COMPONENTS AND SUPPLEMENTS				
	AVAILABLE				
	BASIC COMPONENTS				
2195527	Retention straps, each	N. C.	37.30		
	OPTIONAL COMPONENTS				
	External build-up on orthosis or shoe for limb fitted with orthosis, first $0.6 \text{ cm} (\frac{1}{4} \text{ in.})$	69.74	69.74		
	External build-up on orthosis or shoe for limb fitted with orthosis, each additional $0.6 \text{ cm} (\frac{1}{4} \text{ in.})$	23.76	23.76		
2155828	Ankle free joints with overlapping	70.29	N. A.		
	Gilette ankle joints				

Gilette ankle joints

				(authen	tic version)
2155646	pair	166.31	144.98		
2155893	-	N. A.	91.86		
	Oklahoma ankle joints				
2155653	-	159.46	138.14		
2155901	-	N. A.	89.34		
	Wafer ankle joints				
2155661	pair	178.72	157.43		
2155919	single	N. A.	98.95		
	Tamarak ankle joints				
2155679	pair	173.26	151.93		
2155927	single	N. A.	96.22		
	Gaffney ankle joints				
2155687	pair	187.30	164.25		
2155935	single	N. A.	101.50		
2195584	Full thermoformable foam lining for night orthosis	85.31	139.48		
	SUPPLEMENTS AVAILABLE				
3492501	Cane	10.19	10.19		
3492550	Crutches with axillary support, height-adjustable	20.38	20.38		
3492551	Crutches with forearm support, height-adjustable	56.05	56.05		
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2140580	Molded plastic tibial orthosis, prefabricated	236.96			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Rigid molded plastic posterior shell, one-piece, including calf and extending under foot, prefabricated or rigid spiral band				
	Calf and foot retention straps				
	<u>NOTICE: This orthosis has neither a hinge, nor an</u> <u>upright, nor a rigid lateral band, and cannot be</u> <u>inserted into a conventional shoe. Therefore, it is</u> <u>not a walking boot.</u>				
	COMPONENTS AND SUPPLEMENTS				

SCHEDULE 1

SCHE	DULE 1	Tariff for devices whi	ch compensate for a	a motor deficiency		
	BASIC COMPONENTS				(authe	ntic version)
	Retention straps, each		N. C.	37.30		1
2193327	-		N. C.	57.50		1
	OPTIONAL COMPONENTS					
	External build-up on orthosis o with orthosis, first 0.6 cm ($\frac{1}{4}$ in		69.74	69.74		
	External build-up on orthosis o with orthosis, each additional 0		23.76	23.76		
2195584	Full thermoformable foam linin	ng for night orthosis	85.31	139.48		
	SUPPLEMENTS AVAILABL	E				
3492501	Cane		10.19	10.19		
	Crutches with axillary support,		20.38	20.38 56.05		
3492331	Crutches with forearm support,	0 0	56.05	50.05		
	ADJUSTMENT AVAILABLE					
	Any pertinent adjustment					
	DEVICE		Maximum price Purchase or	Maximum price Replacement of component or	Maximum adjustement	Guarantee (months)
			replacement of device	supplement	price	(monuis)
	Tibial orthosis for leg shortened more, excluding any prosthetic	•	*	-	price	6
	•	knee joint	device	-	price	
	more, excluding any prosthetic	knee joint	device	-	price	
	more, excluding any prosthetic BASIC COMPONENTS AND SACH foot Polyester or acrylic tibial shell support	knee joint SUPPLEMENTS with tibial or foot	device	-	price	
	more, excluding any prosthetic BASIC COMPONENTS AND SACH foot Polyester or acrylic tibial shell support Retention straps COMPONENTS AND SUPPL	knee joint SUPPLEMENTS with tibial or foot	device	-	price	
1125509	more, excluding any prosthetic BASIC COMPONENTS AND SACH foot Polyester or acrylic tibial shell support Retention straps COMPONENTS AND SUPPL AVAILABLE BASIC COMPONENTS SACH foot	knee joint SUPPLEMENTS with tibial or foot EMENTS		supplement 325.15	price	
1125509	more, excluding any prosthetic BASIC COMPONENTS AND SACH foot Polyester or acrylic tibial shell support Retention straps COMPONENTS AND SUPPL AVAILABLE BASIC COMPONENTS SACH foot Polyester or acrylic tibial shell	knee joint SUPPLEMENTS with tibial or foot EMENTS		supplement	price	
1125509 1125483	more, excluding any prosthetic BASIC COMPONENTS AND SACH foot Polyester or acrylic tibial shell support Retention straps COMPONENTS AND SUPPL AVAILABLE BASIC COMPONENTS SACH foot	knee joint SUPPLEMENTS with tibial or foot EMENTS		supplement 325.15	price	

2155943 single Knee joints with ring lock (Becker 1002-B4)	N. A.	233.02
Kite joints with hing lock (Beeker 1002-D4)		
2155604 pair	370.99	458.02
2155950 single	N. A.	280.93
Knee joints with lock, Swiss-type (Becker 1003- B4)		
2155703 pair	451.62	555.62
2155968 single	N. A.	326.18
Polycentric knee joints (USMC-0225-10)		
2155638 pair	351.92	438.60
2155976 single	N. A.	240.97
Polycentric knee joints, for child (Becker 1006-C8)		
2155711 pair	493.97	580.95
2155984 single	N. A.	313.45
Eccentric uniaxial knee free joints (Becker 1008- B4)		
2155562 pair	417.90	504.94
2155992 single	N. A.	304.71
Eccentric uniaxial ring knee joints (Becker 1012- B4)		
2155729 pair	435.96	522.96
2156016 single	N. A.	310.69
2155745 Thigh lacer with two metal bands with femoral leather jacket	226.38	288.12
2155737 Complete or full leather thigh lacer, without	149.13	405.46
ischiatic support		
2155752 Complete or full leather thigh lacer, with leather ischiatic support	304.68	571.40
2155760 Molded plastic femoral shell without ischiatic	302.78	389.71
support		
2155778 Molded plastic femoral shell with molded plastic ischiatic support	386.74	510.36
2175610 Pelvic belt and metal band	296.66	319.90
2175511 Pelvic belt (leather)	N. A.	230.29
2175578 Replacement of pelvic belt metal band	N. A.	180.36
2175594 Hip joint (metal part), all types	309.88	356.10
0.400.501.0	10.10	10.10
3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable ADJUSTMENT AVAILABLE	56.05	56.05
Any nortinent adjustment		

----- Any pertinent adjustment

SUBDIVISION 2: TIBIOFEMORAL ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2150514	Molded plastic non-articulated tibiofemoral orthosis, made from plaster or digital mold of insured person	819.97			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Molded plastic splint, thigh, knee and leg Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2195527	Retention straps, each	N. C.	37.30		
	OPTIONAL COMPONENTS				
2135705 2125524 2125532 3492501 3492550 3492551	Crutches with axillary support, height-adjustable Crutches with forearm support, height-adjustable ADJUSTMENT AVAILABLE	131.60 109.08 69.74 23.76 10.19 20.38 56.05	153.53 69.74 23.76 10.19 20.38		
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2150548	Tibiofemoral orthosis with joint(s), prefabricated	816.65			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	One or two knee(s) free(s) joint(s) Femoral and tibial rigid cuffs Retention straps				

_

COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
2195527 Retention straps, each	N. C.	37.30		
OPTIONAL COMPONENTS				
2125524 External build-up on shoe for limb fitted with orthosis, for the first 0.6 cm (¼ in.)	69.74	69.74		
2125532 External build-up on shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	23.76	23.76		
SUPPLEMENTS AVAILABLE				
3492501 Cane 3492550 Crutches with axillary support, height-adjustable 3492551 Crutches with forearm support, height-adjustable	10.19 20.38 56.05			
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)

	device	supplement	
2150555 Tibiofemoral anti-recurvatum knee orthosis, Swedish-type, prefabricated	400.11		6
BASIC COMPONENTS AND SUPPLEMENTS			
Metal structure Rigid cuffs Retention straps			
COMPONENTS AND SUPPLEMENTS AVAILABLE			
BASIC COMPONENTS			
2195527 Retention straps, each OPTIONAL COMPONENTS	N. C.	37.30	
2125524 External build-up on shoe for limb fitted with orthosis, for the first 0.6 cm (¹ / ₄ in.)	69.74	69.74	
2125532 External build-up on shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	23.76	23.76	

SUPPLEMENTS AVAILABLE

3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Dynamic knee orthosis, made from plaster or digital mold of insured person	1,202.47			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Plastic or metal femoral and tibial rigid cuffs				
	One or two polycentric(s) knee(s) free joint(s), aluminum (USMC F08-200-1000)				
	Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Polycentric knee free joints, aluminum (USMC F08-200-1000)				
2155786		N. C.			
2155471		N. A.			
2195527	Retention straps, each	N. C.	37.30		
	OPTIONAL COMPONENTS				
	Polycentric knee free joints, steel (USMC F08-220-1000)				
2155836	pair	45.61	377.95		
	Polycentric knee joints with lock, aluminum	N. A.	237.33		
	(USMC F08-200-4000)	38.70	369.54		
2155794 2155455	•	38.70 N. A.			
	Polycentric knee joints with lock, steel (USMC F08- 220-4000)	n. A.	255.14		
2155844		91.24	422.07		
2155448	single Variable amplitude knee joints, aluminum (USMC F08-200-1001)	N. A.	259.41		

0155051	NC	220.01
2155851 pair	N. C.	330.81
2155430 single	N. A.	213.76
Variable amplitude knee joints, steel (USMC F08-		
200-1001)		
2155869 pair	45.61	377.95
2155422 single	N. A.	237.33
2135705 Knee cap and straps	109.08	153.53
2125524 External build-up on shoe for limb fitted with orthosis, for the first 0.6 cm (¼ in.)	69.74	69.74
2125532 External build-up on shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	23.76	23.76
SUPPLEMENTS AVAILABLE		
3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05

ADJUSTMENT AVAILABLE

None

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2150597 Adjustable knee orthosis designed to limit flexion and extension movements (Donjoy, Generation II prefabricated				6
BASIC COMPONENTS AND SUPPLEMENTS				
Rigid plastic cuffs, with foam Metal knee joints with ratchet Retention straps				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
2195527 Retention straps, each	N. C.	37.30		
SUPPLEMENTS AVAILABLE				
3492501 Cane 3492550 Crutches with axillary support, height-adjustable	10.19 20.38			
3492551 Crutches with forearm support, height-adjustable ADJUSTMENT AVAILABLE	56.05	56.05		
Any pertinent adjustment				

SUBDIVISION 3: FEMORAL ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Articulated femoral orthosis with rigid metal femoral and tibial cuffs	1,553.68			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Regular stirrup Ankle free joints, aluminum (2) Knee free joints, aluminum (2) (Becker S-2005- B4) Thigh lacer with two rigid metal bands and leather femoral jacket and metal cuff with leather or thermoplastic tibial jacket Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2135556	Regular stirrup Rigid metal cuff with leather or thermoplastic tibial	N. C. N. C.			
	jacket Ankle free joints, aluminum				
2135846	•	N. C.			
2135655	single Knee free joints, aluminum (Becker S-2005-B4)	N. A.	175.69		
2155513	pair	N. C.	363.85		
2155414	single	N. A.	230.30		
	Thigh lacer with two rigid metal bands and leather femoral jacket	N. C.	288.12		
2195527	Retention straps, each	N. C.	37.30		
	OPTIONAL COMPONENTS				
	Rectangular stirrup	54.28	177.09		
	Laminated or molded plastic stirrup, made from mold of insured person	353.15	449.05		
2135606	Single malleolar strap	110.80	155.27		
2135614	Double malleolar strap	130.06	176.32		
2135705	Knee cap and straps	109.08	153.53		

Ankle spring joints, aluminum			
2135747 pair	16.59	295.47	
2135853 single	N. A.	190.56	
Double-action ankle spring joints, aluminum			
2135887 pair	71.86	350.74	
2135754 single	N. A.	209.07	
Knee joints with ring lock (Becker 1002-B4)			
2155521 pair	92.59	458.02	
2155406 single	N. A.	312.59	
Knee joints with lock, Swiss-type (Becker 1003-	1	512.09	
B4)			
2155547 pair	230.83	555.62	
2155398 single	N. A.	326.18	
Polycentric knee joints (USMC-0225-10)	1	520.10	
2155554 pair	73.24	438.60	
2155380 single	N. A.	232.69	
Polycentric knee joints, for child (Becker 1006-C8)	1	232.09	
2155877 pair	216.98	580.95	
2155372 single	N. A.	303.08	
Eccentric uniaxial knee free joints (Becker 1008-			
B4)			
2155588 pair	140.94	504.94	
2155364 single	N. A.	344.07	
Eccentric uniaxial ring knee joints (Becker 1012-			
B4)			
2155885 pair	157.54	522.96	
2155356 single	N. A.	314.71	
2155737 Complete or full leather thigh lacer, without	149.13	405.46	
ischiatic support			
2155752 Complete or full leather thigh lacer, with leather	304.68	571.40	
ischiatic support			
2125508 External build-up on orthosis or shoe for limb fitted	69.74	69.74	
with orthosis, first 0.6 cm ($\frac{1}{4}$ in.)			
2125516 External build-up on orthosis or shoe for limb fitted	23.76	23.76	
with orthosis, each additional $0.6 \text{ cm} (\frac{1}{4} \text{ in.})$			
SUPPLEMENTS AVAILABLE			
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	
5472551 Crucines with forearm support, neight-aujustable	50.05	50.05	
ADJUSTMENTS AVAILABLE			
2136752 Stirrup changeover			

2136752 Stirrup changeover

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Molded plastic articulated femoral orthosis, made from plaster or digital mold of insured person	1,487.64			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Molded plastic femoral shell without ischiatic support Knee free joints, aluminum (2) (Becker S-2005-B4)				
	Molded plastic anterior or posterior tibial shell extending under foot Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS				
	Molded plastic femoral shell without ischiatic	N. C.	388.14		
2155810	support Molded plastic anterior or posterior tibial shell extending under foot Knee free joints, aluminum (Becker S-2005-B4)	N. C.	433.24		
2155513	•	N. C.	363.85		
2155515		N. C. N. A.			
	Retention straps, each	N. C.	37.30		
	OPTIONAL COMPONENTS				
2135820	Regular stirrup	89.40	129.93		
	Ankle free joints with overlapping	70.29	N. A.		
	Gilette ankle joints				
2155646	pair	166.31			
2155893	•	N. A.	91.86		
	Oklahoma ankle joints				
2155653	-	159.46			
2155901	Single Wafer ankle joints	N. A.	89.34		
2155661		178.72	157.43		
2155001	1	N. A.			
	Tamarak ankle joints		,		
2155679		173.26	151.93		
2155927	-	N. A.			
	pair	187.30	164.25		

2155935 single	N. A.	101.50	
2135955 single 2135606 Single malleolar strap	110.80	155.27	
2135705 Knee cap and straps	109.08	153.53	
Ankle spring joints, aluminum	109.00	100.00	
2135747 pair	16.59	295.47	
2135853 single	N. A.	190.56	
Double-action ankle spring joints, aluminum			
1 05 /			
2135887 pair	71.86	350.74	
2135754 single	N. A.	209.07	
Knee joints with ring lock (Becker 1002-B4)			
2155521 pair	92.59	458.02	
2155406 single	N. A.	312.59	
Knee joints with lock, Swiss-type (Becker 1003-			
B4)	220.02	555 (2	
2155547 pair	230.83	555.62	
2155398 single Polycentric knee joints (USMC-0225-10)	N. A.	326.18	
2155554 pair	73.24	438.60	
2155380 single	N. A.	232.69	
Polycentric knee joints, for child (Becker 1006-C8)	11.11.	232.09	
2155877 pair	216.98	580.95	
2155372 single	N. A.	303.08	
Eccentric uniaxial knee free joints (Becker 1008-			
B4)			
2155588 pair	140.94	504.94	
2155364 single	N. A.	344.07	
Eccentric uniaxial ring knee joints (Becker 1012-			
B4)			
2155885 pair	157.54	522.96	
2155356 single	N. A.	314.71	
2155497 Molded plastic ischiatic support	107.80	N. A.	
2155489 Molded plastic femoral shell with molded plastic	N. A.	504.77	
ischiatic support 2125508 External build-up on orthosis or shoe for limb fitted	69.74	69.74	
with orthosis, first 0.6 cm (¼ in.)	09.74	09.74	
2125516 External build-up on orthosis or shoe for limb fitted	23.76	23.76	
with orthosis, each additional 0.6 cm (1/4 in.)			
SUPPLEMENTS AVAILABLE			
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	
ADJUSTMENTS AVAILABLE		• • •	
2136752 Stirrup changeover			
Any pertinent adjustment			

SCHEDULE 1

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Articulated femoral orthosis with rigid metal femoral cuffs and molded plastic posterior or anterior tibial shell, made from plaster or digital mold of insured person	1,516.63			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Thigh lacer with two rigid metal bands and femoral leather jacket				
	Knee free joints, aluminum (2) (Becker S-2005-B4) Molded plastic posterior or anterior tibial shell extending under foot Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Thigh lacer with two rigid metal bands and femoral leather jacket	N. C.	288.12		
2155810	Molded plastic posterior or anterior tibial shell extending under foot Knee free joints, aluminum (Becker S-2005-B4)	N. C.	433.24		
2155513	nair	N. C.	363.85		
2155414		N. A.			
	Retention straps, each	N. C.	37.30		
	OPTIONAL COMPONENTS				
	Ankle free joints with overlapping	70.29	N. A.		
	Gilette ankle joints	, 0.29	1		
2155646	-	166.31	144.98		
2155893	÷	N. A.			
	Oklahoma ankle joints				
2155653	•	159.46			
2155901	-	N. A.	89.34		
	Wafer ankle joints	179.72	157 42		
2155661 2155919	÷	178.72 N. A.			
	Tamarak ankle joints	IN. A.	90.93		
2155679		173.26	151.93		
2155927		N. A.			

2155687 pair	187.30	164.25
2155935 single	N. A.	101.50
2135606 Single malleolar strap	110.80	155.27
2135705 Knee cap and straps	109.08	153.53
Ankle spring joints, aluminum		
2135747 pair	16.59	295.47
2135853 single	N. A.	190.56
Double-action ankle spring joints, aluminum		
0105007	51 06	250 54
2135887 pair	71.86	350.74
2135754 single	N. A.	209.07
Knee joints with ring lock (Becker 1002-B4)		
2155521 pair	92.59	458.02
2155521 pan 2155406 single	N. A.	312.59
Knee joints with lock, Swiss-type (Becker 1003-	N. A.	512.57
B4)		
2155547 pair	230.83	555.62
2155398 single	N. A.	326.18
Polycentric knee joints (USMC-0225-10)	10.71.	520.10
2155554 pair	73.24	438.60
2155380 single	N. A.	232.69
Polycentric knee joints, for child (Becker 1006-C8)		
2155877 pair	216.98	580.95
2155372 single	N. A.	303.08
Eccentric uniaxial knee free joints (Becker 1008-		
B4)		
2155588 pair	140.94	504.94
2155364 single	N. A.	344.07
Eccentric uniaxial ring knee joints (Becker 1012-		
B4)		
2155885 pair	157.54	522.96
2155356 single	N. A.	314.71
2155737 Complete or full leather thigh lacer, without	149.13	405.46
ischiatic support		
2155752 Complete or full leather thigh lacer, with leather	304.68	571.40
ischiatic support	60 - 1	<pre></pre>
2125508 External build-up on orthosis or shoe for limb fitted	69.74	69.74
with orthosis, first 0.6 cm ($\frac{1}{4}$ in.)		
2125516 External build-up on orthosis or shoe for limb fitted	23.76	23.76
with orthosis, each additional $0.6 \text{ cm} (\frac{1}{4} \text{ in.})$		
SUPPLEMENTS AVAILABLE		
3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
	56.05	56.05
3492551 Crutches with forearm support, height-adjustable	50.05	30.03

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

SCHEDULE 1

		Movimum price Movimum pri		· · · · · ·		
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)	
2160802	Articulated femoral orthosis with molded plastic	1,699.26				
	femoral shell, made from plaster or digital mold of insured person, and rigid metal cuff with tibial leather jacket				6	
	BASIC COMPONENTS AND SUPPLEMENTS					
	Regular stirrup					
	Ankle free joints, aluminum (2)					
	Knee free joints, aluminum (2) (Becker S-2005-					
	B4)					
	Rigid metal cuff with leather or thermoplastic jacket, including tibial cover					
	Molded plastic femoral shell without ischiatic					
	support					
	Retention straps					
	COMPONENTS AND SUPPLEMENTS AVAILABLE					
	BASIC COMPONENTS					
2135507	Regular stirrup	N. C.	129.93			
2135556	Rigid metal cuff with leather or thermoplastic jacket, including tibial cover	N. C.	170.68			
	Ankle free joints, aluminum					
2135739		N. C.	287.44			
2135655		N. A.	175.69			
	Knee free joints, aluminum (Becker S-2005-B4)					
2155513	pair	N. C.	363.85			
2155414		N. A.	230.30			
2155802	Molded plastic femoral shell without ischiatic support	N. C.	388.14			
2195527	Retention straps, each	N. C.	37.30			
	OPTIONAL COMPONENTS					
	Rectangular stirrup	54.28				
	Laminated or molded plastic stirrup, made from mold of insured person	353.15				
	Single malleolar strap	110.80				
	Double malleolar strap	130.06				
2135705	Knee cap and straps	109.08	153.53			
	Ankle spring joints, aluminum					

Double-action ankle spring joints, aluminum

2135887 pair		71.86	350.74
2135754 single		N. A.	209.07
Knee joints with ring l	ock (Becker 1002-B4)		
2155521 pair		92.59	458.02
2155406 single		N. A.	312.59
·	Swiss-type (Becker 1003-		
B4)			
2155547 pair		230.83	555.62
2155398 single		N. A.	326.18
Polycentric knee joints	s (USMC-0225-10)	52.24	120 00
2155554 pair		73.24	438.60
2155380 single		N. A.	232.69
Polycentric knee joints	s, for child (Becker 1006-C8)		
2155877 pair		216.98	580.95
2155372 single		N. A.	303.08
•	e free joints (Becker 1008-	11.71.	505.00
Beccharte unitaritat kine B4)			
2155588 pair		140.94	504.94
2155364 single		N. A.	344.07
Eccentric uniaxial ring	knee joints (Becker 1012-		
B4)			
2155885 pair		157.54	522.96
2155356 single		N. A.	314.71
2155497 Molded plastic ischiat	ic support	107.80	N. A.
2155489 Molded plastic femora	l shell with molded plastic	N. A.	504.77
ischiatic support			
2125508 External build-up on o		69.74	69.74
with orthosis, first 0.6	cm (¼ in.)		
2125516 External build-up on o	orthosis or shoe for limb fitted	23.76	23.76
with orthosis, each add	litional 0.6 cm (¼ in.)		
SUPPLEMENTS AVA			
SOTT LEWENTS AV	AILADLE		
3492501 Cane		10.19	10.19
3492550 Crutches with axillary	support, height-adjustable	20.38	20.38
3492551 Crutches with forearm	support, height-adjustable	56.05	56.05
ADJUSTMENTS AV.	AILABLE		

2136752 Stirrup changeover

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Molded plastic non-articulated femoral orthosis, made from plaster or digital mold of insured person	921.87			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Molded plastic splint, thigh, knee, leg and foot				
	Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2195527	Retention straps, each	N. C.	37.30		
	OPTIONAL COMPONENTS				
2135705	Knee cap and straps	109.08	153.53		
2195550	Abduction rod	131.60	154.88		
	Molded plastic ischiatic support	107.80			
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first $0.6 \text{ cm} (\frac{1}{4} \text{ in.})$	69.74			
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional $0.6 \text{ cm} (\frac{1}{4} \text{ in.})$	23.76	23.76		
	SUPPLEMENTS AVAILABLE				
3492501	Cane	10.19	10.19		
	Crutches with axillary support, height-adjustable	20.38			
	Crutches with forearm support, height-adjustable	56.05			
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2160539	Articulated femoral orthosis with unilateral upright	1,202.22			
	with rigid metal femoral and tibial cuffs	-,			6

Unilateral ankle free joint, aluminum Unilateral knee free joint, aluminum (Becker S- 2005-B4) Rigid metal cuffs with leather femoral and tibial jacket, including cover Retention straps COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS			
DASIC COMI ONENTS			
2135507 Regular stirrup	N. C.	129.93	
2135556 Rigid metal cuff with leather tibial jacket, including cover	N. C.	170.68	
2135895 Unilateral ankle free joint, aluminum	N. C.	175.69	
2135770 Unilateral knee free joint, aluminum (Becker S- 2005-B4)	N. C.	233.02	
2195592 Rigid metal cuff with leather femoral jacket, including cover	N. C.	288.12	
2195527 Retention straps, each	N. C.	37.30	
OPTIONAL COMPONENTS			
2135523 Laminated or molded plastic stirrup, made from mold of insured person	353.15	449.05	
2135606 Single malleolar strap	110.80	155.27	
2135614 Double malleolar strap	130.06	176.32	
2135705 Knee cap and straps	109.08	153.53	
2135663 Ankle spring joint, aluminum	8.30	177.25	
2135929 Double-action ankle spring joint, aluminum	35.94	209.07	
2135788 Knee joint with ring lock (Becker 1002-B4)	46.96	277.34	

2135796 Eccentric uniaxial knee free joint (Becker 1008-B4)	70.50	300.80
2135804 Eccentric uniaxial ring knee joint (Becker 1012-B4)	78.77	312.14
2175594 Hip joint (metal part), all types	309.88	356.10
2175610 Pelvic belt and metal band	296.66	319.90
2175511 Pelvic belt (leather)	N. A.	230.29
2175578 Replacement of pelvic belt metal band	N. A.	180.36
2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.)	69.74	69.74
2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	23.76	23.76
SUPPLEMENTS AVAILABLE		
3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05

ADJUSTMENTS AVAILABLE

2136752 Stirrup changeover

----- Any pertinent adjustment

SUBDIVISION 4: COXOFEMORAL ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2170504	Articulated coxofemoral orthosis with rigid metal femoral and tibial cuffs	2,246.27			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Regular stirrup Ankle free joints, aluminum (2) Knee free joints, aluminum (2) (Becker S-2005- B4) Thigh lacer with two rigid metal bands and femoral				
	leather jacket, including cover, and rigid metal cuff with leather or thermoplastic tibial jacket				
	Hip joint (metal part), all types				
	Retention straps				
	Pelvic belt and metal band				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2135507	Regular stirrup	N. C.	129.93		
	Ankle free joints, aluminum				
2135739	-	N.C.			
2135655	•	N. A. N. C.			
	Retention straps, each	N. C. N. C.			
2155550	Rigid metal cuff with leather or thermoplastic tibial jacket Knee free joints, aluminum (Becker S-2005-B4)	N. C.	170.08		
2155513	pair	N. C.	363.85		
2155414	-	N. A.			
	Thigh lacer with two rigid metal bands and femoral leather jacket, including cover	N. C.	288.12		
2175560	Hip joint (metal part), all types	N. C.	356.10		
2175537	Pelvic belt and metal band	N. C.	319.90		
	OPTIONAL COMPONENTS				
2135531	Rectangular stirrup	54.28	177.09		
	Laminated or molded plastic stirrup, made from mold of insured person	353.15	449.05		
2135606	Single malleolar strap	110.80	155.27		
2135705	Knee cap and straps Ankle spring joints, aluminum	109.08			
2135747		16.59			
2135853	single	N. A.	190.56		

Double-action ankle spring joints, aluminum

2135887 pair 2135754 single Knee joints with ring lock (Becker 1002-B4)	71.86 N. A.	350.74 209.07
2155521 pair 2155406 single Knee joints with lock, Swiss-type (Becker 1003-	92.59 N. A.	458.02 312.59
B4) 2155547 pair 2155398 single Polycentric knee joints (USMC-0225-10)	230.83 N. A.	555.62 326.18
2155554 pair 2155380 single Polycentric knee joints, for child (Becker 1006-C8)	73.24 N. A.	438.60 232.69
2155877 pair 2155372 single Eccentric uniaxial knee free joints (Becker 1008-	216.98 N. A.	580.95 303.08
B4) 2155588 pair 2155364 single Eccentric uniaxial ring knee joints (Becker 1012-	140.94 N. A.	504.94 344.07
B4) 2155885 pair 2155356 single 2175578 Replacement of pelvic belt metal band	157.54 N. A. N. A.	522.96 314.71 180.36
2175511 Pelvic belt (leather)2155737 Complete or full leather thigh lacer, without ischiatic support	N. A. 149.13	230.29 405.46
2155752 Complete or full leather thigh lacer, with leather ischiatic support	304.68	571.40
2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.)	69.74	69.74
2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¹ / ₄ in.)	23.76	23.76

SCHE	DULE 1	Tariff for devices wh	ich compensate for a	a motor deficiency		ed services ic version)
	SUPPLEMENTS AVAIL	ABLE				
3492501 3492550	Cane Crutches with axillary sup	port, height-adjustable	10.19 20.38			
	Crutches with forearm sup ADJUSTMENTS AVAIL		56.05	56.05		
2136752	Stirrup changeover Any pertinent adjustment	ADLL			85.05	
	DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Molded plastic articulated made from plaster or digit		2,159.88			6
	BASIC COMPONENTS	AND SUPPLEMENTS				
	Molded plastic femoral sh support Knee free joints, aluminu B4) Hip joint (metal part), all	n (2) (Becker S-2005-				
	Molded plastic posterior of extending under foot Retention straps Pelvic belt and metal band					
	COMPONENTS AND SU AVAILABLE	JPPLEMENTS				
	BASIC COMPONENTS					
	Molded plastic femoral sh support	ell without ischiatic	N. C.	388.14		
2155810	Molded plastic posterior of extending under foot Knee free joints, aluminu		N. C.	433.24		
2155513	-		N. C.			
2155414 2175560	single Hip joint (metal part), all	types	N. A. N. C.	230.30 356.10		
	Retention straps, each Pelvic belt and metal band	1	N. C. N. C.			
	OPTIONAL COMPONE					
2175578	Replacement of pelvic bel	t metal band	N. A.	180.36		
2175511	Pelvic belt (leather)		N. A.	230.29		

2155828 Ankle free joints with overlapping	70.29	N. A.	
Gilette ankle joints			
2155646 pair	166.31	144.98	
2155893 single	N. A.	91.86	
Oklahoma ankle joints			
2155653 pair	159.46	138.14	
2155901 single	N. A.	89.34	
Wafer ankle joints			
2155661 pair	178.72	157.43	
2155919 single	N. A.	98.95	
Tamarak ankle joints			
2155679 pair	173.26	151.93	
2155927 single	N. A.	96.22	
Gaffney ankle joints			
2155687 pair	187.30	164.25	
2155935 single	N. A.	101.50	
2135606 Single malleolar strap	110.80	155.27	
2135705 Knee cap and straps	109.08	153.53	
Ankle spring joints, aluminum			
2135747 pair	16.59	295.47	
2135853 single	N. A.	190.56	
2135820 Regular stirrup	89.40	129.93	
Double-action ankle spring joints, aluminum			
2125025 ·	51 07	250 54	
2135887 pair	71.86	350.74	
2135754 single	N. A.	209.07	
Knee joints with ring lock (Becker 1002-B4)			
2155521 pair	92.59	458.02	
215521 pan 2155406 single	92.39 N. A.	312.59	
Knee joints with lock, Swiss-type (Becker 1003-	14.74.	512.57	
B4)			
2155547 pair	230.83	555.62	
2155398 single	N. A.	326.18	
Polycentric knee joints (USMC-0225-10)	1	020110	
2155554 pair	73.24	438.60	
2155380 single	N. A.	232.69	
Polycentric knee joints, for child (Becker 1006-C8)			
· · · · · · · · · · · · · · · · · · ·			
2155877 pair	216.98	580.95	
2155372 single	N. A.	303.08	
Eccentric uniaxial knee free joints (Becker 1008-			
B4)			
2155588 pair	140.94	504.94	
2155364 single	N. A.	344.07	
Eccentric uniaxial ring knee joints (Becker 1012-			
B4)			
2155885 pair	157.54	522.96	
2155356 single	N. A.	314.71	

1

SCHE	EDULE 1	Tariff for devices whi	ch compensate for a	a motor deficiency		ed services tic version)
2155489	Molded plastic femoral shell w	rith molded plastic	N. A.	504.77		
2125508	ischiatic support External build-up on orthosis c with orthosis, first 0.6 cm (¼ in		69.74	69.74		
2125516	External build-up on orthosis c with orthosis, each additional (or shoe for limb fitted	23.76	23.76		
	SUPPLEMENTS AVAILABL	E				
3492501	Cane		10.19	10.19		
	Crutches with axillary support, Crutches with forearm support		20.38 56.05	20.38 56.05		
	ADJUSTMENTS AVAILABL	Æ				
	Stirrup changeover Any pertinent adjustment				85.05	
	DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2170702	Articulated coxofemoral orthog femoral cuffs and molded plast anterior tibial shell, made from mold of insured person	tic posterior or	2,224.69			6
	BASIC COMPONENTS AND	SUPPLEMENTS				
	Thigh lacer with two rigid meta leather jacket	al bands and femoral				
	Knee free joints, aluminum (2) B4)					
	Hip joint (metal part), all types	1				
	Molded plastic posterior or ant extending under foot Retention straps Pelvic belt and metal band	erior tibial shell				
	COMPONENTS AND SUPPL AVAILABLE	EMENTS				
	BASIC COMPONENTS					
2195501	Thigh lacer with two rigid meta leather jacket	al bands and femoral	N. C.	288.12		
2155810	Molded plastic posterior or ant extending under foot Knee free joints, aluminum (Be		N. C.	433.24		

2195527 Retention straps, each	N. C.	37.30
2175560 Hip joint (metal part), all types	N. C.	356.10
2175537 Pelvic belt and metal band	N. C.	319.90
OPTIONAL COMPONENTS		
2155828 Ankle free joints with overlapping	70.29	N. A.
Gilette ankle joints		
2155646 pair	166.31	144.98
2155893 single	N. A.	91.86
Oklahoma ankle joints		
2155653 pair	159.46	138.14
2155901 single	N. A.	89.34
Wafer ankle joints	178.72	157 42
2155661 pair 2155919 single	N. A.	157.43 98.95
Tamarak ankle joints	IN. A.	90.95
2155679 pair	173.26	151.93
2155927 single	N. A.	96.22
Gaffney ankle joints		
2155687 pair	187.30	164.25
2155935 single	N. A.	101.50
Ankle spring joints, aluminum		
2135747 pair	16.59	295.47
2135853 single	N. A.	190.56
Double-action ankle spring joints, aluminum		
2135887 pair	71.86	350.74
2135754 single	N. A.	209.07
2135606 Single malleolar strap	110.80	155.27
Knee joints with ring lock (Becker 1002-B4)		
2155521 pair	92.59	458.02
2155406 single	N. A.	312.59
Knee joints with lock, Swiss-type (Becker 1003- B4)		
2155547 pair	230.83	555.62
2155398 single	N. A.	326.18
Polycentric knee joints (USMC-0225-10)	1 11 1 11	520.10
2155554 pair	73.24	438.60
2155380 single	N. A.	232.69
Polycentric knee joints, for child (Becker 1006-C8)		
2155877 pair	216.98	580.95
2155372 single	N. A.	303.08
C		

	Eccentric uniaxial knee free joints (Becker 1008- B4)		
215559	88 pair	140.94	504.94
	64 single	N. A.	344.07
215550	Eccentric uniaxial ring knee joints (Becker 1012-	11. 11.	5.07
	Becker 1012- B4)		
215589	85 pair	157.54	522.96
	56 single	N. A.	314.71
	05 Knee cap and straps	109.08	153.53
	37 Complete or full leather thigh lacer, without	149.13	405.46
21007.	ischiatic support	117.15	102.10
21557	52 Complete or full leather thigh lacer, with leather	304.68	571.40
	ischiatic support		
21755	78 Replacement of pelvic belt metal band	N. A.	180.36
	• •		
21755	11 Pelvic belt (leather)	N. A.	230.29
	08 External build-up on orthosis or shoe for limb fitted	69.74	69.74
	with orthosis, first 0.6 cm (1/4 in.)		
21255	16 External build-up on orthosis or shoe for limb fitted	23.76	23.76
	with orthosis, each additional 0.6 cm (1/4 in.)		
	CUDDI EMENTE AVAU ADI E		
	SUPPLEMENTS AVAILABLE		
349250	01 Cane	10.19	10.19
34925	50 Crutches with axillary support, height-adjustable	20.38	20.38
	51 Crutches with forearm support, height-adjustable	56.05	56.05

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2170801 Articulated coxofemoral orthosis with molded plastic femoral shell, made from plaster or digital mold of insured person, and rigid metal cuff with leather or thermoplastic tibial jacket	2,509.52	2		6
BASIC COMPONENTS AND SUPPLEMENTS				
Regular stirrup Ankle free joints, aluminum (2) Knee free joints, aluminum (2) (Becker S-2005-B4)				

Rigid metal cuff with leather or thermoplastic jacket, including tibial cover

	COMPONENTS AND SUPPLEMENTS AVAILABLE		
	BASIC COMPONENTS		
213550	7 Regular stirrup	N. C.	129.93
213555	6 Rigid metal cuff with leather or thermoplastic jacket, including tibial cover	N. C.	170.68
	Knee free joints, aluminum (Becker S-2005-B4)		
215551	3 pair	N. C.	363.85
215541	4 single	N. A.	230.30
	Ankle free joints, aluminum		
213573	-	N. C.	287.44
	5 single	N. A.	175.69
215580	2 Molded plastic femoral shell without ischiatic	N. C.	388.14
217550	support	NG	256 10
21/556	0 Hip joint (metal part), all types	N. C.	356.10
219552	7 Retention straps, each	N. C.	37.30
	7 Pelvic belt and metal band	N. C.	319.90
21,000	OPTIONAL COMPONENTS	1.1.01	013.00
	1 Rectangular stirrup	54.28	177.09
	3 Molded or laminated plastic stirrup, made from mold of insured person	353.15	449.05
	6 Single malleolar strap	110.80	155.27
	4 Double malleolar strap	130.06	176.32
213570	5 Knee cap and straps Ankle spring joints, aluminum	84.48	115.29
213574	7 pair	16.59	295.47
213585	3 single	N. A.	190.56
	Double-action ankle spring joints, aluminum		
213588	7 pair	71.86	350.74
	4 single	N. A.	209.07
	Knee joints with ring lock (Becker 1002-B4)		
215552	1 pair	92.59	458.02
	l6 single	N. A.	312.59
	Knee joints with lock, Swiss-type (Becker 1003- B4)		
215554		230.83	555.62
	18 single	N. A.	326.18
	Polycentric knee joints (USMC-0225-10)		
215555		73.24	438.60
215538	0 single	N. A.	232.69

Polycentric knee joints, for child (Becker 1006-C8)

2155877 pair	216.98	580.95
2155372 single	N. A.	303.08
Eccentric uniaxial knee free joints (Becker 1008-		
B4)		
2155588 pair	140.94	504.94
2155364 single	N. A.	344.07
Eccentric uniaxial ring knee joints (Becker 1012-		
B4)		
2155885 pair	157.54	522.96
2155356 single	N. A.	314.71
2155497 Molded plastic ischiatic support	107.80	N. A.
2155489 Molded plastic femoral shell with molded plastic	N. A.	504.77
ischiatic support		
2125508 External build-up on orthosis or shoe for limb fitted	69.74	69.74
with orthosis, first 0.6 cm (1/4 in.)		
2125516 External build-up on orthosis or shoe for limb fitted	23.76	23.76
with orthosis, each additional 0.6 cm ($\frac{1}{4}$ in.)		
2175578 Replacement of pelvic belt metal band	N. A.	180.36
2175511 Pelvic belt (leather)	N. A.	230.29
SUPPLEMENTS AVAILABLE		
3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05
ADJUSTMENTS AVAILABLE		
212(752 Stimmer damassing		

2136752 Stirrup changeover

----- Any pertinent adjustment

SUBDIVISION 5: BILATERAL LOWER-LIMB ORTHOSES

D	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2190502 Fe	Femoral derotation orthosis	133.66			6
B	BASIC COMPONENTS AND SUPPLEMENTS				
М	Ietal bar with ratchet, fixed to shoes				
	COMPONENT AND SUPPLEMENT				
3325500 B	rticulated metal bar soots with rigid footplate and soft shell for Ponseti nethod	92.05	N. A.		
-	air	340.16			
	ingle .DJUSTMENTS AVAILABLE	N. A.	209.11		
	hoe changeover (unriveted)			40.62	
2196517 Sł	hoe changeover (riveted)			54.10	
A	any pertinent adjustment				
D	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarante (months)
2190510 C	coxofemoral derotation orthosis with torsion cable	571.30			6
B	BASIC COMPONENTS AND SUPPLEMENTS				
To Po H Cu	Cegular stirrup Forsion cable Pelvic belt (leather) Ip free joint (metal part) COMPONENTS AND SUPPLEMENTS VAILABLE				
B.	SASIC COMPONENTS				
	legular stirrup	N. C.			
2135507 R			121.04		
2195535 To	orsion cable	N.C.			
2195535 To 2175586 H	Forsion cable Iip free joint (metal part)	N. C. N. C. N. C.	110.12		
2195535 To 2175586 H 2175602 Pe	orsion cable	N. C.	110.12		

SUPPLEMENTS AVAILABLE 3492550 Crutches with axillary support, height-adjustable 3492551 Crutches with forearm support, height-adjustable ADJUSTMENTS AVAILABLE 2136752 Stirrup changeover Any pertinent adjustment	20.38 56.05		85.05	
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2190528 Pelvifemoral abduction orthosis, custom made	388.20			6
BASIC COMPONENTS AND SUPPLEMENTS				
Two plastic thigh cuffs Metal bar COMPONENT AND SUPPLEMENT None ADJUSTMENT AVAILABLE				

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2190544 Molded plastic pelvifemoral abduction orthosis for child, made from plaster or digital mold of insured person	1,174.85			6
BASIC COMPONENTS AND SUPPLEMENTS				
Molded plastic orthosis Retention straps				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
2195527 Retention straps, each OPTIONAL COMPONENTS	N. C.	37.30		
2195550 Abduction rod	131.60	154.88		
3122603 Extension to feet inclusively	672.15	N. A.		
2135705 Knee cap and straps ADJUSTMENT AVAILABLE	109.08	153.53		
Any pertinent adjustment				

DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2190536 Pelvifemoral or	rthosis, for young child	252.71			6
BASIC COMP	ONENTS AND SUPPLEMENTS				
Cloth harness of	or prefabricated plastic splint				
COMPONENT AVAILABLE None	AND SUPPLEMENT				
ADJUSTMEN	T AVAILABLE adjustment				
DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2180008 Articulated pel Scottish Rite-ty	vifemoral abduction orthosis,	1,582.01			6
BASIC COMP	ONENTS AND SUPPLEMENTS				
Rigid metal cu femoral jacket Metal bar Universal joint Pelvic band Retention strap	s				
COMPONENT AVAILABLE	TS AND SUPPLEMENTS				
BASIC COMP	ONENTS				
2195600 Rigid metal cu femoral jacket	ffs with leather or thermoplastic (2)	N. C.	295.20		
2195527 Retention strap		N. C.	. 37.30		
SUPPLEMEN	TS AVAILABLE				
3492550 Crutches with a	axillary support, height-adjustable	20.38	20.38		
	forearm support, height-adjustable T AVAILABLE	56.05	56.05		
Any pertinent a	ıdjustment				

SUBDIVISION 6: ADDITIONAL COMPONENTS FOR TIBIAL, FEMORAL AND COXOFEMORAL ORTHOSES

	Maximum price Purchase or replacement of device Maximum price of component alone	
2135564 Regular stirrup, additional 2135598 Rectangular stirrup, additional	89.40110.00142.37172.84	

SUBDIVISION 7: LOWER-LIMB ORTHOSES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2190601 Other lower-limb orthoses *	S. C.			6

* When price is below that of the similar orthosis

DIVISION V: UPPER-LIMB ORTHOSES SUBDIVISION 1: HAND ORTHOSES THAT MAY INCLUDE THE THUMB AND THE OTHER FINGERS

DE'	WICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	fabricated passive orthosis for proximal and tal interphalangeal joints				2
	umb				
2210003 If fi	irst finger	162.84	N. A.		
	udditional finger	38.94	N. A.		
Ind	lex				
2210029 If fi	irst finger	162.38	N. A.		
2210037 If a	udditional finger	38.94	N. A.		
Mic	ddle finger				
2210045 If fi	irst finger	162.38	N. A.		
2210052 If a	udditional finger	38.94	N. A.		
Rin	ng finger				
2210060 If fi	irst finger	162.38	N. A.		
2210078 If a	udditional finger	38.94	N. A.		
Litt	tle finger				
2210086 If fi	irst finger	162.38	N. A.		
2210094 If a	additional finger	38.94	N. A.		
BA	SIC COMPONENTS AND SUPPLEMENTS				
	ermoplastic or metal splint				
Stra	aps				
	MPONENT AND SUPPLEMENT AILABLE				
Nor	ne				
AD	DJUSTMENT AVAILABLE				
Any	y pertinent adjustment				
DE	WICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	afabricated dynamic orthosis for distal and/or and and/or and				2
ть.	umb				
2210102 If fi		158.23	N. A.		
2210102 11 11		130.23	IN. A.		

38.06

N. A.

2210110 If additional finger

Index		
2210128 If first finger	158.23	N. A.
2210136 If additional finger	38.06	N. A.
Middle finger		
2210144 If first finger	158.23	N. A.
2210151 If additional finger	38.06	N. A.
Ring finger		
2210169 If first finger	158.23	N. A.
2210177 If additional finger	38.06	N. A.
Little finger		
2210185 If first finger	158.23	N. A.
2210193 If additional finger	38.06	N. A.

BASIC COMPONENTS AND SUPPLEMENTS

Support pads Springs

COMPONENT AND SUPPLEMENT AVAILABLE

None

SCHEDULE 1

ADJUSTMENT AVAILABLE

Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
211.78	}		2
	Purchase or replacement of device	Purchase or Replacement of replacement of component or	Purchase or Replacement of adjustement replacement of component or price

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2220010	D Passive thumb orthosis including carpometacarpal, metacarpophalangeal and interphalangeal joints, made from plaster or digital mold of insured person	374.61	l		2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Molded component, thermoplastic or other material Straps				
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	- Any pertinent adjustment				
		Maximum price	Maximum price		
	DEVICE	Purchase or replacement of device	Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2220036	DEVICE 6 Molded plastic passive thumb orthosis including carpometacarpal, metacarpophalangeal and interphalangeal joints, made from mold of insured person or prefabricated	Purchase or replacement of	Replacement of component or supplement	adjustement	
2220036	6 Molded plastic passive thumb orthosis including carpometacarpal, metacarpophalangeal and interphalangeal joints, made from mold of insured	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
2220036	6 Molded plastic passive thumb orthosis including carpometacarpal, metacarpophalangeal and interphalangeal joints, made from mold of insured person or prefabricated	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
2220036	 Molded plastic passive thumb orthosis including carpometacarpal, metacarpophalangeal and interphalangeal joints, made from mold of insured person or prefabricated BASIC COMPONENTS AND SUPPLEMENTS Molded thermoplastic component 	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
2220036	 6 Molded plastic passive thumb orthosis including carpometacarpal, metacarpophalangeal and interphalangeal joints, made from mold of insured person or prefabricated BASIC COMPONENTS AND SUPPLEMENTS Molded thermoplastic component Straps COMPONENT AND SUPPLEMENT 	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
2220036	 6 Molded plastic passive thumb orthosis including carpometacarpal, metacarpophalangeal and interphalangeal joints, made from mold of insured person or prefabricated BASIC COMPONENTS AND SUPPLEMENTS Molded thermoplastic component Straps COMPONENT AND SUPPLEMENT AVAILABLE 	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
	 6 Molded plastic passive thumb orthosis including carpometacarpal, metacarpophalangeal and interphalangeal joints, made from mold of insured person or prefabricated BASIC COMPONENTS AND SUPPLEMENTS Molded thermoplastic component Straps COMPONENT AND SUPPLEMENT AVAILABLE None 	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2220028	Dynamic thumb orthosis, which may include carpometacarpal, metacarpophalangeal and interphalangeal joints, made from plaster or digital mold of insured person	506.79)		2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Stabilizing components Traction apparatus made with springs Piano wire, elastic bands Straps				
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2220044	Molded plastic dynamic thumb orthosis, which may include carpometacarpal, metacarpophalangeal and interphalangeal joints, made from mold of insured person or prefabricated	312.84	l		2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Stabilizing components Traction apparatus made with springs Piano wire, elastic bands Straps				
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				

SUBDIVISION 2: WRIST AND HAND ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2230548	Passive orthosis for wrist and hand including fingers and thumb, palmar or dorsal, made from plaster or digital mold of insured person	539.35			2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Splint Straps Bilateral fixed joints for dorsal orthosis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	OPTIONAL COMPONENT				
2231124	Finger separator, including straps	19.70	N. A.		
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Molded plastic passive orthosis for wrist and hand including fingers and thumb, palmar or dorsal, made from mold of insured person or prefabricated	365.68			2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Thermoplastic splint Straps Bilateral fixed joints for dorsal orthosis COMPONENTS AND SUPPLEMENTS AVAILABLE				
	OPTIONAL COMPONENT				
2231124	Finger separator, including straps	19.70	N. A.		
	ADJUSTMENT AVAILABLE				

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Passive orthosis for wrist, palmar or dorsal, including thumb extension, where applicable, made from plaster or digital mold of insured person	435.00			2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Thermoplastic splint, palmar or dorsal, or reinforced molded leather splint, including thumb extension, where applicable				
	Palmar or dorsal metacarpal bar Straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	OPTIONAL COMPONENT				
2231132	Full leather lining of thermoplastic splint	69.86	N. A.		
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2230571	DEVICE Plastic or molded plastic passive orthosis for wrist, including thumb extension, where applicable, made from mold of insured person or prefabricated	Purchase or replacement of	Replacement of component or supplement	adjustement	
2230571	Plastic or molded plastic passive orthosis for wrist, including thumb extension, where applicable, made	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
2230571	Plastic or molded plastic passive orthosis for wrist, including thumb extension, where applicable, made from mold of insured person or prefabricated	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
2230571	Plastic or molded plastic passive orthosis for wrist, including thumb extension, where applicable, made from mold of insured person or prefabricated BASIC COMPONENTS AND SUPPLEMENTS Plastic or molded plastic splint, prefabricated or made from mold of insured person, including thumb	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
2230571	Plastic or molded plastic passive orthosis for wrist, including thumb extension, where applicable, made from mold of insured person or prefabricated BASIC COMPONENTS AND SUPPLEMENTS Plastic or molded plastic splint, prefabricated or made from mold of insured person, including thumb extension, where applicable Palmar or dorsal metacarpal bar	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
2230571	Plastic or molded plastic passive orthosis for wrist, including thumb extension, where applicable, made from mold of insured person or prefabricated BASIC COMPONENTS AND SUPPLEMENTS Plastic or molded plastic splint, prefabricated or made from mold of insured person, including thumb extension, where applicable Palmar or dorsal metacarpal bar Straps COMPONENTS AND SUPPLEMENTS	Purchase or replacement of device	Replacement of component or supplement	adjustement	

2231165 Flexion glove 2231140 Wrist free joints (incompatible with wrist traction	114.70 77.90	N. A. N. A.
apparatus) 2231173 Wrist traction apparatus (incompatible with wrist	93.76	N. A.
free joints)	95.70	N. A.

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2230589 Prefabricated static wrist and dynamic finger orthosis, which may include Swanson-type thumb	615.48	3		2
BASIC COMPONENTS AND SUPPLEMENTS				
Transverse and longitudinal bars Palmar support Finger and thumb traction apparatus				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of	Maximum price Replacement of component or	Maximum adjustement price	Guarantee (months)

device

877.82

2230514	Custom-made	tenodesis	orthosis
2230314	Custom made	tenouesis	01010515

BASIC COMPONENTS AND SUPPLEMENTS

Stabilizing components for thumb, index finger and middle finger Metacarpophalangeal joints Wrist joints Forearm stabilizing component Telescoping rod

COMPONENT AND SUPPLEMENT AVAILABLE

None ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

2

price

supplement

SUBDIVISION 3: ELBOW, WRIST AND HAND ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2250017	Molded plastic passive elbow orthosis, anterior or posterior, made from mold of insured person	422.09			2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Splint including arm and forearm Straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	OPTIONAL COMPONENTS				
2255511	Suspension strap	30.58	N. A.		
	Elbow pad and strap	109.08			
2255529	Uniaxial or polycentric bilateral elbow joints	94.84	N. A.		
3492659	Turnbuckle	93.26	N. A.		
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2250009	DEVICE Passive elbow orthosis, anterior or posterior, made from plaster or digital mold of insured person	Purchase or replacement of	Replacement of component or supplement	adjustement	
2250009	Passive elbow orthosis, anterior or posterior, made	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
2250009	Passive elbow orthosis, anterior or posterior, made from plaster or digital mold of insured person	Purchase or replacement of device	Replacement of component or supplement	adjustement	. ,
2250009	Passive elbow orthosis, anterior or posterior, made from plaster or digital mold of insured person BASIC COMPONENTS AND SUPPLEMENTS Splint including arm and forearm	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
2250009	Passive elbow orthosis, anterior or posterior, made from plaster or digital mold of insured person BASIC COMPONENTS AND SUPPLEMENTS Splint including arm and forearm Straps COMPONENTS AND SUPPLEMENTS	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
2255511	Passive elbow orthosis, anterior or posterior, made from plaster or digital mold of insured person BASIC COMPONENTS AND SUPPLEMENTS Splint including arm and forearm Straps COMPONENTS AND SUPPLEMENTS AVAILABLE OPTIONAL COMPONENTS Suspension strap	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
2255511 2255503	Passive elbow orthosis, anterior or posterior, made from plaster or digital mold of insured person BASIC COMPONENTS AND SUPPLEMENTS Splint including arm and forearm Straps COMPONENTS AND SUPPLEMENTS AVAILABLE OPTIONAL COMPONENTS Suspension strap Elbow pad and strap	Purchase or replacement of device 542.85 30.58 109.08	Replacement of component or supplement N. A. 153.53	adjustement	(months)
2255511 2255503	Passive elbow orthosis, anterior or posterior, made from plaster or digital mold of insured person BASIC COMPONENTS AND SUPPLEMENTS Splint including arm and forearm Straps COMPONENTS AND SUPPLEMENTS AVAILABLE OPTIONAL COMPONENTS Suspension strap	Purchase or replacement of device 542.85 30.58	Replacement of component or supplement N. A. 153.53	adjustement	(months)
2255511 2255503 2255529	Passive elbow orthosis, anterior or posterior, made from plaster or digital mold of insured person BASIC COMPONENTS AND SUPPLEMENTS Splint including arm and forearm Straps COMPONENTS AND SUPPLEMENTS AVAILABLE OPTIONAL COMPONENTS Suspension strap Elbow pad and strap	Purchase or replacement of device 542.85 30.58 109.08	Replacement of component or supplement N. A. 153.53 N. A.	adjustement	(months)

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2270007	Glenohumeral orthosis, made from plaster or digital mold of insured person	542.85			2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Shoulder-to-epicondyle molded thermoplastic sleeve Thoracic straps Velcro straps for adjusting sleeve circumference				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	OPTIONAL COMPONENT				
2255511	Suspension strap	30.58	N. A.		
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Prefabricated adjustable passive abduction orthosis for the shoulder, elbow, wrist and hand airplane design	1,086.73			2
	BASIC COMPONENTS AND SUPPLEMENTS Thoracic and pelvic support				
	Adjustable shoulder and elbow joints Arm, forearm and hand splints Adjustable stabilizing bar between truncular and humeral support Anchor straps Pads				
	Adjustable shoulder and elbow joints Arm, forearm and hand splints Adjustable stabilizing bar between truncular and humeral support Anchor straps				
	Adjustable shoulder and elbow joints Arm, forearm and hand splints Adjustable stabilizing bar between truncular and humeral support Anchor straps Pads COMPONENTS AND SUPPLEMENTS				
	Adjustable shoulder and elbow joints Arm, forearm and hand splints Adjustable stabilizing bar between truncular and humeral support Anchor straps Pads COMPONENTS AND SUPPLEMENTS AVAILABLE	133.10	N. A.		

SUBDIVISION 4: SHOULDER, ELBOW, WRIST AND HAND ORTHOSES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2270015 Prefabricated glenohumeral orthosis	437.46	5		2
BASIC COMPONENTS AND SUPPLEMENTS				
Shoulder-to-epicondyle molded thermoplastic sleeve Thoracic straps Velcro straps for adjusting sleeve circumference				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				

SUBDIVISION 5: UPPER-LIMB ORTHOSES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2290609 Other upper-limb orthoses *	S. C			2
* When the price is below that of the similar				

orthosis

DIVISION VI: TRUNK AND CERVICAL ORTHOSES SUBDIVISION 1: TRUNK ORTHOSE

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2320505 Prefabricated lumbar sacral immobilization orthosis, to limit anteroposterior and lateral movements of the spine, molded plastic or metal structure, Harris, Knight or Williams-type	520.71			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2320604 Lumbar sacral orthosis with rigid molded thermoplastic plate, made from mold of insured person (Ortho-mold-type)	328.93			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2320513 Plastic lumbar sacral immobilization orthosis, made from plaster or digital mold of insured person	992.46			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
ADJOUTINENT AVAIEADEL				

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2340503 Custom-made rigid-frame dorsal lumbar immobilization orthosis (Taylor or Harris-Taylor-	709.69			3
COMPONENTS AND SUPPLEMENTS AVAILABLE				
OPTIONAL COMPONENTS				
3342508 Axilla crutch 2345502 Corrective pad	67.19 67.38			3 3
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2340602 Dorsal lumbar orthosis with rigid molded thermoplastic plate, made from mold of insured person (Ortho-mold-type) COMPONENT AND SUPPLEMENT AVAILABLE	461.01			3
None				
ADJUSTMENT AVAILABLE				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2340701 Rigid dorsal lumbar immobilization orthosis covered in whale fabric (Taylor or Harris-Taylor- type) (Camp, Airway make)	389.28			3

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2340537 Plastic dorsal lumbar sacral immobilization orthosis with bilateral overlapping resulting from double molding, made from plaster or digital mold of insured person	1,579.66			3
COMPONENT AND SUPPLEMENT AVAILABLE				
3125500 Minerva cervical extension	257.70	390.02		
ADJUSTMENT AVAILABLE				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2340404 Prefabricated molded plastic dorsal lumbar sacral immobilization orthosis (Boston Overlap Brace- type)	621.92			3
COMPONENT AND SUPPLEMENT AVAILABLE				
3125500 Minerva cervical extension	257.70	390.02		
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)

SCHI	EDULE 1	Tariff for devices whi	ch compensate for	a motor deficiency		nted services ntic version)
2340578	Plastic dorsal lumbar sacral in made from plaster or digital m		1,363.04			3
	COMPONENT AND SUPPLI AVAILABLE	EMENT				
3125500	Minerva cervical extension		257.70	390.02		
	ADJUSTMENT AVAILABL	E				
	Any pertinent adjustment					
	DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2350528	Prefabricated hyperextension of Florida Brace) COMPONENT AND SUPPLI AVAILABLE	× ·	562.88			3
	None					
	ADJUSTMENT AVAILABL	Ē				
	Any pertinent adjustment					
	DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2380509	Cervical dorsal lumbar sacral orthosis with plastic base, mad digital mold of insured person	le from plaster or	2,057.51			3
	BASIC COMPONENT AND	SUPPLEMENT				
	Pelvic component, made from mold of insured person	plaster or digital				
	COMPONENTS AND SUPPI AVAILABLE	LEMENTS				
	BASIC COMPONENT					
2385508	Pelvic component, made from mold of insured person	plaster or digital	N. C.	1,221.91		3
	ADJUSTMENT AVAILABL	E				
	Any pertinent adjustment					

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2380004 Prefabricated cervical dorsal lumbar sacral immobilization orthosis with molded plastic base (Milwaukee-type)	1,629.56	ì		3
BASIC COMPONENT AND SUPPLEMENT				
Prefabricated pelvic component COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENT				
2385516 Prefabricated pelvic component	N. C.	823.92		3
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2380020 Charleston hypercorrective cervical dorsal lumbar sacral orthosis, made from plaster or digital mold of insured person	1,483.94			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2380533 Cervical dorsal lumbar sacral orthosis (Lyonnais-	2,097.79			3
BASIC COMPONENT AND SUPPLEMENT				-
Prefabricated pelvic component, made from plaster or digital mold of insured person				

SCHE	DULE 1	Tariff for devices whi	ch compensate for	a motor deficiency		ted services tic version)
	COMPONENTS AND SUPP	LEMENTS AVAILAE			× ×	,
	BASIC COMPONENT					
2385524	Prefabricated pelvic compone or digital mold of insured pers ADJUSTMENT AVAILABL	son	N. C.	1,221.91		3
	Any pertinent adjustment					
	DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2380525	Prefabricated corrective dorsa (Boston-type)	l lumbar orthosis	1,053.40			3
	COMPONENT AND SUPPL	EMENT				
	None					
	ADJUSTMENT AVAILABL	Е				
	Any pertinent adjustment					
	DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2380012	Corrective dorsal lumbar orthoplaster or digital mold of insurtype)		1,590.83			3
	COMPONENT AND SUPPL	EMENT				
	None					
	ADJUSTMENT AVAILABL	E				
	Any pertinent adjustment					
	DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2340000	Corrective orthosis for child,	Cheneau-type	2,678.30			3
	COMPONENT AND SUPPL	EMENT				
	None					
	ADJUSTMENT AVAILABL	E				
	Any pertinent adjustment					

SUBDIVISION 2: CERVICAL ORTHOSES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2370500 Thermoplastic cervical orthosis with ster support, made from plaster or digital mo insured person		4		3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2370559 Prefabricated semi-rigid cervical orthosi (Philadelphia design)	218.82	2		3
COMPONENT AND SUPPLEMENT AVAILABLE				
None ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2370518 Cervical orthosis with multiple vertical	prights 376.40	0		3
COMPONENT AND SUPPLEMENT				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
<u>NOTICE: A Halo cervical orthosis (Hal</u> not an insured device. Therefore, it cann <u>considered in the same way as a Minerv</u> orthosis.	<u>ot be</u>			

			(uuinentie version)		
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)	
2370526 Minerva molded plastic cervical orthosis, made from plaster or digital mold of insured person	1,654.63	5		3	
COMPONENT AND SUPPLEMENT AVAILABLE					
None					
ADJUSTMENT AVAILABLE					
Any pertinent adjustment					
<u>NOTICE: A Halo cervical orthosis (Halo vest) is</u> <u>not an insured device. Therefore, it cannot be</u> <u>considered in the same way as a Minerva cervical</u> <u>orthosis.</u>					
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)	
2370609 Minerva prefabricated cervical orthosis	969.25	5		3	
COMPONENT AND SUPPLEMENT					
None					
ADJUSTMENT AVAILABLE					
Any pertinent adjustment					
<u>NOTICE: A Halo cervical orthosis (Halo vest) is</u> <u>not an insured device. Therefore, it cannot be</u> <u>considered in the same way as a Minerva cervical</u> <u>orthosis.</u>					
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guaranted (months)	
2370534 Cervical orthosis (SOMI-type)	749.00)		3	
COMPONENTS AND SUPPLEMENTS AVAILABLE					
OPTIONAL COMPONENT					
ADJUSTMENT AVAILABLE				-	
Any pertinent adjustment					

SUBDIVISION 3: OTHER TRUNK AND CERVICAL ORTHOSES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2390607 Other trunk orthoses *	S. C.			3
2371003 Other cervical orthoses *	S. C.			3

* When the price is below that of the similar orthosis

DIVISION VII: AMBULATION AIDS

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
4490009	Quad cane, height-adjustable	35.42			12
	BASIC COMPONENT AND SUPPLEMENT				
	Tip				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENT				
4495727	Tip (per pair)	N. C.	2.57		
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
4490017	Crutches with axillary support, height-adjustable	20.24			12
	BASIC COMPONENTS AND SUPPLEMENTS				
	Tips (2) Axillary pads (2) Handrest covers (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
4495727 4495743 4495750	Tips (per pair) Axillary pads (per pair) Handrest covers (per pair)	N. C. N. C. N. C.	2.57		
	OPTIONAL COMPONENTS				
4495768	Flip-up ice tips with four or five prongs Pair Unit	10.29 N. A.			
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
4490018	Crutches with forearm support, height-adjustable	55.66			12

	BASIC COMPONENTS AND SUPPLEMENTS				
	Tips (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
4495727	7 Tips (per pair)	N. C.	2.57		
	OPTIONAL COMPONENTS				
4495768	8 Flip-up ice tips with four or five prongs Pair Unit	10.29 N. A.	N. A. 5.14		
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
4490082	2 Anterior walker, folding, without wheels or with wheels (2), height-adjustable	50.60			12
	BASIC COMPONENTS AND SUPPLEMENTS				
	Tips (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
4495727	AVAILABLE	N. C.	2.57		
4495727	AVAILABLE BASIC COMPONENTS	N. C.	2.57		
	AVAILABLE BASIC COMPONENTS 7 Tips (2)	N. C.	2.57		
	AVAILABLE BASIC COMPONENTS 7 Tips (2) OPTIONAL COMPONENTS 5 Walker skis on rear legs Pair	12.14	12.14		
4495776	AVAILABLE BASIC COMPONENTS 7 Tips (2) OPTIONAL COMPONENTS 5 Walker skis on rear legs Pair Unit				
4495776	AVAILABLE BASIC COMPONENTS 7 Tips (2) OPTIONAL COMPONENTS 5 Walker skis on rear legs Pair Unit 5 Rear hand brakes	12.14 6.07	12.14 6.07		
4495776	AVAILABLE BASIC COMPONENTS 7 Tips (2) OPTIONAL COMPONENTS 5 Walker skis on rear legs Pair Unit 5 Rear hand brakes Pair	12.14 6.07 51.39	12.14 6.07 N. A.		
4495776 4495826	AVAILABLE BASIC COMPONENTS 7 Tips (2) OPTIONAL COMPONENTS 5 Walker skis on rear legs Pair Unit 5 Rear hand brakes Pair Unit	12.14 6.07	12.14 6.07		
4495776 4495826	AVAILABLE BASIC COMPONENTS 7 Tips (2) OPTIONAL COMPONENTS 5 Walker skis on rear legs Pair Unit 5 Rear hand brakes Pair	12.14 6.07 51.39	12.14 6.07 N. A.		

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Anterior walker, without wheels or with wheels (2), height-adjustable, weighted or bariatric type	111.32			12
	BASIC COMPONENTS AND SUPPLEMENTS				
	Tips (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
4495727	Tips (per pair)	N. C.	2.57		
	OPTIONAL COMPONENTS				
4495776	Walker skis on rear legs				
	Pair	12.14	12.14		
	Unit	6.07	6.07		
4495826	Rear hand brakes				
	Pair	51.39	N. A.		
	Unit	N. A.	25.69		
4495784	Forearm supports				
	Pair	156.74	N. A.		
	Unit	78.38	78.38		
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Anterior walker, folding, with 2 wheels, height- adjustable, for child	156.86			12
	BASIC COMPONENTS AND SUPPLEMENTS				
	Tips (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
4495727	Tips (per pair)	N. C.	2.57		
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guaranted (months)
	Posterior walker, folding, with wheels (2 or 4), and height-adjustable, for child	232.76			12

	BASIC COMPONENTS AND SUPPLEMENTS				
	Tips (2) COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
4495727	Tips (2)	N. C.	2.57		
	OPTIONAL COMPONENTS				
4495784	Forearm supports (2)				
	Pair	156.74	N. A.		
	Unit	78.38	78.38		
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
4490166	Walker with wheels 4, height-adjustable with thoracic support, depth-adjustable and width- adjustable, for child	657.80			12
	BASIC COMPONENTS AND SUPPLEMENTS Steel frame Thoracic support, with cover Flexible seat Front bumpers (4) Wheelbrakes (4)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
4495835	Steel frame, height-adjustable	N. C.	566.72		
	Thoracic support, depth-adjustable with cover	N. C.	298.54		
4495867	Flexible seat	N. C.	69.37		
4495875	Front bumpers (4)	N. C.	N. A.		
	Tione sumpers (1)				
4495883	Wheelbrakes (4)	N. C.	34.70		
4495883			34.70		
	Wheelbrakes (4)		34.70 178.57		
4495917	Wheelbrakes (4) OPTIONAL COMPONENTS	N. C.			

DIVISION VIII: STANDING AIDS

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2192276 Parapodium, for child (Variety Village system)	2,561.88	3		3
BASIC COMPONENTS AND SUPPLEMENTS				
Prefabricated parapodium orthosis				
COMPONENT AND SUPPLEMENT				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2192292 Parapodium, for adult (Variety Village system)	3,479.50)		3
BASIC COMPONENTS AND SUPPLEMENTS				
Prefabricated parapodium orthosis				
COMPONENT AND SUPPLEMENT				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2192284 Orthopodium	1,505.48	3		3
BASIC COMPONENTS AND SUPPLEMENTS				
Prefabricated orthopodium				
COMPONENT AND SUPPLEMENT				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				

PART II: AIDS FURNISHED SOLELY BY AN INSTITUTION DIVISION I: UPPER-LIMB PROSTHESES

DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1242106 Myoelectric c	ubital prosthesis	5,945.65	i		6
BASIC COM	PONENTS AND SUPPLEMENTS				
-	ted plastic socket, made from plaster d of insured person				
cable, 1 coaxi Lamination co Pack Electrode (1) Standard batte	ery				
Standard char Prosthetic glo	ger ve (Otto Bock)				
COMPONEN AVAILABLE	TS AND SUPPLEMENTS				
BASIC COM	PONENTS				
-	ated plastic socket, made from plaster d of insured person	N. C.	2,541.03		
•	em (1 connecting cable, 1 electrode al outlet, 1 coupling component)	N. C.	*		
1245703 Lamination co	ollar (wrist)	N. C.	*		
1245752 Pack		N. C.	*		
1245711 First electrode		N. C.	*		
1245729 Additional ele	ectrode	1,559.87	1,559.87		
1245745 Additional ele	ectrode cable	88.42	88.42		
1245760 Standard batte	•	N. C.			
1245778 Standard char	-	N. C.			
3223005 Prosthetic glo	ve (Otto Bock)	N. C.	333.40		
OPTIONAL O	COMPONENTS				
1245786 Double flexof	orm socket	308.52	428.31		
3223039 Electric hand	(Otto Bock) for one 6 ³ / ₄ electrode	4,539.80	4,539.80		
3223302 Electric hand electrode	(Otto Bock) for one $7\frac{1}{4}$ and $7\frac{3}{4}$	5,136.80	5,136.80		
3223310 Electric hand	(Otto Bock) for one 8¼ electrode	5,382.79	5,382.79		
	(Otto Bock) for two 6 ³ / ₄ electrodes	4,063.03			
3223336 Electric hand electrodes	(Otto Bock) for two $7\frac{1}{4}$ and $7\frac{3}{4}$	5,596.30	5,596.30		
	(Otto Bock) for two 81/4 electrodes	5,882.06	5,882.06		

Electric hands (VASI):		
3223047 - 0 to 3 years for one electrode	6,216.14	6,216.14
3223054 - 2 to 6 years for two electrodes	6,216.14	6,216.14
3223062 - 5 to 9 years for two electrodes	6,625.20	6,625.20
3223070 Electric hand (Steeper), 1.75	3,920.65	3,920.65
3223351 Electric hand (Steeper), 2.00	4,085.12	4,085.12
3223369 Electric hand (Steeper), 2.25 to 3.25	4,411.27	4,411.27
3223088 Electric hand 2000 (Otto Bock) for two 5 electrodes	6,368.18	6,368.18
3223377 Electric hand 2000 (Otto Bock) for two 5 ¹ / ₂ and 6 electrodes	6,668.05	6,668.05
3223385 Electric hand 2000 (Otto Bock) for two 6 ¹ / ₂ electrodes	6,938.92	6,938.92
1245828 Electronic box for electric hand 2000	1,487.03	1,487.03
1245836 Battery (1) for electric hand 2000	42.84	42.84
1245844 Electrode cables (2) for electric hand 2000	134.06	134.06
1245802 Charger for hand 2000	143.72	143.72
3223096 Electric hook for one electrode	5,270.87	5,270.87
3223104 Electric hook for two electrodes	5,082.92	5,082.92
Electronics module system:		
3232824 Electric wrist rotator	388.34	388.34
3232832 Myoelectrically controlled prosthetic wrist, including a control unit	5,915.41	5,915.41
1245919 Rapid charger	806.61	806.61
1245810 Activating switch	258.64	258.64
Adaptations to make prosthesis mechanical:		
3232840 Quick disconnect wrist	791.87	791.87
3222965 Hook, 99X-type	630.30	699.76
1295716 Suspension harness	133.55	208.92
1295724 Control cable, terminal connections and housing (reinforced materials)	178.25	253.64
SUPPLEMENT AVAILABLE		
1245851 Conductor gel	6.90	6.90
ADJUSTMENT AVAILABLE		
Any pertinent adjustment		

----- Any pertinent adjustment

* Repair. Indicate materials and labour. Supporting documents must be kept on file

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1242502	242502 Myoelectric prosthesis for dislocation of wrist				6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Single laminated plastic socket, made from plaster or digital mold of insured person				
	Electrical system (1 connecting cable, 1 electrode cable)				
	Pack				
	Electrode (1)				
	Standard battery Standard charger				
	Prosthetic glove (Otto Bock)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1245927	Single laminated plastic socket, made from plaster or digital mold of insured person	N. C.	2,394.74		
1245935	Electrical system (1 connecting cable, 1 electrode cable)	N. C.	*		
1245752	Pack	N. C.	*		
1245711	First electrode	N. C.	*		
1245729	Additional electrode	1,559.87	1,559.87		
	Additional electrode cable	88.42			
	Standard battery	N. C.			
	Standard charger	N. C.			
3223005	Prosthetic glove (Otto Bock), fitting included	N. C.	333.40		
	OPTIONAL COMPONENTS				
	Double flexoform socket	308.52	428.31		
3223039	Electric hand (Otto Bock) for one 6 ³ / ₄ electrode	4,539.80	4,539.80		
3223302	Electric hand (Otto Bock) for one 7 ¹ / ₄ or 7 ³ / ₄ electrode	5,136.80	5,136.80		
3223310	Electric hand (Otto Bock) for one 81/4 electrode	5,382.79	5,382.79		
	Electric hand (Otto Bock) for two 6 ³ / ₄ electrodes	4,063.03	4,063.03		
3223336	Electric hand (Otto Bock) for two $7\frac{1}{4}$ and $7\frac{3}{4}$ electrodes	5,596.30	5,596.30		
3223344	Electric hand (Otto Bock) for two 81/4 electrodes	5,882.06	5,882.06		
	Electric hand (Steeper), 1.75	3,920.65	3,920.65		
	Electric hand (Steeper), 2.00	4,085.12			
3223369	Electric hand (Steeper), 2.25 to 3.25	4,411.27	4,411.27		

3223088 Electric hand 2000 (Otto Bock) for two 5 electrodes	6,368.18	6,368.18
3223377 Electric hand 2000 (Otto Bock) for two 5 ¹ / ₂ and 6 electrodes	6,668.05	6,668.05
3223385 Electric hand 2000 (Otto Bock) for two 6 ¹ / ₂ electrodes	6,938.92	6,938.92
1245828 Electronic box for electric hand 2000	1,487.03	1,487.03
1245836 Battery (1) for electric hand 2000	42.84	42.84
1245844 Electrode cables (2) for electric hand 2000	134.06	134.06
1245802 Charger for hand 2000	143.72	143.72
3223096 Electric hook for one electrode	5,270.87	5,270.87
3223104 Electric hook for two electrodes	5,082.92	5,082.92
1245919 Rapid charger	806.61	806.61
1245810 Activating switch	258.64	258.64
SUPPLEMENT AVAILABLE		
1245851 Conductor gel	6.90	6.90
ADJUSTMENT AVAILABLE		
Any pertinent adjustment		

* Repair. Indicate materials and labour. Supporting documents must be kept on file

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1262104 Myoelectric humeral prosthesis	8,915.78	;		6
BASIC COMPONENTS AND SUPPLEMENTS				
Single laminated plastic socket, made from plaster or digital mold of insured person				
Electrical system (1 connecting cable, 1 electrode cable, 1 coaxial outlet, 1 coupling component) Lamination collar (wrist) Elbow with internal lock, model E-400 Pack Electrode (1) Standard battery Standard charger Prosthetic glove (Otto Bock) COMPONENTS AND SUPPLEMENTS				
COMPONENTS AND SUPPLEMENTS AVAILABLE				

BASIC COMPONENTS		
1245869 Single laminated plastic socket, made from plaster or digital mold of insured person	N. C.	3,317.45
1245695 Electrical system (1 connecting cable, 1 electrode cable, 1 coaxial outlet, 1 coupling component)	N. C.	*
1265529 Elbow with internal lock, model E-400	N. C.	1,193.78
1245703 Lamination collar (wrist)	N. C.	*
1245752 Pack	N. C.	*
1245711 First electrode	N. C.	*
1245729 Additional electrode	1,559.87	1,559.87
1245745 Additional electrode cable	88.42	88.42
1245760 Standard battery	N. C.	*
1245778 Standard charger	N. C.	*
3223005 Prosthetic glove (Otto Bock), fitting included	N. C.	333.40
OPTIONAL COMPONENTS		
1265560 Double flexoform socket	389.53	509.28
1265578 Additional cost of socket where elbow joint has	230.79	230.79
external lock	250.77	230.79
3223039 Electric hand (Otto Bock) for one 6 ³ / ₄ electrode	4,539.80	4,539.80
3223302 Electric hand (Otto Bock) for one 7 ¹ / ₄ or 7 ³ / ₄	5,136.80	5,136.80
electrode	5 202 50	5 202 50
3223310 Electric hand (Otto Bock) for one 8 ¹ / ₄ electrode	5,382.79	5,382.79
3223328 Electric hand (Otto Bock) for two 6 ³ / ₄ electrodes	4,063.03	4,063.03
3223336 Electric hand (Otto Bock) for two 7 ¹ / ₄ and 7 ³ / ₄ electrodes	5,596.30	5,596.30
3223344 Electric hand (Otto Bock) for two 8 ¹ / ₄ electrodes	5,882.06	5,882.06
Electric hands (VASI):	()1(14	()1(14
3223047 - 0 to 3 years for one electrode	6,216.14	6,216.14
3223054 - 2 to 6 years for two electrodes	6,216.14	6,216.14
3223062 - 5 to 9 years for two electrodes	6,625.20	6,625.20
3223070 Electric hand (Steeper), 1.75	3,920.65	3,920.65
3223351 Electric hand (Steeper), 2.00	4,085.12	4,085.12
3223369 Electric hand (Steeper), 2.25 to 3.25	4,411.27	4,411.27
3223088 Electric hand 2000 (Otto Bock) for two 5 electrodes	6,368.18	6,368.18
3223377 Electric hand 2000 (Otto Bock) for two 5 ¹ / ₂ and 6 electrodes	6,668.05	6,668.05
3223385 Electric hand 2000 (Otto Bock) for two 6 ¹ / ₂ electrodes	6,938.92	6,938.92
1245828 Electronic box for electric hand 2000	1,487.03	1,487.03
1245836 Battery (1) for electric hand 2000	42.84	42.84
• * /		

SCHEDULE 1	Tariff for devices which c	compensate for a mo	otor deficiency and	insured related services (authentic version)
1245844 Electrode cables (2) for elect	ric hand 2000	134.06	134.06	
1245802 Charger for hand 2000		143.72	143.72	
3223096 Electric hook for one electro	de	5,270.87	5,270.87	
3223104 Electric hook for two electro	des	5,082.92	5,082.92	
Electronics module system:				
3232824 Electric wrist rotator		388.34	388.34	
3232832 Myoelectrically controlled pr including a control unit	rosthetic wrist,	5,915.41	5,915.41	
1265586 Electric elbow (Hosmer) with battery, charger, switch)	h switch (including one	8,402.04	8,402.04	
1245919 Rapid charger		806.61	806.61	
1245810 Activating switch		258.64	258.64	
Adaptations to make prosthe	sis mechanical:			
3232840 Quick disconnect wrist		791.87	791.87	
3222965 Hook, 99X-type		630.30	699.76	
1295716 Suspension harness		133.55	208.92	
1295724 Control cable, terminal conne (reinforced materials)	ections and housing	178.25	253.64	
1295559 Flexion assist mechanism		438.96	539.69	
SUPPLEMENTS AVAILAE	BLE			
1245851 Conductor gel		6.90	6.90	

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

* Repair. Indicate materials and labour.

Supporting documents must be kept on file

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1242205 Electro-mechanical cubital prosthesis BASIC COMPONENTS AND SUPPLEMENTS	4,613.20			6
Single laminated plastic socket, made from plaster or digital mold of insured person				
Electrical system (1 connecting cable, 1 coaxial outlet, cable connecting switch to coaxial outlet, switch) Lamination collar (wrist) Standard batteries (2)				

COMPONENTS AND SUPPLEMENTS AVAILABLE		
BASIC COMPONENTS		
1245687 Single laminated plastic socket, made from plaster or digital mold of insured person	N. C.	2,541.03
1245885 Electrical system (1 connecting cable, 1 coaxial outlet, cable connecting switch to coaxial outlet, switch)	N. C.	*
1245703 Lamination collar (wrist)	N. C.	*
1245752 Pack	N. C.	*
1245893 Standard batteries (2)	N. C.	*
1245778 Standard charger	N. C.	*
3223005 Prosthetic glove (Otto Bock)	N. C.	333.40
OPTIONAL COMPONENTS		
124579C D 11 0 C 1 4	308.52	429.21
1245786 Double flexoform socket		428.31
3223039 Electric hand (Otto Bock) for one 6 ³ / ₄ electrode 3223302 Electric hand (Otto Bock) for one 7 ¹ / ₄ or 7 ³ / ₄	4,539.80	4,539.80
electrode	5,136.80	5,136.80
3223310 Electric hand (Otto Bock) for one 81/4 electrode	5,382.79	5,382.79
3223328 Electric hand (Otto Bock) for two 6 ³ / ₄ electrodes	4,063.03	4,063.03
3223336 Electric hand (Otto Bock) for two 7 ¹ / ₄ and 7 ³ / ₄ electrodes	5,596.30	5,596.30
3223344 Electric hand (Otto Bock) for two 81/4 electrodes	5,882.06	5,882.06
Electric hands (VASI):		
3223047 - 0 to 3 years for one electrode	6,216.14	6,216.14
3223054 - 2 to 6 years for two electrodes	6,216.14	6,216.14
3223062 - 5 to 9 years for two electrodes	6,625.20	6,625.20
3223070 Electric hand (Steeper), 1.75	3,920.65	3,920.65
3223351 Electric hand (Steeper), 2.00	4,085.12	4,085.12
3223369 Electric hand (Steeper), 2.25 to 3.25	4,411.27	4,411.27
3223096 Electric hook for one electrode	5,270.87	5,270.87
3223104 Electric hook for two electrodes	5,082.92	5,082.92
1245919 Rapid charger	806.61	806.61
1245810 Activating switch	258.64	258.64
Adaptations to make prosthesis mechanical:		
3232840 Quick disconnect wrist	791.87	791.87
3222965 Hook, 99X-type	630.30	699.76
1295716 Suspension harness	133.55	208.92
1295724 Control cable, terminal connections and housing	178.25	253.64
(rainformed metericle)	1,0.20	

(reinforced materials)

*

*

SUPPLEMENTS AVAILABLE

----- Stump sock

* (consult Division II of this Part for the codes and prices of these supplements)

ADJUSTMENT AVAILABLE ------ Any pertinent adjustment

DIVISION II: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES

See Title One, Part I, Division III, "SOCKS FOR PROSTHESES"

DIVISION III: AMBULATION AIDS

4490181 Other non-listed ambulation aids	S. C.
GUARANTEE PERIOD: 1 year	
4490421 Non-listed ambulation aid component (S. C.)	S. C.

PART III: ELEMENTS INCLUDED IN THE PRICES OF THE DEVICES:

1. The maximum price for the purchase or replacement of an insured device referred to in Part I or II of this Title includes the following elements:

(1) the maximum price for its basic components and supplements;

(2) the cost of its manufacture;

(3) the cost of fittings required while it is being manufactured, up to and including the final installation;

(4) the cost of fittings and repairs during the guarantee period referred to in this Title in respect of each device, beginning immediately after the final installation and during which any fitting or repair of a device used under normal conditions is made, in order to bring the device into conformity with the original medical prescription, where the beneficiary's physical condition has not changed, and to enable the beneficiary to derive maximum benefit from the device.

2. The maximum replacement cost of a component or supplement for a device referred to in Part I or II of this Title includes the following elements:

(1) the cost price of the materials;

(2) the cost of its manufacture, if any;

(3) the cost of fitting and installation.

3. The maximum price for a cane includes the safety tip, and the fixed price for a pair of height-adjustable axillary crutches includes the safety tips, the axillary pads and the elastomer handrest covers.

4. The maximum price for a standard post-operative prosthesis assumed by the Board following the amputation of a lower limb includes the supply, even if temporary, of the components required for the entire time the prosthesis is worn, the work performed in the operating room, the waiting period, the application of a rigid bandage, the fixation of the pylon and foot, and the changing of the rigid bandage as required.

5. The maximum price for a post-operative pneumatic prosthesis assumed by the Board following the amputation of a lower limb includes the supply, even if temporary, of the components required for the entire time the prosthesis is worn, the work performed at the institution, the waiting period, and the installation of the pneumatic lining, metallic support and means of suspension.

6. The maximum price for a temporary prosthesis assumed by the Board includes, for the entire time the prosthesis is worn, the supply, even if temporary, of the components, the manufacture of or modifications made to the socket, the means of suspension required, as well as the alignment and fittings required.

TITLE TWO: LOCOMOTOR AND POSTURE ASSISTS (FURNISHED SOLELY BY AN INSTITUTION)

PART I: LOCOMOTOR ASSISTS DIVISION I: ADULT WHEELCHAIRS SUBDIVISION 1: MANUAL WHEELCHAIRS

	PRICE	
	(including all	
	the basic	
	components)	
7150000 MANUAL WHEELCHAIRS	910.00	
IN SUBCATEGORY "BASIC (FOLDING		
FRAME)"		
MOTION COMPOSITES INC.		
"CHRONOS" MODEL		
TECHNICAL SPECIFICATIONS OF THE DEVI	CE	
Maximum weight capacity: 113.4 kg (250 lb.)		
Device weight: 15.9 kg (35 lb.)		
Overall width: 19.1 cm (7½ in.) over the nominal sea	it width at 0° rear wheel camber	
Front seat-to-floor height: 31.8 cm to 52.1 cm $(12\frac{1}{2})$	in. to 20 ¹ / ₂ in.)	
Rear seat-to-floor height: 31.1 cm to 48.3 cm (121/4 i		
Frame : straight back canes or bend back canes from		
adjustable; seat-to-back angle adjustable from 90° to 1		
non-slip push handles; four tie-down points for adapte	•	
	1	

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7150001	Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N. C.	36.00	12
7150002	Flat foam seat cushion, 5.1 cm (2 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	63.00	63.00	36
7150003	Flat foam seat cushion, 7.6 cm (3 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	104.00	104.00	36
7150004	Flexible nylon mesh back, padded; heights of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.) or 48.3 cm (19 in.)	N. C.	32.33	12
7150005	Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	83.00	115.33	12
7150006	Pelvic positioning belt, auto buckle	N. C.	13.75	36

				(authentic version)
7150008 U-type adjustal or from maximu mechan	ble, from 20.3 cm to 30.5 cm (8 in. to 12 in.) a 25.4 cm to 35.6 cm (10 in. to 14 in.) by um increments of 2.5 cm (1 in.), with locking ism; clothing guard, rigid, built into armrest;	N. C. N. C.	47.50 118.00	36 60
7150009 U-type from 20 25.4 cm increme mechan	pad, straight armrest, long; detachable; height-adjustable, 0.3 cm to 30.5 cm (8 in. to 12 in.) or from a to 35.6 cm (10 in. to 14 in.) by maximum ents of 2.5 cm (1 in.), with locking ism; clothing guard, rigid, built into armrest; pad, straight	N. C.	120.33	60
7150010 Armres 7150011 Armres 7150012 Parallel with loc	t pad, straight, short t pad, straight, long footrest, 60° angle, detachable and pivoting sking mechanism; standard folding footplate, d size, plastic; adjustable heel loop;	N. C. N. C. N. C.	4.75 5.58 23.88	12 12
adjustal to 17½	ble length from 34.3 cm to 44.5 cm $(13\frac{1}{2} \text{ in.}$ in.), from 40 cm to 50.8 cm $(15\frac{3}{4} \text{ in. to } 20$ from 43.2 cm to 53.3 cm $(17 \text{ in. to } 21 \text{ in.})$			60
with loc standard adjustal to 17½	footrest, 70° angle, detachable and pivoting eking mechanism; standard folding footplate, d size, plastic; adjustable heel loop; ble length from 34.3 cm to 44.5 cm (13 ¹ / ₂ in. in.), from 40 cm to 50.8 cm (15 ³ / ₄ in. to 20 from 43.2 cm to 53.3 cm (17 in. to 21 in.)	N. C.	48.00	60
and pix length; oversize attachm own att	ng leg-rest, non-compensating; detachable voting with locking mechanism; adjustable standard folding footplate, standard or e, plastic; compatible with the same ent point as the footrest or supplied with its achments; calf-rest, contoured and padded, and depth-adjustable	177.50	201.38	36
7150015 Padded	- · ·	48.75	48.75	36
7150016 Folding	footplate, standard, standard size; plastic	N. C.	7.75	36
7150017 Folding	footplate, standard, oversize	10.00	17.75	36
7150018 Footpla	te, angle and depth-adjustable, standard size	90.00	97.75	36
7150019 Footpla	te, angle and depth-adjustable, oversize	90.00	97.75	36
7150020 Heel lo	op, adjustable		4.50	36
7150021 Headres	st cushion, contoured, all sizes	85.00	85.00	36
	st bracket, height and depth-adjustable, or ted uniball bracket	90.00	90.00	36
-	E ping wheels, detachable or pivoting, with mechanism	N. C.	21.00	60

1	ý	(authentic version)
70.00	70.00	36
35.00	35.00	36
30.00	30.00	36
N. C.	14.50	36
N. C.	32.00	36
N. C.	14.00	36
10.00	10.00	36
N. C.	9.63	
		36
N. C.	24.91	36
N. C.	8.65	36
N. C.	9.63	
		36
N. C.	4.75	36
53.00	53.00	36
	52.88	27
		36
N. C.	52.88	36
	35.00 30.00 N. C. N. C. N. C. N. C. N. C. N. C. N. C. N. C. N. C. S3.00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$

Tariff for devices which compensate for a motor deficiency and insured related services

	PRICE	
	(including all	
	the basic	
	components)	
7151421 MANUAL WHEELCHAIRS	1,040.00	
IN SUBCATEGORY "INTERMEDIATE (CLASS		
A FOLDING FRAME)"		
MOTION COMPOSITES INC.		
"COBALT 1" MODEL		
TECHNICAL SPECIFICATIONS OF THE DEVIC	CE	
Maximum weight capacity: 113.4 kg (250 lb.)		
Device weight: 16.8 kg (37 lb.)		
Overall width : 19,1 cm $(7\frac{1}{2} \text{ in.})$ over the nominal sea wheel camber	t width at 0° rear	
Front seat-to-floor height: 35.6 cm to 55.9 cm (14 in	. to 22 in.)	
Rear seat-to-floor height: 33.7 cm to 52,1 cm (131/4 in	n. to 20½ in.)	
Frame : straight back canes or bend back canes from 8	[°] to 10°, height	
and angle-adjustable; seat-to-back angle adjustable from maximum increments of 6°; non-slip push handles; fou	•	
for adapted transport	r de donn ponto	

	BASIC AND OPTIONAL COMPONENTS	Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7151422	Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N. C.	36.00	12
7151423	Flat foam seat cushion 5.1 cm (2 in.); two strips of "velour" Velcro, 5.1 cm (2 in.) wide, under the cushion	63.00	63.00	36
7151424	Flat foam seat cushion, 7.6 cm (3 in.); two strips of "velour" Velcro, 5.1 cm (2 in.) wide, under the cushion	104.00	104.00	36
7151425	Seat – width modification to 48.3 cm (19 in.)	100.00		36
	Seat – width modification to 50.8 cm (20 in.)	100.00		36
7151427	Flexible nylon mesh back, padded; heights of	N. C.	32.33	
	38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)			12
7151428	Flexible nylon mesh back, padded, tension-	83.00	115.33	
	adjustable; minimum of four horizontal, adjustable straps spread across the height of the back			12

				(authentic version)
7151429 Pelvic pos	itioning belt, auto buckle	N. C.	13.75	36
7151431 U-type arr	itioning belt, Velcro nrest, short; detachable; height- , from 20.3 cm to 30.5 cm (8 in. to 12 in.)	N. C. N. C.	47.50 118.00	36
or from 25 maximum mechanisr	5.4 cm to 35.6 cm (10 in. to 14 in.) by increments of 2.5 cm (1 in.), with locking n; clothing guard, rigid, built into armrest; id, straight			60
from 20.3 25.4 cm to increment mechanisr	nrest, short; detachable; height-adjustable, cm to 30.5 cm (8 in. to 12 in.) or from 0 35.6 cm (10 in. to 14 in.) by maximum s of 2.5 cm (1 in.), with locking n; clothing guard, rigid, built into armrest; id, straight	N. C.	118.00	60
from 20.3 25.4 cm to increment mechanisr	nrest, long; detachable; height-adjustable, cm to 30.5 cm (8 in. to 12 in.) or from o 35.6 cm (10 in. to 14 in.) by maximum s of 2.5 cm (1 in.), with locking n; clothing guard, rigid, built into armrest; id, straight		120.33	60
7151434 T-type arm from 20.3 25.4 cm to increments mechanism	nrest, long; detachable; height-adjustable, cm to 30.5 cm (8 in. to 12 in.) or from 0 35.6 cm (10 in. to 14 in.) by maximum s of 2.5 cm (1 in.), with locking n; clothing guard, rigid, built into armrest; id, straight	N. C.	120.33	60
7151435 Armrest p	-	N. C.	4.75	12
with locki	ad, straight, long otrest, 60° angle, detachable and pivoting ng mechanism; standard folding footplate, ize, plastic; adjustable heel loop;	N. C. N. C.	5.58 23.88	12
adjustable to 17½ in.	length from 34.3 cm to 44.5 cm $(13\frac{1}{2}$ in.), from 40 cm to 50.8 cm $(15\frac{3}{4}$ in. to 20 m 43.2 cm to 53.3 cm $(17$ in. to 21 in.)			60
with locki standard s	otrest, 70° angle, detachable and pivoting ng mechanism; standard folding footplate, ize, plastic; adjustable heel loop; length from 34.3 cm to 44.5 cm ($13\frac{1}{2}$ in.	N. C.	48.00	60
to 17½ in.), from 40 cm to 50.8 cm (15%) in. to 20 n 43.2 cm to 53.3 cm $(17 \text{ in. to } 21 \text{ in.})$			00

7151439 Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or	177.50	201.38	
oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded,			36
height and depth-adjustable			
7151440 Padded calf-rest	48.75	48.75	36
7151441 Calf-rest strap, single or double	20.00	20.00	36
7151442 Folding footplate, standard, standard size; plastic	10.00	7.75	36
7151443 Folding footplate, standard, oversize; plastic	10.00	17.75	36
7151444 Footplate, angle and depth-adjustable, standard size	90.00	97.75	36
			50
7151445 Footplate, angle and depth-adjustable, oversize	90.00	97.75	36
7151446 Heel loop, adjustable	N. C.	4.50	36
7151447 Headrest cushion, contoured, all sizes	85.00	85.00	36
7151448 Headrest bracket, height and depth-adjustable, or articulated uniball bracket	90.00	90.00	36
FRAME			
7151449 Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	21.00	60
7151450 Fold-away back spreader bar to fold chair; with anchor for headrest bracket	70.00	70.00	36
7151451 Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	400.00		36
7151452 Front impact guard with rollers	35.00	35.00	36
7151453 Cane holder	30.00	30.00	36
DRIVE SYSTEM			
7151454 Handrim, smooth	N. C.	14.50	36
7151455 Handrim, plastic-coated	N. C.	32.00	36
7151456 Handrim with oblique projections	110.00	124.50	36
7151457 Non-slip foam handrim	110.00	124.50	36
7151458 Standard wheel lock, push-to-lock or pull-to-lock	N. C.	14.00	36
7151459 Anti-rollback brake	106.00	120.00	36
7151460 Plug-in wheel lock extension	10.00	10.00	36
7151461 Caster fork to adjust height and angle perpendicular	N. C.	9.63	
to the ground to compensate for changes in the rear seat-to-floor height			36

WHEELS AND TIRES			
7151462 Front mag wheel; semi-pneumatic tire; 20.3 cm (8	N. C.	24.91	36
in.); 2.5 cm (1 in.) wide			50
7151463 Front mag wheel; semi-pneumatic tire; 12.7 cm (5	N. C.	8.65	
in.), 15.2 cm (6 in.) or 17.8 cm (7 in.); 2.5 cm (1			36
in.) wide			
7151464 Front wheel; inner tube; 15.2 cm (6 in.) or 20.3 cm	40.00	64.91	36
(8 in.)			20
7151465 Rear axle, quick release system, with push-button	N. C.	9.63	
locking mechanism; adjustable centre of gravity to			
four horizontal positions; rear height adjustable for			36
5° of seat tilt, compatible with all wheel diameters			
7151466 Threaded rear axle	N. C.	4.75	36
7151467 Adapter for "amputee" axle position	53.00	53.00	36
7151468 Spoked rear wheel; semi-pneumatic tire; 61 cm (24	N. C.	52.88	26
in.); 3.2 cm (1¼ in.) wide			36
7151469 Spoked rear wheel; semi-pneumatic tire; 50.8 cm	N. C.	52.88	36
(20 in.) or 55.9 cm (22 in.); 3.2 cm (1 ¹ / ₄ in.) wide			30
7151470 Rear wheel; inner tube, standard pressure; 50.8 cm	50.00	102.88	36
(20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)			50
7151471 Rear wheel, heavy-duty; semi-pneumatic tire; 55.9	80.00	132.88	36
cm (22 in.) or 61 cm (24 in.)			50
7151472 Spoke guard	65.00	65.00	36
		PRICE	
	· · · ·	cluding all	
		the basic	
	co	omponents)	
7151013 MANUAL WHEELCHAIRS		1,175.00	
IN SUBCATEGORY "INTERMEDIATE (CLASS			
A FOLDING FRAME)"			

ORTHOFAB INC.

_

"PRIMA 4" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.) Device weight: 18 kg (40 lb.)

Overall width: 19,8 cm (77% in.) over the nominal seat width at 0° rear wheel camber

Front seat-to-floor height: 35.6 cm to 55.2 cm (14 in. to 21³/₄ in.) **Rear seat-to-floor height:** 33.7 cm to 49.8 cm (13¹/₄ in. to 19⁵/₈ in.) **Frame :** straight back canes or bend back canes from 8° to 10° , height and angleadjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of 6° ; non-slip push handles; four tie-down points for adapted transport

BASIC AND OPTIONAL COMPONENTS	Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM			
7150039 Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N. C.	30.00	12
7150040 Flat foam seat cushion, 5.1 cm (2 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	60.00	60.00	36
7150041 Flat foam seat cushion, 7.6 cm (3 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	65.00	65.00	36
7150042 Seat – width modification to 48.3 cm (19 in.)	99.00		36
7150043 Seat – width modification to 50.8 cm (20 in.)	99.00		36
7150044 Flexible nylon mesh back, padded; heights of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.) or 58.4 cm (23 in.)	N. C.	80.00	12
7150045 Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	40.00	120.00	12
7150046 Pelvic positioning belt, auto buckle	N. C.	6.00	36
7150047 Pelvic positioning belt, Velcro	N. C.	15.00	36
7150048 U-type armrest, short; detachable; height- adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or 25.4 cm to 35.6 cm (10 in. to 14 in.) by	N. C.	150.00	
maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight			60
7150049 T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight		150.00	60

7150050 U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7150051 T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7150052 Armrest pad, straight, short	N. C.	6.00	12
7150053 Armrest pad, straight, long	N. C.	6.00	12
 7150054 Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 48.3 cm to 53.3 cm (19 in. to 21 in.) 	N. C.	100.00	60
 7150055 Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 48.3 cm to 53.3 cm (19 in. to 21 in.) 	N. C.	100.00	60
7150056 Elevating leg-rest, compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; padded calf-rest, height and depth-adjustable	100.00	200.00	36
7150057 Padded calf-rest	15.00	15.00	36
7150058 Calf-rest strap, single or double	15.00	15.00	36
7150059 Folding footplate, standard, standard size; plastic	N. C.	6.00	36
7150060 Folding footplate, standard, oversize; plastic	29.00	35.00	
······································	_,		36
7150061 Footplate, angle and depth-adjustable, standard size	44.00	50.00	36
7150062 Footplate, angle and depth-adjustable, oversize	49.00	55.00	36
7150063 Heel loop, adjustable	N. C.	3.00	36
7150064 Headrest cushion, flat, all sizes	40.00	40.00	36
7150065 Headrest bracket, height and depth-adjustable	35.00	35.00	36
FRAME			50
7150066 Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	12.00	60

7150067 Fold-away back spreader bar to fold chair; with anchor for headrest bracket	75.00	75.00	36
7150068 Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	103.00	N. A.	36
7150069 Front impact guard with rollers	10.00	10.00	36
7150070 Cane holder	25.00	25.00	36
DRIVE SYSTEM			
7150071 Handrim, smooth	N. C.	80.00	36
7150072 Handrim, plastic-coated	N. C.	80.00	36
7150073 Handrim with oblique projections	N. C.	80.00	36
7150074 Non-slip foam handrim	40.00	120.00	36
7150075 Standard wheel lock, push-to-lock or pull-to-lock	N. C.	30.00	36
7150076 Anti-rollback brake	25.00	55.00	36
7150077 Plug-in wheel lock extension	10.00	10.00	36
7150078 Caster fork to adjust height and angle perpendicular	N. C.	15.00	
to the ground to compensate for changes in the rear seat-to-floor height			36
WHEELS AND TIRES			
7150079 Front mag wheel; semi-pneumatic tire; 17.8 cm (7 in.), 2.54 cm (1 in.) wide; or 20.3 cm (8 in.), 3.2 cm	N. C.	40.00	36
$(1\frac{1}{4} \text{ in.}) \text{ or } 3.8 \text{ cm} (1\frac{1}{2} \text{ in.}) \text{ wide}$			
7150080 Front mag wheel; semi-pneumatic tire; 12.7 cm (5	N. C.	40.00	36
in.) or 15.2 cm (6 in.); 3.8 cm ($1\frac{1}{2}$ in.) wide	10.00	50.00	
7150081 Front wheel; inner tube; 15.2 cm (6 in.), 17.8 cm (7 in.) or 20.3 cm (8 in.)	10.00	50.00	36
7150082 Rear axle, quick release system, with push-button	N. C.	15.00	
locking mechanism; adjustable centre of gravity to			
four horizontal positions; rear height adjustable for 5° of seat tilt, compatible with all wheel diameters			36
7150083 Threaded rear axle	N. C.	2.00	36
7150084 Adapter for "amputee" axle position	10.00	10.00	36
7150085 Spoked rear wheel; semi-pneumatic tire; 61 cm (24 in.); 3.2 cm (1 ¹ / ₄ in.) wide	N. C.	100.00	36

7150087 Rear wheel; inner tube, standard pressure; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N. C.	100.00	36
7150088 Rear wheel, heavy-duty; semi-pneumatic tire; 55.9 cm (22 in.) or 61 cm (24 in.)	50.00	150.00	36
7150089 Spoke guard	70.00	70.00	36
	(in t	PRICE cluding all the basic mponents)	
7151014 MANUAL WHEELCHAIRS	1	1,040.00	

IN SUBCATEGORY "INTERMEDIATE (CLASS B FOLDING FRAME)"

MOTION COMPOSITES INC.

"COBALT 2" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.) Device weight: 15.9 kg (35 lb.) Overall width: 19,1 cm (7½ in.) over the nominal seat width at 0° rear wheel camber

Front seat-to-floor height: 31.8 cm to 52.1 cm (12¹/₂ in. to 20¹/₂ in.)

Rear seat-to-floor height: 30.5 cm to 48.9 cm (12 in. to 19¼ in.)

Frame : straight back canes or bend back canes from 8° to 10° , height and angleadjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of 6° ; non-slip push handles; four tie-down points for adapted transport

BASIC AND OPTIONAL COMPONENTS	Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM 7151015 Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N. C.	36.00	12
7151016 Flat foam seat cushion, 5.1 cm (2 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	63.00	63.00	36
7151017 Flat foam seat cushion, 7.6 cm (3 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	104.00	104.00	36
7151018 Seat – width modification to 48.3 cm (19 in.) 7151019 Seat – width modification to 50.8 cm (20 in.)	100.00 100.00		36 36

SCHEDULE 1	Tariff for devices which c	ompensate for a moto	or deficiency and ins	ured related services (authentic version)
7151020 Flexible nylon mesh back, pa 38.1 cm (15 in.), 40.6 cm (16 45.7 cm (18 in.) 48.3 cm (19	in.), 43.2 cm (17 in.),	N. C.	32.33	12
7151021 Flexible nylon mesh back, pa adjustable; minimum of four l straps spread across the heigh	norizontal, adjustable	83.00	115.33	12
7151022 Pelvic positioning belt, auto b	uckle	N. C.	13.75	36
7151023 Pelvic positioning belt, Velcro 7151024 U-type armrest, short; detacha adjustable, from 20.3 cm to 3 or from 25.4 cm to 35.6 cm (1	ble; height- 0.5 cm (8 in. to 12 in.)	N. C. N. C.	47.50 118.00	36
maximum increments of 2.5 c mechanism; clothing guard, ri armrest pad, straight	m (1 in.), with locking gid, built into armrest;			60
7151025 T-type armrest, short; detacha from 20.3 cm to 30.5 cm (8 ir 25.4 cm to 35.6 cm (10 in. to increments of 2.5 cm (1 in.), v mechanism; clothing guard, ri armrest pad, straight	a. to 12 in.) or from 14 in.) by maximum with locking	N. C.	118.00	60
7151026 U-type armrest, long; detacha from 20.3 cm to 30.5 cm (8 ir 25.4 cm to 35.6 cm (10 in. to increments of 2.5 cm (1 in.), v mechanism; clothing guard, ri armrest pad, straight	a. to 12 in.) or from 14 in.) by maximum with locking		120.33	60
7151027 T-type armrest, long; detachal from 20.3 cm to 30.5 cm (8 in 25.4 cm to 35.6 cm (10 in. to increments of 2.5 cm (1 in.), v mechanism; clothing guard, ri armrest pad, straight	a. to 12 in.) or from 14 in.) by maximum with locking	N. C.	120.33	60
7151028 Armrest pad, straight, short 7151029 Armrest pad, straight, long 7151030 Parallel footrest, 60° angle, do with locking mechanism; stan standard size, plastic; adjustal	dard folding footplate,	N. C. N. C. N. C.	4.75 5.58 23.88	12 12
adjustable length from 34.3 cm to $17\frac{1}{2}$ in.), from 40 cm to 50 in.) or from 43.2 cm to 53.3 c	m to 44.5 cm $(13\frac{1}{2})$ in. .8 cm $(15\frac{3}{4})$ in. to 20			60
7151031 Parallel footrest, 70° angle, dd with locking mechanism; stan standard size, plastic; adjustal adjustable length from 34.3 cm to 17 ¹ / ₂ in.), from 40 cm to 50 in.) or from 43.2 cm to 53.3 c	dard folding footplate, ble heel loop; n to 44.5 cm $(13\frac{1}{2} \text{ in.}$.8 cm $(15\frac{3}{4} \text{ in. to } 20$	N. C.	48.00	60

			(
7151032 Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or	177.50	201.38	
oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable			36
7151033 Padded calf-rest	48.75	48.75	36
7151034 Calf-rest strap, single or double	20.00	20.00	36
7151035 Folding footplate, standard, standard size; plastic	20.00	7.75	36
7151036 Folding footplate, standard, oversize; plastic	10.00	17.75	
			36
7151037 Footplate, angle and depth-adjustable, standard size	90.00	97.75	36
7151038 Footplate, angle and depth-adjustable, oversize	90.00	97.75	36
7151039 Heel loop, adjustable	N. C.	4.50	36
7151040 Headrest cushion, contoured, all sizes	85.00	85.00	36
7151041 Headrest bracket, height and depth-adjustable, or articulated uniball bracket	90.00	90.00	36
FRAME			
7151042 Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	21.00	60
7151043 Fold-away back spreader bar to fold chair; with anchor for headrest bracket	70.00	70.00	36
7151044 Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	400.00		36
7151045 Front impact guard with rollers	35.00	35.00	36
7151046 Cane holder	30.00	30.00	36
DRIVE SYSTEM			
7151047 Handrim, smooth	N. C.	14.50	36
7151048 Handrim, plastic-coated	N. C.	32.00	36
7151049 Non-slip foam handrim	110.00	124.50	36
7151050 Handrim with oblique projections	110.00	124.50	36

SCHEDULE 1	Tariff for devices whic	h compensate for a n	notor deficiency and	d insured related services (authentic version)
7151052 Anti-rol	lback brake	106.00	120.00	36
7151053 Plug-in	wheel lock extension	10.00	10.00	36
7151054 Caster f	ork to adjust height and angle perpendicular	N. C.	9.63	
	round to compensate for changes in the rear floor height			36
WHEE	LS AND TIRES			
	ag wheel; semi-pneumatic tire; 20.3 cm (8 cm (1 in.) wide	N. C.	24.91	36
	ag wheel; semi-pneumatic tire; 12.7 cm (5 2 cm (6 in.) or 17.8 cm (7 in.); 2.5 cm (1 e	N. C.	8.65	36
	heel; inner tube; 15.2 cm (6 in.) or 20.3 cm	40.00	64.91	36
locking four hor	le, quick release system, with push-button mechanism; adjustable centre of gravity to izontal positions; rear height adjustable for at tilt, compatible with all wheel diameters	N. C.	9.63	36
7151059 Threade	d rear axle	N. C.	4.75	36
	for "amputee" axle position	53.00	53.00	36
7151061 Spoked	rear wheel; semi-pneumatic tire; 61 cm (24 cm (1 ¹ / ₄ in.) wide	N. C.	52.88	36
-	rear wheel; semi-pneumatic tire; 50.8 cm or 55.9 cm (22 in.); $3.2 \text{ cm} (1\frac{1}{4} \text{ in.})$ wide	N. C.	52.88	36
7151063 Rear wh	neel, heavy-duty; semi-pneumatic tire; 55.9 in.) or 61 cm (24 in.)	80.00	132.88	36
	teel; inner tube, standard pressure; 50.8 cm 55.9 cm (22 in.) or 61 cm (24 in.)	50.00	102.88	36
7151065 Spoke g	uard	65.00	65.00	36

			PRICE (including all the basic components)	
7151066	MANUAL WHEELCHAIRS IN SUBCATEGORY "MULTI-ADJUSTABLE (CLASS A FOLDING FRAME)"		1,200.00	
	MOTION COMPOSITES INC.			
	"PLATINE 1" MODEL			
	Maximum weight capacity: 113.4 kg (250 lb.) Device weight: 16.8 kg (37 lb.) Overall width: 19,1 cm (7½ in.) over the nominal s	seat width at 0° rear w	heel camber	
	Front seat-to-floor height: 35.6 cm to 55.9 cm (14 Rear seat-to-floor height: 34.9 cm to 52.1 cm (133 Frame : straight back canes or bend back canes from adjustable; seat-to-back angle adjustable from 90° to non-slip push handles; four tie-down points for adapt	⁷⁴ in. to $20\frac{1}{2}$ in.) m 8° to 10°, height an o 105° by maximum i		
	BASIC AND OPTIONAL COMPONENTS	Unit price for component during device purchase	Unit price for component replacement	•
	BODY SUPPORT SYSTEM	component during device purchase	component replacement	•
7151067		component during	component	•
	BODY SUPPORT SYSTEM Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.) Flat foam seat cushion, 5.1 cm (2 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the	component during device purchase	component replacement	Warranty (months) 12 36
7151068	BODY SUPPORT SYSTEM Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.) Flat foam seat cushion, 5.1 cm (2 in.); two strips of	component during device purchase N. C.	component replacement 36.00	(months

7151070 Seat – depth modification to 48.3 cm (19 in.) 7151071 Seat – depth modification to 50.8 cm (20 in.)

 7151072 Seat – width modification to 53.3 cm (21 in.)
 400.00
 N. A.

 7151073 Seat – width modification to 55.9 cm (22 in.)
 400.00
 N. A.

N. C.

N. C.

N. A.

N. A.

36

36

36

36

				(
7	 7151074 Flexible nylon mesh back, padded; heights of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.) 	N. C.	32.33	12
7	151075 Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	83.00	115.33	12
7	151076 Pelvic positioning belt, auto buckle	N. C.	13.75	36
	151077 Pelvic positioning belt, Velcro151078 L-type armrest, long; pivoting and detachable; height-adjustable by maximum increments of 2.5	N. C.	47.50 118.00	36
	cm (1 in.), with locking mechanism; clothing guard, rigid or flexible, detachable; tubular armrest pad			60
7	 U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; 	N. C.	118.00	60
7	armrest pad, straight '151080 T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest;	N. C.	118.00	60
7	armrest pad, straight '151081 U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N.C.	120.33	60
7	 T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; 	N. C.	120.33	60
7	armrest pad, straight 151083 Armrest pad, straight, short	N. C.	4.75	12
	151085 Armest pad, straight, long	N. C.	5.58	12
	151085 Armrest pad, tubular, for L-type armrest	N. C.	40.00	12
	151086 Clothing guard, rigid, for L-type armrest	N. C.	77.00	36
	151087 Clothing guard, flexible, for L-type armrest	N. C.	77.00	36
		1	, , , , 00	50

Tariff for devices which compensate for a motor deficiency and insured related s	ervices
(authentic v	ersion)

				(authentic version)
715108	88 Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 34.3 cm to 44.5 cm (13 ¹ / ₂ in. to 17 ¹ / ₂ in.), from 40 cm to 50.8 cm (15 ³ / ₄ in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.)	N. C.	23.88	60
715108	89 Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 34.3 cm to 44.5 cm (13 ¹ / ₂ in. to 17 ¹ / ₂ in.), from 40 cm to 50.8 cm (15 ³ / ₄ in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.)	N. C.	48.00	60
715109	20 Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	177.50	201.38	36
715100	91 Padded calf-rest	48.75	48.75	36
	2 Calf-rest strap, single or double	20.00	20.00	36
	93 Folding footplate, standard, standard size; plastic	N. C.	7.75	36
	94 Folding footplate, standard, oversize; plastic	10.00	17.75	50
/15102	r i oranig rootphate, standard, oversize, phaste	10.00	17.75	36
715109	95 Footplate, angle and depth-adjustable, standard size	90.00	97.75	36
715109	96 Footplate, angle and depth-adjustable, oversize	90.00	97.75	36
715109	97 Full-width footplate, one piece, folding; fixed angle or angle-adjustable	120.00	135.50	36
715109	98 Heel loop, adjustable	N. C.	4.50	36
	99 Headrest cushion, contoured, all sizes	85.00	85.00	36
71511(00 Headrest bracket, height and depth-adjustable, or articulated uniball bracket	90.00	90.00	36

FRAME

	FRAME			
7151101	Fold-away back spreader bar to fold chair; with	70.00	70.00	36
	anchor for headrest bracket			20
7151102	Anti-tipping wheels, detachable or pivoting, with	N. C.	21.00	60
7151102	locking mechanism Heavy-duty option to increase maximum weight	400.00	NT A	
/131105	capacity to 159 kg (350 lb.)	400.00	N. A.	36
7151104	Front impact guard with rollers	35.00	35.00	36
	Cane holder	30.00	30.00	36
	DRIVE SYSTEM			
	Handrim, smooth	N.C.	14.50	36
	Handrim, plastic-coated	N. C.	32.00	36
	Handrim with oblique projections Non-slip foam handrim	110.00 110.00	124.50 124.50	36 36
	Standard wheel lock, push-to-lock or pull-to-lock	N. C.	124.30	36
	Anti-rollback brake	106.00	120.00	36
	Plug-in wheel lock extension	10.00	10.00	36
	Caster fork to adjust height and angle perpendicular	N. C.	9.63	20
	to the ground to compensate for changes in the rear			36
	seat-to-floor height			
7151114	WHEELS AND TIRES	N. C.	24.91	
/131114	Front mag wheel; semi-pneumatic tire; 20.3 cm (8 in.); 2.5 cm (1 in.) wide	N. C.	24.91	36
7151115	Front mag wheel; semi-pneumatic tire; 12.7 cm (5	N. C.	8.65	
/151115	in), 15.2 cm (6 in.) or 17.8 cm (7 in.); 2.5 cm (1 in.)	н. с.	0.05	36
	wide			20
7151116	Front wheel; inner tube; 15.2 cm (6 in.) or 20.3 cm	40.00	64.91	26
	(8 in.)			36
7151117	Rear axle, quick release system, with push-button	N. C.	9.63	
	locking mechanism; adjustable centre of gravity by			
	maximum increments of 0.63 cm (1/4 in.) on a			
	horizontal range of 6.4 cm $(2\frac{1}{2} \text{ in.})$; adjustable rear			26
	height by maximum increments of $2 \text{ cm}(\frac{3}{4} \text{ in.})$ for			36
	up to 6.4 cm ($2\frac{1}{2}$ in.) of seat tilt, compatible with all wheel diameters			
	wheel diameters			
7151118	Threaded rear axle	N. C.	4.75	36
	Adapter for "amputee" axle position	53.00	53.00	36
7151120	Spoked rear wheel; semi-pneumatic tire; 61 cm	N. C.	52.88	36
	(24 in.); 3.2 cm (1 ¹ / ₄ in.) wide			50
7151121	Spoked rear wheel; semi-pneumatic tire; 50.8 cm	N. C.	52.88	36
7151100	(20 in.) or 55.9 cm (22 in.); 3.2 cm (1 ¹ / ₄ in.) wide	(0.00	110.00	
/151122	Spoked rear wheel; inner tube, high pressure; 55.9	60.00	112.88	36
7151122	cm (22 in.) or 61 cm (24 in.) Spoked rear wheel; inner tube, standard pressure;	50.00	102.88	
/131123	50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	50.00	102.88	36
	2010 cm (20 m.), 2019 cm (22 m.) of 01 cm (27 m.)			50
7151124	Rear wheel, heavy-duty; semi-pneumatic tire; 55.9	80.00	132.88	2.5
	cm (22 in.) or 61 cm (24 in.)			36
7151125	Rear wheel camber, 3° or 6°	100.00	100.00	36
7151126	Spoke guard	65.00	65.00	36

7151127	MANUAL WHEELCHAIRS		PRICE 1,200.00	
/13112/	IN SUBCATEGORY "MULTI-ADJUSTABLE (CL MOTION COMPOSITES INC.	ASS B FOLDING	1,200.00	
	"PLATINE 2" MODEL			
	TECHNICAL SPECIFICATIONS OF THE DEV	/ICE		
	Maximum weight capacity: 113.4 kg (250 lb.) Device weight: 15.9 kg (35 lb.) Overall width: 19,1 cm (7½ in.) over the nominal s	eat width at 0° rear w	heel camber	
	Front seat-to-floor height: 31.8 cm to 52.1 cm (12) Rear seat-to-floor height: 31.8 cm to 48.9 cm (12) Frame : straight back canes or bend back canes from adjustable; seat-to-back angle adjustable from 90° to non-slip push handles; four tie-down points for adap	¹ ⁄ ₂ in. to 19 ¹ / ₄ in.) n 8° to 10°, height an o 105° by maximum in	-	
	BASIC AND OPTIONAL COMPONENTS	Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7151128	Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N. C.	36.00	12
7151129	Flat foam seat cushion, 5.1 cm (2 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	63.00	63.00	36
7151130	Flat foam seat cushion, 7.6 cm (3 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	104.00	104.00	36
7151131	Flexible nylon mesh back, padded; heights of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.),	N. C.	32.33	12
	45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20			
7151132	45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.) Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	83.00	115.33	12
	in.) Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable	83.00 N. C.	115.33 13.75	12 36

				(·
	U-type armrest, short; detachable; height- adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	118.00	60	
	T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	118.00	60	
	U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.33	60	
	T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.33	60	
7151139	L-type armrest, long; pivoting and detachable; height-adjustable by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, flexible or rigid, detachable; tubular armrest pad.	N. C.	118.00	60	
7151140	A (1 (1 (1)	NC	4 75	10	
	Armrest pad, straight, short	N.C.	4.75	12	
	Armrest pad, straight, long	N.C.	5.58	12	
	Armrest pad, tubular, for L-type armrest	N. C.	40.00	12	
	Clothing guard, rigid, for L-type armrest	N. C.	77.00	36	
7151144	Clothing guard, flexible, for L-type armrest	N. C.	77.00	36	
	Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop;	N. C.	23.88		
	adjustable length from 34.3 cm to 44.5 cm $(13\frac{1}{2} \text{ in.})$ to $17\frac{1}{2} \text{ in.}$, from 40 cm to 50.8 cm $(15\frac{3}{4} \text{ in. to } 20 \text{ in.})$ or from 43.2 cm to 53.3 cm $(17 \text{ in. to } 21 \text{ in.})$			60	
	Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop;	N. C.	48.00		
	adjustable length from 34.3 cm to 44.5 cm $(13\frac{1}{2} \text{ in.})$ to $17\frac{1}{2} \text{ in.}$, from 40 cm to 50.8 cm $(15\frac{3}{4} \text{ in. to } 20 \text{ in.})$ or from 43.2 cm to 53.3 cm $(17 \text{ in. to } 21 \text{ in.})$			60	

and pivoting with l	non-compensating; detachable ocking mechanism; adjustable lding footplate, standard or	177.50	201.38	、 ,
attachment point as	ompatible with the same s the footrest or supplied with its calf-rest, contoured and padded, diustable			36
7151148 Padded calf-rest	ujustable	48.75	48.75	36
7151149 Calf-rest strap, sing	gle or double	20.00	20.00	36
1 .	standard, standard size; plastic	20.00 N. C.	7.75	36
7151151 Folding footplate,		10.00	17.75	
, is its i i thang isospiate,	standard, s terbize, prastie	10.00	11110	36
7151152 Footplate, angle an	nd depth-adjustable, standard size	90.00	97.75	36
7151153 Footplate, angle an	nd depth-adjustable, oversize	90.00	97.75	36
7151154 Full-width footplat or angle-adjustable	e, one piece, folding; fixed angle	120.00	135.50	36
7151155 Heel loop, adjustal		N. C.	4.50	36
7151156 Headrest cushion,		85.00	85.00	36
	neight and depth-adjustable, or	90.00	90.00	
articulated uniball	• • •			36
FRAME		NG	21.00	
	s, detachable or pivoting, with	N. C.	21.00	60
locking mechanism	reader bar to fold chair; with	70.00	70.00	
anchor for headres		/0.00	/0.00	36
	to increase maximum weight	400.00	N. A.	
capacity to 159 kg	•	100100		36
7151161 Front impact guard		35.00	35.00	36
7151162 Cane holder		30.00	30.00	36
DRIVE SYSTEM			14.50	26
7151163 Handrim, smooth	4 - 1	N.C.	14.50	36
7151164 Handrim, plastic-c		N. C.	32.00	36
7151165 Handrim with oblic 7151166 Non-slip foam han		$110.00 \\ 110.00$	124.50 124.50	36 36
-	k, push-to-lock or pull-to-lock	N. C.	14.00	36
7151168 Anti-rollback brak		106.00	120.00	36
7151169 Plug-in wheel lock		10.00	10.00	36
-	st height and angle perpendicular	N. C.	9.63	50
-	ompensate for changes in the rear	10.01	2.00	26
seat-to-floor height				36
WHEELS AND T	TRES			
	semi-pneumatic tire; 20.3 cm	N. C.	24.91	
(8 in.); 2.5 cm (1 in	-	1	*	36
	semi-pneumatic tire; 12.7 cm	N. C.	8.65	
-	in.) or 17.8 cm (7 in.); 2.5 cm			36
(in.) wide				

7151173 Front wheel; inner tube; 15.2 cm (6 in.) or 20.3 (8 in.)	cm 40.00	64.91	36
7151174 Rear axle, quick release system, with push-butt locking mechanism; adjustable centre of gravity maximum increments of 0.63 cm (¼ in.) on a horizontal range of 6.4 cm (2½ in.); adjustable height by maximum increments of 2 cm (¾ in.) up to 6.4 cm (2½ in.) of seat tilt, compatible wi wheel diameters	y by rear for	9.63	36
7151175 Threaded rear axle	N. C.	4.75	36
7151176 Adapter for "amputee" axle position	53.00	53.00	36
7151177 Spoked rear wheel; semi-pneumatic tire; 61 cm (24 in.); 3.2 cm (1 ¹ / ₄ in.)	N. C.	52.88	36
7151178 Spoked rear wheel; semi-pneumatic tire; 50.8 c (20 in.) or 55.9 cm (22 in.); 3.2 cm (1 ¹ / ₄ in.) wh		52.88	36
7151179 Rear wheel, heavy-duty; semi-pneumatic tire; 55.9 cm (22 in.) or 61 cm (24 in.)	80.00	132.88	36
7151180 Rear wheel, heavy-duty; inner tube, high pressu 55.9 cm (22 in.) or 61 cm (24 in.)	ure; 92.00	144.88	36
7151181 Spoked rear wheel; inner tube, standard pressur 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24		102.88	36
7151182 Spoked rear wheel; inner tube, high pressure; 55.9 cm (22 in.) or 61 cm (24 in.)	60.00	112.88	36
7151183 Rear wheel camber, 3° or 6°	100.00	100.00	36
7151184 Spoke guard	65.00	65.00	36

SUBDIVISION 2: LIGHTWEIGHT MANUAL WHEELCHAIRS

			PRICE (including all the basic components)	
7151258	LIGHTWEIGHT MANUAL WHEELCHAIR IN SUBCATEGORY "CLASS 2 RIGID PERFORMANCE FRAME"		1,190.00	
	SUNRISE MEDICAL CANADA INC.			
	"QUICKIE QRI" MODEL TECHNICAL SPECIFICATIONS OF THE DEV Maximum weight capacity: 120.2 kg (265 lb.)	/ICE		
	Device weight: 13.6 kg (30 lb.) Overall width: 20,3 cm (8 in.) over the nominal sea	at width at 0° rear whe	eel camber	
	Rear seat-to-floor height: 35.6 cm to 53.3 cm (14 i Frame : Fold-away back canes, height-adjustable and by maximum increments of 6°; built into push handle adapted transport BASIC AND OPTIONAL COMPONENTS	nd angle-adjustable fro		Warranty (months)
		device purchase	replacement	(montus)
7151259	BODY SUPPORT SYSTEM Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.) or 48.3 cm (19 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.) or 48.3 cm (19 in.)	N. C.	55.00	12
7151260	Flat foam seat cushion, 5.1 cm (2 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the	48.00	48.00	
				36
7151261	cushion Flat foam seat cushion, 7.6 cm (3 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	55.00	55.00	36 36

				(authentice version)
715126	53 Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps—except for backs ≤ 38.1 cm (15 in.)—spread across the height of the back	N. C.	45.00	12
	mi) spread deress the height of the cuck			
715126	4 Pelvic positioning belt, auto buckle	N. C.	35.00	36
	5 Pelvic positioning belt, Velcro	N.C.	29.00	36
/15126	6 L-type armrest, long; pivoting and detachable; height-adjustable, from 22.9 cm to 33 cm (9 in. to	N. C.	96.00	
	13 in.) by maximum increments of 2.5 cm (1 in.),			60
	with locking mechanism; clothing guard, rigid,			00
	detachable; armrest pad, tubular			
715126	7 T-type armrest, short; detachable; height-adjustable,	24.00	120.00	
	from 17.8 cm to 27.9 cm (7 in. to 11 in.) or from			
	21.6 cm to 34,3 cm ($8\frac{1}{2}$ in. to $13\frac{1}{2}$ in.), with			60
	locking mechanism; armrest pad, straight			
715126	8 Armrest pad, tubular, for L-type armrest	N. C.	2.00	12
	9 Armrest pad, straight, short or long	7.00	9.00	12
	0 Clothing guard, flexible	N. C.	22.00	36
	1 Clothing guard, rigid, for L-type armrest	N. C.	20.00	36
715127	2 Calf-rest strap, single	N. C.	19.00	36
715127	'3 Calf-rest strap, double	6.00	25.00	36
715127	4 Footplate, full-width, standard, aluminum	N. C.	65.00	36
715127	5 Footplate, full-width, angle-adjustable	N. C.	111.00	36
	FRAME			
715127	'6 Push handle, bolt-on or fold-down	N. C.	51.00	36
	7 Anti-tipping wheels, detachable or pivoting, with	N. C.	28.00	(0
	locking mechanism			60
	DRIVE SYSTEM			
715127	78 Handrim, smooth	N. C.	40.00	36
	9 Handrim, plastic-coated	N. C.	40.00	36
	0 Non-slip foam handrim	85.00	125.00	36
	1 Handrim with vertical or oblique projections	45.00	85.00	36
	2 Standard wheel lock, push-to-lock or pull-to-lock	N. C.	32.00	36
	3 Scissor lock	4.00	36.00	36
715128	4 Anti-rollback brake	34.00	66.00	36
	25 Plug-in wheel lock extension	7.00	7.00	36
715128	6 Caster fork to adjust height	N. C.	32.00	36

WHEELS AND TIRES			
7151287 Front mag wheel; semi-pneumatic tire; 12.7 cm (5 in.); 2.5 cm (1 in.) or 3.8 cm (1 ¹ / ₂ in.) wide	N. C.	15.00	36
7151288 Front mag wheel; semi-pneumatic tire; 10.2 (4 in.), 2.5 cm (1 in.) or 3.3 cm (1¼ in.) wide; or 15.2 cm (6 in.), 2.5 cm (1 in.) or 3.8 cm (1½ in.) wide	N. C.	15.00	36
 7151289 Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity by maximum increments of 0.63 cm (¼ in.); adjustable rear height by maximum increments of 1.3 cm (1/2 in.) for up to 7.6 cm (3 in.) of seat tilt; tilt can be obtained in combination with the frame shape 	N. C.	33.00	36
7151290 Rear axle, quick release system, with lever mechanism	8.00	41.00	36
7151291 Spoked rear wheel, heavy-duty; semi-pneumatic tire; 61 cm (24 in.)	N. C.	80.00	36
7151292 Spoked rear wheel, heavy-duty; semi-pneumatic tire; 55.9 cm (22 in.), 63.5 cm (25 in.) or 66 cm (26 in.)	N. C.	80.00	36
7151293 Spoked rear wheel, heavy-duty; inner tube, high pressure; 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.)	N. C.	80.00	36
7151294 Spoked rear wheel, heavy-duty; inner tube, standard pressure; 55.9 cm (22 in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.)	N. C.	80.00	36
7151295 Spoke guard	20.00	20.00	36

SUBDIVISION 3: POWERED WHEELCHAIRS

			PRICE (including all the basic components)	
715300	0 POWERED WHEELCHAIR		4,560.00	
	SUBCATEGORY "INTERMEDIATE COMPACT (MID-FRONT, MEDIAL, OR MID-REAR DRIVE WHEELS)"			
	SUNRISE MEDICAL CANADA INC.			
	"323 IC" MODEL			
	TECHNICAL SPECIFICATIONS OF THE DEV Maximum weight capacity: 136 kg (300 lb.)	VICE		
	Seat-to-floor height: 41.3 cm to 51.4 cm (16 ¹ / ₄ in. to 20 ¹ / ₄ 41.3 cm to 47.6 cm (16 ¹ / ₄ in. to 18 ³ / ₄ in.) with power tilt s	· •	It system and	
	Frame: mid-wheel drive base, overall width ≤ 61 reflectors; electric red tail-lights; reflective strip on in; four tie-down points for adapted transport			
	Drive system: electromagnetic brakes, manual fre replaceable separately	eewheel lever; joyst	tick control cable	
	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7153001	Seat-to-back assembly structure; resizable; back canes angle- adjustable from 90° to 110° by maximum increments of 6°; non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle-adjustable from 0° to 5° minimum; anchor for headrest bracket	N. C.	550.00	36
7153002	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N. C.	75.00	36

				,
7153003	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	225.00	225.00	36
7153004	Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	160.00	12
7153005	Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	40.00	200.00	12
7153006	Padded back cushion, contoured, including a rigid, contoured back	90.00	250.00	36
7153007	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	350.00	350.00	36
7153008	Power tilt system for minimum angulation of 0° to 45°, including controller on joystick control	1,650.00	1,650.00	36
7153009	Pelvic positioning belt, auto buckle	N. C.	30.00	36
7153010	U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10 ¹ / ₄ in.) or from 26 cm to 38.7 cm (10 ¹ / ₄ in. to 15 ¹ / ₄ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153011	T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to $13\frac{1}{2}$ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153012	U-type armrest, long; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10 ¹ / ₄ in.) or from 26 cm to 38.7 cm (10 ¹ / ₄ in. to 15 ¹ / ₄ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153013	T-type armrest, long; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to $13\frac{1}{2}$ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153014	Armrest pad, straight, short	N. C.	20.00	12

			(aut	ientie version)
7153015	Armrest pad, straight, long	N. C.	20.00	12
7153017	One-piece footrest platform, 90° angle, adjustable length	N. C.	225.00	60
7153018	Parallel footrest, adjustable angle 60° or 70°, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 31.8 cm to 39.4 cm ($12\frac{1}{2}$ in. to $15\frac{1}{2}$ in.) or from 36.8 cm to 49,5 cm ($14\frac{1}{2}$ in. to $19\frac{1}{2}$ in.)	N. C.	225.00	60
7153019	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	N. C.	225.00	36
7153020	Padded calf-rest	35.00	35.00	36
7153021	Folding footplate, standard, standard size	N. C.	80.00	36
7153021	C 1	N. C.	80.00	36
	Folding footplate, standard, oversize			50
7153023	Footplate, angle and depth-adjustable, standard size	N. C.	80.00	36
7153024	Footplate, angle and depth-adjustable, oversize	N. C.	80.00	36
7153025	Heel loop, adjustable	N. C.	30.00	36
7153026	Headrest bracket, height and depth-adjustable, or	75.00	75.00	
1100020	articulated uniball bracket	10.00	/2.00	36
7153027	Headrest cushion, contoured, all sizes	70.00	70.00	36
	FRAME			
7153029	Front impact guard with rollers	20.00	20.00	36
7153030	DRIVE SYSTEM Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N. C.	329.00	36
7153031	Standard side bracket for joystick control; adjustable forward-rearward position	N. C.	140.00	36
7153032	Swivel side bracket for joystick control; with locking mechanism	N. C.	230.00	36
7153033	Midline bracket for joystick control; flip-back to provide total clearance for seat access	60.00	200.00	36
7153034	Controller for basic programmable electronics	N. C.	659.00	36
				50
7153035	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N. C.	600.00	36
7153036	Battery charger; external; compatible with group 22 NF batteries	N. C.	199.00	36
7152027		55.00	55.00	
7153037	Ball, stick, T-type, or mushroom handle	55.00	55.00	36

45.00

 80.00
 36

 45.00
 36

PRICE (including all the basic components)

7153044 **POWERED WHEELCHAIR** SUBCATEGORY "LOW-SEAT COMPACT MULTI-PURPOSE (MID-FRONT OR MEDIAL DRIVE WHEELS)"

Airless insert for drive wheel

4,875.00

SUNRISE MEDICAL CANADA INC.

"323 PC" MODEL

7153041

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 181.4 kg (400 lb.)

Seat-to-floor height: 39.4 cm to 51.4 cm ($15\frac{1}{2}$ in. to $20\frac{1}{4}$ in.) without power tilt system and 39.4 cm to 48.3 cm ($15\frac{1}{2}$ in. to 19 in.) with power tilt system

Frame: mid-wheel drive base, overall width $\leq 61 \text{ cm} (24 \text{ in.})$; suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7153045	Seat-to-back assembly structure; resizable; back canes angle- adjustable from 90° to 110° by maximum increments of 6° ; non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle-adjustable from 0° to 10 ; anchor for headrest bracket		550.00	36
7153046	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)		75.00	36

225.00

225.00

- 7153047 Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)
- 7153048 Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)
- 7153049 Flexible nylon mesh back, padded, tensionadjustable; minimum of four horizontal, adjustable straps spread across the height of the back
- 7153050 Padded back cushion, contoured, including a rigid, contoured back
- 7153051 Reclining back with cylinder; seat-to-back angle up to a minimum of 130°
- 7153052 Power reclining back system, including a control external to the joystick control
- 7153053 Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control
- 7153054 Pelvic positioning belt, auto buckle
- 7153055 U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¹/₄ in.) or from 26 cm to 38.7 cm (10¹/₄ in. to 15¹/₄ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight
- 7153056 T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13¹/₂ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight

225.00	225.00	
		36
N. C.	160.00	12
40.00	200.00	
		12
90.00	250.00	36
350.00	350.00	36
1,590.00	1,590.00	36
1,650.00	1,650.00	36
N. C.	30.00	36
N. C.	175.00	
		60
N. C.	175.00	
		60

7153057	U-type armrest, long; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to $10\frac{1}{4}$ in.) or from 26 cm to 38.7 cm ($10\frac{1}{4}$ in. to $15\frac{1}{4}$ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153058	T-type armrest, long; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to $13\frac{1}{2}$ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153059	Armrest pad, straight, short	N. C.	20.00	12
7153060	Armrest pad, straight, long	N. C.	20.00	12
7153061	One-piece footrest platform, 90° angle, adjustable length	N. C.	225.00	60
7153062	Parallel footrest, adjustable angle 60° or 70°, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable	N. C.	225.00	
	heel loop; adjustable length from 31.8 cm to 39.4 cm ($12\frac{1}{2}$ in. to $15\frac{1}{2}$ in.) or from 36.8 cm to 49.5 cm ($14\frac{1}{2}$ in. to $19\frac{1}{2}$ in.)			60
7153063	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	112.50	225.00	36
7153064	Power elevating leg-rest, with control per pair, including a control external to the joystick control	637.50	750.00	36
7153065	Power elevating leg-rest, with control per unit, including a control external to the joystick control	637.50	750.00	36
7153066	Power leg-rest, one piece, including a control external to the joystick control	1,275.00	1,500.00	36
7153067	Padded calf-rest, contoured	35.00	35.00	36
7153068	Folding footplate, standard, standard size	N. C.	80.00	36
7153069	Folding footplate, standard, oversize	N. C.	80.00	36
7153070	Footplate, angle and depth-adjustable, standard size	N. C.	80.00	36
7153071	Footplate, angle and depth-adjustable, oversize	N. C.	80.00	36
7153072	Heel loop, adjustable	N. C.	30.00	36
7153073	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	75.00	75.00	36
7153074	Headrest cushion, contoured, all sizes	70.00	70.00	36

SCHEDULE 1		Tariff for devices which compensate for a motor deficiency and insured related services (authentic version)			
7153075	FRAME Front impact guard with rollers		20.00	20.00	36
7153076	DRIVE SYSTEM Standard joystick control for le electronics; joystick handle; pus functions, horn, function select display	sh buttons for on/off	N. C.	329.00	36
7153077	Standard joystick control programmable electronics; joy buttons for on/off function selection; battery charge display	vstick handle; push s, horn, function	200.00	529.00	36
7153078	Compact joystick control, propo	ortional	N. C.	329.00	36
	Standard side bracket for adjustable forward-rearward pos	joystick control;	N. C.	140.00	36
7153080	Swivel side bracket for joya locking mechanism		N. C.	230.00	36
7153081	Midline bracket for joystick c provide total clearance for seat a	-	60.00	200.00	36
7153082	Controller for basic programmal		N. C.	659.00	36
	Controller for multi-purpo electronics		100.00	759.00	36
7153084			N. C.	600.00	36
7153085	Motor for multi-purpose progra propulsion provided by two motors; variable speed, cont control and controller	electric direct-drive	N. C.	600.00	36
7153086	Internal control system for the one (1) power repositioning acc		350.00	350.00	36
7153087		joystick control for	500.00	500.00	36
7153088	Battery charger; external; comp NF or group 24 batteries		N. C.	199.00	36
7153089	Adapted head control, prop mounting bracket	oortional, including	1,100.00	1,100.00	36

4,200.00

7153090	Adapted head control, non-proportional, including mounting bracket	2,200.00	2,200.00	36
7153091	Adapted breath control, non-proportional, including mounting bracket	1,200.00	1,200.00	36
7153092	Adapted chin control, proportional, including mounting bracket	600.00	600.00	36
7153093	Adapted chin control, non-proportional, including mounting bracket	600.00	600.00	36
7153094	Adapted Mini joystick control, proportional, including mounting bracket	1,510.00	1,510.00	36
7153095	Mounting bracket for adapted control	350.00	350.00	36
	Adapted control interface, with bracket and display	1,100.00	1,100.00	36
7153097	Mounting bracket for interface	350.00	350.00	36
	Ball, stick, T-type, or mushroom handle	52.00	52.00	36
7153099	Course correction system	895.00	895.00	36
	WHEELS AND TIRES			
7153100	Drive wheel, inner tube tire	N. C.	150.00	36
7153101	Front caster wheel, semi-pneumatic or inner tube	N. C.	80.00	36
7153102	Rear caster wheel, semi-pneumatic	N. C.	80.00	36
	Airless insert for drive wheel	45.00	45.00	36
			PRICE (including all the basic	
			components)	

7153470 POWERED WHEELCHAIR

SUBCATEGORY "LOW-SEAT COMPACT MULTI-PURPOSE (MID-FRONT OR MEDIAL DRIVE WHEELS)"

PRIDE MOBILITY PRODUCTS COMPANY

"Q6 EDGE 2" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Seat-to-floor height: 41.9 cm to 47 cm ($16\frac{1}{2}$ in. to $18\frac{1}{2}$ in.) without power tilt system and 42.5 cm to 49.5 cm ($16\frac{3}{4}$ in. to $19\frac{1}{2}$ in.) with power tilt system

Frame: mid-front-wheel drive base, overall width ≤ 61 cm (24 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7153471	Seat-to-back assembly structure; resizable; back canes angle-adjustable from 90° to 110° by maximum increments of 6°; push bar or non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10; anchor for headrest bracket	N. C.	500.00	36
7153472	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 35.6 cm to 40.6 cm (14 in. to 16 in.) or 40.6 cm to 50.8 cm (16 in. to 20 in.)	N. C.	65.00	36
7153473	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	175.00	175.00	36
7153474	Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	60.00	12
7153475	Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	90.00	150.00	12
7153476	Back cushion, padded and contoured, including or built into a rigid back, flat or contoured	215.00	275.00	36
7153477	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	591.00	591.00	36
	Power reclining back system, including a control external to the joystick control	1,500.00	1,500.00	36
7153479	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	2,000.00	2,000.00	36
7153480	Pelvic positioning belt, auto buckle	N. C.	25.00	36

SCHI	EDULE 1 Tariff for devices whi	ich compensate for a	motor deficiency	and insured related services (authentic version)
7153481	U-type armrest, short; flip-away; height-adjustable, from 22.9 cm to 33 cm (9 in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	215.00	60
7153482	T-type armrest, short; detachable; height-adjustable, from 19.6 cm to 24.8 cm ($7\frac{3}{4}$ in. to $9\frac{3}{4}$ in.), from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	215.00	60
7153483	U-type armrest, long; flip-away; height-adjustable, from 22.9 cm to 33 cm (9 in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	221.00	60
7153484		N. C.	221.00	60
7153485	Armrest pad, straight, short	N. C.	10.00	12
7153486	Armrest pad, straight, long Parallel footrest, adjustable angle 60° to 90°, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable	N. C. N. C.	16.00 135.00	12
	heel loop; adjustable length from 27.9 cm to 33 cm (11 in. to 13 in.), from 33 cm à 41.9 cm (13 in. to $16\frac{1}{2}$ in.) or from 39.4 cm to 49.5 cm ($15\frac{1}{2}$ in. to $19\frac{1}{2}$ in.)			60
7153488	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	224.50	246.00	36
7153489	Power elevating leg-rest, with control per pair,	1,678.50	1,700.00	36
7153490	including a control external to the joystick control Power elevating leg-rest, with control per unit,	978.50	1,000.00	36
7153491	including a control external to the joystick control One-piece footrest platform, 90° angle, adjustable	N. C.	43.00	60
7153492	length Power leg-rest, one piece, including a control	1,657.00	1,700.00	36
7153493	external to the joystick control Padded calf-rest, flat	63.00	63.00	36

				(authentic version)
7153495	Folding footplate, standard, standard size Folding footplate, standard, oversize Footplate, angle and depth-adjustable, standard size	N. C. 14.00 117.00	53.00 67.00 170.00	36 36 36
7153497	Footplate, angle and depth-adjustable, oversize	167.00	220.00	36
7153499	Heel loop, adjustable Headrest bracket, articulated uniball Headrest cushion, contoured, all sizes	N. C. 90.00 90.00	12.00 90.00 90.00	36 36 36
7153501	FRAME Front impact guard with rollers	3.00	3.00	36
7153502	DRIVE SYSTEM Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N. C.	330.00	36
7153503	Standard joystick control for multi-purpose programmable electronics; joystick handle; toggle switches or push buttons for on/off functions, horn, function selection; battery charge display	380.00	710.00	36
7153504 7153505	Compact joystick control, proportional Standard side bracket for joystick control; adjustable forward-rearward position	315.00 N. C.	645.00 20.00	36 36
7153506	•	N. C.	80.00	36
7153507	Midline bracket for joystick control; flip-back to provide total clearance for seat access	330.00	350.00	36
7153508	Controller for basic programmable electronics	N. C.	250.00	36
7153509	Controller for multi-purpose programmable electronics	75.00	325.00	36
7153510	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N. C.	275.00	36
7153511	Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick and controller	N. C.	275.00	36
7153512	Internal control system for the joystick control for one (1) power repositioning accessory	300.00	300.00	36
7153513	Internal control system for the joystick control for four (4) power repositioning accessories	375.00	375.00	36
7153514	Battery charger; external; compatible with group 22 NF batteries	N. C.	165.00	36
7153515	Adapted head control, proportional, including mounting bracket	1,452.00	1,452.00	36

7153516	Adapted head control, non-proportional, including mounting bracket	2,539.00	2,539.00	36
7153517	Adapted breath control, non-proportional, including mounting bracket	1,222.00	1,222.00	36
7153518	Adapted chin control, proportional, including mounting bracket	1,302.00	1,302.00	36
7153519	Adapted chin control, non-proportional, including mounting bracket	1,302.00	1,302.00	36
7153520	Adapted Mini joystick control, proportional, including mounting bracket	1,302.00	1,302.00	36
7153521	Mounting bracket for adapted control	91.00	91.00	36
7153522	Adapted control interface, with bracket and display	1,118.00	1,118.00	36
7153523	Mounting bracket for interface	71.00	71.00	36
7153524	Ball, stick, T-type, or mushroom handle	40.00	40.00	36
7153525	Course correction system	869.00	869.00	36
	WHEELS AND TIRES			
7153526	Drive wheel, inner tube tire	N. C.	100.00	36
7153527	Front caster wheel, semi-pneumatic tire	N. C.	20.00	36
7153528	Rear caster wheel, semi-pneumatic tire	N. C.	20.00	36
7153529	Airless insert for drive wheel	60.00	60.00	36

7153106 POWERED WHEELCHAIR	5.710.00
	components)
	the basic
	(including all
	PRICE

SUBCATEGORY "LOW-SEAT COMPACT MULTI-PURPOSE (MID-

ORTHOFAB INC.

"OASIS PC" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 136 kg (300 lb.)

Seat-to-floor height: 39.3 cm to 52 cm ($15\frac{1}{2}$ in. to $20\frac{1}{2}$ in.) without power tilt system and 39.3 cm to 49.5 cm ($15\frac{1}{2}$ in. to $19\frac{1}{2}$ in.) with power tilt system

Frame: mid-rear wheel drive base, overall width ≤ 61 cm (24 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

BASIC AND OPTIONAL COMPONENTS com	nit price of ponent during rice purchase	component	Warranty (months)
-----------------------------------	--	-----------	----------------------

BODY SUPPORT SYSTEM

SCHEDULE 1	Tariff for devices which c	ompensate for a moto	or deficiency and in	nsured related services (authentic version)
 7153107 Seat-to-back assembly struction canes angle adjustable from maximum increments of 6°; push handles; structure com positioning device anchors; height; static rocker, angle a 10°; anchor for headrest braction. 	90° to 110° by push bar or non-slip patible with commercial adjustable seat-to-floor djustable from 0° to	N. C.	240.00	36
 7153108 Rigid metal seat for cushion Velcro, 2.5 cm (1 in.); widtl 38.1 cm (15 in.), 40.6 cm (1 45.7 cm (18 in.), 48.3 cm (1 53.3 cm (21 in.), 55.9 cm (2 (23 in.); depths of 38.1 cm ((16 in.), 43.2 cm (17 in.), 45 (19 in.), 50,8 cm (20 in.) or 	ns of 35.6 cm (14 in.), 6 in.), 43.2 cm (17 in.), 9 in.), 50.8 cm (20 in.), 2 in.) or 58.4 cm 15 in.), 40.6 cm 5.7 cm (18 in.), 48.3 cm	N. C.	45.00	36
7153109 Padded seat cushion, contou washable outer cover, water an internal incontinence cov "velour" Velcro 5.1 cm (2 in cushion to stabilize it on the padded seat is built into the	proof or combined with rer; two strips of n.) wide under the seat (except if the	150.00	150.00	36
7153110 Flexible nylon mesh back, p 40.6 cm (16 in.), 43.1 cm (1 48.3 cm (19 in.), 50.8 cm (2 55.9 cm (22 in.), 58.4 cm (2	added; heights of 7 in.), 45.7 cm (18 in.), 0 in.), 53.3 cm (21 in.),	N. C.	75.00	12
7153111 Flexible nylon mesh back, p adjustable; minimum of fou straps spread across the heig	r horizontal, adjustable	65.00	140.00	12
7153112 Padded back cushion, conto contoured back	ured, including a rigid,	165.00	240.00	36

7153115	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	1,000.00	1,000.00	36
7153116	Pelvic positioning belt, auto buckle	N. C.	6.00	36
7153117	U-type armrest, short; flip-away; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7153118	T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 27.9 cm to 35.6 cm (11 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7153119	U-type armrest, long; flip-away; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7153120	T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 27.9 cm to 35.6 cm (11 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7153121	Armrest pad, straight, short	N. C.	6.00	12
7153122 7153123	Armrest pad, straight, long Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding	N. C. N. C.	6.00 100.00	12
	footplate, standard size; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or 45.7 cm to 58.4 cm (18 in. to 23 in.)			60
7153124	Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or 45.7 cm to 58.4 cm (18 in. to 23 in.)	N. C.	100.00	60

				(uutilennie verbion)
7153125	Elevating leg-rest, compensating; detachable and pivoting, with locking mechanism; adjustable length; standard folding footplate, standard size or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, flat, padded, height- and depth-adjustable	100.00	200.00	36
7153126	Power elevating leg-rest, with control per unit, including a control external to the joystick control	1,030.00	1,130.00	36
7153127	Power elevating leg-rest, with control per pair, including a control external to the joystick control	1,030.00	1,130.00	36
7153128	Padded calf-rest, flat	15.00	15.00	36
7153129	Folding footplate, standard, standard size	N. C.	6.00	36
	Folding footplate, standard, oversize	29.00	35.00	36
7153131	Footplate, angle and depth-adjustable, standard size	44.00	50.00	36
7153132	Footplate, angle and depth-adjustable, oversize	49.00	55.00	36
7153133	Full-width footplate, in two lockable parts; angle- adjustable	88.00	100.00	36
7153134	Heel loop, adjustable	N. C.	3.00	36
	Headrest bracket, height and depth-adjustable	35.00	35.00	
	Headrest cushion, flat, all sizes		40.00	36 36
/155150	freatrest cusinon, flat, an sizes	40.00	40.00	50
	FRAME			
7153137	Anti-tipping wheels, non-detachable except with tools	N. C.	4.00	60
7153138	Front impact guard with rollers	10.00	10.00	36
7153139	DRIVE SYSTEM Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N. C.	185.00	36
7153140	Standard joystick control for multi-purpose programmable electronics; joystick handle; toggle switches or push buttons for on/off functions, horn, function selection; battery charge display	195.00	380.00	36
7153141	Compact joystick control, proportional	195.00	380.00	36
7153142	Standard side bracket for joystick control;	N. C.	25.00	
, 100112	adjustable forward-rearward position	11. 0.	20.00	36
7153143	Swivel side bracket for joystick control; with locking mechanism	N. C.	95.00	36
7153144	Midline bracket for joystick control; flip-back to provide total clearance for seat access	70.00	95.00	36

SCHEDULE 1

				(uumenne version)
7153145	Controller for basic programmable electronics	N. C.	350.00	36
7153146	Controller for multi-purpose programmable	225.00	575.00	36
	electronics			50
7153147	Motor for basic programmable electronics;	N. C.	450.00	
	propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick			36
	control and controller			
7153148	Motor for multi-purpose programmable electronics;	N. C.	450.00	
,	propulsion provided by two electric direct-drive			26
	motors; variable speed, controlled by joystick and			36
	controller			
7153149	Battery charger; on board; compatible with group	N. C.	115.00	36
7152150	22 NF or group 24 batteries	105.00	105.00	
7153150	Internal control system for the joystick control for one (1) power repositioning accessory	185.00	185.00	36
7153151	Internal control system for the joystick control for	325.00	325.00	
/100101	four (4) power repositioning accessories	525.00	525.00	36
7153152	Adapted head control, proportional, including	1,000.00	1,000.00	26
	mounting bracket			36
7153153	Adapted head control, non-proportional, including	500.00	500.00	36
7152154	mounting bracket	100.00	400.00	
/153154	Adapted breath control, non-proportional, including mounting bracket	400.00	400.00	36
7153155	Adapted chin control, proportional, including	800.00	800.00	
1100100	mounting bracket	000.00	000.00	36
7153156	Adapted chin control, non-proportional, including	700.00	700.00	26
	mounting bracket			36
7153157	Adapted Mini joystick control, proportional,	2,500.00	2,500.00	36
	including mounting bracket	100.00		
	Mounting bracket for adapted control	400.00	400.00	36
7153159	Adapted control interface, with bracket and display	750.00	750.00	36
7153160	Mounting bracket for interface	125.00	125.00	36
	Ball, stick, T-type, or mushroom handle	15.00	15.00	27
				36
7153162	Course correction system	1,000.00	1,000.00	36
	WHEELS AND TIRES			
7153163	Drive wheel, inner tube tire	N. C.	100.00	36
	Front caster wheel, inner tube tire	N. C.	45.00	36
	Airless insert for drive wheel	75.00	75.00	36
7153166	Airless insert for caster wheel	30.00	30.00	36

			PRICE (including all the basic components)	
7153167	7 MOTORIZED WHEELCHAIR SUBCATEGORY "MULTI-PURPOSE PERFORMANCE (MID-FRONT OR MEDIAL DRIVE WHEELS)"		4,110.00	
	SUNRISE MEDICAL CANADA INC.			
	"323 PP" MODEL			
	TECHNICAL SPECIFICATIONS OF THE DEV Maximum weight capacity: 181.4 kg (400 lb.) Seat-to-floor height: 39.4 cm to 51.4 cm (15 ¹ / ₂ in. to 20 ¹ / ₄ 39.4 cm to 47.6 cm (15 ¹ / ₂ in. to 18 ³ / ₄ in.) with power tilt sy	4 in.) without power tilt	system and	
	Frame: mid-wheel drive base, overall width \leq 66 cm reflectors; electric red tail-lights; reflective strip on e in; four tie-down points for adapted transport			
	Drive system: electromagnetic brakes, manual freew replaceable separately	wheel lever; joystick o	control cable	
	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7153168	Seat-to-back assembly structure; resizable; back canes angle adjustable from 90° to 110° by maximum increments of 6°; non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10°; anchor for headrest bracket	N. C.	550.00	36
7153169	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50,8 cm (20 in.)	N. C.	75.00	36

				(uumenne version)
7153170	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	225.00	225.00	36
7153171	Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	160.00	12
7153172	Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	40.00	200.00	12
7153173	Padded back cushion, contoured, including a rigid, contoured back	90.00	250.00	36
7153174	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	350.00	350.00	36
7153175	Power reclining back system, including a control external to the joystick control	1,590.00	1,590.00	36
7153176	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	1,650.00	1,650.00	36
7153177	Pelvic positioning belt, auto buckle	N. C.	30.00	36
7153178	U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10 ¹ / ₄ in.) or from 26 cm to 38.7 cm (10 ¹ / ₄ in. to 15 ¹ / ₄ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153179	T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to $13\frac{1}{2}$ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153180	U-type armrest, long; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10 ¹ / ₄ in.) or from 26 cm to 38.7 cm (10 ¹ / ₄ in. to 15 ¹ / ₄ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153181	T-type armrest, long; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13 ¹ / ₂ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
	Armrest pad, straight, short	N. C.	20.00	12
	Armrest pad, straight, long	N.C.	20.00	12
7153184	One-piece footrest platform, 90° angle, adjustable length	N. C.	225.00	60

7153185	Parallel footrest, adjustable angle 60° or 70° , detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 31.8 cm to 39.4 cm ($12\frac{1}{2}$ in. to $15\frac{1}{2}$ in.) or from 36.8 cm to 49.5 cm ($14\frac{1}{2}$ in. to $19\frac{1}{2}$ in.)	N. C.	225.00	60
7153186	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	112.50	225.00	36
7153187	Power elevating leg-rest, with control per pair, including a control external to the joystick control	637.50	750.00	36
7153188	Power elevating leg-rest, with control per unit, including a control external to the joystick control	637.50	750.00	36
7153189	Power leg-rest, one piece, including a control external to the joystick control	1,275.00	1,500.00	36
7153190	Padded calf-rest, contoured	35.00	35.00	36
7153191	Folding footplate, standard, standard size	N. C.	80.00	36
7153192	Folding footplate, standard, oversize	N. C.	80.00	36
7153193	Footplate, angle and depth-adjustable, standard size	N. C.	80.00	36
7153194	Footplate, angle and depth-adjustable, oversize	N. C.	80.00	36
7153195	Heel loop, adjustable	N. C.	30.00	36
	Headrest bracket, height and depth-adjustable, or	75.00	75.00	
	articulated uniball bracket			36
7153197	Headrest cushion, contoured, all sizes	70.00	70.00	36
	FRAME			
7153198	Front impact guard with rollers	20.00	20.00	36

7153199	DRIVE SYSTEM Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N. C.	329.00	36
7153200	Standard joystick control for multi-purpose programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	200.00	529.00	36
7153201	Compact joystick control, proportional	N. C.	329.00	36
7153202	Standard side bracket for joystick control;	N. C.	140.00	36
	adjustable forward-rearward position			50
7153203	Swivel side bracket for joystick control; with locking mechanism	N. C.	230.00	36
7153204	Midline bracket for joystick control; flip-back to provide total clearance for seat access	60.00	200.00	36
7153205	Controller for basic programmable electronics	N. C.	659.00	36
7153206	Controller for multi-purpose programmable electronics	100.00	759.00	36
7153207	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N. C.	600.00	36
7153208	Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick and controller	N. C.	600.00	36
7153209	Battery charger; external; compatible with group 22 NF or group 24 batteries	N. C.	199.00	36
7153210	Internal control system for the joystick control for one (1) power repositioning accessory	350.00	350.00	36

components)

4,100.00

7153211	Internal control system for the joystick control for	500.00	500.00	
/155211	four (4) power repositioning accessories	500.00	500.00	36
7153212	Adapted head control, proportional, including mounting bracket	1,100.00	1,100.00	36
7153213	Adapted head control, non-proportional, including mounting bracket	2,200.00	2,200.00	36
7153214	Adapted breath control, non-proportional, including mounting bracket	1,200.00	1,200.00	36
7153215	Adapted chin control, proportional, including mounting bracket	600.00	600.00	36
7153216	Adapted chin control, non-proportional, including mounting bracket	600.00	600.00	36
7153217	Adapted Mini joystick control, proportional, including mounting bracket	1,510.00	1,510.00	36
7153218	Mounting bracket for adapted control	350.00	350.00	36
7153219	Adapted control interface, with bracket and display	1,100.00	1,100.00	36
7153220	Mounting bracket for interface	350.00	350.00	36
7153221	Ball, stick, T-type, or mushroom handle	52.00	52.00	36
7153222	Course correction system	895.00	895.00	36
	WHEELS AND TIRES			
	Drive wheel, inner tube tire	N. C.	150.00	36
7153224	Front caster wheel, semi-pneumatic or inner tube	N. C.	80.00	36
7153225	Rear caster wheel, semi-pneumatic	N. C.	80.00	36
7153226	Airless insert for drive wheel	45.00	45.00	36
			PRICE	
		(1	including all	
			the basic	

7153530 POWERED WHEELCHAIR

SUBCATEGORY "MULTI-PURPOSE PERFORMANCE (MID-FRONT OR MEDIAL DRIVE WHEELS)"

PRIDE MOBILITY PRODUCTS COMPANY

"Q6 EDGE Z" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 136 kg (300 lb.)

Seat-to-floor height: 44.5 cm to 49.5 cm $(17\frac{1}{2} \text{ in. to } 19\frac{1}{2} \text{ in.})$ without power tilt system and 46 cm to 51.1 cm (181/8 in. to 201/8 in.) with power tilt system

Frame: mid-front wheel drive base, overall width ≤ 66 cm (26 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7153531	Seat-to-back assembly structure; resizable; back canes angle adjustable from 90° to 110° by maximum increments of 6°; push bar or non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10°; anchor for headrest bracket	N. C.	500.00	36
7153532	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 30.5 cm (12 in.), 33 cm (13 in.) from 35.6 cm to 40.6 cm (14 in. to 16 in.), from 40.6 cm to 50.8 cm (16 in. to 20 in.), or from 50.8 cm to 61 cm (20 in. to 24 in.); depths of 35.6 cm to 40.6 cm (14 in. to 16 in.), from 40.6 cm to 50.8 cm (16 in. to 20 in.), or from 50.8 cm to 61 cm (20 in. to 24 in.)	N. C.	65.00	36
7153533	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	175.00	175.00	36
7153534	Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	60.00	12
7153535	Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	90.00	150.00	12
7153536	Back cushion, padded and contoured, including or built into a rigid back, flat or contoured	215.00	275.00	36
7153537	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	591.00	591.00	36
7153538	Power reclining back system, including a control external to the joystick control	1,500.00	1,500.00	36
7153539	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	2,000.00	2,000.00	36

SCHEDULE 1	Tariff for devices which	compensate for a mo	tor deficiency and ins	ured related services (authentic version)
7153540 Pelvic positioning	belt, auto buckle	N. C.	25.00	36
from 22.9 cm to 3 increments of 2.5	ort; flip-away; height-adjustable, 3 cm (9 in. to 13 in.) by maximum cm (1 in.), with locking ng guard, rigid, built into armrest; ht	N. C.	215.00	60
7153542 T-type armrest, sh from 19.6 cm to 2 20.3 cm to 30.5 cm cm to 35.6 cm (10 increments of 2.5	ort; detachable; height-adjustable, 4.8 cm (7 ³ / ₄ in. to 9 ³ / ₄ in.), from n (8 in. to 12 in.) or from de 25.4 in. to 14 in.) by maximum cm (1 in.), with locking ng guard, rigid, built into armrest;	N. C.	215.00	60
7153543 U-type armrest, lo from 22.9 cm to 3 increments of 2.5	ng; flip-away; height-adjustable, 3 cm (9 in. to 13 in.) by maximum cm (1 in.), with locking ng guard, rigid, built into armrest;	N. C.	221.00	60
7153544 T-type armrest, lo from 19.6 cm to 2 20.3 cm to 30.5 cm cm to 35.6 cm (10 increments of 2.5 mechanism; clothi	ng; detachable; height-adjustable, 4.8 cm ($7\frac{3}{4}$ in. to $9\frac{3}{4}$ in.), from n (8 in. to 12 in.) or from de 25.4 in. to 14 in.) by maximum cm (1 in.), with locking ng guard, rigid, built into armrest;	N. C.	221.00	60
armrest pad, straig			10.00	
7153545 Armrest pad, strai		N.C.	10.00	12
7153546 Armrest pad, strai		N.C.	16.00	12
length	platform, 90° angle, adjustable	N. C.	43.00	60
7153548 Parallel footrest, a detachable and piv standard folding f heel loop; adjustal	djustable angle from 60° to 90° , voting with locking mechanism; potplate, standard size; adjustable ble length from 27.9 cm to 33 cm	N. C.	135.00	60
16½ in.) or from 3 19½ in.)	rom 33 cm to 41.9 cm (13 in. to 9.4 cm to 49.5 cm (15½ in. to			
and pivoting with length; standard fo oversize; compatil point as the footre	non-compensating; detachable locking mechanism; adjustable olding footplate, standard or ole with the same attachment st or supplied with its own rest, contoured and padded, height ole	224.50	246.00	36
7153550 Power elevating le	g-rest, with control per pair, l external to the joystick control	1,678.50	1,700.00	36

7153551	Power elevating leg-rest, with control per unit, including a control external to the joystick control	978.50	1,000.00	36
7153552	Power leg-rest, one piece, including a control external to the joystick control	1,657.00	1,700.00	36
7153553	Calf-rest, padded, flat or contoured	63.00	63.00	36
	Folding footplate, standard, standard size	03.00 N. C.	53.00	36
	Folding footplate, standard, standard size	14.00	67.00	36
	Footplate, angle and depth-adjustable, standard size	117.00	170.00	
100000		11,.00	1,000	36
7153557	Footplate, angle and depth-adjustable, oversize	167.00	220.00	36
7153558	Heel loop, adjustable	N. C.	12.00	36
	Headrest cushion, contoured, all sizes	90.00	90.00	36
	Headrest bracket, articulated uniball	90.00	90.00	36
7152561	FRAME	2.00	2.00	26
7153561	Front impact guard with rollers	3.00	3.00	36
	DRIVE SYSTEM			
7153562	Standard joystick control for basic programmable	N. C.	330.00	
	electronics; joystick handle; push buttons for on/off			
	functions, horn, function selection; battery charge			36
	display			
7153563	Standard joystick control for multi-purpose	380.00	710.00	
	programmable electronics; joystick handle; toggle			
	switches or push buttons for on/off functions, horn,			36
	function selection; battery charge display			
7152561	Common invotigly control man outional	315.00	645.00	26
	Compact joystick control, proportional Standard side bracket for joystick control;	N. C.	20.00	36
/155505	adjustable forward-rearward position	N. C.	20.00	36
7153566	Swivel side bracket for joystick control; with	N. C.	80.00	
/100000	locking mechanism	14. C.	00.00	36
7153567	Midline bracket for joystick control; flip-back to	330.00	350.00	
,10000,	provide total clearance for seat access	22000	220100	36
7153568	Controller for basic programmable electronics	N. C.	300.00	36
	Controller for multi-purpose programmable	50.00	350.00	
	electronics			36
7153570	Motor for basic programmable electronics;	N. C.	520.00	
	propulsion provided by two electric direct-drive			26
	motors; variable speed, controlled by joystick			36
	control and controller			
7153571	Motor for multi-purpose programmable electronics;	N. C.	520.00	
	propulsion provided by two electric direct-drive			36
	motors; variable speed, controlled by joystick and			50
	controller			

7153572 Internal control system for the joystick control for one (1) power repositioning accessory	300.00	300.00	36
7153573 Internal control system for the joystick control for	375.00	375.00	36
four (4) power repositioning accessories			50
7153574 Battery charger; external; compatible with group	N. C.	165.00	36
24 batteries	1 450 00	1 452 00	
7153575 Adapted head control, proportional, including mounting bracket	1,452.00	1,452.00	36
7153576 Adapted head control, non-proportional, including mounting bracket	2,539.00	2,539.00	36
•	1 222 00	1 222 00	
7153577 Adapted breath control, non-proportional, including mounting bracket	1,222.00	1,222.00	36
7153578 Adapted chin control, proportional, including	1,302.00	1,302.00	36
mounting bracket	1 2 2 2 2 2	1 202 00	
7153579 Adapted chin control, non-proportional, including mounting bracket	1,302.00	1,302.00	36
7153580 Adapted Mini joystick control, proportional, including mounting bracket	1,302.00	1,302.00	36
7153581 Mounting bracket for adapted control	91.00	91.00	36
7153587 Mounting bracket for adapted control 7153582 Adapted control interface, with bracket and display	1,118.00	1,118.00	50
/155582 Adapted control interface, with bracket and display	1,118.00	1,118.00	36
7153583 Mounting bracket for interface	71.00	71.00	36
7153584 Ball, stick, T-type, or mushroom handle	40.00	40.00	36
7153585 Course correction system	869.00	869.00	36
· · · · · · · · · · · · · · · · · · ·			
WHEELS AND TIRES			
7153586 Drive wheel, inner tube tire	N. C.	100.00	36
7153587 Front caster wheel, semi-pneumatic tire	N. C.	30.00	36
7153588 Rear caster wheel, semi-pneumatic tire	N. C.	30.00	36
7153589 Airless insert for drive wheel	60.00	60.00	36

		PRICE (including all the basic components)	
7153229 POWERED WHEELCHAIR SUBCATEGORY "MULTI-PURPOSE PERFORMANCE (MID-REAR DRIVE WHEELS)"		5,710.00	
ORTHOFAB INC.			
"OASIS PP" MODEL			
TECHNICAL SPECIFICATIONS OF THE DEV Maximum weight capacity: 113.4 kg (250 lb.) Seat-to-floor height: 39.4 cm to 52 cm (15 ¹ / ₂ in. to and 39.4 cm to 49.5 cm (15 ¹ / ₂ in. to 19 ¹ / ₂ in.) with po	20½ in.) without pow ower tilt system		
Frame: mid-rear wheel drive base, overall width ≤ 6 white reflectors; electric red tail-lights; reflective str flag, plug-in; four tie-down points for adapted transp	ip on each side; trian		
Drive system: electromagnetic brakes, manual freev replaceable separately BASIC AND OPTIONAL COMPONENTS	wheel lever; joystick Unit price of component during device purchase	control cable Unit price for component replacement	•
replaceable separately	Unit price of component during device purchase N. C.	Unit price for component	Warranty (months) 36

			(
7153232 Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	150.00	150.00	36
7153233 Flexible nylon mesh back, padded; heights of 40.6 cm (16 in.), 43.1 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	75.00	12
7153234 Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	65.00	140.00	12
7153235 Padded back cushion, contoured, including a rigid, contoured back	165.00	240.00	36
7153236 Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	270.00	270.00	36
7153237 Power reclining back system, including a control external to the joystick control	750.00	750.00	36
7153238 Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	1,000.00	1,000.00	36
7153239 Pelvic positioning belt, auto buckle	N. C.	6.00	36
7153240 U-type armrest, short; flip-away; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7153241 T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 27.9 cm to 35.6 cm (11 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
 7153242 U-type armrest, long; flip-away; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight 	N. C.	150.00	60

SCHEDULE 1

SCHEDULE 1	Tariff for devices which c	compensate for a mo	otor deficiency and	insured related services (authentic version)
from 20.3 cm to 27.9 27.9 cm to 35.6 cm (increments of 2.5 cm	; detachable; height-adjustable, 9 cm (8 in. to 11 in.) or from (11 in. to 14 in.) by maximum (1 in.), with locking guard, rigid, built into armrest;	N. C.	150.00	60
7153244 Armrest pad, straigh	t, short	N. C.	6.00	12
7153245 Armrest pad, straigh	t, long	N. C.	6.00	12
with locking mechar standard size; adjust length from 35.6 cm	angle, detachable and pivoting hism; standard folding footplate, able heel loop; adjustable to 48.3 cm (14 in. to 19 in.) or 4 cm (18 in. to 23 in.)	N. C.	100.00	60
with locking mechar standard size; adjust length from 35.6 cm	e angle, detachable and pivoting hism; standard folding footplate, able heel loop; adjustable to 48.3 cm (14 in. to 19 in.) or 4 cm (18 in. to 23 in.)	N. C.	100.00	60
length; standard fold oversize; compatible point as the footrest	ompensating; detachable and ag mechanism; adjustable ling footplate, standard size or e with the same attachment or supplied with its own at, flat, padded, height and	100.00	200.00	36
	external to the joystick control	1,030.00	1,130.00	36
-	xternal to the joystick control	1,030.00	1,130.00	36
7153251 Padded calf-rest, flat		15.00	15.00	36
7153252 Folding footplate, st		N. C.	6.00	36
7153253 Folding footplate, st		29.00	35.00	36
/153254 Footplate, angle and	depth-adjustable, standard size	44.00	50.00	36
7153255 Footplate, angle and	depth-adjustable, oversize	49.00	55.00	36
7153256 Full-width footplate, adjustable	in two lockable parts; angle-	88.00	100.00	36
7153257 Heel loop, adjustable	e	N. C.	3.00	36
7153258 Headrest bracket, he	ight and depth-adjustable	35.00	35.00	36
7153259 Headrest cushion, fla FRAME	at, all sizes	40.00	40.00	36
7153260 Anti-tipping wheels, tools	non-detachable except with	N. C.	4.00	60
7153261 Front impact guard v	with rollers	10.00	10.00	36

7153262	DRIVE SYSTEM Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N. C.	185.00	36
7153263	Standard joystick control for multi-purpose programmable electronics; joystick handle; toggle switches or push buttons for on/off functions, horn, function selection; battery charge display	195.00	380.00	36
7153264	Compact joystick control, proportional	195.00	380.00	36
	Standard side bracket for joystick control; adjustable forward-rearward position	N. C.	25.00	36
7153266	Swivel side bracket for joystick control; with locking mechanism	N. C.	95.00	36
7153267	Midline bracket for joystick control; flip-back to provide total clearance for seat access	70.00	95.00	36
	Controller for basic programmable electronics	N. C.	350.00	36
	Controller for multi-purpose programmable electronics	225.00	575.00	36
7153270	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N. C.	450.00	36
7153271	Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick and controller	N. C.	450.00	36
7153272	Battery charger; on board; compatible with group 22 NF or group 24 batteries	N. C.	115.00	36
7153273	Internal control system for the joystick control for one (1) power repositioning accessory	185.00	185.00	36
7153274	Internal control system for the joystick control for four (4) power repositioning accessories	325.00	325.00	36
7153275	Adapted head control, proportional, including mounting bracket	1,000.00	1,000.00	36
7153276	Adapted head control, non-proportional, including mounting bracket	500.00	500.00	36
7153277	Adapted breath control, non-proportional, including mounting bracket	400.00	400.00	36
7153278	Adapted chin control, proportional, including mounting bracket	800.00	800.00	36
7153279	Adapted chin control, non-proportional, including mounting bracket	700.00	700.00	36

400.00	400.00	36			
750.00	750.00	36			
125.00	125.00	36			
15.00	15.00	36			
1,000.00	1,000.00	36			
N. C.	100.00	36			
N. C.	45.00	36			
75.00	75.00	36			
30.00	30.00	36			
	PRICE				
(i	ncluding all				
the basic					
C	omponents)				
	750.00 125.00 15.00 1,000.00 N. C. N. C. 75.00 30.00	750.00 750.00 125.00 125.00 15.00 15.00 1,000.00 1,000.00 N. C. 100.00 N. C. 45.00 75.00 75.00 30.00 30.00 PRICE (including all			

8,000.00

7153290 POWERED WHEELCHAIR

SUBCATEGORY "OBESE (MID-FRONT OR MEDIAL DRIVE WHEELS)"

SUNRISE MEDICAL CANADA INC.

"XCEL" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 249.5 kg (550 lb.)

Seat-to-floor height: 41.3 cm to 51.4 cm ($16\frac{1}{4}$ in. to $20\frac{1}{4}$ in.) without power tilt system and 43.2 cm to 48.3 cm (17 in. to 19 in.) with power tilt system

Frame: mid-wheel drive base, overall width \leq 73,3 cm (29 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153291	BODY SUPPORT SYSTEM Seat-to-back assembly structure; resizable; back canes angle adjustable from 90° to 110° by maximum increments of 6°; non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10 ; anchor for headrest bracket	N. C.	550.00	36
7153292	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.), 63.5 cm (25 in.), 66 cm (26 in.), 68.6 cm (27 in.) or 71.1 cm (28 in.); depths of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in), 58.4 cm (23 in.) or 61 cm (24 po.)	N. C.	260.00	36
7153293	Padded seat cushion, contoured; removable and washable outer cover, water-resistant or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	490.00	490.00	36
7153294	Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	180.00	12
7153295	Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	310.00	490.00	12
7153296	Padded back cushion, contoured, including a rigid, contoured back	310.00	490.00	36
7153297	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	995.00	995.00	36
7153298	Power reclining back system, including a control external to the joystick control	2,500.00	2,500.00	36
7153299	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	3,500.00	3,500.00	36
7153300	Pelvic positioning belt, auto buckle	N. C.	45.00	36

				(uutileitite version)
7153301	U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10 ¹ / ₄ in.) or from 26 cm to 38.7 cm (10 ¹ / ₄ in. to 15 ¹ / ₄ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	225.00	60
7153302	T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to $13\frac{1}{2}$ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	225.00	60
7153303	U-type armrest, long, flip-away, height-adjustable from 17.8 cm to 26 cm (7 in. to 10 ¹ / ₄ in.) or from 26 cm to 38.7 cm (10 ¹ / ₄ in. to 15 ¹ / ₄ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	225.00	60
7153304	T-type armrest, long, detachable; adjustable in height from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to $13\frac{1}{2}$ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	225.00	60
7153305	Armrest pad, straight, short	N. C.	20.00	12
	Armrest pad, straight, long	N. C.	20.00	12
7153307	One-piece footrest platform, 90° angle, adjustable length	N. C.	225.00	60
7153308	Parallel footrest, adjustable angle 60° or 70° , detachable and pivoting with locking mechanism; standard folding footplate; standard size; adjustable heel-loop; adjustable length of 31.8 cm to 39.4 cm $(12\frac{1}{2}$ in. to $15\frac{1}{2}$ in.) or from 36.8 cm to 49.5 cm $(14\frac{1}{2}$ in. to $19\frac{1}{2}$ in.)	N. C.	225.00	60
7153309	Elevating leg-rests, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rests, contoured and padded, height and depth-adjustable	112.50	225.00	36
7153310	Power elevating leg-rest, with control per pair, including a control external to the joystick control	882.50	995.00	36
7153311	Power elevating leg-rest, with control per unit, including a control external to the joystick control	882.50	995.00	36

SCHEDULE 1

				()
7153312	Power leg-rest, one piece, including a control external to the joystick control	1,770.00	1,995.00	36
7153313	Padded calf-rest, contoured	100.00	100.00	36
	Folding footplate, standard, standard size	N. C.	100.00	36
	Folding footplate, standard, oversize	N. C.	100.00	36
	Footplate, angle and depth-adjustable, standard size	N. C.	100.00	50
/155510	rootplate, angle and depui-aujustable, standard size	N. C.	100.00	36
7153317	Footplate, angle and depth-adjustable, oversize	N. C.	100.00	36
7153318	Heel loop, adjustable	N. C.	45.00	36
7153319	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	75.00	75.00	36
7153320	Headrest cushion, contoured, all sizes	70.00	70.00	36
100020		, 0.00	,0.00	20
7153321	FRAME Front impact guard with rollers	20.00	20.00	36
/155521		20.00	20.00	50
7152222	DRIVE SYSTEM	NC	329.00	
7153322	Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off	N. C.	329.00	
	functions, horn, function selection; battery charge			36
	display			50
=1 = 2 = 2 = 2		• • • • • •		
7153323	Standard joystick control for multi-purpose	200.00	529.00	
	programmable electronics; joystick handle; push			•
	buttons for on/off functions, horn, function			36
	selection; battery charge display			
7153324	Compact joystick control, proportional	N. C.	329.00	36
7153325	Standard side bracket for joystick control;	N. C.	140.00	26
	adjustable forward-rearward position			36
7153326	Swivel side bracket for joystick control; with	N. C.	230.00	26
	locking mechanism			36
7153327	Midline bracket for joystick control; flip-back to	60.00	200.00	36
	provide total clearance for seat access			
	Controller for basic programmable electronics	N. C.	659.00	36
7153329	Controller for multi-purpose programmable electronics	100.00	759.00	36
7153330	Motor for basic programmable electronics;	N. C.	900.00	
/155550	propulsion provided by two electric direct-drive	н. с.	900.00	
	motors; variable speed, controlled by joystick			36
	control and controller			
7153331	Motor for multi-purpose programmable electronics;	N. C.	900.00	
/100001	propulsion provided by two electric direct-drive	н. с.	900.00	
	motors; variable speed, controlled by joystick and			36
	controller			
7153332	Battery charger; external; compatible with group	N. C.	199.00	36
	24 batteries			30
7153333	Internal control system for the joystick control for	350.00	350.00	36
715222 (one (1) power repositioning accessory	500.00	500.00	20
7153334	Internal control system for the joystick control for	500.00	500.00	36
	four (4) power repositioning accessories			

7153335	Adapted head control, proportional, including mounting bracket	1,100.00	1,100.00	36
7153336	e	2,200.00	2,200.00	36
7153337	Adapted breath control, non-proportional, including mounting bracket	1,200.00	1,200.00	36
7153338	Adapted chin control, proportional, including mounting bracket	600.00	600.00	36
7153339	Adapted chin control, non-proportional, including mounting bracket	600.00	600.00	36
7153340	Adapted Mini joystick control, proportional, including mounting bracket	1,510.00	1,510.00	36
7153341	Adapted control interface, with bracket and display	1,100.00	1,100.00	36
7153342	Mounting bracket for interface	350.00	350.00	36
7153343	Mounting bracket for adapted control	350.00	350.00	36
7153344	Ball, stick, T-type, or mushroom handle	52.00	52.00	36
	WHEELS AND TIRES			
7153345	Driving wheel, inner tube tires	N. C.	150.00	36
7153346	Front caster wheel, inner tube	N. C.	80.00	36
7153347	Rear caster wheel, semi-pneumatic	N. C.	80.00	36
7153348	Airless insert for driving wheel	45.00	45.00	36

DIVISION II: PEDIATRIC WHEELCHAIRS SUBDIVISION 1: MANUAL WHEELCHAIRS

7151339 MANUAL WHEELCHAIRS 2,195.00 SUBCATEGORY "MULTI-ADJUSTABLE PERFORMANCE (FOLDING FRAME)" MOTION COMPOSITES INC. "HELIO K" MODEL TECHNICAL SPECIFICATIONS OF THE DEVICE Maximum weight capacity: 113.4 kg (250 lb.) Device weight: 14.5 kg (32 lb.) Front seat-to-floor height: 31.3 cm to 54.6 cm (13½ in. to 21½ in.) Rear seat-to-floor height: 31.8 cm to 48.9 cm (12½ in. to 19¼ in.) Frame: straight back canes or bend back canes, height and angle-adjustable; non-slip push handles; four tie-down points for adapted transport BASIC AND OPTIONAL COMPONENTS Unit price of component during device purchase Unit price for component during device purchase 7151340 Flexible nylon mesh seat, with mesh-stretching system; two strips of "book" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.); 7151341 63.00 63.00		PRICE (including all the basic components)			
PERFORMANCE (FOLDING FRAME)" MOTION COMPOSITES INC. "HELIO K" MODEL TECHNICAL SPECIFICATIONS OF THE DEVICE Maximum weight capacity: 113.4 kg (250 lb.) Device weight: 14.5 kg (32 lb.) Front seat-to-floor height: 34.3 cm to 54.6 cm (13½ in. to 21½ in.) Rear seat-to-floor height: 31.8 cm to 48.9 cm (12½ in. to 19¼ in.) Frame: straight back canes or bend back canes, height and angle-adjustable; non-slip push handles; four tie-down points for adapted transport BASIC AND OPTIONAL COMPONENTS Unit price of component during device purchase replacement BODY SUPPORT SYSTEM 7151340 Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.)		2,195.00		MANUAL WHEELCHAIRS	7151339
"HELIO K" MODEL TECHNICAL SPECIFICATIONS OF THE DEVICE Maximum weight capacity: 113.4 kg (250 lb.) Device weight: 14.5 kg (32 lb.) Front seat-to-floor height: 34.3 cm to 54.6 cm (13½ in. to 21½ in.) Rear seat-to-floor height: 31.8 cm to 48.9 cm (12½ in. to 19¼ in.) Frame: straight back canes or bend back canes, height and angle-adjustable; non-slip push handles; four tie-down points for adapted transport Unit price of component during device purchase BASIC AND OPTIONAL COMPONENTS Unit price of component during device purchase N. C. 36.00 system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.)					
TECHNICAL SPECIFICATIONS OF THE DEVICE Maximum weight capacity: 113.4 kg (250 lb.) Device weight: 14.5 kg (32 lb.) Front seat-to-floor height: 34.3 cm to 54.6 cm (13½ in. to 21½ in.) Rear seat-to-floor height: 31.8 cm to 48.9 cm (12½ in. to 19¼ in.) Frame: straight back canes or bend back canes, height and angle-adjustable; non-slip push handles; four tie-down points for adapted transport BASIC AND OPTIONAL COMPONENTS Unit price of component during device purchase Unit price for component replacement BODY SUPPORT SYSTEM N. C. 36.00 7151340 Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.)				MOTION COMPOSITES INC.	
Maximum weight capacity: 113.4 kg (250 lb.) Device weight: 14.5 kg (32 lb.) Front seat-to-floor height: 34.3 cm to 54.6 cm (13½ in. to 21½ in.) Rear seat-to-floor height: 31.8 cm to 48.9 cm (12½ in. to 19¼ in.) Frame: straight back canes or bend back canes, height and angle-adjustable; non-slip push handles; four tie-down points for adapted transport BASIC AND OPTIONAL COMPONENTS Unit price of component during device purchase Unit price for component during replacement 7151340 Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.) N. C. 36.00				"HELIO K" MODEL	
push handles; four tie-down points for adapted transport BASIC AND OPTIONAL COMPONENTS Unit price of component during device purchase Unit price for component replacement 80DY SUPPORT SYSTEM Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) N. C. 36.00 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.) Herein and the stretching stretching stretching stretching in the stretching stretching in the stretching stretching in the stretching stretching in the stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) N. C. 36.00 90.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.) Herein and the stretching in the stretching				Device weight: 14.5 kg (32 lb.) Front seat-to-floor height: 34.3 cm to 54.6 cm (13	
BASIC AND OPTIONAL COMPONENTS component during device purchase component replacement BODY SUPPORT SYSTEM 7151340 Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.);		stable; non-slip	0 0 0	6	
7151340Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of $30.5 \text{ cm} (12 \text{ in.}), 33 \text{ cm} (13 \text{ in.}), 35.6 \text{ cm} (14 \text{ in.}),38.1 \text{ cm} (15 \text{ in.}) \text{ or } 40.6 \text{ cm} (16 \text{ in.}); depths of30.5 \text{ cm} (12 \text{ in.}), 33 \text{ cm} (13 \text{ in.}), 35.6 \text{ cm} (14 \text{ in.}),38.1 \text{ cm} (15 \text{ in.}) \text{ or } 40.6 \text{ cm} (16 \text{ in.});N. C.36.00$	Warranty (months)	component	component during	BASIC AND OPTIONAL COMPONENTS	
system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.)				BODY SUPPORT SYSTEM	
	12	36.00	N. C.	system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.),	7151340
"velour" Velcro 5.1 cm (2 in.) wide, under the cushion	36	63.00	63.00	Flat foam seat cushion, 5.1 cm (2 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the	7151341
7151342 Flexible nylon mesh back, padded; heights of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.) N. C. 32.33	12	32.33	N. C.	Flexible nylon mesh back, padded; heights of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm	7151342
7151343Pelvic positioning belt, auto buckleN. C.13.75	36	13.75	N. C.		7151343
7151344 Pelvic positioning belt, Velcro N. C. 47.50	36	47.50	N. C.	Pelvic positioning belt, Velcro	7151344

7151345	T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest;	N. C.	118.00	60
7151346	armrest pad, straight T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking	N. C.	120.33	60
	mechanism; clothing guard, rigid, built into armrest; armrest pad, straight			
7151347	I-type armrest	50.00	168.00	60
7151348	L-type armrest; height-adjustable	N. C.	118.00	60
7151349	Armrest pad, straight, short	N. C.	4.75	12
	Armrest pad, straight, long	N. C.	5.58	12
	Armrest pad, tubular, for L-type armrest	35.25	40.00	12
	Clothing guard, flexible, for L-type armrest	77.00	77.00	36
	Clothing guard, rigid, for L-type armrest	77.00	77.00	36
7151354	70° footrest, detachable and pivoting with locking mechanism; standard folding footplate, standard	N. C.	48.00	
	size, plastic; adjustable heel loop; adjustable length from 12.7 cm to 53.3 cm (5 in. to 21 in.)			60
7151355	90° footrest, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length	N. C.	48.00	60
	from 12.7 cm to 39.4 cm (5 in. to 15 ¹ / ₂ in.)			
7151356	Elevating leg-rest; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment points as the footrest or supplied with its own attachments; calf- rest, contoured and padded, height and depth-	153.38	201.38	36
	adjustable			
7151357	Padded calf-rest	48.75	48.75	36
7151358	Calf-rest strap, single or double	20.00	20.00	36
7151359	Folding footplate, standard, standard size; plastic	N. C.	7.75	36
7151360	Folding footplate, standard, oversize	10.00	17.75	36
7151361	Footplate, angle and depth-adjustable, standard size	90.00	97.75	36
7151362	Footplate, angle and depth-adjustable, oversize	90.00	97.75	36
7151363	Full-width footplate, one piece, folding; angle- adjustable	120.00	135.50	36
7151364	Heel loop, adjustable	N. C.	4.50	36
	Headrest cushion, contoured, all sizes	85.00	85.00	36
, 10 10 00		02.00	00.00	50

		00.00	00.00	× *
7151366	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	90.00	90.00	36
	FRAME			
7151367	Push handle, raised, detachable	N. C.	100.00	36
7151368	Anti-tipping wheels, detachable or pivoting, with	N. C.	21.00	(0)
	locking mechanism			60
7151369	Fold-away back spreader bar to fold chair; with anchor for headrest bracket	70.00	70.00	36
7151370	Wheelchair growth kit to enlarge chair by 5.1 cm	N. A.	250.00	36
	(2 in.)			50
7151371	Cane holder	30.00	30.00	36
	DRIVE SYSTEM			
7151372	Handrim, smooth	N. C.	14.50	36
	Handrim, plastic-coated	N. C.	32.00	36
	Non-slip handrim, foam	110.00	124.50	36
	Standard wheel lock, push-to-lock, or pull-to-lock	N. C.	14.00	36
7151376	Anti-rollback brake	106.00	120.00	36
7151377	Plug-in wheel lock extension	10.00	10.00	36
7151378	Caster fork to adjust height and angle perpendicular	N. C.	9.63	
	to the ground to compensate for changes in the rear			36
	seat-to-floor height			
	WHEELS AND TIRES			
7151379	Front mag wheel, semi-pneumatic tire, 20.3 cm	N. C.	24.91	• •
	(8 in.); 2.5 cm (1 in.) wide			36
7151380	Front mag wheel, semi-pneumatic tire, 12.7 cm	N. C.	8.65	
	(5 in.), 15.2 cm (6 in.) or 17.8 cm (7 in.); 2.5 cm			36
	(1 in.) wide			
7151381		N. C.	9.63	
	locking mechanism; adjustable centre of gravity by			
	increments of 0.63 cm (1/4 in.) on a horizontal range			
	of 8.9 cm $(3\frac{1}{2} \text{ in.})$; adjustable rear height for up to			36
	5° of seat tilt, compatible with all wheel diameters			
7151382	Threaded rear axle	N. C.	4.75	36
7151383		N. C.	52.88	
	(24 in.); 3.2 cm (1¼ in.) wide			36
7151384	Spoked rear wheel, semi-pneumatic tire, 55.9 cm	N. C.	52.88	36
	(22 in.); 3.2 cm (1 ¹ / ₄ in.) wide			50
7151385		60.00	112.88	36
	pressure; 55.9 cm (22 in.) or 61 cm (24 in.)			50
E1 E1 0 0 C	Spoke guard	65.00	65.00	36

SUBDIVISION 2: POWERED WHEELCHAIRS

PRICE
(including all
the basic
components)

7153351 POWERED WHEELCHAIR

4,875.00

SUBCATEGORY "MULTI-PURPOSE (MID-FRONT OR MEDIAL DRIVE WHEELS)"

SUNRISE MEDICAL CANADA INC.

"323 E" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE
Maximum weight capacity: 181.4 kg (400 lb.)
Seat-to-floor height: 39.4 cm to 51.4 cm (15½ in. to 20¼ in.) without power tilt system and 39.4
cm to 47.6 cm ($15\frac{1}{2}$ in. to $18\frac{3}{4}$ in.) with power tilt system

Frame: mid-wheel drive base, suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM			
7153352 Seat-to-back assembly structure; resizable; back canes angle-adjustable from 90° to 110° by maximum increments of 6°; non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle-adjustable from 0° to 10°; anchor for headrest bracket	N. C.	550.00	36
7153353 Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.) or 38.1 cm (15 in.)	N. C.	75.00	36
7153354 Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	225.00	225.00	36

7153355 Flexible nylon mesh back, padded; heights of N. C. 160.00 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 12 43.2 cm (17 in.) or 45.7 cm (18 in.) 7153356 Padded back cushion, contoured, including a rigid, 90.00 250.00 36 contoured back 7153357 Reclining back with cylinder; seat-to-back angle up 350.00 350.00 36 to a minimum of 130° 1,590.00 7153358 Power reclining back system, including a control 1,590.00 36 external to the joystick control 7153359 Power tilt system for minimum angulation of 0° to 1,650.00 1,650.00 45°, including a control external to the joystick 36 control 7153420 Pelvic positioning belt, auto buckle N. C. 30.00 36 7153421 U-type armrest, short; flip-away; height-adjustable, N. C. 175.00 from 17.8 cm to 26 cm (7 in. to 10¹/₄ in.) or from 26 cm to 38.7 cm ($10\frac{1}{4}$ in. to $15\frac{1}{4}$ in.) by maximum 60 increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight 7153422 T-type armrest, short; detachable; height-adjustable, N. C. 175.00 from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to $13\frac{1}{2}$ in.) by maximum 60 increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight 7153423 U-type armrest, long; flip-away; height-adjustable, N. C. 175.00 from 17.8 cm to 26 cm (7 in. to 10¹/₄ in.) or from 26 cm to 38.7 cm ($10\frac{1}{4}$ in. to $15\frac{1}{4}$ in.) by maximum 60 increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight 7153424 T-type armrest, long, detachable; height-adjustable, N. C. 175.00 from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13¹/₂ in.) by 60 maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest, armrest pad, straight 7153425 Armrest pad, straight, short N. C. 20.00 12 7153426 Armrest pad, straight, long N. C. 20.00 12 7153427 One-piece footrest platform, 90°, adjustable length N. C. 225.00 60 7153428 Footrest; adjustable angle 60°, 70°, 80° or 90°, N. C. 225.00 detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 14 cm to 19.1 cm 60 (5¹/₂ in. to 7¹/₂ in.), from 21.6 cm to 39.4 cm (8¹/₂ in.

 $15\frac{1}{2}$ in.)

to 15¹/₂ in.) or from 26.7 cm to 39.4 cm (10¹/₂ in. to

				()
and p length	ing leg-rest, non-compensating; detachable ivoting with locking mechanism; adjustable ; standard folding footplate, standard or	112.50	225.00	36
points	ze; compatible with the same attachment as the footrest or supplied with its own ments; padded calf-rest, contoured			50
	elevating leg-rest, with control per pair, ing a control external to the joystick control	637.50	750.00	36
	elevating leg-rest, with control per unit, ing a control external to the joystick control	637.50	750.00	36
	leg-rest, one-piece, including a control al to the joystick control	1,275.00	1,500.00	36
7153433 Padde	d calf-rest, contoured	35.00	35.00	36
	g footplate, standard, standard size	N. C.	80.00	36
	g footplate, standard, oversize	N. C.	80.00	36
		N. C.		50
/155450 F00tp	late, angle and depth-adjustable, standard size	N. C.	80.00	36
7153437 Footp	late, angle and depth-adjustable, oversize	N. C.	80.00	36
7153438 Heel l	oop, adjustable	N. C.	30.00	36
7153439 Headr	est bracket, height and depth-adjustable, or ated uniball bracket	75.00	75.00	36
	est cushion, contoured, all sizes	70.00	70.00	36
FRAM				
	impact guard with rollers	20.00	20.00	36
	E SYSTEM ard joystick control for basic programmable	N. C.	329.00	
	onics; joystick handle; push buttons for on/off	1	527.00	
	ons, horn, function selection; battery charge			36
displa				50
7153443 Standa	ard joystick control for multi-purpose	200.00	529.00	
	ummable electronics; joystick handle; push			
	s for on/off functions, horn, function			36
	on; battery charge display			
7153444 Comp	act joystick control, proportional	N. C.	329.00	36
1	ard side bracket for joystick control;	N. C.	140.00	
adjust	able forward-rearward position			36
	l side bracket for joystick control; with g mechanism	N. C.	230.00	36
	he bracket for joystick control; flip-back to le total clearance for seat access	60.00	200.00	36
-	oller for basic programmable electronics	N. C.	659.00	36
7153449 Contro				30
/153449 Contro electro		100.00	759.00	36

7153450 Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick	N. C.	600.00	36
control and controller 7153451 Motor for multi-functional programmable electronics; propulsion provided by two electric	N. C.	600.00	
direct-drive motors; variable speed, controlled by joystick control and controller			36
7153452 Battery charger; external; compatible with group 22 NF or group 24 batteries	N. C.	199.00	36
7153453 Internal control system for the joystick control for one (1) power repositioning accessory	350.00	350.00	36
7153454 Internal control system for the joystick control for four (4) power repositioning accessories	500.00	500.00	36
7153455 Adapted head control, proportional, including mounting bracket	1,100.00	1,100.00	36
7153456 Adapted head control, non-proportional, including mounting bracket	2,200.00	2,200.00	36
7153457 Adapted breath control, non-proportional, including mounting bracket	1,200.00	1,200.00	36
7153458 Adapted chin control, proportional, including mounting bracket	600.00	600.00	36
7153459 Adapted chin control, non-proportional, including mounting bracket	600.00	600.00	36
7153460 Adapted Mini joystick control, proportional, including mounting bracket	1,510.00	1,510.00	36
7153461 Mounting bracket for adapted control	350.00	350.00	36
7153462 Adapted control interface, with bracket and display	1,100.00	1,100.00	36
7153463 Mounting bracket for interface	350.00	350.00	36
7153464 Ball, stick, T-type, or mushroom handle	52.00	52.00	36
7153465 Course correction system	895.00	895.00	36
WHEELS AND TIRES			
7153466 Drive wheel, inner tube tire	N. C.	150.00	36
7153467 Front caster wheel, semi-pneumatic or inner tube	N. C.	80.00	36
7153468 Rear caster wheel, semi-pneumatic	N. C.	80.00	36
7153469 Airless insert for drive wheel	45.00	45.00	36

			PRICE (including all the basic components)	
7153360) POWERED WHEELCHAIR		4,875.00	
	SUBCATEGORY "MULTI-PURPOSE (MID- REAR DRIVE WHEELS)"			
	SUNRISE MEDICAL CANADA INC.			
	"747 E" MODEL			
	TECHNICAL SPECIFICATIONS OF THE DEV Maximum weight capacity: 181.4 kg (400 lb.) Seat-to-floor height: 38.7 cm to 51.4 cm (15 ¹ / ₄ in. t and 40 cm to 48.3 cm (15 ³ / ₄ in. to 19 in.) with power Frame: mid-wheel drive base, suspension; front whi reflective strip on each side; triangular orange flag, p adapted transport	o 20 in.) without pow tilt system ite reflectors; electric	red tail-lights;	
	Drive system: electromagnetic brakes, manual freev replaceable separately	vheel lever; joystick o	control cable	
	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7153361	Seat-to-back assembly structure; resizable; back canes angle-adjustable from 90° to 110° by maximum increments of 6° ; push handles, covered with "non-slip" sheath; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle-adjustable from 0° to 10° ; anchor for headrest bracket	N. C.	550.00	36
7153362	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider to stabilize cushions; widths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.) or 38.1 cm (15 in.)	N. C.	75.00	36
7153363	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base	225.00	225.00	36

				· · · · · · · · · · · · · · · · · · ·
7153364	Flexible nylon mesh back, padded; heights of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N. C.	160.00	12
7153365	Padded back cushion, contoured, including a rigid, contoured back	90.00	250.00	36
7153366	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	350.00	350.00	36
7153367	Power reclining back device, including a control external to the joystick control	1,590.00	1,590.00	36
7153368	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	1,650.00	1,650.00	36
7153369	Pelvic positioning belt, auto buckle	N. C.	30.00	36
7153370	U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10 ¹ / ₄ in.) or from 26 cm to 38.7 cm (10 ¹ / ₄ in. to 15 ¹ / ₄ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153371	T-type armrest, short, detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13 ¹ / ₂ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism, clothing guard, rigid, built into armrest, armrest pad, straight	N. C.	175.00	60
7153372	U-type armrest, long; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10 ¹ / ₄ in.) or from 26 cm to 38.7 cm (10 ¹ / ₄ in. to 15 ¹ / ₄ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153373	T-type armrest, long, detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13 ¹ / ₂ in.) maximum increments of 2.5 cm (1 in.), with locking mechanism, clothing guard, rigid, built into armrest, armrest pad, straight	N. C.	175.00	60
7153374	Armrest pad, straight, short	N. C.	20.00	12
7153375	Armrest pad, straight, long	N. C.	20.00	12
7153376	Footrest, adjustable to 80° or 90°, detachable and pivoting with locking mechanism; standard folding	N. C.	225.00	
	footplate, standard size; adjustable heel loop; adjustable length from 14 cm to 19.1 cm (5½ in. to 7½ in.), 21.6 cm to 39.4 cm (8½ in. to $15½$ in.) or			60

from 26.7 cm to 39.4 cm (10¹/₂ in. to 15¹/₂ in.)

7153377	Footrest, adjustable to 60° or 70° , detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 14 cm to 19.1 cm (5½ in. to 7½ in.), 21.6 cm to 39.4 cm (8½ in. to 15½ in.) or from 26.7 cm to 39.4 cm (10½ in. to 15½ in.)	N. C.	225.00	60
7153378	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, contoured	N. C.	225.00	36
7153379	Power elevating leg-rest, with control per pair, including a control external to the joystick control	637.50	862.50	36
7153380	Power elevating leg-rest, with control per unit, including a control external to the joystick control	637.50	862.50	36
7153381	Padded calf-rest, contoured	35.00	35.00	36
	Folding footplate, standard, standard size	N. C.	80.00	36
7153383	Folding footplate, standard, oversize	N. C.	80.00	36
7153384		N. C.	80.00	36
7153385	Footplate, angle and depth-adjustable, oversize	N. C.	80.00	36
7153386	Folding footplate, full-size, one-piece; fixed angle	N. C.	160.00	36
	Heel loop, adjustable	N. C.	30.00	36
	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	75.00	75.00	36
7153389	Headrest cushion, contoured, all sizes	70.00	70.00	36
	FRAME			
7153390	Anti-tipping wheels, non-detachable except with tools	N. C.	80.00	60
7153391	Front impact guard with rollers	20.00	20.00	36
7153392	DRIVE SYSTEM Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge	N. C.	329.00	36
	display			50

SCHEDULE 1

				()
7153393	Standard joystick control for multi-purpose programmable electronics; joystick handle; push	200.00	529.00	
	buttons for on/off functions, horn, function selection; battery charge display			36
	Compact joystick control, proportional	N. C.	329.00	36
7153395	Standard side bracket for joystick control;	N. C.	140.00	36
7153396	adjustable forward-rearward position Swivel side bracket for joystick control; with	N. C.	230.00	
/155590	locking mechanism	N. C.	230.00	36
7153397	Midline bracket for joystick control; flip-back to	60.00	200.00	36
	provide total clearance for seat access		<	
	Controller for basic programmable electronics	N. C.	659.00	36
7153399	Controller for multi-purpose programmable electronics	100.00	759.00	36
7153400	Motor for basic programmable electronics;	N. C.	600.00	
	propulsion provided by two electric direct-drive			27
	motors; variable speed, controlled by joystick			36
	control and controller			
7153401	Motor for multi-purpose programmable electronics;	N. C.	600.00	
	propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick			36
	control and controller			
7153402	Battery charger; external; compatible with group 22	N. C.	199.00	
/155402	NF or group 24 batteries	N. C.	177.00	36
7153403	Internal control system for the joystick control for	350.00	350.00	36
	one (1) power repositioning accessory			50
7153404	Internal control system for the joystick control for four (4) power repositioning accessories	500.00	500.00	36
7153405	Adapted head control, proportional, including	1,100.00	1,100.00	
, 100 100	mounting bracket	1,100.00	1,100.00	36
7153406	Adapted head control, non-proportional, including	2,200.00	2,200.00	36
	mounting bracket	1 200 00	1 200 00	50
7153407	Adapted breath control, non-proportional, including mounting bracket	1,200.00	1,200.00	36
7153408	Adapted chin control, proportional, including	600.00	600.00	
	mounting bracket			36
7153409	Adapted chin control, non-proportional, including	600.00	600.00	36
7152410	mounting bracket	1 510 00	1 510 00	50
7153410	Adapted Mini joystick control, proportional, including mounting bracket	1,510.00	1,510.00	36
7153411	Mounting bracket for adapted control	350.00	350.00	36
7153412	Adapted control interface, with bracket and display	1,100.00	1,100.00	
				36
	Mounting bracket for interface	350.00	350.00	36
/153414	Ball, stick, T-type, or mushroom handle	52.00	52.00	36
7153415	Course correction system	895.00	895.00	36
				- •

WHEELS AND TIKES			
Drive wheel, inner tube tire	N. C.	150.00	36
Front caster wheel, inner tube tire	N. C.	80.00	36
Airless insert for drive wheel	40.00	40.00	36
Airless insert for caster wheel	45.00	45.00	36
	WHEELS AND TIKES Drive wheel, inner tube tire Front caster wheel, inner tube tire Airless insert for drive wheel Airless insert for caster wheel	Drive wheel, inner tube tireN. C.Front caster wheel, inner tube tireN. C.Airless insert for drive wheel40.00	Drive wheel, inner tube tireN. C.150.00Front caster wheel, inner tube tireN. C.80.00Airless insert for drive wheel40.0040.00

DIVISION III: COMPLEMENTS FOR WHEELCHAIRS SUBDIVISION 1: FACULTATIVE COMPONENTS

	FACULTATIVE COMPONENTS	Maximum unit price of component during device purchase	Maximum unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7800014	Elastic mesh seat	385.00	385.00	36
7800000	Dynamic back for manual wheelchair and positioning base	135.00	135.00	36
7800001	I-type armrest for reclining back	100.00	250.00	36
7800002	Armrest pad, contoured, short or long	24.00	30.00	12
7800003	Armrest pad, gel, short or long	32.00	38.00	12
7800004	Dynamic footrest for positioning base	45.00	160.00	36
7800005	Stump support, adjustable	260.00	260.00	36
	FRAME			
7800015	Angle adjustable push handle	53.00	53.00	36
7800016	Angle adjustable push bar	75.00	75.00	36
7800017	Front locking tilt for positioning base	30.00	30.00	36
7800018	Growth kit to enhance depth by 7.6 cm (3 in.) for pediatric manual wheelchair	250.00	250.00	36
7900006	DRIVE SYSTEM	850.00	850.00	26
7800006	One-arm dual handrim drive for manual wheelchair	850.00	850.00	36
7800007	One-arm manual wheel locks kit	330.00	410.00	36
7800008	Handrim with thumb grip	110.00	125.00	36
7800009	Handrim with rubber traction band	110.00	125.00	36
7800010	Handrim, plastic-coated, ultra-light	N. C.	32.00	36
7800011	Fork-locking mechanism	105.00	105.00	36
7800012	Propulsion assistance module	2,000.00	2,000.00	36
7800013	Mid-wheel manual propulsion for positioning base	225.00	700.00	36
7800019	Rear wheel camber device, 3° or 6° for pediatric manual wheelchair	200.00	200.00	36

SUBDIVISION 2: BATTERIES FOR POWERED WHEELCHAIRS BATTERIES (GEL)

	Price including delivery,	
	guarantee, and recovery of	
	defective or used batteries (price	
	per pair)	
4590000 SUPPLIER: EAST PENN / POWER BATTERY	332.18	
GROUP 22NF BATTERIES		
Model: 8G22NF		
4590001 SUPPLIER: EAST PENN / POWER BATTERY	435.22	
GROUP 24 BATTERIES		
Model: 8G24T881		
4590002 SUPPLIER: EAST PENN / POWER BATTERY	214.45	
GROUP U1 BATTERIES		
Model: 8GU1		

-

DIVISION IV: OTHER LOCOMOTOR ASSISTS SUBDIVISION 1: ADULT POSITIONING BASES

			PRICE (including all the basic components)	
7156052	2 ADULT POSITIONING BASES SUBCATEGORY "MULTI-ADJUSTABLE TILT"		1,798.00	
	SUNRISE MEDICAL CANADA INC.			
	"QUICKIE IRIS" MODEL TECHNICAL SPECIFICATIONS OF THE DEV Maximum weight capacity: 136.1 kg (300 lb.) Seat-to-floor height: 31.7 cm to 49.5 cm (12½ in. to			
	Frame: structure compatible with commercial position 38.1 cm to 61 cm (15 in. to 24 in.) by maximu cane angle-adjustable from 90° to 120° by maximu handles or push bar, raised; anchor for headrest angulation of 45° ; four tie-down points for adapted to	m increments of 5,1 um increments of 8 bracket; tilt system	cm (2 in.); back °; non-slip push	
	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7156053	BODY SUPPORT SYSTEM Flat rigid seat; metal; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)	N. C.	158.00	36
7156054	Reclining back with cylinder; continuous inclination up to a minimum of 120°	420.00	420.00	36
7156055	Pelvic positioning belt, auto buckle	N. C.	35.00	36
7156056 7156057	Pelvic positioning belt, Velcro U-type armrest, short; detachable; height- adjustable, from 25.4 cm to 36.8 cm (10 in. to	N. C. N. C.	29.00 120.00	36
	14 ¹ / ₂ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight			60

				(dutilentie version)
7156058	T-type armrest, short; detachable; height-adjustable, from 18.4 cm to 28.6 cm ($7\frac{1}{4}$ in. to $11\frac{1}{4}$ in.) or from 27.3 cm to 40 cm ($10\frac{3}{4}$ in. to $15\frac{3}{4}$ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.00	60
7156059	U-type armrest, long; detachable; height-adjustable, from 25.4 cm to 36.8 cm (10 in. to $14\frac{1}{2}$ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.00	60
7156060	T-type armrest, long; detachable; height-adjustable, from 18.4 cm to 28.6 cm (7 ¹ / ₄ in. to 11 ¹ / ₄ in.) or from 27.3 cm to 40 cm (10 ³ / ₄ in. to 15 ³ / ₄ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.00	60
7156061	Armrest pad, straight, short	N. C.	9.00	12
7156062	Armrest pad, straight, long	N. C.	9.00	12
7156063	Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; footplate angle and depth- adjustable, standard size; adjustable heel loop;	N. C.	116.00	
	adjustable length from 29.2 cm to 45.7 cm $(11\frac{1}{2} \text{ in.}$ to 18 in.) or from 35.6 cm to 50.8 cm $(14 \text{ in. to } 20 \text{ in.})$			60
7156064	Parallel footrest, 70° or 90° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 29.2 cm to 48.3 cm $(11\frac{1}{2}$ in. to 19 in.) for the 70° footrest and adjustable length from 17.8 cm to 35.6 cm (7 in. to 14 in.) for the 90° footrest	N. C.	116.00	60
7156065	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, height and depth- adjustable	19.00	135.00	36
7156066	Padded calf-rest, contoured	20.00	20.00	36
7156067	Calf-rest strap, single	19.00	19.00	36
	Footplate, angle and depth-adjustable, standard size	N. C.	40.00	
/120000	r souprace, angre and depur-aujustaore, standard size	IN. C.	-0.00	36
7156069	Footplate, angle and depth-adjustable, oversize	N. C.	40.00	36
7156070	Folding footplate, standard, standard size		9.00	36
	Folding footplate, standard, oversize	N. C.	9.00	36
	Full-width footplate, one piece, folding; angle-	28.00	108.00	26
	adjustable			36
7156073	Heel loop, adjustable	N. C.	11.00	36

7156074	Headrest bracket, height and depth-adjustable, or	75.00	75.00	
	articulated uniball bracket			36
7156075	Headrest cushion, padded and contoured, all sizes	70.00	70.00	36
	FRAME			
7156076	Anti-tipping wheels, detachable or pivoting, with	N. C.	28.00	60
	locking mechanism			00
7156077	Heavy-duty option to increase maximum weight capacity to 181.4 kg (400 lb.)	320.00	N. A.	36
	DRIVE SYSTEM			
7156078	Handrim, smooth	N. C.	40.00	36
7156079	Handrim, plastic-coated	N. C.	40.00	36
7156080	Non-slip handrim, foam	85.00	125.00	36
7156081	Handrim with vertical or oblique projections	45.00	85.00	36
7156082	Standard wheel lock, push-to-lock	N. C.	32.00	36
7156083	Plug-in wheel lock extension	7.00	7.00	36
7156084	Caster fork, height-adjustable, compatible with all available wheel diameters	N. C.	32.00	36
	WHEELS AND TIRES			
7156085		N. C.	15.00	
7156085	WHEELS AND TIRES Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1 ¹ / ₂ in.)	N. C.	15.00	36
	Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1 ¹ / ₂ in.)			36
	Front mag wheel, semi-pneumatic tire, 20.3 cm	N. C. N. C.	15.00 15.00	36 36
7156086	Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1 ¹ / ₂ in.) Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1 ¹ / ₂ in.)	N. C.	15.00	36
	Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); widths of 2.5 cm (1 in.) or 3.8 cm ($1\frac{1}{2}$ in.) Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); widths of 2.5 cm (1 in.) or 3.8 cm ($1\frac{1}{2}$ in.)			
7156086 7156087	Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.) Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.) Rear axle, quick release system, with push-button locking mechanism	N. C.	15.00	36
7156086 7156087 7156088	Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.) Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.) Rear axle, quick release system, with push-button locking mechanism	N. C. N. C.	15.00 33.00	36 36 36
7156086 7156087 7156088	Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.) Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.) Rear axle, quick release system, with push-button locking mechanism Threaded rear axle	N. C. N. C. N. C.	15.00 33.00 5.00	36 36
7156086 7156087 7156088	Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.) Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.) Rear axle, quick release system, with push-button locking mechanism Threaded rear axle Rear mag wheel, semi-pneumatic tire, 30.5 cm (12 in.) or 40.6 cm (16 in.)	N. C. N. C. N. C.	15.00 33.00 5.00	36 36 36
7156086 7156087 7156088 7156089	Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.) Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.) Rear axle, quick release system, with push-button locking mechanism Threaded rear axle Rear mag wheel, semi-pneumatic tire, 30.5 cm (12 in.) or 40.6 cm (16 in.) Spoked rear wheel, semi-pneumatic tire, 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3.5 cm	N. C. N. C. N. C. N. C.	15.00 33.00 5.00 80.00	36 36 36
7156086 7156087 7156088 7156089	Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.) Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.) Rear axle, quick release system, with push-button locking mechanism Threaded rear axle Rear mag wheel, semi-pneumatic tire, 30.5 cm (12 in.) or 40.6 cm (16 in.) Spoked rear wheel, semi-pneumatic tire, 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3.5 cm (1¾ in.) wide	N. C. N. C. N. C. N. C. N. C.	15.00 33.00 5.00 80.00 80.00	36 36 36 36 36
7156086 7156087 7156088 7156089	Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.) Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.) Rear axle, quick release system, with push-button locking mechanism Threaded rear axle Rear mag wheel, semi-pneumatic tire, 30.5 cm (12 in.) or 40.6 cm (16 in.) Spoked rear wheel, semi-pneumatic tire, 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3.5 cm	N. C. N. C. N. C. N. C.	15.00 33.00 5.00 80.00	36 36 36 36

PRICE
(including all
the basic
components)

1,055.00

7156092 ADULT POSITIONING BASES SUBCATEGORY "MULTI-ADJUSTABLE WITH BALANCED CENTRE OF GRAVITY"

ORTHOFAB INC.

"TANGO CE" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE Maximum weight capacity: 113.4 kg (250 lb.) **Seat-to-floor height:** 35.6 cm to 50.8 cm (14 in. to 20 in.)

Frame: structure compatible with commercial positioning device anchors; back height from 40.6 cm to 61 cm (16 in. to 24 in.) by maximum increments of 2.51 cm (1 in.); back cane angle-adjustable from 90° to 120° by maximum increments of 8°; non-slip push handles or push bar, raised; anchor for headrest bracket; tilt system for minimum angulation of 45°; four tie-down points for adapted transport

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7156093	Flat rigid seat; metal; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm to 48.3 cm (16 in. to 19 in.) or from 48.3 cm to 55.8 cm (19 in. to 22 in.)		40.00	36
7156094	Reclining back with cylinder; continuous inclination up to a minimum of 120°	270.00	270.00	36
7156095	Pelvic positioning belt, auto buckle	N. C.	6.00	36
7156096	Pelvic positioning belt, Velcro	N. C.	15.00	36
7156098	T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight		150.00	60

				· · · · · · · · · · · · · · · · · · ·
7156100	T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7156101	Armrest pad, straight, short	N. C.	6.00	12
	Armrest pad, straight, long	N. C.	6.00	12
	Parallel footrest, 60° angle, detachable and pivoting	N. C.	172.00	12
/150105	with locking mechanism; footplate angle and depth- adjustable, standard size; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 48.3 cm to 53.3 cm (19 in. to 21 in.)	N.C.	172.00	60
7156104	Parallel footrest, 70° or 90° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or additionally for 70° footrest, from 48.3 cm to 53.3 cm (19 in. to 21 in.)	N. C.	172.00	60
7156105	Elevating leg-rest, compensating; detachable and pivoting, with locking mechanism; adjustable length; standard folding footplate, standard size or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; Padded calf-rest, height and depth- adjustable	28.00	200.00	36
7156106	Padded calf-rest, flat	15.00	15.00	36
7156107		15.00	15.00	36
	Footplate, angle and depth-adjustable, standard size	N. C.	50.00	36
7156109	Footplate, angle and depth-adjustable, oversize	N. C.	55.00	36
7156110	Folding footplate, standard, standard size	N. C.	6.00	36
7156111	Folding footplate, standard, oversize	N. C.	35.00	36
7156112	Full-width footplate, in two lockable parts, angle- adjustable	N. C.	100.00	36
7156113	Heel loop, adjustable	N. C.	3.00	36
7156114	Headrest bracket, height and depth-adjustable	35.00	35.00	36
7156115	Headrest cushion, padded and flat, all sizes	40.00	40.00	36
7156116	FRAME Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	12.00	60
7156117	Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	119.00	N. A.	36

	DRIVE SYSTEM			
7156118	Handrim, smooth	N. C.	80.00	36
7156119	Handrim, plastic-coated	N. C.	80.00	36
7156120	Non-slip handrim, foam	40.00	120.00	36
7156121	Handrim with oblique projections	N. C.	80.00	36
7156122	Standard wheel lock, push-to-lock	N. C.	30.00	36
7156123	Plug-in wheel lock extension	10.00	10.00	36
7156124	Caster fork, height-adjustable, compatible with all available wheel diameters	N. C.	15.00	36
	WHEELS AND TIRES			
7156125	Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); widths of 3.2 cm ($1\frac{1}{4}$ in.) or 3.8 cm ($1\frac{1}{2}$ in.)	N. C.	40.00	36
7156126	Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); $3.8 \text{ cm} (1\frac{1}{2} \text{ in.})$ wide	N. C.	40.00	36
7156127	Rear axle, quick release system, with push-button locking mechanism	N. C.	15.00	36
7156128	Threaded rear axle	N. C.	2.00	36
7156129	Rear mag wheel, semi-pneumatic tire, 30.5 cm (12 in.)	N. C.	100.00	36
7156130	Spoked rear wheel, semi-pneumatic tire, 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3.2 cm	N. C.	100.00	36
7156121	(1¼ in.) wide	70.00	70.00	26
7156131	Spoke guard	70.00	70.00	36

PRICE
(including all
the basic
components)

7156132 ADULT POSITIONING BASES	1,055.00
SUBCATEGORY "MULTI-ADJUSTABLE	
CYLINDER"	
ORTHOFAB INC.	

"TANGO AC" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Seat-to-floor height: 35.6 cm to 50.8 cm (14 in. to 20 in.)

Frame: structure compatible with commercial positioning device anchors; back height from 40.6 cm to 61 cm (16 in. to 24 in.) by maximum increments of 2.5 cm (1 in.); back cane angle-adjustable from 90° to 120° by maximum increments of 8°; non-slip push handles or push bar, raised; anchor for headrest bracket; tilt system for minimum angulation of 45°; four tie-down points for adapted transport

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7156133	Flat rigid seat; metal; two strips of "hook" Velcro,	N. C.	40.00	
	2.5 cm (1 in.) wide or wider; widths of 35.6 cm			
	(14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm			
	(17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or			36
	50.8 cm (20 in.); depths of 40.6 cm to 48.3 cm			
	(16 in. to 19 in.) or from 48.3 cm to 55.8 cm (19 in.			
	to 22 in.)			
7156134	Reclining back with cylinder; continuous inclination up to a minimum of 120°	270.00	270.00	36
7156135	Pelvic positioning belt, auto buckle	N. C.	6.00	26
				36
7156136	Pelvic positioning belt, Velcro	N. C.	15.00	36
7156137	U-type armrest, short; detachable; height-	N. C.	150.00	
	adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.)			
	or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by			60
	maximum increments of 2.5 cm (1 in.), with locking			00
	mechanism; clothing guard, rigid, built into armrest;			
	armrest pad, straight			

				× •	
7156139	U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest;	N. C.	150.00	60)
	armrest pad, straight				
7156141	Armrest pad, straight, short	N. C.	6.00	12	
	Armrest pad, straight, long	N. C.	6.00	12	2
7156143	Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; footplate angle and depth- adjustable, standard size; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to	N. C.	172.00	60)
	19 in.) or from 48.3 cm to 53.3 cm (19 in. to 21 in.)				
7156144	Parallel footrest, 70° or 90° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) and additionally for the 70° footrest, from 48.3 cm to 53.3 cm (19 in. to 21 in.)	N. C.	172.00	60)
7156145	Elevating leg-rest, compensating; detachable and pivoting, with locking mechanism; adjustable length; standard folding footplate, standard size or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, height and depth- adjustable	28.00	200.00	36	5
7156146	Padded calf-rest, flat	15.00	15.00	36	5
7156147		15.00	15.00	36	5
7156148	Footplate, angle and depth-adjustable, standard size	N. C.	50.00	36	5
7156149	Footplate, angle and depth-adjustable, oversize	N. C.	55.00	36	5
7156150	Folding footplate, standard, standard size		6.00	36	5
	Folding footplate, standard, oversize	N. C.	35.00	36	5
7156152	Full-width footplate, in two lockable parts; angle- adjustable	N. C.	100.00	36	5
	Heel loop, adjustable	N. C.	3.00	36	5
7156154	Headrest bracket, height and depth-adjustable	35.00	35.00	36	5
7156155	Headrest cushion, padded and flat, all sizes	40.00	40.00	36	5
	FRAME				
7156156	Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	12.00	60)
7156157	Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	119.00	N. A.	36	5

	DRIVE SYSTEM			
7156158	Handrim, smooth	N. C.	80.00	36
7156159	Handrim, plastic-coated	N. C.	80.00	36
7156160	Non-slip handrim, foam	40.00	120.00	36
7156161	Handrim with oblique projections	N. C.	80.00	36
7156162	Standard wheel lock, push-to-lock	N. C.	30.00	36
7156163	Telescopic wheel lock extension	10.00	10.00	36
7156164	Caster fork, height-adjustable, compatible with all available wheel diameters	N. C.	15.00	36
	WHEELS AND TIRES			
7156165	Front mag wheel, semi-pneumatic tire, 20.3 cm	N. C.	40.00	
	(8 in.); widths of 3.2 cm ($1\frac{1}{4}$ in.) or 3.8 cm ($1\frac{1}{2}$ in.)			36
7156166	Front mag wheel, semi-pneumatic tire, 15.2 cm	N. C.	40.00	36
	(6 in.); 3.8 cm (1 ¹ / ₂ in.) wide			50
7156167	Rear axle, quick release system, with push-button	N. C.	15.00	36
	locking mechanism			50
7156168	Threaded rear axle	N. C.	2.00	36
7156169	Rear mag wheel, semi-pneumatic tire, 30.5 cm (12 in.)	N. C.	100.00	36
7156170	Spoked rear wheel, semi-pneumatic tire, 50.8 cm	N. C.	100.00	
	(20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3.2 cm			36
	(1¼ in.) wide			
7156171	Spoke guard	70.00	70.00	36

Updated : 1 July 2021

PRICE (including all the basic components)

1,150.00

7156172 ADULT POSITIONING BASES SUBCATEGORY "MULTI-ADJUSTABLE WITH CONSTANT OR NEAR-CONSTANT FRONT SEAT-TO-FLOOR HEIGHT"

PDG PRODUCT DESIGN GROUP INC.

"BENTLEY" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE Maximum weight capacity: 113.4 kg (250 lb.) **Seat-to-floor height:** 33 cm to 50.8 cm (13 in. to 20 in.)

Frame: structure compatible with commercial positioning device anchors; back height of 53.3 cm (21 in.) or 61 cm (24 in.); back cane angle-adjustable from 90° to 120° by maximum increments of 8°; non-slip push bar, raised; anchor for headrest bracket; tilt system for minimum angulation of 20°; four tie-down points for adapted transport

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7156173	Flat rigid seat; metal; two strips of "hook" Velcro,	N. C.	10.76	
	2.5 cm (1 in.) wide or wider; widths of 40.6 cm			
	(16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm			36
	(19 in.) or 50.8 cm (20 in.); depths of 40.6 cm			
	(16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm			
-1	(19 in.) or 50.8 cm (20 in.)	107 50	107.50	
7156174	Reclining back with cylinder; continuous inclination up to a minimum of 120°	187.50	187.50	36
7156175	Pelvic positioning belt, auto buckle	N. C.	21.00	36
7156176	Pelvic positioning belt, Velcro	N. C.	33.00	36
7156177	U-type armrest, short; detachable; height-	N. C.	7.50	
	adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.)			
	or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight			60

	from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight			60
7156181	Armrest pad, straight, short	N. C.	3.05	12
	Armrest pad, straight, long	N. C.	2.20	12
	Parallel footrest, 60° angle, detachable and pivoting	N. C.	52.50	
	with locking mechanism; footplate angle and depth-			
	adjustable, standard size; adjustable heel loop;			60
	adjustable length from 33 cm to 43.2 cm (13 in. to			00
	17 in.) or from 38.1 cm to 48.3 cm (15 in. to 19 in.)			
7156184	Parallel footrest, 70° or 90° angle, detachable and	N. C.	52.50	
	pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel			
	loop; adjustable length from 33 cm to 43.2 cm			60
	(13 in. to 17 in.) or from 38.1 cm to 48.3 cm (15 in.			
7156185	to 19 in.) Elevating leg-rest, non-compensating; detachable	37.50	90.00	
	and pivoting with locking mechanism; adjustable			
	length; standard folding footplate, standard or			
	oversize; compatible with the same attachment			36
	points as the footrest or supplied with its own			
	attachments; padded calf-rest, height and depth- adjustable			
	Padded calf-rest, flat	22.50	22.50	36
7156187	1. 0	35.00	35.00	36
7156188	Footplate, angle and depth-adjustable, standard size	N. C.	4.95	36
7156189	Footplate, angle and depth-adjustable, oversize	N. C.	5.60	36
7156190	Folding footplate, standard, standard size	N. C.	3.34	36
	Folding footplate, standard, oversize	N. C.	3.34	36
7156192	Full-width footplate, one piece, folding; angle-	80.10	90.00	36
	adjustable			50
	Heel loop, adjustable	N. C.	0.75	36
7156194	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	50.00	50.00	36
7156195	Headrest cushion, padded, flat or contoured, all	37.00	37.00	36
	sizes			
	FRAME			
7156196	Anti-tipping wheels, detachable or pivoting, with	N. C.	5.00	60
715(107	locking mechanism			
7156197	Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	550.00	N. A.	36
	DRIVE SYSTEM			
7156198	Handrim, smooth	N. C.	8.00	36
7156199	Handrim, plastic-coated	2.40	10.40	36
7156200	Non-slip handrim, foam	179.50	187.50	36

SCHI	EDULE 1 Tariff for devices which o	compensate for a mot	or deficiency and in	sured related services (authentic version)
7156201	Handrim with vertical projections	57.00	65.00	36
7156202	Standard wheel lock, push-to-lock or pull-to-lock	N. C.	1.80	36
7156203	Plug-in wheel lock extension	2.74	2.74	36
7156204	Caster fork, height-adjustable, compatible with all available wheel diameters	N. C.	5.09	36
	WHEELS AND TIRES			
7156205		N. C.	8.34	36
	(8 in.); 3 cm (13/16 in.) wide			50
7156206	Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); 3 cm (13/16 in.) wide	N. C.	8.34	36
7156207		N. C.	3.00	36
	locking mechanism			• 6
7156208		N. C.	0.03	36
7156209	Rear mag wheel, semi-pneumatic tire, 30.5 cm (12 in.)	N. C.	12.00	36
7156210	Spoked rear wheel, semi-pneumatic tire, 50.8 cm	N. C.	23.62	
	(20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3 cm			36
	(13/16 in.) wide			
7156211	Spoke guard	43.00	43.00	36

SUBDIVISION 2: PEDIATRIC POSITIONING BASES

7156212 PEDIATRIC POSITIONING BASES	1,650.00	
	components)	
	the basic	
	(including all	
	PRICE	

SUBCATEGORY "MULTI-ADJUSTABLE TILT"

SUNRISE MEDICAL CANADA INC.

"ZIPPIE IRIS" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE Maximum weight capacity: 102.1 kg (225 lb.)

Seat-to-floor height: 33.7 cm to 48.3 cm (13¹/₄ in. to 19 in.)

Frame: structure compatible with commercial positioning device anchors; back height from 40.6 cm to 63.5 cm (16 in. to 25 in.) by maximum increments of 5,1 cm (2 in.); back cane angle-adjustable from 90° to 120° by maximum increments of 8°; non-slip push handles or push bar, raised; anchor for headrest bracket; tilt system for minimum angulation of 45°; four tie-down points for adapted transport

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7156213	Flat rigid seat; metal; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 25.4 cm (10 in.), 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.); depths of 30.5 cm (12 in.), 35.6 cm (14 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)		158.00	36
7156214	Pelvic positioning belt, auto buckle	N. C.	35.00	36
7156215	Pelvic positioning belt, Velcro	N. C.	29.00	36
	I-type armrest, short; detachable; height-adjustable, from 18.4 cm to 40 cm (7 ¹ / ₄ in. to 15 ³ / ₄ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight		120.00	60
7156217	T-type armrest, short; detachable; height-adjustable, from 18.4 cm to 40 cm (7 ¹ / ₄ in. to 15^{3} / ₄ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight		120.00	60

7156218	I-type armrest, long; detachable; height-adjustable, from 18.4 cm to 40 cm (7 ¹ / ₄ in. to 15 ³ / ₄ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.00	60
7156219	T-type armrest, long; detachable; height-adjustable,	N. C.	120.00	
	from 18.4 cm to 40 cm ($7\frac{1}{4}$ in. to $15\frac{3}{4}$ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest;			60
	armrest pad, straight			
7156220	Armrest pad, straight, short	N. C.	9.00	12
7156221	Armrest pad, straight, long	N. C.	9.00	12
7156222	70° footrest, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable	N. C.	116.00	
	length from 17.8 cm to 27.9 cm (7 in. to 11 in.), from 17.8 cm to 33 cm (7 in. to 13 in.), from 17.8 cm to 38,1 cm (7 in. to 15 in.) or from 30.5 cm to 40.6 cm (12 in. to 16 in.)			60
7156223	90° footrest, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable	N. C.	116.00	60
	length from 17.8 cm to 22.9 cm (7 in. to 9 in.), from 17.8 cm to 33 cm (7 in. to 13 in.) or from 17.8 cm to 38.1 cm (7 in. to 15 in.)			00
7156224	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, height and depth- adjustable	19.00	135.00	36
7156225	Padded calf-rest	20.00	20.00	36
7156226	Calf-rest strap, single	19.00	19.00	36
7156227	Footplate, angle and depth-adjustable, standard size	N. C.	40.00	36
7156228	Footplate, angle and depth-adjustable, oversize	N. C.	40.00	36
7156229	Folding footplate, standard, standard size	N. C.	9.00	36
	Folding footplate, standard, oversize	N. C.	9.00	36
7156231	Full-width footplate, one piece, folding; angle-adjustable	28.00	108.00	36
	Heel loop, adjustable	N. C.	11.00	36
7156233	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	75.00	75.00	36
7156234	Headrest cushion, padded and contoured, all sizes	70.00	70.00	36
7156235	FRAME Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	28.00	60

DRIVE SYSTEM

DRIVE SYSTEM			
Handrim, smooth	N. C.	40.00	36
Handrim, plastic-coated	N. C.	40.00	36
Non-slip handrim, foam	85.00	125.00	36
Handrim with vertical or oblique projections	45.00	85.00	36
Standard wheel lock, push-to-lock	N. C.	32.00	36
6	7.00	7.00	36
Caster fork, height-adjustable, compatible with all available wheel diameters	N. C.	32.00	36
WHEELS AND TIRES			
Front mag wheel, semi-pneumatic tire, 20.3 cm	N. C.	15.00	
(8 in.); widths of 2.5 cm (1 in.) or $3.8 \text{ cm} (1\frac{1}{2} \text{ in.})$			36
Front mag wheel, semi-pneumatic tire, 15.2 cm	N. C.	15.00	
(6 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1 ¹ / ₂ in.)			36
Rear axle, quick release system, with push-button	N. C.	33.00	36
•			
			36
-	N. C.	80.00	36
	NG	00.00	
	N. C.	80.00	26
			36
	20.00	20.00	26
spoke guard	20.00	20.00	36
	Handrim, smooth Handrim, plastic-coated Non-slip handrim, foam Handrim with vertical or oblique projections Standard wheel lock, push-to-lock Plug-in wheel lock extension Caster fork, height-adjustable, compatible with all available wheel diameters WHEELS AND TIRES Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); widths of 2.5 cm (1 in.) or 3.8 cm ($1\frac{1}{2}$ in.) Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); widths of 2.5 cm (1 in.) or 3.8 cm ($1\frac{1}{2}$ in.)	Handrim, smoothN. C.Handrim, plastic-coatedN. C.Non-slip handrim, foam 85.00 Handrim with vertical or oblique projections 45.00 Standard wheel lock, push-to-lockN. C.Plug-in wheel lock extension 7.00 Caster fork, height-adjustable, compatible with allN. C.available wheel diametersN. C.WHEELS AND TIRESN. C.Front mag wheel, semi-pneumatic tire, 20.3 cm N. C.(8 in.); widths of 2.5 cm (1 in.) or 3.8 cm ($1\frac{1}{2}$ in.)N. C.Front mag wheel, semi-pneumatic tire, 15.2 cm N. C.(6 in.); widths of 2.5 cm (1 in.) or 3.8 cm ($1\frac{1}{2}$ in.)N. C.Rear axle, quick release system, with push-button locking mechanismN. C.Threaded rear axleN. C.Rear mag wheel, semi-pneumatic tire, 30.5 cm N. C.(12 in.)Spoked rear wheel, semi-pneumatic tire, 50.8 cm N. C.(20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3.5 cm N. C.	Handrim, smoothN. C. 40.00 Handrim, plastic-coatedN. C. 40.00 Non-slip handrim, foam 85.00 125.00 Handrim with vertical or oblique projections 45.00 85.00 Standard wheel lock, push-to-lockN. C. 32.00 Plug-in wheel lock extension 7.00 7.00 Caster fork, height-adjustable, compatible with allN. C. 32.00 available wheel diametersN. C. 32.00 WHEELS AND TIRESFront mag wheel, semi-pneumatic tire, 20.3 cmN. C. 15.00 (8 in.); widths of 2.5 cm (1 in.) or 3.8 cm ($1\frac{1}{2}$ in.)N. C. 15.00 Front mag wheel, semi-pneumatic tire, 15.2 cmN. C. 15.00 (6 in.); widths of 2.5 cm (1 in.) or 3.8 cm ($1\frac{1}{2}$ in.)N. C. 33.00 locking mechanismN. C. 5.00 Rear axle, quick release system, with push-buttonN. C. 5.00 Rear mag wheel, semi-pneumatic tire, 30.5 cmN. C. 80.00 (12 in.)Spoked rear wheel, semi-pneumatic tire, 50.8 cmN. C. 80.00 (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3.5 cmN. C. 80.00

DIVISION V: STROLLERS AND ORTHOMOBILES

DEVICE	Maximum price
Buggy Major-type stroller, including footrests and harness 4495602 less than three years of age *	660.00
4495610 three years of age and over	660.00
Available Component(s)	
4495651 padded seat	96.00
4494993 other components	S. C.
4493862 thoracic support	96.00
4493870 chest pad	57.00

DURATION OF GUARANTEE : 12 months

DEVICE	Maximum price
4495701 Other strollers*	S. C.
2192300 Orthomobiles	S. C.

PART II: POSTURE DEVICE

	Description DEVICE	Maximum price	
4565058	Positioning device * The price of the positioning device is equal to the total price of the positioning components.	*	¢
	WARRANTY PERIOD: 3 months		
4490223	Standardized cushion, multilayer or injected foam	400.00)
4490249		400.00)
4499646	, 8	400.00	
4499869	Standardized cushion, static air-adjustable, single- compartment (by adjusting pressure or cell quantity)	500.00)
4490215	Standardized cushion, static air-adjustable, multi- compartment (by adjusting pressure or cell quantity)	500.00)
4499695	Standardized cushion, viscoelastic gel	500.00)
4490231	, 8	500.00	
	Standardized cushion, foam with air insert	500.00	
4490248	Standardized convoluted cushion, fusion-bonded thermoplastic polymer	500.00)
4490272	Customized cushion, multilayer or injected foam	425.00)
4490280	Customized cushion, viscoelastic foam and gel	425.00)
4490298	Customized cushion, viscofluid foam and gel	425.00)
4490306	Customized cushion, foam with air insert	525.00)
4490307	Customized cushion, fusion-bonded thermoplastic polymer	600.00)
4020510	Standard cover for specialized seat cushion	75.00)
4020511	Commercial waterproof cover for specialized seat cushion	100.00)
4020512	Surcharge payable for 2 commercial waterproof covers, provided with purchase or replacement of specialized seat cushion, as substitution for 2 standard covers	50.00)
4020513	Waterproof cover for seat cushion (all sizes)	75.00)
4020515	Surcharge payable for bariatric cushion, width of more than 50.8 cm (20 in.)	150.00)
4565078	Adjustable pediatric posture seat for adaptable stroller, including positioning for torso, pelvis and lower limbs	1 200,00)
4565069	Positioning components for head and neck, standardized or standardized modular components	350.00)
4565060	Positioning components for torso, pelvis or both, standardized or standardized modular components, excluding seat cushion	450.00)
4565070	Positioning belt specialized for pelvis, standardized	100.00)

4565061	Positioning harness for torso, standardized	100.00
4565062	Right upper limb positioning components, standardized or standardized modular components	170.00
4565063	Left upper limb positioning components, standardized or standardized modular components	170.00
4565064	Right lower limb positioning components, standardized or standardized modular components	200.00
4565066	Left lower limb positioning components, standardized or standardized modular components	200.00
4565067	Bilateral upper limb positioning components, standardized or standardized modular components	200.00
4565068	Bilateral lower limb positioning components, standardized or standardized modular components	200.00
4565071	Additional or replacement standard cover for specialized back	75.00
4565074	Additional or replacement waterproof cover for specialized back	100.00
4565072	Surcharge payable upon purchase or replacement of back or cover for complete or partial water proofing	50.00
4565075	Surcharge payable for a large positioning component for torso, pelvis or both, width or height of more than 50.8 cm (20 in.)	50.00
4565080	Surcharge payable for hardware allowing thoracic supports to swing away, flip back or fold	200.00
4499900	Head or neck components, moulded or customized	450.00
4499888	Torso positioning components, moulded or customized	500.00
4499889	Bilateral lower limb positioning components, moulded or customized	300.00
4499890	Torso and pelvic positioning component, one-piece, customized contouring	900.00
4499891	Pelvic positioning component, moulded or customized, excluding seat cushion	200.00
4499892	Torso positioning harness, customized	100.00
4499894	Right upper limb positioning components, moulded or customized	270.00

4499895	Left upper limb positioning components, moulded	270.00
	or customized	
4499896	Right lower limb positioning components, moulded	300.00
	or customized	
4499897	Left lower limb positioning components, moulded	300.00
	or customized	
4499899	Bilateral upper limb positioning components,	300.00
	moulded or customized	

PART III: ELEMENTS INCLUDED IN THE PRICES OF THE DEVICES

1. The maximum or the fixed price for the purchase or replacement of an insured device referred to in Part I or II of this Title includes the following elements:

(1) the maximum or fixed price for its basic components, its optional components and its and supplements, if any;

(2) the cost of its manufacture;

(3) the cost of adjustments required while it is being manufactured, up to and including the final installation;

(4) the cost of adjustments and repairs during the guarantee period referred to in this Title in respect of each device or in the contract with the supplier, beginning immediately after the final installation and during which any adjustment or repair of a device used under normal conditions is made, in order to bring the device into conformity with the original prescription, where the beneficiary's physical condition has not changed, and to enable the beneficiary to derive maximum benefit from the device.

2. The replacement cost of a component or supplement for a device includes the following elements:

- (1) the cost price of the materials;
- (2) the cost of its manufacture, if any;
- (3) the cost of adjustment and installation.

TITLE THREE: INSURED RELATED SERVICES PART I: PROSTHESES, ORTHOSES, AMBULATION AIDS OR STANDING AIDS

Labour rate or lump sum

		Laboratory (s.25)	Institution (s.25)
Codes	Description		
5550001	Labour for the manufacture of a device with at least one component whose purchase or replacement price is stated as « S.C. » or for the repair of an orthosis, prosthesis, ambulation aid, standing aid or their components and supplements (rate per minute)	1.55	0.00
4499976	Lump sum for recovery, safety check, cleaning, reallocation and inventory management of a walker with thorax support	111.79	0.00
5442257	Lump sum for initial purchase or replacement of an ambulation aid provided as a complement to an orthosis or prosthesis	23.21	0.00
5442258	Lump sum for initial purchase or replacement of an ambulation aid provided as a device to an adult	46.42	0.00
5442259	Lump sum for initial purchase or replacement of an ambulation aid provided as a device to a person under 19 years of age	69.60	0.00

PART II: LOCOMOTOR AND POSTURE ASSISTS

		Labour rate or lump sum
		Institution (s.57)
Codes	Description	
	Labour for the manufacture or repair of a locomotor assist, positioning device or their components, including repairs made under supplier's warranty (rate per minute)	0.00
4499968	Lump sum for the initial purchase or replacement of a manual wheel chair	0.00
4499992	Lump sum for the initial purchase or replacement of a powered wheel chair	0.00
5442260	Lump sum for initial purchase or replacement of a positioning base	0.00
5442272	Non-listed lump sum for initial purchase or replacement of adapted stroller (S.C.)	0.00
4495552	Lump sum for the initial purchase or replacement of a Buggy Major-type stroller	0.00
4499596	Lump sum for the initial purchase or replacement of a propulsion assistance module	0.00
4499950	Lump sum when a device must be adjusted to the growth of an insured person under age 19	0.00
4499935	Lump sum for initial purchase or replacement of a manual wheelchair when the insured person dies before taking final receipt of device	0.00
4499927	Lump sum for initial purchase or replacement of a powered wheelchair when the insured person dies before taking final receipt of device	0.00
5442269	Lump sum for initial purchase or replacement of a positioning base when the insured person dies before taking final receipt of device	0.00
4499943	Lump sum for initial purchase or replacement of a stroller when the insured person dies before taking final receipt of device	0.00
5442254	Lump sum for specialized cushion seat positioning	0.00

0.00

5442262	Lump sum for positioning of torso, pelvis or both (excluding specialized seat cushion-related service)	0.00
5442263	Lump sum for right upper limb positioning	0.00
5442264	Lump sum for left upper limb positioning	0.00
5442265	Lump sum for right lower limb positioning	0.00
5442266	Lump sum for left lower limb positioning	0.00