

**SCHEDULE I**

**(s. 1)**

**TARIFF FOR DEVICES WHICH COMPENSATE  
FOR A MOTOR DEFICIENCY  
AND INSURED RELATED SERVICES**

Document produced by the Régie de l'assurance maladie du Québec and published on its website

Legal deposit – Library and Archives Canada, 2009

ISSN 1920-2318

Québec 1 April, 2022

<b>TITLE ONE: PROSTHESES, ORTHOSES, AMBULATION AIDS OR STANDING AIDS</b>	<b>5</b>
PART I: AIDS FURNISHED BY AN INSTITUTION OR A LABORATORY	6
DIVISION I: LOWER-LIMB PROSTHESES	6
SUBDIVISION 1: FOOT PROSTHESES	6
SUBDIVISION 2: ANKLE PROSTHESES	8
SUBDIVISION 3: TIBIAL PROSTHESES	11
SUBDIVISION 4: TIBIOFEMORAL PROSTHESES	19
SUBDIVISION 5: FEMORAL PROSTHESES	26
SUBDIVISION 6: COXOFEMORAL AND HEMIPELVIC PROSTHESES	36
SUBDIVISION 7: LOWER-LIMB PROSTHESES	45
DIVISION II: UPPER-LIMB PROSTHESES	46
SUBDIVISION 1: HAND PROSTHESES	46
SUBDIVISION 2: WRIST PROSTHESES	48
SUBDIVISION 3: CUBITAL PROSTHESES	49
SUBDIVISION 4: CUBITOHUMERAL PROSTHESES	52
SUBDIVISION 5: HUMERAL PROSTHESES	53
SUBDIVISION 6: GLENOHUMERAL AND THORACIC PROSTHESES	55
SUBDIVISION 7: BASIC OR OPTIONAL COMPONENTS FOR UPPER-LIMB PROSTHESES	60
SUBDIVISION 8 : UPPER-LIMB PROSTHESES	65
DIVISION III: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES	66
DIVISION IV: LOWER-LIMB ORTHOSES	78
SUBDIVISION 1: TIBIAL ORTHOSES	78
SUBDIVISION 2: TIBIOFEMORAL ORTHOSES	84
SUBDIVISION 3: FEMORAL ORTHOSES	88
SUBDIVISION 4: COXOFEMORAL ORTHOSES	99
SUBDIVISION 5: BILATERAL LOWER-LIMB ORTHOSES	108
SUBDIVISION 6: ADDITIONAL COMPONENTS FOR TIBIAL, FEMORAL AND COXOFEMORAL ORTHOSES	111
SUBDIVISION 7: LOWER-LIMB ORTHOSES	112
DIVISION V: UPPER-LIMB ORTHOSES	113
SUBDIVISION 1: HAND ORTHOSES THAT MAY INCLUDE THE THUMB AND THE OTHER FINGERS	113
SUBDIVISION 2: WRIST AND HAND ORTHOSES	117
SUBDIVISION 3: ELBOW, WRIST AND HAND ORTHOSES	120
SUBDIVISION 4: SHOULDER, ELBOW, WRIST AND HAND ORTHOSES	121
SUBDIVISION 5: UPPER-LIMB ORTHOSES	123
DIVISION VI: TRUNK AND CERVICAL ORTHOSES	124
SUBDIVISION 1: TRUNK ORTHOSES	124
SUBDIVISION 2: CERVICAL ORTHOSES	130
SUBDIVISION 3: OTHER TRUNK AND CERVICAL ORTHOSES	132
DIVISION VII: AMBULATION AIDS	133
DIVISION VIII: STANDING AIDS	137

PART II: AIDS FURNISHED SOLELY BY AN INSTITUTION	138
DIVISION I: UPPER-LIMB PROSTHESES	138
DIVISION II: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES	146
DIVISION III: AMBULATION AIDS	147
PART III: ELEMENTS INCLUDED IN THE PRICES OF THE DEVICES	148
<b>TITLE TWO: LOCOMOTOR AND POSTURE ASSISTS (FURNISHED SOLELY BY AN INSTITUTION)</b>	<b>149</b>
PART I: LOCOMOTOR ASSISTS	150
DIVISION I: ADULT WHEELCHAIRS	150
SUBDIVISION 1: MASS GROUP 1	150
SUBDIVISION 2: MASS GROUP 2	155
SUBDIVISION 3: MASS GROUP 3	178
DIVISION II: POWERED WHEELCHAIRS	184
SUBDIVISION 1: MASS GROUP 1	184
SUBDIVISION 2: MASS GROUP 2	199
SUBDIVISION 3: MASS GROUP 3	229
SUBDIVISION 4: MASS GOUP 4	243
DIVISION III: COMPLEMENTS FOR WHEELCHAIRS	247
SUBDIVISION 1: FACULTATIVE COMPONENTS	247
SUBDIVISION 2: BATTERIES FOR POWERED WHEELCHAIRS	248
DIVISION IV: TILT WHEELCHAIRS	249
SUBDIVISION 1: MASS GROUP 1	249
SUBDIVISION 2: MASS GROUP 2	251
SUBDIVISION 3: MASS GROUP 3	259
DIVISION V: STROLLERS AND ORTHOMOBILES	263
PART II: POSTURE DEVICE	264
PART III: ELEMENTS INCLUDED IN THE PRICES OF THE DEVICES	266

**TITLE ONE: PROSTHESES, ORTHOSES, AMBULATION AIDS OR STANDING AIDS**

**PART I: AIDS FURNISHED BY AN INSTITUTION OR A LABORATORY**  
**DIVISION I: LOWER-LIMB PROSTHESES**  
**SUBDIVISION 1: FOOT PROSTHESES**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1120534 Prosthesis for total amputation of second, third and fourth toe, of two or of all of those toes, made from plaster or digital mold of insured person	588.52			3

**BASIC COMPONENTS AND SUPPLEMENTS**

Filler for anterior part of foot, on rigid or pliable sole

Compensatory sole for limb not fitted with a prosthesis

**COMPONENT AND SUPPLEMENT AVAILABLE**

None

**ADJUSTMENTS AVAILABLE**

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1120542 Prosthesis for total amputation of first toe, with or without amputation of second, third, fourth or fifth toe, made from plaster or digital mold of insured person	623.97			3

**BASIC COMPONENTS AND SUPPLEMENTS**

Filler for anterior part of foot, on rigid or pliable sole

Longitudinal arch support

Correction or shank

Compensatory sole for limb not fitted with a prosthesis

**COMPONENT AND SUPPLEMENT AVAILABLE**

None

**ADJUSTMENTS AVAILABLE**

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component	Maximum adjustment price	Guarantee (months)
1120518	1,360.98			6
Prosthesis for transmetatarsal or transcalcaneal amputation with ankle support, made from plaster or				
BASIC COMPONENTS AND SUPPLEMENTS				
Filler for anterior or posterior part of foot				
Laminated or molded plastic or molded leather socket				
Leg support where necessary				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
OPTIONAL COMPONENTS				
Ankle joints:				
1125632				
Gilette joints				
		166.31	N. A.	
		N. A.	92.05	
1125640				
Oklahoma joints				
		159.46	N. A.	
		N. A.	89.51	
1125657				
Wafer joints				
		178.72	N. A.	
		N. A.	98.95	
1125665				
Tamarak joints				
		173.26	N. A.	
		N. A.	96.22	
1125673				
Gaffney joints				
		187.30	N. A.	
		N. A.	101.50	
SUPPLEMENTS AVAILABLE				
-----		*	*	
Stump sock				
* (consult Division III of this Part for the codes and prices of these supplements)				
3194016		20.00	23.24	
Nylon sheath				
ADJUSTMENTS AVAILABLE				
-----	Any pertinent adjustment			

**SUBDIVISION 2: ANKLE PROSTHESES**

<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>
1130103 Temporary Symes prosthesis	1,443.19			*
<b>BASIC COMPONENTS AND SUPPLEMENTS</b>				
Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person				
Temporary foot (loan)				
*DURATION OF GUARANTEE : Life of prosthesis				
<b>COMPONENTS AND SUPPLEMENTS AVAILABLE</b>				
<b>BASIC COMPONENT</b>				
1145523 Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person	N. C.	N. A.		
<b>OPTIONAL COMPONENTS</b>				
1135532 Supracondylar strap	152.94	210.86		3
1135524 Foam flexible double comfort socket	136.87	281.91		3
1145598 Thigh lacer	262.13	287.29		3
<b>SUPPLEMENTS AVAILABLE</b>				
3492501 Cane	10.19	10.19		
3492550 Crutches with axillary support, height-adjustable	20.38	20.38		
3492551 Crutches with forearm support, height-adjustable	56.05	56.05		
----- Stump sock	*	*		
* (consult Division III of this Part for the codes and prices of these supplements)				
3194016 Nylon sheath, 45.7 cm (18 in.) to 55.9 cm (22 in.)	20.00	23.24		
3194024 Nylon sheath, 80.0 cm (31½ in.) to 92.7 cm (36½ in.)	26.06	29.27		
3194081 Nylon sheath with elastic band, 55.9 cm (22 in.) to 66.0 cm (26 in.)	41.24	44.63		
3194099 Nylon sheath with elastic band, 73.7 cm (29 in.) to 86.4 cm (34 in.)	41.24	44.63		
<b>ADJUSTMENT AVAILABLE</b>				
None				



DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1130509 Symes prosthesis	2,243.53			6
BASIC COMPONENTS AND SUPPLEMENTS				
Laminated plastic socket, made from plaster or digital mold of insured person, with or without medial or posterior window SACH foot				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1125509 SACH foot	N. C.	325.15		3
1135516 Laminated plastic socket, made from plaster or digital mold of insured person, with or without medial or posterior window	N. C.	1,772.26		
OPTIONAL COMPONENTS				
1195502 Trial socket	181.49	N. A.		
1135532 Supracondylar strap	152.94	210.86		3
1125525 Symes foot	N. C.	310.99		
1125566 Dynamic response foot (Seattle)	381.00	696.52		
1125582 Dynamic response foot (Seattle Light)	497.11	812.64		
1125681 Dynamic response foot (Step Light)	300.86	616.35		
1125699 Dynamic response foot (USMC)	186.16	501.62		
1125707 Dynamic foot, for child (1K10)	38.26	353.86		
1135508 Silicone laminated extensible double socket	337.35	627.10		3
1135524 Foam flexible double comfort socket	136.87	281.91		3
1145663 Thigh lacer with reinforced uniaxial ball-bearing joints	850.23	875.32		3
1145671 Thigh lacer with light uniaxial ball-bearing joints	734.08	759.17		3
1145689 Thigh lacer with polycentric joints	1,112.06	1,137.86		3
SUPPLEMENTS AVAILABLE				
----- Stump sock	*	*		
* (consult Division III of this Part for the codes and prices of these supplements)				
3194016 Nylon sheath, 45.7 cm (18 in.) to 55.9 cm (22 in.)	20.00	23.24		
3194024 Nylon sheath, 80.0 cm (31½ in.) to 92.7 cm (36½ in.)	26.06	29.27		

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

3194099	Nylon sheath with elastic band, 73.7 cm (29 in.) to 86.4 cm (34 in.)	41.24	44.63
3492501	Cane	10.19	10.19
3492550	Crutches with axillary support, height-adjustable	20.38	20.38
3492551	Crutches with forearm support, height-adjustable	56.05	56.05

ADJUSTMENTS AVAILABLE

----- Any pertinent adjustment

**SUBDIVISION 3: TIBIAL PROSTHESES**

<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>
1140011 Post-operative tibial prosthesis necessitating obligatory renewal of plaster or digital mold	991.84			*
<b>BASIC COMPONENTS AND SUPPLEMENTS</b>				
Lycra compressible socks (4)				
Plaster sockets (2)				
Means of suspension (belt)				
SACH foot (loan)				
Adjustable pylon (loan)				
*DURATION OF GUARANTEE : Life of prosthesis				
<b>COMPONENTS AND SUPPLEMENTS AVAILABLE</b>				
<b>BASIC COMPONENTS</b>				
1145515 Plaster sockets (2)	N. C.	N. A.		
1195510 Means of suspension (belt)	N. C.	N. A.		
<b>SUPPLEMENTS AVAILABLE</b>				
3194008 Lycra compressible sock	N. C.	N. A.		
3492550 Crutches with axillary support, height-adjustable	20.38	20.38		
3492551 Crutches with forearm support, height-adjustable	56.05	56.05		
<b>ADJUSTMENT AVAILABLE</b>				
None				

<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>
1140060 Pneumatic post-operative tibial prosthesis, non-articulated	777.91			*
<b>BASIC COMPONENTS AND SUPPLEMENTS</b>				
Inflatable bag or case				
Distal pad				
Suspension straps				
Mobility frame (loan)				
Electric pump (loan)				

\*DURATION OF GUARANTEE : Life of prosthesis

COMPONENTS AND SUPPLEMENTS AVAILABLE

SUPPLEMENTS AVAILABLE

3492550	Crutches with axillary support, height-adjustable	20.38	20.38
3492551	Crutches with forearm support, height-adjustable	56.05	56.05
-----	Stump sock	*	*

\* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENT AVAILABLE

None

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1140078	Pneumatic post-operative tibial prosthesis, articulated	996.57		*

BASIC COMPONENTS AND SUPPLEMENTS

- Inflatable bag or case
- Thigh lacer system (loan)
- Knee joint system (loan)
- Universal socket (loan)
- Modular system (loan)
- SACH foot (loan)
- Air pump (loan)

\*DURATION OF GUARANTEE : Life of prosthesis

COMPONENTS AND SUPPLEMENTS AVAILABLE

SUPPLEMENTS AVAILABLE

3492550	Crutches with axillary support, height-adjustable	20.38	20.38
3492551	Crutches with forearm support, height-adjustable	56.05	56.05

----- Stump sock  
\* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENT AVAILABLE

None

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1140102 Temporary tibial prosthesis	1,427.94			*
BASIC COMPONENTS AND SUPPLEMENTS				
Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person				
Temporary foot (loan)				
Endoskeletal system (loan)				
*DURATION OF GUARANTEE : Life of prosthesis				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENT				
1145523 Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person	N. C.	N. A.		
OPTIONAL COMPONENTS				
1145598 Thigh lacer	262.13	287.29		3
1135532 Supracondylar strap	152.94	210.86		3
1145549 Foam flexible double comfort socket	149.96	269.77		3
1145564 Tibial belt with Y strap	118.88	215.54		3
1145697 Suspension lining covered with nylon on inside	92.46	104.23		
1145705 Suspension lining not covered with nylon on inside	117.71	132.32		
1145713 Latex suspension lining	52.28	65.62		
1145721 Elastic suspension lining	44.06	57.42		
SUPPLEMENTS AVAILABLE				
----- Stump sock		*	*	
* (consult Division III of this Part for the codes and prices of these supplements)				
3194032 Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm (18 in.)	20.00	23.24		

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

3194040	Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm (31½ in.)	20.00	23.24
3194107	Nylon sheath with tibial elastic band, 25.4 cm (10 in.) to 55.9 cm (22 in.)	33.96	37.18
3194115	Nylon sheath with tibial elastic band, 50.8 cm (20 in.) to 73.7 cm (29 in.)	32.08	35.32
3194206	Nylon suction sheath (all sizes)	32.08	35.32
3492550	Crutches with axillary support, height-adjustable	20.38	20.38
3492551	Crutches with forearm support, height-adjustable	56.05	56.05

ADJUSTMENTS AVAILABLE

None

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1140508	Exoskeletal tibial prosthesis	2,299.07		6
BASIC COMPONENTS AND SUPPLEMENTS				
Laminated plastic tibial socket, made from plaster or digital mold of insured person				
SACH foot				
Medial wedge				
Ankle block				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1125491	Ankle block	N. C.	N. A.	
1125509	SACH foot	N. C.	325.15	
1145531	Laminated plastic tibial socket, made from plaster or digital mold of insured person	N. C.	1,839.89	3
1145457	Medial wedge	N. C.	N. A.	
OPTIONAL COMPONENTS				
1195585	Trial socket	171.89	N. A.	
1145754	Foam or molded plastic flexible double comfort socket	149.96	269.77	3
1145556	Foam or molded plastic flexible double comfort socket, with medial wedge	182.77	300.71	3
1145630	Silicone gel double socket	323.32	648.49	3
1145648	Silicone gel double socket, with medial wedge	354.53	679.55	3

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

1146554	Silicone gel flexible double socket, with distal attachment	962.12	1,012.40	3
1146570	Silicone gel flexible double socket, with distal attachment, excluding replacement of distal attachment	N. A.	712.50	3
1145564	Tibial belt with Y strap	118.88	215.54	3
1135532	Supracondylar strap	152.94	210.86	3
1145697	Suspension lining covered with nylon on inside	92.46	104.23	
1145705	Suspension lining not covered with nylon on inside	117.71	132.32	
1145713	Latex suspension lining	52.28	65.62	
1145721	Elastic suspension lining	44.06	57.42	
1125517	Articulated foot	153.90	474.00	
1125574	Dynamic response foot, spring and prosthetic cover included (Quantum)	367.18	682.73	
1125624	Adapter for foot (Quantum)	143.72	200.39	
1125582	Dynamic response foot (Seattle Light)	497.11	812.64	
1125590	Dynamic response foot (Sten foot)	82.49	397.94	
1125608	Dynamic response foot (SAFE foot)	195.81	511.37	
1125616	Dynamic response foot (1D10, 1D11)	167.09	487.07	
1125566	Dynamic response foot (Seattle)	381.00	696.52	
1125541	Dynamic response foot (Carbon Copy II)	317.45	632.95	
1125707	Dynamic foot, for child (1K10)	38.26	353.86	
1125806	Multiaxial foot with rotator (1A29)	238.64	554.16	
1165539	Femoral device with plastic ischiatic support	992.40	1,054.33	3
1145663	Thigh lacer with reinforced uniaxial ball-bearing joints	850.23	875.32	3
1145671	Thigh lacer with light uniaxial ball-bearing joints	734.08	759.17	3
1145689	Thigh lacer with polycentric joints	1,112.06	1,137.86	3
1145739	Replacement of thigh lacer with recovery and reinstallation of existing joints	N. A.	566.17	3
1145580	Suction valve and seat	294.38	401.70	
1145655	Suction valve	N. A.	281.83	
1145747	Foam flexible prosthetic cover	118.69	168.89	
SUPPLEMENTS AVAILABLE				
3194032	Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm (18 in.)	20.00	23.24	
3194040	Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm (31½ in.)	20.00	23.24	
3194107	Nylon sheath with tibial elastic band, 25.4 cm (10 in.) to 55.9 cm (22 in.)	33.96	37.18	
3194115	Nylon sheath with tibial elastic band, 50.8 cm (20 in.) to 73.7 cm (29 in.)	32.08	35.32	
3194206	Nylon suction sheath (all sizes)	32.08	35.32	
3194198	Prosthetic socks, per pair	32.60	45.92	
3492501	Cane	10.19	10.19	
3492550	Crutches with axillary support, height-adjustable	20.38	20.38	

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

3492551	Crutches with forearm support, height-adjustable	56.05	56.05
-----	Stump sock	*	*
	* (consult Division III of this Part for the codes and prices of these supplements)		
	ADJUSTMENTS AVAILABLE		
1146521	Socket lining (leather, plastic or other material)		243.58
1146539	Lengthening of a tibial prosthesis		442.95
-----	Any pertinent adjustment		

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1141514	2,398.80			6
BASIC COMPONENTS AND SUPPLEMENTS				
Laminated plastic tibial socket, made from plaster or digital mold of insured person				
Medial wedge				
SACH foot and adapter				
Complete endoskeletal system (modular components, prosthetic cover and prosthetic socks (2))				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1125509	N. C.	325.15		
1124015	N. C.	N. A.		
1145531	N. C.	1,839.89		3
1195528	N. C.	N. A.		
1145614	N. C.	484.58		
1145457	N. C.	N. A.		
OPTIONAL COMPONENTS				
1195585	171.89	N. A.		
1145754	149.96	269.77		3
1145556	182.77	300.71		3
1145630	323.32	648.49		3



## SCHEDULE 1

## Tariff for devices which compensate for a motor deficiency and insured related services

(authentic version)

1145648	Silicone gel double socket, with medial wedge	354.53	679.55	3
1146554	Silicone gel flexible double socket, with distal attachment	962.12	1,012.40	3
1146562	Silicone gel flexible double socket, with attachment and pneumatic cushion	1,003.62	1,053.86	3
1146570	Silicone gel flexible double socket, with distal attachment, excluding replacement of distal attachment	N. A.	712.50	3
1145564	Tibial belt with Y strap	118.88	215.54	3
1135532	Supracondylar strap	152.94	210.86	3
1145697	Suspension lining covered with nylon on inside	92.46	104.23	
1145705	Suspension lining not covered with nylon on inside	117.71	132.32	
1145713	Latex suspension lining	52.28	65.62	
1145721	Elastic suspension lining	44.06	57.42	
1125715	Articulated foot and adapter	189.60	507.34	
1125723	Articulated foot without adapter	N. A.	324.74	
1125566	Dynamic response foot (Seattle)	381.00	696.52	
1125541	Dynamic response foot (Carbon Copy II)	317.45	632.95	
1125707	Dynamic foot, for child (1K10)	38.26	353.86	
1125798	Dynamic response foot, spring, prosthetic cover and foam included (Quantum)	328.49	643.95	
1125780	Adapter for foot (Quantum)	56.65	105.03	
1125582	Dynamic response foot (Seattle Light)	497.11	812.64	
1125590	Dynamic response foot (Sten foot)	82.49	397.94	
1125608	Dynamic response foot (SAFE foot)	195.81	511.37	
1125616	Dynamic response foot (1D10, 1D11)	167.09	487.07	
1125681	Dynamic response foot (Step Light)	300.86	616.35	
1125699	Dynamic response foot (USMC)	186.16	501.62	
1125731	Dynamic plus foot (1D25)	452.86	768.39	
1125749	Multiaxial foot with rotator (1A30)	698.32	1,023.83	
1125756	Multiaxial foot with rotator (Endolite)	610.40	925.90	
1125764	Dynamic response foot with rotator (Endolite)	814.95	1,130.47	
1165539	Femoral device with plastic ischiatic support	992.40	1,054.33	3
1145663	Thigh lacer with reinforced uniaxial ball-bearing joints	850.23	875.32	3
1145671	Thigh lacer with light uniaxial ball-bearing joints	734.08	759.17	3
1145689	Thigh lacer with polycentric joints	1,112.06	1,137.86	3
1145739	Replacement of thigh lacer with recovery and reinstallation of existing joints	N. A.	566.17	3
1145580	Suction valve and seat	294.38	401.70	
1145655	Suction valve	N. A.	281.83	
1135557	Ankle rotator (4R39, 4R40)	793.08	878.99	
1135607	Ankle rotator (4R85)	709.73	787.06	
1135615	Titanium modular system and carbon fiber pylon	98.13	N. A.	

SUPPLEMENTS AVAILABLE

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

3194032	Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm (18 in.)	20.00	23.24
3194040	Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm (31½ in.)	20.00	23.24
3194107	Nylon sheath with tibial elastic band, 25.4 cm (10 in.) to 55.9 cm (22 in.)	33.96	37.18
3194115	Nylon sheath with tibial elastic band, 50.8 cm (20 in.) to 73.7 cm (29 in.)	32.08	35.32
3194206	Nylon sheath (all sizes)	32.08	35.32
3194222	Prosthetic socks, per pair	N. C.	39.47
3492501	Cane	10.19	10.19
3492550	Crutches with axillary support, height-adjustable	20.38	20.38
3492551	Crutches with forearm support, height-adjustable	56.05	56.05
-----	Stump sock	*	*
	* (consult Division III of this Part for the codes and prices of these supplements)		
	ADJUSTMENTS AVAILABLE		
1146521	Socket lining (leather, plastic or other material)		243.58
1146547	Lengthening of tibial part of prosthesis, excluding replacement of prosthetic cover and prosthetic sock		295.63
-----	Any pertinent adjustment		

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1141753	2,548.10			2
BASIC COMPONENTS AND SUPPLEMENTS				
Prosthetic foam-rubber calf				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1145622	N. C.	N. A.		
<b>OPTIONAL COMPONENT</b>				
1165547	647.17	N. A.		2
ADJUSTMENT AVAILABLE				
-----	Any pertinent adjustment			

**SUBDIVISION 4: TIBIOFEMORAL PROSTHESES**

<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>
1150010 Post-operative tibiofemoral prosthesis necessitating obligatory renewal of plaster or digital mold	1,468.22			*
<b>BASIC COMPONENTS AND SUPPLEMENTS</b>				
Lycra compressible socks (4)				
Plaster sockets (2)				
Means of suspension (belt)				
SACH foot (loan)				
Adjustable pylon (loan)				
Suspension cable, distal pad, ring				
*DURATION OF GUARANTEE : Life of prosthesis				
<b>COMPONENTS AND SUPPLEMENTS AVAILABLE</b>				
<b>BASIC COMPONENTS</b>				
1145515 Plaster sockets (2)	N. C.	N. A.		
1195510 Means of suspension (belt)	N. C.	N. A.		
1195544 Suspension cable, distal pad, ring	N. C.	N. A.		
<b>SUPPLEMENTS AVAILABLE</b>				
3194008 Lycra compressible socks (4)	N. C.	N. A.		
3492550 Crutches with axillary support, height-adjustable	20.38	20.38		
3492551 Crutches with forearm support, height-adjustable	56.05	56.05		
<b>ADJUSTMENT AVAILABLE</b>				
None				

<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>
---------------	--	---	---	-------------------------------

1150101 Pneumatic post-operative tibiofemoral prosthesis, non-articulated	772.41			*
---	--------	--	--	---

**BASIC COMPONENTS AND SUPPLEMENTS**

Mobility frame (loan)

Electric pump (loan)

\*DURATION OF GUARANTEE : Life of prosthesis

COMPONENTS AND SUPPLEMENTS AVAILABLE

SUPPLEMENTS AVAILABLE

3492550	Crutches with axillary support, height-adjustable	20.38	20.38
3492551	Crutches with forearm support, height-adjustable	56.05	56.05
-----	Stump sock	*	*

\* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENT AVAILABLE

None

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1150051	Pneumatic post-operative tibiofemoral prosthesis, articulated	991.07		*

BASIC COMPONENTS AND SUPPLEMENTS

- Inflatable bag or case
- Thigh lacer system (loan)
- Knee joint system (loan)
- Modular system (loan)
- Universal socket (loan)
- SACH foot (loan)
- Air pump (loan)

\*DURATION OF GUARANTEE : Life of prosthesis

COMPONENTS AND SUPPLEMENTS AVAILABLE

SUPPLEMENTS AVAILABLE

3492550	Crutches with axillary support, height-adjustable	20.38	20.38
3492551	Crutches with forearm support, height-adjustable	56.05	56.05
-----	Stump sock	*	*

\* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENT AVAILABLE

None

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1150069	Temporary tibiofemoral prosthesis	1,724.18		*
BASIC COMPONENTS AND SUPPLEMENTS				
Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person				
Temporary foot (loan)				
Endoskeletal system (loan)				
*GUARANTEE PERIOD: Life of prosthesis				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENT				
1145523	Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person	N. C.	N. A.	
OPTIONAL COMPONENTS				
1145549	Foam flexible double comfort socket	149.96	269.77	3
1165570	Silesian belt	181.05	208.22	3
1165588	Pelvic belt (steel joint and band)	368.74	627.72	3
1165703	Pelvic belt (plastic joint and band)	305.19	564.18	3
SUPPLEMENTS AVAILABLE				
3194057	Nylon sheath, 50.8 cm (20 in.) to 61.0 cm (24 in.)	20.00	23.24	
3194123	Nylon sheath with elastic band, 45.7 cm (18 in.) to 55.9 cm (22 in.)	33.96	37.18	
3194206	Nylon suction sheath (all sizes)	32.08	35.32	
3492501	Cane	10.19	10.19	
3492550	Crutches with axillary support, height-adjustable	20.38	20.38	

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

3492551 -----	Crutches with forearm support, height-adjustable Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	56.05 *	56.05 *
------------------	--	------------	------------

ADJUSTMENT AVAILABLE

None

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1150507	4,138.13			6
BASIC COMPONENTS AND SUPPLEMENTS				
Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person				
External knee joints SACH foot and ankle block				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1125491	N. C.	N. A.		
1125509	N. C.	325.15		
1155506	N. C.	2,522.97		3
1155514	N. C.	931.87		
OPTIONAL COMPONENTS				
1195551	221.79	N. A.		
1195569	182.33	329.17		
1146554	962.12	1,012.40		3
1146570	N. A.	712.50		3
1165570	181.05	208.22		3
1165828	178.89	211.79		
1165711	466.89	725.95		3
1165703	305.19	564.18		3
1165588	368.74	627.72		3
1125517	153.90	474.00		
1125574	367.18	682.73		
Dynamic response foot, spring and prosthetic cover included (Quantum)				

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

1125624	Adapter for foot (Quantum)	143.72	200.39
1125582	Dynamic response foot (Seattle Light)	497.11	812.64
1125590	Dynamic response foot (Sten foot)	82.49	397.94
1125608	Dynamic response foot (SAFE foot)	195.81	511.37
1125616	Dynamic response foot (1D10, 1D11)	167.09	487.07
1125566	Dynamic response foot (Seattle)	381.00	696.52
1125541	Dynamic response foot (Carbon Copy II)	317.45	632.95
1125707	Dynamic foot, for child (1K10)	38.26	353.86
1125772	Multiaxial foot with rotator (1A29)	238.64	554.16
1155647	Constant friction knee (3P25)	156.18	1,087.88
1155563	Constant friction knee (3P1)	78.77	1,009.02
1145580	Suction valve and seat	294.38	401.70
1145655	Suction valve	N. A.	281.83
1145747	Foam flexible cover for tibial part	118.69	168.89

SUPPLEMENTS AVAILABLE

3194057	Nylon sheath, 50.8 cm (20 in.) to 61.0 cm (24 in.)	20.00	23.24
3194123	Nylon sheath with elastic band, 45.7 cm (18 in.) to 55.9 cm (22 in.)	33.96	37.18
3194206	Nylon suction sheath (all sizes)	32.08	35.32
3194198	Prosthetic socks, per pair	32.60	45.92
3492501	Cane	10.19	10.19
3492550	Crutches with axillary support, height-adjustable	20.38	20.38
3492551	Crutches with forearm support, height-adjustable	56.05	56.05
-----	Stump sock	*	*

\* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENTS AVAILABLE

1146521	Socket lining (leather, plastic or other material)	243.58
1156504	Lengthening of tibial part	442.95
-----	Any pertinent adjustment	

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1151505	Endoskeletal tibiofemoral prosthesis	4,874.67		6

BASIC COMPONENTS AND SUPPLEMENTS

Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person

SACH foot

Complete endoskeletal system with knee (3R21) (modular components, prosthetic cover and prosthetic socks (2)). If child, uniaxial knee (3R38)

## COMPONENTS AND SUPPLEMENTS AVAILABLE

## BASIC COMPONENTS

1125509	SACH foot	N. C.	325.15	
1155506	Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person	N. C.	2,522.97	3
1195528	Complete endoskeletal system	N. C.	N. A.	
1155555	Knee (3R21)	N. C.	1,542.53	
1165596	Prosthetic cover	N. C.	765.67	

## OPTIONAL COMPONENTS

1195551	Trial socket	221.79	N. A.	
1195569	Foam flexible double comfort socket	182.33	329.17	
1146554	Silicone gel flexible double socket, with distal attachment	962.12	1,012.40	3
1146570	Silicone gel flexible double socket, with distal attachment, excluding replacement of distal attachment	N. A.	712.50	3
1165570	Silesian belt	181.05	208.22	3
1165828	Neoprene Silesian belt	178.89	211.79	
1165588	Pelvic belt (steel joint and band)	368.74	627.72	3
1165703	Pelvic belt (plastic joint and band)	305.19	564.18	3
1165711	Pelvic belt (titanium joint and band)	466.89	725.95	3
1125715	Articulated foot and adapter	189.60	507.34	
1125723	Articulated without adapter	N. A.	324.74	
1125574	Dynamic response foot, spring and prosthetic cover included (Quantum)	367.18	682.73	
1125780	Adapter for foot (Quantum)	56.65	105.03	
1125707	Dynamic foot, for child (1K10)	38.26	353.86	
1125582	Dynamic response foot (Seattle Light)	497.11	812.64	
1125590	Dynamic response foot (Sten foot)	82.49	397.94	
1125608	Dynamic response foot (SAFE foot)	195.81	511.37	
1125616	Dynamic response foot (1D10, 1D11)	167.09	487.07	
1125566	Dynamic response foot (Seattle)	381.00	696.52	
1125541	Dynamic response foot (Carbon Copy II)	317.45	632.95	
1125681	Dynamic response foot (Step Light)	300.86	616.35	
1125699	Dynamic response foot (USMC)	186.16	501.62	
1125731	Dynamic plus foot (1D25)	452.86	768.39	
1125749	Multiaxial foot with rotator (1A30)	698.32	1,023.83	
1125756	Multiaxial foot with rotator (Endolite)	610.40	925.90	
1125764	Dynamic response foot with rotator (Endolite)	814.95	1,130.47	
1155571	Multiaxial knee, for child (TK40C) (used with DAW endoskeletal system)	499.00	2,028.91	



SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

1155589	Uniaxial constant friction knee, for child (TK1C1)	117.61	1,647.46
1155597	Uniaxial knee, for child (3R38)	N. C.	1,282.67
1155605	Uniaxial knee with lock, for child (3R39)	N. C.	1,416.71
1155613	Polycentric-joint knee with assisted extension, titanium (3R30)	495.34	2,036.22
1155621	Multiaxial knee with rotator, for child (3R66)	N. C.	1,510.61
1155639	Polycentric-joint knee with lock, titanium (3R32)	311.06	1,840.94
1145580	Suction valve and seat	294.38	401.70
1145655	Suction valve	N. A.	281.83
1135557	Ankle rotator (4R39, 4R40)	793.08	878.99
1135607	Ankle rotator (4R85)	709.73	787.06
1135615	Titanium modular system and carbon fiber pylon	98.13	N. A.

SUPPLEMENTS AVAILABLE

3194032	Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm (18 in.)	20.00	23.24
3194040	Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm (31½ in.)	20.00	23.24
3194230	Nylon sheath with elastic band	33.96	37.18
3194115	Nylon sheath with tibial elastic band, 50.8 cm (20 in.) to 73.7 cm (29 in.)	32.08	35.32
3194206	Nylon sheath (all sizes)	32.08	35.32
3194172	Prosthetic socks, per pair	N. C.	56.17
3492501	Cane	10.19	10.19
3492550	Crutches with axillary support, height-adjustable	20.38	20.38
3492551	Crutches with forearm support, height-adjustable	56.05	56.05
-----	Stump sock	*	*

\* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENTS AVAILABLE

1146521	Socket lining (leather, plastic or other material)		243.58
1146547	Lengthening of tibial part of prosthesis, excluding replacement of prosthetic cover and prosthetic sock		295.63
-----	Any pertinent adjustment		

**SUBDIVISION 5: FEMORAL PROSTHESES**

<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>
1160019 Post-operative femoral prosthesis necessitating obligatory renewal of plaster or digital mold	1,432.32			*
<b>BASIC COMPONENTS AND SUPPLEMENTS</b>				
Compressible Lycra socks (4)				
Plaster sockets (2)				
Means of suspension (belt)				
SACH foot (loan)				
Adjustable pylon with joint (loan)				
Suspension cable, distal pad, ring				
*GUARANTEE PERIOD: Life of prosthesis				
<b>COMPONENTS AND SUPPLEMENTS AVAILABLE</b>				
<b>BASIC COMPONENTS</b>				
1145515 Plaster sockets (2)	N. C.	N. A.		
1195510 Means of suspension (belt)	N. C.	N. A.		
1195544 Suspension cable, distal pad, ring	N. C.	N. A.		
<b>SUPPLEMENTS AVAILABLE</b>				
3194008 Compressible Lycra socks (4)	N. C.	N. A.		
3492550 Crutches with axillary support, height-adjustable	20.38	20.38		
3492551 Crutches with forearm support, height-adjustable	56.05	56.05		
<b>ADJUSTMENT AVAILABLE</b>				
None				

<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>
1160050 Pneumatic post-operative femoral prosthesis, non-articulated	772.41			*
<b>BASIC COMPONENTS AND SUPPLEMENTS</b>				
Inflatable bag or case				

Electric pump (loan)

\*GUARANTEE PERIOD: Life of prosthesis

COMPONENTS AND SUPPLEMENTS AVAILABLE

SUPPLEMENTS AVAILABLE

3492550	Crutches with axillary support, height-adjustable	20.38	20.38
3492551	Crutches with forearm support, height-adjustable	56.05	56.05
-----	Stump sock	*	*

\* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENT AVAILABLE

None

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1160068	Pneumatic post-operative femoral prosthesis, articulated	991.07		*

BASIC COMPONENTS AND SUPPLEMENTS

- Inflatable bag or case
- Thigh lacer system (loan)
- Knee joint system (loan)
- Modular system (loan)
- Universal socket (loan)
- SACH foot (loan)
- Air pump (loan)

\*GUARANTEE PERIOD: Life of prosthesis

COMPONENTS AND SUPPLEMENTS AVAILABLE

SUPPLEMENTS AVAILABLE

3492550	Crutches with axillary support, height-adjustable	20.38	20.38
---------	---	-------	-------

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

3492551	Crutches with forearm support, height-adjustable	56.05	56.05	
-----	Stump sock	*	*	
	* (consult Division III of this Part for the codes and prices of these supplements)			

ADJUSTMENT AVAILABLE

None

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1160100	Temporary femoral prosthesis	1,607.17			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated or molded plastic socket, made from plaster or digital mold of insured person				
	Temporary foot (loan)				
	Endoskeletal system (loan)				
	*GUARANTEE PERIOD: Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1145523	Laminated or molded plastic socket, made from plaster or digital mold of insured person	N. C.	N. A.		
	OPTIONAL COMPONENTS				
1165570	Silesian belt	181.05	208.22		3
1165703	Pelvic belt (plastic joint and band)	305.19	564.18		3
1165588	Pelvic belt (steel joint and band)	368.74	627.72		3
	SUPPLEMENTS AVAILABLE				
3194065	Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	20.00	23.24		
3194131	Nylon sheath with elastic band, 15.2 cm (6 in.) to 45.7 cm (18 in.)	37.67	40.88		
3194149	Nylon sheath with V opening, 15.2 cm (6 in.) to 50.8 cm (20 in.)	39.06	42.30		
3194206	Nylon suction sheath (all sizes)	32.08	35.32		
3492501	Cane	10.19	10.19		
3492550	Crutches with axillary support, height-adjustable	20.38	20.38		
3492551	Crutches with forearm support, height-adjustable	56.05	56.05		
-----	Stump sock	*	*		
	* (consult Division III of this Part for the codes and prices of these supplements)				
	ADJUSTMENT AVAILABLE				
	None				

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1160506 Exoskeletal femoral prosthesis with constant friction knee (3P25)	3,820.52			6
BASIC COMPONENTS AND SUPPLEMENTS				
Laminated plastic femoral socket, made from plaster or digital mold of insured person				
Constant friction knee (3P25)				
SACH foot				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1125509 SACH foot	N. C.	325.15		
1165505 Laminated plastic femoral socket, made from plaster or digital mold of insured person	N. C.	2,276.67		3
1155522 Constant friction knee (3P25)	N. C.	1,087.88		
OPTIONAL COMPONENTS				
1195577 Trial socket	200.82	N. A.		
1165570 Silesian belt	181.05	208.22		3
1165828 Neoprene Silesian belt	178.89	211.79		
1165588 Pelvic belt (steel joint and band)	368.74	627.72		3
1165711 Pelvic belt (titanium joint and band)	466.89	725.95		3
1165703 Pelvic belt (plastic joint and band)	305.19	564.18		3
1146554 Silicone gel flexible double socket, with distal attachment	962.12	1,012.40		3
1146570 Silicone gel double socket, with distal attachment, excluding replacement of distal attachment	N. A.	712.50		3
1145580 Suction valve and seat	294.38	401.70		
1145655 Suction valve	N. A.	281.83		
1125517 Articulated foot	153.90	474.00		
1125574 Dynamic response foot, spring and prosthetic cover included (Quantum)	367.18	682.73		
1125624 Adapter for foot (Quantum)	143.72	200.39		
1125582 Dynamic response foot (Seattle Light)	497.11	812.64		

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

1125608	Dynamic response foot (SAFE foot)	195.81	511.37
1125616	Dynamic response foot (1D10, 1D11)	167.09	487.07
1125566	Dynamic response foot (Seattle)	381.00	696.52
1125541	Dynamic response foot (Carbon Copy II)	317.45	632.95
1125707	Dynamic foot, for child (1K10)	38.26	353.86
1145747	Foam flexible cover for tibial part	118.69	168.89
1165604	Safety knee (3P23, 3P24)	145.11	1,232.88
1165612	Manual locking knee (3P4)	23.48	1,111.48
1165620	Manual locking knee (3P52)	134.06	1,221.97
1165646	Geriatric knee with manual lock (3K9)	55.28	1,143.09
1165729	Constant friction locking knee (3P4F)	46.96	1,134.79

SUPPLEMENTS AVAILABLE

3194065	Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	20.00	23.24
3194131	Nylon sheath with elastic band, 15.2 cm (6 in.) to 45.7 cm (18 in.)	37.67	40.88
3194149	Nylon sheath with V opening, 15.2 cm (6 in.) to 50.8 cm (20 in.)	39.06	42.30
3194156	Wool socks, 3-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	41.66	45.01
3194164	Wool socks, 5-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	41.80	45.95
3194198	Prosthetic socks, per pair	32.60	45.92
3194206	Nylon suction sheath (all sizes)	32.08	35.32
3492501	Cane	10.19	10.19
3492550	Crutches with axillary support, height-adjustable	20.38	20.38
3492551	Crutches with forearm support, height-adjustable	56.05	56.05
-----	Stump sock	*	*

\* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENTS AVAILABLE

1146521	Lengthening of tibial part of the prosthesis		243.58
1166537	Socket lining (leather, plastic or other material)		442.95
-----	Any pertinent adjustment		

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
--------	--	--	--------------------------------	-----------------------

1160605	Exoskeletal femoral prosthesis with friction locking knee, for child (3P21)	3,656.81		6
---------	---	----------	--	---

BASIC COMPONENTS AND SUPPLEMENTS

Laminated plastic femoral socket, made from plaster or digital mold of insured person

Friction locking knee, for child (3P21)  
SACH foot

## COMPONENTS AND SUPPLEMENTS AVAILABLE

## BASIC COMPONENTS

1125509	SACH foot	N. C.	325.15	
1165505	Laminated plastic femoral socket, made from plaster or digital mold of insured person	N. C.	2,276.67	3
1165737	Friction locking knee, for child (3P21)	N. C.	923.51	

## OPTIONAL COMPONENTS

1195577	Trial socket	200.82	N. A.	
1165570	Silesian belt	181.05	208.22	3
1165828	Neoprene Silesian belt	178.89	211.79	
1165588	Pelvic belt (steel joint and band)	368.74	627.72	3
1165711	Pelvic belt (titanium joint and band)	466.89	725.95	3
1165703	Pelvic belt (plastic joint and band)	305.19	564.18	3
1146554	Silicone gel flexible double socket, with distal attachment	962.12	1,012.40	3
1146570	Silicone gel double socket, with distal attachment, excluding replacement of distal attachment	N. A.	712.50	3
1145580	Suction valve and seat	294.38	401.70	
1145655	Suction valve	N. A.	281.83	
1125517	Articulated foot	153.90	474.00	
1125574	Dynamic response foot, spring and prosthetic cover included (Quantum)	367.18	682.73	
1125624	Adapter for foot (Quantum)	143.72	200.39	
1125582	Dynamic response foot (Seattle Light)	497.11	812.64	
1125590	Dynamic response foot (Sten foot)	82.49	397.94	
1125608	Dynamic response foot (SAFE foot)	195.81	511.37	
1125616	Dynamic response foot (1D10, 1D11)	167.09	487.07	
1125566	Dynamic response foot (Seattle)	381.00	696.52	
1125541	Dynamic response foot (Carbon Copy II)	317.45	632.95	
1125707	Dynamic foot, for child (1K10)	38.26	353.86	
1145747	Foam flexible cover for tibial part	118.69	168.89	
1165745	Friction locking knee, for child (3P50)	46.96	970.38	

## SUPPLEMENTS AVAILABLE

3194065	Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	20.00	23.24	
3194131	Nylon sheath with elastic band, 15.2 cm (6 in.) to 45.7 cm (18 in.)	37.67	40.88	
3194149	Nylon sheath with V opening, 15.2 cm (6 in.) to 50.8 cm (20 in.)	39.06	42.30	

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

3194156	Wool socks, 3-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	41.66	45.01
3194164	Wool socks, 5-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	41.80	45.95
3194198	Prosthetic socks, per pair	32.60	45.92
3194206	Nylon suction sheath (all sizes)	32.08	35.32
3492501	Cane	10.19	10.19
3492550	Crutches with axillary support, height-adjustable	20.38	20.38
3492551	Crutches with forearm support, height-adjustable	56.05	56.05
-----	Stump sock	*	*
	* (consult Division III of this Part for the codes and prices of these supplements)		

ADJUSTMENTS AVAILABLE

1146521	Lengthening of tibial part of the prosthesis		243.58
1166537	Socket lining (leather, plastic or other material)		442.95
-----	Any pertinent adjustment		

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
--------	--	--	--------------------------------	-----------------------

1161504	Endoskeletal femoral prosthesis	4,451.38		6
---------	---------------------------------	----------	--	---

BASIC COMPONENTS AND SUPPLEMENTS

Laminated plastic femoral socket, made from plaster or digital mold of insured person

SACH foot

Complete endoskeletal system with uniaxial constant friction knee (3R16) (modular components, prosthetic cover and prosthetic socks (2))

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

1125509	SACH foot	N. C.	325.15	
1165505	Laminated plastic femoral socket, made from plaster or digital mold of insured person	N. C.	2,276.67	3
1195528	Complete endoskeletal system	N. C.	N. A.	
1165653	Uniaxial constant friction knee (3R16)	N. C.	605.39	
1165596	Prosthetic cover	N. C.	765.67	



## OPTIONAL COMPONENTS

1195577	Trial socket	200.82	N. A.	
1165570	Silesian belt	181.05	208.22	3
1165828	Neoprene Silesian belt	178.89	211.79	
1165588	Pelvic belt (steel joint and band)	368.74	627.72	3
1165711	Pelvic belt (titanium joint and band)	466.89	725.95	3
1165703	Pelvic belt (plastic joint and band)	305.19	564.18	3
1146554	Silicone gel flexible double socket, with distal attachment	962.12	1,012.40	3
1146570	Silicone gel flexible double socket, with distal attachment, excluding replacement of distal attachment	N. A.	712.50	3
1145580	Suction valve and seat	294.38	401.70	
1145655	Suction valve	N. A.	281.83	
1125715	Articulated foot and adapter	189.60	507.34	
1125723	Articulated without adapter	N. A.	324.74	
1125574	Dynamic response foot, spring and prosthetic cover included (Quantum)	367.18	682.73	
1125780	Adapter for foot (Quantum)	56.65	105.03	
1125707	Dynamic foot, for child (1K10)	38.26	353.86	
1125582	Dynamic response foot (Seattle Light)	497.11	812.64	
1125590	Dynamic response foot (Sten foot)	82.49	397.94	
1125608	Dynamic response foot (SAFE foot)	195.81	511.37	
1125616	Dynamic response foot (1D10, 1D11)	167.09	487.07	
1125566	Dynamic response foot (Seattle)	381.00	696.52	
1125541	Dynamic response foot (Carbon Copy II)	317.45	632.95	
1125681	Dynamic response foot (Step Light)	300.86	616.35	
1125699	Dynamic response foot (USMC)	186.16	501.62	
1125731	Dynamic plus foot (1D25)	452.86	768.39	
1125749	Multiaxial foot with rotator (1A30)	698.32	1,023.83	
1125756	Multiaxial foot with rotator (Endolite)	610.40	925.90	
1125764	Dynamic response foot with rotator (Endolite)	814.95	1,130.47	
1165802	Uniaxial knee with lock, for child (3R39)	879.88	1,488.51	
1165810	Uniaxial constant friction knee (3R18)	196.23	801.64	
1165679	Safety knee (3R15)	315.08	921.95	
1165661	Manual locking knee (3R17)	395.74	1,018.32	
1165687	4-axis polycentric knee (3R20)	409.63	1,018.24	
1165752	Manual locking knee, aluminum (3R40)	292.00	910.31	
1165760	Manual locking knee, titanium (3R33)	693.00	1,303.02	
1165778	Safety knee, titanium (3R49)	628.84	1,239.91	
1165836	Multiaxial knee with rotator, for child (3R66)	905.20	1,510.61	
1135557	Ankle rotator (4R39, 4R40)	793.08	878.99	
1135607	Ankle rotator (4R85)	709.73	787.06	
1155548	Knee rotator (4R57)	908.09	987.29	
1165794	Multiaxial knee, for child (TK40C)	1,422.07	2,028.91	
1165844	Uniaxial constant friction knee with or without lock, for child (TK1C1)	1,042.00	1,647.46	
1165851	Uniaxial knee, for child (3R38)	671.65	1,282.67	
1135615	Titanium modular system and carbon fiber pylon	98.13	N. A.	

SUPPLEMENTS AVAILABLE

3194065	Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	20.00	23.24
3194131	Nylon sheath with elastic band, 15.2 cm (6 in.) to 45.7 cm (18 in.)	37.67	40.88
3194248	Nylon sheath with V opening, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	39.06	42.30
3194156	Wool socks, 3-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	41.66	45.01
3194164	Wool socks, 5-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	41.80	45.95
3194206	Nylon suction sheath (all sizes)	32.08	35.32
3492501	Cane	10.19	10.19
3492550	Crutches with axillary support, height-adjustable	20.38	20.38
3492551	Crutches with forearm support, height-adjustable	56.05	56.05
-----	Stump sock	*	*
	* (consult Division III of this Part for the codes and prices of these supplements)		
3194172	Prosthetic socks (2)	N. C.	56.17

ADJUSTMENTS AVAILABLE

1146521	Lengthening of tibial part of the prosthesis, excluding replacement of prosthetic cover and prosthetic sock		243.58
1146547	Socket lining (leather, plastic or other material)		295.63
-----	Any pertinent adjustment		

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
--------	--	--	--------------------------------	-----------------------

1162254	Bilateral femoral stubbies	4,851.77		6
---------	----------------------------	----------	--	---

BASIC COMPONENTS AND SUPPLEMENTS

Laminated plastic femoral sockets, made from plaster or digital mold of insured person (2)

SACH or modified feet (2)

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

1125558	Modified foot	N. C.	N. A.
1125509	SACH foot	N. C.	325.15

OPTIONAL COMPONENTS

1195577	Trial socket	200.82	N. A.	
1165570	Silesian belt	181.05	208.22	3
1165828	Neoprene Silesian belt	178.89	211.79	
1165588	Pelvic belt (steel joint and band)	368.74	627.72	3
1165703	Pelvic belt (plastic joint and band)	305.19	564.18	3
1165711	Pelvic belt (titanium joint and band)	466.89	725.95	3
1145580	Suction valve and seat	294.38	401.70	
1145655	Suction valve	N. A.	281.83	

SUPPLEMENTS AVAILABLE

3194065	Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	20.00	23.24	
3194131	Nylon sheath with elastic band, 15.2 cm (6 in.) to 45.7 cm (18 in.)	37.67	40.88	
3194149	Nylon sheath with V opening, 15.2 cm (6 in.) to 50.8 cm (20 in.)	39.06	42.30	
3194156	Wool socks, 3-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	41.66	45.01	
3194164	Wool socks, 5-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	41.80	45.95	
3194206	Nylon suction sheath (all sizes)	32.08	35.32	
3492501	Cane	10.19	10.19	
3492550	Crutches with axillary support, height-adjustable	20.38	20.38	
3492551	Crutches with forearm support, height-adjustable	56.05	56.05	
-----	Stump sock	*	*	

\* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENTS AVAILABLE

1146521	Socket lining (leather, plastic or other material)			243.58
-----	Any pertinent adjustment			

**SUBDIVISION 6: COXOFEMORAL AND HEMIPELVIC PROSTHESES**

<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>
1170505 Exoskeletal coxofemoral prosthesis with constant friction knee (3P25)	5,810.78			6
<b>BASIC COMPONENTS AND SUPPLEMENTS</b>				
Laminated plastic socket, made from plaster or digital mold of insured person				
Constant friction knee (3P25)				
SACH foot				
Hip joint – Canadian type (CHJ-100, CHJ-75)				
<b>COMPONENTS AND SUPPLEMENTS AVAILABLE</b>				
<b>BASIC COMPONENTS</b>				
1125509 SACH foot	N. C.	325.15		
1175504 Laminated plastic socket, made from plaster or digital mold of insured person	N. C.	3,494.70		
1175512 Hip joint – Canadian type (CHJ-100, CHJ-75)	N. C.	680.17		
1155522 Constant friction knee (3P25)	N. C.	1,087.88		
<b>OPTIONAL COMPONENTS</b>				
1195593 Trial socket	362.49	N. A.		
1145580 Suction valve and seat	294.38	401.70		
1145655 Suction valve	N. A.	281.83		
1125517 Articulated foot	153.90	474.00		
1125574 Dynamic response foot, spring and prosthetic cover included (Quantum)	367.18	682.73		
1125624 Adapter for foot (Quantum)	143.72	200.39		
1125582 Dynamic response foot (Seattle Light)	497.11	812.64		
1125590 Dynamic response foot (Sten foot)	82.49	397.94		
1125608 Dynamic response foot (SAFE foot)	195.81	511.37		
1125616 Dynamic response foot (1D10, 1D11)	167.09	487.07		
1125566 Dynamic response foot (Seattle)	381.00	696.52		
1125541 Dynamic response foot (Carbon Copy II)	317.45	632.95		
1125707 Dynamic foot, for child (1K10)	38.26	353.86		
1145747 Foam flexible cover for tibial part	118.69	168.89		
1165604 Safety knee (3P23, 3P24)	145.11	1,232.88		
1165612 Manual locking knee (3P4)	23.48	1,111.48		

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

1165729 Constant friction locking knee (3P4F) 46.96 1,134.79

SUPPLEMENTS AVAILABLE

3194198 Prosthetic socks, per pair 32.60 45.92  
 3194180 Pant-style sock 24.34 32.70  
 3492501 Cane 10.19 10.19  
 3492550 Crutches with axillary support, height-adjustable 20.38 20.38  
 3492551 Crutches with forearm support, height-adjustable 56.05 56.05

ADJUSTMENTS AVAILABLE

1166537 Lengthening of tibial part of the prosthesis 442.95  
 ----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1170604 Exoskeletal coxofemoral prosthesis with friction locking knee, for child (3P21)	5,646.69			6
BASIC COMPONENTS AND SUPPLEMENTS				
Laminated plastic socket, made from plaster or digital mold of insured person				
Friction locking knee, for child (3P21)				
SACH foot				
Hip joint – Canadian type (CHJ-100, CHJ-75)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1125509 SACH foot	N. C.	325.15		
1175504 Laminated plastic socket, made from plaster or digital mold of insured person	N. C.	3,494.70		
1175512 Hip joint – Canadian type (CHJ-100, CHJ-75)	N. C.	680.17		
1165737 Friction locking knee, for child (3P21)	N. C.	923.51		
OPTIONAL COMPONENTS				
1195593 Trial socket	362.49	N. A.		
1145580 Suction valve and seat	294.38	401.70		
1145655 Suction valve	N. A.	281.83		
1125517 Articulated foot	153.90	474.00		
1125574 Dynamic response foot, spring and prosthetic cover included (Quantum)	367.18	682.73		

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

1125582	Dynamic response foot (Seattle Light)	497.11	812.64
1125590	Dynamic response foot (Sten foot)	82.49	397.94
1125608	Dynamic response foot (SAFE foot)	195.81	511.37
1125616	Dynamic response foot (1D10, 1D11)	167.09	487.07
1125566	Dynamic response foot (Seattle)	381.00	696.52
1125541	Dynamic response foot (Carbon Copy II)	317.45	632.95
1125707	Dynamic foot, for child (1K10)	38.26	353.86
1145747	Foam flexible cover for tibial part	118.69	168.89
1165745	Constant friction locking knee, for child (3P50)	46.96	970.38

SUPPLEMENTS AVAILABLE

3194198	Prosthetic socks, per pair	32.60	45.92
3194180	Pant-style sock	24.34	32.70
3492501	Cane	10.19	10.19
3492550	Crutches with axillary support, height-adjustable	20.38	20.38
3492551	Crutches with forearm support, height-adjustable	56.05	56.05

ADJUSTMENTS AVAILABLE

1166537	Lengthening of tibial part of the prosthesis		442.95
-----	Any pertinent adjustment		

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1171503	Endoskeletal coxofemoral prosthesis	7,722.69		6
BASIC COMPONENTS AND SUPPLEMENTS				
Laminated plastic socket, made from plaster or digital mold of insured person				
SACH foot				
Complete endoskeletal system with uniaxial constant friction knee (3R16) (modular components, prosthetic cover and prosthetic socks (2))				
Hip joint (7E7)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1125509	SACH foot	N. C.	325.15	
1175504	Laminated plastic socket, made from plaster or digital mold of insured person	N. C.	3,494.70	
1195528	Complete endoskeletal system	N. C.	N. A.	
1165653	Uniaxial constant friction knee (3R16)	N. C.	605.39	
1175538	Prosthetic cover	N. C.	967.53	

## OPTIONAL COMPONENTS

1195593	Trial socket	362.49	N. A.
1175553	Joint of hip joint (7E7)	N. A.	2,257.84
1175579	Joint of hip joint, for child (7E8)	266.73	1,695.83
1165810	Uniaxial constant friction knee (3R18)	196.23	801.64
1165679	Safety knee (3R15)	315.08	921.95
1165661	Manual locking knee (3R17)	395.74	1,018.32
1165687	4-axis polycentric knee (3R20)	409.63	1,018.24
1165752	Manual locking knee, aluminum (3R40)	292.00	910.31
1165760	Manual locking knee, titanium (3R33)	693.00	1,303.02
1165778	Safety knee. titanium (3R49)	628.84	1,239.91
1165836	Multiaxial knee with rotator, for child (3R66)	905.20	1,510.61
1165802	Multiaxial knee, for child (TK40C)	879.88	1,488.51
1165794	Uniaxial constant friction knee, with or without lock, for	1,422.07	2,028.91
1165844	Knee rotator (4R57)	1,042.00	1,647.46
1155548	Multiaxial knee, for child (TK40C)	908.09	987.29
1135557	Ankle rotator (4R39, 4R40)	793.08	878.99
1135607	Ankle rotator (4R85)	709.73	787.06
1125715	Articulated foot and adapter	189.60	507.34
1125723	Articulated without adapter	N. A.	324.74
1125798	Dynamic response foot, spring and prosthetic cover included (Quantum)	328.49	643.95
1125780	Adapter for foot (Quantum)	56.65	105.03
1125707	Dynamic foot, for child 1K10	38.26	353.86
1125582	Dynamic response foot (Seattle Light)	497.11	812.64
1125590	Dynamic response foot (Sten foot)	82.49	397.94
1125608	Dynamic response foot (SAFE foot)	195.81	511.37
1125616	Dynamic response foot (1D10 or 1D11)	167.09	487.07
1125566	Dynamic response foot (Seattle)	381.00	696.52
1125541	Dynamic response foot (Carbon Copy II)	317.45	632.95
1125681	Dynamic response foot (Step Light)	300.86	616.35
1125699	Dynamic response foot (USMC)	186.16	501.62
1125731	Dynamic plus foot (1D25)	452.86	768.39
1125749	Multiaxial foot with rotator (1A30)	698.32	1,023.83
1125756	Multiaxial foot with rotator (Endolite)	610.40	925.90
1125764	Dynamic response foot with rotator (Endolite)	814.95	1,130.47
1135615	Titanium modular system and carbon fiber pylon	98.13	N. A.
SUPPLEMENTS AVAILABLE			
3194180	Pant-style sock	24.34	32.70
3492501	Cane	10.19	10.19
3492550	Crutches with axillary support, height-adjustable	20.38	20.38
3492551	Crutches with forearm support, height-adjustable	56.05	56.05
3194214	Prosthetic socks (2)	N. C.	50.03

## ADJUSTMENTS AVAILABLE

1146547 Lengthening of tibial part of prosthesis, excluding replacement of prosthetic cover and prosthetic sock 295.63

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1180504 Exoskeletal hemipelvic prosthesis, with constant friction knee (3P25)	6,003.09			6
BASIC COMPONENTS AND SUPPLEMENTS				
Laminated plastic socket, made from plaster or digital mold of insured person				
Constant friction knee (3P25)				
SACH foot				
Hip joint – Canadian type (CHJ-100, CHJ-75)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1125509 SACH foot	N. C.	325.15		
1175504 Laminated plastic socket, made from plaster or digital mold of insured person	N. C.	3,494.70		
1175512 Hip joint – Canadian type (CHJ-100, CHJ-75)	N. C.	680.17		
1155522 Constant friction knee (3P25)	N. C.	1,087.88		
OPTIONAL COMPONENTS				
1195593 Trial socket	362.49	N. A.		
1125517 Articulated foot	153.90	474.00		
1125574 Dynamic response foot, spring and prosthetic cover included (Quantum)	367.18	682.73		
1125624 Adapter for foot (Quantum)	143.72	200.39		
1125582 Dynamic response foot (Seattle Light)	497.11	812.64		
1125590 Dynamic response foot (Sten foot)	82.49	397.94		
1125608 Dynamic response foot (SAFE foot)	195.81	511.37		
1125616 Dynamic response foot (1D10 or 1D11)	167.09	487.07		
1125566 Dynamic response foot (Seattle)	381.00	696.52		
1125541 Dynamic response foot (Carbon Copy II)	317.45	632.95		



SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

1125707	Dynamic foot, for child (1K10)	38.26	353.86
1145747	Foam flexible cover for tibial part	118.69	168.89
1165604	Safety knee (3P23, 3P24)	145.11	1,232.88
1165612	Manual locking knee (3P4)	23.48	1,111.48
1165620	Manual locking knee (3P52)	134.06	1,221.97
1165646	Geriatric knee with manual lock (3K9)	55.28	1,143.09
1165729	Constant friction locking knee (3P4F)	46.96	1,134.79

SUPPLEMENTS AVAILABLE

3194198	Prosthetic socks, per pair	32.60	45.92
3194180	Pant-style sock	24.34	32.70
3492501	Cane	10.19	10.19
3492550	Crutches with axillary support, height-adjustable	20.38	20.38
3492551	Crutches with forearm support, height-adjustable	56.05	56.05

ADJUSTMENTS AVAILABLE

1166537	Lengthening of tibial part of the prosthesis		442.95
-----	Any pertinent adjustment		

<b>DEVICE</b>	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1181601	5,839.01			6
<p>Exoskeletal hemipelvic prosthesis, with friction locking knee, for child (3P21)</p> <p>BASIC COMPONENTS AND SUPPLEMENTS</p> <p>Laminated plastic socket, made from plaster or digital mold of insured person</p> <p>Friction locking knee, for child (3P21)</p> <p>SACH foot</p> <p>Hip joint – Canadian type (CHJ-100, CHJ-75)</p> <p>COMPONENTS AND SUPPLEMENTS AVAILABLE</p> <p>BASIC COMPONENTS</p>				

OPTIONAL COMPONENTS

1195593	Trial socket	362.49	N. A.
1125517	Articulated foot	153.90	474.00
1125574	Dynamic response foot, spring and prosthetic cover included (Quantum)	367.18	682.73
1125624	Adapter for foot (Quantum)	143.72	200.39
1125582	Dynamic response foot (Seattle Light)	497.11	812.64
1125590	Dynamic response foot (Sten foot)	82.49	397.94
1125608	Dynamic response foot (SAFE foot)	195.81	511.37
1125616	Dynamic response foot (1D10 or 1D11)	167.09	487.07
1125566	Dynamic response foot (Seattle)	381.00	696.52
1125541	Dynamic response foot (Carbon Copy II)	317.45	632.95
1125707	Dynamic foot, for child (1K10)	38.26	353.86
1145747	Foam flexible cover for tibial part	118.69	168.89
1165745	Friction locking knee, for child (3P50)	46.96	970.38

SUPPLEMENTS AVAILABLE

3194198	Prosthetic socks, per pair	32.60	45.92
3194180	Pant-style sock	24.34	32.70
3492501	Cane	10.19	10.19
3492550	Crutches with axillary support, height-adjustable	20.38	20.38
3492551	Crutches with forearm support, height-adjustable	56.05	56.05

ADJUSTMENTS AVAILABLE

1166537	Lengthening of tibial part of the prosthesis		442.95
-----	Any pertinent adjustment		

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1181502	7,949.16			6

BASIC COMPONENTS AND SUPPLEMENTS

Laminated plastic socket, made from plaster or digital mold of insured person

SACH foot

Complete endoskeletal system with uniaxial constant friction knee (3R16) (modular components, prosthetic cover and prosthetic socks (2))

Hip joint (7E7)

COMPONENTS AND SUPPLEMENTS AVAILABLE

## SCHEDULE 1

## Tariff for devices which compensate for a motor deficiency and insured related services

(authentic version)

1175504	Laminated plastic socket, made from plaster or digital mold of insured person	N. C.	3,494.70
1195528	Complete endoskeletal system	N. C.	N. A.
1165653	Uniaxial constant friction knee (3R16)	N. C.	605.39
1175538	Prosthetic cover	N. C.	967.53
1175561	Hip joint (7E7)	N. C.	N. A.
OPTIONAL COMPONENTS			
1195593	Trial socket	362.49	N. A.
1175553	Joint of hip joint (7E7)	N. A.	2,257.84
1175579	Joint of hip joint, for child (7E8)	266.73	1,695.83
1165810	Uniaxial constant friction knee (3R18)	196.23	801.64
1165679	Safety knee (3R15)	315.08	921.95
1165661	Manual locking knee (3R17)	395.74	1,018.32
1165687	4-axis polycentric knee (3R20)	409.63	1,018.24
1165752	Manual locking knee, aluminum (3R40)	292.00	910.31
1165760	Manual locking knee, titanium (3R33)	693.00	1,303.02
1165778	Safety knee, titanium (3R49)	628.84	1,239.91
1165836	Multiaxial knee with rotator, for child (3R66)	905.20	1,510.61
1165802	Uniaxial knee with lock, for child (3R39)	879.88	1,488.51
1165794	Multiaxial knee, for child (TK40C)	1,422.07	2,028.91
1165844	Uniaxial constant friction knee, with or without lock, for child (TK1C1)	1,042.00	1,647.46
1155548	Knee rotator (4R57)	908.09	987.29
1135557	Ankle rotator (4R39, 4R40)	793.08	878.99
1135607	Ankle rotator (4R85)	709.73	787.06
1125715	Articulated foot and adapter	189.60	507.34
1125723	Articulated without adapter	N. A.	324.74
1125798	Dynamic response foot, spring and prosthetic cover included (Quantum)	328.49	643.95
1125780	Adapter for foot (Quantum)	56.65	105.03
1125707	Dynamic foot, for child (1K10)	38.26	353.86
1125582	Dynamic response foot (Seattle Light)	497.11	812.64
1125590	Dynamic response foot (Sten foot)	82.49	397.94
1125608	Dynamic response foot (SAFE foot)	195.81	511.37
1125616	Dynamic response foot (1D10, 1D11)	167.09	487.07
1125566	Dynamic response foot (Seattle)	381.00	696.52
1125541	Dynamic response foot (Carbon Copy II)	317.45	632.95
1125681	Dynamic response foot (Step Light)	300.86	616.04
1125699	Dynamic response foot (USMC)	186.16	501.62
1125731	Dynamic plus foot (1D25)	452.86	768.39
1125749	Multiaxial foot with rotator (1A30)	698.32	1,023.83
1125756	Multiaxial foot with rotator (Endolite)	610.40	925.90
1125764	Dynamic response foot with rotator (Endolite)	814.95	1,130.47
1135615	Titanium modular system and carbon fiber pylon	98.13	N. A.

SUPPLEMENTS AVAILABLE

3194180	Pant-style sock	24.34	32.70	
3492501	Cane	10.19	10.19	
3492550	Crutches with axillary support, height-adjustable	20.38	20.38	
3492551	Crutches with forearm support, height-adjustable	56.05	56.05	
3194214	Prosthetic socks (2)	N. C.	50.03	
	ADJUSTMENTS AVAILABLE)			
1146547	Lengthening of tibial part of prosthesis, excluding replacement of prosthetic cover and prosthetic sock			295.63
-----	Any pertinent adjustment			

**SUBDIVISION 7: LOWER-LIMB PROSTHESES**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1142009 Other lower-limb prostheses *	S. C.			6

\* When price is below that of the similar prosthesis

**DIVISION II: UPPER-LIMB PROSTHESES**  
**SUBDIVISION 1: HAND PROSTHESES**

<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>
1211755 Prosthetic restoration of one finger (thumb) made from plaster or digital mold of insured person	937.26			1
1211756 Prosthetic restoration of one finger (index) made from plaster or digital mold of insured person	937.26			
1211757 Prosthetic restoration of one finger (middle finger) made from plaster or digital mold of insured person	937.26			
1211758 Prosthetic restoration of one finger (ring finger) made from plaster or digital mold of insured person	937.26			
1211759 Prosthetic restoration of one finger (little finger) made from plaster or digital mold of insured person	937.26			
BASIC COMPONENTS AND SUPPLEMENTS				
Compensatory part for finger and prosthetic cover (Realistic)				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
-----	Any pertinent adjustment			

<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>
1221753 Prosthetic partial hand restoration, made from plaster or digital mold of insured person	1,704.08			1
BASIC COMPONENTS AND SUPPLEMENTS				
Compensatory part Prosthetic partial hand and prosthetic glove, made from plaster or digital mold of insured person (Realistic)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				

1295807	Prosthetic partial hand and prosthetic glove, made from plaster or digital mold of insured person (Realistic)	N. C.	785.96
---------	---	-------	--------

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

**SUBDIVISION 2: WRIST PROSTHESES**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1230507 Exoskeletal cubital or wrist prosthesis	2,070.79			6
BASIC COMPONENTS AND SUPPLEMENTS				
Wrist friction joint				
Rigid plastic socket, made from plaster or digital mold of insured person				
Suspension harness				
Tricipital pad				
Control cable, connections, terminals and housing (reinforced materials)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1235514 Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,395.32		3
1295500 Suspension harness	N. C.	208.92		3
1295518 Control cable, connections, terminals and housing (reinforced materials)	N. C.	253.64		3
1295526 Wrist friction joint	N. C.	453.10		
1295757 Tricipital pad	N. C.	209.05		
OPTIONAL COMPONENTS				
1245547 Metal elbow joints, flexible	514.36	614.85		
1295765 Anchoring part for cable for passive hand and hook	42.28	79.53		3
----- Other optional components (consult Subdivision VII for the codes and prices of these components)				
SUPPLEMENTS AVAILABLE				
----- Stump sock	*	*		
* (consult Division III of this Part for the codes and prices of these supplements)				
3190014 Nylon stump sheath	20.00	23.24		
ADJUSTMENTS AVAILABLE				
1246511 Lengthening of prosthesis			382.41	3
----- Any pertinent adjustment				



**SUBDIVISION 3: CUBITAL PROSTHESES**

<b>DEVICE</b>	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1241504 Endoskeletal cubital prosthetic restoration	2,038.76			6
BASIC COMPONENTS AND SUPPLEMENTS				
Rigid plastic socket, made from plaster or digital mold of insured person				
Passive hand with flexible fingers and prosthetic glove (Otto Bock)				
Complete endoskeletal system (including modular components and prosthetic cover)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1235514 Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,395.32		3
1295534 Complete endoskeletal system	N. C.	N. A.		
1295542 Prosthetic cover	N. C.	399.99		
3222817 Passive hand with flexible fingers (Otto Bock)	N. C.	385.47		
3223005 Prosthetic glove (Otto Bock)	N. C.	333.40		
OPTIONAL COMPONENTS				
1245547 Metal elbow joints, flexible	514.36	614.85		
----- Other optional components (consult Subdivision VII for the codes and prices of these components)				
SUPPLEMENTS AVAILABLE				
3293164 Prosthetic socks, per pair	32.60	45.92		
----- Stump sock	*	*		
* (consult Division III of this Part for the codes and prices of these supplements)				
3190014 Nylon stump sheath	20.00	23.24		
ADJUSTMENT AVAILABLE				
----- Any pertinent adjustment				
<b>DEVICE</b>	Maximum price Purchase or replacement of device	Maximum price Replacement of component	Maximum adjustment price	Guarantee (months)

1231752 Exoskeletal cubital or wrist prosthetic restoration 1,942.82 6

BASIC COMPONENTS AND SUPPLEMENTS

Passive hand with flexible fingers and prosthetic glove  
(Otto Bock)  
Rigid plastic socket, made from plaster or digital mold of  
insured person  
  
Wrist friction joint

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

1235514	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,395.32	3
1295526	Wrist friction joint	N. C.	453.10	
3222817	Passive hand with flexible fingers (Otto Bock)	N. C.	385.47	
3223005	Prosthetic glove (Otto Bock)	N. C.	333.40	

OPTIONAL COMPONENTS

1295716	Suspension harness	133.55	208.92	
-----	Other optional components (consult Subdivision VII for the codes and prices of these components)			

SUPPLEMENTS AVAILABLE

-----	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*	
3190014	Nylon stump sheath	20.00	23.24	

ADJUSTMENTS AVAILABLE

1246511	Lengthening of prosthesis		382.41	3
-----	Any pertinent adjustment			

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component	Maximum adjustment price	Guarantee (months)
1240514	Cubital prosthesis with multiple-action joints	3,024.88		6

BASIC COMPONENTS AND SUPPLEMENTS

Wrist friction joint

Rigid plastic socket, made from plaster or digital mold of insured person

Forearm restoration  
Multiple-action elbow joints  
Suspension harness  
Armband

Control cable, connections, terminals and housing (reinforced materials)

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

1245539	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,724.52	3
1295526	Wrist friction joint	N. C.	453.10	
1245554	Multiple-action elbow joints	N. C.	752.92	
1245562	Forearm restoration	N. C.	627.36	3
1295500	Suspension harness	N. C.	208.92	3
1295518	Control cable, connections, terminals and housing (reinforced materials)	N. C.	253.64	3
1295799	Armband	N. C.	239.27	3

OPTIONAL COMPONENTS

1295815	Anchoring part for cable for passive hand and hook	47.63	82.52	3
---------	--	-------	-------	---

----- Other optional components (consult Subdivision VII for the codes and prices of these components)

SUPPLEMENTS AVAILABLE

-----	Stump sock	*	*	
	* (consult Division III of this Part for the codes and prices of these supplements)			
3190014	Nylon stump sheath	20.00	23.24	

ADJUSTMENTS AVAILABLE

1246511	Lengthening of prosthesis		382.41	3
-----	Any pertinent adjustment			

**SUBDIVISION 4: CUBITOHUMERAL PROSTHESES**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1250505 Exoskeletal cubitohumeral prosthesis	3,979.13			6
BASIC COMPONENTS AND SUPPLEMENTS				
Wrist friction joint				
Rigid plastic socket, made from plaster or digital mold of insured person				
Forearm restoration				
Joints with external lock (E-500, E-1500)				
Suspension harness				
Control cables (2)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1255512 Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,741.45		3
1295526 Wrist friction joint	N. C.	453.10		
1255520 Joints with external lock (E-500, E-1500)	N. C.	1,455.82		
1245562 Forearm restoration	N. C.	627.36		3
1295591 Suspension harness	N. C.	226.15		3
1295641 Control cables (2)	N. C.	314.88		3
OPTIONAL COMPONENTS				
1295559 Flexion assist mechanism	438.96	539.69		3
1295815 Anchoring part for cable for passive hand and hook	47.63	82.52		3
-----	Other optional components (consult Subdivision VII for the codes and prices of these components)			
SUPPLEMENTS AVAILABLE				
-----		*	*	
	* (consult Division III of this Part for the codes and prices of these supplements)			
3190014 Nylon stump sheath	20.00	23.24		
ADJUSTMENTS AVAILABLE				
1246529 Lengthening of cubital part of the prosthesis			382.41	3
-----	Any pertinent adjustment			

**SUBDIVISION 5: HUMERAL PROSTHESES**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1260504 Exoskeletal humeral prosthesis	3,963.79			6
BASIC COMPONENTS AND SUPPLEMENTS				
Wrist friction joint				
Rigid plastic socket, made from plaster or digital mold of insured person				
Forearm restoration				
Elbow with internal lock (E-400)				
Suspension harness				
Control cables (2)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1265511 Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,695.10		3
1295526 Wrist friction joint	N. C.	453.10		
1265529 Elbow with internal lock (E-400)	N. C.	1,193.78		
1245562 Forearm restoration	N. C.	627.36		3
1295591 Suspension harness	N. C.	226.15		3
1295641 Control cables (2)	N. C.	314.88		3
OPTIONAL COMPONENTS				
1295815 Anchoring part for cable for passive hand and hook	47.63	82.52		3
1295823 Flexion assist mechanism	295.25	395.96		3
1295575 Nudge control	487.73	597.76		3
----- Other optional components (consult Subdivision VII for the codes and prices of these components)				
SUPPLEMENTS AVAILABLE				
----- Stump sock	*	*		
* (consult Division III of this Part for the codes and prices of these supplements)				
3190014 Nylon stump sheath	20.00	23.24		
ADJUSTMENTS AVAILABLE				
1246529 Lengthening of cubital part of the prosthesis			382.41	3
----- Any pertinent adjustment				

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1261502	3,343.77			6
Endoskeletal humeral prosthetic restoration				
BASIC COMPONENTS AND SUPPLEMENTS				
Rigid plastic socket, made from plaster or digital mold of insured person				
Passive hand with flexible fingers and prosthetic glove (Otto Bock)				
Complete endoskeletal system (modular components and prosthetic cover)				
Suspension harness				
Prosthetic socks (2)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1265511	N. C.	1,695.10		3
Rigid plastic socket, made from plaster or digital mold of insured person				
1295658	N. C.	N. A.		
Complete endoskeletal system				
1265552	N. C.	478.11		
Prosthetic cover				
1295591	N. C.	226.15		3
Suspension harness				
3222817	N. C.	385.47		
Passive hand with flexible fingers (Otto Bock)				
3223005	N. C.	333.40		
Prosthetic glove (Otto Bock)				
OPTIONAL COMPONENTS				
1295831	367.08	566.37		
Flexion wrist				
1295849	375.19	971.10		
Shoulder-activated lock elbow				
-----				
Other optional components (consult Subdivision VII for the codes and prices of these components)				
1295815	47.63	82.52		
Anchoring part for cable for passive hand and hook				
SUPPLEMENTS AVAILABLE				
3293172	N. C.	51.36		
Prosthetic socks, per pair				
-----	*	*		
Stump sock				
* (consult Division III of this Part for the codes and prices of these supplements)				
3190014	20.00	23.24		
Nylon stump sheath				
ADJUSTMENT AVAILABLE				
-----				
Any pertinent adjustment				

**SUBDIVISION 6: GLENOHUMERAL AND THORACIC PROSTHESES**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1270503 Exoskeletal glenohumeral prosthesis	5,826.18			6
BASIC COMPONENTS AND SUPPLEMENTS				
Wrist friction joint				
Rigid plastic socket, made from plaster or digital mold of insured person				
Forearm restoration				
Elbow with internal lock (E-400)				
Flexion assist mechanism				
Arm restoration				
Shoulder joint (FAJ-100)				
Suspension harness				
Control cables (2), connections, terminals and housing (reinforced materials and pulley)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1275510 Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	2,224.95		3
1295666 Suspension harness	N. C.	241.67		3
1295674 Control cables (2), connections, terminals and housing (reinforced materials and pulley)	N. C.	471.51		3
1295526 Wrist friction joint	N. C.	453.10		
1265529 Elbow with internal lock (E-400)	N. C.	1,193.78		
1245562 Forearm restoration	N. C.	627.36		3
1265537 Arm restoration	N. C.	513.68		3
1265545 Shoulder joint (FAJ-100)	N. C.	974.60		
1295690 Flexion assist mechanism	N. C.	411.16		3
OPTIONAL COMPONENTS				
1295575 Nudge control	487.73	597.76		3
1295815 Anchoring part for cable for passive hand and hook	47.63	82.52		3
----- Other optional components (consult Subdivision VII for the codes and prices of these components)				
SUPPLEMENTS AVAILABLE				
----- Stump sock	*	*		

\* (consult Division III of this Part for the codes and prices of these supplements)

3190014 Nylon stump sheath 20.00 23.24  
ADJUSTMENT AVAILABLE

1246529 Lengthening of cubital part of the prosthesis 382.41 3

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
--------	--	--	--------------------------------	-----------------------

1271501 Endoskeletal glenohumeral prosthetic restoration 4,265.16 6

BASIC COMPONENTS AND SUPPLEMENTS

Rigid plastic socket, made from plaster or digital mold of insured person

Passive hand with flexible fingers and prosthetic glove (Otto Bock)

Complete endoskeletal system (modular components and prosthetic cover)

Suspension harness

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

1275510 Rigid plastic socket, made from plaster or digital mold of insured person N. C. 2,224.95 3

1295682 Complete endoskeletal system N. C. N. A.

1275528 Prosthetic cover N. C. 563.19

1295666 Suspension harness N. C. 241.67 3

3222817 Passive hand with flexible fingers (Otto Bock) N. C. 385.47

3223005 Prosthetic glove (Otto Bock) N. C. 333.40

OPTIONAL COMPONENTS

1295831 Flexion wrist 367.08 566.37

1295849 Shoulder-activated lock elbow 375.19 971.10

1295815 Anchoring part for cable for passive hand and hook 47.63 82.52 3

----- Other optional components (consult Subdivision VII for the codes and prices of these components)

1295856 Nudge control where shoulder-activated lock elbow is used 487.73 597.76 3



SUPPLEMENTS AVAILABLE

3293180	Prosthetic socks, per pair	32.60	45.92
-----	Stump sock	*	*
	* (consult Division III of this Part for the codes and prices of these supplements)		
3190014	Nylon stump sheath	20.00	23.24

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
--------	--	--	--------------------------------	-----------------------

1280502	Exoskeletal thoracic prosthesis	7,685.98		6
---------	---------------------------------	----------	--	---

BASIC COMPONENTS AND SUPPLEMENTS

Wrist friction joint  
Rigid plastic socket, made from plaster or digital mold of insured person

Forearm restoration  
Elbow with internal lock (E-400)  
Flexion assist mechanism  
Arm restoration  
Shoulder joint (FAJ-100)  
Suspension harness  
Control cables (2), connections, terminals and housing (reinforced materials and pulley)

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

1285519	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	2,733.39	3
1295666	Suspension harness	N. C.	241.67	3
1295674	Control cables (2), connections, terminals and housing (reinforced materials and pulley)	N. C.	471.51	3
1295526	Wrist friction joint	N. C.	453.10	
1265529	Elbow with internal lock (E-400)	N. C.	1,193.78	
1245562	Forearm restoration	N. C.	627.36	3
1265537	Arm restoration	N. C.	513.68	3
1265545	Shoulder joint (FAJ-100)	N. C.	974.60	
1295690	Flexion assist mechanism	N. C.	411.16	3

OPTIONAL COMPONENTS

1295575	Nudge control	487.73	597.76	3
---------	---------------	--------	--------	---

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

1295815	Anchoring part for cable for passive hand and hook	47.63	82.52	3
-----	Other optional components (consult Subdivision VII for the codes and prices of these components)			

SUPPLEMENTS AVAILABLE

-----	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*	
3190014	Nylon stump sheath	20.00	23.24	

ADJUSTMENT AVAILABLE

1246529	Lengthening of cubital part of the prosthesis		382.41	3
---------	---	--	--------	---

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
--------	--	--	--------------------------------	-----------------------

1281500	Endoskeletal thoracic prosthetic restoration	4,696.55		6
---------	--	----------	--	---

BASIC COMPONENTS AND SUPPLEMENTS

Rigid plastic socket, made from plaster or digital mold of insured person

Passive hand with flexible fingers and prosthetic glove (Otto Bock)

Complete endoskeletal system (modular components and prosthetic cover)

Suspension harness

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

1285519	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	2,733.39	3
---------	---	-------	----------	---

1295682	Complete endoskeletal system	N. C.	N. A.	
1275528	Prosthetic cover	N. C.	563.19	
1295666	Suspension harness	N. C.	241.67	3
3222817	Passive hand with flexible fingers (Otto Bock)	N. C.	385.47	
3223005	Prosthetic glove, fitting included (Otto Bock)	N. C.	333.40	

OPTIONAL COMPONENTS

1295831	Flexion wrist	367.08	566.37	
1295849	Shoulder-activated lock elbow	375.19	971.10	

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

1295815	Anchoring part for cable for passive hand and hook	47.63	82.52	3
-----	Other optional components (consult Subdivision VII for the codes and prices of these components)			
1295856	Nudge control where shoulder-activated lock elbow is used	487.73	597.76	3
SUPPLEMENTS AVAILABLE				
3293180	Prosthetic socks, per pair	32.60	45.92	
-----	Stump sock	*	*	
	* (consult Division III of this Part for the codes and prices of these supplements)			
3190014	Nylon stump sheath	20.00	23.24	
ADJUSTMENT AVAILABLE				
-----	Any pertinent adjustment			

**SUBDIVISION 7: BASIC OR OPTIONAL COMPONENTS FOR UPPER-LIMB PROSTHESES**WRISTS, HOOKS, HANDS, PROSTHETIC GLOVES,  
ELBOW JOINTS, SHOULDER JOINTS AND OTHERS

WRISTS FOR EXOSKELETAL PROSTHESES		Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component
3232725	Quick disconnect wrist including a socket (FM-100)	76.01	520.83
3232733	Quick disconnect wrist including a socket (FM-100S)	543.13	986.41
3232741	Quick disconnect wrist including a socket (WD-400)	56.65	499.81
3232758	Quick disconnect wrist including a socket (WD-400S)	198.99	642.25
3232790	Quick disconnect wrist including a socket (WD-400SS)	527.94	971.13
3232766	Wrist for child (CAPP)	N. C.	450.18
3232865	Flexion wrist for child (CAPP)	93.99	537.12
3232774	Flexion wrist (FW-200, FW-300, FW-500)	218.37	661.53
3232808	Flexion wrist (FW-500S)	776.65	1,220.02
3232782	Flexion wrist (18-00)	373.14	817.92
3232816	Flexion wrist (FW-50)	382.80	827.54
3299005	Extra socket for wrist (WD-400)	51.13	51.13
3299013	Extra socket for wrist (WD-400S, WD-400SS)	110.57	110.57
3299021	Extra socket for wrist (FM-100)	67.70	67.70
HOOKS		Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component
3222908	Dorrance hook, farmer's-type (6)	2,129.76	2,199.21
3222940	Dorrance hook, farmer's-type (7 LO)	1,198.27	1,267.70
3222916	APRL hook (302-00)	1,693.04	1,761.12
3222924	Sierra hook	2,100.67	2,170.12
3222619	Hook, model 99X or equivalent: use, shape, cost (10X, 10P, 99X8, 88X5, 5X, 5XA)	620.19	684.02
3222973	Hook (12P)	681.41	750.87

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

3223013	Hook (99P)	641.32	750.87
3223393	Voluntary closing hook, for adult (TRS, Grip I)	1,521.65	1,591.11
3223401	Voluntary closing hook, for adult (TRS, Grip II)	1,478.82	1,546.88
3223419	Voluntary closing hook, for adult (TRS, Grip III)	1,652.95	1,722.40
3223427	Voluntary closing hook, for child (TRS, Grip I)	1,049.01	1,118.45
3223435	Voluntary closing hook, for child (TRS, Grip II)	1,022.74	1,092.17
3223443	Voluntary closing hook, for child (TRS, Grip III)	917.76	987.17
3223450	Voluntary closing hook, for child (TRS, Grip IV)	961.99	1,031.39

---

PASSIVE HANDS FOR PROSTHETIC RESTORATION	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component
--	--	--

---

3222858	Steeper hand for child, including prosthetic glove and installation	37.33	566.44
3222692	Centri hand for child, including prosthetic glove and installation	53.89	583.05
3222866	Hosmer hand for adult, including prosthetic glove and installation	149.26	678.37
3222627	Otto Bock hand for adult, including prosthetic glove and installation	N. C.	529.18

---

PASSIVE HANDS FOR FUNCTIONAL PROSTHESES	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component
---	--	--

---

3222643	Steeper hand for child, including prosthetic glove and installation	469.97	566.44
3222684	Centri hand for child, including prosthetic glove and installation	486.59	583.05
3222635	Hosmer hand for adult, including prosthetic glove and installation	581.89	678.37
3222874	Otto Bock hand for adult, including prosthetic glove and installation	432.65	529.18

MECHANICAL HANDS		Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component
3222841	Voluntary opening Sierra hand, including prosthetic glove and installation	2,379.90	2,476.32
3222809	Voluntary opening APRL hand and prosthetic glove, installation included	2,710.10	2,806.58
3222833	Voluntary closing Otto Bock hand and prosthetic glove, installation included (8K15)	1,082.18	1,178.65
3222676	Voluntary closing Otto Bock hand and prosthetic glove, installation included (8K25)	1,082.18	1,178.65
3222668	Voluntary closing Otto Bock hand and prosthetic glove, installation included (8K21, 8K23)	699.40	794.40
3222650	Voluntary closing Otto Bock hand and prosthetic glove, installation included, for endoskeletal system (8K27)	834.86	929.83
3222726	Becker Imperial hand, prosthetic glove and protective glove, installation included	1,152.69	1,247.73
3222734	Robin Aid hand and Realistic prosthetic glove, installation included (RA-100)	1,049.01	1,145.51
3222742	Dorrance hand and Realistic prosthetic glove, installation included	1,959.78	2,054.76
3222759	Voluntary closing APRL hand and Realistic prosthetic glove, installation included	2,710.10	2,806.58
3222767	Becker hand, Realistic prosthetic glove and protective glove, installation included (BLG-100)	1,083.58	1,180.01
3222775	Robin Aid hand and Realistic prosthetic glove, installation included (RA-200)	1,049.01	1,145.51
3222783	Becker hand and Realistic prosthetic glove, installation included (BP-100)	867.98	1,110.12
MITTS FOR CHILDREN TO REPLACE PASSIVE HAND		Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component
3222981	Hosmer mitt, installation included	N. C.	334.13
3222999	Crawl mitt and prosthetic glove, installation included	110.57	628.26

PROSTHETIC GLOVES		Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
3223005	Otto Bock prosthetic glove, installation included	N. C.	333.40	
3223120	Realistic prosthetic glove, installation included	N. C.	341.35	
3225500	Silicone prosthetic glove	389.07	749.36	12
ELBOW JOINTS		Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
1245588	External monocentric free-moving locking joint (E-5500)	1,047.55	1,846.82	
1245596	External monocentric free-moving locking joint (E-1500)	655.06	1,455.82	
1245604	External polycentric free-moving joint (MA-50, MA-75, MA-100)	82.91	883.74	
1245653	Constant friction elbow, for child (E-50)	N. C.	1,193.04	
1245661	Elbow with internal lock (E-400HD)	N. C.	1,220.77	
SHOULDER JOINTS		Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
1245620	Abduction-adduction joint (SAJ-75)	N. C.	690.08	
1245638	Abduction-adduction joint (SAJ-100)	107.80	945.93	
1245646	Free movement joint (Hosmer)	37.33	875.44	
1245679	Joint (FS-50, FS-75)	N. C.	770.28	

CONTROLS		Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component
1295583	Truncular abdominal or scapular control, including manufacturing, fitting and installation time as well as materials	77.93	120.51



**SUBDIVISION 8 : UPPER-LIMB PROSTHESES**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1242007 Other upper-limb prostheses **	S. C.			*

\*GUARANTEE PERIOD:

Hand prostheses: 1 month

Others : 6 months

\*\* When price is below that of the similar prosthesis

**DIVISION III: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES  
SUPPLEMENTS FOR PROSTHESES**

Description	Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks
<b>SUPPLEMENTS FOR PROSTHESES</b>		
<b>STUMP SOCKS</b>		
<b><u>WOOL 2 – 3 – 5 PLY</u></b>		
Width: 15.2 cm (6 in.)		
3493004 length: 25.4 cm (10 in.)	10.37	15.65
3493012 length: 30.5 cm (12 in.)	11.27	16.71
3493020 length: 35.6 cm (14 in.)	12.66	18.07
3493038 length: 40.6 cm (16 in.)	13.72	18.96
3493046 length: 45.7 cm (18 in.)	14.91	20.22
3493053 length: 50.8 cm (20 in.)	16.02	21.26
3493061 length: 55.9 cm (22 in.)	17.23	22.65
3493079 length: 61.0 cm (24 in.)	19.05	24.32
3493087 length: 66.0 cm (26 in.)	20.27	25.69
3493095 length: 71.1 cm (28 in.)	21.49	26.75
3493103 length: 76.2 cm (30 in.)	22.41	27.84
3493111 length: 81.3 cm (32 in.)	23.78	29.18
Width: 17.8 cm (7 in.)		
3493129 length: 25.4 cm (10 in.)	11.12	16.55
3493137 length: 30.5 cm (12 in.)	12.37	17.78
3493145 length: 35.6 cm (14 in.)	13.86	19.32
3493152 length: 40.6 cm (16 in.)	15.41	20.82
3493160 length: 45.7 cm (18 in.)	17.23	22.65
3493178 length: 50.8 cm (20 in.)	18.89	24.32
3493186 length: 55.9 cm (22 in.)	20.10	25.52
3493194 length: 61.0 cm (24 in.)	21.49	26.90
3493202 length: 66.0 cm (26 in.)	23.16	28.56
3493210 length: 71.1 cm (28 in.)	24.39	29.80
3493228 length: 76.2 cm (30 in.)	25.62	31.00
3493236 length: 81.3 cm (32 in.)	27.13	32.53
Width: 20.3 cm (8 in.)		
3493244 length: 25.4 cm (10 in.)	12.77	18.24
3493251 length: 30.5 cm (12 in.)	14.49	19.71
3493269 length: 35.6 cm (14 in.)	15.84	21.26
3493277 length: 40.6 cm (16 in.)	17.49	22.95
3493285 length: 45.7 cm (18 in.)	19.05	24.32
3493293 length: 50.8 cm (20 in.)	20.57	26.02
3493301 length: 55.9 cm (22 in.)	22.10	27.50
3493319 length: 61.0 cm (24 in.)	23.93	29.36
3493327 length: 66.0 cm (26 in.)	25.62	30.88
3493335 length: 71.1 cm (28 in.)	27.28	32.72
3493343 length: 76.2 cm (30 in.)	28.50	33.93

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

3493350	length: 81.3 cm (32 in.)	30.17	35.59
	Width: 22.9 cm (9 in.)		
3493368	length: 25.4 cm (10 in.)	14.63	20.07
3493376	length: 30.5 cm (12 in.)	16.48	21.74
3493384	length: 35.6 cm (14 in.)	18.14	23.56
3493392	length: 40.6 cm (16 in.)	19.65	25.08
3493400	length: 45.7 cm (18 in.)	21.62	27.07
3493418	length: 50.8 cm (20 in.)	23.31	28.71
3493426	length: 55.9 cm (22 in.)	24.98	30.39
3493434	length: 61.0 cm (24 in.)	26.50	31.90
3493442	length: 66.0 cm (26 in.)	28.36	33.79
3493459	length: 71.1 cm (28 in.)	30.17	35.59
3493467	length: 76.2 cm (30 in.)	31.70	36.96
3493475	length: 81.3 cm (32 in.)	33.37	38.62
	Width: 25.4 cm (10 in.)		
3493483	length: 25.4 cm (10 in.)	16.48	21.74
3493491	length: 30.5 cm (12 in.)	17.85	23.26
3493509	length: 35.6 cm (14 in.)	19.97	25.40
3493517	length: 40.6 cm (16 in.)	21.81	27.07
3493525	length: 45.7 cm (18 in.)	23.46	28.91
3493533	length: 50.8 cm (20 in.)	25.45	30.88
3493541	length: 55.9 cm (22 in.)	27.28	32.72
3493558	length: 61.0 cm (24 in.)	28.96	34.36
3493566	length: 66.0 cm (26 in.)	30.62	35.89
3493574	length: 71.1 cm (28 in.)	32.61	38.00
3493582	length: 76.2 cm (30 in.)	34.42	39.73
3493590	length: 81.3 cm (32 in.)	36.26	41.70
	Width: 30.5 cm (12 in.)		
3493608	length: 25.4 cm (10 in.)	21.94	27.22
3493616	length: 30.5 cm (12 in.)	23.60	29.04
3493624	length: 35.6 cm (14 in.)	25.62	31.00
3493632	length: 40.6 cm (16 in.)	27.28	32.72
3493640	length: 45.7 cm (18 in.)	29.25	34.51
3493657	length: 50.8 cm (20 in.)	31.07	36.38
3493665	length: 55.9 cm (22 in.)	32.89	38.20
3493673	length: 61.0 cm (24 in.)	34.88	40.18
3493681	length: 66.0 cm (26 in.)	36.26	41.53
3493699	length: 71.1 cm (28 in.)	38.38	43.67
3493707	length: 76.2 cm (30 in.)	39.94	45.36
3493715	length: 81.3 cm (32 in.)	41.88	47.34

Description	Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks
<b><u>WOOL 6-PLY</u></b>		
Width: 15.2 cm (6 in.)		
3493723 length: 25.4 cm (10 in.)	11.27	16.71
3493731 length: 30.5 cm (12 in.)	12.50	17.89
3493749 length: 35.6 cm (14 in.)	13.86	19.32
3493756 length: 40.6 cm (16 in.)	15.09	20.51
3493764 length: 45.7 cm (18 in.)	16.48	21.74
3493772 length: 50.8 cm (20 in.)	17.66	22.95
3493780 length: 55.9 cm (22 in.)	19.05	24.32
3493798 length: 61.0 cm (24 in.)	20.90	26.30
3493806 length: 66.0 cm (26 in.)	22.24	27.67
3493814 length: 71.1 cm (28 in.)	23.46	28.91
3493822 length: 76.2 cm (30 in.)	24.68	30.11
3493830 length: 81.3 cm (32 in.)	26.20	31.62
Width: 17.8 cm (7 in.)		
3493848 length: 25.4 cm (10 in.)	12.37	17.78
3493855 length: 30.5 cm (12 in.)	13.59	18.96
3493863 length: 35.6 cm (14 in.)	15.41	20.65
3493871 length: 40.6 cm (16 in.)	16.92	22.33
3493889 length: 45.7 cm (18 in.)	19.05	24.32
3493897 length: 50.8 cm (20 in.)	20.70	26.15
3493905 length: 55.9 cm (22 in.)	22.24	27.67
3493913 length: 61.0 cm (24 in.)	23.78	29.04
3493921 length: 66.0 cm (26 in.)	25.62	30.88
3493939 length: 71.1 cm (28 in.)	26.69	32.07
3493947 length: 76.2 cm (30 in.)	28.17	33.62
3493954 length: 81.3 cm (32 in.)	30.04	35.46
Width: 20.3 cm (8 in.)		
3493962 length: 25.4 cm (10 in.)	14.17	19.44
3493970 length: 30.5 cm (12 in.)	15.84	21.12
3493988 length: 35.6 cm (14 in.)	17.49	22.95
3493996 length: 40.6 cm (16 in.)	19.37	24.78
3494002 length: 45.7 cm (18 in.)	20.90	26.30
3494010 length: 50.8 cm (20 in.)	22.73	27.98
3494028 length: 55.9 cm (22 in.)	24.39	29.80
3494036 length: 61.0 cm (24 in.)	26.20	31.62
3494044 length: 66.0 cm (26 in.)	28.02	33.46
3494051 length: 71.1 cm (28 in.)	30.04	35.46
3494069 length: 76.2 cm (30 in.)	31.57	36.96
3494077 length: 81.3 cm (32 in.)	33.22	38.62

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

Width: 22.9 cm (9 in.)

3494085	length: 25.4 cm (10 in.)	16.02	21.42
3494093	length: 30.5 cm (12 in.)	17.99	23.41
3494101	length: 35.6 cm (14 in.)	19.97	25.40
3494119	length: 40.6 cm (16 in.)	21.62	27.07
3494127	length: 45.7 cm (18 in.)	23.78	29.18
3494135	length: 50.8 cm (20 in.)	25.62	31.00
3494143	length: 55.9 cm (22 in.)	27.42	32.83
3494150	length: 61.0 cm (24 in.)	29.25	34.51
3494168	length: 66.0 cm (26 in.)	31.25	36.49
3494176	length: 71.1 cm (28 in.)	33.22	38.62
3494184	length: 76.2 cm (30 in.)	34.73	40.18
3494192	length: 81.3 cm (32 in.)	36.72	42.03

Width: 25.4 cm (10 in.)

3494200	length: 25.4 cm (10 in.)	17.99	23.41
3494218	length: 30.5 cm (12 in.)	19.65	25.08
3494226	length: 35.6 cm (14 in.)	21.94	27.37
3494234	length: 40.6 cm (16 in.)	23.78	29.18
3494242	length: 45.7 cm (18 in.)	25.76	31.20
3494259	length: 50.8 cm (20 in.)	28.02	33.46
3494267	length: 55.9 cm (22 in.)	30.04	35.46
3494275	length: 61.0 cm (24 in.)	31.99	37.43
3494283	length: 66.0 cm (26 in.)	33.82	39.10
3494291	length: 71.1 cm (28 in.)	35.97	41.36
3494309	length: 76.2 cm (30 in.)	37.79	43.20
3494317	length: 81.3 cm (32 in.)	39.94	45.18

Width: 30.5 cm (12 in.)

3494325	length: 25.4 cm (10 in.)	24.07	29.50
3494333	length: 30.5 cm (12 in.)	25.88	31.34
3494341	length: 35.6 cm (14 in.)	28.17	33.62
3494358	length: 40.6 cm (16 in.)	30.04	35.46
3494366	length: 45.7 cm (18 in.)	32.15	37.57
3494374	length: 50.8 cm (20 in.)	34.27	39.56
3494382	length: 55.9 cm (22 in.)	36.26	41.53
3494390	length: 61.0 cm (24 in.)	38.38	43.67
3494408	length: 66.0 cm (26 in.)	39.81	45.18
3494416	length: 71.1 cm (28 in.)	42.03	47.46
3494424	length: 76.2 cm (30 in.)	44.05	49.32
3494432	length: 81.3 cm (32 in.)	46.02	51.44

Description	Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks
<b><u>WOOL AND NYLON 2 – 3 – 5 PLY</u></b>		
Width: 15.2 cm (6 in.)		
3494440 length: 25.4 cm (10 in.)	14.32	19.71
3494457 length: 30.5 cm (12 in.)	14.32	19.71
3494465 length: 35.6 cm (14 in.)	16.48	21.74
3494473 length: 40.6 cm (16 in.)	16.48	21.74
3494481 length: 45.7 cm (18 in.)	16.48	21.74
3494499 length: 50.8 cm (20 in.)	18.75	24.01
3494507 length: 55.9 cm (22 in.)	18.75	24.01
Width: 17.8 cm (7 in.)		
3494515 length: 25.4 cm (10 in.)	14.32	19.71
3494523 length: 30.5 cm (12 in.)	14.32	19.71
3494531 length: 35.6 cm (14 in.)	16.48	21.74
3494549 length: 40.6 cm (16 in.)	16.48	21.74
3494556 length: 45.7 cm (18 in.)	16.48	21.74
3494564 length: 50.8 cm (20 in.)	18.75	24.01
3494572 length: 55.9 cm (22 in.)	18.75	24.01
3494580 length: 61.0 cm (24 in.)	18.75	24.01
Width: 20.3 cm (8 in.)		
3494598 length: 25.4 cm (10 in.)	16.48	21.74
3494606 length: 30.5 cm (12 in.)	16.48	21.74
3494614 length: 35.6 cm (14 in.)	16.48	21.74
3494622 length: 40.6 cm (16 in.)	18.75	24.01
3494630 length: 45.7 cm (18 in.)	18.75	24.01
3494648 length: 50.8 cm (20 in.)	18.75	24.01
3494655 length: 55.9 cm (22 in.)	21.49	26.75
3494663 length: 61.0 cm (24 in.)	21.49	26.75
3494671 length: 66.0 cm (26 in.)	21.49	26.75
3494689 length: 71.1 cm (28 in.)	21.49	26.75
Width: 22.9 cm (9 in.)		
3494697 length: 25.4 cm (10 in.)	16.48	21.74
3494705 length: 30.5 cm (12 in.)	16.48	21.74
3494713 length: 35.6 cm (14 in.)	18.75	24.01
3494721 length: 40.6 cm (16 in.)	18.75	24.01
3494739 length: 45.7 cm (18 in.)	18.75	24.01
3494747 length: 50.8 cm (20 in.)	21.49	26.75
3494754 length: 55.9 cm (22 in.)	21.49	26.75
3494762 length: 61.0 cm (24 in.)	21.49	26.75
3494770 length: 66.0 cm (26 in.)	21.49	26.75
3494788 length: 71.1 cm (28 in.)	21.49	26.75
3494796 length: 101.6 cm (40 in.)	16.48	21.74
3494804 length: 106.7 cm (42 in.)	16.48	21.74

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

3494812	length: 111.8 cm (44 in.)	18.75	24.01
3494820	length: 116.8 cm (46 in.)	18.75	24.01
3494838	length: 121.9 cm (48 in.)	18.75	24.01
3494846	length: 127.0 cm (50 in.)	21.49	26.75
3494853	length: 132.1 cm (52 in.)	21.49	26.75
	Width: 25.4 cm (10 in.)		
3494861	length: 25.4 cm (10 in.)	16.48	21.74
3494879	length: 30.5 cm (12 in.)	18.75	24.01
3494887	length: 35.6 cm (14 in.)	18.75	24.01
3494895	length: 40.6 cm (16 in.)	18.75	24.01
3494903	length: 45.7 cm (18 in.)	21.49	26.75
3494911	length: 50.8 cm (20 in.)	21.49	26.75
3494929	length: 55.9 cm (22 in.)	21.49	26.75
3494937	length: 61.0 cm (24 in.)	21.49	26.75
3494945	length: 66.0 cm (26 in.)	23.60	29.04
3494952	length: 101.6 cm (40 in.)	16.48	21.74
3494960	length: 106.7 cm (42 in.)	16.48	21.74
3494978	length: 111.8 cm (44 in.)	18.75	24.01
3494986	length: 116.8 cm (46 in.)	18.75	24.01
3494994	length: 121.9 cm (48 in.)	21.49	26.75
3495009	length: 127.0 cm (50 in.)	21.49	26.75
3495017	length: 132.1 cm (52 in.)	21.49	26.75
	Width: 30.5 cm (12 in.)		
3495025	length: 25.4 cm (10 in.)	18.75	24.01
3495033	length: 30.5 cm (12 in.)	21.49	26.75
3495041	length: 35.6 cm (14 in.)	21.49	26.75
3495058	length: 40.6 cm (16 in.)	21.49	26.75
3495066	length: 45.7 cm (18 in.)	21.49	26.75
3495074	length: 50.8 cm (20 in.)	21.49	26.75

Description	Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of
-------------	--	--

**WOOL AND NYLON 6-PLY**

	Width: 15.2 cm (6 in.)		
3495082	length: 30.5 cm (12 in.)	15.84	21.12
3495090	length: 35.6 cm (14 in.)	17.66	23.11
3495108	length: 40.6 cm (16 in.)	17.66	23.11
3495116	length: 45.7 cm (18 in.)	17.66	23.11
3495124	length: 50.8 cm (20 in.)	19.97	25.40
3495132	length: 55.9 cm (22 in.)	19.97	25.40
	Width: 17.8 cm (7 in.)		
3495140	length: 25.4 cm (10 in.)	17.66	23.11
3495157	length: 30.5 cm (12 in.)	15.84	21.12
3495165	length: 35.6 cm (14 in.)	17.66	23.11
3495173	length: 40.6 cm (16 in.)	17.66	23.11

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

3495181	length: 45.7 cm (18 in.)	17.66	23.11
3495199	length: 50.8 cm (20 in.)	19.97	25.40
3495207	length: 55.9 cm (22 in.)	19.97	25.40
	Width: 20.3 cm (8 in.)		
3495215	length: 25.4 cm (10 in.)	17.66	23.11
3495223	length: 30.5 cm (12 in.)	17.66	23.11
3495231	length: 35.6 cm (14 in.)	17.66	23.11
3495249	length: 40.6 cm (16 in.)	19.97	25.40
3495256	length: 45.7 cm (18 in.)	19.97	25.40
3495264	length: 50.8 cm (20 in.)	19.97	25.40
3495272	length: 55.9 cm (22 in.)	23.16	28.43
3495280	length: 61.0 cm (24 in.)	23.16	28.43
	Width: 22.9 cm (9 in.)		
3495298	length: 30.5 cm (12 in.)	17.66	23.11
3495306	length: 35.6 cm (14 in.)	19.97	25.40
3495314	length: 40.6 cm (16 in.)	19.97	25.40
3495322	length: 45.7 cm (18 in.)	19.97	25.40
3495330	length: 50.8 cm (20 in.)	23.16	28.43
3495348	length: 55.9 cm (22 in.)	23.16	28.43
3495355	length: 61.0 cm (24 in.)	23.16	28.43

Description	Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks
-------------	--	---

**ULTRA WOOL 3 – 5 PLY**

Width: 15.2 cm (6 in.)

3495363	length: 25.4 cm (10 in.)	15.84	21.12
3495371	length: 30.5 cm (12 in.)	15.84	21.12
3495389	length: 35.6 cm (14 in.)	18.14	23.41
3495397	length: 40.6 cm (16 in.)	18.14	23.41
3495405	length: 45.7 cm (18 in.)	18.14	23.41
3495413	length: 50.8 cm (20 in.)	20.57	26.02
3495421	length: 55.9 cm (22 in.)	20.57	26.02
3495439	length: 61.0 cm (24 in.)	20.57	26.02

Width: 17.8 cm (7 in.)

3495447	length: 25.4 cm (10 in.)	15.84	21.12
3495454	length: 30.5 cm (12 in.)	15.84	21.12
3495462	length: 35.6 cm (14 in.)	18.14	23.41
3495470	length: 40.6 cm (16 in.)	18.14	23.41
3495488	length: 45.7 cm (18 in.)	18.14	23.41
3495496	length: 50.8 cm (20 in.)	20.57	26.02
3495504	length: 55.9 cm (22 in.)	20.57	26.02
3495512	length: 61.0 cm (24 in.)	20.57	26.02



Width: 20.3 cm (8 in.)

3495520	length: 25.4 cm (10 in.)	18.14	23.41
3495538	length: 30.5 cm (12 in.)	18.14	23.41
3495546	length: 35.6 cm (14 in.)	18.14	23.41
3495553	length: 40.6 cm (16 in.)	20.57	26.02
3495561	length: 45.7 cm (18 in.)	20.57	26.02
3495579	length: 50.8 cm (20 in.)	20.57	26.02
3495587	length: 55.9 cm (22 in.)	23.78	29.18
3495595	length: 61.0 cm (24 in.)	23.78	29.18

Width: 22.9 cm (9 in.)

3495603	length: 25.4 cm (10 in.)	18.14	23.41
3495611	length: 30.5 cm (12 in.)	18.14	23.41
3495629	length: 35.6 cm (14 in.)	20.57	26.02
3495637	length: 40.6 cm (16 in.)	20.57	26.02
3495645	length: 45.7 cm (18 in.)	20.57	26.02
3495652	length: 50.8 cm (20 in.)	23.78	29.18
3495660	length: 55.9 cm (22 in.)	23.78	29.18
3495678	length: 61.0 cm (24 in.)	23.78	29.18

Width: 25.4 cm (10 in.)

3495686	length: 25.4 cm (10 in.)	18.14	23.41
3495694	length: 30.5 cm (12 in.)	20.57	26.02
3495702	length: 35.6 cm (14 in.)	20.57	26.02
3495710	length: 40.6 cm (16 in.)	20.57	26.02
3495728	length: 45.7 cm (18 in.)	23.78	29.18
3495736	length: 50.8 cm (20 in.)	23.78	29.18
3495744	length: 55.9 cm (22 in.)	23.78	29.18
3495751	length: 61.0 cm (24 in.)	23.78	29.18

Width: 30.5 cm (12 in.)

3495769	length: 25.4 cm (10 in.)	20.57	26.02
3495777	length: 30.5 cm (12 in.)	23.78	26.28
3495785	length: 35.6 cm (14 in.)	23.78	29.18
3495793	length: 40.6 cm (16 in.)	23.78	29.18

---

Description	Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks
-------------	--	---

---

**WOOL AND LYCRA**

Extra narrow short

3495801	Extra light	14.32	19.71
3495819	Light	15.27	20.65
3495827	Thick	16.16	21.58
3495835	Very thick	17.23	22.49

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

Narrow short			
3495843	Extra light	15.27	20.65
3495850	Light	16.16	21.58
3495868	Thick	17.23	22.49
3495876	Very thick	18.14	23.41
Narrow long or wide short			
3495884	Extra light	17.66	22.95
3495892	Light	18.59	24.01
3495900	Thick	19.52	24.94
3495918	Very thick	20.43	25.82
Wide long			
3495926	Extra light	20.43	25.82
3495934	Light	21.49	26.75
3495942	Thick	22.41	27.67
3495959	Very thick	23.78	29.18

Description	Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks
-------------	--	---

**COTTON 3 – 5 PLY**

Width: 15.2 cm (6 in.)

3495967	length: 25.4 cm (10 in.)	7.80	13.19
3495975	length: 30.5 cm (12 in.)	8.71	14.12
3495983	length: 35.6 cm (14 in.)	9.61	15.00
3495991	length: 40.6 cm (16 in.)	10.53	15.95
3496007	length: 45.7 cm (18 in.)	11.27	16.71
3496015	length: 50.8 cm (20 in.)	12.17	17.63
3496023	length: 55.9 cm (22 in.)	13.11	18.52
3496031	length: 61.0 cm (24 in.)	14.49	19.71
3496049	length: 66.0 cm (26 in.)	15.41	20.82
3496056	length: 71.1 cm (28 in.)	16.30	21.74

Width: 17.8 cm (7 in.)

3496064	length: 25.4 cm (10 in.)	8.51	13.80
3496072	length: 30.5 cm (12 in.)	9.46	14.72
3496080	length: 35.6 cm (14 in.)	10.53	15.95
3496098	length: 40.6 cm (16 in.)	11.76	16.98
3496106	length: 45.7 cm (18 in.)	13.11	18.52
3496114	length: 50.8 cm (20 in.)	14.32	19.71
3496122	length: 55.9 cm (22 in.)	15.41	20.65
3496130	length: 61.0 cm (24 in.)	16.48	21.74
3496148	length: 66.0 cm (26 in.)	17.66	22.95
3496155	length: 71.1 cm (28 in.)	18.59	23.85

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

Width: 20.3 cm (8 in.)

3496163	length: 25.4 cm (10 in.)	9.89	15.18
3496171	length: 30.5 cm (12 in.)	10.83	16.24
3496189	length: 35.6 cm (14 in.)	12.17	17.48
3496197	length: 40.6 cm (16 in.)	13.26	18.72
3496205	length: 45.7 cm (18 in.)	14.49	19.71
3496213	length: 50.8 cm (20 in.)	15.55	20.97
3496221	length: 55.9 cm (22 in.)	16.92	22.18
3496239	length: 61.0 cm (24 in.)	18.14	23.56
3496247	length: 66.0 cm (26 in.)	19.37	24.78
3496254	length: 71.1 cm (28 in.)	20.90	26.15

Width: 22.9 cm (9 in.)

3496262	length: 25.4 cm (10 in.)	11.12	16.55
3496270	length: 30.5 cm (12 in.)	12.37	17.78
3496288	length: 35.6 cm (14 in.)	13.72	19.14
3496296	length: 40.6 cm (16 in.)	14.91	20.33
3496304	length: 45.7 cm (18 in.)	16.48	21.87
3496312	length: 50.8 cm (20 in.)	17.66	23.11
3496320	length: 55.9 cm (22 in.)	19.05	24.32
3496338	length: 61.0 cm (24 in.)	20.10	25.52
3496346	length: 66.0 cm (26 in.)	21.49	26.90
3496353	length: 71.1 cm (28 in.)	23.01	28.43

Width: 25.4 cm (10 in.)

3496361	length: 25.4 cm (10 in.)	12.37	17.78
3496379	length: 30.5 cm (12 in.)	13.59	18.96
3496387	length: 35.6 cm (14 in.)	15.27	20.65
3496395	length: 40.6 cm (16 in.)	16.48	21.87
3496403	length: 45.7 cm (18 in.)	17.85	23.11
3496411	length: 50.8 cm (20 in.)	19.37	24.78
3496429	length: 55.9 cm (22 in.)	20.70	26.15
3496437	length: 61.0 cm (24 in.)	22.10	27.50
3496445	length: 66.0 cm (26 in.)	23.31	28.56
3496452	length: 71.1 cm (28 in.)	24.68	30.11

Width: 30.5 cm (12 in.)

3496460	length: 25.4 cm (10 in.)	16.74	22.04
3496478	length: 30.5 cm (12 in.)	17.85	23.26
3496486	length: 35.6 cm (14 in.)	19.52	24.94
3496494	length: 40.6 cm (16 in.)	20.90	26.15
3496502	length: 45.7 cm (18 in.)	22.24	27.50
3496510	length: 50.8 cm (20 in.)	23.60	29.04
3496528	length: 55.9 cm (22 in.)	24.98	30.39
3496536	length: 61.0 cm (24 in.)	26.50	31.79
3496544	length: 66.0 cm (26 in.)	27.59	33.01
3496551	length: 71.1 cm (28 in.)	28.96	34.36

Description	Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks
<b><u>WOOL 5-PLY</u></b>		
3496569 length: 30.5 cm (12 in.)	9.89	15.18
3496577 length: 33.0 cm (13 in.)	10.37	15.65
3496585 length: 35.6 cm (14 in.)	10.53	15.95
3496593 length: 38.1 cm (15 in.)	11.27	16.55
3496601 length: 40.6 cm (16 in.)	11.58	16.98
3496619 length: 45.7 cm (18 in.)	12.37	17.78

Description	Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks
<b><u>WOOL 3 – 5 PLY</u></b>		
Width (max.): 15.2 cm (6 in.)		
3496627 width (min.): 7.6, 8.9, 10.2 cm (3, 3½, 4 in.) length: 20.3 cm (8 in.)	10.06	15.48
3496635 width (min.): 7.6 cm (3 in.) length: 25.4 cm (10 in.)	10.06	15.48
3496643 width (min.): 8.9 cm (3½ in.) length: 25.4 cm (10 in.)	10.37	15.65
3496650 width (min.): 10.2 cm (4 in.) length: 25.4 cm (10 in.)	10.67	16.07
3496668 width (min.): 7.6 cm (3 in.) length: 30.5 cm (12 in.)	11.12	16.55
3496676 width (min.): 8.9 cm (3½ in.) length: 30.5 cm (12 in.)	11.27	16.71
3496684 width (min.): 10.2 cm (4 in.) length: 30.5 cm (12 in.)	11.76	16.98
3496692 width (min.): 7.6 cm (3 in.) length: 35.6 cm (14 in.)	12.37	17.78
3496700 width (min.): 8.9 cm (3½ in.) length: 35.6 cm (14 in.)	12.66	18.07
3496718 width (min.): 10.2 cm (4 in.) length: 35.6 cm (14 in.)	12.97	18.39
3496726 width (min.): 7.6 cm (3 in.) length: 40.6 cm (16 in.)	13.38	18.83
3496734 width (min.): 8.9 cm (3½ in.) length: 40.6 cm (16 in.)	13.72	18.96
3496742 width (min.): 10.2 cm (4 in.) length: 40.6 cm (16 in.)	14.17	19.60

Width (max.): 17.8 cm (7 in.)

3496759	width (min.): 8.9, 10.2, 11.4, 12.7 cm (3½, 4, 4½, 5 in.) length: 20.3 cm (8 in.)	11.27	16.71
3496767	width (min.): 8.9 cm (3½ in.) length: 25.4 cm (10 in.)	10.67	16.07
3496775	width (min.): 10.2 cm (4 in.) length: 25.4 cm (10 in.)	11.12	16.55
3496783	width (min.): 11.4 cm (4½ in.) length: 25.4 cm (10 in.)	11.76	16.98
3496791	width (min.): 12.7 cm (5 in.) length: 25.4 cm (10 in.)	12.66	18.07
3496809	width (min.): 8.9 cm (3½ in.) length: 30.5 cm (12 in.)	11.76	17.14
3496817	width (min.): 10.2 cm (4 in.) length: 30.5 cm (12 in.)	12.37	17.78
3496825	width (min.): 11.4 cm (4½ in.) length: 30.5 cm (12 in.)	12.97	18.39
3496833	width (min.): 12.7 cm (5 in.) length: 30.5 cm (12 in.)	13.72	18.96
3496841	width (min.): 8.9 cm (3½ in.) length: 35.6 cm (14 in.)	13.72	18.96
3496858	width (min.): 10.2 cm (4 in.) length: 35.6 cm (14 in.)	13.86	19.32
3496866	width (min.): 11.4 cm (4½ in.) length: 35.6 cm (14 in.)	14.63	19.89
3496874	width (min.): 12.7 cm (5 in.) length: 35.6 cm (14 in.)	15.27	20.65
3496882	width (min.): 8.9 cm (3½ in.) length: 40.6 cm (16 in.)	14.91	20.22
3496890	width (min.): 10.2 cm (4 in.) length: 40.6 cm (16 in.)	15.41	20.82
3496908	width (min.): 11.4 cm (4½ in.) length: 40.6 cm (16 in.)	16.02	21.26
3496916	width (min.): 12.7 cm (5 in.) length: 40.6 cm (16 in.)	16.74	22.04

Width (max.): 20.3 cm (8 in.)

3496924	width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 20.3 cm (8 in.)	12.97	18.39
3496932	width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 25.4 cm (10 in.)	12.77	18.24
3496940	width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 30.5 cm (12 in.)	14.32	19.71
3496957	width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 35.6 cm (14 in.)	15.67	21.12
3496965	width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 40.6 cm (16 in.)	17.49	22.95

**DIVISION IV: LOWER-LIMB ORTHOSES**  
**SUBDIVISION 1: TIBIAL ORTHOSES**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2140564 Tibial orthosis with unilateral upright	590.46			6
BASIC COMPONENTS AND SUPPLEMENTS				
Regular stirrup				
Ankle free joint, aluminum (1)				
Rigid metal cuff with leather or thermoplastic jacket, including cover				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
2135507 Regular stirrup	N. C.	129.93		
2135937 Ankle free joint, aluminum	N. C.	175.69		
2135903 Rigid metal cuff with leather or thermoplastic jacket, including cover	N. C.	170.68		3
OPTIONAL COMPONENTS				
2135523 Laminated or molded plastic stirrup, made from mold of insured person	353.15	449.05		
2135606 Single malleolar strap	110.80	155.27		
2135614 Double malleolar strap	130.06	176.32		
2135663 Ankle spring joint, aluminum, single	8.30	177.25		
2135911 Ankle free joint, stainless steel, single	59.45	232.47		
2135812 Ankle spring joint, stainless steel, single	80.14	253.28		
2135929 Double-action ankle spring joint, aluminum, single	35.94	209.07		
2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.)	69.74	69.74		
2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	23.76	23.76		
SUPPLEMENTS AVAILABLE				
3492501 Cane	10.19	10.19		
3492550 Crutches with axillary support, height-adjustable	20.38	20.38		
3492551 Crutches with forearm support, height-adjustable	56.05	56.05		
ADJUSTMENTS AVAILABLE				
2136752 Stirrup changeover			85.05	
----- Any pertinent adjustment				

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2140507 Tibial orthosis with bilateral uprights	706.31			6
BASIC COMPONENTS AND SUPPLEMENTS				
Regular stirrup Ankle free joints, aluminum (2) Rigid metal cuff with leather or thermoplastic jacket, including cover Retention straps				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
2135507 Regular stirrup Ankle free joints, aluminum	N. C.	129.93		
2135846 pair	N. C.	311.65		
2135655 single	N. A.	175.69		
2135903 Rigid metal cuff with leather or thermoplastic jacket, including cover	N. C.	170.68		
2195527 Retention straps, each	N. C.	37.30		
OPTIONAL COMPONENTS				
2135531 Rectangular stirrup	54.28	177.09		
2135523 Laminated or molded plastic stirrup, made from mold of insured person	353.15	449.05		
2135606 Single malleolar strap	110.80	155.27		
2135614 Double malleolar strap Rectangular stirrup	130.06	176.32		
2135747 pair	16.59	295.47		
2135853 single Ankle free joints, stainless steel	N. A.	190.56		
2135861 pair	137.84	399.20		
2135671 single Ankle spring joints, stainless steel	N. A.	232.47		
2135879 pair	160.32	440.76		
2135689 single	N. A.	253.28		

Double-action ankle spring joints, aluminum

2135887	pair	71.86	350.74
2135754	single	N. A.	209.07
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.)	69.74	69.74
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	23.76	23.76

SUPPLEMENTS AVAILABLE

3492501	Cane	10.19	10.19
3492550	Crutches with axillary support, height-adjustable	20.38	20.38
3492551	Crutches with forearm support, height-adjustable	56.05	56.05

ADJUSTMENTS AVAILABLE

2136752	Stirrup changeover		85.05
-----	Any pertinent adjustment		

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
--------	--	--	--------------------------------	-----------------------

2140572	Molded plastic tibial orthosis, made from plaster or digital mold of insured person	597.46		6
---------	---	--------	--	---

BASIC COMPONENTS AND SUPPLEMENTS

Molded plastic anterior or posterior shell with infra-patellar support extending under foot  
Calf and foot retention straps

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

2195527	Retention straps, each	N. C.	37.30
---------	------------------------	-------	-------

OPTIONAL COMPONENTS

2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.)	69.74	69.74
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	23.76	23.76
2155828	Ankle free joints with overlapping Gilette ankle joints	70.29	N. A.



SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

2155646	pair	166.31	144.98
2155893	single	N. A.	91.86
	Oklahoma ankle joints		
2155653	pair	159.46	138.14
2155901	single	N. A.	89.34
	Wafer ankle joints		
2155661	pair	178.72	157.43
2155919	single	N. A.	98.95
	Tamarak ankle joints		
2155679	pair	173.26	151.93
2155927	single	N. A.	96.22
	Gaffney ankle joints		
2155687	pair	187.30	164.25
2155935	single	N. A.	101.50
2195584	Full thermoformable foam lining for night orthosis	85.31	139.48

SUPPLEMENTS AVAILABLE

3492501	Cane	10.19	10.19
3492550	Crutches with axillary support, height-adjustable	20.38	20.38
3492551	Crutches with forearm support, height-adjustable	56.05	56.05

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2140580	Molded plastic tibial orthosis, prefabricated	236.96		6

BASIC COMPONENTS AND SUPPLEMENTS

Rigid molded plastic posterior shell, one-piece, including calf and extending under foot, prefabricated or rigid spiral band

Calf and foot retention straps

NOTICE: This orthosis has neither a hinge, nor an upright, nor a rigid lateral band, and cannot be inserted into a conventional shoe. Therefore, it is not a walking boot.

COMPONENTS AND SUPPLEMENTS AVAILABLE

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

BASIC COMPONENTS

2195527	Retention straps, each	N. C.	37.30	1
---------	------------------------	-------	-------	---

OPTIONAL COMPONENTS

2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.)	69.74	69.74	
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	23.76	23.76	
2195584	Full thermoformable foam lining for night orthosis	85.31	139.48	

SUPPLEMENTS AVAILABLE

3492501	Cane	10.19	10.19	
3492550	Crutches with axillary support, height-adjustable	20.38	20.38	
3492551	Crutches with forearm support, height-adjustable	56.05	56.05	

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

	<b>DEVICE</b>	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2140002	Tibial orthosis for leg shortened by 7.6 cm (3 in.) or more, excluding any prosthetic knee joint	2,516.62			6

BASIC COMPONENTS AND SUPPLEMENTS

SACH foot  
Polyester or acrylic tibial shell with tibial or foot support

Retention straps

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

1125509	SACH foot	N. C.	325.15	
1125483	Polyester or acrylic tibial shell with tibial or foot support	N. C.	N. A.	
2195527	Retention straps, each	N. C.	37.30	

OPTIONAL COMPONENTS

1195619	Trial socket Knee free joints, aluminum (Becker S-2005-B4)	162.53	N. A.	
2155695	pair	276.90	363.85	

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

2155943	single Knee joints with ring lock (Becker 1002-B4)	N. A.	233.02
2155604	pair	370.99	458.02
2155950	single Knee joints with lock, Swiss-type (Becker 1003-B4)	N. A.	280.93
2155703	pair	451.62	555.62
2155968	single Polycentric knee joints (USMC-0225-10)	N. A.	326.18
2155638	pair	351.92	438.60
2155976	single Polycentric knee joints, for child (Becker 1006-C8)	N. A.	240.97
2155711	pair	493.97	580.95
2155984	single Eccentric uniaxial knee free joints (Becker 1008-B4)	N. A.	313.45
2155562	pair	417.90	504.94
2155992	single Eccentric uniaxial ring knee joints (Becker 1012-B4)	N. A.	304.71
2155729	pair	435.96	522.96
2156016	single	N. A.	310.69
2155745	Thigh lacer with two metal bands with femoral leather jacket	226.38	288.12
2155737	Complete or full leather thigh lacer, without ischiatic support	149.13	405.46
2155752	Complete or full leather thigh lacer, with leather ischiatic support	304.68	571.40
2155760	Molded plastic femoral shell without ischiatic support	302.78	389.71
2155778	Molded plastic femoral shell with molded plastic ischiatic support	386.74	510.36
2175610	Pelvic belt and metal band	296.66	319.90
2175511	Pelvic belt (leather)	N. A.	230.29
2175578	Replacement of pelvic belt metal band	N. A.	180.36
2175594	Hip joint (metal part), all types	309.88	356.10
3492501	Cane	10.19	10.19
3492550	Crutches with axillary support, height-adjustable	20.38	20.38
3492551	Crutches with forearm support, height-adjustable	56.05	56.05
	ADJUSTMENT AVAILABLE		
-----	Any pertinent adjustment		

**SUBDIVISION 2: TIBIOFEMORAL ORTHOSES**

<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>
2150514 Molded plastic non-articulated tibiofemoral orthosis, made from plaster or digital mold of insured person	819.97			6
<b>BASIC COMPONENTS AND SUPPLEMENTS</b>				
Molded plastic splint, thigh, knee and leg Retention straps				
<b>COMPONENTS AND SUPPLEMENTS AVAILABLE</b>				
<b>BASIC COMPONENTS</b>				
2195527 Retention straps, each	N. C.	37.30		
<b>OPTIONAL COMPONENTS</b>				
2195550 Abduction rod	131.60	154.88		
2135705 Knee cap and straps	109.08	153.53		
2125524 External build-up on shoe for limb fitted with orthosis, for the first 0.6 cm (¼ in.)	69.74	69.74		
2125532 External build-up on shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	23.76	23.76		
<b>SUPPLEMENTS AVAILABLE</b>				
3492501 Cane	10.19	10.19		
3492550 Crutches with axillary support, height-adjustable	20.38	20.38		
3492551 Crutches with forearm support, height-adjustable	56.05	56.05		
<b>ADJUSTMENT AVAILABLE</b>				
----- Any pertinent adjustment				

<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>
2150548 Tibiofemoral orthosis with joint(s), prefabricated	816.65			6
<b>BASIC COMPONENTS AND SUPPLEMENTS</b>				
One or two knee(s) free(s) joint(s) Femoral and tibial rigid cuffs Retention straps				

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

2195527	Retention straps, each	N. C.	37.30
---------	------------------------	-------	-------

OPTIONAL COMPONENTS

2125524	External build-up on shoe for limb fitted with orthosis, for the first 0.6 cm (¼ in.)	69.74	69.74
---------	---	-------	-------

2125532	External build-up on shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	23.76	23.76
---------	---	-------	-------

SUPPLEMENTS AVAILABLE

3492501	Cane	10.19	10.19
---------	------	-------	-------

3492550	Crutches with axillary support, height-adjustable	20.38	20.38
---------	---	-------	-------

3492551	Crutches with forearm support, height-adjustable	56.05	56.05
---------	--	-------	-------

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2150555 Tibiofemoral anti-recurvatum knee orthosis, Swedish-type, prefabricated	400.11			6

BASIC COMPONENTS AND SUPPLEMENTS

- Metal structure
- Rigid cuffs
- Retention straps

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

2195527	Retention straps, each	N. C.	37.30
---------	------------------------	-------	-------

OPTIONAL COMPONENTS

2125524	External build-up on shoe for limb fitted with orthosis, for the first 0.6 cm (¼ in.)	69.74	69.74
---------	---	-------	-------

2125532	External build-up on shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	23.76	23.76
---------	---	-------	-------

SUPPLEMENTS AVAILABLE

3492501	Cane	10.19	10.19
3492550	Crutches with axillary support, height-adjustable	20.38	20.38
3492551	Crutches with forearm support, height-adjustable	56.05	56.05

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2150605	Dynamic knee orthosis, made from plaster or digital mold of insured person	1,202.47		6

BASIC COMPONENTS AND SUPPLEMENTS

Plastic or metal femoral and tibial rigid cuffs

One or two polycentric(s) knee(s) free joint(s), aluminum (USMC F08-200-1000)

Retention straps

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

Polycentric knee free joints, aluminum (USMC F08-200-1000)

2155786	pair	N. C.	330.81
2155471	single	N. A.	213.76
2195527	Retention straps, each	N. C.	37.30

OPTIONAL COMPONENTS

Polycentric knee free joints, steel (USMC F08-220-1000)

2155836	pair	45.61	377.95
2155463	single	N. A.	237.33
	Polycentric knee joints with lock, aluminum (USMC F08-200-4000)		
2155794	pair	38.70	369.54
2155455	single	N. A.	233.14
	Polycentric knee joints with lock, steel (USMC F08-220-4000)		
2155844	pair	91.24	422.07
2155448	single	N. A.	259.41
	Variable amplitude knee joints, aluminum (USMC F08-200-1001)		

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

2155851	pair	N. C.	330.81
2155430	single	N. A.	213.76
	Variable amplitude knee joints, steel (USMC F08-200-1001)		
2155869	pair	45.61	377.95
2155422	single	N. A.	237.33
2135705	Knee cap and straps	109.08	153.53
2125524	External build-up on shoe for limb fitted with orthosis, for the first 0.6 cm (¼ in.)	69.74	69.74
2125532	External build-up on shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	23.76	23.76

SUPPLEMENTS AVAILABLE

3492501	Cane	10.19	10.19
3492550	Crutches with axillary support, height-adjustable	20.38	20.38
3492551	Crutches with forearm support, height-adjustable	56.05	56.05

ADJUSTMENT AVAILABLE

None

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2150597 Adjustable knee orthosis designed to limit flexion and extension movements (Donjoy, Generation II), prefabricated	425.41			6
BASIC COMPONENTS AND SUPPLEMENTS				
Rigid plastic cuffs, with foam				
Metal knee joints with ratchet				
Retention straps				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
2195527 Retention straps, each	N. C.	37.30		
SUPPLEMENTS AVAILABLE				
3492501 Cane	10.19	10.19		
3492550 Crutches with axillary support, height-adjustable	20.38	20.38		
3492551 Crutches with forearm support, height-adjustable	56.05	56.05		
ADJUSTMENT AVAILABLE				
----- Any pertinent adjustment				

**SUBDIVISION 3: FEMORAL ORTHOSES**

<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>
2160505	Articulated femoral orthosis with rigid metal femoral and tibial cuffs	1,553.68		6
<b>BASIC COMPONENTS AND SUPPLEMENTS</b>				
Regular stirrup				
Ankle free joints, aluminum (2)				
Knee free joints, aluminum (2) (Becker S-2005-B4)				
Thigh lacer with two rigid metal bands and leather femoral jacket and metal cuff with leather or thermoplastic tibial jacket				
Retention straps				
<b>COMPONENTS AND SUPPLEMENTS AVAILABLE</b>				
<b>BASIC COMPONENTS</b>				
2135507	Regular stirrup	N. C.	129.93	
2135556	Rigid metal cuff with leather or thermoplastic tibial jacket	N. C.	170.68	
Ankle free joints, aluminum				
2135846	pair	N. C.	311.65	
2135655	single	N. A.	175.69	
Knee free joints, aluminum (Becker S-2005-B4)				
2155513	pair	N. C.	363.85	
2155414	single	N. A.	230.30	
2195501	Thigh lacer with two rigid metal bands and leather femoral jacket	N. C.	288.12	
2195527	Retention straps, each	N. C.	37.30	
<b>OPTIONAL COMPONENTS</b>				
2135531	Rectangular stirrup	54.28	177.09	
2135523	Laminated or molded plastic stirrup, made from mold of insured person	353.15	449.05	
2135606	Single malleolar strap	110.80	155.27	
2135614	Double malleolar strap	130.06	176.32	
2135705	Knee cap and straps	109.08	153.53	



SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

	Ankle spring joints, aluminum		
2135747	pair	16.59	295.47
2135853	single	N. A.	190.56
	Double-action ankle spring joints, aluminum		
2135887	pair	71.86	350.74
2135754	single	N. A.	209.07
	Knee joints with ring lock (Becker 1002-B4)		
2155521	pair	92.59	458.02
2155406	single	N. A.	312.59
	Knee joints with lock, Swiss-type (Becker 1003-B4)		
2155547	pair	230.83	555.62
2155398	single	N. A.	326.18
	Polycentric knee joints (USMC-0225-10)		
2155554	pair	73.24	438.60
2155380	single	N. A.	232.69
	Polycentric knee joints, for child (Becker 1006-C8)		
2155877	pair	216.98	580.95
2155372	single	N. A.	303.08
	Eccentric uniaxial knee free joints (Becker 1008-B4)		
2155588	pair	140.94	504.94
2155364	single	N. A.	344.07
	Eccentric uniaxial ring knee joints (Becker 1012-B4)		
2155885	pair	157.54	522.96
2155356	single	N. A.	314.71
2155737	Complete or full leather thigh lacer, without ischiatic support	149.13	405.46
2155752	Complete or full leather thigh lacer, with leather ischiatic support	304.68	571.40
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.)	69.74	69.74
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	23.76	23.76

SUPPLEMENTS AVAILABLE

3492501	Cane	10.19	10.19
3492550	Crutches with axillary support, height-adjustable	20.38	20.38
3492551	Crutches with forearm support, height-adjustable	56.05	56.05

ADJUSTMENTS AVAILABLE

2136752	Stirrup changeover		85.05
-----	Any pertinent adjustment		

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2160604 Molded plastic articulated femoral orthosis, made from plaster or digital mold of insured person	1,487.64			6
BASIC COMPONENTS AND SUPPLEMENTS				
Molded plastic femoral shell without ischiatic support				
Knee free joints, aluminum (2) (Becker S-2005-B4)				
Molded plastic anterior or posterior tibial shell extending under foot				
Retention straps				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
2155802 Molded plastic femoral shell without ischiatic support	N. C.	388.14		
2155810 Molded plastic anterior or posterior tibial shell extending under foot	N. C.	433.24		
Knee free joints, aluminum (Becker S-2005-B4)				
2155513 pair	N. C.	363.85		
2155414 single	N. A.	230.30		
2195527 Retention straps, each	N. C.	37.30		
OPTIONAL COMPONENTS				
2135820 Regular stirrup	89.40	129.93		
2155828 Ankle free joints with overlapping	70.29	N. A.		
Gilette ankle joints				
2155646 pair	166.31	144.98		
2155893 single	N. A.	91.86		
Oklahoma ankle joints				
2155653 pair	159.46	138.14		
2155901 single	N. A.	89.34		
Wafer ankle joints				
2155661 pair	178.72	157.43		
2155919 single	N. A.	98.95		
Tamarak ankle joints				
2155679 pair	173.26	151.93		
2155927 single	N. A.	96.22		
Gaffney ankle joints				
2155687 pair	187.30	164.25		

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

2155935	single	N. A.	101.50
2135606	Single malleolar strap	110.80	155.27
2135705	Knee cap and straps	109.08	153.53
	Ankle spring joints, aluminum		
2135747	pair	16.59	295.47
2135853	single	N. A.	190.56
	Double-action ankle spring joints, aluminum		
2135887	pair	71.86	350.74
2135754	single	N. A.	209.07
	Knee joints with ring lock (Becker 1002-B4)		
2155521	pair	92.59	458.02
2155406	single	N. A.	312.59
	Knee joints with lock, Swiss-type (Becker 1003-B4)		
2155547	pair	230.83	555.62
2155398	single	N. A.	326.18
	Polycentric knee joints (USMC-0225-10)		
2155554	pair	73.24	438.60
2155380	single	N. A.	232.69
	Polycentric knee joints, for child (Becker 1006-C8)		
2155877	pair	216.98	580.95
2155372	single	N. A.	303.08
	Eccentric uniaxial knee free joints (Becker 1008-B4)		
2155588	pair	140.94	504.94
2155364	single	N. A.	344.07
	Eccentric uniaxial ring knee joints (Becker 1012-B4)		
2155885	pair	157.54	522.96
2155356	single	N. A.	314.71
2155497	Molded plastic ischiatic support	107.80	N. A.
2155489	Molded plastic femoral shell with molded plastic ischiatic support	N. A.	504.77
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.)	69.74	69.74
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	23.76	23.76
	SUPPLEMENTS AVAILABLE		
3492501	Cane	10.19	10.19
3492550	Crutches with axillary support, height-adjustable	20.38	20.38
3492551	Crutches with forearm support, height-adjustable	56.05	56.05
	ADJUSTMENTS AVAILABLE		
2136752	Stirrup changeover		85.05
-----	Any pertinent adjustment		

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2160703 Articulated femoral orthosis with rigid metal femoral cuffs and molded plastic posterior or anterior tibial shell, made from plaster or digital mold of insured person	1,516.63			6
BASIC COMPONENTS AND SUPPLEMENTS				
Thigh lacer with two rigid metal bands and femoral leather jacket Knee free joints, aluminum (2) (Becker S-2005-B4)				
Molded plastic posterior or anterior tibial shell extending under foot Retention straps				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
2195501 Thigh lacer with two rigid metal bands and femoral leather jacket	N. C.	288.12		
2155810 Molded plastic posterior or anterior tibial shell extending under foot Knee free joints, aluminum (Becker S-2005-B4)	N. C.	433.24		
2155513	pair	N. C.	363.85	
2155414	single	N. A.	230.30	
2195527	Retention straps, each	N. C.	37.30	
OPTIONAL COMPONENTS				
2155828	Ankle free joints with overlapping Gilette ankle joints	70.29	N. A.	
2155646	pair	166.31	144.98	
2155893	single	N. A.	91.86	
Oklahoma ankle joints				
2155653	pair	159.46	138.14	
2155901	single	N. A.	89.34	
Wafer ankle joints				
2155661	pair	178.72	157.43	
2155919	single	N. A.	98.95	
Tamarak ankle joints				
2155679	pair	173.26	151.93	
2155927	single	N. A.	96.22	
Gaffney ankle joints				

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

2155687	pair	187.30	164.25
2155935	single	N. A.	101.38
2135606	Single malleolar strap	110.80	155.27
2135705	Knee cap and straps	109.08	153.53
	Ankle spring joints, aluminum		
2135747	pair	16.59	295.47
2135853	single	N. A.	190.56
	Double-action ankle spring joints, aluminum		
2135887	pair	71.86	350.74
2135754	single	N. A.	209.07
	Knee joints with ring lock (Becker 1002-B4)		
2155521	pair	92.59	458.02
2155406	single	N. A.	312.59
	Knee joints with lock, Swiss-type (Becker 1003-B4)		
2155547	pair	230.83	555.62
2155398	single	N. A.	326.18
	Polycentric knee joints (USMC-0225-10)		
2155554	pair	73.24	438.60
2155380	single	N. A.	232.69
	Polycentric knee joints, for child (Becker 1006-C8)		
2155877	pair	216.98	580.95
2155372	single	N. A.	303.08
	Eccentric uniaxial knee free joints (Becker 1008-B4)		
2155588	pair	140.94	504.94
2155364	single	N. A.	344.07
	Eccentric uniaxial ring knee joints (Becker 1012-B4)		
2155885	pair	157.54	522.96
2155356	single	N. A.	314.71
2155737	Complete or full leather thigh lacer, without ischiatic support	149.13	405.46
2155752	Complete or full leather thigh lacer, with leather ischiatic support	304.68	571.40
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.)	69.74	69.74
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	23.76	23.76
	SUPPLEMENTS AVAILABLE		
3492501	Cane	10.19	10.19
3492550	Crutches with axillary support, height-adjustable	20.38	20.38
3492551	Crutches with forearm support, height-adjustable	56.05	56.05
	ADJUSTMENT AVAILABLE		
-----	Any pertinent adjustment		

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2160802	Articulated femoral orthosis with molded plastic femoral shell, made from plaster or digital mold of insured person, and rigid metal cuff with tibial leather jacket	1,699.26		6
BASIC COMPONENTS AND SUPPLEMENTS				
Regular stirrup				
Ankle free joints, aluminum (2)				
Knee free joints, aluminum (2) (Becker S-2005-B4)				
Rigid metal cuff with leather or thermoplastic jacket, including tibial cover				
Molded plastic femoral shell without ischiatic support				
Retention straps				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
2135507	Regular stirrup	N. C.	129.93	
2135556	Rigid metal cuff with leather or thermoplastic jacket, including tibial cover	N. C.	170.68	
Ankle free joints, aluminum				
2135739	pair	N. C.	287.44	
2135655	single	N. A.	175.69	
Knee free joints, aluminum (Becker S-2005-B4)				
2155513	pair	N. C.	363.85	
2155414	single	N. A.	230.30	
2155802	Molded plastic femoral shell without ischiatic support	N. C.	388.14	
2195527	Retention straps, each	N. C.	37.30	
OPTIONAL COMPONENTS				
2135531	Rectangular stirrup	54.28	177.09	
2135523	Laminated or molded plastic stirrup, made from mold of insured person	353.15	449.05	
2135606	Single malleolar strap	110.80	155.27	
2135614	Double malleolar strap	130.06	176.32	
2135705	Knee cap and straps	109.08	153.53	
Ankle spring joints, aluminum				

	Double-action ankle spring joints, aluminum		
2135887	pair	71.86	350.74
2135754	single	N. A.	209.07
	Knee joints with ring lock (Becker 1002-B4)		
2155521	pair	92.59	458.02
2155406	single	N. A.	312.59
	Knee joints with lock, Swiss-type (Becker 1003-B4)		
2155547	pair	230.83	555.62
2155398	single	N. A.	326.18
	Polycentric knee joints (USMC-0225-10)		
2155554	pair	73.24	438.60
2155380	single	N. A.	232.69
	Polycentric knee joints, for child (Becker 1006-C8)		
2155877	pair	216.98	580.95
2155372	single	N. A.	303.08
	Eccentric uniaxial knee free joints (Becker 1008-B4)		
2155588	pair	140.94	504.94
2155364	single	N. A.	344.07
	Eccentric uniaxial ring knee joints (Becker 1012-B4)		
2155885	pair	157.54	522.96
2155356	single	N. A.	314.71
2155497	Molded plastic ischiatic support	107.80	N. A.
2155489	Molded plastic femoral shell with molded plastic ischiatic support	N. A.	504.77
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.)	69.74	69.74
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	23.76	23.76

## SUPPLEMENTS AVAILABLE

3492501	Cane	10.19	10.19
3492550	Crutches with axillary support, height-adjustable	20.38	20.38
3492551	Crutches with forearm support, height-adjustable	56.05	56.05

## ADJUSTMENTS AVAILABLE

2136752	Stirrup changeover		85.05
-----	Any pertinent adjustment		

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2160547	Molded plastic non-articulated femoral orthosis, made from plaster or digital mold of insured person	921.87		6
BASIC COMPONENTS AND SUPPLEMENTS				
Molded plastic splint, thigh, knee, leg and foot				
Retention straps				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
2195527	Retention straps, each	N. C.	37.30	
OPTIONAL COMPONENTS				
2135705	Knee cap and straps	109.08	153.53	
2195550	Abduction rod	131.60	154.88	
2155497	Molded plastic ischiatic support	107.80	N. A.	
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.)	69.74	69.74	
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	23.76	23.76	
SUPPLEMENTS AVAILABLE				
3492501	Cane	10.19	10.19	
3492550	Crutches with axillary support, height-adjustable	20.38	20.38	
3492551	Crutches with forearm support, height-adjustable	56.05	56.05	
ADJUSTMENT AVAILABLE				
-----	Any pertinent adjustment			

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2160539	Articulated femoral orthosis with unilateral upright with rigid metal femoral and tibial cuffs	1,202.22		6



Unilateral ankle free joint, aluminum  
Unilateral knee free joint, aluminum (Becker S-2005-B4)

Rigid metal cuffs with leather femoral and tibial jacket,  
including cover  
Retention straps

## COMPONENTS AND SUPPLEMENTS AVAILABLE

## BASIC COMPONENTS

2135507	Regular stirrup	N. C.	129.93
2135556	Rigid metal cuff with leather tibial jacket, including cover	N. C.	170.68
2135895	Unilateral ankle free joint, aluminum	N. C.	175.69
2135770	Unilateral knee free joint, aluminum (Becker S-2005-B4)	N. C.	233.02
2195592	Rigid metal cuff with leather femoral jacket, including cover	N. C.	288.12
2195527	Retention straps, each	N. C.	37.30

## OPTIONAL COMPONENTS

2135523	Laminated or molded plastic stirrup, made from mold of insured person	353.15	449.05
2135606	Single malleolar strap	110.80	155.27
2135614	Double malleolar strap	130.06	176.32
2135705	Knee cap and straps	109.08	153.53
2135663	Ankle spring joint, aluminum	8.30	177.25
2135929	Double-action ankle spring joint, aluminum	35.94	209.07
2135788	Knee joint with ring lock (Becker 1002-B4)	46.96	277.34

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

2135796	Eccentric uniaxial knee free joint (Becker 1008-B4)	70.50	300.80
2135804	Eccentric uniaxial ring knee joint (Becker 1012-B4)	78.77	312.14
2175594	Hip joint (metal part), all types	309.88	356.10
2175610	Pelvic belt and metal band	296.66	319.90
2175511	Pelvic belt (leather)	N. A.	230.29
2175578	Replacement of pelvic belt metal band	N. A.	180.36
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.)	69.74	69.74
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	23.76	23.76

## SUPPLEMENTS AVAILABLE

3492501	Cane	10.19	10.19
3492550	Crutches with axillary support, height-adjustable	20.38	20.38
3492551	Crutches with forearm support, height-adjustable	56.05	56.05

## ADJUSTMENTS AVAILABLE

2136752	Stirrup changeover		85.05
-----	Any pertinent adjustment		

**SUBDIVISION 4: COXOFEMORAL ORTHOSES**

<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>
2170504	Articulated coxofemoral orthosis with rigid metal femoral and tibial cuffs	2,246.27		6
<b>BASIC COMPONENTS AND SUPPLEMENTS</b>				
Regular stirrup				
Ankle free joints, aluminum (2)				
Knee free joints, aluminum (2) (Becker S-2005-B4)				
Thigh lacer with two rigid metal bands and femoral leather jacket, including cover, and rigid metal cuff with leather or thermoplastic tibial jacket				
Hip joint (metal part), all types				
Retention straps				
Pelvic belt and metal band				
<b>COMPONENTS AND SUPPLEMENTS AVAILABLE</b>				
<b>BASIC COMPONENTS</b>				
2135507	Regular stirrup	N. C.	129.93	
	Ankle free joints, aluminum			
2135739	pair	N. C.	287.44	
2135655	single	N. A.	175.69	
2195527	Retention straps, each	N. C.	37.30	
2135556	Rigid metal cuff with leather or thermoplastic tibial jacket	N. C.	170.68	
Knee free joints, aluminum (Becker S-2005-B4)				
2155513	pair	N. C.	363.85	
2155414	single	N. A.	230.30	
2195618	Thigh lacer with two rigid metal bands and femoral leather jacket, including cover	N. C.	288.12	
2175560	Hip joint (metal part), all types	N. C.	356.10	
2175537	Pelvic belt and metal band	N. C.	319.90	
<b>OPTIONAL COMPONENTS</b>				
2135531	Rectangular stirrup	54.28	177.09	
2135523	Laminated or molded plastic stirrup, made from mold of insured person	353.15	449.05	
2135606	Single malleolar strap	110.80	155.27	
2135705	Knee cap and straps	109.08	153.53	
	Ankle spring joints, aluminum			
2135747	pair	16.59	295.47	
2135853	single	N. A.	190.56	

Double-action ankle spring joints, aluminum			
2135887	pair	71.86	350.74
2135754	single	N. A.	209.07
Knee joints with ring lock (Becker 1002-B4)			
2155521	pair	92.59	458.02
2155406	single	N. A.	312.59
Knee joints with lock, Swiss-type (Becker 1003-B4)			
2155547	pair	230.83	555.62
2155398	single	N. A.	326.18
Polycentric knee joints (USMC-0225-10)			
2155554	pair	73.24	438.60
2155380	single	N. A.	232.69
Polycentric knee joints, for child (Becker 1006-C8)			
2155877	pair	216.98	580.95
2155372	single	N. A.	303.08
Eccentric uniaxial knee free joints (Becker 1008-B4)			
2155588	pair	140.94	504.94
2155364	single	N. A.	344.07
Eccentric uniaxial ring knee joints (Becker 1012-B4)			
2155885	pair	157.54	522.96
2155356	single	N. A.	314.71
2175578	Replacement of pelvic belt metal band	N. A.	180.36
2175511	Pelvic belt (leather)	N. A.	230.29
2155737	Complete or full leather thigh lacer, without ischiatic support	149.13	405.46
2155752	Complete or full leather thigh lacer, with leather ischiatic support	304.68	571.40
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.)	69.74	69.74
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	23.76	23.76

SUPPLEMENTS AVAILABLE

3492501	Cane	10.19	10.19
3492550	Crutches with axillary support, height-adjustable	20.38	20.38
3492551	Crutches with forearm support, height-adjustable	56.05	56.05

ADJUSTMENTS AVAILABLE

2136752	Stirrup changeover		85.05
-----	Any pertinent adjustment		

---

<b>DEVICE</b>	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
---------------	--	--	--------------------------------	-----------------------

---

2170603	Molded plastic articulated coxofemoral orthosis, made from plaster or digital mold of insured person	2,159.88		6
---------	--	----------	--	---

BASIC COMPONENTS AND SUPPLEMENTS

Molded plastic femoral shell without ischiatic support

Knee free joints, aluminum (2) (Becker S-2005-B4)

Hip joint (metal part), all types

Molded plastic posterior or anterior tibial shell extending under foot

Retention straps

Pelvic belt and metal band

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

2155802	Molded plastic femoral shell without ischiatic support	N. C.	388.14
---------	--	-------	--------

2155810	Molded plastic posterior or anterior tibial shell extending under foot Knee free joints, aluminum (Becker S-2005-B4)	N. C.	433.24
---------	---	-------	--------

2155513	pair	N. C.	363.85
---------	------	-------	--------

2155414	single	N. A.	230.30
---------	--------	-------	--------

2175560	Hip joint (metal part), all types	N. C.	356.10
---------	-----------------------------------	-------	--------

2195527	Retention straps, each	N. C.	37.30
---------	------------------------	-------	-------

2175537	Pelvic belt and metal band	N. C.	319.90
---------	----------------------------	-------	--------

OPTIONAL COMPONENTS

2175578	Replacement of pelvic belt metal band	N. A.	180.36
---------	---------------------------------------	-------	--------

2175511	Pelvic belt (leather)	N. A.	230.29
---------	-----------------------	-------	--------

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

2155828	Ankle free joints with overlapping Gilette ankle joints	70.29	N. A.
2155646	pair	166.31	144.98
2155893	single	N. A.	91.86
	Oklahoma ankle joints		
2155653	pair	159.46	138.14
2155901	single	N. A.	89.34
	Wafer ankle joints		
2155661	pair	178.72	157.43
2155919	single	N. A.	98.95
	Tamarak ankle joints		
2155679	pair	173.26	151.93
2155927	single	N. A.	96.22
	Gaffney ankle joints		
2155687	pair	187.30	164.25
2155935	single	N. A.	101.50
2135606	Single malleolar strap	110.80	155.27
2135705	Knee cap and straps	109.08	153.53
	Ankle spring joints, aluminum		
2135747	pair	16.59	295.47
2135853	single	N. A.	190.56
2135820	Regular stirrup	89.40	129.93
	Double-action ankle spring joints, aluminum		
2135887	pair	71.86	350.74
2135754	single	N. A.	209.07
	Knee joints with ring lock (Becker 1002-B4)		
2155521	pair	92.59	458.02
2155406	single	N. A.	312.59
	Knee joints with lock, Swiss-type (Becker 1003-B4)		
2155547	pair	230.83	555.62
2155398	single	N. A.	326.18
	Polycentric knee joints (USMC-0225-10)		
2155554	pair	73.24	438.60
2155380	single	N. A.	232.69
	Polycentric knee joints, for child (Becker 1006-C8)		
2155877	pair	216.98	580.95
2155372	single	N. A.	303.08
	Eccentric uniaxial knee free joints (Becker 1008-B4)		
2155588	pair	140.94	504.94
2155364	single	N. A.	344.07
	Eccentric uniaxial ring knee joints (Becker 1012-B4)		
2155885	pair	157.54	522.96
2155356	single	N. A.	314.71

1

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

2155489	Molded plastic femoral shell with molded plastic ischiatic support	N. A.	504.77
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.)	69.74	69.74
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	23.76	23.76

SUPPLEMENTS AVAILABLE

3492501	Cane	10.19	10.19
3492550	Crutches with axillary support, height-adjustable	20.38	20.38
3492551	Crutches with forearm support, height-adjustable	56.05	56.05

ADJUSTMENTS AVAILABLE

2136752	Stirrup changeover		85.05
-----	Any pertinent adjustment		

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2170702	Articulated coxofemoral orthosis with rigid metal femoral cuffs and molded plastic posterior or anterior tibial shell, made from plaster or digital mold of insured person	2,224.69		6

BASIC COMPONENTS AND SUPPLEMENTS

Thigh lacer with two rigid metal bands and femoral leather jacket  
Knee free joints, aluminum (2) (Becker S-2005-B4)

Hip joint (metal part), all types

Molded plastic posterior or anterior tibial shell extending under foot  
Retention straps  
Pelvic belt and metal band

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

2195501	Thigh lacer with two rigid metal bands and femoral leather jacket	N. C.	288.12
2155810	Molded plastic posterior or anterior tibial shell extending under foot Knee free joints, aluminum (Becker S-2005-B4)	N. C.	433.24

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

2195527	Retention straps, each	N. C.	37.30
2175560	Hip joint (metal part), all types	N. C.	356.10
2175537	Pelvic belt and metal band	N. C.	319.90
OPTIONAL COMPONENTS			
2155828	Ankle free joints with overlapping Gilette ankle joints	70.29	N. A.
2155646	pair	166.31	144.98
2155893	single	N. A.	91.86
Oklahoma ankle joints			
2155653	pair	159.46	138.14
2155901	single	N. A.	89.34
Wafer ankle joints			
2155661	pair	178.72	157.43
2155919	single	N. A.	98.95
Tamarak ankle joints			
2155679	pair	173.26	151.93
2155927	single	N. A.	96.22
Gaffney ankle joints			
2155687	pair	187.30	164.25
2155935	single	N. A.	101.50
Ankle spring joints, aluminum			
2135747	pair	16.59	295.47
2135853	single	N. A.	190.56
Double-action ankle spring joints, aluminum			
2135887	pair	71.86	350.74
2135754	single	N. A.	209.07
2135606	Single malleolar strap	110.80	155.27
Knee joints with ring lock (Becker 1002-B4)			
2155521	pair	92.59	458.02
2155406	single	N. A.	312.59
Knee joints with lock, Swiss-type (Becker 1003-B4)			
2155547	pair	230.83	555.62
2155398	single	N. A.	326.18
Polycentric knee joints (USMC-0225-10)			
2155554	pair	73.24	438.60
2155380	single	N. A.	232.69
Polycentric knee joints, for child (Becker 1006-C8)			
2155877	pair	216.98	580.95
2155372	single	N. A.	303.08



	Eccentric uniaxial knee free joints (Becker 1008-B4)		
2155588	pair	140.94	504.94
2155364	single	N. A.	344.07
	Eccentric uniaxial ring knee joints (Becker 1012-B4)		
2155885	pair	157.54	522.96
2155356	single	N. A.	314.71
2135705	Knee cap and straps	109.08	153.53
2155737	Complete or full leather thigh lacer, without ischiatic support	149.13	405.46
2155752	Complete or full leather thigh lacer, with leather ischiatic support	304.68	571.40
2175578	Replacement of pelvic belt metal band	N. A.	180.36
2175511	Pelvic belt (leather)	N. A.	230.29
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.)	69.74	69.74
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	23.76	23.76

SUPPLEMENTS AVAILABLE

3492501	Cane	10.19	10.19
3492550	Crutches with axillary support, height-adjustable	20.38	20.38
3492551	Crutches with forearm support, height-adjustable	56.05	56.05

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2170801	Articulated coxofemoral orthosis with molded plastic femoral shell, made from plaster or digital mold of insured person, and rigid metal cuff with leather or thermoplastic tibial jacket	2,509.52		6

BASIC COMPONENTS AND SUPPLEMENTS

Regular stirrup  
Ankle free joints, aluminum (2)  
Knee free joints, aluminum (2) (Becker S-2005-B4)

Rigid metal cuff with leather or thermoplastic jacket, including tibial cover

## COMPONENTS AND SUPPLEMENTS AVAILABLE

## BASIC COMPONENTS

2135507	Regular stirrup	N. C.	129.93
2135556	Rigid metal cuff with leather or thermoplastic jacket, including tibial cover	N. C.	170.68

## Knee free joints, aluminum (Becker S-2005-B4)

2155513	pair	N. C.	363.85
2155414	single	N. A.	230.30
Ankle free joints, aluminum			
2135739	pair	N. C.	287.44
2135655	single	N. A.	175.69
2155802	Molded plastic femoral shell without ischiatic support	N. C.	388.14
2175560	Hip joint (metal part), all types	N. C.	356.10
2195527	Retention straps, each	N. C.	37.30
2175537	Pelvic belt and metal band	N. C.	319.90

## OPTIONAL COMPONENTS

2135531	Rectangular stirrup	54.28	177.09
2135523	Molded or laminated plastic stirrup, made from mold of insured person	353.15	449.05
2135606	Single malleolar strap	110.80	155.27
2135614	Double malleolar strap	130.06	176.32
2135705	Knee cap and straps	84.48	115.29
Ankle spring joints, aluminum			
2135747	pair	16.59	295.47
2135853	single	N. A.	190.56
Double-action ankle spring joints, aluminum			
2135887	pair	71.86	350.74
2135754	single	N. A.	209.07
Knee joints with ring lock (Becker 1002-B4)			
2155521	pair	92.59	458.02
2155406	single	N. A.	312.59
Knee joints with lock, Swiss-type (Becker 1003-B4)			
2155547	pair	230.83	555.62
2155398	single	N. A.	326.18
Polycentric knee joints (USMC-0225-10)			
2155554	pair	73.24	438.60
2155380	single	N. A.	232.69

	Polycentric knee joints, for child (Becker 1006-C8)		
2155877	pair	216.98	580.95
2155372	single	N. A.	303.08
	Eccentric uniaxial knee free joints (Becker 1008-B4)		
2155588	pair	140.94	504.94
2155364	single	N. A.	344.07
	Eccentric uniaxial ring knee joints (Becker 1012-B4)		
2155885	pair	157.54	522.96
2155356	single	N. A.	314.71
2155497	Molded plastic ischiatic support	107.80	N. A.
2155489	Molded plastic femoral shell with molded plastic ischiatic support	N. A.	504.77
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.)	69.74	69.74
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	23.76	23.76
2175578	Replacement of pelvic belt metal band	N. A.	180.36
2175511	Pelvic belt (leather)	N. A.	230.29
	SUPPLEMENTS AVAILABLE		
3492501	Cane	10.19	10.19
3492550	Crutches with axillary support, height-adjustable	20.38	20.38
3492551	Crutches with forearm support, height-adjustable	56.05	56.05
	ADJUSTMENTS AVAILABLE		
2136752	Stirrup changeover		85.05
-----	Any pertinent adjustment		

**SUBDIVISION 5: BILATERAL LOWER-LIMB ORTHOSES**

<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>
2190502 Femoral derotation orthosis	133.66			6
BASIC COMPONENTS AND SUPPLEMENTS				
Metal bar with ratchet, fixed to shoes				
COMPONENT AND SUPPLEMENT AVAILABLE				
2195551 Articulated metal bar	92.05	N. A.		
3325500 Boots with rigid footplate and soft shell for Ponseti method				
pair	340.16	382.68		
single	N. A.	209.11		
ADJUSTMENTS AVAILABLE				
2196509 Shoe changeover (unriveted)			40.62	
2196517 Shoe changeover (riveted)			54.10	
----- Any pertinent adjustment				
<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>
2190510 Coxofemoral derotation orthosis with torsion cable	571.30			6
BASIC COMPONENTS AND SUPPLEMENTS				
Regular stirrup				
Torsion cable				
Pelvic belt (leather)				
Hip free joint (metal part)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
2135507 Regular stirrup	N. C.	129.93		
2195535 Torsion cable	N. C.	131.04		
2175586 Hip free joint (metal part)	N. C.	110.12		
2175602 Pelvic belt (leather)	N. C.	160.55		
OPTIONAL COMPONENT				
2155570 Knee joint	163.47	186.79		

SUPPLEMENTS AVAILABLE

3492550	Crutches with axillary support, height-adjustable	20.38	20.38
3492551	Crutches with forearm support, height-adjustable	56.05	56.05

ADJUSTMENTS AVAILABLE

2136752	Stirrup changeover		85.05
-----	Any pertinent adjustment		

<b>DEVICE</b>	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2190528	Pelvifemoral abduction orthosis, custom made	388.20		6

BASIC COMPONENTS AND SUPPLEMENTS

Two plastic thigh cuffs  
Metal bar

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

<b>DEVICE</b>	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2190544	Molded plastic pelvifemoral abduction orthosis for child, made from plaster or digital mold of insured person	1,174.85		6

BASIC COMPONENTS AND SUPPLEMENTS

Molded plastic orthosis  
Retention straps

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

2195527	Retention straps, each	N. C.	37.30
---------	------------------------	-------	-------

OPTIONAL COMPONENTS

2195550	Abduction rod	131.60	154.88
3122603	Extension to feet inclusively	672.15	N. A.
2135705	Knee cap and straps	109.08	153.53

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2190536 Pelvifemoral orthosis, for young child	252.71			6
BASIC COMPONENTS AND SUPPLEMENTS				
Cloth harness or prefabricated plastic splint				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
-----	Any pertinent adjustment			
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2180008 Articulated pelvifemoral abduction orthosis, Scottish Rite-type	1,582.01			6
BASIC COMPONENTS AND SUPPLEMENTS				
Rigid metal cuffs with leather or thermoplastic femoral jacket (2)				
Metal bar				
Universal joints				
Pelvic band				
Retention straps				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
2195600 Rigid metal cuffs with leather or thermoplastic femoral jacket (2)	N. C.	295.20		
2195527 Retention straps, each	N. C.	37.30		
SUPPLEMENTS AVAILABLE				
3492550 Crutches with axillary support, height-adjustable	20.38	20.38		
3492551 Crutches with forearm support, height-adjustable	56.05	56.05		
ADJUSTMENT AVAILABLE				
-----	Any pertinent adjustment			

**SUBDIVISION 6: ADDITIONAL COMPONENTS FOR TIBIAL, FEMORAL AND COXOFEMORAL ORTHOSES**

---

		Maximum price Purchase or replacement of device	Maximum price of component alone
2135564	Regular stirrup, additional	89.40	110.00
2135598	Rectangular stirrup, additional	142.37	172.84

---

**SUBDIVISION 7: LOWER-LIMB ORTHOSES**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2190601 Other lower-limb orthoses *	S. C.			6

\* When price is below that of the similar orthosis



**DIVISION V: UPPER-LIMB ORTHOSES**

**SUBDIVISION 1: HAND ORTHOSES THAT MAY INCLUDE THE THUMB AND THE OTHER FINGERS**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
Prefabricated passive orthosis for proximal and distal interphalangeal joints				2
<b>Thumb</b>				
2210003 If first finger	162.84	N. A.		
2210011 If additional finger	38.94	N. A.		
<b>Index</b>				
2210029 If first finger	162.38	N. A.		
2210037 If additional finger	38.94	N. A.		
<b>Middle finger</b>				
2210045 If first finger	162.38	N. A.		
2210052 If additional finger	38.94	N. A.		
<b>Ring finger</b>				
2210060 If first finger	162.38	N. A.		
2210078 If additional finger	38.94	N. A.		
<b>Little finger</b>				
2210086 If first finger	162.38	N. A.		
2210094 If additional finger	38.94	N. A.		
<b>BASIC COMPONENTS AND SUPPLEMENTS</b>				
Thermoplastic or metal splint				
Straps				
<b>COMPONENT AND SUPPLEMENT AVAILABLE</b>				
None				
<b>ADJUSTMENT AVAILABLE</b>				
-----	Any pertinent adjustment			

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
Prefabricated dynamic orthosis for distal and/or proximal interphalangeal joints				2
<b>Thumb</b>				
2210102 If first finger	158.23	N. A.		
2210110 If additional finger	38.06	N. A.		

	<b>Index</b>		
2210128	If first finger	158.23	N. A.
2210136	If additional finger	38.06	N. A.
	<b>Middle finger</b>		
2210144	If first finger	158.23	N. A.
2210151	If additional finger	38.06	N. A.
	<b>Ring finger</b>		
2210169	If first finger	158.23	N. A.
2210177	If additional finger	38.06	N. A.
	<b>Little finger</b>		
2210185	If first finger	158.23	N. A.
2210193	If additional finger	38.06	N. A.

BASIC COMPONENTS AND SUPPLEMENTS

Support pads  
Springs

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

<b>DEVICE</b>	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
---------------	--	--	--------------------------------	-----------------------

2210516	Prefabricated dynamic orthosis for metacarpophalangeal joints	211.78		2
---------	---	--------	--	---

BASIC COMPONENTS AND SUPPLEMENTS

Metacarpal bars  
Phalangeal bars  
Articular pivots  
Elastic bands  
Piano wire  
Other types of springs

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

<b>DEVICE</b>	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2220010 Passive thumb orthosis including carpometacarpal, metacarpophalangeal and interphalangeal joints, made from plaster or digital mold of insured person	374.61			2
BASIC COMPONENTS AND SUPPLEMENTS				
Molded component, thermoplastic or other material				
Straps				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
-----	Any pertinent adjustment			

<b>DEVICE</b>	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2220036 Molded plastic passive thumb orthosis including carpometacarpal, metacarpophalangeal and interphalangeal joints, made from mold of insured person or prefabricated	242.58			2
BASIC COMPONENTS AND SUPPLEMENTS				
Molded thermoplastic component				
Straps				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
-----	Any pertinent adjustment			

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2220028 Dynamic thumb orthosis, which may include carpometacarpal, metacarpophalangeal and interphalangeal joints, made from plaster or digital mold of insured person	506.79			2
BASIC COMPONENTS AND SUPPLEMENTS				
Stabilizing components				
Traction apparatus made with springs				
Piano wire, elastic bands				
Straps				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
-----	Any pertinent adjustment			

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2220044 Molded plastic dynamic thumb orthosis, which may include carpometacarpal, metacarpophalangeal and interphalangeal joints, made from mold of insured person or prefabricated	312.84			2
BASIC COMPONENTS AND SUPPLEMENTS				
Stabilizing components				
Traction apparatus made with springs				
Piano wire, elastic bands				
Straps				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
-----	Any pertinent adjustment			

**SUBDIVISION 2: WRIST AND HAND ORTHOSES**

<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>
2230548 Passive orthosis for wrist and hand including fingers and thumb, palmar or dorsal, made from plaster or digital mold of insured person	539.35			2
BASIC COMPONENTS AND SUPPLEMENTS				
Splint				
Straps				
Bilateral fixed joints for dorsal orthosis				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
OPTIONAL COMPONENT				
2231124 Finger separator, including straps	19.70	N. A.		
ADJUSTMENT AVAILABLE				
----- Any pertinent adjustment				

<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>
2230555 Molded plastic passive orthosis for wrist and hand including fingers and thumb, palmar or dorsal, made from mold of insured person or prefabricated	365.68			2
BASIC COMPONENTS AND SUPPLEMENTS				
Thermoplastic splint				
Straps				
Bilateral fixed joints for dorsal orthosis				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
OPTIONAL COMPONENT				
2231124 Finger separator, including straps	19.70	N. A.		
ADJUSTMENT AVAILABLE				
----- Any pertinent adjustment				

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2230563 Passive orthosis for wrist, palmar or dorsal, including thumb extension, where applicable, made from plaster or digital mold of insured person	435.00			2
BASIC COMPONENTS AND SUPPLEMENTS				
Thermoplastic splint, palmar or dorsal, or reinforced molded leather splint, including thumb extension, where applicable				
Palmar or dorsal metacarpal bar				
Straps				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
OPTIONAL COMPONENT				
2231132 Full leather lining of thermoplastic splint	69.86	N. A.		
ADJUSTMENT AVAILABLE				
----- Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2230571 Plastic or molded plastic passive orthosis for wrist, including thumb extension, where applicable, made from mold of insured person or prefabricated	312.63			2
BASIC COMPONENTS AND SUPPLEMENTS				
Plastic or molded plastic splint, prefabricated or made from mold of insured person, including thumb extension, where applicable				
Palmar or dorsal metacarpal bar				
Straps				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
OPTIONAL COMPONENTS				
2231157 Finger traction apparatus	224.36	N. A.		

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

2231165	Flexion glove	114.70	N. A.
2231140	Wrist free joints (incompatible with wrist traction apparatus)	77.90	N. A.
2231173	Wrist traction apparatus (incompatible with wrist free joints)	93.76	N. A.

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

<b>DEVICE</b>	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
---------------	--	--	--------------------------------	-----------------------

2230589	Prefabricated static wrist and dynamic finger orthosis, which may include Swanson-type thumb	615.48		2
---------	--	--------	--	---

BASIC COMPONENTS AND SUPPLEMENTS

Transverse and longitudinal bars  
Palmar support  
Finger and thumb traction apparatus

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

<b>DEVICE</b>	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
---------------	--	--	--------------------------------	-----------------------

2230514	Custom-made tenodesis orthosis	877.82		2
---------	--------------------------------	--------	--	---

BASIC COMPONENTS AND SUPPLEMENTS

Stabilizing components for thumb, index finger and middle finger  
Metacarpophalangeal joints  
Wrist joints  
Forearm stabilizing component  
Telescoping rod

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

**SUBDIVISION 3: ELBOW, WRIST AND HAND ORTHOSES**

<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>
2250017 Molded plastic passive elbow orthosis, anterior or posterior, made from mold of insured person BASIC COMPONENTS AND SUPPLEMENTS Splint including arm and forearm Straps COMPONENTS AND SUPPLEMENTS AVAILABLE OPTIONAL COMPONENTS	422.09			2
2255511 Suspension strap	30.58	N. A.		
2255503 Elbow pad and strap	109.08	153.53		
2255529 Uniaxial or polycentric bilateral elbow joints	94.84	N. A.		
3492659 Turnbuckle ADJUSTMENT AVAILABLE	93.26	N. A.		
----- Any pertinent adjustment				

<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>
2250009 Passive elbow orthosis, anterior or posterior, made from plaster or digital mold of insured person BASIC COMPONENTS AND SUPPLEMENTS Splint including arm and forearm Straps COMPONENTS AND SUPPLEMENTS AVAILABLE OPTIONAL COMPONENTS	542.85			2
2255511 Suspension strap	30.58	N. A.		
2255503 Elbow pad and strap	109.08	153.53		
2255529 Uniaxial or polycentric bilateral elbow joints	94.84	N. A.		
3492659 Turnbuckle ADJUSTMENT AVAILABLE	93.26	N. A.		



**SUBDIVISION 4: SHOULDER, ELBOW, WRIST AND HAND ORTHOSES**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2270007 Glenohumeral orthosis, made from plaster or digital mold of insured person	542.85			2
BASIC COMPONENTS AND SUPPLEMENTS				
Shoulder-to-epicondyle molded thermoplastic sleeve				
Thoracic straps				
Velcro straps for adjusting sleeve circumference				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
OPTIONAL COMPONENT				
2255511 Suspension strap	30.58	N. A.		
ADJUSTMENT AVAILABLE				
----- Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2270510 Prefabricated adjustable passive abduction orthosis for the shoulder, elbow, wrist and hand airplane design	1,086.73			2
BASIC COMPONENTS AND SUPPLEMENTS				
Thoracic and pelvic support				
Adjustable shoulder and elbow joints				
Arm, forearm and hand splints				
Adjustable stabilizing bar between truncular and humeral support				
Anchor straps				
Pads				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
OPTIONAL COMPONENT				
2275501 Pelvihueral mobilization bar	133.10	N. A.		
ADJUSTMENT AVAILABLE				
----- Any pertinent adjustment				

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2270015 Prefabricated glenohumeral orthosis	437.46			2
BASIC COMPONENTS AND SUPPLEMENTS				
Shoulder-to-epicondyle molded thermoplastic sleeve				
Thoracic straps				
Velcro straps for adjusting sleeve circumference				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
-----	Any pertinent adjustment			

**SUBDIVISION 5: UPPER-LIMB ORTHOSES**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2290609 Other upper-limb orthoses *	S. C.			2

\* When the price is below that of the similar orthosis

**DIVISION VI: TRUNK AND CERVICAL ORTHOSES**  
**SUBDIVISION 1: TRUNK ORTHOSE**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2320505 Prefabricated lumbar sacral immobilization orthosis, to limit anteroposterior and lateral movements of the spine, molded plastic or metal structure, Harris, Knight or Williams-type	520.71			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
----- Any pertinent adjustment				

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2320604 Lumbar sacral orthosis with rigid molded thermoplastic plate, made from mold of insured person (Ortho-mold-type)	328.93			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
----- Any pertinent adjustment				

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2320513 Plastic lumbar sacral immobilization orthosis, made from plaster or digital mold of insured person	992.46			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
----- Any pertinent adjustment				

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2340503 Custom-made rigid-frame dorsal lumbar immobilization orthosis (Taylor or Harris-Taylor-type)	709.69			3
COMPONENTS AND SUPPLEMENTS AVAILABLE				
OPTIONAL COMPONENTS				
3342508 Axilla crutch	67.19	N. A.		3
2345502 Corrective pad	67.38	N. A.		3
ADJUSTMENT AVAILABLE				
----- Any pertinent adjustment				

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2340602 Dorsal lumbar orthosis with rigid molded thermoplastic plate, made from mold of insured person (Ortho-mold-type)	461.01			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
----- Any pertinent adjustment				

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2340701 Rigid dorsal lumbar immobilization orthosis covered in whale fabric (Taylor or Harris-Taylor-type) (Camp, Airway make)	389.28			3

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2340537 Plastic dorsal lumbar sacral immobilization orthosis with bilateral overlapping resulting from double molding, made from plaster or digital mold of insured person	1,579.66			3

COMPONENT AND SUPPLEMENT AVAILABLE

3125500 Minerva cervical extension	257.70	390.02		
------------------------------------	--------	--------	--	--

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2340404 Prefabricated molded plastic dorsal lumbar sacral immobilization orthosis (Boston Overlap Brace-type)	621.92			3

COMPONENT AND SUPPLEMENT AVAILABLE

3125500 Minerva cervical extension	257.70	390.02		
------------------------------------	--------	--------	--	--

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
--------	--	--	--------------------------------	-----------------------

2340578 Plastic dorsal lumbar sacral immobilization orthosis made from plaster or digital mold of insured person 1,363.04 3

COMPONENT AND SUPPLEMENT AVAILABLE

3125500 Minerva cervical extension 257.70 390.02

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
--------	---	--	--------------------------	--------------------

2350528 Prefabricated hyperextension orthosis (Jewitt, Florida Brace) 562.88 3

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
--------	---	--	--------------------------	--------------------

2380509 Cervical dorsal lumbar sacral immobilization orthosis with plastic base, made from plaster or digital mold of insured person (Milwaukee-type) 2,057.51 3

BASIC COMPONENT AND SUPPLEMENT

Pelvic component, made from plaster or digital mold of insured person

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENT

2385508 Pelvic component, made from plaster or digital mold of insured person N. C. 1,221.91 3

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2380004 Prefabricated cervical dorsal lumbar sacral immobilization orthosis with molded plastic base (Milwaukee-type)	1,629.56			3
BASIC COMPONENT AND SUPPLEMENT				
Prefabricated pelvic component				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENT				
2385516 Prefabricated pelvic component	N. C.	823.92		3
ADJUSTMENT AVAILABLE				
----- Any pertinent adjustment				

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2380020 Charleston hypercorrective cervical dorsal lumbar sacral orthosis, made from plaster or digital mold of insured person	1,483.94			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
----- Any pertinent adjustment				

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2380533 Cervical dorsal lumbar sacral orthosis (Lyonnais-type)	2,097.79			3
BASIC COMPONENT AND SUPPLEMENT				
Prefabricated pelvic component, made from plaster or digital mold of insured person				



COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENT

2385524	Prefabricated pelvic component, made from plaster or digital mold of insured person	N. C.	1,221.91	3
---------	---	-------	----------	---

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
--	--	--	--	--------------------------------	-----------------------

2380525	Prefabricated corrective dorsal lumbar orthosis (Boston-type)	1,053.40			3
---------	---	----------	--	--	---

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
--	--	--	--	--------------------------------	-----------------------

2380012	Corrective dorsal lumbar orthosis, made from plaster or digital mold of insured person (Boston-type)	1,590.83			3
---------	--	----------	--	--	---

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
--	--	--	--	--------------------------------	-----------------------

2340000	Corrective orthosis for child, Cheneau-type	2,678.30			3
---------	---	----------	--	--	---

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

**SUBDIVISION 2: CERVICAL ORTHOSES**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2370500 Thermoplastic cervical orthosis with sternal support, made from plaster or digital mold of insured person	823.44			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
-----	Any pertinent adjustment			

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2370559 Prefabricated semi-rigid cervical orthosis (Philadelphia design)	218.82			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
-----	Any pertinent adjustment			

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2370518 Cervical orthosis with multiple vertical uprights	376.40			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
-----	Any pertinent adjustment			

NOTICE: A Halo cervical orthosis (Halo vest) is not an insured device. Therefore, it cannot be considered in the same way as a Minerva cervical orthosis.

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2370526 Minerva molded plastic cervical orthosis, made from plaster or digital mold of insured person	1,654.63			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
-----	Any pertinent adjustment			
<u>NOTICE: A Halo cervical orthosis (Halo vest) is not an insured device. Therefore, it cannot be considered in the same way as a Minerva cervical orthosis.</u>				

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2370609 Minerva prefabricated cervical orthosis	969.25			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
-----	Any pertinent adjustment			
<u>NOTICE: A Halo cervical orthosis (Halo vest) is not an insured device. Therefore, it cannot be considered in the same way as a Minerva cervical orthosis.</u>				

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component	Maximum adjustment price	Guarantee (months)
2370534 Cervical orthosis (SOMI-type)	749.00			3
COMPONENTS AND SUPPLEMENTS AVAILABLE				
OPTIONAL COMPONENT				
ADJUSTMENT AVAILABLE				
-----	Any pertinent adjustment			

**SUBDIVISION 3: OTHER TRUNK AND CERVICAL ORTHOSES**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2390607 Other trunk orthoses *	S. C.			3
2371003 Other cervical orthoses *	S. C.			3

\* When the price is below that of the similar orthosis

**DIVISION VII: AMBULATION AIDS**

<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>
4490009 Quad cane, height-adjustable	35.42			12
BASIC COMPONENT AND SUPPLEMENT				
Tip				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENT				
4495727 Tip (per pair)	N. C.	2.57		
<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>
4490017 Crutches with axillary support, height-adjustable	20.24			12
BASIC COMPONENTS AND SUPPLEMENTS				
Tips (2)				
Axillary pads (2)				
Handrest covers (2)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
4495727 Tips (per pair)	N. C.	2.57		
4495743 Axillary pads (per pair)	N. C.	2.57		
4495750 Handrest covers (per pair)	N. C.	2.57		
OPTIONAL COMPONENTS				
4495768 Flip-up ice tips with four or five prongs				
Pair	10.29	N. A.		
Unit	N. A.	5.14		
<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>
4490018 Crutches with forearm support, height-adjustable	55.66			12

## BASIC COMPONENTS AND SUPPLEMENTS

Tips (2)

## COMPONENTS AND SUPPLEMENTS AVAILABLE

## BASIC COMPONENTS

4495727	Tips (per pair)	N. C.	2.57
---------	-----------------	-------	------

## OPTIONAL COMPONENTS

4495768	Flip-up ice tips with four or five prongs		
	Pair	10.29	N. A.
	Unit	N. A.	5.14

	<b>DEVICE</b>	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
4490082	Anterior walker, folding, without wheels or with wheels (2), height-adjustable	50.60			12
BASIC COMPONENTS AND SUPPLEMENTS					
Tips (2)					
COMPONENTS AND SUPPLEMENTS AVAILABLE					
BASIC COMPONENTS					
4495727	Tips (2)	N. C.	2.57		
OPTIONAL COMPONENTS					
4495776	Walker skis on rear legs				
	Pair	12.14	12.14		
	Unit	6.07	6.07		
4495826	Rear hand brakes				
	Pair	51.39	N. A.		
	Unit	N. A.	25.69		
4495784	Forearm supports				
	Pair	156.74	N. A.		
	Unit	78.38	78.38		

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
4490085 Anterior walker, without wheels or with wheels (2), height-adjustable, weighted or bariatric type	111.32			12
BASIC COMPONENTS AND SUPPLEMENTS				
Tips (2)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
4495727 Tips (per pair)	N. C.	2.57		
OPTIONAL COMPONENTS				
4495776 Walker skis on rear legs				
Pair	12.14	12.14		
Unit	6.07	6.07		
4495826 Rear hand brakes				
Pair	51.39	N. A.		
Unit	N. A.	25.69		
4495784 Forearm supports				
Pair	156.74	N. A.		
Unit	78.38	78.38		

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
4490083 Anterior walker, folding, with 2 wheels, height-adjustable, for child	156.86			12
BASIC COMPONENTS AND SUPPLEMENTS				
Tips (2)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
4495727 Tips (per pair)	N. C.	2.57		

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
4490084 Posterior walker, folding, with wheels (2 or 4), and height-adjustable, for child	232.76			12

## BASIC COMPONENTS AND SUPPLEMENTS

Tips (2)

## COMPONENTS AND SUPPLEMENTS AVAILABLE

## BASIC COMPONENTS

4495727	Tips (2)	N. C.	2.57	
---------	----------	-------	------	--

## OPTIONAL COMPONENTS

4495784	Forearm supports (2)			
	Pair	156.74	N. A.	
	Unit	78.38	78.38	

	<b>DEVICE</b>	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
4490166	Walker with wheels 4, height-adjustable with thoracic support, depth-adjustable and width-adjustable, for child	657.80			12
	BASIC COMPONENTS AND SUPPLEMENTS				
	Steel frame				
	Thoracic support, with cover				
	Flexible seat				
	Front bumpers (4)				
	Wheelbrakes (4)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
4495835	Steel frame, height-adjustable	N. C.	566.72		
4495843	Thoracic support, depth-adjustable with cover	N. C.	298.54		
4495867	Flexible seat	N. C.	69.37		
4495875	Front bumpers (4)	N. C.	N. A.		
4495883	Wheelbrakes (4)	N. C.	34.70		
	OPTIONAL COMPONENTS				
4495917	Lower-limb abductor	178.57	178.57		
4495925	Back/headrest and cover	280.09	280.09		



**DIVISION VIII: STANDING AIDS**

<b>DEVICE</b>	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2192276 Parapodium, for child (Variety Village system)	2,561.88			3
BASIC COMPONENTS AND SUPPLEMENTS				
Prefabricated parapodium orthosis				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
----- Any pertinent adjustment				
<b>DEVICE</b>	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2192292 Parapodium, for adult (Variety Village system)	3,479.50			3
BASIC COMPONENTS AND SUPPLEMENTS				
Prefabricated parapodium orthosis				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
----- Any pertinent adjustment				
<b>DEVICE</b>	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2192284 Orthopodium	1,505.48			3
BASIC COMPONENTS AND SUPPLEMENTS				
Prefabricated orthopodium				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
----- Any pertinent adjustment				

**PART II: AIDS FURNISHED SOLELY BY AN INSTITUTION  
DIVISION I: UPPER-LIMB PROSTHESES**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1242106 Myoelectric cubital prosthesis	5,945.65			6
BASIC COMPONENTS AND SUPPLEMENTS				
Single laminated plastic socket, made from plaster or digital mold of insured person				
Electrical system (1 connecting cable, 1 electrode cable, 1 coaxial outlet, 1 coupling component)				
Lamination collar (wrist)				
Pack				
Electrode (1)				
Standard battery				
Standard charger				
Prosthetic glove (Otto Bock)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1245687 Simple laminated plastic socket, made from plaster or digital mold of insured person	N. C.	2,541.03		
1245695 Electrical system (1 connecting cable, 1 electrode cable, 1 coaxial outlet, 1 coupling component)	N. C.	*		
1245703 Lamination collar (wrist)	N. C.	*		
1245752 Pack	N. C.	*		
1245711 First electrode	N. C.	*		
1245729 Additional electrode	1,559.87	1,559.87		
1245745 Additional electrode cable	88.42	88.42		
1245760 Standard battery	N. C.	*		
1245778 Standard charger	N. C.	*		
3223005 Prosthetic glove (Otto Bock)	N. C.	333.40		
OPTIONAL COMPONENTS				
1245786 Double flexoform socket	308.52	428.31		
3223039 Electric hand (Otto Bock) for one 6¼ electrode	4,539.80	4,539.80		
3223302 Electric hand (Otto Bock) for one 7¼ and 7¾ electrode	5,136.80	5,136.80		
3223310 Electric hand (Otto Bock) for one 8¼ electrode	5,382.79	5,382.79		
3223328 Electric hand (Otto Bock) for two 6¼ electrodes	4,063.03	4,063.03		
3223336 Electric hand (Otto Bock) for two 7¼ and 7¾ electrodes	5,596.30	5,596.30		
3223344 Electric hand (Otto Bock) for two 8¼ electrodes	5,882.06	5,882.06		

Electric hands (VASI):			
3223047	- 0 to 3 years for one electrode	6,216.14	6,216.14
3223054	- 2 to 6 years for two electrodes	6,216.14	6,216.14
3223062	- 5 to 9 years for two electrodes	6,625.20	6,625.20
3223070	Electric hand (Steeper), 1.75	3,920.65	3,920.65
3223351	Electric hand (Steeper), 2.00	4,085.12	4,085.12
3223369	Electric hand (Steeper), 2.25 to 3.25	4,411.27	4,411.27
3223088	Electric hand 2000 (Otto Bock) for two 5 electrodes	6,368.18	6,368.18
3223377	Electric hand 2000 (Otto Bock) for two 5½ and 6 electrodes	6,668.05	6,668.05
3223385	Electric hand 2000 (Otto Bock) for two 6½ electrodes	6,938.92	6,938.92
1245828	Electronic box for electric hand 2000	1,487.03	1,487.03
1245836	Battery (1) for electric hand 2000	42.84	42.84
1245844	Electrode cables (2) for electric hand 2000	134.06	134.06
1245802	Charger for hand 2000	143.72	143.72
3223096	Electric hook for one electrode	5,270.87	5,270.87
3223104	Electric hook for two electrodes	5,082.92	5,082.92
Electronics module system:			
3232824	Electric wrist rotator	388.34	388.34
3232832	Myoelectrically controlled prosthetic wrist, including a control unit	5,915.41	5,915.41
1245919	Rapid charger	806.61	806.61
1245810	Activating switch	258.64	258.64
Adaptations to make prosthesis mechanical:			
3232840	Quick disconnect wrist	791.87	791.87
3222965	Hook, 99X-type	630.30	699.76
1295716	Suspension harness	133.55	208.92
1295724	Control cable, terminal connections and housing (reinforced materials)	178.25	253.64

## SUPPLEMENT AVAILABLE

1245851	Conductor gel	6.90	6.90
---------	---------------	------	------

## ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

\* Repair. Indicate materials and labour. Supporting documents must be kept on file

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1242502	Myoelectric prosthesis for dislocation of wrist	5,629.41		6
BASIC COMPONENTS AND SUPPLEMENTS				

Single laminated plastic socket, made from plaster or digital mold of insured person

Electrical system (1 connecting cable, 1 electrode cable)

Pack

Electrode (1)

Standard battery

Standard charger

Prosthetic glove (Otto Bock)

#### COMPONENTS AND SUPPLEMENTS AVAILABLE

##### BASIC COMPONENTS

1245927	Single laminated plastic socket, made from plaster or digital mold of insured person	N. C.	2,394.74
1245935	Electrical system (1 connecting cable, 1 electrode cable)	N. C.	*
1245752	Pack	N. C.	*
1245711	First electrode	N. C.	*
1245729	Additional electrode	1,559.87	1,559.87
1245745	Additional electrode cable	88.42	88.42
1245760	Standard battery	N. C.	*
1245778	Standard charger	N. C.	*
3223005	Prosthetic glove (Otto Bock), fitting included	N. C.	333.40

##### OPTIONAL COMPONENTS

1245786	Double flexoform socket	308.52	428.31
3223039	Electric hand (Otto Bock) for one 6¼ electrode	4,539.80	4,539.80
3223302	Electric hand (Otto Bock) for one 7¼ or 7¾ electrode	5,136.80	5,136.80
3223310	Electric hand (Otto Bock) for one 8¼ electrode	5,382.79	5,382.79
3223328	Electric hand (Otto Bock) for two 6¼ electrodes	4,063.03	4,063.03
3223336	Electric hand (Otto Bock) for two 7¼ and 7¾ electrodes	5,596.30	5,596.30
3223344	Electric hand (Otto Bock) for two 8¼ electrodes	5,882.06	5,882.06
3223070	Electric hand (Steeper), 1.75	3,920.65	3,920.65
3223351	Electric hand (Steeper), 2.00	4,085.12	4,085.12
3223369	Electric hand (Steeper), 2.25 to 3.25	4,411.27	4,411.27
3223088	Electric hand 2000 (Otto Bock) for two 5 electrodes	6,368.18	6,368.18
3223377	Electric hand 2000 (Otto Bock) for two 5½ and 6 electrodes	6,668.05	6,668.05
3223385	Electric hand 2000 (Otto Bock) for two 6½ electrodes	6,938.92	6,938.92
1245828	Electronic box for electric hand 2000	1,487.03	1,487.03
1245836	Battery (1) for electric hand 2000	42.84	42.84
1245844	Electrode cables (2) for electric hand 2000	134.06	134.06
1245802	Charger for hand 2000	143.72	143.72
3223096	Electric hook for one electrode	5,270.87	5,270.87
3223104	Electric hook for two electrodes	5,082.92	5,082.92
1245919	Rapid charger	806.61	806.61

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

1245810 Activating switch 258.64 258.64

SUPPLEMENT AVAILABLE

1245851 Conductor gel 6.90 6.90

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

\* Repair. Indicate materials and labour. Supporting documents must be kept on file

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1262104 Myoelectric humeral prosthesis	8,915.78			6
BASIC COMPONENTS AND SUPPLEMENTS				
Single laminated plastic socket, made from plaster or digital mold of insured person				
Electrical system (1 connecting cable, 1 electrode cable, 1 coaxial outlet, 1 coupling component)				
Lamination collar (wrist)				
Elbow with internal lock, model E-400				
Pack				
Electrode (1)				
Standard battery				
Standard charger				
Prosthetic glove (Otto Bock)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				

## BASIC COMPONENTS

1245869	Single laminated plastic socket, made from plaster or digital mold of insured person	N. C.	3,317.45
1245695	Electrical system (1 connecting cable, 1 electrode cable, 1 coaxial outlet, 1 coupling component)	N. C.	*
1265529	Elbow with internal lock, model E-400	N. C.	1,193.78
1245703	Lamination collar (wrist)	N. C.	*
1245752	Pack	N. C.	*
1245711	First electrode	N. C.	*
1245729	Additional electrode	1,559.87	1,559.87
1245745	Additional electrode cable	88.42	88.42
1245760	Standard battery	N. C.	*
1245778	Standard charger	N. C.	*
3223005	Prosthetic glove (Otto Bock), fitting included	N. C.	333.40

## OPTIONAL COMPONENTS

1265560	Double flexoform socket	389.53	509.28
1265578	Additional cost of socket where elbow joint has external lock	230.79	230.79
3223039	Electric hand (Otto Bock) for one 6¼ electrode	4,539.80	4,539.80
3223302	Electric hand (Otto Bock) for one 7¼ or 7¾ electrode	5,136.80	5,136.80
3223310	Electric hand (Otto Bock) for one 8¼ electrode	5,382.79	5,382.79
3223328	Electric hand (Otto Bock) for two 6¾ electrodes	4,063.03	4,063.03
3223336	Electric hand (Otto Bock) for two 7¼ and 7¾ electrodes	5,596.30	5,596.30
3223344	Electric hand (Otto Bock) for two 8¼ electrodes	5,882.06	5,882.06
	Electric hands (VASI):		
3223047	- 0 to 3 years for one electrode	6,216.14	6,216.14
3223054	- 2 to 6 years for two electrodes	6,216.14	6,216.14
3223062	- 5 to 9 years for two electrodes	6,625.20	6,625.20
3223070	Electric hand (Steeper), 1.75	3,920.65	3,920.65
3223351	Electric hand (Steeper), 2.00	4,085.12	4,085.12
3223369	Electric hand (Steeper), 2.25 to 3.25	4,411.27	4,411.27
3223088	Electric hand 2000 (Otto Bock) for two 5 electrodes	6,368.18	6,368.18
3223377	Electric hand 2000 (Otto Bock) for two 5½ and 6 electrodes	6,668.05	6,668.05
3223385	Electric hand 2000 (Otto Bock) for two 6½ electrodes	6,938.92	6,938.92
1245828	Electronic box for electric hand 2000	1,487.03	1,487.03
1245836	Battery (1) for electric hand 2000	42.84	42.84

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

1245844	Electrode cables (2) for electric hand 2000	134.06	134.06
1245802	Charger for hand 2000	143.72	143.72
3223096	Electric hook for one electrode	5,270.87	5,270.87
3223104	Electric hook for two electrodes	5,082.92	5,082.92
Electronics module system:			
3232824	Electric wrist rotator	388.34	388.34
3232832	Myoelectrically controlled prosthetic wrist, including a control unit	5,915.41	5,915.41
1265586	Electric elbow (Hosmer) with switch (including one battery, charger, switch)	8,402.04	8,402.04
1245919	Rapid charger	806.61	806.61
1245810	Activating switch	258.64	258.64
Adaptations to make prosthesis mechanical:			
3232840	Quick disconnect wrist	791.87	791.87
3222965	Hook, 99X-type	630.30	699.76
1295716	Suspension harness	133.55	208.92
1295724	Control cable, terminal connections and housing (reinforced materials)	178.25	253.64
1295559	Flexion assist mechanism	438.96	539.69
SUPPLEMENTS AVAILABLE			
1245851	Conductor gel	6.90	6.90

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment  
\* Repair. Indicate materials and labour. Supporting documents must be kept on file

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1242205	4,613.20			6
BASIC COMPONENTS AND SUPPLEMENTS				
Single laminated plastic socket, made from plaster or digital mold of insured person				
Electrical system (1 connecting cable, 1 coaxial outlet, cable connecting switch to coaxial outlet, switch)				
Lamination collar (wrist)				
Standard batteries (2)				

## COMPONENTS AND SUPPLEMENTS AVAILABLE

## BASIC COMPONENTS

1245687	Single laminated plastic socket, made from plaster or digital mold of insured person	N. C.	2,541.03
1245885	Electrical system (1 connecting cable, 1 coaxial outlet, cable connecting switch to coaxial outlet, switch)	N. C.	*
1245703	Lamination collar (wrist)	N. C.	*
1245752	Pack	N. C.	*
1245893	Standard batteries (2)	N. C.	*
1245778	Standard charger	N. C.	*
3223005	Prosthetic glove (Otto Bock)	N. C.	333.40

## OPTIONAL COMPONENTS

1245786	Double flexoform socket	308.52	428.31
3223039	Electric hand (Otto Bock) for one 6¼ electrode	4,539.80	4,539.80
3223302	Electric hand (Otto Bock) for one 7¼ or 7¾ electrode	5,136.80	5,136.80
3223310	Electric hand (Otto Bock) for one 8¼ electrode	5,382.79	5,382.79
3223328	Electric hand (Otto Bock) for two 6¼ electrodes	4,063.03	4,063.03
3223336	Electric hand (Otto Bock) for two 7¼ and 7¾ electrodes	5,596.30	5,596.30
3223344	Electric hand (Otto Bock) for two 8¼ electrodes	5,882.06	5,882.06
	Electric hands (VASI):		
3223047	- 0 to 3 years for one electrode	6,216.14	6,216.14
3223054	- 2 to 6 years for two electrodes	6,216.14	6,216.14
3223062	- 5 to 9 years for two electrodes	6,625.20	6,625.20
3223070	Electric hand (Steeper), 1.75	3,920.65	3,920.65
3223351	Electric hand (Steeper), 2.00	4,085.12	4,085.12
3223369	Electric hand (Steeper), 2.25 to 3.25	4,411.27	4,411.27
3223096	Electric hook for one electrode	5,270.87	5,270.87
3223104	Electric hook for two electrodes	5,082.92	5,082.92
1245919	Rapid charger	806.61	806.61
1245810	Activating switch	258.64	258.64
	Adaptations to make prosthesis mechanical:		
3232840	Quick disconnect wrist	791.87	791.87
3222965	Hook, 99X-type	630.30	699.76
1295716	Suspension harness	133.55	208.92
1295724	Control cable, terminal connections and housing (reinforced materials)	178.25	253.64



SUPPLEMENTS AVAILABLE

----- Stump sock \* \*  
\* (consult Division II of this Part for the codes and prices  
of these supplements)

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

**DIVISION II: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES**

See Title One, Part I, Division III, "SOCKS FOR PROSTHESES"

**DIVISION III: AMBULATION AIDS**

4490181 Other non-listed ambulation aids S. C.

GUARANTEE PERIOD: 1 year

4490421 Non-listed ambulation aid component (S. C.) S. C.

**PART III: ELEMENTS INCLUDED IN THE PRICES OF THE DEVICES:**

1. The maximum price for the purchase or replacement of an insured device referred to in Part I or II of this Title includes the following elements:
  - (1) the maximum price for its basic components and supplements;
  - (2) the cost of its manufacture;
  - (3) the cost of fittings required while it is being manufactured, up to and including the final installation;
  - (4) the cost of fittings and repairs during the guarantee period referred to in this Title in respect of each device, beginning immediately after the final installation and during which any fitting or repair of a device used under normal conditions is made, in order to bring the device into conformity with the original medical prescription, where the beneficiary's physical condition has not changed, and to enable the beneficiary to derive maximum benefit from the device.
  
2. The maximum replacement cost of a component or supplement for a device referred to in Part I or II of this Title includes the following elements:
  - (1) the cost price of the materials;
  - (2) the cost of its manufacture, if any;
  - (3) the cost of fitting and installation.
  
3. The maximum price for a cane includes the safety tip, and the fixed price for a pair of height-adjustable axillary crutches includes the safety tips, the axillary pads and the elastomer handrest covers.
  
4. The maximum price for a standard post-operative prosthesis assumed by the Board following the amputation of a lower limb includes the supply, even if temporary, of the components required for the entire time the prosthesis is worn, the work performed in the operating room, the waiting period, the application of a rigid bandage, the fixation of the pylon and foot, and the changing of the rigid bandage as required.
  
5. The maximum price for a post-operative pneumatic prosthesis assumed by the Board following the amputation of a lower limb includes the supply, even if temporary, of the components required for the entire time the prosthesis is worn, the work performed at the institution, the waiting period, and the installation of the pneumatic lining, metallic support and means of suspension.
  
6. The maximum price for a temporary prosthesis assumed by the Board includes, for the entire time the prosthesis is worn, the supply, even if temporary, of the components, the manufacture of or modifications made to the socket, the means of suspension required, as well as the alignment and fittings required.

**TITLE TWO: LOCOMOTOR AND POSTURE ASSISTS (FURNISHED SOLELY BY AN INSTITUTION)**

**PART I: LOCOMOTOR ASSISTS**  
**DIVISION I: MANUAL WHEELCHAIRS**  
**SUBDIVISION 1: MASS GROUP 1**

		PRICE (including all the basic components)		
7210000	<b>MANUAL WHEELCHAIRS</b> CATEGORY FMA-GM 1-A-P2 (RIGID FRAME)  MOTION COMPOSITES INC.  “APEX P” DEVICE	<b>1,600.00</b>		
<b>Technical specifications of the device</b>				
<b>Maximum weight capacity:</b> 50 kg (110 lb.)				
<b>Device weight:</b> 11.7 kg (25.8 lb.)				
<b>Overall width:</b> 63 cm (24¾ in.)				
<b>Front seat-to-floor height:</b> 35.6 cm to 53.3 cm (14 in. to 21 in.)				
<b>Rear seat-to-floor height:</b> 35.6 cm to 53.3 cm (14 in. to 19.5 in.)				
BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
<b>BODY SUPPORT SYSTEM</b>				
7210001	Seat, flexible, tension adjustable; strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 25.4 cm (10 in.), 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.), 35.4 cm (14 in.) or 38.1 cm (15 in.); depths of 25.4 cm (10 in.), 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.), 35.4 cm (14 in.) or 38.1 cm (15 in.)	N. C.	85.72	1
7210002	Seat, rigid base	200.00	285.72	12
7210003	Seat cushion, multilayer, flat, 5.1 cm (2 in.); including removable, waterproof and machine washable cover	N. C.	30.00	12
7210005	Back support, flexible, non tension adjustable; heights from 22.9 cm (9 in.) to 53.3 cm (21 in.)	N. C.	52.50	1
7210006	Back support, flexible, tension adjustable	72.00	124.50	1
7210026	Push handle, with hand grip	49.00	49.00	12
7210027	Push bar, raised, removable	36.00	36.00	12
7210007	Postural support pelvic belt	20.00	20.00	12
7210008	T-shaped arm support, short, removable; height-adjustable, from 15.2 cm to 35.6 cm (6 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	41.74	1
7210009	T-shaped arm support, long, removable; height-adjustable, from 15.2 cm to 35.6 cm (6 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	41.74	1
7210011	I-shaped arm support, flip-up; with locking mechanism	75.00	116.74	1
7210010	L-shaped arm support, swing-away from 20.3 cm to 27,9 cm (8 in. to 11 in.)	N. C.	41.74	1

7210019	Clothing guard for I-shaped or L-shaped arm support	100.00	100.00	12
7210013	Arm support pad, short, straight	N. C.	6.61	1
7210014	Arm support pad, long, straight	N. C.	6.61	1
7210015	Arm support pad, tubular	N. C.	6.61	1
7210016	Arm support pad, contoured	25.00	31.61	1
7210017	Arm support pad, gel	40.00	46.61	1
7210023	Foot support, fixed	N. C.	49.35	12
7210024	Foot support, full width, flip-up, angle and depth adjustable	120.00	169.35	12
7210020	Calf support strap, single	60.00	60.00	12
7210021	Calf support strap, double	60.00	60.00	12
7210022	Heel loop, adjustable	60.00	60.00	12
<b>FRAME</b>				
7210028	Securement points for strap-type tiedowns for transport	N. C.	133.55	12
7210029	Anti-tip device	99.00	99.00	12
7210030	Reflective devices	20.00	20.00	12
7210031	Cane holder	40.00	40.00	12
<b>DRIVE SYSTEM</b>				
7210032	Handrim, smooth	N. C.	19.89	12
7210033	Handrim, plasticized	100.00	119.89	12
7210034	Handrim, anti-slip	245.00	264.89	12
7210035	Handrim, ergonomic	245.00	264.89	12
7210036	Handrim, with oblique projection	245.00	264.89	12
7210037	Parking brake, push-type activation	N. C.	23.02	12
7210038	Parking brake, pull-type activation	N. C.	23.02	12
7210039	Parking brake, scissor-type mechanism	N. C.	23.02	12
7210040	Anti-rollback brake	50.00	50.00	12
7210041	Brake lever extension, plug-in	5.00	5.00	12
7210042	Fork, adjustable height	N. C.	35.47	12
<b>WHEELS AND TIRES</b>				
7210047	Drive wheel, spoked; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N. C.	33.70	12
7210048	Drive wheel, with puncture proof tire; 55.9 cm (22 in.) or 61 cm (24 in.)	100.00	133.70	12
7210049	Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N. C.	10.08	1
7210050	Drive wheel tire, standard pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N. C.	10.08	1
7210051	Drive wheel tire, high pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	50.00	60.08	1
7210043	Caster wheel, with solid tire; 7.6 cm (3 in.), 10.2 cm (4 in.); 12.7 cm (5 in.) or 15.2 cm (6 in.)	N. C.	15.86	12
7210044	Caster wheel, semi-pneumatic tire; 10.2 cm (4 in.); 12.7 cm (5 in.) or 15.2 cm (6 in.)	N. C.	15.86	12
7210045	Caster wheel, with standard pressure inner tube tire; 15,2 cm (6 in.)	N. C.	15.86	12
7210046	Quick release drive wheel axle	N. C.	30.00	12
7210052	Adapter for amputee axle position	N. C.	N. C.	12
7210053	Spoke guards	49.00	49.00	12
7210054	Drive wheel camber; 0°, 2°, 4°, 6° or 8°	N. C.	52.90	12

7210245 <b>MANUAL WHEELCHAIRS</b>		<b>1,150.00</b>		
CATEGORY FMA-GM 1-B-P2 (FOLDING FRAME)				
SUNRISE MEDICAL CANADA INC.				
“QUICKIE 2 E” DEVICE				
<b>TECHNICAL SPECIFICATIONS OF THE DEVICE</b>				
<b>Maximum weight capacity:</b> 50 kg (110 lb.)				
<b>Device weight:</b> 15.2 kg (33.5 lb.)				
<b>Overall width :</b> 49 cm to 78.7 cm (19¼ in. à 31 in.)				
<b>Front seat-to-floor height:</b> 34.3 cm to 55.9 cm (13½ in. to 22 in.)				
<b>Rear seat-to-floor height:</b> 33 cm to 55.9 cm (13 in. to 22 in.)				
BASIC AND OPTIONAL COMPONENTS	Unit price for component during device purchase	Unit price for component replacement	Warranty (months)	
<b>BODY SUPPORT SYSTEM</b>				
7210246	Seat, flexible, tension adjustable; strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 25.4 cm (10 in.), 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.), 35.4 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.); depths of 25.4 cm (10 in.), 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.), 35.4 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.)	N. C.	35.00	1
7210317	Seat depth adjustment	N. C.	N. C.	12
7210247	Seat cushion, multilayer flat, 5.1 cm (2 in.); including removable, waterproof and machine washable cover	N. C.	50.00	12
7210249	Back support, flexible, non tension adjustable	N. C.	35.00	1
7210250	Back support, flexible, tension adjustable	40.00	75.00	1
7210251	Back support upright, straight, height and angle adjustable	N. C.	65.00	12
7210252	Back support upright, angled, height and angle adjustable	N. C.	65.00	12
7210285	Push handle, fixed, with hand grip	N. C.	15.00	12
7210286	Push handle, raised, removable	5.00	20.00	12
7210253	Pelvic positioning belt	N. C.	25.00	12
7210254	T-shaped arm support, short, removable; height-adjustable, 17.8 cm to 34.3 cm (7 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	114.00	1
7210255	T-shaped arm support, long, removable; height-adjustable, from 17.8 cm to 34.3 cm (7 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	114.00	1
7210256	U-shaped arm support, short, flip-up and removable; height-adjustable, from 21.6 cm to 34.3 cm (8½ in. of 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	114.00	1



## SCHEDULE 1

## Tariff for devices which compensate for a motor deficiency and insured related services

(authentic version)

7210257	U-shaped arm support, long, flip-up and removable; height-adjustable, from 21.6 cm to 34.3 cm (8½ in. of 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	114.00	1
7210259	I-shaped arm support, flip-up; height-adjustable, from 15.8 cm to 37.6 cm (6¼ in to 14¾ in) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	114.00	1
7210258	L-shaped arm support, swing-away; from 22.9 cm to 33 cm (9 in. to 13 in.)	N. C.	114.00	1
7210267	Clothing guard for L-shaped arm support	20.00	20.00	12
7210261	Arm support pad, short, straight	N. C.	6.00	1
7210262	Arm support pad, long, straight	N. C.	6.00	1
7210263	Arm support pad, tubular	N. C.	6.00	1
7210264	Arm support pad, contoured	9.00	15.00	1
7210265	Arm support pad, gel	14.00	20.00	1
7210268	Parallel lower leg support, swing-away inward or outward; 70°, 80° or 90°; with locking mechanism; adjustable length from 8.9 cm to 24.2 cm (3½ in. to 9½ in.) or from 22.9 cm to 50.8 cm (9 in. to 20 in.)	N. C.	55.00	12
7210270	Lower leg support, compensating elevating	55.00	110.00	12
7210275	Foot support, flip-up, not angle adjustable, standard length	N. C.	35.00	12
7210276	Foot support, flip-up, not angle adjustable, extra long	N. C.	35.00	12
7210277	Foot support, flip-up, angle and depth adjustable, standard length	N. C.	35.00	12
7210278	Foot support, flip-up, angle and depth adjustable, extra long	N. C.	35.00	12
7210279	Foot support, flip-up, full width	72.00	107.00	12
7210273	Padded calf support, angle, height and depth adjustable, including flat pad	25.00	25.00	12
7210271	Calf support strap, single	15.00	15.00	12
7210272	Calf support strap, double	18.00	18.00	12
7210274	Heel loop, adjustable	1.00	1.00	12
7210282	Back support tension bar	45.00	45.00	12
7210283	Securement for head support for back support tension bar	40.00	40.00	12
7210281	Head support, height and depth adjustable	55.00	55.00	12
7210280	Contoured cushion for head support, all sizes	35.00	35.00	12
	<b>FRAME</b>			
7210288	Securement points for strap-type tiedowns for transport	N. C.	100.00	12
7210289	Anti-tip device	N. C.	18.00	12
7210290	Reflective devices	5.00	5.00	12
7210284	Front impact guard	10.00	10.00	12
7210291	Cane holder	28.00	28.00	12
7210318	Growth kit	N. C.	N. C.	12
	<b>DRIVE SYSTEM</b>			
7210293	Handrim, smooth	N. C.	40.00	12
7210294	Handrim, plasticized	N. C.	40.00	12
7210295	Handrim, anti-slip	35.00	75.00	12

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7210296	Handrim, ergonomic	70.00	110.00	12
7210297	Handrim, with vertical projection	40.00	80.00	12
7210292	Unilateral manuel propulsion mechanism	305.00	345.00	12
7210299	Parking brake, push-type activation	N. C.	25.00	12
7210300	Parking brake, pull-type activation	N. C.	25.00	12
7210298	Parking brake, unilateral activation	125.00	150.00	12
7210301	Anti-rollback brake	36.00	36.00	12
7210302	Brake lever extension, plug-in	5.00	5.00	12
7210303	Fork, adjustable height	N. C.	15.00	12
<b>WHEELS AND TIRES</b>				
7210309	Drive wheel, spoked; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N. C.	65.00	12
7210310	Drive wheel, with puncture proof tire; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	15.00	80.00	12
7210311	Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N. C.	20.00	1
7210312	Drive wheel tire, standard pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N. C.	20.00	1
7210313	Drive wheel tire, high pressure inner tube; 55.9 cm (22 in.) or 61 cm (24 in.)	N. C.	20.00	1
7210305	Caster wheel, with semi-pneumatic tire; 10.2 cm (4 in.), 12.7 cm (5 in.), 15.2 cm (6 in.), 17.8 cm (7 in.) or 20.3 cm (8 in.)	N. C.	15.00	12
7210306	Caster wheel, with standard pressure inner tube tire; 15.2 cm (6 in.), 17.8 cm (7 in.) or 20.3 cm (8 in.)	N. C.	15.00	12
7210307	Drive wheel axle, fixed	N. C.	10.00	12
7210308	Quick release drive wheel axle	N. C.	10.00	12
7210314	Adaptor for amputee position	25.00	25.00	12
7210315	Spoke guards	20.00	20.00	12
7210316	Drive wheel camber; 0° or 2°	N. C.	2.00	12

**SUBDIVISION 2: MASS GROUP 2**

		PRICE (including all the basic components)		
7210055	<b>MANUAL WHEELCHAIRS</b> CATEGORY FMA-GM 2-A-P2 (RIGID FRAME)	<b>1,600.00</b>		
SUNRISE MEDICAL CANADA INC.				
"QUICKIE NITRUM" DEVICE				
<b>TECHNICAL SPECIFICATIONS OF THE DEVICE</b>				
<b>Maximum weight capacity:</b> 120 kg (265 lb.)				
<b>Device weight:</b> 13.2 kg (29 lb.)				
<b>Overall width :</b> 48.3 cm to 78.7 cm (19 in. to 31 in.)				
<b>Front seat-to-floor height:</b> 40.6 cm to 53.3 cm (16 in. to 20 in.)				
<b>Rear seat-to-floor height:</b> 33 cm to 50.8 cm (13 in. to 20 in.)				
BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
<b>BODY SUPPORT SYSTEM</b>				
7210056	Seat, flexible, tension adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 30.5 cm (12 in.), 33 cm (13 in.), 35.4 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.4 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N. C.	35.00	1
7210057	Seat, rigid base	115.00	150.00	12
7210058	Seat cushion, multilayer, flat, 5.1 cm (2 in.); including removable, waterproof and machine washable cover	N. C.	50.00	12
7210060	Back support, flexible, non tension adjustable; heights from 20.3 cm (8 in.) to 53.3 cm (21 in.)	N. C.	35.00	1
7210061	Back support, flexible, tension adjustable	40.00	75.00	1
7210078	Push handle with hand grip	15.00	15.00	12
7210062	Postural support pelvic belt	25.00	25.00	12
7210063	T-shaped arm support, short, removable; height-adjustable, from 16.5 cm to 34.3 cm (6½ in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	114.00	1
7210064	T-shaped arm support, long, removable; height-adjustable, from 16.5 cm to 34.3 cm (6½ in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	114.00	1
7210065	L-shaped arm support, swing-away from 22.9 cm to 35.6 cm (9 in. to 14 in.)	N. C.	114.00	1
7210072	Clothing guard for L-shaped arm support	20.00	20.00	12

## SCHEDULE 1

## Tariff for devices which compensate for a motor deficiency and insured related services

(authentic version)

7210066	Arm support pad, short, straight	N. C.	6.00	1
7210067	Arm support pad, long, straight	N. C.	6.00	1
7210068	Arm support pad, tubular	N. C.	6.00	1
7210069	Arm support pad, contoured	9.00	15.00	1
7210070	Arm support pad, gel	14.00	20.00	1
7210076	Foot support, fixed	N. C.	65.00	12
7210077	Foot support, full width, flip-up, angle and depth adjustable	N. C.	65.00	12
7210073	Calf support strap, single	15.00	15.00	12
7210074	Calf support strap, double	18.00	18.00	12
7210075	Heel loop, adjustable	1.00	1.00	12
<b>FRAME</b>				
7210079	Securement points for strap-type tiedowns for transport	N. C.	185.00	12
7210080	Anti-tip device	18.00	18.00	12
7210081	Reflective devices	5.00	5.00	12
7210082	Cane holder	28.00	28.00	12
<b>DRIVE SYSTEM</b>				
7210083	Handrim, smooth	N. C.	40.00	12
7210084	Handrim, plasticized	N. C.	40.00	12
7210085	Handrim, anti-slip	35.00	75.00	12
7210086	Handrim, ergonomic	70.00	110.00	12
7210087	Handrim, with vertical or oblique projection	40.00	80.00	12
7210088	Parking brake, push-type activation	N. C.	25.00	12
7210089	Parking brake, pull-type activation	N. C.	25.00	12
7210090	Parking brake, scissor-type mechanism	10.00	35.00	12
7210091	Anti-rollback brake	36.00	36.00	12
7210092	Brake lever extension plug-in	5.00	5.00	12
7210093	Fork, adjustable height	N. C.	35.00	12
<b>WHEELS AND TIRES</b>				
7210098	Drive wheel, spoked; 50.8 cm (20 in.), 55.9 cm (22 in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.)	N. C.	65.00	12
7210099	Drive wheel, with puncture proof tire; 50.8 cm (20 in.), 55.9 cm (22 in.), 61 cm (24 in.) or 66 cm (26 in.)	15.00	80.00	12
7210100	Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9 cm (22 in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.)	N. C.	20.00	1
7210101	Drive wheel tire, standard pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.)	N. C.	20.00	1
7210102	Drive wheel tire, high pressure inner tube; 55.9 cm (22 in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.)	N. C.	20.00	1
7210095	Caster wheel, with semi-pneumatic tire; 7.6 cm (3 in.), 10.2 cm (4 in.), 12.7 cm (5 in.) or 15.2 cm (6 in.)	N. C.	15.00	12
7210096	Caster wheel, with standard pressure inner tube tire; 15.2 cm (6 in.)	N. C.	15.00	12
7210097	Quick release drive wheel axle	N. C.	10.00	12
7210103	Adaptor for amputee position	50.00	50.00	12
7210104	Spoke guards	20.00	20.00	12
7210105	Drive wheel camber; 0°, 3° or 6°	N. C.	20.00	12

		PRICE (including all the basic components)		
7210319	<b>MANUAL WHEELCHAIRS</b>	<b>2,495.00</b>		
CATEGORY FMA-GM 2-A-P2 (FOLDING FRAME)				
MOTION COMPOSITES INC.				
"HELIO C2" DEVICE				
<b>TECHNICAL SPECIFICATIONS OF THE DEVICE</b>				
<b>Maximum weight capacity:</b> 120.2 kg (265 lb.)				
<b>Device weight:</b> 12.5 kg (26.5 lb.)				
<b>Overall width:</b> 63.5 cm (25.2 in.)				
<b>Front seat-to-floor height:</b> 33 cm to 54.6 cm (13 in. to 21½ in.)				
<b>Rear seat-to-floor height:</b> 31.8 cm to 51.4 cm (12½ in. to 21¼ in.)				
BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
<b>BODY SUPPORT SYSTEM</b>				
7210320	Seat, flexible, tension adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N. C.	20.35	1
7210321	Seat, rigid base	200.00	220.35	12
7210322	Seat cushion, multilayer foam, flat, 5.1 cm (2 in.); including removable, waterproof and machine washable cover	N. C.	30.00	12
7210324	Back support, flexible, non tension adjustable	N. C.	37.90	1
7210325	Back support, flexible, tension adjustable	20.00	57.90	1
7210326	Back support upright, straight, height and angle adjustable	N. C.	94.65	12

## SCHEDULE 1

## Tariff for devices which compensate for a motor deficiency and insured related services

(authentic version)

7210327	Back support upright, angled, height and angle adjustable	N. C.	94.65	12
7210358	Push handle, fixed, with hand grip	N. C.	49.00	12
7210328	Postural support pelvic belt	N. C.	20.00	12
7210329	T-shaped arm support, short, removable; height-adjustable, from 15.2 cm to 35.6 cm (6 in. to 10 in.), from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	41.74	1
7210330	T-shaped arm support, long, removable; height-adjustable, from 15.2 cm to 35.6 cm (6 in. to 10 in.), from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	41.74	1
7210331	U-shaped arm support, short, flip-up and removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	41.74	1
7210332	U-shaped arm support, long, flip-up and removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	41.74	1
7210333	L-shaped arm support, swing-away	N. C.	41.74	1
7210334	Arm support pad, short, straight	N. C.	6.61	1
7210335	Arm support pad, long, straight	N. C.	6.61	1
7210336	Arm support pad, tubular	N. C.	6.61	1
7210337	Arm support pad, contoured	25.00	31.60	1
7210338	Arm support pad, gel	40.00	46.61	1
7210340	Clothing guard for L-shaped arm support	100.00	100.00	12
7210341	Parallel lower leg support, swing-away outward; 60°, 70° or 80°; with locking mechanism; adjustable length from 34.3 cm to 52.1 cm (13½ in. to 20½ in.), or 90° (front mount) with locking mechanism; adjustable length from 19.1 cm to 36.9 cm (7½ in. to 14½ in.)	N. C.	36.87	12
7210342	Parallel lower leg support, swing-away inward; 60°, 70° or 80°; with locking mechanism; adjustable length from 34.3 cm to 52.1 cm (13½ in. to 20½ in.), or 90° (front mount) with locking mechanism; adjustable length from 19.1 cm to 36.9 cm (7½ in. to 14½ in.)	N. C.	36.87	12
7210343	Lower leg support, compensating elevating	130.00	166.87	12
7210348	Foot support, flip-up, not angle adjustable, standard length	N. C.	4.73	12
7210349	Foot support, flip-up, not angle adjustable, extra long	N. C.	4.73	12
7210350	Foot support, flip-up, angle and depth adjustable, standard length	25.00	29.73	12
7210351	Foot support, flip-up, angle and depth adjustable, extra long	25.00	29.73	12
7210352	Foot support, flip-up, full width	120.00	124.73	12

## SCHEDULE 1

## Tariff for devices which compensate for a motor deficiency and insured related services

(authentic version)

7210346	Padded calf support, angle, height and depth adjustable, including flat pad	85.00	85.00	12
7210344	Calf support strap, single	60.00	60.00	12
7210345	Calf support strap, double	60.00	60.00	12
7210347	Heel loop, adjustable	5.00	5.00	12
7210355	Back support tension bar	30.00	30.00	12
7210356	Securement for head support for back support tension bar	150.00	150.00	12
7210354	Head support, height and depth adjustable	90.00	90.00	12
7210353	Contoured cushion for head support, all sizes	85.00	85.00	12
<b>FRAME</b>				
7210359	Securement points for strap-type tiedowns for transport	N. C.	188.15	12
7210360	Anti-tip device	N. C.	16.93	12
7210361	Reflective devices	20.00	20.00	12
7210357	Front impact guard	35.00	35.00	12
7210362	Cane holder	60.00	60.00	12
<b>DRIVE SYSTEM</b>				
7210364	Handrim, smooth	N. C.	19.89	12
7210365	Handrim, plasticized	100.00	119.89	12
7210366	Handrim, anti-slip	245.00	264.89	12
7210367	Handrim, ergonomic	245.00	264.89	12
7210368	Handrim, with oblique projection	245.00	264.89	12
7210363	Unilateral manual propulsion mechanism	950.00	969.89	12
7210370	Parking brake, push-type activation	N. C.	23.02	12
7210371	Parking brake, pull-type activation	N. C.	23.02	12
7210369	Parking brake, unilateral activation	295.00	318.02	12
7210372	Anti-rollback brake	50.00	50.00	12
7210373	Brake lever extension, plug-in	5.00	5.00	12
7210374	Fork, adjustable height	N. C.	5.36	12
<b>WHEELS AND TIRES</b>				
7210380	Drive wheel, spoked	N. C.	33.70	12
7210381	Drive wheel, with puncture proof tire	100.00	133.70	12
7210382	Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9 cm (22 in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.)	N. C.	10.08	1
7210383	Drive wheel tire, standard pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.)	N. C.	10.08	1
7210384	Drive wheel tire, high pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.)	50.00	60.08	1
7210375	Caster wheel, with solid tire; from 7.6 cm to 20.3 cm (3 in. to 8 in.)	N. C.	15.86	12
7210376	Caster wheel, with pneumatic tire; from 10.2 cm to 15.2 cm (4 in. to 6 in.)	N. C.	15.86	12
7210377	Caster wheel, with standard pressure inner tube tire; 15.2 cm (6 in.) or 20.3 cm (8 in.)	N. C.	15.86	12
7210378	Drive wheel axle, fixed	N. C.	5.00	12
7210379	Quick release drive wheel axle	25.00	30.00	12
7210385	Adaptor for amputee position	90.00	90.00	12
7210386	Spoke guards	49.00	49.00	12
7210387	Drive wheel camber; 0°, 3° or 6°	N. C.	169.40	12

		PRICE (including all the basic components)		
7210106	<b>MANUAL WHEELCHAIRS</b> CATEGORY FMA-GM 2-B-P2 (RIGID FRAME)  SUNRISE MEDICAL CANADA INC.  “QUICKIE 5R” DEVICE	<b>1,400.00</b>		
<b>TECHNICAL SPECIFICATIONS OF THE DEVICE</b>				
<b>Maximum weight capacity:</b> 120 kg (265 lb.)				
<b>Device weight:</b> 14.7 kg (32.5 lb.)				
<b>Overall width:</b> 48.3 cm to 78.7 (19 in. to 31 in.)				
<b>Front seat-to-floor height:</b> 35.6 cm to 53.3 cm (14 in. to 21 in.)				
<b>Rear seat-to-floor height:</b> 33 cm to 50.8 cm (13 in. to 20 in.)				
BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
<b>BODY SUPPORT SYSTEM</b>				
7210107	Seat, flexible, tension adjustable; strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 30.5 cm (12 in.), 33 cm (13 in.), 35.4 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.4 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N. C.	35.00	1
7210108	Seat, rigid base	115.00	150.00	12
7210109	Seat cushion, multilayer foam, flat, 5.1 cm (2 in.); including removable, waterproof and machine washable cover	N. C.	50.00	12
7210111	Back support, flexible, non tension adjustable; heights from 25.4 cm to 53.3 cm (10 in. to 21 in.)	N. C.	35.00	1
7210112	Back support, flexible, tension adjustable	40.00	75.00	1
7210129	Push handle with hand grip	15.00	15.00	12
7210113	Postural support pelvic belt	25.00	25.00	12
7210114	T-shaped arm support, short, removable; height-adjustable, from 17.8 cm to 34.3 cm (7 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	114.00	1
7210115	T-shaped arm support, long, removable; height-adjustable, from 17.8 cm to 34.3 cm (7 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	114.00	1
7210116	L-shaped arm support, swing-away	N. C.	114.00	1
7210123	Clothing guard for L-shaped arm support	20.00	20.00	12
7210117	Arm support pad, short, straight	N. C.	6.00	1
7210118	Arm support pad, long, straight	N. C.	6.00	1
7210119	Arm support pad, tubular	N. C.	6.00	1



SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services

(authentic version)

7210120	Arm support pad, contoured	9.00	15.00	1
7210121	Arm support pad, gel	14.00	20.00	1
7210127	Foot support, fixed	N. C.	65.00	12
7210128	Foot support, full width, flip-up, angle and depth adjustable	N. C.	65.00	12
7210124	Calf support strap, single	15.00	15.00	12
7210125	Calf support strap, double	18.00	18.00	12
7210126	Heel loop, adjustable	1.00	1.00	12
<b>FRAME</b>				
7210130	Securement points for strap-type tiedowns for transport	N. C.	185.00	12
7210131	Anti-tip device	18.00	18.00	12
7210132	Reflective devices	5.00	5.00	12
7210133	Cane holder	28.00	28.00	12
<b>DRIVE SYSTEM</b>				
7210134	Handrim, smooth	N. C.	40.00	12
7210135	Handrim, plasticized	N. C.	40.00	12
7210136	Handrim, anti-slip	35.00	75.00	12
7210137	Handrim, ergonomic	70.00	110.00	12
7210138	Handrim, with vertical or oblique projection	40.00	80.00	12
7210139	Parking brake, push-type activation	N. C.	25.00	12
7210140	Parking brake, pull-type activation	N. C.	25.00	12
7210141	Parking brake, scissor-type mechanism	10.00	35.00	12
7210142	Anti-rollback brake	36.00	36.00	12
7210143	Brake lever extension, plug-in	5.00	5.00	12
7210144	Fork, adjustable height	N. C.	35.00	12
<b>WHEELS AND TIRES</b>				
7210149	Drive wheel, spoked	N. C.	65.00	12
7210150	Drive wheel, with puncture proof tire	15.00	80.00	12
7210151	Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9 cm (22 in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.)	N. C.	20.00	1
7210152	Drive wheel tire, standard pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.)	N. C.	20.00	1
7210153	Drive wheel tire, high pressure inner tube; 55.9 cm (22 in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.)	N. C.	20.00	1
7210146	Caster wheel, with semi-pneumatic tire; 7.6 cm (3 in.), 10.2 cm (4 in.), 12.7 cm (5 in.) or 15.2 cm (6 in.)	N. C.	15.00	12
7210147	Caster wheel, with standard pressure inner tube tire; 15.2 cm (6 in.)	N. C.	15.00	12
7210148	Quick release drive wheel axle	N. C.	10.00	12
7210154	Adaptor for amputee position	50.00	50.00	12
7210155	Spoke guards	20.00	20.00	12
7210156	Drive wheel camber; 0°, 3°, 4°, 6° or 8°	N. C.	20.00	12

PRICE  
(including all  
the basic  
components)

---

7210577 **MANUAL WHEELCHAIRS**  
CATEGORY FMA-GM 2-B-P2 (RIGID FRAME)

**980.00**

## MOTION COMPOSITES INC.

## “APEX A” DEVICE

**TECHNICAL SPECIFICATIONS OF THE DEVICE****Maximum weight capacity:** 120.2 kg (265 lb.)**Device weight:** 11.7 kg (24.3 lb.)**Overall width:** 60.96 cm (24¾ po)**Front seat-to-floor height:** 35.6 cm to 53.3 cm (14 in. to 21 in.)**Rear seat-to-floor height:** 35.6 cm to 50.8 cm (14 in. to 20 in.)

BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
<b>BODY SUPPORT SYSTEM</b>				
7210578	Seat, flexible, tension adjustable; strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 30.5 cm (12 in.), 33 cm (13 in.), 35.4 cm (14 in.), 38.1 cm (15 in.) 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.4 cm (14 in.), 38.1 cm (15 in.) 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.);	N. C.	85.72	1
7210579	Seat, rigid base	200.00	285.72	12
7210580	Seat cushion, multilayer, flat, 5.1 cm (2 in.); including removable, waterproof and machine washable cover	N. C.	30.00	12
7210582	Back support, flexible, non tension adjustable; heights from 22.9 cm to 53.3 cm (9 in. to 21 in.)	N. C.	52.50	1
7210583	Back support, flexible, tension adjustable	72.00	124.50	1
7210599	Push handle with hand grip	49.00	49.00	12
7210584	Postural support pelvic belt	20.00	20.00	12
7210585	T-shaped arm support, short, removable; height-adjustable, from 15.2 cm to 35.6 cm (6 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	41.74	1
7210586	T-shaped arm support, long, removable; height-adjustable, from 15.2 cm to 35.6 cm (6 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	41.74	1
7210587	L-shaped arm support, swing-away from 20.3 cm to 27,9 cm (8 in. to 11 in.)	N. C.	41.74	1
7210593	Clothing guard for L-shaped arm support	100.00	100.00	12
7210588	Arm support pad, short, straight	N. C.	6.61	1
7210589	Arm support pad, long, straight	N. C.	6.61	1
7210590	Arm support pad, tubular	N. C.	6.61	1
7210591	Arm support pad, contoured	25.00	31.61	1
7210592	Arm support pad, gel	40.00	46.61	1
7210597	Foot support, fixed	N. C.	49.35	12
7210598	Foot support, full width, flip-up, angle and depth adjustable;	120.00	169.35	12

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7210594	Calf support strap, single	60.00	60.00	12
7210595	Calf support strap, double	60.00	60.00	12
7210596	Heel loop, adjustable	60.00	60.00	12
<b>FRAME</b>				
7210600	Securement points for strap-type tiedowns for transport	N. C.	133.55	12
7210601	Anti-tip device	99.00	99.00	12
7210602	Reflective devices	20.00	20.00	12
7210603	Cane holder	40.00	40.00	12
<b>DRIVE SYSTEM</b>				
7210604	Handrim, smooth	N. C.	19.89	12
7210605	Handrim, plasticized	100.00	119.89	12
7210606	Handrim, anti-slip	245.00	264.89	12
7210607	Handrim, ergonomic	245.00	264.89	12
7210608	Handrim, with oblique projection	245.00	264.89	12
7210609	Parking brake, push-type activation	N. C.	23.02	12
7210610	Parking brake, pull-type activation	N. C.	23.02	12
7210611	Parking brake, scissor-type mechanism	N. C.	23.02	12
7210612	Anti-rollback brake	50.00	50.00	12
7210613	Brake lever extension, plug-in	5.00	5.00	12
7210614	Fork, adjustable height	N. C.	35.47	12
<b>WHEELS AND TIRES</b>				
7210619	Drive wheel, spoked; 50.8 cm (20 in.), 55.9 cm (22 in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.)	N. C.	33.70	12
7210620	Drive wheel, with puncture proof tire; 55.9 cm (22 in.), 61 cm (24 in.) or 66 cm (26 in.)	100.00	133.70	12
7210621	Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N. C.	10.08	1
7210622	Drive wheel tire, standard pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.)	N. C.	10.08	1
7210623	Drive wheel tire, high pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.)	50.00	60.08	1
7210615	Caster wheel, with solid tire; 7.6 cm (3 in.), 10.2 cm (4 in.), 12.7 cm (5 in.) or 15.2 cm (6 in.)	N. C.	15.86	12
7210616	Caster wheel, with semi-pneumatic tire; 10.2 cm (4 in.), 12.7 cm (5 in.) or 15.2 cm (6 in.)	N. C.	15.86	12
7210617	Caster wheel, with standard pressure inner tube tire; 15.2 cm (6 in.)	N. C.	15.86	12
7210618	Quick release drive wheel axle	N. C.	30.00	12
7210624	Adapter for amputee axle position	N. C.	N. C.	12
7210625	Spoke guards	49.00	49.00	12
7210626	Drive wheel camber; 0°, 2°, 4°, 6° or 8°	N. C.	52.90	12

PRICE  
(including all  
the basic  
components)

---

7210388 **MANUAL WHEELCHAIRS**

**1,050.00**

CATEGORY FMA-GM 2-B-P2 (FOLDING FRAME)

SUNRISE MEDICAL CANADA INC.

## "QUICKIE Q2 LITE" DEVICE

**TECHNICAL SPECIFICATIONS OF THE DEVICE****Maximum weight capacity:** 120 kg (265 lb.)**Device weight:** 15 kg (33 lb.)**Overall width :** 48.9 cm to 78.7 cm (19¼ in. to 31 in.)**Front seat-to-floor height:** 35.6 cm to 53.3 cm (14 in. to 21 in.)**Rear seat-to-floor height:** 33 cm to 53.3 cm (13 in. to 21 in.)

BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
<b>BODY SUPPORT SYSTEM</b>				
7210389	Seat, flexible, tension adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 35.4 cm (14 in.), 38.1 cm (15 in.) 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 35.4 cm (14 in.), 38.1 cm (15 in.) 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N. C.	35.00	1
7210390	Seat, rigid base	115.00	150.00	12
7210391	Seat cushion, multilayer foam, flat, 5.1 cm (2 in.); including removable, waterproof and machine washable cover	N. C.	50.00	12
7210393	Back support, flexible, non tension adjustable	N. C.	35.00	1
7210394	Back support, flexible, tension adjustable	40.00	75.00	1
7210395	Back support upright, straight, height and angle adjustable	N. C.	65.00	12
7210396	Back support upright, angled, height and angle adjustable	N. C.	65.00	12
7210427	Push handle, fixed, with hand grip	N. C.	15.00	12
7210397	Pelvic positioning belt	N. C.	25.00	12
7210398	T-shaped arm support, short, removable; height-adjustable, from 17.8 cm to 34.3 cm (7 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	114.00	1
7210399	T-shaped arm support, long, removable; height-adjustable, from 17.8 cm to 34.3 cm (7 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	114.00	1
7210400	U-shaped arm support, short, flip-up and removable; height-adjustable, from 21.6 cm to 34.3 cm (8½ in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	114.00	1
7210401	U-shaped arm support, long, flip-up and removable; height-adjustable, from 21.6 cm to 34.3 cm (8½ in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	114.00	1
7210402	L-shaped arm support, swing-away	N. C.	114.00	1
7210409	Clothing guard for L-shaped arm support	20.00	20.00	12

## SCHEDULE 1

## Tariff for devices which compensate for a motor deficiency and insured related services

(authentic version)

7210403	Arm support pad, short, straight	N. C.	6.00	1
7210404	Arm support pad, long, straight	N. C.	6.00	1
7210405	Arm support pad, tubular	N. C.	6.00	1
7210406	Arm support pad, contoured	9.00	15.00	1
7210407	Arm support pad, gel	14.00	20.00	1
7210410	Parallel lower leg support, swing-away outward or inward; 70° or 80°; with locking mechanism; adjustable length from 8.9 cm to 24.1 cm (3½ in. to 9½ in.); or 60°, 70° or 80°; with locking mechanism; adjustable length from 22.9 cm to 50.8 cm (9 in. to 20 in.)	N. C.	55.00	12
7210412	Lower leg support, compensating elevating	55.00	110.00	12
7210417	Foot support, flip-up, not angle adjustable, standard length	N. C.	35.00	12
7210418	Foot support, flip-up, not angle adjustable, extra long	N. C.	35.00	12
7210419	Foot support, flip-up, angle and depth adjustable, standard length	N. C.	35.00	12
7210420	Foot support, flip-up, angle and depth adjustable, extra long	N. C.	35.00	12
7210421	Foot support, flip-up, full width	72.00	107.00	12
7210415	Padded calf support, angle, height and depth adjustable, including flat pad	25.00	25.00	12
7210413	Calf support strap, single	15.00	15.00	12
7210414	Calf support strap, double	18.00	18.00	12
7210416	Heel loop, adjustable	1.00	1.00	12
7210424	Back support tension bar	45.00	45.00	12
7210425	Securement for head support for back support tension bar	40.00	40.00	12
7210423	Head support, height and depth adjustable	55.00	55.00	12
7210422	Contoured cushion for head support, all sizes	35.00	35.00	12
<b>FRAME</b>				
7210428	Securement points for strap-type tiedowns for transport	N. C.	100.00	12
7210429	Anti-tip device	N. C.	18.00	12
7210430	Reflective devices	5.00	5.00	12
7210426	Front impact guard	10.00	10.00	12
7210431	Cane holder	28.00	28.00	12
<b>DRIVE SYSTEM</b>				
7210433	Handrim, smooth	N. C.	40.00	12
7210434	Handrim, plasticized	N. C.	40.00	12
7210435	Handrim, anti-slip	35.00	75.00	12
7210436	Handrim, ergonomic	70.00	110.00	12
7210437	Handrim, with vertical or oblique projection	40.00	80.00	12
7210432	Unilateral manuel propulsion mechanism	305.00	345.00	12
7210439	Parking brake, push-type activation	N. C.	25.00	12
7210440	Parking brake, pull-type activation	N. C.	25.00	12
7210438	Parking brake, unilateral activation	125.00	150.00	12
7210441	Anti-rollback brake	36.00	36.00	12
7210442	Brake lever extension, plug-in	5.00	5.00	12
7210443	Fork, adjustable height	N. C.	15.00	12

**WHEELS AND TIRES**

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7210449	Drive wheel, spoked	N. C.	65.00	12
7210450	Drive wheel, with puncture proof tire	15.00	80.00	12
7210451	Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9 cm (22 in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.)	N. C.	20.00	1
7210452	Drive wheel tire, standard pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.)	N. C.	20.00	1
7210453	Drive wheel tire, high pressure inner tube; 55.9 cm (22 in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.)	N. C.	20.00	1
7210445	Caster wheel, with semi-pneumatic tire; 7.6 cm (3 in.), 10.2 cm (4 in.), 12.7 cm (5 in.), 15.2 cm (6 in.) or 20.3 cm (8 in.)	N. C.	15.00	12
7210446	Caster wheel, with standard pressure inner tube tire; 15.2 cm (6 in.)	N. C.	15.00	12
7210447	Drive wheel axle, fixed	N. C.	10.00	12
7210448	Quick release drive wheel axle	N. C.	10.00	12
7210454	Adaptor for amputee position	25.00	25.00	12
7210455	Spoke guards	20.00	20.00	12
7210456	Drive wheel camber; 0° or 2°	N. C.	2.00	12

PRICE  
(including all  
the basic  
components)

---

7210627 **MANUAL WHEELCHAIRS** **1,055.00**

CATEGORY FMA-GM 2-B-P2 (FOLDING FRAME)

ORTHOFAB INC.

“PRIMA” DEVICE

---

**TECHNICAL SPECIFICATIONS OF THE DEVICE**

**Maximum weight capacity:** 120 kg (265 lb.)

**Device weight:** 15 kg (33.6 lb.)

**Overall width:** 66 cm (26 in.)

**Front seat-to-floor height:** 35.6 cm to 50.8 cm (14 in. to 20 in.)

**Rear seat-to-floor height:** 34.3 cm to 52.1 cm (13½ in. to 20½ in.)

---

	BASIC AND OPTIONAL COMPONENTS	Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
	<b>BODY SUPPORT SYSTEM</b>			
7210628	Seat, flexible, tension adjustable; strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N. C.	40.00	60
7210629	Seat, rigid base	20.00	60.00	60

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7210630	Seat cushion, injected foam, flat, 5.1 cm (2 in.); including removable, waterproof and machine washable cover	N. C.	80.00	60
7210632	Back support, flexible, non tension adjustable	N. C.	100.00	60
7210633	Back support, flexible, tension adjustable	N. C.	100.00	60
7210634	Back support upright, straight, height and angle adjustable	N. C.	75.00	60
7210635	Back support upright, angled, height and angle adjustable	N. C.	75.00	60
7210665	Push handle, fixed, with hand grip	N. C.	10.00	60
7210636	Pelvic positioning belt	N. C.	10.00	60
7210637	T-shaped arm support, short, removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	110.00	60
7210638	T-shaped arm support, long, removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	110.00	60
7210639	U-shaped arm support, short, flip-up and removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	110.00	60
7210640	U-shaped arm support, long, flip-up and removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	110.00	60
7210641	L-shaped arm support, swing-away; including clothing guard	N. C.	110.00	60
7210642	Arm support pad, short, straight	N. C.	8.00	60
7210643	Arm support pad, long, straight	N. C.	8.00	60
7210644	Arm support pad, tubular	8.00	16.00	60
7210645	Arm support pad, contoured	20.00	28.00	60
7210646	Arm support pad, gel	72.00	80.00	60
7210648	Parallel lower leg support, swing-away outward; 60° or 70°; with locking mechanism; adjustable length from 30.5 cm to 35.6 cm (12 in. to 14 in.), or from 35.6 cm to 45.7 cm (14 in. to 18 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.); or 90°; with locking mechanism; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.)	N. C.	20.00	60
7210649	Parallel lower leg support, swing-away inward; 60° or 70°; with locking mechanism; adjustable length from 30.5 cm to 35.6 cm (12 in. to 14 in.), or from 35.6 cm to 45.7 cm (14 in. to 18 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.); or 90°; with locking mechanism; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.)	N. C.	20.00	60
7210650	Lower leg support, compensating elevating	100.00	120.00	60
7210655	Foot support, flip-up, not angle adjustable, standard length	N. C.	15.00	60

## SCHEDULE 1

## Tariff for devices which compensate for a motor deficiency and insured related services

(authentic version)

7210656	Foot support, flip-up, not angle adjustable, extra long	N. C.	15.00	60
7210657	Foot support, flip-up, angle and depth adjustable, standard length	N. C.	15.00	60
7210658	Foot support, flip-up, angle and depth adjustable, extra long	45.00	60.00	60
7210659	Foot support, flip-up, full width	85.00	100.00	60
7210653	Padded calf support, angle, height and depth adjustable, including flat pad	50.00	50.00	60
7210651	Calf support strap, single	15.00	15.00	60
7210652	Calf support strap, double	30.00	30.00	60
7210654	Heel loop, adjustable	5.00	5.00	60
7210662	Back support tension bar	35.00	35.00	60
7210663	Securement for head support for back support tension bar	90.00	90.00	60
7210661	Head support, height and depth adjustable	40.00	40.00	60
7210660	Contoured cushion for head support, all sizes	40.00	40.00	60
<b>FRAME</b>				
7210666	Securement points for strap-type tiedowns for transport	N. C.	N. C.	60
7210667	Anti-tip device	N. C.	12.00	60
7210668	Reflective devices	50.00	50.00	60
7210664	Front impact guard	5.00	5.00	60
7210669	Cane holder	25.00	25.00	60
<b>DRIVE SYSTEM</b>				
7210671	Handrim, smooth	N. C.	80.00	60
7210672	Handrim, plasticized	N. C.	80.00	60
7210673	Handrim, anti-slip	80.00	160.00	60
7210674	Handrim, ergonomic	140.00	220.00	60
7210675	Handrim, with oblique projection	N. C.	80.00	60
7210670	Unilateral manuel propulsion mechanism	470.00	550.00	60
7210677	Parking brake, push-type activation	N. C.	30.00	60
7210678	Parking brake, pull-type activation	N. C.	30.00	60
7210676	Parking brake, unilateral activation	140.00	170.00	60
7210679	Anti-rollback brake	45.00	45.00	60
7210680	Brake lever extension, telescopic	10.00	10.00	60
7210681	Fork, adjustable height	N. C.	20.00	60
<b>WHEELS AND TIRES</b>				
7210687	Drive wheel, spoked	N. C.	30.00	60
7210688	Drive wheel, with puncture proof tire	N. C.	30.00	60
7210689	Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N. C.	30.00	60
7210690	Drive wheel tire, standard pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N. C.	30.00	60
7210691	Drive wheel tire, high pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N. C.	30.00	60
7210683	Caster wheel, with semi-pneumatic tire; 12.7 cm (5 in.), 15.2 cm (6 in.), 17.8 cm (7 in.) or 20.3 cm (8 in.)	N. C.	40.00	60
7210684	Caster wheel, with standard pressure inner tube tire; 15.2 cm (6 in.) or 20.3 cm (8 in.)	N. C.	40.00	60
7210685	Drive wheel axle, fixed	N. C.	7.00	60



## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7210686	Quick release drive wheel axle	N. C.	7.00	60
7210692	Adaptor for amputee position	50.00	50.00	60
7210693	Spoke guards	70.00	70.00	60
7210694	Drive wheel camber; 3°	N. C.	N. C.	60

PRICE  
(including all  
the basic  
components)

**7210457 MANUAL WHEELCHAIRS****1,055.00**

CATEGORY FMA-GM 2-C-P1 (FOLDING FRAME)

ORTHO FAB INC.

"PRIMA 4" DEVICE

**TECHNICAL SPECIFICATIONS OF THE DEVICE****Maximum weight capacity:** 120 kg (265 lb.)**Device weight:** 15.9 kg (35 lb.)**Overall width :** 67.3 cm (26½ in.)**Front seat-to-floor height:** 35.6 cm to 50.8 cm (14 in. to 20 in.)**Rear seat-to-floor height:** 33 cm to 49.6 cm (13 in. to 19½ in.)

	BASIC AND OPTIONAL COMPONENTS	Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
	<b>BODY SUPPORT SYSTEM</b>			
7210458	Seat, flexible, tension adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N. C.	40.00	60
7210459	Seat cushion, injected foam, flat, 5.1 cm (2 in.); including removable, waterproof and machine washable cover	N. C.	80.00	60
7210461	Back support, flexible, non tension adjustable	N. C.	100.00	60
7210462	Back support, flexible, tension adjustable	N. C.	100.00	60
7210463	Back support upright, straight, height and angle adjustable	N. C.	75.00	60
7210464	Back support upright, angled, height and angle adjustable	N. C.	75.00	60
7210487	Push handle, fixed, with hand grip	N. C.	10.00	60
7210465	Pelvic positioning belt	N. C.	10.00	60
7210466	T-shaped arm support, short, removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	110.00	60

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7210467	T-shaped arm support, long, removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	110.00	60
7210468	U-shaped arm support, short, flip-up and removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	110.00	60
7210469	U-shaped arm support, long, flip-up and removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	110.00	60
7210470	Arm support pad, short, straight	N. C.	8.00	60
7210471	Arm support pad, long, straight	N. C.	8.00	60
7210472	Arm support pad, contoured	20.00	28.00	60
7210473	Arm support pad, gel	72.00	80.00	60
7210475	Parallel lower leg support, swing-away inward or outward; 60° or 70°; with locking mechanism; adjustable length from 30.5 cm to 35.6 cm (12 in. to 14 in.), or from 35.6 cm to 45.7 cm (14 in. to 18 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.); or 90°; with locking mechanism; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.)	N. C.	50.00	60
7210476	Lower leg support, compensating elevating	N. C.	50.00	60
7210480	Foot support, flip-up, not angle adjustable, standard length	N. C.	15.00	60
7210481	Foot support, flip-up, not angle adjustable, extra long	N. C.	15.00	60
7210482	Foot support, flip-up, angle and depth adjustable, standard length	N. C.	15.00	60
7210483	Foot support, flip-up, angle and depth adjustable, extra long	25.00	40.00	60
7210478	Padded calf support, angle, height and depth adjustable, including flat pad	50.00	50.00	60
7210477	Calf support strap, single	15.00	15.00	60
7210479	Heel loop, adjustable	5.00	5.00	60
7210485	Head support, height and depth adjustable	40.00	40.00	60
7210484	Contoured cushion for head support, all sizes	40.00	40.00	60
<b>FRAME</b>				
7210488	Securement points for strap-type tiedowns for transport	N. C.	N. C.	60
7210489	Anti-tip device	N. C.	12.00	60
7210490	Reflective devices	50.00	50.00	60
7210486	Front impact guard	5.00	5.00	60
7210491	Cane holder	25.00	25.00	60
<b>DRIVE SYSTEM</b>				
7210493	Handrim, smooth	N. C.	80.00	60
7210494	Handrim, plasticized	N. C.	80.00	60
7210492	Unilateral manual propulsion mechanism	470.00	550.00	60

7210495	Parking brake, push-type activation	N. C.	30.00	60
7210496	Parking brake, pull-type activation	N. C.	30.00	60
7210497	Brake lever extension, telescopic	10.00	10.00	60
7210498	Fork, adjustable height	N. C.	20.00	60
<b>WHEELS AND TIRES</b>				
7210503	Drive wheel, spoked	N. C.	30.00	60
7210504	Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N. C.	30.00	60
7210505	Drive wheel tire, standard pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N. C.	30.00	60
7210500	Caster wheel, with semi-pneumatic tire; 12.7 cm (5 in.), 15.2 cm (6 in.), 17.8 cm (7 in.) or 20.3 cm (8 in.)	N. C.	40.00	60
7210501	Drive wheel axle, fixed	N. C.	7.00	60
7210502	Quick release drive wheel axle	N. C.	7.00	60
7210506	Adaptor for amputee position	50.00	50.00	60
7210507	Drive wheel camber; 3°	N. C.	N. C.	60

PRICE  
(including all  
the basic  
components)

---

7210695 **MANUAL WHEELCHAIRS** **885.00**

CATEGORY FMA-GM 2-C-P1 (FOLDING FRAME)

MOTION COMPOSITES INC.

“HELIO A6” DEVICE

---

**TECHNICAL SPECIFICATIONS OF THE DEVICE**

**Maximum weight capacity:** 120 kg (265 lb.)  
**Device weight:** 13.9 kg (30.6 lb.)  
**Overall width :** 63.5 cm (25 in.)  
**Front seat-to-floor height:** 30.5 cm to 52.1 cm (12 in. to 20½ in.)  
**Rear seat-to-floor height:** 30.5 cm to 51.4 cm (12 in. to 20¼ in.)

---

BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
<b>BODY SUPPORT SYSTEM</b>				
7210696	Seat, flexible, tension adjustable; strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N. C.	20.35	1

## SCHEDULE 1

## Tariff for devices which compensate for a motor deficiency and insured related services

(authentic version)

7210697	Seat cushion, multilayer foam, flat, 5.1 cm (2 in.); including removable, waterproof and machine washable cover	N. C.	30.00	12
7210699	Back support, flexible, non tension adjustable	N. C.	32.16	1
7210700	Back support, flexible, tension adjustable	20.00	52.16	1
7210701	Back support upright, straight, height and angle adjustable	N. C.	66.42	12
7210702	Back support upright, angled, height and angle adjustable	N. C.	66.42	12
7210724	Push handle, fixed, with hand grip	N. C.	49.00	12
7210703	Pelvic positioning belt	N. C.	20.00	12
7210704	T-shaped arm support, short, removable; height-adjustable, from 15.2 cm to 35.6 cm (6 in. to 10 in.), from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	41.74	1
7210705	T-shaped arm support, long, removable; height-adjustable, from 15.2 cm to 35.6 cm (6 in. to 10 in.), from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	41.74	1
7210706	U-shaped arm support, short, flip-up and removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	41.74	1
7210707	U-shaped arm support, long, flip-up and removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	41.74	1
7210708	Arm support pad, short, straight	N. C.	6.61	1
7210709	Arm support pad, long, straight	N. C.	6.61	1
7210710	Arm support pad, contoured	25.00	31.61	1
7210711	Arm support pad, gel	40.00	46.61	1
7210712	Parallel lower leg support, swing-away outward; 60°, 70° or 80°; with locking mechanism; adjustable length from 34.3 cm to 52.1 cm (13½ in. to 20½ in.), or 90° (front mount) with locking mechanism; adjustable length from 19.1 cm to 36.9 cm (7½ in. to 14½ in.)	N. C.	36.87	12
7210713	Lower leg support, compensating elevating	130.00	166.87	12
7210717	Foot support, flip-up, not angle adjustable, standard length	N. C.	4.73	12
7210718	Foot support, flip-up, not angle adjustable, extra long	N. C.	4.73	12
7210719	Foot support, flip-up, angle and depth adjustable, standard length	25.00	29.73	12
7210720	Foot support, flip-up, angle and depth adjustable, extra long	25.00	29.73	12
7210715	Padded calf support, angle, height and depth adjustable, including flat pad	85.00	85.00	12
7210714	Calf support strap, single	60.00	60.00	12
7210716	Heel loop, adjustable	5.00	5.00	12

7210722	Head support, height and depth adjustable	90.00	90.00	12
7210721	Contoured cushion for head support, all sizes	85.00	85.00	12
<b>FRAME</b>				
7210725	Securement points for strap-type tiedowns for transport	N. C.	104.45	12
7210726	Anti-tip device	N. C.	16.93	12
7210727	Reflective devices	20.00	20.00	12
7210723	Front impact guard	35.00	35.00	12
7210728	Cane holder	60.00	60.00	12
<b>DRIVE SYSTEM</b>				
7210730	Handrim, smooth	N. C.	19.89	12
7210731	Handrim, plasticized	100.00	119.89	12
7210729	Unilateral manuel propulsion mechanism	298.13	318.02	12
7210732	Parking brake, push-type activation	N. C.	23.02	12
7210733	Parking brake, pull-type activation	N. C.	23.02	12
7210734	Brake lever extension, plug-in	5.00	5.00	12
7210735	Fork, adjustable height	N. C.	5.36	12
<b>WHEELS AND TIRES</b>				
7210740	Drive wheel, spoked	N. C.	33.70	12
7210741	Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N. C.	10.08	1
7210742	Drive wheel tire, standard pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.)	N. C.	10.08	1
7210736	Caster wheel, with solid tire; from 7.6 cm to 20.3 cm (3 in. to 8 in.)	N. C.	15.86	12
7210737	Caster wheel, with semi-pneumatic tire; from 10.2 cm to 15.2 cm (4 in. to 6 in.)	N. C.	15.86	12
7210738	Drive wheel axle, fixed	N. C.	5.00	12
7210739	Quick release drive wheel axle	25.00	30.00	12
7210743	Adaptor for amputee position	90.00	90.00	12
7210744	Drive wheel camber; 0° or 3°	N. C.	169.40	12

PRICE  
(including all  
the basic  
components)

---

**7210745 MANUAL WHEELCHAIRS**
**985.00**

CATEGORY FMA-GM 2-C-P1 (FOLDING FRAME)

LES ÉQUIPEMENTS ADAPTÉS PHYSIPRO INC.

"XL5" DEVICE

---

**TECHNICAL SPECIFICATIONS OF THE DEVICE**
**Maximum weight capacity:** 120 kg (265 lb.)

**Device weight:** 18.9 kg (37.7 lb.)

**Overall width :** 57.2 cm à 72.3 cm (22½ in. to 28½ in.)

**Front seat-to-floor height:** 29.3 cm to 53.3 cm (11½ in. to 21 in.)

**Rear seat-to-floor height:** 29.3 cm to 49.6 cm (11½ in. to 19½ in.)

BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
<b>BODY SUPPORT SYSTEM</b>				
7210746	Seat, flexible, tension adjustable; strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)	N. C.	30.00	1
7210747	Seat cushion, multilayer foam, flat, 5.1 cm (2 in.), 7.6 cm (3 in.) or 10.2 cm (4 in.); including removable, waterproof and machine washable cover	N. C.	84.00	12
7210749	Back support, flexible, non tension adjustable	N. C.	35.50	1
7210750	Back support, flexible, tension adjustable	59.50	95.00	1
7210751	Back support upright, straight, height and angle adjustable	N. C.	28.00	12
7210752	Back support upright, angled, height and angle adjustable	N. C.	28.00	12
7210774	Push handle, fixed, with hand grip	N. C.	17.50	12
7210753	Pelvic positioning belt	N. C.	15.50	12
7210754	T-shaped arm support, short, removable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	90.00	1
7210755	T-shaped arm support, long, removable; height-adjustable, from 20.3 cm to 35.6 cm (8 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	90.00	1
7210756	U-shaped arm support, short, flip-up and removable; height-adjustable, from 17.2 cm to 24.2 cm (6¾ in. to 9½ in.) or from 21.6 cm to 33 cm (8½ in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	90.00	1
7210757	U-shaped arm support, long, flip-up and removable; height-adjustable, from 30.5 cm to 41.9 cm (12 in. to 16½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	90.00	1
7210758	Arm support pad, short, straight	N. C.	5.50	1
7210759	Arm support pad, long, straight	N. C.	5.50	1
7210760	Arm support pad, contoured	34.50	40.00	1
7210761	Arm support pad, gel	50.50	56.00	1
7210762	Parallel lower leg support, swing-away outward; 60°, 70° or 90°; with locking mechanism; adjustable length from 26.7 cm to 33 cm (10½ in. to 13 in.), from 30.5 cm to 43.2 cm (12 in. to 17 in.) or from 40.6 cm to 53.3 cm (16 in. to 21 in.)	N. C.	59.50	12
7210763	Lower leg support, compensating elevating	130.50	190.00	12

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7210767	Foot support, flip-up, not angle adjustable, standard length	N. C.	28.00	12
7210768	Foot support, flip-up, not angle adjustable, extra long	7.00	35.00	12
7210769	Foot support, flip-up, angle and depth adjustable, standard length	22.00	50.00	12
7210770	Foot support, flip-up, angle and depth adjustable, extra long	37.00	65.00	12
7210765	Padded calf support, angle, height and depth adjustable, including flat or contoured pad	60.50	60.50	12
7210764	Calf support strap, single	20.00	20.00	12
7210766	Heel loop, adjustable	3.00	3.00	12
7210772	Head support, height and depth adjustable	80.00	80.00	12
7210771	Contoured cushion for head support, all sizes	57.00	57.00	12
<b>FRAME</b>				
7210775	Securement points for strap-type tiedowns for transport	N. C.	5.00	12
7210776	Anti-tip device	N. C.	17.00	12
7210777	Reflective devices	5.00	5.00	12
7210773	Front impact guard	35.00	35.00	12
7210778	Cane holder	30.00	30.00	12
<b>DRIVE SYSTEM</b>				
7210780	Handrim, smooth	N. C.	16.00	12
7210781	Handrim, plasticized	18.00	34.00	12
7210779	Unilateral manual propulsion mechanism	804.00	820.00	12
7210782	Parking brake, push-type activation	N. C.	25.00	12
7210783	Parking brake, pull-type activation	N. C.	25.00	12
7210784	Brake lever extension, telescopic or fixe	10.00	10.00	12
7210785	Fork, adjustable height	N. C.	12.00	12
<b>WHEELS AND TIRES</b>				
7210790	Drive wheel, spoked	N. C.	24.50	12
7210791	Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N. C.	21.00	1
7210792	Drive wheel tire, standard pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N. C.	21.00	1
7210787	Caster wheel, with semi-pneumatic tire; 12.7 cm (5 in.), 15.2 cm (6 in.), 17.8 cm (7 in.) or 20.3 cm (8 in.)	N. C.	11.25	12
7210788	Drive wheel axle, fixed	N. C.	5.00	12
7210789	Quick release drive wheel axle	5.00	10.00	12
7210793	Adaptor for amputee position	20.00	20.00	12
7210794	Drive wheel camber; 0° or 3°	N. C.	50.00	12

PRICE  
(including all  
the basic  
components)

---

7210795 **MANUAL WHEELCHAIRS** **1,150.00**

CATEGORY FMA-GM 2-C-P1 (FOLDING FRAME)

SUNRISE MEDICAL CANADA INC.

## "QUICKIE 2" DEVICE

**TECHNICAL SPECIFICATIONS OF THE DEVICE****Maximum weight capacity:** 120 kg (265 lb.)**Device weight:** 16.8 kg (37 lb.)**Overall width :** 49.6 cm to 78.7 cm (19½ in. to 31 in.)**Front seat-to-floor height:** 34.3 cm to 55.9 cm (13½ in. to 22 in.)**Rear seat-to-floor height:** 33 cm to 55.9 cm (13 in. to 22 in.)

BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
<b>BODY SUPPORT SYSTEM</b>				
7210796	Seat, flexible, tension adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)	N. C.	35.00	1
7210797	Seat cushion, multilayer foam, flat, 5.1 cm (2 in.); including removable, waterproof and machine washable cover	N. C.	50.00	12
7210799	Back support, flexible, non tension adjustable	N. C.	35.00	1
7210800	Back support, flexible, tension adjustable	40.00	75.00	1
7210801	Back support upright, straight, height and angle adjustable	N. C.	65.00	12
7210802	Back support upright, angled, height and angle adjustable	N. C.	65.00	12
7210824	Push handle, fixed, with hand grip	N. C.	15.00	12
7210803	Pelvic positioning belt	N. C.	25.00	12
7210804	T-shaped arm support, short, removable; height-adjustable, from 17.8 cm to 34.3 cm (7 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	114.00	1
7210805	T-shaped arm support, long, removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	114.00	1
7210806	U-shaped arm support, short, flip-up and removable; height-adjustable, from 21.6 cm to 34.3 cm (8.5 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	114.00	1
7210807	U-shaped arm support, long, flip-up and removable; height-adjustable, from 21.6 cm to 34.3 cm (8.5 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	114.00	1
7210808	Arm support pad, short, straight	N. C.	6.00	1
7210809	Arm support pad, long, straight	N. C.	6.00	1
7210810	Arm support pad, contoured	9.00	15.00	1
7210811	Arm support pad, gel	14.00	20.00	1



SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services

(authentic version)

7210812	Parallel lower leg support, swing-away inward; 70°, 80° or 90°; with locking mechanism; adjustable length from 8.9 cm to 24.2 cm (3½ in. to 9½ in.) or from 22.9 cm to 50.8 cm (9 in. to 20 in.)	N. C.	55.00	12
7210813	Lower leg support, non-compensating elevating	35.00	90.00	12
7210817	Foot support, flip-up, not angle adjustable, standard length	N. C.	35.00	12
7210818	Foot support, flip-up, not angle adjustable, extra long	N. C.	35.00	12
7210819	Foot support, flip-up, angle and depth adjustable, standard length	N. C.	35.00	12
7210820	Foot support, flip-up, angle and depth adjustable, extra long	N. C.	35.00	12
7210815	Padded calf support, angle, height and depth adjustable, including flat pad	25.00	25.00	12
7210814	Calf support strap, single	15.00	15.00	12
7210816	Heel loop, adjustable	1.00	1.00	12
7210822	Head support, height and depth adjustable	55.00	55.00	12
7210821	Contoured cushion for head support, all sizes	35.00	35.00	12
<b>FRAME</b>				
7210825	Securement points for strap-type tiedowns for transport	N. C.	100.00	12
7210826	Anti-tip device	N. C.	18.00	12
7210827	Reflective devices	5.00	5.00	12
7210823	Front impact guard	10.00	10.00	12
7210828	Cane holder	28.00	28.00	12
<b>DRIVE SYSTEM</b>				
7210830	Handrim, smooth	N. C.	40.00	12
7210831	Handrim, plasticized	N. C.	40.00	12
7210829	Unilateral manual propulsion mechanism	305.00	345.00	12
7210832	Parking brake, push-type activation	N. C.	25.00	12
7210833	Parking brake, pull-type activation	N. C.	25.00	12
7210834	Brake lever extension, plug-in	5.00	5.00	12
7210835	Fork, adjustable height	N. C.	15.00	12
<b>WHEELS AND TIRES</b>				
7210840	Drive wheel, spoked	N. C.	65.00	12
7210841	Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N. C.	20.00	1
7210842	Drive wheel tire, standard pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N. C.	20.00	1
7210837	Caster wheel, with semi-pneumatic tire; 12.7 cm (5 in.), 15.2 cm (6 in.), 17.8 cm (7 in.) or 20.3 cm (8 in.)	N. C.	15.00	12
7210838	Drive wheel axle, fixed	N. C.	10.00	12
7210839	Quick release drive wheel axle	N. C.	10.00	12
7210843	Adaptor for amputee position	25.00	25.00	12
7210844	Drive wheel camber; 0° or 2°	N. C.	2.00	12

**SUBDIVISION 3: MASS GROUP 3**

		PRICE (including all the basic components)		
7210508	<b>MANUAL WHEELCHAIRS</b>	<b>1,150.00</b>		
CATEGORY FMA-GM 3-C-P2 (FOLDING FRAME)				
LES ÉQUIPEMENTS ADAPTÉS PHYSIPRO INC.				
“XL RF” DEVICE				
<b>TECHNICAL SPECIFICATIONS OF THE DEVICE</b>				
<b>Maximum weight capacity:</b> 159 kg (350 lb.)				
<b>Device weight:</b> 17.7 kg (39 lb.)				
<b>Overall width :</b> 62.3 cm to 82.5 cm (24½ in. to 32½ in.)				
<b>Front seat-to-floor height:</b> 29.3 cm to 53.3 cm (11½ in. to 21 in.)				
<b>Rear seat-to-floor height:</b> 29.3 cm to 52.1 cm (11½ in. to 20½ in.)				
BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
<b>BODY SUPPORT SYSTEM</b>				
7210509	Seat, flexible, tension adjustable; strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)	N. C.	30.00	1
7210510	Seat, rigid base	85.00	115.00	12
7210511	Seat cushion, multilayer foam, flat, 5.1 cm (2 in.), 7.6 cm (3 in.) or 10.2 cm (4 in.); including removable, waterproof and machine washable cover	N. C.	84.00	12
7210513	Back support, flexible, non tension adjustable	N. C.	35.50	1
7210514	Back support, flexible, tension adjustable	59.50	95.00	1
7210515	Back support upright, straight, height and angle adjustable	N. C.	28.00	12
7210516	Back support upright, angled, height and angle adjustable	N. C.	28.00	12
7210547	Push handle, fixed, with hand grip	N. C.	17.50	12
7210517	Pelvic positioning belt	N. C.	15.50	12
7210518	T-shaped arm support, short, removable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	90.00	1

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7210519	T-shaped arm support, long, removable; height-adjustable, from 20.3 cm to 35.6 cm (8 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	90.00	1
7210520	U-shaped arm support, short, flip-up and removable; height-adjustable, from 17.2 cm to 24.2 cm (6¾ in. to 9½ in.) or from 21.6 cm to 33 cm (8½ in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	90.00	1
7210521	U-shaped arm support, long, flip-up and removable; height-adjustable, from 30.5 cm to 41.9 cm (12 in. to 16½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	90.00	1
7210522	L-shaped arm support, swing-away , including clothing guard	N. C.	90.00	1
7210523	Arm support pad, short, straight	N. C.	5.50	1
7210524	Arm support pad, long, straight	N. C.	5.50	1
7210525	Arm support pad, tubular	66.00	71.50	
7210526	Arm support pad, contoured	34.50	40.00	1
7210527	Arm support pad, gel	50.50	56.00	1
7210530	Parallel lower leg support, swing-away inward and outward; 60°, 70° or 90°; with locking mechanism; adjustable length from 26.7 cm to 33 cm (10½ in. to 13 in.), from 30.5 cm to 43.2 cm (12 in. to 17 in.) or from 40.6 cm to 53.3 cm (16 in. to 21 in.)	N. C.	59.50	12
7210532	Lower leg support, compensating elevating	130.50	190.00	12
7210537	Foot support, flip-up, not angle adjustable, standard length	N. C.	28.00	12
7210538	Foot support, flip-up, not angle adjustable, extra long	7.00	35.00	12
7210539	Foot support, flip-up, angle and depth adjustable, standard length	22.00	50.00	12
7210540	Foot support, flip-up, angle and depth adjustable, extra long	37.00	65.00	12
7210541	Foot support, flip-up, full width	102.00	130.00	12
7210535	Padded calf support, angle, height and depth adjustable, including flat or contoured pad	60.50	60.50	12
7210533	Calf support strap, single	20.00	20.00	12
7210534	Calf support strap, double	20.00	20.00	12
7210536	Heel loop, adjustable	3.00	3.00	12
7210544	Back support tension bar	50.00	50.00	12
7210545	Securement for head support for back support tension bar	95.00	95.00	12
7210543	Head support, height and depth adjustable	80.00	80.00	12
7210542	Contoured cushion for head support, all sizes	57.00	57.00	12

<b>FRAME</b>				
7210548	Securement points for strap-type tiedowns for transport	N. C.	5.00	12
7210549	Anti-tip device	N. C.	17.00	12
7210550	Reflective devices	5.00	5.00	12
7210546	Front impact guard	35.00	35.00	12
7210551	Cane holder	30.00	30.00	12
<b>DRIVE SYSTEM</b>				
7210553	Handrim, smooth	N. C.	16.00	12
7210554	Handrim, plasticized	18.00	34.00	12
7210555	Handrim, anti-slip	64.00	80.00	12
7210556	Handrim, ergonomic	89.00	105.00	12
7210557	Handrim, with vertical projection	64.00	80.00	12
7210552	Unilateral manual propulsion mechanism	804.00	820.00	12
7210559	Parking brake, push-type activation	N. C.	25.00	12
7210560	Parking brake, pull-type activation	N. C.	25.00	12
7210558	Parking brake, unilateral activation	175.00	200.00	12
7210561	Anti-rollback brake	75.00	75.00	12
7210562	Brake lever extension, telescopic or fixe	10.00	10.00	12
7210563	Fork, adjustable height	N. C.	12.00	12
<b>WHEELS AND TIRES</b>				
7210569	Drive wheel, spoked	N. C.	24.50	12
7210570	Drive wheel, with puncture proof tire	65.50	90.00	12
7210571	Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9 cm (22 in.), 61 cm (24 in.) or 66 cm (26 in.)	N. C.	21.00	1
7210572	Drive wheel tire, standard pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.), 61 cm (24 in.) or 66 cm (26 in.)	N. C.	21.00	1
7210573	Drive wheel tire, high pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.), 61 cm (24 in.) or 66 cm (26 in.)	25.00	46.00	1
7210565	Caster wheel, with semi-pneumatic tire; 12.7 cm (5 in.), 15.2 cm (6 in.), 17.8 cm (7 in.) or 20.3 cm (8 in.)	N. C.	11.25	12
7210566	Caster wheel, with standard pressure inner tube tire; 15.2 cm (6 in.) or 20.3 cm (8 in.)	38.75	50.00	12
7210567	Drive wheel axle, fixed	N. C.	5.00	12
7210568	Quick release drive wheel axle	5.00	10.00	12
7210574	Adaptor for amputee position	20.00	20.00	12
7210575	Spoke guards	56.00	56.00	12
7210576	Drive wheel camber; 0° or 3°	N. C.	50.00	12

		PRICE (including all the basic components)		
7210845	<b>MANUAL WHEELCHAIRS</b>	<b>1,285.00</b>		
CATEGORY FMA-GM 3-C-P2 (FOLDING FRAME)				
ORTHOFAB INC.				
"PRIMA ROBUSTE" DEVICE				
<b>TECHNICAL SPECIFICATIONS OF THE DEVICE</b>				
<b>Maximum weight capacity:</b> 159 kg (350 lb.)				
<b>Device weight:</b> 16.8 kg (37 lb.)				
<b>Overall width :</b> 72.9 cm (28.7 in.)				
<b>Front seat-to-floor height:</b> 35.6 cm to 50.8 cm (14 in. to 20 in.)				
<b>Rear seat-to-floor height:</b> 33 cm to 49.6 cm (13 in. to 19½ in.)				
BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
<b>BODY SUPPORT SYSTEM</b>				
7210846	Seat, flexible, tension adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N. C.	40.00	60
7210847	Seat, rigid base	20.00	60.00	60
7210848	Seat cushion, injected foam, flat, 5.1 cm (2 in.); including removable, waterproof and machine washable cover	N. C.	80.00	60
7210850	Back support, flexible, non tension adjustable	N. C.	100.00	60
7210851	Back support, flexible, tension adjustable	N. C.	100.00	60
7210852	Back support upright, straight, height and angle adjustable	N. C.	75.00	60
7210853	Back support upright, angled, height and angle adjustable	N. C.	75.00	60
7210883	Push handle, fixed, with hand grip	N. C.	10.00	60
7210854	Pelvic positioning belt	N. C.	10.00	60
7210855	T-shaped arm support, short, removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	110.00	60
7210856	T-shaped arm support, long, removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	110.00	60

## SCHEDULE 1

## Tariff for devices which compensate for a motor deficiency and insured related services

(authentic version)

7210857	U-shaped arm support, short, flip-up and removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	110.00	60
7210858	U-shaped arm support, long, flip-up and removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	110.00	60
7210859	L-shaped arm support, swing-away, including clothing guard	N. C.	110.00	60
7210860	Arm support pad, short, straight	N. C.	8.00	60
7210861	Arm support pad, long, straight	N. C.	8.00	60
7210862	Arm support pad, tubular	8.00	16.00	60
7210863	Arm support pad, contoured	20.00	28.00	60
7210864	Arm support pad, gel	72.00	80.00	60
7210866	Parallel lower leg support, swing-away outward; 60° or 70°; with locking mechanism; adjustable length from 30.5 cm to 35.6 cm (12 in. to 14 in.), or from 35.6 cm to 45.7 cm (14 in. to 18 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.); or 90°; with locking mechanism; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.)	N. C.	20.00	60
7210867	Parallel lower leg support, swing-away inward; 60° or 70°; with locking mechanism; adjustable length from 30.5 cm to 35.6 cm (12 in. to 14 in.), or from 35.6 cm to 45.7 cm (14 in. to 18 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.); or 90°; with locking mechanism; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.)	N. C.	20.00	60
7210868	Lower leg support, compensating elevating	100.00	120.00	60
7210873	Foot support, flip-up, not angle adjustable, standard length	N. C.	15.00	60
7210874	Foot support, flip-up, not angle adjustable, extra long	N. C.	15.00	60
7210875	Foot support, flip-up, angle and depth adjustable, standard length	N. C.	15.00	60
7210876	Foot support, flip-up, angle and depth adjustable, extra long	45.00	60.00	60
7210877	Foot support, flip-up, full width	85.00	100.00	60
7210871	Padded calf support, angle, height and depth adjustable, including flat pad	50.00	50.00	60
7210869	Calf support strap, single	15.00	15.00	60
7210870	Calf support strap, double	30.00	30.00	60
7210872	Heel loop, adjustable	5.00	5.00	60
7210880	Back support tension bar	35.00	35.00	60
7210881	Securement for head support for back support tension bar	90.00	90.00	60
7210879	Head support, height and depth adjustable	40.00	40.00	60
7210878	Contoured cushion for head support, all sizes	40.00	40.00	60
	<b>FRAME</b>			60
7210884	Securement points for strap-type tiedowns for transport	N. C.	N. C.	60

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7210885	Anti-tip device	N. C.	12.00	60
7210886	Reflective devices	50.00	50.00	60
7210882	Front impact guard	5.00	5.00	60
7210887	Cane holder	25.00	25.00	60
<b>DRIVE SYSTEM</b>				
7210889	Handrim, smooth	N. C.	80.00	60
7210890	Handrim, plasticized	N. C.	80.00	60
7210891	Handrim, anti-slip	80.00	160.00	60
7210892	Handrim, ergonomic	140.00	220.00	60
7210893	Handrim, with oblique projection	N. C.	80.00	60
7210888	Unilateral manuel propulsion mechanism	470.00	550.00	60
7210895	Parking brake, push-type activation	N. C.	30.00	60
7210896	Parking brake, pull-type activation	N. C.	30.00	60
7210894	Parking brake, unilateral activation	140.00	170.00	60
7210897	Anti-rollback brake	45.00	45.00	60
7210898	Brake lever extension, telescopic	10.00	10.00	60
7210899	Fork, adjustable height	N. C.	20.00	60
<b>WHEELS AND TIRES</b>				
7210905	Drive wheel, spoked	N. C.	30.00	60
7210906	Drive wheel, with puncture proof tire	N. C.	30.00	60
7210907	Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N. C.	30.00	60
7210908	Drive wheel tire, standard pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N. C.	30.00	60
7210909	Drive wheel tire, high pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N. C.	30.00	60
7210901	Caster wheel, with semi-pneumatic tire; 12.7 cm (5 in.), 15.2 cm (6 in.), 17.8 cm (7 in.) or 20.3 cm (8 in.)	N. C.	40.00	60
7210902	Caster wheel, with standard pressure inner tube tire; 15.2 cm (6 in.) or 20.3 cm (8 in.)	N. C.	40.00	60
7210903	Drive wheel axle, fixed	N. C.	7.00	60
7210904	Quick release drive wheel axle	N. C.	7.00	60
7210910	Adaptor for amputee position	50.00	50.00	60
7210911	Spoke guards	70.00	70.00	60
7210912	Drive wheel camber; 3°	N. C.	N. C.	60

**DIVISION II: POWERED WHEELCHAIRS**  
**SUBDIVISION 1 : MASS GROUP 1**

		PRICE (including all the basic components)		
7213000	<b>POWERED WHEELCHAIR</b>	<b>4,275.00</b>		
CATEGORY FMO-GM 1-B-P2 (MID-WHEEL DRIVE)				
AMYLIOR INC.				
"ALLTRACK M ATM1B" DEVICE				
<b>TECHNICAL SPECIFICATIONS OF THE DEVICE</b>				
<b>Maximum weight capacity:</b> 50 kg (110 lb.)				
<b>Seat-to-floor height:</b> 39.5 cm to 52.1 cm (15½ in. to 20½ in.)				
<b>Frame:</b> mid-wheel drive base, overall width ≤ 63.5 cm (25 in.)				
<b>Drive system:</b> manual freewheel lever; control cable replaceable separately				
BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
<b>BODY SUPPORT SYSTEM</b>				
7213001	Seat-to-back assembly structure; resizable	N. C.	550.00	12
7213002	Rigid seat base, width and depth adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)	N. C.	200.00	12
7213003	Seat, padded and contoured	200.00	400.00	1
7213006	Back support, padded and contoured; heights of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.), 61 cm (24 in.), 63.5 cm (25 in.), 66 cm (26 in.) or 71 cm (28 in.)	N. C.	450.00	1
7213005	Back support, flexible, tension adjustable	N. C.	450.00	1
7213007	Back support upright, straight, height and angle adjustable; angle-adjustable from 86° to 122° by maximum increments of 4°	N. C.	94.00	12
7213008	Push handle, with hand grip	N. C.	8.00	12
7213010	Powered reclining back support, including biomechanical adjustment	1,800.00	1,800.00	12



## SCHEDULE 1

## Tariff for devices which compensate for a motor deficiency and insured related services

(authentic version)

7213011	Power tilt mechanism	1,600.00	1,600.00	12
7213012	Postural support pelvic belt	N. C.	25.00	12
7213013	T-shaped arm support, short, removable; height-adjustable, from 18.42 cm to 38.7 cm (7¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7213014	T-shaped arm support, long, removable; height-adjustable, from 18.42 cm to 38.7 cm (7¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7213015	U-shaped arm support, short, flip-up and removable; height-adjustable, from 18.42 cm to 38.7 cm (7¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	33.00	183.00	1
7213016	U-shaped arm support, long, flip-up and removable; height-adjustable, from 18.42 cm to 38.7 cm (7¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	33.00	183.00	1
7213018	I-shaped arm support, flip-up; height-adjustable, from 18.42 cm to 38.7 cm (7¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	33.00	183.00	1
7213019	L-shaped arm support, flip-up; height-adjustable, from 17.8 cm to 38,1 cm (7 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	25.00	175.00	1
7213020	Arm support pad, short, straight	N. C.	13.00	1
7213021	Arm support pad, long, straight	N. C.	13.00	1
7213022	Arm support pad, contoured	7.00	20.00	1
7213023	Arm support pad, gel	19.00	32.00	1
7213024	Parallel lower leg support, 60°, 70°, 80° or 90°; detachable and pivoting with locking mechanism; adjustable length from 14 cm to 49.5 cm (5½ in. to 19½ in.)	N. C.	192.00	12
7213025	Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening system	108.00	300.00	12
7213026	Powered elevating lower leg support, individually controlled	558.00	750.00	12
7213027	Powered elevating lower leg support, paired control	558.00	750.00	12
7213028	One-piece powered elevating lower leg support	1,308.00	1,500.00	12
7213029	Padded calf support, angle, height and depth adjustable, including contoured pad	70.00	70.00	12
7213030	Foot support, separate, flip-up, not angle adjustable, standard length	N. C.	50.00	12

## SCHEDULE 1

## Tariff for devices which compensate for a motor deficiency and insured related services

(authentic version)

7213031	Foot support, separate, flip-up, not angle adjustable, extra long	30.00	80.00	12
7213032	Foot support, separate, flip-up, angle and depth adjustable, standard length	30.00	80.00	12
7213033	Foot support, separate, flip-up, angle and depth adjustable, extra long	30.00	80.00	12
7213034	Foot support, flip-up, one-piece platform	110.00	160.00	12
7213035	Heel loop, adjustable	10.00	10.00	12
7213036	Head support, depth adjustable	90.00	90.00	12
7213037	Contoured cushion for head support, all sizes	50.00	50.00	12
7213038	Back support tension bar	100.00	100.00	12
7213039	Securement for head support for back support tension bar	20.00	20.00	12
<b>FRAME</b>				
7213040	Front impact guard	20.00	20.00	12
7213041	Lighting systems	400.00	400.00	12
7213042	Reflective devices	N. C.	10.00	12
7213043	Emergency flashers	N. C.	N. C.	12
7213044	Triangular-shaped flag, orange, 300 cm <sup>2</sup> minimum surface	10.00	10.00	12
7213045	Securement points for strap-type tiedowns for transport	N. C.	N. C.	12
<b>DRIVE SYSTEM</b>				
7213046	Standard control device for multipurpose programmable electronics; drive control device; toggle or push switches the functions: start-stop, horn and function selection; battery charge level indicator	N. C.	750.00	12
7213047	Compact control device	N. C.	750.00	12
7213048	Control device operated by an assistant	750.00	750.00	12
7213049	Control device for powered repositioning, for an accessory	200.00	200.00	12
7213050	Control device for powered repositioning, for four accessories	600.00	600.00	12
7213051	Infrared option	N. C.	N. C.	12
7213052	Bluetooth option	N. C.	N. C.	12
7213053	Separate control for powered tilt mechanism	250.00	250.00	12
7213054	Control device support, standard lateral, adjustable front-rear position	N. C.	100.00	12
7213055	Control device support, lateral, flip-up with locking mechanism, adjustable front-rear position	100.00	200.00	12
7213056	Control device support, central, flip-up, adjustable front-rear position	200.00	300.00	12
7213057	Controller for multipurpose programmable electronic system	N. C.	660.00	12
7213058	Motor, including electric brake	N. C.	600.00	12
7213060	Battery charger, compatible with group 22NF or 24 batteries	N. C.	219.00	12
7213061	Adapted non-proportional control, cephalic	4,000.00	4,000.00	12
7213062	Adapted non-proportional control, chin-controlled	600.00	600.00	12
7213063	Adapted non-proportional control, breath-controlled	1,500.00	1,500.00	12
7213064	Adapted proportional control, cephalic	4,000.00	4,000.00	12

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7213065	Adapted proportional control, chin-controlled	1,500.00	1,500.00	12
7213066	Adapted proportional control, mini joystick	1,500.00	1,500.00	12
7213067	Mounting bracket for adapted control	350.00	350.00	12
7213068	Adapted control interface	350.00	1,100.00	12
7213069	Mounting bracket for interface	350.00	350.00	12
7213070	Lever extension, ball	58.00	58.00	12
7213071	Lever extension, conicospherical	58.00	58.00	12
7213072	Lever extension, stick	58.00	58.00	12
7213073	Lever extension, T-shaped	58.00	58.00	12
7213074	Lever extension, mushroom	80.00	80.00	12
7213075	Lever extension, U-shaped	95.00	95.00	12
7213076	Trajectory correction system	895.00	895.00	12
<b>WHEELS AND TIRES</b>				
7213077	Drive wheel; 31.75 cm (12½ in.) or 35.6 cm (14 in.)	N. C.	70.00	12
7213078	Drive wheel tire, standard pressure inner tube; 31.75 cm (12½ in.) or 35.6 cm (14 in.)	N. C.	58.00	1
7213079	Puncture proof tire for drive wheel	17.00	75.00	1
7213080	Caster wheel, with semi-pneumatic tire; 15.2 cm (6 in.)	N. C.	70.00	12
7213081	Caster wheel, with standard pressure inner tube tire; 20.3 cm (8 in.)	N. C.	70.00	12
7213082	Caster wheel, with puncture proof tire; 20.3 cm (8 in.)	N. C.	70.00	12
7213083	Suspension independent of wheels	N. C.	29.00	12
7213084	Fork, standard	N. C.	38.00	12

		PRICE (including all the basic components)
7213086	<b>POWERED WHEELCHAIR</b>	<b>4,575.00</b>
	CATEGORY FMO-GM 1-B-P2 (MID-REAR WHEEL DRIVE)	
	AMYLOR INC.	
	“ALLTRACK R ATRIB” DEVICE	

**TECHNICAL SPECIFICATIONS OF THE DEVICE**

**Maximum weight capacity:** 50 kg (110 lb.)

**Seat-to-floor height:** 38,7 cm to 52,1 cm (15¼ in. to 20½ in.)

**Frame:** mid-rear wheel drive base, overall width ≤ 66 cm (26 in.)

**Drive system:** manual freewheel lever; control cable replaceable separately

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	<b>BODY SUPPORT SYSTEM</b>			
7213087	Seat-to-back assembly structure; resizable	N. C.	550.00	12
7213088	Rigid seat base, width and depth adjustable; strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)	N. C.	200.00	12
7213089	Seat, padded and contoured	200.00	400.00	1
7213092	Back support, padded and contoured; heights of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.), 61 cm (24 in.), 63.5 cm (25 in.), 66 cm (26 in.) or 71.1 cm (28 in.)	N. C.	450.00	1
7213091	Back support, flexible, tension adjustable	N. C.	450.00	1
7213093	Back support upright, straight, height and angle adjustable; angle-adjustable from 86° to 122° by maximum increments of 4°	N. C.	94.00	12
7213094	Push handle, with hand grip	N. C.	8.00	12
7213096	Powered reclining back support, including biomechanical adjustment	1,800.00	1,800.00	12
7213097	Power tilt mechanism	1,600.00	1,600.00	12
7213098	Postural support pelvic belt	N. C.	25.00	12

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7213099	T-shaped arm support, short, removable; height-adjustable, from 18.4 cm to 38.7 cm (7¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism;	N. C.	150.00	1
7213100	T-shaped arm support, long, removable; height-adjustable, from 18.4 cm to 38.7 cm (7¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7213101	U-shaped arm support, short, flip-up and removable; height-adjustable, from 18.4 cm to 38.7 cm (7¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	33.00	183.00	1
7213102	U-shaped arm support, long, flip-up and removable; height-adjustable, from 18.4 cm to 38.7 cm (7¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	33.00	183.00	1
7213104	I-shaped arm support, flip-up; height-adjustable, from 18.4 cm to 38.7 cm (7¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	33.00	183.00	1
7213105	L-shaped arm support, flip-up; height-adjustable, from 17.8 cm to 38.1 cm (7 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	25.00	175.00	1
7213106	Arm support pad, short, straight	N. C.	13.00	1
7213107	Arm support pad, long, straight	N. C.	13.00	1
7213108	Arm support pad, contoured	7.00	20.00	1
7213109	Arm support pad, gel	19.00	32.00	1
7213110	Parallel lower leg support, 60°, 70°, 80° or 90°; detachable and pivoting with locking mechanism; adjustable length from 14 cm to 49.5 cm (5½ in. to 19½ in.)	N. C.	192.00	12
7213111	Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening system	108.00	300.00	12
7213112	Powered elevating lower leg support, individually controlled	558.00	750.00	12
7213113	Powered elevating lower leg support, paired control	558.00	750.00	12
7213114	Padded calf support, angle, height and depth adjustable, including contoured pad	70.00	70.00	12
7213115	Foot support, separate, flip-up, not angle adjustable, standard length	N. C.	50.00	12
7213116	Foot support, separate, flip-up, not angle adjustable, extra long	30.00	80.00	12
7213117	Foot support, separate, flip-up, angle and depth adjustable, standard length	30.00	80.00	12
7213118	Foot support, separate, flip-up, angle and depth adjustable, extra long	30.00	80.00	12
7213119	Heel loop, adjustable	10.00	10.00	12
7213120	Head support, depth adjustable	90.00	90.00	12
7213121	Contoured cushion for head support, all sizes	50.00	50.00	12
7213122	Back support tension bar	100.00	100.00	12
7213123	Securement for head support for back support tension bar	20.00	20.00	12

<b>FRAME</b>				
7213124	Anti-tip device	N. C.	70.00	12
7213125	Front impact guard	20.00	20.00	12
7213126	Lighting systems	400.00	400.00	12
7213127	Reflective devices	N. C.	10.00	12
7213128	Emergency flashers	N. C.	N. C.	12
7213129	Triangular-shaped flag, orange, 300 cm <sup>2</sup> minimum surface	10.00	10.00	12
7213130	Securement points for strap-type tiedowns for transport	N. C.	N. C.	12
<b>DRIVE SYSTEM</b>				
7213131	Standard control device for multipurpose programmable electronics; drive control device; toggle or push switches the functions: start-stop, horn and function selection; battery charge level indicator	N. C.	750.00	12
7213132	Compact control device	N. C.	750.00	12
7213133	Control device operated by an assistant	750.00	750.00	12
7213134	Control device for powered repositioning, for an accessory	200.00	200.00	12
7213135	Control device for powered repositioning, for four accessories	600.00	600.00	12
7213136	Infrared option	N. C.	N. C.	12
7213137	Bluetooth option	N. C.	N. C.	12
7213138	Separate control for powered tilt mechanism	250.00	250.00	12
7213139	Control device support, standard lateral, adjustable front-rear position	N. C.	100.00	12
7213140	Control device support, lateral, flip-up with locking mechanism, adjustable front-rear position	100.00	200.00	12
7213141	Control device support, central, flip-up, adjustable front-rear position	200.00	300.00	12
7213142	Controller for multipurpose programmable electronic system	N. C.	660.00	12
7213143	Motor, including electric brake	N. C.	600.00	12
7213145	Battery charger, compatible with group 22NF or 24 batteries	N. C.	219.00	12
7213146	Adapted non-proportional control, cephalic	4,000.00	4,000.00	12
7213147	Adapted non-proportional control, chin-controlled	600.00	600.00	12
7213148	Adapted non-proportional control, breath-controlled	1,500.00	1,500.00	12
7213149	Adapted proportional control, cephalic	4,000.00	4,000.00	12
7213150	Adapted proportional control, chin-controlled	1,500.00	1,500.00	12
7213151	Adapted proportional control, mini joystick	1,500.00	1,500.00	12
7213152	Mounting bracket for adapted control	350.00	350.00	12
7213153	Adapted control interface	350.00	1,100.00	12
7213154	Mounting bracket for interface	350.00	350.00	12
7213155	Lever extension, ball	58.00	58.00	12
7213156	Lever extension, conicospherical	58.00	58.00	12
7213157	Lever extension, stick	58.00	58.00	12
7213158	Lever extension, T-shaped	58.00	58.00	12
7213159	Lever extension, mushroom	80.00	80.00	12
7213160	Lever extension, U-shaped	95.00	95.00	12

7213161	Trajectory correction system	895.00	895.00	12
<b>WHEELS AND TIRES</b>				
7213162	Drive wheel; 31.8 cm (12½ in.) or 35.6 cm (14 in.)	N. C.	70.00	12
7213163	Drive wheel tire, standard pressure inner tube; 31.8 cm (12½ in.) or 35.6 cm (14 in.)	N. C.	58.00	1
7213164	Puncture proof tire for drive wheel	17.00	75.00	1
7213166	Caster wheel, with standard pressure inner tube tire; 20.3 cm (8 in.) or 22.9 cm (9 in.)	N. C.	70.00	12
7213167	Caster wheel, with puncture proof tire; 20.3 cm (8 in.) or 22.9 cm (9 in.)	N. C.	70.00	12
7213168	Suspension independent of wheels	N. C.	29.00	12
7213169	Fork, standard	N. C.	38.00	12

PRICE  
(including all  
the basic  
components)

---

7213171 **POWERED WHEELCHAIR** **4,675.00**

CATEGORY FMO-GM 1-B-P2 (MID-WHEEL DRIVE)

AMYLIOR INC.

“ALLTRACK M ATMIC” DEVICE

---

**TECHNICAL SPECIFICATIONS OF THE DEVICE**

**Maximum weight capacity:** 50 kg (110 lb.)

**Seat-to-floor height:** 39,5 cm to 52,1 cm (15½ in. to 20½ in.)

**Frame:** mid-wheel drive base, overall width ≤ 64.47 cm (25.38 in.)

**Drive system:** manual freewheel lever; control cable replaceable separately

---

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
<b>BODY SUPPORT SYSTEM</b>				
7213172	Seat-to-back assembly structure; resizable	N. C.	550.00	12
7213173	Rigid seat base, width and depth adjustable; strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)	N. C.	200.00	12
7213174	Seat, padded and contoured	200.00	400.00	1

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7213177	Back support, padded and contoured; heights of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.), 61 cm (24 in.), 66 cm (26 in.) or 71.1 cm (28 in.)	N. C.	450.00	1
7213176	Back support, flexible, tension adjustable	N. C.	450.00	1
7213178	Back support upright, straight, height and angle adjustable; angle-adjustable from 86° to 122° by maximum increments of 4°	N. C.	94.00	12
7213179	Push handle, with hand grip	N. C.	8.00	12
7213181	Powered reclining back support, including biomechanical adjustment	1,800.00	1,800.00	12
7213182	Power tilt mechanism	1,600.00	1,600.00	12
7213183	Postural support pelvic belt	N. C.	25.00	12
7213184	T-shaped arm support, short, removable; height-adjustable, from 18.4 cm to 38.7 cm (7¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7213185	T-shaped arm support, long, removable; height-adjustable, from 18.4 cm to 38.7 cm (7¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7213186	U-shaped arm support, short, flip-up and removable; height-adjustable, from 18.4 cm to 38.7 cm (7¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	33.00	183.00	1
7213187	U-shaped arm support, long, flip-up and removable; height-adjustable, from 18.4 cm to 38.7 cm (7¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	33.00	183.00	1
7213189	I-shaped arm support, flip-up; height-adjustable, from 18.4 cm to 38.7 cm (7¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	33.00	183.00	1
7213190	L-shaped arm support, flip-up; height-adjustable, from 17.8 cm to 38.1 cm (7 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	25.00	175.00	1
7213191	Arm support pad, short, straight	N. C.	13.00	1
7213192	Arm support pad, long, straight	N. C.	13.00	1
7213193	Arm support pad, contoured	7.00	20.00	1
7213194	Arm support pad, gel	19.00	32.00	1
7213195	Parallel lower leg support, 60°, 70°, 80° or 90°; detachable and pivoting with locking mechanism; adjustable length from 14 cm to 49.5 cm (5½ in. to 19½ in.)	N. C.	192.00	12
7213196	Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening system	108.00	300.00	12
7213197	Powered elevating lower leg support, individually controlled	558.00	750.00	12
7213198	Powered elevating lower leg support, paired control	558.00	750.00	12
7213199	One-piece powered elevating lower leg support	1,308.00	1,500.00	12
7213200	Padded calf support, angle, height and depth adjustable, including contoured pad	70.00	70.00	12



## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7213201	Foot support, separate, flip-up, not angle adjustable, standard length	N. C.	50.00	12
7213202	Foot support, separate, flip-up, not angle adjustable, extra long	30.00	80.00	12
7213203	Foot support, separate, flip-up, angle and depth adjustable, standard length	30.00	80.00	12
7213204	Foot support, separate, flip-up, angle and depth adjustable, extra long	30.00	80.00	12
7213205	Foot support, flip-up, one-piece platform	110.00	160.00	12
7213206	Heel loop, adjustable	10.00	10.00	12
7213207	Head support, depth adjustable	90.00	90.00	12
7213208	Contoured cushion for head support, all sizes	50.00	50.00	12
7213209	Back support tension bar	100.00	100.00	12
7213210	Securement for head support for back support tension bar	20.00	20.00	12
<b>FRAME</b>				
7213211	Front impact guard	20.00	20.00	12
7213212	Lighting systems	N. C.	400.00	12
7213213	Reflective devices	N. C.	10.00	12
7213214	Emergency flashers	N. C.	N. C.	12
7213215	Triangular-shaped flag, orange, 300 cm <sup>2</sup> minimum surface	10.00	10.00	12
7213216	Securement points for strap-type tiedowns for transport	N. C.	N. C.	12
<b>DRIVE SYSTEM</b>				
7213217	Standard control device for multipurpose programmable electronics; drive control device; toggle or push switches the functions: start-stop, horn and function selection; battery charge level indicator	N. C.	750.00	12
7213218	Compact control device	N. C.	750.00	12
7213219	Control device operated by an assistant	750.00	750.00	12
7213220	Control device for powered repositioning, for an accessory	200.00	200.00	12
7213221	Control device for powered repositioning, for four accessories	600.00	600.00	12
7213222	Infrared option	N. C.	N. C.	12
7213223	Bluetooth option	N. C.	N. C.	12
7213224	Separate control for powered tilt mechanism	250.00	250.00	12
7213225	Control device support, standard lateral, adjustable front-rear position	N. C.	100.00	12
7213226	Control device support, lateral, flip-up with locking mechanism, adjustable front-rear position	100.00	200.00	12
7213227	Control device support, central, flip-up, adjustable front-rear position	200.00	300.00	12
7213228	Controller for multipurpose programmable electronic system	N. C.	660.00	12
7213229	Motor, including electric brake	N. C.	600.00	12
7213231	Battery charger, compatible with group 24 batteries	N. C.	219.00	12
7213232	Adapted non-proportional control, cephalic	4,000.00	4,000.00	12
7213233	Adapted non-proportional control, chin-controlled	600.00	600.00	12
7213234	Adapted non-proportional control, breath-controlled	1,500.00	1,500.00	12

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7213235	Adapted proportional control, cephalic	4,000.00	4,000.00	12
7213236	Adapted proportional control, chin-controlled	1,500.00	1,500.00	12
7213237	Adapted proportional control, mini joystick	1,500.00	1,500.00	12
7213238	Mounting bracket for adapted control	350.00	350.00	12
7213239	Adapted control interface	350.00	1,100.00	12
7213240	Mounting bracket for interface	350.00	350.00	12
7213241	Lever extension, ball	58.00	58.00	12
7213242	Lever extension, conicospherical	58.00	58.00	12
7213243	Lever extension, stick	58.00	58.00	12
7213244	Lever extension, T-shaped	58.00	58.00	12
7213245	Lever extension, mushroom	80.00	80.00	12
7213246	Lever extension, U-shaped	95.00	95.00	12
7213247	Trajectory correction system	895.00	895.00	12
<b>WHEELS AND TIRES</b>				
7213248	Drive wheel; 31.8 cm (12½ in.) or 35.6 cm (14 in.)	N. C.	70.00	12
7213249	Drive wheel tire, standard pressure inner tube; 31.8 cm (12½ in.) or 35.6 cm (14 in.)	N. C.	58.00	1
7213250	Puncture proof tire for drive wheel	17.00	75.00	1
7213251	Caster wheel, with semi-pneumatic tire; 15.2 cm (6 in.)	N. C.	70.00	12
7213252	Caster wheel, with standard pressure inner tube tire; 20.3 cm (8 in.)	N. C.	70.00	12
7213253	Caster wheel, with puncture proof tire; 20.3 cm (8 in.)	N. C.	70.00	12
7213254	Suspension independent of wheels	N. C.	29.00	12
7213255	Fork, standard	N. C.	38.00	12

		PRICE (including all the basic components)		
7213257	<b>POWERED WHEELCHAIR</b>	<b>4,975.00</b>		
	CATEGORY FMO-GM 1-C-P2 (MID-REAR WHEEL DRIVE)			
	AMYLOR INC.			
	“ALLTRACK R ATRIC” DEVICE			
	<b>TECHNICAL SPECIFICATIONS OF THE DEVICE</b>			
	<b>Maximum weight capacity:</b> 50 kg (110 lb.)			
	<b>Seat-to-floor height:</b> 38,7 cm to 52.1 cm (15¼ in. to 20½ in.)			
	<b>Frame:</b> mid-rear wheel drive base, overall width ≤ 64.47 cm (25.38 in.)			
	<b>Drive system:</b> manual freewheel lever; control cable replaceable separately			
BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	<b>BODY SUPPORT SYSTEM</b>			
7213258	Seat-to-back assembly structure; resizable	N. C.	550.00	12
7213259	Rigid seat base, width and depth adjustable; strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)	N. C.	200.00	12
7213260	Seat, padded and contoured	200.00	400.00	1
7213263	Back support, padded and contoured; heights of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.), 61 cm (24 in.), 63.5 cm (25 in.), 66 cm (26 in.) or 71.1 cm (28 in.)	N. C.	450.00	1
7213262	Back support, flexible, tension adjustable	N. C.	450.00	1
7213264	Back support upright, straight, height and angle adjustable; angle-adjustable from 86° to 122° by maximum increments of 4°	N. C.	94.00	12
7213265	Push handle, with hand grip	N. C.	8.00	12
7213267	Powered reclining back support, including biomechanical adjustment	1,800.00	1,800.00	12
7213268	Power tilt mechanism	1,600.00	1,600.00	12
7213269	Postural support pelvic belt	N. C.	25.00	12

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7213270	T-shaped arm support, short, removable; height-adjustable, from 18.4 cm to 38.7 cm (7¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7213271	T-shaped arm support, long, removable; height-adjustable, from 18.4 cm to 38.7 cm (7¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7213272	U-shaped arm support, short, flip-up and removable; height-adjustable, from 18.4 cm to 38.7 cm (7¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	33.00	183.00	1
7213273	U-shaped arm support, long, flip-up and removable; height-adjustable, from 18.4 cm to 38.7 cm (7¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	33.00	183.00	1
7213275	I-shaped arm support, flip-up; height-adjustable, from 18.4 cm to 38.7 cm (7¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	33.00	183.00	1
7213276	L-shaped arm support, flip-up; height-adjustable, from 17.8 cm to 38.1 cm (7 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	25.00	175.00	1
7213277	Arm support pad, short, straight	N. C.	13.00	1
7213278	Arm support pad, long, straight	N. C.	13.00	1
7213279	Arm support pad, contoured	7.00	20.00	1
7213280	Arm support pad, gel	19.00	32.00	1
7213281	Parallel lower leg support, 60°, 70°, 80° or 90°; detachable and pivoting with locking mechanism; adjustable length from 14 cm to 49,5 cm (5½ in. to 19½ in.)	N. C.	192.00	12
7213282	Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening system	108.00	300.00	12
7213283	Powered elevating lower leg support, individually controlled	558.00	750.00	12
7213284	Powered elevating lower leg support, paired control	558.00	750.00	12
7213285	Padded calf support, angle, height and depth adjustable, including contoured pad	70.00	70.00	12
7213286	Foot support, separate, flip-up, not angle adjustable, standard length	N. C.	50.00	12
7213287	Foot support, separate, flip-up, not angle adjustable, extra long	30.00	80.00	12
7213288	Foot support, separate, flip-up, angle and depth adjustable, standard length	30.00	80.00	12
7213289	Foot support, separate, flip-up, angle and depth adjustable, extra long	30.00	80.00	12
7213290	Heel loop, adjustable	10.00	10.00	12
7213291	Head support, depth adjustable	90.00	90.00	12
7213292	Contoured cushion for head support, all sizes	50.00	50.00	12
7213293	Back support tension bar	100.00	100.00	12
7213294	Securement for head support for back support tension bar	20.00	20.00	12

<b>FRAME</b>				
7213295	Anti-tip device	N. C.	70.00	12
7213296	Front impact guard	20.00	20.00	12
7213297	Lighting systems	N. C.	400.00	12
7213298	Reflective devices	N. C.	10.00	12
7213299	Emergency flashers	N. C.	N. C.	12
7213300	Triangular-shaped flag, orange, 300 cm <sup>2</sup> minimum surface	10.00	10.00	12
7213301	Securement points for strap-type tiedowns for transport	N. C.	N. C.	12
<b>DRIVE SYSTEM</b>				
7213302	Standard control device for multipurpose programmable electronics; drive control device; toggle or push switches the functions: start-stop, horn and function selection; battery charge level indicator	N. C.	750.00	12
7213303	Compact control device	N. C.	750.00	12
7213304	Control device operated by an assistant	750.00	750.00	12
7213305	Control device for powered repositioning, for an accessory	200.00	200.00	12
7213306	Control device for powered repositioning, for four accessories	600.00	600.00	12
7213307	Infrared option	N. C.	N. C.	12
7213308	Bluetooth option	N. C.	N. C.	12
7213309	Separate control for powered tilt mechanism	250.00	250.00	12
7213310	Control device support, standard lateral, adjustable front-rear position	N. C.	100.00	12
7213311	Control device support, lateral, flip-up with locking mechanism, adjustable front-rear position	100.00	200.00	12
7213312	Control device support, central, flip-up, adjustable front-rear position	200.00	300.00	12
7213313	Controller for multipurpose programmable electronic system	N. C.	660.00	12
7213314	Motor, including electric brake	N. C.	600.00	12
7213316	Battery charger, compatible with group 24 batteries	N. C.	219.00	12
7213317	Adapted non-proportional control, cephalic	4,000.00	4,000.00	12
7213318	Adapted non-proportional control, chin-controlled	600.00	600.00	12
7213319	Adapted non-proportional control, breath-controlled	1,500.00	1,500.00	12
7213320	Adapted proportional control, cephalic	4,000.00	4,000.00	12
7213321	Adapted proportional control, chin-controlled	1,500.00	1,500.00	12
7213322	Adapted proportional control, mini joystick	1,500.00	1,500.00	12
7213323	Mounting bracket for adapted control	350.00	350.00	12
7213324	Adapted control interface	350.00	1,100.00	12
7213325	Mounting bracket for interface	350.00	350.00	12
7213326	Lever extension, ball	58.00	58.00	12
7213327	Lever extension, conicospherical	58.00	58.00	12
7213328	Lever extension, stick	58.00	58.00	12
7213329	Lever extension, T-shaped	58.00	58.00	12
7213330	Lever extension, mushroom	80.00	80.00	12
7213331	Lever extension, U-shaped	95.00	95.00	12
7213332	Trajectory correction system	895.00	895.00	12

<b>WHEELS AND TIRES</b>				
7213333	Drive wheel; 31.8 cm (12½ in.) or 35.6 cm (14 in.)	N. C.	70.00	12
7213334	Drive wheel tire, standard pressure inner tube; 31.8 cm (12½ in.) or 35.6 cm (14 in.)	N. C.	58.00	1
7213335	Puncture proof tire for drive wheel	17.00	75.00	1
7213337	Caster wheel, with standard pressure inner tube tire; 20.3 cm (8 in.) or 22.9 cm (9 in.)	N. C.	70.00	12
7213338	Caster wheel, with puncture proof tire; 20.3 cm (8 in.) or 22.9 cm (9 in.)	N. C.	70.00	12
7213339	Suspension independent of wheels	N. C.	29.00	12
7213340	Fork, standard	N. C.	38.00	12

## SUBDIVISION 2 : MASS GROUP 2

		PRICE (including all the basic components)		
7213342	<b>POWERED WHEELCHAIR</b>	<b>3,950.00</b>		
CATEGORY FMO-GM 2-A-P2 (MID-WHEEL DRIVE)				
SUNRISE MEDICAL CANADA INC.				
"QUICKIE Q500M I" DEVICE				
<b>TECHNICAL SPECIFICATIONS OF THE DEVICE</b>				
<b>Maximum weight capacity:</b> 120 kg (265 lb.)				
<b>Seat-to-floor height:</b> 41.9 cm to 50.8 cm (16½ in. to 20 in.)				
<b>Frame:</b> mid-front wheel drive base, overall width ≤ 61 cm (24 in.)				
<b>Drive system:</b> manual freewheel lever; control cable replaceable separately				
BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
<b>BODY SUPPORT SYSTEM</b>				
7213343	Seat-to-back assembly structure; resizable	N. C.	400.00	12
7213344	Rigid seat base, width and depth adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)	N. C.	195.00	12
7213345	Seat, padded and contoured	N. C.	195.00	1
7213346	Back support, flexible, non tension adjustable; heights of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.), 61 cm (24 in.), 63.5 cm (25 in.), 66 cm (26 in.), 68.6 cm (27 in.) or 71.1 cm (28 in.)	N. C.	90.00	1
7213347	Back support, flexible, tension adjustable	60.00	150.00	1
7213348	Back support, padded and contoured; heights of 53.3 cm (21 in.), 57.2 cm (22½ in.) or 61 cm (24 in.)	N. C.	90.00	1
7213349	Back support upright, straight, height and angle adjustable; angle-adjustable from 85° to 110° by increments of 4°	N. C.	250.00	12
7213350	Push handle, with hand grip	N. C.	90.00	12
7213352	Powered reclining back support, including biomechanical adjustment	1,250.00	1,250.00	12
7213353	Power tilt mechanism	1,200.00	1,200.00	12
7213354	Postural support pelvic belt	N. C.	25.00	12

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7213355	T-shaped arm support, short, removable; height-adjustable, from 20.3 cm to 38.1 cm (8 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7213356	T-shaped arm support, long, removable; height-adjustable, from 20.3 cm to 38.1 cm (8 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7213357	U-shaped arm support, short, flip-up and removable; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7213358	U-shaped arm support, long, flip-up and removable; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7213360	I-shaped arm support, flip-up; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7213361	L-shaped arm support, flip-up; height-adjustable, from 28 cm to 38.1 cm (11 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7213362	Arm support pad, short, straight	N. C.	15.00	1
7213363	Arm support pad, long, straight	N. C.	15.00	1
7213364	Arm support pad, contoured	5.00	20.00	1
7213365	Arm support pad, gel	70.00	85.00	1
7213366	Parallel lower leg support, 60°, 65°, 70°, 80°, 85° or 90°; removable and pivoting with locking mechanism; adjustable length from 33 cm to 50,8 cm (13 in. to 22 in.)	N. C.	135.00	12
7213367	Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening system	15.00	150.00	12
7213368	Powered elevating lower leg support, individually controlled	365.00	500.00	12
7213369	Powered elevating lower leg support, paired control	365.00	500.00	12
7213370	One-piece powered elevating lower leg support	845.00	980.00	12
7213371	Padded calf support, angle, height and depth adjustable, including flat pad	70.00	70.00	12
7213372	Foot support, separate, flip-up, not angle adjustable, standard length	N. C.	35.00	12
7213373	Foot support, separate, flip-up, not angle adjustable, extra long	N. C.	35.00	12
7213374	Foot support, separate, flip-up, angle and depth adjustable, standard length	N. C.	35.00	12
7213375	Foot support, separate, flip-up, angle and depth adjustable, extra long	N. C.	35.00	12
7213376	Foot support, flip-up, one-piece platform	190.00	225.00	12
7213377	Heel loop, adjustable	5.00	5.00	12
7213378	Head support, depth adjustable	55.00	55.00	12
7213379	Contoured cushion for head support, all sizes	35.00	35.00	12
7213380	Back support tension bar	20.00	20.00	12
7213381	Securement for head support for back support tension bar	40.00	40.00	12



<b>FRAME</b>				
7213382	Front impact guard	12.00	12.00	12
7213383	Lighting systems	425.00	425.00	12
7213384	Reflective devices	N. C.	5.00	12
7213385	Emergency flashers	15.00	15.00	12
7213386	Triangular-shaped flag, orange, 300 cm <sup>2</sup> minimum surface	15.00	15.00	12
7213387	Securement points for strap-type tiedowns for transport	N. C.	100.00	12
<b>DRIVE SYSTEM</b>				
7213388	Standard control device for multipurpose programmable electronics; drive control device; toggle or push switches the functions: start-stop, horn and function selection; battery charge level indicator	N. C.	585.00	12
7213389	Compact control device	N. C.	585.00	12
7213390	Control device operated by an assistant	560.00	560.00	12
7213391	Control device for powered repositioning, for an accessory	100.00	100.00	12
7213392	Control device for powered repositioning, for four accessories	350.00	350.00	12
7213393	Infrared option	N. C.	N. C.	12
7213394	Bluetooth option	N. C.	N. C.	12
7213395	Separate control for powered tilt mechanism	510.00	510.00	12
7213396	Control device support, standard lateral, adjustable front-rear position	N. C.	85.00	12
7213397	Control device support, lateral, flip-up with locking mechanism, adjustable front-rear position	N. C.	85.00	12
7213398	Control device support, central, flip-up, adjustable front-rear position	65.00	150.00	12
7213399	Controller for multipurpose programmable electronic system	N. C.	575.00	12
7213400	Motor	N. C.	430.00	12
7213401	Electric brake	N. C.	60.00	12
7213402	Battery charger, compatible with group 22NF or 24 batteries	N. C.	145.00	12
7213403	Adapted non-proportional control, cephalic	1,200.00	1,200.00	12
7213404	Adapted non-proportional control, chin-controlled	1,200.00	1,200.00	12
7213405	Adapted non-proportional control, breath-controlled	850.00	850.00	12
7213406	Adapted proportional control, cephalic	1,500.00	1,500.00	12
7213407	Adapted proportional control, chin-controlled	1,100.00	1,100.00	12
7213408	Adapted proportional control, mini joystick	1,800.00	1,800.00	12
7213409	Mounting bracket for adapted control	250.00	250.00	12
7213410	Adapted control interface	365.00	950.00	12
7213411	Mounting bracket for interface	400.00	400.00	12
7213412	Lever extension, ball	55.00	55.00	12
7213413	Lever extension, conicospherical	25.00	25.00	12
7213414	Lever extension, stick	55.00	55.00	12
7213415	Lever extension, T-shaped	65.00	65.00	12
7213416	Lever extension, mushroom	55.00	55.00	12
7213417	Lever extension, U-shaped	55.00	55.00	12
7213418	Trajectory correction system	550.00	550.00	12

<b>WHEELS AND TIRES</b>				
7213419	Drive wheel; 33 cm (13 in.)	N. C.	75.00	12
7213420	Drive wheel tire, standard pressure inner tube; 33 cm (13 in.)	N. C.	55.00	1
7213421	Puncture proof tire for drive wheel	10.00	65.00	1
7213422	Caster wheel, with semi-pneumatic tire; 17.8 cm (7 in.)	N. C.	25.00	12
7213425	Suspension independent of wheels	N. C.	120.00	12
7213426	Fork, standard	N. C.	45.00	12

PRICE  
(including all  
the basic  
components)

---

7213428 **POWERED WHEELCHAIR** **4,495.00**

CATEGORY FMO-GM 2-A-P2 (MID-REAR WHEEL DRIVE)

ORTHOFAB INC.

“OASIS PP” DEVICE

---

**TECHNICAL SPECIFICATIONS OF THE DEVICE**

**Maximum weight capacity:** 120 kg (265 lb.)

**Seat-to-floor height:** 39,4 cm to 52,1 cm (15½ in. to 20½ in.)

**Frame:** mid-rear wheel drive base, overall width ≤ 61 cm (24 in.)

**Drive system:** manual freewheel lever; control cable replaceable separately

---

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
<b>BODY SUPPORT SYSTEM</b>				
7213429	Seat-to-back assembly structure; resizable	N. C.	240.00	60
7213430	Rigid seat base, width and depth adjustable; strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.) or 58.4 cm (23 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.) or 53.3 cm (21 in.)	N. C.	70.00	60
7213431	Seat, padded and contoured	50.00	120.00	60
7213434	Back support, padded and contoured; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	300.00	60
7213432	Back support, flexible, non tension adjustable; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	300.00	60
7213433	Back support, flexible, tension adjustable	N. C.	300.00	60

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7213435	Back support upright, straight, height and angle adjustable; angle-adjustable from 90° to 110° by maximum increments of 6°	N. C.	75.00	60
7213436	Push handle, with hand grip	N. C.	105.00	60
7213438	Powered reclining back support, including biomechanical adjustment	700.00	700.00	60
7213439	Power tilt mechanism	600.00	600.00	60
7213440	Postural support pelvic belt	N. C.	10.00	60
7213441	T-shaped arm support, short, removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	110.00	60
7213442	T-shaped arm support, long, removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	110.00	60
7213443	U-shaped arm support, short, flip-up and removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	110.00	60
7213444	U-shaped arm support, long, flip-up and removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	110.00	60
7213445	U-shaped arm support, flip-up; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	110.00	60
7213447	L-shaped arm support, swing-away outward; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 27.9 cm to 35.6 cm (11 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	110.00	60
7213448	Arm support pad, short, straight	N. C.	8.00	60
7213449	Arm support pad, long, straight	N. C.	8.00	60
7213450	Arm support pad, contoured	26.00	34.00	60
7213451	Arm support pad, gel	72.00	80.00	60
7213452	Parallel lower leg support, 60° or 70°; removable and pivoting with locking mechanism; adjustable length from 36.6 cm to 48.3 cm (14 in. to 19 in.) or from 45.7 cm to 58.4 cm (18 in. to 23 in.)	N. C.	100.00	60
7213453	Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening system	200.00	300.00	60
7213454	Powered elevating lower leg support, individually controlled	900.00	1,000.00	60
7213455	Powered elevating lower leg support, paired control	900.00	1,000.00	60
7213456	Padded calf support, angle, height and depth adjustable, including flat pad	30.00	30.00	60
7213457	Foot support, separate, flip-up, not angle adjustable, standard length	N. C.	10.00	60

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7213458	Foot support, separate, flip-up, not angle adjustable, extra long	20.00	30.00	60
7213459	Foot support, separate, flip-up, angle and depth adjustable, standard length	25.00	35.00	60
7213460	Foot support, separate, flip-up, angle and depth adjustable, extra long	35.00	45.00	60
7213461	Heel loop, adjustable	5.00	5.00	60
7213462	Head support, depth adjustable	35.00	35.00	60
7213463	Contoured cushion for head support	65.00	65.00	60
7213464	Back support tension bar	5.00	5.00	60
7213465	Securement for head support for back support tension bar	15.00	15.00	60
<b>FRAME</b>				
7213466	Anti-tip device	N. C.	3.00	60
7213467	Front impact guard	5.00	5.00	60
7213468	Lighting systems	175.00	175.00	60
7213469	Reflective devices	N. C.	50.00	60
7213470	Emergency flashers	150.00	150.00	60
7213471	Triangular-shaped flag, orange, 300 cm <sup>2</sup> minimum surface	5.00	5.00	60
7213472	Securement points for strap-type tiedowns for transport	N. C.	N. C.	60
<b>DRIVE SYSTEM</b>				
7213473	Standard control device for multipurpose programmable electronics; drive control device; toggle or push switches the functions: start-stop, horn and function selection; battery charge level indicator	N. C.	800.00	60
7213474	Compact control device	N. C.	800.00	60
7213475	Control device operated by an assistant	200.00	200.00	60
7213476	Control device for powered repositioning, for an accessory	N. C.	N. C.	60
7213477	Control device for powered repositioning, for four accessories	N. C.	N. C.	60
7213478	Infrared option	N. C.	N. C.	60
7213479	Bluetooth option	1,600.00	1,600.00	60
7213480	Separate control for powered tilt mechanism	350.00	350.00	60
7213481	Control device support, standard lateral, adjustable front-rear position	N. C.	200.00	60
7213482	Control device support, lateral, flip-up with locking mechanism, adjustable front-rear position	N. C.	200.00	60
7213483	Control device support, central, flip-up, adjustable front-rear position	N. C.	200.00	60
7213484	Controller for multipurpose programmable electronic system	N. C.	575.00	60
7213485	Motor, including electric brake	N. C.	600.00	60
7213487	Battery charger, compatible with group 22NF or 24 batteries	N. C.	130.00	60
7213488	Adapted non-proportional control, cephalic	500.00	500.00	60
7213489	Adapted non-proportional control, chin-controlled	700.00	700.00	60
7213490	Adapted non-proportional control, breath-controlled	500.00	500.00	60
7213491	Adapted proportional control, cephalic	500.00	500.00	60
7213492	Adapted proportional control, chin-controlled	500.00	500.00	60

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7213493	Adapted proportional control, mini joystick	2,500.00	2,500.00	60
7213494	Mounting bracket for adapted control	N. C.	N. C.	60
7213495	Adapted control interface	N. C.	800.00	60
7213496	Mounting bracket for interface	100.00	100.00	60
7213497	Lever extension, ball	20.00	20.00	60
7213498	Lever extension, conicospherical	20.00	20.00	60
7213499	Lever extension, stick	15.00	15.00	60
7213500	Lever extension, T-shaped	15.00	15.00	60
7213501	Lever extension, mushroom	15.00	15.00	60
7213502	Lever extension, U-shaped	15.00	15.00	60
7213503	Trajectory correction system	1,000.00	1,000.00	60

**WHEELS AND TIRES**

7213504	Drive wheel; 35.6 cm (14 in.)	N. C.	160.00	60
7213505	Drive wheel tire, standard pressure inner tube; 35.6 cm (14 in.)	N. C.	40.00	60
7213506	Puncture proof tire for drive wheel	35.00	75.00	60
7213508	Caster wheel, with standard pressure inner tube tire or puncture proof tire; 20.3 cm (8 in.) or 22.9 cm (9 in.)	N. C.	75.00	60
7213509	Caster wheel, with standard pressure inner tube tire or puncture proof tire; 20.3 cm (8 in.) or 22.9 cm (9 in.)	N. C.	75.00	60
7213510	Suspension independent of wheels	N. C.	100.00	60
7213512	Fork, adjustable height	N. C.	100.00	60

PRICE  
(including all  
the basic  
components)

---

7213513	<b>POWERED WHEELCHAIR</b>	<b>4,100.00</b>		
---------	---------------------------	-----------------	--	--

CATEGORY FMO-GM 2-A-P2 (MID-REAR WHEEL DRIVE)

SUNRISE MEDICAL CANADA INC.

“QUICKIE Q500H I” DEVICE

**TECHNICAL SPECIFICATIONS OF THE DEVICE**

**Maximum weight capacity:** 120 kg (265 lb.)

**Seat-to-floor height:** 41.9 cm to 50.8 cm (16½ in. to 20 in.)

**Frame:** mid-rear wheel drive base, overall width ≤ 61 cm (24 in.)

**Drive system:** manual freewheel lever; control cable replaceable separately

---

BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
-------------------------------	--	--------------------------------------	-------------------

**BODY SUPPORT SYSTEM**

7213514	Seat-to-back assembly structure; resizable	N. C.	400.00	12
---------	--	-------	--------	----

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7213515	Rigid seat base, width and depth adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)	N. C.	195.00	12
7213516	Seat, padded and contoured	N. C.	195.00	1
7213517	Back support, flexible, non tension adjustable; heights of 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.), 61 cm (24 in.), 63.5 cm (25 in.), 66 cm (26 in.), 68.6 cm (27 in.), 71.1 cm (28 in.), 73.6 cm (29 in.) or 76.2 cm (30 in.)	N. C.	90.00	1
7213518	Back support, flexible, tension adjustable	60.00	150.00	1
7213519	Back support, padded and contoured; heights of 53.3 cm (21 in.), 57.2 cm (22½ in.) or 61 cm (24 in.)	N. C.	90.00	1
7213520	Back support upright, straight, height and angle adjustable; angle-adjustable from 85° to 110° by increments of 4°	N. C.	250.00	12
7213521	Push handle, with hand grip	N. C.	90.00	12
7213523	Powered reclining back support, including biomechanical adjustment	1,250.00	1,250.00	12
7213524	Power tilt mechanism	1,200.00	1,200.00	12
7213525	Postural support pelvic belt	N. C.	25.00	12
7213526	T-shaped arm support, short, removable; height-adjustable, from 20.3 cm to 38.1 cm (8 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism;	N. C.	150.00	1
7213527	T-shaped arm support, long, removable; height-adjustable, from 20.3 cm to 38.1 cm (8 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7213528	U-shaped arm support, short, flip-up and removable; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7213529	U-shaped arm support, long, flip-up and removable; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7213531	I-shaped arm support, flip-up; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7213532	L-shaped arm support, flip-up; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7213533	Arm support pad, short, straight	N. C.	15.00	1
7213534	Arm support pad, long, straight	N. C.	15.00	1
7213535	Arm support pad, contoured	5.00	20.00	1
7213536	Arm support pad, gel	70.00	85.00	1

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7213537	Parallel lower leg support, 60°, 65°, 70°, 80°, 85° or 90°; removable and pivoting with locking mechanism; adjustable length from 33 cm to 50.8 cm (13 in. to 22 in.)	N. C.	135.00	12
7213538	Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening system	15.00	150.00	12
7213539	Powered elevating lower leg support, individually controlled	365.00	500.00	12
7213540	Powered elevating lower leg support, paired control	365.00	500.00	12
7213541	Padded calf support, angle, height and depth adjustable, including flat pad	70.00	70.00	12
7213542	Foot support, separate, flip-up, not angle adjustable, standard length	N. C.	35.00	12
7213543	Foot support, separate, flip-up, not angle adjustable, extra long	N. C.	35.00	12
7213544	Foot support, separate, flip-up, angle and depth adjustable, standard length	N. C.	35.00	12
7213545	Foot support, separate, flip-up, angle and depth adjustable, extra long	N. C.	35.00	12
7213546	Heel loop, adjustable	5.00	5.00	12
7213547	Head support, depth adjustable	55.00	55.00	12
7213548	Contoured cushion for head support, all sizes	35.00	35.00	12
7213549	Back support tension bar	20.00	20.00	12
7213550	Securement for head support for back support tension bar	40.00	40.00	12
<b>FRAME</b>				
7213551	Anti-tip device	N. C.	12.00	12
7213552	Front impact guard	12.00	12.00	12
7213553	Lighting systems	425.00	425.00	12
7213554	Reflective devices	N. C.	5.00	12
7213555	Emergency flashers	15.00	15.00	12
7213556	Triangular-shaped flag, orange, 300 cm <sup>2</sup> minimum surface	15.00	15.00	12
7213557	Securement points for strap-type tiedowns for transport	N. C.	100.00	12
<b>DRIVE SYSTEM</b>				
7213558	Standard control device for multipurpose programmable electronics; drive control device; toggle or push switches the functions: start-stop, horn and function selection; battery charge level indicator	N. C.	585.00	12
7213559	Compact control device	N. C.	585.00	12
7213560	Control device operated by an assistant	560.00	560.00	12
7213561	Control device for powered repositioning, for an accessory	100.00	100.00	12
7213562	Control device for powered repositioning, for four accessories	350.00	350.00	12
7213563	Infrared option	N. C.	N. C.	12
7213564	Bluetooth option	N. C.	N. C.	12
7213565	Separate control for powered tilt mechanism	510.00	510.00	12
7213566	Control device support, standard lateral, adjustable front-rear position	N. C.	85.00	12

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7213567	Control device support, lateral, flip-up with locking mechanism, adjustable front-rear position	N. C.	85.00	12
7213568	Control device support, central, flip-up, adjustable front-rear position	65.00	150.00	12
7213569	Controller for multipurpose programmable electronic system	N. C.	575.00	12
7213570	Motor	N. C.	430.00	12
7213571	Electric brake	N. C.	60.00	12
7213572	Battery charger, compatible with group 22NF or 24 batteries	N. C.	145.00	12
7213573	Adapted non-proportional control, cephalic	1,200.00	1,200.00	12
7213574	Adapted non-proportional control, chin-controlled	1,200.00	1,200.00	12
7213575	Adapted non-proportional control, breath-controlled	850.00	850.00	12
7213576	Adapted proportional control, cephalic	1,500.00	1,500.00	12
7213577	Adapted proportional control, chin-controlled	1,100.00	1,100.00	12
7213578	Adapted proportional control, mini joystick	1,800.00	1,800.00	12
7213579	Mounting bracket for adapted control	250.00	250.00	12
7213580	Adapted control interface	365.00	950.00	12
7213581	Mounting bracket for interface	400.00	400.00	12
7213582	Lever extension, ball	55.00	55.00	12
7213583	Lever extension, conicospherical	25.00	25.00	12
7213584	Lever extension, stick	55.00	55.00	12
7213585	Lever extension, T-shaped	65.00	65.00	12
7213586	Lever extension, mushroom	55.00	55.00	12
7213587	Lever extension, U-shaped	55.00	55.00	12
7213588	Trajectory correction system	550.00	550.00	12
<b>WHEELS AND TIRES</b>				
7213589	Drive wheel; 33 cm (13 in.)	N. C.	75.00	12
7213590	Drive wheel tire, standard pressure inner tube; 33 cm (13 in.)	N. C.	55.00	1
7213591	Puncture proof tire for drive wheel	10.00	65.00	1
7213592	Caster wheel, with semi-pneumatic tire; 22.9 cm (9 in.)	N. C.	25.00	12
7213595	Suspension independent of wheels	N. C.	120.00	12
7213596	Fork, standard	N. C.	45.00	12



		PRICE (including all the basic components)		
7213598	<b>POWERED WHEELCHAIR</b>	<b>4,495.00</b>		
CATEGORY FMO-GM 2-B-P2 (MID-WHEEL DRIVE)				
ORTHOFAB INC.				
"OASIS PCM" DEVICE				
<b>TECHNICAL SPECIFICATIONS OF THE DEVICE</b>				
<b>Maximum weight capacity:</b> 120 kg (265 lb.)				
<b>Seat-to-floor height:</b> 39,4 cm to 52,1 cm (15½ in. to 20½ in.)				
<b>Frame:</b> mid-wheel drive base, overall width ≤ 61 cm (24 in.)				
<b>Drive system:</b> manual freewheel lever; control cable replaceable separately				
BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
<b>BODY SUPPORT SYSTEM</b>				
7213599	Seat-to-back assembly structure; resizable	N. C.	240.00	60
7213600	Rigid seat base, width and depth adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.) or 58.4 cm (23 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.) or 53.3 cm (21 in.)	N. C.	70.00	60
7213601	Seat, padded and contoured	50.00	120.00	60
7213604	Back support, padded and contoured; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	300.00	60
7213602	Back support, flexible, non tension adjustable; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	300.00	60
7213603	Back support, flexible, tension adjustable	N. C.	300.00	60
7213605	Back support upright, straight, height and angle adjustable; angle-adjustable from 90° to 110° by maximum increments of 6°	N. C.	75.00	60
7213606	Push handle, with hand grip	N. C.	105.00	60
7213608	Powered reclining back support, including biomechanical adjustment	700.00	700.00	60
7213609	Power tilt mechanism	600.00	600.00	60
7213610	Postural support pelvic belt	N. C.	10.00	60

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7213611	T-shaped arm support, short, removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism;	N. C.	110.00	60
7213612	T-shaped arm support, long, removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	110.00	60
7213613	U-shaped arm support, short, flip-up and removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	110.00	60
7213614	U-shaped arm support, long, flip-up and removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	110.00	60
7213615	U-shaped arm support, flip-up; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	110.00	60
7213617	L-shaped arm support, swing-away outward; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 27.9 cm to 35.6 cm (11 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	110.00	60
7213618	Arm support pad, short, straight	N. C.	8.00	60
7213619	Arm support pad, long, straight	N. C.	8.00	60
7213620	Arm support pad, contoured	26.00	34.00	60
7213621	Arm support pad, gel	72.00	80.00	60
7213622	Parallel lower leg support, 60° or 70°; removable and pivoting with locking mechanism; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 45.7 cm to 58.4 cm (18 in. to 23 in.)	N. C.	100.00	60
7213623	Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening system	200.00	300.00	60
7213624	Powered elevating lower leg support, individually controlled	900.00	1,000.00	60
7213625	Powered elevating lower leg support, paired control	900.00	1,000.00	60
7213626	One-piece powered elevating lower leg support	1,400.00	1,500.00	60
7213627	Padded calf support, angle, height and depth adjustable, including flat pad	30.00	30.00	60
7213628	Foot support, separate, flip-up, not angle adjustable, standard length	N. C.	10.00	60
7213629	Foot support, separate, flip-up, not angle adjustable, extra long	20.00	30.00	60
7213630	Foot support, separate, flip-up, angle and depth adjustable, standard length	25.00	35.00	60
7213631	Foot support, separate, flip-up, angle and depth adjustable, extra long	35.00	45.00	60
7213632	Foot support, flip-up, one-piece platform	415.00	425.00	60
7213633	Heel loop, adjustable	5.00	5.00	60

7213634	Head support, depth adjustable	35.00	35.00	60
7213635	Contoured cushion for head support	65.00	65.00	60
7213636	Back support tension bar	5.00	5.00	60
7213637	Securement for head support for back support tension bar	15.00	15.00	60
<b>FRAME</b>				
7213638	Front impact guard	5.00	5.00	60
7213639	Lighting systems	175.00	175.00	60
7213640	Reflective devices	N. C.	50.00	60
7213641	Emergency flashers	150.00	150.00	60
7213642	Triangular-shaped flag, orange, 300 cm <sup>2</sup> minimum surface	5.00	5.00	60
7213643	Securement points for strap-type tiedowns for transport	N. C.	N. C.	60
<b>DRIVE SYSTEM</b>				
7213644	Standard control device for multipurpose programmable electronics; drive control device; toggle or push switches the functions: start-stop, horn and function selection; battery charge level indicator	N. C.	800.00	60
7213645	Compact control device	N. C.	800.00	60
7213646	Control device operated by an assistant	200.00	200.00	60
7213647	Control device for powered repositioning, for an accessory	N. C.	N. C.	60
7213648	Control device for powered repositioning, for four accessories	N. C.	N. C.	60
7213649	Infrared option	N. C.	N. C.	60
7213650	Bluetooth option	1,600.00	1,600.00	60
7213651	Separate control for powered tilt mechanism	350.00	350.00	60
7213652	Control device support, standard lateral, adjustable front-rear position	N. C.	200.00	60
7213653	Control device support, lateral, flip-up with locking mechanism, adjustable front-rear position	N. C.	200.00	60
7213654	Control device support, central, flip-up, adjustable front-rear position	N. C.	200.00	60
7213655	Controller for multipurpose programmable electronic system	N. C.	575.00	60
7213656	Motor, including electric brake	N. C.	600.00	60
7213658	Battery charger, compatible with group 22NF or 24	N. C.	130.00	60
7213659	Adapted non-proportional control, cephalic	500.00	500.00	60
7213660	Adapted non-proportional control, chin-controlled	700.00	700.00	60
7213661	Adapted non-proportional control, breath-controlled	500.00	500.00	60
7213662	Adapted proportional control, cephalic	500.00	500.00	60
7213663	Adapted proportional control, chin-controlled	500.00	500.00	60
7213664	Adapted proportional control, mini joystick	2,500.00	2,500.00	60
7213665	Mounting bracket for adapted control	N. C.	N. C.	60
7213666	Adapted control interface	N. C.	800.00	60
7213667	Mounting bracket for interface	100.00	100.00	60
7213668	Lever extension, ball	20.00	20.00	60
7213669	Lever extension, conicospherical	20.00	20.00	60
7213670	Lever extension, stick	15.00	15.00	60
7213671	Lever extension, T-shaped	15.00	15.00	60

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7213672	Lever extension, mushroom	15.00	15.00	60
7213673	Lever extension, U-shaped	15.00	15.00	60
7213674	Trajectory correction system	1,000.00	1,000.00	60

**WHEELS AND TIRES**

7213675	Drive wheel; 35.6 cm (14 in.)	N. C.	160.00	60
7213676	Drive wheel tire, standard pressure inner tube; 35.6 cm (14 in.)	N. C.	40.00	60
7213677	Puncture proof tire for drive wheel	35.00	75.00	60
7213679	Caster wheel, with standard pressure inner tube tire; 20.3 cm (8 in.) or 22.9 cm (9 in.)	N. C.	75.00	60
7213680	Caster wheel, with puncture proof tire; 20.3 cm (8 in.) or 22.9 cm (9 in.)	N. C.	75.00	60
7213681	Suspension independent of wheels	N. C.	100.00	60
7213683	Fork, adjustable height	N. C.	100.00	60

PRICE  
(including all  
the basic  
components)

---

7213684	<b>POWERED WHEELCHAIR</b>		<b>3,950.00</b>	
---------	---------------------------	--	-----------------	--

CATEGORY FMO-GM 2-B-P2 (MID-FRONT WHEEL DRIVE)

SUNRISE MEDICAL CANADA INC.

“QUICKIE Q500M MixIE” DEVICE

**TECHNICAL SPECIFICATIONS OF THE DEVICE**

**Maximum weight capacity:** 120 kg (265 lb.)

**Seat-to-floor height:** 41.9 cm to 49.5 cm (16½ in. to 19½ in.)

**Frame:** mid-front wheel drive base, overall width ≤ 61 cm (24 in.)

**Drive system:** manual freewheel lever; control cable replaceable separately

---

BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
-------------------------------	--	--------------------------------------	-------------------

**BODY SUPPORT SYSTEM**

7213685	Seat-to-back assembly structure; resizable	N. C.	400.00	12
7213686	Rigid seat base, width and depth adjustable; strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)	N. C.	195.00	12
7213687	Seat, padded and contoured	N. C.	195.00	1

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7213688	Back support, flexible, non tension adjustable; heights of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 55.9 cm (22 in.), 58.4 cm (23 in.), 61.0 cm (24 in.), 63.5 cm (25 in.), 66 cm (26 in.), 68.6 cm (27 in.) or 71.1 cm (28 in.)	N. C.	90.00	1
7213689	Back support, flexible, tension adjustable	60.00	150.00	1
7213690	Back support, padded and contoured; heights of 53.3 cm (21 in.), 57.2 cm (22½ in.) or 61 cm (24 in.)	N. C.	90.00	1
7213691	Back support upright, straight, height and angle adjustable; angle-adjustable from 85° to 110° by increments of 4°	N. C.	250.00	12
7213692	Push handle, with hand grip	N. C.	90.00	12
7213694	Powered reclining back support, including biomechanical adjustment	1,250.00	1,250.00	12
7213695	Power tilt mechanism	1,200.00	1,200.00	12
7213696	Postural support pelvic belt	N. C.	25.00	12
7213697	T-shaped arm support, short, removable; height-adjustable, from 20.3 cm to 38.1 cm (8 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7213698	T-shaped arm support, long, removable; height-adjustable, from 20.3 cm to 38.1 cm (8 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7213699	U-shaped arm support, short, flip-up and removable; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7213700	U-shaped arm support, long, flip-up and removable; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7213702	I-shaped arm support, flip-up; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7213703	L-shaped arm support, flip-up; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7213704	Arm support pad, short, straight	N. C.	15.00	1
7213705	Arm support pad, long, straight	N. C.	15.00	1
7213706	Arm support pad, contoured	5.00	20.00	1
7213707	Arm support pad, gel	70.00	85.00	1
7213708	Parallel lower leg support, 60°, 65°, 70°, 80°, 85° or 90°; removable and pivoting with locking mechanism; adjustable length from 33 cm to 50.8 cm (13 in. to 22 in.)	N. C.	135.00	12
7213709	Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening system	15.00	150.00	12
7213710	Powered elevating lower leg support, individually controlled	365.00	500.00	12
7213711	Powered elevating lower leg support, paired control	365.00	500.00	12
7213712	One-piece powered elevating lower leg support	845.00	980.00	12

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7213713	Padded calf support, angle, height and depth adjustable, including flat pad	70.00	70.00	12
7213714	Foot support, separate, flip-up, not angle adjustable, standard length	N. C.	35.00	12
7213715	Foot support, separate, flip-up, not angle adjustable, extra long	N. C.	35.00	12
7213716	Foot support, separate, flip-up, angle and depth adjustable, standard length	N. C.	35.00	12
7213717	Foot support, separate, flip-up, angle and depth adjustable, extra long	N. C.	35.00	12
7213718	Foot support, flip-up, one-piece platform	190.00	225.00	12
7213719	Heel loop, adjustable	5.00	5.00	12
7213720	Head support, depth adjustable	55.00	55.00	12
7213721	Contoured cushion for head support, all sizes	35.00	35.00	12
7213722	Back support tension bar	20.00	20.00	12
7213723	Securement for head support for back support tension bar	40.00	40.00	12
<b>FRAME</b>				
7213724	Front impact guard	12.00	12.00	12
7213725	Lighting systems	425.00	425.00	12
7213726	Reflective devices	N. C.	5.00	12
7213727	Emergency flashers	15.00	15.00	12
7213728	Triangular-shaped flag, orange, 300 cm <sup>2</sup> minimum surface	15.00	15.00	12
7213729	Securement points for strap-type tiedowns for transport	N. C.	100.00	12
<b>DRIVE SYSTEM</b>				
7213730	Standard control device for multipurpose programmable electronics; drive control device; toggle or push switches the functions: start-stop, horn and function selection; battery charge level indicator	N. C.	585.00	12
7213731	Compact control device	N. C.	585.00	12
7213732	Control device operated by an assistant	560.00	560.00	12
7213733	Control device for powered repositioning, for an accessory	100.00	100.00	12
7213734	Control device for powered repositioning, for four accessories	350.00	350.00	12
7213735	Infrared option	N. C.	N. C.	12
7213736	Bluetooth option	N. C.	N. C.	12
7213737	Separate control for powered tilt mechanism	510.00	510.00	12
7213738	Control device support, standard lateral, adjustable front-rear position	N. C.	85.00	12
7213739	Control device support, lateral, flip-up with locking mechanism, adjustable front-rear position	N. C.	85.00	12
7213740	Control device support, central, flip-up, adjustable front-rear position	65.00	150.00	12
7213741	Controller for multipurpose programmable electronic system	N. C.	575.00	12
7213742	Motor	N. C.	430.00	12
7213743	Electric brake	N. C.	60.00	12
7213744	Battery charger, compatible with group 22NF or 24 batteries	N. C.	145.00	12

7213745	Adapted non-proportional control, cephalic	1,200.00	1,200.00	12
7213746	Adapted non-proportional control, chin-controlled	1,200.00	1,200.00	12
7213747	Adapted non-proportional control, breath-controlled	850.00	850.00	12
7213748	Adapted proportional control, cephalic	1,500.00	1,500.00	12
7213749	Adapted proportional control, chin-controlled	1,100.00	1,100.00	12
7213750	Adapted proportional control, mini joystick	1,800.00	1,800.00	12
7213751	Mounting bracket for adapted control	250.00	250.00	12
7213752	Adapted control interface	365.00	950.00	12
7213753	Mounting bracket for interface	400.00	400.00	12
7213754	Lever extension, ball	55.00	55.00	12
7213755	Lever extension, conicospherical	25.00	25.00	12
7213756	Lever extension, stick	55.00	55.00	12
7213757	Lever extension, T-shaped	65.00	65.00	12
7213758	Lever extension, mushroom	55.00	55.00	12
7213759	Lever extension, U-shaped	55.00	55.00	12
7213760	Trajectory correction system	550.00	550.00	12

**WHEELS AND TIRES**

7213761	Drive wheel; 33 cm (13 in.)	N. C.	75.00	12
7213762	Drive wheel tire, standard pressure inner tube; 33 cm (13 in.)	N. C.	55.00	1
7213763	Puncture proof tire for drive wheel	10.00	65.00	1
7213764	Caster wheel, with semi-pneumatic tire; 17.8 cm (7 in.)	N. C.	25.00	12
7213767	Suspension independent of wheels	N. C.	120.00	12
7213768	Fork, standard	N. C.	45.00	12

PRICE  
(including all  
the basic  
components)

---

7213770	<b>POWERED WHEELCHAIR</b>		<b>4,495.00</b>	
---------	---------------------------	--	-----------------	--

CATEGORY FMO-GM 2-B-P2 (MID-REAR WHEEL DRIVE)

ORTHO FAB INC.

“OASIS PC” DEVICE

**TECHNICAL SPECIFICATIONS OF THE DEVICE**

**Maximum weight capacity:** 120 kg (265 lb.)

**Seat-to-floor height:** 39,4 cm to 49,6 cm (15½ in. to 19½ in.)

**Frame:** mid-rear wheel drive base, overall width ≤ 61 cm (24 in.)

**Drive system:** manual freewheel lever; control cable replaceable separately

---

BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)	
<b>BODY SUPPORT SYSTEM</b>				
7213771	Seat-to-back assembly structure; resizable	N. C.	240.00	60

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7213772	Rigid seat base, width and depth adjustable; strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.) or 58.4 cm (23 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.) or 53.3 cm (21 in.)	N. C.	70.00	60
7213773	Seat, padded and contoured	50.00	120.00	60
7213776	Back support, padded and contoured; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61.0 cm (24 in.)	N. C.	300.00	60
7213774	Back support, flexible, non tension adjustable; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61.0 cm (24 in.)	N. C.	300.00	60
7213775	Back support, flexible, tension adjustable	N. C.	300.00	60
7213777	Back support upright, straight, height and angle adjustable; angle-adjustable from 90° to 110° by maximum increments of 6°	N. C.	75.00	60
7213778	Push handle, with hand grip	N. C.	105.00	60
7213780	Powered reclining back support, including biomechanical adjustment	700.00	700.00	60
7213781	Power tilt mechanism	600.00	600.00	60
7213782	Postural support pelvic belt	N. C.	10.00	60
7213783	T-shaped arm support, short, removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	110.00	60
7213784	T-shaped arm support, long, removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	110.00	60
7213785	U-shaped arm support, short, flip-up and removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	110.00	60
7213786	U-shaped arm support, long, flip-up and removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	110.00	60
7213787	U-shaped arm support, flip-up; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	110.00	60
7213789	L-shaped arm support, swing-away outward; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 27.9 cm to 35.6 cm (11 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	110.00	60
7213790	Arm support pad, short, straight	N. C.	8.00	60



## SCHEDULE 1

## Tariff for devices which compensate for a motor deficiency and insured related services

(authentic version)

7213791	Arm support pad, long, straight	N. C.	8.00	60
7213792	Arm support pad, contoured	26.00	34.00	60
7213793	Arm support pad, gel	72.00	80.00	60
7213794	Parallel lower leg support, 60° or 70°; removable and pivoting with locking mechanism; adjustable from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 45.7 cm to 58.4 cm (18 in. to 23 in.); or 70°; removable and pivoting with locking mechanism; adjustable length from 25.4 cm to 35.6 cm (10 in. to 14 in.), from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 45.7 cm to 58.4 cm (18 in. to 23 in.)	N. C.	100.00	60
7213795	Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening system	200.00	300.00	60
7213796	Powered elevating lower leg support, individually controlled	900.00	1,000.00	60
7213797	Powered elevating lower leg support, paired control	900.00	1,000.00	60
7213798	Padded calf support, angle, height and depth adjustable, including flat pad	30.00	30.00	60
7213799	Foot support, separate, flip-up, not angle adjustable, standard length	N. C.	10.00	60
7213800	Foot support, separate, flip-up, not angle adjustable, extra long	20.00	30.00	60
7213801	Foot support, separate, flip-up, angle and depth adjustable, standard length	25.00	35.00	60
7213802	Foot support, separate, flip-up, angle and depth adjustable, extra long	35.00	45.00	60
7213803	Heel loop, adjustable	5.00	5.00	60
7213804	Head support, depth adjustable	35.00	35.00	60
7213805	Contoured cushion for head support, all sizes	65.00	65.00	60
7213806	Back support tension bar	5.00	5.00	60
7213807	Securement for head support for back support tension bar	15.00	15.00	60
<b>FRAME</b>				
7213808	Anti-tip device	N. C.	3.00	60
7213809	Front impact guard	5.00	5.00	60
7213810	Lighting systems	175.00	175.00	60
7213811	Reflective devices	N. C.	50.00	60
7213812	Emergency flashers	150.00	150.00	60
7213813	Triangular-shaped flag, orange, 300 cm <sup>2</sup> minimum surface	5.00	5.00	60
7213814	Securement points for strap-type tiedowns for transport	N. C.	N. C.	60
<b>DRIVE SYSTEM</b>				
7213815	Standard control device for multipurpose programmable electronics; drive control device; toggle or push switches the functions: start-stop, horn and function selection; battery charge level indicator	N. C.	800.00	60
7213816	Compact control device	N. C.	800.00	60
7213817	Control device operated by an assistant	200.00	200.00	60

## SCHEDULE 1

## Tariff for devices which compensate for a motor deficiency and insured related services

(authentic version)

7213818	Control device for powered repositioning, for an accessory	N. C.	N. C.	60
7213819	Control device for powered repositioning, for four accessories	N. C.	N. C.	60
7213820	Infrared option	N. C.	N. C.	60
7213821	Bluetooth option	1,600.00	1,600.00	60
7213822	Separate control for powered tilt mechanism	350.00	350.00	60
7213823	Control device support, standard lateral, adjustable front-rear position	N. C.	200.00	60
7213824	Control device support, lateral, flip-up with locking mechanism, adjustable front-rear position	N. C.	200.00	60
7213825	Control device support, central, flip-up, adjustable front-rear position	N. C.	200.00	60
7213826	Controller for multipurpose programmable electronic system	N. C.	575.00	60
7213827	Motor, including electric brake	N. C.	600.00	60
7213829	Battery charger, compatible with 22NF or 24 batteries	N. C.	130.00	60
7213830	Adapted non-proportional control, cephalic	500.00	500.00	60
7213831	Adapted non-proportional control, chin-controlled	700.00	700.00	60
7213832	Adapted non-proportional control, breath-controlled	500.00	500.00	60
7213833	Adapted proportional control, cephalic	500.00	500.00	60
7213834	Adapted proportional control, chin-controlled	500.00	500.00	60
7213835	Adapted proportional control, mini joystick	2,500.00	2,500.00	60
7213836	Mounting bracket for adapted control	N. C.	N. C.	60
7213837	Adapted control interface	N. C.	800.00	60
7213838	Mounting bracket for interface	100.00	100.00	60
7213839	Lever extension, ball	20.00	20.00	60
7213840	Lever extension, conicospherical	20.00	20.00	60
7213841	Lever extension, stick	15.00	15.00	60
7213842	Lever extension, T-shaped	15.00	15.00	60
7213843	Lever extension, mushroom	15.00	15.00	60
7213844	Lever extension, U-shaped	15.00	15.00	60
7213845	Trajectory correction system	1,000.00	1,000.00	60
<b>WHEELS AND TIRES</b>				
7213846	Drive wheel; 35.6 cm (14 in.)	N. C.	160.00	60
7213847	Drive wheel tire, standard pressure inner tube; 35.6 cm (14 in.)	N. C.	40.00	60
7213848	Puncture proof tire for drive wheel	35.00	75.00	60
7213850	Caster wheel, with standard pressure inner tube tire; 20.3 cm (8 in.) or 22.9 cm (9 in.)	N. C.	75.00	60
7213851	Caster wheel, with puncture proof tire; 20.3 cm (8 in.) or 22.9 cm (9 in.)	N. C.	75.00	60
7213852	Suspension independent of wheels	N. C.	100.00	60
7213854	Fork, adjustable height	N. C.	100.00	60

		PRICE (including all the basic components)		
7213855	<b>POWERED WHEELCHAIR</b>	<b>4,100.00</b>		
	CATEGORY FMO-GM 2-B-P2 (MID-REAR WHEEL DRIVE)			
	SUNRISE MEDICAL CANADA INC.			
	“QUICKIE Q500H MixIE” DEVICE			
	<b>TECHNICAL SPECIFICATIONS OF THE DEVICE</b>			
	<b>Maximum weight capacity:</b> 120 kg (265 lb.)			
	<b>Seat-to-floor height:</b> 41.9 cm to 50.8 cm (16½ in. to 20 in.)			
	<b>Frame:</b> mid-rear wheel drive base, overall width ≤ 61 cm (24 in.)			
	<b>Drive system:</b> manual freewheel lever; control cable replaceable separately			
BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
<b>BODY SUPPORT SYSTEM</b>				
7213856	Seat-to-back assembly structure; resizable	N. C.	400.00	12
7213857	Rigid seat base, width and depth adjustable; strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)	N. C.	195.00	12
7213858	Seat, padded and contoured	N. C.	195.00	1
7213859	Back support, flexible, non tension adjustable; heights of 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.), 61 cm (24 in.), 63.5 cm (25 in.), 66 cm (26 in.), 68.6 cm (27 in.), 71.1 cm (28 in.), 73.6 cm (29 in.) or 76.2 cm (30 in.)	N. C.	90.00	1
7213860	Back support, flexible, tension adjustable	60.00	150.00	1
7213861	Back support, padded and contoured; heights of 53.3 cm (21 in.), 57.2 cm (22½ in.) or 61 cm (24 in.)	N. C.	90.00	1
7213862	Back support upright, straight, height and angle adjustable; angle-adjustable from 85° to 110° by increments of 4°	N. C.	250.00	12
7213863	Push handle, with hand grip	N. C.	90.00	12
7213865	Powered reclining back support, including biomechanical adjustment	1,250.00	1,250.00	12
7213866	Power tilt mechanism	1,200.00	1,200.00	12
7213867	Postural support pelvic belt	N. C.	25.00	12

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7213868	T-shaped arm support, short, removable; height-adjustable, from 20.3 cm to 38.1 cm (8 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7213869	T-shaped arm support, long, removable; height-adjustable, from 20.3 cm to 38.1 cm (8 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7213870	U-shaped arm support, short, flip-up and removable; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7213871	U-shaped arm support, long, flip-up and removable; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7213873	I-shaped arm support, flip-up; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7213874	L-shaped arm support, flip-up; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7213875	Arm support pad, short, straight	N. C.	15.00	1
7213876	Arm support pad, long, straight	N. C.	15.00	1
7213877	Arm support pad, contoured	5.00	20.00	1
7213878	Arm support pad, gel	70.00	85.00	1
7213879	Parallel lower leg support, 60°, 65°, 70°, 80°, 85° or 90°; removable and pivoting with locking mechanism; adjustable length from 33 cm to 50.8 cm (13 in. to 22 in.)	N. C.	135.00	12
7213880	Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening system	15.00	150.00	12
7213881	Powered elevating lower leg support, individually controlled	365.00	500.00	12
7213882	Powered elevating lower leg support, paired control	365.00	500.00	12
7213883	Padded calf support, angle, height and depth adjustable, including flat pad	70.00	70.00	12
7213884	Foot support, separate, flip-up, not angle adjustable, standard length	N. C.	35.00	12
7213885	Foot support, separate, flip-up, not angle adjustable, extra long	N. C.	35.00	12
7213886	Foot support, separate, flip-up, angle and depth adjustable, standard length	N. C.	35.00	12
7213887	Foot support, separate, flip-up, angle and depth adjustable, extra long	N. C.	35.00	12
7213888	Heel loop, adjustable	5.00	5.00	12
7213889	Head support, depth adjustable	55.00	55.00	12
7213890	Contoured cushion for head support, all sizes	35.00	35.00	12
7213891	Back support tension bar	20.00	20.00	12
7213892	Securement for head support for back support tension bar	40.00	40.00	12

**FRAME**

7213893	Anti-tip device	N. C.	12.00	12
---------	-----------------	-------	-------	----

## SCHEDULE 1

## Tariff for devices which compensate for a motor deficiency and insured related services

(authentic version)

7213894	Front impact guard	12.00	12.00	12
7213895	Lighting systems	425.00	425.00	12
7213896	Reflective devices	N. C.	5.00	12
7213897	Emergency flashers	15.00	15.00	12
7213898	Triangular-shaped flag, orange, 300 cm <sup>2</sup> minimum surface	15.00	15.00	12
7213899	Securement points for strap-type tiedowns for transport	N. C.	100.00	12
<b>DRIVE SYSTEM</b>				
7213900	Standard control device for multipurpose programmable electronics; drive control device; toggle or push switches the functions: start-stop, horn and function selection; battery charge level indicator	N. C.	585.00	12
7213901	Compact control device	N. C.	585.00	12
7213902	Control device operated by an assistant	560.00	560.00	12
7213903	Control device for powered repositioning, for an accessory	100.00	100.00	12
7213904	Control device for powered repositioning, for four accessories	350.00	350.00	12
7213905	Infrared option	N. C.	N. C.	12
7213906	Bluetooth option	N. C.	N. C.	12
7213907	Separate control for powered tilt mechanism	510.00	510.00	12
7213908	Control device support, standard lateral, adjustable front-rear position	N. C.	85.00	12
7213909	Control device support, lateral, flip-up with locking mechanism, adjustable front-rear position	N. C.	85.00	12
7213910	Control device support, central, flip-up, adjustable front-rear position	65.00	150.00	12
7213911	Controller for multipurpose programmable electronic system	N. C.	575.00	12
7213912	Motor	N. C.	430.00	12
7213913	Electric brake	N. C.	60.00	12
7213914	Battery charger, compatible with group 22NF or 24 batteries	N. C.	145.00	12
7213915	Adapted non-proportional control, cephalic	1,200.00	1,200.00	12
7213916	Adapted non-proportional control, chin-controlled	1,200.00	1,200.00	12
7213917	Adapted non-proportional control, breath-controlled	850.00	850.00	12
7213918	Adapted proportional control, cephalic	1,500.00	1,500.00	12
7213919	Adapted proportional control, chin-controlled	1,100.00	1,100.00	12
7213920	Adapted proportional control, mini joystick	1,800.00	1,800.00	12
7213921	Mounting bracket for adapted control	250.00	250.00	12
7213922	Adapted control interface	365.00	950.00	12
7213923	Mounting bracket for interface	400.00	400.00	12
7213924	Lever extension, ball	55.00	55.00	12
7213925	Lever extension, conicospherical	25.00	25.00	12
7213926	Lever extension, stick	55.00	55.00	12
7213927	Lever extension, T-shaped	65.00	65.00	12
7213928	Lever extension, mushroom	55.00	55.00	12
7213929	Lever extension, U-shaped	55.00	55.00	12
7213930	Trajectory correction system	550.00	550.00	12
<b>WHEELS AND TIRES</b>				
7213931	Drive wheel; 35.6 cm (14 in.)	N. C.	75.00	12

7213932	Drive wheel tire, standard pressure inner tube; 35.6 cm (14 in.)	N. C.	55.00	1
7213933	Puncture proof tire for drive wheel	10.00	65.00	1
7213934	Caster wheel, with semi-pneumatic tire; 22.9 cm (9 in.)	N. C.	25.00	12
7213937	Suspension independent of wheels	N. C.	120.00	12
7213938	Fork, standard	N. C.	45.00	12

PRICE  
(including all  
the basic  
components)

---

7213940 **POWERED WHEELCHAIR** **4,100.00**

CATEGORY FMO-GM 2-C-P2 (MID-FRONT WHEEL DRIVE)

SUNRISE MEDICAL CANADA INC.

“QUICKIE Q700M” DEVICE

**TECHNICAL SPECIFICATIONS OF THE DEVICE**

**Maximum weight capacity:** 120 kg (265 lb.)

**Seat-to-floor height:** 41.9 cm to 50.8 cm (16½ in. to 20 in.)

**Frame:** mid-front wheel drive base, overall width ≤ 61 cm (24 in.)

**Drive system:** manual freewheel lever; control cable replaceable separately

---

BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)	
<b>BODY SUPPORT SYSTEM</b>				
7213941	Seat-to-back assembly structure; resizable	N. C.	400.00	12
7213942	Rigid seat base, width and depth adjustable; strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)	N. C.	195.00	12
7213943	Seat, padded and contoured	N. C.	195.00	1
7213944	Back support, flexible, non tension adjustable; heights of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 55.9 cm (22 in.), 58.4 cm (23 in.), 61 cm (24 in.), 63.5 cm (25 in.), 66 cm (26 in.), 68.6 cm (27 in.) or 71.1 cm (28 in.)	N. C.	90.00	1
7213945	Back support, flexible, tension adjustable	60.00	150.00	1
7213946	Back support, padded and contoured; heights of 53.3 cm (21 in.), 57.2 cm (22½ in.) or 61 cm (24 in.)	N. C.	90.00	1
7213947	Back support upright, straight, height and angle adjustable; angle-adjustable from 85° to 110° by increments of 4°	N. C.	250.00	12
7213948	Push handle, with hand grip	N. C.	90.00	12

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7213950	Powered reclining back support, including biomechanical adjustment	1,250.00	1,250.00	12
7213951	Power tilt mechanism	1,200.00	1,200.00	12
7213952	Postural support pelvic belt	N. C.	25.00	12
7213953	T-shaped arm support, short, removable; height-adjustable, from 20.3 cm to 38.1 cm (8 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7213954	T-shaped arm support, long, removable; height-adjustable, from 20.3 cm to 38.1 cm (8 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7213955	U-shaped arm support, short, flip-up and removable; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7213956	U-shaped arm support, long, flip-up and removable; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7213958	I-shaped arm support, flip-up; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7213959	L-shaped arm support, flip-up; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7213960	Arm support pad, short, straight	N. C.	15.00	1
7213961	Arm support pad, long, straight	N. C.	15.00	1
7213962	Arm support pad, contoured	5.00	20.00	1
7213963	Arm support pad, gel	70.00	85.00	1
7213964	Parallel lower leg support, 60°, 65°, 70°, 80°, 85° or 90°; removable and pivoting with locking mechanism; adjustable length from 33 cm to 50.8 cm (13 in. to 22 in.)	N. C.	135.00	12
7213965	Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening system	15.00	150.00	12
7213966	Powered elevating lower leg support, individually controlled	365.00	500.00	12
7213967	Powered elevating lower leg support, paired control	365.00	500.00	12
7213968	One-piece powered elevating lower leg support	845.00	980.00	12
7213969	Padded calf support, angle, height and depth adjustable, including flat pad	70.00	70.00	12
7213970	Foot support, separate, flip-up, not angle adjustable, standard length	N. C.	35.00	12
7213971	Foot support, separate, flip-up, not angle adjustable, extra long	N. C.	35.00	12
7213972	Foot support, separate, flip-up, angle and depth adjustable, standard length	N. C.	35.00	12
7213973	Foot support, separate, flip-up, angle and depth adjustable, extra long	N. C.	35.00	12
7213974	Foot support, flip-up, one-piece platform	190.00	225.00	12
7213975	Heel loop, adjustable	5.00	5.00	12
7213976	Head support, depth adjustable	55.00	55.00	12

7213977	Contoured cushion for head support, all sizes	35.00	35.00	12
7213978	Back support tension bar	20.00	20.00	12
7213979	Securement for head support for back support tension bar	40.00	40.00	12
<b>FRAME</b>				
7213980	Front impact guard	12.00	12.00	12
7213981	Lighting systems	N. C.	425.00	12
7213982	Reflective devices	N. C.	5.00	12
7213983	Emergency flashers	15.00	15.00	12
7213984	Triangular-shaped flag, orange, 300 cm <sup>2</sup> minimum surface	15.00	15.00	12
7213985	Securement points for strap-type tiedowns for transport	N. C.	100.00	12
<b>DRIVE SYSTEM</b>				
7213986	Standard control device for multipurpose programmable electronics; drive control device; toggle or push switches the functions: start-stop, horn and function selection; battery charge level indicator	N. C.	585.00	12
7213987	Compact control device	N. C.	585.00	12
7213988	Control device operated by an assistant	560.00	560.00	12
7213989	Control device for powered repositioning, for an accessory	100.00	100.00	12
7213990	Control device for powered repositioning, for four accessories	350.00	350.00	12
7213991	Infrared option	N. C.	N. C.	12
7213992	Bluetooth option	N. C.	N. C.	12
7213993	Separate control for powered tilt mechanism	510.00	510.00	12
7213994	Control device support, standard lateral, adjustable front-rear position	N. C.	85.00	12
7213995	Control device support, lateral, flip-up with locking mechanism, adjustable front-rear position	N. C.	85.00	12
7213996	Control device support, central, flip-up, adjustable front-rear position	65.00	150.00	12
7213997	Controller for multipurpose programmable electronic system	N. C.	575.00	12
7213998	Motor	N. C.	430.00	12
7213999	Electric brake	N. C.	60.00	12
7214000	Battery charger, compatible with group 22NF or 24 batteries	N. C.	145.00	12
7214001	Adapted non-proportional control, cephalic	1,200.00	1,200.00	12
7214002	Adapted non-proportional control, chin-controlled	1,200.00	1,200.00	12
7214003	Adapted non-proportional control, breath-controlled	850.00	850.00	12
7214004	Adapted proportional control, cephalic	1,500.00	1,500.00	12
7214005	Adapted proportional control, chin-controlled	1,100.00	1,100.00	12
7214006	Adapted proportional control, mini joystick	1,800.00	1,800.00	12
7214007	Mounting bracket for adapted control	250.00	250.00	12
7214008	Adapted control interface	365.00	950.00	12
7214009	Mounting bracket for interface	400.00	400.00	12
7214010	Lever extension, ball	55.00	55.00	12
7214011	Lever extension, conicospherical	25.00	25.00	12
7214012	Lever extension, stick	55.00	55.00	12
7214013	Lever extension, T-shaped	65.00	65.00	12



SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7214014	Lever extension, mushroom	55.00	55.00	12
7214015	Lever extension, U-shaped	55.00	55.00	12
7214016	Trajectory correction system	550.00	550.00	12

**WHEELS AND TIRES**

7214017	Drive wheel; 35.6 cm (14 in.)	N. C.	75.00	12
7214018	Drive wheel tire, standard pressure inner tube; 35.6 cm (14 in.)	N. C.	55.00	1
7214019	Puncture proof tire for drive wheel	10.00	65.00	1
7214020	Caster wheel, with semi-pneumatic tire; 15.2 cm (6 in.)	N. C.	25.00	12
7214023	Suspension independent of wheels	N. C.	120.00	12
7214024	Fork, standard	N. C.	45.00	12

PRICE  
(including all  
the basic  
components)

---

7214026	<b>POWERED WHEELCHAIR</b>	<b>4,100.00</b>		
	CATEGORY FMO-GM 2-C-P2 (MID-REAR WHEEL DRIVE)			
	SUNRISE MEDICAL CANADA INC.			

“QUICKIE Q500H” DEVICE

**TECHNICAL SPECIFICATIONS OF THE DEVICE**

- Maximum weight capacity:** 120 kg (265 lb.)
- Seat-to-floor height:** 41.9 cm to 50.8 cm (16½ in. to 20 in.)
- Frame:** mid-rear wheel drive base, overall width ≤ 61 cm (24 in.)
- Drive system:** manual freewheel lever; control cable replaceable separately

---

BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)	
<b>BODY SUPPORT SYSTEM</b>				
7214027	Seat-to-back assembly structure; resizable	N. C.	400.00	12
7214028	Rigid seat base, width and depth adjustable; strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)	N. C.	195.00	12
7214029	Seat, padded and contoured	N. C.	195.00	1
7214030	Back support, flexible, non tension adjustable; heights of 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.), 61.0 cm (24 in.), 63.5 cm (25 in.), 66 cm (26 in.), 68.6 cm (27 in.), 71.1 cm (28 in.), 73.6 cm (29 in.) or 76.2 cm (30 in.)	N. C.	90.00	1
7214031	Back support, flexible, tension adjustable	60.00	150.00	1

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7214032	Back support, padded and contoured; heights of 53.3 cm (21 in.), 57.2 cm (22½ in.) or 61 cm (24 in.)	N. C.	90.00	1
7214033	Back support upright, straight, height and angle adjustable; angle-adjustable from 85° to 110° by increments of 4°	N. C.	250.00	12
7214034	Push handle, with hand grip	N. C.	90.00	12
7214036	Powered reclining back support, including biomechanical adjustment	1,250.00	1,250.00	12
7214037	Power tilt mechanism	1,200.00	1,200.00	12
7214038	Postural support pelvic belt	N. C.	25.00	12
7214039	T-shaped arm support, short, removable; height-adjustable, from 20.3 cm to 38.1 cm (8 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7214040	T-shaped arm support, long, removable; height-adjustable, from 20.3 cm to 38.1 cm (8 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7214041	U-shaped arm support, short, flip-up and removable; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7214042	U-shaped arm support, long, flip-up and removable; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7214044	I-shaped arm support, flip-up; height-adjustable, from 25,4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7214045	L-shaped arm support, flip-up; height-adjustable, from 25,4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7214046	Arm support pad, short, straight	N. C.	15.00	1
7214047	Arm support pad, long, straight	N. C.	15.00	1
7214048	Arm support pad, contoured	5.00	20.00	1
7214049	Arm support pad, gel	70.00	85.00	1
7214050	Parallel lower leg support, 60°, 65°, 70°, 80°, 85° or 90°; removable and pivoting with locking mechanism; adjustable length from 33 cm to 50.8 cm (13 in. to 22 in.)	N. C.	135.00	12
7214051	Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening system	15.00	150.00	12
7214052	Powered elevating lower leg support, individually controlled	365.00	500.00	12
7214053	Powered elevating lower leg support, paired control	365.00	500.00	12
7214054	Padded calf support, angle, height and depth adjustable, including flat pad	70.00	70.00	12
7214055	Foot support, separate, flip-up, not angle adjustable, standard length	N. C.	35.00	12
7214056	Foot support, separate, flip-up, not angle adjustable, extra long	N. C.	35.00	12
7214057	Foot support, separate, flip-up, angle and depth adjustable, standard length	N. C.	35.00	12

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7214058	Foot support, separate, flip-up, angle and depth adjustable, extra long	N. C.	35.00	12
7214059	Heel loop, adjustable	5.00	5.00	12
7214060	Head support, depth adjustable	55.00	55.00	12
7214061	Contoured cushion for head support, all sizes	35.00	35.00	12
7214062	Back support tension bar	20.00	20.00	12
7214063	Securement for head support for back support tension bar	40.00	40.00	12
<b>FRAME</b>				
7214064	Anti-tip device	N. C.	12.00	12
7214065	Front impact guard	12.00	12.00	12
7214066	Lighting systems	N. C.	425.00	12
7214067	Reflective devices	N. C.	5.00	12
7214068	Emergency flashers	15.00	15.00	12
7214069	Triangular-shaped flag, orange, 300 cm <sup>2</sup> minimum surface	15.00	15.00	12
7214070	Securement points for strap-type tiedowns for transport	N. C.	100.00	12
<b>DRIVE SYSTEM</b>				
7214071	Standard control device for multipurpose programmable electronics; drive control device; toggle or push switches the functions: start-stop, horn and function selection; battery charge level indicator	N. C.	585.00	12
7214072	Compact control device	N. C.	585.00	12
7214073	Control device operated by an assistant	560.00	560.00	12
7214074	Control device for powered repositioning, for an accessory	100.00	100.00	12
7214075	Control device for powered repositioning, for four accessories	350.00	350.00	12
7214076	Infrared option	N. C.	N. C.	12
7214077	Bluetooth option	N. C.	N. C.	12
7214078	Separate control for powered tilt mechanism	510.00	510.00	12
7214079	Control device support, standard lateral, adjustable front-rear position	N. C.	85.00	12
7214080	Control device support, lateral, flip-up with locking mechanism, adjustable front-rear position	N. C.	85.00	12
7214081	Control device support, central, flip-up, adjustable front-rear position	65.00	150.00	12
7214082	Controller for multipurpose programmable electronic system	N. C.	575.00	12
7214083	Motor	N. C.	430.00	12
7214084	Electric brake	N. C.	60.00	12
7214085	Battery charger, compatible with group 22NF or 24	N. C.	145.00	12
7214086	Adapted non-proportional control, cephalic	1,200.00	1,200.00	12
7214087	Adapted non-proportional control, chin-controlled	1,200.00	1,200.00	12
7214088	Adapted non-proportional control, breath-controlled	850.00	850.00	12
7214089	Adapted proportional control, cephalic	1,500.00	1,500.00	12
7214090	Adapted proportional control, chin-controlled	1,100.00	1,100.00	12
7214091	Adapted proportional control, mini joystick	1,800.00	1,800.00	12
7214092	Mounting bracket for adapted control	250.00	250.00	12
7214093	Adapted control interface	365.00	950.00	12

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7214094	Mounting bracket for interface	400.00	400.00	12
7214095	Lever extension, ball	55.00	55.00	12
7214096	Lever extension, conicospherical	25.00	25.00	12
7214097	Lever extension, stick	55.00	55.00	12
7214098	Lever extension, T-shaped	65.00	65.00	12
7214099	Lever extension, mushroom	55.00	55.00	12
7214100	Lever extension, U-shaped	55.00	55.00	12
7214101	Trajectory correction system	550.00	550.00	12
<b>WHEELS AND TIRES</b>				
7214102	Drive wheel; 35.6 cm (14 in.)	N. C.	75.00	12
7214103	Drive wheel tire, standard pressure inner tube; 35.6 cm (14 in.)	N. C.	55.00	1
7214104	Puncture proof tire for drive wheel	10.00	65.00	1
7214105	Caster wheel, with semi-pneumatic tire; 22.9 cm (9 in.)	N. C.	25.00	12
7214108	Suspension independent of wheels	N. C.	120.00	12
7214109	Fork, standard	N. C.	45.00	12

## SUBDIVISION 3 : MASS GROUP 3

		PRICE (including all the basic components)		
7214111	<b>POWERED WHEELCHAIR</b>	<b>4,600.00</b>		
	CATEGORY FMO-GM 3-B-P2 (MID-FRONT WHEEL DRIVE)			
	SUNRISE MEDICAL CANADA INC.			
	“QUICKIE Q700M HD-MixIE” DEVICE			
<b>TECHNICAL SPECIFICATIONS OF THE DEVICE</b>				
	<b>Maximum weight capacity:</b> 159 kg (350 lb.)			
	<b>Seat-to-floor height:</b> 41.9 cm to 50.8 cm (16½ in. to 20 in.)			
	<b>Frame:</b> mid-front wheel drive base, overall width ≤ 61 cm (24 in.)			
	<b>Drive system:</b> manual freewheel lever; control cable replaceable separately			
BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
<b>BODY SUPPORT SYSTEM</b>				
7214112	Seat-to-back assembly structure; resizable	N. C.	400.00	12
7214113	Rigid seat base, width and depth adjustable; strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)	N. C.	195.00	12
7214114	Seat, padded and contoured	N. C.	195.00	1
7214115	Back support, flexible, non tension adjustable; heights of 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.), 61 cm (24 in.), 63.5 cm (25 in.), 66 cm (26 in.), 68.6 cm (27 in.), 71.1 cm (28 in.), 73.6 cm (29 in.) or 76.2 cm (30 in.)	N. C.	90.00	1
7214116	Back support, flexible, tension adjustable	60.00	150.00	1
7214117	Back support, padded and contoured; heights of 53.3 cm (21 in.), 57.2 cm (22½ in.) or 61 cm (24 in.)	N. C.	90.00	1
7214118	Back support upright, straight, height and angle adjustable; angle-adjustable from 85° to 110° by increments of 4°	N. C.	250.00	12
7214119	Push handle, with hand grip	N. C.	90.00	12
7214121	Powered reclining back support, including biomechanical adjustment	1,250.00	1,250.00	12
7214122	Power tilt mechanism	1,200.00	1,200.00	12
7214123	Postural support pelvic belt	N. C.	25.00	12

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7214124	T-shaped arm support, short, removable; height-adjustable, from 20.3 cm to 38.1 cm (8 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7214125	T-shaped arm support, long, removable; height-adjustable, from 20.3 cm to 38.1 cm (8 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7214126	U-shaped arm support, short, flip-up and removable; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7214127	U-shaped arm support, short, flip-up and removable; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7214129	I-shaped arm support, flip-up; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7214130	L-shaped arm support, flip-up height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7214131	Arm support pad, short, straight	N. C.	15.00	1
7214132	Arm support pad, long, straight	N. C.	15.00	1
7214133	Arm support pad, contoured	5.00	20.00	1
7214134	Arm support pad, gel	70.00	85.00	1
7214135	Parallel lower leg support, 60°, 65°, 70°, 80°, 85° or 90°; removable and pivoting with locking mechanism; adjustable length from 33 cm to 50.8 cm (13 in. to 22 in.)	N. C.	135.00	12
7214136	Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening system	15.00	150.00	12
7214137	Powered elevating lower leg support, individually controlled	365.00	500.00	12
7214138	Powered elevating lower leg support, paired control	365.00	500.00	12
7214139	One-piece powered elevating lower leg support	845.00	980.00	12
7214140	Padded calf support, angle, height and depth adjustable, including flat	70.00	70.00	12
7214141	Foot support, separate, flip-up, not angle adjustable, standard length	N. C.	35.00	12
7214142	Foot support, separate, flip-up, not angle adjustable, extra long	N. C.	35.00	12
7214143	Foot support, separate, flip-up, angle and depth adjustable, standard length	N. C.	35.00	12
7214144	Foot support, separate, flip-up, angle and depth adjustable, extra long	N. C.	35.00	12
7214145	Foot support, flip-up, one-piece platform	190.00	225.00	12
7214146	Heel loop, adjustable	5.00	5.00	12
7214147	Head support, depth adjustable	55.00	55.00	12
7214148	Contoured cushion for head support, all sizes	35.00	35.00	12
7214149	Back support tension bar	20.00	20.00	12
7214150	Securement for head support for back support tension bar	40.00	40.00	12

<b>FRAME</b>				
7214151	Front impact guard	12.00	12.00	12
7214152	Lighting systems	425.00	425.00	12
7214153	Reflective devices	N. C.	5.00	12
7214154	Emergency flashers	15.00	15.00	12
7214155	Triangular-shaped flag, orange, 300 cm <sup>2</sup> minimum surface	15.00	15.00	12
7214156	Securement points for strap-type tiedowns for transport	N. C.	100.00	12
<b>DRIVE SYSTEM</b>				
7214157	Standard control device for multipurpose programmable electronics; drive control device; toggle or push switches the functions: start-stop, horn and function selection; battery charge level indicator	N. C.	585.00	12
7214158	Compact control device	N. C.	585.00	12
7214159	Control device operated by an assistant	560.00	560.00	12
7214160	Control device for powered repositioning, for an accessory	100.00	100.00	12
7214161	Control device for powered repositioning, for four accessories	350.00	350.00	12
7214162	Infrared option	N. C.	N. C.	12
7214163	Bluetooth option	N. C.	N. C.	12
7214164	Separate control for powered tilt mechanism	510.00	510.00	12
7214165	Control device support, standard lateral, adjustable front-rear position	N. C.	85.00	12
7214166	Control device support, lateral, flip-up with locking mechanism, adjustable front-rear position	N. C.	85.00	12
7214167	Control device support, central, flip-up, adjustable front-rear position	65.00	150.00	12
7214168	Controller for multipurpose programmable electronic system	N. C.	575.00	12
7214169	Motor	N. C.	430.00	12
7214170	Electric brake	N. C.	60.00	12
7214171	Battery charger, compatible with group 22NF or 24 batteries	N. C.	145.00	12
7214172	Adapted non-proportional control, cephalic	1,200.00	1,200.00	12
7214173	Adapted non-proportional control, chin-controlled	1,200.00	1,200.00	12
7214174	Adapted non-proportional control, breath-controlled	850.00	850.00	12
7214175	Adapted proportional control, cephalic	1,500.00	1,500.00	12
7214176	Adapted proportional control, chin-controlled	1,100.00	1,100.00	12
7214177	Adapted proportional control, mini joystick	1,800.00	1,800.00	12
7214178	Mounting bracket for adapted control	250.00	250.00	12
7214179	Adapted control interface	365.00	950.00	12
7214180	Mounting bracket for interface	400.00	400.00	12
7214181	Lever extension, ball	55.00	55.00	12
7214182	Lever extension, conicospherical	25.00	25.00	12
7214183	Lever extension, stick	55.00	55.00	12
7214184	Lever extension, T-shaped	65.00	65.00	12
7214185	Lever extension, mushroom	55.00	55.00	12
7214186	Lever extension, U-shaped	55.00	55.00	12
7214187	Trajectory correction system	550.00	550.00	12

<b>WHEELS AND TIRES</b>				
7214188	Drive wheel; 35.6 cm (14 in.)	N. C.	75.00	12
7214189	Drive wheel tire, standard pressure inner tube; 35.6 cm (14 in.)	N. C.	55.00	1
7214190	Puncture proof tire for drive wheel	10.00	65.00	1
7214191	Caster wheel, with semi-pneumatic tire; 15.2 cm (6 in.)	N. C.	25.00	12
7214194	Suspension independent of wheels	N. C.	120.00	12
7214195	Fork, standard	N. C.	45.00	12

PRICE  
(including all  
the basic  
components)

---

7214197	<b>POWERED WHEELCHAIR</b>		<b>4,495.00</b>	
	CATEGORY FMO-GM 3-B-P2 (MID-REAR WHEEL DRIVE)			
	ORTHO FAB INC.			
	“OASIS PC-03” DEVICE			

**TECHNICAL SPECIFICATIONS OF THE DEVICE**

**Maximum weight capacity:** 136 kg (300 lb.)  
**Seat-to-floor height:** 39,4 cm to 49,6 cm (15½ in. to 19½ in.)  
**Frame:** mid-rear wheel drive base, overall width ≤ 61 cm (24 in.)  
**Drive system:** manual freewheel lever; control cable replaceable separately

---

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	<b>BODY SUPPORT SYSTEM</b>			
7214198	Seat-to-back assembly structure; resizable	N. C.	240.00	60
7214199	Rigid seat base, width and depth adjustable; strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.) or 58.4 cm (23 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.) or 53.3 cm (21 in.)	N. C.	70.00	60
7214200	Seat, padded and contoured	50.00	120.00	60
7214203	Back support, padded and contoured; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	300.00	60
7214201	Back support, flexible, non tension adjustable; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	300.00	60
7214202	Back support, flexible, tension adjustable	N. C.	300.00	60



## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7214204	Back support upright, straight, height and angle adjustable; angle-adjustable from 90° to 110° by maximum increments of 6°	N. C.	75.00	60
7214205	Push handle, with hand grip	N. C.	105.00	60
7214207	Powered reclining back support, including biomechanical adjustment	700.00	700.00	60
7214208	Power tilt mechanism	600.00	600.00	60
7214209	Postural support pelvic belt	N. C.	10.00	60
7214210	T-shaped arm support, short, removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	110.00	60
7214211	T-shaped arm support, long, removable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	110.00	60
7214212	U-shaped arm support, short, flip-up and removable; height-adjustable, 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	110.00	60
7214213	U-shaped arm support, long, flip-up and removable; height-adjustable, 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	110.00	60
7214214	U-shaped arm support, flip-up; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	110.00	60
7214216	L-shaped arm support, swing-away outward; height-adjustable, from 20.3 cm to 28 cm (8 in. to 11 in.) or from 28 cm to 35.6 cm (11 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	110.00	60
7214217	Arm support pad, short, straight	N. C.	8.00	60
7214218	Arm support pad, long, straight	N. C.	8.00	60
7214219	Arm support pad, contoured	26.00	34.00	60
7214220	Arm support pad, gel	72.00	80.00	60
7214221	Parallel lower leg support, 60° or 70°; removable and pivoting with locking mechanism; adjustable length from 35.6 cm to 48.3cm (14 in. to 19 in.) or from 45.7 cm to 58,4 cm (18 in. to 23 in.)	N. C.	100.00	60
7214222	Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening system	200.00	300.00	60
7214223	Powered elevating lower leg support, individually	900.00	1,000.00	60
7214224	Powered elevating lower leg support, paired control	900.00	1,000.00	60
7214225	Padded calf support, angle, height and depth adjustable, including flat or contoured pad	30.00	30.00	60
7214226	Foot support, separate, flip-up, not angle adjustable, standard length	N. C.	10.00	60
7214227	Foot support, separate, flip-up, not angle adjustable, extra long	20.00	30.00	60

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7214228	Foot support, separate, flip-up, angle and depth adjustable, standard length	25.00	35.00	60
7214229	Foot support, separate, flip-up, angle and depth adjustable, standard length	35.00	45.00	60
7214230	Heel loop, adjustable	5.00	5.00	60
7214231	Head support, depth adjustable	35.00	35.00	60
7214232	Contoured cushion for head support, all sizes	65.00	65.00	60
7214233	Back support tension bar	5.00	5.00	60
7214234	Securement for head support for back support tension bar	15.00	15.00	60
<b>FRAME</b>				
7214235	Anti-tip device	N. C.	3.00	60
7214236	Front impact guard	5.00	5.00	60
7214237	Lighting systems	175.00	175.00	60
7214238	Reflective devices	N. C.	50.00	60
7214239	Emergency flashers	150.00	150.00	60
7214240	Triangular-shaped flag, orange, 300 cm <sup>2</sup> minimum surface	5.00	5.00	60
7214241	Securement points for strap-type tiedowns for transport	N. C.	N. C.	60
<b>DRIVE SYSTEM</b>				
7214242	Standard control device for multipurpose programmable electronics; drive control device; toggle or push switches the functions: start-stop, horn and function selection; battery charge level indicator	N. C.	800.00	60
7214243	Compact control device	N. C.	800.00	60
7214244	Control device operated by an assistant	200.00	200.00	60
7214245	Control device for powered repositioning, for an accessory	N. C.	N. C.	60
7214246	Control device for powered repositioning, for four accessories	N. C.	N. C.	60
7214247	Infrared option	N. C.	N. C.	60
7214248	Bluetooth option	1,600.00	1,600.00	60
7214249	Separate control for powered tilt mechanism	350.00	350.00	60
7214250	Control device support, standard lateral, adjustable front-rear position	N. C.	200.00	60
7214251	Control device support, lateral, flip-up with locking mechanism, adjustable front-rear position	N. C.	200.00	60
7214252	Control device support, central, flip-up, adjustable front-rear position	N. C.	200.00	60
7214253	Controller for multipurpose programmable electronic system	N. C.	575.00	60
7214254	Motor, including electric brake	N. C.	600.00	60
7214256	Battery charger, compatible with group 22NF or 24 batteries	N. C.	130.00	60
7214257	Adapted non-proportional control, cephalic	500.00	500.00	60
7214258	Adapted non-proportional control, chin-controlled	700.00	700.00	60
7214259	Adapted non-proportional control, breath-controlled	500.00	500.00	60
7214260	Adapted proportional control, cephalic	500.00	500.00	60
7214261	Adapted proportional control, chin-controlled	500.00	500.00	60
7214262	Adapted proportional control, mini joystick	2,500.00	2,500.00	60
7214263	Mounting bracket for adapted control	N. C.	N. C.	60

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7214264	Adapted control interface	N. C.	800.00	60
7214265	Mounting bracket for interface	100.00	100.00	60
7214266	Lever extension, ball	20.00	20.00	60
7214267	Lever extension, conicospherical	20.00	20.00	60
7214268	Lever extension, stick	15.00	15.00	60
7214269	Lever extension, T-shaped	15.00	15.00	60
7214270	Lever extension, mushroom	15.00	15.00	60
7214271	Lever extension, U-shaped	15.00	15.00	60
7214272	Trajectory correction system	1,000.00	1,000.00	60

**WHEELS AND TIRES**

7214273	Drive wheel; 35.6 cm (14 in.)	N. C.	160.00	60
7214274	Drive wheel tire, standard pressure inner tube; 35.6 cm (14 in.)	N. C.	40.00	60
7214275	Puncture proof tire for drive wheel	35.00	75.00	60
7214277	Caster wheel, with standard pressure inner tube tire; 20.3 cm (8 in.) or 22.9 cm (9 in.)	N. C.	75.00	60
7214278	Caster wheel, puncture proof tire; 20.3 cm (8 in.) or 22.9 cm (9 in.)	N. C.	75.00	60
7214279	Suspension independent of wheels	N. C.	100.00	60
7214281	Fork, adjustable height	N. C.	100.00	60

PRICE  
(including all  
the basic  
components)

---

7214282	<b>POWERED WHEELCHAIR</b>		<b>4,600.00</b>	
	CATEGORY FMO-GM 3-C-P2 (MID-FRON WHEEL DRIVE)			
	SUNRISE MEDICAL CANADA INC,			
	“QUICKIE Q700M HD-E” DEVICE			

**TECHNICAL SPECIFICATIONS OF THE DEVICE**

**Maximum weight capacity:** 159 kg (350 lb.)  
**Seat-to-floor height:** 41.9 cm to 50.8 cm (16½ in. to 20 in.)  
**Frame:** mid-front wheel drive base, overall width ≤ 61 cm (24 in.)  
**Drive system:** manual freewheel lever; control cable replaceable separately

---

BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)	
<b>BODY SUPPORT SYSTEM</b>				
7214283	Seat-to-back assembly structure; resizable	N. C.	400.00	12

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7214284	Rigid seat base, width and depth adjustable; strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)	N. C.	195.00	12
7214285	Seat, padded and contoured	N. C.	195.00	1
7214286	Back support, flexible, non tension adjustable; heights of 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.), 61 cm (24 in.), 63.5 cm (25 in.), 66 cm (26 in.), 68.6 cm (27 in.), 71.1 cm (28 in.), 73.6 cm (29 in.) or 76.2 cm (30 in.)	N. C.	90.00	1
7214287	Back support, flexible, tension adjustable	60.00	150.00	1
7214288	Back support, padded and contoured; heights of 53.3 cm (21 in.), 57.2 cm (22½ in.) or 61 cm (24 in.)	N. C.	90.00	1
7214289	Back support upright, straight, height and angle adjustable; angle-adjustable from 85° to 110° by increments of 4°	N. C.	250.00	12
7214290	Push handle, with hand grip	N. C.	90.00	12
7214292	Powered reclining back support, including biomechanical adjustment	1,250.00	1,250.00	12
7214293	Power tilt mechanism	1,200.00	1,200.00	12
7214294	Postural support pelvic belt	N. C.	25.00	12
7214295	T-shaped arm support, short, removable; height-adjustable, from 20.3 cm to 38.1 cm (8 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7214296	T-shaped arm support, long, removable; height-adjustable, from 20.3 cm to 38.1 cm (8 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7214297	U-shaped arm support, short, flip-up and removable; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7214298	U-shaped arm support, long, flip-up and removable; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7214300	I-shaped arm support, flip-up; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7214301	L-shaped arm support, flip-up or swing-away outward; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7214302	Arm support pad, short, straight	N. C.	15.00	1
7214303	Arm support pad, long, straight	N. C.	15.00	1
7214304	Arm support pad, contoured	5.00	20.00	1
7214305	Arm support pad, gel	70.00	85.00	1

## SCHEDULE 1

## Tariff for devices which compensate for a motor deficiency and insured related services

(authentic version)

7214306	Parallel lower leg support, 60°, 65°, 70°, 80°, 85° or 90°; removable and pivoting with locking mechanism; adjustable length from 33 cm to 50.8 cm (13 in. to 22 in.)	N. C.	135.00	12
7214307	Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening system	15.00	150.00	12
7214308	Powered elevating lower leg support, individually controlled	365.00	500.00	12
7214309	Powered elevating lower leg support, paired control	365.00	500.00	12
7214310	One-piece powered elevating lower leg support	845.00	980.00	12
7214311	Padded calf support, angle, height and depth adjustable, including flat	70.00	70.00	12
7214312	Foot support, separate, flip-up, not angle adjustable, standard length	N. C.	35.00	12
7214313	Foot support, separate, flip-up, not angle adjustable, extra long	N. C.	35.00	12
7214314	Foot support, separate, flip-up, angle and depth adjustable, standard length	N. C.	35.00	12
7214315	Foot support, separate, flip-up, angle and depth adjustable, extra long	N. C.	35.00	12
7214316	Foot support, flip-up, one-piece platform	190.00	225.00	12
7214317	Heel loop, adjustable	5.00	5.00	12
7214318	Head support, depth adjustable	55.00	55.00	12
7214319	Contoured cushion for head support, all sizes	35.00	35.00	12
7214320	Back support tension bar	20.00	20.00	12
7214321	Securement for head support for back support tension bar	40.00	40.00	12
<b>FRAME</b>				
7214322	Front impact guard	12.00	12.00	12
7214323	Lighting systems	N. C.	425.00	12
7214324	Reflective devices	N. C.	5.00	12
7214325	Emergency flashers	425.00	425.00	12
7214326	Triangular-shaped flag, orange, 300 cm <sup>2</sup> minimum surface	15.00	15.00	12
7214327	Securement points for strap-type tiedowns for transport	N. C.	100.00	12
<b>DRIVE SYSTEM</b>				
7214328	Standard control device for multipurpose programmable electronics; drive control device; toggle or push switches the functions: start-stop, horn and function selection; battery charge level indicator	N. C.	585.00	12
7214329	Compact control device	N. C.	585.00	12
7214330	Control device operated by an assistant	560.00	560.00	12
7214331	Control device for powered repositioning, for an accessory	100.00	100.00	12
7214332	Control device for powered repositioning, for four accessories	350.00	350.00	12
7214333	Infrared option	N. C.	N. C.	12
7214334	Bluetooth option	N. C.	N. C.	12
7214335	Separate control for powered tilt mechanism	510.00	510.00	12

## SCHEDULE 1

## Tariff for devices which compensate for a motor deficiency and insured related services

(authentic version)

7214336	Control device support, standard lateral, adjustable front-rear position	N. C.	85.00	12
7214337	Control device support, lateral, flip-up with locking mechanism, adjustable front-rear position	N. C.	85.00	12
7214338	Control device support, central, flip-up, adjustable front-rear position	65.00	150.00	12
7214339	Controller for multipurpose programmable electronic system	N. C.	575.00	12
7214340	Motor	N. C.	430.00	12
7214341	Electric brake	N. C.	60.00	12
7214342	Battery charger, compatible with group 22NF or 24 batteries	N. C.	145.00	12
7214343	Adapted non-proportional control, cephalic	1,200.00	1,200.00	12
7214344	Adapted non-proportional control, chin-controlled	1,200.00	1,200.00	12
7214345	Adapted non-proportional control, breath-controlled	850.00	850.00	12
7214346	Adapted proportional control, cephalic	1,500.00	1,500.00	12
7214347	Adapted proportional control, chin-controlled	1,100.00	1,100.00	12
7214348	Adapted proportional control, mini joystick	1,800.00	1,800.00	12
7214349	Mounting bracket for adapted control	250.00	250.00	12
7214350	Adapted control interface	365.00	950.00	12
7214351	Mounting bracket for interface	400.00	400.00	12
7214352	Lever extension, ball	55.00	55.00	12
7214353	Lever extension, conicospherical	25.00	25.00	12
7214354	Lever extension, stick	55.00	55.00	12
7214355	Lever extension, T-shaped	65.00	65.00	12
7214356	Lever extension, mushroom	55.00	55.00	12
7214357	Lever extension, U-shaped	55.00	55.00	12
7214358	Trajectory correction system	550.00	550.00	12
<b>WHEELS AND TIRES</b>				
7214359	Drive wheel; 35.6 cm (14 in.)	N. C.	75.00	12
7214360	Drive wheel tire, standard pressure inner tube; 35.6 cm (14 in.)	N. C.	55.00	1
7214361	Puncture proof tire for drive wheel	10.00	65.00	1
7214362	Caster wheel, with semi-pneumatic tire; 15.2 cm (6 in.)	N. C.	25.00	12
7214365	Suspension independent of wheels	N. C.	120.00	12
7214366	Fork, standard	N. C.	45.00	12

		PRICE (including all the basic components)
7214368	<b>POWERED WHEELCHAIR</b>	<b>4,600.00</b>
	CATEGORY FMO-GM 3-C-P2 (MID-REAR WHEEL DRIVE)	
	SUNRISE MEDICAL CANADA INC.	
	“QUICKIE Q500H HD-E” DEVICE	
	<b>TECHNICAL SPECIFICATIONS OF THE DEVICE</b>	
	<b>Maximum weight capacity:</b> 159 kg (350 lb.)	
	<b>Seat-to-floor height:</b> 41.9 cm to 50.8 cm (16½ in. to 20 in.)	
	<b>Frame:</b> mid-rear wheel drive base, overall width ≤ 61 cm (24 in.)	
	<b>Drive system:</b> manual freewheel lever; control cable replaceable separately	

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	<b>BODY SUPPORT SYSTEM</b>			
7214369	Seat-to-back assembly structure; resizable	N. C.	400.00	12
7214370	Rigid seat base, width and depth adjustable; strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)	N. C.	195.00	12
7214371	Seat, padded and contoured	N. C.	195.00	1
7214372	Back support, flexible, non tension adjustable; heights of 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.), 61 cm (24 in.), 63.5 cm (25 in.), 66 cm (26 in.), 68.6 cm (27 in.), 71.1 cm (28 in.), 73.6 cm (29 in.) or 76.2 cm (30 in.)	N. C.	90.00	1
7214373	Back support, flexible, tension adjustable	60.00	150.00	1
7214374	Back support, padded and contoured; heights of 53.3 cm (21 in.), 57.2 cm (22½ in.) or 61 cm (24 in.)	N. C.	90.00	1
7214375	Back support upright, straight, height and angle adjustable; angle-adjustable from 85° to 110° by increments of 4°	N. C.	250.00	12
7214376	Push handle, with hand grip	N. C.	90.00	12
7214378	Powered reclining back support, including biomechanical adjustment	1,250.00	1,250.00	12
7214379	Power tilt mechanism	1,200.00	1,200.00	12
7214380	Postural support pelvic belt	N. C.	25.00	12

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7214381	T-shaped arm support, short, removable; height-adjustable, from 20.3 cm to 38.1 cm (8 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7214382	T-shaped arm support, long, removable; height-adjustable, from 20.3 cm to 38.1 cm (8 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7214383	U-shaped arm support, short, flip-up and removable; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7214384	U-shaped arm support, long, flip-up and removable; height-adjustable, from 25.4 cm to 38.1 cm (10 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7214386	I-shaped arm support, flip-up; height-adjustable, from 25.4 cm to 38.1 cm (9 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7214387	L-shaped arm support, flip-up or swing-away outward; height-adjustable, from 25.4 cm to 38.1 cm (11 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7214388	Arm support pad, short, straight	N. C.	15.00	1
7214389	Arm support pad, long, straight	N. C.	15.00	1
7214390	Arm support pad, contoured	5.00	20.00	1
7214391	Arm support pad, gel	70.00	85.00	1
7214392	Parallel lower leg support, 60°, 65°, 70°, 80°, 85° or 90°; removable and pivoting with locking mechanism; adjustable length from 33 cm to 50.8 cm (13 in. to 22 in.)	N. C.	135.00	12
7214393	Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening system	15.00	150.00	12
7214394	Powered elevating lower leg support, individually controlled	365.00	500.00	12
7214395	Powered elevating lower leg support, paired control	365.00	500.00	12
7214396	Padded calf support, angle, height and depth adjustable, including flat	70.00	70.00	12
7214397	Foot support, separate, flip-up, not angle adjustable, standard length	N. C.	35.00	12
7214398	Foot support, separate, flip-up, not angle adjustable, extra long	N. C.	35.00	12
7214399	Foot support, separate, flip-up, angle and depth adjustable, standard length	N. C.	35.00	12
7214400	Foot support, separate, flip-up, angle and depth adjustable, extra long	N. C.	35.00	12
7214401	Heel loop, adjustable	5.00	5.00	12
7214402	Head support, depth adjustable	55.00	55.00	12
7214403	Contoured cushion for head support, all sizes	35.00	35.00	12
7214404	Back support tension bar	20.00	20.00	12
7214405	Securement for head support for back support tension bar	40.00	40.00	12



<b>FRAME</b>				
7214406	Anti-tip device	N. C.	12.00	12
7214407	Front impact guard	12.00	12.00	12
7214408	Lighting systems	N. C.	425.00	12
7214409	Reflective devices	N. C.	5.00	12
7214410	Emergency flashers	15.00	15.00	12
7214411	Triangular-shaped flag, orange, 300 cm <sup>2</sup> minimum surface	15.00	15.00	12
7214412	Securement points for strap-type tiedowns for transport	N. C.	100.00	12
<b>DRIVE SYSTEM</b>				
7214413	Standard control device for multipurpose programmable electronics; drive control device; toggle or push switches the functions: start-stop, horn and function selection; battery charge level indicator	N. C.	585.00	12
7214414	Compact control device	N. C.	585.00	12
7214415	Control device operated by an assistant	560.00	560.00	12
7214416	Control device for powered repositioning, for an accessory	100.00	100.00	12
7214417	Control device for powered repositioning, for four accessories	350.00	350.00	12
7214418	Infrared option	N. C.	N. C.	12
7214419	Bluetooth option	N. C.	N. C.	12
7214420	Separate control for powered tilt mechanism	510.00	510.00	12
7214421	Control device support, standard lateral, adjustable front-rear position	N. C.	85.00	12
7214422	Control device support, lateral, flip-up with locking mechanism, adjustable front-rear position	N. C.	85.00	12
7214423	Control device support, central, flip-up, adjustable front-rear position	65.00	150.00	12
7214424	Controller for multipurpose programmable electronic system	N. C.	575.00	12
7214425	Motor	N. C.	430.00	12
7214426	Electric brake	N. C.	60.00	12
7214427	Battery charger, compatible with group 22NF or 24 batteries	N. C.	145.00	12
7214428	Adapted non-proportional control, cephalic	1,200.00	1,200.00	12
7214429	Adapted non-proportional control, chin-controlled	1,200.00	1,200.00	12
7214430	Adapted non-proportional control, breath-controlled	850.00	850.00	12
7214431	Adapted proportional control, cephalic	1,500.00	1,500.00	12
7214432	Adapted proportional control, chin-controlled	1,100.00	1,100.00	12
7214433	Adapted proportional control, mini joystick	1,800.00	1,800.00	12
7214434	Mounting bracket for adapted control	250.00	250.00	12
7214435	Adapted control interface	365.00	950.00	12
7214436	Mounting bracket for interface	400.00	400.00	12
7214437	Lever extension, ball	55.00	55.00	12
7214438	Lever extension, conicospherical	25.00	25.00	12
7214439	Lever extension, stick	55.00	55.00	12
7214440	Lever extension, T-shaped	65.00	65.00	12
7214441	Lever extension, mushroom	55.00	55.00	12
7214442	Lever extension, U-shaped	55.00	55.00	12
7214443	Trajectory correction system	550.00	550.00	12

<b>WHEELS AND TIRES</b>				
7214444	Drive wheel; 35.6 cm (14 in.)	N. C.	75.00	12
7214445	Drive wheel tire, standard pressure inner tube; 35.6 cm (14 in.)	N. C.	55.00	1
7214446	Puncture proof tire for drive wheel	10.00	65.00	1
7214447	Caster wheel, with semi-pneumatic tire; 22.9 cm (9 in.)	N. C.	25.00	12
7214450	Suspension independent of wheels	N. C.	120.00	12
7214451	Fork, standard	N. C.	45.00	12

## SUBDIVISION 4 : MASS GROUP 4

		PRICE (including all the basic components)		
7214453	<b>POWERED WHEELCHAIR</b>	<b>7,275.00</b>		
CATEGORY FMO-GM 4-B-P2 (MID-WHEEL DRIVE)				
AMYLIOR INC.				
"ALLTRACK M ATM4B" DEVICE				
<b>TECHNICAL SPECIFICATIONS OF THE DEVICE</b>				
<b>Maximum weight capacity:</b> 249 kg (550 lb.)				
<b>Seat-to-floor height:</b> 41.2 cm to 51.4 cm (16¼ in. to 20¼ in.)				
<b>Frame:</b> mid-wheel drive base, overall width ≤ 84 cm (33 in.)				
<b>Drive system:</b> manual freewheel lever; control cable replaceable separately				
BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
<b>BODY SUPPORT SYSTEM</b>				
7214454	Seat-to-back assembly structure; resizable	N. C.	550.00	12
7214455	Rigid seat base, width and depth adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.), 61 cm (24 in.), 63.5 cm (25 in.), 66 cm (26 in.), 68.5 cm (27 in.) or 71.1 cm (28 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	200.00	12
7214456	Seat, padded and contoured	350.00	550.00	1
7214459	Back support, padded and contoured; heights of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.), 61 cm (24 in.), 63.5 cm (25 in.), 66 cm (26 in.) or 71.1 cm (28 in.)	N. C.	500.00	1
7214458	Back support, flexible, tension adjustable	N. C.	500.00	1
7214460	Back support upright, straight, height and angle adjustable; angle-adjustable from 82° to 110° by maximum increments of 4°	N. C.	94.00	12
7214461	Push handle, with hand grip	N. C.	8.00	12
7214463	Powered reclining back support, including biomechanical adjustment	2,500.00	2,500.00	12
7214464	Power tilt mechanism	2,200.00	2,200.00	12

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7214465	Postural support pelvic belt	N. C.	25.00	12
7214466	T-shaped arm support, short, removable; height-adjustable, from 18.4 cm to 38.7 cm (7¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7214467	T-shaped arm support, long, removable; height-adjustable, from 18.4 cm to 38.7 cm (7¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	150.00	1
7214468	U-shaped arm support, short, flip-up and removable; height-adjustable, from 18.4 cm to 38.7 cm (7¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	33.00	183.00	1
7214469	U-shaped arm support, long, flip-up and removable; height-adjustable, from 18.4 cm to 38.7 cm (7¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	33.00	183.00	1
7214471	I-shaped arm support, flip-up; height-adjustable, from 18.4 cm to 38.7 cm (7¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	33.00	183.00	1
7214472	L-shaped arm support, flip-up; height-adjustable, from 17.8 cm to 38.1 cm (7 in. to 15 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	25.00	175.00	1
7214473	Arm support pad, short, straight	N. C.	13.00	1
7214474	Arm support pad, long, straight	N. C.	13.00	1
7214475	Arm support pad, contoured	7.00	20.00	1
7214476	Arm support pad, gel	19.00	32.00	1
7214477	Parallel lower leg support, 60°, 70°; detachable and pivoting with locking mechanism; adjustable length from 31.8 cm to 49.5 cm (12½ in. to 19½ in.)	N. C.	192.00	12
7214478	Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening system	108.00	300.00	12
7214479	Powered elevating lower leg support, individually controlled	808.00	1,000.00	12
7214480	Powered elevating lower leg support, paired control	808.00	1,000.00	12
7214481	One-piece powered elevating lower leg support	1,808.00	2,000.00	12
7214482	Padded calf support, angle, height and depth adjustable, including contoured pad	70.00	70.00	12
7214483	Foot support, separate, flip-up, not angle adjustable, standard length	N. C.	50.00	12
7214484	Foot support, separate, flip-up, not angle adjustable, extra long	30.00	80.00	12
7214485	Foot support, separate, flip-up, angle and depth adjustable, standard length	30.00	80.00	12
7214486	Foot support, separate, flip-up, angle and depth adjustable, extra long	30.00	80.00	12
7214487	Foot support, flip-up, one-piece platform	110.00	160.00	12
7214488	Heel loop, adjustable	10.00	10.00	12
7214489	Head support, depth adjustable	90.00	90.00	12
7214490	Contoured cushion for head support, all sizes	50.00	50.00	12
7214491	Back support tension bar	100.00	100.00	12
7214492	Securement for head support for back support tension bar	20.00	20.00	12

<b>FRAME</b>				
7214493	Front impact guard	20.00	20.00	12
7214494	Lighting systems	400.00	400.00	12
7214495	Reflective devices	N. C.	10.00	12
7214496	Emergency flashers	N. C.	N. C.	12
7214497	Triangular-shaped flag, orange, 300 cm <sup>2</sup> minimum surface	10.00	10.00	12
7214498	Securement points for strap-type tiedowns for transport	N. C.	N. C.	12
<b>DRIVE SYSTEM</b>				
7214499	Standard control device for multipurpose programmable electronics; drive control device; toggle or push switches the functions: start-stop, horn and function selection; battery charge level indicator	N. C.	750.00	12
7214500	Compact control device	N. C.	750.00	12
7214501	Control device operated by an assistant	750.00	750.00	12
7214502	Control device for powered repositioning, for an accessory	350.00	350.00	12
7214503	Control device for powered repositioning, for four accessories	600.00	600.00	12
7214504	Infrared option	N. C.	N. C.	12
7214505	Bluetooth option	N. C.	N. C.	12
7214506	Separate control for powered tilt mechanism	250.00	250.00	12
7214507	Control device support, standard lateral, adjustable front-rear position	N. C.	100.00	12
7214508	Control device support, lateral, flip-up with locking mechanism, adjustable front-rear position	100.00	200.00	12
7214509	Control device support, central, flip-up, adjustable front-rear position	200.00	300.00	12
7214510	Controller for multipurpose programmable electronic system	N. C.	783.00	12
7214511	Motor, including electric brake	N. C.	600.00	12
7214513	Battery charger, compatible with group 24 batteries	N. C.	219.00	12
7214514	Adapted non-proportional control, cephalic	4,000.00	4,000.00	12
7214515	Adapted non-proportional control, chin-controlled	600.00	600.00	12
7214516	Adapted non-proportional control, breath-controlled	1,500.00	1,500.00	12
7214517	Adapted proportional control, cephalic	4,000.00	4,000.00	12
7214518	Adapted proportional control, chin-controlled	1,500.00	1,500.00	12
7214519	Adapted proportional control, mini joystick	1,500.00	1,500.00	12
7214520	Mounting bracket for adapted control	350.00	350.00	12
7214521	Adapted control interface	350.00	1,100.00	12
7214522	Mounting bracket for interface	350.00	350.00	12
7214523	Lever extension, ball	58.00	58.00	12
7214524	Lever extension, conicospherical	58.00	58.00	12
7214525	Lever extension, stick	58.00	58.00	12
7214526	Lever extension, T-shaped	58.00	58.00	12
7214527	Lever extension, mushroom	80.00	80.00	12
7214528	Lever extension, U-shaped	95.00	95.00	12
7214529	Trajectory correction system	895.00	895.00	12

**WHEELS AND TIRES**

7214530	Drive wheel; 35.6 cm (14 in.)	N. C.	70.00	12
7214531	Drive wheel tire, standard pressure inner tube; 35.6 cm (14 in.)	N. C.	58.00	1
7214532	Puncture proof tire for drive wheel	17.00	75.00	1
7214534	Caster wheel, with standard pressure inner tube tire; 20.3 cm (8 in.)	N. C.	70.00	12
7214535	Caster wheel, with puncture proof tire; 20.3 cm (8 in.)	N. C.	70.00	12
7214536	Suspension independent of wheels	N. C.	29.00	12
7214537	Fork, standard	N. C.	38.00	12

**DIVISION III: COMPLEMENTS FOR WHEELCHAIRS**  
**SUBDIVISION 1: FACULTATIVE COMPONENTS**

FACULTATIVE COMPONENTS		Maximum unit price of component during device purchase	Maximum unit price for component replacement	Warranty (months)
<b>BODY SUPPORT SYSTEM</b>				
7810014	Elastic mesh seat	495.00	495.00	12
7810000	Dynamic back for manual wheelchair	330.00	550.00	12
7810032	Reclining cylinder back support	415.00	635.00	12
7810006	Stump support, adjustable	330.00	330.00	12
7810020	Safety pelvic belt	325.00	325.00	12
7810025	Five points safety harness	150.00	150.00	12
7811017	Back support tension bar ( FMA-GM 2-C-P1)	40.00	40.00	12
7811000	Securement for head support for back support tension bar, height adjustable ( FMA-GM 2-C-P1)	100.00	100.00	12
7811092	Mounting kit for angle-adjustable foot support (FMA-GM 2-B-P2 pliant), (FMA-GM 2-C-P1), (FMA-GM 3-C-P2)	10.00	10.00	12
7811093	Mounting kit for angle-adjustable foot support (FMO-GM 2-A-P2), (FMO-GM 2-B-P2), (FMO-GM 3-B-P2)	40.00	40.00	12
<b>FRAME</b>				
7810015	Angle adjustable push handle	105.00	105.00	12
7810017	Front locking tilt for positioning base	35.00	35.00	12
<b>DRIVE SYSTEM</b>				
7810008	Handrim with thumb grip	270.00	295.00	12
7810010	Handrim, plastic-coated, ultra-light	185.00	230.00	12
7810012	Propulsion assistance module	4,950.00	5,225.00	12
7810013	Mid-wheel manual propulsion for positioning base	495.00	990.00	12
7811094	Optional repositioning module; 4 accessories (FMO-GM 2-A-P2), (FMO-GM 2-B-P2), (FMO-GM 3-B-P2)	768.00	768.00	12

**SUBDIVISION 2: BATTERIES FOR POWERED WHEELCHAIRS  
BATTERIES (GEL)**

		Price including delivery,
4590000	SUPPLIER: EAST PENN / POWER BATTERY	375.80
	GROUP 22NF BATTERIES	
	Model: 8G22NF	
4590001	SUPPLIER: EAST PENN / POWER BATTERY	492.36
	GROUP 24 BATTERIES	
	Model: 8G24T881	
4590002	SUPPLIER: EAST PENN / POWER BATTERY	242.61
	GROUP U1 BATTERIES	
	Model: 8GU1	



**DIVISION IV: POSITIONING BASES**  
**SUBDIVISION 1: MASS GROUP 1**

		PRICE (including all the basic components)		
7216000	<b>POSITIONING BASES</b> CATEGORY BPO-GM 1-A-P2 (RIGID FRAME)	<b>1,425.00</b>		
SUNRISE MEDICAL CANADA INC.				
"ZIPPIE IRIS" DEVICE				
<b>TECHNICAL SPECIFICATIONS OF THE DEVICE</b>				
<b>Maximum weight capacity:</b> 50 kg (110 lb.)				
<b>Seat-to-floor height:</b> 33 cm to 48.3 cm (13 in. to 19 in.)				
<b>Frame:</b> back height from 35.6 cm to 63.5 cm (14 in. to 25 in.)				
BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
<b>BODY SUPPORT SYSTEM</b>				
7216001	Seat, rigid base, depth and width adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 25.4 cm (10 in.), 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.); depths of 25.4 cm (10 in.), 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N. C.	75.00	12
7216002	Back support, rigid plate	N. C.	150.00	1
7216003	Back support, flexible, tension adjustable	35.00	185.00	1
7216005	Dynamic back support	175.00	175.00	1
7216004	Reclining back support	420.00	420.00	1
7216006	Back support upright, straight, angle and height adjustable; adjustable from 85° to 120° by increments of 5°;	N. C.	40.00	12
7216007	Push handle, with hand grip	N. C.	N. C.	12
7216008	Raised and adjustable push bar, with hand grip	95.00	95.00	12
7216009	Power tilt mechanism controlled by the occupant	850.00	850.00	12
7216010	Postural support pelvic belt	N. C.	25.00	12
7216011	T-shaped arm support, short, removable; height-adjustable, from 17,8 cm to 40.1 cm (7 in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	114.00	1
7216012	T-shaped arm support, long, removable; height-adjustable, from 17,8 cm to 40.1 cm (7 in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	114.00	1
7216013	Arm support pad, short, straight	N. C.	6.00	1

## SCHEDULE 1

## Tariff for devices which compensate for a motor deficiency and insured related services

(authentic version)

7216014	Arm support pad, long, straight	N. C.	6.00	1
7216015	Arm support pad, contoured	9.00	15.00	1
7216016	Arm support pad, gel	14.00	20.00	1
7216017	Lower leg support, parallel, removable and swing-away; adjustable length from 8.9 cm to 24.2 cm (3½ in. to 9½ in.) or from 22.9 cm to 50.8 cm (9 in. to 19 in.)	N. C.	55.00	12
7216020	Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its own fastening system	55.00	110.00	12
7216023	Padded calf support, angle, height and depth adjustable, including flat	25.00	25.00	12
7216021	Calf support strap, single	15.00	15.00	12
7216022	Calf support strap, double	18.00	18.00	12
7216024	Foot support, separate, flip-up, depth and angle adjustable, standard length	N. C.	35.00	12
7216025	Foot support, separate, flip-up, depth and angle adjustable, extra long	N. C.	35.00	12
7216026	Foot support, flip-up, full width, depth and angle adjustable	N. C.	35.00	12
7216027	Heel loop, adjustable	1.00	1.00	12
7216028	Head support, depth adjustable	55.00	55.00	12
7216029	Contoured cushion for head support, all sizes	35.00	35.00	12
7216030	Back support tension bar	35.00	35.00	12
7216031	Securement for head support for back support tension bar, height adjustable	40.00	40.00	12
<b>FRAME</b>				
7216032	Anti-tip device	N. C.	18.00	12
7216033	Reflective devices	5.00	5.00	12
7216034	Securement points for strap-type tiedowns for transport	N. C.	100.00	12
<b>DRIVE SYSTEM</b>				
7216035	Handrim, smooth	N. C.	40.00	12
7216036	Handrim, plasticized	N. C.	40.00	12
7216037	Parking brake, push-type activation	N. C.	25.00	12
7216038	Parking brake, pull-type activation	N. C.	25.00	12
7216039	Brake lever extension, plug-in	5.00	5.00	12
7216040	Fork, adjustable height	N. C.	15.00	12
<b>WHEELS AND TIRES</b>				
7216041	Drive wheel, spoked; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N. C.	65.00	12
7216042	Drive wheel, plastic; 30.5 cm (12 in.), 40.6 cm (16 in.), 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N. C.	65.00	12
7216043	Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); width of 2.9 cm (1⅜ in.)	N. C.	20.00	1
7216044	Drive wheel tire, standard pressure inner tube; 30.5 cm (12 in.), 40.6 cm (16 in.), 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.) width of 2.9 cm (1⅜ in.)	N. C.	20.00	1
7216045	Caster wheel, with semi-pneumatic tire; 10.2 cm (4 in.), 12.7 cm (5 in.), 15.2 cm (6 in.) or 20.3 cm (8 in.)	N. C.	15.00	12
7216046	Drive wheel axle, fixed	N. C.	10.00	12
7216047	Drive wheel axle, quick release	N. C.	10.00	12
7216048	Spoke guards	20.00	20.00	12

**SUBDIVISION 2: MASS GROUP 2**

		PRICE (including all the basic components)		
7216049	<b>POSITIONING BASES</b> CATEGORY BPO-GM 2-A-P2 (RIGID FRAME)	<b>1,055.00</b>		
ORTHOFAB INC.				
"TANGO AC" DEVICE				
<b>TECHNICAL SPECIFICATIONS OF THE DEVICE</b>				
<b>Maximum weight capacity:</b> 120 kg (265 lb.)				
<b>Seat-to-floor height:</b> 33 cm to 48.3 cm (13 in. to 19 in.)				
<b>Frame:</b> back height from 45.7 cm to 61 cm (18 in. to 24 in.)				
BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
<b>BODY SUPPORT SYSTEM</b>				
7216050	Seat, rigid base, depth adjustable; strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)	N. C.	40.00	60
7216051	Back support, rigid plate	N. C.	200.00	60
7216052	Back support, flexible, tension adjustable	N. C.	200.00	60
7216054	Dynamic back support	110.00	110.00	60
7216053	Reclining back support	210.00	210.00	60
7216055	Back support upright, straight, angle and height adjustable; angle-adjustable from 90° to 120° by maximum increments of 8°	N. C.	75.00	60
7216056	Push handle, with hand grip	N. C.	20.00	60
7216057	Raised and adjustable push bar, with hand grip	130.00	150.00	60
7216058	Power tilt mechanism controlled by the occupant	1,000.00	1,000.00	60
7216059	Postural support pelvic belt	N. C.	10.00	60
7216060	U-shaped arm support, short, removable; height-adjustable from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	110.00	60
7216061	U-shaped arm support, long, removable; height-adjustable from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including	N. C.	110.00	60
7216062	Arm support pad, short, straight	N. C.	8.00	60
7216063	Arm support pad, long, straight	N. C.	8.00	60

## SCHEDULE 1

## Tariff for devices which compensate for a motor deficiency and insured related services

(authentic version)

7216064	Arm support pad, contoured	20.00	28.00	60
7216065	Arm support pad, gel	72.00	80.00	60
7216066	Lower leg support, parallel, removable and swing-away; adjustable length from 30.5 cm to 35.6 cm (12 in. To 14 in.), 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 48.3 cm to 53.3 cm (19 in. to 21 in.)	N. C.	40.00	60
7216069	Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening system	N. C.	40.00	60
7216072	Padded calf support, angle, height and depth adjustable, including flat	100.00	100.00	60
7216070	Calf support strap, single	15.00	15.00	60
7216071	Calf support strap, double	30.00	30.00	60
7216073	Foot support, separate, flip-up, depth and angle adjustable, standard length	N. C.	55.00	60
7216074	Foot support, separate, flip-up, depth and angle adjustable, extra long	N. C.	55.00	60
7216075	Foot support, flip-up, full width, depth and angle adjustable	45.00	100.00	60
7216076	Heel loop, adjustable	5.00	5.00	60
7216077	Head support, depth adjustable	20.00	20.00	60
7216078	Contoured cushion for head support, all sizes	30.00	30.00	60
7216079	Back support tension bar	50.00	50.00	60
7216080	Securement for head support for back support tension bar, height adjustable	50.00	50.00	60
<b>FRAME</b>				
7216081	Anti-tip device	N. C.	12.00	60
7216082	Reflective devices	50.00	50.00	60
7216083	Securement points for strap-type tiedowns for transport	N. C.	N. C.	60
<b>DRIVE SYSTEM</b>				
7216084	Handrim, smooth	N. C.	80.00	60
7216085	Handrim, plasticized	N. C.	80.00	60
7216086	Parking brake, push-type activation	N. C.	30.00	60
7216087	Parking brake, pull-type activation	N. C.	30.00	60
7216088	Brake lever extension, telescopic	10.00	10.00	60
7216089	Fork, adjustable height	N. C.	10.00	60
<b>WHEELS AND TIRES</b>				
7216090	Drive wheel, spoked; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N. C.	30.00	60
7216091	Drive wheel, plastic; 30.5 cm (12 in.)	N. C.	30.00	60
7216092	Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.)	N. C.	30.00	60
7216093	Drive wheel tire, standard pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.)	N. C.	30.00	60
7216094	Caster wheel, with semi-pneumatic tire; 12.7 cm (5 in.), 15.2 cm (6 in.), 17.8 cm (7 in.) or 20.3 cm (8 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.)	N. C.	40.00	60
7216095	Drive wheel axle, fixed	N. C.	7.00	60
7216096	Drive wheel axle, quick release	N. C.	7.00	60

7216097	Spoke guards	70.00	70.00	60
---------	--------------	-------	-------	----

PRICE  
(including all  
the basic  
components)

7216098	<b>POSITIONING BASES</b> CATEGORY BPO-GM 2-A-P2 (RIGID FRAME)	<b>1,100.00</b>		
---------	--	-----------------	--	--

SUNRISE MEDICAL CANADA INC.

“QUICKIE SR45” DEVICE

**TECHNICAL SPECIFICATIONS OF THE DEVICE**

**Maximum weight capacity:** 120 kg (265 lb.)

**Seat-to-floor height:** 35.6 cm to 52.2 cm (14 in. to 20½ in.)

**Frame:** back height from 38.1 cm to 63.5 cm (15 in. to 25 in.)

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	<b>BODY SUPPORT SYSTEM</b>			
7216099	Seat, rigid base, depth adjustable; strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)	N. C.	75.00	12
7216100	Back support, rigid plate	N. C.	150.00	1
7216101	Back support, flexible, tension adjustable	35.00	185.00	1
7216103	Dynamic back support	175.00	175.00	1
7216102	Reclining back support	420.00	420.00	1
7216104	Back support upright, straight, angle and height adjustable; angle-adjustable from 85° to 120° by maximum increments of 5°	N. C.	40.00	12
7216105	Push handle, with hand grip	N. C.	N. C.	12
7216106	Raised and adjustable push bar, with hand grip	95.00	95.00	12
7216107	Power tilt mechanism controlled by the occupant	850.00	850.00	12
7216108	Postural support pelvic belt	N. C.	25.00	12
7216109	T-shaped arm support, short, removable; height-adjustable, from 18.4 cm to 40.1 cm (7¼ in. to 15¾ in.) or U-type arm support, short, flip-up; height-adjustable, from 24.9 cm to 40.1 cm (9¾ in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	114.00	1
7216110	T-shaped arm support, long, removable; height-adjustable, from 18.4 cm to 41.1 cm (7¼ in. to 15¾ in.) or U-type arm support, long, flip-up; height-adjustable, from 24.9 cm to 40.1 cm (9¾ in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including	N. C.	114.00	1

## SCHEDULE 1

## Tariff for devices which compensate for a motor deficiency and insured related services

(authentic version)

7216111	Arm support pad, short, straight	N. C.	6.00	1
7216112	Arm support pad, long, straight	N. C.	6.00	1
7216113	Arm support pad, contoured	9.00	15.00	1
7216114	Arm support pad, gel	14.00	20.00	1
7216115	Lower leg support, parallel, removable and swing-away; adjustable length from 7.6 cm to 24.2 cm (3 in. to 9½ in.) or from 22.9 cm to 48.3 cm (9 in. to 19 in.)	N. C.	55.00	12
7216118	Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening system	55.00	110.00	12
7216121	Padded calf support, angle, height and depth adjustable, including flat	25.00	25.00	12
7216119	Calf support strap, single	15.00	15.00	12
7216120	Calf support strap, double	18.00	18.00	12
7216122	Foot support, separate, flip-up, depth and angle adjustable, standard length	N. C.	35.00	12
7216123	Foot support, separate, flip-up, depth and angle adjustable, extra long	N. C.	35.00	12
7216124	Foot support, flip-up, full width, depth and angle adjustable	N. C.	35.00	12
7216125	Heel loop, adjustable	1.00	1.00	12
7216126	Head support, depth adjustable	55.00	55.00	12
7216127	Contoured cushion for head support, all sizes	35.00	35.00	12
7216128	Back support tension bar	35.00	35.00	12
7216129	Securement for head support for back support tension bar, height adjustable	40.00	40.00	12
<b>FRAME</b>				
7216130	Anti-tip device	N. C.	18.00	12
7216131	Reflective devices	5.00	5.00	12
7216132	Securement points for strap-type tiedowns for transport	N. C.	100.00	12
<b>DRIVE SYSTEM</b>				
7216133	Handrim, smooth	N. C.	40.00	12
7216134	Handrim, plasticized	N. C.	40.00	12
7216135	Parking brake, push-type activation	N. C.	25.00	12
7216136	Parking brake, pull-type activation	N. C.	25.00	12
7216137	Brake lever extension, plug-in	5.00	5.00	12
7216138	Fork, adjustable height	N. C.	15.00	12
<b>WHEELS AND TIRES</b>				
7216139	Drive wheel, spoked; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N. C.	65.00	12
7216140	Drive wheel, plastic; 30.5 cm (12 in.), 40.6 cm (16 in.), 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N. C.	65.00	12
7216141	Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); width of 2.9 cm (1¾ in.)	N. C.	20.00	1
7216142	Drive wheel tire, standard pressure inner tube; 30.5 cm (12 in.), 40.6 cm (16 in.), 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); width of 4.5 cm (1¾ in.)	N. C.	20.00	1
7216143	Caster wheel, with semi-pneumatic tire; 10.2 cm (4 in.), 12.7 cm (5 in.), 15.2 cm (6 in.) or 20.3 cm (8 in.)	N. C.	15.00	12
7216144	Drive wheel axle, fixed	N. C.	10.00	12
7216145	Drive wheel axle, quick release	N. C.	10.00	12

7216146	Spoke guards	20.00	20.00	12
---------	--------------	-------	-------	----

PRICE  
(including all  
the basic  
components)

7216147	<b>POSITIONING BASES</b> CATEGORY BPO-GM 2-B-P2 (RIGID FRAME)	<b>1,108.00</b>		
---------	--	-----------------	--	--

LES ÉQUIPEMENTS ADAPTÉS PHYSIPRO INC.

“NEOX” DEVICE

**TECHNICAL SPECIFICATIONS OF THE DEVICE**

**Maximum weight capacity:** 120 kg (265 lb.)

**Seat-to-floor height:** 30.5 cm to 50.8 cm (12 in. to 20 in.)

**Frame:** back height from 40.6 cm to 68.6 cm (16 in. to 27 in.)

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	<b>BODY SUPPORT SYSTEM</b>			
7216148	Seat, rigid base, depth adjustable; strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N. C.	115.00	12
7216149	Back support, rigid plate	N. C.	69.00	1
7216150	Back support, flexible, tension adjustable	26.00	95.00	1
7216152	Dynamic back support	241.50	241.50	1
7216151	Reclining back support	462.00	462.00	1
7216153	Back support upright, straight, angle and height adjustable; angle-adjustable from 85° to 120° by maximum increments of 5°	N. C.	28.00	12
7216154	Push handle, with hand grip	N. C.	17.50	12
7216155	Raised and adjustable push bar, with hand grip	47.50	65.00	12
7216156	Power tilt mechanism controlled by the occupant	750.00	750.00	12
7216157	Postural support pelvic belt	N. C.	15.50	12
7216158	T-shaped arm support, short, removable; height-adjustable from 17.2 cm to 26.7 cm (6¾ in. to 10½ in.), from 20.3 cm to 31.8 cm (8 in. to 12½ in.) or from 25.4 cm to 36.9 cm (10 in. to 14½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	90.00	1
7216159	U-shaped arm support, long, flip-up or removable; height-adjustable from 17.2 cm to 24.2 cm (6¾ in. to 9½ in.), 21.6 cm to 33 cm (8½ in. to 13 in.) or from 30.5 cm to 41.9 cm (12 in. to 16½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	90.00	1

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services

(authentic version)

7216160	Arm support pad, short, straight	N. C.	5.50	1
7216161	Arm support pad, long, straight	N. C.	5.50	1
7216162	Arm support pad, contoured	34.50	40.00	1
7216163	Arm support pad, gel	50.50	56.00	1
7216164	Lower leg support, parallel, removable and swing-away; adjustable length from 26.7 cm to 33 cm (10½ in. to 13 in.), from 30.5 cm to 43.2 cm (12 in. to 17 in.) or from 40.6 cm to 53.3 cm (16 in. to 21 in.)	N. C.	59.50	12
7216167	Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening system	130.50	190.00	12
7216170	Padded calf support, angle, height and depth adjustable, including flat or contoured pad	60.50	60.50	12
7216168	Calf support strap, single	20.00	20.00	12
7216169	Calf support strap, double	20.00	20.00	12
7216171	Foot support, separate, flip-up, depth and angle adjustable, standard length	N. C.	50.00	12
7216172	Foot support, separate, flip-up, depth and angle adjustable, extra long	15.00	65.00	12
7216173	Foot support, flip-up, full width, depth and angle adjustable	80.00	130.00	12
7216174	Heel loop, adjustable	3.00	3.00	12
7216175	Head support, depth adjustable	80.00	80.00	12
7216176	Contoured cushion for head support, all sizes	57.00	57.00	12
7216177	Back support tension bar	30.00	30.00	12
7216178	Securement for head support for back support tension bar, height adjustable	57.00	57.00	12
<b>FRAME</b>				
7216179	Anti-tip device	N. C.	17.00	12
7216180	Reflective devices	5.00	5.00	12
7216181	Securement points for strap-type tiedowns for transport	N. C.	5.00	12
<b>DRIVE SYSTEM</b>				
7216182	Handrim, smooth	N. C.	16.00	12
7216183	Handrim, plasticized	18.00	34.00	12
7216184	Parking brake, push-type activation	N. C.	25.00	12
7216185	Parking brake, pull-type activation	N. C.	25.00	12
7216186	Brake lever extension, telescopic or fixed	10.00	10.00	12
7216187	Fork, adjustable height	N. C.	12.00	12
<b>WHEELS AND TIRES</b>				
7216188	Drive wheel, spoked; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N. C.	21.00	12
7216189	Drive wheel, plastic; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N. C.	21.00	12
7216190	Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N. C.	24.50	1
7216191	Drive wheel tire, standard pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N. C.	24.50	1
7216192	Caster wheel, with semi-pneumatic tire; 12.7 cm (5 in.), 15.2 cm (6 in.) or 20.3 cm (8 in.); widths of 3.8 cm	N. C.	11.25	12
7216193	Drive wheel axle, fixed	N. C.	5.00	12
7216194	Drive wheel axle, quick release	5.00	10.00	12



7216195	Spoke guards	56.00	56.00	12
			PRICE (including all the basic components)	
7216196	<b>POSITIONING BASES</b> CATEGORY BPO-GM 2-C-P1 (RIGID FRAME)  LES ÉQUIPEMENTS ADAPTÉS PHYSIPRO INC.  “NEOX DYNAMIC” DEVICE		<b>1,150.00</b>	
	<b>TECHNICAL SPECIFICATIONS OF THE DEVICE</b> <b>Maximum weight capacity:</b> 120 kg (265 lb.) <b>Seat-to-floor height:</b> 33 cm to 48.3 cm (13 in. to 19 in.) <b>Frame:</b> back height from 40.6 cm to 63.5 cm (16 in. to 25 in.)			
	<b>BASIC AND OPTIONAL COMPONENTS</b>	<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
	<b>BODY SUPPORT SYSTEM</b>			
7216197	Seat, rigid base, depth adjustable; strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N. C.	115.00	12
7216198	Back support, rigid plate	N. C.	69.00	1
7216199	Back support, flexible, tension adjustable	26.00	95.00	1
7216200	Reclining back support	462.00	462.00	1
7216201	Back support upright, straight, angle and height adjustable; angle-adjustable from 85° to 120° by maximum increments of 5°	N. C.	28.00	12
7216202	Push handle, with hand grip	N. C.	17.50	12
7216203	Raised and adjustable push bar, with hand grip	47.50	65.00	12
7216204	Postural support pelvic belt	N. C.	15.50	12
7216205	T-shaped arm support, short, removable; height-adjustable, from 20.3 cm to 39.4 cm (8 in. to 15½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	90.00	1
7216206	U-shaped arm support, long, flip-up or removable; height-adjustable, from 17.2 cm to 41.9 cm (6¾ in. to 16½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	90.00	1
7216207	Arm support pad, short, straight	N. C.	5.50	1
7216208	Arm support pad, long, straight	N. C.	5.50	1
7216209	Arm support pad, contoured	34.50	40.00	1
7216210	Arm support pad, gel	50.50	56.00	1

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services

(authentic version)

7216211	Lower leg support, parallel, removable and swing-away; adjustable length from 26.7 cm to 53.3 cm (10½ in. to 21 in.)	N. C.	59.50	12
7216214	Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening system	130.50	190.00	12
7216217	Padded calf support, angle, height and depth adjustable, including flat or contoured pad	60.50	60.50	12
7216215	Calf support strap, single	20.00	20.00	12
7216216	Calf support strap, double	20.00	20.00	12
7216218	Foot support, separate, flip-up, depth and angle adjustable, standard length	N. C.	50.00	12
7216219	Foot support, separate, flip-up, depth and angle adjustable, extra long	15.00	65.00	12
7216220	Foot support, flip-up, full width, depth and angle adjustable	80.00	130.00	12
7216221	Heel loop, adjustable	3.00	3.00	12
7216222	Head support, depth adjustable	80.00	80.00	12
7216223	Contoured cushion for head support, all sizes	57.00	57.00	12
7216224	Back support tension bar	30.00	30.00	12
7216225	Securement for head support for back support tension bar, height adjustable	57.00	57.00	12
<b>FRAME</b>				
7216226	Anti-tip device	N. C.	17.00	12
7216227	Reflective devices	5.00	5.00	12
7216228	Securement points for strap-type tiedowns for transport	N. C.	5.00	12
<b>DRIVE SYSTEM</b>				
7216229	Handrim, smooth	N. C.	16.00	12
7216230	Handrim, plasticized	18.00	34.00	12
7216231	Parking brake, push-type activation	N. C.	25.00	12
7216232	Parking brake, pull-type activation	N. C.	25.00	12
7216233	Brake lever extension, telescopic or fixed	10.00	10.00	12
7216234	Fork, adjustable height	N. C.	12.00	12
<b>WHEELS AND TIRES</b>				
7216235	Drive wheel, spoked; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N. C.	21.00	12
7216236	Drive wheel, plastic; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N. C.	21.00	12
7216237	Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); width of 2.9 cm (1⅜ in.)	N. C.	24.50	1
7216238	Drive wheel tire, standard pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); width of 2.8 cm (1⅞ in.)	N. C.	24.50	1
7216239	Caster wheel, with semi-pneumatic tire; 12.7 cm (5 in.), 15.2 cm (6 in.) or 20.3 cm (8 in.); width of 3.8 cm (1½ in.)	N. C.	11.25	12
7216240	Drive wheel axle, fixed	N. C.	5.00	12
7216241	Drive wheel axle, quick release	5.00	10.00	12
7216242	Spoke guards	56.00	56.00	12

**SUBDIVISION 3: MASS GROUP 3**

		PRICE (including all the basic components)		
7216243	<b>POSITIONING BASES</b> CATEGORY BPO-GM 3-A-P2 (RIGID FRAME)	<b>1,055.00</b>		
ORTHOFAB INC.				
“TANGO AC-03” DEVICE				
<b>TECHNICAL SPECIFICATIONS OF THE DEVICE</b>				
<b>Maximum weight capacity:</b> 136 kg (300 lb.)				
<b>Seat-to-floor height:</b> 33 cm to 48.3 cm (13 in. to 19 in.)				
<b>Frame:</b> back height from 45.7 cm to 61 cm (18 in. to 24 in.)				
BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
<b>BODY SUPPORT SYSTEM</b>				
7216244	Seat, rigid base, depth adjustable; strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)	N. C.	40.00	60
7216245	Back support, rigid plate	N. C.	200.00	60
7216246	Back support, flexible, tension adjustable	N. C.	200.00	60
7216248	Dynamic back support	110.00	110.00	60
7216247	Reclining back support	210.00	210.00	60
7216249	Back support upright, straight, angle and height adjustable; angle-adjustable from 90° to 120° by maximum increments of 8°	N. C.	75.00	60
7216250	Push handle, with hand grip	N. C.	20.00	60
7216251	Raised and adjustable push bar, with hand grip	130.00	150.00	60
7216252	Power tilt mechanism controlled by the occupant	1,000.00	1,000.00	60
7216253	Postural support pelvic belt	N. C.	10.00	60
7216254	U-shaped arm support, short, flip-up or removable; height-adjustable from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	110.00	60
7216255	U-shaped arm support, long, flip-up or removable; height-adjustable from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; including clothing guard	N. C.	110.00	60
7216256	Arm support pad, short, straight	N. C.	8.00	60

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

7216257	Arm support pad, long, straight	N. C.	8.00	60
7216258	Arm support pad, contoured	20.00	28.00	60
7216259	Arm support pad, gel	72.00	80.00	60
7216260	Lower leg support, parallel, removable and swing-away; adjustable length from 30.5 cm to 35.6 cm (12 in. to 14 in.), 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 48.3 cm to 53.3 cm (19 in. to 21 in.)	N. C.	40.00	60
7216263	Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening system	N. C.	40.00	60
7216266	Padded calf support, angle, height and depth adjustable, including flat pad	100.00	100.00	60
7216264	Calf support strap, single	15.00	15.00	60
7216265	Calf support strap, double	30.00	30.00	60
7216267	Foot support, separate, flip-up, depth and angle adjustable, standard length	N. C.	55.00	60
7216268	Foot support, separate, flip-up, depth and angle adjustable, extra long	N. C.	55.00	60
7216269	Foot support, flip-up, full width, depth and angle adjustable	45.00	100.00	60
7216270	Heel loop, adjustable	5.00	5.00	60
7216271	Head support, depth adjustable	20.00	20.00	60
7216272	Contoured cushion for head support, all sizes	30.00	30.00	60
7216273	Back support tension bar	50.00	50.00	60
7216274	Securement for head support for back support tension bar, height adjustable	50.00	50.00	60
<b>FRAME</b>				
7216275	Anti-tip device	N. C.	12.00	60
7216276	Reflective devices	50.00	50.00	60
7216277	Securement points for strap-type tiedowns for transport	N. C.	N. C.	60
<b>DRIVE SYSTEM</b>				
7216278	Handrim, smooth	N. C.	80.00	60
7216279	Handrim, plasticized	N. C.	80.00	60
7216280	Parking brake, push-type activation	N. C.	30.00	60
7216281	Parking brake, pull-type activation	N. C.	30.00	60
7216282	Brake lever extension, telescopic	10.00	10.00	60
7216283	Fork, adjustable height	N. C.	10.00	60
<b>WHEELS AND TIRES</b>				
7216284	Drive wheel, spoked; 30.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N. C.	30.00	60
7216285	Drive wheel, plastic; 30.5 cm (12 in.)	N. C.	30.00	60
7216286	Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.)	N. C.	30.00	60
7216287	Drive wheel tire, standard pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.)	N. C.	30.00	60
7216288	Caster wheel, with semi-pneumatic tire; 12.7 cm (5 in.), 15.2 cm (6 in.), 17.8 cm (7 in.) or 20.3 cm (8 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.)	N. C.	40.00	60

7216289	Drive wheel axle, fixed	N. C.	7.00	60
7216290	Drive wheel axle, quick release	N. C.	7.00	60
7216291	Spoke guards	70.00	70.00	60

PRICE  
(including all  
the basic  
components)

7216292	<b>POSITIONING BASES</b> CATEGORY BPO-GM 3-B-P1 (RIGID FRAME)		<b>1,285.00</b>	
---------	--	--	-----------------	--

ORTHO FAB INC.

“TANGO CE” DEVICE

**TECHNICAL SPECIFICATIONS OF THE DEVICE**

**Maximum weight capacity:** 159 kg (350 lb.)

**Seat-to-floor height:** 35.6 cm to 50.8 cm (14 in. to 20 in.)

**Frame:** back height from 40.6 cm to 61 cm (16 in. to 24 in.)

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	<b>BODY SUPPORT SYSTEM</b>			
7216293	Seat, rigid base, depth adjustable; strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)	N. C.	40.00	60
7216294	Back support, rigid plate	N. C.	200.00	60
7216295	Back support, flexible, tension adjustable	N. C.	200.00	60
7216296	Reclining back support	210.00	210.00	60
7216297	Back support upright, straight, angle and height adjustable; angle-adjustable from 90° to 120° by maximum increments of 8°	N. C.	75.00	60
7216298	Push handle, with hand grip	N. C.	20.00	60
7216299	Raised and adjustable push bar, with hand grip	130.00	150.00	60
7216300	Postural support pelvic belt	N. C.	10.00	60
7216301	T-shaped arm support, short, removable; height-adjustable from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	110.00	60
7216302	T-shaped arm support, long, removable; height-adjustable from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism	N. C.	110.00	60
7216303	Arm support pad, short, straight	N. C.	8.00	60
7216304	Arm support pad, long, straight	N. C.	8.00	60
7216305	Arm support pad, contoured	20.00	28.00	60

## SCHEDULE 1

## Tariff for devices which compensate for a motor deficiency and insured related services

(authentic version)

7216306	Arm support pad, gel	72.00	80.00	60
7216307	Lower leg support, parallel, removable and swing-away; adjustable length from 30.5 cm to 35.6 cm (12 in. to 14 in.), 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 48.3 cm to 53.3 cm (19 in. to 21 in.)	N. C.	40.00	60
7216310	Lower leg support, compensating elevating; with locking mechanism; compatible with the same fastening system as the fixed lower leg support or supplied with its fastening system	N. C.	40.00	60
7216313	Padded calf support, angle, height and depth adjustable, including flat	100.00	100.00	60
7216311	Calf support strap, single	15.00	15.00	60
7216312	Calf support strap, double	30.00	30.00	60
7216314	Foot support, separate, flip-up, depth and angle adjustable, standard length	N. C.	55.00	60
7216315	Foot support, separate, flip-up, depth and angle adjustable, extra long	N. C.	55.00	60
7216316	Foot support, flip-up, full width, depth and angle adjustable	45.00	100.00	60
7216317	Heel loop, adjustable	5.00	5.00	60
7216318	Head support, depth adjustable	20.00	20.00	60
7216319	Contoured cushion for head support, all sizes	30.00	30.00	60
7216320	Back support tension bar	50.00	50.00	60
7216321	Securement for head support for back support tension bar, height adjustable	50.00	50.00	60
<b>FRAME</b>				
7216322	Anti-tip device	N. C.	12.00	60
7216323	Reflective devices	50.00	50.00	60
7216324	Securement points for strap-type tiedowns for transport	N. C.	N. C.	60
<b>DRIVE SYSTEM</b>				
7216325	Handrim, smooth	N. C.	80.00	60
7216326	Handrim, plasticized	N. C.	80.00	60
7216327	Parking brake, push-type activation	N. C.	30.00	60
7216328	Parking brake, pull-type activation	N. C.	30.00	60
7216329	Brake lever extension, telescopic	10.00	10.00	60
7216330	Fork, adjustable height	N. C.	10.00	60
<b>WHEELS AND TIRES</b>				
7216331	Drive wheel, spoked; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N. C.	30.00	60
7216332	Drive wheel, plastic; 30.5 cm (12 in.)	N. C.	30.00	60
7216333	Drive wheel tire, semi-pneumatic; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.)	N. C.	30.00	60
7216334	Drive wheel tire, standard pressure inner tube; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.)	N. C.	30.00	60
7216335	Caster wheel, with semi-pneumatic tire; 12.7 cm (5 in.), 15.2 cm (6 in.), 17.8 cm (7 in.) or 20.3 cm (8 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.)	N. C.	40.00	60
7216336	Drive wheel axle, fixed	N. C.	7.00	60
7216337	Drive wheel axle, quick release	N. C.	7.00	60
7216338	Spoke guards	70.00	70.00	60
7216339	Clothing guard	N. C.	N. C.	60

**DIVISION V: STROLLERS AND ORTHOMOBILES**

DEVICE	Maximum price	
<b>Buggy Major-type stroller, including footrests and harness</b>		
4495602	less than three years of age *	660.00
4495610	three years of age and over	660.00
<b>Available Component(s)</b>		
4495651	padded seat	96.00
4494993	other components	S. C.
4493862	thoracic support	96.00
4493870	chest pad	57.00

**DURATION OF GUARANTEE : 12 months**

DEVICE	Maximum price	
4495701	Other strollers*	S. C.
2192300	Orthomobiles	S. C.

**PART II: POSTURE DEVICE**

	Description	Maximum price
<b>DEVICE</b>		
4565058	Positioning device * The price of the positioning device is equal to the total price of the positioning components.	*
<b>WARRANTY PERIOD: 3 months</b>		
4490223	Standardized cushion, multilayer or injected foam	400.00
4490249	Standardized cushion, viscoelastic foam and gel	400.00
4499646	Standardized cushion, viscofluid foam and gel	400.00
4499869	Standardized cushion, static air-adjustable, single-compartment (by adjusting pressure or cell quantity)	500.00
4490215	Standardized cushion, static air-adjustable, multi-compartment (by adjusting pressure or cell quantity)	500.00
4499695	Standardized cushion, viscoelastic gel	500.00
4490231	Standardized cushion, viscofluid gel	500.00
4490256	Standardized cushion, foam with air insert	500.00
4490248	Standardized convoluted cushion, fusion-bonded thermoplastic polymer	500.00
4490272	Customized cushion, multilayer or injected foam	425.00
4490280	Customized cushion, viscoelastic foam and gel	425.00
4490298	Customized cushion, viscofluid foam and gel	425.00
4490306	Customized cushion, foam with air insert	525.00
4490307	Customized cushion, fusion-bonded thermoplastic polymer	600.00
4020510	Standard cover for specialized seat cushion	75.00
4020511	Commercial waterproof cover for specialized seat cushion	100.00
4020512	Surcharge payable for 2 commercial waterproof covers, provided with purchase or replacement of specialized seat cushion, as substitution for 2 standard covers	50.00
4020513	Waterproof cover for seat cushion (all sizes)	75.00
4020515	Surcharge payable for bariatric cushion, width of more than 50.8 cm (20 in.)	150.00
4565078	Adjustable pediatric posture seat for adaptable stroller, including positioning for torso, pelvis and lower limbs	1 200,00
4565069	Positioning components for head and neck, standardized or standardized modular components	350.00
4565060	Positioning components for torso, pelvis or both, standardized or standardized modular components, excluding seat cushion	450.00



## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

4565070	Positioning belt specialized for pelvis, standardized	100.00
4565061	Positioning harness for torso, standardized	100.00
4565062	Right upper limb positioning components, standardized or standardized modular components	170.00
4565063	Left upper limb positioning components, standardized or standardized modular components	170.00
4565064	Right lower limb positioning components, standardized or standardized modular components	200.00
4565066	Left lower limb positioning components, standardized or standardized modular components	200.00
4565067	Bilateral upper limb positioning components, standardized or standardized modular components	200.00
4565068	Bilateral lower limb positioning components, standardized or standardized modular components	200.00
4565071	Additional or replacement standard cover for specialized back	75.00
4565074	Additional or replacement waterproof cover for specialized back	100.00
4565072	Surcharge payable upon purchase or replacement of back or cover for complete or partial water proofing	50.00
4565075	Surcharge payable for a large positioning component for torso, pelvis or both, width or height of more than 50.8 cm (20 in.)	50.00
4565080	Surcharge payable for hardware allowing thoracic supports to swing away, flip back or fold	200.00
4499900	Head or neck components, moulded or customized	450.00
4499888	Torso positioning components, moulded or customized	500.00
4499889	Bilateral lower limb positioning components, moulded or customized	300.00
4499890	Torso and pelvic positioning component, one-piece, customized contouring	900.00
4499891	Pelvic positioning component, moulded or customized, excluding seat cushion	200.00
4499892	Torso positioning harness, customized	100.00
4499894	Right upper limb positioning components, moulded or customized	270.00
4499895	Left upper limb positioning components, moulded or customized	270.00
4499896	Right lower limb positioning components, moulded or customized	300.00
4499897	Left lower limb positioning components, moulded or customized	300.00
4499899	Bilateral upper limb positioning components, moulded or customized	300.00

**PART III: ELEMENTS INCLUDED IN THE PRICES OF THE DEVICES**

1. The maximum or the fixed price for the purchase or replacement of an insured device referred to in Part I or II of this Title includes the following elements:

- (1) the maximum or fixed price for its basic components, its optional components and its and supplements, if any;
- (2) the cost of its manufacture;
- (3) the cost of adjustments required while it is being manufactured, up to and including the final installation;
- (4) the cost of adjustments and repairs during the guarantee period referred to in this Title in respect of each device or in the contract with the supplier, beginning immediately after the final installation and during which any adjustment or repair of a device used under normal conditions is made, in order to bring the device into conformity with the original prescription, where the beneficiary's physical condition has not changed, and to enable the beneficiary to derive maximum benefit from the device.

2. The replacement cost of a component or supplement for a device includes the following elements:

- (1) the cost price of the materials;
- (2) the cost of its manufacture, if any;
- (3) the cost of adjustment and installation.

**TITLE THREE: INSURED RELATED SERVICES****PART I: PROSTHESES, ORTHOSES, AMBULATION AIDS OR STANDING AIDS**

		<b>Labour rate or lump sum</b>	
		Laboratory (s.25)	Institution (s.25)
<b>Codes</b>	<b>Description</b>		
5550001	Labour for the manufacture of a device with at least one component whose purchase or replacement price is stated as « S.C. » or for the repair of an orthosis, prosthesis, ambulation aid, standing aid or their components and supplements (rate per minute)	1.55	0.00
4499976	Lump sum for recovery, safety check, cleaning, reallocation and inventory management of a walker with thorax support	111.79	0.00
5442257	Lump sum for initial purchase or replacement of an ambulation aid provided as a complement to an orthosis or prosthesis	23.21	0.00
5442258	Lump sum for initial purchase or replacement of an ambulation aid provided as a device to an adult	46.42	0.00
5442259	Lump sum for initial purchase or replacement of an ambulation aid provided as a device to a person under 19 years of age	69.60	0.00

**PART II: LOCOMOTOR AND POSTURE ASSISTS**

		Labour rate or lump sum
		Institution (s.57)
Codes	Description	
5550000	Labour for the manufacture or repair of a locomotor assist, positioning device or their components, including repairs made under supplier's warranty (rate per minute)	0.00
4499968	Lump sum for the initial purchase or replacement of a manual wheel chair	0.00
4499992	Lump sum for the initial purchase or replacement of a powered wheel chair	0.00
5442260	Lump sum for initial purchase or replacement of a positioning base	0.00
5442272	Non-listed lump sum for initial purchase or replacement of adapted stroller (S.C.)	0.00
4495552	Lump sum for the initial purchase or replacement of a Buggy Major-type stroller	0.00
4499596	Lump sum for the initial purchase or replacement of a propulsion assistance module	0.00
4499950	Lump sum when a device must be adjusted to the growth of an insured person under age 19	0.00
4499935	Lump sum for initial purchase or replacement of a manual wheelchair when the insured person dies before taking final receipt of device	0.00
4499927	Lump sum for initial purchase or replacement of a powered wheelchair when the insured person dies before taking final receipt of device	0.00
5442269	Lump sum for initial purchase or replacement of a positioning base when the insured person dies before taking final receipt of device	0.00
4499943	Lump sum for initial purchase or replacement of a stroller when the insured person dies before taking final receipt of device	0.00
5442254	Lump sum for specialized cushion seat positioning	0.00
5442261	Lump sum for head or neck positioning	0.00
5442262	Lump sum for positioning of torso, pelvis or both (excluding specialized seat cushion-related service)	0.00
5442263	Lump sum for right upper limb positioning	0.00

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

5442264	Lump sum for left upper limb positioning	0.00
5442265	Lump sum for right lower limb positioning	0.00
5442266	Lump sum for left lower limb positioning	0.00