

**SCHEDULE I**  
**(s. 1)**

**TARIFF FOR DEVICES WHICH COMPENSATE  
FOR A MOTOR DEFICIENCY  
AND INSURED RELATED SERVICES**

Document produced by the Régie de l'assurance maladie du Québec and published on its website

Legal deposit – Library and Archives Canada, 2009

ISSN 1920-2318

Québec February 13, 2017

**TITLE ONE: PROSTHESES, ORTHOSES, AMBULATION AIDS OR STANDING AIDS .....1**

**PART I: AIDS FURNISHED BY AN INSTITUTION OR A LABORATORY .....2**

<i>DIVISION I: LOWER-LIMB PROSTHESES</i> .....	2
SUBDIVISION 1: FOOT PROSTHESES.....	2
SUBDIVISION 2: ANKLE PROSTHESES .....	5
SUBDIVISION 3: TIBIAL PROSTHESES .....	8
SUBDIVISION 4: TIBIOFEMORAL PROSTHESES.....	18
SUBDIVISION 5: FEMORAL PROSTHESES .....	26
SUBDIVISION 6: COXOFEMORAL AND HEMIPELVIC PROSTHESES .....	38
SUBDIVISION 7: LOWER-LIMB PROSTHESES.....	48

<i>DIVISION II: UPPER-LIMB PROSTHESES</i> .....	49
SUBDIVISION 1: HAND PROSTHESES .....	49
SUBDIVISION 2: WRIST PROSTHESES.....	51
SUBDIVISION 3: CUBITAL PROSTHESES .....	53
SUBDIVISION 4: CUBITOHUMERAL PROSTHESES.....	57
SUBDIVISION 5: HUMERAL PROSTHESES .....	59
SUBDIVISION 6: GLENOHUMERAL AND THORACIC PROSTHESES .....	62
SUBDIVISION 7: BASIC OR OPTIONAL COMPONENTS FOR UPPER-LIMB PROSTHESES .....	67
SUBDIVISION 8 : UPPER-LIMB PROSTHESES .....	72

<i>DIVISION III: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES</i> .....	73
---	----

<i>DIVISION IV: LOWER-LIMB ORTHOSES</i> .....	86
SUBDIVISION 1: TIBIAL ORTHOSES .....	86
SUBDIVISION 2: TIBIOFEMORAL ORTHOSES .....	93
SUBDIVISION 3: FEMORAL ORTHOSES .....	99
SUBDIVISION 4: COXOFEMORAL ORTHOSES.....	111
SUBDIVISION 5: BILATERAL LOWER-LIMB ORTHOSES.....	121
SUBDIVISION 6: ADDITIONAL COMPONENTS FOR TIBIAL, FEMORAL AND COXOFEMORAL ORTHOSES .....	125
SUBDIVISION 7: LOWER-LIMB ORTHOSES.....	126

<i>DIVISION V: UPPER-LIMB ORTHOSES</i> .....	127
SUBDIVISION 1: HAND ORTHOSES THAT MAY INCLUDE THE THUMB AND THE OTHER FINGERS.....	127
SUBDIVISION 2: WRIST AND HAND ORTHOSES.....	132
SUBDIVISION 3: ELBOW, WRIST AND HAND ORTHOSES.....	136
SUBDIVISION 4: SHOULDER, ELBOW, WRIST AND HAND ORTHOSES.....	138
SUBDIVISION 5: UPPER-LIMB ORTHOSES .....	140

<i>DIVISION VI: TRUNK AND CERVICAL ORTHOSES</i> .....	141
SUBDIVISION 1: TRUNK ORTHOSES .....	141
SUBDIVISION 2: CERVICAL ORTHOSES .....	148
SUBDIVISION 3: OTHER TRUNK AND CERVICAL ORTHOSES .....	151

<i>DIVISION VII: AMBULATION AIDS</i> .....	152
--	-----

<i>DIVISION VIII: STANDING AIDS</i> .....	157
---	-----

**PART II: AIDS FURNISHED SOLELY BY AN INSTITUTION .....159**

<i>DIVISION I: UPPER-LIMB PROSTHESES</i> .....	159
--	-----

<i>DIVISION II: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES</i> .....	168
--	-----

<i>DIVISION III: AMBULATION AIDS</i> .....	169
PART III: ELEMENTS INCLUDED IN THE PRICES OF THE DEVICES: .....	170
<b>TITLE TWO: LOCOMOTOR AND POSTURE ASSISTS (FURNISHED SOLELY BY AN INSTITUTION)</b> .....	<b>171</b>
PART I: LOCOMOTOR ASSISTS .....	172
<i>DIVISION I: ADULT WHEELCHAIRS</i> .....	172
SUBDIVISION 1: MANUAL WHEELCHAIRS .....	172
SUBDIVISION 2: LIGHTWEIGHT MANUAL WHEELCHAIRS .....	199
SUBDIVISION 3: POWERED WHEELCHAIRS .....	203
<i>DIVISION II: PEDIATRIC WHEELCHAIRS</i> .....	242
SUBDIVISION 1: MANUAL WHEELCHAIRS .....	242
SUBDIVISION 2: POWERED WHEELCHAIRS .....	246
<i>DIVISION III: COMPLEMENTS FOR WHEELCHAIRS</i> .....	256
SUBDIVISION 1: FACULTATIVE COMPONENTS .....	256
SUBDIVISION 2: BATTERIES FOR POWERED WHEELCHAIRS .....	257
<i>DIVISION IV: OTHER LOCOMOTOR ASSISTS</i> .....	258
SUBDIVISION 1: ADULT POSITIONING BASES .....	258
SUBDIVISION 2: PEDIATRIC POSITIONING BASES .....	271
<i>DIVISION V: STROLLERS AND ORTHOMOBILES</i> .....	275
PART II: POSTURE DEVICE .....	276
PART III: ELEMENTS INCLUDED IN THE PRICES OF THE DEVICES .....	278
<b>TITLE THREE: INSURED RELATED SERVICES</b> .....	<b>279</b>
PART I: PROSTHESES, ORTHOSES, AMBULATION AIDS OR STANDING AIDS .....	279
PART II: LOCOMOTOR AND POSTURE ASSISTS .....	280

**TITLE ONE: PROSTHESES, ORTHOSES, AMBULATION AIDS OR STANDING AIDS**

**PART I: AIDS FURNISHED BY AN INSTITUTION OR A LABORATORY****DIVISION I: LOWER-LIMB PROSTHESES****SUBDIVISION 1: FOOT PROSTHESES**

<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>
1120534 Prosthesis for total amputation of second, third and fourth toe, of two or of all of those toes, made from plaster or digital mold of insured person	408.53			3
<b>BASIC COMPONENTS AND SUPPLEMENTS</b>				
Filler for anterior part of foot, on rigid or pliable sole				
Compensatory sole for limb not fitted with a prosthesis				
<b>COMPONENT AND SUPPLEMENT AVAILABLE</b>				
None				
<b>ADJUSTMENTS AVAILABLE</b>				
----- Any pertinent adjustment				

<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>
1120542 Prosthesis for total amputation of first toe, with or without amputation of second, third, fourth or fifth toe, made from plaster or digital mold of insured person	432.95			3
<b>BASIC COMPONENTS AND SUPPLEMENTS</b>				
Filler for anterior part of foot, on rigid or				

pliable sole  
Longitudinal arch support  
Correction or shank  
Compensatory sole for limb not fitted with  
a prosthesis

#### COMPONENT AND SUPPLEMENT AVAILABLE

None

#### ADJUSTMENTS AVAILABLE

----- Any pertinent adjustment

DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1120518	Prosthesis for transmetatarsal or transcaneal amputation with ankle support, made from plaster or digital mold of insured person	945.54			6
BASIC COMPONENTS AND SUPPLEMENTS					
Filler for anterior or posterior part of foot Laminated or molded plastic or molded leather socket Leg support where necessary					
COMPONENTS AND SUPPLEMENTS AVAILABLE					
OPTIONAL COMPONENTS					
Ankle joints:					
1125632	Gilette joints				
	pair	122.05	N. A.		
	single	N. A.	66.80		
1125640	Oklahoma joints				
	pair	115.62	N. A.		
	single	N. A.	64.24		
1125657	Wafer joints				
	pair	133.60	N. A.		
	single	N. A.	73.23		
1125665	Tamarak joints				

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

	pair	128.46	N. A.
	single	N. A.	70.66
1125673	Gaffney joints		
	pair	141.33	N. A.
	single	N. A.	75.80

## SUPPLEMENTS AVAILABLE

-----	Stump sock	*	*
	* (consult Division III of this Part for the codes and prices of these supplements)		
3194016	Nylon sheath	18.23	21.18

## ADJUSTMENTS AVAILABLE

----- Any pertinent adjustment

**SUBDIVISION 2: ANKLE PROSTHESES**

<b>DEVICE</b>		<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>
1130103	Temporary Symes prosthesis	991.82			*
<b>BASIC COMPONENTS AND SUPPLEMENTS</b>					
Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person Temporary foot (loan)					
*DURATION OF GUARANTEE: Life of prosthesis					
<b>COMPONENTS AND SUPPLEMENTS AVAILABLE</b>					
<b>BASIC COMPONENT</b>					
1145523	Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person	N. C.	N. A.		
<b>OPTIONAL COMPONENTS</b>					
1135532	Supracondylar strap	110.48	149.04		3
1135524	Foam flexible double comfort socket	101.48	197.84		3
1145598	Thigh lacer	192.69	209.41		3
<b>SUPPLEMENTS AVAILABLE</b>					
3492501	Cane	10.12	10.12		
3492550	Crutches with axillary support, height- adjustable	20.24	20.24		
+3492551	Crutches with forearm support, height- adjustable	55.66	55.66		
-----	Stump sock	*	*		
* (consult Division III of this Part for the codes and prices of these supplements)					
3194016	Nylon sheath, 45.7 cm (18 in.) to	18.23	21.18		

	55.9 cm (22 in.)		
3194024	Nylon sheath, 80.0 cm (31½ in.) to 92.7 cm (36½ in.)	23.75	26.68
3194081	Nylon sheath with elastic band, 55.9 cm (22 in.) to 66.0 cm (26 in.)	37.59	40.68
3194099	Nylon sheath with elastic band, 73.7 cm (29 in.) to 86.4 cm (34 in.)	37.59	40.68

## ADJUSTMENT AVAILABLE

None

DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1130509	Symes prosthesis	1,572.88			6
BASIC COMPONENTS AND SUPPLEMENTS					
Laminated plastic socket, made from plaster or digital mold of insured person, with or without medial or posterior window SACH foot					
COMPONENTS AND SUPPLEMENTS AVAILABLE					
BASIC COMPONENTS					
1125509	SACH foot	N. C.	258.63		
1135516	Laminated plastic socket, made from plaster or digital mold of insured person, with or without medial or posterior window	N. C.	1,223.03		3
OPTIONAL COMPONENTS					
1195502	Trial socket	131.02	N. A.		
1135532	Supracondylar strap	110.48	149.04		3
1125525	Symes foot	N. C.	254.38		
1125566	Dynamic response foot (Seattle)	354.18	612.81		
1125582	Dynamic response foot (Seattle Light)	462.12	720.74		
1125681	Dynamic response foot (Step Light)	279.68	538.29		
1125699	Dynamic response foot (USMC)	173.06	431.67		
1125707	Dynamic foot, for child (1K10)	35.56	294.20		
1135508	Silicone laminated extensible double	258.22	450.94		3

	socket			
1135524	Foam flexible double comfort socket	101.48	197.84	3
1145663	Thigh lacer with reinforced uniaxial ball-bearing joints	678.34	695.04	3
1145671	Thigh lacer with light uniaxial ball-bearing joints	570.41	587.10	3
1145689	Thigh lacer with polycentric joints	903.75	920.42	3

## SUPPLEMENTS AVAILABLE

-----	Stump sock	*	*	
	* (consult Division III of this Part for the codes and prices of these supplements)			
3194016	Nylon sheath, 45.7 cm (18 in.) to 55.9 cm (22 in.)	18.23	21.18	
3194024	Nylon sheath, 80.0 cm (31½ in.) to 92.7 cm (36½ in.)	23.75	26.68	
3194081	Nylon sheath with elastic band, 55.9 cm (22 in.) to 66.0 cm (26 in.)	37.59	40.68	
3194099	Nylon sheath with elastic band, 73.7 cm (29 in.) to 86.4 cm (34 in.)	37.59	40.68	
3492501	Cane	10.12	10.12	
3492550	Crutches with axillary support, height-adjustable	20.24	20.24	
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66	

## ADJUSTMENTS AVAILABLE

----- Any pertinent adjustment

**SUBDIVISION 3: TIBIAL PROSTHESES**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1140011 Post-operative tibial prosthesis necessitating obligatory renewal of plaster or digital mold	764.41			*
BASIC COMPONENTS AND SUPPLEMENTS				
Lycra compressible socks (4) Plaster sockets (2) Means of suspension (belt) SACH foot (loan) Adjustable pylon (loan)				
*DURATION OF GUARANTEE: Life of prosthesis				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1145515 Plaster sockets (2)	N. C.	N. A.		
1195510 Means of suspension (belt)	N. C.	N. A.		
SUPPLEMENTS AVAILABLE				
3194008 Lycra compressible sock	N. C.	N. A.		
3492550 Crutches with axillary support, height- adjustable	20.24	20.24		
+3492551 Crutches with forearm support, height- adjustable	55.66	55.66		
ADJUSTMENT AVAILABLE				
None				

DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1140060	Pneumatic post-operative tibial prosthesis, non-articulated	608.96			*
BASIC COMPONENTS AND SUPPLEMENTS					
Inflatable bag or case					
Distal pad					
Suspension straps					
Mobility frame (loan)					
Electric pump (loan)					
*DURATION OF GUARANTEE: Life of prosthesis					
COMPONENTS AND SUPPLEMENTS AVAILABLE					
SUPPLEMENTS AVAILABLE					
3492550	Crutches with axillary support, height- adjustable	20.24	20.24		
+3492551	Crutches with forearm support, height- adjustable	55.66	55.66		
-----	Stump sock	*	*		
* (consult Division III of this Part for the codes and prices of these supplements)					
ADJUSTMENT AVAILABLE					
None					
DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1140078	Pneumatic post-operative tibial prosthesis, articulated	772.12			*
BASIC COMPONENTS AND					

## SUPPLEMENTS

Inflatable bag or case  
 Thigh lacer system (loan)  
 Knee joint system (loan)  
 Universal socket (loan)  
 Modular system (loan)  
 SACH foot (loan)  
 Air pump (loan)

\*DURATION OF GUARANTEE: Life  
 of prosthesis

COMPONENTS AND SUPPLEMENTS  
AVAILABLE

## SUPPLEMENTS AVAILABLE

3492550	Crutches with axillary support, height-adjustable	20.24	20.24
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66

----- Stump sock  
 \* (consult Division III of this Part for the  
 codes and prices of these supplements)

## ADJUSTMENT AVAILABLE

None

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1140102 Temporary tibial prosthesis	981.51			*

BASIC COMPONENTS AND  
SUPPLEMENTS

Laminated or molded plastic adjustable  
 socket, made from plaster or digital mold  
 of insured person  
 Temporary foot (loan)  
 Endoskeletal system (loan)

\*DURATION OF GUARANTEE: Life  
 of prosthesis

COMPONENTS AND SUPPLEMENTS  
AVAILABLE

## BASIC COMPONENT

1145523	Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person	N. C.	N. A.
---------	--	-------	-------

## OPTIONAL COMPONENTS

1145598	Thigh lacer	192.69	209.41	3
1135532	Supracondylar strap	110.48	149.04	3
1145549	Foam flexible double comfort socket	106.62	186.29	3
1145564	Tibial belt with Y strap	101.48	165.73	3
1145697	Suspension lining covered with nylon on inside	80.95	88.64	
1145705	Suspension lining not covered with nylon on inside	97.54	105.27	
1145713	Latex suspension lining	43.66	52.66	
1145721	Elastic suspension lining	35.97	44.97	

## SUPPLEMENTS AVAILABLE

-----	Stump sock	*	*
	* (consult Division III of this Part for the codes and prices of these supplements)		
3194032	Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm (18 in.)	18.23	21.18
3194040	Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm (31½ in.)	18.23	21.18
3194107	Nylon sheath with tibial elastic band, 25.4 cm (10 in.) to 55.9 cm (22 in.)	30.96	33.89
3194115	Nylon sheath with tibial elastic band, 50.8 cm (20 in.) to 73.7 cm (29 in.)	29.25	32.19
3194206	Nylon suction sheath (all sizes)	29.25	32.19
3492550	Crutches with axillary support, height-adjustable	20.24	20.24
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66

## ADJUSTMENTS AVAILABLE

None

DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1140508	Exoskeletal tibial prosthesis	1,640.98			6
BASIC COMPONENTS AND SUPPLEMENTS					
Laminated plastic tibial socket, made from plaster or digital mold of insured person					
SACH foot					
Medial wedge					
Ankle block					
COMPONENTS AND SUPPLEMENTS AVAILABLE					
BASIC COMPONENTS					
1125491	Ankle block	N. C.	N. A.		
1125509	SACH foot	N. C.	258.63		
1145531	Laminated plastic tibial socket, made from plaster or digital mold of insured person	N. C.	1,285.99		3
1145457	Medial wedge	N. C.	N. A.		
OPTIONAL COMPONENTS					
1195585	Trial socket	122.05	N. A.		
1145754	Foam or molded plastic flexible double comfort socket	106.62	186.29		3
1145556	Foam or molded plastic flexible double comfort socket, with medial wedge	128.46	206.83		3
1145630	Silicone gel double socket	274.93	499.76		3
1145648	Silicone gel double socket, with medial wedge	295.49	520.30		3
1146554	Silicone gel flexible double socket, with distal attachment	878.74	912.15		3
1146570	Silicone gel flexible double socket, with distal attachment, excluding replacement of distal attachment	N. A.	633.37		3
1145564	Tibial belt with Y strap	101.48	165.73		3
1135532	Supracondylar strap	110.48	149.04		3
1145697	Suspension lining covered with nylon on inside	80.95	88.64		

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

1145705	Suspension lining not covered with nylon on inside	97.54	105.27	
1145713	Latex suspension lining	43.66	52.66	
1145721	Elastic suspension lining	35.97	44.97	
1125517	Articulated foot	143.07	401.67	
1125574	Dynamic response foot, spring and prosthetic cover included (Quantum)	341.34	599.96	
1125624	Adapter for foot (Quantum)	133.60	186.29	
1125582	Dynamic response foot (Seattle Light)	462.12	720.74	
1125590	Dynamic response foot (Sten foot)	76.68	335.32	
1125608	Dynamic response foot (SAFE foot)	182.04	440.67	
1125616	Dynamic response foot (1D10, 1D11)	155.33	413.94	
1125566	Dynamic response foot (Seattle)	354.18	612.81	
1125541	Dynamic response foot (Carbon Copy II)	295.10	553.73	
1125707	Dynamic foot, for child (1K10)	35.56	294.20	
1125806	Multiaxial foot with rotator (1A29)	221.86	480.48	
1165539	Femoral device with plastic ischiatic support	738.70	779.82	3
1145663	Thigh lacer with reinforced uniaxial ball-bearing joints	678.34	695.04	3
1145671	Thigh lacer with light uniaxial ball-bearing joints	570.41	587.10	3
1145689	Thigh lacer with polycentric joints	903.75	920.42	3
1145739	Replacement of thigh lacer with recovery and reinstallation of existing joints	N. A.	403.39	3
1145580	Suction valve and seat	246.00	311.50	
1145655	Suction valve	N. A.	221.59	
1145747	Foam flexible prosthetic cover	84.81	118.19	

## SUPPLEMENTS AVAILABLE

3194032	Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm (18 in.)	18.23	21.18	
3194040	Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm (31½ in.)	18.23	21.18	
3194107	Nylon sheath with tibial elastic band, 25.4 cm (10 in.) to 55.9 cm (22 in.)	30.96	33.89	
3194115	Nylon sheath with tibial elastic band, 50.8 cm (20 in.) to 73.7 cm (29 in.)	29.25	32.19	
3194206	Nylon suction sheath (all sizes)	29.25	32.19	
3194198	Prosthetic socks, per pair	27.00	35.97	
3492501	Cane	10.12	10.12	
3492550	Crutches with axillary support, height-adjustable	20.24	20.24	
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66	

Stump sock

\*

\*

\* (consult Division III of this Part for the codes and prices of these supplements)

## ADJUSTMENTS AVAILABLE

1146521	Socket lining (leather, plastic or other material)	167.01
1146539	Lengthening of a tibial prosthesis	314.73
-----	Any pertinent adjustment	

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1141514	Endoskeletal tibial prosthesis	1,819.56		6
BASIC COMPONENTS AND SUPPLEMENTS				
Laminated plastic tibial socket, made from plaster or digital mold of insured person				
Medial wedge				
SACH foot and adapter				
Complete endoskeletal system (modular components, prosthetic cover and prosthetic socks (2))				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1125509	SACH foot	N. C.	258.63	
1124015	Adapter	N. C.	N. A.	
1145531	Laminated plastic tibial socket, made from plaster or digital mold of insured person	N. C.	1,285.99	3
1195528	Complete endoskeletal system	N. C.	N. A.	
1145614	Prosthetic cover	N. C.	349.44	
1145457	Medial wedge	N. C.	N. A.	
OPTIONAL COMPONENTS				
1195585	Trial socket	122.05	N. A.	
1145754	Foam or molded plastic flexible double comfort socket	106.62	186.29	3
1145556	Foam or molded plastic flexible double comfort socket, with medial wedge	128.46	206.83	3
1145630	Silicone gel double socket	274.93	499.76	3
1145648	Silicone gel double socket, with medial	295.49	520.30	3

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

	wedge			
1146554	Silicone gel flexible double socket, with distal attachment	878.74	912.15	3
1146562	Silicone gel flexible double socket, with attachment and pneumatic cushion	917.28	950.69	3
1146570	Silicone gel flexible double socket, with distal attachment, excluding replacement of distal attachment	N. A.	633.37	3
1145564	Tibial belt with Y strap	101.48	165.73	3
1135532	Supracondylar strap	110.48	149.04	3
1145697	Suspension lining covered with nylon on inside	80.95	88.64	
1145705	Suspension lining not covered with nylon on inside	97.54	105.27	
1145713	Latex suspension lining	43.66	52.66	
1145721	Elastic suspension lining	35.97	44.97	
1125715	Articulated foot and adapter	176.25	434.87	
1125723	Articulated foot without adapter	N. A.	267.25	
1125566	Dynamic response foot (Seattle)	354.18	612.81	
1125541	Dynamic response foot (Carbon Copy II)	295.10	553.73	
1125707	Dynamic foot, for child (1K10)	35.56	294.20	
1125798	Dynamic response foot, spring, prosthetic cover and foam included (Quantum)	305.37	563.99	
1125780	Adapter for foot (Quantum)	52.66	97.64	
1125582	Dynamic response foot (Seattle Light)	462.12	720.74	
1125590	Dynamic response foot (Sten foot)	76.68	335.32	
1125608	Dynamic response foot (SAFE foot)	182.04	440.67	
1125616	Dynamic response foot (1D10, 1D11)	155.33	413.94	
1125681	Dynamic response foot (Step Light)	279.68	538.29	
1125699	Dynamic response foot (USMC)	173.06	431.67	
1125731	Dynamic plus foot (1D25)	420.99	679.61	
1125749	Multiaxial foot with rotator (1A30)	649.19	907.81	
1125756	Multiaxial foot with rotator (Endolite)	567.45	826.07	
1125764	Dynamic response foot with rotator (Endolite)	757.60	1,016.23	
1165539	Femoral device with plastic ischiatic support	738.70	779.82	3
1145663	Thigh lacer with reinforced uniaxial ball-bearing joints	678.34	695.04	3
1145671	Thigh lacer with light uniaxial ball-bearing joints	570.41	587.10	3
1145689	Thigh lacer with polycentric joints	903.75	920.42	3
1145739	Replacement of thigh lacer with recovery and reinstallation of existing joints	N. A.	403.39	3
1145580	Suction valve and seat	246.00	311.50	
1145655	Suction valve	N. A.	221.59	
1135557	Ankle rotator (4R39, 4R40)	717.69	772.93	
1135607	Ankle rotator (4R85)	641.37	691.46	
1135615	Titanium modular system and carbon	91.22	N. A.	

fiber pylon

**SUPPLEMENTS AVAILABLE**

3194032	Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm (18 in.)	18.23	21.18
3194040	Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm (31½ in.)	18.23	21.18
3194107	Nylon sheath with tibial elastic band, 25.4 cm (10 in.) to 55.9 cm (22 in.)	30.96	33.89
3194115	Nylon sheath with tibial elastic band, 50.8 cm (20 in.) to 73.7 cm (29 in.)	29.25	32.19
3194206	Nylon sheath (all sizes)	29.25	32.19
3194222	Prosthetic socks, per pair	N. C.	35.97
3492501	Cane	10.12	10.12
3492550	Crutches with axillary support, height-adjustable	20.24	20.24
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66
-----	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*

**ADJUSTMENTS AVAILABLE**

1146521	Socket lining (leather, plastic or other material)	167.01
1146547	Lengthening of tibial part of prosthesis, excluding replacement of prosthetic cover and prosthetic sock	220.98
-----	Any pertinent adjustment	

<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>
1141753	Prosthetic restoration of a leg	2,216.15		2

**BASIC COMPONENTS AND  
SUPPLEMENTS**

Prosthetic foam-rubber calf

**COMPONENTS AND SUPPLEMENTS  
AVAILABLE**

**BASIC COMPONENTS**

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

1145622	Prosthetic foam-rubber calf	N. C.	N. A.
---------	-----------------------------	-------	-------

**OPTIONAL COMPONENT**

1165547	Thigh extension	521.59	N. A.	2
---------	-----------------	--------	-------	---

## ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

**SUBDIVISION 4: TIBIOFEMORAL PROSTHESES**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1150010 Post-operative tibiofemoral prosthesis necessitating obligatory renewal of plaster or digital mold	1,144.68			*
BASIC COMPONENTS AND SUPPLEMENTS				
Lycra compressible socks (4) Plaster sockets (2) Means of suspension (belt) SACH foot (loan) Adjustable pylon (loan) Suspension cable, distal pad, ring				
*DURATION OF GUARANTEE: Life of prosthesis				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1145515 Plaster sockets (2)	N. C.	N. A.		
1195510 Means of suspension (belt)	N. C.	N. A.		
1195544 Suspension cable, distal pad, ring	N. C.	N. A.		
SUPPLEMENTS AVAILABLE				
3194008 Lycra compressible socks (4)	N. C.	N. A.		
3492550 Crutches with axillary support, height- adjustable	20.24	20.24		
+3492551 Crutches with forearm support, height- adjustable	55.66	55.66		
ADJUSTMENT AVAILABLE				
None				

DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1150101	Pneumatic post-operative tibiofemoral prosthesis, non-articulated	603.80			*
BASIC COMPONENTS AND SUPPLEMENTS					
Inflatable bag or case					
Distal pad					
Suspension straps					
Mobility frame (loan)					
Electric pump (loan)					
*DURATION OF GUARANTEE: Life of prosthesis					
COMPONENTS AND SUPPLEMENTS AVAILABLE					
SUPPLEMENTS AVAILABLE					
3492550	Crutches with axillary support, height-adjustable	20.24	20.24		
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66		
-----	Stump sock	*	*		
* (consult Division III of this Part for the codes and prices of these supplements)					
ADJUSTMENT AVAILABLE					
None					
DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1150051	Pneumatic post-operative tibiofemoral prosthesis, articulated	766.96			*
BASIC COMPONENTS AND					

## SUPPLEMENTS

Inflatable bag or case  
 Thigh lacer system (loan)  
 Knee joint system (loan)  
 Modular system (loan)  
 Universal socket (loan)  
 SACH foot (loan)  
 Air pump (loan)

\*DURATION OF GUARANTEE: Life  
 of prosthesis

COMPONENTS AND SUPPLEMENTS  
AVAILABLE

## SUPPLEMENTS AVAILABLE

3492550	Crutches with axillary support, height-adjustable	20.24	20.24
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66
-----	Stump sock	*	*
	* (consult Division III of this Part for the codes and prices of these supplements)		

## ADJUSTMENT AVAILABLE

None

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1150069 Temporary tibiofemoral prosthesis	1,235.91			*

BASIC COMPONENTS AND  
SUPPLEMENTS

Laminated or molded plastic adjustable  
 socket, made from plaster or digital mold  
 of insured person  
 Temporary foot (loan)  
 Endoskeletal system (loan)

\*GUARANTEE PERIOD: Life of  
 prosthesis

COMPONENTS AND SUPPLEMENTS  
AVAILABLE

## BASIC COMPONENT

1145523	Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person	N. C.	N. A.
---------	--	-------	-------

## OPTIONAL COMPONENTS

1145549	Foam flexible double comfort socket	106.62	186.29	3
1165570	Silesian belt	136.17	154.18	3
1165588	Pelvic belt (steel joint and band)	318.62	490.78	3
1165703	Pelvic belt (plastic joint and band)	259.52	431.67	3

## SUPPLEMENTS AVAILABLE

3194057	Nylon sheath, 50.8 cm (20 in.) to 61.0 cm (24 in.)	18.23	21.18	
3194123	Nylon sheath with elastic band, 45.7 cm (18 in.) to 55.9 cm (22 in.)	30.96	33.89	
3194206	Nylon suction sheath (all sizes)	29.25	32.19	
3492501	Cane	10.12	10.12	
3492550	Crutches with axillary support, height-adjustable	20.24	20.24	
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66	

----- Stump sock  
\* (consult Division III of this Part for the codes and prices of these supplements)

\*

\*

## ADJUSTMENT AVAILABLE

None

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
--------	--	--	--------------------------------	-----------------------

1150507	Exoskeletal tibiofemoral prosthesis	3,078.58		6
---------	-------------------------------------	----------	--	---

BASIC COMPONENTS AND  
SUPPLEMENTS

Laminated plastic tibiofemoral socket,  
made from plaster or digital mold of  
insured person

External knee joints  
SACH foot and ankle block

# COMPONENTS AND SUPPLEMENTS AVAILABLE

## BASIC COMPONENTS

1125491	Ankle block	N. C.	N. A.	
1125509	SACH foot	N. C.	258.63	
1155506	Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person	N. C.	1,820.45	3
1155514	External knee joints	N. C.	714.32	

## OPTIONAL COMPONENTS

1195551	Trial socket	168.29	N. A.	
1195569	Foam flexible double comfort socket	143.88	241.52	
1146554	Silicone gel flexible double socket, with distal attachment	878.74	912.15	3
1146570	Silicone gel flexible double socket, with distal attachment, excluding replacement of distal attachment	N. A.	633.37	3
1165570	Silesian belt	136.17	154.18	3
1165828	Neoprene Silesian belt	154.18	176.00	
1165711	Pelvic belt (titanium joint and band)	409.81	581.98	3
1165703	Pelvic belt (plastic joint and band)	259.52	431.67	3
1165588	Pelvic belt (steel joint and band)	318.62	490.78	3
1125517	Articulated foot	143.07	401.67	
1125574	Dynamic response foot, spring and prosthetic cover included (Quantum)	341.34	599.96	
1125624	Adapter for foot (Quantum)	133.60	186.29	
1125582	Dynamic response foot (Seattle Light)	462.12	720.74	
1125590	Dynamic response foot (Sten foot)	76.68	335.32	
1125608	Dynamic response foot (SAFE foot)	182.04	440.67	
1125616	Dynamic response foot (1D10, 1D11)	155.33	413.94	
1125566	Dynamic response foot (Seattle)	354.18	612.81	
1125541	Dynamic response foot (Carbon Copy II)	295.10	553.73	
1125707	Dynamic foot, for child (1K10)	35.56	294.20	
1125772	Multiaxial foot with rotator (1A29)	221.86	480.48	
1155647	Constant friction knee (3P25)	145.19	859.48	
1155563	Constant friction knee (3P1)	73.23	786.25	
1145580	Suction valve and seat	246.00	311.50	
1145655	Suction valve	N. A.	221.59	
1145747	Foam flexible cover for tibial part	84.81	118.19	

## SUPPLEMENTS AVAILABLE

3194057	Nylon sheath, 50.8 cm (20 in.) to	18.23	21.18	
---------	-----------------------------------	-------	-------	--

	61.0 cm (24 in.)		
3194123	Nylon sheath with elastic band, 45.7 cm (18 in.) to 55.9 cm (22 in.)	30.96	33.89
3194206	Nylon suction sheath (all sizes)	29.25	32.19
3194198	Prosthetic socks, per pair	27.00	35.97
3492501	Cane	10.12	10.12
3492550	Crutches with axillary support, height-adjustable	20.24	20.24
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66
-----	Stump sock	*	*
	* (consult Division III of this Part for the codes and prices of these supplements)		
ADJUSTMENTS AVAILABLE			
1146521	Socket lining (leather, plastic or other material)		167.01
1156504	Lengthening of tibial part		314.73
-----	Any pertinent adjustment		

DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1151505	Endoskeletal tibiofemoral prosthesis	3,819.75			6
BASIC COMPONENTS AND SUPPLEMENTS					
Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person					
SACH foot					
Complete endoskeletal system with knee (3R21) (modular components, prosthetic cover and prosthetic socks (2)). If child, uniaxial knee (3R38)					
COMPONENTS AND SUPPLEMENTS AVAILABLE					
BASIC COMPONENTS					
1125509	SACH foot	N. C.	258.63		
1155506	Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person	N. C.	1,820.45		3

1195528	Complete endoskeletal system	N. C.	N. A.
1155555	Knee (3R21)	N. C.	1,364.26
1165596	Prosthetic cover	N. C.	561.42

## OPTIONAL COMPONENTS

1195551	Trial socket	168.29	N. A.	
1195569	Foam flexible double comfort socket	143.88	241.52	
1146554	Silicone gel flexible double socket, with distal attachment	878.74	912.15	3
1146570	Silicone gel flexible double socket, with distal attachment, excluding replacement of distal attachment	N. A.	633.37	3
1165570	Silesian belt	136.17	154.18	3
1165828	Neoprene Silesian belt	154.18	176.00	
1165588	Pelvic belt (steel joint and band)	318.62	490.78	3
1165703	Pelvic belt (plastic joint and band)	259.52	431.67	3
1165711	Pelvic belt (titanium joint and band)	409.81	581.98	3
1125715	Articulated foot and adapter	176.25	434.87	
1125723	Articulated without adapter	N. A.	267.25	
1125574	Dynamic response foot, spring and prosthetic cover included (Quantum)	341.34	599.96	
1125780	Adapter for foot (Quantum)	52.66	97.64	
1125707	Dynamic foot, for child (1K10)	35.56	294.20	
1125582	Dynamic response foot (Seattle Light)	462.12	720.74	
1125590	Dynamic response foot (Sten foot)	76.68	335.32	
1125608	Dynamic response foot (SAFE foot)	182.04	440.67	
1125616	Dynamic response foot (1D10, 1D11)	155.33	413.94	
1125566	Dynamic response foot (Seattle)	354.18	612.81	
1125541	Dynamic response foot (Carbon Copy II)	295.10	553.73	
1125681	Dynamic response foot (Step Light)	279.68	538.29	
1125699	Dynamic response foot (USMC)	173.06	431.67	
1125731	Dynamic plus foot (1D25)	420.99	679.61	
1125749	Multiaxial foot with rotator (1A30)	649.19	907.81	
1125756	Multiaxial foot with rotator (Endolite)	567.45	826.07	
1125764	Dynamic response foot with rotator (Endolite)	757.60	1,016.23	
1155571	Multiaxial knee, for child (TK40C) (used with DAW endoskeletal system)	463.89	1,828.15	
1155589	Uniaxial constant friction knee, for child (TK1C1)	109.33	1,473.59	
1155597	Uniaxial knee, for child (3R38)	N. C.	1,134.42	
1155605	Uniaxial knee with lock, for child (3R39)	N. C.	1,259.03	
1155613	Polycentric-joint knee with assisted extension, titanium (3R30)	460.49	1,824.75	
1155621	Multiaxial knee with rotator, for child (3R66)	N. C.	1,346.39	
1155639	Polycentric-joint knee with lock, titanium (3R32)	289.17	1,653.43	

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

1145580	Suction valve and seat	246.00	311.50
1145655	Suction valve	N. A.	221.59
1135557	Ankle rotator (4R39, 4R40)	717.69	772.93
1135607	Ankle rotator (4R85)	641.37	691.46
1135615	Titanium modular system and carbon fiber pylon	91.22	N. A.

## SUPPLEMENTS AVAILABLE

3194032	Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm (18 in.)	18.23	21.18
3194040	Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm (31½ in.)	18.23	21.18
3194230	Nylon sheath with elastic band	30.96	33.89
3194115	Nylon sheath with tibial elastic band, 50.8 cm (20 in.) to 73.7 cm (29 in.)	29.25	32.19
3194206	Nylon sheath (all sizes)	29.25	32.19
3194172	Prosthetic socks, per pair	N. C.	44.96
3492501	Cane	10.12	10.12
3492550	Crutches with axillary support, height-adjustable	20.24	20.24
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66

----- Stump sock  
\* (consult Division III of this Part for the codes and prices of these supplements)

\*

\*

## ADJUSTMENTS AVAILABLE

1146521	Socket lining (leather, plastic or other material)	167.01
1146547	Lengthening of tibial part of prosthesis, excluding replacement of prosthetic cover and prosthetic sock	220.98
-----	Any pertinent adjustment	

**SUBDIVISION 5: FEMORAL PROSTHESES**

<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>
1160019 Post-operative femoral prosthesis necessitating obligatory renewal of plaster or digital mold	1,111.30			*
<b>BASIC COMPONENTS AND SUPPLEMENTS</b>				
Compressible Lycra socks (4)				
Plaster sockets (2)				
Means of suspension (belt)				
SACH foot (loan)				
Adjustable pylon with joint (loan)				
Suspension cable, distal pad, ring				
*GUARANTEE PERIOD: Life of prosthesis				
<b>COMPONENTS AND SUPPLEMENTS AVAILABLE</b>				
<b>BASIC COMPONENTS</b>				
1145515 Plaster sockets (2)	N. C.	N. A.		
1195510 Means of suspension (belt)	N. C.	N. A.		
1195544 Suspension cable, distal pad, ring	N. C.	N. A.		
<b>SUPPLEMENTS AVAILABLE</b>				
3194008 Compressible Lycra socks (4)	N. C.	N. A.		
3492550 Crutches with axillary support, height- adjustable	20.24	20.24		
+3492551 Crutches with forearm support, height- adjustable	55.66	55.66		
<b>ADJUSTMENT AVAILABLE</b>				
None				
<b>DEVICE</b>	<b>Maximum price Purchase or</b>	<b>Maximum price</b>	<b>Maximum adjustment</b>	<b>Guarantee (months)</b>

		replacement of device	Replacement of component or supplement	price	
1160050	Pneumatic post-operative femoral prosthesis, non-articulated	603.80			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Inflatable bag or case				
	Distal pad				
	Suspension straps				
	Mobility frame (loan)				
	Electric pump (loan)				
	*GUARANTEE PERIOD: Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	SUPPLEMENTS AVAILABLE				
3492550	Crutches with axillary support, height- adjustable	20.24	20.24		
+3492551	Crutches with forearm support, height- adjustable	55.66	55.66		
-----	Stump sock	*	*		
	* (consult Division III of this Part for the codes and prices of these supplements)				
	ADJUSTMENT AVAILABLE				
	None				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1160068	Pneumatic post-operative femoral prosthesis, articulated	766.96			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Inflatable bag or case				
	Thigh lacer system (loan)				

Knee joint system (loan)

Modular system (loan)

Universal socket (loan)

SACH foot (loan)

Air pump (loan)

\*GUARANTEE PERIOD: Life of  
prosthesisCOMPONENTS AND SUPPLEMENTS  
AVAILABLE

## SUPPLEMENTS AVAILABLE

3492550	Crutches with axillary support, height-adjustable	20.24	20.24
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66

----- Stump sock  
\* (consult Division III of this Part for the  
codes and prices of these supplements)

\* \*

## ADJUSTMENT AVAILABLE

None

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
--------	--	--	--------------------------------	-----------------------

1160100	Temporary femoral prosthesis	1,135.71		*
---------	------------------------------	----------	--	---

BASIC COMPONENTS AND  
SUPPLEMENTSLaminated or molded plastic socket,  
made from plaster or digital mold of  
insured person

Temporary foot (loan)

Endoskeletal system (loan)

\*GUARANTEE PERIOD: Life of  
prosthesisCOMPONENTS AND SUPPLEMENTS  
AVAILABLE

## BASIC COMPONENTS

1145523	Laminated or molded plastic socket, made from plaster or digital mold of insured person	N. C.	N. A.
---------	---	-------	-------

## OPTIONAL COMPONENTS

1165570	Silesian belt	136.17	154.18	3
1165703	Pelvic belt (plastic joint and band)	259.52	431.67	3
1165588	Pelvic belt (steel joint and band)	318.62	490.78	3

## SUPPLEMENTS AVAILABLE

3194065	Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	18.23	21.18
3194131	Nylon sheath with elastic band, 15.2 cm (6 in.) to 45.7 cm (18 in.)	34.35	37.27
3194149	Nylon sheath with V opening, 15.2 cm (6 in.) to 50.8 cm (20 in.)	35.61	38.56
3194206	Nylon suction sheath (all sizes)	29.25	32.19
3492501	Cane	10.12	10.12
3492550	Crutches with axillary support, height-adjustable	20.24	20.24
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66

----- Stump sock  
\* (consult Division III of this Part for the codes and prices of these supplements)

\*

\*

## ADJUSTMENT AVAILABLE

None

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
--------	--	--	--------------------------------	-----------------------

1160506	Exoskeletal femoral prosthesis with constant friction knee (3P25)	2,879.45		6
---------	---	----------	--	---

BASIC COMPONENTS AND  
SUPPLEMENTS

Laminated plastic femoral socket, made from plaster or digital mold of insured person  
Constant friction knee (3P25)  
SACH foot

COMPONENTS AND SUPPLEMENTS  
AVAILABLE

## BASIC COMPONENTS

1125509	SACH foot	N. C.	258.63	
1165505	Laminated plastic femoral socket, made from plaster or digital mold of insured person	N. C.	1,634.14	3
1155522	Constant friction knee (3P25)	N. C.	859.48	

## OPTIONAL COMPONENTS

1195577	Trial socket	149.04	N. A.	
1165570	Silesian belt	136.17	154.18	3
1165828	Neoprene Silesian belt	154.18	176.00	
1165588	Pelvic belt (steel joint and band)	318.62	490.78	3
1165711	Pelvic belt (titanium joint and band)	409.81	581.98	3
1165703	Pelvic belt (plastic joint and band)	259.52	431.67	3
1146554	Silicone gel flexible double socket, with distal attachment	878.74	912.15	3
1146570	Silicone gel double socket, with distal attachment, excluding replacement of distal attachment	N. A.	633.37	3
1145580	Suction valve and seat	246.00	311.50	
1145655	Suction valve	N. A.	221.59	
1125517	Articulated foot	143.07	401.67	
1125574	Dynamic response foot, spring and prosthetic cover included (Quantum)	341.34	599.96	
1125624	Adapter for foot (Quantum)	133.60	186.29	
1125582	Dynamic response foot (Seattle Light)	462.12	720.74	
1125590	Dynamic response foot (Sten foot)	76.68	335.32	
1125608	Dynamic response foot (SAFE foot)	182.04	440.67	
1125616	Dynamic response foot (1D10, 1D11)	155.33	413.94	
1125566	Dynamic response foot (Seattle)	354.18	612.81	
1125541	Dynamic response foot (Carbon Copy II)	295.10	553.73	
1125707	Dynamic foot, for child (1K10)	35.56	294.20	
1145747	Foam flexible cover for tibial part	84.81	118.19	
1165604	Safety knee (3P23, 3P24)	134.90	994.35	
1165612	Manual locking knee (3P4)	21.83	881.33	
1165620	Manual locking knee (3P52)	124.63	984.11	
1165646	Geriatric knee with manual lock (3K9)	51.39	910.87	
1165729	Constant friction locking knee (3P4F)	43.66	903.16	

## SUPPLEMENTS AVAILABLE

3194065	Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	18.23	21.18	
---------	---	-------	-------	--

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

3194131	Nylon sheath with elastic band, 15.2 cm (6 in.) to 45.7 cm (18 in.)	34.35	37.27
3194149	Nylon sheath with V opening, 15.2 cm (6 in.) to 50.8 cm (20 in.)	35.61	38.56
3194156	Wool socks, 3-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	37.24	40.25
3194164	Wool socks, 5-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	38.10	41.08
3194198	Prosthetic socks, per pair	27.00	35.97
3194206	Nylon suction sheath (all sizes)	29.25	32.19
3492501	Cane	10.12	10.12
3492550	Crutches with axillary support, height-adjustable	20.24	20.24
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66
-----	Stump sock	*	*
	* (consult Division III of this Part for the codes and prices of these supplements)		

ADJUSTMENTS AVAILABLE

1146521	Lengthening of tibial part of the prosthesis	167.01
1166537	Socket lining (leather, plastic or other material)	314.73
-----	Any pertinent adjustment	

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1160605 Exoskeletal femoral prosthesis with friction locking knee, for child (3P21)	2,726.57			6
BASIC COMPONENTS AND SUPPLEMENTS				
Laminated plastic femoral socket, made from plaster or digital mold of insured person				
Friction locking knee, for child (3P21)				
SACH foot				
COMPONENTS AND SUPPLEMENTS AVAILABLE				

## BASIC COMPONENTS

1125509	SACH foot	N. C.	258.63	
1165505	Laminated plastic femoral socket, made from plaster or digital mold of insured person	N. C.	1,634.14	3
1165737	Friction locking knee, for child (3P21)	N. C.	706.60	

## OPTIONAL COMPONENTS

1195577	Trial socket	149.04	N. A.	
1165570	Silesian belt	136.17	154.18	3
1165828	Neoprene Silesian belt	154.18	176.00	
1165588	Pelvic belt (steel joint and band)	318.62	490.78	3
1165711	Pelvic belt (titanium joint and band)	409.81	581.98	3
1165703	Pelvic belt (plastic joint and band)	259.52	431.67	3
1146554	Silicone gel flexible double socket, with distal attachment	878.74	912.15	3
1146570	Silicone gel double socket, with distal attachment, excluding replacement of distal attachment	N. A.	633.37	3
1145580	Suction valve and seat	246.00	311.50	
1145655	Suction valve	N. A.	221.59	
1125517	Articulated foot	143.07	401.67	
1125574	Dynamic response foot, spring and prosthetic cover included (Quantum)	341.34	599.96	
1125624	Adapter for foot (Quantum)	133.60	186.29	
1125582	Dynamic response foot (Seattle Light)	462.12	720.74	
1125590	Dynamic response foot (Sten foot)	76.68	335.32	
1125608	Dynamic response foot (SAFE foot)	182.04	440.67	
1125616	Dynamic response foot (1D10, 1D11)	155.33	413.94	
1125566	Dynamic response foot (Seattle)	354.18	612.81	
1125541	Dynamic response foot (Carbon Copy II)	295.10	553.73	
1125707	Dynamic foot, for child (1K10)	35.56	294.20	
1145747	Foam flexible cover for tibial part	84.81	118.19	
1165745	Friction locking knee, for child (3P50)	43.66	750.26	

## SUPPLEMENTS AVAILABLE

3194065	Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	18.23	21.18	
3194131	Nylon sheath with elastic band, 15.2 cm (6 in.) to 45.7 cm (18 in.)	34.35	37.27	
3194149	Nylon sheath with V opening, 15.2 cm (6 in.) to 50.8 cm (20 in.)	35.61	38.56	
3194156	Wool socks, 3-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	37.24	40.25	

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

3194164	Wool socks, 5-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	38.10	41.08
3194198	Prosthetic socks, per pair	27.00	35.97
3194206	Nylon suction sheath (all sizes)	29.25	32.19
3492501	Cane	10.12	10.12
3492550	Crutches with axillary support, height-adjustable	20.24	20.24
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66
-----	Stump sock	*	*
	* (consult Division III of this Part for the codes and prices of these supplements)		

ADJUSTMENTS AVAILABLE

1146521	Lengthening of tibial part of the prosthesis		167.01
1166537	Socket lining (leather, plastic or other material)		314.73
-----	Any pertinent adjustment		

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
--------	--	--	--------------------------------	-----------------------

1161504	Endoskeletal femoral prosthesis	3,392.05		6
---------	---------------------------------	----------	--	---

BASIC COMPONENTS AND  
SUPPLEMENTS

Laminated plastic femoral socket, made from plaster or digital mold of insured person  
SACH foot  
Complete endoskeletal system with uniaxial constant friction knee (3R16) (modular components, prosthetic cover and prosthetic socks (2))

COMPONENTS AND SUPPLEMENTS  
AVAILABLE

BASIC COMPONENTS

1125509	SACH foot	N. C.	258.63	
1165505	Laminated plastic femoral socket, made from plaster or digital mold of insured	N. C.	1,634.14	3

person

1195528	Complete endoskeletal system	N. C.	N. A.
1165653	Uniaxial constant friction knee (3R16)	N. C.	504.91
1165596	Prosthetic cover	N. C.	561.42

## OPTIONAL COMPONENTS

1195577	Trial socket	149.04	N. A.	
1165570	Silesian belt	136.17	154.18	3
1165828	Neoprene Silesian belt	154.18	176.00	
1165588	Pelvic belt (steel joint and band)	318.62	490.78	3
1165711	Pelvic belt (titanium joint and band)	409.81	581.98	3
1165703	Pelvic belt (plastic joint and band)	259.52	431.67	3
1146554	Silicone gel flexible double socket, with distal attachment	878.74	912.15	3
1146570	Silicone gel flexible double socket, with distal attachment, excluding replacement of distal attachment	N. A.	633.37	3
1145580	Suction valve and seat	246.00	311.50	
1145655	Suction valve	N. A.	221.59	
1125715	Articulated foot and adapter	176.25	434.87	
1125723	Articulated without adapter	N. A.	267.25	
1125574	Dynamic response foot, spring and prosthetic cover included (Quantum)	341.34	599.96	
1125780	Adapter for foot (Quantum)	52.66	97.64	
1125707	Dynamic foot, for child (1K10)	35.56	294.20	
1125582	Dynamic response foot (Seattle Light)	462.12	720.74	
1125590	Dynamic response foot (Sten foot)	76.68	335.32	
1125608	Dynamic response foot (SAFE foot)	182.04	440.67	
1125616	Dynamic response foot (1D10, 1D11)	155.33	413.94	
1125566	Dynamic response foot (Seattle)	354.18	612.81	
1125541	Dynamic response foot (Carbon Copy II)	295.10	553.73	
1125681	Dynamic response foot (Step Light)	279.68	538.29	
1125699	Dynamic response foot (USMC)	173.06	431.67	
1125731	Dynamic plus foot (1D25)	420.99	679.61	
1125749	Multiaxial foot with rotator (1A30)	649.19	907.81	
1125756	Multiaxial foot with rotator (Endolite)	567.45	826.07	
1125764	Dynamic response foot with rotator (Endolite)	757.60	1,016.23	
1165802	Uniaxial knee with lock, for child (3R39)	817.95	1,322.85	
1165810	Uniaxial constant friction knee (3R18)	182.42	687.33	
1165679	Safety knee (3R15)	292.91	799.08	
1165661	Manual locking knee (3R17)	367.88	872.79	
1165687	4-axis polycentric knee (3R20)	380.80	885.70	
1165752	Manual locking knee, aluminum (3R40)	271.46	776.36	
1165760	Manual locking knee, titanium (3R33)	644.23	1,149.13	
1165778	Safety knee, titanium (3R49)	584.59	1,089.48	
1165836	Multiaxial knee with rotator, for child (3R66)	841.49	1,346.39	

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

1135557	Ankle rotator (4R39, 4R40)	717.69	772.93
1135607	Ankle rotator (4R85)	641.37	691.46
1155548	Knee rotator (4R57)	819.23	870.64
1165794	Multiaxial knee, for child (TK40C)	1,321.99	1,828.15
1165844	Uniaxial constant friction knee with or without lock, for child (TK1C1)	968.67	1,473.59
1165851	Uniaxial knee, for child (3R38)	624.38	1,134.42
1135615	Titanium modular system and carbon fiber pylon	91.22	N. A.

SUPPLEMENTS AVAILABLE

3194065	Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	18.23	21.18
3194131	Nylon sheath with elastic band, 15.2 cm (6 in.) to 45.7 cm (18 in.)	34.35	37.27
3194248	Nylon sheath with V opening, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	35.61	38.56
3194156	Wool socks, 3-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	37.24	40.25
3194164	Wool socks, 5-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	38.10	41.08
3194206	Nylon suction sheath (all sizes)	29.25	32.19
3492501	Cane	10.12	10.12
3492550	Crutches with axillary support, height-adjustable	20.24	20.24
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66
-----	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*
3194172	Prosthetic socks (2)	N. C.	44.96

ADJUSTMENTS AVAILABLE

1146521	Lengthening of tibial part of the prosthesis, excluding replacement of prosthetic cover and prosthetic sock	167.01
1146547	Socket lining (leather, plastic or other material)	220.98
-----	Any pertinent adjustment	

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1162254 Bilateral femoral stubbies	3,568.08			6
BASIC COMPONENTS AND SUPPLEMENTS				
Laminated plastic femoral sockets, made from plaster or digital mold of insured person (2) SACH or modified feet (2)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1125558 Modified foot	N. C.	N. A.		
1125509 SACH foot	N. C.	258.63		
1165695 Laminated plastic femoral socket, made from plaster or digital mold of insured person	N. C.	1,632.87		
OPTIONAL COMPONENTS				
1195577 Trial socket	149.04	N. A.		
1165570 Silesian belt	136.17	154.18		3
1165828 Neoprene Silesian belt	154.18	176.00		
1165588 Pelvic belt (steel joint and band)	318.62	490.78		3
1165703 Pelvic belt (plastic joint and band)	259.52	431.67		3
1165711 Pelvic belt (titanium joint and band)	409.81	581.98		3
1145580 Suction valve and seat	246.00	311.50		
1145655 Suction valve	N. A.	221.59		
SUPPLEMENTS AVAILABLE				
3194065 Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	18.23	21.18		
3194131 Nylon sheath with elastic band, 15.2 cm (6 in.) to 45.7 cm (18 in.)	34.35	37.27		
3194149 Nylon sheath with V opening, 15.2 cm (6 in.) to 50.8 cm (20 in.)	35.61	38.56		
3194156 Wool socks, 3-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	37.24	40.25		

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

3194164	Wool socks, 5-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	38.10	41.08
3194206	Nylon suction sheath (all sizes)	29.25	32.19
3492501	Cane	10.12	10.12
3492550	Crutches with axillary support, height- adjustable	20.24	20.24
+3492551	Crutches with forearm support, height- adjustable	55.66	55.66

----- Stump sock  
\* (consult Division III of this Part for the  
codes and prices of these supplements)

\*

\*

## ADJUSTMENTS AVAILABLE

1146521	Socket lining (leather, plastic or other material)	167.01
-----	Any pertinent adjustment	

**SUBDIVISION 6: COXOFEMORAL AND HEMIPELVIC PROSTHESES**

<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>
1170505 Exoskeletal coxofemoral prosthesis with constant friction knee (3P25)	4,446.81			6
<b>BASIC COMPONENTS AND SUPPLEMENTS</b>				
Laminated plastic socket, made from plaster or digital mold of insured person				
Constant friction knee (3P25)				
SACH foot				
Hip joint – Canadian type (CHJ-100, CHJ-75)				
<b>COMPONENTS AND SUPPLEMENTS AVAILABLE</b>				
<b>BASIC COMPONENTS</b>				
1125509 SACH foot	N. C.	258.63		
1175504 Laminated plastic socket, made from plaster or digital mold of insured person	N. C.	2,604.11		
1175512 Hip joint – Canadian type (CHJ-100, CHJ-75)	N. C.	543.44		
1155522 Constant friction knee (3P25)	N. C.	859.48		
<b>OPTIONAL COMPONENTS</b>				
1195593 Trial socket	287.77	N. A.		
1145580 Suction valve and seat	246.00	311.50		
1145655 Suction valve	N. A.	221.59		
1125517 Articulated foot	143.07	401.67		
1125574 Dynamic response foot, spring and prosthetic cover included (Quantum)	341.34	599.96		
1125624 Adapter for foot (Quantum)	133.60	186.29		
1125582 Dynamic response foot (Seattle Light)	462.12	720.74		
1125590 Dynamic response foot (Sten foot)	76.68	335.32		
1125608 Dynamic response foot (SAFE foot)	182.04	440.67		
1125616 Dynamic response foot (1D10, 1D11)	155.33	413.94		
1125566 Dynamic response foot (Seattle)	354.18	612.81		
1125541 Dynamic response foot (Carbon Copy II)	295.10	553.73		
1125707 Dynamic foot, for child (1K10)	35.56	294.20		

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

1145747	Foam flexible cover for tibial part	84.81	118.19
1165604	Safety knee (3P23, 3P24)	134.90	994.35
1165612	Manual locking knee (3P4)	21.83	881.33
1165620	Manual locking knee (3P52)	124.63	984.11
1165646	Geriatric knee with manual lock (3K9)	51.39	910.87
1165729	Constant friction locking knee (3P4F)	43.66	903.16

SUPPLEMENTS AVAILABLE

3194198	Prosthetic socks, per pair	27.00	35.97
3194180	Pant-style sock	17.02	22.59
3492501	Cane	10.12	10.12
3492550	Crutches with axillary support, height-adjustable	20.24	20.24
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66

ADJUSTMENTS AVAILABLE

1166537	Lengthening of tibial part of the prosthesis		314.73
-----	Any pertinent adjustment		

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
--------	--	--	--------------------------------	-----------------------

1170604	Exoskeletal coxofemoral prosthesis with friction locking knee, for child (3P21)	4,293.93		6
---------	---	----------	--	---

BASIC COMPONENTS AND  
SUPPLEMENTS

Laminated plastic socket, made from  
plaster or digital mold of insured person  
Friction locking knee, for child (3P21)  
SACH foot  
Hip joint – Canadian type (CHJ-100,  
CHJ-75)

COMPONENTS AND SUPPLEMENTS  
AVAILABLE

BASIC COMPONENTS

1125509	SACH foot	N. C.	258.63
---------	-----------	-------	--------

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

1175504	Laminated plastic socket, made from plaster or digital mold of insured person	N. C.	2,604.11
1175512	Hip joint – Canadian type (CHJ-100, CHJ-75)	N. C.	543.44
1165737	Friction locking knee, for child (3P21)	N. C.	706.60

## OPTIONAL COMPONENTS

1195593	Trial socket	287.77	N. A.
1145580	Suction valve and seat	246.00	311.50
1145655	Suction valve	N. A.	221.59
1125517	Articulated foot	143.07	401.67
1125574	Dynamic response foot, spring and prosthetic cover included (Quantum)	341.34	599.96
1125624	Adapter for foot (Quantum)	133.60	186.29
1125582	Dynamic response foot (Seattle Light)	462.12	720.74
1125590	Dynamic response foot (Sten foot)	76.68	335.32
1125608	Dynamic response foot (SAFE foot)	182.04	440.67
1125616	Dynamic response foot (1D10, 1D11)	155.33	413.94
1125566	Dynamic response foot (Seattle)	354.18	612.81
1125541	Dynamic response foot (Carbon Copy II)	295.10	553.73
1125707	Dynamic foot, for child (1K10)	35.56	294.20
1145747	Foam flexible cover for tibial part	84.81	118.19
1165745	Constant friction locking knee, for child (3P50)	43.66	750.26

## SUPPLEMENTS AVAILABLE

3194198	Prosthetic socks, per pair	27.00	35.97
3194180	Pant-style sock	17.02	22.59
3492501	Cane	10.12	10.12
3492550	Crutches with axillary support, height-adjustable	20.24	20.24
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66

## ADJUSTMENTS AVAILABLE

1166537	Lengthening of tibial part of the prosthesis	314.73
-----	Any pertinent adjustment	

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1171503 Endoskeletal coxofemoral prosthesis	6,086.77			6
BASIC COMPONENTS AND SUPPLEMENTS				
Laminated plastic socket, made from plaster or digital mold of insured person SACH foot				
Complete endoskeletal system with uniaxial constant friction knee (3R16) (modular components, prosthetic cover and prosthetic socks (2))				
Hip joint (7E7)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1125509 SACH foot	N. C.	258.63		
1175504 Laminated plastic socket, made from plaster or digital mold of insured person	N. C.	2,604.11		
1195528 Complete endoskeletal system	N. C.	N. A.		
1165653 Uniaxial constant friction knee (3R16)	N. C.	504.91		
1175538 Prosthetic cover	N. C.	718.15		
1175561 Hip joint (7E7)	N. C.	N. A.		
OPTIONAL COMPONENTS				
1195593 Trial socket	287.77	N. A.		
1175553 Joint of hip joint (7E7)	N. A.	2,007.39		
1175579 Joint of hip joint, for child (7E8)	247.96	1,518.54		
1165810 Uniaxial constant friction knee (3R18)	182.42	687.33		
1165679 Safety knee (3R15)	292.91	799.08		
1165661 Manual locking knee (3R17)	367.88	872.79		
1165687 4-axis polycentric knee (3R20)	380.80	885.70		
1165752 Manual locking knee, aluminum (3R40)	271.46	776.36		
1165760 Manual locking knee, titanium (3R33)	644.23	1,149.13		
1165778 Safety knee. titanium (3R49)	584.59	1,089.48		
1165836 Multiaxial knee with rotator, for child (3R66)	841.49	1,346.39		
1165802 Multiaxial knee, for child (TK40C)	817.95	1,322.85		
1165794 Uniaxial constant friction knee, with or	1,321.99	1,828.15		

	without lock, for child (TK1C1)		
1165844	Knee rotator (4R57)	968.67	1,473.59
1155548	Multiaxial knee, for child (TK40C)	819.23	870.64
1135557	Ankle rotator (4R39, 4R40)	717.69	772.93
1135607	Ankle rotator (4R85)	641.37	691.46
1125715	Articulated foot and adapter	176.25	434.87
1125723	Articulated without adapter	N. A.	267.25
1125798	Dynamic response foot, spring and prosthetic cover included (Quantum)	305.37	563.99
1125780	Adapter for foot (Quantum)	52.66	97.64
1125707	Dynamic foot, for child 1K10	35.56	294.20
1125582	Dynamic response foot (Seattle Light)	462.12	720.74
1125590	Dynamic response foot (Sten foot)	76.68	335.32
1125608	Dynamic response foot (SAFE foot)	182.04	440.67
1125616	Dynamic response foot (1D10 or 1D11)	155.33	413.94
1125566	Dynamic response foot (Seattle)	354.18	612.81
1125541	Dynamic response foot (Carbon Copy II)	295.10	553.73
1125681	Dynamic response foot (Step Light)	279.68	538.29
1125699	Dynamic response foot (USMC)	173.06	431.67
1125731	Dynamic plus foot (1D25)	420.99	679.61
1125749	Multiaxial foot with rotator (1A30)	649.19	907.81
1125756	Multiaxial foot with rotator (Endolite)	567.45	826.07
1125764	Dynamic response foot with rotator (Endolite)	757.60	1,016.23
1135615	Titanium modular system and carbon fiber pylon	91.22	N. A.

## SUPPLEMENTS AVAILABLE

3194180	Pant-style sock	17.02	22.59
3492501	Cane	10.12	10.12
3492550	Crutches with axillary support, height-adjustable	20.24	20.24
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66
3194214	Prosthetic socks (2)	N. C.	39.83

## ADJUSTMENTS AVAILABLE

1146547	Lengthening of tibial part of prosthesis, excluding replacement of prosthetic cover and prosthetic sock	220.98
-----	Any pertinent adjustment	

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1180504 Exoskeletal hemipelvic prosthesis, with constant friction knee (3P25)	4,585.57			6
BASIC COMPONENTS AND SUPPLEMENTS				
Laminated plastic socket, made from plaster or digital mold of insured person Constant friction knee (3P25) SACH foot Hip joint – Canadian type (CHJ-100, CHJ-75)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1125509 SACH foot	N. C.	258.63		
1175504 Laminated plastic socket, made from plaster or digital mold of insured person	N. C.	2,604.11		
1175512 Hip joint – Canadian type (CHJ-100, CHJ-75)	N. C.	543.44		
1155522 Constant friction knee (3P25)	N. C.	859.48		
OPTIONAL COMPONENTS				
1195593 Trial socket	287.77	N. A.		
1125517 Articulated foot	143.07	401.67		
1125574 Dynamic response foot, spring and prosthetic cover included (Quantum)	341.34	599.96		
1125624 Adapter for foot (Quantum)	133.60	186.29		
1125582 Dynamic response foot (Seattle Light)	462.12	720.74		
1125590 Dynamic response foot (Sten foot)	76.68	335.32		
1125608 Dynamic response foot (SAFE foot)	182.04	440.67		
1125616 Dynamic response foot (1D10 or 1D11)	155.33	413.94		
1125566 Dynamic response foot (Seattle)	354.18	612.81		
1125541 Dynamic response foot (Carbon Copy II)	295.10	553.73		
1125707 Dynamic foot, for child (1K10)	35.56	294.20		
1145747 Foam flexible cover for tibial part	84.81	118.19		
1165604 Safety knee (3P23, 3P24)	134.90	994.35		
1165612 Manual locking knee (3P4)	21.83	881.33		

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

1165620	Manual locking knee (3P52)	124.63	984.11
1165646	Geriatric knee with manual lock (3K9)	51.39	910.87
1165729	Constant friction locking knee (3P4F)	43.66	903.16

## SUPPLEMENTS AVAILABLE

3194198	Prosthetic socks, per pair	27.00	35.97
3194180	Pant-style sock	17.02	22.59
3492501	Cane	10.12	10.12
3492550	Crutches with axillary support, height-adjustable	20.24	20.24
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66

## ADJUSTMENTS AVAILABLE

1166537	Lengthening of tibial part of the prosthesis		314.73
-----	Any pertinent adjustment		

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1181601 Exoskeletal hemipelvic prosthesis, with friction locking knee, for child (3P21)	4,432.67			6
BASIC COMPONENTS AND SUPPLEMENTS				
Laminated plastic socket, made from plaster or digital mold of insured person				
Friction locking knee, for child (3P21)				
SACH foot				
Hip joint – Canadian type (CHJ-100, CHJ-75)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1125509 SACH foot	N. C.	258.63		
1175504 Laminated plastic socket, made from plaster or digital mold of insured person	N. C.	2,604.11		
1175512 Hip joint – Canadian type (CHJ-100, CHJ-75)	N. C.	543.44		
1165737 Friction locking knee, for child (3P21)	N. C.	706.60		

## OPTIONAL COMPONENTS

1195593	Trial socket	287.77	N. A.
1125517	Articulated foot	143.07	401.67
1125574	Dynamic response foot, spring and prosthetic cover included (Quantum)	341.34	599.96
1125624	Adapter for foot (Quantum)	133.60	186.29
1125582	Dynamic response foot (Seattle Light)	462.12	720.74
1125590	Dynamic response foot (Sten foot)	76.68	335.32
1125608	Dynamic response foot (SAFE foot)	182.04	440.67
1125616	Dynamic response foot (1D10 or 1D11)	155.33	413.94
1125566	Dynamic response foot (Seattle)	354.18	612.81
1125541	Dynamic response foot (Carbon Copy II)	295.10	553.73
1125707	Dynamic foot, for child (1K10)	35.56	294.20
1145747	Foam flexible cover for tibial part	84.81	118.19
1165745	Friction locking knee, for child (3P50)	43.66	750.26

## SUPPLEMENTS AVAILABLE

3194198	Prosthetic socks, per pair	27.00	35.97
3194180	Pant-style sock	17.02	22.59
3492501	Cane	10.12	10.12
3492550	Crutches with axillary support, height- adjustable	20.24	20.24
+3492551	Crutches with forearm support, height- adjustable	55.66	55.66

## ADJUSTMENTS AVAILABLE

1166537	Lengthening of tibial part of the prosthesis	314.73
-----	Any pertinent adjustment	

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1181502	Endoskeletal hemipelvic prosthesis	6,246.07		6

BASIC COMPONENTS AND  
SUPPLEMENTS

Laminated plastic socket, made from  
plaster or digital mold of insured person  
SACH foot

Complete endoskeletal system with  
uniaxial constant friction knee (3R16)  
(modular components, prosthetic cover  
and prosthetic socks (2))  
Hip joint (7E7)

#### COMPONENTS AND SUPPLEMENTS AVAILABLE

##### BASIC COMPONENTS

1125509	SACH foot	N. C.	258.63
1175504	Laminated plastic socket, made from plaster or digital mold of insured person	N. C.	2,604.11
1195528	Complete endoskeletal system	N. C.	N. A.
1165653	Uniaxial constant friction knee (3R16)	N. C.	504.91
1175538	Prosthetic cover	N. C.	718.15
1175561	Hip joint (7E7)	N. C.	N. A.

##### OPTIONAL COMPONENTS

1195593	Trial socket	287.77	N. A.
1175553	Joint of hip joint (7E7)	N. A.	2,007.39
1175579	Joint of hip joint, for child (7E8)	247.96	1,518.54
1165810	Uniaxial constant friction knee (3R18)	182.42	687.33
1165679	Safety knee (3R15)	292.91	799.08
1165661	Manual locking knee (3R17)	367.88	872.79
1165687	4-axis polycentric knee (3R20)	380.80	885.70
1165752	Manual locking knee, aluminum (3R40)	271.46	776.36
1165760	Manual locking knee, titanium (3R33)	644.23	1,149.13
1165778	Safety knee, titanium (3R49)	584.59	1,089.48
1165836	Multiaxial knee with rotator, for child (3R66)	841.49	1,346.39
1165802	Uniaxial knee with lock, for child (3R39)	817.95	1,322.85
1165794	Multiaxial knee, for child (TK40C)	1,321.99	1,828.15
1165844	Uniaxial constant friction knee, with or without lock, for child (TK1C1)	968.67	1,473.59
1155548	Knee rotator (4R57)	819.23	870.64
1135557	Ankle rotator (4R39, 4R40)	717.69	772.93
1135607	Ankle rotator (4R85)	641.37	691.46
1125715	Articulated foot and adapter	176.25	434.87
1125723	Articulated without adapter	N. A.	267.25
1125798	Dynamic response foot, spring and prosthetic cover included (Quantum)	305.37	563.99
1125780	Adapter for foot (Quantum)	52.66	97.64
1125707	Dynamic foot, for child (1K10)	35.56	294.20
1125582	Dynamic response foot (Seattle Light)	462.12	720.74
1125590	Dynamic response foot (Sten foot)	76.68	335.32
1125608	Dynamic response foot (SAFE foot)	182.04	440.67
1125616	Dynamic response foot (1D10, 1D11)	155.33	413.94

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

1125566	Dynamic response foot (Seattle)	354.18	612.81
1125541	Dynamic response foot (Carbon Copy II)	295.10	553.73
1125681	Dynamic response foot (Step Light)	279.68	538.29
1125699	Dynamic response foot (USMC)	173.06	431.67
1125731	Dynamic plus foot (1D25)	420.99	679.61
1125749	Multiaxial foot with rotator (1A30)	649.19	907.81
1125756	Multiaxial foot with rotator (Endolite)	567.45	826.07
1125764	Dynamic response foot with rotator (Endolite)	757.60	1,016.23
1135615	Titanium modular system and carbon fiber pylon	91.22	N. A.

## SUPPLEMENTS AVAILABLE

3194180	Pant-style sock	17.02	22.59
3492501	Cane	10.12	10.12
3492550	Crutches with axillary support, height-adjustable	20.24	20.24
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66
3194214	Prosthetic socks (2)	N. C.	39.83

## ADJUSTMENTS AVAILABLE)

1146547	Lengthening of tibial part of prosthesis, excluding replacement of prosthetic cover and prosthetic sock		220.98
-----	Any pertinent adjustment		

**SUBDIVISION 7: LOWER-LIMB PROSTHESES**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1142009 Other lower-limb prostheses *	S. C.			6
* When price is below that of the similar prosthesis				

**DIVISION II: UPPER-LIMB PROSTHESES****SUBDIVISION 1: HAND PROSTHESES**

<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>
+1211755 Prosthetic restoration of one finger (thumb) made from plaster or digital mold of insured person	751.56			1
+1211756 Prosthetic restoration of one finger (index) made from plaster or digital mold of insured person	751.56			
+1211757 Prosthetic restoration of one finger (middle finger) made from plaster or digital mold of insured person	751.56			
+1211758 Prosthetic restoration of one finger (ring finger) made from plaster or digital mold of insured person	751.56			
+1211759 Prosthetic restoration of one finger (little finger) made from plaster or digital mold of insured person	751.56			
<b>BASIC COMPONENTS AND SUPPLEMENTS</b>				
Compensatory part for finger and prosthetic cover (Realistic)				
<b>COMPONENT AND SUPPLEMENT AVAILABLE</b>				
None				
<b>ADJUSTMENT AVAILABLE</b>				
----- Any pertinent adjustment				
<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>

		or supplement	
1221753	Prosthetic partial hand restoration, made from plaster or digital mold of insured person	1,467.16	1
BASIC COMPONENTS AND SUPPLEMENTS			
Compensatory part			
Prosthetic partial hand and prosthetic glove, made from plaster or digital mold of insured person (Realistic)			
COMPONENTS AND SUPPLEMENTS AVAILABLE			
1295807	Prosthetic partial hand and prosthetic glove, made from plaster or digital mold of insured person (Realistic)	N. C.	704.04
ADJUSTMENT AVAILABLE			
-----	Any pertinent adjustment		

**SUBDIVISION 2: WRIST PROSTHESES**

<b>DEVICE</b>		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1230507	Exoskeletal cubital or wrist prosthesis	1,518.54			6
<b>BASIC COMPONENTS AND SUPPLEMENTS</b>					
Wrist friction joint					
Rigid plastic socket, made from plaster or digital mold of insured person					
Suspension harness					
Tricipital pad					
Control cable, connections, terminals and housing (reinforced materials)					
<b>COMPONENTS AND SUPPLEMENTS AVAILABLE</b>					
<b>BASIC COMPONENTS</b>					
1235514	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	950.69		3
1295500	Suspension harness	N. C.	156.74		3
1295518	Control cable, connections, terminals and housing (reinforced materials)	N. C.	194.00		3
1295526	Wrist friction joint	N. C.	336.59		
1295757	Tricipital pad	N. C.	156.74		
<b>OPTIONAL COMPONENTS</b>					
1245547	Metal elbow joints, flexible	405.97	472.78		
1295765	Anchoring part for cable for passive hand and hook	38.54	61.66		3
-----	Other optional components (consult Subdivision VII for the codes and prices of these components)				
<b>SUPPLEMENTS AVAILABLE</b>					
-----	Stump sock	*	*		
	* (consult Division III of this Part for the codes and prices of these supplements)				
3190014	Nylon stump sheath	18.23	21.18		

## ADJUSTMENTS AVAILABLE

1246511	Lengthening of prosthesis	262.07	3
-----	Any pertinent adjustment		

**SUBDIVISION 3: CUBITAL PROSTHESES**

<b>DEVICE</b>		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1241504	Endoskeletal cubital prosthetic restoration	1,548.74			6
<b>BASIC COMPONENTS AND SUPPLEMENTS</b>					
Rigid plastic socket, made from plaster or digital mold of insured person					
Passive hand with flexible fingers and prosthetic glove (Otto Bock)					
Complete endoskeletal system (including modular components and prosthetic cover)					
<b>COMPONENTS AND SUPPLEMENTS AVAILABLE</b>					
<b>BASIC COMPONENTS</b>					
1235514	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	950.69		3
1295534	Complete endoskeletal system	N. C.	N. A.		
1295542	Prosthetic cover	N. C.	291.64		
3222817	Passive hand with flexible fingers (Otto Bock)	N. C.	312.17		
3223005	Prosthetic glove (Otto Bock)	N. C.	267.87		
<b>OPTIONAL COMPONENTS</b>					
1245547	Metal elbow joints, flexible	405.97	472.78		
-----	Other optional components (consult Subdivision VII for the codes and prices of these components)				
<b>SUPPLEMENTS AVAILABLE</b>					
3293164	Prosthetic socks, per pair	27.00	35.97		
-----	Stump sock	*	*		
* (consult Division III of this Part for the codes and prices of these supplements)					
3190014	Nylon stump sheath	18.23	21.18		
<b>ADJUSTMENT AVAILABLE</b>					

----- Any pertinent adjustment

DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1231752	Exoskeletal cubital or wrist prosthetic restoration	1,458.80			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Passive hand with flexible fingers and prosthetic glove (Otto Bock)				
	Rigid plastic socket, made from plaster or digital mold of insured person				
	Wrist friction joint				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1235514	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	950.69		3
1295526	Wrist friction joint	N. C.	336.59		
3222817	Passive hand with flexible fingers (Otto Bock)	N. C.	312.17		
3223005	Prosthetic glove (Otto Bock)	N. C.	267.87		
	OPTIONAL COMPONENTS				
1295716	Suspension harness	106.62	156.74		
-----	Other optional components (consult Subdivision VII for the codes and prices of these components)				
	SUPPLEMENTS AVAILABLE				
-----	Stump sock	*	*		
	* (consult Division III of this Part for the codes and prices of these supplements)				
3190014	Nylon stump sheath	18.23	21.18		
	ADJUSTMENTS AVAILABLE				
1246511	Lengthening of prosthesis			262.07	3
-----	Any pertinent adjustment				

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1240514 Cubital prosthesis with multiple-action joints	2,286.81			6
BASIC COMPONENTS AND SUPPLEMENTS				
Wrist friction joint Rigid plastic socket, made from plaster or digital mold of insured person Forearm restoration Multiple-action elbow joints Suspension harness Armband Control cable, connections, terminals and housing (reinforced materials)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1245539 Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,196.08		3
1295526 Wrist friction joint	N. C.	336.59		
1245554 Multiple-action elbow joints	N. C.	601.24		
1245562 Forearm restoration	N. C.	441.94		3
1295500 Suspension harness	N. C.	156.74		3
1295518 Control cable, connections, terminals and housing (reinforced materials)	N. C.	194.00		3
1295799 Armband	N. C.	184.98		3
OPTIONAL COMPONENTS				
1295815 Anchoring part for cable for passive hand and hook	38.54	61.66		3
----- Other optional components (consult Subdivision VII for the codes and prices of these components)				
SUPPLEMENTS AVAILABLE				
----- Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

3190014	Nylon stump sheath	18.23	21.18
---------	--------------------	-------	-------

ADJUSTMENTS AVAILABLE

1246511	Lengthening of prosthesis	262.07	3
-----	Any pertinent adjustment		

**SUBDIVISION 4: CUBITOHUMERAL PROSTHESES**

<b>DEVICE</b>		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1250505	Exoskeletal cubitohumeral prosthesis	3,093.59			6
<b>BASIC COMPONENTS AND SUPPLEMENTS</b>					
Wrist friction joint					
Rigid plastic socket, made from plaster or digital mold of insured person					
Forearm restoration					
Joints with external lock (E-500, E-1500)					
Suspension harness					
Control cables (2)					
<b>COMPONENTS AND SUPPLEMENTS AVAILABLE</b>					
<b>BASIC COMPONENTS</b>					
1255512	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,226.91		3
1295526	Wrist friction joint	N. C.	336.59		
1255520	Joints with external lock (E-500, E-1500)	N. C.	1,194.80		
1245562	Forearm restoration	N. C.	441.94		3
1295591	Suspension harness	N. C.	168.29		3
1295641	Control cables (2)	N. C.	246.65		3
<b>OPTIONAL COMPONENTS</b>					
1295559	Flexion assist mechanism	386.71	453.52		3
1295815	Anchoring part for cable for passive hand and hook	38.54	61.66		3
-----	Other optional components (consult Subdivision VII for the codes and prices of these components)				
<b>SUPPLEMENTS AVAILABLE</b>					
-----	Stump sock	*	*		
	* (consult Division III of this Part for the codes and prices of these supplements)				
3190014	Nylon stump sheath	18.23	21.18		

## ADJUSTMENTS AVAILABLE

1246529	Lengthening of cubital part of the prosthesis	262.07	3
-----	Any pertinent adjustment		

**SUBDIVISION 5: HUMERAL PROSTHESES**

<b>DEVICE</b>		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1260504	Exoskeletal humeral prosthesis	3,101.29			6
<b>BASIC COMPONENTS AND SUPPLEMENTS</b>					
Wrist friction joint					
Rigid plastic socket, made from plaster or digital mold of insured person					
Forearm restoration					
Elbow with internal lock (E-400)					
Suspension harness					
Control cables (2)					
<b>COMPONENTS AND SUPPLEMENTS AVAILABLE</b>					
<b>BASIC COMPONENTS</b>					
1265511	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,196.08		3
1295526	Wrist friction joint	N. C.	336.59		
1265529	Elbow with internal lock (E-400)	N. C.	1,038.06		
1245562	Forearm restoration	N. C.	441.94		3
1295591	Suspension harness	N. C.	168.29		3
1295641	Control cables (2)	N. C.	246.65		3
<b>OPTIONAL COMPONENTS</b>					
1295815	Anchoring part for cable for passive hand and hook	38.54	61.66		3
1295823	Flexion assist mechanism	253.08	319.89		3
1295575	Nudge control	427.80	501.03		3
-----	Other optional components (consult Subdivision VII for the codes and prices of these components)				
<b>SUPPLEMENTS AVAILABLE</b>					
-----	Stump sock	*	*		
	* (consult Division III of this Part for the codes and prices of these supplements)				

3190014 Nylon stump sheath 18.23 21.18

## ADJUSTMENTS AVAILABLE

1246529 Lengthening of cubital part of the prosthesis 262.07 3  
----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1261502 Endoskeletal humeral prosthetic restoration	2,584.22			6
BASIC COMPONENTS AND SUPPLEMENTS				
Rigid plastic socket, made from plaster or digital mold of insured person				
Passive hand with flexible fingers and prosthetic glove (Otto Bock)				
Complete endoskeletal system (modular components and prosthetic cover)				
Suspension harness				
Prosthetic socks (2)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1265511 Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,196.08		3
1295658 Complete endoskeletal system	N. C.	N. A.		
1265552 Prosthetic cover	N. C.	345.59		
1295591 Suspension harness	N. C.	168.29		3
3222817 Passive hand with flexible fingers (Otto Bock)	N. C.	312.17		
3223005 Prosthetic glove (Otto Bock)	N. C.	267.87		
OPTIONAL COMPONENTS				
1295831 Flexion wrist	292.91	441.94		
1295849 Shoulder-activated lock elbow	328.90	845.34		
----- Other optional components (consult Subdivision VII for the codes and prices of these components)				

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

1295815	Anchoring part for cable for passive hand and hook	38.54	61.66
---------	--	-------	-------

## SUPPLEMENTS AVAILABLE

3293172	Prosthetic socks, per pair	N. C.	41.10
-----	Stump sock	*	*
	* (consult Division III of this Part for the codes and prices of these supplements)		
3190014	Nylon stump sheath	18.23	21.18

## ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

**SUBDIVISION 6: GLENOHUMERAL AND THORACIC PROSTHESES**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1270503 Exoskeletal glenohumeral prosthesis	4,683.25			6
BASIC COMPONENTS AND SUPPLEMENTS				
Wrist friction joint Rigid plastic socket, made from plaster or digital mold of insured person Forearm restoration Elbow with internal lock (E-400) Flexion assist mechanism Arm restoration Shoulder joint (FAJ-100) Suspension harness Control cables (2), connections, terminals and housing (reinforced materials and pulley)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1275510 Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,617.46		3
1295666 Suspension harness	N. C.	178.57		3
1295674 Control cables (2), connections, terminals and housing (reinforced materials and pulley)	N. C.	387.98		3
1295526 Wrist friction joint	N. C.	336.59		
1265529 Elbow with internal lock (E-400)	N. C.	1,038.06		
1245562 Forearm restoration	N. C.	441.94		3
1265537 Arm restoration	N. C.	366.15		3
1265545 Shoulder joint (FAJ-100)	N. C.	762.30		
1295690 Flexion assist mechanism	N. C.	334.03		3
OPTIONAL COMPONENTS				
1295575 Nudge control	427.80	501.03		3
1295815 Anchoring part for cable for passive hand and hook	38.54	61.66		3

----- Other optional components (consult  
Subdivision VII for the codes and prices of  
these components)

#### SUPPLEMENTS AVAILABLE

-----	Stump sock	*	*
	* (consult Division III of this Part for the codes and prices of these supplements)		
3190014	Nylon stump sheath	18.23	21.18

#### ADJUSTMENT AVAILABLE

1246529	Lengthening of cubital part of the prosthesis		262.07	3
---------	--	--	--------	---

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
--------	--	--	--------------------------------	-----------------------

1271501	Endoskeletal glenohumeral prosthetic restoration	3,360.18		6
---------	---	----------	--	---

#### BASIC COMPONENTS AND SUPPLEMENTS

Rigid plastic socket, made from plaster or  
digital mold of insured person  
Passive hand with flexible fingers and  
prosthetic glove (Otto Bock)  
Complete endoskeletal system (modular  
components and prosthetic cover)  
Suspension harness

#### COMPONENTS AND SUPPLEMENTS AVAILABLE

#### BASIC COMPONENTS

1275510	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,617.46	3
1295682	Complete endoskeletal system	N. C.	N. A.	
1275528	Prosthetic cover	N. C.	402.11	
1295666	Suspension harness	N. C.	178.57	3
3222817	Passive hand with flexible fingers (Otto Bock)	N. C.	312.17	
3223005	Prosthetic glove (Otto Bock)	N. C.	267.87	

#### OPTIONAL COMPONENTS

1295831	Flexion wrist	292.91	441.94	
1295849	Shoulder-activated lock elbow	328.90	845.34	
1295815	Anchoring part for cable for passive hand and hook	38.54	61.66	3
-----	Other optional components (consult Subdivision VII for the codes and prices of these components)			
1295856	Nudge control where shoulder-activated lock elbow is used	427.80	501.03	3

## SUPPLEMENTS AVAILABLE

3293180	Prosthetic socks, per pair	27.00	35.97	
-----	Stump sock	*	*	
	* (consult Division III of this Part for the codes and prices of these supplements)			
3190014	Nylon stump sheath	18.23	21.18	

## ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
--------	--	--	--------------------------------	-----------------------

1280502	Exoskeletal thoracic prosthesis	6,148.78		6
---------	---------------------------------	----------	--	---

BASIC COMPONENTS AND  
SUPPLEMENTS

Wrist friction joint  
Rigid plastic socket, made from plaster or digital mold of insured person  
Forearm restoration  
Elbow with internal lock (E-400)  
Flexion assist mechanism  
Arm restoration  
Shoulder joint (FAJ-100)  
Suspension harness  
Control cables (2), connections, terminals and housing (reinforced materials and pulley)

COMPONENTS AND SUPPLEMENTS  
AVAILABLE

## BASIC COMPONENTS

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

1285519	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	2,001.60	3
1295666	Suspension harness	N. C.	178.57	3
1295674	Control cables (2), connections, terminals and housing (reinforced materials and pulley)	N. C.	387.98	3
1295526	Wrist friction joint	N. C.	336.59	
1265529	Elbow with internal lock (E-400)	N. C.	1,038.06	
1245562	Forearm restoration	N. C.	441.94	3
1265537	Arm restoration	N. C.	366.15	3
1265545	Shoulder joint (FAJ-100)	N. C.	762.30	
1295690	Flexion assist mechanism	N. C.	334.03	3

OPTIONAL COMPONENTS

1295575	Nudge control	427.80	501.03	3
1295815	Anchoring part for cable for passive hand and hook	38.54	61.66	3
-----	Other optional components (consult Subdivision VII for the codes and prices of these components)			

SUPPLEMENTS AVAILABLE

-----	Stump sock	*	*	
	* (consult Division III of this Part for the codes and prices of these supplements)			
3190014	Nylon stump sheath	18.23	21.18	

ADJUSTMENT AVAILABLE

1246529	Lengthening of cubital part of the prosthesis		262.07	3
---------	---	--	--------	---

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
--------	--	--	--------------------------------	-----------------------

1281500	Endoskeletal thoracic prosthetic restoration	3,692.93		6
---------	--	----------	--	---

BASIC COMPONENTS AND  
SUPPLEMENTS

Rigid plastic socket, made from plaster or digital mold of insured person  
Passive hand with flexible fingers and prosthetic glove (Otto Bock)

Complete endoskeletal system (modular  
components and prosthetic cover)  
Suspension harness

#### COMPONENTS AND SUPPLEMENTS AVAILABLE

##### BASIC COMPONENTS

1285519	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	2,001.60	3
1295682	Complete endoskeletal system	N. C.	N. A.	
1275528	Prosthetic cover	N. C.	402.11	
1295666	Suspension harness	N. C.	178.57	3
3222817	Passive hand with flexible fingers (Otto Bock)	N. C.	312.17	
3223005	Prosthetic glove, fitting included (Otto Bock)	N. C.	267.87	

##### OPTIONAL COMPONENTS

1295831	Flexion wrist	292.91	441.94	
1295849	Shoulder-activated lock elbow	328.90	845.34	
1295815	Anchoring part for cable for passive hand and hook	38.54	61.66	3
-----	Other optional components (consult Subdivision VII for the codes and prices of these components)			
1295856	Nudge control where shoulder-activated lock elbow is used	427.80	501.03	3

##### SUPPLEMENTS AVAILABLE

3293180	Prosthetic socks, per pair	27.00	35.97	
-----	Stump sock	*	*	
	* (consult Division III of this Part for the codes and prices of these supplements)			
3190014	Nylon stump sheath	18.23	21.18	

##### ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

**SUBDIVISION 7: BASIC OR OPTIONAL COMPONENTS FOR UPPER-LIMB PROSTHESES****WRISTS, HOOKS, HANDS,  
PROSTHETIC GLOVES, ELBOW  
JOINTS, SHOULDER JOINTS AND  
OTHERS**

WRISTS FOR EXOSKELETAL PROSTHESES		Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component
3232725	Quick disconnect wrist including a socket (FM-100)	70.66	399.55
3232733	Quick disconnect wrist including a socket (FM-100S)	504.91	832.51
3232741	Quick disconnect wrist including a socket (WD-400)	52.66	380.28
3232758	Quick disconnect wrist including a socket (WD-400S)	184.98	512.60
3232790	Quick disconnect wrist including a socket (WD-400SS)	490.78	818.35
3232766	Wrist for child (CAPP)	N. C.	334.03
3232865	Flexion wrist for child (CAPP)	87.37	414.95
3232774	Flexion wrist (FW-200, FW-300, FW-500)	203.01	530.59
3232808	Flexion wrist (FW-500S)	722.00	1,049.62
3232782	Flexion wrist (18-00)	346.88	675.78
3232816	Flexion wrist (FW-50)	355.87	684.76
3299005	Extra socket for wrist (WD-400)	47.53	47.53
3299013	Extra socket for wrist (WD-400S, WD-400SS)	102.79	102.79
3299021	Extra socket for wrist (FM-100)	62.94	62.94
HOOKS		Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component
3222908	Dorrance hook, farmer's-type (6)	1,959.19	2,005.45
3222940	Dorrance hook, farmer's-type (7 LO)	1,093.30	1,139.53
3222916	APRL hook (302-00)	1,553.23	1,598.21

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

3222924	Sierra hook	1,932.21	1,978.47
3222619	Hook, model 99X or equivalent: use, shape, cost (10X, 10P, 99X8, 88X5, 5X, 5XA)	565.27	611.53
3222973	Hook (12P)	612.81	659.07
3223013	Hook (99P)	575.55	659.07
3223393	Voluntary closing hook, for adult (TRS, Grip I)	1,393.91	1,440.18
3223401	Voluntary closing hook, for adult (TRS, Grip II)	1,354.08	1,399.07
3223419	Voluntary closing hook, for adult (TRS, Grip III)	1,515.97	1,562.22
3223427	Voluntary closing hook, for child (TRS, Grip I)	954.55	1 000.79
3223435	Voluntary closing hook, for child (TRS, Grip II)	930.13	976.39
3223443	Voluntary closing hook, for child (TRS, Grip III)	832.51	878.74
3223450	Voluntary closing hook, for child (TRS, Grip IV)	873.61	919.87
PASSIVE HANDS FOR PROSTHETIC RESTORATION		Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component
3222858	Steeper hand for child, including prosthetic glove and installation	34.70	480.48
3222692	Centri hand for child, including prosthetic glove and installation	50.09	495.90
3222866	Hosmer hand for adult, including prosthetic glove and installation	138.75	584.56
3222627	Otto Bock hand for adult, including prosthetic glove and installation	N. C.	445.82
PASSIVE HANDS FOR FUNCTIONAL PROSTHESES		Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component
3222643	Steeper hand for child, including prosthetic glove and installation	416.25	480.48

3222684	Centri hand for child, including prosthetic glove and installation	431.67	495.90
3222635	Hosmer hand for adult, including prosthetic glove and installation	520.30	584.56
3222874	Otto Bock hand for adult, including prosthetic glove and installation	381.55	445.82
<b>MECHANICAL HANDS</b>		<b>Maximum substitution price of component at the time of purchase or replacement of prosthesis</b>	<b>Maximum replacement price of component</b>
3222841	Voluntary opening Sierra hand, including prosthetic glove and installation	2,191.73	2,255.96
3222809	Voluntary opening APRL hand and prosthetic glove, installation included	2,498.77	2,563.01
3222833	Voluntary closing Otto Bock hand and prosthetic glove, installation included (8K15)	985.37	1,049.62
3222676	Voluntary closing Otto Bock hand and prosthetic glove, installation included (8K25)	985.37	1,049.62
3222668	Voluntary closing Otto Bock hand and prosthetic glove, installation included (8K21, 8K23)	629.52	692.46
3222650	Voluntary closing Otto Bock hand and prosthetic glove, installation included, for endoskeletal system (8K27)	755.43	818.35
3222726	Becker Imperial hand, prosthetic glove and protective glove, installation included	1,050.89	1,113.86
3222734	Robin Aid hand and Realistic prosthetic glove, installation included (RA-100)	954.55	1,018.79
3222742	Dorrance hand and Realistic prosthetic glove, installation included	1,801.19	1,864.13
3222759	Voluntary closing APRL hand and Realistic prosthetic glove, installation included	2,498.77	2,563.01
3222767	Becker hand, Realistic prosthetic glove and protective glove, installation included (BLG-100)	986.68	1,050.89
3222775	Robin Aid hand and Realistic prosthetic glove, installation included (RA-200)	954.55	1,018.79
3222783	Becker hand and Realistic prosthetic glove, installation included (BP-100)	786.25	978.97

MITTS FOR CHILDREN TO REPLACE PASSIVE HAND		Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component
3222981	Hosmer mitt, installation included	N. C.	278.78
3222999	Crawl mitt and prosthetic glove, installation included	102.79	540.87
PROSTHETIC GLOVES		Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component
3223005	Otto Bock prosthetic glove, installation included	N. C.	267.87
3223120	Realistic prosthetic glove, installation included	N. C.	282.64
ELBOW JOINTS		Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component
1245588	External monocentric free-moving locking joint (E-5500)	973.82	1,558.37
1245596	External monocentric free-moving locking joint (E-1500)	608.96	1,194.80
1245604	External polycentric free-moving joint (MA-50, MA-75, MA-100)	77.07	662.93
1245653	Constant friction elbow, for child (E-50)	N. C.	1,030.34
1245661	Elbow with internal lock (E-400HD)	N. C.	1,056.04

SHOULDER JOINTS		Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component
1245620	Abduction-adduction joint (SAJ-75)	N. C.	521.59
1245638	Abduction-adduction joint (SAJ-100)	100.22	759.27
1245646	Free movement joint (Hosmer)	34.70	693.74
1245679	Joint (FS-50, FS-75)	N. C.	596.10
CONTROLS		Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component
1295583	Truncular abdominal or scapular control, including manufacturing, fitting and installation time as well as materials	55.26	83.52

**SUBDIVISION 8 : UPPER-LIMB PROSTHESES**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1242007 Other upper-limb prostheses **	S. C.			*
*GUARANTEE PERIOD: Hand prostheses: 1 month Others : 6 months				
** When price is below that of the similar prosthesis				

**DIVISION III: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES****SUPPLEMENT FOR PROSTHESES**

Description		Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks
<b>SUPPLEMENTS FOR PROSTHESES</b>			
<b>STUMP SOCKS</b>			
<b><u>WOOL 2 – 3 – 5 PLY</u></b>			
Width: 15.2 cm (6 in.)			
3493004	length: 25.4 cm (10 in.)	9.63	12.49
3493012	length: 30.5 cm (12 in.)	10.48	13.47
3493020	length: 35.6 cm (14 in.)	11.77	14.74
3493038	length: 40.6 cm (16 in.)	12.75	15.57
3493046	length: 45.7 cm (18 in.)	13.86	16.74
3493053	length: 50.8 cm (20 in.)	14.90	17.71
3493061	length: 55.9 cm (22 in.)	16.01	19.00
3493079	length: 61.0 cm (24 in.)	17.71	20.55
3493087	length: 66.0 cm (26 in.)	18.85	21.82
3493095	length: 71.1 cm (28 in.)	19.98	22.80
3493103	length: 76.2 cm (30 in.)	20.82	23.82
3493111	length: 81.3 cm (32 in.)	22.11	25.07
Width: 17.8 cm (7 in.)			
3493129	length: 25.4 cm (10 in.)	10.34	13.34
3493137	length: 30.5 cm (12 in.)	11.49	14.47
3493145	length: 35.6 cm (14 in.)	12.88	15.90
3493152	length: 40.6 cm (16 in.)	14.33	17.30
3493160	length: 45.7 cm (18 in.)	16.01	19.00
3493178	length: 50.8 cm (20 in.)	17.57	20.55
3493186	length: 55.9 cm (22 in.)	18.69	21.67
3493194	length: 61.0 cm (24 in.)	19.98	22.95
3493202	length: 66.0 cm (26 in.)	21.53	24.50
3493210	length: 71.1 cm (28 in.)	22.67	25.65
3493228	length: 76.2 cm (30 in.)	23.81	26.76
3493236	length: 81.3 cm (32 in.)	25.21	28.18
Width: 20.3 cm (8 in.)			
3493244	length: 25.4 cm (10 in.)	11.88	14.90
3493251	length: 30.5 cm (12 in.)	13.47	16.27
3493269	length: 35.6 cm (14 in.)	14.72	17.71
3493277	length: 40.6 cm (16 in.)	16.27	19.28

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

3493285	length: 45.7 cm (18 in.)	17.71	20.55
3493293	length: 50.8 cm (20 in.)	19.12	22.13
3493301	length: 55.9 cm (22 in.)	20.55	23.51
3493319	length: 61.0 cm (24 in.)	22.24	25.22
3493327	length: 66.0 cm (26 in.)	23.81	26.64
3493335	length: 71.1 cm (28 in.)	25.36	28.35
3493343	length: 76.2 cm (30 in.)	26.49	29.48
3493350	length: 81.3 cm (32 in.)	28.05	31.03

Width: 22.9 cm (9 in.)

3493368	length: 25.4 cm (10 in.)	13.60	16.59
3493376	length: 30.5 cm (12 in.)	15.32	18.15
3493384	length: 35.6 cm (14 in.)	16.86	19.84
3493392	length: 40.6 cm (16 in.)	18.27	21.26
3493400	length: 45.7 cm (18 in.)	20.11	23.11
3493418	length: 50.8 cm (20 in.)	21.67	24.64
3493426	length: 55.9 cm (22 in.)	23.23	26.19
3493434	length: 61.0 cm (24 in.)	24.63	27.61
3493442	length: 66.0 cm (26 in.)	26.37	29.35
3493459	length: 71.1 cm (28 in.)	28.05	31.03
3493467	length: 76.2 cm (30 in.)	29.47	32.29
3493475	length: 81.3 cm (32 in.)	31.03	33.84

Width: 25.4 cm (10 in.)

3493483	length: 25.4 cm (10 in.)	15.32	18.15
3493491	length: 30.5 cm (12 in.)	16.59	19.55
3493509	length: 35.6 cm (14 in.)	18.56	21.55
3493517	length: 40.6 cm (16 in.)	20.27	23.11
3493525	length: 45.7 cm (18 in.)	21.81	24.81
3493533	length: 50.8 cm (20 in.)	23.66	26.64
3493541	length: 55.9 cm (22 in.)	25.36	28.35
3493558	length: 61.0 cm (24 in.)	26.92	29.89
3493566	length: 66.0 cm (26 in.)	28.47	31.30
3493574	length: 71.1 cm (28 in.)	30.31	33.27
3493582	length: 76.2 cm (30 in.)	32.01	34.88
3493590	length: 81.3 cm (32 in.)	33.71	36.70

Width: 30.5 cm (12 in.)

3493608	length: 25.4 cm (10 in.)	20.39	23.25
3493616	length: 30.5 cm (12 in.)	21.95	24.94
3493624	length: 35.6 cm (14 in.)	23.81	26.76
3493632	length: 40.6 cm (16 in.)	25.36	28.35
3493640	length: 45.7 cm (18 in.)	27.19	30.03
3493657	length: 50.8 cm (20 in.)	28.89	31.76
3493665	length: 55.9 cm (22 in.)	30.58	33.45
3493673	length: 61.0 cm (24 in.)	32.43	35.29
3493681	length: 66.0 cm (26 in.)	33.71	36.54

3493699	length: 71.1 cm (28 in.)	35.68	38.54
3493707	length: 76.2 cm (30 in.)	37.13	40.10
3493715	length: 81.3 cm (32 in.)	38.93	41.95

Description	Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks
-------------	--	---

**WOOL 6-PLY**

Width: 15.2 cm (6 in.)

3493723	length: 25.4 cm (10 in.)	10.48	13.47
3493731	length: 30.5 cm (12 in.)	11.61	14.58
3493749	length: 35.6 cm (14 in.)	12.88	15.90
3493756	length: 40.6 cm (16 in.)	14.02	17.01
3493764	length: 45.7 cm (18 in.)	15.32	18.15
3493772	length: 50.8 cm (20 in.)	16.42	19.28
3493780	length: 55.9 cm (22 in.)	17.71	20.55
3493798	length: 61.0 cm (24 in.)	19.42	22.39
3493806	length: 66.0 cm (26 in.)	20.69	23.66
3493814	length: 71.1 cm (28 in.)	21.81	24.81
3493822	length: 76.2 cm (30 in.)	22.94	25.93
3493830	length: 81.3 cm (32 in.)	24.36	27.34

Width: 17.8 cm (7 in.)

3493848	length: 25.4 cm (10 in.)	11.49	14.47
3493855	length: 30.5 cm (12 in.)	12.63	15.57
3493863	length: 35.6 cm (14 in.)	14.33	17.13
3493871	length: 40.6 cm (16 in.)	15.74	18.70
3493889	length: 45.7 cm (18 in.)	17.71	20.55
3493897	length: 50.8 cm (20 in.)	19.25	22.24
3493905	length: 55.9 cm (22 in.)	20.69	23.66
3493913	length: 61.0 cm (24 in.)	22.11	24.94
3493921	length: 66.0 cm (26 in.)	23.81	26.64
3493939	length: 71.1 cm (28 in.)	24.81	27.76
3493947	length: 76.2 cm (30 in.)	26.19	29.19
3493954	length: 81.3 cm (32 in.)	27.92	30.90

Width: 20.3 cm (8 in.)

3493962	length: 25.4 cm (10 in.)	13.18	16.01
3493970	length: 30.5 cm (12 in.)	14.72	17.58
3493988	length: 35.6 cm (14 in.)	16.27	19.28
3493996	length: 40.6 cm (16 in.)	18.00	20.97
3494002	length: 45.7 cm (18 in.)	19.42	22.39
3494010	length: 50.8 cm (20 in.)	21.13	23.94
3494028	length: 55.9 cm (22 in.)	22.67	25.65

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

3494036	length: 61.0 cm (24 in.)	24.36	27.34
3494044	length: 66.0 cm (26 in.)	26.05	29.05
3494051	length: 71.1 cm (28 in.)	27.92	30.90
3494069	length: 76.2 cm (30 in.)	29.35	32.29
3494077	length: 81.3 cm (32 in.)	30.88	33.84

Width: 22.9 cm (9 in.)

3494085	length: 25.4 cm (10 in.)	14.90	17.85
3494093	length: 30.5 cm (12 in.)	16.73	19.70
3494101	length: 35.6 cm (14 in.)	18.56	21.55
3494119	length: 40.6 cm (16 in.)	20.11	23.11
3494127	length: 45.7 cm (18 in.)	22.11	25.07
3494135	length: 50.8 cm (20 in.)	23.81	26.76
3494143	length: 55.9 cm (22 in.)	25.49	28.46
3494150	length: 61.0 cm (24 in.)	27.19	30.03
3494168	length: 66.0 cm (26 in.)	29.05	31.87
3494176	length: 71.1 cm (28 in.)	30.88	33.84
3494184	length: 76.2 cm (30 in.)	32.28	35.29
3494192	length: 81.3 cm (32 in.)	34.14	37.00

Width: 25.4 cm (10 in.)

3494200	length: 25.4 cm (10 in.)	16.73	19.70
3494218	length: 30.5 cm (12 in.)	18.27	21.26
3494226	length: 35.6 cm (14 in.)	20.39	23.39
3494234	length: 40.6 cm (16 in.)	22.11	25.07
3494242	length: 45.7 cm (18 in.)	23.94	26.94
3494259	length: 50.8 cm (20 in.)	26.05	29.05
3494267	length: 55.9 cm (22 in.)	27.92	30.90
3494275	length: 61.0 cm (24 in.)	29.74	32.73
3494283	length: 66.0 cm (26 in.)	31.44	34.30
3494291	length: 71.1 cm (28 in.)	33.44	36.40
3494309	length: 76.2 cm (30 in.)	35.12	38.10
3494317	length: 81.3 cm (32 in.)	37.13	39.94

Width: 30.5 cm (12 in.)

3494325	length: 25.4 cm (10 in.)	22.37	25.36
3494333	length: 30.5 cm (12 in.)	24.06	27.07
3494341	length: 35.6 cm (14 in.)	26.19	29.19
3494358	length: 40.6 cm (16 in.)	27.92	30.90
3494366	length: 45.7 cm (18 in.)	29.89	32.87
3494374	length: 50.8 cm (20 in.)	31.87	34.72
3494382	length: 55.9 cm (22 in.)	33.71	36.54
3494390	length: 61.0 cm (24 in.)	35.68	38.54
3494408	length: 66.0 cm (26 in.)	37.00	39.94
3494416	length: 71.1 cm (28 in.)	39.07	42.07
3494424	length: 76.2 cm (30 in.)	40.94	43.78
3494432	length: 81.3 cm (32 in.)	42.78	45.75

Description	Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks
<b><u>WOOL AND NYLON 2 – 3 – 5 PLY</u></b>		
Width: 15.2 cm (6 in.)		
3494440 length: 25.4 cm (10 in.)	13.32	16.27
3494457 length: 30.5 cm (12 in.)	13.32	16.27
3494465 length: 35.6 cm (14 in.)	15.32	18.15
3494473 length: 40.6 cm (16 in.)	15.32	18.15
3494481 length: 45.7 cm (18 in.)	15.32	18.15
3494499 length: 50.8 cm (20 in.)	17.43	20.27
3494507 length: 55.9 cm (22 in.)	17.43	20.27
Width: 17.8 cm (7 in.)		
3494515 length: 25.4 cm (10 in.)	13.32	16.27
3494523 length: 30.5 cm (12 in.)	13.32	16.27
3494531 length: 35.6 cm (14 in.)	15.32	18.15
3494549 length: 40.6 cm (16 in.)	15.32	18.15
3494556 length: 45.7 cm (18 in.)	15.32	18.15
3494564 length: 50.8 cm (20 in.)	17.43	20.27
3494572 length: 55.9 cm (22 in.)	17.43	20.27
3494580 length: 61.0 cm (24 in.)	17.43	20.27
Width: 20.3 cm (8 in.)		
3494598 length: 25.4 cm (10 in.)	15.32	18.15
3494606 length: 30.5 cm (12 in.)	15.32	18.15
3494614 length: 35.6 cm (14 in.)	15.32	18.15
3494622 length: 40.6 cm (16 in.)	17.43	20.27
3494630 length: 45.7 cm (18 in.)	17.43	20.27
3494648 length: 50.8 cm (20 in.)	17.43	20.27
3494655 length: 55.9 cm (22 in.)	19.98	22.80
3494663 length: 61.0 cm (24 in.)	19.98	22.80
3494671 length: 66.0 cm (26 in.)	19.98	22.80
3494689 length: 71.1 cm (28 in.)	19.98	22.80
Width: 22.9 cm (9 in.)		
3494697 length: 25.4 cm (10 in.)	15.32	18.15
3494705 length: 30.5 cm (12 in.)	15.32	18.15
3494713 length: 35.6 cm (14 in.)	17.43	20.27
3494721 length: 40.6 cm (16 in.)	17.43	20.27
3494739 length: 45.7 cm (18 in.)	17.43	20.27
3494747 length: 50.8 cm (20 in.)	19.98	22.80

3494754	length: 55.9 cm (22 in.)	19.98	22.80
3494762	length: 61.0 cm (24 in.)	19.98	22.80
3494770	length: 66.0 cm (26 in.)	19.98	22.80
3494788	length: 71.1 cm (28 in.)	19.98	22.80
3494796	length: 101.6 cm (40 in.)	15.32	18.15
3494804	length: 106.7 cm (42 in.)	15.32	18.15
3494812	length: 111.8 cm (44 in.)	17.43	20.27
3494820	length: 116.8 cm (46 in.)	17.43	20.27
3494838	length: 121.9 cm (48 in.)	17.43	20.27
3494846	length: 127.0 cm (50 in.)	19.98	22.80
3494853	length: 132.1 cm (52 in.)	19.98	22.80

Width: 25.4 cm (10 in.)

3494861	length: 25.4 cm (10 in.)	15.32	18.15
3494879	length: 30.5 cm (12 in.)	17.43	20.27
3494887	length: 35.6 cm (14 in.)	17.43	20.27
3494895	length: 40.6 cm (16 in.)	17.43	20.27
3494903	length: 45.7 cm (18 in.)	19.98	22.80
3494911	length: 50.8 cm (20 in.)	19.98	22.80
3494929	length: 55.9 cm (22 in.)	19.98	22.80
3494937	length: 61.0 cm (24 in.)	19.98	22.80
3494945	length: 66.0 cm (26 in.)	21.95	24.94
3494952	length: 101.6 cm (40 in.)	15.32	18.15
3494960	length: 106.7 cm (42 in.)	15.32	18.15
3494978	length: 111.8 cm (44 in.)	17.43	20.27
3494986	length: 116.8 cm (46 in.)	17.43	20.27
3494994	length: 121.9 cm (48 in.)	19.98	22.80
3495009	length: 127.0 cm (50 in.)	19.98	22.80
3495017	length: 132.1 cm (52 in.)	19.98	22.80

Width: 30.5 cm (12 in.)

3495025	length: 25.4 cm (10 in.)	17.43	20.27
3495033	length: 30.5 cm (12 in.)	19.98	22.80
3495041	length: 35.6 cm (14 in.)	19.98	22.80
3495058	length: 40.6 cm (16 in.)	19.98	22.80
3495066	length: 45.7 cm (18 in.)	19.98	22.80
3495074	length: 50.8 cm (20 in.)	19.98	22.80

Description	Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks
-------------	--	---

**WOOL AND NYLON 6-PLY**

Width: 15.2 cm (6 in.)

3495082	length: 30.5 cm (12 in.)	14.72	17.58
---------	--------------------------	-------	-------

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

3495090	length: 35.6 cm (14 in.)	16.42	19.42
3495108	length: 40.6 cm (16 in.)	16.42	19.42
3495116	length: 45.7 cm (18 in.)	16.42	19.42
3495124	length: 50.8 cm (20 in.)	18.56	21.55
3495132	length: 55.9 cm (22 in.)	18.56	21.55

Width: 17.8 cm (7 in.)

3495140	length: 25.4 cm (10 in.)	16.42	19.42
3495157	length: 30.5 cm (12 in.)	14.72	17.58
3495165	length: 35.6 cm (14 in.)	16.42	19.42
3495173	length: 40.6 cm (16 in.)	16.42	19.42
3495181	length: 45.7 cm (18 in.)	16.42	19.42
3495199	length: 50.8 cm (20 in.)	18.56	21.55
3495207	length: 55.9 cm (22 in.)	18.56	21.55

Width: 20.3 cm (8 in.)

3495215	length: 25.4 cm (10 in.)	16.42	19.42
3495223	length: 30.5 cm (12 in.)	16.42	19.42
3495231	length: 35.6 cm (14 in.)	16.42	19.42
3495249	length: 40.6 cm (16 in.)	18.56	21.55
3495256	length: 45.7 cm (18 in.)	18.56	21.55
3495264	length: 50.8 cm (20 in.)	18.56	21.55
3495272	length: 55.9 cm (22 in.)	21.53	24.37
3495280	length: 61.0 cm (24 in.)	21.53	24.37

Width: 22.9 cm (9 in.)

3495298	length: 30.5 cm (12 in.)	16.42	19.42
3495306	length: 35.6 cm (14 in.)	18.56	21.55
3495314	length: 40.6 cm (16 in.)	18.56	21.55
3495322	length: 45.7 cm (18 in.)	18.56	21.55
3495330	length: 50.8 cm (20 in.)	21.53	24.37
3495348	length: 55.9 cm (22 in.)	21.53	24.37
3495355	length: 61.0 cm (24 in.)	21.53	24.37

Description	Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks
-------------	--	---

**ULTRA WOOL 3 – 5 PLY**

Width: 15.2 cm (6 in.)

3495363	length: 25.4 cm (10 in.)	14.72	17.58
3495371	length: 30.5 cm (12 in.)	14.72	17.58
3495389	length: 35.6 cm (14 in.)	16.86	19.70
3495397	length: 40.6 cm (16 in.)	16.86	19.70

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

3495405	length: 45.7 cm (18 in.)	16.86	19.70
3495413	length: 50.8 cm (20 in.)	19.12	22.13
3495421	length: 55.9 cm (22 in.)	19.12	22.13
3495439	length: 61.0 cm (24 in.)	19.12	22.13

Width: 17.8 cm (7 in.)

3495447	length: 25.4 cm (10 in.)	14.72	17.58
3495454	length: 30.5 cm (12 in.)	14.72	17.58
3495462	length: 35.6 cm (14 in.)	16.86	19.70
3495470	length: 40.6 cm (16 in.)	16.86	19.70
3495488	length: 45.7 cm (18 in.)	16.86	19.70
3495496	length: 50.8 cm (20 in.)	19.12	22.13
3495504	length: 55.9 cm (22 in.)	19.12	22.13
3495512	length: 61.0 cm (24 in.)	19.12	22.13

Width: 20.3 cm (8 in.)

3495520	length: 25.4 cm (10 in.)	16.86	19.70
3495538	length: 30.5 cm (12 in.)	16.86	19.70
3495546	length: 35.6 cm (14 in.)	16.86	19.70
3495553	length: 40.6 cm (16 in.)	19.12	22.13
3495561	length: 45.7 cm (18 in.)	19.12	22.13
3495579	length: 50.8 cm (20 in.)	19.12	22.13
3495587	length: 55.9 cm (22 in.)	22.11	25.07
3495595	length: 61.0 cm (24 in.)	22.11	25.07

Width: 22.9 cm (9 in.)

3495603	length: 25.4 cm (10 in.)	16.86	19.70
3495611	length: 30.5 cm (12 in.)	16.86	19.70
3495629	length: 35.6 cm (14 in.)	19.12	22.13
3495637	length: 40.6 cm (16 in.)	19.12	22.13
3495645	length: 45.7 cm (18 in.)	19.12	22.13
3495652	length: 50.8 cm (20 in.)	22.11	25.07
3495660	length: 55.9 cm (22 in.)	22.11	25.07
3495678	length: 61.0 cm (24 in.)	22.11	25.07

Width: 25.4 cm (10 in.)

3495686	length: 25.4 cm (10 in.)	16.86	19.70
3495694	length: 30.5 cm (12 in.)	19.12	22.13
3495702	length: 35.6 cm (14 in.)	19.12	22.13
3495710	length: 40.6 cm (16 in.)	19.12	22.13
3495728	length: 45.7 cm (18 in.)	22.11	25.07
3495736	length: 50.8 cm (20 in.)	22.11	25.07
3495744	length: 55.9 cm (22 in.)	22.11	25.07
3495751	length: 61.0 cm (24 in.)	22.11	25.07

Width: 30.5 cm (12 in.)

3495769	length: 25.4 cm (10 in.)	19.12	22.13
3495777	length: 30.5 cm (12 in.)	22.11	22.37
3495785	length: 35.6 cm (14 in.)	22.11	25.07
3495793	length: 40.6 cm (16 in.)	22.11	25.07

Description	Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks
-------------	--	---

**WOOL AND LYCRA**

## Extra narrow short

3495801	Extra light	13.32	16.27
3495819	Light	14.19	17.13
3495827	Thick	15.02	18.00
3495835	Very thick	16.01	18.85

## Narrow short

3495843	Extra light	14.19	17.13
3495850	Light	15.02	18.00
3495868	Thick	16.01	18.85
3495876	Very thick	16.86	19.70

## Narrow long or wide short

3495884	Extra light	16.42	19.28
3495892	Light	17.28	20.27
3495900	Thick	18.14	21.13
3495918	Very thick	18.99	21.95

## Wide long

3495926	Extra light	18.99	21.95
3495934	Light	19.98	22.80
3495942	Thick	20.82	23.66
3495959	Very thick	22.11	25.07

Description	Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks
-------------	--	---

**COTTON 3 – 5 PLY**

## Width: 15.2 cm (6 in.)

3495967	length: 25.4 cm (10 in.)	7.24	10.21
3495975	length: 30.5 cm (12 in.)	8.09	11.06
3495983	length: 35.6 cm (14 in.)	8.94	11.89
3495991	length: 40.6 cm (16 in.)	9.79	12.76
3496007	length: 45.7 cm (18 in.)	10.48	13.47
3496015	length: 50.8 cm (20 in.)	11.32	14.33
3496023	length: 55.9 cm (22 in.)	12.18	15.15
3496031	length: 61.0 cm (24 in.)	13.47	16.27
3496049	length: 66.0 cm (26 in.)	14.33	17.30
3496056	length: 71.1 cm (28 in.)	15.15	18.15

Width: 17.8 cm (7 in.)

3496064	length: 25.4 cm (10 in.)	7.91	10.77
3496072	length: 30.5 cm (12 in.)	8.80	11.62
3496080	length: 35.6 cm (14 in.)	9.79	12.76
3496098	length: 40.6 cm (16 in.)	10.93	13.73
3496106	length: 45.7 cm (18 in.)	12.18	15.15
3496114	length: 50.8 cm (20 in.)	13.32	16.27
3496122	length: 55.9 cm (22 in.)	14.33	17.13
3496130	length: 61.0 cm (24 in.)	15.32	18.15
3496148	length: 66.0 cm (26 in.)	16.42	19.28
3496155	length: 71.1 cm (28 in.)	17.28	20.12

Width: 20.3 cm (8 in.)

3496163	length: 25.4 cm (10 in.)	9.20	12.06
3496171	length: 30.5 cm (12 in.)	10.07	13.03
3496189	length: 35.6 cm (14 in.)	11.32	14.19
3496197	length: 40.6 cm (16 in.)	12.33	15.34
3496205	length: 45.7 cm (18 in.)	13.47	16.27
3496213	length: 50.8 cm (20 in.)	14.46	17.43
3496221	length: 55.9 cm (22 in.)	15.74	18.56
3496239	length: 61.0 cm (24 in.)	16.86	19.84
3496247	length: 66.0 cm (26 in.)	18.00	20.97
3496254	length: 71.1 cm (28 in.)	19.42	22.24

Width: 22.9 cm (9 in.)

3496262	length: 25.4 cm (10 in.)	10.34	13.34
3496270	length: 30.5 cm (12 in.)	11.49	14.47
3496288	length: 35.6 cm (14 in.)	12.75	15.74
3496296	length: 40.6 cm (16 in.)	13.86	16.85
3496304	length: 45.7 cm (18 in.)	15.32	18.27
3496312	length: 50.8 cm (20 in.)	16.42	19.42
3496320	length: 55.9 cm (22 in.)	17.71	20.55
3496338	length: 61.0 cm (24 in.)	18.69	21.67
3496346	length: 66.0 cm (26 in.)	19.98	22.95
3496353	length: 71.1 cm (28 in.)	21.39	24.37

## Width: 25.4 cm (10 in.)

3496361	length: 25.4 cm (10 in.)	11.49	14.47
3496379	length: 30.5 cm (12 in.)	12.63	15.57
3496387	length: 35.6 cm (14 in.)	14.19	17.13
3496395	length: 40.6 cm (16 in.)	15.32	18.27
3496403	length: 45.7 cm (18 in.)	16.59	19.42
3496411	length: 50.8 cm (20 in.)	18.00	20.97
3496429	length: 55.9 cm (22 in.)	19.25	22.24
3496437	length: 61.0 cm (24 in.)	20.55	23.51
3496445	length: 66.0 cm (26 in.)	21.67	24.50
3496452	length: 71.1 cm (28 in.)	22.94	25.93

## Width: 30.5 cm (12 in.)

3496460	length: 25.4 cm (10 in.)	15.56	18.42
3496478	length: 30.5 cm (12 in.)	16.59	19.55
3496486	length: 35.6 cm (14 in.)	18.14	21.13
3496494	length: 40.6 cm (16 in.)	19.42	22.24
3496502	length: 45.7 cm (18 in.)	20.69	23.51
3496510	length: 50.8 cm (20 in.)	21.95	24.94
3496528	length: 55.9 cm (22 in.)	23.23	26.19
3496536	length: 61.0 cm (24 in.)	24.63	27.50
3496544	length: 66.0 cm (26 in.)	25.65	28.63
3496551	length: 71.1 cm (28 in.)	26.92	29.89

Description	Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks
-------------	--	---

**WOOL 5-PLY**

3496569	length: 30.5 cm (12 in.)	9.20	12.06
3496577	length: 33.0 cm (13 in.)	9.63	12.49
3496585	length: 35.6 cm (14 in.)	9.79	12.76
3496593	length: 38.1 cm (15 in.)	10.48	13.34
3496601	length: 40.6 cm (16 in.)	10.76	13.73
3496619	length: 45.7 cm (18 in.)	11.49	14.47

Description	Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks
-------------	--	---

**WOOL 3 – 5 PLY**

## Width (max.): 15.2 cm (6 in.)

3496627	width (min.): 7.6, 8.9, 10.2 cm (3, 3½, 4 in.) length: 20.3 cm (8 in.)	9.35	12.33
3496635	width (min.): 7.6 cm (3 in.) length: 25.4 cm (10 in.)	9.35	12.33
3496643	width (min.): 8.9 cm (3½ in.) length: 25.4 cm (10 in.)	9.63	12.49
3496650	width (min.): 10.2 cm (4 in.) length: 25.4 cm (10 in.)	9.92	12.88
3496668	width (min.): 7.6 cm (3 in.) length: 30.5 cm (12 in.)	10.34	13.34
3496676	width (min.): 8.9 cm (3½ in.) length: 30.5 cm (12 in.)	10.48	13.47
3496684	width (min.): 10.2 cm (4 in.) length: 30.5 cm (12 in.)	10.93	13.73
3496692	width (min.): 7.6 cm (3 in.) length: 35.6 cm (14 in.)	11.49	14.47
3496700	width (min.): 8.9 cm (3½ in.) length: 35.6 cm (14 in.)	11.77	14.74
3496718	width (min.): 10.2 cm (4 in.) length: 35.6 cm (14 in.)	12.06	15.03
3496726	width (min.): 7.6 cm (3 in.) length: 40.6 cm (16 in.)	12.44	15.44
3496734	width (min.): 8.9 cm (3½ in.) length: 40.6 cm (16 in.)	12.75	15.57
3496742	width (min.): 10.2 cm (4 in.) length: 40.6 cm (16 in.)	13.18	16.16
Width (max.): 17.8 cm (7 in.)			
3496759	width (min.): 8.9, 10.2, 11.4, 12.7 cm (3½, 4, 4½, 5 in.) length: 20.3 cm (8 in.)	10.48	13.47
3496767	width (min.): 8.9 cm (3½ in.) length: 25.4 cm (10 in.)	9.92	12.88
3496775	width (min.): 10.2 cm (4 in.) length: 25.4 cm (10 in.)	10.34	13.34
3496783	width (min.): 11.4 cm (4½ in.) length: 25.4 cm (10 in.)	10.93	13.73
3496791	width (min.): 12.7 cm (5 in.) length: 25.4 cm (10 in.)	11.77	14.74
3496809	width (min.): 8.9 cm (3½ in.) length: 30.5 cm (12 in.)	10.93	13.87
3496817	width (min.): 10.2 cm (4 in.) length: 30.5 cm (12 in.)	11.49	14.47
3496825	width (min.): 11.4 cm (4½ in.) length: 30.5 cm (12 in.)	12.06	15.03
3496833	width (min.): 12.7 cm (5 in.) length: 30.5 cm (12 in.)	12.75	15.57
3496841	width (min.): 8.9 cm (3½ in.) length: 35.6 cm (14 in.)	12.75	15.57
3496858	width (min.): 10.2 cm (4 in.) length:	12.88	15.90

	35.6 cm (14 in.)		
3496866	width (min.): 11.4 cm (4½ in.) length:	13.60	16.43
	35.6 cm (14 in.)		
3496874	width (min.): 12.7 cm (5 in.) length:	14.19	17.13
	35.6 cm (14 in.)		
3496882	width (min.): 8.9 cm (3½ in.) length:	13.86	16.74
	40.6 cm (16 in.)		
3496890	width (min.): 10.2 cm (4 in.) length:	14.33	17.30
	40.6 cm (16 in.)		
3496908	width (min.): 11.4 cm (4½ in.) length:	14.90	17.71
	40.6 cm (16 in.)		
3496916	width (min.): 12.7 cm (5 in.) length:	15.56	18.42
	40.6 cm (16 in.)		
	Width (max.): 20.3 cm (8 in.)		
3496924	width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 20.3 cm (8 in.)	12.06	15.03
3496932	width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 25.4 cm (10 in.)	11.88	14.90
3496940	width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 30.5 cm (12 in.)	13.32	16.27
3496957	width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 35.6 cm (14 in.)	14.58	17.58
3496965	width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 40.6 cm (16 in.)	16.27	19.28

**DIVISION IV: LOWER-LIMB ORTHOSES****SUBDIVISION 1: TIBIAL ORTHOSES**

<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>
2140564 Tibial orthosis with unilateral upright	421.39			6
<b>BASIC COMPONENTS AND SUPPLEMENTS</b>				
Regular stirrup				
Ankle free joint, aluminum (1)				
Rigid metal cuff with leather or thermoplastic jacket, including cover				
<b>COMPONENTS AND SUPPLEMENTS AVAILABLE</b>				
<b>BASIC COMPONENTS</b>				
2135507 Regular stirrup	N. C.	93.80		
2135937 Ankle free joint, aluminum	N. C.	131.02		
2135903 Rigid metal cuff with leather or thermoplastic jacket, including cover	N. C.	120.76		3
<b>OPTIONAL COMPONENTS</b>				
2135523 Laminated or molded plastic stirrup, made from mold of insured person	253.08	323.74		
2135606 Single malleolar strap	78.38	107.91		
2135614 Double malleolar strap	92.50	123.33		
2135663 Ankle spring joint, aluminum, single	7.72	132.34		
2135911 Ankle free joint, stainless steel, single	55.26	183.71		
2135812 Ankle spring joint, stainless steel, single	74.51	203.01		
2135929 Double-action ankle spring joint, aluminum, single	33.41	161.89		
2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.)	52.66	52.66		
2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	17.99	17.99		

## SUPPLEMENTS AVAILABLE

3492501	Cane	10.12	10.12
3492550	Crutches with axillary support, height-adjustable	20.24	20.24
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66

## ADJUSTMENTS AVAILABLE

2136752	Stirrup changeover	56.53
-----	Any pertinent adjustment	

DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2140507	Tibial orthosis with bilateral uprights	512.60			6
BASIC COMPONENTS AND SUPPLEMENTS					
Regular stirrup					
Ankle free joints, aluminum (2)					
Rigid metal cuff with leather or thermoplastic jacket, including cover					
Retention straps					
COMPONENTS AND SUPPLEMENTS AVAILABLE					
BASIC COMPONENTS					
2135507	Regular stirrup	N. C.	93.80		
2135846	Ankle free joints, aluminum pair	N. C.	219.70		
2135655	single	N. A.	131.02		
2135903	Rigid metal cuff with leather or thermoplastic jacket, including cover	N. C.	120.76		
2195527	Retention straps, each	N. C.	25.69		
OPTIONAL COMPONENTS					
2135531	Rectangular stirrup	42.40	131.02		
2135523	Laminated or molded plastic stirrup, made from mold of insured person	253.08	323.74		
2135606	Single malleolar strap	78.38	107.91		
2135614	Double malleolar strap	92.50	123.33		

	Rectangular stirrup		
2135747	pair	15.42	227.41
2135853	single	N. A.	132.34
	Ankle free joints, stainless steel		
2135861	pair	111.78	323.74
2135671	single	N. A.	183.71
	Ankle spring joints, stainless steel		
2135879	pair	149.04	362.29
2135689	single	N. A.	203.01
	Double-action ankle spring joints, aluminum		
2135887	pair	66.80	278.78
2135754	single	N. A.	161.89
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.)	52.66	52.66
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	17.99	17.99

## SUPPLEMENTS AVAILABLE

3492501	Cane	10.12	10.12
3492550	Crutches with axillary support, height- adjustable	20.24	20.24
+3492551	Crutches with forearm support, height- adjustable	55.66	55.66

## ADJUSTMENTS AVAILABLE

2136752	Stirrup changeover	56.53
-----	Any pertinent adjustment	

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2140572	Molded plastic tibial orthosis, made from plaster or digital mold of insured person	411.11		6

BASIC COMPONENTS AND  
SUPPLEMENTS

Molded plastic anterior or posterior shell  
with infra-patellar support extending  
under foot  
Calf and foot retention straps

COMPONENTS AND SUPPLEMENTS  
AVAILABLE

## BASIC COMPONENTS

2195527	Retention straps, each	N. C.	25.69
---------	------------------------	-------	-------

## OPTIONAL COMPONENTS

2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.)	52.66	52.66
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	17.99	17.99
2155828	Ankle free joints with overlapping Gilette ankle joints	48.82	N. A.
2155646	pair	122.05	107.91
2155893	single	N. A.	66.80
	Oklahoma ankle joints		
2155653	pair	115.62	101.48
2155901	single	N. A.	64.24
	Wafer ankle joints		
2155661	pair	133.60	119.48
2155919	single	N. A.	73.23
	Tamarak ankle joints		
2155679	pair	128.46	114.33
2155927	single	N. A.	70.66
	Gaffney ankle joints		
2155687	pair	141.33	125.90
2155935	single	N. A.	75.80
2195584	Full thermoformable foam lining for night orthosis	62.94	98.91

## SUPPLEMENTS AVAILABLE

3492501	Cane	10.12	10.12
3492550	Crutches with axillary support, height-adjustable	20.24	20.24
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66

## ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2140580 Molded plastic tibial orthosis, prefabricated	182.42			6
BASIC COMPONENTS AND SUPPLEMENTS				
Rigid molded plastic posterior shell, one- piece, including calf and extending under foot, prefabricated or rigid spiral band Calf and foot retention straps				
<i><u>NOTICE:</u> This orthosis has neither a hinge, nor an upright, nor a rigid lateral band, and cannot be inserted into a conventional shoe. Therefore, it is not a walking boot.</i>				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
2195527 Retention straps, each	N. C.	25.69		1
OPTIONAL COMPONENTS				
2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.)	52.66	52.66		
2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	17.99	17.99		
2195584 Full thermoformable foam lining for night orthosis	62.94	98.91		
SUPPLEMENTS AVAILABLE				
3492501 Cane	10.12	10.12		
3492550 Crutches with axillary support, height- adjustable	20.24	20.24		

+3492551	Crutches with forearm support, height-adjustable	55.66	55.66
----------	--	-------	-------

## ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2140002	Tibial orthosis for leg shortened by 7.6 cm (3 in.) or more, excluding any prosthetic knee joint	1,779.72			6
BASIC COMPONENTS AND SUPPLEMENTS					
SACH foot					
Polyester or acrylic tibial shell with tibial or foot support					
Retention straps					
COMPONENTS AND SUPPLEMENTS AVAILABLE					
BASIC COMPONENTS					
1125509	SACH foot	N. C.	258.63		
1125483	Polyester or acrylic tibial shell with tibial or foot support	N. C.	N. A.		
2195527	Retention straps, each	N. C.	25.69		
OPTIONAL COMPONENTS					
1195619	Trial socket	116.91	N. A.		
	Knee free joints, aluminum (Becker S-2005-B4)				
2155695	pair	224.83	282.64		
2155943	single	N. A.	173.46		
	Knee joints with ring lock (Becker 1002-B4)				
2155604	pair	312.17	370.00		
2155950	single	N. A.	217.09		
	Knee joints with lock, Swiss-type (Becker 1003-B4)				
2155703	pair	377.71	447.08		
2155968	single	N. A.	255.65		

	Polycentric knee joints (USMC-0225-10)		
2155638	pair	294.20	352.00
2155976	single	N. A.	184.98
	Polycentric knee joints, for child (Becker 1006-C8)		
2155711	pair	426.54	484.34
2155984	single	N. A.	250.53
	Eccentric uniaxial knee free joints (Becker 1008-B4)		
2155562	pair	355.87	413.70
2155992	single	N. A.	238.96
	Eccentric uniaxial ring knee joints (Becker 1012-B4)		
2155729	pair	372.58	430.38
2156016	single	N. A.	247.96
2155745	Thigh lacer with two metal bands with femoral leather jacket	167.01	208.11
2155737	Complete or full leather thigh lacer, without ischiatic support	115.62	295.49
2155752	Complete or full leather thigh lacer, with leather ischiatic support	227.41	404.70
2155760	Molded plastic femoral shell without ischiatic support	215.85	273.63
2155778	Molded plastic femoral shell with molded plastic ischiatic support	273.63	355.87
2175610	Pelvic belt and metal band	220.98	236.37
2175511	Pelvic belt (leather)	N. A.	169.59
2175578	Replacement of pelvic belt metal band	N. A.	127.18
2175594	Hip joint (metal part), all types	238.96	269.80
3492501	Cane	10.12	10.12
3492550	Crutches with axillary support, height-adjustable	20.24	20.24
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66

## ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

**SUBDIVISION 2: TIBIOFEMORAL ORTHOSES**

<b>DEVICE</b>		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2150514	Molded plastic non-articulated tibiofemoral orthosis, made from plaster or digital mold of insured person	576.84			6
<b>BASIC COMPONENTS AND SUPPLEMENTS</b>					
Molded plastic splint, thigh, knee and leg					
Retention straps					
<b>COMPONENTS AND SUPPLEMENTS AVAILABLE</b>					
<b>BASIC COMPONENTS</b>					
2195527	Retention straps, each	N. C.	25.69		
<b>OPTIONAL COMPONENTS</b>					
2195550	Abduction rod	100.22	115.62		
2135705	Knee cap and straps	80.95	110.48		
2125524	External build-up on shoe for limb fitted with orthosis, for the first 0.6 cm (¼ in.)	52.66	52.66		
2125532	External build-up on shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	17.99	17.99		
<b>SUPPLEMENTS AVAILABLE</b>					
3492501	Cane	10.12	10.12		
3492550	Crutches with axillary support, height-adjustable	20.24	20.24		
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66		
<b>ADJUSTMENT AVAILABLE</b>					
-----	Any pertinent adjustment				

DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2150548	Tibiofemoral orthosis with joints, prefabricated (Legend, Edge, Lennox, GLS)	709.16			6
BASIC COMPONENTS AND SUPPLEMENTS					
Knee free joints Femoral and tibial rigid cuffs Retention straps					
COMPONENTS AND SUPPLEMENTS AVAILABLE					
BASIC COMPONENTS					
2195527	Retention straps, each	N. C.	25.69		
OPTIONAL COMPONENTS					
2125524	External build-up on shoe for limb fitted with orthosis, for the first 0.6 cm (¼ in.)	52.66	52.66		
2125532	External build-up on shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	17.99	17.99		
SUPPLEMENTS AVAILABLE					
3492501	Cane	10.12	10.12		
3492550	Crutches with axillary support, height- adjustable	20.24	20.24		
+3492551	Crutches with forearm support, height- adjustable	55.66	55.66		
ADJUSTMENT AVAILABLE					
-----	Any pertinent adjustment				

DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2150555	Tibiofemoral anti-recurvatum knee orthosis, Swedish-type, prefabricated	330.17			6
BASIC COMPONENTS AND SUPPLEMENTS					
Metal structure					
Rigid cuffs					
Retention straps					
COMPONENTS AND SUPPLEMENTS AVAILABLE					
BASIC COMPONENTS					
2195527	Retention straps, each	N. C.	25.69		
OPTIONAL COMPONENTS					
2125524	External build-up on shoe for limb fitted with orthosis, for the first 0.6 cm (¼ in.)	52.66	52.66		
2125532	External build-up on shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	17.99	17.99		
SUPPLEMENTS AVAILABLE					
3492501	Cane	10.12	10.12		
3492550	Crutches with axillary support, height- adjustable	20.24	20.24		
+3492551	Crutches with forearm support, height- adjustable	55.66	55.66		
ADJUSTMENT AVAILABLE					
-----	Any pertinent adjustment				

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2150605 Dynamic knee orthosis, made from plaster or digital mold of insured person	867.17			6
BASIC COMPONENTS AND SUPPLEMENTS				
Plastic or metal femoral and tibial rigid cuffs Polycentric knee free joints, aluminum (USMC F08-200-1000) Retention straps				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
Polycentric knee free joints, aluminum (USMC F08-200-1000)				
2155786 pair	N. C.	251.82		
2155471 single	N. A.	158.03		
2195527 Retention straps, each	N. C.	25.69		
OPTIONAL COMPONENTS				
Polycentric knee free joints, steel (USMC F08-220-1000)				
2155836 pair	42.40	295.49		
2155463 single	N. A.	179.85		
Polycentric knee joints with lock, aluminum (USMC F08-200-4000)				
2155794 pair	35.97	287.77		
2155455 single	N. A.	176.00		
Polycentric knee joints with lock, steel (USMC F08-220-4000)				
2155844 pair	84.81	336.59		
2155448 single	N. A.	200.42		
Variable amplitude knee joints, aluminum (USMC F08-200-1001)				
2155851 pair	N. C.	251.82		
2155430 single	N. A.	158.03		
Variable amplitude knee joints, steel (USMC F08-200-1001)				

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

2155869	pair	42.40	295.49
2155422	single	N. A.	179.85
2135705	Knee cap and straps	80.95	110.48
2125524	External build-up on shoe for limb fitted with orthosis, for the first 0.6 cm (¼ in.)	52.66	52.66
2125532	External build-up on shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	17.99	17.99

SUPPLEMENTS AVAILABLE

3492501	Cane	10.12	10.12
3492550	Crutches with axillary support, height-adjustable	20.24	20.24
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66

ADJUSTMENT AVAILABLE

None

DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2150597	Adjustable knee orthosis designed to limit flexion and extension movements (Donjoy, Generation II), prefabricated	349.44			6
BASIC COMPONENTS AND SUPPLEMENTS					
Rigid plastic cuffs, with foam					
Metal knee joints with ratchet					
Retention straps					
COMPONENTS AND SUPPLEMENTS AVAILABLE					
BASIC COMPONENTS					
2195527	Retention straps, each	N. C.	25.69		
SUPPLEMENTS AVAILABLE					
3492501	Cane	10.12	10.12		
3492550	Crutches with axillary support, height-adjustable	20.24	20.24		

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

+3492551	Crutches with forearm support, height-adjustable	55.66	55.66
----------	--	-------	-------

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

**SUBDIVISION 3: FEMORAL ORTHOSES**

<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>
2160505 Articulated femoral orthosis with rigid metal femoral and tibial cuffs	1,169.09			6
<b>BASIC COMPONENTS AND SUPPLEMENTS</b>				
Regular stirrup				
Ankle free joints, aluminum (2)				
Knee free joints, aluminum (2) (Becker S-2005-B4)				
Thigh lacer with two rigid metal bands and leather femoral jacket and metal cuff with leather or thermoplastic tibial jacket				
Retention straps				
<b>COMPONENTS AND SUPPLEMENTS AVAILABLE</b>				
<b>BASIC COMPONENTS</b>				
2135507 Regular stirrup	N. C.	93.80		
2135556 Rigid metal cuff with leather or thermoplastic tibial jacket	N. C.	120.76		
Ankle free joints, aluminum				
2135846 pair	N. C.	219.70		
2135655 single	N. A.	131.02		
Knee free joints, aluminum (Becker S-2005-B4)				
2155513 pair	N. C.	282.64		
2155414 single	N. A.	173.46		
2195501 Thigh lacer with two rigid metal bands and leather femoral jacket	N. C.	208.11		
2195527 Retention straps, each	N. C.	25.69		
<b>OPTIONAL COMPONENTS</b>				
2135531 Rectangular stirrup	42.40	131.02		
2135523 Laminated or molded plastic stirrup, made from mold of insured person	253.08	323.74		
2135606 Single malleolar strap	78.38	107.91		
2135614 Double malleolar strap	92.50	123.33		

2135705	Knee cap and straps	80.95	110.48
2135747	Ankle spring joints, aluminum pair	15.42	227.41
2135853	single	N. A.	132.34
2135887	Double-action ankle spring joints, aluminum pair	66.80	278.78
2135754	single	N. A.	161.89
2155521	Knee joints with ring lock (Becker 1002-B4) pair	86.07	370.00
2155406	single	N. A.	217.09
2155547	Knee joints with lock, Swiss-type (Becker 1003-B4) pair	190.14	447.08
2155398	single	N. A.	255.65
2155554	Polycentric knee joints (USMC-0225-10) pair	68.09	352.00
2155380	single	N. A.	184.98
2155877	Polycentric knee joints, for child (Becker 1006-C8) pair	201.71	484.34
2155372	single	N. A.	250.53
2155588	Eccentric uniaxial knee free joints (Becker 1008-B4) pair	131.02	413.70
2155364	single	N. A.	238.96
2155885	Eccentric uniaxial ring knee joints (Becker 1012-B4) pair	146.45	430.38
2155356	single	N. A.	247.96
2155737	Complete or full leather thigh lacer, without ischiatic support	115.62	295.49
2155752	Complete or full leather thigh lacer, with leather ischiatic support	227.41	404.70
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.)	52.66	52.66
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	17.99	17.99
SUPPLEMENTS AVAILABLE			
3492501	Cane	10.12	10.12
3492550	Crutches with axillary support, height-adjustable	20.24	20.24
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66

## ADJUSTMENTS AVAILABLE

2136752 Stirrup changeover 56.53  
 ----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2160604 Molded plastic articulated femoral orthosis, made from plaster or digital mold of insured person	1,084.30			6
<b>BASIC COMPONENTS AND SUPPLEMENTS</b>				
Molded plastic femoral shell without ischiatric support Knee free joints, aluminum (2) (Becker S-2005-B4) Molded plastic anterior or posterior tibial shell extending under foot Retention straps				
<b>COMPONENTS AND SUPPLEMENTS AVAILABLE</b>				
<b>BASIC COMPONENTS</b>				
2155802 Molded plastic femoral shell without ischiatric support	N. C.	273.63		
2155810 Molded plastic anterior or posterior tibial shell extending under foot Knee free joints, aluminum (Becker S-2005-B4)	N. C.	301.92		
2155513 pair	N. C.	282.64		
2155414 single	N. A.	173.46		
2195527 Retention straps, each	N. C.	25.69		
<b>OPTIONAL COMPONENTS</b>				
2135820 Regular stirrup	66.80	93.80		
2155828 Ankle free joints with overlapping Gilette ankle joints	48.82	N. A.		
2155646 pair	122.05	107.91		
2155893 single Oklahoma ankle joints	N. A.	66.80		
2155653 pair	115.62	101.48		
2155901 single	N. A.	64.24		

	Wafer ankle joints		
2155661	pair	133.60	119.48
2155919	single	N. A.	73.23
	Tamarak ankle joints		
2155679	pair	128.46	114.33
2155927	single	N. A.	70.66
	Gaffney ankle joints		
2155687	pair	141.33	125.90
2155935	single	N. A.	75.80
2135606	Single malleolar strap	78.38	107.91
2135705	Knee cap and straps	80.95	110.48
	Ankle spring joints, aluminum		
2135747	pair	15.42	227.41
2135853	single	N. A.	132.34
	Double-action ankle spring joints, aluminum		
2135887	pair	66.80	278.78
2135754	single	N. A.	161.89
	Knee joints with ring lock (Becker 1002-B4)		
2155521	pair	86.07	370.00
2155406	single	N. A.	217.09
	Knee joints with lock, Swiss-type (Becker 1003-B4)		
2155547	pair	190.14	447.08
2155398	single	N. A.	255.65
	Polycentric knee joints (USMC-0225-10)		
2155554	pair	68.09	352.00
2155380	single	N. A.	184.98
	Polycentric knee joints, for child (Becker 1006-C8)		
2155877	pair	201.71	484.34
2155372	single	N. A.	250.53
	Eccentric uniaxial knee free joints (Becker 1008-B4)		
2155588	pair	131.02	413.70
2155364	single	N. A.	238.96
	Eccentric uniaxial ring knee joints (Becker 1012-B4)		
2155885	pair	146.45	430.38
2155356	single	N. A.	247.96
2155497	Molded plastic ischiatic support	75.80	N. A.
2155489	Molded plastic femoral shell with molded plastic ischiatic support	N. A.	355.87
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.)	52.66	52.66
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	17.99	17.99

## SUPPLEMENTS AVAILABLE

3492501	Cane	10.12	10.12
3492550	Crutches with axillary support, height-adjustable	20.24	20.24
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66

## ADJUSTMENTS AVAILABLE

2136752	Stirrup changeover	56.53
-----	Any pertinent adjustment	

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
--------	--	--	--------------------------------	-----------------------

2160703	Articulated femoral orthosis with rigid metal femoral cuffs and molded plastic posterior or anterior tibial shell, made from plaster or digital mold of insured person	1,115.14		6
---------	--	----------	--	---

BASIC COMPONENTS AND  
SUPPLEMENTS

Thigh lacer with two rigid metal bands and femoral leather jacket  
Knee free joints, aluminum (2) (Becker S-2005-B4)  
Molded plastic posterior or anterior tibial shell extending under foot  
Retention straps

COMPONENTS AND SUPPLEMENTS  
AVAILABLE

## BASIC COMPONENTS

2195501	Thigh lacer with two rigid metal bands and femoral leather jacket	N. C.	208.11
2155810	Molded plastic posterior or anterior tibial shell extending under foot Knee free joints, aluminum (Becker S-2005-B4)	N. C.	301.92
2155513	pair	N. C.	282.64
2155414	single	N. A.	173.46

2195527	Retention straps, each	N. C.	25.69
---------	------------------------	-------	-------

## OPTIONAL COMPONENTS

2155828	Ankle free joints with overlapping Gilette ankle joints	48.82	N. A.
2155646	pair	122.05	107.91
2155893	single	N. A.	66.80
	Oklahoma ankle joints		
2155653	pair	115.62	101.48
2155901	single	N. A.	64.24
	Wafer ankle joints		
2155661	pair	133.60	119.48
2155919	single	N. A.	73.23
	Tamarak ankle joints		
2155679	pair	128.46	114.33
2155927	single	N. A.	70.66
	Gaffney ankle joints		
2155687	pair	141.33	125.90
2155935	single	N. A.	75.80
2135606	Single malleolar strap	78.38	107.91
2135705	Knee cap and straps	80.95	110.48
	Ankle spring joints, aluminum		
2135747	pair	15.42	227.41
2135853	single	N. A.	132.34
	Double-action ankle spring joints, aluminum		
2135887	pair	66.80	278.78
2135754	single	N. A.	161.89
	Knee joints with ring lock (Becker 1002- B4)		
2155521	pair	86.07	370.00
2155406	single	N. A.	217.09
	Knee joints with lock, Swiss-type (Becker 1003-B4)		
2155547	pair	190.14	447.08
2155398	single	N. A.	255.65
	Polycentric knee joints (USMC-0225-10)		
2155554	pair	68.09	352.00
2155380	single	N. A.	184.98
	Polycentric knee joints, for child (Becker 1006-C8)		
2155877	pair	201.71	484.34
2155372	single	N. A.	250.53
	Eccentric uniaxial knee free joints (Becker 1008-B4)		
2155588	pair	131.02	413.70
2155364	single	N. A.	238.96
	Eccentric uniaxial ring knee joints (Becker 1012-B4)		

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

2155885	pair	146.45	430.38
2155356	single	N. A.	247.96
2155737	Complete or full leather thigh lacer, without ischiatic support	115.62	295.49
2155752	Complete or full leather thigh lacer, with leather ischiatic support	227.41	404.70
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.)	52.66	52.66
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	17.99	17.99

SUPPLEMENTS AVAILABLE

3492501	Cane	10.12	10.12
3492550	Crutches with axillary support, height- adjustable	20.24	20.24
+3492551	Crutches with forearm support, height- adjustable	55.66	55.66

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2160802 Articulated femoral orthosis with molded plastic femoral shell, made from plaster or digital mold of insured person, and rigid metal cuff with tibial leather jacket	1,261.59			6
BASIC COMPONENTS AND SUPPLEMENTS				
Regular stirrup				
Ankle free joints, aluminum (2)				
Knee free joints, aluminum (2) (Becker S-2005-B4)				
Rigid metal cuff with leather or thermoplastic jacket, including tibial cover				
Molded plastic femoral shell without ischiatic support				
Retention straps				

COMPONENTS AND SUPPLEMENTS  
AVAILABLE

## BASIC COMPONENTS

2135507	Regular stirrup	N. C.	93.80
2135556	Rigid metal cuff with leather or thermoplastic jacket, including tibial cover	N. C.	120.76
	Ankle free joints, aluminum		
2135739	pair	N. C.	219.70
2135655	single	N. A.	131.02
	Knee free joints, aluminum (Becker S-2005-B4)		
2155513	pair	N. C.	282.64
2155414	single	N. A.	173.46
2155802	Molded plastic femoral shell without ischiatic support	N. C.	273.63
2195527	Retention straps, each	N. C.	25.69

## OPTIONAL COMPONENTS

2135531	Rectangular stirrup	42.40	131.02
2135523	Laminated or molded plastic stirrup, made from mold of insured person	253.08	323.74
2135606	Single malleolar strap	78.38	107.91
2135614	Double malleolar strap	92.50	123.33
2135705	Knee cap and straps	80.95	110.48
	Ankle spring joints, aluminum		
2135747	pair	15.42	227.41
2135853	single	N. A.	132.34
	Double-action ankle spring joints, aluminum		
2135887	pair	66.80	278.78
2135754	single	N. A.	161.89
	Knee joints with ring lock (Becker 1002-B4)		
2155521	pair	86.07	370.00
2155406	single	N. A.	217.09
	Knee joints with lock, Swiss-type (Becker 1003-B4)		
2155547	pair	190.14	447.08
2155398	single	N. A.	255.65
	Polycentric knee joints (USMC-0225-10)		
2155554	pair	68.09	352.00
2155380	single	N. A.	184.98
	Polycentric knee joints, for child (Becker 1006-C8)		
2155877	pair	201.71	484.34
2155372	single	N. A.	250.53

	Eccentric uniaxial knee free joints (Becker 1008-B4)		
2155588	pair	131.02	413.70
2155364	single	N. A.	238.96
	Eccentric uniaxial ring knee joints (Becker 1012-B4)		
2155885	pair	146.45	430.38
2155356	single	N. A.	247.96
2155497	Molded plastic ischiatic support	75.80	N. A.
2155489	Molded plastic femoral shell with molded plastic ischiatic support	N. A.	355.87
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.)	52.66	52.66
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	17.99	17.99
SUPPLEMENTS AVAILABLE			
3492501	Cane	10.12	10.12
3492550	Crutches with axillary support, height- adjustable	20.24	20.24
+3492551	Crutches with forearm support, height- adjustable	55.66	55.66

## ADJUSTMENTS AVAILABLE

2136752	Stirrup changeover	56.53
-----	Any pertinent adjustment	

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2160547	Molded plastic non-articulated femoral orthosis, made from plaster or digital mold of insured person	651.36		6
BASIC COMPONENTS AND SUPPLEMENTS				
Molded plastic splint, thigh, knee, leg and foot				
Retention straps				
COMPONENTS AND SUPPLEMENTS AVAILABLE				

## BASIC COMPONENTS

2195527	Retention straps, each	N. C.	25.69
---------	------------------------	-------	-------

## OPTIONAL COMPONENTS

2135705	Knee cap and straps	80.95	110.48
2195550	Abduction rod	100.22	115.62
2155497	Molded plastic ischiatic support	75.80	N. A.
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.)	52.66	52.66
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	17.99	17.99

## SUPPLEMENTS AVAILABLE

3492501	Cane	10.12	10.12
3492550	Crutches with axillary support, height-adjustable	20.24	20.24
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66

## ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
--------	--	--	--------------------------------	-----------------------

2160539	Articulated femoral orthosis with unilateral upright with rigid metal femoral and tibial cuffs	887.75	6
---------	--	--------	---

BASIC COMPONENTS AND  
SUPPLEMENTS

Regular stirrup  
Unilateral ankle free joint, aluminum  
Unilateral knee free joint, aluminum  
(Becker S-2005-B4)  
Rigid metal cuffs with leather femoral and tibial jacket, including cover  
Retention straps

COMPONENTS AND SUPPLEMENTS  
AVAILABLE

## BASIC COMPONENTS

2135507	Regular stirrup	N. C.	93.80
2135556	Rigid metal cuff with leather tibial jacket, including cover	N. C.	120.76
2135895	Unilateral ankle free joint, aluminum	N. C.	131.02
2135770	Unilateral knee free joint, aluminum (Becker S-2005-B4)	N. C.	173.46
2195592	Rigid metal cuff with leather femoral jacket, including cover	N. C.	208.11
2195527	Retention straps, each	N. C.	25.69

## OPTIONAL COMPONENTS

2135523	Laminated or molded plastic stirrup, made from mold of insured person	253.08	323.74
2135606	Single malleolar strap	78.38	107.91
2135614	Double malleolar strap	92.50	123.33
2135705	Knee cap and straps	80.95	110.48
2135663	Ankle spring joint, aluminum	7.72	132.34
2135929	Double-action ankle spring joint, aluminum	33.41	161.89
2135788	Knee joint with ring lock (Becker 1002-B4)	43.66	217.09
2135796	Eccentric uniaxial knee free joint (Becker 1008-B4)	65.54	238.96
2135804	Eccentric uniaxial ring knee joint (Becker 1012-B4)	73.23	247.96
2175594	Hip joint (metal part), all types	238.96	269.80
2175610	Pelvic belt and metal band	220.98	236.37
2175511	Pelvic belt (leather)	N. A.	169.59
2175578	Replacement of pelvic belt metal band	N. A.	127.18
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.)	52.66	52.66
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	17.99	17.99

## SUPPLEMENTS AVAILABLE

3492501	Cane	10.12	10.12
3492550	Crutches with axillary support, height-adjustable	20.24	20.24

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

+3492551	Crutches with forearm support, height-adjustable	55.66	55.66
----------	--	-------	-------

ADJUSTMENTS AVAILABLE

2136752	Stirrup changeover		56.53
-----	Any pertinent adjustment		

**SUBDIVISION 4: COXOFEMORAL ORTHOSES**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2170504 Articulated coxofemoral orthosis with rigid metal femoral and tibial cuffs	1,704.82			6
BASIC COMPONENTS AND SUPPLEMENTS				
Regular stirrup Ankle free joints, aluminum (2) Knee free joints, aluminum (2) (Becker S-2005-B4) Thigh lacer with two rigid metal bands and femoral leather jacket, including cover, and rigid metal cuff with leather or thermoplastic tibial jacket Hip joint (metal part), all types				
Retention straps Pelvic belt and metal band				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
2135507 Regular stirrup Ankle free joints, aluminum	N. C.	93.80		
2135739 pair	N. C.	219.70		
2135655 single	N. A.	131.02		
2195527 Retention straps, each	N. C.	25.69		
2135556 Rigid metal cuff with leather or thermoplastic tibial jacket Knee free joints, aluminum (Becker S-2005-B4)	N. C.	120.76		
2155513 pair	N. C.	282.64		
2155414 single	N. A.	173.46		
2195618 Thigh lacer with two rigid metal bands and femoral leather jacket, including cover	N. C.	208.11		
2175560 Hip joint (metal part), all types	N. C.	269.80		
2175537 Pelvic belt and metal band	N. C.	236.37		

## OPTIONAL COMPONENTS

2135531	Rectangular stirrup	42.40	131.02
2135523	Laminated or molded plastic stirrup, made from mold of insured person	253.08	323.74
2135606	Single malleolar strap	78.38	107.91
2135705	Knee cap and straps	80.95	110.48
	Ankle spring joints, aluminum		
2135747	pair	15.42	227.41
2135853	single	N. A.	132.34
	Double-action ankle spring joints, aluminum		
2135887	pair	66.80	278.78
2135754	single	N. A.	161.89
	Knee joints with ring lock (Becker 1002- B4)		
2155521	pair	86.07	370.00
2155406	single	N. A.	217.09
	Knee joints with lock, Swiss-type (Becker 1003-B4)		
2155547	pair	190.14	447.08
2155398	single	N. A.	255.65
	Polycentric knee joints (USMC-0225-10)		
2155554	pair	68.09	352.00
2155380	single	N. A.	184.98
	Polycentric knee joints, for child (Becker 1006-C8)		
2155877	pair	201.71	484.34
2155372	single	N. A.	250.53
	Eccentric uniaxial knee free joints (Becker 1008-B4)		
2155588	pair	131.02	413.70
2155364	single	N. A.	238.96
	Eccentric uniaxial ring knee joints (Becker 1012-B4)		
2155885	pair	146.45	430.38
2155356	single	N. A.	247.96
2175578	Replacement of pelvic belt metal band	N. A.	127.18
2175511	Pelvic belt (leather)	N. A.	169.59
2155737	Complete or full leather thigh lacer, without ischiatic support	115.62	295.49
2155752	Complete or full leather thigh lacer, with leather ischiatic support	227.41	404.70
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.)	52.66	52.66
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	17.99	17.99

## SUPPLEMENTS AVAILABLE

3492501	Cane	10.12	10.12
3492550	Crutches with axillary support, height-adjustable	20.24	20.24
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66

## ADJUSTMENTS AVAILABLE

2136752	Stirrup changeover	56.53
-----	Any pertinent adjustment	

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
--------	--	--	--------------------------------	-----------------------

2170603	Molded plastic articulated coxofemoral orthosis, made from plaster or digital mold of insured person	1,596.91		6
---------	--	----------	--	---

BASIC COMPONENTS AND  
SUPPLEMENTS

Molded plastic femoral shell without  
ischiatric support  
Knee free joints, aluminum (2) (Becker  
S-2005-B4)  
Hip joint (metal part), all types

Molded plastic posterior or anterior tibial  
shell extending under foot  
Retention straps  
Pelvic belt and metal band

COMPONENTS AND SUPPLEMENTS  
AVAILABLE

## BASIC COMPONENTS

2155802	Molded plastic femoral shell without ischiatric support	N. C.	273.63
2155810	Molded plastic posterior or anterior tibial shell extending under foot Knee free joints, aluminum (Becker S-2005-B4)	N. C.	301.92
2155513	pair	N. C.	282.64

2155414	single	N. A.	173.46
2175560	Hip joint (metal part), all types	N. C.	269.80

2195527	Retention straps, each	N. C.	25.69
2175537	Pelvic belt and metal band	N. C.	236.37

## OPTIONAL COMPONENTS

2175578	Replacement of pelvic belt metal band	N. A.	127.18
---------	---------------------------------------	-------	--------

2175511	Pelvic belt (leather)	N. A.	169.59
2155828	Ankle free joints with overlapping Gilette ankle joints	48.82	N. A.

2155646	pair	122.05	107.91
---------	------	--------	--------

2155893	single	N. A.	66.80
---------	--------	-------	-------

	Oklahoma ankle joints		
2155653	pair	115.62	101.48

2155901	single	N. A.	64.24
---------	--------	-------	-------

	Wafer ankle joints		
2155661	pair	133.60	119.48

2155919	single	N. A.	73.23
---------	--------	-------	-------

	Tamarak ankle joints		
2155679	pair	128.46	114.33

2155927	single	N. A.	70.66
---------	--------	-------	-------

	Gaffney ankle joints		
2155687	pair	141.33	125.90

2155935	single	N. A.	75.80
---------	--------	-------	-------

2135606	Single malleolar strap	78.38	107.91
---------	------------------------	-------	--------

2135705	Knee cap and straps	80.95	110.48
---------	---------------------	-------	--------

	Ankle spring joints, aluminum		
2135747	pair	15.42	227.41

2135853	single	N. A.	132.34
---------	--------	-------	--------

2135820	Regular stirrup	66.80	93.80
---------	-----------------	-------	-------

	Double-action ankle spring joints, aluminum		
2135887	pair	66.80	278.78

2135754	single	N. A.	161.89
---------	--------	-------	--------

	Knee joints with ring lock (Becker 1002- B4)		
2155521	pair	86.07	370.00

2155406	single	N. A.	217.09
---------	--------	-------	--------

	Knee joints with lock, Swiss-type (Becker 1003-B4)		
2155547	pair	190.14	447.08

2155398	single	N. A.	255.65
---------	--------	-------	--------

	Polycentric knee joints (USMC-0225-10)		
2155554	pair	68.09	352.00

2155380	single	N. A.	184.98
---------	--------	-------	--------

	Polycentric knee joints, for child (Becker 1006-C8)		
--	--	--	--

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

2155877	pair	201.71	484.34
2155372	single	N. A.	250.53
	Eccentric uniaxial knee free joints (Becker 1008-B4)		
2155588	pair	131.02	413.70
2155364	single	N. A.	238.96
	Eccentric uniaxial ring knee joints (Becker 1012-B4)		
2155885	pair	146.45	430.38
2155356	single	N. A.	247.96
2155497	Molded plastic ischiatic support	75.80	N. A.
2155489	Molded plastic femoral shell with molded plastic ischiatic support	N. A.	355.87
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.)	52.66	52.66
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	17.99	17.99
SUPPLEMENTS AVAILABLE			
3492501	Cane	10.12	10.12
3492550	Crutches with axillary support, height- adjustable	20.24	20.24
+3492551	Crutches with forearm support, height- adjustable	55.66	55.66

## ADJUSTMENTS AVAILABLE

2136752	Stirrup changeover	56.53
-----	Any pertinent adjustment	

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2170702	Articulated coxofemoral orthosis with rigid metal femoral cuffs and molded plastic posterior or anterior tibial shell, made from plaster or digital mold of insured person	1,661.15		6
BASIC COMPONENTS AND SUPPLEMENTS				
Thigh lacer with two rigid metal bands and femoral leather jacket				

Knee free joints, aluminum (2) (Becker S-2005-B4)

Hip joint (metal part), all types

Molded plastic posterior or anterior tibial shell extending under foot

Retention straps

Pelvic belt and metal band

#### COMPONENTS AND SUPPLEMENTS AVAILABLE

##### BASIC COMPONENTS

2195501	Thigh lacer with two rigid metal bands and femoral leather jacket	N. C.	208.11
2155810	Molded plastic posterior or anterior tibial shell extending under foot	N. C.	301.92
	Knee free joints, aluminum (Becker S-2005-B4)		
2155513	pair	N. C.	282.64
2155414	single	N. A.	173.46
2195527	Retention straps, each	N. C.	25.69
2175560	Hip joint (metal part), all types	N. C.	269.80
2175537	Pelvic belt and metal band	N. C.	236.37

##### OPTIONAL COMPONENTS

2155828	Ankle free joints with overlapping Gilette ankle joints	48.82	N. A.
2155646	pair	122.05	107.91
2155893	single	N. A.	66.80
	Oklahoma ankle joints		
2155653	pair	115.62	101.48
2155901	single	N. A.	64.24
	Wafer ankle joints		
2155661	pair	133.60	119.48
2155919	single	N. A.	73.23
	Tamarak ankle joints		
2155679	pair	128.46	114.33
2155927	single	N. A.	70.66
	Gaffney ankle joints		
2155687	pair	141.33	125.90
2155935	single	N. A.	75.80
	Ankle spring joints, aluminum		
2135747	pair	15.42	227.41
2135853	single	N. A.	132.34
	Double-action ankle spring joints, aluminum		

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

2135887	pair	66.80	278.78
2135754	single	N. A.	161.89
2135606	Single malleolar strap	78.38	107.91
	Knee joints with ring lock (Becker 1002-B4)		
2155521	pair	86.07	370.00
2155406	single	N. A.	217.09
	Knee joints with lock, Swiss-type (Becker 1003-B4)		
2155547	pair	190.14	447.08
2155398	single	N. A.	255.65
	Polycentric knee joints (USMC-0225-10)		
2155554	pair	68.09	352.00
2155380	single	N. A.	184.98
	Polycentric knee joints, for child (Becker 1006-C8)		
2155877	pair	201.71	484.34
2155372	single	N. A.	250.53
	Eccentric uniaxial knee free joints (Becker 1008-B4)		
2155588	pair	131.02	413.70
2155364	single	N. A.	238.96
	Eccentric uniaxial ring knee joints (Becker 1012-B4)		
2155885	pair	146.45	430.38
2155356	single	N. A.	247.96
2135705	Knee cap and straps	80.95	110.48
2155737	Complete or full leather thigh lacer, without ischiatic support	115.62	295.49
2155752	Complete or full leather thigh lacer, with leather ischiatic support	227.41	404.70
2175578	Replacement of pelvic belt metal band	N. A.	127.18
2175511	Pelvic belt (leather)	N. A.	169.59
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.)	52.66	52.66
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	17.99	17.99

## SUPPLEMENTS AVAILABLE

3492501	Cane	10.12	10.12
3492550	Crutches with axillary support, height-adjustable	20.24	20.24
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66

## ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2170801 Articulated coxofemoral orthosis with molded plastic femoral shell, made from plaster or digital mold of insured person, and rigid metal cuff with leather or thermoplastic tibial jacket	1,875.69			6
BASIC COMPONENTS AND SUPPLEMENTS				
Regular stirrup				
Ankle free joints, aluminum (2)				
Knee free joints, aluminum (2) (Becker S-2005-B4)				
Rigid metal cuff with leather or thermoplastic jacket, including tibial cover				
Molded plastic femoral shell without ischiatric support				
Hip joint (metal part), all types				
Retention straps				
Pelvic belt and metal band				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
2135507 Regular stirrup	N. C.	93.80		
2135556 Rigid metal cuff with leather or thermoplastic jacket, including tibial cover	N. C.	120.76		
Knee free joints, aluminum (Becker S-2005-B4)				
2155513 pair	N. C.	282.64		
2155414 single	N. A.	173.46		
Ankle free joints, aluminum				
2135739 pair	N. C.	219.70		
2135655 single	N. A.	131.02		
2155802 Molded plastic femoral shell without ischiatric support	N. C.	273.63		

2175560	Hip joint (metal part), all types	N. C.	269.80
2195527	Retention straps, each	N. C.	25.69
2175537	Pelvic belt and metal band	N. C.	236.37

## OPTIONAL COMPONENTS

2135531	Rectangular stirrup	42.40	131.02
2135523	Molded or laminated plastic stirrup, made from mold of insured person	253.08	323.74
2135606	Single malleolar strap	78.38	107.91
2135614	Double malleolar strap	92.50	123.33
2135705	Knee cap and straps	80.95	110.48
	Ankle spring joints, aluminum		
2135747	pair	15.42	227.41
2135853	single	N. A.	132.34
	Double-action ankle spring joints, aluminum		
2135887	pair	66.80	278.78
2135754	single	N. A.	161.89
	Knee joints with ring lock (Becker 1002-B4)		
2155521	pair	86.07	370.00
2155406	single	N. A.	217.09
	Knee joints with lock, Swiss-type (Becker 1003-B4)		
2155547	pair	190.14	447.08
2155398	single	N. A.	255.65
	Polycentric knee joints (USMC-0225-10)		
2155554	pair	68.09	352.00
2155380	single	N. A.	184.98
	Polycentric knee joints, for child (Becker 1006-C8)		
2155877	pair	201.71	484.34
2155372	single	N. A.	250.53
	Eccentric uniaxial knee free joints (Becker 1008-B4)		
2155588	pair	131.02	413.70
2155364	single	N. A.	238.96
	Eccentric uniaxial ring knee joints (Becker 1012-B4)		
2155885	pair	146.45	430.38
2155356	single	N. A.	247.96
2155497	Molded plastic ischiatic support	75.80	N. A.
2155489	Molded plastic femoral shell with molded plastic ischiatic support	N. A.	355.87
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.)	52.66	52.66

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	17.99	17.99
2175578	Replacement of pelvic belt metal band	N. A.	127.18
2175511	Pelvic belt (leather)	N. A.	169.59
SUPPLEMENTS AVAILABLE			
3492501	Cane	10.12	10.12
3492550	Crutches with axillary support, height-adjustable	20.24	20.24
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66

## ADJUSTMENTS AVAILABLE

2136752	Stirrup changeover	56.53
-----	Any pertinent adjustment	

**SUBDIVISION 5: BILATERAL LOWER-LIMB ORTHOSES**

<b>DEVICE</b>		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2190502	Femoral derotation orthosis	101.48			6
COMPOSANT ET COMPLÉMENT DE BASE					
Metal bar with ratchet, fixed to shoes					
COMPONENT AND SUPPLEMENT AVAILABLE					
2195551	Articulated metal bar	85.58	85.58		
ADJUSTMENTS AVAILABLE					
2196509	Shoe changeover (unriveted)			27.00	
2196517	Shoe changeover (riveted)			35.97	
-----	Any pertinent adjustment				
<b>DEVICE</b>		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2190510	Coxofemoral derotation orthosis with torsion cable	432.95			6
BASIC COMPONENTS AND SUPPLEMENTS					
Regular stirrup					
Torsion cable					
Pelvic belt (leather)					
Hip free joint (metal part)					
COMPONENTS AND SUPPLEMENTS AVAILABLE					
BASIC COMPONENTS					
2135507	Regular stirrup	N. C.	93.80		

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

2195535	Torsion cable	N. C.	97.64
2175586	Hip free joint (metal part)	N. C.	83.52
2175602	Pelvic belt (leather)	N. C.	115.62

OPTIONAL COMPONENT

2155570	Knee joint	127.18	142.61
---------	------------	--------	--------

SUPPLEMENTS AVAILABLE

3492550	Crutches with axillary support, height-adjustable	20.24	20.24
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66

ADJUSTMENTS AVAILABLE

2136752	Stirrup changeover		56.53
-----	Any pertinent adjustment		

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2190528	Pelvifemoral abduction orthosis, custom made	278.78		6
BASIC COMPONENTS AND SUPPLEMENTS				
Two plastic thigh cuffs				
Metal bar				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
-----	Any pertinent adjustment			

<b>DEVICE</b>	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2190544 Molded plastic pelvifemoral abduction orthosis for child, made from plaster or digital mold of insured person	829.94			6
<b>BASIC COMPONENTS AND SUPPLEMENTS</b>				
Molded plastic orthosis Retention straps				
<b>COMPONENTS AND SUPPLEMENTS AVAILABLE</b>				
<b>BASIC COMPONENTS</b>				
2195527 Retention straps, each	N. C.	25.69		
<b>OPTIONAL COMPONENTS</b>				
2195550 Abduction rod	100.22	115.62		
3122603 Extension to feet inclusively	476.63	N. A.		
2135705 Knee cap and straps	80.95	110.48		
<b>ADJUSTMENT AVAILABLE</b>				
----- Any pertinent adjustment				

<b>DEVICE</b>	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2190536 Pelvifemoral orthosis, for young child	194.00			6
<b>COMPOSANT ET COMPLÉMENT DE BASE</b>				
Cloth harness or prefabricated plastic splint				
<b>COMPONENT AND SUPPLEMENT AVAILABLE</b>				

None

## ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2180008	Articulated pelvifemoral abduction orthosis, Scottish Rite-type	1,211.50			6
BASIC COMPONENTS AND SUPPLEMENTS					
Rigid metal cuffs with leather or thermoplastic femoral jacket (2)					
Metal bar					
Universal joints					
Pelvic band					
Retention straps					
COMPONENTS AND SUPPLEMENTS AVAILABLE					
BASIC COMPONENTS					
2195600	Rigid metal cuffs with leather or thermoplastic femoral jacket (2)	N. C.	208.11		
2195527	Retention straps, each	N. C.	25.69		
SUPPLEMENTS AVAILABLE					
3492550	Crutches with axillary support, height-adjustable	20.24	20.24		
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66		
ADJUSTMENT AVAILABLE					
----- Any pertinent adjustment					

**SUBDIVISION 6: ADDITIONAL COMPONENTS FOR TIBIAL, FEMORAL AND COXOFEMORAL ORTHOSES**

	Maximum prise Purchase or replacement of device	Maximum price of component alone
2135564 Regular stirrup, additional	66.80	82.20
2135598 Rectangular stirrup, additional	107.91	131.02

**SUBDIVISION 7: LOWER-LIMB ORTHOSES**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2190601 Other lower-limb orthoses *	S. C.			6
* When price is below that of the similar orthosis				

**DIVISION V: UPPER-LIMB ORTHOSES****SUBDIVISION 1: HAND ORTHOSES THAT MAY INCLUDE THE THUMB AND THE OTHER FINGERS**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
Prefabricated passive orthosis for proximal and distal interphalangeal joints				2
<b>Thumb</b>				
2210003 If first finger	111.78	N. A.		
2210011 If additional finger	29.56	N. A.		
<b>Index</b>				
2210029 If first finger	111.78	N. A.		
2210037 If additional finger	29.56	N. A.		
<b>Middle finger</b>				
2210045 If first finger	111.78	N. A.		
2210052 If additional finger	29.56	N. A.		
<b>Ring finger</b>				
2210060 If first finger	111.78	N. A.		
2210078 If additional finger	29.56	N. A.		
<b>Little finger</b>				
2210086 If first finger	111.78	N. A.		
2210094 If additional finger	29.56	N. A.		
BASIC COMPONENTS AND SUPPLEMENTS				
Thermoplastic or metal splint Straps				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
----- Any pertinent adjustment				

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
Prefabricated dynamic orthosis for distal and/or proximal interphalangeal joints				2
<b>Thumb</b>				
2210102 If first finger	111.78	N. A.		
2210110 If additional finger	29.56	N. A.		
<b>Index</b>				
2210128 If first finger	111.78	N. A.		
2210136 If additional finger	29.56	N. A.		
<b>Middle finger</b>				
2210144 If first finger	111.78	N. A.		
2210151 If additional finger	29.56	N. A.		
<b>Ring finger</b>				
2210169 If first finger	111.78	N. A.		
2210177 If additional finger	29.56	N. A.		
<b>Little finger</b>				
2210185 If first finger	111.78	N. A.		
2210193 If additional finger	29.56	N. A.		
<b>BASIC COMPONENTS AND SUPPLEMENTS</b>				
Support pads				
Springs				
<b>COMPONENT AND SUPPLEMENT AVAILABLE</b>				
None				
<b>ADJUSTMENT AVAILABLE</b>				
----- Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2210516 Prefabricated dynamic orthosis for metacarpophalangeal joints	149.04			2

BASIC COMPONENTS AND

## SUPPLEMENTS

Metacarpal bars  
Phalangeal bars  
Articular pivots  
Elastic bands  
Piano wire  
Other types of springs

COMPONENT AND SUPPLEMENT  
AVAILABLE

None

## ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

<b>DEVICE</b>	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
---------------	--	--	--------------------------------	-----------------------

2220010 Passive thumb orthosis including  
carpometacarpal, metacarpophalangeal and  
interphalangeal joints, made from plaster  
or digital mold of insured person

258.22

2

BASIC COMPONENTS AND  
SUPPLEMENTS

Molded component, thermoplastic or other  
material  
Straps

COMPONENT AND SUPPLEMENT  
AVAILABLE

None

## ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

<b>DEVICE</b>	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
---------------	--	--	--------------------------------	-----------------------

2220036 Molded plastic passive thumb orthosis 168.29 2  
including carpometacarpal,  
metacarpophalangeal and interphalangeal  
joints, made from mold of insured person  
or prefabricated

**BASIC COMPONENTS AND  
SUPPLEMENTS**

Molded thermoplastic component  
Straps

**COMPONENT AND SUPPLEMENT  
AVAILABLE**

None

**ADJUSTMENT AVAILABLE**

----- Any pertinent adjustment

<b>DEVICE</b>	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2220028 Dynamic thumb orthosis, which may include carpometacarpal, metacarpophalangeal and interphalangeal joints, made from plaster or digital mold of insured person	348.17			2
<b>BASIC COMPONENTS AND SUPPLEMENTS</b>				
Stabilizing components Traction apparatus made with springs Piano wire, elastic bands Straps				
<b>COMPONENT AND SUPPLEMENT AVAILABLE</b>				
None				
<b>ADJUSTMENT AVAILABLE</b>				
----- Any pertinent adjustment				

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2220044 Molded plastic dynamic thumb orthosis, which may include carpometacarpal, metacarpophalangeal and interphalangeal joints, made from mold of insured person or prefabricated	217.09			2
BASIC COMPONENTS AND SUPPLEMENTS				
Stabilizing components Traction apparatus made with springs Piano wire, elastic bands Straps				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
----- Any pertinent adjustment				

**SUBDIVISION 2: WRIST AND HAND ORTHOSES**

<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>
2230548 Passive orthosis for wrist and hand including fingers and thumb, palmar or dorsal, made from plaster or digital mold of insured person	377.71			2
<b>BASIC COMPONENTS AND SUPPLEMENTS</b>				
Splint				
Straps				
Bilateral fixed joints for dorsal orthosis				
<b>COMPONENTS AND SUPPLEMENTS AVAILABLE</b>				
<b>OPTIONAL COMPONENT</b>				
2231124 Finger separator, including straps	14.15	N. A.		
<b>ADJUSTMENT AVAILABLE</b>				
----- Any pertinent adjustment				
<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>

2230555 Molded plastic passive orthosis for wrist and hand including fingers and thumb, palmar or dorsal, made from mold of insured person or prefabricated	265.92			2
<b>BASIC COMPONENTS AND SUPPLEMENTS</b>				
Thermoplastic splint				
Straps				
Bilateral fixed joints for dorsal orthosis				

COMPONENTS AND SUPPLEMENTS  
AVAILABLE

## OPTIONAL COMPONENT

2231124	Finger separator, including straps	14.15	N. A.
---------	------------------------------------	-------	-------

## ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
--------	--	--	--------------------------------	-----------------------

2230563	Passive orthosis for wrist, palmar or dorsal, including thumb extension, where applicable, made from plaster or digital mold of insured person	305.78		2
---------	--	--------	--	---

BASIC COMPONENTS AND  
SUPPLEMENTS

Thermoplastic splint, palmar or dorsal, or reinforced molded leather splint, including thumb extension, where applicable  
Palmar or dorsal metacarpal bar  
Straps

COMPONENTS AND SUPPLEMENTS  
AVAILABLE

## OPTIONAL COMPONENT

2231132	Full leather lining of thermoplastic splint	52.66	N. A.
---------	---	-------	-------

## ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2230571 Plastic or molded plastic passive orthosis for wrist, including thumb extension, where applicable, made from mold of insured person or prefabricated	224.83			2
BASIC COMPONENTS AND SUPPLEMENTS				
Plastic or molded plastic splint, prefabricated or made from mold of insured person, including thumb extension, where applicable Palmar or dorsal metacarpal bar Straps				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
OPTIONAL COMPONENTS				
2231157 Finger traction apparatus	167.01	N. A.		
2231165 Flexion glove	89.93	N. A.		
2231140 Wrist free joints (incompatible with wrist traction apparatus)	64.24	N. A.		
2231173 Wrist traction apparatus (incompatible with wrist free joints)	66.80	N. A.		
ADJUSTMENT AVAILABLE				
----- Any pertinent adjustment				

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2230589 Prefabricated static wrist and dynamic finger orthosis, which may include Swanson-type thumb	490.78			2
BASIC COMPONENTS AND SUPPLEMENTS				

Transverse and longitudinal bars  
Palmar support  
Finger and thumb traction apparatus

COMPONENT AND SUPPLEMENT  
AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2230514 Custom-made tenodesis orthosis	754.14			2

BASIC COMPONENTS AND  
SUPPLEMENTS

Stabilizing components for thumb, index  
finger and middle finger  
Metacarpophalangeal joints  
Wrist joints  
Forearm stabilizing component  
Telescoping rod

COMPONENT AND SUPPLEMENT  
AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

**SUBDIVISION 3: ELBOW, WRIST AND HAND ORTHOSES**

<b>DEVICE</b>	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2250017 Molded plastic passive elbow orthosis, anterior or posterior, made from mold of insured person	318.62			2
<b>BASIC COMPONENTS AND SUPPLEMENTS</b>				
Splint including arm and forearm Straps				
<b>COMPONENTS AND SUPPLEMENTS AVAILABLE</b>				
<b>OPTIONAL COMPONENTS</b>				
2255511 Suspension strap	24.41	N. A.		
2255503 Elbow pad and strap	80.95	110.48		
2255529 Uniaxial or polycentric bilateral elbow joints	71.97	N. A.		
3492659 Turnbuckle	66.80	N. A.		
<b>ADJUSTMENT AVAILABLE</b>				
----- Any pertinent adjustment				

<b>DEVICE</b>	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2250009 Passive elbow orthosis, anterior or posterior, made from plaster or digital mold of insured person	381.55			2
<b>BASIC COMPONENTS AND SUPPLEMENTS</b>				
Splint including arm and forearm Straps				

COMPONENTS AND SUPPLEMENTS  
AVAILABLE

## OPTIONAL COMPONENTS

2255511	Suspension strap	24.41	N. A.
2255503	Elbow pad and strap	80.95	110.48
2255529	Uniaxial or polycentric bilateral elbow joints	71.97	N. A.
3492659	Turnbuckle	66.80	N. A.

## ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

**SUBDIVISION 4: SHOULDER, ELBOW, WRIST AND HAND ORTHOSES**

<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>
2270007 Glenohumeral orthosis, made from plaster or digital mold of insured person	381.55			2
<b>BASIC COMPONENTS AND SUPPLEMENTS</b>				
Shoulder-to-epicondyle molded thermoplastic sleeve				
Thoracic straps				
Velcro straps for adjusting sleeve circumference				
<b>COMPONENTS AND SUPPLEMENTS AVAILABLE</b>				
<b>OPTIONAL COMPONENT</b>				
2255511 Suspension strap	24.41	N. A.		
<b>ADJUSTMENT AVAILABLE</b>				
----- Any pertinent adjustment				
<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>

2270510 Prefabricated adjustable passive abduction orthosis for the shoulder, elbow, wrist and hand airplane design	886.46			2
<b>BASIC COMPONENTS AND SUPPLEMENTS</b>				
Thoracic and pelvic support				
Adjustable shoulder and elbow joints				
Arm, forearm and hand splints				
Adjustable stabilizing bar between truncular and humeral support				

Anchor straps  
Pads

# COMPONENTS AND SUPPLEMENTS AVAILABLE

## OPTIONAL COMPONENT

2275501	Pelvihumeral mobilization bar	98.91	N. A.
---------	-------------------------------	-------	-------

## ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2270015 Prefabricated glenohumeral orthosis	332.74			2

## BASIC COMPONENTS AND SUPPLEMENTS

Shoulder-to-epicondyle molded  
thermoplastic sleeve  
Thoracic straps  
Velcro straps for adjusting sleeve  
circumference

## COMPONENT AND SUPPLEMENT AVAILABLE

None

## ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

**SUBDIVISION 5: UPPER-LIMB ORTHOSES**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2290609 Other upper-limb orthoses *	N. C.			2
* When the price is below that of the similar orthosis				

**DIVISION VI: TRUNK AND CERVICAL ORTHOSES****SUBDIVISION 1: TRUNK ORTHOSES**

<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>
2320505 Prefabricated lumbar sacral immobilization orthosis, to limit anteroposterior and lateral movements of the spine, molded plastic or metal structure, Harris, Knight or Williams-type	405.97			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
----- Any pertinent adjustment				
<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>
2320604 Lumbar sacral orthosis with rigid molded thermoplastic plate, made from mold of insured person (Ortho-mold-type)	247.96			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
----- Any pertinent adjustment				

<b>DEVICE</b>	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2320513 Plastic lumbar sacral immobilization orthosis, made from plaster or digital mold of insured person	716.89			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
----- Any pertinent adjustment				
<b>DEVICE</b>	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2340503 Custom-made rigid-frame dorsal lumbar immobilization orthosis (Taylor or Harris- Taylor-type)	548.58			3
COMPONENTS AND SUPPLEMENTS AVAILABLE				
OPTIONAL COMPONENTS				
3342508 Axilla crutch	46.25	N. A.		3
2345502 Corrective pad	46.25	N. A.		3
ADJUSTMENT AVAILABLE				
----- Any pertinent adjustment				
<b>DEVICE</b>	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2340602 Dorsal lumbar orthosis with rigid molded thermoplastic plate, made from mold of insured person (Ortho-mold-type)	354.58			3

COMPONENT AND SUPPLEMENT  
AVAILABLE

None

## ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

<b>DEVICE</b>	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
---------------	--	--	--------------------------------	-----------------------

2340701 Rigid dorsal lumbar immobilization  
orthosis covered in whale fabric (Taylor or  
Harris-Taylor-type) (Camp, Airway make)

287.77

3

COMPONENT AND SUPPLEMENT  
AVAILABLE

None

## ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

<b>DEVICE</b>	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
---------------	--	--	--------------------------------	-----------------------

2340537 Plastic dorsal lumbar sacral immobilization  
orthosis with bilateral overlapping  
resulting from double molding, made from  
plaster or digital mold of insured person

1,152.38

3

COMPONENT AND SUPPLEMENT  
AVAILABLE

None

## ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

<b>DEVICE</b>	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2340404 Prefabricated molded plastic dorsal lumbar sacral immobilization orthosis (Boston Overlap Brace-type)	488.18			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
----- Any pertinent adjustment				

<b>DEVICE</b>	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2340578 Plastic dorsal lumbar sacral immobilization orthosis made from plaster or digital mold of insured person	991.82			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
----- Any pertinent adjustment				

<b>DEVICE</b>	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2350528 Prefabricated hyperextension orthosis (Jewitt, Florida Brace)	440.67			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				

## ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
--------	--	--	--------------------------------	-----------------------

2380509 Cervical dorsal lumbar sacral  
immobilization orthosis with plastic base,  
made from plaster or digital mold of  
insured person (Milwaukee-type)

1,505.69

3

BASIC COMPONENT AND  
SUPPLEMENTPelvic component, made from plaster or  
digital mold of insured personCOMPONENTS AND SUPPLEMENTS  
AVAILABLE

## BASIC COMPONENT

2385508 Pelvic component, made from plaster or  
digital mold of insured person

N. C.

873.61

3

## ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
--------	--	--	--------------------------------	-----------------------

2380004 Prefabricated cervical dorsal lumbar sacral  
immobilization orthosis with molded  
plastic base (Milwaukee-type)

1,255.17

3

COMPOSANT ET COMPLÉMENT DE  
BASE

Prefabricated pelvic component

COMPONENTS AND SUPPLEMENTS  
AVAILABLE

## BASIC COMPONENT

2385516	Prefabricated pelvic component	N. C.	634.66	3
---------	--------------------------------	-------	--------	---

## ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
--------	--	--	--------------------------------	-----------------------

2380020	Charleston hypercorrective cervical dorsal lumbar sacral orthosis, made from plaster or digital mold of insured person	1,256.45		3
---------	--	----------	--	---

COMPONENT AND SUPPLEMENT  
AVAILABLE

None

## ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
--------	--	--	--------------------------------	-----------------------

2380533	Cervical dorsal lumbar sacral orthosis (Lyonnais-type)	1,503.11		3
---------	--	----------	--	---

COMPOSANT ET COMPLÉMENT DE  
BASE

Prefabricated pelvic component, made from plaster or digital mold of insured person

COMPONENTS AND SUPPLEMENTS  
AVAILABLE

## BASIC COMPONENT

2385524	Prefabricated pelvic component, made from plaster or digital mold of insured	N. C.	873.61	3
---------	--	-------	--------	---

person

## ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

<b>DEVICE</b>	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
---------------	--	--	--------------------------------	-----------------------

2380525	Prefabricated corrective dorsal lumbar orthosis (Boston-type)	801.67		3
---------	---	--------	--	---

COMPONENT AND SUPPLEMENT  
AVAILABLE

None

## ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

<b>DEVICE</b>	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
---------------	--	--	--------------------------------	-----------------------

2380012	Corrective dorsal lumbar orthosis, made from plaster or digital mold of insured person (Boston-type)	1,153.67		3
---------	--	----------	--	---

COMPONENT AND SUPPLEMENT  
AVAILABLE

None

## ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

**SUBDIVISION 2: CERVICAL ORTHOSES**

<b>DEVICE</b>	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2370500 Thermoplastic cervical orthosis with sternal support, made from plaster or digital mold of insured person	563.99			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
----- Any pertinent adjustment				

<b>DEVICE</b>	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2370559 Prefabricated semi-rigid cervical orthosis (Philadelphia design)	154.18			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
----- Any pertinent adjustment				

<b>DEVICE</b>	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2370518 Cervical orthosis with multiple vertical uprights	283.92			3
COMPONENT AND SUPPLEMENT AVAILABLE				

None

## ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

**NOTICE:** A Halo cervical orthosis (Halo vest) is not an insured device. Therefore, it cannot be considered in the same way as a Minerva cervical orthosis.

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
--------	--	--	--------------------------------	-----------------------

2370526	Minerva molded plastic cervical orthosis, made from plaster or digital mold of insured person	1,201.22		3
---------	---	----------	--	---

COMPONENT AND SUPPLEMENT  
AVAILABLE

None

## ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

**NOTICE:** A Halo cervical orthosis (Halo vest) is not an insured device. Therefore, it cannot be considered in the same way as a Minerva cervical orthosis.

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
--------	--	--	--------------------------------	-----------------------

2370609	Minerva prefabricated cervical orthosis	810.67		3
---------	---	--------	--	---

COMPONENT AND SUPPLEMENT  
AVAILABLE

None

## ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

**NOTICE:** *A Halo cervical orthosis (Halo vest) is not an insured device. Therefore, it cannot be considered in the same way as a Minerva cervical orthosis.*

<b>DEVICE</b>	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
---------------	--	--	--------------------------------	-----------------------

2370534	Cervical orthosis (SOMI-type)	580.72		3
---------	-------------------------------	--------	--	---

COMPONENTS AND SUPPLEMENTS  
AVAILABLE**OPTIONAL COMPONENT**

2375509	Halo support with lateral stabilization uprights	214.54	231.25	3
---------	--	--------	--------	---

## ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

**SUBDIVISION 3: OTHER TRUNK AND CERVICAL ORTHOSES**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2390607 Other trunk orthoses *	S. C.			3
2371003 Other cervical orthoses *	S. C.			3

\* When the price is below that of the  
similar orthosis

**DIVISION VII: AMBULATION AIDS**

<b>DEVICE</b>		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
4490009	Quad cane, height-adjustable	35.42			12
BASIC COMPONENT AND SUPPLEMENT					
Tip					
COMPONENTS AND SUPPLEMENTS AVAILABLE					
BASIC COMPONENT					
4495727	Tip (per pair)	N. C.	2.57		
<b>DEVICE</b>		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
4490017	Crutches with axillary support, height-adjustable	20.24			12
BASIC COMPONENTS AND SUPPLEMENTS					
Tips (2)					
Axillary pads (2)					
Handrest covers (2)					
COMPONENTS AND SUPPLEMENTS AVAILABLE					
BASIC COMPONENTS					
4495727	Tips (per pair)	N. C.	2.57		
4495743	Axillary pads (per pair)	N. C.	2.57		
4495750	Handrest covers (per pair)	N. C.	2.57		
OPTIONAL COMPONENTS					

4495768	Flip-up ice tips with four or five prongs		
	Pair	10.29	N. A.
	Unit	N. A.	5.14

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
--------	---	--	--------------------------------	-----------------------

+4490018	Crutches with forearm support, height-adjustable	55.66		12
----------	--	-------	--	----

**BASIC COMPONENTS AND  
SUPPLEMENTS**

Tips (2)

**COMPONENTS AND SUPPLEMENTS  
AVAILABLE**

**BASIC COMPONENTS**

4495727	Tips (per pair)	N. C.	2.57	
---------	-----------------	-------	------	--

**OPTIONAL COMPONENTS**

4495768	Flip-up ice tips with four or five prongs			
	Pair	10.29	N. A.	
	Unit	N. A.	5.14	

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
--------	---	--	--------------------------------	-----------------------

4490082	Anterior walker, folding, without wheels or with wheels (2), height-adjustable	50.60		12
---------	--	-------	--	----

**BASIC COMPONENTS AND  
SUPPLEMENTS**

Tips (2)

**COMPONENTS AND SUPPLEMENTS  
AVAILABLE**

**BASIC COMPONENTS**

4495727	Tips (2)	N. C.	2.57
---------	----------	-------	------

## OPTIONAL COMPONENTS

4495776	Walker skis on rear legs		
	Pair	12.14	12.14
	Unit	6.07	6.07
4495826	Rear hand brakes		
	Pair	51.39	N. A.
	Unit	N. A.	25.69
4495784	Forearm supports		
	Pair	156.74	N. A.
	Unit	78.38	78.38

DEVICE	Maximum price	Maximum price	Maximum adjustment price	Guarantee (months)
	Purchase or replacement of device	Replacement of component or supplement		

+4490085	Anterior walker, without wheels or with wheels (2), height-adjustable, weighted or bariatric type	111.32			12
----------	---	--------	--	--	----

BASIC COMPONENTS AND  
SUPPLEMENTS

Tips (2)

COMPONENTS AND SUPPLEMENTS  
AVAILABLE

## BASIC COMPONENTS

4495727	Tips (per pair)	N. C.	2.57
---------	-----------------	-------	------

## OPTIONAL COMPONENTS

4495776	Walker skis on rear legs		
	Pair	12.14	12.14
	Unit	6.07	6.07
4495826	Rear hand brakes		
	Pair	51.39	S.O.
	Unit	S.O.	25.69
4495784	Forearm supports		
	Pair	156.74	S.O.
	Unit	78.38	78.38

DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
+4490083	Anterior walker, folding, with 2 wheels, height-adjustable, for child	156.86			12
BASIC COMPONENTS AND SUPPLEMENTS					
Tips (2)					
COMPONENTS AND SUPPLEMENTS AVAILABLE					
BASIC COMPONENTS					
4495727	Tips (per pair)	N. C.	2.57		
DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
+4490084	Posterior walker, folding, with wheels (2 or 4), and height-adjustable, for child	232.76			12
BASIC COMPONENTS AND SUPPLEMENTS					
Tips (2)					
COMPONENTS AND SUPPLEMENTS AVAILABLE					
BASIC COMPONENTS					
4495727	Tips (2)	N. C.	2.57		
OPTIONAL COMPONENTS					
4495784	Forearm supports (2)				
	Pair	156.74	N. A.		
	Unit	78.38	78.38		

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
+4490166 Walker with wheels 4, height-adjustable with thoracic support, depth-adjustable and width-adjustable, for child	657.80			12
BASIC COMPONENTS AND SUPPLEMENTS				
Steel frame Thoracic support, with cover Flexible seat Front bumpers (4) Wheelbrakes (4)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
+4495835 Steel frame, height-adjustable	N. C.	566.72		
+4495843 Thoracic support, depth-adjustable with cover	N. C.	298.54		
4495867 Flexible seat	N. C.	69.37		
4495875 Front bumpers (4)	N. C.	N. A.		
4495883 Wheelbrakes (4)	N. C.	34.70		
OPTIONAL COMPONENTS				
4495917 Lower-limb abductor	178.57	178.57		
4495925 Back/headrest and cover	280.09	280.09		
4495933 Thoracic support cover only	N. A.	102.79		

**DIVISION VIII: STANDING AIDS**

<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>
2192276 Parapodium, for child (Variety Village system)	2,205.86			3
COMPOSANT ET COMPLÉMENT DE BASE				
Prefabricated parapodium orthosis				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
----- Any pertinent adjustment				
<b>DEVICE</b>	<b>Maximum price Purchase or replacement of device</b>	<b>Maximum price Replacement of component or supplement</b>	<b>Maximum adjustment price</b>	<b>Guarantee (months)</b>
2192292 Parapodium, for adult (Variety Village system)	2,995.97			3
COMPOSANT ET COMPLÉMENT DE BASE				
Prefabricated parapodium orthosis				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
----- Any pertinent adjustment				

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
2192284 Orthopodium	1,296.27			3
COMPOSANT ET COMPLÉMENT DE BASE				
Prefabricated orthopodium				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
----- Any pertinent adjustment				

**PART II: AIDS FURNISHED SOLELY BY AN INSTITUTION****DIVISION I: UPPER-LIMB PROSTHESES**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1242106 Myoelectric cubital prosthesis	4,742.20			6
BASIC COMPONENTS AND SUPPLEMENTS				
Single laminated plastic socket, made from plaster or digital mold of insured person Electrical system (1 connecting cable, 1 electrode cable, 1 coaxial outlet, 1 coupling component) Lamination collar (wrist) Pack Electrode (1) Standard battery Standard charger Prosthetic glove (Otto Bock)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1245687 Simple laminated plastic socket, made from plaster or digital mold of insured person	N. C.	1,772.91		
1245695 Electrical system (1 connecting cable, 1 electrode cable, 1 coaxial outlet, 1 coupling component)	N. C.	*		
1245703 Lamination collar (wrist)	N. C.	*		
1245752 Pack	N. C.	*		
1245711 First electrode	N. C.	*		
1245729 Additional electrode	1,450.10	1,450.10		
1245745 Additional electrode cable	82.20	82.20		
1245760 Standard battery	N. C.	*		
1245778 Standard charger	N. C.	*		
3223005 Prosthetic glove (Otto Bock)	N. C.	267.87		

## OPTIONAL COMPONENTS

1245786	Double flexoform socket	244.09	323.74
3223039	Electric hand (Otto Bock) for one 6¾ electrode	4,220.30	4,220.30
3223302	Electric hand (Otto Bock) for one 7¼ and 7¾ electrode	4,775.29	4,775.29
3223310	Electric hand (Otto Bock) for one 8¼ electrode	5,003.97	5,003.97
3223328	Electric hand (Otto Bock) for two 6¾ electrodes	3,777.08	3,777.08
3223336	Electric hand (Otto Bock) for two 7¼ and 7¾ electrodes	5,202.45	5,202.45
3223344	Electric hand (Otto Bock) for two 8¼ electrodes	5,468.10	5,468.10
Electric hands (VASI):			
3223047	- 0 to 3 years for one electrode	5,778.67	5,778.67
3223054	- 2 to 6 years for two electrodes	5,778.67	5,778.67
3223062	- 5 to 9 years for two electrodes	6,158.94	6,158.94
3223070	Electric hand (Steeper), 1.75	3,644.73	3,644.73
3223351	Electric hand (Steeper), 2.00	3,797.62	3,797.62
3223369	Electric hand (Steeper), 2.25 to 3.25	4,100.82	4,100.82
3223088	Electric hand 2000 (Otto Bock) for two 5 electrodes	5,920.00	5,920.00
3223377	Electric hand 2000 (Otto Bock) for two 5½ and 6 electrodes	6,198.77	6,198.77
3223385	Electric hand 2000 (Otto Bock) for two 6½ electrodes	6,450.58	6,450.58
1245828	Electronic box for electric hand 2000	1,382.37	1,382.37
1245836	Battery (1) for electric hand 2000	39.83	39.83
1245844	Electrode cables (2) for electric hand 2000	124.63	124.63
1245802	Charger for hand 2000	133.60	133.60
3223096	Electric hook for one electrode	4,899.92	4,899.92
3223104	Electric hook for two electrodes	4,725.20	4,725.20

Electronics module system:

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

3232824	Electric wrist rotator	361.00	361.00
3232832	Myoelectrically controlled prosthetic wrist, including a control unit	5,499.11	5,499.11
1245919	Rapid charger	749.84	749.84
1245810	Activating switch	197.84	197.84
Adaptations to make prosthesis mechanical:			
3232840	Quick disconnect wrist	736.15	736.15
3222965	Hook, 99X-type	565.27	611.53
1295716	Suspension harness	106.62	156.74
1295724	Control cable, terminal connections and housing (reinforced materials)	143.88	194.00

## SUPPLEMENT AVAILABLE

1245851	Conductor gel	6.42	6.42
---------	---------------	------	------

## ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

\* Repair. Indicate materials and labour.  
Supporting documents must be kept on file

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1242502 Myoelectric prosthesis for dislocation of wrist	4,460.87			6

BASIC COMPONENTS AND  
SUPPLEMENTS

Single laminated plastic socket, made from  
plaster or digital mold of insured person  
Electrical system (1 connecting cable,  
1 electrode cable)  
Pack  
Electrode (1)  
Standard battery  
Standard charger  
Prosthetic glove (Otto Bock)

COMPONENTS AND SUPPLEMENTS  
AVAILABLE

## BASIC COMPONENTS

1245927	Single laminated plastic socket, made from plaster or digital mold of insured person	N. C.	1,636.74
1245935	Electrical system (1 connecting cable, 1 electrode cable)	N. C.	*
1245752	Pack	N. C.	*
1245711	First electrode	N. C.	*
1245729	Additional electrode	1,450.10	1,450.10
1245745	Additional electrode cable	82.20	82.20
1245760	Standard battery	N. C.	*
1245778	Standard charger	N. C.	*
3223005	Prosthetic glove (Otto Bock), fitting included	N. C.	267.87

## OPTIONAL COMPONENTS

1245786	Double flexoform socket	244.09	323.74
3223039	Electric hand (Otto Bock) for one 6¾ electrode	4,220.30	4,220.30
3223302	Electric hand (Otto Bock) for one 7¼ or 7¾ electrode	4,775.29	4,775.29
3223310	Electric hand (Otto Bock) for one 8¼ electrode	5,003.97	5,003.97
3223328	Electric hand (Otto Bock) for two 6¾ electrodes	3,777.08	3,777.08
3223336	Electric hand (Otto Bock) for two 7¼ and 7¾ electrodes	5,202.45	5,202.45
3223344	Electric hand (Otto Bock) for two 8¼ electrodes	5,468.10	5,468.10
3223070	Electric hand (Steeper), 1.75	3,644.73	3,644.73
3223351	Electric hand (Steeper), 2.00	3,797.62	3,797.62
3223369	Electric hand (Steeper), 2.25 to 3.25	4,100.82	4,100.82
3223088	Electric hand 2000 (Otto Bock) for two 5 electrodes	5,920.00	5,920.00
3223377	Electric hand 2000 (Otto Bock) for two 5½ and 6 electrodes	6,198.77	6,198.77
3223385	Electric hand 2000 (Otto Bock) for two 6½ electrodes	6,450.58	6,450.58
1245828	Electronic box for electric hand 2000	1,382.37	1,382.37
1245836	Battery (1) for electric hand 2000	39.83	39.83

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

1245844	Electrode cables (2) for electric hand 2000	124.63	124.63
1245802	Charger for hand 2000	133.60	133.60
3223096	Electric hook for one electrode	4,899.92	4,899.92
3223104	Electric hook for two electrodes	4,725.20	4,725.20
1245919	Rapid charger	749.84	749.84
1245810	Activating switch	197.84	197.84

COMPLÉMENT DISPONIBLE

1245851	Conductor gel	6.42	6.42
---------	---------------	------	------

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

\* Repair. Indicate materials and labour.  
Supporting documents must be kept on file

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
--------	--	--	--------------------------------	-----------------------

1262104	Myoelectric humeral prosthesis	6,996.89		6
---------	--------------------------------	----------	--	---

BASIC COMPONENTS AND  
SUPPLEMENTS

Single laminated plastic socket, made from  
plaster or digital mold of insured person  
Electrical system (1 connecting cable, 1  
electrode cable, 1 coaxial outlet, 1  
coupling component)  
Lamination collar (wrist)  
Elbow with internal lock, model E-400  
Pack  
Electrode (1)  
Standard battery  
Standard charger  
Prosthetic glove (Otto Bock)

COMPONENTS AND SUPPLEMENTS  
AVAILABLE

BASIC COMPONENTS

1245869	Single laminated plastic socket, made from plaster or digital mold of insured person	N. C.	2,286.81
1245695	Electrical system (1 connecting cable, 1 electrode cable, 1 coaxial outlet, 1 coupling component)	N. C.	*
1265529	Elbow with internal lock, model E-400	N. C.	1,038.06
1245703	Lamination collar (wrist)	N. C.	*
1245752	Pack	N. C.	*
1245711	First electrode	N. C.	*
1245729	Additional electrode	1,450.10	1,450.10
1245745	Additional electrode cable	82.20	82.20
1245760	Standard battery	N. C.	*
1245778	Standard charger	N. C.	*
3223005	Prosthetic glove (Otto Bock), fitting included	N. C.	267.87

## OPTIONAL COMPONENTS

1265560	Double flexoform socket	310.89	390.54
1265578	Additional cost of socket where elbow joint has external lock	214.54	214.54
3223039	Electric hand (Otto Bock) for one 6¾ electrode	4,220.30	4,220.30
3223302	Electric hand (Otto Bock) for one 7¼ or 7¾ electrode	4,775.29	4,775.29
3223310	Electric hand (Otto Bock) for one 8¼ electrode	5,003.97	5,003.97
3223328	Electric hand (Otto Bock) for two 6¾ electrodes	3,777.08	3,777.08
3223336	Electric hand (Otto Bock) for two 7¼ and 7¾ electrodes	5,202.45	5,202.45
3223344	Electric hand (Otto Bock) for two 8¼ electrodes	5,468.10	5,468.10
Electric hands (VASI):			
3223047	- 0 to 3 years for one electrode	5,778.67	5,778.67
3223054	- 2 to 6 years for two electrodes	5,778.67	5,778.67
3223062	- 5 to 9 years for two electrodes	6,158.94	6,158.94
3223070	Electric hand (Steeper), 1.75	3,644.73	3,644.73

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

3223351	Electric hand (Steeper), 2.00	3,797.62	3,797.62
3223369	Electric hand (Steeper), 2.25 to 3.25	4,100.82	4,100.82
3223088	Electric hand 2000 (Otto Bock) for two 5 electrodes	5,920.00	5,920.00
3223377	Electric hand 2000 (Otto Bock) for two 5½ and 6 electrodes	6,198.77	6,198.77
3223385	Electric hand 2000 (Otto Bock) for two 6½ electrodes	6,450.58	6,450.58
1245828	Electronic box for electric hand 2000	1,382.37	1,382.37
1245836	Battery (1) for electric hand 2000	39.83	39.83
1245844	Electrode cables (2) for electric hand 2000	124.63	124.63
1245802	Charger for hand 2000	133.60	133.60
3223096	Electric hook for one electrode	4,899.92	4,899.92
3223104	Electric hook for two electrodes	4,725.20	4,725.20
Electronics module system:			
3232824	Electric wrist rotator	361.00	361.00
3232832	Myoelectrically controlled prosthetic wrist, including a control unit	5,499.11	5,499.11
1265586	Electric elbow (Hosmer) with switch (including one battery, charger, switch)	7,782.84	7,782.84
1245919	Rapid charger	749.84	749.84
1245810	Activating switch	197.84	197.84
Adaptations to make prosthesis mechanical:			
3232840	Quick disconnect wrist	736.15	736.15
3222965	Hook, 99X-type	565.27	611.53
1295716	Suspension harness	106.62	156.74
1295724	Control cable, terminal connections and housing (reinforced materials)	143.88	194.00
1295559	Flexion assist mechanism	386.71	453.52

## SUPPLEMENTS AVAILABLE

1245851	Conductor gel	6.42	6.42
---------	---------------	------	------

## ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

\* Repair. Indicate materials and labour.  
Supporting documents must be kept on  
file

DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustment price	Guarantee (months)
1242205	Electro-mechanical cubital prosthesis	3,595.29			6
BASIC COMPONENTS AND SUPPLEMENTS					
Single laminated plastic socket, made from plaster or digital mold of insured person Electrical system (1 connecting cable, 1 coaxial outlet, cable connecting switch to coaxial outlet, switch) Lamination collar (wrist) Standard batteries (2) Pack Standard charger Prosthetic glove (Otto Bock)					
COMPONENTS AND SUPPLEMENTS AVAILABLE					
BASIC COMPONENTS					
1245687	Single laminated plastic socket, made from plaster or digital mold of insured person	N. C.	1,772.91		
1245885	Electrical system (1 connecting cable, 1 coaxial outlet, cable connecting switch to coaxial outlet, switch)	N. C.	*		
1245703	Lamination collar (wrist)	N. C.	*		
1245752	Pack	N. C.	*		
1245893	Standard batteries (2)	N. C.	*		
1245778	Standard charger	N. C.	*		
3223005	Prosthetic glove (Otto Bock)	N. C.	267.87		
OPTIONAL COMPONENTS					
1245786	Double flexoform socket	244.09	323.74		
3223039	Electric hand (Otto Bock) for one 6¾ electrode	4,220.30	4,220.30		

## SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services  
(authentic version)

3223302	Electric hand (Otto Bock) for one 7¼ or 7¾ electrode	4,775.29	4,775.29
3223310	Electric hand (Otto Bock) for one 8¼ electrode	5,003.97	5,003.97
3223328	Electric hand (Otto Bock) for two 6¾ electrodes	3,777.08	3,777.08
3223336	Electric hand (Otto Bock) for two 7¼ and 7¾ electrodes	5,202.45	5,202.45
3223344	Electric hand (Otto Bock) for two 8¼ electrodes	5,468.10	5,468.10
Electric hands (VASI):			
3223047	- 0 to 3 years for one electrode	5,778.67	5,778.67
3223054	- 2 to 6 years for two electrodes	5,778.67	5,778.67
3223062	- 5 to 9 years for two electrodes	6,158.94	6,158.94
3223070	Electric hand (Steeper), 1.75	3,644.73	3,644.73
3223351	Electric hand (Steeper), 2.00	3,797.62	3,797.62
3223369	Electric hand (Steeper), 2.25 to 3.25	4,100.82	4,100.82
3223096	Electric hook for one electrode	4,899.92	4,899.92
3223104	Electric hook for two electrodes	4,725.20	4,725.20
1245919	Rapid charger	749.84	749.84
1245810	Activating switch	197.84	197.84
Adaptations to make prosthesis mechanical:			
3232840	Quick disconnect wrist	736.15	736.15
3222965	Hook, 99X-type	565.27	611.53
1295716	Suspension harness	106.62	156.74
1295724	Control cable, terminal connections and housing (reinforced materials)	143.88	194.00

## SUPPLEMENTS AVAILABLE

-----	Stump sock	*	*
	* (consult Division II of this Part for the codes and prices of these supplements)		

## ADJUSTMENT AVAILABLE

-----	Any pertinent adjustment
-------	--------------------------

**DIVISION II: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES**

See Title One, Part I, Division III, “SOCKS FOR PROSTHESES

**DIVISION III: AMBULATION AIDS**

4490181	Other non-listed ambulation aids	S.C.
	GUARANTEE PERIOD: 1 year	
+4490421	Non-listed ambulation aid component (S.C.)	S.C.

**PART III: ELEMENTS INCLUDED IN THE PRICES OF THE DEVICES:**

1. The maximum price for the purchase or replacement of an insured device referred to in Part I or II of this Title includes the following elements:
  - (1) the maximum price for its basic components and supplements;
  - (2) the cost of its manufacture;
  - (3) the cost of fittings required while it is being manufactured, up to and including the final installation;
  - (4) the cost of fittings and repairs during the guarantee period referred to in this Title in respect of each device, beginning immediately after the final installation and during which any fitting or repair of a device used under normal conditions is made, in order to bring the device into conformity with the original medical prescription, where the beneficiary's physical condition has not changed, and to enable the beneficiary to derive maximum benefit from the device.
2. The maximum replacement cost of a component or supplement for a device referred to in Part I or II of this Title includes the following elements:
  - (1) the cost price of the materials;
  - (2) the cost of its manufacture, if any;
  - (3) the cost of fitting and installation.
3. The maximum price for a cane includes the safety tip, and the fixed price for a pair of height-adjustable axillary crutches includes the safety tips, the axillary pads and the elastomer handrest covers.
4. The maximum price for a standard post-operative prosthesis assumed by the Board following the amputation of a lower limb includes the supply, even if temporary, of the components required for the entire time the prosthesis is worn, the work performed in the operating room, the waiting period, the application of a rigid bandage, the fixation of the pylon and foot, and the changing of the rigid bandage as required.
5. The maximum price for a post-operative pneumatic prosthesis assumed by the Board following the amputation of a lower limb includes the supply, even if temporary, of the components required for the entire time the prosthesis is worn, the work performed at the institution, the waiting period, and the installation of the pneumatic lining, metallic support and means of suspension.
6. The maximum price for a temporary prosthesis assumed by the Board includes, for the entire time the prosthesis is worn, the supply, even if temporary, of the components, the manufacture of or modifications made to the socket, the means of suspension required, as well as the alignment and fittings required.

**TITLE TWO: LOCOMOTOR AND POSTURE ASSISTS (FURNISHED SOLELY BY AN INSTITUTION)**

**PART I: LOCOMOTOR ASSISTS****DIVISION I: ADULT WHEELCHAIRS****SUBDIVISION 1: MANUAL WHEELCHAIRS**

		PRICE (including all the basic components)		
7150000	MANUAL WHEELCHAIR IN SUBCATEGORY “BASIC (FOLDING FRAME)”			
	MOTION COMPOSITES INC.			910.00
	“CHRONOS” MODEL			
TECHNICAL SPECIFICATIONS OF THE DEVICE				
Maximum weight capacity: 113.4 kg (250 lb.)				
Device weight: 15.9 kg (35 lb.)				
Overall width: 19.1 cm (7½ in.) over the nominal seat width at 0° rear wheel camber				
Front seat-to-floor height: 31.8 cm to 52.1 cm (12½ in. to 20½ in.)				
Rear seat-to-floor height: 31.1 cm to 50.8 cm (12¼ in. to 20 in.)				
Frame: straight back canes or bend back canes from 8° to 10°, height and angle-adjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of 6°; non-slip push handles; four tie-down points for adapted transport				
BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM				
7150001	Flexible nylon mesh seat, with mesh-stretching system; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N/C	36.00	12
7150002	Flat foam seat cushion, 5.1 cm (2 in.); two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion	63.00	63.00	36
7150003	Flat foam seat cushion, 7.6 cm (3 in.); two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion	104.00	104.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
<b>7150004</b>	Flexible nylon mesh back, padded; heights of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.) or 48.3 cm (19 in.)	N/C	32.33	12
<b>7150005</b>	Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	83.00	115.33	12
<b>7150006</b>	Pelvic positioning belt, auto buckle	N/C	13.75	36
<b>7150007</b>	Pelvic positioning belt, Velcro	N/C	47.50	36
<b>7150008</b>	U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	118.00	60
<b>7150009</b>	U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	120.33	60
<b>7150010</b>	Armrest pad, straight, short	N/C	4.75	12
<b>7150011</b>	Armrest pad, straight, long	N/C	5.58	12
<b>7150012</b>	Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 35.6 cm to 45.7 cm (14 in. to 18 in.)	N/C	23.88	60
<b>7150013</b>	Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 35.6 cm to 45.7 cm (14 in. to 18 in.)	N/C	48.00	60
<b>7150014</b>	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	177.50	201.38	36
<b>7150015</b>	Padded calf-rest	48.75	48.75	36
<b>7150016</b>	Folding footplate, standard, standard size; plastic	N/C	7.75	36
<b>7150017</b>	Folding footplate, standard, oversize	10.00	17.75	36

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7150018</b>	Footplate, angle and depth-adjustable, standard size	90.00	97.75	36
<b>7150019</b>	Footplate, angle and depth-adjustable, oversize	90.00	97.75	36
<b>7150020</b>	Heel loop, adjustable	N/C	4.50	36
<b>7150021</b>	Headrest cushion, contoured, all sizes	85.00	85.00	36
<b>7150022</b>	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	90.00	90.00	36
<b>FRAME</b>				
<b>7150023</b>	Anti-tipping wheels, detachable or pivoting, with locking mechanism	N/C	21.00	60
<b>7150024</b>	Fold-away back spreader bar to fold chair; with anchor for headrest bracket	70.00	70.00	36
<b>7150025</b>	Front impact guard with rollers	35.00	35.00	36
<b>7150026</b>	Cane holder	30.00	30.00	36
<b>DRIVE SYSTEM</b>				
<b>7150027</b>	Handrim, smooth	N/C	14.50	36
<b>7150028</b>	Handrim, plastic-coated	N/C	32.00	36
<b>7150029</b>	Standard wheel lock, push-to-lock or pull-to-lock	N/C	14.00	36
<b>7150030</b>	Plug-in wheel lock extension	10.00	10.00	36
<b>7150031</b>	Caster fork to adjust height and angle perpendicular to the ground to compensate for changes in the rear seat-to-floor height	N/C	9.63	36
<b>WHEELS AND TIRES</b>				
<b>7150032</b>	Front mag wheel; semi-pneumatic tire; 20.3 cm (8 in.); 2.5 cm (1 in.) wide	N/C	24.91	36
<b>7150033</b>	Front mag wheel; semi-pneumatic tire; 12.7 cm (5 in.) or 17.8 cm (7 in.); 2.5 cm (1 in.) wide	N/C	8.65	36

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7150034</b>	Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity to at least two horizontal positions; rear height adjustable for 5° of seat tilt, compatible with all wheel diameters	N/C	9.63	36
<b>7150035</b>	Threaded rear axle	N/C	4.75	36
<b>7150036</b>	Adapter for “amputee” axle position	53.00	53.00	36
<b>7150037</b>	Spoked rear wheel; semi-pneumatic tire; 61 cm (24 in.); 3.5 cm (1⅜ in.) wide	N/C	52.88	36
<b>7150038</b>	Spoked rear wheel; semi-pneumatic tire; 50.8 cm (20 in.) or 55.9 cm (22 in.); 3.5 cm (1⅜ in.) wide	N/C	52.88	36

		PRICE (including all the basic components)		
7151421	MANUAL WHEELCHAIRS IN SUBCATEGORY “INTERMEDIATE (CLASS A FOLDING FRAME)”			
	MOTION COMPOSITES INC.		1,040.00	
	“COBALT 1” MODEL			
TECHNICAL SPECIFICATIONS OF THE DEVICE				
Maximum weight capacity: 113.4 kg (250 lb.)				
Device weight: 16.8 kg (37 lb.)				
Overall width : 19,1 cm (7½ in.) over the nominal seat width at 0° rear wheel camber				
Front seat-to-floor height: 34.9 cm to 55.2 cm (13¾ in. to 21¾ in.)				
Rear seat-to-floor height: 34.3 cm to 54.0 cm (13½ in. to 21¼ in.)				
Frame : straight back canes or bend back canes from 8° to 10°, height and angle-adjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of 6°; non-slip push handles; four tie-down points for adapted transport				
BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM				
7151422	Flexible nylon mesh seat, with mesh-stretching system; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N/C	36.00	12
7151423	Flat foam seat cushion 5.1 cm (2 in.); two strips of “velour” Velcro, 5.1 cm (2 in.) wide, under the cushion	63.00	63.00	36
7151424	Flat foam seat cushion, 7.6 cm (3 in.); two strips of “velour” Velcro, 5.1 cm (2 in.) wide, under the cushion	104.00	104.00	36
7151425	Seat – width modification to 48.3 cm (19 in.)	100.00	N/A	36
7151426	Seat – width modification to 50.8 cm (20 in.)	100.00	N/A	36

BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
<b>7151427</b>	Flexible nylon mesh back, padded; heights of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N/C	32.33	12
<b>7151428</b>	Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	83.00	115.33	12
<b>7151429</b>	Pelvic positioning belt, auto buckle	N/C	13.75	36
<b>7151430</b>	Pelvic positioning belt, Velcro	N/C	47.50	36
<b>7151431</b>	U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	118.00	60
<b>7151432</b>	T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	118.00	60
<b>7151433</b>	U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	120.33	60
<b>7151434</b>	T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	120.33	60
<b>7151435</b>	Armrest pad, straight, short	N/C	4.75	12
<b>7151436</b>	Armrest pad, straight, long	N/C	5.58	12
<b>7151437</b>	Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 35.6 cm to 45.7 cm (14 in. to 18 in.)	N/C	23.88	60
<b>7151438</b>	Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 35.6 cm to 45.7 cm (14 in. to 18 in.)	N/C	48.00	60

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price for component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7151439</b>	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	177.50	201.38	36
<b>7151440</b>	Padded calf-rest	48.75	48.75	36
<b>7151441</b>	Calf-rest strap, single or double	20.00	20.00	36
<b>7151442</b>	Folding footplate, standard, standard size; plastic	N/C	7.75	36
<b>7151443</b>	Folding footplate, standard, oversize; plastic	10.00	17.75	36
<b>7151444</b>	Footplate, angle and depth-adjustable, standard size	90.00	97.75	36
<b>7151445</b>	Footplate, angle and depth-adjustable, oversize	90.00	97.75	36
<b>7151446</b>	Heel loop, adjustable	N/C	4.50	36
<b>7151447</b>	Headrest cushion, contoured, all sizes	85.00	85.00	36
<b>7151448</b>	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	90.00	90.00	36
<b>FRAME</b>				
<b>7151449</b>	Anti-tipping wheels, detachable or pivoting, with locking mechanism	N/C	21.00	60
<b>7151450</b>	Fold-away back spreader bar to fold chair; with anchor for headrest bracket	70.00	70.00	36
<b>7151451</b>	Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	400.00	N/A	36
<b>7151452</b>	Front impact guard with rollers	35.00	35.00	36
<b>7151453</b>	Cane holder	30.00	30.00	36
<b>DRIVE SYSTEM</b>				
<b>7151454</b>	Handrim, smooth	N/C	14.50	36
<b>7151455</b>	Handrim, plastic-coated	N/C	32.00	36
<b>7151456</b>	Handrim with vertical projections	110.00	124.50	36

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price for component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7151457</b>	Non-slip foam handrim	110.00	124.50	36
<b>7151458</b>	Standard wheel lock, push-to-lock or pull-to-lock	N/C	14.00	36
<b>7151459</b>	Anti-rollback brake	106.00	120.00	36
<b>7151460</b>	Plug-in wheel lock extension	10.00	10.00	36
<b>7151461</b>	Caster fork to adjust height and angle perpendicular to the ground to compensate for changes in the rear seat-to-floor height	N/C	9.63	36
<b>WHEELS AND TIRES</b>				
<b>7151462</b>	Front mag wheel; semi-pneumatic tire; 20.3 cm (8 in.); 2.5 cm (1 in.) wide	N/C	24.91	36
<b>7151463</b>	Front mag wheel; semi-pneumatic tire; 12.7 cm (5 in.) or 17.8 cm (7 in.); 2.5 cm (1 in.) wide	N/C	8.65	36
<b>7151464</b>	Front wheel; inner tube; 15.2 cm (6 in.) or 20.3 cm (8 in.)	40.00	64.91	36
<b>7151465</b>	Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity to four horizontal positions; rear height adjustable for 5° of seat tilt, compatible with all wheel diameters	N/C	9.63	36
<b>7151466</b>	Threaded rear axle	N/C	4.75	36
<b>7151467</b>	Adapter for “amputee” axle position	53.00	53.00	36
<b>7151468</b>	Spoked rear wheel; semi-pneumatic tire; 61 cm (24 in.); 3.5 cm (1⅜ in.) wide	N/C	52.88	36
<b>7151469</b>	Spoked rear wheel; semi-pneumatic tire; 50.8 cm (20 in.) or 55.9 cm (22 in.); 3.5 cm (1⅜ in.) wide	N/C	52.88	36
<b>7151470</b>	Rear wheel; inner tube, standard pressure; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	50.00	102.88	36
<b>7151471</b>	Rear wheel, heavy-duty; semi-pneumatic tire; 55.9 cm (22 in.) or 61 cm (24 in.)	80.00	132.88	36
<b>7151472</b>	Spoke guard	65.00	65.00	36

	<b>PRICE (including all the basic components)</b>
<b>7151013</b> <b>MANUAL WHEELCHAIR IN SUBCATEGORY “INTERMEDIATE (CLASS A FOLDING FRAME)”</b>	
<b>ORTHOFAB INC.</b>	<b>1,175.00</b>
<b>“PRIMA 4” MODEL</b>	

**TECHNICAL SPECIFICATIONS OF THE DEVICE****Maximum weight capacity:** 113.4 kg (250 lb.)**Device weight:** 18 kg (40 lb.)**Overall width :** 19,8 cm (7⅞ in.) over the nominal seat width at 0° rear wheel camber**Front seat-to-floor height:** 35.6 cm to 55.2 cm (14 in. to 21¾ in.)**Rear seat-to-floor height:** 33.7 cm to 49.8 cm (13¼ in. to 19⅝ in.)**Frame :** straight back canes or bend back canes from 8° to 10°, height and angle-adjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of 6°; non-slip push handles; four tie-down points for adapted transport

<b>BASIC AND OPTIONAL COMPONENTS</b>	<b>Unit price for component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>BODY SUPPORT SYSTEM</b>			
<b>7150039</b> Flexible nylon mesh seat, with mesh-stretching system; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N/C	30.00	12
<b>7150040</b> Flat foam seat cushion, 5.1 cm (2 in.); two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion	60.00	60.00	36
<b>7150041</b> Flat foam seat cushion, 7.6 cm (3 in.); two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion	65.00	65.00	36
<b>7150042</b> Seat – width modification to 48.3 cm (19 in.)	99.00	N/A	36
<b>7150043</b> Seat – width modification to 50.8 cm (20 in.)	99.00	N/A	36

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price for component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7150044</b>	Flexible nylon mesh back, padded; heights of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.) or 58.4 cm (23 in.)	N/C	80.00	12
<b>7150045</b>	Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	40.00	120.00	12
<b>7150046</b>	Pelvic positioning belt, auto buckle	N/C	6.00	36
<b>7150047</b>	Pelvic positioning belt, Velcro	N/C	15.00	36
<b>7150048</b>	U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	150.00	60
<b>7150049</b>	T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	150.00	60
<b>7150050</b>	U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	150.00	60
<b>7150051</b>	T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	150.00	60
<b>7150052</b>	Armrest pad, straight, short	N/C	6.00	12
<b>7150053</b>	Armrest pad, straight, long	N/C	6.00	12
<b>7150054</b>	Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or 48.3 cm to 53.3 cm (19 in. to 21 in.)	N/C	100.00	60

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price for component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7150055</b>	Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or 48.3 cm to 53.3 cm (19 in. to 21 in.)	N/C	100.00	60
<b>7150056</b>	Elevating leg-rest, compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; padded calf-rest, height and depth-adjustable	100.00	200.00	36
<b>7150057</b>	Padded calf-rest	15.00	15.00	36
<b>7150058</b>	Calf-rest strap, single or double	15.00	15.00	36
<b>7150059</b>	Folding footplate, standard, standard size; plastic	N/C	6.00	36
<b>7150060</b>	Folding footplate, standard, oversize; plastic	29.00	35.00	36
<b>7150061</b>	Footplate, angle and depth-adjustable, standard size	44.00	50.00	36
<b>7150062</b>	Footplate, angle and depth-adjustable, oversize	49.00	55.00	36
<b>7150063</b>	Heel loop, adjustable	N/C	3.00	36
<b>7150064</b>	Headrest cushion, flat, all sizes	40.00	40.00	36
<b>7150065</b>	Headrest bracket, height and depth-adjustable	35.00	35.00	36
<b>FRAME</b>				
<b>7150066</b>	Anti-tipping wheels, detachable or pivoting, with locking mechanism	N/C	12.00	60
<b>7150067</b>	Fold-away back spreader bar to fold chair; with anchor for headrest bracket	75.00	75.00	36
<b>7150068</b>	Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	103.00	N/A	36
<b>7150069</b>	Front impact guard with rollers	10.00	10.00	36
<b>7150070</b>	Cane holder	25.00	25.00	36
<b>DRIVE SYSTEM</b>				
<b>7150071</b>	Handrim, smooth	N/C	80.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
<b>7150072</b>	Handrim, plastic-coated	N/C	80.00	36
<b>7150073</b>	Handrim with oblique projections	N/C	80.00	36
<b>7150074</b>	Non-slip foam handrim	40.00	120.00	36
<b>7150075</b>	Standard wheel lock, push-to-lock or pull-to-lock	N/C	30.00	36
<b>7150076</b>	Anti-rollback brake	25.00	55.00	36
<b>7150077</b>	Plug-in wheel lock extension	10.00	10.00	36
<b>7150078</b>	Caster fork to adjust height and angle perpendicular to the ground to compensate for changes in the rear seat-to-floor height	N/C	15.00	36
<b>WHEELS AND TIRES</b>				
<b>7150079</b>	Front mag wheel; semi-pneumatic tire; 17.8 cm (7 in.) or 20.3 cm (8 in.); 2.54 cm (1 in.) or 3.8 cm (1½ in.) wide	N/C	40.00	36
<b>7150080</b>	Front mag wheel; semi-pneumatic tire; 12.7 cm (5 in.) or 15.2 cm (6 in.); 3.8 cm (1½ in.) wide	N/C	40.00	36
<b>7150081</b>	Front wheel; inner tube; 15.2 cm (6 in.), 17.8 cm (7 in.) or 20.3 cm (8 in.)	10.00	50.00	36
<b>7150082</b>	Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity to four horizontal positions; rear height adjustable for 5° of seat tilt, compatible with all wheel diameters	N/C	15.00	36
<b>7150083</b>	Threaded rear axle	N/C	2.00	36
<b>7150084</b>	Adapter for “amputee” axle position	10.00	10.00	36
<b>7150085</b>	Spoked rear wheel; semi-pneumatic tire; 61 cm (24 in.); 3.2 cm (1¼ in.) wide	N/C	100.00	36
<b>7150086</b>	Spoked rear wheel; semi-pneumatic tire; 50.8 cm (20 in.) or 55.9 cm (22 in.); 3.2 cm (1¼ in.) wide	N/C	100.00	36
<b>7150087</b>	Rear wheel; inner tube, standard pressure; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N/C	100.00	36
<b>7150088</b>	Rear wheel, heavy-duty; semi-pneumatic tire; 55.9 cm (22 in.) or 61 cm (24 in.)	50.00	150.00	36
<b>7150089</b>	Spoke guard	70.00	70.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
				PRICE (including all the basic components)
<b>7151014</b>	<b>MANUAL WHEELCHAIR IN SUBCATEGORY “INTERMEDIATE (CLASS B FOLDING FRAME)”</b>			
	<b>MOTION COMPOSITES INC.</b>			<b>1,040.00</b>
	<b>“COBALT 2” MODEL</b>			
<b>TECHNICAL SPECIFICATIONS OF THE DEVICE</b>				
<b>Maximum weight capacity:</b> 113.4 kg (250 lb.)				
<b>Device weight:</b> 15.9 kg (35 lb.)				
<b>Overall width:</b> 19,1 cm (7½ in.) over the nominal seat width at 0° rear wheel camber				
<b>Front seat-to-floor height:</b> 31.8 cm to 52.1 cm (12½ in. to 20½ in.)				
<b>Rear seat-to-floor height:</b> 31.1 cm to 50.8 cm (12¼ in. to 20 in.)				
<b>Frame :</b> straight back canes or bend back canes from 8° to 10°, height and angle-adjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of 6°; non-slip push handles; four tie-down points for adapted transport				

BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
<b>BODY SUPPORT SYSTEM</b>				
<b>7151015</b>	Flexible nylon mesh seat, with mesh-stretching system; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N/C	36.00	12
<b>7151016</b>	Flat foam seat cushion, 5.1 cm (2 in.); two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion	63.00	63.00	36
<b>7151017</b>	Flat foam seat cushion, 7.6 cm (3 in.); two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion	104.00	104.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
<b>7151018</b>	Seat – width modification to 48.3 cm (19 in.)	100.00	N/A	36
<b>7151019</b>	Seat – width modification to 50.8 cm (20 in.)	100.00	N/A	36
<b>7151020</b>	Flexible nylon mesh back, padded; heights of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.) 48.3 cm (19 in.) or 50.8 cm (20 in.)	N/C	32.33	12
<b>7151021</b>	Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	83.00	115.33	12
<b>7151022</b>	Pelvic positioning belt, auto buckle	N/C	13.75	36
<b>7151023</b>	Pelvic positioning belt, Velcro	N/C	47.50	36
<b>7151024</b>	U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	118.00	60
<b>7151025</b>	T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	118.00	60
<b>7151026</b>	U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	120.33	60
<b>7151027</b>	T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	120.33	60
<b>7151028</b>	Armrest pad, straight, short	N/C	4.75	12
<b>7151029</b>	Armrest pad, straight, long	N/C	5.58	12
<b>7151030</b>	Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 35.6 cm to 45.7 cm (14 in. to 18 in.)	N/C	23.88	60

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price for component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7151031</b>	Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 35.6 cm to 45.7 cm (14 in. to 18 in.)	N/C	48.00	60
<b>7151032</b>	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	177.50	201.38	36
<b>7151033</b>	Padded calf-rest	48.75	48.75	36
<b>7151034</b>	Calf-rest strap, single or double	20.00	20.00	36
<b>7151035</b>	Folding footplate, standard, standard size; plastic	N/C	7.75	36
<b>7151036</b>	Folding footplate, standard, oversize; plastic	10.00	17.75	36
<b>7151037</b>	Footplate, angle and depth-adjustable, standard size	90.00	97.75	36
<b>7151038</b>	Footplate, angle and depth-adjustable, oversize	90.00	97.75	36
<b>7151039</b>	Heel loop, adjustable	N/C	4.50	36
<b>7151040</b>	Headrest cushion, contoured, all sizes	85.00	85.00	36
<b>7151041</b>	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	90.00	90.00	36
<b>FRAME</b>				
<b>7151042</b>	Anti-tipping wheels, detachable or pivoting, with locking mechanism	N/C	21.00	60
<b>7151043</b>	Fold-away back spreader bar to fold chair; with anchor for headrest bracket	70.00	70.00	36
<b>7151044</b>	Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	400.00	N/A	36
<b>7151045</b>	Front impact guard with rollers	35.00	35.00	36
<b>7151046</b>	Cane holder	30.00	30.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
<b>DRIVE SYSTEM</b>				
<b>7151047</b>	Handrim, smooth	N/C	14.50	36
<b>7151048</b>	Handrim, plastic-coated	N/C	32.00	36
<b>7151049</b>	Non-slip foam handrim	110.00	124.50	36
<b>7151050</b>	Handrim with vertical projections	110.00	124.50	36
<b>7151051</b>	Standard wheel lock, push-to-lock or pull-to-lock	N/C	14.00	36
<b>7151052</b>	Anti-rollback brake	106.00	120.00	36
<b>7151053</b>	Plug-in wheel lock extension	10.00	10.00	36
<b>7151054</b>	Caster fork to adjust height and angle perpendicular to the ground to compensate for changes in the rear seat-to-floor height	N/C	9.63	36
<b>WHEELS AND TIRES</b>				
<b>7151055</b>	Front mag wheel; semi-pneumatic tire; 20.3 cm (8 in.); 2.5 cm (1 in.) wide	N/C	24.91	36
<b>7151056</b>	Front mag wheel; semi-pneumatic tire; 12.7 cm (5 in.) or 17.8 cm (7 in.); 2.5 cm (1 in.) wide	N/C	8.65	36
<b>7151057</b>	Front wheel; inner tube; 15.2 cm (6 in.) or 20.3 cm (8 in.)	40.00	64.91	36
<b>7151058</b>	Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity to four horizontal positions; rear height adjustable for 5° of seat tilt, compatible with all wheel diameters	N/C	9.63	36
<b>7151059</b>	Threaded rear axle	N/C	4.75	36
<b>7151060</b>	Adapter for “amputee” axle position	53.00	53.00	36
<b>7151061</b>	Spoked rear wheel; semi-pneumatic tire; 61 cm (24 in.); 3.5 cm (1¾ in.) wide	N/C	52.88	36
<b>7151062</b>	Spoked rear wheel; semi-pneumatic tire; 50.8 cm (20 in.) or 55.9 cm (22 in.); 3.5 cm (1¾ in.) wide	N/C	52.88	36
<b>7151063</b>	Rear wheel, heavy-duty; semi-pneumatic tire; 55.9 cm (22 in.) or 61 cm (24 in.)	80.00	132.88	36
<b>7151064</b>	Rear wheel; inner tube, standard pressure; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	50.00	102.88	36

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price for component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7151065</b>	Spoke guard	65.00	65.00	36

		<b>PRICE</b> <b>(including all</b> <b>the basic</b> <b>components)</b>
<b>7151066</b>	<b>MANUAL WHEELCHAIR</b> <b>IN SUBCATEGORY “MULTI-ADJUSTABLE</b> <b>(CLASS A FOLDING FRAME)”</b>	
	<b>MOTION COMPOSITES INC.</b>	<b>1,200.00</b>
	<b>“PLATINE 1” MODEL</b>	

**TECHNICAL SPECIFICATIONS OF THE DEVICE****Maximum weight capacity:** 113.4 kg (250 lb.)**Device weight:** 16.8 kg (37 lb.)**Overall width:** 19,1 cm (7½ in.) over the nominal seat width at 0° rear wheel camber**Front seat-to-floor height:** 34.3 cm to 54.0 cm (13¾ in. to 21¾ in.)**Rear seat-to-floor height:** 31.1 cm to 50.8 cm (13½ in. to 21¼ in.)**Frame :** straight back canes or bend back canes from 8° to 10°, height and angle-adjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of 6°; non-slip push handles; four tie-down points for adapted transport

	<b>BASIC AND OPTIONAL COMPONENTS</b>	<b>Unit price for</b> <b>component</b> <b>during device</b> <b>purchase</b>	<b>Unit price for</b> <b>component</b> <b>replacement</b>	<b>Warranty</b> <b>(months)</b>
	<b>BODY SUPPORT SYSTEM</b>			
<b>7151067</b>	Flexible nylon mesh seat, with mesh-stretching system; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N/C	36.00	12
<b>7151068</b>	Flat foam seat cushion, 5.1 cm (2 in.); two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion	63.00	63.00	36
<b>7151069</b>	Flat foam seat cushion, 7.6 cm (3 in.); two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion	104.00	104.00	36
<b>7151070</b>	Seat – depth modification to 48.3 cm (19 in.)	N/C	N/A	36
<b>7151071</b>	Seat – depth modification to 50.8 cm (20 in.)	N/C	N/A	36

BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
<b>7151072</b>	Seat – width modification to 53.3 cm (21 in.)	400.00	N/A	36
<b>7151073</b>	Seat – width modification to 55.9 cm (22 in.)	400.00	N/A	36
<b>7151074</b>	Flexible nylon mesh back, padded; heights of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N/C	32.33	12
<b>7151075</b>	Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	83.00	115.33	12
<b>7151076</b>	Pelvic positioning belt, auto buckle	N/C	13.75	36
<b>7151077</b>	Pelvic positioning belt, Velcro	N/C	47.50	36
<b>7151078</b>	L-type armrest, long; pivoting and detachable; height-adjustable by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid or flexible, detachable; tubular armrest pad	N/C	118.00	60
<b>7151079</b>	U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	118.00	60
<b>7151080</b>	T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	118.00	60
<b>7151081</b>	U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	120.33	60
<b>7151082</b>	T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	120.33	60
<b>7151083</b>	Armrest pad, straight, short	N/C	4.75	12
<b>7151084</b>	Armrest pad, straight, long	N/C	5.58	12
<b>7151085</b>	Armrest pad, tubular, for L-type armrest	N/C	40.00	12

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price for component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7151086</b>	Clothing guard, rigid, for L-type armrest	N/C	77.00	36
<b>7151087</b>	Clothing guard, flexible, for L-type armrest	N/C	77.00	36
<b>7151088</b>	Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.)	N/C	23.88	60
<b>7151089</b>	Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.)	N/C	48.00	60
<b>7151090</b>	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	177.50	201.38	36
<b>7151091</b>	Padded calf-rest	48.75	48.75	36
<b>7151092</b>	Calf-rest strap, single or double	20.00	20.00	36
<b>7151093</b>	Folding footplate, standard, standard size; plastic	N/C	7.75	36
<b>7151094</b>	Folding footplate, standard, oversize; plastic	10.00	17.75	36
<b>7151095</b>	Footplate, angle and depth-adjustable, standard size	90.00	97.75	36
<b>7151096</b>	Footplate, angle and depth-adjustable, oversize	90.00	97.75	36
<b>7151097</b>	Full-width footplate, one piece, folding; fixed angle or angle-adjustable	120.00	135.50	36
<b>7151098</b>	Heel loop, adjustable	N/C	4.50	36
<b>7151099</b>	Headrest cushion, contoured, all sizes	85.00	85.00	36
<b>7151100</b>	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	90.00	90.00	36
<b>FRAME</b>				
<b>7151101</b>	Fold-away back spreader bar to fold chair; with anchor for headrest bracket	70.00	70.00	36
<b>7151102</b>	Anti-tipping wheels, detachable or pivoting, with locking mechanism	N/C	21.00	60

BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
<b>7151103</b>	Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	400.00	N/A	36
<b>7151104</b>	Front impact guard with rollers	35.00	35.00	36
<b>7151105</b>	Cane holder	30.00	30.00	36
<b>DRIVE SYSTEM</b>				
<b>7151106</b>	Handrim, smooth	N/C	14.50	36
<b>7151107</b>	Handrim, plastic-coated	N/C	32.00	36
<b>7151108</b>	Handrim with vertical projections	110.00	124.50	36
<b>7151109</b>	Non-slip foam handrim	110.00	124.50	36
<b>7151110</b>	Standard wheel lock, push-to-lock or pull-to-lock	N/C	14.00	36
<b>7151111</b>	Anti-rollback brake	106.00	120.00	36
<b>7151112</b>	Plug-in wheel lock extension	10.00	10.00	36
<b>7151113</b>	Caster fork to adjust height and angle perpendicular to the ground to compensate for changes in the rear seat-to-floor height	N/C	9.63	36
<b>WHEELS AND TIRES</b>				
<b>7151114</b>	Front mag wheel; semi-pneumatic tire; 20.3 cm (8 in.); 2.5 cm (1 in.) wide	N/C	24.91	36
<b>7151115</b>	Front mag wheel; semi-pneumatic tire; 12.7 cm (5 in.) or 17.8 cm (7 in.); 2.5 cm (1 in.) wide	N/C	8.65	36
<b>7151116</b>	Front wheel; inner tube; 15.2 cm (6 in.) or 20.3 cm (8 in.)	40.00	64.91	36
<b>7151117</b>	Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity by maximum increments of 0.63 cm (¼ in.) on a horizontal range of 6.4 cm (2½ in.); adjustable rear height by maximum increments of 2 cm (¾ in.) for up to 6.4 cm (2½ in.) of seat tilt, compatible with all wheel diameters	N/C	9.63	36
<b>7151118</b>	Threaded rear axle	N/C	4.75	36
<b>7151119</b>	Adapter for “amputee” axle position	53.00	53.00	36

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price for component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7151120</b>	Spoked rear wheel; semi-pneumatic tire; 61 cm (24 in.); 3.5 cm (1 <sup>3</sup> / <sub>8</sub> in.) wide	N/C	52.88	36
<b>7151121</b>	Spoked rear wheel; semi-pneumatic tire; 50.8 cm (20 in.) or 55.9 cm (22 in.); 3.5 cm (1 <sup>3</sup> / <sub>8</sub> in.) wide	N/C	52.88	36
<b>7151122</b>	Spoked rear wheel; inner tube, high pressure; 55.9 cm (22 in.) or 61 cm (24 in.)	60.00	112.88	36
<b>7151123</b>	Spoked rear wheel; inner tube, standard pressure; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	50.00	102.88	36
<b>7151124</b>	Rear wheel, heavy-duty; semi-pneumatic tire; 55.9 cm (22 in.) or 61 cm (24 in.)	80.00	132.88	36
<b>7151125</b>	Rear wheel camber, 3° or 6°	100.00	100.00	36
<b>7151126</b>	Spoke guard	65.00	65.00	36

		<b>PRICE</b> <b>(including all</b> <b>the basic</b> <b>components)</b>
<b>7151127</b>	<b>MANUAL WHEELCHAIR</b> <b>IN SUBCATEGORY “MULTI-ADJUSTABLE</b> <b>(CLASS B FOLDING FRAME)”</b>	
	<b>MOTION COMPOSITES INC.</b>	<b>1,200.00</b>
	<b>“PLATINE 2” MODEL</b>	

**TECHNICAL SPECIFICATIONS OF THE DEVICE****Maximum weight capacity:** 113.4 kg (250 lb.)**Device weight:** 15.9 kg (35 lb.)**Overall width:** 19,1 cm (7½ in.) over the nominal seat width at 0° rear wheel camber**Front seat-to-floor height:** 31.8 cm to 52.1 cm (12½ in. to 20½ in.)**Rear seat-to-floor height:** 31.1 cm to 50.8 cm (12¼ in. to 20 in.)**Frame :** straight back canes or bend back canes from 8° to 10°, height and angle-adjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of 6°; non-slip push handles; four tie-down points for adapted transport

	<b>BASIC AND OPTIONAL COMPONENTS</b>	<b>Unit price for</b> <b>component</b> <b>during device</b> <b>purchase</b>	<b>Unit price for</b> <b>component</b> <b>replacement</b>	<b>Warranty</b> <b>(months)</b>
	<b>BODY SUPPORT SYSTEM</b>			
<b>7151128</b>	Flexible nylon mesh seat, with mesh-stretching system; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N/C	36.00	12
<b>7151129</b>	Flat foam seat cushion, 5.1 cm (2 in.); two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion	63.00	63.00	36
<b>7151130</b>	Flat foam seat cushion, 7.6 cm (3 in.); two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion	104.00	104.00	36
<b>7151131</b>	Flexible nylon mesh back, padded; heights of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N/C	32.33	12

BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
<b>7151132</b>	Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	83.00	115.33	12
<b>7151133</b>	Pelvic positioning belt, auto buckle	N/C	13.75	36
<b>7151134</b>	Pelvic positioning belt, Velcro	N/C	47.50	36
<b>7151135</b>	U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	118.00	60
<b>7151136</b>	T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	118.00	60
<b>7151137</b>	U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	120.33	60
<b>7151138</b>	T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	120.33	60
<b>7151139</b>	L-type armrest, long; pivoting and detachable; height-adjustable by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, flexible or rigid, detachable; tubular armrest pad.	N/C	118.00	60
<b>7151140</b>	Armrest pad, straight, short	N/C	4.75	12
<b>7151141</b>	Armrest pad, straight, long	N/C	5.58	12
<b>7151142</b>	Armrest pad, tubular, for L-type armrest	N/C	40.00	12
<b>7151143</b>	Clothing guard, rigid, for L-type armrest	N/C	77.00	36
<b>7151144</b>	Clothing guard, flexible, for L-type armrest	N/C	77.00	36
<b>7151145</b>	Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.)	N/C	23.88	60

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price for component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7151146</b>	Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.)	N/C	48.00	60
<b>7151147</b>	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	177.50	201.38	36
<b>7151148</b>	Padded calf-rest	48.75	48.75	36
<b>7151149</b>	Calf-rest strap, single or double	20.00	20.00	36
<b>7151150</b>	Folding footplate, standard, standard size; plastic	N/C	7.75	36
<b>7151151</b>	Folding footplate, standard, oversize; plastic	10.00	17.75	36
<b>7151152</b>	Footplate, angle and depth-adjustable, standard size	90.00	97.75	36
<b>7151153</b>	Footplate, angle and depth-adjustable, oversize	90.00	97.75	36
<b>7151154</b>	Full-width footplate, one piece, folding; fixed angle or angle-adjustable	120.00	135.50	36
<b>7151155</b>	Heel loop, adjustable	N/C	4.50	36
<b>7151156</b>	Headrest cushion, contoured, all sizes	85.00	85.00	36
<b>7151157</b>	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	90.00	90.00	36
<b>FRAME</b>				
<b>7151158</b>	Anti-tipping wheels, detachable or pivoting, with locking mechanism	N/C	21.00	60
<b>7151159</b>	Fold-away back spreader bar to fold chair; with anchor for headrest bracket	70.00	70.00	36
<b>7151160</b>	Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	400.00	N/A	36
<b>7151161</b>	Front impact guard with rollers	35.00	35.00	36
<b>7151162</b>	Cane holder	30.00	30.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
<b>DRIVE SYSTEM</b>				
<b>7151163</b>	Handrim, smooth	N/C	14.50	36
<b>7151164</b>	Handrim, plastic-coated	N/C	32.00	36
<b>7151165</b>	Handrim with vertical projections	110.00	124.50	36
<b>7151166</b>	Non-slip foam handrim	110.00	124.50	36
<b>7151167</b>	Standard wheel lock, push-to-lock or pull-to-lock	N/C	14.00	36
<b>7151168</b>	Anti-rollback brake	106.00	120.00	36
<b>7151169</b>	Plug-in wheel lock extension	10.00	10.00	36
<b>7151170</b>	Caster fork to adjust height and angle perpendicular to the ground to compensate for changes in the rear seat-to-floor height	N/C	9.63	36
<b>WHEELS AND TIRES</b>				
<b>7151171</b>	Front mag wheel; semi-pneumatic tire; 20.3 cm (8 in.); 2.5 cm (1 in.) wide	N/C	24.91	36
<b>7151172</b>	Front mag wheel; semi-pneumatic tire; 12.7 cm (5 in.) or 17.8 cm (7 in.); 2.5 cm (in.) wide	N/C	8.65	36
<b>7151173</b>	Front wheel; inner tube; 15.2 cm (6 in.) or 20.3 cm (8 in.)	40.00	64.91	36
<b>7151174</b>	Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity by maximum increments of 0.63 cm (¼ in.) on a horizontal range of 6.4 cm (2½ in.); adjustable rear height by maximum increments of 2 cm (¾ in.) for up to 6.4 cm (2½ in.) of seat tilt, compatible with all wheel diameters	N/C	9.63	36
<b>7151175</b>	Threaded rear axle	N/C	4.75	36
<b>7151176</b>	Adapter for “amputee” axle position	53.00	53.00	36
<b>7151177</b>	Spoked rear wheel; semi-pneumatic tire; 61 cm (24 in.); 3.5 cm (1⅜ in.) wide	N/C	52.88	36
<b>7151178</b>	Spoked rear wheel; semi-pneumatic tire; 50.8 cm (20 in.) or 55.9 cm (22 in.); 3.5 cm (1⅜ in.) wide	N/C	52.88	36
<b>7151179</b>	Rear wheel, heavy-duty; semi-pneumatic tire; 55.9 cm (22 in.) or 61 cm (24 in.)	80.00	132.88	36

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price for component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7151180</b>	Rear wheel, heavy-duty; inner tube, high pressure; 55.9 cm (22 in.) or 61 cm (24 in.)	92.00	144.88	36
<b>7151181</b>	Spoked rear wheel; inner tube, standard pressure; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	50.00	102.88	36
<b>7151182</b>	Spoked rear wheel; inner tube, high pressure; 55.9 cm (22 in.) or 61 cm (24 in.)	60.00	112.88	36
<b>7151183</b>	Rear wheel camber, 3° or 6°	100.00	100.00	36
<b>7151184</b>	Spoke guard	65.00	65.00	36

**SUBDIVISION 2: LIGHTWEIGHT MANUAL WHEELCHAIRS**

		PRICE (including all the basic components)		
7151258	LIGHTWEIGHT MANUAL WHEELCHAIR IN SUBCATEGORY “CLASS 2 RIGID PERFORMANCE FRAME”			
	SUNRISE MEDICAL CANADA INC.		1,190.00	
	“QUICKIE QRI” MODEL			
TECHNICAL SPECIFICATIONS OF THE DEVICE				
Maximum weight capacity: 120.2 kg (265 lb.)				
Device weight: 13.6 kg (30 lb.)				
Overall width: 20,3 cm (8 in.) over the nominal seat width at 0° rear wheel camber				
Front seat-to-floor height: 38.1 cm to 53.3 cm (15 in. to 21 in.)				
Rear seat-to-floor height: 35.6 cm to 50.8 cm (14 in. to 20 in.)				
Frame : Fold-away back canes, height-adjustable and angle-adjustable from 80° to 100° by maximum increments of 6°; built into push handles, non-slip; four tie-down points for adapted transport				
BASIC AND OPTIONAL COMPONENTS		Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM				
7151259	Flexible nylon mesh seat, with mesh-stretching system; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.) or 48.3 cm (19 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.) or 48.3 cm (19 in.)	N/C	55.00	12
7151260	Flat foam seat cushion, 5.1 cm (2 in.); two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion	48.00	48.00	36
7151261	Flat foam seat cushion, 7.6 cm (3 in.); two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion	55.00	55.00	36

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price for component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7151262</b>	Flexible nylon mesh back, padded; heights of 25.4 cm (10 in.), 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N/C	40.00	12
<b>7151263</b>	Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps—except for backs ≤ 38.1 cm (15 in.)—spread across the height of the back	N/C	45.00	12
<b>7151264</b>	Pelvic positioning belt, auto buckle	N/C	35.00	36
<b>7151265</b>	Pelvic positioning belt, Velcro	N/C	29.00	36
<b>7151266</b>	L-type armrest, long; pivoting and detachable; height-adjustable, from 22.9 cm to 33 cm (9 in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, detachable; armrest pad, tubular	N/C	96.00	60
<b>7151267</b>	T-type armrest, short or long; detachable; height-adjustable, from 17.8 cm to 34.3 cm (7 in. to 13½ in.), with locking mechanism; armrest pad, straight	24.00	120.00	60
<b>7151268</b>	Armrest pad, tubular, for L-type armrest	N/C	2.00	12
<b>7151269</b>	Armrest pad, straight, short or long	7.00	9.00	12
<b>7151270</b>	Clothing guard, flexible	N/C	22.00	36
<b>7151271</b>	Clothing guard, rigid, for L-type armrest	N/C	20.00	36
<b>7151272</b>	Calf-rest strap, single	N/C	19.00	36
<b>7151273</b>	Calf-rest strap, double	6.00	25.00	36
<b>7151274</b>	Footplate, full-width, standard, aluminum	N/C	65.00	36
<b>7151275</b>	Footplate, full-width, angle-adjustable	N/C	111.00	36
<b>FRAME</b>				
<b>7151276</b>	Push handle, bolt-on or fold-down	N/C	51.00	36
<b>7151277</b>	Anti-tipping wheels, detachable or pivoting, with locking mechanism	N/C	28.00	60

	<b>BASIC AND OPTIONAL COMPONENTS</b>	<b>Unit price for component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
	<b>DRIVE SYSTEM</b>			
<b>7151278</b>	Handrim, smooth	N/C	40.00	36
<b>7151279</b>	Handrim, plastic-coated	N/C	40.00	36
<b>7151280</b>	Non-slip foam handrim	85.00	125.00	36
<b>7151281</b>	Handrim with vertical or oblique projections	45.00	85.00	36
<b>7151282</b>	Standard wheel lock, push-to-lock or pull-to-lock	N/C	32.00	36
<b>7151283</b>	Scissor lock	4.00	36.00	36
<b>7151284</b>	Anti-rollback brake	34.00	66.00	36
<b>7151285</b>	Plug-in wheel lock extension	7.00	7.00	36
<b>7151286</b>	Caster fork to adjust height	N/C	32.00	36
	<b>WHEELS AND TIRES</b>			
<b>7151287</b>	Front mag wheel; semi-pneumatic tire; 12.7 cm (5 in.); 2.5 cm (1 in.) or 3.8 cm (1½ in.) wide	N/C	15.00	36
<b>7151288</b>	Front mag wheel; semi-pneumatic tire; 10.2 (4 in.) or 15.2 cm (6 in.); 2.5 cm (1 in.) or 3.8 cm (1½ in.) wide	N/C	15.00	36
<b>7151289</b>	Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity by maximum increments of 0.63 cm (¼ in.); adjustable rear height by maximum increments of 1.3 cm (1/2 in.) for up to 7.6 cm (3 in.) of seat tilt; tilt can be obtained in combination with the frame shape	N/C	33.00	36
<b>7151290</b>	Rear axle, quick release system, with lever mechanism	8.00	41.00	36
<b>7151291</b>	Spoked rear wheel, heavy-duty; semi-pneumatic tire; 61 cm (24 in.)	N/C	80.00	36
<b>7151292</b>	Spoked rear wheel, heavy-duty; semi-pneumatic tire; 55.9 cm (22 in.), 63.5 cm (25 in.) or 66 cm (26 in.)	N/C	80.00	36
<b>7151293</b>	Spoked rear wheel, heavy-duty; inner tube, high pressure; 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.)	N/C	80.00	36
<b>7151294</b>	Spoked rear wheel, heavy-duty; inner tube, standard pressure; 55.9 cm (22 in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.)	N/C	80.00	36

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price for component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7151295</b>	Spoke guard	20.00	20.00	36

**SUBDIVISION 3: POWERED WHEELCHAIRS**

		PRICE (including all the basic components)		
7153000	POWERED WHEELCHAIR SUBCATEGORY “INTERMEDIATE COMPACT (MID-FRONT, MEDIAL, OR MID-REAR DRIVE WHEELS)”  SUNRISE MEDICAL CANADA INC.  “323 IC” MODEL			
TECHNICAL SPECIFICATIONS OF THE DEVICE				
Maximum weight capacity: 136 kg (300 lb.)				
Seat-to-floor height: 41.9 cm to 52 cm (16½ in. to 20½ in.) without power tilt system and 41.9 cm to 48.3 cm (16½ in. to 19 in.) with power tilt system				
Frame: mid-wheel drive base, overall width ≤ 61 cm (24 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport				
Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately				
BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM				
7153001	Seat-to-back assembly structure; resizable; back canes angle- adjustable from 90° to 110° by maximum increments of 6°; non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle-adjustable from 0° to 5° minimum; anchor for headrest bracket	N/C	550.00	36
7153002	Rigid metal seat for cushion; two strips of “hook” Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N/C	75.00	36

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7153003</b>	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of “velour” Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	225.00	225.00	36
<b>7153004</b>	Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N/C	160.00	12
<b>7153005</b>	Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	40.00	200.00	12
<b>7153006</b>	Padded back cushion, contoured, including a rigid, contoured back	90.00	250.00	36
<b>7153007</b>	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	350.00	350.00	36
<b>7153008</b>	Power tilt system for minimum angulation of 0° to 45°, including controller on joystick control	1,650.00	1,650.00	36
<b>7153009</b>	Pelvic positioning belt, auto buckle	N/C	30.00	36
<b>7153010</b>	U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 38.7 cm (7 in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	175.00	60
<b>7153011</b>	T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 34.3 cm (7 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	175.00	60
<b>7153012</b>	U-type armrest, long; flip-away; height-adjustable, from 17.8 cm to 38.7 cm (7 in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	175.00	60
<b>7153013</b>	T-type armrest, long; detachable; height-adjustable, from 17.8 cm to 34.3 cm (7 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	175.00	60

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7153014</b>	Armrest pad, straight, short	N/C	20.00	12
<b>7153015</b>	Armrest pad, straight, long	N/C	20.00	12
<b>7153017</b>	One-piece footrest platform, 90° angle, adjustable length	N/C	225.00	60
<b>7153018</b>	Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 31.5 cm to 49.5 cm (12½ in. to 19½ in.)	N/C	225.00	60
<b>7153019</b>	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	N/C	225.00	36
<b>7153020</b>	Padded calf-rest	35.00	35.00	36
<b>7153021</b>	Folding footplate, standard, standard size	N/C	80.00	36
<b>7153022</b>	Folding footplate, standard, oversize	N/C	80.00	36
<b>7153023</b>	Footplate, angle and depth-adjustable, standard size	N/C	80.00	36
<b>7153024</b>	Footplate, angle and depth-adjustable, oversize	N/C	80.00	36
<b>7153025</b>	Heel loop, adjustable	N/C	30.00	36
<b>7153026</b>	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	75.00	75.00	36
<b>7153027</b>	Headrest cushion, contoured, all sizes	70.00	70.00	36
<b>FRAME</b>				
<b>7153029</b>	Front impact guard with rollers	20.00	20.00	36
<b>DRIVE SYSTEM</b>				
<b>7153030</b>	Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N/C	329.00	36
<b>7153031</b>	Standard side bracket for joystick control; adjustable forward-rearward position	N/C	140.00	36

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7153032</b>	Swivel side bracket for joystick control; with locking mechanism	N/C	230.00	36
<b>7153033</b>	Midline bracket for joystick control; flip-back to provide total clearance for seat access	60.00	200.00	36
<b>7153034</b>	Controller for basic programmable electronics	N/C	659.00	36
<b>7153035</b>	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N/C	600.00	36
<b>7153036</b>	Battery charger; external; compatible with group 22 NF batteries	N/C	199.00	36
<b>7153037</b>	Ball, stick, T-type, or mushroom handle	55.00	55.00	36
<b>WHEELS AND TIRES</b>				
<b>7153038</b>	Drive wheel, inner tube tire	N/C	150.00	36
<b>7153039</b>	Front caster wheel, semi-pneumatic or inner tube	N/C	80.00	36
<b>7153040</b>	Rear caster wheel, semi-pneumatic	N/C	80.00	36
<b>7153041</b>	Airless insert for drive wheel	45.00	45.00	36

		<b>PRICE</b> (including all the basic components)
<b>7153044</b>	<b>POWERED WHEELCHAIR</b> <b>SUBCATEGORY “LOW-SEAT COMPACT MULTI-PURPOSE (MID-FRONT OR MEDIAL DRIVE WHEELS)”</b>	
	<b>SUNRISE MEDICAL CANADA INC.</b>	<b>4,875.00</b>
	<b>“323 PC” MODEL</b>	

**TECHNICAL SPECIFICATIONS OF THE DEVICE**

**Maximum weight capacity:** 181.4 kg (400 lb.)

**Seat-to-floor height:** 41.9 cm to 52 cm (16½ in. to 20½ in.) without power tilt system and 41.9 cm to 52 cm (16½ in. to 20½ in.) with power tilt system

**Frame:** mid-wheel drive base, overall width ≤ 61 cm (24 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

**Drive system:** electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

	<b>BASIC AND OPTIONAL COMPONENTS</b>	<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
	<b>BODY SUPPORT SYSTEM</b>			
<b>7153045</b>	Seat-to-back assembly structure; resizable; back canes angle- adjustable from 90° to 110° by maximum increments of 6°; non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle-adjustable from 0° to 10 ; anchor for headrest bracket	N/C	550.00	36
<b>7153046</b>	Rigid metal seat for cushion; two strips of “hook” Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N/C	75.00	36
<b>7153047</b>	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of “velour” Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	225.00	225.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
<b>7153048</b>	Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N/C	160.00	12
<b>7153049</b>	Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	40.00	200.00	12
<b>7153050</b>	Padded back cushion, contoured, including a rigid, contoured back	90.00	250.00	36
<b>7153051</b>	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	350.00	350.00	36
<b>7153052</b>	Power reclining back system, including a control external to the joystick control	1,590.00	1,590.00	36
<b>7153053</b>	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	1,650.00	1,650.00	36
<b>7153054</b>	Pelvic positioning belt, auto buckle	N/C	30.00	36
<b>7153055</b>	U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 38.7 cm (7 in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	175.00	60
<b>7153056</b>	T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 34.3 cm (7 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	175.00	60
<b>7153057</b>	U-type armrest, long; flip-away; height-adjustable, from 17.8 cm to 38.7 cm (7 in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	175.00	60
<b>7153058</b>	T-type armrest, long; detachable; height-adjustable, from 17.8 cm to 34.3 cm (7 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	175.00	60
<b>7153059</b>	Armrest pad, straight, short	N/C	20.00	12
<b>7153060</b>	Armrest pad, straight, long	N/C	20.00	12

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7153061</b>	One-piece footrest platform, 90° angle, adjustable length	N/C	225.00	60
<b>7153062</b>	Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 31.8 cm to 49.5 cm (12½ in. to 19½ in.)	N/C	225.00	60
<b>7153063</b>	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	112.50	225.00	36
<b>7153064</b>	Power elevating leg-rest, with control per pair, including a control external to the joystick control	637.50	750.00	36
<b>7153065</b>	Power elevating leg-rest, with control per unit, including a control external to the joystick control	637.50	750.00	36
<b>7153066</b>	Power leg-rest, one piece, including a control external to the joystick control	1,275.00	1,500.00	36
<b>7153067</b>	Padded calf-rest, contoured	35.00	35.00	36
<b>7153068</b>	Folding footplate, standard, standard size	N/C	80.00	36
<b>7153069</b>	Folding footplate, standard, oversize	N/C	80.00	36
<b>7153070</b>	Footplate, angle and depth-adjustable, standard size	N/C	80.00	36
<b>7153071</b>	Footplate, angle and depth-adjustable, oversize	N/C	80.00	36
<b>7153072</b>	Heel loop, adjustable	N/C	30.00	36
<b>7153073</b>	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	75.00	75.00	36
<b>7153074</b>	Headrest cushion, contoured, all sizes	70.00	70.00	36
<b>FRAME</b>				
<b>7153075</b>	Front impact guard with rollers	20.00	20.00	36
<b>DRIVE SYSTEM</b>				
<b>7153076</b>	Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N/C	329.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
<b>7153077</b>	Standard joystick control for multi-purpose programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	200.00	529.00	36
<b>7153078</b>	Compact joystick control, proportional	N/C	329.00	36
<b>7153079</b>	Standard side bracket for joystick control; adjustable forward-rearward position	N/C	140.00	36
<b>7153080</b>	Swivel side bracket for joystick control; with locking mechanism	N/C	230.00	36
<b>7153081</b>	Midline bracket for joystick control; flip-back to provide total clearance for seat access	60.00	200.00	36
<b>7153082</b>	Controller for basic programmable electronics	N/C	659.00	36
<b>7153083</b>	Controller for multi-purpose programmable electronics	100.00	759.00	36
<b>7153084</b>	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N/C	600.00	36
<b>7153085</b>	Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N/C	600.00	36
<b>7153086</b>	Internal control system for the joystick control for one (1) power repositioning accessory	350.00	350.00	36
<b>7153087</b>	Internal control system for the joystick control for four (4) power repositioning accessories	500.00	500.00	36
<b>7153088</b>	Battery charger; external; compatible with group 22 NF or group 24 batteries	N/C	199.00	36
<b>7153089</b>	Adapted head control, proportional, including mounting bracket	1,100.00	1,100.00	36
<b>7153090</b>	Adapted head control, non-proportional, including mounting bracket	2,200.00	2,200.00	36
<b>7153091</b>	Adapted breath control, non-proportional, including mounting bracket	1,200.00	1,200.00	36
<b>7153092</b>	Adapted chin control, proportional, including mounting bracket	600.00	600.00	36

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7153093</b>	Adapted chin control, non-proportional, including mounting bracket	600.00	600.00	36
<b>7153094</b>	Adapted Mini joystick control, proportional, including mounting bracket	1,510.00	1,510.00	36
<b>7153095</b>	Mounting bracket for adapted control	350.00	350.00	36
<b>7153096</b>	Adapted control interface, with bracket and display	1,100.00	1,100.00	36
<b>7153097</b>	Mounting bracket for interface	350.00	350.00	36
<b>7153098</b>	Ball, stick, T-type, or mushroom handle	52.00	52.00	36
<b>7153099</b>	Course correction system	895.00	895.00	36
<b>WHEELS AND TIRES</b>				
<b>7153100</b>	Drive wheel, inner tube tire	N/C	150.00	36
<b>7153101</b>	Front caster wheel, semi-pneumatic or inner tube	N/C	80.00	36
<b>7153102</b>	Rear caster wheel, semi-pneumatic	N/C	80.00	36
<b>7153103</b>	Airless insert for drive wheel	45.00	45.00	36

		PRICE (including all the basic components)		
7153470	POWERED WHEELCHAIR SUBCATEGORY “LOW-SEAT COMPACT MULTI-PURPOSE (MID- FRONT OR MEDIAL DRIVE WHEELS)”			
	PRIDE MOBILITY PRODUCTS COMPANY			4,200.00
	“Q6 EDGE 2” MODEL			
TECHNICAL SPECIFICATIONS OF THE DEVICE				
Maximum weight capacity: 113.4 kg (250 lb.)				
Seat-to-floor height: 41.9 cm to 47 cm (16½ in. to 18½ in.) without power tilt system and 42.5 cm to 49.5 cm (16¾ in. to 19½ in.) with power tilt system				
Frame: mid-front-wheel drive base, overall width ≤ 61 cm (24 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport				
Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately				
BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM				
7153471	Seat-to-back assembly structure; resizable; back canes angle-adjustable from 90° to 110° by maximum increments of 6°; push bar or non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10° ; anchor for headrest bracket	N/C	500.00	36
7153472	Rigid metal seat for cushion; two strips of “hook” Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N/C	65.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
<b>7153473</b>	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of “velour” Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	175.00	175.00	36
<b>7153474</b>	Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N/C	60.00	12
<b>7153475</b>	Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	90.00	150.00	12
<b>7153476</b>	Back cushion, padded and contoured, including or built into a rigid back, flat or contoured	215.00	275.00	36
<b>7153477</b>	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	591.00	591.00	36
<b>7153478</b>	Power reclining back system, including a control external to the joystick control	1,500.00	1,500.00	36
<b>7153479</b>	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	2,000.00	2,000.00	36
<b>7153480</b>	Pelvic positioning belt, auto buckle	N/C	25.00	36
<b>7153481</b>	U-type armrest, short; flip-away; height-adjustable, from 22.9 cm to 33 cm (9 in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	215.00	60
<b>7153482</b>	T-type armrest, short; detachable; height-adjustable, from 19.6 cm to 35.6 cm (7¾ in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	215.00	60
<b>7153483</b>	U-type armrest, long; flip-away; height-adjustable, from 22.9 cm to 33 cm (9 in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	221.00	60
<b>7153484</b>	T-type armrest, long; detachable; height-adjustable, from 19.6 cm to 35.6 cm (7¾ in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	221.00	60

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7153485</b>	Armrest pad, straight, short	N/C	10.00	12
<b>7153486</b>	Armrest pad, straight, long	N/C	16.00	12
<b>7153487</b>	Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 27.9 cm to 49.5 cm (11 in. to 19½ in.)	N/C	135.00	60
<b>7153488</b>	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	224.50	246.00	36
<b>7153489</b>	Power elevating leg-rest, with control per pair, including a control external to the joystick control	1,678.50	1,700.00	36
<b>7153490</b>	Power elevating leg-rest, with control per unit, including a control external to the joystick control	978.50	1,000.00	36
<b>7153491</b>	One-piece footrest platform, 90° angle, adjustable length	N/C	43.00	60
<b>7153492</b>	Power leg-rest, one piece, including a control external to the joystick control	1,657.00	1,700.00	36
<b>7153493</b>	Padded calf-rest, flat	63.00	63.00	36
<b>7153494</b>	Folding footplate, standard, standard size	N/C	53.00	36
<b>7153495</b>	Folding footplate, standard, oversize	14.00	67.00	36
<b>7153496</b>	Footplate, angle and depth-adjustable, standard size	117.00	170.00	36
<b>7153497</b>	Footplate, angle and depth-adjustable, oversize	167.00	220.00	36
<b>7153498</b>	Heel loop, adjustable	N/C	12.00	36
<b>7153499</b>	Headrest bracket, articulated uniball	90.00	90.00	36
<b>7153500</b>	Headrest cushion, contoured, all sizes	90.00	90.00	36
<b>FRAME</b>				
<b>7153501</b>	Front impact guard with rollers	3.00	3.00	36

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>DRIVE SYSTEM</b>				
<b>7153502</b>	Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N/C	330.00	36
<b>7153503</b>	Standard joystick control for multi-purpose programmable electronics; joystick handle; toggle switches or push buttons for on/off functions, horn, function selection; battery charge display	380.00	710.00	36
<b>7153504</b>	Compact joystick control, proportional	315.00	645.00	36
<b>7153505</b>	Standard side bracket for joystick control; adjustable forward-rearward position	N/C	20.00	36
<b>7153506</b>	Swivel side bracket for joystick control; with locking mechanism	N/C	80.00	36
<b>7153507</b>	Midline bracket for joystick control; flip-back to provide total clearance for seat access	330.00	350.00	36
<b>7153508</b>	Controller for basic programmable electronics	N/C	250.00	36
<b>7153509</b>	Controller for multi-purpose programmable electronics	75.00	325.00	36
<b>7153510</b>	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N/C	275.00	36
<b>7153511</b>	Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick and controller	N/C	275.00	36
<b>7153512</b>	Internal control system for the joystick control for one (1) power repositioning accessory	300.00	300.00	36
<b>7153513</b>	Internal control system for the joystick control for four (4) power repositioning accessories	375.00	375.00	36
<b>7153514</b>	Battery charger; external; compatible with group 22 NF batteries	N/C	165.00	36
<b>7153515</b>	Adapted head control, proportional, including mounting bracket	1,452.00	1,452.00	36
<b>7153516</b>	Adapted head control, non-proportional, including mounting bracket	2,539.00	2,539.00	36
<b>7153517</b>	Adapted breath control, non-proportional, including mounting bracket	1,222.00	1,222.00	36

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7153518</b>	Adapted chin control, proportional, including mounting bracket	1,302.00	1,302.00	36
<b>7153519</b>	Adapted chin control, non-proportional, including mounting bracket	1,302.00	1,302.00	36
<b>7153520</b>	Adapted Mini joystick control, proportional, including mounting bracket	1,302.00	1,302.00	36
<b>7153521</b>	Mounting bracket for adapted control	91.00	91.00	36
<b>7153522</b>	Adapted control interface, with bracket and display	1,118.00	1,118.00	36
<b>7153523</b>	Mounting bracket for interface	71.00	71.00	36
<b>7153524</b>	Ball, stick, T-type, or mushroom handle	40.00	40.00	36
<b>7153525</b>	Course correction system	869.00	869.00	36
<b>WHEELS AND TIRES</b>				
<b>7153526</b>	Drive wheel, inner tube tire	N/C	100.00	36
<b>7153527</b>	Front caster wheel, semi-pneumatic tire	N/C	20.00	36
<b>7153528</b>	Rear caster wheel, semi-pneumatic tire	N/C	20.00	36
<b>7153529</b>	Airless insert for drive wheel	60.00	60.00	36

		<b>PRICE</b> (including all the basic components)
<b>7153106</b>	<b>POWERED WHEELCHAIR</b> <b>SUBCATEGORY “LOW-SEAT COMPACT MULTI-PURPOSE (MID- MID-REAR DRIVE WHEELS)”</b>	
	<b>ORTHOFAB INC.</b>	<b>5,710.00</b>
	<b>“OASIS PC” MODEL</b>	

**TECHNICAL SPECIFICATIONS OF THE DEVICE****Maximum weight capacity:** 113.4 kg (250 lb.)**Seat-to-floor height:** 39.3 cm to 52 cm (15½ in. to 20½ in.)**Frame:** mid-rear wheel drive base, overall width ≤ 61 cm (24 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport**Drive system:** electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

	<b>BASIC AND OPTIONAL COMPONENTS</b>	<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
	<b>BODY SUPPORT SYSTEM</b>			
<b>7153107</b>	Seat-to-back assembly structure; resizable; back canes angle adjustable from 90° to 110° by maximum increments of 6°; push bar or non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10°; anchor for headrest bracket	N/C	240.00	36
<b>7153108</b>	Rigid metal seat for cushion; two strips of “hook” Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.) or 58.4 cm (23 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.) or 53.3 cm (21 in.)	N/C	45.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
<b>7153109</b>	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of “velour” Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	150.00	150.00	36
<b>7153110</b>	Flexible nylon mesh back, padded; heights of 40.6 cm (16 in.), 43.1 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N/C	75.00	12
<b>7153111</b>	Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	65.00	140.00	12
<b>7153112</b>	Padded back cushion, contoured, including a rigid, contoured back	165.00	240.00	36
<b>7153113</b>	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	270.00	270.00	36
<b>7153114</b>	Power reclining back system, including a control external to the joystick control	750.00	750.00	36
<b>7153115</b>	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	1,000.00	1,000.00	36
<b>7153116</b>	Pelvic positioning belt, auto buckle	N/C	6.00	36
<b>7153117</b>	U-type armrest, short; flip-away; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	150.00	60
<b>7153118</b>	T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 27.9 cm to 35.6 cm (11 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	150.00	60
<b>7153119</b>	U-type armrest, long; flip-away; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	150.00	60

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
<b>7153120</b>	T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 27.9 cm to 35.6 cm (11 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	150.00	60
<b>7153121</b>	Armrest pad, straight, short	N/C	6.00	12
<b>7153122</b>	Armrest pad, straight, long	N/C	6.00	12
<b>7153123</b>	Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 35.6 cm to 58.4 cm (14 in. to 23 in.)	N/C	100.00	60
<b>7153124</b>	Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 35.6 cm to 58.4 cm (14 in. to 23 in.)	N/C	100.00	60
<b>7153125</b>	Elevating leg-rest, compensating; detachable and pivoting, with locking mechanism; adjustable length; standard folding footplate, standard size or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, flat, padded, height- and depth-adjustable	100.00	200.00	36
<b>7153126</b>	Power elevating leg-rest, with control per unit, including a control external to the joystick control	1,030.00	1,130.00	36
<b>7153127</b>	Power elevating leg-rest, with control per pair, including a control external to the joystick control	1,030.00	1,130.00	36
<b>7153128</b>	Padded calf-rest, flat	15.00	15.00	36
<b>7153129</b>	Folding footplate, standard, standard size	N/C	6.00	36
<b>7153130</b>	Folding footplate, standard, oversize	29.00	35.00	36
<b>7153131</b>	Footplate, angle and depth-adjustable, standard size	44.00	50.00	36
<b>7153132</b>	Footplate, angle and depth-adjustable, oversize	49.00	55.00	36
<b>7153133</b>	Full-width footplate, in two lockable parts; angle-adjustable	88.00	100.00	36
<b>7153134</b>	Heel loop, adjustable	N/C	3.00	36
<b>7153135</b>	Headrest bracket, height and depth-adjustable	35.00	35.00	36
<b>7153136</b>	Headrest cushion, flat, all sizes	40.00	40.00	36

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>FRAME</b>				
<b>7153137</b>	Anti-tipping wheels, non-detachable except with tools	N/C	4.00	60
<b>7153138</b>	Front impact guard with rollers	10.00	10.00	36
<b>DRIVE SYSTEM</b>				
<b>7153139</b>	Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N/C	185.00	36
<b>7153140</b>	Standard joystick control for multi-purpose programmable electronics; joystick handle; toggle switches or push buttons for on/off functions, horn, function selection; battery charge display	195.00	380.00	36
<b>7153141</b>	Compact joystick control, proportional	195.00	380.00	36
<b>7153142</b>	Standard side bracket for joystick control; adjustable forward-rearward position	N/C	25.00	36
<b>7153143</b>	Swivel side bracket for joystick control; with locking mechanism	N/C	95.00	36
<b>7153144</b>	Midline bracket for joystick control; flip-back to provide total clearance for seat access	70.00	95.00	36
<b>7153145</b>	Controller for basic programmable electronics	N/C	350.00	36
<b>7153146</b>	Controller for multi-purpose programmable electronics	225.00	575.00	36
<b>7153147</b>	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N/C	450.00	36
<b>7153148</b>	Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick and controller	N/C	450.00	36
<b>7153149</b>	Battery charger; on board; compatible with group 22 NF or group 24 batteries	N/C	115.00	36
<b>7153150</b>	Internal control system for the joystick control for one (1) power repositioning accessory	185.00	185.00	36

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7153151</b>	Internal control system for the joystick control for four (4) power repositioning accessories	325.00	325.00	36
<b>7153152</b>	Adapted head control, proportional, including mounting bracket	1,000.00	1,000.00	36
<b>7153153</b>	Adapted head control, non-proportional, including mounting bracket	500.00	500.00	36
<b>7153154</b>	Adapted breath control, non-proportional, including mounting bracket	400.00	400.00	36
<b>7153155</b>	Adapted chin control, proportional, including mounting bracket	800.00	800.00	36
<b>7153156</b>	Adapted chin control, non-proportional, including mounting bracket	700.00	700.00	36
<b>7153157</b>	Adapted Mini joystick control, proportional, including mounting bracket	2,500.00	2,500.00	36
<b>7153158</b>	Mounting bracket for adapted control	400.00	400.00	36
<b>7153159</b>	Adapted control interface, with bracket and display	750.00	750.00	36
<b>7153160</b>	Mounting bracket for interface	125.00	125.00	36
<b>7153161</b>	Ball, stick, T-type, or mushroom handle	15.00	15.00	36
<b>7153162</b>	Course correction system	1,000.00	1,000.00	36
<b>WHEELS AND TIRES</b>				
<b>7153163</b>	Drive wheel, inner tube tire	N/C	100.00	36
<b>7153164</b>	Front caster wheel, inner tube tire	N/C	45.00	36
<b>7153165</b>	Airless insert for drive wheel	75.00	75.00	36
<b>7153166</b>	Airless insert for caster wheel	30.00	30.00	36

		PRICE (including all the basic components)		
7153167	MOTORIZED WHEELCHAIR SUBCATEGORY “MULTI-PURPOSE PERFORMANCE (MID-FRONT OR MEDIAL DRIVE WHEELS)”			
	SUNRISE MEDICAL CANADA INC.			4,110.00
	“323 PP” MODEL			
TECHNICAL SPECIFICATIONS OF THE DEVICE				
Maximum weight capacity: 181.4 kg (400 lb.)				
Seat-to-floor height: 41.9 cm to 49.5 cm (16½ in. to 19½ in.)				
Frame: mid-wheel drive base, overall width ≤ 66 cm (26 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport				
Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately				
BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM				
7153168	Seat-to-back assembly structure; resizable; back canes angle adjustable from 90° to 110° by maximum increments of 6°; non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10°; anchor for headrest bracket	N/C	550.00	36
7153169	Rigid metal seat for cushion; two strips of “hook” Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50,8 cm (20 in.)	N/C	75.00	36
7153170	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of “velour” Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	225.00	225.00	36

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7153171</b>	Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N/C	160.00	12
<b>7153172</b>	Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	40.00	200.00	12
<b>7153173</b>	Padded back cushion, contoured, including a rigid, contoured back	90.00	250.00	36
<b>7153174</b>	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	350.00	350.00	36
<b>7153175</b>	Power reclining back system, including a control external to the joystick control	1,590.00	1,590.00	36
<b>7153176</b>	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	1,650.00	1,650.00	36
<b>7153177</b>	Pelvic positioning belt, auto buckle	N/C	30.00	36
<b>7153178</b>	U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 38.7 cm (7 in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	175.00	60
<b>7153179</b>	T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 34.3 cm (7 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	175.00	60
<b>7153180</b>	U-type armrest, long; flip-away; height-adjustable, from 17.8 cm to 38.7 cm (7 in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	175.00	60
<b>7153181</b>	T-type armrest, long; detachable; height-adjustable, from 17.8 cm to 34.3 cm (7 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	175.00	60
<b>7153182</b>	Armrest pad, straight, short	N/C	20.00	12
<b>7153183</b>	Armrest pad, straight, long	N/C	20.00	12

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7153184</b>	One-piece footrest platform, 90°angle, adjustable length	N/C	225.00	60
<b>7153185</b>	Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 31.8 cm to 49.5 cm (12½ in. to 19½ in.)	N/C	225.00	60
<b>7153186</b>	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	112.50	225.00	36
<b>7153187</b>	Power elevating leg-rest, with control per pair, including a control external to the joystick control	637.50	750.00	36
<b>7153188</b>	Power elevating leg-rest, with control per unit, including a control external to the joystick control	637.50	750.00	36
<b>7153189</b>	Power leg-rest, one piece, including a control external to the joystick control	1,275.00	1,500.00	36
<b>7153190</b>	Padded calf-rest, contoured	35.00	35.00	36
<b>7153191</b>	Folding footplate, standard, standard size	N/C	80.00	36
<b>7153192</b>	Folding footplate, standard, oversize	N/C	80.00	36
<b>7153193</b>	Footplate, angle and depth-adjustable, standard size	N/C	80.00	36
<b>7153194</b>	Footplate, angle and depth-adjustable, oversize	N/C	80.00	36
<b>7153195</b>	Heel loop, adjustable	N/C	30.00	36
<b>7153196</b>	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	75.00	75.00	36
<b>7153197</b>	Headrest cushion, contoured, all sizes	70.00	70.00	36
<b>FRAME</b>				
<b>7153198</b>	Front impact guard with rollers	20.00	20.00	36
<b>DRIVE SYSTEM</b>				
<b>7153199</b>	Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N/C	329.00	36

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7153200</b>	Standard joystick control for multi-purpose programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	200.00	529.00	36
<b>7153201</b>	Compact joystick control, proportional	N/C	329.00	36
<b>7153202</b>	Standard side bracket for joystick control; adjustable forward-rearward position	N/C	140.00	36
<b>7153203</b>	Swivel side bracket for joystick control; with locking mechanism	N/C	230.00	36
<b>7153204</b>	Midline bracket for joystick control; flip-back to provide total clearance for seat access	60.00	200.00	36
<b>7153205</b>	Controller for basic programmable electronics	N/C	659.00	36
<b>7153206</b>	Controller for multi-purpose programmable electronics	100.00	759.00	36
<b>7153207</b>	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N/C	600.00	36
<b>7153208</b>	Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick and controller	N/C	600.00	36
<b>7153209</b>	Battery charger; external; compatible with group 22 NF or group 24 batteries	N/C	199.00	36
<b>7153210</b>	Internal control system for the joystick control for one (1) power repositioning accessory	350.00	350.00	36
<b>7153211</b>	Internal control system for the joystick control for four (4) power repositioning accessories	500.00	500.00	36
<b>7153212</b>	Adapted head control, proportional, including mounting bracket	1,100.00	1,100.00	36
<b>7153213</b>	Adapted head control, non-proportional, including mounting bracket	2,200.00	2,200.00	36
<b>7153214</b>	Adapted breath control, non-proportional, including mounting bracket	1,200.00	1,200.00	36
<b>7153215</b>	Adapted chin control, proportional, including mounting bracket	600.00	600.00	36
<b>7153216</b>	Adapted chin control, non-proportional, including mounting bracket	600.00	600.00	36

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7153217</b>	Adapted Mini joystick control, proportional, including mounting bracket	1,510.00	1,510.00	36
<b>7153218</b>	Mounting bracket for adapted control	350.00	350.00	36
<b>7153219</b>	Adapted control interface, with bracket and display	1,100.00	1,100.00	36
<b>7153220</b>	Mounting bracket for interface	350.00	350.00	36
<b>7153221</b>	Ball, stick, T-type, or mushroom handle	52.00	52.00	36
<b>7153222</b>	Course correction system	895.00	895.00	36
<b>WHEELS AND TIRES</b>				
<b>7153223</b>	Drive wheel, inner tube tire	N/C	150.00	36
<b>7153224</b>	Front caster wheel, semi-pneumatic or inner tube	N/C	80.00	36
<b>7153225</b>	Rear caster wheel, semi-pneumatic	N/C	80.00	36
<b>7153226</b>	Airless insert for drive wheel	45.00	45.00	36

		<b>PRICE</b> (including all the basic components)
<b>7153530</b>	<b>POWERED WHEELCHAIR</b> <b>SUBCATEGORY “MULTI-PURPOSE PERFORMANCE (MID-FRONT</b> <b>OR MEDIAL DRIVE WHEELS)”</b>	
	<b>PRIDE MOBILITY PRODUCTS COMPANY</b>	<b>4,100.00</b>
	<b>“Q6 EDGE Z” MODEL</b>	

**TECHNICAL SPECIFICATIONS OF THE DEVICE****Maximum weight capacity:** 136 kg (300 lb.)**Seat-to-floor height:** 44.5 cm to 49.5 cm (17½ in. to 19½ in.)**Frame:** mid-front wheel drive base, overall width ≤ 66 cm (26 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport**Drive system:** electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

	<b>BASIC AND OPTIONAL COMPONENTS</b>	<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
	<b>BODY SUPPORT SYSTEM</b>			
<b>7153531</b>	Seat-to-back assembly structure; resizable; back canes angle adjustable from 90° to 110° by maximum increments of 6°; push bar or non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10°; anchor for headrest bracket	N/C	500.00	36
<b>7153532</b>	Rigid metal seat for cushion; two strips of “hook” Velcro, 2.5 cm (1 in.); widths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N/C	65.00	36

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7153533</b>	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of “velour” Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	175.00	175.00	36
<b>7153534</b>	Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N/C	60.00	12
<b>7153535</b>	Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	90.00	150.00	12
<b>7153536</b>	Back cushion, padded and contoured, including or built into a rigid back, flat or contoured	215.00	275.00	36
<b>7153537</b>	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	591.00	591.00	36
<b>7153538</b>	Power reclining back system, including a control external to the joystick control	1,500.00	1,500.00	36
<b>7153539</b>	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	2,000.00	2,000.00	36
<b>7153540</b>	Pelvic positioning belt, auto buckle	N/C	25.00	36
<b>7153541</b>	U-type armrest, short; flip-away; height-adjustable, from 22.9 cm to 33 cm (9 in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	215.00	60
<b>7153542</b>	T-type armrest, short; detachable; height-adjustable, from 19.6 cm to 35.6 cm (7¾ in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	215.00	60
<b>7153543</b>	U-type armrest, long; flip-away; height-adjustable, from 22.9 cm to 33 cm (9 in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	221.00	60

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7153544</b>	T-type armrest, long; detachable; height-adjustable, from 19.6 cm to 35.6 cm (7¾ in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	221.00	60
<b>7153545</b>	Armrest pad, straight, short	N/C	10.00	12
<b>7153546</b>	Armrest pad, straight, long	N/C	16.00	12
<b>7153547</b>	One-piece footrest platform, 90° angle, adjustable length	N/C	43.00	60
<b>7153548</b>	Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 27.9 cm to 49.5 cm (11 in. to 19½ in.)	N/C	135.00	60
<b>7153549</b>	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	224.50	246.00	36
<b>7153550</b>	Power elevating leg-rest, with control per pair, including a control external to the joystick control	1,678.50	1,700.00	36
<b>7153551</b>	Power elevating leg-rest, with control per unit, including a control external to the joystick control	978.50	1,000.00	36
<b>7153552</b>	Power leg-rest, one piece, including a control external to the joystick control	1,657.00	1,700.00	36
<b>7153553</b>	Calf-rest, padded, flat or contoured	63.00	63.00	36
<b>7153554</b>	Folding footplate, standard, standard size	N/C	53.00	36
<b>7153555</b>	Folding footplate, standard, oversize	14.00	67.00	36
<b>7153556</b>	Footplate, angle and depth-adjustable, standard size	117.00	170.00	36
<b>7153557</b>	Footplate, angle and depth-adjustable, oversize	167.00	220.00	36
<b>7153558</b>	Heel loop, adjustable	N/C	12.00	36
<b>7153559</b>	Headrest cushion, contoured, all sizes	90.00	90.00	36
<b>7153560</b>	Headrest bracket, articulated uniball	90.00	90.00	36

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>FRAME</b>				
<b>7153561</b>	Front impact guard with rollers	3.00	3.00	36
<b>DRIVE SYSTEM</b>				
<b>7153562</b>	Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N/C	330.00	36
<b>7153563</b>	Standard joystick control for multi-purpose programmable electronics; joystick handle; toggle switches or push buttons for on/off functions, horn, function selection; battery charge display	380.00	710.00	36
<b>7153564</b>	Compact joystick control, proportional	315.00	645.00	36
<b>7153565</b>	Standard side bracket for joystick control; adjustable forward-rearward position	N/C	20.00	36
<b>7153566</b>	Swivel side bracket for joystick control; with locking mechanism	N/C	80.00	36
<b>7153567</b>	Midline bracket for joystick control; flip-back to provide total clearance for seat access	330.00	350.00	36
<b>7153568</b>	Controller for basic programmable electronics	N/C	300.00	36
<b>7153569</b>	Controller for multi-purpose programmable electronics	50.00	350.00	36
<b>7153570</b>	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N/C	520.00	36
<b>7153571</b>	Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick and controller	N/C	520.00	36
<b>7153572</b>	Internal control system for the joystick control for one (1) power repositioning accessory	300.00	300.00	36
<b>7153573</b>	Internal control system for the joystick control for four (4) power repositioning accessories	375.00	375.00	36
<b>7153574</b>	Battery charger; external; compatible with group 24 batteries	N/C	165.00	36
<b>7153575</b>	Adapted head control, proportional, including mounting bracket	1,452.00	1,452.00	36
<b>7153576</b>	Adapted head control, non-proportional, including	2,539.00	2,539.00	36

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
	mounting bracket			
<b>7153577</b>	Adapted breath control, non-proportional, including mounting bracket	1,222.00	1,222.00	36
<b>7153578</b>	Adapted chin control, proportional, including mounting bracket	1,302.00	1,302.00	36
<b>7153579</b>	Adapted chin control, non-proportional, including mounting bracket	1,302.00	1,302.00	36
<b>7153580</b>	Adapted Mini joystick control, proportional, including mounting bracket	1,302.00	1,302.00	36
<b>7153581</b>	Mounting bracket for adapted control	91.00	91.00	36
<b>7153582</b>	Adapted control interface, with bracket and display	1,118.00	1,118.00	36
<b>7153583</b>	Mounting bracket for interface	71.00	71.00	36
<b>7153584</b>	Ball, stick, T-type, or mushroom handle	40.00	40.00	36
<b>7153585</b>	Course correction system	869.00	869.00	36
<b>WHEELS AND TIRES</b>				
<b>7153586</b>	Drive wheel, inner tube tire	N/C	100.00	36
<b>7153587</b>	Front caster wheel, semi-pneumatic tire	N/C	30.00	36
<b>7153588</b>	Rear caster wheel, semi-pneumatic tire	N/C	30.00	36
<b>7153589</b>	Airless insert for drive wheel	60.00	60.00	36

		PRICE (including all the basic components)		
7153229	POWERED WHEELCHAIR SUBCATEGORY “MULTI-PURPOSE PERFORMANCE (MID-REAR DRIVE WHEELS)”  ORTHO FAB INC.  “OASIS PP” MODEL		5,710.00	
TECHNICAL SPECIFICATIONS OF THE DEVICE				
Maximum weight capacity: 113.4 kg (250 lb.)				
Seat-to-floor height: 39.3 cm to 52 cm (15½ in. to 20½ in.)				
Frame: mid-rear wheel drive base, overall width ≤ 66 cm (26 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport				
Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately				
BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM				
7153230	Seat-to-back assembly structure; resizable; back canes angle adjustable from 90° to 110° by maximum increments of 6°; push bar or non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10° ; anchor for headrest bracket	N/C	240.00	36
7153231	Rigid metal seat for cushion; two strips of “hook” Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.) or 58.4 cm (23 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.) or 53.3 cm (21 in.)	N/C	45.00	36

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7153232</b>	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of “velour” Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	150.00	150.00	36
<b>7153233</b>	Flexible nylon mesh back, padded; heights of 40.6 cm (16 in.), 43.1 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N/C	75.00	12
<b>7153234</b>	Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	65.00	140.00	12
<b>7153235</b>	Padded back cushion, contoured, including a rigid, contoured back	165.00	240.00	36
<b>7153236</b>	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	270.00	270.00	36
<b>7153237</b>	Power reclining back system, including a control external to the joystick control	750.00	750.00	36
<b>7153238</b>	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	1,000.00	1,000.00	36
<b>7153239</b>	Pelvic positioning belt, auto buckle	N/C	6.00	36
<b>7153240</b>	U-type armrest, short; flip-away; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	150.00	60
<b>7153241</b>	T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 27.9 cm to 35.6 cm (11 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	150.00	60
<b>7153242</b>	U-type armrest, long; flip-away; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	150.00	60

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7153243</b>	T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 27.9 cm to 35.6 cm (11 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	150.00	60
<b>7153244</b>	Armrest pad, straight, short	N/C	6.00	12
<b>7153245</b>	Armrest pad, straight, long	N/C	6.00	12
<b>7153246</b>	Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 35.6 cm to 58.4 cm (14 in. to 23 in.)	N/C	100.00	60
<b>7153247</b>	Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 35.6 cm to 58.4 cm (14 in. to 23 in.)	N/C	100.00	60
<b>7153248</b>	Elevating leg-rest, compensating; detachable and pivoting, with locking mechanism; adjustable length; standard folding footplate, standard size or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, flat, padded, height and depth-adjustable	100.00	200.00	36
<b>7153249</b>	Power elevating leg-rest, with control per pair, including a control external to the joystick control	1,030.00	1,130.00	36
<b>7153250</b>	Power elevating leg-rest, with control per unit, including a control external to the joystick control	1,030.00	1,130.00	36
<b>7153251</b>	Padded calf-rest, flat	15.00	15.00	36
<b>7153252</b>	Folding footplate, standard, standard size	N/C	6.00	36
<b>7153253</b>	Folding footplate, standard, oversize	29.00	35.00	36
<b>7153254</b>	Footplate, angle and depth-adjustable, standard size	44.00	50.00	36
<b>7153255</b>	Footplate, angle and depth-adjustable, oversize	49.00	55.00	36
<b>7153256</b>	Full-width footplate, in two lockable parts; angle-adjustable	88.00	100.00	36
<b>7153257</b>	Heel loop, adjustable	N/C	3.00	36
<b>7153258</b>	Headrest bracket, height and depth-adjustable	35.00	35.00	36

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>FRAME</b>				
<b>7153260</b>	Anti-tipping wheels, non-detachable except with tools	N/C	4.00	60
<b>7153261</b>	Front impact guard with rollers	10.00	10.00	36
<b>DRIVE SYSTEM</b>				
<b>7153262</b>	Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N/C	185.00	36
<b>7153263</b>	Standard joystick control for multi-purpose programmable electronics; joystick handle; toggle switches or push buttons for on/off functions, horn, function selection; battery charge display	195.00	380.00	36
<b>7153264</b>	Compact joystick control, proportional	195.00	380.00	36
<b>7153265</b>	Standard side bracket for joystick control; adjustable forward-rearward position	N/C	25.00	36
<b>7153266</b>	Swivel side bracket for joystick control; with locking mechanism	N/C	95.00	36
<b>7153267</b>	Midline bracket for joystick control; flip-back to provide total clearance for seat access	70.00	95.00	36
<b>7153268</b>	Controller for basic programmable electronics	N/C	350.00	36
<b>7153269</b>	Controller for multi-purpose programmable electronics	225.00	575.00	36
<b>7153270</b>	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N/C	450.00	36
<b>7153271</b>	Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick and controller	N/C	450.00	36
<b>7153272</b>	Battery charger; on board; compatible with group 22 NF or group 24 batteries	N/C	115.00	36
<b>7153273</b>	Internal control system for the joystick control for one (1) power repositioning accessory	185.00	185.00	36

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7153274</b>	Internal control system for the joystick control for four (4) power repositioning accessories	325.00	325.00	36
<b>7153275</b>	Adapted head control, proportional, including mounting bracket	1,000.00	1,000.00	36
<b>7153276</b>	Adapted head control, non-proportional, including mounting bracket	500.00	500.00	36
<b>7153277</b>	Adapted breath control, non-proportional, including mounting bracket	400.00	400.00	36
<b>7153278</b>	Adapted chin control, proportional, including mounting bracket	800.00	800.00	36
<b>7153279</b>	Adapted chin control, non-proportional, including mounting bracket	700.00	700.00	36
<b>7153280</b>	Adapted Mini joystick control, proportional, including mounting bracket	2,500.00	2,500.00	36
<b>7153281</b>	Mounting bracket for adapted control	400.00	400.00	36
<b>7153282</b>	Adapted control interface, with bracket and display	750.00	750.00	36
<b>7153283</b>	Mounting bracket for interface	125.00	125.00	36
<b>7153284</b>	Ball, stick, T-type, or mushroom handle	15.00	15.00	36
<b>7153285</b>	Course correction system	1,000.00	1,000.00	36
<b>WHEELS AND TIRES</b>				
<b>7153286</b>	Drive wheel, inner tube tire	N/C	100.00	36
<b>7153287</b>	Front caster wheel, inner tube	N/C	45.00	36
<b>7153288</b>	Airless insert for drive wheel	75.00	75.00	36
<b>7153289</b>	Airless insert for caster wheel	30.00	30.00	36

		PRICE (including all the basic components)		
7153290	POWERED WHEELCHAIR SUBCATEGORY “OBESE (MID-FRONT OR MEDIAL DRIVE WHEELS)”			
	SUNRISE MEDICAL CANADA INC.			8,000.00
	“XCEL” MODEL			
TECHNICAL SPECIFICATIONS OF THE DEVICE				
Maximum weight capacity: 249.5 kg (550 lb.)				
Seat-to-floor height: 41.9 cm to 49.5 cm (16½ in. to 19½ in.)				
Frame: mid-wheel drive base, overall width ≤ 73,3 cm (29 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport				
Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately				
BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM				
7153291	Seat-to-back assembly structure; resizable; back canes angle adjustable from 90° to 110° by maximum increments of 6°; non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10° ; anchor for headrest bracket	N/C	550.00	36
7153292	Rigid metal seat for cushion; two strips of “hook” Velcro, 2.5 cm (1 in.); widths of 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.); depths of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in)	N/C	260.00	36
7153293	Padded seat cushion, contoured; removable and washable outer cover, water-resistant or combined with an internal incontinence cover; two strips of “velour” Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	490.00	490.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
<b>7153294</b>	Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N/C	180.00	12
<b>7153295</b>	Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	310.00	490.00	12
<b>7153296</b>	Padded back cushion, contoured, including a rigid, contoured back	310.00	490.00	36
<b>7153297</b>	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	995.00	995.00	36
<b>7153298</b>	Power reclining back system, including a control external to the joystick control	2,500.00	2,500.00	36
<b>7153299</b>	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	3,500.00	3,500.00	36
<b>7153300</b>	Pelvic positioning belt, auto buckle	N/C	45.00	36
<b>7153301</b>	U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 38.7 cm (7 in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	225.00	60
<b>7153302</b>	T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 34.3 cm (7 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	225.00	60
<b>7153303</b>	U-type armrest, long, flip-away, height-adjustable from 17.8 cm to 38.7 cm (7 in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	225.00	60
<b>7153304</b>	T-type armrest, long, detachable; adjustable in height from 17.8 cm to 34.3 cm (7 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	225.00	60
<b>7153305</b>	Armrest pad, straight, short	N/C	20.00	12
<b>7153306</b>	Armrest pad, straight, long	N/C	20.00	12

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7153307</b>	One-piece footrest platform, 90°angle, adjustable length	N/C	225.00	60
<b>7153308</b>	Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate; standard size; adjustable heel-loop; adjustable length of 31.8 cm to 49.5 cm (12½ in. to 19½ in.)	N/C	225.00	60
<b>7153309</b>	Elevating leg-rests, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rests, contoured and padded, height and depth-adjustable	112.50	225.00	36
<b>7153310</b>	Power elevating leg-rest, with control per pair, including a control external to the joystick control	882.50	995.00	36
<b>7153311</b>	Power elevating leg-rest, with control per unit, including a control external to the joystick control	882.50	995.00	36
<b>7153312</b>	Power leg-rest, one piece, including a control external to the joystick control	1,770.00	1,995.00	36
<b>7153313</b>	Padded calf-rest, contoured	100.00	100.00	36
<b>7153314</b>	Folding footplate, standard, standard size	N/C	100.00	36
<b>7153315</b>	Folding footplate, standard, oversize	N/C	100.00	36
<b>7153316</b>	Footplate, angle and depth-adjustable, standard size	N/C	100.00	36
<b>7153317</b>	Footplate, angle and depth-adjustable, oversize	N/C	100.00	36
<b>7153318</b>	Heel loop, adjustable	N/C	45.00	36
<b>7153319</b>	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	75.00	75.00	36
<b>7153320</b>	Headrest cushion, contoured, all sizes	70.00	70.00	36
<b>FRAME</b>				
<b>7153321</b>	Front impact guard with rollers	20.00	20.00	36
<b>DRIVE SYSTEM</b>				
<b>7153322</b>	Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N/C	329.00	36

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7153323</b>	Standard joystick control for multi-purpose programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	200.00	529.00	36
<b>7153324</b>	Compact joystick control, proportional	N/C	329.00	36
<b>7153325</b>	Standard side bracket for joystick control; adjustable forward-rearward position	N/C	140.00	36
<b>7153326</b>	Swivel side bracket for joystick control; with locking mechanism	N/C	230.00	36
<b>7153327</b>	Midline bracket for joystick control; flip-back to provide total clearance for seat access	60.00	200.00	36
<b>7153328</b>	Controller for basic programmable electronics	N/C	659.00	36
<b>7153329</b>	Controller for multi-purpose programmable electronics	100.00	759.00	36
<b>7153330</b>	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N/C	900.00	36
<b>7153331</b>	Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick and controller	N/C	900.00	36
<b>7153332</b>	Battery charger; external; compatible with group 24 batteries	N/C	199.00	36
<b>7153333</b>	Internal control system for the joystick control for one (1) power repositioning accessory	350.00	350.00	36
<b>7153334</b>	Internal control system for the joystick control for four (4) power repositioning accessories	500.00	500.00	36
<b>7153335</b>	Adapted head control, proportional, including mounting bracket	1,100.00	1,100.00	36
<b>7153336</b>	Adapted head control, non-proportional, including mounting bracket	2,200.00	2,200.00	36
<b>7153337</b>	Adapted breath control, non-proportional, including mounting bracket	1,200.00	1,200.00	36
<b>7153338</b>	Adapted chin control, proportional, including mounting bracket	600.00	600.00	36
<b>7153339</b>	Adapted chin control, non-proportional, including mounting bracket	600.00	600.00	36

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7153340</b>	Adapted Mini joystick control, proportional, including mounting bracket	1,510.00	1,510.00	36
<b>7153341</b>	Adapted control interface, with bracket and display	1,100.00	1,100.00	36
<b>7153342</b>	Mounting bracket for interface	350.00	350.00	36
<b>7153343</b>	Mounting bracket for adapted control	350.00	350.00	36
<b>7153344</b>	Ball, stick, T-type, or mushroom handle	52.00	52.00	36
<b>WHEELS AND TIRES</b>				
<b>7153345</b>	Driving wheel, inner tube tires	N/C	150.00	36
<b>7153346</b>	Front caster wheel, semi-pneumatic or inner tube	N/C	80.00	36
<b>7153347</b>	Rear caster wheel, semi-pneumatic or inner tube	N/C	80.00	36
<b>7153348</b>	Airless insert for driving wheel	45.00	45.00	36

**DIVISION II: PEDIATRIC WHEELCHAIRS****SUBDIVISION 1: MANUAL WHEELCHAIRS**

		PRICE (including all the basic components)		
7151339	MANUAL WHEELCHAIRS SUBCATEGORY “MULTI-ADJUSTABLE PERFORMANCE (FOLDING FRAME)”  MOTION COMPOSITES INC.  “HELIO K” MODEL		2,195.00	
TECHNICAL SPECIFICATIONS OF THE DEVICE				
Maximum weight capacity: 113.4 kg (250 lb.)				
Device weight: 14.5 kg (32 lb.)				
Front seat-to-floor height: 33 cm to 54 cm (13 in. to 21¼ in.)				
Rear seat-to-floor height: 31.8 cm to 50.8 cm (12½ in. to 20 in.)				
Frame: straight back canes or bend back canes, height and angle-adjustable; non-slip push handles; four tie-down points for adapted transport				
BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM				
7151340	Flexible nylon mesh seat, with mesh-stretching system; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.)	N/C	36.00	12
7151341	Flat foam seat cushion, 5.1 cm (2 in.); two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion	63.00	63.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
<b>7151342</b>	Flexible nylon mesh back, padded; heights of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N/C	32.33	12
<b>7151343</b>	Pelvic positioning belt, auto buckle	N/C	13.75	36
<b>7151344</b>	Pelvic positioning belt, Velcro	N/C	47.50	36
<b>7151345</b>	T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	118.00	60
<b>7151346</b>	T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	120.33	60
<b>7151347</b>	I-type armrest	50.00	168.00	60
<b>7151348</b>	L-type armrest; height-adjustable	N/C	118.00	60
<b>7151349</b>	Armrest pad, straight, short	N/C	4.75	12
<b>7151350</b>	Armrest pad, straight, long	N/C	5.58	12
<b>7151351</b>	Armrest pad, tubular, for L-type armrest	35.25	40.00	12
<b>7151352</b>	Clothing guard, flexible, for L-type armrest	77.00	77.00	36
<b>7151353</b>	Clothing guard, rigid, for L-type armrest	77.00	77.00	36
<b>7151354</b>	70° footrest, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 20.3 cm to 48.3 cm (8 in. to 19 in.)	N/C	48.00	60
<b>7151355</b>	90° footrest, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 20.3 cm to 48.3 cm (8 in. to 19 in.)	N/C	48.00	60
<b>7151356</b>	Elevating leg-rest; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment points as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	153.38	201.38	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
<b>7151357</b>	Padded calf-rest	48.75	48.75	36
<b>7151358</b>	Calf-rest strap, single or double	20.00	20.00	36
<b>7151359</b>	Folding footplate, standard, standard size; plastic	N/C	7.75	36
<b>7151360</b>	Folding footplate, standard, oversize	10.00	17.75	36
<b>7151361</b>	Footplate, angle and depth-adjustable, standard size	90.00	97.75	36
<b>7151362</b>	Footplate, angle and depth-adjustable, oversize	90.00	97.75	36
<b>7151363</b>	Full-width footplate, one piece, folding; angle-adjustable	120.00	135.50	36
<b>7151364</b>	Heel loop, adjustable	N/C	4.50	36
<b>7151365</b>	Headrest cushion, contoured, all sizes	85.00	85.00	36
<b>7151366</b>	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	90.00	90.00	36
<b>FRAME</b>				
<b>7151367</b>	Push handle, raised, detachable	N/C	100.00	36
<b>7151368</b>	Anti-tipping wheels, detachable or pivoting, with locking mechanism	N/C	21.00	60
<b>7151369</b>	Fold-away back spreader bar to fold chair; with anchor for headrest bracket	70.00	70.00	36
<b>7151370</b>	Wheelchair growth kit to enlarge chair by 5.1 cm (2 in.)	N/A	250.00	36
<b>7151371</b>	Cane holder	30.00	30.00	36
<b>DRIVE SYSTEM</b>				
<b>7151372</b>	Handrim, smooth	N/C	14.50	36
<b>7151373</b>	Handrim, plastic-coated	N/C	32.00	36
<b>7151374</b>	Non-slip handrim, foam	110.00	124.50	36
<b>7151375</b>	Standard wheel lock, push-to-lock, or pull-to-lock	N/C	14.00	36
<b>7151376</b>	Anti-rollback brake	106.00	120.00	36
<b>7151377</b>	Plug-in wheel lock extension	10.00	10.00	36

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7151378</b>	Caster fork to adjust height and angle perpendicular to the ground to compensate for changes in the rear seat-to-floor height	N/C	9.63	36
<b>WHEELS AND TIRES</b>				
<b>7151379</b>	Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); 2.5 cm (1 in.) wide	N/C	24.91	36
<b>7151380</b>	Front mag wheel, semi-pneumatic tire, 12.7 cm (5 in.) or 17.8 cm (7 in.); 2.5 cm (1 in.) wide	N/C	8.65	36
<b>7151381</b>	Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity by increments of 0.63 cm (¼ in.) on a horizontal range of 8.9 cm (3½ in.); adjustable rear height for up to 5° of seat tilt, compatible with all wheel diameters	N/C	9.63	36
<b>7151382</b>	Threaded rear axle	N/C	4.75	36
<b>7151383</b>	Spoked rear wheel, semi-pneumatic tire, 61 cm (24 in.); 3.5 cm (1⅞ in.) wide	N/C	52.88	36
<b>7151384</b>	Spoked rear wheel, semi-pneumatic tire, 55.9 cm (22 in.); 3.5 cm (1⅞ in.) wide	N/C	52.88	36
<b>7151385</b>	Spoked rear wheel with inner tube tire, high pressure; 55.9 cm (22 in.) or 61 cm (24 in.)	60.00	112.88	36
<b>7151386</b>	Spoke guard	65.00	65.00	36

**SUBDIVISION 2: POWERED WHEELCHAIRS**

		PRICE (including all the basic components)		
7153351	POWERED WHEELCHAIR SUBCATEGORY “MULTI-PURPOSE (MID-FRONT OR MEDIAL DRIVE WHEELS)”  SUNRISE MEDICAL CANADA INC.  “323 E” MODEL		4,875.00	
TECHNICAL SPECIFICATIONS OF THE DEVICE				
Maximum weight capacity: 181.4 kg (400 lb.)				
Seat-to-floor height: 41.9 cm to 52 cm (16½ in. to 20½ in.)				
Frame: mid-wheel drive base, suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport				
Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately				
BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM				
7153352	Seat-to-back assembly structure; resizable; back canes angle-adjustable from 90° to 110° by maximum increments of 6°; non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle-adjustable from 0° to 10°; anchor for headrest bracket	N/C	550.00	36
7153353	Rigid metal seat for cushion; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.) or 38.1 cm (15 in.)	N/C	75.00	36
7153354	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	225.00	225.00	36

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7153355</b>	Flexible nylon mesh back, padded; heights of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N/C	160.00	12
<b>7153356</b>	Padded back cushion, contoured, including a rigid, contoured back	90.00	250.00	36
<b>7153357</b>	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	350.00	350.00	36
<b>7153358</b>	Power reclining back system, including a control external to the joystick control	1,590.00	1,590.00	36
<b>7153359</b>	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	1,650.00	1,650.00	36
<b>7153420</b>	Pelvic positioning belt, auto buckle	N/C	30.00	36
<b>7153421</b>	U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 38.7 cm (7 in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	175.00	60
<b>7153422</b>	T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 34.3 cm (7 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	175.00	60
<b>7153423</b>	U-type armrest, long; flip-away; height-adjustable, from 17.8 cm to 38.7 cm (7 in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	175.00	60
<b>7153424</b>	T-type armrest, long, detachable; height-adjustable, from 17.8 cm to 34.3 cm (7 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	175.00	60
<b>7153425</b>	Armrest pad, straight, short	N/C	20.00	12
<b>7153426</b>	Armrest pad, straight, long	N/C	20.00	12
<b>7153427</b>	One-piece footrest platform, 90°, adjustable length	N/C	225.00	60

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7153428</b>	90° footrest, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 14 cm to 49.5 cm (5½ in. to 19½ in.)	N/C	225.00	60
<b>7153429</b>	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, contoured	112.50	225.00	36
<b>7153430</b>	Power elevating leg-rest, with control per pair, including a control external to the joystick control	637.50	750.00	36
<b>7153431</b>	Power elevating leg-rest, with control per unit, including a control external to the joystick control	637.50	750.00	36
<b>7153432</b>	Power leg-rest, one-piece, including a control external to the joystick control	1,275.00	1,500.00	36
<b>7153433</b>	Padded calf-rest, contoured	35.00	35.00	36
<b>7153434</b>	Folding footplate, standard, standard size	N/C	80.00	36
<b>7153435</b>	Folding footplate, standard, oversize	N/C	80.00	36
<b>7153436</b>	Footplate, angle and depth-adjustable, standard size	N/C	80.00	36
<b>7153437</b>	Footplate, angle and depth-adjustable, oversize	N/C	80.00	36
<b>7153438</b>	Heel loop, adjustable	N/C	30.00	36
<b>7153439</b>	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	75.00	75.00	36
<b>7153440</b>	Headrest cushion, contoured, all sizes	70.00	70.00	36
<b>FRAME</b>				
<b>7153441</b>	Front impact guard with rollers	20.00	20.00	36
<b>DRIVE SYSTEM</b>				
<b>7153442</b>	Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N/C	329.00	36

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7153443</b>	Standard joystick control for multi-purpose programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	200.00	529.00	36
<b>7153444</b>	Compact joystick control, proportional	N/C	329.00	36
<b>7153445</b>	Standard side bracket for joystick control; adjustable forward-rearward position	N/C	140.00	36
<b>7153446</b>	Swivel side bracket for joystick control; with locking mechanism	N/C	230.00	36
<b>7153447</b>	Midline bracket for joystick control; flip-back to provide total clearance for seat access	60.00	200.00	36
<b>7153448</b>	Controller for basic programmable electronics	N/C	659.00	36
<b>7153449</b>	Controller for multi-purpose programmable electronics	100.00	759.00	36
<b>7153450</b>	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N/C	600.00	36
<b>7153451</b>	Motor for multi-functional programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N/C	600.00	36
<b>7153452</b>	Battery charger; external; compatible with group 22 NF or group 24 batteries	N/C	199.00	36
<b>7153453</b>	Internal control system for the joystick control for one (1) power repositioning accessory	350.00	350.00	36
<b>7153454</b>	Internal control system for the joystick control for four (4) power repositioning accessories	500.00	500.00	36
<b>7153455</b>	Adapted head control, proportional, including mounting bracket	1,100.00	1,100.00	36
<b>7153456</b>	Adapted head control, non-proportional, including mounting bracket	2,200.00	2,200.00	36
<b>7153457</b>	Adapted breath control, non-proportional, including mounting bracket	1,200.00	1,200.00	36
<b>7153458</b>	Adapted chin control, proportional, including mounting bracket	600.00	600.00	36
<b>7153459</b>	Adapted chin control, non-proportional, including mounting bracket	600.00	600.00	36

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7153460</b>	Adapted Mini joystick control, proportional, including mounting bracket	1,510.00	1,510.00	36
<b>7153461</b>	Mounting bracket for adapted control	350.00	350.00	36
<b>7153462</b>	Adapted control interface, with bracket and display	1,100.00	1,100.00	36
<b>7153463</b>	Mounting bracket for interface	350.00	350.00	36
<b>7153464</b>	Ball, stick, T-type, or mushroom handle	52.00	52.00	36
<b>7153465</b>	Course correction system	895.00	895.00	36
<b>WHEELS AND TIRES</b>				
<b>7153466</b>	Drive wheel, inner tube tire	N/C	150.00	36
<b>7153467</b>	Front caster wheel, semi-pneumatic or inner tube	N/C	80.00	36
<b>7153468</b>	Rear caster wheel, semi-pneumatic	N/C	80.00	36
<b>7153469</b>	Airless insert for drive wheel	45.00	45.00	36

		PRICE (including all the basic components)		
7153360	POWERED WHEELCHAIR SUBCATEGORY “MULTI-PURPOSE (MID-REAR DRIVE WHEELS)”  SUNRISE MEDICAL CANADA INC.  “747 E” MODEL			
		4,875.00		
TECHNICAL SPECIFICATIONS OF THE DEVICE				
Maximum weight capacity: 181.4 kg (400 lb.)				
Seat-to-floor height: 42.5 cm to 52 cm (16¾ in. to 20½ in.)				
Frame: mid-rear wheel drive base, suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport				
Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately				
BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM				
7153361	Seat-to-back assembly structure; resizable; back canes angle-adjustable from 90° to 110° by maximum increments of 6°; push handles, covered with “non-slip” sheath; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle-adjustable from 0° to 10°; anchor for headrest bracket	N/C	550.00	36
7153362	Rigid metal seat for cushion; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider to stabilize cushions; widths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.) or 38.1 cm (15 in.)	N/C	75.00	36

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7153363</b>	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	225.00	225.00	36
<b>7153364</b>	Flexible nylon mesh back, padded; heights of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N/C	160.00	12
<b>7153365</b>	Padded back cushion, contoured, including a rigid, contoured back	90.00	250.00	36
<b>7153366</b>	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	350.00	350.00	36
<b>7153367</b>	Power reclining back device, including a control external to the joystick control	1,590.00	1,590.00	36
<b>7153368</b>	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	1,650.00	1,650.00	36
<b>7153369</b>	Pelvic positioning belt, auto buckle	N/C	30.00	36
<b>7153370</b>	U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 38.7 cm (7 in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	175.00	60
<b>7153371</b>	T-type armrest, short, detachable; height-adjustable, from 17.8 cm to 34.3 cm (7 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism, clothing guard, rigid, built into armrest, armrest pad, straight	N/C	175.00	60
<b>7153372</b>	U-type armrest, long; flip-away; height-adjustable, from 17.8 cm to 38.7 cm (7 in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	175.00	60
<b>7153373</b>	T-type armrest, long, detachable; height-adjustable, from 17.8 cm to 34.3 cm (7 in. to 13½ in.) maximum increments of 2.5 cm (1 in.), with locking mechanism, clothing guard, rigid, built into armrest, armrest pad, straight	N/C	175.00	60
<b>7153374</b>	Armrest pad, straight, short	N/C	20.00	12
<b>7153375</b>	Armrest pad, straight, long	N/C	20.00	12

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7153376</b>	90° footrest, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 14 cm to 49.5 cm (5½ in. to 19½ in.)	N/C	225.00	60
<b>7153377</b>	70° footrest, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 14 cm to 49.5 cm (5½ in. to 19½ in.)	N/C	225.00	60
<b>7153378</b>	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, contoured	N/C	225.00	36
<b>7153379</b>	Power elevating leg-rest, with control per pair, including a control external to the joystick control	637.50	862.50	36
<b>7153380</b>	Power elevating leg-rest, with control per unit, including a control external to the joystick control	637.50	862.50	36
<b>7153381</b>	Padded calf-rest, contoured	35.00	35.00	36
<b>7153382</b>	Folding footplate, standard, standard size	N/C	80.00	36
<b>7153383</b>	Folding footplate, standard, oversize	N/C	80.00	36
<b>7153384</b>	Footplate, angle and depth-adjustable, standard size	N/C	80.00	36
<b>7153385</b>	Footplate, angle and depth-adjustable, oversize	N/C	80.00	36
<b>7153386</b>	Folding footplate, full-size, one-piece; fixed angle	N/C	160.00	36
<b>7153387</b>	Heel loop, adjustable	N/C	30.00	36
<b>7153388</b>	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	75.00	75.00	36
<b>7153389</b>	Headrest cushion, contoured, all sizes	70.00	70.00	36
<b>FRAME</b>				
<b>7153390</b>	Anti-tipping wheels, non-detachable except with tools	N/C	80.00	60
<b>7153391</b>	Front impact guard with rollers	20.00	20.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
<b>DRIVE SYSTEM</b>				
<b>7153392</b>	Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N/C	329.00	36
<b>7153393</b>	Standard joystick control for multi-purpose programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	200.00	529.00	36
<b>7153394</b>	Compact joystick control, proportional	N/C	329.00	36
<b>7153395</b>	Standard side bracket for joystick control; adjustable forward-rearward position	N/C	140.00	36
<b>7153396</b>	Swivel side bracket for joystick control; with locking mechanism	N/C	230.00	36
<b>7153397</b>	Midline bracket for joystick control; flip-back to provide total clearance for seat access	60.00	200.00	36
<b>7153398</b>	Controller for basic programmable electronics	N/C	659.00	36
<b>7153399</b>	Controller for multi-purpose programmable electronics	100.00	759.00	36
<b>7153400</b>	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N/C	600.00	36
<b>7153401</b>	Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N/C	600.00	36
<b>7153402</b>	Battery charger; external; compatible with group 22 NF or group 24 batteries	N/C	199.00	36
<b>7153403</b>	Internal control system for the joystick control for one (1) power repositioning accessory	350.00	350.00	36
<b>7153404</b>	Internal control system for the joystick control for four (4) power repositioning accessories	500.00	500.00	36
<b>7153405</b>	Adapted head control, proportional, including mounting bracket	1,100.00	1,100.00	36
<b>7153406</b>	Adapted head control, non-proportional, including mounting bracket	2,200.00	2,200.00	36

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7153407</b>	Adapted breath control, non-proportional, including mounting bracket	1,200.00	1,200.00	36
<b>7153408</b>	Adapted chin control, proportional, including mounting bracket	600.00	600.00	36
<b>7153409</b>	Adapted chin control, non-proportional, including mounting bracket	600.00	600.00	36
<b>7153410</b>	Adapted Mini joystick control, proportional, including mounting bracket	1,510.00	1,510.00	36
<b>7153411</b>	Mounting bracket for adapted control	350.00	350.00	36
<b>7153412</b>	Adapted control interface, with bracket and display	1,100.00	1,100.00	36
<b>7153413</b>	Mounting bracket for interface	350.00	350.00	36
<b>7153414</b>	Ball, stick, T-type, or mushroom handle	52.00	52.00	36
<b>7153415</b>	Course correction system	895.00	895.00	36
<b>WHEELS AND TIRES</b>				
<b>7153416</b>	Drive wheel, inner tube tire	N/C	150.00	36
<b>7153417</b>	Front caster wheel, inner tube tire	N/C	80.00	36
<b>7153418</b>	Airless insert for drive wheel	40.00	40.00	36
<b>7153419</b>	Airless insert for caster wheel	45.00	45.00	36

**DIVISION III: COMPLEMENTS FOR WHEELCHAIRS****SUBDIVISION 1: FACULTATIVE COMPONENTS**

<b>FACULTATIVE COMPONENTS</b>		<b>Maximum unit price of component during device purchase</b>	<b>Maximum unit price for component replacement</b>	<b>Warranty (months)</b>
<b>BODY SUPPORT SYSTEM</b>				
<b>+7800000</b>	Dynamic back for manual wheelchair and positioning base	135.00	135.00	36
<b>+7800001</b>	I-type armrest for reclining back	100.00	250.00	36
<b>+7800002</b>	Armrest pad, contoured, short or long	24.00	30.00	12
<b>+7800003</b>	Armrest pad, gel, short or long	32.00	38.00	12
<b>+7800004</b>	Dynamic footrest for positioning base	45.00	160.00	36
<b>+7800005</b>	Stump support, adjustable	260.00	260.00	36
<b>DRIVE SYSTEM</b>				
<b>+7800006</b>	One-arm dual handrim drive for manual wheelchair	850.00	850.00	36
<b>+7800007</b>	One-arm manual wheel locks	165.00	205.00	36
<b>+7800008</b>	Handrim with thumb grip	110.00	125.00	36
<b>+7800009</b>	Handrim with rubber traction band	110.00	125.00	36
<b>+7800010</b>	Handrim, plastic-coated, ultra-light	N/C	32.00	36
<b>+7800011</b>	Fork-locking mechanism	105.00	105.00	36
<b>+7800012</b>	Propulsion assistance module	2,000.00	2,000.00	36
<b>+7800013</b>	Mid-wheel manual propulsion for positioning base	225.00	700.00	36

**SUBDIVISION 2: BATTERIES FOR POWERED WHEELCHAIRS****BATTERIES (GEL)**

**Price including  
delivery,  
guarantee, and  
recovery of non-  
compliant or  
defective  
batteries  
(price per pair)**

**SUPPLIER: EAST PENN / POWER BATTERY**

**GROUP 22NF BATTERIES**

**4590000 Model: 8G22NF**

257.14

**SUPPLIER: EAST PENN / POWER BATTERY**

**GROUP 24 BATTERIES**

**4590001 Model: 8G24T881**

333.64

**SUPPLIER: EAST PENN / POWER BATTERY**

**GROUP U1 BATTERIES**

**4590002 Model: 8GU1**

166.00

**DIVISION IV: OTHER LOCOMOTOR ASSISTS****SUBDIVISION 1: ADULT POSITIONING BASES****PRICE**  
**(including all**  
**the basic**  
**components)****7156052 ADULT POSITIONING BASES**  
**SUBCATEGORY "MULTI-ADJUSTABLE TILT"****SUNRISE MEDICAL CANADA INC.****1,798.00****"QUICKIE IRIS" MODEL****TECHNICAL SPECIFICATIONS OF THE DEVICE****Maximum weight capacity:** 136.1 kg (300 lb.)**Seat-to-floor height:** 31.7 cm to 49.5 cm (12½ in. to 19½ in.)**Frame:** structure compatible with commercial positioning device anchors; back height from 38.1 cm to 61 cm (15 in. to 24 in.) by maximum increments of 5,1 cm (2 in.); back cane angle-adjustable from 90° to 120° by maximum increments of 8°; non-slip push handles or push bar, raised; anchor for headrest bracket; tilt system for minimum angulation of 45°; four tie-down points for adapted transport

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>BODY SUPPORT SYSTEM</b>				
<b>7156053</b>	Flat rigid seat; metal; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)	N/C	158.00	36
<b>7156054</b>	Reclining back with cylinder; continuous inclination up to a minimum of 120°	420.00	420.00	36
<b>7156055</b>	Pelvic positioning belt, auto buckle	N/C	35.00	36
<b>7156056</b>	Pelvic positioning belt, Velcro	N/C	29.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
<b>7156057</b>	U-type armrest, short; detachable; height-adjustable, from 25.4 cm to 36.8 cm (10 in. to 14½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	120.00	60
<b>7156058</b>	T-type armrest, short; detachable; height-adjustable, from 18.4 cm to 40 cm (7¼ in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	120.00	60
<b>7156059</b>	U-type armrest, long; detachable; height-adjustable, from 25.4 cm to 36.8 cm (10 in. to 14½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	120.00	60
<b>7156060</b>	T-type armrest, long; detachable; height-adjustable, from 18.4 cm to 40 cm (7¼ in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	120.00	60
<b>7156061</b>	Armrest pad, straight, short	N/C	9.00	12
<b>7156062</b>	Armrest pad, straight, long	N/C	9.00	12
<b>7156063</b>	Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 29.2 cm to 48.3 cm (11½ in. to 19 in.)	N/C	116.00	60
<b>7156064</b>	Parallel footrest, 70° or 90° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 29.2 cm to 48.3 cm (11½ in. to 19 in.)	N/C	116.00	60
<b>7156065</b>	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, height and depth-adjustable	19.00	135.00	36
<b>7156066</b>	Padded calf-rest, contoured	20.00	20.00	36
<b>7156067</b>	Calf-rest strap, single	19.00	19.00	36
<b>7156068</b>	Footplate, angle and depth-adjustable, standard size	N/C	40.00	36

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7156069</b>	Footplate, angle and depth-adjustable, oversize	N/C	40.00	36
<b>7156070</b>	Folding footplate, standard, standard size	N/C	9.00	36
<b>7156071</b>	Folding footplate, standard, oversize	N/C	9.00	36
<b>7156072</b>	Full-width footplate, one piece, folding; angle-adjustable	28.00	108.00	36
<b>7156073</b>	Heel loop, adjustable	N/C	11.00	36
<b>7156074</b>	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	75.00	75.00	36
<b>7156075</b>	Headrest cushion, padded and contoured, all sizes	70.00	70.00	36
<b>FRAME</b>				
<b>7156076</b>	Anti-tipping wheels, detachable or pivoting, with locking mechanism	N/C	28.00	60
<b>7156077</b>	Heavy-duty option to increase maximum weight capacity to 181.4 kg (400 lb.)	320.00	N/A	36
<b>DRIVE SYSTEM</b>				
<b>7156078</b>	Handrim, smooth	N/C	40.00	36
<b>7156079</b>	Handrim, plastic-coated	N/C	40.00	36
<b>7156080</b>	Non-slip handrim, foam	85.00	125.00	36
<b>7156081</b>	Handrim with vertical or oblique projections	45.00	85.00	36
<b>7156082</b>	Standard wheel lock, push-to-lock	N/C	32.00	36
<b>7156083</b>	Plug-in wheel lock extension	7.00	7.00	36
<b>7156084</b>	Caster fork, height-adjustable, compatible with all available wheel diameters	N/C	32.00	36
<b>WHEELS AND TIRES</b>				
<b>7156085</b>	Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.)	N/C	15.00	36
<b>7156086</b>	Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.)	N/C	15.00	36

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7156087</b>	Rear axle, quick release system, with push-button locking mechanism	N/C	33.00	36
<b>7156088</b>	Threaded rear axle	N/C	5.00	36
<b>7156089</b>	Rear mag wheel, semi-pneumatic tire, 30.5 cm (12 in.) or 40.6 cm (16 in.)	N/C	80.00	36
<b>7156090</b>	Spoked rear wheel, semi-pneumatic tire, 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3.5 cm (1 <sup>3</sup> / <sub>8</sub> in.) wide	N/C	80.00	36
<b>7156091</b>	Spoke guard	20.00	20.00	36

		PRICE (including all the basic components)		
7156092	ADULT POSITIONING BASES SUBCATEGORY “MULTI-ADJUSTABLE WITH BALANCED CENTRE OF GRAVITY”  ORTHOFAB INC.  “TANGO CE” MODEL			
		1,055.00		
TECHNICAL SPECIFICATIONS OF THE DEVICE				
Maximum weight capacity: 113.4 kg (250 lb.)				
Seat-to-floor height: 35.6 cm to 50.8 cm (14 in. to 20 in.)				
Frame: structure compatible with commercial positioning device anchors; back height from 40.6 cm to 61 cm (16 in. to 24 in.) by maximum increments of 2.51 cm (1 in.); back cane angle-adjustable from 90° to 120° by maximum increments of 8°; non-slip push handles or push bar, raised; anchor for headrest bracket; tilt system for minimum angulation of 45°; four tie-down points for adapted transport				
BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM				
7156093	Flat rigid seat; metal; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.8 cm (22 in.)	N/C	40.00	36
7156094	Reclining back with cylinder; continuous inclination up to a minimum of 120°	270.00	270.00	36
7156095	Pelvic positioning belt, auto buckle	N/C	6.00	36
7156096	Pelvic positioning belt, Velcro	N/C	15.00	36
7156098	T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	150.00	60

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
<b>7156100</b>	T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	150.00	60
<b>7156101</b>	Armrest pad, straight, short	N/C	6.00	12
<b>7156102</b>	Armrest pad, straight, long	N/C	6.00	12
<b>7156103</b>	Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 48.3 cm to 53.3 cm (19 in. to 21 in.)	N/C	172.00	60
<b>7156104</b>	Parallel footrest, 70° or 90° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or additionally for 70° footrest, from 48.3 cm to 53.3 cm (19 in. to 21 in.)	N/C	172.00	60
<b>7156105</b>	Elevating leg-rest, compensating; detachable and pivoting, with locking mechanism; adjustable length; standard folding footplate, standard size or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; Padded calf-rest, height and depth-adjustable	28.00	200.00	36
<b>7156106</b>	Padded calf-rest, flat	15.00	15.00	36
<b>7156107</b>	Calf-rest strap, double	15.00	15.00	36
<b>7156108</b>	Footplate, angle and depth-adjustable, standard size	N/C	50.00	36
<b>7156109</b>	Footplate, angle and depth-adjustable, oversize	N/C	55.00	36
<b>7156110</b>	Folding footplate, standard, standard size	N/C	6.00	36
<b>7156111</b>	Folding footplate, standard, oversize	N/C	35.00	36
<b>7156112</b>	Full-width footplate, in two lockable parts, angle-adjustable	N/C	100.00	36
<b>7156113</b>	Heel loop, adjustable	N/C	3.00	36
<b>7156114</b>	Headrest bracket, height and depth-adjustable	35.00	35.00	36
<b>7156115</b>	Headrest cushion, padded and flat, all sizes	40.00	40.00	36

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
<b>FRAME</b>				
<b>7156116</b>	Anti-tipping wheels, detachable or pivoting, with locking mechanism	N/C	12.00	60
<b>7156117</b>	Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	119.00	N/A	36
<b>DRIVE SYSTEM</b>				
<b>7156118</b>	Handrim, smooth	N/C	80.00	36
<b>7156119</b>	Handrim, plastic-coated	N/C	80.00	36
<b>7156120</b>	Non-slip handrim, foam	40.00	120.00	36
<b>7156121</b>	Handrim with oblique projections	N/C	80.00	36
<b>7156122</b>	Standard wheel lock, push-to-lock	N/C	30.00	36
<b>7156123</b>	Plug-in wheel lock extension	10.00	10.00	36
<b>7156124</b>	Caster fork, height-adjustable, compatible with all available wheel diameters	N/C	15.00	36
<b>WHEELS AND TIRES</b>				
<b>7156125</b>	Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); widths of 3.2 cm (1¼ in.) or 3.8 cm (1½ in.)	N/C	40.00	36
<b>7156126</b>	Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); 3.8 cm (1½ in.) wide	N/C	40.00	36
<b>7156127</b>	Rear axle, quick release system, with push-button locking mechanism	N/C	15.00	36
<b>7156128</b>	Threaded rear axle	N/C	2.00	36
<b>7156129</b>	Rear mag wheel, semi-pneumatic tire, 30.5 cm (12 in.)	N/C	100.00	36
<b>7156130</b>	Spoked rear wheel, semi-pneumatic tire, 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3.2 cm (1¼ in.) wide	N/C	100.00	36
<b>7156131</b>	Spoke guard	70.00	70.00	36

		PRICE (including all the basic components)		
7156132	ADULT POSITIONING BASES SUBCATEGORY “MULTI-ADJUSTABLE CYLINDER”			
	ORTHOFAB INC.	1,055.00		
	“TANGO AC” MODEL			
TECHNICAL SPECIFICATIONS OF THE DEVICE				
Maximum weight capacity: 113.4 kg (250 lb.)				
Seat-to-floor height: 35.6 cm to 50.8 cm (14 in. to 20 in.)				
Frame: structure compatible with commercial positioning device anchors; back height from 40.6 cm to 61 cm (16 in. to 24 in.) by maximum increments of 2.5 cm (1 in.); back cane angle-adjustable from 90° to 120° by maximum increments of 8°; non-slip push handles or push bar, raised; anchor for headrest bracket; tilt system for minimum angulation of 45°; four tie-down points for adapted transport				
BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM				
7156133	Flat rigid seat; metal; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.8 cm (22 in.)	N/C	40.00	36
7156134	Reclining back with cylinder; continuous inclination up to a minimum of 120°	270.00	270.00	36
7156135	Pelvic positioning belt, auto buckle	N/C	6.00	36
7156136	Pelvic positioning belt, Velcro	N/C	15.00	36
7156137	U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	150.00	60

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
<b>7156139</b>	U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	150.00	60
<b>7156141</b>	Armrest pad, straight, short	N/C	6.00	12
<b>7156142</b>	Armrest pad, straight, long	N/C	6.00	12
<b>7156143</b>	Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 48.3 cm to 53.3 cm (19 in. to 21 in.)	N/C	172.00	60
<b>7156144</b>	Parallel footrest, 70° or 90° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) and additionally for the 70° footrest, from 48.3 cm to 53.3 cm (19 in. to 21 in.)	N/C	172.00	60
<b>7156145</b>	Elevating leg-rest, compensating; detachable and pivoting, with locking mechanism; adjustable length; standard folding footplate, standard size or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, height and depth-adjustable	28.00	200.00	36
<b>7156146</b>	Padded calf-rest, flat	15.00	15.00	36
<b>7156147</b>	Calf-rest strap, double	15.00	15.00	36
<b>7156148</b>	Footplate, angle and depth-adjustable, standard size	N/C	50.00	36
<b>7156149</b>	Footplate, angle and depth-adjustable, oversize	N/C	55.00	36
<b>7156150</b>	Folding footplate, standard, standard size	N/C	6.00	36
<b>7156151</b>	Folding footplate, standard, oversize	N/C	35.00	36
<b>7156152</b>	Full-width footplate, in two lockable parts; angle-adjustable	N/C	100.00	36
<b>7156153</b>	Heel loop, adjustable	N/C	3.00	36
<b>7156154</b>	Headrest bracket, height and depth-adjustable	35.00	35.00	36
<b>7156155</b>	Headrest cushion, padded and flat, all sizes	40.00	40.00	36

	<b>BASIC AND OPTIONAL COMPONENTS</b>	<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
	<b>FRAME</b>			
<b>7156156</b>	Anti-tipping wheels, detachable or pivoting, with locking mechanism	N/C	12.00	60
<b>7156157</b>	Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	119.00	N/A	36
	<b>DRIVE SYSTEM</b>			
<b>7156158</b>	Handrim, smooth	N/C	80.00	36
<b>7156159</b>	Handrim, plastic-coated	N/C	80.00	36
<b>7156160</b>	Non-slip handrim, foam	40.00	120.00	36
<b>7156161</b>	Handrim with oblique projections	N/C	80.00	36
<b>7156162</b>	Standard wheel lock, push-to-lock	N/C	30.00	36
<b>7156163</b>	Telescopic wheel lock extension	10.00	10.00	36
<b>7156164</b>	Caster fork, height-adjustable, compatible with all available wheel diameters	N/C	15.00	36
	<b>WHEELS AND TIRES</b>			
<b>7156165</b>	Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); widths of 3.2 cm (1¼ in.) or 3.8 cm (1½ in.)	N/C	40.00	36
<b>7156166</b>	Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); 3.8 cm (1½ in.) wide	N/C	40.00	36
<b>7156167</b>	Rear axle, quick release system, with push-button locking mechanism	N/C	15.00	36
<b>7156168</b>	Threaded rear axle	N/C	2.00	36
<b>7156169</b>	Rear mag wheel, semi-pneumatic tire, 30.5 cm (12 in.)	N/C	100.00	36
<b>7156170</b>	Spoked rear wheel, semi-pneumatic tire, 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3.2 cm (1¼ in.) wide	N/C	100.00	36
<b>7156171</b>	Spoke guard	70.00	70.00	36

		PRICE (including all the basic components)		
7156172	ADULT POSITIONING BASES SUBCATEGORY “MULTI-ADJUSTABLE WITH CONSTANT OR NEAR-CONSTANT FRONT SEAT-TO-FLOOR HEIGHT”			
	PDG PRODUCT DESIGN GROUP INC.	1,150.00		
	“BENTLEY” MODEL			
TECHNICAL SPECIFICATIONS OF THE DEVICE				
Maximum weight capacity: 113.4 kg (250 lb.)				
Seat-to-floor height: 35.6 cm to 48.3 cm (14 in. to 19 in.)				
Frame: structure compatible with commercial positioning device anchors; back height of 53.3 cm (21 in.) or 61 cm (24 in.); back cane angle-adjustable from 90° to 120° by maximum increments of 8°; non-slip push bar, raised; anchor for headrest bracket; tilt system for minimum angulation of 45°; four tie-down points for adapted transport				
BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM				
7156173	Flat rigid seat; metal; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N/C	10.76	36
7156174	Reclining back with cylinder; continuous inclination up to a minimum of 120°	187.50	187.50	36
7156175	Pelvic positioning belt, auto buckle	N/C	21.00	36
7156176	Pelvic positioning belt, Velcro	N/C	33.00	36
7156177	U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	7.50	60

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
<b>7156179</b>	U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	7.50	60
<b>7156181</b>	Armrest pad, straight, short	N/C	3.05	12
<b>7156182</b>	Armrest pad, straight, long	N/C	2.20	12
<b>7156183</b>	Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 25.4 cm to 38.1 cm (10 in. to 15 in.), from 30.5 cm to 40.6 cm (12 in. to 16 in.) or from 38.1 cm to 48.3 cm (15 in. to 19 in.)	N/C	52.50	60
<b>7156184</b>	Parallel footrest, 70° or 90° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 25.4 cm to 38.1 cm (10 in. to 15 in.), from 27.9 cm to 38.1 cm (11 in. to 15 in.), from 33 cm to 43.2 cm (13 in. to 17 in.) or from 38.1 cm to 48.3 cm (15 in. to 19 in.)	N/C	52.50	60
<b>7156185</b>	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, height and depth-adjustable	37.50	90.00	36
<b>7156186</b>	Padded calf-rest, flat	22.50	22.50	36
<b>7156187</b>	Calf-rest strap, single	35.00	35.00	36
<b>7156188</b>	Footplate, angle and depth-adjustable, standard size	N/C	4.95	36
<b>7156189</b>	Footplate, angle and depth-adjustable, oversize	N/C	5.60	36
<b>7156190</b>	Folding footplate, standard, standard size	N/C	3.34	36
<b>7156191</b>	Folding footplate, standard, oversize	N/C	3.34	36
<b>7156192</b>	Full-width footplate, one piece, folding; angle-adjustable	80.10	90.00	36
<b>7156193</b>	Heel loop, adjustable	N/C	0.75	36
<b>7156194</b>	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	50.00	50.00	36

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7156195</b>	Headrest cushion, padded, flat or contoured, all sizes	37.00	37.00	36
<b>FRAME</b>				
<b>7156196</b>	Anti-tipping wheels, detachable or pivoting, with locking mechanism	N/C	5.00	60
<b>7156197</b>	Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	550.00	N/A	36
<b>DRIVE SYSTEM</b>				
<b>7156198</b>	Handrim, smooth	N/C	8.00	36
<b>7156199</b>	Handrim, plastic-coated	2.40	10.40	36
<b>7156200</b>	Non-slip handrim, foam	179.50	187.50	36
<b>7156201</b>	Handrim with vertical projections	57.00	65.00	36
<b>7156202</b>	Standard wheel lock, push-to-lock	N/C	1.80	36
<b>7156203</b>	Plug-in wheel lock extension	2.74	2.74	36
<b>7156204</b>	Caster fork, height-adjustable, compatible with all available wheel diameters	N/C	5.09	36
<b>WHEELS AND TIRES</b>				
<b>7156205</b>	Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); 3 cm (1 <sup>3</sup> / <sub>16</sub> in.) wide	N/C	8.34	36
<b>7156206</b>	Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); 3 cm (1 <sup>3</sup> / <sub>16</sub> in.) wide	N/C	8.34	36
<b>7156207</b>	Rear axle, quick release system, with push-button locking mechanism	N/C	3.00	36
<b>7156208</b>	Threaded rear axle	N/C	0.03	36
<b>7156209</b>	Rear mag wheel, semi-pneumatic tire, 30.5 cm (12 in.)	N/C	12.00	36
<b>7156210</b>	Spoked rear wheel, semi-pneumatic tire, 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3 cm (1 <sup>3</sup> / <sub>16</sub> in.) wide	N/C	23.62	36
<b>7156211</b>	Spoke guard	43.00	43.00	36

**SUBDIVISION 2: PEDIATRIC POSITIONING BASES**

		PRICE (including all the basic components)		
7156212	PEDIATRIC POSITIONING BASES SUBCATEGORY “MULTI-ADJUSTABLE TILT”			
	SUNRISE MEDICAL CANADA INC.			1,650.00
	“ZIPPIE IRIS” MODEL			
TECHNICAL SPECIFICATIONS OF THE DEVICE				
Maximum weight capacity: 102.1 kg (225 lb.)				
Seat-to-floor height: 38.1 cm to 48.3 cm (15 in. to 19 in.)				
Frame: structure compatible with commercial positioning device anchors; back height from 40.6 cm to 63.5 cm (16 in. to 25 in.) by maximum increments of 5,1 cm (2 in.); back cane angle-adjustable from 90° to 120° by maximum increments of 8°; non-slip push handles or push bar, raised; anchor for headrest bracket; tilt system for minimum angulation of 45°; four tie-down points for adapted transport				
BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM				
7156213	Flat rigid seat; metal; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 25.4 cm (10 in.), 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.); depths of 30.5 cm (12 in.), 35.6 cm (14 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N/C	158.00	36
7156214	Pelvic positioning belt, auto buckle	N/C	35.00	36
7156215	Pelvic positioning belt, Velcro	N/C	29.00	36
7156216	I-type armrest, short; detachable; height-adjustable, from 18.4 cm to 40 cm (7¼ in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	120.00	60

BASIC AND OPTIONAL COMPONENTS		Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
<b>7156217</b>	T-type armrest, short; detachable; height-adjustable, from 18.4 cm to 40 cm (7¼ in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	120.00	60
<b>7156218</b>	I-type armrest, long; detachable; height-adjustable, from 18.4 cm to 40 cm (7¼ in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	120.00	60
<b>7156219</b>	T-type armrest, long; detachable; height-adjustable, from 18.4 cm to 40 cm (7¼ in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N/C	120.00	60
<b>7156220</b>	Armrest pad, straight, short	N/C	9.00	12
<b>7156221</b>	Armrest pad, straight, long	N/C	9.00	12
<b>7156222</b>	70° footrest, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 17.8 cm to 33 cm (7 in. to 13 in.)	N/C	116.00	60
<b>7156223</b>	90° footrest, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 17.8 cm to 33 cm (7 in. to 13 in.)	N/C	116.00	60
<b>7156224</b>	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, height and depth-adjustable	19.00	135.00	36
<b>7156225</b>	Padded calf-rest	20.00	20.00	36
<b>7156226</b>	Calf-rest strap, single	19.00	19.00	36
<b>7156227</b>	Footplate, angle and depth-adjustable, standard size	N/C	40.00	36
<b>7156228</b>	Footplate, angle and depth-adjustable, oversize	N/C	40.00	36
<b>7156229</b>	Folding footplate, standard, standard size	N/C	9.00	36
<b>7156230</b>	Folding footplate, standard, oversize	N/C	9.00	36

	<b>BASIC AND OPTIONAL COMPONENTS</b>	<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7156231</b>	Full-width footplate, one piece, folding; angle-adjustable	28.00	108.00	36
<b>7156232</b>	Heel loop, adjustable	N/C	11.00	36
<b>7156233</b>	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	75.00	75.00	36
<b>7156234</b>	Headrest cushion, padded and contoured, all sizes	70.00	70.00	36
	<b>FRAME</b>			
<b>7156235</b>	Anti-tipping wheels, detachable or pivoting, with locking mechanism	N/C	28.00	60
	<b>DRIVE SYSTEM</b>			
<b>7156236</b>	Handrim, smooth	N/C	40.00	36
<b>7156237</b>	Handrim, plastic-coated	N/C	40.00	36
<b>7156238</b>	Non-slip handrim, foam	85.00	125.00	36
<b>7156239</b>	Handrim with vertical or oblique projections	45.00	85.00	36
<b>7156240</b>	Standard wheel lock, push-to-lock	N/C	32.00	36
<b>7156241</b>	Plug-in wheel lock extension	7.00	7.00	36
<b>7156242</b>	Caster fork, height-adjustable, compatible with all available wheel diameters	N/C	32.00	36
	<b>WHEELS AND TIRES</b>			
<b>7156243</b>	Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.)	N/C	15.00	36
<b>7156244</b>	Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.)	N/C	15.00	36
<b>7156245</b>	Rear axle, quick release system, with push-button locking mechanism	N/C	33.00	36
<b>7156246</b>	Threaded rear axle	N/C	5.00	36
<b>7156247</b>	Rear mag wheel, semi-pneumatic tire, 30.5 cm (12 in.)	N/C	80.00	36

<b>BASIC AND OPTIONAL COMPONENTS</b>		<b>Unit price of component during device purchase</b>	<b>Unit price for component replacement</b>	<b>Warranty (months)</b>
<b>7156248</b>	Spoked rear wheel, semi-pneumatic tire, 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3.5 cm (1⅜ in.) wide	N/C	80.00	36
<b>7156249</b>	Spoke guard	20.00	20.00	36

**DIVISION V: STROLLERS AND ORTHOMOBILES**

<b>DEVICE</b>	<b>Maximum price</b>
<b>Buggy Major-type stroller, including footrests and harness</b>	
<b>4495602</b> less than three years of age *	660.00
<b>4495610</b> three years of age and over	660.00
<b>Available Component(s)</b>	
<b>4495651</b> padded seat	96.00
<b>4494993</b> other components	S.C.
<b>4493862</b> thoracic support	96.00
<b>4493870</b> chest pad	57.00
<b>DURATION OF GUARANTEE: 12 months</b>	

<b>DEVICE</b>	<b>Maximum price</b>
<b>4495701</b> Other strollers*	S.C.
<b>2192300</b> Orthomobiles	S.C.

**PART II: POSTURE DEVICE**

	Description	Maximum price
<b>DEVICE</b>		
<b>4565058</b>	Positioning device * The price of the positioning device is equal to the total price of the positioning components.	*
<b>WARRANTY PERIOD: 3 months</b>		
<b>4490223</b>	Standardized cushion, multilayer or injected foam	400.00
<b>4490249</b>	Standardized cushion, viscoelastic foam and gel	400.00
<b>4499646</b>	Standardized cushion, viscofluid foam and gel	400.00
<b>4499869</b>	Standardized cushion, static air-adjustable, single-compartment (by adjusting pressure or cell quantity)	500.00
<b>4490215</b>	Standardized cushion, static air-adjustable, multi-compartment (by adjusting pressure or cell quantity)	500.00
<b>4499695</b>	Standardized cushion, viscoelastic gel	500.00
<b>4490231</b>	Standardized cushion, viscofluid gel	500.00
<b>4490256</b>	Standardized cushion, foam with air insert	500.00
<b>4490248</b>	Standardized convoluted cushion, fusion-bonded thermoplastic polymer	500.00
<b>4490272</b>	Customized cushion, multilayer or injected foam	425.00
<b>4490280</b>	Customized cushion, viscoelastic foam and gel	425.00
<b>4490298</b>	Customized cushion, viscofluid foam and gel	425.00
<b>4490306</b>	Customized cushion, foam with air insert	525.00
<b>4490307</b>	Customized cushion, fusion-bonded thermoplastic polymer	600.00
<b>4020510</b>	Standard cover for specialized seat cushion	75.00
<b>4020511</b>	Commercial waterproof cover for specialized seat cushion	100.00
<b>4020512</b>	Surcharge payable for 2 commercial waterproof covers, provided with purchase or replacement of specialized seat cushion, as substitution for 2 standard covers	50.00
<b>4020513</b>	Waterproof cover for seat cushion (all sizes)	75.00
<b>4020515</b>	Surcharge payable for bariatric cushion, width of more than 50.8 cm (20 in.)	150.00
<b>4565078</b>	Adjustable pediatric posture seat for adaptable stroller, including positioning for torso, pelvis and lower limbs	1,200.00
<b>4565069</b>	Positioning components for head and neck, standardized or standardized modular components	350.00
<b>4565060</b>	Positioning components for torso, pelvis or both, standardized or standardized modular components, excluding seat cushion	450.00
<b>4565070</b>	Positioning belt specialized for pelvis, standardized	100.00
<b>4565061</b>	Positioning harness for torso, standardized	100.00
<b>4565062</b>	Right upper limb positioning components, standardized or standardized modular components	170.00
<b>4565063</b>	Left upper limb positioning components, standardized or standardized modular components	170.00

<b>4565064</b>	Right lower limb positioning components, standardized or standardized modular components	200.00
<b>4565066</b>	Left lower limb positioning components, standardized or standardized modular components	200.00
<b>4565067</b>	Bilateral upper limb positioning components, standardized or standardized modular components	200.00
<b>4565068</b>	Bilateral lower limb positioning components, standardized or standardized modular components	200.00
<b>4565071</b>	Additional or replacement standard cover for specialized back	75.00
<b>4565074</b>	Additional or replacement waterproof cover for specialized back	100.00
<b>4565072</b>	Surcharge payable upon purchase or replacement of back or cover for complete or partial water proofing	50.00
<b>4565075</b>	Surcharge payable for a large positioning component for torso, pelvis or both, width or height of more than 50.8 cm (20 in.)	50.00
<b>4565080</b>	Surcharge payable for hardware allowing thoracic supports to swing away, flip back or fold	200.00
<b>4499900</b>	Head or neck components, moulded or customized	450.00
<b>4499888</b>	Torso positioning components, moulded or customized	500.00
<b>4499889</b>	Bilateral lower limb positioning components, moulded or customized	300.00
<b>4499890</b>	Torso and pelvic positioning component, one-piece, customized contouring	900.00
<b>4499891</b>	Pelvic positioning component, moulded or customized, excluding seat cushion	200.00
<b>4499892</b>	Torso positioning harness, customized	100.00
<b>4499894</b>	Right upper limb positioning components, moulded or customized	270.00
<b>4499895</b>	Left upper limb positioning components, moulded or customized	270.00
<b>4499896</b>	Right lower limb positioning components, moulded or customized	300.00
<b>4499897</b>	Left lower limb positioning components, moulded or customized	300.00
<b>4499899</b>	Bilateral upper limb positioning components, moulded or customized	300.00

”

**PART III: ELEMENTS INCLUDED IN THE PRICES OF THE DEVICES**

1. The maximum or the fixed price for the purchase or replacement of an insured device referred to in Part I or II of this Title includes the following elements:
  - (1) the maximum or fixed price for its basic components, its optional components and its and supplements, if any;
  - (2) the cost of its manufacture;
  - (3) the cost of adjustments required while it is being manufactured, up to and including the final installation;
  - (4) the cost of adjustments and repairs during the guarantee period referred to in this Title in respect of each device or in the contract with the supplier, beginning immediately after the final installation and during which any adjustment or repair of a device used under normal conditions is made, in order to bring the device into conformity with the original prescription, where the beneficiary's physical condition has not changed, and to enable the beneficiary to derive maximum benefit from the device.
2. The replacement cost of a component or supplement for a device includes the following elements:
  - (1) the cost price of the materials;
  - (2) the cost of its manufacture, if any;
  - (3) the cost of adjustment and installation.

**TITLE THREE: INSURED RELATED SERVICES****PART I: PROSTHESES, ORTHOSES, AMBULATION AIDS OR STANDING AIDS**

<b>Codes</b>	<b>Description</b>	<b>Labour rate or lump sum</b>
<b>+5550001</b>	Labour for the manufacture or repair of an orthosis, prosthesis, ambulation aid, standing aid or their components and supplements	1.03 per minute
<b>4499976</b>	Lump sum for recovery, safety check, cleaning, reallocation and inventory management of a walker with thorax support	74.32
<b>5442257</b>	Lump sum for initial purchase or replacement of an ambulation aid provided as a complement to an orthosis or prosthesis	15.42
<b>5442258</b>	Lump sum for initial purchase or replacement of an ambulation aid provided as a device to an adult	30.85
<b>5442259</b>	Lump sum for initial purchase or replacement of an ambulation aid provided as a device to a person under 19 years of age	46.27

**PART II: LOCOMOTOR AND POSTURE ASSISTS**

<b>Codes</b>	<b>Description</b>	<b>Labour rate or lump sum</b>
<b>+5550000</b>	Labour for the manufacture or repair of a locomotor assist, positioning device or their components, including repairs made under supplier's warranty	1.03 per minute
<b>4499968</b>	Lump sum for the initial purchase or replacement of a manual wheel chair	407.48
<b>4499992</b>	Lump sum for the initial purchase or replacement of a powered wheel chair	548.70
<b>5442260</b>	Lump sum for initial purchase or replacement of a positioning base	407.48
<b>5442272</b>	Non-listed lump sum for initial purchase or replacement of adapted stroller (S.C.)	407.48
<b>4495552</b>	Lump sum for the initial purchase or replacement of a Buggy Major-type stroller	47.08
<b>4499596</b>	Lump sum for the initial purchase or replacement of a propulsion assistance module	141.20
<b>4499950</b>	Lump sum when a device must be adjusted to the growth of an insured person under age 19	203.12
<b>4499935</b>	Lump sum for initial purchase or replacement of a manual wheelchair when the insured person dies before taking final receipt of device	260.10
<b>4499927</b>	Lump sum for initial purchase or replacement of a powered wheelchair when the insured person dies before taking final receipt of device	318.31
<b>5442269</b>	Lump sum for initial purchase or replacement of a positioning base when the insured person dies before taking final receipt of device	260.10
<b>4499943</b>	Lump sum for initial purchase or replacement of a stroller when the insured person dies before taking final receipt of device	44.29
<b>5442254</b>	Lump sum for specialized cushion seat positioning	30.85
<b>5442261</b>	Lump sum for head or neck positioning	30.85
<b>5442262</b>	Lump sum for positioning of torso, pelvis or both (excluding specialized seat cushion-related service)	61.69
<b>5442263</b>	Lump sum for right upper limb positioning	30.85
<b>5442264</b>	Lump sum for left upper limb positioning	30.85
<b>5442265</b>	Lump sum for right lower limb positioning	30.85
<b>5442266</b>	Lump sum for left lower limb positioning	30.85