SCHEDULE I (s. 1)

TARIFF FOR DEVICES WHICH COMPENSATE FOR A MOTOR DEFICIENCY AND INSURED RELATED SERVICES



TITLE ONE: PROSTHESES, ORTHOSES, AMBULATION AIDS OR STANDING AIDS	1
PART I: AIDS FURNISHED BY AN INSTITUTION OR A LABORATORY	2
DIVISION I: LOWER-LIMB PROSTHESES	
SUBDIVISION 1: FOOT PROSTHESES	
SUBDIVISION 2: ANKLE PROSTHESES	5
SUBDIVISION 3: TIBIAL PROSTHESES	
SUBDIVISION 4: TIBIOFEMORAL PROSTHESES	18
SUBDIVISION 5: FEMORAL PROSTHESES	26
SUBDIVISION 6: COXOFEMORAL AND HEMIPELVIC PROSTHESES	38
SUBDIVISION 7: LOWER-LIMB PROSTHESES	48
DIVISION II: UPPER-LIMB PROSTHESES	49
SUBDIVISION 1: HAND PROSTHESES	
SUBDIVISION 2: WRIST PROSTHESES	
SUBDIVISION 3: CUBITAL PROSTHESES	
SUBDIVISION 4: CUBITOHUMERAL PROSTHESES	
SUBDIVISION 5: HUMERAL PROSTHESES	
SUBDIVISION 6: GLENOHUMERAL AND THORACIC PROSTHESES	
SUBDIVISION 0: GLENOHUMERAL AND THORACIC PROSTRESES	
SUBDIVISION 7. BASIC OR OF HONAL COMPONENTS FOR OFFER-LIMB PROSTHESES	
SUBDIVISION 8: UPPER-LIMB PROSTHESES	12
DIVISION III: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES	73
DIVISION IV: LOWER-LIMB ORTHOSES	86
SUBDIVISION 1: TIBIAL ORTHOSES	86
SUBDIVISION 2: TIBIOFEMORAL ORTHOSES	93
SUBDIVISION 3: FEMORAL ORTHOSES	99
SUBDIVISION 4: COXOFEMORAL ORTHOSES	
SUBDIVISION 5: BILATERAL LOWER-LIMB ORTHOSES	121
SUBDIVISION 6: ADDITIONAL COMPONENTS FOR TIBIAL, FEMORAL AND COXOFEMORAL ORTH	OSES
SUBDIVISION 7: LOWER-LIMB ORTHOSES	
DIVISION V: UPPER-LIMB ORTHOSES	
SUBDIVISION 1: HAND ORTHOSES THAT MAY INCLUDE THE THUMB AND THE OTHER FINGERS.	
SUBDIVISION 2: WRIST AND HAND ORTHOSES	
SUBDIVISION 3: ELBOW, WRIST AND HAND ORTHOSES	
SUBDIVISION 4: SHOULDER, ELBOW, WRIST AND HAND ORTHOSES	
SUBDIVISION 5: UPPER-LIMB ORTHOSES	140
DIVISION VI: TRUNK AND CERVICAL ORTHOSES	141
SUBDIVISION 1: TRUNK ORTHOSES	141
SUBDIVISION 2: CERVICAL ORTHOSES	148
SUBDIVISION 3: OTHER TRUNK AND CERVICAL ORTHOSES	151
DIVISION VII: AMBULATION AIDS	152
DIVISION VIII: STANDING AIDS	158
PART II: AIDS FURNISHED SOLELY BY AN INSTITUTION	160
DIVISION I: UPPER-LIMB PROSTHESES	160
DIVISION II: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES	169

••••••
HAIRS

TITLE ONE: PROSTHESES, ORTHOSES, AMBULATION AIDS OR STANDING AIDS

PART I: AIDS FURNISHED BY AN INSTITUTION OR A LABORATORY

DIVISION I: LOWER-LIMB PROSTHESES

SUBDIVISION 1: FOOT PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1120534	Prosthesis for total amputation of second, third and fourth toe, of two or of all of those toes, made from plaster or digital mold of insured person	403.69			3
	BASIC COMPONENTS AND SUPPLEMENTS				
	Filler for anterior part of foot, on rigid or pliable sole Compensatory sole for limb not fitted with a prosthesis				
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENTS AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1120542	Prosthesis for total amputation of first toe, with or without amputation of second, third, fourth or fifth toe, made from plaster or digital mold of insured person	427.82			3
	BASIC COMPONENTS AND SUPPLEMENTS				
	Filler for anterior part of foot, on rigid or				

pliable sole Longitudinal arch support Correction or shank Compensatory sole for limb not fitted with a prosthesis

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENTS AVAILABLE

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1120518	Prosthesis for transmetatarsal or transcalcaneal amputation with ankle support, made from plaster or digital mold of insured person	934.33			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Filler for anterior or posterior part of foot Laminated or molded plastic or molded leather socket Leg support where necessary				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	OPTIONAL COMPONENTS				
	Ankle joints:				
1125632	Gilette joints pair single	120.60 N. A.	N. A. 66.01		
1125640	Oklahoma joints pair single	114.25 N. A.	N. A. 63.48		
1125657	Wafer joints pair	132.02	N. A.		
1125665	single Tamarak joints	N. A.	72.36		

SCHEDULE 1 Tariff for devices which compensate for a motor deficiency and insured related services (authentic version)

1105772	pair single	126.94 N. A.	N. A. 69.82
11256/3	Gaffney joints pair single	139.65 N. A.	N. A. 74.90
	SUPPLEMENTS AVAILABLE		
	Stump sock * (consult Division III of this Part for the	*	*
	codes and prices of these supplements)		
3194016	codes and prices of these supplements) Nylon sheath	18.01	20.93
3194016	1 11 /	18.01	20.93

SUBDIVISION 2: ANKLE PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1130103	Temporary Symes prosthesis	980.06			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person Temporary foot (loan)				
	*DURATION OF GUARANTEE: Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENT				
1145523	Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person	N. C.	N. A.		
	OPTIONAL COMPONENTS				
	Supracondylar strap Foam flexible double comfort socket	109.17 100.28	147.27 195.49		3 3
1145598	Thigh lacer	190.41	206.93		3
	SUPPLEMENTS AVAILABLE				
3492501	Cane	10.00	10.00		
	Crutches with axillary support, height-adjustable	20.00	20.00		
+3492551	Crutches with forearm support, height-adjustable	55.00	55.00		
	Stump sock * (consult Division III of this Part for the	*	*		
3194016	codes and prices of these supplements) Nylon sheath, 45.7 cm (18 in.) to	18.01	20.93		

SCHEDULE 1	Tariff for devices which compensate for a motor deficiency and insured related services
	(authentic version)

	55.9 cm (22 in.)		
3194024	Nylon sheath, $80.0 \text{ cm} (31\frac{1}{2} \text{ in.})$ to	23.47	26.36
	92.7 cm (36½ in.)		
3194081	Nylon sheath with elastic band, 55.9 cm	37.14	40.20
	(22 in.) to 66.0 cm (26 in.)		
3194099	Nylon sheath with elastic band, 73.7 cm	37.14	40.20
	(29 in.) to 86.4 cm (34 in.)		

ADJUSTMENT AVAILABLE

None

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1130509	Symes prosthesis	1,554.23			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic socket, made from plaster or digital mold of insured person, with or without medial or posterior window SACH foot				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	SACH foot Laminated plastic socket, made from plaster or digital mold of insured person, with or without medial or posterior window	N. C. N. C.	255.56 1,208.53		3
	OPTIONAL COMPONENTS				
1135532 1125525 1125566	Trial socket Supracondylar strap Symes foot Dynamic response foot (Seattle) Dynamic response foot (Seattle Light)	129.47 109.17 N. C. 349.98 456.64	N. A. 147.27 251.36 605.54 712.19		3
1125681 1125699	Dynamic response foot (Seattle Light) Dynamic response foot (USMC) Dynamic foot, for child (1K10)	276.36 171.01 35.14	531.91 426.55 290.71		
	Silicone laminated extensible double	255.16	445.59		3

	socket			
1135524	Foam flexible double comfort socket	100.28	195.49	3
1145663	Thigh lacer with reinforced uniaxial ballbearing joints	670.30	686.80	3
1145671	Thigh lacer with light uniaxial ball-bearing joints	563.65	580.14	3
1145689	Thigh lacer with polycentric joints	893.03	909.51	3
	SUPPLEMENTS AVAILABLE			
	Stump sock	*	*	
	* (consult Division III of this Part for the codes and prices of these supplements)			
3194016	Nylon sheath, 45.7 cm (18 in.) to 55.9 cm (22 in.)	18.01	20.93	
3194024	Nylon sheath, 80.0 cm (31½ in.) to 92.7 cm (36½ in.)	23.47	26.36	
3194081	Nylon sheath with elastic band, 55.9 cm (22 in.) to 66.0 cm (26 in.)	37.14	40.20	
3194099	Nylon sheath with elastic band, 73.7 cm (29 in.) to 86.4 cm (34 in.)	37.14	40.20	
3492501	Cane	10.00	10.00	
3492550	Crutches with axillary support, height-adjustable	20.00	20.00	
+3492551	Crutches with forearm support, height-adjustable	55.00	55.00	

ADJUSTMENTS AVAILABLE

----- Any pertinent adjustment

SUBDIVISION 3: TIBIAL PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1140011	Post-operative tibial prosthesis necessitating obligatory renewal of plaster or digital mold	755.35			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Lycra compressible socks (4) Plaster sockets (2) Means of suspension (belt) SACH foot (loan) Adjustable pylon (loan)				
	*DURATION OF GUARANTEE: Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Plaster sockets (2) Means of suspension (belt)	N. C. N. C.	N. A. N. A.		
	SUPPLEMENTS AVAILABLE				
	Lycra compressible sock Crutches with axillary support, height- adjustable	N. C. 20.00	N. A. 20.00		
+3492551	Crutches with forearm support, height-adjustable	55.00	55.00		

ADJUSTMENT AVAILABLE

None

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1140060	Pneumatic post-operative tibial prosthesis, non-articulated	601.74			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Inflatable bag or case Distal pad Suspension straps Mobility frame (loan) Electric pump (loan)				
	*DURATION OF GUARANTEE: Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	SUPPLEMENTS AVAILABLE				
3492550	Crutches with axillary support, height-adjustable	20.00	20.00		
+3492551	Crutches with forearm support, height-adjustable	55.00	55.00		
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
	ADJUSTMENT AVAILABLE				
	None				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1140078	Pneumatic post-operative tibial prosthesis, articulated	762.96			*
	BASIC COMPONENTS AND				

SUPPLEMENTS

Inflatable bag or case
Thigh lacer system (loan)
Knee joint system (loan)
Universal socket (loan)
Modular system (loan)
SACH foot (loan)
Air pump (loan)

*DURATION OF GUARANTEE: Life of prosthesis

COMPONENTS AND SUPPLEMENTS AVAILABLE

SUPPLEMENTS AVAILABLE

3492550	Crutches with axillary support, height-adjustable	20.00	20.00
+3492551	Crutches with forearm support, height-adjustable	55.00	55.00
	Stump sock		

•

* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENT AVAILABLE

None

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
--	--------	--	--	---------------------------------	-----------------------

969.87

1140102 Temporary tibial prosthesis

BASIC COMPONENTS AND SUPPLEMENTS

Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person Temporary foot (loan) Endoskeletal system (loan)

*DURATION OF GUARANTEE: Life of prosthesis

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENT

1145523	Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person	N. C.	N. A.	
	OPTIONAL COMPONENTS			
1145598	Thigh lacer	190.41	206.93	
1135532	Supracondylar strap	109.17	147.27	
1145549	Foam flexible double comfort socket	105.36	184.08	
1145564	Tibial belt with Y strap	100.28	163.76	
1145697	Suspension lining covered with nylon on inside	79.99	87.59	
1145705	Suspension lining not covered with nylon on inside	96.38	104.02	
1145713	Latex suspension lining	43.14	52.04	
1145721	Elastic suspension lining	35.54	44.44	
	SUPPLEMENTS AVAILABLE			
	Stump sock	*	*	
	Stump sock * (consult Division III of this Part for the	*	*	
		*	*	
	* (consult Division III of this Part for the	* 18.01	* 20.93	
	* (consult Division III of this Part for the codes and prices of these supplements)			
3194032	* (consult Division III of this Part for the codes and prices of these supplements) Nylon tibial sheath, 15.2 cm (6 in.) to			
3194032 3194040	* (consult Division III of this Part for the codes and prices of these supplements) Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm (18 in.) Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm (31½ in.)	18.01 18.01	20.93 20.93	
3194032 3194040	* (consult Division III of this Part for the codes and prices of these supplements) Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm (18 in.) Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm (31½ in.) Nylon sheath with tibial elastic band,	18.01	20.93	
3194032 3194040 3194107	* (consult Division III of this Part for the codes and prices of these supplements) Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm (18 in.) Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm (31½ in.) Nylon sheath with tibial elastic band, 25.4 cm (10 in.) to 55.9 cm (22 in.)	18.01 18.01 30.59	20.93 20.93 33.49	
3194032 3194040 3194107	* (consult Division III of this Part for the codes and prices of these supplements) Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm (18 in.) Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm (31½ in.) Nylon sheath with tibial elastic band, 25.4 cm (10 in.) to 55.9 cm (22 in.) Nylon sheath with tibial elastic band,	18.01 18.01	20.93 20.93	
3194032 3194040 3194107 3194115	* (consult Division III of this Part for the codes and prices of these supplements) Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm (18 in.) Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm (31½ in.) Nylon sheath with tibial elastic band, 25.4 cm (10 in.) to 55.9 cm (22 in.) Nylon sheath with tibial elastic band, 50.8 cm (20 in.) to 73.7 cm (29 in.)	18.01 18.01 30.59 28.90	20.93 20.93 33.49 31.81	
3194032 3194040 3194107 3194115 3194206	* (consult Division III of this Part for the codes and prices of these supplements) Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm (18 in.) Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm (31½ in.) Nylon sheath with tibial elastic band, 25.4 cm (10 in.) to 55.9 cm (22 in.) Nylon sheath with tibial elastic band, 50.8 cm (20 in.) to 73.7 cm (29 in.) Nylon suction sheath (all sizes)	18.01 18.01 30.59 28.90 28.90	20.93 20.93 33.49 31.81 31.81	
3194032 3194040 3194107 3194115 3194206	* (consult Division III of this Part for the codes and prices of these supplements) Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm (18 in.) Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm (31½ in.) Nylon sheath with tibial elastic band, 25.4 cm (10 in.) to 55.9 cm (22 in.) Nylon sheath with tibial elastic band, 50.8 cm (20 in.) to 73.7 cm (29 in.) Nylon suction sheath (all sizes) Crutches with axillary support, height-	18.01 18.01 30.59 28.90	20.93 20.93 33.49 31.81	
3194032 3194040 3194107 3194115 3194206 3492550	* (consult Division III of this Part for the codes and prices of these supplements) Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm (18 in.) Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm (31½ in.) Nylon sheath with tibial elastic band, 25.4 cm (10 in.) to 55.9 cm (22 in.) Nylon sheath with tibial elastic band, 50.8 cm (20 in.) to 73.7 cm (29 in.) Nylon suction sheath (all sizes) Crutches with axillary support, height- adjustable	18.01 18.01 30.59 28.90 28.90 20.00	20.93 20.93 33.49 31.81 31.81 20.00	
3194032 3194040 3194107 3194115 3194206 3492550	* (consult Division III of this Part for the codes and prices of these supplements) Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm (18 in.) Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm (31½ in.) Nylon sheath with tibial elastic band, 25.4 cm (10 in.) to 55.9 cm (22 in.) Nylon sheath with tibial elastic band, 50.8 cm (20 in.) to 73.7 cm (29 in.) Nylon suction sheath (all sizes) Crutches with axillary support, height-	18.01 18.01 30.59 28.90 28.90	20.93 20.93 33.49 31.81 31.81	

ADJUSTMENTS AVAILABLE

None

3 3 3

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1140508	Exoskeletal tibial prosthesis	1,621.52			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic tibial socket, made from plaster or digital mold of insured person SACH foot Medial wedge Ankle block				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1125509	Ankle block SACH foot Laminated plastic tibial socket, made from plaster or digital mold of insured	N. C. N. C. N. C.	N. A. 255.56 1,270.74		3
1145457	person Medial wedge	N. C.	N. A.		
	OPTIONAL COMPONENTS				
1195585	Trial socket	120.60	N. A.		
1145754	Foam or molded plastic flexible double comfort socket	105.36	184.08		3
1145556	Foam or molded plastic flexible double comfort socket, with medial wedge	126.94	204.38		3
1145630	Silicone gel double socket	271.67	493.83		3
1145648	Silicone gel double socket, with medial wedge	291.99	514.13		3
1146554	Silicone gel flexible double socket, with distal attachment	868.32	901.33		3
1146570	Silicone gel flexible double socket, with distal attachment, excluding replacement of distal attachment	N. A.	625.86		3
	Tibial belt with Y strap	100.28	163.76		3
	Supracondylar strap	109.17	147.27		3
1145697	Suspension lining covered with nylon on inside	79.99	87.59		

1145705	Suspension lining not covered with nylon on inside	96.38	104.02	
1145713	Latex suspension lining	43.14	52.04	
	Elastic suspension lining	35.54	44.44	
1125517	Articulated foot	141.37	396.91	
1125574	Dynamic response foot, spring and prosthetic cover included (Quantum)	337.29	592.85	
1125624	Adapter for foot (Quantum)	132.02	184.08	
	Dynamic response foot (Seattle Light)	456.64	712.19	
	Dynamic response foot (Sten foot)	75.77	331.34	
	Dynamic response foot (SAFE foot)	179.88	435.44	
	Dynamic response foot (1D10, 1D11)	153.49	409.03	
	Dynamic response foot (Seattle)	349.98	605.54	
	Dynamic response foot (Carbon Copy II)	291.60	547.16	
	Dynamic foot, for child (1K10)	35.14	290.71	
	Multiaxial foot with rotator (1A29)	219.23	474.78	
	Femoral device with plastic ischiatic	729.94	770.57	
1105557	support	727.71	770.57	
1145663	Thigh lacer with reinforced uniaxial ball- bearing joints	670.30	686.80	
1145671	Thigh lacer with light uniaxial ball-bearing joints	563.65	580.14	
1145689	Thigh lacer with polycentric joints	893.03	909.51	
	Replacement of thigh lacer with recovery	N. A.	398.61	
11 13737	and reinstallation of existing joints	11. 11.	370.01	
1145580	Suction valve and seat	243.08	307.81	
	Suction valve and sear	N. A.	218.96	
	Foam flexible prosthetic cover	83.80	116.79	
1143747	Touri Hearore prostrictic cover	03.00	110.77	
	SUPPLEMENTS AVAILABLE			
3194032	Nylon tibial sheath, 15.2 cm (6 in.) to	18.01	20.93	
3194040	45.7 cm (18 in.) Nylon tibial sheath, 55.9 cm (22 in.) to	18.01	20.93	
2104107	80.0 cm (31½ in.)	20.50	22.40	
319410/	Nylon sheath with tibial elastic band,	30.59	33.49	
210/11/	25.4 cm (10 in.) to 55.9 cm (22 in.)	20 00	21 01	
3194113	Nylon sheath with tibial elastic band,	28.90	31.81	
2104207	50.8 cm (20 in.) to 73.7 cm (29 in.)	20.00	21.01	
	Nylon suction sheath (all sizes)	28.90	31.81	
	Prosthetic socks, per pair	26.68	35.54	
3492501		10.00	10.00	
	Crutches with axillary support, height-adjustable	20.00	20.00	
+3492551	Crutches with forearm support, height-adjustable	55.00	55.00	
	Stump sock	*	*	

* (consult Division III of this Part for the codes and prices of these supplements)

3

3

3

3

ADJUSTMENTS AVAILABLE

1146521	Socket lining (leather, plastic or other			165.03	
	material) Lengthening of a tibial prosthesis Any pertinent adjustment			311.00	
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1141514	Endoskeletal tibial prosthesis	1,797.98			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic tibial socket, made from plaster or digital mold of insured person Medial wedge SACH foot and adapter Complete endoskeletal system (modular components, prosthetic cover and prosthetic socks (2))				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1124015 1145531 1195528	Laminated plastic tibial socket, made from plaster or digital mold of insured person Complete endoskeletal system	N. C. N. C. N. C.	255.56 N. A. 1,270.74 N. A.		3
	Prosthetic cover Medial wedge	N. C. N. C.	345.30 N. A.		
	OPTIONAL COMPONENTS				
1145754	Trial socket Foam or molded plastic flexible double comfort socket Foam or molded plastic flexible double	120.60 105.36 126.94	N. A. 184.08 204.38		3
1143330	comfort socket, with medial wedge	120.74	204.30		3
	Silicone gel double socket, with medial	271.67 291.99	493.83 514.13		3

	wadaa			
1146554	wedge Silicone gel flexible double socket, with	868.32	901.33	3
1140334	distal attachment	000.32	701.33	3
1146562	Silicone gel flexible double socket, with	906.40	939.42	3
1110302	attachment and pneumatic cushion	700.10	737.12	3
1146570	Silicone gel flexible double socket, with	N. A.	625.86	3
11.0070	distal attachment, excluding replacement	111121	020.00	
	of distal attachment			
1145564	Tibial belt with Y strap	100.28	163.76	3
	Supracondylar strap	109.17	147.27	3
	Suspension lining covered with nylon on	79.99	87.59	
	inside			
1145705	Suspension lining not covered with nylon	96.38	104.02	
	on inside			
	Latex suspension lining	43.14	52.04	
	Elastic suspension lining	35.54	44.44	
	Articulated foot and adapter	174.16	429.71	
	Articulated foot without adapter	N. A.	264.08	
	Dynamic response foot (Seattle)	349.98	605.54	
	Dynamic response foot (Carbon Copy II)	291.60	547.16	
	Dynamic foot, for child (1K10)	35.14	290.71	
1125798	Dynamic response foot, spring,	301.75	557.30	
	prosthetic cover and foam included			
1105500	(Quantum)	53 0.4	0.5.40	
	Adapter for foot (Quantum)	52.04	96.48	
	Dynamic response foot (Seattle Light)	456.64	712.19	
	Dynamic response foot (Sten foot)	75.77	331.34	
	Dynamic response foot (SAFE foot)	179.88	435.44	
	Dynamic response foot (1D10, 1D11)	153.49	409.03	
	Dynamic response foot (Step Light)	276.36	531.91	
	Dynamic response foot (USMC)	171.01	426.55	
	Dynamic plus foot (1D25) Multipuial foot with notation (1A20)	416.00	671.55 897.05	
	Multiaxial foot with rotator (1A30)	641.49 560.72	897.03 816.27	
	Multiaxial foot with rotator (Endolite)	748.62	1,004.18	
1123704	Dynamic response foot with rotator (Endolite)	746.02	1,004.16	
1165539	Femoral device with plastic ischiatic	729.94	770.57	3
1103337	support	127.74	770.57	3
1145663	Thigh lacer with reinforced uniaxial ball-	670.30	686.80	3
11 15005	bearing joints	070.50	000.00	3
1145671	Thigh lacer with light uniaxial ball-	563.65	580.14	3
	bearing joints			_
1145689	Thigh lacer with polycentric joints	893.03	909.51	3
	Replacement of thigh lacer with recovery	N. A.	398.61	3
	and reinstallation of existing joints			
1145580	Suction valve and seat	243.08	307.81	
	Suction valve	N. A.	218.96	
1135557	Ankle rotator (4R39, 4R40)	709.18	763.76	
1135607	Ankle rotator (4R85)	633.76	683.26	
1135615	Titanium modular system and carbon	90.14	N. A.	

fiber pylon

SUPPLEMENTS	$\Lambda M \Lambda \Pi$	ARIF
2016 FEMILIA 12	AVAIL	ADLE

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Any pertinent adjustment				
	excluding replacement of prosthetic cover and prosthetic sock				
1146547	Lengthening of tibial part of prosthesis,			218.36	
1146521	Socket lining (leather, plastic or other material)			165.03	
	ADJUSTMENTS AVAILABLE				
	codes and prices of these supplements)				
	Stump sock * (consult Division III of this Part for the	*	*		
13472331	adjustable	33.00	33.00		
±3492551	adjustable Crutches with forearm support, height-	55.00	55.00		
3492550	Crutches with axillary support, height-	20.00	20.00		
3492501		10.00	10.00		
	Prosthetic socks, per pair	N. C.	35.54		
3194206	50.8 cm (20 in.) to 73.7 cm (29 in.) Nylon sheath (all sizes)	28.90	31.81		
3194115	25.4 cm (10 in.) to 55.9 cm (22 in.) Nylon sheath with tibial elastic band,	28.90	31.81		
3194107	80.0 cm (31½ in.) Nylon sheath with tibial elastic band,	30.59	33.49		
3194040	Nylon tibial sheath, 55.9 cm (22 in.) to	18.01	20.93		
3194032	Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm (18 in.)	18.01	20.93		

1141753 Prosthetic restoration of a leg

2,189.87

2

BASIC COMPONENTS AND SUPPLEMENTS

Prosthetic foam-rubber calf

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

SCHEDULE 1 Tariff for devices which compensate for a motor deficiency and insured related services (authentic version)

1145622 Prosthetic foam-rubber calf N. C. N. A.

OPTIONAL COMPONENT

1165547 Thigh extension 515.41 N. A. 2

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

Updated: February 16, 2016 17

None

SUBDIVISION 4: TIBIOFEMORAL PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1150010	Post-operative tibiofemoral prosthesis necessitating obligatory renewal of plaster or digital mold	1,131.11			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Lycra compressible socks (4) Plaster sockets (2) Means of suspension (belt) SACH foot (loan) Adjustable pylon (loan) Suspension cable, distal pad, ring				
	*DURATION OF GUARANTEE: Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1195510	Plaster sockets (2) Means of suspension (belt) Suspension cable, distal pad, ring	N. C. N. C. N. C.	N. A. N. A. N. A.		
	SUPPLEMENTS AVAILABLE				
	Lycra compressible socks (4) Crutches with axillary support, height- adjustable	N. C. 20.00	N. A. 20.00		
+3492551	Crutches with forearm support, height-adjustable	55.00	55.00		
	ADJUSTMENT AVAILABLE				

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1150101	Pneumatic post-operative tibiofemoral prosthesis, non-articulated	596.64			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Inflatable bag or case Distal pad Suspension straps Mobility frame (loan) Electric pump (loan)				
	*DURATION OF GUARANTEE: Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	SUPPLEMENTS AVAILABLE				
3492550	Crutches with axillary support, height-adjustable	20.00	20.00		
+3492551	· ·	55.00	55.00		
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
	ADJUSTMENT AVAILABLE				
	None				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1150051	Pneumatic post-operative tibiofemoral prosthesis, articulated	757.87			*
	BASIC COMPONENTS AND				

SUPPLEMENTS

Inflatable bag or case
Thigh lacer system (loan)
Knee joint system (loan)
Modular system (loan)
Universal socket (loan)
SACH foot (loan)
Air pump (loan)

*DURATION OF GUARANTEE: Life of prosthesis

COMPONENTS AND SUPPLEMENTS AVAILABLE

SUPPLEMENTS AVAILABLE

3492550	Crutches with axillary support, height-adjustable	20.00	20.00
+3492551	Crutches with forearm support, height-adjustable	55.00	55.00
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*

ADJUSTMENT AVAILABLE

None

|--|

1,221.25

1150069 Temporary tibiofemoral prosthesis

BASIC COMPONENTS AND SUPPLEMENTS

Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person Temporary foot (loan) Endoskeletal system (loan)

*GUARANTEE PERIOD: Life of prosthesis

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENT

1145523	Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person	N. C.	N. A.	
	OPTIONAL COMPONENTS			
1165570	Foam flexible double comfort socket Silesian belt	105.36 134.56	184.08 152.35	3 3
	Pelvic belt (steel joint and band) Pelvic belt (plastic joint and band)	314.84 256.44	484.96 426.55	3 3
	SUPPLEMENTS AVAILABLE			
3194057	Nylon sheath, 50.8 cm (20 in.) to 61.0 cm (24 in.)	18.01	20.93	
3194123	Nylon sheath with elastic band, 45.7 cm (18 in.) to 55.9 cm (22 in.)	30.59	33.49	
3194206	Nylon suction sheath (all sizes)	28.90	31.81	
3492501	· · · · · · · · · · · · · · · · · · ·	10.00	10.00	
3492550	Crutches with axillary support, height-adjustable	20.00	20.00	
+3492551	Crutches with forearm support, height-adjustable	55.00	55.00	
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*	

ADJUSTMENT AVAILABLE

None

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1150507 Exoskeletal tibiofemoral prosthesis	3,042.08			6
BASIC COMPONENTS AND SUPPLEMENTS				
Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person				

External knee joints SACH foot and ankle block

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

1125509	Ankle block SACH foot Laminated plastic tibiofemoral socket, made from plaster or digital mold of	N. C. N. C. N. C.	N. A. 255.56 1,798.86	3
1155514	insured person External knee joints	N. C.	705.85	
	OPTIONAL COMPONENTS			
1195551	Trial socket	166.29	N. A.	
	Foam flexible double comfort socket	142.17	238.66	
	Silicone gel flexible double socket, with	868.32	901.33	3
11 1055 1	distal attachment	000.32	701.55	3
1146570	Silicone gel flexible double socket, with	N. A.	625.86	3
11.0070	distal attachment, excluding replacement	1,,,,,	020.00	
	of distal attachment			
1165570	Silesian belt	134.56	152.35	3
	Neoprene Silesian belt	152.35	173.91	_
	Pelvic belt (titanium joint and band)	404.95	575.08	3
	Pelvic belt (plastic joint and band)	256.44	426.55	3
	Pelvic belt (steel joint and band)	314.84	484.96	3
	Articulated foot	141.37	396.91	
	Dynamic response foot, spring and	337.29	592.85	
112007.	prosthetic cover included (Quantum)	207.25	0,2.00	
1125624	Adapter for foot (Quantum)	132.02	184.08	
	Dynamic response foot (Seattle Light)	456.64	712.19	
	Dynamic response foot (Sten foot)	75.77	331.34	
	Dynamic response foot (SAFE foot)	179.88	435.44	
	Dynamic response foot (1D10, 1D11)	153.49	409.03	
	Dynamic response foot (Seattle)	349.98	605.54	
	Dynamic response foot (Carbon Copy II)	291.60	547.16	
	Dynamic foot, for child (1K10)	35.14	290.71	
	Multiaxial foot with rotator (1A29)	219.23	474.78	
	Constant friction knee (3P25)	143.47	849.29	
	Constant friction knee (3P1)	72.36	776.93	
	Suction valve and seat	243.08	307.81	
	Suction valve	N. A.	218.96	
	Foam flexible cover for tibial part	83.80	116.79	
		55.55		
	SUPPLEMENTS AVAILABLE			
3194057	Nylon sheath, 50.8 cm (20 in.) to	18.01	20.93	

SC	ш	Ξ D	ПΙ	F	1

	61.0 cm (24 in.)				
3194123	Nylon sheath with elastic band, 45.7 cm (18 in.) to 55.9 cm (22 in.)	30.59	33.49		
3194206	Nylon suction sheath (all sizes)	28.90	31.81		
	Prosthetic socks, per pair	26.68	35.54		
3492501		10.00	10.00		
3492330	Crutches with axillary support, height-adjustable	20.00	20.00		
+3492551	Crutches with forearm support, height-adjustable	55.00	55.00		
	Stump sock	*	*		
	* (consult Division III of this Part for the codes and prices of these supplements)				
	ADJUSTMENTS AVAILABLE				
1146521	Socket lining (leather, plastic or other material)			165.03	
1156504	Lengthening of tibial part			311.00	
	Any pertinent adjustment				
	J 1				
		Maximum price	Maximum		
		Purchase or	price	Maximum	Guarantee
	DEVICE	replacement of	Replacement	adjustement	(months)
		device	of component	price	,
			or supplement	price	
1151505	Endoskeletal tibiofemoral prosthesis			price	6
1151505	Endoskeletal tibiofemoral prosthesis BASIC COMPONENTS AND SUPPLEMENTS	device		price	
1151505	BASIC COMPONENTS AND SUPPLEMENTS	device		price	
1151505	BASIC COMPONENTS AND SUPPLEMENTS Laminated plastic tibiofemoral socket,	device		price	
1151505	BASIC COMPONENTS AND SUPPLEMENTS Laminated plastic tibiofemoral socket, made from plaster or digital mold of	device		price	
1151505	BASIC COMPONENTS AND SUPPLEMENTS Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person	device		price	
1151505	BASIC COMPONENTS AND SUPPLEMENTS Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person SACH foot	device		price	
1151505	BASIC COMPONENTS AND SUPPLEMENTS Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person SACH foot Complete endoskeletal system with knee	device		price	
1151505	BASIC COMPONENTS AND SUPPLEMENTS Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person SACH foot	device		price	
1151505	BASIC COMPONENTS AND SUPPLEMENTS Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person SACH foot Complete endoskeletal system with knee (3R21) (modular components, prosthetic cover and prosthetic socks (2)). If child,	device		price	
1151505	BASIC COMPONENTS AND SUPPLEMENTS Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person SACH foot Complete endoskeletal system with knee (3R21) (modular components, prosthetic	device		price	
1151505	BASIC COMPONENTS AND SUPPLEMENTS Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person SACH foot Complete endoskeletal system with knee (3R21) (modular components, prosthetic cover and prosthetic socks (2)). If child, uniaxial knee (3R38)	device		price	
1151505	BASIC COMPONENTS AND SUPPLEMENTS Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person SACH foot Complete endoskeletal system with knee (3R21) (modular components, prosthetic cover and prosthetic socks (2)). If child,	device		price	
1151505	BASIC COMPONENTS AND SUPPLEMENTS Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person SACH foot Complete endoskeletal system with knee (3R21) (modular components, prosthetic cover and prosthetic socks (2)). If child, uniaxial knee (3R38) COMPONENTS AND SUPPLEMENTS	device		price	
	BASIC COMPONENTS AND SUPPLEMENTS Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person SACH foot Complete endoskeletal system with knee (3R21) (modular components, prosthetic cover and prosthetic socks (2)). If child, uniaxial knee (3R38) COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS	3,774.46	or supplement	price	
1125509	BASIC COMPONENTS AND SUPPLEMENTS Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person SACH foot Complete endoskeletal system with knee (3R21) (modular components, prosthetic cover and prosthetic socks (2)). If child, uniaxial knee (3R38) COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS SACH foot	3,774.46 N. C.	or supplement	price	6
1125509	BASIC COMPONENTS AND SUPPLEMENTS Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person SACH foot Complete endoskeletal system with knee (3R21) (modular components, prosthetic cover and prosthetic socks (2)). If child, uniaxial knee (3R38) COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS SACH foot Laminated plastic tibiofemoral socket,	3,774.46	or supplement	price	
1125509	BASIC COMPONENTS AND SUPPLEMENTS Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person SACH foot Complete endoskeletal system with knee (3R21) (modular components, prosthetic cover and prosthetic socks (2)). If child, uniaxial knee (3R38) COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS SACH foot	3,774.46 N. C.	or supplement	price	6

1195528	Complete endoskeletal system	N. C.	N. A.	
1155555	Knee (3R21)	N. C.	1,348.08	
1165596	Prosthetic cover	N. C.	554.76	
	OPTIONAL COMPONENTS			
	Trial socket	166.29	N. A.	
1195569	Foam flexible double comfort socket	142.17	238.66	
1146554	Silicone gel flexible double socket, with distal attachment	868.32	901.33	3
1146570	Silicone gel flexible double socket, with distal attachment, excluding replacement of distal attachment	N. A.	625.86	3
1165570	Silesian belt	134.56	152.35	3
1165828	Neoprene Silesian belt	152.35	173.91	
	Pelvic belt (steel joint and band)	314.84	484.96	3
	Pelvic belt (plastic joint and band)	256.44	426.55	3
	Pelvic belt (titanium joint and band)	404.95	575.08	3
	Articulated foot and adapter	174.16	429.71	
	Articulated without adapter	N. A.	264.08	
	Dynamic response foot, spring and	337.29	592.85	
	prosthetic cover included (Quantum)			
1125780	Adapter for foot (Quantum)	52.04	96.48	
	Dynamic foot, for child (1K10)	35.14	290.71	
	Dynamic response foot (Seattle Light)	456.64	712.19	
	Dynamic response foot (Sten foot)	75.77	331.34	
	Dynamic response foot (SAFE foot)	179.88	435.44	
	Dynamic response foot (1D10, 1D11)	153.49	409.03	
	Dynamic response foot (Seattle)	349.98	605.54	
	Dynamic response foot (Carbon Copy II)	291.60	547.16	
	Dynamic response foot (Step Light)	276.36	531.91	
	Dynamic response foot (USMC)	171.01	426.55	
	Dynamic plus foot (1D25)	416.00	671.55	
	Multiaxial foot with rotator (1A30)	641.49	897.05	
	Multiaxial foot with rotator (Endolite)	560.72	816.27	
	Dynamic response foot with rotator	748.62	1,004.18	
1155571	(Endolite) Multiaxial knee, for child (TK40C) (used	458.39	1,806.47	
	with DAW endoskeletal system)			
1155589	Uniaxial constant friction knee, for child (TK1C1)	108.03	1,456.12	
1155597	Uniaxial knee, for child (3R38)	N. C.	1,120.97	
	Uniaxial knee with lock, for child (3R39)	N. C.	1,244.10	
	Polycentric-joint knee with assisted extension, titanium (3R30)	455.03	1,803.11	
1155621	Multiaxial knee with rotator, for child	N. C.	1,330.42	
1155639	(3R66) Polycentric-joint knee with lock, titanium	285.74	1,633.82	
	(3R32)			

α	711			TT		- 1
\ 1	- 1	\mathbf{E}	11	- 1 -	н.	

1145580	Suction valve and seat	243.08	307.81	
1145655	Suction valve	N. A.	218.96	
1135557	Ankle rotator (4R39, 4R40)	709.18	763.76	
1135607	Ankle rotator (4R85)	633.76	683.26	
	Titanium modular system and carbon	90.14	N. A.	
	fiber pylon			
	• •			
	SUPPLEMENTS AVAILABLE			
3194032	Nylon tibial sheath, 15.2 cm (6 in.) to	18.01	20.93	
	45.7 cm (18 in.)			
3194040	Nylon tibial sheath, 55.9 cm (22 in.) to	18.01	20.93	
	80.0 cm (31½ in.)			
3194230	Nylon sheath with elastic band	30.59	33.49	
3194115	Nylon sheath with tibial elastic band,	28.90	31.81	
	50.8 cm (20 in.) to 73.7 cm (29 in.)			
3194206	Nylon sheath (all sizes)	28.90	31.81	
3194172	Prosthetic socks, per pair	N. C.	44.43	
3492501	Cane	10.00	10.00	
3492550	Crutches with axillary support, height-adjustable	20.00	20.00	
+3492551	Crutches with forearm support, height-	55.00	55.00	
	adjustable			
	Stump sock	*	*	
	* (consult Division III of this Part for the			
	codes and prices of these supplements)			
	ADJUSTMENTS AVAILABLE			
1146521	Socket lining (leather, plastic or other material)			165.03
11/65/7	I anothening of tibiel nort of proofbasis			219 26

1146521	Socket lining (leather, plastic or other	165.03
	material)	
1146547	Lengthening of tibial part of prosthesis,	218.36
	excluding replacement of prosthetic	
	cover and prosthetic sock	
	Any pertinent adjustment	

SUBDIVISION 5: FEMORAL PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1160019	Post-operative femoral prosthesis necessitating obligatory renewal of plaster or digital mold	1,098.12			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Compressible Lycra socks (4) Plaster sockets (2) Means of suspension (belt) SACH foot (loan) Adjustable pylon with joint (loan) Suspension cable, distal pad, ring				
	*GUARANTEE PERIOD: Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1195510	Plaster sockets (2) Means of suspension (belt) Suspension cable, distal pad, ring	N. C. N. C. N. C.	N. A. N. A. N. A.		
	SUPPLEMENTS AVAILABLE				
	Compressible Lycra socks (4) Crutches with axillary support, height-adjustable	N. C. 20.00	N. A. 20.00		
+3492551	Crutches with forearm support, height-adjustable	55.00	55.00		
	ADJUSTMENT AVAILABLE				
	None				
	DEVICE	Maximum price Purchase or	Maximum price	Maximum adjustement	Guarantee (months)

		replacement of device	Replacement of component or supplement	price	
1160050	Pneumatic post-operative femoral prosthesis, non-articulated	596.64			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Inflatable bag or case Distal pad Suspension straps Mobility frame (loan) Electric pump (loan)				
	*GUARANTEE PERIOD: Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	SUPPLEMENTS AVAILABLE				
3492550	Crutches with axillary support, height-adjustable	20.00	20.00		
+3492551	Crutches with forearm support, height-adjustable	55.00	55.00		
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
	ADJUSTMENT AVAILABLE				
	None				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1160068	Pneumatic post-operative femoral prosthesis, articulated	757.87			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Inflatable bag or case Thigh lacer system (loan)				

Knee joint system (loan) Modular system (loan) Universal socket (loan) SACH foot (loan) Air pump (loan)

*GUARANTEE PERIOD: Life of prosthesis

COMPONENTS AND SUPPLEMENTS AVAILABLE

SUPPLEMENTS AVAILABLE

3492550	Crutches with axillary support, height-adjustable	20.00	20.00
+3492551	Crutches with forearm support, height-adjustable	55.00	55.00
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*

ADJUSTMENT AVAILABLE

None

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
--	--------	--	--	---------------------------------	-----------------------

1160100 Temporary femoral prosthesis

1,122.24

BASIC COMPONENTS AND SUPPLEMENTS

Laminated or molded plastic socket, made from plaster or digital mold of insured person Temporary foot (loan) Endoskeletal system (loan)

*GUARANTEE PERIOD: Life of prosthesis

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

28

1145523	Laminated or molded plastic socket, made from plaster or digital mold of insured person	N. C.	N. A.	
	OPTIONAL COMPONENTS			
1165570	Silesian belt	134.56	152.35	3
1165703	Pelvic belt (plastic joint and band)	256.44	426.55	
	Pelvic belt (steel joint and band)	314.84	484.96	3 3
	SUPPLEMENTS AVAILABLE			
3194065	Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	18.01	20.93	
3194131	Nylon sheath with elastic band, 15.2 cm (6 in.) to 45.7 cm (18 in.)	33.94	36.83	
3194149	Nylon sheath with V opening, 15.2 cm (6 in.) to 50.8 cm (20 in.)	35.19	38.10	
3194206	Nylon suction sheath (all sizes)	28.90	31.81	
3492501		10.00	10.00	
3492550	Crutches with axillary support, height-adjustable	20.00	20.00	
+3492551	Crutches with forearm support, height-adjustable	55.00	55.00	
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*	

ADJUSTMENT AVAILABLE

None

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1160506	Exoskeletal femoral prosthesis with constant friction knee (3P25)	2,845.31			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic femoral socket, made from plaster or digital mold of insured person Constant friction knee (3P25) SACH foot				

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

	SACH foot Laminated plastic femoral socket, made from plaster or digital mold of insured person	N. C. N. C.	255.56 1,614.76	3
1155522	person Constant friction knee (3P25)	N. C.	849.29	
	OPTIONAL COMPONENTS			
1195577	Trial socket	147.27	N. A.	
1165570	Silesian belt	134.56	152.35	3
1165828	Neoprene Silesian belt	152.35	173.91	
1165588	Pelvic belt (steel joint and band)	314.84	484.96	3
1165711	Pelvic belt (titanium joint and band)	404.95	575.08	3
	Pelvic belt (plastic joint and band)	256.44	426.55	3
	Silicone gel flexible double socket, with distal attachment	868.32	901.33	3
1146570	<i>c</i>	N. A.	625.86	3
	attachment, excluding replacement of distal attachment			
1145580	Suction valve and seat	243.08	307.81	
	Suction valve	N. A.	218.96	
	Articulated foot	141.37	396.91	
	Dynamic response foot, spring and	337.29	592.85	
112007.	prosthetic cover included (Quantum)	557.25	6,2.00	
1125624	Adapter for foot (Quantum)	132.02	184.08	
	Dynamic response foot (Seattle Light)	456.64	712.19	
	Dynamic response foot (Sten foot)	75.77	331.34	
	Dynamic response foot (SAFE foot)	179.88	435.44	
	Dynamic response foot (1D10, 1D11)	153.49	409.03	
	Dynamic response foot (Seattle)	349.98	605.54	
	Dynamic response foot (Carbon Copy II)	291.60	547.16	
	Dynamic foot, for child (1K10)	35.14	290.71	
	Foam flexible cover for tibial part	83.80	116.79	
	Safety knee (3P23, 3P24)	133.30	982.56	
1165612	Manual locking knee (3P4)	21.57	870.88	
1165620	Manual locking knee (3P52)	123.15	972.44	
1165646	Geriatric knee with manual lock (3K9)	50.78	900.07	
1165729	Constant friction locking knee (3P4F)	43.14	892.45	
	SUPPLEMENTS AVAILABLE			
3194065	Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	18.01	20.93	

				(authentic v	CISIOII)
3194131	Nylon sheath with elastic band, 15.2 cm	33.94	36.83		
3194149	(6 in.) to 45.7 cm (18 in.) Nylon sheath with V opening, 15.2 cm	35.19	38.10		
	(6 in.) to 50.8 cm (20 in.)				
3194156	Wool socks, 3-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	36.80	39.77		
3194164	Wool socks, 5-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	37.65	40.59		
3194198	Prosthetic socks, per pair	26.68	35.54		
	Nylon suction sheath (all sizes)	28.90	31.81		
3492501	•	10.00	10.00		
	Crutches with axillary support, height-adjustable	20.00	20.00		
+3492551	Crutches with forearm support, height-adjustable	55.00	55.00		
	Stump sock	*	*		
	* (consult Division III of this Part for the codes and prices of these supplements)				
	ADJUSTMENTS AVAILABLE				
1146521	Lengthening of tibial part of the prosthesis			165.03	
1166537	Socket lining (leather, plastic or other material)			311.00	
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1160605	Exoskeletal femoral prosthesis with friction locking knee, for child (3P21)	2,694.24			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic femoral socket, made from plaster or digital mold of insured person Friction locking knee, for child (3P21) SACH foot				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				

BASIC COMPONENTS

	SACH foot Laminated plastic femoral socket, made	N. C. N. C.	255.56 1,614.76	3
1165737	from plaster or digital mold of insured person Friction locking knee, for child (3P21)	N. C.	698.22	
1103737	OPTIONAL COMPONENTS	14. C.	070.22	
	of Holfie colui of Livis			
1195577	Trial socket	147.27	N. A.	
	Silesian belt	134.56	152.35	3
1165828	Neoprene Silesian belt	152.35	173.91	
	Pelvic belt (steel joint and band)	314.84	484.96	3
	Pelvic belt (titanium joint and band)	404.95	575.08	3
	Pelvic belt (plastic joint and band)	256.44	426.55	3
	Silicone gel flexible double socket, with distal attachment	868.32	901.33	3
1146570	Silicone gel double socket, with distal attachment, excluding replacement of	N. A.	625.86	3
	distal attachment			
	Suction valve and seat	243.08	307.81	
	Suction valve	N. A.	218.96	
	Articulated foot	141.37	396.91	
1125574	Dynamic response foot, spring and prosthetic cover included (Quantum)	337.29	592.85	
	Adapter for foot (Quantum)	132.02	184.08	
	Dynamic response foot (Seattle Light)	456.64	712.19	
	Dynamic response foot (Sten foot)	75.77	331.34	
	Dynamic response foot (SAFE foot)	179.88	435.44	
	Dynamic response foot (1D10, 1D11)	153.49	409.03	
	Dynamic response foot (Seattle)	349.98	605.54	
	Dynamic response foot (Carbon Copy II)	291.60	547.16	
	Dynamic foot, for child (1K10)	35.14	290.71	
1145747	Foam flexible cover for tibial part	83.80	116.79	
1165745	Friction locking knee, for child (3P50)	43.14	741.36	
	SUPPLEMENTS AVAILABLE			
3194065	Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	18.01	20.93	
3194131	Nylon sheath with elastic band, 15.2 cm (6 in.) to 45.7 cm (18 in.)	33.94	36.83	
3194149	Nylon sheath with V opening, 15.2 cm (6 in.) to 50.8 cm (20 in.)	35.19	38.10	
3194156	Wool socks, 3-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	36.80	39.77	

SCHEDULE 1	Tariff for devices which compensate for a motor deficiency and insured related services
	(authentic version)

3194164	Wool socks, 5-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm	37.65	40.59		
2104100	(20 in.)	26.69	25.54		
	Prosthetic socks, per pair	26.68	35.54		
	Nylon suction sheath (all sizes)	28.90	31.81		
3492501		10.00	10.00		
	Crutches with axillary support, height-adjustable	20.00	20.00		
+3492551	Crutches with forearm support, height-adjustable	55.00	55.00		
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
	ADJUSTMENTS AVAILABLE				
1146521	Lengthening of tibial part of the prosthesis			165.03	
1166537	Socket lining (leather, plastic or other material)			311.00	
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or	Maximum price	Maximum	Guarantee
	DEVICE	replacement of device	Replacement of component or supplement	adjustement price	(months)
1161504	Endoskeletal femoral prosthesis	•	of component	-	
1161504		device	of component	-	(months)
1161504	Endoskeletal femoral prosthesis BASIC COMPONENTS AND	device	of component	-	(months)
1161504	Endoskeletal femoral prosthesis BASIC COMPONENTS AND SUPPLEMENTS Laminated plastic femoral socket, made from plaster or digital mold of insured person SACH foot Complete endoskeletal system with uniaxial constant friction knee (3R16) (modular components, prosthetic cover	device	of component	-	(months)
1161504	Endoskeletal femoral prosthesis BASIC COMPONENTS AND SUPPLEMENTS Laminated plastic femoral socket, made from plaster or digital mold of insured person SACH foot Complete endoskeletal system with uniaxial constant friction knee (3R16) (modular components, prosthetic cover and prosthetic socks (2)) COMPONENTS AND SUPPLEMENTS	device	of component	-	(months)

1195528	Complete endoskeletal system	N. C.	N. A.	
	Uniaxial constant friction knee (3R16)	N. C.	498.92	
	Prosthetic cover	N. C.	554.76	
	OPTIONAL COMPONENTS			
1195577	Trial socket	147.27	N. A.	
	Silesian belt	134.56	152.35	3
	Neoprene Silesian belt	152.35	173.91	5
	Pelvic belt (steel joint and band)	314.84	484.96	3
	Pelvic belt (titanium joint and band)	404.95	575.08	3
	Pelvic belt (plastic joint and band)	256.44	426.55	3
	Silicone gel flexible double socket, with	868.32	901.33	3
1140334	distal attachment	000.32	701.55	5
1146570	Silicone gel flexible double socket, with	N. A.	625.86	3
	distal attachment, excluding replacement			
	of distal attachment			
1145580	Suction valve and seat	243.08	307.81	
	Suction valve	N. A.	218.96	
	Articulated foot and adapter	174.16	429.71	
	Articulated without adapter	N. A.	264.08	
	Dynamic response foot, spring and	337.29	592.85	
1123371	prosthetic cover included (Quantum)	337.27	372.03	
1125780	Adapter for foot (Quantum)	52.04	96.48	
	Dynamic foot, for child (1K10)	35.14	290.71	
	Dynamic response foot (Seattle Light)	456.64	712.19	
	Dynamic response foot (Sten foot)	75.77	331.34	
	Dynamic response foot (SAFE foot)	179.88	435.44	
	Dynamic response foot (1D10, 1D11)	153.49	409.03	
	Dynamic response foot (Seattle)	349.98	605.54	
	Dynamic response foot (Scattle) Dynamic response foot (Carbon Copy II)	291.60	547.16	
	Dynamic response foot (Step Light)	276.36	531.91	
	Dynamic response foot (USMC)	171.01	426.55	
	Dynamic plus foot (1D25)	416.00	671.55	
	Multiaxial foot with rotator (1A30)	641.49	897.05	
	Multiaxial foot with rotator (Endolite)	560.72	816.27	
	Dynamic response foot with rotator	748.62	1,004.18	
1123704	(Endolite)	740.02	1,004.10	
1165802	Uniaxial knee with lock, for child (3R39)	808.25	1,307.16	
	Uniaxial constant friction knee (3R18)	180.26	679.18	
	Safety knee (3R15)	289.44	789.60	
	Manual locking knee (3R17)	363.52	862.44	
	4-axis polycentric knee (3R20)	376.28	875.20	
	Manual locking knee, aluminum (3R40)	268.24	767.15	
	Manual locking knee, titanium (3R33)	636.59	1,135.50	
	Safety knee, titanium (3R49)	577.66	1,076.56	
	Multiaxial knee with rotator, for child	831.51	1,330.42	
1103030	(3R66)	031.31	1,330.72	
	(3100)			

1135557	Ankle rotator (4R39, 4R40)	709.18	763.76	
	Ankle rotator (4R85)	633.76	683.26	
1155548	Knee rotator (4R57)	809.52	860.32	
1165794	Multiaxial knee, for child (TK40C)	1,306.31	1,806.47	
1165844	Uniaxial constant friction knee with or	957.18	1,456.12	
	without lock, for child (TK1C1)			
1165851	Uniaxial knee, for child (3R38)	616.98	1,120.97	
1135615	Titanium modular system and carbon	90.14	N. A.	
	fiber pylon			
	SUPPLEMENTS AVAILABLE			
3194065	Nylon sheath, 20.3 cm (8 in.) to 50.8 cm	18.01	20.93	
	(20 in.)			
3194131	Nylon sheath with elastic band, 15.2 cm	33.94	36.83	
	(6 in.) to 45.7 cm (18 in.)			
3194248	Nylon sheath with V opening, from	35.19	38.10	
	15.2 cm (6 in.) to 50.8 cm (20 in.)			
3194156	Wool socks, 3-ply, with V opening, sizes	36.80	39.77	
	1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm			
	(20 in.)			
3194164	Wool socks, 5-ply, with V opening, sizes	37.65	40.59	
	1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm			
	(20 in.)			
	Nylon suction sheath (all sizes)	28.90	31.81	
3492501		10.00	10.00	
3492550	Crutches with axillary support, height-	20.00	20.00	
	adjustable			
+3492551	Crutches with forearm support, height-	55.00	55.00	
	adjustable			
	C4	*	*	
	Stump sock	~	Ψ.	
	* (consult Division III of this Part for the			
2104172	codes and prices of these supplements)	N. C.	44.42	
3194172	Prosthetic socks (2)	N. C.	44.43	
	ADJUSTMENTS AVAILABLE			
1146521	Lengthening of tibial part of the			165.03
	prosthesis, excluding replacement of			
	prosthetic cover and prosthetic sock			
1146547	Socket lining (leather, plastic or other			218.36
	material)			
	Any pertinent adjustment			

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1162254	Bilateral femoral stubbies	3,525.77			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic femoral sockets, made from plaster or digital mold of insured person (2) SACH or modified feet (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1125509	Modified foot SACH foot Laminated plastic femoral socket, made from plaster or digital mold of insured person	N. C. N. C. N. C.	N. A. 255.56 1,613.51		
	OPTIONAL COMPONENTS				
1165570 1165828 1165588 1165703 1165711 1145580	Trial socket Silesian belt Neoprene Silesian belt Pelvic belt (steel joint and band) Pelvic belt (plastic joint and band) Pelvic belt (titanium joint and band) Suction valve and seat Suction valve	147.27 134.56 152.35 314.84 256.44 404.95 243.08 N. A.	N. A. 152.35 173.91 484.96 426.55 575.08 307.81 218.96		3 3 3 3
	SUPPLEMENTS AVAILABLE				
3194065	Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	18.01	20.93		
3194131	Nylon sheath with elastic band, 15.2 cm (6 in.) to 45.7 cm (18 in.)	33.94	36.83		
3194149	Nylon sheath with V opening, 15.2 cm (6 in.) to 50.8 cm (20 in.)	35.19	38.10		
3194156	Wool socks, 3-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	36.80	39.77		

~~		-	**	_	
SC	шы			L/	- 1

3194164	Wool socks, 5-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	37.65	40.59
3194206	Nylon suction sheath (all sizes)	28.90	31.81
3492501	Cane	10.00	10.00
3492550	Crutches with axillary support, height-adjustable	20.00	20.00
+3492551	Crutches with forearm support, height-adjustable	55.00	55.00
	Stump sock	*	*

----- Stump sock

* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENTS AVAILABLE

1146521 Socket lining (leather, plastic or other material)

----- Any pertinent adjustment

165.03

SUBDIVISION 6: COXOFEMORAL AND HEMIPELVIC PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1170505	Exoskeletal coxofemoral prosthesis with constant friction knee (3P25)	4,394.08			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic socket, made from plaster or digital mold of insured person Constant friction knee (3P25) SACH foot Hip joint – Canadian type (CHJ-100, CHJ-75)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	SACH foot Laminated plastic socket, made from plaster or digital mold of insured person	N. C. N. C.	255.56 2,573.23		
1175512	Hip joint – Canadian type (CHJ-100, CHJ-75)	N. C.	537.00		
1155522	Constant friction knee (3P25)	N. C.	849.29		
	OPTIONAL COMPONENTS				
	Trial socket	284.36	N. A.		
	Suction valve and seat	243.08	307.81		
	Suction valve	N. A.	218.96		
	Articulated foot	141.37	396.91		
1125574	Dynamic response foot, spring and	337.29	592.85		
1125624	prosthetic cover included (Quantum)	122.02	104.00		
	Adapter for foot (Quantum)	132.02	184.08		
	Dynamic response foot (Seattle Light) Dynamic response foot (Sten foot)	456.64 75.77	712.19 331.34		
	Dynamic response foot (SAFE foot)	179.88	435.44		
	Dynamic response foot (1D10, 1D11)	153.49	409.03		
	Dynamic response foot (Feattle)	349.98	605.54		
	Dynamic response foot (Scattle) Dynamic response foot (Carbon Copy II)	291.60	547.16		
	Dynamic foot, for child (1K10)	35.14	290.71		

SCHEDULE 1	Tariff for devices which compensate for a motor deficiency and insured related services
	(authentic version)

				(authentic v	CISIOII)
1145747	Foam flexible cover for tibial part	83.80	116.79		
1165604	Safety knee (3P23, 3P24)	133.30	982.56		
	Manual locking knee (3P4)	21.57	870.88		
	Manual locking knee (3P52)	123.15	972.44		
	Geriatric knee with manual lock (3K9)	50.78	900.07		
1165/29	Constant friction locking knee (3P4F)	43.14	892.45		
	SUPPLEMENTS AVAILABLE				
3194198	Prosthetic socks, per pair	26.68	35.54		
	Pant-style sock	16.82	22.32		
3492501	•	10.00	10.00		
	Crutches with axillary support, height-	20.00	20.00		
3472330	adjustable	20.00	20.00		
+3492551	3	55.00	55.00		
	ADJUSTMENTS AVAILABLE				
	ADJUSTMENTS AVAILABLE				
1166537	Lengthening of tibial part of the			311.00	
	prosthesis				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
		Purchase or replacement of device	price Replacement of component	adjustement	(months)
1170604	DEVICE Exoskeletal coxofemoral prosthesis with friction locking knee, for child (3P21)	Purchase or replacement of	price Replacement of component	adjustement	
1170604	Exoskeletal coxofemoral prosthesis with friction locking knee, for child (3P21)	Purchase or replacement of device	price Replacement of component	adjustement	(months)
1170604	Exoskeletal coxofemoral prosthesis with	Purchase or replacement of device	price Replacement of component	adjustement	(months)
1170604	Exoskeletal coxofemoral prosthesis with friction locking knee, for child (3P21) BASIC COMPONENTS AND SUPPLEMENTS Laminated plastic socket, made from plaster or digital mold of insured person Friction locking knee, for child (3P21) SACH foot	Purchase or replacement of device	price Replacement of component	adjustement	(months)
1170604	Exoskeletal coxofemoral prosthesis with friction locking knee, for child (3P21) BASIC COMPONENTS AND SUPPLEMENTS Laminated plastic socket, made from plaster or digital mold of insured person Friction locking knee, for child (3P21)	Purchase or replacement of device	price Replacement of component	adjustement	(months)
1170604	Exoskeletal coxofemoral prosthesis with friction locking knee, for child (3P21) BASIC COMPONENTS AND SUPPLEMENTS Laminated plastic socket, made from plaster or digital mold of insured person Friction locking knee, for child (3P21) SACH foot Hip joint – Canadian type (CHJ-100,	Purchase or replacement of device	price Replacement of component	adjustement	(months)
1170604	Exoskeletal coxofemoral prosthesis with friction locking knee, for child (3P21) BASIC COMPONENTS AND SUPPLEMENTS Laminated plastic socket, made from plaster or digital mold of insured person Friction locking knee, for child (3P21) SACH foot Hip joint – Canadian type (CHJ-100, CHJ-75) COMPONENTS AND SUPPLEMENTS	Purchase or replacement of device	price Replacement of component	adjustement	(months)

SC	HE	D	III	\mathbf{F}	1

1175504	Laminated plastic socket, made from plaster or digital mold of insured person	N. C.	2,573.23	
1175512	Hip joint – Canadian type (CHJ-100,	N. C.	537.00	
1175512	CHJ-75)	11. 6.	337.00	
1165737	Friction locking knee, for child (3P21)	N. C.	698.22	
	OPTIONAL COMPONENTS			
1195593	Trial socket	284.36	N. A.	
1145580	Suction valve and seat	243.08	307.81	
1145655	Suction valve	N. A.	218.96	
1125517	Articulated foot	141.37	396.91	
	Dynamic response foot, spring and	337.29	592.85	
	prosthetic cover included (Quantum)			
1125624	Adapter for foot (Quantum)	132.02	184.08	
	Dynamic response foot (Seattle Light)	456.64	712.19	
	Dynamic response foot (Sten foot)	75.77	331.34	
	Dynamic response foot (SAFE foot)	179.88	435.44	
	Dynamic response foot (1D10, 1D11)	153.49	409.03	
	Dynamic response foot (Seattle)	349.98	605.54	
	Dynamic response foot (Carbon Copy II)	291.60	547.16	
	Dynamic foot, for child (1K10)	35.14	290.71	
	Foam flexible cover for tibial part	83.80	116.79	
	•			
1165745	Constant friction locking knee, for child	43.14	741.36	
	(3P50)			
	SUPPLEMENTS AVAILABLE			
3194198	Prosthetic socks, per pair	26.68	35.54	
	Pant-style sock	16.82	22.32	
3492501		10.00	10.00	
	Crutches with axillary support, height-	20.00	20.00	
3.72350	adjustable	20.00	20.00	
+3492551	Crutches with forearm support, height-	55.00	55.00	
13172331	adjustable	33.00	22.00	
	ADJUSTMENTS AVAILABLE			
1166537	Lengthening of tibial part of the			311.00
	prosthesis			
	A man mantingant a discotor and			

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1171503	Endoskeletal coxofemoral prosthesis	6,014.59			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic socket, made from plaster or digital mold of insured person SACH foot Complete endoskeletal system wth uniaxial constant friction knee (3R16) (modular components, prosthetic cover and prosthetic socks (2)) Hip joint (7E7)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	SACH foot Laminated plastic socket, made from plaster or digital mold of insured person	N. C. N. C.	255.56 2,573.23		
1165653	Complete endoskeletal system Uniaxial constant friction knee (3R16) Prosthetic cover	N. C. N. C. N. C.	N. A. 498.92 709.63		
	Hip joint (7E7)	N. C.	N. A.		
	OPTIONAL COMPONENTS				
	Trial socket Joint of hip joint (7E7)	284.36 N. A.	N. A. 1,983.59		
	Joint of hip joint, for child (7E8)	245.02	1,500.53		
	Uniaxial constant friction knee (3R18)	180.26	679.18		
	Safety knee (3R15)	289.44	789.60		
	Manual locking knee (3R17)	363.52	862.44		
	4-axis polycentric knee (3R20) Manual locking knee, aluminum (3R40)	376.28 268.24	875.20 767.15		
	Manual locking knee, titanium (3R33)	636.59	1,135.50		
	Safety knee. titanium (3R49)	577.66	1,076.56		
	Multiaxial knee with rotator, for child (3R66)	831.51	1,330.42		
1165802	Multiaxial knee, for child (TK40C)	808.25	1,307.16		
	Uniaxial constant friction knee, with or	1,306.31	1,806.47		

	without lock, for child (TK1C1)			
1165844	Knee rotator (4R57)	957.18	1,456.12	
1103644	Kilee Iolatoi (4K37)	937.10	1,430.12	
1155548	Multiaxial knee, for child (TK40C)	809.52	860.32	
	Ankle rotator (4R39, 4R40)	709.18	763.76	
	Ankle rotator (4R85)	633.76	683.26	
	Articulated foot and adapter	174.16	429.71	
	Articulated without adapter	N. A.		
	Dynamic response foot, spring and	301.75	557.30	
	prosthetic cover included (Quantum)			
1125780	Adapter for foot (Quantum)	52.04	96.48	
	Dynamic foot, for child 1K10	35.14	290.71	
	Dynamic response foot (Seattle Light)	456.64	712.19	
	Dynamic response foot (Sten foot)	75.77	331.34	
1125608	Dynamic response foot (SAFE foot)	179.88	435.44	
1125616	Dynamic response foot (1D10 or 1D11)	153.49	409.03	
1125566	Dynamic response foot (Seattle)	349.98	605.54	
1125541	Dynamic response foot (Carbon Copy II)	291.60	547.16	
1125681	Dynamic response foot (Step Light)	276.36	531.91	
	Dynamic response foot (USMC)	171.01	426.55	
	Dynamic plus foot (1D25)	416.00	671.55	
	Multiaxial foot with rotator (1A30)	641.49	897.05	
	Multiaxial foot with rotator (Endolite)	560.72		
1125764	Dynamic response foot with rotator (Endolite)	748.62	1,004.18	
1135615	Titanium modular system and carbon	90.14	N. A.	
	fiber pylon	, , , ,		
	SUPPLEMENTS AVAILABLE			
3194180	Pant-style sock	16.82	22.32	
3492501		10.00	10.00	
3492550	Crutches with axillary support, height-	20.00	20.00	
	adjustable			
+3492551	Crutches with forearm support, height-	55.00	55.00	
	adjustable			
3194214	Prosthetic socks (2)	N. C.	39.36	
3174214	1 Tostilette soeks (2)	14. C.	37.30	
	ADJUSTMENTS AVAILABLE			
1146547	Lengthening of tibial part of prosthesis,			218.36
/ 00 . /	excluding replacement of prosthetic			_10.00
	cover and prosthetic sock			
	Any pertinent adjustment			
	· - •			

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1180504	Exoskeletal hemipelvic prosthesis, with constant friction knee (3P25)	4,531.20			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic socket, made from plaster or digital mold of insured person Constant friction knee (3P25) SACH foot Hip joint – Canadian type (CHJ-100, CHJ-75)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1125509	SACH foot	N. C.	255.56		
1175504	Laminated plastic socket, made from plaster or digital mold of insured person	N. C.	2,573.23		
1175512	Hip joint – Canadian type (CHJ-100, CHJ-75)	N. C.	537.00		
1155522	Constant friction knee (3P25)	N. C.	849.29		
	OPTIONAL COMPONENTS				
1195593	Trial socket	284.36	N. A.		
	Articulated foot	141.37	396.91		
1125574	Dynamic response foot, spring and prosthetic cover included (Quantum)	337.29	592.85		
1125624	Adapter for foot (Quantum)	132.02	184.08		
1125582	Dynamic response foot (Seattle Light)	456.64	712.19		
	Dynamic response foot (Sten foot)	75.77	331.34		
1125608	Dynamic response foot (SAFE foot)	179.88	435.44		
	Dynamic response foot (1D10 or 1D11)	153.49	409.03		
	Dynamic response foot (Seattle)	349.98	605.54		
	Dynamic response foot (Carbon Copy II)	291.60	547.16		
	Dynamic foot, for child (1K10)	35.14	290.71		
1145/47	Foam flexible cover for tibial part	83.80	116.79		
1165604	Safety knee (3P23, 3P24)	133.30	982.56		
1165612	Manual locking knee (3P4)	21.57	870.88		

SCHEDULI	E 1 Tariff for devices which comp	ensate for a motor	deficiency and in		
				(authentic v	ersion)
1165620	M 11 1: 1 (2D52)	100.15	072.44		
	Manual locking knee (3P52)	123.15	972.44		
	Geriatric knee with manual lock (3K9)	50.78	900.07		
1165/29	Constant friction locking knee (3P4F)	43.14	892.45		
	SUPPLEMENTS AVAILABLE				
3194198	Prosthetic socks, per pair	26.68	35.54		
	Pant-style sock	16.82	22.32		
3492501	· · · · · · · · · · · · · · · · · · ·	10.02	10.00		
	Crutches with axillary support, height-	20.00	20.00		
	adjustable				
+3492551	Crutches with forearm support, height-adjustable	55.00	55.00		
	ADJUSTMENTS AVAILABLE				
1166537	Lengthening of tibial part of the			311.00	
	prosthesis				
	Any pertinent adjustment				
			3.6		
	DEVICE	Maximum price Purchase or	Maximum price	Maximum	Guarantee
		replacement of device	Replacement of component or supplement	adjustement price	(months)
1181601	Exoskeletal hemipelvic prosthesis, with friction locking knee, for child (3P21)	_	of component	•	(months)
1181601		device	of component	•	
1181601	friction locking knee, for child (3P21) BASIC COMPONENTS AND	device	of component	•	
1181601	friction locking knee, for child (3P21) BASIC COMPONENTS AND SUPPLEMENTS Laminated plastic socket, made from plaster or digital mold of insured person Friction locking knee, for child (3P21) SACH foot Hip joint – Canadian type (CHJ-100,	device	of component	•	

1165737 Friction locking knee, for child (3P21) N. C. 698.22

1125509 SACH foot

CHJ-75)

1175504 Laminated plastic socket, made from

1175512 Hip joint – Canadian type (CHJ-100,

plaster or digital mold of insured person

Updated: February 16, 2016

N. C.

N.C.

N. C.

255.56

537.00

2,573.23

OPTIONAL COMPONENTS

1105503	Trial socket	284.36	N. A.
//-	Articulated foot	141.37	396.91
1125574	Dynamic response foot, spring and	337.29	592.85
	prosthetic cover included (Quantum)		
	Adapter for foot (Quantum)	132.02	184.08
	Dynamic response foot (Seattle Light)	456.64	712.19
1125590	Dynamic response foot (Sten foot)	75.77	331.34
1125608	Dynamic response foot (SAFE foot)	179.88	435.44
1125616	Dynamic response foot (1D10 or 1D11)	153.49	409.03
1125566	Dynamic response foot (Seattle)	349.98	605.54
	Dynamic response foot (Carbon Copy II)	291.60	547.16
	Dynamic foot, for child (1K10)	35.14	290.71
	Foam flexible cover for tibial part	83.80	116.79
1165745	Friction locking knee, for child (3P50)	43.14	741.36
	SUPPLEMENTS AVAILABLE		
3194198	Prosthetic socks, per pair	26.68	35.54
3194180	Pant-style sock	16.82	22.32
3492501	Cane	10.00	10.00
3492550	Crutches with axillary support, height-	20.00	20.00
	adjustable		
+3492551	Crutches with forearm support, height-	55.00	55.00
. 5 . 7 2 5 5 1	adjustable	22.00	22.00

ADJUSTMENTS AVAILABLE

1166537 Lengthening of tibial part of the prosthesis

----- Any pertinent adjustment

|--|

1181502 Endoskeletal hemipelvic prosthesis

6,172.01

6

BASIC COMPONENTS AND SUPPLEMENTS

Laminated plastic socket, made from plaster or digital mold of insured person SACH foot

Complete endoskeletal system with uniaxial constant friction knee (3R16) (modular components, prosthetic cover and prosthetic socks (2))
Hip joint (7E7)

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

	SACH foot	N. C.	255.56
1175504	Laminated plastic socket, made from plaster or digital mold of insured person	N. C.	2,573.23
1195528		N. C.	N. A.
1165653	Uniaxial constant friction knee (3R16)	N. C.	498.92
1175538	Prosthetic cover	N. C.	709.63
1175561	Hip joint (7E7)	N. C.	N. A.
	OPTIONAL COMPONENTS		
1195593	Trial socket	284.36	N. A.
1175553	Joint of hip joint (7E7)	N. A.	1,983.59
1175579	Joint of hip joint, for child (7E8)	245.02	1,500.53
1165810	Uniaxial constant friction knee (3R18)	180.26	679.18
	Safety knee (3R15)	289.44	789.60
	Manual locking knee (3R17)	363.52	862.44
	4-axis polycentric knee (3R20)	376.28	875.20
	Manual locking knee, aluminum (3R40)	268.24	767.15
	Manual locking knee, titanium (3R33)	636.59	1,135.50
	Safety knee, titanium (3R49)	577.66	1,076.56
1165836	Multiaxial knee with rotator, for child (3R66)	831.51	1,330.42
1165802	Uniaxial knee with lock, for child (3R39)	808.25	1,307.16
1165794	Multiaxial knee, for child (TK40C)	1,306.31	1,806.47
1165844	Uniaxial constant friction knee, with or without lock, for child (TK1C1)	957.18	1,456.12
1155548	Knee rotator (4R57)	809.52	860.32
1135557	Ankle rotator (4R39, 4R40)	709.18	763.76
1135607	Ankle rotator (4R85)	633.76	683.26
1125715	Articulated foot and adapter	174.16	429.71
1125723	Articulated without adapter	N. A.	264.08
1125798	Dynamic response foot, spring and	301.75	557.30
	prosthetic cover included (Quantum)		
1125780	Adapter for foot (Quantum)	52.04	96.48
1125707	Dynamic foot, for child (1K10)	35.14	290.71
	Dynamic response foot (Seattle Light)	456.64	712.19
	Dynamic response foot (Sten foot)	75.77	331.34
	Dynamic response foot (SAFE foot)	179.88	435.44
1125616	Dynamic response foot (1D10, 1D11)	153.49	409.03

1125566	Dynamic response foot (Seattle)	349.98	605.54	
	Dynamic response foot (Carbon Copy II)	291.60	547.16	
1125681	Dynamic response foot (Step Light)	276.36	531.91	
	Dynamic response foot (USMC)	171.01	426.55	
	Dynamic plus foot (1D25)	416.00	671.55	
	Multiaxial foot with rotator (1A30)	641.49	897.05	
1125756	Multiaxial foot with rotator (Endolite)	560.72	816.27	
1125764	Dynamic response foot with rotator (Endolite)	748.62	1,004.18	
1135615	Titanium modular system and carbon fiber pylon	90.14	N. A.	
	SUPPLEMENTS AVAILABLE			
3194180	Pant-style sock	16.82	22.32	
3492501	Cane	10.00	10.00	
3492550	Crutches with axillary support, height-adjustable	20.00	20.00	
+3492551	Crutches with forearm support, height-adjustable	55.00	55.00	
3194214	Prosthetic socks (2)	N. C.	39.36	
	ADJUSTMENTS AVAILABLE)			
1146547	Lengthening of tibial part of prosthesis, excluding replacement of prosthetic cover and prosthetic sock			218.36
	Any pertinent adjustment			

SUBDIVISION 7: LOWER-LIMB PROSTHESES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1142009 Other lower-limb prostheses *	S. C.			6

^{*} When price is below that of the similar prosthesis

DIVISION II: UPPER-LIMB PROSTHESES

SUBDIVISION 1: HAND PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1211754	Prosthetic restoration of one finger, made from plaster or digital mold of insured person	742.65			1
	BASIC COMPONENTS AND SUPPLEMENTS				
	Compensatory part for finger and prosthetic cover (Realistic)				
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1221753	Prosthetic partial hand restoration, made from plaster or digital mold of insured person	1,449.76			1
	BASIC COMPONENTS AND SUPPLEMENTS				
	Compensatory part Prosthetic partial hand and prosthetic glove, made from plaster or digital mold of insured person (Realistic)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				

Updated: February 16, 2016 49

1295807 Prosthetic partial hand and prosthetic glove, made from plaster or digital mold of insured person (Realistic)

N.C. 695.69

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

SUBDIVISION 2: WRIST PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1230507	Exoskeletal cubital or wrist prosthesis	1,500.53			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Wrist friction joint Rigid plastic socket, made from plaster or digital mold of insured person Suspension harness Tricipital pad Control cable, connections, terminals and housing (reinforced materials)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1235514	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	939.42		3
1295500	Suspension harness	N. C.	154.88		3
	Control cable, connections, terminals and housing (reinforced materials)	N. C.	191.70		3
1295526	Wrist friction joint	N. C.	332.60		
1295757	Tricipital pad	N. C.	154.88		
	OPTIONAL COMPONENTS				
	Metal elbow joints, flexible Anchoring part for cable for passive hand and hook Other optional components (consult Subdivision VII for the codes and prices of these components)	401.16 38.08	467.17 60.93		3
	SUPPLEMENTS AVAILABLE				
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
3190014	Nylon stump sheath	18.01	20.93		

SCHEDULE 1

ADJUSTMENTS AVAILABLE

1246511 Lengthening of prosthesis ----- Any pertinent adjustment

258.96

3

SUBDIVISION 3: CUBITAL PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1241504	Endoskeletal cubital prosthetic restoration	1,530.38			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person Passive hand with flexible fingers and prosthetic glove (Otto Bock) Complete endoskeletal system (including modular components and prosthetic cover)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1235514	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	939.42		3
1295534	Complete endoskeletal system	N. C.	N. A.		
	Prosthetic cover	N. C.	288.18		
	Passive hand with flexible fingers (Otto Bock)	N. C.	308.47		
3223005	Prosthetic glove (Otto Bock)	N. C.	264.69		
	OPTIONAL COMPONENTS				
	Metal elbow joints, flexible Other optional components (consult Subdivision VII for the codes and prices of these components)	401.16	467.17		
	SUPPLEMENTS AVAILABLE				
	Prosthetic socks, per pair Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	26.68	35.54 *		
3190014	Nylon stump sheath	18.01	20.93		
	ADJUSTMENT AVAILABLE				

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1231752	Exoskeletal cubital or wrist prosthetic restoration	1,441.50			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Passive hand with flexible fingers and prosthetic glove (Otto Bock) Rigid plastic socket, made from plaster or digital mold of insured person Wrist friction joint				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	939.42		3
1295526	Wrist friction joint	N. C.	332.60		
3222817	Passive hand with flexible fingers (Otto Bock)	N. C.	308.47		
3223005	Prosthetic glove (Otto Bock)	N. C.	264.69		
	OPTIONAL COMPONENTS				
1295716	Suspension harness Other optional components (consult Subdivision VII for the codes and prices of these components)	105.36	154.88		
	SUPPLEMENTS AVAILABLE				
	* (consult Division III of this Part for the codes and prices of these supplements)	*	*		
3190014	Nylon stump sheath	18.01	20.93		
	ADJUSTMENTS AVAILABLE				
	Lengthening of prosthesis Any pertinent adjustment			258.96	3

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1240514	Cubital prosthesis with multiple-action joints	2,259.69			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Wrist friction joint Rigid plastic socket, made from plaster or digital mold of insured person Forearm restoration Multiple-action elbow joints Suspension harness Armband Control cable, connections, terminals and housing (reinforced materials)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1245539	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,181.90		3
1295526	Wrist friction joint	N. C.	332.60		
	Multiple-action elbow joints	N. C.	594.11		
1245562	Forearm restoration	N. C.	436.70		3
1295500	Suspension harness	N. C.	154.88		3
1295518	Control cable, connections, terminals and housing (reinforced materials)	N. C.	191.70		3
1295799	Armband	N. C.	182.79		3
	OPTIONAL COMPONENTS				
1295815	Anchoring part for cable for passive hand and hook	38.08	60.93		3
	Other optional components (consult Subdivision VII for the codes and prices of these components)				
	SUPPLEMENTS AVAILABLE				
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		

SCHEDULE 1 Tariff for devices which compensate for a motor deficiency and insured related services (authentic version)

3190014 Nylon stump sheath 18.01 20.93

ADJUSTMENTS AVAILABLE

1246511 Lengthening of prosthesis 258.96 3

----- Any pertinent adjustment

SUBDIVISION 4: CUBITOHUMERAL PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1250505	Exoskeletal cubitohumeral prosthesis	3,056.91			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Wrist friction joint Rigid plastic socket, made from plaster or digital mold of insured person Forearm restoration Joints with external lock (E-500, E-1500) Suspension harness Control cables (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person Wrist friction joint	N. C. N. C.	1,212.36 332.60		3
1255520 1245562 1295591	Joints with external lock (E-500, E-1500) Forearm restoration Suspension harness Control cables (2)	N. C. N. C. N. C. N. C.	1,180.63 436.70 166.29 243.73		3 3 3
	OPTIONAL COMPONENTS				
	Flexion assist mechanism Anchoring part for cable for passive hand and hook Other optional components (consult Subdivision VII for the codes and prices of these components)	382.12 38.08	448.14 60.93		3 3
	SUPPLEMENTS AVAILABLE				
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
3190014	Nylon stump sheath	18.01	20.93		

ADJUSTMENTS AVAILABLE

1246529 Lengthening of cubital part of the prosthesis

----- Any pertinent adjustment

258.96

3

SUBDIVISION 5: HUMERAL PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1260504	Exoskeletal humeral prosthesis	3,064.52			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Wrist friction joint Rigid plastic socket, made from plaster or digital mold of insured person Forearm restoration Elbow with internal lock (E-400) Suspension harness Control cables (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,181.90		3
	Wrist friction joint	N. C.	332.60		
	Elbow with internal lock (E-400)	N. C.	1,025.75		2
	Forearm restoration	N. C. N. C.	436.70		3
	Suspension harness Control cables (2)	N. C. N. C.	166.29 243.73		3
1233011	OPTIONAL COMPONENTS	7.1. 6.	213.73		J
1295815	Anchoring part for cable for passive hand and hook	38.08	60.93		3
1295823	Flexion assist mechanism	250.08	316.10		3
1295575	Nudge control	422.73	495.09		3
	Other optional components (consult Subdivision VII for the codes and prices of these components)				
	SUPPLEMENTS AVAILABLE				
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		

SCHEDULE 1		Tariff for devices which compensate for a motor deficiency and insured related services (authentic version)					
3190014	Nylon stump sl	heath		18.01	20.93		
	ADJUSTMEN	TS AVAILABLE					
1246529	Lengthening of prosthesis	f cubital part of the				258.96	3
	Any pertinent a	adjustment					

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1261502	Endoskeletal humeral prosthetic restoration	2,553.58			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person Passive hand with flexible fingers and prosthetic glove (Otto Bock) Complete endoskeletal system (modular components and prosthetic cover) Suspension harness Prosthetic socks (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1265511	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,181.90		3
	Complete endoskeletal system	N. C.	N. A.		
	Prosthetic cover	N. C.	341.49		
	Suspension harness	N. C.	166.29		3
3222817	Passive hand with flexible fingers (Otto Bock)	N. C.	308.47		
3223005	Prosthetic glove (Otto Bock)	N. C.	264.69		
	OPTIONAL COMPONENTS				
1295831	Flexion wrist	289.44	436.70		
1295849	Shoulder-activated lock elbow Other optional components (consult Subdivision VII for the codes and prices of these components)	325.00	835.32		

SCHEDULE 1	Tariff for devices which compensate for a motor deficiency and insured related services
	(authentic version)

1295815	Anchoring part for cable for passive hand and hook	38.08	60.93
	SUPPLEMENTS AVAILABLE		
	Prosthetic socks, per pair Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	N. C.	40.61 *
3190014	Nylon stump sheath	18.01	20.93
	ADJUSTMENT AVAILABLE		

----- Any pertinent adjustment

SUBDIVISION 6: GLENOHUMERAL AND THORACIC PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1270503	Exoskeletal glenohumeral prosthesis	4,627.72			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Wrist friction joint Rigid plastic socket, made from plaster or digital mold of insured person Forearm restoration Elbow with internal lock (E-400) Flexion assist mechanism Arm restoration Shoulder joint (FAJ-100) Suspension harness Control cables (2), connections, terminals and housing (reinforced materials and pulley)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE BASIC COMPONENTS				
1275510	Rigid plastic socket, made from plaster or	N. C.	1,598.28		3
	digital mold of insured person				
	Suspension harness	N. C.	176.45		3
1295674	Control cables (2), connections, terminals and housing (reinforced materials and pulley)	N. C.	383.38		3
1295526	Wrist friction joint	N. C.	332.60		
	Elbow with internal lock (E-400)	N. C.	1,025.75		
	Forearm restoration	N. C.	436.70		3
1265537	Arm restoration	N. C.	361.81		3
1265545	Shoulder joint (FAJ-100)	N. C.	753.26		
1295690	Flexion assist mechanism	N. C.	330.07		3
	OPTIONAL COMPONENTS				
1205575	Nudge control	422.73	495.09		3
	Anchoring part for cable for passive hand and hook	38.08	60.93		3

	Other optional components (consult Subdivision VII for the codes and prices of these components)				
	SUPPLEMENTS AVAILABLE				
	Stump sock * (consult Division III of this Part for the	*	*		
3190014	codes and prices of these supplements) Nylon stump sheath	18.01	20.93		
	ADJUSTMENT AVAILABLE				
1246529	Lengthening of cubital part of the prosthesis			258.96	3

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1271501	Endoskeletal glenohumeral prosthetic restoration	3,320.34			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person Passive hand with flexible fingers and prosthetic glove (Otto Bock) Complete endoskeletal system (modular components and prosthetic cover) Suspension harness				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1275510	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,598.28		3
1295682	Complete endoskeletal system	N. C.	N. A.		
	Prosthetic cover	N. C.	397.34		
1295666	Suspension harness	N. C.	176.45		3
	Passive hand with flexible fingers (Otto Bock)	N. C.	308.47		
3223005	Prosthetic glove (Otto Bock)	N. C.	264.69		

63

Updated: February 16, 2016

OPTIONAL COMPONENTS

1295831	Flexion wrist	289.44	436.70	
1295849	Shoulder-activated lock elbow	325.00	835.32	
	Anchoring part for cable for passive hand and hook	38.08	60.93	3
	Other optional components (consult Subdivision VII for the codes and prices of these components)			
1295856	Nudge control where shoulder-activated lock elbow is used	422.73	495.09	3
	SUPPLEMENTS AVAILABLE			
3293180	Prosthetic socks, per pair	26.68	35.54	
	Stump sock	*	*	
	* (consult Division III of this Part for the codes and prices of these supplements)			
3190014	Nylon stump sheath	18.01	20.93	
	ADJUSTMENT AVAILABLE			
	Any pertinent adjustment			

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)

1280502 Exoskeletal thoracic prosthesis

6,075.87

6

BASIC COMPONENTS AND SUPPLEMENTS

Wrist friction joint

Rigid plastic socket, made from plaster or

digital mold of insured person

Forearm restoration

Elbow with internal lock (E-400)

Flexion assist mechanism

Arm restoration

Shoulder joint (FAJ-100)

Suspension harness

Control cables (2), connections, terminals

and housing (reinforced materials and

pulley)

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

1285519	Rigid plastic socket, made from plaster or	N. C.	1,977.87		3
1205666	digital mold of insured person	N. C	176 45		2
	Suspension harness	N. C.	176.45		3
1293674	Control cables (2), connections, terminals and housing (reinforced materials and pulley)	N. C.	383.38		3
1295526	Wrist friction joint	N. C.	332.60		
1265529	Elbow with internal lock (E-400)	N. C.	1,025.75		
1245562	Forearm restoration	N. C.	436.70		3
1265537	Arm restoration	N. C.	361.81		3
1265545	Shoulder joint (FAJ-100)	N. C.	753.26		
	Flexion assist mechanism	N. C.	330.07		3
	OPTIONAL COMPONENTS				
1295575	Nudge control	422.73	495.09		3
	Anchoring part for cable for passive hand and hook	38.08	60.93		3
	Other optional components (consult				
	Subdivision VII for the codes and prices of these components)				
	SUPPLEMENTS AVAILABLE				
		*	*		
	* (consult Division III of this Part for the				
2100014	codes and prices of these supplements)	10.01	20.02		
3190014	Nylon stump sheath	18.01	20.93		
	ADJUSTMENT AVAILABLE				
1246529	Lengthening of cubital part of the prosthesis			258.96	3
	1				

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
--	--------	--	--	---------------------------------	--------------------

1281500 Endoskeletal thoracic prosthetic restoration

3,649.14

6

BASIC COMPONENTS AND SUPPLEMENTS

Rigid plastic socket, made from plaster or digital mold of insured person Passive hand with flexible fingers and prosthetic glove (Otto Bock) Complete endoskeletal system (modular components and prosthetic cover)
Suspension harness

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

1285519	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,977.87	3
1295682	Complete endoskeletal system	N. C.	N. A.	
	Prosthetic cover	N. C.	397.34	
	Suspension harness	N. C.	176.45	3
	Passive hand with flexible fingers (Otto	N. C.	308.47	3
3222017	Bock)	11. 0.	300.17	
3223005	Prosthetic glove, fitting included (Otto	N. C.	264.69	
3223003	Bock)	14. C.	204.07	
	Dock)			
	OPTIONAL COMPONENTS			
1295831	Flexion wrist	289.44	436.70	
1295849	Shoulder-activated lock elbow	325.00	835.32	
	Anchoring part for cable for passive hand	38.08	60.93	3
	and hook			
	Other optional components (consult			
	Subdivision VII for the codes and prices of			
	these components)			
1295856	Nudge control where shoulder-activated	422.73	495.09	3
	lock elbow is used			
	SUPPLEMENTS AVAILABLE			
3293180	Prosthetic socks, per pair	26.68	35.54	
	Stump sock	*	*	
	* (consult Division III of this Part for the			
	codes and prices of these supplements)			
3190014	Nylon stump sheath	18.01	20.93	
	- ·)pp	10.01	_0.,0	

66

SUBDIVISION 7: BASIC OR OPTIONAL COMPONENTS FOR UPPER-LIMB PROSTHESES

WRISTS, HOOKS, HANDS, PROSTHETIC GLOVES, ELBOW JOINTS, SHOULDER JOINTS AND OTHERS

	WRISTS FOR EXOSKELETAL PROSTHESES	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
3232725	Quick disconnect wrist including a socket (FM-100)	69.82	394.81	
3232733	Quick disconnect wrist including a socket (FM-100S)	498.92	822.64	
3232741	Quick disconnect wrist including a socket (WD-400)	52.04	375.77	
3232758	Quick disconnect wrist including a socket (WD-400S)	182.79	506.52	
3232790	Quick disconnect wrist including a socket (WD-400SS)	484.96	808.65	
3232766	Wrist for child (CAPP)	N. C.	330.07	
3232865	Flexion wrist for child (CAPP)	86.33	410.03	
3232774	Flexion wrist (FW-200, FW-300, FW-500)	200.60	524.30	
3232808	Flexion wrist (FW-500S)	713.44	1,037.17	
3232782	Flexion wrist (18-00)	342.77	667.77	
3232816	Flexion wrist (FW-50)	351.65	676.64	
3299005	Extra socket for wrist (WD-400)	46.97	46.97	
3299013	Extra socket for wrist (WD-400S, WD-400SS)	101.57	101.57	
3299021	Extra socket for wrist (FM-100)	62.19	62.19	
	HOOKS	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
3222940	Dorrance hook, farmer's-type (6) Dorrance hook, farmer's-type (7 LO) APRL hook (302-00)	1,935.96 1,080.34 1,534.81	1,981.67 1,126.02 1,579.26	

3222924	Sierra hook	1,909.30	1,955.01
	Hook, model 99X or equivalent: use,	558.57	604.28
	shape, cost (10X, 10P, 99X8, 88X5, 5X,		
	5XA)		
3222973	Hook (12P)	605.54	651.25
3223013	Hook (99P)	568.73	651.25
3223393	Voluntary closing hook, for adult (TRS,	1,377.38	1,423.10
	Grip I)		
3223401	Voluntary closing hook, for adult (TRS,	1,338.02	1,382.48
	Grip II)		
3223419	Voluntary closing hook, for adult (TRS,	1,497.99	1,543.70
	Grip III)		
3223427	Voluntary closing hook, for child (TRS,	943.23	988.92
	Grip I)		
3223435	Voluntary closing hook, for child (TRS,	919.10	964.81
	Grip II)		
3223443	Voluntary closing hook, for child (TRS,	822.64	868.32
	Grip III)		
3223450	Voluntary closing hook, for child (TRS,	863.25	908.96
	Grip IV)		
			M
		Maximum	Maximum replacement
		substitution	price of
	DACCINE HANDC EOD DDOCTHETIC	price of	component
	PASSIVE HANDS FOR PROSTHETIC	component at	Component
	RESTORATION	the time of	
		purchase or	
		replacement	
		of prosthesis	
3222858	Steeper hand for child, including prosthetic	34.29	474.78
3444030	glove and installation	34.29	4/4./0
3222602	Centri hand for child, including prosthetic	49.50	490.02
3444074	glove and installation	49.30	770.02
3222866	Hosmer hand for adult, including	137.10	577.63
3222000	prosthetic glove and installation	137.10	311.03
3222627	Otto Bock hand for adult, including	N. C.	440.53
<i>3222021</i>	prosthetic glove and installation	11. C.	770.55
	prosinone giove una institution		
		Maximum	Maximum
		substitution	replacement
		price of	price of
	PASSIVE HANDS FOR FUNCTIONAL	component at	component
	PROSTHESES	the time of	
		purchase or	
		replacement	
		of prosthesis	
•		1	
3222643	Steeper hand for child, including prosthetic	411.31	474.78
	glove and installation		

3222684	Centri hand for child, including prosthetic glove and installation	426.55	490.02	
3222635	Hosmer hand for adult, including prosthetic glove and installation	514.13	577.63	
3222874	Otto Bock hand for adult, including prosthetic glove and installation	377.03	440.53	
	MECHANICAL HANDS	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
3222841	Voluntary opening Sierra hand, including prosthetic glove and installation	2,165.74	2,229.21	
3222809	Voluntary opening APRL hand and prosthetic glove, installation included	2,469.14	2,532.62	
3222833	Voluntary closing Otto Bock hand and prosthetic glove, installation included (8K15)	973.69	1,037.17	
3222676	Voluntary closing Otto Bock hand and prosthetic glove, installation included (8K25)	973.69	1,037.17	
3222668		622.06	684.25	
3222650	Voluntary closing Otto Bock hand and prosthetic glove, installation included, for endoskeletal system (8K27)	746.47	808.65	
3222726	Becker Imperial hand, prosthetic glove and protective glove, installation included	1,038.43	1,100.65	
3222734	Robin Aid hand and Realistic prosthetic glove, installation included (RA-100)	943.23	1,006.71	
3222742	Dorrance hand and Realistic prosthetic glove, installation included	1,779.83	1,842.03	
3222759	Voluntary closing APRL hand and Realistic prosthetic glove, installation included	2,469.14	2,532.62	
3222767	Becker hand, Realistic prosthetic glove and protective glove, installation included (BLG-100)	974.98	1,038.43	
3222775	Robin Aid hand and Realistic prosthetic glove, installation included (RA-200)	943.23	1,006.71	
3222783	Becker hand and Realistic prosthetic glove, installation included (BP-100)	776.93	967.36	

	MITTS FOR CHILDREN TO REPLACE PASSIVE HAND	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
	Hosmer mitt, installation included Crawl mitt and prosthetic glove, installation included	N. C. 101.57	275.47 534.46	
	PROSTHETIC GLOVES	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
	Otto Bock prosthetic glove, installation included	N. C.	264.69	
3223120	Realistic prosthetic glove, installation included	N. C.	279.29	
	ELBOW JOINTS	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
1245588	External monocentric free-moving locking joint (E-5500)	962.27	1,539.89	
1245596	External monocentric free-moving locking joint (E-1500)	601.74	1,180.63	
	External polycentric free-moving joint (MA-50, MA-75, MA-100)	76.16	655.07	
	Constant friction elbow, for child (E-50) Elbow with internal lock (E-400HD)	N. C. N. C.	1,018.12 1,043.52	

SHOULDER JOINTS	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
1245620 Abduction-adduction joint (SA 1245638 Abduction-adduction joint (SA 1245646 Free movement joint (Hosmer 1245679 Joint (FS-50, FS-75)	AJ-100) 99.03	515.41 750.27 685.51 589.03	
CONTROLS	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
1295583 Truncular abdominal or scapu including manufacturing, fitting installation time as well as ma	ng and	82.53	

SUBDIVISION 8: UPPER-LIMB PROSTHESES

DEVICE	Maximum price Purchase or replacement of device Maximum price Maximum price Maximum Guarante of component price or supplement
--------	--

1242007 Other upper-limb prostheses **

S. C.

*

*GUARANTEE PERIOD: Hand prostheses: 1 month

Others: 6 months

** When price is below that of the similar prosthesis

DIVISION III: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES

SUPPLEMENT FOR PROSTHESES

SUPPLEMENTS FOR PROSTHESES STUMP SOCKS WOOL 2 - 3 - 5 PLY Width: 15.2 cm (6 in.) 3493004 length: 25.4 cm (10 in.) 9.52 12.34 3493012 length: 30.5 cm (12 in.) 10.36 13.31 3493020 length: 30.5 cm (14 in.) 11.63 14.57 3493038 length: 40.6 cm (16 in.) 12.60 15.39 3493036 length: 45.7 cm (18 in.) 13.70 16.54 3493036 length: 55.9 cm (20 in.) 14.72 17.50 3493061 length: 55.9 cm (22 in.) 15.82 18.77 3493079 length: 61.0 cm (24 in.) 17.50 20.31 3493085 length: 71.1 cm (28 in.) 19.74 22.53 3493103 length: 71.1 cm (28 in.) 19.74 22.53 3493111 length: 81.3 cm (32 in.) 21.85 24.77 Width: 17.8 cm (7 in.) 3493129 length: 25.4 cm (10 in.) 11.35 14.30 3493137 length: 30.5 cm (12 in.) 11.35 14.30 3493145 length: 35.6 cm (14 in.) 12.73 15.71 3493150 length: 45.7 cm (18 in.) 15.82 18.77 3493178 length: 50.8 cm (20 in.) 17.36 20.31 3493180 length: 55.9 cm (22 in.) 17.36 20.31 3493191 length: 61.0 cm (24 in.) 17.36 20.31 3493180 length: 50.8 cm (20 in.) 17.36 20.31 3493181 length: 50.8 cm (20 in.) 17.36 20.31 3493198 length: 50.8 cm (20 in.) 17.36 20.31		Description	Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks	
WOOL 2-3-5 PLY Width: 15.2 cm (6 in.) 3493004 length: 25.4 cm (10 in.) 9.52 12.34 3493012 length: 30.5 cm (12 in.) 10.36 13.31 3493020 length: 35.6 cm (14 in.) 11.63 14.57 3493036 length: 40.6 cm (16 in.) 12.60 15.39 3493046 length: 50.8 cm (20 in.) 13.70 16.54 3493051 length: 55.9 cm (22 in.) 15.82 18.77 3493079 length: 61.0 cm (24 in.) 17.50 20.31 3493087 length: 66.0 cm (26 in.) 18.63 21.56 3493095 length: 71.1 cm (28 in.) 19.74 22.53 3493111 length: 81.3 cm (32 in.) 20.57 23.54 3493112 length: 30.5 cm (10 in.) 10.22 13.18 3493129 length: 35.6 cm (12 in.) 11.35 14.30 3493132 length: 30.5 cm (12 in.) 11.35 14.30 3493145 length: 30.5 cm (12 in.) 11.35 14.71 3493152 length: 40.6 cm (16 in.) 14.16 17.09 349316 length: 55.9 cm (22 in.) 18.47 21.41 3493178 length: 50.8 cm (20 in.) 17.36 20.31 3493210 length: 75.9 cm (22 in.) <t< td=""><td></td><td>SUPPLEMENTS FOR PROSTHESES</td><td></td><td>of socks</td><td></td></t<>		SUPPLEMENTS FOR PROSTHESES		of socks	
Width: 15.2 cm (6 in.) 3493004 length: 25.4 cm (10 in.) 9.52 12.34 3493012 length: 30.5 cm (12 in.) 10.36 13.31 3493020 length: 35.6 cm (14 in.) 11.63 14.57 3493038 length: 40.6 cm (16 in.) 12.60 15.39 3493046 length: 45.7 cm (18 in.) 13.70 16.54 3493051 length: 50.8 cm (20 in.) 14.72 17.50 3493061 length: 55.9 cm (22 in.) 15.82 18.77 3493079 length: 61.0 cm (24 in.) 17.50 20.31 3493087 length: 66.0 cm (26 in.) 18.63 21.56 3493103 length: 76.2 cm (30 in.) 20.57 23.54 3493101 length: 81.3 cm (32 in.) 20.57 23.54 3493111 length: 81.3 cm (32 in.) 21.85 24.77 Width: 17.8 cm (7 in.) 10.22 13.18 3493129 length: 30.5 cm (12 in.) 11.35 14.30 3493145 length: 35.6 cm (14 in.) 12.73 15.71 3493152 length: 40.6 cm (16 in.) 14.16 17.09 3493178 length: 50.8 cm (20 in.) 15.82 18.77 3493179 length: 50.8 cm (20 in.) 17.36 20.31 3493180 length: 45.7 cm (18 in.) 15.82 18.77 3493194 length: 60.0 cm (24 in.) 19.74 22.68 3493202 length: 66.0 cm (26 in.) 21.27 24.21		STUMP SOCKS			
3493004 length: 25.4 cm (10 in.) 3493012 length: 30.5 cm (12 in.) 10.36 13.31 3493020 length: 35.6 cm (14 in.) 11.63 14.57 3493038 length: 40.6 cm (16 in.) 12.60 15.39 3493046 length: 45.7 cm (18 in.) 13.70 16.54 3493051 length: 55.9 cm (22 in.) 15.82 18.77 3493079 length: 55.9 cm (22 in.) 15.82 18.77 3493087 length: 61.0 cm (24 in.) 18.63 21.56 3493013 length: 76.2 cm (30 in.) 20.57 23.54 3493103 length: 76.2 cm (30 in.) 21.85 24.77 Width: 17.8 cm (7 in.) 3493129 length: 25.4 cm (10 in.) 3493145 length: 35.6 cm (14 in.) 11.35 14.30 3493152 length: 40.6 cm (16 in.) 3493160 length: 45.7 cm (18 in.) 3493186 length: 45.7 cm (18 in.) 15.82 18.77 3493194 length: 61.0 cm (24 in.) 11.35 14.30 3493180 length: 55.9 cm (22 in.) 11.35 12.73 15.71 3493194 length: 58.8 cm (20 in.) 15.82 18.77 17.99 3493194 length: 61.0 cm (24 in.) 19.74 22.68 3493194 length: 61.0 cm (24 in.) 19.74 22.68 3493228 length: 76.2 cm (30 in.) 23.53 26.44 3493236 length: 76.2 cm (30 in.) 23.53 24.91 24.91 27.85 Width: 20.3 cm (8 in.) 3493244 length: 25.4 cm (10 in.) 3493248 length: 76.2 cm (30 in.) 23.53 24.93 24.91 27.85 Width: 20.3 cm (8 in.)		WOOL 2-3-5 PLY			
3493012 length: 30.5 cm (12 in.) 3493020 length: 35.6 cm (14 in.) 11.63 14.57 3493038 length: 40.6 cm (16 in.) 12.60 15.39 3493046 length: 45.7 cm (18 in.) 13.70 16.54 3493053 length: 50.8 cm (20 in.) 14.72 17.50 3493061 length: 55.9 cm (22 in.) 15.82 18.77 3493079 length: 61.0 cm (24 in.) 17.50 20.31 3493095 length: 71.1 cm (28 in.) 19.74 22.53 3493103 length: 76.2 cm (30 in.) 20.57 23.54 3493111 length: 81.3 cm (32 in.) 21.85 24.77 Width: 17.8 cm (7 in.) 3493129 length: 35.6 cm (14 in.) 3493145 length: 35.6 cm (14 in.) 3493152 length: 40.6 cm (16 in.) 3493152 length: 45.7 cm (18 in.) 3493160 length: 45.7 cm (18 in.) 3493178 length: 50.8 cm (20 in.) 3493186 length: 55.9 cm (22 in.) 3493194 length: 55.9 cm (22 in.) 3493194 length: 61.0 cm (24 in.) 3493194 length: 61.0 cm (24 in.) 3493194 length: 61.0 cm (24 in.) 3493195 length: 61.0 cm (24 in.) 3493196 length: 55.9 cm (22 in.) 3493197 length: 61.0 cm (24 in.) 3493198 length: 50.8 cm (20 in.) 3493199 length: 61.0 cm (24 in.) 3493194 length: 55.9 cm (22 in.) 3493202 length: 66.0 cm (26 in.) 21.27 24.21 3493210 length: 71.1 cm (28 in.) 22.40 25.35 3493228 length: 76.2 cm (30 in.) 23.53 24.41 3493236 length: 71.1 cm (28 in.) 24.91 25.85 Width: 20.3 cm (8 in.)		Width: 15.2 cm (6 in.)			
3493020 length: 35.6 cm (14 in.) 3493038 length: 40.6 cm (16 in.) 3493046 length: 45.7 cm (18 in.) 3493053 length: 50.8 cm (20 in.) 3493061 length: 55.9 cm (22 in.) 3493079 length: 61.0 cm (24 in.) 3493079 length: 61.0 cm (24 in.) 3493095 length: 71.1 cm (28 in.) 3493095 length: 71.1 cm (28 in.) 3493103 length: 76.2 cm (30 in.) 3493111 length: 81.3 cm (32 in.) Width: 17.8 cm (7 in.) 3493129 length: 30.5 cm (14 in.) 3493152 length: 40.6 cm (16 in.) 3493152 length: 40.6 cm (16 in.) 3493160 length: 45.7 cm (18 in.) 3493178 length: 45.7 cm (18 in.) 3493186 length: 55.9 cm (22 in.) 3493191 length: 50.8 cm (20 in.) 3493194 length: 40.6 cm (16 in.) 3493195 length: 40.6 cm (16 in.) 3493196 length: 45.7 cm (18 in.) 3493197 length: 45.7 cm (18 in.) 3493198 length: 50.8 cm (20 in.) 3493198 length: 50.8 cm (20 in.) 3493198 length: 50.8 cm (20 in.) 3493199 length: 61.0 cm (24 in.) 3493190 length: 71.1 cm (28 in.) 3493191 length: 61.0 cm (24 in.) 3493194 length: 61.0 cm (24 in.) 3493202 length: 66.0 cm (26 in.) 3493203 length: 76.2 cm (30 in.) 3493244 length: 51.1 cm (28 in.) 3493251 length: 81.3 cm (32 in.) 3493244 length: 25.4 cm (10 in.) 3493251 length: 30.5 cm (12 in.) 3493251 length: 30.5 cm (12 in.) 3493269 length: 35.6 cm (14 in.) 3493269 length: 35.6 cm (14 in.) 3493269 length: 35.6 cm (14 in.)	349300	4 length: 25.4 cm (10 in.)	9.52	12.34	
3493038 length: 40.6 cm (16 in.) 3493046 length: 45.7 cm (18 in.) 3493053 length: 50.8 cm (20 in.) 3493061 length: 55.9 cm (22 in.) 3493079 length: 61.0 cm (24 in.) 3493087 length: 66.0 cm (26 in.) 3493087 length: 71.1 cm (28 in.) 3493111 length: 81.3 cm (32 in.) 3493129 length: 25.4 cm (10 in.) 3493152 length: 35.6 cm (14 in.) 3493153 length: 55.6 cm (26 in.) 3493154 length: 55.7 cm (18 in.) 3493155 length: 35.8 cm (20 in.) 3493160 length: 55.9 cm (22 in.) 3493178 length: 55.9 cm (22 in.) 3493186 length: 55.9 cm (22 in.) 3493194 length: 55.9 cm (22 in.) 3493195 length: 50.8 cm (20 in.) 3493196 length: 55.9 cm (22 in.) 3493178 length: 50.8 cm (20 in.) 3493186 length: 55.9 cm (22 in.) 3493194 length: 66.0 cm (24 in.) 3493195 length: 66.0 cm (24 in.) 3493194 length: 61.0 cm (24 in.) 3493195 length: 66.0 cm (26 in.) 3493228 length: 71.1 cm (28 in.) 3493228 length: 71.1 cm (28 in.) 3493231 length: 81.3 cm (32 in.) 34932328 length: 75.2 cm (30 in.) 3493244 length: 55.4 cm (10 in.) 3493244 length: 55.5 cm (12 in.) 3493251 length: 30.5 cm (12 in.) 3493244 length: 55.5 cm (12 in.) 3493251 length: 30.5 cm (12 in.) 3493269 length: 35.6 cm (14 in.) 3493269 length: 35.6 cm (14 in.) 3493269 length: 35.6 cm (14 in.)	349301	2 length: 30.5 cm (12 in.)	10.36	13.31	
3493046 length: 45.7 cm (18 in.) 3493053 length: 50.8 cm (20 in.) 3493061 length: 55.9 cm (22 in.) 3493061 length: 55.9 cm (22 in.) 3493087 length: 61.0 cm (24 in.) 3493087 length: 66.0 cm (26 in.) 3493095 length: 71.1 cm (28 in.) 3493103 length: 76.2 cm (30 in.) 3493111 length: 81.3 cm (32 in.) 3493129 length: 25.4 cm (10 in.) 3493137 length: 30.5 cm (14 in.) 3493152 length: 40.6 cm (16 in.) 3493160 length: 45.7 cm (18 in.) 3493178 length: 45.7 cm (18 in.) 3493186 length: 55.9 cm (22 in.) 3493186 length: 55.9 cm (22 in.) 3493194 length: 61.0 cm (24 in.) 3493202 length: 66.0 cm (26 in.) 3493228 length: 76.2 cm (30 in.) 3493228 length: 76.2 cm (30 in.) 3493244 length: 81.3 cm (32 in.) 3493244 length: 81.3 cm (32 in.) 3493251 length: 81.3 cm (32 in.) 3493244 length: 25.4 cm (10 in.) 3493251 length: 81.3 cm (32 in.) 3493269 length: 35.6 cm (14 in.) 3493269 length: 55.6 cm (14 in.) 3493269 length: 35.6 cm (14 in.)					
3493053 length: 50.8 cm (20 in.) 3493061 length: 55.9 cm (22 in.) 3493079 length: 61.0 cm (24 in.) 3493087 length: 66.0 cm (26 in.) 3493087 length: 71.1 cm (28 in.) 3493103 length: 76.2 cm (30 in.) 3493103 length: 76.2 cm (30 in.) 3493111 length: 81.3 cm (32 in.) Width: 17.8 cm (7 in.) 3493129 length: 25.4 cm (10 in.) 3493137 length: 35.6 cm (14 in.) 3493145 length: 35.6 cm (14 in.) 3493152 length: 40.6 cm (16 in.) 3493160 length: 45.7 cm (18 in.) 3493178 length: 55.9 cm (20 in.) 3493181 length: 55.9 cm (20 in.) 3493182 length: 61.0 cm (24 in.) 3493183 length: 55.9 cm (22 in.) 3493184 length: 56.0 cm (26 in.) 3493185 length: 61.0 cm (24 in.) 3493196 length: 61.0 cm (24 in.) 3493197 length: 61.0 cm (26 in.) 3493198 length: 55.9 cm (20 in.) 3493198 length: 55.9 cm (20 in.) 3493199 length: 61.0 cm (24 in.) 3493202 length: 66.0 cm (26 in.) 3493210 length: 71.1 cm (28 in.) 3493228 length: 76.2 cm (30 in.) 3493228 length: 81.3 cm (32 in.) 3493244 length: 25.4 cm (10 in.) 3493245 length: 30.5 cm (12 in.) 3493246 length: 25.4 cm (10 in.) 3493251 length: 30.5 cm (12 in.) 3493269 length: 35.6 cm (14 in.)					
3493061 length: 55.9 cm (22 in.) 3493079 length: 61.0 cm (24 in.) 3493087 length: 66.0 cm (26 in.) 3493095 length: 71.1 cm (28 in.) 3493103 length: 76.2 cm (30 in.) 3493111 length: 81.3 cm (32 in.) Width: 17.8 cm (7 in.) 3493129 length: 25.4 cm (10 in.) 3493137 length: 30.5 cm (12 in.) 3493145 length: 35.6 cm (14 in.) 3493152 length: 40.6 cm (16 in.) 3493152 length: 40.6 cm (16 in.) 3493160 length: 50.8 cm (20 in.) 3493178 length: 50.8 cm (20 in.) 3493186 length: 55.9 cm (22 in.) 3493186 length: 55.9 cm (22 in.) 3493194 length: 61.0 cm (24 in.) 3493202 length: 66.0 cm (26 in.) 3493210 length: 71.1 cm (28 in.) 3493228 length: 71.1 cm (28 in.) 3493228 length: 81.3 cm (32 in.) Width: 20.3 cm (8 in.) 3493244 length: 25.4 cm (10 in.) 3493244 length: 25.4 cm (10 in.) 3493251 length: 30.5 cm (12 in.) 3493269 length: 35.6 cm (14 in.)		` , ,			
3493079 length: 61.0 cm (24 in.) 3493087 length: 66.0 cm (26 in.) 3493095 length: 71.1 cm (28 in.) 3493103 length: 76.2 cm (30 in.) 3493111 length: 81.3 cm (32 in.) Width: 17.8 cm (7 in.) 3493129 length: 25.4 cm (10 in.) 3493145 length: 35.6 cm (14 in.) 3493152 length: 40.6 cm (16 in.) 3493160 length: 45.7 cm (18 in.) 3493178 length: 50.8 cm (20 in.) 3493186 length: 55.9 cm (22 in.) 3493186 length: 55.9 cm (22 in.) 3493194 length: 61.0 cm (24 in.) 3493195 length: 61.0 cm (26 in.) 3493196 length: 71.1 cm (28 in.) 3493202 length: 76.2 cm (30 in.) 3493228 length: 76.2 cm (30 in.) 3493236 length: 81.3 cm (32 in.) Width: 20.3 cm (8 in.) 3493244 length: 25.4 cm (10 in.) 3493251 length: 30.5 cm (12 in.) 3493269 length: 30.5 cm (14 in.) 3493269 length: 30.5 cm (12 in.) 3493269 length: 30.5 cm (14 in.) 3493269 length: 35.6 cm (14 in.) 3493269 length:					
3493087 length: 66.0 cm (26 in.) 3493095 length: 71.1 cm (28 in.) 3493103 length: 76.2 cm (30 in.) 3493111 length: 81.3 cm (32 in.) Width: 17.8 cm (7 in.) 3493129 length: 25.4 cm (10 in.) 3493137 length: 30.5 cm (12 in.) 3493145 length: 30.5 cm (14 in.) 3493152 length: 40.6 cm (16 in.) 3493160 length: 45.7 cm (18 in.) 3493178 length: 50.8 cm (20 in.) 3493186 length: 55.9 cm (22 in.) 3493186 length: 55.9 cm (22 in.) 3493190 length: 71.1 cm (28 in.) 3493202 length: 76.2 cm (30 in.) 3493203 length: 76.2 cm (30 in.) 3493204 length: 71.1 cm (28 in.) 3493205 length: 81.3 cm (32 in.) Width: 20.3 cm (8 in.) 3493244 length: 25.4 cm (10 in.) 3493251 length: 35.6 cm (12 in.) 3493269 length: 35.6 cm (12 in.) 3493269 length: 35.6 cm (14 in.)					
3493095 length: 71.1 cm (28 in.) 3493103 length: 76.2 cm (30 in.) 3493111 length: 81.3 cm (32 in.) Width: 17.8 cm (7 in.) 3493129 length: 25.4 cm (10 in.) 3493145 length: 35.6 cm (14 in.) 3493152 length: 40.6 cm (16 in.) 3493160 length: 45.7 cm (18 in.) 3493178 length: 55.9 cm (22 in.) 3493186 length: 55.9 cm (22 in.) 3493194 length: 61.0 cm (24 in.) 3493202 length: 66.0 cm (26 in.) 3493203 length: 71.1 cm (28 in.) 3493236 length: 81.3 cm (32 in.) Width: 20.3 cm (8 in.) 3493244 length: 25.4 cm (10 in.) 3493251 length: 35.6 cm (12 in.) 349326 length: 35.6 cm (12 in.) 349326 length: 35.6 cm (12 in.) 349327 length: 51.3 cm (32 in.) 349328 length: 55.9 cm (22 in.) 349329 length: 35.6 cm (12 in.) 349329 length: 35.6 cm (12 in.) 349329 length: 35.6 cm (14 in.) 349329 length: 35.6 cm (14 in.) 349329 length: 35.6 cm (14 in.) 349326 length: 35.6 cm (14 in.)					
3493103 length: 76.2 cm (30 in.) 3493111 length: 81.3 cm (32 in.) Width: 17.8 cm (7 in.) 3493129 length: 25.4 cm (10 in.) 3493137 length: 30.5 cm (12 in.) 3493145 length: 35.6 cm (14 in.) 3493152 length: 40.6 cm (16 in.) 3493160 length: 45.7 cm (18 in.) 3493178 length: 50.8 cm (20 in.) 3493186 length: 55.9 cm (22 in.) 3493194 length: 61.0 cm (24 in.) 3493194 length: 66.0 cm (26 in.) 3493202 length: 66.0 cm (26 in.) 3493201 length: 71.1 cm (28 in.) 3493228 length: 76.2 cm (30 in.) 3493236 length: 25.4 cm (10 in.) 3493244 length: 25.4 cm (10 in.) 3493251 length: 30.5 cm (12 in.) 3493269 length: 35.6 cm (14 in.) 3493260 length: 35.6 cm (14 in.) 3493261 length: 35.6 cm (14 in.)					
3493111 length: 81.3 cm (32 in.) 21.85 24.77 Width: 17.8 cm (7 in.) 3493129 length: 25.4 cm (10 in.) 10.22 13.18 3493137 length: 30.5 cm (12 in.) 11.35 14.30 3493145 length: 35.6 cm (14 in.) 12.73 15.71 3493152 length: 40.6 cm (16 in.) 14.16 17.09 3493160 length: 45.7 cm (18 in.) 15.82 18.77 3493178 length: 50.8 cm (20 in.) 17.36 20.31 3493186 length: 55.9 cm (22 in.) 18.47 21.41 3493194 length: 61.0 cm (24 in.) 19.74 22.68 3493202 length: 66.0 cm (26 in.) 21.27 24.21 3493210 length: 71.1 cm (28 in.) 22.40 25.35 3493228 length: 81.3 cm (32 in.) 24.91 27.85 Width: 20.3 cm (8 in.) 3493244 length: 25.4 cm (10 in.) 11.74 14.72 3493251 length: 35.6 cm (12 in.) 13.31 16.08 3493269 length: 35.6 cm (14 in.) 14.55 17.50					
3493129 length: 25.4 cm (10 in.) 3493137 length: 30.5 cm (12 in.) 3493145 length: 35.6 cm (14 in.) 3493152 length: 40.6 cm (16 in.) 3493160 length: 45.7 cm (18 in.) 3493178 length: 50.8 cm (20 in.) 3493186 length: 55.9 cm (22 in.) 3493194 length: 61.0 cm (24 in.) 3493202 length: 66.0 cm (26 in.) 3493210 length: 71.1 cm (28 in.) 3493228 length: 76.2 cm (30 in.) 3493236 length: 81.3 cm (32 in.) 3493244 length: 25.4 cm (10 in.) 3493251 length: 30.5 cm (12 in.) 3493269 length: 35.6 cm (14 in.) 11.74 14.72 3493269 length: 35.6 cm (14 in.) 14.55 17.50					
3493137 length: 30.5 cm (12 in.) 11.35 14.30 3493145 length: 35.6 cm (14 in.) 12.73 15.71 3493152 length: 40.6 cm (16 in.) 14.16 17.09 3493160 length: 45.7 cm (18 in.) 15.82 18.77 3493178 length: 50.8 cm (20 in.) 17.36 20.31 3493186 length: 55.9 cm (22 in.) 18.47 21.41 3493194 length: 61.0 cm (24 in.) 19.74 22.68 3493202 length: 66.0 cm (26 in.) 21.27 24.21 3493210 length: 71.1 cm (28 in.) 22.40 25.35 3493228 length: 76.2 cm (30 in.) 23.53 26.44 3493236 length: 81.3 cm (32 in.) 24.91 27.85 Width: 20.3 cm (8 in.) 11.74 14.72 3493251 length: 30.5 cm (12 in.) 13.31 16.08 3493269 length: 35.6 cm (14 in.) 14.55 17.50		Width: 17.8 cm (7 in.)			
3493137 length: 30.5 cm (12 in.) 11.35 14.30 3493145 length: 35.6 cm (14 in.) 12.73 15.71 3493152 length: 40.6 cm (16 in.) 14.16 17.09 3493160 length: 45.7 cm (18 in.) 15.82 18.77 3493178 length: 50.8 cm (20 in.) 17.36 20.31 3493186 length: 55.9 cm (22 in.) 18.47 21.41 3493194 length: 61.0 cm (24 in.) 19.74 22.68 3493202 length: 66.0 cm (26 in.) 21.27 24.21 3493210 length: 71.1 cm (28 in.) 22.40 25.35 3493228 length: 76.2 cm (30 in.) 23.53 26.44 3493236 length: 81.3 cm (32 in.) 24.91 27.85 Width: 20.3 cm (8 in.) 11.74 14.72 3493251 length: 30.5 cm (12 in.) 13.31 16.08 3493269 length: 35.6 cm (14 in.) 14.55 17.50	349312	9 length: 25.4 cm (10 in.)	10.22	13.18	
3493145 length: 35.6 cm (14 in.) 12.73 15.71 3493152 length: 40.6 cm (16 in.) 14.16 17.09 3493160 length: 45.7 cm (18 in.) 15.82 18.77 3493178 length: 50.8 cm (20 in.) 17.36 20.31 3493186 length: 55.9 cm (22 in.) 18.47 21.41 3493194 length: 61.0 cm (24 in.) 19.74 22.68 3493202 length: 66.0 cm (26 in.) 21.27 24.21 3493210 length: 71.1 cm (28 in.) 22.40 25.35 3493228 length: 76.2 cm (30 in.) 23.53 26.44 3493236 length: 81.3 cm (32 in.) 24.91 27.85 Width: 20.3 cm (8 in.) 11.74 14.72 3493251 length: 30.5 cm (12 in.) 13.31 16.08 3493269 length: 35.6 cm (14 in.) 14.55 17.50					
3493160 length: 45.7 cm (18 in.) 15.82 18.77 3493178 length: 50.8 cm (20 in.) 17.36 20.31 3493186 length: 55.9 cm (22 in.) 18.47 21.41 3493194 length: 61.0 cm (24 in.) 19.74 22.68 3493202 length: 66.0 cm (26 in.) 21.27 24.21 3493210 length: 71.1 cm (28 in.) 22.40 25.35 3493228 length: 76.2 cm (30 in.) 23.53 26.44 3493236 length: 81.3 cm (32 in.) 24.91 27.85 Width: 20.3 cm (8 in.) 3493244 length: 25.4 cm (10 in.) 11.74 14.72 3493251 length: 30.5 cm (12 in.) 13.31 16.08 3493269 length: 35.6 cm (14 in.) 14.55 17.50			12.73		
3493178 length: 50.8 cm (20 in.) 17.36 20.31 3493186 length: 55.9 cm (22 in.) 18.47 21.41 3493194 length: 61.0 cm (24 in.) 19.74 22.68 3493202 length: 66.0 cm (26 in.) 21.27 24.21 3493210 length: 71.1 cm (28 in.) 22.40 25.35 3493228 length: 76.2 cm (30 in.) 23.53 26.44 3493236 length: 81.3 cm (32 in.) 24.91 27.85 Width: 20.3 cm (8 in.) 11.74 14.72 3493244 length: 25.4 cm (10 in.) 13.31 16.08 3493251 length: 30.5 cm (12 in.) 13.31 16.08 3493269 length: 35.6 cm (14 in.) 14.55 17.50	349315	2 length: 40.6 cm (16 in.)	14.16	17.09	
3493186 length: 55.9 cm (22 in.) 18.47 21.41 3493194 length: 61.0 cm (24 in.) 19.74 22.68 3493202 length: 66.0 cm (26 in.) 21.27 24.21 3493210 length: 71.1 cm (28 in.) 22.40 25.35 3493228 length: 76.2 cm (30 in.) 23.53 26.44 3493236 length: 81.3 cm (32 in.) 24.91 27.85 Width: 20.3 cm (8 in.) 3493244 length: 25.4 cm (10 in.) 11.74 14.72 3493251 length: 30.5 cm (12 in.) 13.31 16.08 3493269 length: 35.6 cm (14 in.) 14.55 17.50					
3493194 length: 61.0 cm (24 in.) 19.74 22.68 3493202 length: 66.0 cm (26 in.) 21.27 24.21 3493210 length: 71.1 cm (28 in.) 22.40 25.35 3493228 length: 76.2 cm (30 in.) 23.53 26.44 3493236 length: 81.3 cm (32 in.) 24.91 27.85 Width: 20.3 cm (8 in.) 3493244 length: 25.4 cm (10 in.) 11.74 14.72 3493251 length: 30.5 cm (12 in.) 13.31 16.08 3493269 length: 35.6 cm (14 in.) 14.55 17.50					
3493202 length: 66.0 cm (26 in.) 21.27 24.21 3493210 length: 71.1 cm (28 in.) 22.40 25.35 3493228 length: 76.2 cm (30 in.) 23.53 26.44 3493236 length: 81.3 cm (32 in.) 24.91 27.85 Width: 20.3 cm (8 in.) 3493244 length: 25.4 cm (10 in.) 11.74 14.72 3493251 length: 30.5 cm (12 in.) 13.31 16.08 3493269 length: 35.6 cm (14 in.) 14.55 17.50		` ,			
3493210 length: 71.1 cm (28 in.) 3493228 length: 76.2 cm (30 in.) 3493236 length: 81.3 cm (32 in.) Width: 20.3 cm (8 in.) 3493244 length: 25.4 cm (10 in.) 3493251 length: 30.5 cm (12 in.) 3493269 length: 35.6 cm (14 in.) 22.40 25.35 26.44 24.91 27.85					
3493228 length: 76.2 cm (30 in.) 3493236 length: 81.3 cm (32 in.) Width: 20.3 cm (8 in.) 23.53 26.44 24.91 27.85 Width: 20.3 cm (8 in.) 11.74 14.72 3493241 length: 30.5 cm (12 in.) 3493269 length: 35.6 cm (14 in.) 14.55 17.50		` ,			
3493236 length: 81.3 cm (32 in.) Width: 20.3 cm (8 in.) 3493244 length: 25.4 cm (10 in.) 3493251 length: 30.5 cm (12 in.) 3493269 length: 35.6 cm (14 in.) 11.74 14.72 13.31 16.08 14.55 17.50					
Width: 20.3 cm (8 in.) 3493244 length: 25.4 cm (10 in.) 3493251 length: 30.5 cm (12 in.) 3493269 length: 35.6 cm (14 in.) 11.74 14.72 13.31 16.08 14.55 17.50		` , ,			
3493244 length: 25.4 cm (10 in.) 11.74 14.72 3493251 length: 30.5 cm (12 in.) 13.31 16.08 3493269 length: 35.6 cm (14 in.) 14.55 17.50	347323	5 length. 81.5 cm (32 m.)	24.91	21.63	
3493251 length: 30.5 cm (12 in.) 13.31 16.08 3493269 length: 35.6 cm (14 in.) 14.55 17.50		Width: 20.3 cm (8 in.)			
3493251 length: 30.5 cm (12 in.) 13.31 16.08 3493269 length: 35.6 cm (14 in.) 14.55 17.50	349324	4 length: 25.4 cm (10 in.)	11.74	14.72	
3493269 length: 35.6 cm (14 in.) 14.55 17.50					
3493277 length: 40.6 cm (16 in.) 16.08 19.05					
	349327	7 length: 40.6 cm (16 in.)	16.08	19.05	

3493293 3493301 3493319 3493327 3493335	length: 61.0 cm (24 in.) length: 66.0 cm (26 in.)	17.50 18.89 20.31 21.98 23.53 25.06 26.18	20.31 21.87 23.23 24.92 26.32 28.01 29.13
	length: 81.3 cm (32 in.)	27.72	30.66
	Width: 22.9 cm (9 in.)		
	length: 25.4 cm (10 in.) length: 30.5 cm (12 in.)	13.44 15.14	16.39 17.93
3493384	length: 35.6 cm (14 in.)	16.66	19.60
	length: 40.6 cm (16 in.)	18.05	21.01
	length: 45.7 cm (18 in.)	19.87	22.84
	length: 50.8 cm (20 in.) length: 55.9 cm (22 in.)	21.41 22.95	24.35 25.88
	length: 61.0 cm (24 in.)	24.34	27.28
3493442		26.06	29.00
3493459	. ,	27.72	30.66
3493467	length: 76.2 cm (30 in.)	29.12	31.91
3493475	length: 81.3 cm (32 in.)	30.66	33.44
	Width: 25.4 cm (10 in.)		
3493483	length: 25.4 cm (10 in.)	15.14	17.93
3493491	length: 30.5 cm (12 in.)	16.39	19.32
3493509	length: 35.6 cm (14 in.)	18.34	21.29
3493517		20.03	22.84
	length: 45.7 cm (18 in.)	21.55	24.52
	length: 50.8 cm (20 in.)	23.38	26.32
	length: 55.9 cm (22 in.) length: 61.0 cm (24 in.)	25.06 26.60	28.01 29.54
	length: 66.0 cm (26 in.)	28.13	30.93
	length: 71.1 cm (28 in.)	29.95	32.88
3493582		31.63	34.47
	length: 81.3 cm (32 in.)	33.31	36.26
	Width: 30.5 cm (12 in.)		
3493608	length: 25.4 cm (10 in.)	20.15	22.97
	length: 30.5 cm (12 in.)	21.69	24.64
3493624	. ,	23.53	26.44
3493632		25.06	28.01
	length: 45.7 cm (18 in.)	26.87	29.67
	length: 50.8 cm (20 in.)	28.55	31.38
	length: 55.9 cm (22 in.)	30.22	33.05
	length: 61.0 cm (24 in.)	32.05	34.87
3493681	length: 66.0 cm (26 in.)	33.31	36.11

				(authentic version)
	(20 t)			
3493699 length: 71.1 cm		35.26	38.08	
3493707 length: 76.2 cm		36.69	39.62	
3493715 length: 81.3 cm	n (32 in.)	38.47	41.45	
		Maximum price	Maximum	
		Purchase or	price at the	
	Description	replacement of	time of	
		prosthesis	replacement	
			of socks	
WOOL 6-PLY	<u>Y</u>			
W. Id. 15 0	· (C:-)			
Width: 15.2 cm	1 (6 in.)			
3493723 length: 25.4 cm	n (10 in.)	10.36	13.31	
3493731 length: 30.5 cm	n (12 in.)	11.47	14.41	
3493749 length: 35.6 cm	n (14 in.)	12.73	15.71	
3493756 length: 40.6 cm	n (16 in.)	13.85	16.81	
3493764 length: 45.7 cm	n (18 in.)	15.14	17.93	
3493772 length: 50.8 cm	n (20 in.)	16.23	19.05	
3493780 length: 55.9 cm	n (22 in.)	17.50	20.31	
3493798 length: 61.0 cm	n (24 in.)	19.19	22.12	
3493806 length: 66.0 cm	n (26 in.)	20.44	23.38	
3493814 length: 71.1 cm		21.55	24.52	
3493822 length: 76.2 cm		22.67	25.62	
3493830 length: 81.3 cm	n (32 in.)	24.07	27.02	
Width: 17.8 cm	n (7 in.)			
3493848 length: 25.4 cm	n (10 in.)	11.35	14.30	
3493855 length: 30.5 cm		12.48	15.39	
3493863 length: 35.6 cm		14.16	16.93	
3493871 length: 40.6 cm		15.55	18.48	
3493889 length: 45.7 cm		17.50	20.31	
3493897 length: 50.8 cm		19.02	21.98	
3493905 length: 55.9 cm		20.44	23.38	
3493913 length: 61.0 cm		21.85	24.64	
3493921 length: 66.0 cm		23.53	26.32	
3493939 length: 71.1 cm		24.52	27.43	
3493947 length: 76.2 cm		25.88	28.84	
3493954 length: 81.3 cm		27.59	30.53	
Width: 20.3 cm	n (8 in.)			
3493962 length: 25.4 cm	n (10 in.)	13.02	15.82	
3493970 length: 30.5 cm		14.55	17.37	
3493988 length: 35.6 cm		16.08	19.05	
3493996 length: 40.6 cm		17.79	20.72	
3494002 length: 45.7 cm		19.19	22.12	
3494010 length: 50.8 cm		20.88	23.66	
3494028 length: 55.9 cm		22.40	25.35	
	()		20.00	

3494069 length: 76.2 cm (30 in.) 3494077 length: 81.3 cm (32 in.) 30.51 33.44 Width: 22.9 cm (9 in.) 3494085 length: 25.4 cm (10 in.) 3494093 length: 30.5 cm (12 in.) 3494101 length: 35.6 cm (14 in.) 3494119 length: 40.6 cm (16 in.) 3494127 length: 45.7 cm (18 in.) 3494131 length: 50.8 cm (20 in.) 3494143 length: 55.9 cm (22 in.) 3494150 length: 61.0 cm (24 in.) 3494168 length: 66.0 cm (26 in.) 3494176 length: 71.1 cm (28 in.) 3494184 length: 76.2 cm (30 in.) 3494192 length: 35.6 cm (10 in.) 3494200 length: 25.4 cm (10 in.) 3494200 length: 35.6 cm (12 in.) 3494218 length: 35.6 cm (14 in.) 3494226 length: 35.6 cm (14 in.) 3494226 length: 55.9 cm (20 in.) 3494242 length: 45.7 cm (18 in.) 3494242 length: 55.9 cm (20 in.) 3494243 length: 55.9 cm (20 in.) 3494244 length: 76.2 cm (30 in.) 3494245 length: 55.9 cm (20 in.) 3494259 length: 55.9 cm (20 in.) 3494267 length: 55.9 cm (20 in.) 3494275 length: 55.9 cm (20 in.) 3494283 length: 66.0 cm (26 in.) 3494281 length: 75.2 cm (30 in.) 3494283 length: 55.9 cm (20 in.) 3494283 length: 76.2 cm (30 in.) 3494333 length: 30.5 cm (12 in.) 3494333 length: 35.5 cm (14 in.) 3494344 length: 30.5 cm (25 in.) 3494333 length: 30.5 cm (12 in.) 34943434 length: 30.5 cm (25 in.) 34943434 length: 30.5 cm (26 in.) 3494333 length: 30.5 cm (12 in.)	3494044 3494051	E , , ,	24.07 25.74 27.59	27.02 28.71 30.53
Width: 22.9 cm (9 in.) 3494085 length: 25.4 cm (10 in.) 14.72 17.64 3494093 length: 30.5 cm (12 in.) 16.53 19.47 3494101 length: 35.6 cm (14 in.) 18.34 21.29 3494119 length: 40.6 cm (16 in.) 19.87 22.84 3494127 length: 45.7 cm (18 in.) 21.85 24.77 3494135 length: 50.8 cm (20 in.) 23.53 26.44 3494143 length: 55.9 cm (22 in.) 25.19 28.12 3494150 length: 61.0 cm (24 in.) 26.87 29.67 3494168 length: 66.0 cm (26 in.) 28.71 31.49 3494176 length: 71.1 cm (28 in.) 30.51 33.44 3494192 length: 81.3 cm (32 in.) 33.74 36.56 Width: 25.4 cm (10 in.) 33.74 36.56 Width: 25.4 cm (10 in.) 16.53 19.47 3494220 length: 35.6 cm (14 in.) 20.15 23.11 3494221 length: 45.7 cm (18 in.) 23.66 26.62 3494222 length: 50.8 cm (20 in.) 25.74 28.71 3494225 length: 50.8 cm (20 in.) 25.74 28.71 3494226 length: 50.8 cm (20 in.) 25.74 28.71 34		E , , ,		
3494085 length: 25.4 cm (10 in.) 3494093 length: 30.5 cm (12 in.) 3494101 length: 35.6 cm (14 in.) 3494119 length: 40.6 cm (16 in.) 3494127 length: 45.7 cm (18 in.) 3494135 length: 55.9 cm (22 in.) 3494150 length: 61.0 cm (24 in.) 3494168 length: 66.0 cm (26 in.) 3494174 length: 71.1 cm (28 in.) 3494184 length: 76.2 cm (30 in.) 3494195 length: 81.3 cm (10 in.) 3494184 length: 55.9 cm (22 in.) 3494185 length: 65.0 cm (26 in.) 3494186 length: 66.0 cm (26 in.) 3494187 length: 71.1 cm (28 in.) 3494180 length: 71.1 cm (28 in.) 3494191 length: 71.1 cm (28 in.) 3494192 length: 81.3 cm (32 in.) 3494200 length: 25.4 cm (10 in.) 3494226 length: 35.6 cm (14 in.) 3494226 length: 35.6 cm (16 in.) 3494227 length: 45.7 cm (18 in.) 3494242 length: 45.7 cm (18 in.) 3494242 length: 55.9 cm (22 in.) 3494242 length: 55.9 cm (20 in.) 349425 length: 55.9 cm (20 in.) 3494267 length: 55.9 cm (22 in.) 3494275 length: 66.0 cm (26 in.) 3494283 length: 66.0 cm (26 in.) 3494281 length: 71.1 cm (28 in.) 3494283 length: 66.0 cm (26 in.) 3494291 length: 71.1 cm (28 in.) 3494211 length: 76.2 cm (30 in.) 3494321 length: 76.2 cm (30 in.) 3494333 length: 76.2 cm (30 in.) 3494333 length: 25.4 cm (10 in.) 3494333 length: 25.4 cm (10 in.) 3494341 length: 35.6 cm (12 in.) 3494333 length: 30.5 cm (12 in.)	3474077	length. 01.5 cm (32 m.)	30.31	33.44
3494093 length: 30.5 cm (12 in.) 3494101 length: 35.6 cm (14 in.) 3494119 length: 40.6 cm (16 in.) 3494127 length: 45.7 cm (18 in.) 3494135 length: 50.8 cm (20 in.) 3494150 length: 61.0 cm (24 in.) 3494168 length: 66.0 cm (26 in.) 3494169 length: 71.1 cm (28 in.) 3494170 length: 81.3 cm (32 in.) 3494180 length: 55.4 cm (10 in.) 3494200 length: 25.4 cm (10 in.) 3494218 length: 35.6 cm (14 in.) 3494226 length: 35.6 cm (16 in.) 3494226 length: 45.7 cm (18 in.) 3494242 length: 45.7 cm (18 in.) 3494242 length: 50.8 cm (20 in.) 3494242 length: 35.6 cm (14 in.) 3494242 length: 35.6 cm (16 in.) 3494242 length: 40.6 cm (16 in.) 3494242 length: 50.8 cm (20 in.) 3494243 length: 50.8 cm (20 in.) 3494267 length: 55.9 cm (22 in.) 3494275 length: 60.0 cm (24 in.) 3494283 length: 66.0 cm (26 in.) 3494291 length: 71.1 cm (28 in.) 3494218 length: 50.8 cm (20 in.) 3494219 length: 55.9 cm (22 in.) 35.74 36.56 27.59 30.53 3494275 length: 60.0 cm (24 in.) 3494283 length: 66.0 cm (26 in.) 3494291 length: 71.1 cm (28 in.) 3494309 length: 76.2 cm (30 in.) 3494317 length: 81.3 cm (32 in.) Width: 30.5 cm (12 in.)		Width: 22.9 cm (9 in.)		
3494101 length: 35.6 cm (14 in.) 3494119 length: 40.6 cm (16 in.) 3494127 length: 45.7 cm (18 in.) 3494135 length: 50.8 cm (20 in.) 3494143 length: 55.9 cm (22 in.) 3494150 length: 61.0 cm (24 in.) 3494168 length: 66.0 cm (26 in.) 3494176 length: 71.1 cm (28 in.) 3494184 length: 76.2 cm (30 in.) 3494192 length: 81.3 cm (32 in.) 3494192 length: 35.6 cm (14 in.) 3494200 length: 25.4 cm (10 in.) 3494226 length: 35.6 cm (14 in.) 3494242 length: 40.6 cm (16 in.) 3494242 length: 45.7 cm (18 in.) 3494242 length: 45.7 cm (18 in.) 3494259 length: 55.9 cm (20 in.) 3494267 length: 55.9 cm (22 in.) 3494275 length: 66.0 cm (24 in.) 3494281 length: 50.8 cm (20 in.) 3494291 length: 50.8 cm (20 in.) 3494275 length: 60.0 cm (24 in.) 3494281 length: 76.2 cm (30 in.) 3494291 length: 55.9 cm (22 in.) 3494291 length: 76.2 cm (30 in.) 35.97 3494309 length: 76.2 cm (30 in.) 35.97 3494309 length: 76.2 cm (30 in.) 35.97 3494317 length: 81.3 cm (32 in.) 3494325 length: 55.4 cm (10 in.) 3494333 length: 30.5 cm (12 in.) 34943441 length: 35.6 cm (14 in.) 25.88				17.64
3494119 length: 40.6 cm (16 in.) 3494127 length: 45.7 cm (18 in.) 3494135 length: 50.8 cm (20 in.) 3494143 length: 55.9 cm (22 in.) 3494168 length: 66.0 cm (26 in.) 3494176 length: 71.1 cm (28 in.) 3494184 length: 76.2 cm (30 in.) 3494192 length: 81.3 cm (32 in.) 3494200 length: 25.4 cm (10 in.) 3494226 length: 35.6 cm (14 in.) 3494242 length: 45.7 cm (18 in.) 3494242 length: 45.7 cm (18 in.) 3494242 length: 45.7 cm (18 in.) 349425 length: 65.0 cm (26 in.) 3494267 length: 55.9 cm (22 in.) 3494268 length: 55.9 cm (22 in.) 3494275 length: 66.0 cm (26 in.) 3494291 length: 66.0 cm (26 in.) 3494291 length: 55.9 cm (22 in.) 3494291 length: 55.9 cm (22 in.) 3494275 length: 66.0 cm (26 in.) 3494291 length: 71.1 cm (28 in.) 3494291 length: 71.1 cm (28 in.) 3494291 length: 76.2 cm (30 in.) 3494309 length: 76.2 cm (30 in.) 3494333 length: 81.3 cm (32 in.) 3494333 length: 30.5 cm (12 in.) 3494333 length: 30.5 cm (12 in.) 3494333 length: 30.5 cm (12 in.) 34943441 length: 35.6 cm (14 in.) 25.88		E , , ,		
3494127 length: 45.7 cm (18 in.) 3494135 length: 50.8 cm (20 in.) 3494143 length: 55.9 cm (22 in.) 3494150 length: 61.0 cm (24 in.) 3494168 length: 61.0 cm (26 in.) 3494176 length: 71.1 cm (28 in.) 3494192 length: 81.3 cm (32 in.) 3494192 length: 81.3 cm (10 in.) 3494200 length: 25.4 cm (10 in.) 3494201 length: 35.6 cm (14 in.) 3494226 length: 35.6 cm (16 in.) 3494242 length: 45.7 cm (18 in.) 3494242 length: 55.9 cm (20 in.) 3494242 length: 55.9 cm (20 in.) 3494259 length: 55.9 cm (22 in.) 3494267 length: 55.9 cm (24 in.) 3494275 length: 66.0 cm (26 in.) 3494283 length: 66.0 cm (26 in.) 3494291 length: 71.1 cm (28 in.) 3494291 length: 71.1 cm (28 in.) 3494283 length: 66.0 cm (26 in.) 3494291 length: 76.2 cm (30 in.) 3494309 length: 76.2 cm (30 in.) 3494317 length: 81.3 cm (32 in.) 3494333 length: 30.5 cm (12 in.)		E , , ,		
3494135 length: 50.8 cm (20 in.) 3494143 length: 55.9 cm (22 in.) 3494150 length: 61.0 cm (24 in.) 3494168 length: 66.0 cm (26 in.) 3494184 length: 71.1 cm (28 in.) 3494192 length: 81.3 cm (32 in.) 3494200 length: 25.4 cm (10 in.) 3494218 length: 30.5 cm (12 in.) 3494224 length: 35.6 cm (14 in.) 3494242 length: 45.7 cm (18 in.) 3494242 length: 45.7 cm (18 in.) 3494242 length: 50.8 cm (20 in.) 3494242 length: 50.8 cm (20 in.) 3494259 length: 50.8 cm (20 in.) 3494267 length: 60.0 cm (26 in.) 3494275 length: 60.0 cm (26 in.) 3494283 length: 60.0 cm (26 in.) 3494291 length: 71.1 cm (28 in.) 3494291 length: 60.0 cm (26 in.) 3494291 length: 61.0 cm (24 in.) 3494283 length: 66.0 cm (26 in.) 3494291 length: 76.2 cm (30 in.) 3494291 length: 76.2 cm (30 in.) 3494291 length: 76.2 cm (30 in.) 3494309 length: 76.2 cm (30 in.) 3494317 length: 81.3 cm (32 in.) 3494331 length: 81.3 cm (32 in.) 3494333 length: 30.5 cm (12 in.) 3494333 length: 30.5 cm (12 in.) 3494341 length: 35.6 cm (14 in.) 325.88 28.84				
3494143 length: 55.9 cm (22 in.) 25.19 28.12 3494150 length: 61.0 cm (24 in.) 26.87 29.67 3494168 length: 66.0 cm (26 in.) 30.51 31.49 3494176 length: 71.1 cm (28 in.) 30.51 33.44 3494184 length: 76.2 cm (30 in.) 31.90 34.87 3494192 length: 81.3 cm (32 in.) 33.74 36.56 Width: 25.4 cm (10 in.) 3494200 length: 25.4 cm (10 in.) 16.53 19.47 3494218 length: 30.5 cm (12 in.) 18.05 21.01 3494226 length: 35.6 cm (14 in.) 20.15 23.11 3494242 length: 45.7 cm (18 in.) 21.85 24.77 3494242 length: 50.8 cm (20 in.) 25.74 28.71 3494259 length: 55.9 cm (22 in.) 27.59 30.53 3494275 length: 61.0 cm (24 in.) 29.39 32.34 3494283 length: 76.2 cm (30 in.) 31.07 33.89 3494309 length: 76.2 cm (30 in.) 34.70 37.65 3494317 length: 81.3 cm (32 in.) 36.69 3				
3494150 length: 61.0 cm (24 in.) 26.87 29.67 3494168 length: 66.0 cm (26 in.) 28.71 31.49 3494176 length: 71.1 cm (28 in.) 30.51 33.44 3494184 length: 76.2 cm (30 in.) 31.90 34.87 3494192 length: 81.3 cm (32 in.) 33.74 36.56 Width: 25.4 cm (10 in.) 3494200 length: 25.4 cm (10 in.) 16.53 19.47 3494218 length: 30.5 cm (12 in.) 18.05 21.01 3494224 length: 35.6 cm (14 in.) 20.15 23.11 34942424 length: 40.6 cm (16 in.) 21.85 24.77 3494242 length: 45.7 cm (18 in.) 23.66 26.62 3494259 length: 50.8 cm (20 in.) 25.74 28.71 3494267 length: 55.9 cm (22 in.) 27.59 30.53 3494275 length: 61.0 cm (24 in.) 29.39 32.34 3494283 length: 66.0 cm (26 in.) 31.07 33.89 3494309 length: 76.2 cm (30 in.) 34.70 37.65 3494317 length: 81.3 cm (32 in.) 36.69 39.47 Width: 30.5 cm (12 in.) 23.77 26.75 3494341 length: 35.6 cm (14 in.) 25.88 28.84				
3494168 length: 66.0 cm (26 in.) 28.71 31.49 3494176 length: 71.1 cm (28 in.) 30.51 33.44 3494184 length: 76.2 cm (30 in.) 31.90 34.87 3494192 length: 81.3 cm (32 in.) 33.74 36.56 Width: 25.4 cm (10 in.) 3494200 length: 25.4 cm (10 in.) 16.53 19.47 3494218 length: 30.5 cm (12 in.) 18.05 21.01 3494226 length: 35.6 cm (14 in.) 20.15 23.11 3494234 length: 40.6 cm (16 in.) 21.85 24.77 3494242 length: 45.7 cm (18 in.) 23.66 26.62 3494242 length: 50.8 cm (20 in.) 25.74 28.71 3494259 length: 55.9 cm (22 in.) 27.59 30.53 3494275 length: 61.0 cm (24 in.) 29.39 32.34 3494283 length: 71.1 cm (28 in.) 33.04 35.97 3494309 length: 76.2 cm (30 in.) 34.70 37.65 3494317 length: 81.3 cm (32 in.) 36.69 39.47 Width: 30.5 cm (12 in.) 3494331				
3494176 length: 71.1 cm (28 in.) 30.51 33.44 3494184 length: 76.2 cm (30 in.) 31.90 34.87 3494192 length: 81.3 cm (32 in.) 33.74 36.56 Width: 25.4 cm (10 in.) 3494200 length: 25.4 cm (10 in.) 16.53 19.47 3494218 length: 30.5 cm (12 in.) 18.05 21.01 3494226 length: 35.6 cm (14 in.) 20.15 23.11 3494234 length: 40.6 cm (16 in.) 21.85 24.77 3494242 length: 45.7 cm (18 in.) 23.66 26.62 34942459 length: 50.8 cm (20 in.) 25.74 28.71 3494267 length: 55.9 cm (22 in.) 27.59 30.53 3494275 length: 61.0 cm (24 in.) 29.39 32.34 3494281 length: 71.1 cm (28 in.) 33.04 35.97 3494309 length: 76.2 cm (30 in.) 34.70 37.65 3494317 length: 81.3 cm (32 in.) 36.69 39.47 Width: 30.5 cm (12 in.) 23.77 26.75 3494331 length: 35.6 cm (14 in.) 25.88 28.84 <				
3494184 length: 76.2 cm (30 in.) 31.90 34.87 3494192 length: 81.3 cm (32 in.) 33.74 36.56 Width: 25.4 cm (10 in.) 3494200 length: 25.4 cm (10 in.) 16.53 19.47 3494218 length: 30.5 cm (12 in.) 18.05 21.01 3494226 length: 35.6 cm (14 in.) 20.15 23.11 3494234 length: 40.6 cm (16 in.) 21.85 24.77 3494242 length: 45.7 cm (18 in.) 23.66 26.62 3494259 length: 50.8 cm (20 in.) 25.74 28.71 3494267 length: 55.9 cm (22 in.) 27.59 30.53 3494275 length: 61.0 cm (24 in.) 29.39 32.34 3494283 length: 66.0 cm (26 in.) 31.07 33.89 3494291 length: 71.1 cm (28 in.) 33.04 35.97 3494317 length: 81.3 cm (32 in.) 36.69 39.47 Width: 30.5 cm (12 in.) 3494333 length: 25.4 cm (10 in.) 23.77 26.75 3494341 length: 35.6 cm (14 in.) 25.88 28.84				
3494192 length: 81.3 cm (32 in.) Width: 25.4 cm (10 in.) 3494200 length: 25.4 cm (10 in.) 3494218 length: 30.5 cm (12 in.) 3494226 length: 35.6 cm (14 in.) 20.15 23.11 3494234 length: 40.6 cm (16 in.) 21.85 24.77 3494242 length: 45.7 cm (18 in.) 23.66 26.62 3494259 length: 50.8 cm (20 in.) 3494267 length: 55.9 cm (22 in.) 3494275 length: 61.0 cm (24 in.) 29.39 32.34 3494283 length: 66.0 cm (26 in.) 31.07 33.89 3494291 length: 71.1 cm (28 in.) 33.04 35.97 3494309 length: 76.2 cm (30 in.) 3494317 length: 81.3 cm (32 in.) Width: 30.5 cm (12 in.) 3494325 length: 25.4 cm (10 in.) 3494333 length: 30.5 cm (12 in.) 25.88 28.84				
Width: 25.4 cm (10 in.) 3494200 length: 25.4 cm (10 in.) 3494218 length: 30.5 cm (12 in.) 3494226 length: 35.6 cm (14 in.) 20.15 23.11 3494234 length: 40.6 cm (16 in.) 21.85 24.77 3494242 length: 45.7 cm (18 in.) 23.66 26.62 3494259 length: 50.8 cm (20 in.) 25.74 28.71 3494267 length: 55.9 cm (22 in.) 27.59 30.53 3494275 length: 61.0 cm (24 in.) 29.39 32.34 3494283 length: 66.0 cm (26 in.) 31.07 33.89 3494291 length: 71.1 cm (28 in.) 3494309 length: 76.2 cm (30 in.) 3494317 length: 81.3 cm (32 in.) Width: 30.5 cm (12 in.) 3494325 length: 25.4 cm (10 in.) 3494333 length: 25.4 cm (10 in.) 3494341 length: 35.6 cm (14 in.) 25.88 28.84				
3494200 length: 25.4 cm (10 in.) 3494218 length: 30.5 cm (12 in.) 3494226 length: 35.6 cm (14 in.) 3494234 length: 40.6 cm (16 in.) 3494242 length: 45.7 cm (18 in.) 3494259 length: 50.8 cm (20 in.) 3494267 length: 55.9 cm (22 in.) 3494275 length: 61.0 cm (24 in.) 3494283 length: 66.0 cm (26 in.) 3494291 length: 71.1 cm (28 in.) 3494309 length: 76.2 cm (30 in.) 3494317 length: 81.3 cm (32 in.) 3494325 length: 25.4 cm (10 in.) 3494333 length: 25.4 cm (10 in.) 34943431 length: 30.5 cm (12 in.) 3494341 length: 35.6 cm (14 in.) 25.88 28.84	3494192	length: 81.3 cm (32 in.)	33.74	36.56
3494218 length: 30.5 cm (12 in.) 18.05 21.01 3494226 length: 35.6 cm (14 in.) 20.15 23.11 3494234 length: 40.6 cm (16 in.) 21.85 24.77 3494242 length: 45.7 cm (18 in.) 23.66 26.62 3494259 length: 50.8 cm (20 in.) 25.74 28.71 3494267 length: 55.9 cm (22 in.) 27.59 30.53 3494275 length: 61.0 cm (24 in.) 29.39 32.34 3494283 length: 66.0 cm (26 in.) 31.07 33.89 3494291 length: 71.1 cm (28 in.) 33.04 35.97 3494309 length: 76.2 cm (30 in.) 34.70 37.65 3494317 length: 81.3 cm (32 in.) 36.69 39.47 Width: 30.5 cm (12 in.) 22.10 25.06 3494333 length: 30.5 cm (12 in.) 23.77 26.75 3494341 length: 35.6 cm (14 in.) 25.88 28.84		Width: 25.4 cm (10 in.)		
3494218 length: 30.5 cm (12 in.) 18.05 21.01 3494226 length: 35.6 cm (14 in.) 20.15 23.11 3494234 length: 40.6 cm (16 in.) 21.85 24.77 3494242 length: 45.7 cm (18 in.) 23.66 26.62 3494259 length: 50.8 cm (20 in.) 25.74 28.71 3494267 length: 55.9 cm (22 in.) 27.59 30.53 3494275 length: 61.0 cm (24 in.) 29.39 32.34 3494283 length: 66.0 cm (26 in.) 31.07 33.89 3494291 length: 71.1 cm (28 in.) 33.04 35.97 3494309 length: 76.2 cm (30 in.) 34.70 37.65 3494317 length: 81.3 cm (32 in.) 36.69 39.47 Width: 30.5 cm (12 in.) 22.10 25.06 3494333 length: 30.5 cm (12 in.) 23.77 26.75 3494341 length: 35.6 cm (14 in.) 25.88 28.84	3494200	length: 25.4 cm (10 in.)	16.53	19.47
3494226 length: 35.6 cm (14 in.) 20.15 23.11 3494234 length: 40.6 cm (16 in.) 21.85 24.77 3494242 length: 45.7 cm (18 in.) 23.66 26.62 3494259 length: 50.8 cm (20 in.) 25.74 28.71 3494267 length: 55.9 cm (22 in.) 27.59 30.53 3494275 length: 61.0 cm (24 in.) 29.39 32.34 3494283 length: 66.0 cm (26 in.) 31.07 33.89 3494291 length: 71.1 cm (28 in.) 33.04 35.97 3494309 length: 76.2 cm (30 in.) 34.70 37.65 3494317 length: 81.3 cm (32 in.) 36.69 39.47 Width: 30.5 cm (12 in.) 22.10 25.06 3494333 length: 30.5 cm (12 in.) 23.77 26.75 3494341 length: 35.6 cm (14 in.) 25.88 28.84			18.05	21.01
3494234 length: 40.6 cm (16 in.) 21.85 24.77 3494242 length: 45.7 cm (18 in.) 23.66 26.62 3494259 length: 50.8 cm (20 in.) 25.74 28.71 3494267 length: 55.9 cm (22 in.) 27.59 30.53 3494275 length: 61.0 cm (24 in.) 29.39 32.34 3494283 length: 66.0 cm (26 in.) 31.07 33.89 3494291 length: 71.1 cm (28 in.) 33.04 35.97 3494309 length: 76.2 cm (30 in.) 34.70 37.65 3494317 length: 81.3 cm (32 in.) 36.69 39.47 Width: 30.5 cm (12 in.) 22.10 25.06 3494333 length: 30.5 cm (12 in.) 23.77 26.75 3494341 length: 35.6 cm (14 in.) 25.88 28.84			20.15	23.11
3494242 length: 45.7 cm (18 in.) 23.66 26.62 3494259 length: 50.8 cm (20 in.) 25.74 28.71 3494267 length: 55.9 cm (22 in.) 27.59 30.53 3494275 length: 61.0 cm (24 in.) 29.39 32.34 3494283 length: 66.0 cm (26 in.) 31.07 33.89 3494291 length: 71.1 cm (28 in.) 33.04 35.97 3494309 length: 76.2 cm (30 in.) 34.70 37.65 3494317 length: 81.3 cm (32 in.) 36.69 39.47 Width: 30.5 cm (12 in.) 22.10 25.06 3494333 length: 30.5 cm (12 in.) 23.77 26.75 3494341 length: 35.6 cm (14 in.) 25.88 28.84			21.85	24.77
3494259 length: 50.8 cm (20 in.) 25.74 28.71 3494267 length: 55.9 cm (22 in.) 27.59 30.53 3494275 length: 61.0 cm (24 in.) 29.39 32.34 3494283 length: 66.0 cm (26 in.) 31.07 33.89 3494291 length: 71.1 cm (28 in.) 33.04 35.97 3494309 length: 76.2 cm (30 in.) 34.70 37.65 3494317 length: 81.3 cm (32 in.) 36.69 39.47 Width: 30.5 cm (12 in.) 22.10 25.06 3494333 length: 25.4 cm (10 in.) 23.77 26.75 3494341 length: 35.6 cm (14 in.) 25.88 28.84	3494242		23.66	26.62
3494275 length: 61.0 cm (24 in.) 29.39 32.34 3494283 length: 66.0 cm (26 in.) 31.07 33.89 3494291 length: 71.1 cm (28 in.) 33.04 35.97 3494309 length: 76.2 cm (30 in.) 34.70 37.65 3494317 length: 81.3 cm (32 in.) 36.69 39.47 Width: 30.5 cm (12 in.) 3494325 length: 25.4 cm (10 in.) 22.10 25.06 3494333 length: 30.5 cm (12 in.) 23.77 26.75 3494341 length: 35.6 cm (14 in.) 25.88 28.84	3494259		25.74	28.71
3494283 length: 66.0 cm (26 in.) 31.07 33.89 3494291 length: 71.1 cm (28 in.) 33.04 35.97 3494309 length: 76.2 cm (30 in.) 34.70 37.65 3494317 length: 81.3 cm (32 in.) 36.69 39.47 Width: 30.5 cm (12 in.) 22.10 25.06 3494325 length: 25.4 cm (10 in.) 23.77 26.75 3494341 length: 35.6 cm (14 in.) 25.88 28.84	3494267		27.59	30.53
3494283 length: 66.0 cm (26 in.) 31.07 33.89 3494291 length: 71.1 cm (28 in.) 33.04 35.97 3494309 length: 76.2 cm (30 in.) 34.70 37.65 3494317 length: 81.3 cm (32 in.) 36.69 39.47 Width: 30.5 cm (12 in.) 22.10 25.06 3494325 length: 25.4 cm (10 in.) 23.77 26.75 3494341 length: 35.6 cm (14 in.) 25.88 28.84	3494275		29.39	32.34
3494291 length: 71.1 cm (28 in.) 33.04 35.97 3494309 length: 76.2 cm (30 in.) 34.70 37.65 3494317 length: 81.3 cm (32 in.) 36.69 39.47 Width: 30.5 cm (12 in.) 3494325 length: 25.4 cm (10 in.) 22.10 25.06 3494333 length: 30.5 cm (12 in.) 23.77 26.75 3494341 length: 35.6 cm (14 in.) 25.88 28.84			31.07	33.89
3494309 length: 76.2 cm (30 in.) 34.70 37.65 3494317 length: 81.3 cm (32 in.) 36.69 39.47 Width: 30.5 cm (12 in.) 3494325 length: 25.4 cm (10 in.) 22.10 25.06 3494333 length: 30.5 cm (12 in.) 23.77 26.75 3494341 length: 35.6 cm (14 in.) 25.88 28.84			33.04	35.97
3494317 length: 81.3 cm (32 in.) Width: 30.5 cm (12 in.) 3494325 length: 25.4 cm (10 in.) 22.10 25.06 3494333 length: 30.5 cm (12 in.) 23.77 26.75 3494341 length: 35.6 cm (14 in.) 25.88 28.84			34.70	
3494325 length: 25.4 cm (10 in.) 22.10 25.06 3494333 length: 30.5 cm (12 in.) 23.77 26.75 3494341 length: 35.6 cm (14 in.) 25.88 28.84			36.69	39.47
3494333 length: 30.5 cm (12 in.) 23.77 26.75 3494341 length: 35.6 cm (14 in.) 25.88 28.84		Width: 30.5 cm (12 in.)		
3494333 length: 30.5 cm (12 in.) 23.77 26.75 3494341 length: 35.6 cm (14 in.) 25.88 28.84	3494325	length: 25.4 cm (10 in.)	22.10	25.06
3494341 length: 35.6 cm (14 in.) 25.88 28.84				
3494358 length: 40.6 cm (16 in.) 27.59 30.53			27.59	30.53
3494366 length: 45.7 cm (18 in.) 29.54 32.48			29.54	32.48
3494374 length: 50.8 cm (20 in.) 31.49 34.31	3494374		31.49	34.31
3494382 length: 55.9 cm (22 in.) 33.31 36.11				
3494390 length: 61.0 cm (24 in.) 35.26 38.08				
3494408 length: 66.0 cm (26 in.) 36.56 39.47				
3494416 length: 71.1 cm (28 in.) 38.61 41.57				
3494424 length: 76.2 cm (30 in.) 40.45 43.26				
3494432 length: 81.3 cm (32 in.) 42.27 45.21			42.27	45.21

	Description	Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks	
	WOOL AND NYLON 2-3-5 PLY			
	Width: 15.2 cm (6 in.)			
3494440	length: 25.4 cm (10 in.)	13.16	16.08	
	length: 30.5 cm (12 in.)	13.16	16.08	
	length: 35.6 cm (14 in.)	15.14	17.93	
	length: 40.6 cm (16 in.)	15.14	17.93	
	length: 45.7 cm (18 in.)	15.14	17.93	
	length: 50.8 cm (20 in.)	17.22	20.03	
	length: 55.9 cm (22 in.)	17.22	20.03	
	Width: 17.8 cm (7 in.)			
3494515	length: 25.4 cm (10 in.)	13.16	16.08	
	length: 30.5 cm (12 in.)	13.16	16.08	
	length: 35.6 cm (14 in.)	15.14	17.93	
	length: 40.6 cm (16 in.)	15.14	17.93	
	length: 45.7 cm (18 in.)	15.14	17.93	
	length: 50.8 cm (20 in.)	17.22	20.03	
	length: 55.9 cm (22 in.)	17.22	20.03	
	length: 61.0 cm (24 in.)	17.22	20.03	
	Width: 20.3 cm (8 in.)			
3494598	length: 25.4 cm (10 in.)	15.14	17.93	
	length: 30.5 cm (12 in.)	15.14	17.93	
3494614	length: 35.6 cm (14 in.)	15.14	17.93	
	length: 40.6 cm (16 in.)	17.22	20.03	
	length: 45.7 cm (18 in.)	17.22	20.03	
	length: 50.8 cm (20 in.)	17.22	20.03	
	length: 55.9 cm (22 in.)	19.74	22.53	
	length: 61.0 cm (24 in.)	19.74	22.53	
	length: 66.0 cm (26 in.)	19.74	22.53	
	length: 71.1 cm (28 in.)	19.74	22.53	
	Width: 22.9 cm (9 in.)			
3494697	length: 25.4 cm (10 in.)	15.14	17.93	
	length: 30.5 cm (12 in.)	15.14	17.93	
	length: 35.6 cm (14 in.)	17.22	20.03	
	length: 40.6 cm (16 in.)	17.22	20.03	
	length: 45.7 cm (18 in.)	17.22	20.03	
3494747	length: 50.8 cm (20 in.)	19.74	22.53	

	Description	replacement of prosthesis	time of replacement of socks	
		Maximum price Purchase or	Maximum price at the	
3495074	length: 50.8 cm (20 in.)	19.74	22.53	
	length: 45.7 cm (18 in.)	19.74	22.53	
	length: 40.6 cm (16 in.)	19.74	22.53	
	length: 35.6 cm (14 in.)	19.74	22.53	
	length: 30.5 cm (12 in.)	19.74	22.53	
	length: 25.4 cm (10 in.)	17.22	20.03	
2405025	Width: 30.5 cm (12 in.)	17.00	20.02	
3.75017	_	17.77	22.55	
	length: 132.1 cm (52 in.)	19.74	22.53	
	length: 127.0 cm (50 in.)	19.74	22.53	
	length: 121.9 cm (48 in.)	19.74	22.53	
	length: 116.8 cm (46 in.)	17.22	20.03	
	length: 111.8 cm (44 in.)	17.22	20.03	
	length: 106.7 cm (42 in.)	15.14	17.93	
	length: 101.6 cm (40 in.)	15.14	17.93	
	length: 66.0 cm (26 in.)	21.69	24.64	
	length: 61.0 cm (24 in.)	19.74	22.53	
	length: 55.9 cm (22 in.)	19.74	22.53	
	length: 50.8 cm (20 in.)	19.74	22.53	
	length: 45.7 cm (18 in.)	19.74	22.53	
	length: 40.6 cm (16 in.)	17.22	20.03	
	length: 35.6 cm (14 in.)	17.22	20.03	
	length: 30.5 cm (12 in.)	17.22	20.03	
3494861	length: 25.4 cm (10 in.)	15.14	17.93	
	Width: 25.4 cm (10 in.)			
3494853	length: 132.1 cm (52 in.)	19.74	22.53	
	length: 127.0 cm (50 in.)	19.74	22.53	
	length: 121.9 cm (48 in.)	17.22	20.03	
	length: 116.8 cm (46 in.)	17.22	20.03	
	length: 111.8 cm (44 in.)	17.22	20.03	
	length: 106.7 cm (42 in.)	15.14	17.93	
	length: 101.6 cm (40 in.)	15.14	17.93	
	length: 71.1 cm (28 in.)	19.74	22.53	
	length: 66.0 cm (26 in.)	19.74	22.53	
	length: 61.0 cm (24 in.)	19.74	22.53	

WOOL AND NYLON 6-PLY

Width: 15.2 cm (6 in.)

3495082 length: 30.5 cm (12 in.) 14.55 17.37

	ULTRA WOOL 3-5 PLY			
	Description	Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks	
	length: 61.0 cm (24 in.)	21.27	24.08	
	length: 55.9 cm (22 in.)	21.27	24.08	
	length: 50.8 cm (20 in.)	21.27	24.08	
	length: 45.7 cm (18 in.)	18.34	21.29	
	length: 40.6 cm (16 in.)	18.34	21.29	
	length: 35.6 cm (14 in.)	18.34	21.29	
	length: 30.5 cm (12 in.)	16.23	19.19	
	Width: 22.9 cm (9 in.)			
3495280	length: 61.0 cm (24 in.)	21.27	24.08	
	length: 55.9 cm (22 in.)	21.27	24.08	
	length: 50.8 cm (20 in.)	18.34	21.29	
	length: 45.7 cm (18 in.)	18.34	21.29	
	length: 40.6 cm (16 in.)	18.34	21.29	
	length: 35.6 cm (14 in.)	16.23	19.19	
	length: 30.5 cm (12 in.)	16.23	19.19	
	length: 25.4 cm (10 in.)	16.23	19.19	
	Width: 20.3 cm (8 in.)			
3495207	length: 55.9 cm (22 in.)	18.34	21.29	
	length: 50.8 cm (20 in.)	18.34	21.29	
	length: 45.7 cm (18 in.)	16.23	19.19	
	length: 40.6 cm (16 in.)	16.23	19.19	
	length: 35.6 cm (14 in.)	16.23	19.19	
	length: 30.5 cm (12 in.)	14.55	17.37	
	length: 25.4 cm (10 in.)	16.23	19.19	
	Width: 17.8 cm (7 in.)			
3495132	length: 55.9 cm (22 in.)	18.34	21.29	
	length: 50.8 cm (20 in.)	18.34	21.29	
	length: 45.7 cm (18 in.)	16.23	19.19	
	length: 40.6 cm (16 in.)	16.23	19.19	
		16.23	19.19	
	length: 35.6 cm (14 in.)			

Width: 15.2 cm (6 in.)

3495363	length: 25.4 cm (10 in.)	14.55	17.37
3495371	length: 30.5 cm (12 in.)	14.55	17.37
3495389	length: 35.6 cm (14 in.)	16.66	19.47
3495397	length: 40.6 cm (16 in.)	16.66	19.47

3495413	length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.)	16.66 18.89 18.89 18.89	19.47 21.87 21.87 21.87
	Width: 17.8 cm (7 in.)		
3495447	length: 25.4 cm (10 in.)	14.55	17.37
3495454	length: 30.5 cm (12 in.)	14.55	17.37
3495462	length: 35.6 cm (14 in.)	16.66	19.47
3495470	length: 40.6 cm (16 in.)	16.66	19.47
3495488	length: 45.7 cm (18 in.)	16.66	19.47
3495496	length: 50.8 cm (20 in.)	18.89	21.87
3495504	length: 55.9 cm (22 in.)	18.89	21.87
3495512	length: 61.0 cm (24 in.)	18.89	21.87
	Width: 20.3 cm (8 in.)		
3495520	length: 25.4 cm (10 in.)	16.66	19.47
3495538	length: 30.5 cm (12 in.)	16.66	19.47
3495546	length: 35.6 cm (14 in.)	16.66	19.47
	length: 40.6 cm (16 in.)	18.89	21.87
	length: 45.7 cm (18 in.)	18.89	21.87
	length: 50.8 cm (20 in.)	18.89	21.87
	length: 55.9 cm (22 in.)	21.85	24.77
3495595	length: 61.0 cm (24 in.)	21.85	24.77
	Width: 22.9 cm (9 in.)		
3495603	length: 25.4 cm (10 in.)	16.66	19.47
3495611	length: 30.5 cm (12 in.)	16.66	19.47
3495629	length: 35.6 cm (14 in.)	18.89	21.87
	length: 40.6 cm (16 in.)	18.89	21.87
	length: 45.7 cm (18 in.)	18.89	21.87
	length: 50.8 cm (20 in.)	21.85	24.77
	length: 55.9 cm (22 in.)	21.85	24.77
3495678	length: 61.0 cm (24 in.)	21.85	24.77
	Width: 25.4 cm (10 in.)		
3495686	length: 25.4 cm (10 in.)	16.66	19.47
	length: 30.5 cm (12 in.)	18.89	21.87
3495702	length: 35.6 cm (14 in.)	18.89	21.87
3495710	length: 40.6 cm (16 in.)	18.89	21.87
	length: 45.7 cm (18 in.)	21.85	24.77
3495736	length: 50.8 cm (20 in.)	21.85	24.77
3495744	length: 55.9 cm (22 in.)	21.85	24.77
3495751	length: 61.0 cm (24 in.)	21.85	24.77
	Width: 30.5 cm (12 in.)		

	length: 25.4 cm (10 in.)	18.89	21.87	
	length: 30.5 cm (12 in.)	21.85	22.10	
	length: 35.6 cm (14 in.)	21.85	24.77	
3495793	length: 40.6 cm (16 in.)	21.85	24.77	
		Maximum price	Maximum	_
		Purchase or	price at the	
	Description	replacement of	time of	
		prosthesis	replacement	
-			of socks	
	WOOL AND LYCRA			
	Extra narrow short			
3495801	Extra light	13.16	16.08	
3495819		14.02	16.93	
3495827		14.84	17.79	
	Very thick	15.82	18.63	
0.,0000		10.02	10.00	
	Narrow short			
3495843	Extra light	14.02	16.93	
3495850		14.84	17.79	
3495868	•	15.82	18.63	
3495876	Very thick	16.66	19.47	
	Narrow long or wide short			
	That on long of what short			
3495884	Extra light	16.23	19.05	
3495892		17.08	20.03	
3495900	Thick	17.92	20.88	
3495918	Very thick	18.76	21.69	
	Wide long			
2405026	Entro Links	10.77	21.60	
	Extra light	18.76	21.69	
3495934		19.74	22.53	
3495942		20.57	23.38	
3495959	Very thick	21.85	24.77	
		Maximum price	Maximum	
	.	Purchase or	price at the	
	Description	replacement of	time of	
		prosthesis	replacement	
			of socks	

COTTON 3 – 5 PLY

Width: 15.2 cm (6 in.)

Updated: February 16, 2016

3495967	length: 25.4 cm (10 in.)	7.15	10.09
3495975	• •	7.99	10.93
3495983	length: 35.6 cm (14 in.)	8.83	11.75
3495991	length: 40.6 cm (16 in.)	9.67	12.61
3496007		10.36	13.31
	` '		
3496015		11.19	14.16
	length: 55.9 cm (22 in.)	12.04	14.97
3496031	• •	13.31	16.08
	length: 66.0 cm (26 in.)	14.16	17.09
3496056	length: 71.1 cm (28 in.)	14.97	17.93
	Width: 17.8 cm (7 in.)		
3496064	length: 25.4 cm (10 in.)	7.82	10.64
	length: 30.5 cm (12 in.)	8.70	11.48
		9.67	
	length: 35.6 cm (14 in.)		12.61
	length: 40.6 cm (16 in.)	10.80	13.57
	length: 45.7 cm (18 in.)	12.04	14.97
3496114	• •	13.16	16.08
3496122	length: 55.9 cm (22 in.)	14.16	16.93
3496130	• •	15.14	17.93
3496148	length: 66.0 cm (26 in.)	16.23	19.05
3496155	length: 71.1 cm (28 in.)	17.08	19.88
	Width: 20.3 cm (8 in.)		
3496163	length: 25.4 cm (10 in.)	9.09	11.92
3496171	length: 30.5 cm (12 in.)	9.95	12.88
3496189		11.19	14.02
3496197	• •	12.18	15.16
	• •		
	length: 45.7 cm (18 in.)	13.31	16.08
	length: 50.8 cm (20 in.)	14.29	17.22
	length: 55.9 cm (22 in.)	15.55	18.34
	length: 61.0 cm (24 in.)	16.66	19.60
	length: 66.0 cm (26 in.)	17.79	20.72
3496254	length: 71.1 cm (28 in.)	19.19	21.98
	Width: 22.9 cm (9 in.)		
3496262	length: 25.4 cm (10 in.)	10.22	13.18
	length: 30.5 cm (12 in.)	11.35	14.30
	length: 35.6 cm (14 in.)	12.60	15.55
3496296	length: 40.6 cm (16 in.)	13.70	16.65
3496304	length: 45.7 cm (18 in.)	15.14	18.05
3496312		16.23	19.19
	length: 55.9 cm (22 in.)	17.50	20.31
	length: 61.0 cm (24 in.)	18.47	20.31
	length: 66.0 cm (26 in.)	19.74	22.68
3470333	length: 71.1 cm (28 in.)	21.14	24.08

	Width: 25.4 cm (10 in.)			
3496361	length: 25.4 cm (10 in.)	11.35	14.30	
	length: 30.5 cm (12 in.)	12.48	15.39	
	length: 35.6 cm (14 in.)	14.02	16.93	
	length: 40.6 cm (16 in.)	15.14	18.05	
	length: 45.7 cm (18 in.)	16.39	19.19	
	length: 50.8 cm (20 in.)	17.79	20.72	
	length: 55.9 cm (22 in.)	19.02	21.98	
	length: 61.0 cm (24 in.)	20.31	23.23	
3496445	length: 66.0 cm (26 in.)	21.41	24.21	
3496452	length: 71.1 cm (28 in.)	22.67	25.62	
	Width: 30.5 cm (12 in.)			
3496460	length: 25.4 cm (10 in.)	15.38	18.20	
3496478	length: 30.5 cm (12 in.)	16.39	19.32	
3496486	length: 35.6 cm (14 in.)	17.92	20.88	
3496494	length: 40.6 cm (16 in.)	19.19	21.98	
3496502	length: 45.7 cm (18 in.)	20.44	23.23	
	length: 50.8 cm (20 in.)	21.69	24.64	
	length: 55.9 cm (22 in.)	22.95	25.88	
	length: 61.0 cm (24 in.)	24.34	27.17	
	length: 66.0 cm (26 in.)	25.35	28.29	
3496551	length: 71.1 cm (28 in.)	26.60	29.54	
		Maximum price	Maximum	
	5	Purchase or	price at the	
	Description	replacement of	time of	
		prosthesis	replacement of socks	
			OI BOOKS	
	WOOL 5-PLY			
3496569	length: 30.5 cm (12 in.)	9.09	11.92	
	length: 33.0 cm (13 in.)	9.52	12.34	
	length: 35.6 cm (14 in.)	9.67	12.61	
	length: 38.1 cm (15 in.)	10.36	13.18	
	length: 40.6 cm (16 in.)	10.63	13.57	
3496619	length: 45.7 cm (18 in.)	11.35	14.30	
		Maximum price	Maximum	
	Description	Purchase or	price at the	
	Description	replacement of prosthesis	time of replacement	
		Prostricsis	of socks	

WOOL 3-5 PLY

Width (max.): 15.2 cm (6 in.)

3496627	width (min.): 7.6, 8.9, 10.2 cm (3, 3½, 4 in.) length: 20.3 cm (8 in.)	9.24	12.18
3496635	width (min.): 7.6 cm (3 in.) length: 25.4 cm (10 in.)	9.24	12.18
3496643	width (min.): 8.9 cm (3½ in.) length: 25.4 cm (10 in.)	9.52	12.34
3496650	width (min.): 10.2 cm (4 in.) length: 25.4 cm (10 in.)	9.80	12.73
	width (min.): 7.6 cm (3 in.) length: 30.5 cm (12 in.)	10.22	13.18
	width (min.): 8.9 cm (3½ in.) length: 30.5 cm (12 in.)	10.36	13.31
	width (min.): 10.2 cm (4 in.) length: 30.5 cm (12 in.)	10.80	13.57
3496692	35.6 cm (14 in.)	11.35	14.30
	width (min.): 8.9 cm (3½ in.) length: 35.6 cm (14 in.)	11.63	14.57
	width (min.): 10.2 cm (4 in.) length: 35.6 cm (14 in.)	11.92	14.85
	width (min.): 7.6 cm (3 in.) length: 40.6 cm (16 in.)	12.29	15.26
	width (min.): 8.9 cm (3½ in.) length: 40.6 cm (16 in.)	12.60	15.39
149h /4/	width (min.): 10.2 cm (4 in.) length:	13.02	15.97
3170712	40.6 cm (16 in.)		
3170712			
	40.6 cm (16 in.) Width (max.): 17.8 cm (7 in.) width (min.): 8.9, 10.2, 11.4, 12,7 cm (3½,	10.36	13.31
3496759	40.6 cm (16 in.) Width (max.): 17.8 cm (7 in.) width (min.): 8.9, 10.2, 11.4, 12,7 cm (3½, 4, 4½, 5 in.) length: 20.3 cm (8 in.) width (min.): 8.9 cm (3½ in.) length:	10.36 9.80	13.31 12.73
3496759	40.6 cm (16 in.) Width (max.): 17.8 cm (7 in.) width (min.): 8.9, 10.2, 11.4, 12,7 cm (3½, 4, 4½, 5 in.) length: 20.3 cm (8 in.) width (min.): 8.9 cm (3½ in.) length: 25.4 cm (10 in.) width (min.): 10.2 cm (4 in.) length:		
3496759 3496767 3496775	40.6 cm (16 in.) Width (max.): 17.8 cm (7 in.) width (min.): 8.9, 10.2, 11.4, 12,7 cm (3½, 4, 4½, 5 in.) length: 20.3 cm (8 in.) width (min.): 8.9 cm (3½ in.) length: 25.4 cm (10 in.)	9.80	12.73
3496759 3496767 3496775 3496783	40.6 cm (16 in.) Width (max.): 17.8 cm (7 in.) width (min.): 8.9, 10.2, 11.4, 12,7 cm (3½, 4, 4½, 5 in.) length: 20.3 cm (8 in.) width (min.): 8.9 cm (3½ in.) length: 25.4 cm (10 in.) width (min.): 10.2 cm (4 in.) length: 25.4 cm (10 in.) width (min.): 11.4 cm (4½ in.) length:	9.80 10.22	12.73 13.18
3496759 3496767 3496775 3496783 3496791	40.6 cm (16 in.) Width (max.): 17.8 cm (7 in.) width (min.): 8.9, 10.2, 11.4, 12,7 cm (3½, 4, 4½, 5 in.) length: 20.3 cm (8 in.) width (min.): 8.9 cm (3½ in.) length: 25.4 cm (10 in.) width (min.): 10.2 cm (4 in.) length: 25.4 cm (10 in.) width (min.): 11.4 cm (4½ in.) length: 25.4 cm (10 in.) width (min.): 12.7 cm (5 in.) length: 25.4 cm (10 in.) width (min.): 8.9 cm (3½ in.) length: 30.5 cm (12 in.)	9.80 10.22 10.80	12.73 13.18 13.57
3496759 3496767 3496775 3496783 3496791 3496809 3496817	40.6 cm (16 in.) Width (max.): 17.8 cm (7 in.) width (min.): 8.9, 10.2, 11.4, 12,7 cm (3½, 4, 4½, 5 in.) length: 20.3 cm (8 in.) width (min.): 8.9 cm (3½ in.) length: 25.4 cm (10 in.) width (min.): 10.2 cm (4 in.) length: 25.4 cm (10 in.) width (min.): 11.4 cm (4½ in.) length: 25.4 cm (10 in.) width (min.): 12.7 cm (5 in.) length: 25.4 cm (10 in.) width (min.): 8.9 cm (3½ in.) length: 30.5 cm (12 in.) width (min.): 10.2 cm (4 in.) length: 30.5 cm (12 in.)	9.80 10.22 10.80 11.63 10.80 11.35	12.73 13.18 13.57 14.57 13.71 14.30
3496759 3496767 3496775 3496783 3496791 3496809 3496817 3496825	40.6 cm (16 in.) Width (max.): 17.8 cm (7 in.) width (min.): 8.9, 10.2, 11.4, 12,7 cm (3½, 4, 4½, 5 in.) length: 20.3 cm (8 in.) width (min.): 8.9 cm (3½ in.) length: 25.4 cm (10 in.) width (min.): 10.2 cm (4 in.) length: 25.4 cm (10 in.) width (min.): 11.4 cm (4½ in.) length: 25.4 cm (10 in.) width (min.): 12.7 cm (5 in.) length: 25.4 cm (10 in.) width (min.): 8.9 cm (3½ in.) length: 30.5 cm (12 in.) width (min.): 10.2 cm (4 in.) length: 30.5 cm (12 in.) width (min.): 11.4 cm (4½ in.) length: 30.5 cm (12 in.)	9.80 10.22 10.80 11.63 10.80 11.35 11.92	12.73 13.18 13.57 14.57 13.71 14.30 14.85
3496759 3496767 3496775 3496783 3496791 3496809 3496817 3496825 3496833	40.6 cm (16 in.) Width (max.): 17.8 cm (7 in.) width (min.): 8.9, 10.2, 11.4, 12,7 cm (3½, 4, 4½, 5 in.) length: 20.3 cm (8 in.) width (min.): 8.9 cm (3½ in.) length: 25.4 cm (10 in.) width (min.): 10.2 cm (4 in.) length: 25.4 cm (10 in.) width (min.): 11.4 cm (4½ in.) length: 25.4 cm (10 in.) width (min.): 12.7 cm (5 in.) length: 25.4 cm (10 in.) width (min.): 8.9 cm (3½ in.) length: 30.5 cm (12 in.) width (min.): 10.2 cm (4 in.) length: 30.5 cm (12 in.) width (min.): 11.4 cm (4½ in.) length: 30.5 cm (12 in.) width (min.): 12.7 cm (5 in.) length: 30.5 cm (12 in.) width (min.): 12.7 cm (5 in.) length: 30.5 cm (12 in.)	9.80 10.22 10.80 11.63 10.80 11.35 11.92 12.60	12.73 13.18 13.57 14.57 13.71 14.30 14.85 15.39
3496759 3496767 3496775 3496783 3496791 3496809 3496817 3496825 3496833 3496841	40.6 cm (16 in.) Width (max.): 17.8 cm (7 in.) width (min.): 8.9, 10.2, 11.4, 12,7 cm (3½, 4, 4½, 5 in.) length: 20.3 cm (8 in.) width (min.): 8.9 cm (3½ in.) length: 25.4 cm (10 in.) width (min.): 10.2 cm (4 in.) length: 25.4 cm (10 in.) width (min.): 11.4 cm (4½ in.) length: 25.4 cm (10 in.) width (min.): 12.7 cm (5 in.) length: 25.4 cm (10 in.) width (min.): 8.9 cm (3½ in.) length: 30.5 cm (12 in.) width (min.): 10.2 cm (4 in.) length: 30.5 cm (12 in.) width (min.): 11.4 cm (4½ in.) length: 30.5 cm (12 in.) width (min.): 12.7 cm (5 in.) length: 30.5 cm (12 in.) width (min.): 12.7 cm (5 in.) length: 30.5 cm (12 in.)	9.80 10.22 10.80 11.63 10.80 11.35 11.92	12.73 13.18 13.57 14.57 13.71 14.30 14.85

	35.6 cm (14 in.)		
3496866	width (min.): 11.4 cm (4½ in.) length:	13.44	16.24
2406974	35.6 cm (14 in.)	14.02	16.02
3496874	width (min.): 12.7 cm (5 in.) length: 35.6 cm (14 in.)	14.02	16.93
3496882	width (min.): 8.9 cm (3½ in.) length:	13.70	16.54
	40.6 cm (16 in.)		
3496890	width (min.): 10.2 cm (4 in.) length:	14.16	17.09
	40.6 cm (16 in.)		
3496908	width (min.): 11.4 cm (4½ in.) length:	14.72	17.50
3/10/601/6	40.6 cm (16 in.) width (min.): 12.7 cm (5 in.) length:	15.38	18.20
3470710	40.6 cm (16 in.)	13.36	10.20
	Width (max.): 20.3 cm (8 in.)		
3496924		11.92	14.85
3496924	Width (max.): 20.3 cm (8 in.) width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 20.3 cm (8 in.)	11.92	14.85
	width (min.): 10.2, 11.4, 12.7 cm (4, 4½,	11.92 11.74	14.85 14.72
3496932	width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 20.3 cm (8 in.) width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 25.4 cm (10 in.)	11.74	14.72
3496932	width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 20.3 cm (8 in.) width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 25.4 cm (10 in.) width (min.):10.2, 11.4, 12.7 cm (4, 4½,		
3496932 3496940	width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 20.3 cm (8 in.) width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 25.4 cm (10 in.) width (min.):10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 30.5 cm (12 in.)	11.74 13.16	14.72 16.08
3496932	width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 20.3 cm (8 in.) width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 25.4 cm (10 in.) width (min.):10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 30.5 cm (12 in.) width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 12.7 cm	11.74	14.72
3496932 3496940 3496957	width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 20.3 cm (8 in.) width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 25.4 cm (10 in.) width (min.):10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 30.5 cm (12 in.) width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 35.6 cm (14 in.)	11.74 13.16	14.72 16.08
3496932 3496940 3496957	width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 20.3 cm (8 in.) width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 25.4 cm (10 in.) width (min.):10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 30.5 cm (12 in.) width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 12.7 cm	11.74 13.16 14.41	14.72 16.08 17.37

DIVISION IV: LOWER-LIMB ORTHOSES

SUBDIVISION 1: TIBIAL ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2140564	Tibial orthosis with unilateral upright	416.39			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Regular stirrup Ankle free joint. aluminum (1) Rigid metal cuff with leather or thermoplastic jacket, including cover				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2135937	Regular stirrup Ankle free joint, aluminum Rigid metal cuff with leather or thermoplastic jacket, including cover	N. C. N. C. N. C.	92.69 129.47 119.33		3
	OPTIONAL COMPONENTS				
2135523	Laminated or molded plastic stirrup, made from mold of insured person	250.08	319.90		
2135606	Single malleolar strap	77.45	106.63		
2135614	Double malleolar strap	91.40	121.87		
2135663	Ankle spring joint, aluminum, single	7.63	130.77		
2135911	Ankle free joint, stainless steel, single	54.60	181.53		
	Ankle spring joint, stainless steel, single	73.63	200.60		
2135929	Double-action ankle spring joint, aluminum, single	33.01	159.97		
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (½ in.)	52.04	52.04		
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	17.78	17.78		

SUPPLEMENTS AVAILABLE

3492501	Cane	10.00	10.00
3492550	Crutches with axillary support, height-	20.00	20.00
	adjustable		
+3492551	Crutches with forearm support, height-	55.00	55.00
	adjustable		

ADJUSTMENTS AVAILABLE

2136752 Stirrup changeover
----- Any pertinent adjustment

55.86

	DEVICE	Renlacement adjustement	rantee onths)
--	--------	-------------------------	------------------

2140507 Tibial orthosis with bilateral uprights

506.52

6

BASIC COMPONENTS AND SUPPLEMENTS

Regular stirrup Ankle free joints, aluminum (2) Rigid metal cuff with leather or thermoplastic jacket, including cover Retention straps

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

2135507	Regular stirrup	N. C.	92.69
	Ankle free joints, aluminum		
2135846	pair	N. C.	217.09
2135655	single	N. A.	129.47
2135903	Rigid metal cuff with leather or	N. C.	119.33
	thermoplastic jacket, including cover		
2195527	Retention straps, each	N. C.	25.39
	OPTIONAL COMPONENTS		
2135531	Rectangular stirrup	41.90	129.47
	Laminated or molded plastic stirrup,	250.08	319.90
2133323	made from mold of insured person	230.00	319.90
2125606	1	77.45	106.62
	Single malleolar strap	77.45	106.63
2135614	Double malleolar strap	91.40	121.87

	Rectangular stirrup		
2135747	pair	15.24	224.71
2135853	single	N. A.	130.77
	Ankle free joints, stainless steel		
2135861	pair	110.45	319.90
2135671	single	N. A.	181.53
	Ankle spring joints, stainless steel		
2135879		147.27	357.99
2135689	single	N. A.	200.60
	Double-action ankle spring joints,		
	aluminum		
2135887	pair	66.01	275.47
2135754	single	N. A.	159.97
2125508	External build-up on orthosis or shoe for	52.04	52.04
	limb fitted with orthosis, first 0.6 cm		
	(¼ in.)		
2125516	External build-up on orthosis or shoe for	17.78	17.78
	limb fitted with orthosis, each additional		
	0.6 cm (¼ in.)		
	SUPPLEMENTS AVAILABLE		
3492501		10.00	10.00
3492550	Crutches with axillary support, height-	20.00	20.00
	adjustable		
+3492551	Crutches with forearm support, height-	55.00	55.00
	adjustable		

ADJUSTMENTS AVAILABLE

2136752 Stirrup changeover ----- Any pertinent adjustment 55.86

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2140572	Molded plastic tibial orthosis, made from plaster or digital mold of insured person	406.24			6
	BASIC COMPONENTS AND				

SUPPLEMENTS

Molded plastic anterior or posterior shell with infra-patellar support extending under foot Calf and foot retention straps

88 Updated: February 16, 2016

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

2195527	Retention straps, each	N. C.	25.39
	OPTIONAL COMPONENTS		
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (1/4 in.)	52.04	52.04
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	17.78	17.78
2155828	Ankle free joints with overlapping Gilette ankle joints	48.24	N. A.
2155646	pair	120.60	106.63
2155893	single	N. A.	66.01
	Oklahoma ankle joints		
2155653	pair	114.25	100.28
2155901	single	N. A.	63.48
	Wafer ankle joints		
2155661	pair	132.02	118.06
2155919	single	N. A.	72.36
	Tamarak ankle joints		
2155679		126.94	112.97
2155927	single	N. A.	69.82
	Gaffney ankle joints		
2155687	•	139.65	124.41
2155935		N. A.	74.90
2195584	Full thermoformable foam lining for night orthosis	62.19	97.74
	SUPPLEMENTS AVAILABLE		
3492501	Cane	10.00	10.00
	Crutches with axillary support, height-	20.00	20.00
2.72000	adjustable	_0.00	20.00
+3492551	Crutches with forearm support, height-adjustable	55.00	55.00

ADJUSTMENT AVAILABLE

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2140580	Molded plastic tibial orthosis, prefabricated	180.26			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Rigid molded plastic posterior shell, one- piece, including calf and extending under foot, prefabricated or rigid spiral band Calf and foot retention straps				
	<u>NOTICE</u> : This orthosis has neither a hinge, nor an upright, nor a rigid lateral band, and cannot be inserted into a conventional shoe. Therefore, it is not a walking boot.				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2195527	Retention straps, each	N. C.	25.39		1
	OPTIONAL COMPONENTS				
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (1/4 in.)	52.04	52.04		
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	17.78	17.78		
2195584	Full thermoformable foam lining for night orthosis	62.19	97.74		
	SUPPLEMENTS AVAILABLE				
3492501 3492550	Cane Crutches with axillary support, height- adjustable	10.00 20.00	10.00 20.00		

SCHEDULE 1	Tariff for devices which compensate for a motor deficiency and insured related services
	(authentic version)

+3492551 Crutches with forearm support, heightadjustable 55.00 55.00

ADJUSTMENT AVAILABLE

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2140002	Tibial orthosis for leg shortened by 7.6 cm (3 in.) or more, excluding any prosthetic knee joint	1,758.62			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	SACH foot Polyester or acrylic tibial shell with tibial or foot support Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1125509	SACH foot	N. C.	255.56		
	Polyester or acrylic tibial shell with tibial or foot support	N. C.	N. A.		
2195527	Retention straps, each	N. C.	25.39		
	OPTIONAL COMPONENTS				
1195619	Trial socket Knee free joints, aluminum (Becker S-2005-B4)	115.52	N. A.		
2155695	•	222.16	279.29		
2155943	single Knee joints with ring lock (Becker 1002-B4)	N. A.	171.40		
2155604		308.47	365.61		
2155950	single Knee joints with lock, Swiss-type (Becker 1003-B4)	N. A.	214.52		
2155703	pair	373.23	441.78		
2155968	single	N. A.	252.62		

2155638 2155976	•	290.71 N. A.	347.83 182.79
2155711		421.48	478.60
2155984	•	N. A.	247.56
2133704	Eccentric uniaxial knee free joints (Becker 1008-B4)	11.71.	247.50
2155562		351.65	408.79
2155992	•	N. A.	236.13
	Eccentric uniaxial ring knee joints (Becker 1012-B4)		
2155729	pair	368.16	425.28
2156016	single	N. A.	245.02
2155745	Thigh lacer with two metal bands with	165.03	205.64
	femoral leather jacket		
2155737	Complete or full leather thigh lacer, without ischiatic support	114.25	291.99
2155752	Complete or full leather thigh lacer, with leather ischiatic support	224.71	399.90
2155760	Molded plastic femoral shell without ischiatic support	213.29	270.39
2155778	Molded plastic femoral shell with molded plastic ischiatic support	270.39	351.65
2175610	Pelvic belt and metal band	218.36	233.57
2175511	Pelvic belt (leather)	N. A.	167.58
2175578	Replacement of pelvic belt metal band	N. A.	125.67
2175594	Hip joint (metal part), all types	236.13	266.60
21,000	The four (metal part), an espes	230.13	200.00
3492501	Cane	10.00	10.00
	Crutches with axillary support, height-	20.00	20.00
	adjustable		
+3492551	Crutches with forearm support, height-adjustable	55.00	55.00

ADJUSTMENT AVAILABLE

SUBDIVISION 2: TIBIOFEMORAL ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2150514	Molded plastic non-articulated tibiofemoral orthosis, made from plaster or digital mold of insured person	570.00			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Molded plastic splint, thigh, knee and leg Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2195527	Retention straps, each	N. C.	25.39		
	OPTIONAL COMPONENTS				
2195550	Abduction rod	99.03	114.25		
	Knee cap and straps	79.99	109.17		
	External build-up on shoe for limb fitted with orthosis, for the first 0.6 cm (¼ in.)	52.04	52.04		
2125532	External build-up on shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	17.78	17.78		
	SUPPLEMENTS AVAILABLE				
3492501	Cane	10.00	10.00		
	Crutches with axillary support, height-adjustable	20.00	20.00		
+3492551	Crutches with forearm support, height-adjustable	55.00	55.00		
	A DAVIGED AND ANALY A DAVE				

ADJUSTMENT AVAILABLE

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2150548	Tibiofemoral orthosis with joints, prefabricated (Legend, Edge, Lennox, GLS)	700.75			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Knee free joints Femoral and tibial rigid cuffs Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2195527	Retention straps, each	N. C.	25.39		
	OPTIONAL COMPONENTS				
2125524	External build-up on shoe for limb fitted with orthosis, for the first 0.6 cm (¼ in.)	52.04	52.04		
2125532	External build-up on shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	17.78	17.78		
	SUPPLEMENTS AVAILABLE				
3492501	Cane	10.00	10.00		
	Crutches with axillary support, height-adjustable	20.00	20.00		
+3492551	Crutches with forearm support, height-adjustable	55.00	55.00		
	ADJUSTMENT AVAILABLE				

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2150555	Tibiofemoral anti-recurvatum knee orthosis, Swedish-type, prefabricated	326.25			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Metal structure Rigid cuffs Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2195527	Retention straps, each	N. C.	25.39		
	OPTIONAL COMPONENTS				
2125524	External build-up on shoe for limb fitted	52.04	52.04		
2125532	with orthosis, for the first 0.6 cm (¼ in.) External build-up on shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	17.78	17.78		
	SUPPLEMENTS AVAILABLE				
3492501 3492550	Cane Crutches with axillary support, height- adjustable	10.00 20.00	10.00 20.00		
+3492551	Crutches with forearm support, height-adjustable	55.00	55.00		
	ADJUSTMENT AVAILABLE				

ADJUSTMENT AVAILABLE

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2150605	Dynamic knee orthosis, made from plaster or digital mold of insured person	856.89			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Plastic or metal femoral and tibial rigid cuffs Polycentric knee free joints, aluminum (USMC F08-200-1000) Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Polycentric knee free joints, aluminum (USMC F08-200-1000)				
2155786	pair	N. C.	248.83		
2155471	•	N. A.	156.16		
2195527	Retention straps, each	N. C.	25.39		
	OPTIONAL COMPONENTS				
	Polycentric knee free joints, steel (USMC F08-220-1000)				
2155836	•	41.90	291.99		
2155463	single Polycentric knee joints with lock, aluminum (USMC F08-200-4000)	N. A.	177.72		
2155794		35.54	284.36		
2155455	single Polycentric knee joints with lock, steel (USMC F08-220-4000)	N. A.	173.91		
2155844	· ·	83.80	332.60		
2155448	Variable amplitude knee joints, aluminum (USMC F08-200-1001)	N. A.	198.04		
2155851	pair	N. C.	248.83		
2155430	single Variable amplitude knee joints, steel (USMC F08-200-1001)	N. A.	156.16		

SCHEDULE 1	Tariff for devices which compensate for a motor deficiency and insured related services
	(authentic version)

2155869	pair	41.90	291.99	
2155422	single	N. A.	177.72	
2135705	Knee cap and straps	79.99	109.17	
2125524	External build-up on shoe for limb fitted with orthosis, for the first 0.6 cm (1/4 in.)	52.04	52.04	
2125532	External build-up on shoe for limb fitted with orthosis, each additional 0.6 cm	17.78	17.78	
	(½ in.)			
	SUPPLEMENTS AVAILABLE			
3492501	Cane	10.00	10.00	
3492550	Crutches with axillary support, height-adjustable	20.00	20.00	
+3492551	Crutches with forearm support, height-adjustable	55.00	55.00	

ADJUSTMENT AVAILABLE

None

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2150597	Adjustable knee orthosis designed to limit flexion and extension movements (Donjoy, Generation II), prefabricated	345.30			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Rigid plastic cuffs, with foam Metal knee joints with ratchet Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2195527	Retention straps, each	N. C.	25.39		
	SUPPLEMENTS AVAILABLE				
3492501 3492550	Cane Crutches with axillary support, height- adjustable	10.00 20.00	10.00 20.00		

SCHEDULE 1 Tariff for devices which compensate for a motor deficiency and insured related services (authentic version)

+3492551 Crutches with forearm support, heightadjustable 55.00 55.00

ADJUSTMENT AVAILABLE

SUBDIVISION 3: FEMORAL ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2160505	Articulated femoral orthosis with rigid metal femoral and tibial cuffs	1,155.23			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Regular stirrup Ankle free joints, aluminum (2) Knee free joints, aluminum (2) (Becker S-2005-B4) Thigh lacer with two rigid metal bands and leather femoral jacket and metal cuff with leather or thermoplastic tibial jacket Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Regular stirrup Rigid metal cuff with leather or thermoplastic tibial jacket Ankle free joints, aluminum	N. C. N. C.	92.69 119.33		
2135846	*	N. C.	217.09		
2135655	•	N. A.	129.47		
2155513	pair	N. C.	279.29		
2155414		N. A.	171.40		
2195501	Thigh lacer with two rigid metal bands and leather femoral jacket	N. C.	205.64		
2195527	Retention straps, each	N. C.	25.39		
	OPTIONAL COMPONENTS				
2135531	Rectangular stirrup	41.90	129.47		
	Laminated or molded plastic stirrup, made from mold of insured person	250.08	319.90		
2135606	Single malleolar strap	77.45	106.63		
	Double malleolar strap	91.40	121.87		

2135705	Knee cap and straps	79.99	109.17
	Ankle spring joints, aluminum		
2135747	•	15.24	224.71
2135853	-	N. A.	130.77
	Double-action ankle spring joints,		
	aluminum		
2135887	•	66.01	275.47
2135754	single	N. A.	159.97
	Knee joints with ring lock (Becker 1002-B4)		
2155521	pair	85.05	365.61
2155406		N. A.	214.52
	Knee joints with lock, Swiss-type (Becker 1003-B4)		
2155547	pair	187.89	441.78
2155398	single	N. A.	252.62
	Polycentric knee joints (USMC-0225-10)		
2155554	pair	67.28	347.83
2155380	•	N. A.	182.79
	Polycentric knee joints, for child (Becker 1006-C8)		
2155877	pair	199.32	478.60
2155372	single	N. A.	247.56
	Eccentric uniaxial knee free joints (Becker 1008-B4)		
2155588	pair	129.47	408.79
2155364	single	N. A.	236.13
	Eccentric uniaxial ring knee joints (Becker 1012-B4)		
2155885	pair	144.71	425.28
2155356	•	N. A.	245.02
	Complete or full leather thigh lacer, without ischiatic support	114.25	291.99
2155752	Complete or full leather thigh lacer, with leather ischiatic support	224.71	399.90
2125508	External build-up on orthosis or shoe for	52.04	52.04
	limb fitted with orthosis, first 0.6 cm		
	(¼ in.)		
2125516	External build-up on orthosis or shoe for	17.78	17.78
	limb fitted with orthosis, each additional		
	0.6 cm (¼ in.)		
	SUPPLEMENTS AVAILABLE		
3492501	Cane	10.00	10.00
3492550	Crutches with axillary support, height-	20.00	20.00
	adjustable		
+3492551	Crutches with forearm support, height-	55.00	55.00
	adjustable		

ADJUSTMENTS AVAILABLE

2136752	Stirrup changeover
	Any pertinent adjustment

55.86

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2160604	Molded plastic articulated femoral orthosis, made from plaster or digital mold of insured person	1,071.44			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Molded plastic femoral shell without ischiatic support Knee free joints, aluminum (2) (Becker S-2005-B4) Molded plastic anterior or posterior tibial shell extending under foot Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2155802	Molded plastic femoral shell without ischiatic support	N. C.	270.39		
2155810	Molded plastic anterior or posterior tibial shell extending under foot Knee free joints, aluminum (Becker S-2005-B4)	N. C.	298.34		
2155513	•	N. C.	279.29		
2155414	•	N. A.	171.40		
	Retention straps, each	N. C.	25.39		
	OPTIONAL COMPONENTS				
2135820	Regular stirrup	66.01	92.69		
	Ankle free joints with overlapping Gilette ankle joints	48.24	N. A.		
2155646	pair	120.60	106.63		
2155893	•	N. A.	66.01		
2155653		114.25	100.28		
2155901	single	N. A.	63.48		

Updated: February 16, 2016

	Wafer ankle joints		
2155661	· ·	132.02	118.06
2155919	•	N. A.	72.36
	Tamarak ankle joints		
2155679	· ·	126.94	112.97
2155927	•	N. A.	69.82
	Gaffney ankle joints		
2155687	•	139.65	124.41
2155935	single	N. A.	74.90
2135606	Single malleolar strap	77.45	106.63
2135705	Knee cap and straps	79.99	109.17
	Ankle spring joints, aluminum		
2135747	pair	15.24	224.71
2135853	single	N. A.	130.77
	Double-action ankle spring joints,		
	aluminum		
2135887	*	66.01	275.47
2135754	e e e e e e e e e e e e e e e e e e e	N. A.	159.97
	Knee joints with ring lock (Becker 1002-		
	B4)		
2155521	pair	85.05	365.61
2155406		N. A.	214.52
	Knee joints with lock, Swiss-type		
	(Becker 1003-B4)		
2155547	•	187.89	441.78
2155398	e e e e e e e e e e e e e e e e e e e	N. A.	252.62
	Polycentric knee joints (USMC-0225-10)		2.45.02
2155554	1	67.28	347.83
2155380	single	N. A.	182.79
	Polycentric knee joints, for child (Becker		
2155077	1006-C8)	100.22	170.60
2155877	•	199.32 N. A.	478.60
2155372	•	N. A.	247.56
	Eccentric uniaxial knee free joints		
2155588	(Becker 1008-B4)	129.47	409.70
2155364	*	N. A.	408.79 236.13
2133304	Eccentric uniaxial ring knee joints	IV. A.	230.13
	(Becker 1012-B4)		
2155885		144.71	425.28
2155356	-	N. A.	245.02
	Molded plastic ischiatic support	74.90	N. A.
	Molded plastic femoral shell with	N. A.	351.65
2133 107	molded plastic ischiatic support	11. 11.	331.03
2125508	External build-up on orthosis or shoe for	52.04	52.04
	limb fitted with orthosis, first 0.6 cm	02.0	02.01
	(¼ in.)		
2125516	External build-up on orthosis or shoe for	17.78	17.78
	limb fitted with orthosis, each additional	_	
	0.6 cm (¼ in.)		

SUPPLEMENTS AVAILABLE

3492501	Cane	10.00	10.00
3492550	Crutches with axillary support, height-	20.00	20.00
	adjustable		
+3492551	Crutches with forearm support, height-	55.00	55.00
	adjustable		

ADJUSTMENTS AVAILABLE

2136752 Stirrup changeover

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2160703	Articulated femoral orthosis with rigid metal femoral cuffs and molded plastic posterior or anterior tibial shell, made from plaster or digital mold of insured person	1,101.92			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Thigh lacer with two rigid metal bands and femoral leather jacket Knee free joints, aluminum (2) (Becker S-2005-B4) Molded plastic posterior or anterior tibial shell extending under foot Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2195501	Thigh lacer with two rigid metal bands and femoral leather jacket	N. C.	205.64		
2155810	Molded plastic posterior or anterior tibial shell extending under foot Knee free joints, aluminum (Becker S-2005-B4)	N. C.	298.34		
2155513 2155414	pair	N. C. N. A.	279.29 171.40		

Updated: February 16, 2016

55.86

2195527	Retention straps, each	N. C.	25.39
	OPTIONAL COMPONENTS		
2155828	Ankle free joints with overlapping Gilette ankle joints	48.24	N. A.
2155646	· ·	120.60	106.63
2155893	•	N. A.	66.01
2100070	Oklahoma ankle joints	11.11.	00.01
2155653	*	114.25	100.28
2155901	•	N. A.	63.48
	Wafer ankle joints		
2155661	· ·	132.02	118.06
2155919	•	N. A.	72.36
	Tamarak ankle joints		
2155679	•	126.94	112.97
2155927	single	N. A.	69.82
	Gaffney ankle joints		
2155687	pair	139.65	124.41
2155935	single	N. A.	74.90
2135606	Single malleolar strap	77.45	106.63
2135705	Knee cap and straps	79.99	109.17
	Ankle spring joints, aluminum		
2135747	pair	15.24	224.71
2135853	single	N. A.	130.77
	Double-action ankle spring joints,		
	aluminum		
2135887	•	66.01	275.47
2135754	•	N. A.	159.97
	Knee joints with ring lock (Becker 1002-		
	B4)		
2155521	pair	85.05	365.61
2155406	\mathcal{E}	N. A.	214.52
	Knee joints with lock, Swiss-type		
2155545	(Becker 1003-B4)	107.00	441.50
2155547	•	187.89	441.78
2155398		N. A.	252.62
0155554	Polycentric knee joints (USMC-0225-10)	<i>(7.</i> 20	247.02
2155554		67.28	347.83
2155380		N. A.	182.79
	Polycentric knee joints, for child (Becker 1006-C8)		
2155877	pair	199.32	478.60
2155372		N. A.	247.56
	Eccentric uniaxial knee free joints (Becker 1008-B4)		
2155588	pair	129.47	408.79
2155364	single	N. A.	236.13
	Eccentric uniaxial ring knee joints		
	(Becker 1012-B4)		

	2155885	pair	144.71	425.28	
	2155356	single	N. A.	245.02	
	2155737	Complete or full leather thigh lacer, without ischiatic support	114.25	291.99	
	2155752	Complete or full leather thigh lacer, with leather ischiatic support	224.71	399.90	
	2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (1/4 in.)	52.04	52.04	
	2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	17.78	17.78	
		SUPPLEMENTS AVAILABLE			
	3492501	Cane	10.00	10.00	
	3492550	Crutches with axillary support, heightadjustable	20.00	20.00	
-	+3492551	Crutches with forearm support, height-adjustable	55.00	55.00	

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2160802	Articulated femoral orthosis with molded plastic femoral shell, made from plaster or digital mold of insured person, and rigid metal cuff with tibial leather jacket BASIC COMPONENTS AND SUPPLEMENTS Regular stirrup Ankle free joints, aluminum (2) Knee free joints, aluminum (2) (Becker S-2005-B4) Rigid metal cuff with leather or thermoplastic jacket, including tibial cover Molded plastic femoral shell without ischiatic support Retention straps	1,246.63			6

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

2135507	Regular stirrup	N. C.	92.69
	Rigid metal cuff with leather or	N. C.	119.33
	thermoplastic jacket, including tibial		
	cover		
	Ankle free joints, aluminum		
2135739	•	N. C.	217.09
2135655		N. A.	129.47
	Knee free joints, aluminum (Becker		
2155512	S-2005-B4)	N. C	270.20
2155513	•	N. C.	279.29
2155414		N. A.	171.40
2155802	Molded plastic femoral shell without	N. C.	270.39
2105527	ischiatic support Retention straps, each	N. C.	25.39
2193321	Retention straps, each	N. C.	23.39
	OPTIONAL COMPONENTS		
2135531	Rectangular stirrup	41.90	129.47
	Laminated or molded plastic stirrup,	250.08	319.90
2133323	made from mold of insured person	230.00	317.70
2135606	Single malleolar strap	77.45	106.63
	Double malleolar strap	91.40	121.87
	Knee cap and straps	79.99	109.17
	Ankle spring joints, aluminum	, , , , ,	
2135747		15.24	224.71
2135853	-	N. A.	130.77
	Double-action ankle spring joints,		
	aluminum		
2135887	pair	66.01	275.47
2135754	single	N. A.	159.97
	Knee joints with ring lock (Becker 1002-		
	B4)		
2155521	•	85.05	365.61
2155406	\mathcal{C}	N. A.	214.52
	Knee joints with lock, Swiss-type		
	(Becker 1003-B4)		
2155547	pair	187.89	441.78
2155398	single	N. A.	252.62
015554	Polycentric knee joints (USMC-0225-10)	<i>(</i> 7.00)	2.47.02
2155554	•	67.28	347.83
2155380	e	N. A.	182.79
	Polycentric knee joints, for child (Becker 1006-C8)		
2155877	,	199.32	478.60
2155377	pair	199.32 N. A.	247.56
2133312	single	IV. A.	247.30

	Eccentric uniaxial knee free joints (Becker 1008-B4)		
2155588	pair	129.47	408.79
2155364	single	N. A.	236.13
	Eccentric uniaxial ring knee joints (Becker 1012-B4)		
2155885	pair	144.71	425.28
2155356	single	N. A.	245.02
2155497	Molded plastic ischiatic support	74.90	N. A.
2155489	Molded plastic femoral shell with	N. A.	351.65
	molded plastic ischiatic support		
2125508	External build-up on orthosis or shoe for	52.04	52.04
	limb fitted with orthosis, first 0.6 cm (1/4 in.)		
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	17.78	17.78
	SUPPLEMENTS AVAILABLE		
3492501	Cane	10.00	10.00
3492550	Crutches with axillary support, height-adjustable	20.00	20.00
+3492551	Crutches with forearm support, height-adjustable	55.00	55.00

ADJUSTMENTS AVAILABLE

2136752 Stirrup changeover
----- Any pertinent adjustment

55.86

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2160547	Molded plastic non-articulated femoral orthosis, made from plaster or digital mold of insured person	643.64			6

BASIC COMPONENTS AND SUPPLEMENTS

Molded plastic splint, thigh, knee, leg and foot Retention straps

COMPONENTS AND SUPPLEMENTS AVAILABLE

2195527	Retention straps, each	N. C.	25.39
	OPTIONAL COMPONENTS		
2135705	Knee cap and straps	79.99	109.17
2195550	Abduction rod	99.03	114.25
2155497	Molded plastic ischiatic support	74.90	N. A.
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm	52.04	52.04
	(¼ in.)		
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	17.78	17.78
	SUPPLEMENTS AVAILABLE		
3492501	Cane	10.00	10.00
3492550	Crutches with axillary support, height-adjustable	20.00	20.00
+3492551	Crutches with forearm support, height-adjustable	55.00	55.00

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2160539 Articulated femoral orthosis with unilateral upright with rigid metal femoral and tibial cuffs	877.22			6
BASIC COMPONENTS AND SUPPLEMENTS				
Regular stirrup Unilateral ankle free joint, aluminum Unilateral knee free joint, aluminum (Becker S-2005-B4) Rigid metal cuffs with leather femoral and tibial jacket, including cover Retention straps				

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

2135507	Regular stirrup	N. C.	92.69
	Rigid metal cuff with leather tibial	N. C.	119.33
2133330	jacket, including cover	14. 6.	117.33
2135895	Unilateral ankle free joint, aluminum	N. C.	129.47
	Unilateral knee free joint, aluminum	N. C.	171.40
	(Becker S-2005-B4)		
2195592	Rigid metal cuff with leather femoral	N. C.	205.64
	jacket, including cover		
2195527	Retention straps, each	N. C.	25.39
	OPTIONAL COMPONENTS		
2135523	Laminated or molded plastic stirrup,	250.08	319.90
	made from mold of insured person		
2135606	Single malleolar strap	77.45	106.63
	Double malleolar strap	91.40	121.87
	Knee cap and straps	79.99	109.17
	Ankle spring joint, aluminum	7.63	130.77
	Double-action ankle spring joint,	33.01	159.97
	aluminum		
2135788	Knee joint with ring lock (Becker 1002-	43.14	214.52
2125706	B4) Essential uniquial lines free isint (Basker	6176	226 12
2133790	Eccentric uniaxial knee free joint (Becker 1008-B4)	64.76	236.13
2135804	Eccentric uniaxial ring knee joint	72.36	245.02
	(Becker 1012-B4)		
2175594	Hip joint (metal part), all types	236.13	266.60
2175610	Pelvic belt and metal band	218.36	233.57
2175511	Pelvic belt (leather)	N. A.	167.58
	Replacement of pelvic belt metal band	N. A.	125.67
2125508	External build-up on orthosis or shoe for	52.04	52.04
	limb fitted with orthosis, first 0.6 cm		
	(¼ in.)		
2125516	External build-up on orthosis or shoe for	17.78	17.78
	limb fitted with orthosis, each additional		
	0.6 cm (¼ in.)		
	SUPPLEMENTS AVAILABLE		
2402701		10.00	40.00
3492501		10.00	10.00
3492550		20.00	20.00
	adjustable		

SCHEDULE 1 Tariff for devices which compensate for a motor deficiency and insured related services (authentic version)

+3492551 Crutches with forearm support, heightadjustable 55.00 55.00

ADJUSTMENTS AVAILABLE

2136752 Stirrup changeover 55.86

----- Any pertinent adjustment

SUBDIVISION 4: COXOFEMORAL ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2170504	Articulated coxofemoral orthosis with rigid metal femoral and tibial cuffs	1,684.60			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Regular stirrup Ankle free joints, aluminum (2) Knee free joints, aluminum (2) (Becker S-2005-B4) Thigh lacer with two rigid metal bands and femoral leather jacket, including cover, and rigid metal cuff with leather or thermoplastic tibial jacket Hip joint (metal part), all types				
	Retention straps Pelvic belt and metal band				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2135507	Regular stirrup Ankle free joints, aluminum	N. C.	92.69		
2135739		N. C.	217.09		
2135655	single	N. A.	129.47		
2195527	Retention straps, each	N. C.	25.39		
2135556	Rigid metal cuff with leather or thermoplastic tibial jacket Knee free joints, aluminum (Becker S-2005-B4)	N. C.	119.33		
2155513	•	N. C.	279.29		
2155414	•	N. A.	171.40		
	Thigh lacer with two rigid metal bands and femoral leather jacket, including cover	N. C.	205.64		
2175560	Hip joint (metal part), all types	N. C.	266.60		
2175537	Pelvic belt and metal band	N. C.	233.57		

OPTIONAL COMPONENTS

2135531	Rectangular stirrup	41.90	129.47
2135523	Laminated or molded plastic stirrup,	250.08	319.90
	made from mold of insured person		
2135606	Single malleolar strap	77.45	106.63
2135705	Knee cap and straps	79.99	109.17
	Ankle spring joints, aluminum		
2135747	pair	15.24	224.71
2135853	single	N. A.	130.77
	Double-action ankle spring joints,		
	aluminum		
2135887	pair	66.01	275.47
2135754	single	N. A.	159.97
	Knee joints with ring lock (Becker 1002-		
	B4)		
2155521	pair	85.05	365.61
2155406	•	N. A.	214.52
	Knee joints with lock, Swiss-type		
	(Becker 1003-B4)		
2155547		187.89	441.78
2155398	•	N. A.	252.62
	Polycentric knee joints (USMC-0225-10)		
2155554		67.28	347.83
2155380	•	N. A.	182.79
	Polycentric knee joints, for child (Becker		
	1006-C8)		
2155877		199.32	478.60
2155372	•	N. A.	247.56
	Eccentric uniaxial knee free joints		
	(Becker 1008-B4)		
2155588		129.47	408.79
2155364		N. A.	236.13
	Eccentric uniaxial ring knee joints		
	(Becker 1012-B4)		
2155885		144.71	425.28
2155356	•	N. A.	245.02
	Replacement of pelvic belt metal band	N. A.	125.67
2175511	Pelvic belt (leather)	N. A.	167.58
	Complete or full leather thigh lacer,	114.25	291.99
	without ischiatic support		
2155752	Complete or full leather thigh lacer, with	224.71	399.90
	leather ischiatic support		
2125508	External build-up on orthosis or shoe for	52.04	52.04
	limb fitted with orthosis, first 0.6 cm		
	(¼ in.)		
2125516	External build-up on orthosis or shoe for	17.78	17.78
	limb fitted with orthosis, each additional		
	0.6 cm (¼ in.)		

SUPPLEMENTS AVAILABLE

3492501	Cane	10.00	10.00
3492550	Crutches with axillary support, height-	20.00	20.00
	adjustable		
+3492551	Crutches with forearm support, height-	55.00	55.00
	adjustable		

ADJUSTMENTS AVAILABLE

2136752 Stirrup changeover

----- Any pertinent adjustment

55.86

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2170603	Molded plastic articulated coxofemoral orthosis, made from plaster or digital mold of insured person	1,577.97			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Molded plastic femoral shell without ischiatic support Knee free joints, aluminum (2) (Becker S-2005-B4) Hip joint (metal part), all types				
	Molded plastic posterior or anterior tibial shell extending under foot Retention straps Pelvic belt and metal band				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2155802	Molded plastic femoral shell without ischiatic support	N. C.	270.39		
2155810	Molded plastic posterior or anterior tibial shell extending under foot Knee free joints, aluminum (Becker S-2005-B4)	N. C.	298.34		
2155513	,	N. C.	279.29		

			•	
2155414		N. A.	171.40	
2175560	Hip joint (metal part), all types	N. C.	266.60	
	Retention straps, each	N. C.	25.39	
2175537	Pelvic belt and metal band	N. C.	233.57	
	OPTIONAL COMPONENTS			
2175578	Replacement of pelvic belt metal band	N. A.	125.67	
2175511	Pelvic belt (leather)	N. A.	167.58	
2155828	Ankle free joints with overlapping Gilette ankle joints	48.24	N. A.	
2155646	· ·	120.60	106.63	
2155893	•	N. A.	66.01	
	Oklahoma ankle joints			
2155653	•	114.25	100.28	
2155901	single Wafer ankle joints	N. A.	63.48	
2155661	3	132.02	118.06	
2155919	•	N. A.	72.36	
	Tamarak ankle joints			
2155679	· ·	126.94	112.97	
2155927	•	N. A.	69.82	
	Gaffney ankle joints			
2155687	pair	139.65	124.41	
2155935	•	N. A.	74.90	
	Single malleolar strap	77.45	106.63	
2135705	Knee cap and straps	79.99	109.17	
	Ankle spring joints, aluminum			
2135747	•	15.24	224.71	
2135853	•	N. A.	130.77	
2135820	Regular stirrup	66.01	92.69	
	Double-action ankle spring joints,			
2125005	aluminum	66.01	275 47	
2135887	•	66.01	275.47	
2135754		N. A.	159.97	
	Knee joints with ring lock (Becker 1002-			
2155521	B4) pair	85.05	365.61	
2155406	•	N. A.	214.52	
2133400	Knee joints with lock, Swiss-type	N.A.	214.32	
	(Becker 1003-B4)			
2155547		187.89	441.78	
2155398	•	N. A.	252.62	
	Polycentric knee joints (USMC-0225-10)			
2155554	•	67.28	347.83	
2155380	single	N. A.	182.79	
	Polycentric knee joints, for child (Becker			
	1006-C8)			

1

SCH	ED	TTT	\mathbf{r}	1
SUL	IED	$_{\rm UL}$	æ	1

2155877	pair	199.32	478.60
2155372	single	N. A.	247.56
	Eccentric uniaxial knee free joints		
	(Becker 1008-B4)		
2155588	pair	129.47	408.79
2155364	single	N. A.	236.13
	Eccentric uniaxial ring knee joints		
	(Becker 1012-B4)		
2155885	pair	144.71	425.28
2155356	single	N. A.	245.02
2155497	Molded plastic ischiatic support	74.90	N. A.
2155489	Molded plastic femoral shell with	N. A.	351.65
	molded plastic ischiatic support		
2125508	External build-up on orthosis or shoe for	52.04	52.04
	limb fitted with orthosis, first 0.6 cm		
	(¼ in.)		
2125516	External build-up on orthosis or shoe for	17.78	17.78
	limb fitted with orthosis, each additional		
	0.6 cm (¼ in.)		
	SUPPLEMENTS AVAILABLE		
3492501	Cane	10.00	10.00
	Crutches with axillary support, height-	20.00	20.00
3.72000	adjustable	20.00	20.00
+3492551	Crutches with forearm support, height-	55.00	55.00
	adjustable	22.00	22.00

ADJUSTMENTS AVAILABLE

2136752 Stirrup changeover
----- Any pertinent adjustment

55.86

DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
E .	l cuffs and molded anterior tibial shell,	1,641.45			6
BASIC COMPON SUPPLEMENTS	ENTS AND				
Thigh lacer with twand femoral leather	wo rigid metal bands r jacket				

Knee free joints, aluminum (2) (Becker S-2005-B4) Hip joint (metal part), all types

Molded plastic posterior or anterior tibial shell extending under foot Retention straps Pelvic belt and metal band

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

2195501	Thigh lacer with two rigid metal bands	N. C.	205.64
	and femoral leather jacket		
2155810	Molded plastic posterior or anterior tibial	N. C.	298.34
	shell extending under foot		
	Knee free joints, aluminum (Becker S-		
	2005-B4)		
2155513	•	N. C.	279.29
2155414		N. A.	171.40
	Retention straps, each	N. C.	25.39
2175560	Hip joint (metal part), all types	N. C.	266.60
2175537	Pelvic belt and metal band	N. C.	233.57
	OPENOVAL GOVERNME		
	OPTIONAL COMPONENTS		
2155828	Ankle free joints with overlapping	48.24	N. A.
	Gilette ankle joints		
2155646	· ·	120.60	106.63
2155893	•	N. A.	66.01
	Oklahoma ankle joints		
2155653	· ·	114.25	100.28
2155901	•	N. A.	63.48
	Wafer ankle joints		
2155661	· ·	132.02	118.06
2155919		N. A.	72.36
	Tamarak ankle joints		
2155679	· · · · · · · · · · · · · · · · · · ·	126.94	112.97
2155927	•	N. A.	69.82
	Gaffney ankle joints		
2155687	•	139.65	124.41
2155935	-	N. A.	74.90
	Ankle spring joints, aluminum		
2135747	1 00	15.24	224.71
2135853	•	N. A.	130.77
	Double-action ankle spring joints,		
	aluminum		

116

2135887	pair	66.01	275.47
2135754	single	N. A.	159.97
2135606	Single malleolar strap	77.45	106.63
	Knee joints with ring lock (Becker 1002-		
	B4)		
2155521	pair	85.05	365.61
2155406	•	N. A.	214.52
	Knee joints with lock, Swiss-type		
0155547	(Becker 1003-B4)	107.00	441.70
2155547	•	187.89 N. A.	441.78
2155398	Polycentric knee joints (USMC-0225-10)	N. A.	252.62
2155554	pair	67.28	347.83
2155380	single	N. A.	182.79
	Polycentric knee joints, for child (Becker 1006-C8)		
2155877		199.32	478.60
2155372	•	N. A.	247.56
	Eccentric uniaxial knee free joints		
	(Becker 1008-B4)		
2155588	pair	129.47	408.79
2155364	single	N. A.	236.13
	Eccentric uniaxial ring knee joints (Becker 1012-B4)		
2155885		144.71	425.28
2155356	•	N. A.	245.02
	Knee cap and straps	79.99	109.17
	Complete or full leather thigh lacer,	114.25	291.99
	without ischiatic support		
2155752	Complete or full leather thigh lacer, with	224.71	399.90
	leather ischiatic support		
2175578	Replacement of pelvic belt metal band	N. A.	125.67
2175511	Pelvic belt (leather)	N. A.	167.58
	External build-up on orthosis or shoe for	52.04	52.04
	limb fitted with orthosis, first 0.6 cm		
	(¼ in.)		
2125516	External build-up on orthosis or shoe for	17.78	17.78
	limb fitted with orthosis, each additional		
	0.6 cm (¼ in.)		
	SUPPLEMENTS AVAILABLE		
3492501		10.00	10.00
3492550	Crutches with axillary support, height-	20.00	20.00
0.400==:	adjustable		
+3492551	Crutches with forearm support, height-	55.00	55.00
	adjustable		

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2170801	Articulated coxofemoral orthosis with molded plastic femoral shell, made from plaster or digital mold of insured person, and rigid metal cuff with leather or thermoplastic tibial jacket	1,853.45			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Regular stirrup Ankle free joints, aluminum (2) Knee free joints, aluminum (2) (Becker S-2005-B4) Rigid metal cuff with leather or thermoplastic jacket, including tibial cover Molded plastic femoral shell without ischiatic support Hip joint (metal part), all types Retention straps Pelvic belt and metal band COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Regular stirrup Rigid metal cuff with leather or thermoplastic jacket, including tibial cover Knee free joints, aluminum (Becker	N. C. N. C.	92.69 119.33		
2155513 2155414		N. C. N. A.	279.29 171.40		
2135739	Ankle free joints, aluminum pair	N. C.	217.09		
2135655 2155802	single Molded plastic femoral shell without ischiatic support	N. A. N. C.	129.47 270.39		

2175560	Hip joint (metal part), all types	N. C.	266.60
	Retention straps, each Pelvic belt and metal band	N. C. N. C.	25.39 233.57
	OPTIONAL COMPONENTS		
2135531	Rectangular stirrup	41.90	129.47
	Molded or laminated plastic stirrup, made from mold of insured person	250.08	319.90
2135606	Single malleolar strap	77.45	106.63
	Double malleolar strap	91.40	121.87
2135705	Knee cap and straps Ankle spring joints, aluminum	79.99	109.17
2135747		15.24	224.71
2135853		N. A.	130.77
	Double-action ankle spring joints, aluminum	- 11	
2135887	pair	66.01	275.47
2135754	-	N. A.	159.97
	Knee joints with ring lock (Becker 1002-B4)		
2155521	pair	85.05	365.61
2155406	single	N. A.	214.52
	Knee joints with lock, Swiss-type (Becker 1003-B4)		
2155547		187.89	441.78
2155398	•	N. A.	252.62
	Polycentric knee joints (USMC-0225-10)		
2155554	pair	67.28	347.83
2155380	single	N. A.	182.79
	Polycentric knee joints, for child (Becker 1006-C8)		
2155877	pair	199.32	478.60
2155372		N. A.	247.56
	Eccentric uniaxial knee free joints (Becker 1008-B4)		
2155588	pair	129.47	408.79
2155364		N. A.	236.13
	Eccentric uniaxial ring knee joints (Becker 1012-B4)		
2155885	pair	144.71	425.28
2155356		N. A.	245.02
2155497	1	74.90	N. A.
2155489	Molded plastic femoral shell with molded plastic ischiatic support	N. A.	351.65
2125508	External build-up on orthosis or shoe for	52.04	52.04
	limb fitted with orthosis, first 0.6 cm (1/4 in.)		

SCHEDULE 1	Tariff for devices which compensate for a motor deficiency and insured related services
	(authentic version)

2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	17.78	17.78	
2175578	Replacement of pelvic belt metal band	N. A.	125.67	
2175511	Pelvic belt (leather)	N. A.	167.58	
	SUPPLEMENTS AVAILABLE			
3492501	Cane	10.00	10.00	
3492550	Crutches with axillary support, height-adjustable	20.00	20.00	
+3492551	Crutches with forearm support, height-adjustable	55.00	55.00	
	ADJUSTMENTS AVAILABLE			

55.86

2136752 Stirrup changeover
----- Any pertinent adjustment

SUBDIVISION 5: BILATERAL LOWER-LIMB ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2190502	Femoral derotation orthosis	100.28			6
	COMPOSANT ET COMPLÉMENT DE BASE				
	Metal bar with ratchet, fixed to shoes				
	COMPONENT AND SUPPLEMENT AVAILABLE				
2195551	Articulated metal bar	84.57	84.57		
	ADJUSTMENTS AVAILABLE				
2196517	Shoe changeover (unriveted) Shoe changeover (riveted) Any pertinent adjustment			26.68 35.54	
		Maximum price	Maximum price	Maximum	
	DEVICE	Purchase or replacement of device	Replacement of component or supplement	adjustement price	Guarantee (months)
2190510	Coxofemoral derotation orthosis with torsion cable	replacement of	Replacement of component	adjustement	
2190510	Coxofemoral derotation orthosis with	replacement of device	Replacement of component	adjustement	(months)
2190510	Coxofemoral derotation orthosis with torsion cable BASIC COMPONENTS AND	replacement of device	Replacement of component	adjustement	(months)
2190510	Coxofemoral derotation orthosis with torsion cable BASIC COMPONENTS AND SUPPLEMENTS Regular stirrup Torsion cable Pelvic belt (leather)	replacement of device	Replacement of component	adjustement	(months)
2190510	Coxofemoral derotation orthosis with torsion cable BASIC COMPONENTS AND SUPPLEMENTS Regular stirrup Torsion cable Pelvic belt (leather) Hip free joint (metal part) COMPONENTS AND SUPPLEMENTS	replacement of device	Replacement of component	adjustement	(months)

Updated: February 16, 2016

121

SCHEDULE	E 1 Tariff for devices which comp	ensate for a motor	deficiency and in	nsured related s (authentic v	
2175586	Torsion cable Hip free joint (metal part) Pelvic belt (leather)	N. C. N. C. N. C.	96.48 82.53 114.25		
	OPTIONAL COMPONENT				
2155570	Knee joint	125.67	140.92		
	SUPPLEMENTS AVAILABLE				
3492550	Crutches with axillary support, height-adjustable	20.00	20.00		
+3492551	•	55.00	55.00		
	ADJUSTMENTS AVAILABLE				
2136752	Stirrup changeover			55.86	
	Any pertinent adjustment				
	Any pertinent adjustment DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2190528		Purchase or replacement of	price Replacement of component	adjustement	
2190528	DEVICE Pelvifemoral abduction orthosis, custom	Purchase or replacement of device	price Replacement of component	adjustement	(months)
2190528	DEVICE Pelvifemoral abduction orthosis, custom made BASIC COMPONENTS AND	Purchase or replacement of device	price Replacement of component	adjustement	(months)
2190528	DEVICE Pelvifemoral abduction orthosis, custom made BASIC COMPONENTS AND SUPPLEMENTS Two plastic thigh cuffs	Purchase or replacement of device	price Replacement of component	adjustement	(months)

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2190544	Molded plastic pelvifemoral abduction orthosis for child, made from plaster or digital mold of insured person	820.10			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Molded plastic orthosis Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2195527	Retention straps, each	N. C.	25.39		
	OPTIONAL COMPONENTS				
3122603	Abduction rod Extension to feet inclusively Knee cap and straps ADJUSTMENT AVAILABLE	99.03 470.98 79.99	114.25 N. A. 109.17		
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2190536	Pelvifemoral orthosis, for young child	191.70			6
	COMPOSANT ET COMPLÉMENT DE BASE				
	Cloth harness or prefabricated plastic splint				
	COMPONENT AND SUPPLEMENT AVAILABLE				

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2180008	Articulated pelvifemoral abduction orthosis, Scottish Rite-type	1,197.13			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Rigid metal cuffs with leather or thermoplastic femoral jacket (2) Metal bar Universal joints Pelvic band Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2195600	Rigid metal cuffs with leather or thermoplastic femoral jacket (2)	N. C.	205.64		
2195527	Retention straps, each	N. C.	25.39		
	SUPPLEMENTS AVAILABLE				
3492550	Crutches with axillary support, height-adjustable	20.00	20.00		
+3492551	Crutches with forearm support, height-adjustable	55.00	55.00		
	ADJUSTMENT AVAILABLE				

SUBDIVISION 6: ADDITIONAL COMPONENTS FOR TIBIAL, FEMORAL AND COXOFEMORAL ORTHOSES

	Maximum prise Purchase or replacement of device	Maximum price of component alone	
2135564 Regular stirrup, additional 2135598 Rectangular stirrup, additional	66.01 106.63	81.23 129.47	

Updated: February 16, 2016 125

SUBDIVISION 7: LOWER-LIMB ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2190601	Other lower-limb orthoses *	S. C.			6

^{*} When price is below that of the similar orthosis

DIVISION V: UPPER-LIMB ORTHOSES

SUBDIVISION 1: HAND ORTHOSES THAT MAY INCLUDE THE THUMB AND THE OTHER FINGERS

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Prefabricated passive orthosis for proximal				2
	and distal interphalangeal joints				
2210002	Thumb If first finger	110.45	N. A.		
	If additional finger	29.21	N. A. N. A.		
2210011	Index	29.21	IV. A.		
2210029	If first finger	110.45	N. A.		
2210037	If additional finger	29.21	N. A.		
	Middle finger				
	If first finger	110.45	N. A.		
2210052	If additional finger	29.21	N. A.		
	Ring finger				
	If first finger	110.45	N. A.		
2210078	If additional finger	29.21	N. A.		
	Little finger				
	If first finger	110.45	N. A.		
2210094	If additional finger	29.21	N. A.		
	BASIC COMPONENTS AND SUPPLEMENTS				
	Thermoplastic or metal splint Straps				
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				

Updated: February 16, 2016

127

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Prefabricated dynamic orthosis for distal and/or proximal interphalangeal joints				2
	Thumb				
2210102	If first finger	110.45	N. A.		
2210110	If additional finger	29.21	N. A.		
	Index				
2210128	If first finger	110.45	N. A.		
2210136	If additional finger	29.21	N. A.		
	Middle finger				
	If first finger	110.45	N. A.		
2210151	If additional finger	29.21	N. A.		
	Ring finger				
	If first finger	110.45	N. A.		
2210177	If additional finger	29.21	N. A.		
	Little finger				
	If first finger	110.45	N. A.		
2210193	If additional finger	29.21	N. A.		
	BASIC COMPONENTS AND SUPPLEMENTS				
	Support pads Springs				
	COMPONENT AND SUPPLEMENT AVAILABLE				

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2210516	Prefabricated dynamic orthosis for metacarpophalangeal joints	147.27			2
	BASIC COMPONENTS AND				

SUPPLEMENTS

Metacarpal bars

Phalangeal bars Articular pivots

Elastic bands

Piano wire

Other types of springs

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2220010	Passive thumb orthosis including carpometacarpal, metacarpophalangeal and interphalangeal joints, made from plaster or digital mold of insured person	255.16			2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Molded component, thermoplastic or other material Straps				
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)

166.29

2

2220036 Molded plastic passive thumb orthosis

including carpometacarpal,

metacarpophalangeal and interphalangeal joints, made from mold of insured person

or prefabricated

BASIC COMPONENTS AND SUPPLEMENTS

Molded thermoplastic component Straps

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2220028	Dynamic thumb orthosis, which may include carpometacarpal, metacarpophalangeal and interphalangeal joints, made from plaster or digital mold of insured person	344.04			2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Stabilizing components Traction apparatus made with springs Piano wire, elastic bands Straps				
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2220044	Molded plastic dynamic thumb orthosis, which may include carpometacarpal, metacarpophalangeal and interphalangeal joints, made from mold of insured person or prefabricated	214.52			2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Stabilizing components Traction apparatus made with springs Piano wire, elastic bands Straps				
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				

Updated: February 16, 2016 131

SUBDIVISION 2: WRIST AND HAND ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2230548	Passive orthosis for wrist and hand including fingers and thumb, palmar or dorsal, made from plaster or digital mold of insured person	373.23			2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Splint Straps Bilateral fixed joints for dorsal orthosis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	OPTIONAL COMPONENT				
2231124	Finger separator, including straps	13.98	N. A.		
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2230555	Molded plastic passive orthosis for wrist and hand including fingers and thumb, palmar or dorsal, made from mold of insured person or prefabricated	262.77			2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Thermoplastic splint Straps Bilateral fixed joints for dorsal orthosis				

COMPONENTS AND SUPPLEMENTS AVAILABLE

OPTIONAL COMPONENT

2231124 Finger separator, including straps

13.98 N. A.

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2230563	Passive orthosis for wrist, palmar or dorsal, including thumb extension, where applicable, made from plaster or digital mold of insured person	302.15			2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Thermoplastic splint, palmar or dorsal, or reinforced molded leather splint, including thumb extension, where applicable Palmar or dorsal metacarpal bar Straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	OPTIONAL COMPONENT				
2231132	Full leather lining of thermoplastic splint	52.04	N. A.		
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2230571	Plastic or molded plastic passive orthosis for wrist, including thumb extension, where applicable, made from mold of insured person or prefabricated	222.16			2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Plastic or molded plastic splint, prefabricated or made from mold of insured person, including thumb extension, where applicable Palmar or dorsal metacarpal bar Straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	OPTIONAL COMPONENTS				
2231165	Finger traction apparatus Flexion glove Wrist free joints (incompatible with wrist traction apparatus)	165.03 88.86 63.48	N. A. N. A. N. A.		
2231173	* *	66.01	N. A.		
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2230589	Prefabricated static wrist and dynamic finger orthosis, which may include Swanson-type thumb	484.96			2
	BASIC COMPONENTS AND SUPPLEMENTS				

Transverse and longitudinal bars Palmar support Finger and thumb traction apparatus

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

|--|

2230514 Custom-made tenodesis orthosis

745.20

2

BASIC COMPONENTS AND SUPPLEMENTS

Stabilizing components for thumb, index finger and middle finger
Metacarpophalangeal joints
Wrist joints
Forearm stabilizing component
Telescoping rod

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

SUBDIVISION 3: ELBOW, WRIST AND HAND ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2250017	Molded plastic passive elbow orthosis, anterior or posterior, made from mold of insured person	314.84			2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Splint including arm and forearm Straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	OPTIONAL COMPONENTS				
2255503	Suspension strap Elbow pad and strap Uniaxial or polycentric bilateral elbow	24.12 79.99 71.12	N. A. 109.17 N. A.		
3492659	joints Turnbuckle	66.01	N. A.		
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2250009	Passive elbow orthosis, anterior or posterior, made from plaster or digital mold of insured person	377.03			2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Splint including arm and forearm Straps				

COMPONENTS AND SUPPLEMENTS AVAILABLE

OPTIONAL COMPONENTS

2255511	Suspension strap	24.12	N. A.
2255503	Elbow pad and strap	79.99	109.17
2255529	Uniaxial or polycentric bilateral elbow	71.12	N. A.
	joints		
3492659	Turnbuckle	66.01	N. A.

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

Updated: February 16, 2016 137

SUBDIVISION 4: SHOULDER, ELBOW, WRIST AND HAND ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2270007	Glenohumeral orthosis, made from plaster or digital mold of insured person	377.03			2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Shoulder-to-epicondyle molded thermoplastic sleeve Thoracic straps Velcro straps for adjusting sleeve circumference				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	OPTIONAL COMPONENT				
2255511	Suspension strap	24.12	N. A.		
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2270510	Prefabricated adjustable passive abduction orthosis for the shoulder, elbow, wrist and hand airplane design	875.95			2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Thoracic and pelvic support Adjustable shoulder and elbow joints Arm, forearm and hand splints Adjustable stabilizing bar between truncular and humeral support				

Tariff for devices which compensate for a motor deficiency and insured related services (authentic version)

Anchor straps

Pads

COMPONENTS AND SUPPLEMENTS AVAILABLE

OPTIONAL COMPONENT

2275501 Pelvihumeral mobilization bar

97.74

N. A.

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

|--|

2270015 Prefabricated glenohumeral orthosis

328.79

2

BASIC COMPONENTS AND SUPPLEMENTS

Shoulder-to-epicondyle molded thermoplastic sleeve Thoracic straps Velcro straps for adjusting sleeve circumference

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

Updated: February 16, 2016

139

SUBDIVISION 5: UPPER-LIMB ORTHOSES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2290609 Other upper-limb orthoses *	N. C.			2

^{*} When the price is below that of the similar orthosis

DIVISION VI: TRUNK AND CERVICAL ORTHOSES

SUBDIVISION 1: TRUNK ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2320505	Prefabricated lumbar sacral immobilization orthosis, to limit anteroposterior and lateral movements of the spine, molded plastic or metal structure, Harris, Knight or Williams-type	401.16			3
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2320604	Lumbar sacral orthosis with rigid molded thermoplastic plate, made from mold of insured person (Ortho-mold-type)	245.02			3
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2320513	Plastic lumbar sacral immobilization orthosis, made from plaster or digital mold of insured person	708.39			3
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2340503	Custom-made rigid-frame dorsal lumbar immobilization orthosis (Taylor or Harris-Taylor-type)	542.08			3
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	OPTIONAL COMPONENTS				
	Axilla crutch Corrective pad	45.70 45.70	N. A. N. A.		3 3
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2340602	Dorsal lumbar orthosis with rigid molded thermoplastic plate, made from mold of insured person (Ortho-mold-type)	350.38			3

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2340701	Rigid dorsal lumbar immobilization orthosis covered in whale fabric (Taylor or Harris-Taylor-type) (Camp, Airway make)	284.36			3
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2340537	Plastic dorsal lumbar sacral immobilization orthosis with bilateral overlapping resulting from double molding, made from plaster or digital mold of insured person	1,138.72			3
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2340404	Prefabricated molded plastic dorsal lumbar sacral immobilization orthosis (Boston Overlap Brace-type)	482.39			3
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2340578	Plastic dorsal lumbar sacral immobilization orthosis made from plaster or digital mold of insured person	980.06			3
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2350528	Prefabricated hyperextension orthosis (Jewitt, Florida Brace)	435.44			3
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2380509	Cervical dorsal lumbar sacral immobilization orthosis with plastic base, made from plaster or digital mold of insured person (Milwaukee-type)	1,487.84			3
	BASIC COMPONENT AND SUPPLEMENT				
	Pelvic component, made from plaster or digital mold of insured person				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENT				
2385508	Pelvic component, made from plaster or digital mold of insured person	N. C.	863.25		3
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2380004	Prefabricated cervical dorsal lumbar sacral immobilization orthosis with molded plastic base (Milwaukee-type)	1,240.29			3
	COMPOSANT ET COMPLÉMENT DE BASE				
	Prefabricated pelvic component				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				

BASIC COMPONENT

	BASIC COMPONENT				
2385516	Prefabricated pelvic component	N. C.	627.13		3
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2380020	Charleston hypercorrective cervical dorsal lumbar sacral orthosis, made from plaster or digital mold of insured person	1,241.55			3
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	Any pertinent adjustment DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2380533		Purchase or replacement of	price Replacement of component	adjustement	
2380533	DEVICE Cervical dorsal lumbar sacral orthosis	Purchase or replacement of device	price Replacement of component	adjustement	(months)
2380533	DEVICE Cervical dorsal lumbar sacral orthosis (Lyonnais-type) COMPOSANT ET COMPLÉMENT DE	Purchase or replacement of device	price Replacement of component	adjustement	(months)
2380533	DEVICE Cervical dorsal lumbar sacral orthosis (Lyonnais-type) COMPOSANT ET COMPLÉMENT DE BASE Prefabricated pelvic component, made from plaster or digital mold of insured	Purchase or replacement of device	price Replacement of component	adjustement	(months)
2380533	Cervical dorsal lumbar sacral orthosis (Lyonnais-type) COMPOSANT ET COMPLÉMENT DE BASE Prefabricated pelvic component, made from plaster or digital mold of insured person COMPONENTS AND SUPPLEMENTS	Purchase or replacement of device	price Replacement of component	adjustement	(months)

person

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2380525	Prefabricated corrective dorsal lumbar orthosis (Boston-type)	792.16			3
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
		3.6	Maximum		
	DEVICE	Maximum price Purchase or replacement of device	price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2380012	DEVICE Corrective dorsal lumbar orthosis, made from plaster or digital mold of insured person (Boston-type)	Purchase or replacement of	Replacement of component	adjustement	
2380012	Corrective dorsal lumbar orthosis, made from plaster or digital mold of insured	Purchase or replacement of device	Replacement of component	adjustement	(months)
2380012	Corrective dorsal lumbar orthosis, made from plaster or digital mold of insured person (Boston-type) COMPONENT AND SUPPLEMENT	Purchase or replacement of device	Replacement of component	adjustement	(months)
2380012	Corrective dorsal lumbar orthosis, made from plaster or digital mold of insured person (Boston-type) COMPONENT AND SUPPLEMENT AVAILABLE	Purchase or replacement of device	Replacement of component	adjustement	(months)

SUBDIVISION 2: CERVICAL ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2370500	Thermoplastic cervical orthosis with sternal support, made from plaster or digital mold of insured person	557.30			3
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2370559	Prefabricated semi-rigid cervical orthosis (Philadelphia design)	152.35			3
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2370518	Cervical orthosis with multiple vertical uprights	280.55			3
	COMPONENT AND SUPPLEMENT AVAILABLE				

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

NOTICE: A Halo cervical orthosis
(Halo vest) is not an insured device.
Therefore, it cannot be considered in the same way as a Minerva cervical orthosis.

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
Minerva molded plastic cervical orthosis, made from plaster or digital mold of insured person	1,186.98			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
NOTICE: A Halo cervical orthosis (Halo vest) is not an insured device. Therefore, it cannot be considered in the same way as a Minerva cervical orthosis.				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Minerva molded plastic cervical orthosis, made from plaster or digital mold of insured person COMPONENT AND SUPPLEMENT AVAILABLE None ADJUSTMENT AVAILABLE Any pertinent adjustment NOTICE: A Halo cervical orthosis (Halo vest) is not an insured device. Therefore, it cannot be considered in the same way as a Minerva cervical orthosis.	Minerva molded plastic cervical orthosis, made from plaster or digital mold of insured person COMPONENT AND SUPPLEMENT AVAILABLE None ADJUSTMENT AVAILABLE Any pertinent adjustment NOTICE: A Halo cervical orthosis (Halo vest) is not an insured device. Therefore, it cannot be considered in the same way as a Minerva cervical orthosis. DEVICE Purchase or replacement of	Minerva molded plastic cervical orthosis, made from plaster or digital mold of insured person COMPONENT AND SUPPLEMENT AVAILABLE None ADJUSTMENT AVAILABLE Any pertinent adjustment NOTICE: A Halo cervical orthosis (Halo vest) is not an insured device. Therefore, it cannot be considered in the same way as a Minerva cervical orthosis. Maximum price Purchase or replacement of component of c	Maximum price Purchase or replacement of component of component of component or supplement. Minerva molded plastic cervical orthosis, made from plaster or digital mold of insured person COMPONENT AND SUPPLEMENT AVAILABLE None ADJUSTMENT AVAILABLE Any pertinent adjustment NOTICE: A Halo cervical orthosis (Halo vest) is not an insured device. Therefore, it cannot be considered in the same way as a Minerva cervical orthosis. Maximum price Purchase or replacement of component of

2370609 Minerva prefabricated cervical orthosis

801.06

3

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

NOTICE: A Halo cervical orthosis
(Halo vest) is not an insured device.
Therefore, it cannot be considered in the same way as a Minerva cervical orthosis.

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2370534	Cervical orthosis (SOMI-type)	573.83			3
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	OPTIONAL COMPONENT				
2375509	Halo support with lateral stabilization uprights	212.00	228.51		3
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				

SUBDIVISION 3: OTHER TRUNK AND CERVICAL ORTHOSES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2390607 Other trunk orthoses * 2371003 Other cervical orthoses *	S. C. S. C.			3 3

^{*} When the price is below that of the similar orthosis

DIVISION VII: AMBULATION AIDS

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
4490009	Quad cane, height-adjustable	35.00			12
	BASIC COMPONENT AND SUPPLEMENT				
	Tip				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENT				
4495727	Tip (per pair)	N. C.	2.54		
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
4490017	Crutches with axillary support, height-adjustable	20.00			12
	BASIC COMPONENTS AND SUPPLEMENTS				
	Tips (2) Axillary pads (2) Handrest covers (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
4495727 4495743 4495750	Tips (per pair) Axillary pads (per pair) Handrest covers (per pair)	N. C. N. C. N. C.	2.54 2.54 2.54		
	OPTIONAL COMPONENTS				

4495768	Flip-up ice tips with four or five prongs Pair Unit	10.17 N. A.	N. A. 5.08		
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
+4490018	Crutches with forearm support, height-adjustable	55.00			12
	BASIC COMPONENTS AND SUPPLEMENTS				
	Tips (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
4495727	Tips (per pair)	N. C.	2.54		
	OPTIONAL COMPONENTS				
4495768	Flip-up ice tips with four or five prongs Pair Unit	10.17 N. A.	N. A. 5.08		
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
4490082	Anterior walker, folding, without wheels or with wheels (2), height-adjustable	50.00			12
	BASIC COMPONENTS AND SUPPLEMENTS				
	Tips (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				

4495727	Tips (2)	N. C.	2.54		
	OPTIONAL COMPONENTS				
4495776	Walker skis on rear legs				
,,,,	Pair	12.00	12.00		
	Unit	6.00	6.00		
4495826	Rear hand brakes				
	Pair	50.78	N. A.		
	Unit	N. A.	25.39		
4495784	Forearm supports				
	Pair	154.88	N. A.		
	Unit	77.45	77.45		
		Maximum	Maximum		
	DEVICE	price Purchase or replacement of device	price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
+4490085	Anterior walker, without wheels or with wheels (2), height-adjustable, weighted or bariatric type	110.00			12
	BASIC COMPONENTS AND SUPPLEMENTS				
	Tips (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
4495727	Tips (per pair)	N. C.	2.54		
	OPTIONAL COMPONENTS				
4495776	Walker skis on rear legs	12.00	12.00		
	Pair	6.00	6.00		
	Unit				
4495826	Rear hand brakes	50.78	S.O.		
	Pair	S.O.	25.39		
	Unit				
4495784	Forearm supports	154.88	S.O.		
	Pair	77.45	77.45		
	Unit				

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
+4490083	Anterior walker, folding, with 2 wheels, height-adjustable, for child	155.00			12
	BASIC COMPONENTS AND SUPPLEMENTS				
	Tips (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
4495727	Tips (per pair)	N. C.	2.54		
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
+4490084	Posterior walker, folding, with wheels (2 or 4), and height-adjustable, for child	230.00			12
	BASIC COMPONENTS AND SUPPLEMENTS				
	Tips (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
4495727	Tips (2)	N. C.	2.54		
	OPTIONAL COMPONENTS				
4495784	Forearm supports (2) Pair Unit	154.88 77.45			

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
+4490166	Walker with wheels 4, height-adjustable with thoracic support, depth-adjustable and width-adjustable, for child	650.00			12
	BASIC COMPONENTS AND SUPPLEMENTS				
	Steel frame Thoracic support, with cover Flexible seat Front bumpers (4) Wheelbrakes (4)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
+4495835	Steel frame, height-adjustable	N. C.	560.00		
+4495843	Thoracic support, depth-adjustable with cover	N. C.	295.00		
4495867	Flexible seat	N. C.	68.55		
	Front bumpers (4)	N. C.	N. A.		
	Wheelbrakes (4)	N. C.	34.29		
	OPTIONAL COMPONENTS				
4495917	Lower-limb abductor	176.45	176.45		
4495925	Back/headrest and cover	276.77	276.77		
4495933	Thoracic support cover only	N. A.	101.57		
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
+4490166	Walker with wheels (4), height-adjustable, with thoracic support, depth-adjustable and width-adjustable, for child	650.00			12

BASIC COMPONENTS AND

SUPPLEMENTS

Metal frame Thoracic support, with cover Flexible seat Front bumpers (4) Wheelbrakes (4)

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

+4495835	Metal frame height-adjustable	N. C.	560.00
+4495843	Thoracic support depth-adjustable , with cover	N. C.	295.00
4495867	Flexible seat	N. C.	68.55
4495875	Front bumpers (4)	N. C.	N. A.
	Wheelbrakes (4)	N. C.	34.29
	OPTIONAL COMPONENTS		
4495917	Lower-limb abductor	176.45	176.45
4495925	Back/headrest and cover	276.77	276.77
4495933	Thoracic support cover only	N. A.	101.57

DIVISION VIII: STANDING AIDS

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2192276	Parapodium, for child (Variety Village system)	2,179.70			3
	COMPOSANT ET COMPLÉMENT DE BASE				
	Prefabricated parapodium orthosis				
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2192292	Parapodium, for adult (Variety Village system)	2,960.44			3
	COMPOSANT ET COMPLÉMENT DE BASE				
	Prefabricated parapodium orthosis				
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2192284	Orthopodium	1,280.90			3
	COMPOSANT ET COMPLÉMENT DE BASE				
	Prefabricated orthopodium				
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				

PART II: AIDS FURNISHED SOLELY BY AN INSTITUTION

DIVISION I: UPPER-LIMB PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1242106	Myoelectric cubital prosthesis	4,685.97			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Single laminated plastic socket, made from plaster or digital mold of insured person Electrical system (1 connecting cable, 1 electrode cable, 1 coaxial outlet, 1 coupling component) Lamination collar (wrist) Pack Electrode (1) Standard battery Standard charger Prosthetic glove (Otto Bock)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1245687	Simple laminated plastic socket, made from plaster or digital mold of insured person	N. C.	1,751.89		
1245695	Electrical system (1 connecting cable, 1 electrode cable, 1 coaxial outlet, 1 coupling component)	N. C.	*		
1245703	Lamination collar (wrist)	N. C.	*		
1245729	Pack First electrode Additional electrode Additional electrode cable	N. C. N. C. 1,432.91 81.23	* * 1,432.91 81.23		
1245760 1245778	Standard battery Standard charger Prosthetic glove (Otto Bock)	N. C. N. C. N. C.	* * 264.69		

OPTIONAL COMPONENTS

	Double flexoform socket Electric hand (Otto Bock) for one 63/4	241.20 4,170.26	319.90 4,170.26
3223302	electrode Electric hand (Otto Bock) for one 71/4 and	4,718.67	4,718.67
3223310	7¾ electrode Electric hand (Otto Bock) for one 8¼ electrode	4,944.63	4,944.63
3223328	Electric hand (Otto Bock) for two 63/4 electrodes	3,732.29	3,732.29
3223336	Electric hand (Otto Bock) for two 7¼ and 7¾ electrodes	5,140.76	5,140.76
3223344	Electric hand (Otto Bock) for two 8 ¹ / ₄ electrodes	5,403.26	5,403.26
	Electric hands (VASI):		
3223047	Electric hands (VASI): - 0 to 3 years for one electrode	5,710.15	5,710.15
3223054	- 2 to 6 years for two electrodes	5,710.15	5,710.15
3223062	- 5 to 9 years for two electrodes	6,085.91	6,085.91
3223070	Electric hand (Steeper), 1.75	3,601.51	3,601.51
3223351	Electric hand (Steeper), 2.00	3,752.59	3,752.59
3223369	Electric hand (Steeper), 2.25 to 3.25	4,052.19	4,052.19
3223088	Electric hand 2000 (Otto Bock) for two 5 electrodes	5,849.80	5,849.80
3223377	Electric hand 2000 (Otto Bock) for two 5½ and 6 electrodes	6,125.27	6,125.27
3223385	Electric hand 2000 (Otto Bock) for two 6½ electrodes	6,374.09	6,374.09
1245828	Electronic box for electric hand 2000	1,365.98	1,365.98
1245836	Battery (1) for electric hand 2000	39.36	39.36
1245844	Electrode cables (2) for electric hand 2000	123.15	123.15
1245802	Charger for hand 2000	132.02	132.02
3223096	Electric hook for one electrode	4,841.82	4,841.82
3223104	Electric hook for two electrodes	4,669.17	4,669.17

Electronics module system:

SCHEDULE 1	Tariff for devices which compensate for a motor deficiency and insured related services
	(authentic version)

3232824	Electric wrist rotator	356.72	356.72	
3232832	Myoelectrically controlled prosthetic wrist, including a control unit	5,433.90	5,433.90	
1245919	Rapid charger	740.95	740.95	
1245810	Activating switch	195.49	195.49	
	Adaptations to make prosthesis mechanical:			
3232840	Quick disconnect wrist	727.42	727.42	
3222965	Hook, 99X-type	558.57	604.28	
1295716	Suspension harness	105.36	154.88	
1295724	Control cable, terminal connections and housing (reinforced materials)	142.17	191.70	
	SUPPLEMENT AVAILABLE			
1245851	Conductor gel	6.34	6.34	
	ADJUSTMENT AVAILABLE			

----- Any pertinent adjustment

^{*} Repair. Indicate materials and labour. Supporting documents must be kept on file

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
--	--------	--	--	---------------------------------	--------------------

1242502 Myoelectric prosthesis for dislocation of wrist

4,407.97

6

BASIC COMPONENTS AND **SUPPLEMENTS**

Single laminated plastic socket, made from plaster or digital mold of insured person Electrical system (1 connecting cable, 1 electrode cable)

Pack

Electrode (1)

Standard battery

Standard charger

Prosthetic glove (Otto Bock)

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

1245927	Single laminated plastic socket, made from plaster or digital mold of insured person	N. C.	1,617.33
1245935	Electrical system (1 connecting cable, 1 electrode cable)	N. C.	*
1245752	*	N. C.	*
1245711	First electrode	N. C.	*
	Additional electrode	1,432.91	1,432.91
1245745	Additional electrode cable	81.23	81.23
1245760	Standard battery	N. C.	*
	Standard charger	N. C.	*
3223005	Prosthetic glove (Otto Bock), fitting included	N. C.	264.69
	OPTIONAL COMPONENTS		
1245786	Double flexoform socket	241.20	319.9
3223039	Electric hand (Otto Bock) for one 63/4 electrode	4,170.26	4,170.26
3223302	Electric hand (Otto Bock) for one 7¼ or 7¾ electrode	4,718.67	4,718.67
3223310	Electric hand (Otto Bock) for one 81/4 electrode	4,944.63	4,944.63
3223328	Electric hand (Otto Bock) for two 63/4 electrodes	3,732.29	3,732.29
3223336	Electric hand (Otto Bock) for two 7 ¹ / ₄ and 7 ³ / ₄ electrodes	5,140.76	5,140.76
3223344	Electric hand (Otto Bock) for two 8 ¹ / ₄ electrodes	5,403.26	5,403.26
3223070	Electric hand (Steeper), 1.75	3,601.51	3,601.51
3223351	Electric hand (Steeper), 2.00	3,752.59	3,752.59
3223369	Electric hand (Steeper), 2.25 to 3.25	4,052.19	4,052.19
3223088	Electric hand 2000 (Otto Bock) for two 5 electrodes	5,849.80	5,849.80
3223377	Electric hand 2000 (Otto Bock) for two 5½ and 6 electrodes	6,125.27	6,125.27
3223385	Electric hand 2000 (Otto Bock) for two 6½ electrodes	6,374.09	6,374.09
1245828	Electronic box for electric hand 2000	1,365.98	1,365.98
1245836	Battery (1) for electric hand 2000	39.36	39.36

1245844	Electrode cables (2) for electric hand 2000	123.15	123.15
1245802	Charger for hand 2000	132.02	132.02
3223096	Electric hook for one electrode	4,841.82	4,841.82
3223104	Electric hook for two electrodes	4,669.17	4,669.17
	Rapid charger Activating switch	740.95 195.49	740.95 195.49
	COMPLÉMENT DISPONIBLE		
1245851	Conductor gel	6.34	6.34
	ADJUSTMENT AVAILABLE		
	Any pertinent adjustment		
	* Repair. Indicate materials and labour. Supporting documents must be kept on file		

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)

1262104 Myoelectric humeral prosthesis

6,913.92

6

BASIC COMPONENTS AND SUPPLEMENTS

Single laminated plastic socket, made from plaster or digital mold of insured person Electrical system (1 connecting cable, 1 electrode cable, 1 coaxial outlet, 1 coupling component) Lamination collar (wrist) Elbow with internal lock, model E-400 Pack Electrode (1)

Standard battery

Standard charger

Prosthetic glove (Otto Bock)

COMPONENTS AND SUPPLEMENTS **AVAILABLE**

BASIC COMPONENTS

1245869	Single laminated plastic socket, made from plaster or digital mold of insured person	N. C.	2,259.69
1245695	Electrical system (1 connecting cable, 1 electrode cable, 1 coaxial outlet, 1 coupling component)	N. C.	*
1265529	Elbow with internal lock, model E-400	N. C.	1,025.75
1245703	Lamination collar (wrist)	N. C.	*
1245752	Pack	N. C.	*
1245711	First electrode	N. C.	*
	Additional electrode	1,432.91	1,432.91
1245745	Additional electrode cable	81.23	81.23
1245760	Standard battery	N. C.	*
	Standard charger	N. C.	*
3223005	Prosthetic glove (Otto Bock), fitting included	N. C.	264.69
	OPTIONAL COMPONENTS		
1265560	Double flexoform socket	307.20	385.91
1265578	Additional cost of socket where elbow joint has external lock	212.00	212.00
3223039	Electric hand (Otto Bock) for one 63/4 electrode	4,170.26	4,170.26
3223302	Electric hand (Otto Bock) for one 7 ¹ / ₄ or 7 ³ / ₄ electrode	4,718.67	4,718.67
3223310	Electric hand (Otto Bock) for one 8 ¹ / ₄ electrode	4,944.63	4,944.63
3223328	Electric hand (Otto Bock) for two 6¾ electrodes	3,732.29	3,732.29
3223336	Electric hand (Otto Bock) for two 7 ¹ / ₄ and 7 ³ / ₄ electrodes	5,140.76	5,140.76
3223344	Electric hand (Otto Bock) for two 8 ¹ / ₄ electrodes	5,403.26	5,403.26
	Electric hands (VASI):		
3223047	- 0 to 3 years for one electrode	5,710.15	5,710.15
3223054	- 2 to 6 years for two electrodes	5,710.15	5,710.15
3223062	- 5 to 9 years for two electrodes	6,085.91	6,085.91
3223070	Electric hand (Steeper), 1.75	3,601.51	3,601.51

3223351	Electric hand (Steeper), 2.00	3,752.59	3,752.59
3223369	Electric hand (Steeper), 2.25 to 3.25	4,052.19	4,052.19
3223088	Electric hand 2000 (Otto Bock) for two 5	5,849.80	5,849.80
3223377	electrodes Electric hand 2000 (Otto Bock) for two 5½	6,125.27	6,125.27
3223385	and 6 electrodes Electric hand 2000 (Otto Bock) for two 6½	6,374.09	6,374.09
1245828	electrodes Electronic box for electric hand 2000	1,365.98	1,365.98
1245836	Battery (1) for electric hand 2000	39.36	39.36
1245844	Electrode cables (2) for electric hand 2000	123.15	123.15
1245802	Charger for hand 2000	132.02	132.02
3223096	Electric hook for one electrode	4,841.82	4,841.82
3223104	Electric hook for two electrodes	4,669.17	4,669.17
3232824	Electronics module system: Electric wrist rotator	356.72	356.72
3232832	Myoelectrically controlled prosthetic wrist,	5,433.90	5,433.90
1265586	including a control unit Electric elbow (Hosmer) with switch (including one battery, charger, switch)	7,690.55	7,690.55
1245919	Rapid charger	740.95	740.95
	Activating switch	195.49	195.49
	Adaptations to make prosthesis mechanical:		
3232840	Quick disconnect wrist	727.42	727.42
3222965	Hook, 99X-type	558.57	604.28
1295716	Suspension harness	105.36	154.88
1295724	Control cable, terminal connections and housing (reinforced materials)	142.17	191.70
1295559	Flexion assist mechanism	382.12	448.14
	SUPPLEMENTS AVAILABLE		
1245851	Conductor gel	6.34	6.34
	ADJUSTMENT AVAILABLE		

----- Any pertinent adjustment

* Repair. Indicate materials and labour. Supporting documents must be kept on file

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1242205	Electro-mechanical cubital prosthesis	3,552.66			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Single laminated plastic socket, made from plaster or digital mold of insured person Electrical system (1 connecting cable, 1 coaxial outlet, cable connecting switch to coaxial outlet, switch) Lamination collar (wrist) Standard batteries (2) Pack Standard charger Prosthetic glove (Otto Bock)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1245687	Single laminated plastic socket, made from plaster or digital mold of insured person	N. C.	1,751.89		
1245885	Electrical system (1 connecting cable, 1 coaxial outlet, cable connecting switch to coaxial outlet, switch)	N. C.	*		
1245703	Lamination collar (wrist)	N. C.	*		
1245752		N. C.	*		
1245893	Standard batteries (2)	N. C.	*		
	Standard charger	N. C.	*		
	Prosthetic glove (Otto Bock)	N. C.	264.69		
	OPTIONAL COMPONENTS				
12/15786	Double flexoform socket	241.20	319.90		
	Electric hand (Otto Bock) for one 63/4 electrode	4,170.26	4,170.26		

Updated: February 16, 2016

167

3223302	Electric hand (Otto Bock) for one 7 ¹ / ₄ or 7 ³ / ₄ electrode	4,718.67	4,718.67
3223310	Electric hand (Otto Bock) for one 81/4 electrode	4,944.63	4,944.63
3223328	Electric hand (Otto Bock) for two 63/4 electrodes	3,732.29	3,732.29
3223336	Electric hand (Otto Bock) for two 7 ¹ / ₄ and 7 ³ / ₄ electrodes	5,140.76	5,140.76
3223344	Electric hand (Otto Bock) for two 81/4 electrodes	5,403.26	5,403.26
	Electric hands (VASI):		
3223047	- 0 to 3 years for one electrode	5,710.15	5,710.15
3223054	- 2 to 6 years for two electrodes	5,710.15	5,710.15
3223062	- 5 to 9 years for two electrodes	6,085.91	6,085.91
3223070	Electric hand (Steeper), 1.75	3,601.51	3,601.51
3223351	Electric hand (Steeper), 2.00	3,752.59	3,752.59
3223369	Electric hand (Steeper), 2.25 to 3.25	4,052.19	4,052.19
3223096	Electric hook for one electrode	4,841.82	4,841.82
3223104	Electric hook for two electrodes	4,669.17	4,669.17
	Rapid charger	740.95	740.95
1245810	Activating switch	195.49	195.49
	Adaptations to make prosthesis mechanical:		
3232840	Quick disconnect wrist	727.42	727.42
3222965	Hook, 99X-type	558.57	604.28
1295716	Suspension harness	105.36	154.88
1295724	Control cable, terminal connections and housing (reinforced materials)	142.17	191.70
	SUPPLEMENTS AVAILABLE		
	Stump sock * (consult Division II of this Part for the codes and prices of these supplements)	*	*
	ADJUSTMENT AVAILABLE		

----- Any pertinent adjustment

DIVISION II: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES

See Title One, Part I, Division III, "SOCKS FOR PROSTHESES

DIVISION III: AMBULATION AIDS

4490181 Other non-listed ambulation aids S.C.

GUARANTEE PERIOD: 1 year

+4490421 Non-listed ambulation aid component S.C.

(S.C.)

PART III: ELEMENTS INCLUDED IN THE PRICES OF THE DEVICES:

- 1. The maximum price for the purchase or replacement of an insured device referred to in Part I or II of this Title includes the following elements:
 - (1) the maximum price for its basic components and supplements;
 - (2) the cost of its manufacture;
 - (3) the cost of fittings required while it is being manufactured, up to and including the final installation;
 - (4) the cost of fittings and repairs during the guarantee period referred to in this Title in respect of each device, beginning immediately after the final installation and during which any fitting or repair of a device used under normal conditions is made, in order to bring the device into conformity with the original medical prescription, where the beneficiary's physical condition has not changed, and to enable the beneficiary to derive maximum benefit from the device.
- 2. The maximum replacement cost of a component or supplement for a device referred to in Part I or II of this Title includes the following elements:
 - (1) the cost price of the materials;
 - (2) the cost of its manufacture, if any;
 - (3) the cost of fitting and installation.
- 3. The maximum price for a cane includes the safety tip, and the fixed price for a pair of height-adjustable axillary crutches includes the safety tips, the axillary pads and the elastomer handrest covers.
- 4. The maximum price for a standard post-operative prosthesis assumed by the Board following the amputation of a lower limb includes the supply, even if temporary, of the components required for the entire time the prosthesis is worn, the work performed in the operating room, the waiting period, the application of a rigid bandage, the fixation of the pylon and foot, and the changing of the rigid bandage as required.
- 5. The maximum price for a post-operative pneumatic prosthesis assumed by the Board following the amputation of a lower limb includes the supply, even if temporary, of the components required for the entire time the prosthesis is worn, the work performed at the institution, the waiting period, and the installation of the pneumatic lining, metallic support and means of suspension.
- 6. The maximum price for a temporary prosthesis assumed by the Board includes, for the entire time the prosthesis is worn, the supply, even if temporary, of the components, the manufacture of or modifications made to the socket, the means of suspension required, as well as the alignment and fittings required.

TITLE TWO: LOCOMOTOR AND POSTURE ASSISTS (FURNISHED SOLELY BY AN INSTITUTION)

PART I: LOCOMOTOR ASSISTS

DIVISION I: ADULT WHEEL CHAIRS

SUBDIVISION 1: MANUAL WHEEL CHAIRS

SUPPLIER: INVACARE CANADA L.P.

PRICE

4043006 MANUAL WHEEL CHAIR PATRIOT MODEL

872.00

Basic Components

Body support system

- fixed back, angle-adjustable, height-adjustable, from 38.1 cm (15 in.) to 48.3 cm (19 in.)
- supple seat and back, nylon
- seat height: from 35.6 cm (14 in.) to 49.5 cm (19½ in.)
- seat widths: 35.6 cm (14 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 50.8 cm (20 in.)
- seat depths: 40.6 cm (16 in.), 45.7 cm (18 in.)
- safety belt, velcro-type, auto-type
- backposts with push handles

Armrests

- U-type armrests, detachable, flip-back, height-adjustable from 20.3 cm (8 in.) to 25.4 cm (10 in.), from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long
- armrest pads, straight, short, long
- clothing guards, flexible

Footrests

- footrests, parallel, detachable, swingaway, length-adjustable from 34.9 cm (13¾ in.) to 44.5 cm (17½ in.) at 60°, from 31.8 cm (12½ in.) to 44.5 cm (17½ in.) at 70°
- padded calfrests
- folding footplates, standard
- heel loops, fixed
- heel loops, adjustable
- longer extension tubes

Frame

- anti-tip rollers
- tie-down points for adapted transport

Drive, brake, wheel, fork and axle systems

- plastic-coated handrims, smooth
- standard wheel locks, push-to-lock, pull-to-lock
- rear mag wheels, solid tires, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- front wheels, solid tires, 12.7 cm (5 in.), 15.2 cm (6 in.), 20.3 cm (8 in.) X 3.2 cm (1¹/₄ in.)
- standard forks
- threaded axles, quick-release
- plates for amputees
- rear wheel camber, 0° and 3°

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	Basic and Optional Components		
	Body support system		
	Seat and back:		
	supple back, nylon	N/C	69.00
	back, angle-adjustable	N/C	133.00
	supple back, tension-adjustable	85.00	154.00
	supple seat, nylon	N/C	65.00
	modification of back height to 50.8 cm (20 in.)	37.00	N/A
	seat cushion, flat, foam, 5.1 cm (2 in.)	61.00	61.00
	seat cushion, flat, foam, 7.6 cm (3 in.)	61.00	61.00
	safety belt, velcro-type	N/C	42.00
	safety belt, auto-type	N/C	53.00
4044210	backposts with push handles	N/C	52.00
	Armrests:		
4041000	U-type armrests, detachable, flip-back, height-adjustable	N/C	138.00
4041000	from 20.3 cm (8 in.) to 25.4 cm (10 in.), from 25.4 cm	N/C	130.00
	(10 in.) to 35.6 cm (14 in.), short, long		
4044707	armrest pads, straight, short	N/C	18.00
	armrest pads, straight, long	N/C	18.00
	clothing guards, flexible	N/C	48.00
1011725	croming gadads, reviole	14/0	10.00
	Footrests:		
4041018	footrests, parallel, detachable, swingaway, length-adjustable from 34.9 cm (13¾ in.) to 44.5 cm (17½ in.) at 60°, from	N/C	72.00
	$31.8 \text{ cm} (12\frac{1}{2} \text{ in.}) \text{ to } 44.5 \text{ cm} (17\frac{1}{2} \text{ in.}) \text{ at } 70^{\circ}$		
4040697	70° footrests, narrowed, detachable, swingaway, length-	20.00	82.00
	adjustable, from 37.5 cm (14¾ in.) to 47.6 cm (18¾ in.)		
4041042	elevating legrests, length-adjustable from 36.2 cm (14¼ in.) to 51.4 cm (20¼ in.)	238.00	191.00
4043246	elevating legrests, with compensating mechanism	162.00	153.00
4044822	padded calfrests	N/C	28.00
4044830	single calf strap	38.00	38.00
4044848	double calf strap	57.00	57.00
4044855	folding footplates, standard	N/C	42.00
4044905	oversized footplates	45.00	64.00
4044897	footplates, angle and depth-adjustable, standard, oversized, 18.4 cm (71/4 in.)	55.00	70.00
4044913	heel loops, fixed	N/C	7.00
4044921	heel loops, adjustable	N/C	10.00
4042487	heel loops and ankle strap	36.00	25.00
+4044236	longer extension tubes	N/C	16.00

	Frame:		
4044962	anti-tip rollers	N/C	44.00
	tie-down points for adapted transport	N/C	N/A
	cane holder	42.00	42.00
	Drive systems:		
4044939	smooth handrims	N/C	52.00
4044947	plastic-coated handrims	N/C	63.00
4045241	handrims with vertical or oblique projections	129.00	116.00
40.4.4000	Wheel locks:	N/C	46.00
	standard wheel locks, push-to-lock	N/C N/C	46.00
	standard wheel locks, pull-to-lock wheel lock extensions		20.00
		27.00	
4045027	anti-rollback brakes	94.00	93.00
	Wheels:		
4045092	rear mag wheels, solid tires, 50.8 cm (20 in.), 55.9 cm	N/C	112.00
1010072	(22 in.), 61.0 cm (24 in.)		
4045100	rear mag wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm	N/C	112.00
	(22 in.), 61.0 cm (24 in.)		
4041232	front wheels, solid tires, 12.7 cm (5 in.), 15.2 cm (6 in.),	N/C	38.00
.0.1_0_	20.3 cm (8 in.) X 3.2 cm (1 ¹ / ₄ in.)		
4045209	front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm	34.00	55.00
1010_0>	(1½ in.), 20.3 cm (8 in.) X 3.2 cm (1¼ in.)		
	(17.111), 2010 0111 (0 111) 12 012 0111 (17.1111)		
	Forks:		
4041166	standard forks	N/C	52.00
40.450.60	Rear axles:	N/0	7 00
	threaded axles	N/C	5.00
	quick-release axles	N/C	37.00
	plates for amputees	N/C	21.00
+4044251	rear wheel camber, 0° and 3°	N/C	N/A

PRICE

+4058400 MANUAL WHEEL CHAIR TRANSPORT CHAIR

135.00

Basic Components

Body support system

- seat and back, nylon, padded
- back height: 43.2 cm (17 in.)
- seat height: 48.3 cm (19 in.)
- seat width: 43.2 cm (17 in.), 48.3 cm (19 in.)
- seat depth: 40.6 cm (16 in.)
- safety belt, velcro-type, auto-type
- backposts with push handles

Armrests

- U-type armrests, fixed height, 23.5 cm (9½ in.)
- armrest pads, straight, long

Footrests

• complete footrest array, including bracket and folding footplates, from 39.4 cm (15½ in.) to 52.1 cm (20½ in.)

Drive, brake, wheel, fork and axle systems

- standard wheel locks, push-to-lock
- rear wheels, semi-pneumatic tires, 20.3 cm (8 in.) X 2.5 cm (1 in.)
- front wheels, semi-pneumatic tires, 20.3 cm (8 in.) X 2.5 cm (1 in.)
- fork and front wheel array, solid tires, 20.3 cm (8 in.) X 2.5 cm (1 in.)

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	Basic and Optional Components		
+4054664 +4054672	Body support system Seat and back: seat and back, nylon, padded safety belt, velcro-type safety belt, auto-type backposts with push handles	N/C N/C N/C N/C	50.00 16.00 19.00 N/A
	Armrests: U-type armrests, fixed height, 23.5 cm (9¼ in.) armrest pads, straight, long	N/C N/C	N/A 18.00
+4054714	Footrests: complete footrest array, including bracket and folding footplates, 39.4 cm (15½ in.) to 52.1 cm (20½ in.), per pair upon replacement	N/C	50.00/pr
+4054722	Wheel locks: standard, push-to-lock, per pair upon replacement	N/C	27.00/pr
+4054730	Wheels: rear wheels, semi-pneumatic tires, 20.3 cm (8 in.) X 2.5 cm (1 in.), per pair upon replacement	N/C	23.00/pr
+4054748	front wheels, semi-pneumatic tires, 20.3cm (8 in.) X 2.5 cm	N/C	23.00/pr
+4054755	(1 in.), per pair upon replacement fork and front wheel array, solid tires, 20.3 cm (8 in.) X 2.5 cm (1 in.), per pair upon replacement	N/C	30.00/pr

PRICE

4050001 MANUAL WHEEL CHAIR BREEZY 600 MODEL

929.00

Basic Components

Body support system

- supple back, nylon
- back, angle-adjustable, -3°, 0°, 6°, 12°, 15°
- supple seat, nylon, padded nylon
- back height: from 17.8 cm (15 in.) to 50.8 cm (20 in.)
- front seat height: from 40.6 cm (16 in.) to 50.8 cm (20 in.)
- seat width: from 35.6 cm (14 in.) to 45.7 cm (18 in.)
- seat depths: 38.1 cm (15 in.), 40.6 cm (16 in.)
- safety belt, velcro-type, auto-type
- backposts with push handles

Armrests

- U-type armrests, detachable, flip-back, height-adjustable, from 22.9 cm (9 in.) to 33.0 cm (13 in.), short, long
- armrest pads, straight, short, long
- clothing guards, flexible, rigid

Footrests

- 60°, 70° footrests, parallel, detachable, swingaway, length-adjustable, from 33.0 cm (13 in.) to 45.7 cm (18 in.)
- padded calfrests for elevating legrests, with compensating mechanism
- folding footplates, standard
- aluminum footplates for elevating legrests
- heel loops, adjustable

Frame

- anti-tip rollers
- tie-down points for adapted transport

Drive, brake, wheel, fork and axle systems

- handrims, smooth, plastic-coated, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- plastic-coated handrims for one-arm drive
- standard wheel locks, push-to-lock, pull-to-lock
- rear mag wheels, solid or semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- rear mag wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- front wheels, solid tires, 12.7 cm (5 in.)
- front wheels, solid tires, 15.2 cm (6 in.)

- front wheels, solid tires, 20.3 cm (8 in.) X 2.5 cm (1 in.)
- front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm (1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.)
- front wheels, semi-pneumatic tires, 20.3 cm (8 in.) X 3.8 cm (1½ in.)
- front wheels, inner tube tires, 20.3 cm (8 in.) X 4.4 cm (1³/₄ in.)
- standard forks, 15.2 cm (6 in.), compatible with 12.7 cm (5 in.), 15.2 cm (6 in.) and 20.3 cm (8 in.) wheels
- short forks, 12.1 cm (4³/₄ in.), compatible with 12.7 cm (5 in.) wheels
- fork stems, $+3.8 \text{ cm} (1\frac{1}{2} \text{ in.})$
- threaded axles, quick-release
- extension plates for amputees

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	Basic and Optional Components		
	Body support system		
	Seat and back:		
4051116	supple back, nylon	N/C	64.00
+4054763	back, angle-adjustable, -3°, 0°, 6°, 12°, 15°	N/C	N/A
4051090	supple back, tension-adjustable	76.00	140.00
4051124	supple seat, nylon	N/C	55.00
4051512	supple seat, padded nylon	N/C	55.00
4050019	modification of seat height from 33.0 cm (13 in.) to 39.4 cm	65.00	N/A
	(15½ in.), on ultra-hemi frame		
4050027	modification of seat width to 48.3 cm (19 in.) or to 50.8 cm	75.00	N/A
	(20 in.)		
4050035	modification of seat depth to 43.2 cm (17 in.) or to 45.7 cm	78.00	N/A
	(18 in.)		
	seat cushion, flat, foam, 5.1 cm (2 in.)	58.00	58.00
4050076	seat cushion, flat, foam, 7.6 cm (3 in.)	58.00	58.00
4051173	seat cushion, flat, foam, 10.2 cm (4 in.)	58.00	58.00
4051181	safety belt, velcro-type	N/C	29.00
4050100	safety belt, auto-type	N/C	42.00
4052353	headrest, small, medium, large	99.00	106.00
4052361	headrest mounting, articulated	159.00	173.00
+4054797	transversal bar for headrest mounting	130.00	N/A
4050084	backposts with push handles	N/C	36.00
	Armrests:		
4051652		N/C	131.00
4051052	U-type armrests, detachable, flip-back, height-adjustable, from 22.9 cm (9 in.) to 33.0 cm (13 in.), short, long	N/C	131.00
. 405 4905	` ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	8.00	125.00
	T-type armrests, detachable, height-adjustable, short, long	8.00 N/C	135.00 15.00
	armrest pads, straight, short	N/C N/C	18.00
	armrest pads, straight, long clothing guards, flexible	N/C N/C	22.00
	clothing guards, rigid	N/C N/C	68.00
4051250	cionning guards, rigid	N/C	08.00
	Footrests:		
4050167	60° footrests, parallel, detachable, swingaway, length-	N/C	55.00
	adjustable, from 33.0 cm (13 in.) to 45.7 cm (18 in.)		
4050175	70° footrests, parallel, detachable, swingaway, length-	N/C	55.00
	adjustable, from 33.0 cm (13 in.) to 45.7 cm (18 in.)	,, -	
4054557	elevating legrests	108.00	109.00
	elevating legrests, with compensating mechanism	200.00	155.00
	padded calfrests for elevating legrests	N/C	19.00
	padded calfrests for elevating legrests, with compensating	N/C	40.00
-	mechanism		

		(444411411414	, 6151511)
4050209	single calf strap	19.00	19.00
	double calf strap	33.00	33.00
	folding footplates, standard	N/C	49.00
	oversized footplates	74.00	86.00
	folding footplates, angle and depth-adjustable, standard size	54.00	76.00
	aluminum footplates for elevating legrests	N/C	49.00
		N/C N/C	10.00
	heel loops, adjustable		
4050200	modification of footrest length from 45.7 cm (18 in.) to	31.00	30.00
	52.1 cm (20½ in.)		
	E		
4050216	Frame:	N/C	22.00
	anti-tip rollers	N/C	
	cane holder	45.00	45.00
+4055406	tie-down points for adapted transport	N/C	N/C
	D: /		
4050202	Drive systems:	N/C	60.00
4050282	smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm	N/C	60.00
40=4=4	(24 in.)	37/6	00.00
4054516	plastic-coated handrims, 50.8 cm (20 in.), 55.9 cm (22 in.),	N/C	88.00
	61.0 cm (24 in.)		
	plastic-coated handrims for one-arm drive	N/C	97.00
4050308	handrims with vertical or oblique projections, 61.0 cm	90.00	105.00
	(24 in.)		
4050274	one-arm dual handrim drive	399.00	522.00
40.50000	Wheel locks:	27/6	40.00
	standard wheel locks, push-to-lock, pull-to-lock	N/C	40.00
	wheel lock extensions	26.00	13.00
4050357	anti-rollback brakes	68.00	34.00
40.50.44.5	Wheels:	27/6	10.00
4050415	rear mag wheels, solid or semi-pneumatic tires, 50.8 cm	N/C	136.00
40.50.405	(20 in.)	27/6	10.00
4050407	rear mag wheels, solid or semi-pneumatic tires, 55.9 cm	N/C	136.00
	(22 in.), 61.0 cm (24 in.)		
	rear mag wheels, standard pressure, 50.8 cm (20 in.)	N/C	136.00
4051728	rear mag wheels, standard pressure, 55.9 cm (22 in.), 61.0 cm	N/C	113.00
	(24 in.)		
	front wheels, solid tires, 12.7 cm (5 in.)	N/C	47.00
	front wheels, solid tires, 15.2 cm (6 in.)	N/C	62.00
	front wheels, solid tires, 20.3 cm (8 in.) X 2.5 cm (1 in.)	N/C	63.00
4051736	front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm	N/C	89.00
	$(1\frac{1}{2} \text{ in.}), 15.2 \text{ cm } (6 \text{ in.}) \text{ X } 3.8 \text{ cm } (1\frac{1}{2} \text{ in.})$		
4052098	front wheels, semi-pneumatic tires, 20.3 cm (8 in.) X 3.8 cm	N/C	99.00
	$(1\frac{1}{2} in.)$		
4050472	front wheels, inner tube tires, 20.3 cm (8 in.) X 4.4 cm	N/C	63.00
	(1¾ in.)		

	Forks:		
4050365	standard forks, 15.2 cm (6 in.), compatible with 12.7 cm	N/C	32.00
4051520	(5 in.), 15.2 cm (6 in.) and 20.3 cm (8 in.) wheels	NIG	22.00
4051538	short forks, 12.1 cm (4¾ in.), compatible with 12.7 cm (5 in.) wheels	N/C	32.00
4054490	fork stems, +3.8 cm (1½ in.)	N/C	16.00
	Rear axles:		
4050381	threaded axles	N/C	18.00
4051371	quick-release axles	N/C	33.00
4051546	extension plates for amputees	N/C	N/A
	Non S.C. components for which supporting document must be kept on file:		
4050480	spoke guards	70.00	35.00

+4056800 MANUAL WHEEL CHAIR QUICKIE LXG MODEL

PRICE 1,280.00

Basic Components

Body support system

- supple back, nylon
- fixed back, angle-adjustable from 85° to 115°
- supple seat, nylon
- back height: from 38.1 cm (15 in.) to 50.8 cm (20 in.)
- front seat height: from 34.3 cm ($13\frac{1}{2}$ in.) to 52.1 cm ($20\frac{1}{2}$ in.)
- seat width: from 35.6 cm (14 in.) to 45.7 cm (18 in.)
- seat depth: 40.6 cm (16 in.)
- safety belt, velcro-type, auto-type
- backposts with push handles

Armrests

- U-type armrests, detachable, flip-back, height-adjustable, from 21.6 cm (8½ in.) to 34.9 cm (13¾ in.), short, long
- armrest pads, straight, short, long

Footrests

- 60°, 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- padded calfrests
- folding footplates, standard
- folding footplates, aluminum, for elevating legrests
- heel loops, adjustable

Frame

- anti-tip rollers
- tie-down points for adapted transport

Drive, brake, wheel, fork and axle systems

- handrims, smooth, plastic-coated, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- standard wheel locks, push-to-lock, pull-to-lock
- rear mag wheels, solid tires, 50.8 cm (20 in.)
- rear mag wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.)
- rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- rear mag wheels, standard pressure, 50.8 cm (20 in.)
- rear mag wheels, standard pressure, 55.9 cm (22 in.), 61.0 cm (24 in.)
- front wheels, solid tires, 10.2 cm (4 in.)
- front wheels, solid tires, 12.7 cm (5 in.)

- front wheels, solid tires, 15.2 cm (6 in.)
- front wheels, solid tires, 17.8 cm (7 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)
- front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm (1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.), 20.3 cm (8 in.) X 3.8 cm (1½ in.)
- front wheels, inner tube tires, 20.3 cm (8 in.) X 3.2 cm (1¹/₄ in.)
- standard forks, 15.2 cm (6 in.), short forks, 13.3 cm (5¼ in.), high forks, 17.8 cm (7 in.), compatible with 12.7 cm (5 in.), 15.2 cm (6 in.), 20.3 cm (8 in.) and 20.3 cm (8 in.) X 5.1 cm (2 in.) wheels
- high forks, 17.8 cm (7 in.) compatible with 20.3 cm (8 in.) X 5.1 cm (2 in.) wheels
- long stems, $+1.9 \text{ cm} (\frac{3}{4} \text{ in.})$, $+3.8 \text{ cm} (\frac{1}{2} \text{ in.})$
- threaded axles, quick-release
- extension plate for amputees

Updated: February 16, 2016 185

Price upon initial

Price upon

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	Basic and Optional Components		
	Body support system		
	Seat and back:		
	supple back, nylon	N/C	64.00
	back, angle-adjustable from 85° to 115°	N/C	N/A
	supple back, tension-adjustable	76.00	140.00
	supple seat, nylon	N/C	55.00
	rigid seat, flat	120.00	175.00
+4054870	modification of seat width to 48.3 cm (19 in.) and to 50.8 cm	98.00	N/A
+4054888	(20 in.) modification of seat depth to 35.6 cm (14 in.) and to 38.1 cm (15 in.)	41.00	N/A
+4054896	modification of seat depth to 43.2 cm (17 in.) and to 45.7 cm (18 in.)	69.00	N/A
4050068	seat cushion, flat, foam, 5.1 cm (2 in.)	58.00	58.00
	seat cushion, flat, foam, 7.6 cm (3 in.)	58.00	58.00
	seat cushion, flat, foam, 10.2 cm (4 in.)	58.00	58.00
	safety belt, velcro-type	N/C	29.00
	safety belt, auto-type	N/C	42.00
	safety belt, airplane-type	50.00	79.00
	headrest, small, medium, large	99.00	106.00
4052361	headrest mounting, articulated	159.00	173.00
+4054987	transversal bar for headrest mounting	200.00	212.00
+4054995	backposts with push handles	N/C	30.00
	Armrests:		
+4055018	U-type armrests, detachable, flip-back, height-adjustable,	N/C	131.00
	from 21.6 cm (8½ in.) to 34.9 cm (13¾ in.), short, long		
	armrest pads, straight, short	N/C	15.00
4050142	armrest pads, straight, long	N/C	18.00
40.5066	Footrests:	NIG	55.00
	footrests, 60°, 70°, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)	N/C	55.00
	elevating legrests	108.00	109.00
	padded calfrests	N/C	19.00
	single calf strap	19.00	19.00
	folding footplates, standard	N/C	49.00
	folding footplates, angle and depth-adjustable, standard	54.00	76.00
	folding footplates, aluminum, for elevating legrests	N/C	49.00
	heel loops, adjustable	N/C	10.00
+4033123	modification of footrest length from 48.3 cm (19 in.) to 52.1 cm (20½ in.)	31.00	30.00

	Frame:		
4050316	anti-tip rollers	N/C	22.00
+4055406	tie-down points for adapted transport	N/C	N/A
4051306	cane holder	45.00	45.00
40.5000	Drive systems:	NYG	60.00
4050282	smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm	N/C	60.00
1051516	(24 in.) plastic-coated handrims, 50.8 cm (20 in.), 55.9 cm (22 in.),	N/C	88.00
4034310	61.0 cm (24 in.)	IV/C	88.00
4051686	non-slip handrims, 55.9 cm (22 in.), 61.0 cm (24 in.)	168.00	144.00
1001000			
	Wheel locks:		
4050332	standard wheel locks, push-to-lock, pull-to-lock	N/C	40.00
4051355	wheel lock extensions	26.00	13.00
4055016	Wheels:	NG	126.00
	rear mag wheels, solid tires, 50.8 cm (20 in.)	N/C	136.00
+4055224	rear mag wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C	136.00
4051470	rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.),	N/C	136.00
4051470	55.9 cm (22 in.), 61.0 cm (24 in.)	14/6	130.00
4051488	rear mag wheels, standard pressure, 50.8 cm (20 in.)	N/C	136.00
	rear mag wheels, standard pressure, 55.9 cm (22 in.), 61.0 cm	N/C	113.00
	(24 in.)		
4052478	front wheels, solid tires, 10.2 cm (4 in.)	N/C	60.00
	front wheels, solid tires, 12.7 cm (5 in.)	N/C	47.00
	front wheels, solid tires, 15.2 cm (6 in.)	N/C	62.00
+4055299	front wheels, solid tires, 17.8 cm (7 in.), 20.3 cm (8 in.) X	N/C	63.00
4051537	2.5 cm (1 in.)	N/C	00.00
4051736	front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm ($1\frac{1}{2}$ in.), 15.2 cm (6 in.) X 3.8 cm ($1\frac{1}{2}$ in.)	N/C	89.00
4052098	front wheels, semi-pneumatic tires, 20.3 cm (8 in.) X 3.8 cm	N/C	99.00
4052070	(1½ in.)	14/6	<i>))</i> .00
4051017	front wheels, inner tube tires, 20.3 cm (8 in.) X 3.2 cm	N/C	63.00
	$(1\frac{1}{4} \text{ in.})$		
	Forks:		
+4055331	standard forks, 15.2 cm (6 in.); short forks, 13.3 cm (5¼ in.);	N/C	32.00
	high forks, 17.8 cm (7 in.); compatible with 12.7 cm (5 in.),		
	15.2 cm (6 in.), 17.8 cm (7 in.), 20.3 cm (8 in.) and 20.3 cm		
4053074	(8 in.) X 5.1 cm (2 in.) wheels	N/C	16.00
4052064	long stems, $+ 1.9 \text{ cm} (\frac{3}{4} \text{ in.}), + 3.8 \text{ cm} (\frac{1}{2} \text{ in.})$	N/C	16.00
	Rear axles:		
+4055356	threaded axles	N/C	11.00
	quick-release axles	N/C	33.00
	extension plates for amputees	N/C	N/A

Non S.C. components for which supporting document must be kept on file:

4050480 spoke guards 70.00 35.00

PRICE

4052007 MANUAL WHEEL CHAIR QUICKIE 2 ADULT MODEL

1,675.00

Basic Components

Body support system

- supple back, nylon, fixed, angle-adjustable
- supple seat, nylon
- fixed back height: from 21.6 cm (8½ in.) to 47.0 cm (18½ in.)
- back height, angle-adjustable: from 30.5 cm (12 in.) to 53.3 cm (21 in.)
- front seat height: from 36.8 cm (14½ in.) to 54.6 cm (21½ in.)
- seat width: from 35.6 cm (14 in.) to 50.8 cm (20 in.)
- seat depth: 40.6 cm (16 in.)
- backposts, angle adjustable from -3°, to + 15°, 3 positions
- safety belt, velcro-type, auto-type
- backposts with push handles

Armrests

- U-type armrests, detachable, flip-back, height-adjustable, from 22.9 cm (9 in.) to 33.0 cm (13 in.), short, long
- L-type armrests, detachable, swingaway, height-adjustable, from 21.6 cm (8½ in.) to 30.5 cm (12 in.), short
- armrest pads, straight, short, long
- armrest pads, tubular
- clothing guards, flexible, rigid

Footrests

- 60°, 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- 70°, 80°, 90° footrests, parallel, detachable, swingaway, length-adjustable, from 15.2 cm (6 in.) to 30.5 cm (12 in.)
- 70° footrests, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- padded calfrests
- padded calfrests for elevating legrests, with compensating mechanism
- folding footplates, standard
- folding footplates, tubular
- aluminum footrests for elevating legrests
- heel loops, adjustable

Frame

- growth kit, including: seat, back, footrests, front frame and crossbars (once only during first three years, for first user)
- anti-tip rollers
- tie-down points for adapted transport

Drive, brake, wheel, fork and axle systems

- handrims, smooth, plastic-coated, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)
- small plastic-coated handrim for one-arm drive
- standard wheel locks, push-to-lock, pull-to-lock
- rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- rear mag wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.),
 61.0 cm (24 in.)
- spoked rear wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.),
 61.0 cm (24 in.)
- spoked rear wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)
- spoked rear wheels, high pressure, 61.0 cm (24 in.), 66.0 cm (26 in.)
- front wheels, solid tires, 12.7 cm (5 in.), 15.2 cm (6 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)
- front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm (1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.), 20.3 cm (8 in.) X 3.8 cm (1½ in.)
- front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm (1¹/₄ in.), 20.3 cm (8 in.) X 3.2 cm (1¹/₄ in.)
- standard forks, 15.2 cm (6 in.); short forks, 13.3 cm (5¼ in.), high forks, 17.8 cm (7 in.), compatible with 12.7 cm (5 in.), 15.2 cm (6 in.) and 20.3 cm (8 in.) wheels
- high forks, 17.8 cm (7 in.), compatible with 20.3 cm (8 in.) X 5.1 cm (2 in.) wheels
- multi-position forks for 12.7 cm (5 in.), 15.2 cm (6 in.), 20.3 cm (8 in.) wheels
- fork stems, $+1.9 \text{ cm} (\frac{3}{4} \text{ in.})$, $+3.8 \text{ cm} (\frac{1}{2} \text{ in.})$
- threaded axles, quick-release
- multi-position plates for centre of gravity
- multi-position plates for centre of gravity, with compensating mechanism
- rear wheel camber, 3° , 6° , 9°

Price upon initial

Price upon

		purchase or replacement of wheel chair (price per pair, as applicable)	replacement of component (unit price)
	Basic and Optional Components		
	Body support system		
	Seat and back:		
4051116	supple back, nylon	N/C	64.00
4051090	supple back, tension-adjustable	76.00	140.00
4051082	back, angle and depth-adjustable	107.00	N/A
4051124	supple seat, nylon	N/C	55.00
+4055398	rigid seat, flat	120.00	175.00
4052023	modification of the height of fixed back from 48.3 cm	103.00	N/A
	(19 in.) to 55.9 cm (22 in.), straight handles or with 8° angle		
4051132	modification of seat depth to 35.6 cm (14 in.), 38.1 cm	40.00	N/A
	(15 in.), 43.2 cm (17 in.) or to 45.7 cm (18 in.)		
	seat cushion, flat, foam, 5.1 cm (2 in.)	58.00	58.00
	seat cushion, flat, foam, 7.6 cm (3 in.)	58.00	58.00
	seat cushion, flat, foam, 10.2 cm (4 in.)	58.00	58.00
4051181	safety belt, velcro-type	N/C	29.00
	safety belt, auto-type	N/C	42.00
	headrest, small, medium, large	99.00	106.00
	headrest mounting, articulated	159.00	173.00
	back spreader bar	130.00	N/A
	back spreader bar, folding	226.00	226.00
	backposts with push handles	N/C	20.00
	backposts, angle adjustable from -3° to + 15°, 3 positions	N/C	N/A
4051611	backposts with 8° angle, $31.8 \text{ cm} (12\frac{1}{2} \text{ in.})$ to $47.0 \text{ cm} (18\frac{1}{2} \text{ in.})$	14.00	27.00
	Armrests:		
4051652	U-type armrests, detachable, flip-back, height-adjustable, from 22.9 cm (9 in.) to 33.0 cm (13 in.), short, long	N/C	131.00
4051645	T-type armrests, detachable, height-adjustable, from 22.9 cm (9 in.) to 35.6 cm (14 in.), short, long	78.00	135.00
4051637	L-type armrests, detachable, swingaway, height-adjustable, from 21.6 cm (8½ in.) to 30.5 cm (12 in.), short	N/C	96.00
4050134	armrest pads, straight, short	N/C	15.00
	armrest pads, straight, long	N/C	18.00
	armrest pads, tubular	N/C	2.00
	clothing guards, flexible	N/C	22.00
	clothing guards, rigid	N/C	68.00

	Footrests:		
4050662	60°, 70° footrests, parallel, detachable, swingaway, length-	N/C	55.00
	adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)		
4051264	70° footrests, tapered, detachable, swingaway, length-	N/C	55.00
	adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)		
4054532	70°, 80°, 90° footrests, parallel, detachable, swingaway,	N/C	57.00
	length-adjustable, from 15.2 cm (6 in.) to 30.5 cm (12 in.)		
4052080	70°, 80° footrests, heavy-duty, non flip-back	64.00	87.00
	elevating legrests	108.00	109.00
	elevating legrests, with compensating mechanism	200.00	155.00
	padded calfrests	N/C	19.00
4052205	contoured calfrests	72.00	55.00
4052213	padded calfrests for elevating legrests, with compensating	N/C	40.00
	mechanism		
4050209	single calf strap	19.00	19.00
4050217	double calf strap	33.00	33.00
4050746	oversized footplates	74.00	86.00
	folding footplates, standard	N/C	49.00
4050712	folding footplates tubular	N/C	49.00
4050704	folding footplates, angle and depth-adjustable, standard size	54.00	76.00
4052379	folding footplates, angle-adjustable, locking	80.00	178.00
4054565	full-width footplate, folding, angle-adjustable	85.00	183.00
	aluminum footplates for elevating legrests	N/C	49.00
	heel loops, adjustable	N/C	10.00
4050761	modification of the length of footrests from 48.3 cm (19 in.)	31.00	30.00
	to 54.6 cm (21½ in.)		
4052403	modification of length of 70°, 80° and 90° footrests by	32.00	31.00
	5.1 cm (2 in.) and by 10.2 cm (4 in.)		
4054573	raised footplate mountings, 17.8 cm (7 in.) to 34.3 cm	56.00	34.00
	$(13\frac{1}{2} \text{ in.})$ in length		
4052221	front impact guards with rollers	38.00	19.00
	Frame:		
4051140	growth kit, including: seat, back, footrests, front frame and	N/C	N/A
40.5024.6	crossbars (once only during first three years, for first user)	NIG	22.00
	anti-tip rollers	N/C	22.00
	tie-down points for adapted transport	N/C	N/A
	cane holder	45.00	45.00
	extra-long frame, depths : 48.3 cm (19 in.), 50.8 cm (20 in.)	52.00	N/A
4054607	optional heavy-duty frame, width: 45.7 cm (18 in.) to	371.00	N/A
	55.9 cm (22 in.), 158.8 kg (350 lb), including stabilizing bar		
	and double crossbar		
	Drive exeteme		
4054581	Drive systems: smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm	N/C	60.00
4034301	(24 in.), 66.0 cm (26 in.)	IN/C	00.00
4054500	plastic-coated handrims, 50.8 cm (20 in.), 55.9 cm (22 in.),	N/C	88.00
サリンサンフグ	61.0 cm (24 in.), 66.0 cm (26 in.)	1 1/ C	00.00
4052056	small plastic-coated handrim for one-arm drive	N/C	97.00
TUJ4UJU	oman prastic-coated nandrini for one-arm drive	14/	71.00

4050308	handrims with vertical or oblique projections, 61.0 cm (24 in.)	90.00	105.00
	non-slip handrims, 55.9 cm (22 in.), 61.0 cm (24 in.) one-arm dual handrim drive	168.00 562.00	144.00 709.00
4051355 4050357	Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions anti-rollback brakes wheel locks, push-to-lock, unilateral control	N/C 26.00 68.00 128.00	40.00 13.00 34.00 N/A
4051470	Wheels: rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C	136.00
	rear mag wheels, standard pressure, 50.8 cm (20 in.) rear mag wheels, standard pressure, 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C N/C	136.00 113.00
4051413	spoked rear wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C	153.00
4051439		N/C	136.00
4051447	spoked rear wheels, high pressure, 61.0 cm (24 in.), 66.0 cm (26 in.)	N/C	136.00
4051710	rear wheels, heavy-duty, standard pressure, high pressure, 61.0 cm (24 in.)	126.00	199.00
4051496 4050993	front wheels, solid tires, 12.7 cm (5 in.) front wheels, solid tires, 15.2 cm (6 in.) front wheels, solid tires, 20.3 cm (8 in.) X 2.5 cm (1 in.) front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm	N/C N/C N/C N/C	47.00 62.00 63.00 89.00
4052098	(1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.) front wheels, semi-pneumatic tires, 20.3 cm (8 in.) X 3.8 cm (1½ in.)	N/C	99.00
4051744	front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 5.1 cm (2 in.)	68.00	81.00
4051025	front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm (1½ in.)	N/C	62.00
4051017	front wheels, inner tube tires, 20.3 cm (8 in.) X 3.2 cm (1½ in.)	N/C	63.00
4051033	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)	48.00	72.00
4051694	Forks: standard forks, 15.2 cm (6 in.); short forks, 13.3 cm (5¼ in.); high forks, 17.8 cm (7 in.); compatible with 12.7 cm (5 in.), 15.2 cm (6 in.) and 20.3 cm (8 in.) wheels	N/C	32.00
4051702		N/C	37.00
4052247		N/C	56.00
	fork stems, +1.9 cm (¾ in.), +3.8 cm (1½ in.) fork-locking mechanism	N/C 46.00	16.00 23.00

	Rear axles:		
4052445	threaded axles	N/C	33.00
4051371	quick-release axles	N/C	33.00
4051405	extension plates for amputees	42.00	73.00
+4055414	multi-position plates for centre of gravity	N/C	52.00
+4055422	multi-position plates for centre of gravity, with compensating	N/C	65.00
	mechanism		
4051785	multi-position plates, curved	28.00	66.00
+4055430	rear wheel camber from 3°, 6°, 9°	N/C	N/A
	Non S.C. components for which supporting document must be kept on file:		
	spoke guards	70.00	35.00
4051058	quick-release axles with lever mechanism	66.00	66.00

PRICE

4053005 MANUAL WHEEL CHAIR QUICKIE 2 HP ADULT MODEL

1.675.00

Basic Components

Body support system

- supple back, nylon
- supple seat, nylon
- back height: from 21.6 cm (8½ in.) to 47.0 cm (18½ in.)
- back height: from 30.5 cm (12 in.) to 53.3 cm (21 in.) with angle-adjustable back
- front seat height: from 43.2 cm (17 in.) to 58.4 cm (23 in.)
- seat width: from 35.6 cm (14 in.) to 50.8 cm (20 in.)
- seat depth: 40.6 cm (16 in.)
- safety belt, velcro-type, auto-type
- backposts with push handles
- backposts, angle adjustable from -3° to + 15°, 3 positions

Armrests

- U-type armrests, detachable, flip-back, height-adjustable, from 22.9 cm (9 in.) to 33.0 cm (13 in.), short, long
- L-type armrests, detachable, swingaway, height-adjustable, from 21.6 cm (8½ in.) to 30.5 cm (12 in.), short
- armrest pads, straight, short, long
- armrest pads, tubular
- clothing guards, flexible, rigid

Footrests

- 60° , 70° footrests, fixed, parallel, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- folding footplates, standard
- folding footplates, tubular
- heel loops, adjustable

Frame

- anti-tip rollers
- tie-down points for adapted transport

Drive, brake, wheel, fork and axle systems

- handrims, smooth, plastic-coated, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)
- small plastic-coated handrim for one-arm drive
- standard wheel locks, push-to-lock, pull-to-lock
- rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)

- rear mag wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- spoked rear wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- spoked rear wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)
- spoked rear wheels, high pressure, 61.0 cm (24 in.), 66.0 cm (26 in.)
- front wheels, solid tires, 7.6 cm (3 in.), 10.2 cm (4 in.), 12.7 cm (5 in.), 15.2 cm (6 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)
- front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm (1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.), 20.3 cm (8 in.) X 3.8 cm (1½ in.)
- front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm (1¼ in.), 20.3 cm (8 in.) X 3.2 cm (1¼ in.)
- standard forks, 15.2 cm (6 in.); short forks, 13.3 cm (5¼ in.); high forks, 17.8 cm (7 in.), compatible with 12.7 cm (5 in.), 15.2 cm (6 in.) and 20.3 cm (8 in.) wheels
- high forks, 17.8 cm (7 in.) compatible with 20.3 cm (8 in.) X 5.1 cm (2 in.) wheels
- multi-position forks for 12.7 cm (5 in.), 15.2 cm (6 in.), 20.3 cm (8 in.) wheels
- fork stems, $+1.9 \text{ cm} (\frac{3}{4} \text{ in.})$, $+3.8 \text{ cm} (\frac{1}{2} \text{ in.})$
- threaded axles, quick-release
- multi-position plates for centre of gravity
- multi-position plates for centre of gravity, with compensating mechanism
- rear wheel camber from 3° , 6° , 9°

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	Basic and Optional Components		
	Body support system		
	Seat and back:		
4051116	supple back, nylon	N/C	64.00
4051090	supple back, tension-adjustable	76.00	140.00
	supple seat, nylon	N/C	55.00
	rigid seat, flat	120.00	175.00
4052023	modification of back height from 48.3 cm (19 in.) to 55.9 cm	103.00	N/A
	(22 in.), straight handles or with 8° angle		
4051629	modification of seat depth to 35.6 cm (14 in.), to 38.1 cm	48.00	N/A
	(15 in.), to 43.2 cm (17 in.) or to 45.7 cm (18 in.)		
	seat cushion, flat, foam, 5.1 cm (2 in.)	58.00	58.00
	seat cushion, flat, foam, 7.6 cm (3 in.)	58.00	58.00
	seat cushion, flat, foam, 10.2 cm (4 in.)	58.00	58.00
	safety belt, velcro-type	N/C	29.00
	safety belt, auto-type	N/C	42.00
	headrest, small, medium, large	99.00	106.00
	headrest mounting, articulated	159.00	173.00
	back spreader bar	130.00	N/A
	back spreader bar, folding	226.00	226.00
	backposts with push handles	N/C	20.00
	backposts, angle adjustable from -3° to + 15°, 3 positions	N/C 14.00	N/A 27.00
4051011	backposts with angle of 8°, from 31.8 cm (12½ in.) to 47.0 cm (18½ in.) with handles	14.00	27.00
	47.0 cm (1672 m.) with handles		
	Armrests:		
4051652	U-type armrests, detachable, flip-back, height-adjustable,	N/C	131.00
	from 22.9 cm (9 in.) to 33.0 cm (13 in.), short, long		
4051645	T-type armrests, detachable, height-adjustable, from 22.9 cm	78.00	135.00
	(9 in.) to 35.6 cm (14 in.), short, long		
4051637	L-type armrests, detachable, swingaway, height-adjustable,	N/C	96.00
	from 21.6 cm (8½ in.) to 30.5 cm (12 in.), short		
	armrest pads, straight, short	N/C	15.00
	armrest pads, straight, long	N/C	18.00
	armrest pads, tubular	N/C	2.00
	clothing guards, flexible	N/C	22.00
4051256	clothing guards, rigid	N/C	68.00
	Footrests:		
4051561	60°, 70° fixed footrests, parallel, length-adjustable, from	N/C	44.00
	35.6 cm (14 in.) to 48.3 cm (19 in.)	,, -	
4050209	single calf strap	19.00	19.00
	double calf strap	33.00	33.00
	-		

	folding footplates, standard	N/C	49.00
	oversized footplates	74.00	86.00
	folding footplates tubular	N/C	49.00
	folding footplates, angle and depth-adjustable, standard size	54.00	76.00
	full-width footplate, angle-adjustable	85.00	183.00
	heel loops, adjustable	N/C	10.00
4050761	modification of footrest length from 48.3 cm (19 in.) to	31.00	30.00
	$54.6 \text{ cm} (21\frac{1}{2} \text{ in.})$		
4054573	raised footplate mountings, 17.8 cm (7 in.) to 34.3 cm	56.00	34.00
	$(13\frac{1}{2} in.)$		
40,5004.6	Frame:	NIG	22.00
	anti-tip rollers	N/C	22.00
	tie-down points for adapted transport	N/C	N/A
	cane holder	45.00	45.00
	extra-long frame, depths: 48.3 cm (19 in.), 50.8 cm (20 in.)	52.00	N/A
4054607	heavy-duty option, width: from 45.7 cm (18 in.) to 55.9 cm	371.00	N/A
	(22 in.), 158.8 kg (350 lb), including back stabilizing bar and		
	double crossbar		
	D •		
40.5.4.504	Drive systems:	N/C	60.00
4054581	smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm	N/C	60.00
40 = 4 = 00	(24 in.), 66.0 cm (26 in.)	NIG	00.00
4054599	plastic-coated handrims, 50.8 cm (20 in.), 55.9 cm (22 in.),	N/C	88.00
40-40-5	61.0 cm (24 in.), 66.0 cm (26 in.)	27/6	0= 00
	small plastic-coated handrim for one-arm drive	N/C	97.00
4050308	handrims with vertical or oblique projections, 61.0 cm	90.00	105.00
	(24 in.)	4 -0 00	
	non-slip handrims, 55.9 cm (22 in.), 61.0 cm (24 in.)	168.00	144.00
4051322	one-arm dual handrim drive	562.00	709.00
	Wheel lealers		
4050222	Wheel locks:	N/C	40.00
	standard wheel locks, push-to-lock, pull-to-lock	N/C	40.00
	wheel lock extensions	26.00	13.00
	scissor-type wheel locks	26.00	53.00
	anti-rollback brakes	68.00	34.00
4052239	wheel locks, push-to-lock, unilateral control	128.00	N/A
	Wheels:		
4051470	rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.),	N/C	136.00
4031470	55.9 cm (22 in.), 61.0 cm (24 in.)	1V/C	130.00
4051499	rear mag wheels, standard pressure, 50.8 cm (20 in.)	N/C	136.00
	rear mag wheels, standard pressure, 55.9 cm (22 in.), 61.0 cm	N/C	113.00
TUS1/40	(24 in.)	IN/C	113.00
1051112	spoked rear wheels, semi-pneumatic tires, 50.8 cm (20 in.),	N/C	153.00
4031413		IN/C	133.00
4051 420	55.9 cm (22 in.), 61.0 cm (24 in.)	NI/C	126.00
4031439	spoked rear wheels, standard pressure, 50.8 cm (20 in.),	N/C	136.00
1051445	55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)	NI/C	126.00
403144/	spoked rear wheels, high pressure, 61.0 cm (24 in.), 66.0 cm	N/C	136.00
	(26 in.)		

4051710	rear wheels, heavy-duty, standard pressure, high pressure,	126.00	199.00
4051002	61.0 cm (24 in.)	N/C	67.00
	front wheels, solid tires, 7.6 cm (3 in.)	N/C N/C	67.00
	front wheels, solid tires, 10.2 cm (4 in.)	N/C N/C	60.00 47.00
	front wheels, solid tires, 12.7 cm (5 in.) front wheels, solid tires, 15.2 cm (6 in.)		62.00
		N/C	
	front wheels, solid tires, 20.3 cm (8 in.) X 2.5 cm (1 in.)	N/C	63.00
4051/30	front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm	N/C	89.00
4053000	$(1\frac{1}{2} \text{ in.})$, 15.2 cm (6 in.) X 3.8 cm ($1\frac{1}{2} \text{ in.}$)	N/C	00.00
4052098	front wheels, semi-pneumatic tires, 20.3 cm (8 in.) X 3.8 cm	N/C	99.00
4051544	(1½ in.)	69.00	01.00
4051744	front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 5.1 cm	68.00	81.00
4051025	(2 in.)	N/C	62.00
4051025	front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm	N/C	62.00
4051017	(1½ in.)	N/C	62.00
4051017	front wheels, inner tube tires, 20.3 cm (8 in.) X 3.2 cm	N/C	63.00
4051022	(1½ in.)	48.00	72.00
4051055	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)	48.00	72.00
	Forks:		
4051694	standard forks, 15.2 cm (6 in.); short forks, 13.3 cm (5 ¹ / ₄ in.);	N/C	32.00
TU31U/T	high forks, 17.8 cm (7 in.); compatible with 12.7 cm (5 in.),	14/6	32.00
	15.2 cm (6 in.) and 20.3 cm (8 in.) wheels		
4051702	high forks, 17.8 cm (7 in.) compatible with 20.3 cm (8 in.) X	N/C	37.00
4031702	5.1 cm (2 in.) wheels	14/6	37.00
4052247	multi-position forks for 12.7 cm (5 in.), 15.2 cm (6 in.),	N/C	56.00
TUS22T1	20.3 cm (8 in.) wheels	14/6	30.00
4052064	fork stems, $+1.9 \text{ cm} (\sqrt[3]{4} \text{ in.})$, $+3.8 \text{ cm} (\sqrt{11/2} \text{ in.})$	N/C	16.00
	fork-locking mechanism	46.00	23.00
4020002	Tork focking incommism	10.00	23.00
	Rear axles:		
4052445	threaded axles	N/C	33.00
4051371	quick-release axles	N/C	33.00
	heavy-duty axles	102.00	84.00
	extension plates for amputees	42.00	73.00
	multi-position plates for centre of gravity	N/C	52.00
	multi-position plates for centre of gravity, with compensating	N/C	65.00
	mechanism		
4051785	multi-position plates, curved	28.00	66.00
	rear wheel camber, 3°, 6°, 9°	N/C	N/A
	Non S.C. components for which supporting document		
	must be kept on file:	= 0.00	27.00
4050480	spoke guards	70.00	35.00
	quick-release axles with lever mechanism	66.00	66.00
	•		

SUPPLIER: ORTHOFAB INC

PRICE

+4064200 MANUAL WHEEL CHAIR CH MODEL

819.00

Basic Components

Body support system

- fixed back, angle-adjustable, height-adjustable, from 40.6 cm (16 in.) to 50.8 cm (20 in.)
- supple seat and back, nylon
- seat height: from 33.7 cm (13¹/₄ in.) to 48.9 cm (19¹/₄ in.)
- seat widths: 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.)
- seat depth: 40.6 cm (16 in.)
- safety belt, auto-type
- backposts with push handles

Armrests

- U-type armrests, detachable, flip-back, height-adjustable, from 22.9 cm (9 in.) to 33.0 cm (13 in.), long, with clothing guards, rigid
- armrest pads, straight, long

Footrests

- 70° footrests, parallel, detachable, swingaway, length-adjustable, from 40.6 cm (16 in.) to 48.3 cm (19 in.)
- padded calfrests
- folding footplates, standard
- heel loops, adjustable

Frame

- anti-tip rollers
- tie-down points for adapted transport

Drive, brake, wheel, fork and axle systems

- handrims, smooth, plastic-coated
- handrims, 1.3 cm (½ in.) closer
- standard wheel locks, push-to-lock
- rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- front wheels, solid tires, 7.6 cm (3 in.), 12.7 cm (5 in.), 15.2 cm (6 in.), 17.8 cm (7 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)
- front wheels, semi-pneumatic tires, 12.7 cm (5 in.), 15.2 cm (6 in.), 20.3 cm (8 in.) X 3.8 cm (1½ in.)
- standard forks, short
- fork stems, $+1.6 \text{ cm} (\frac{5}{8} \text{ in.})$, $+3.2 \text{ cm} (\frac{11}{4} \text{ in.})$
- multi-adjustable clamps
- threaded axles, quick-release

• plates for amputees

Updated: February 16, 2016 201

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	Basic and Optional Components		
	Body support system		
	Seat and back:		
4060117	supple back, nylon	N/C	69.00
4062964	back, angle-adjustable	N/C	N/A
4060018	supple back, tension-adjustable	74.00	143.00
	supple seat, nylon	N/C	57.00
+4064150	rigid seat, flat, 0 cm (0 in.), 2.5 cm (1 in.) seat depth	116.00	173.00
+4063657	modification of seat width, to 50.8 cm (20 in.)	101.00	N/A
+4063665	modification of seat depth, from 43.2 cm (17 in.), to 45.7 cm (18 in.)	101.00	N/A
4064135	seat cushion, flat, foam, 5.1 cm (2 in.)	59.00	59.00
	safety belt, velcro-type	23.00	63.00
4061982	safety belt, auto-type	N/C	40.00
4061990	safety belt, airplane-type	34.00	74.00
4063392	headrest, contoured, nylon	105.00	105.00
4063400	headrest mounting, articulated, uniball	135.00	135.00
4061289	back spreader bar	69.00	69.00
	back spreader bar with headrest support	99.00	99.00
4061768	backposts with push handles	N/C	N/A
+4063764	Armrests: U-type armrests, detachable, flip-back, height-adjustable,	N/C	140.00
11000701	from 22.9 cm (9 in.) to 33.0 cm (13 in.), long, with clothing guards, rigid	1,, 0	1.0.00
4062055	armrest pads, straight, long	N/C	15.00
	Footrests:		
+4063780	70 ° footrests, parallel, detachable, swingaway, length-adjustable, from 40.6 cm (16 in.) to 48.3 cm (19 in.)	N/C	84.00
+4063798		214.00	191.00
4060802	padded calfrests	N/C	20.00
	folding footplates, standard	N/C	27.00
4060380	footplates, angle and depth-adjustable, standard size	76.00	65.00
	footplates, angle and depth-adjustable, oversized	82.00	68.00
	heel loops, adjustable	N/C	14.00
4060729	front impact guards with rollers	36.00	18.00
	Frame:		
4062154	anti-tip rollers	N/C	46.00
	tie-down points for adapted transport	N/C	17.00
4060737	cane holder	40.00	40.00

	Drive systems:		
4062147	smooth handrims	N/C	54.00
4062139	plastic-coated handrims	N/C	85.00
+4064077	handrims, 1.3 cm (½ in. closer)	N/C	N/A
	Wheel locks:		
4062162	standard wheel locks, push-to-lock	N/C	53.00
	wheel lock extensions, retractable	40.00	20.00
4062295	wheel lock extensions, fixed	40.00	20.00
	Wheels:		
+4063939	rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.),	N/C	133.00
	55.9 cm (22 in.), 61.0 cm (24 in.)		
+4063947	front wheels, solid tires, 7.6 cm (3 in.), 12.7 cm (5 in.),	N/C	39.00
	15.2 cm (6 in.), 17.8 cm (7 in.), 20.3 cm (8 in.) X 2.5 cm		
10.62.12.6	(1 in.)	NG	60.00
4063426	front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm	N/C	60.00
	(1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.), 20.3 cm (8 in.) X 3.8 cm (1½ in.)		
10 10 100	Forks:		• • • • •
	standard forks, short	N/C	38.00
	fork stems, $+1.6 \text{ cm} (\frac{5}{8} \text{ in.}), +3.2 \text{ cm} (\frac{1}{4} \text{ in.})$	N/C	26.00
+4064093	multi-adjustable clamps	N/C	25.00
	Rear axles:		
4060497	threaded axles	N/C	5.00
	quick-release axles	N/C	44.00
4060554	plates for amputees	N/C	42.00
	Component under Special Consideration:		
+4064127	propulsion assistance module (PAM) *	1,795.00	1,795.00

SUPPLIER: ORTHOFAB INC.

4060000 MANUAL WHEEL CHAIR PRIMA MODEL

PRICE

1,696.00

Basic Components

Body support system

- supple back, nylon
- back, angle-adjustable
- back, height-adjustable: from 38.1 cm (15 in.) to 45.7 cm (18 in.)
- dynamic back
- backposts, fixed back, 90°, 96°
- backposts, angle-adjustable
- backposts, 0°, 8°, to 20.3 cm (8 in.)
- supple seat, nylon
- front seat height: from 34.0 cm (13\% in.) to 55.2 cm (21\% in.)
- seat width: from 35.6 cm (14 in.) to 58.4 cm (23 in.)
- seat depth: 40.6 cm (16 in.)
- safety belt, auto-type
- backposts with push handles
- back handles raised by 7.6 cm (3 in.)

Armrests

- U-type armrests, detachable, flip-back, height-adjustable, from 20.3 cm (8 in.) to 30.5 cm (12 in.), short, long
- L-type armrests, detachable, swingaway, height-adjustable, from 22.9 cm (9 in.) to 30.5 cm (12 in.), long
- armrest pads, straight, short, long
- L-type clothing guards, rigid, detachable

Footrests

- 60°, 70° footrests, parallel, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- padded calfrests
- folding footplates, tubular
- heel loops, adjustable

Frame

- anti-tip rollers
- tie-down points for adapted transport

Drive, brake, wheel, fork and axle systems

- handrims, smooth, plastic-coated
- handrims 1.3 cm (½ in.) closer
- central propulsion

- standard wheel locks, push-to-lock, pull-to-lock
- spoked rear wheels, solid tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- spoked rear wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- front wheels, solid tires, 12.7 cm (5 in.), 15.2 cm (6 in.), 17.8 cm (7 in.) X 2.5 cm (1 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)
- front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm (1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.), 20.3 cm (8 in.) X 3.8 cm (1½ in.)
- standard forks, short forks, high forks
- fork stems, $+1.6 \text{ cm} (\frac{5}{8} \text{ in.})$, $+3.2 \text{ cm} (\frac{11}{4} \text{ in.})$
- multi-adjustable clamps
- threaded axles, quick-release
- plates for amputees

Updated: February 16, 2016 205

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	Basic and Optional Components		
	Body support system		
	Seat and back:		
4060117	supple back, nylon	N/C	69.00
4062964	back, angle-adjustable	N/C	N/A
4060018	supple back, tension-adjustable	74.00	143.00
4061966	supple seat, nylon	N/C	57.00
4061750	rigid seat, flat, 0 cm (0 in.), 2.5 cm (1 in.), 5.1 cm (2 in.) seat	116.00	173.00
• • • • • •	pan		
4061065	modification of back height, 33.0 cm (13 in.), 35.6 cm	99.00	N/A
40.00001	(14 in.), and 48.3 cm (19 in.) to 55.9 cm (22 in.)	101.00	NT/A
4060091	modification of seat depth to 35.6 cm (14 in.), 38.1 cm (15 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.),	101.00	N/A
1061135	50.8 cm (20 in.) seat cushion, flat, foam, 5.1 cm (2 in.)	59.00	59.00
	seat cushion, flat, foam, 7.6 cm (3 in.)	59.00	59.00
	safety belt, velcro-type	23.00	63.00
	safety belt, verero-type safety belt, auto-type	N/C	40.00
	safety belt, airplane-type	34.00	74.00
	headrest, contoured, nylon	105.00	105.00
	headrest mounting, articulated, uniball	135.00	135.00
	back spreader bar	69.00	69.00
	back spreader bar with headrest support	99.00	99.00
	backposts with push handles	N/C	N/A
	back handles raised by 7.6 cm (3 in.)	N/C	N/A
	Armrests:		
4061099	U-type armrests, detachable, flip-back, height-adjustable,	N/C	140.00
	from 20.3 cm (8 in.) to 30.5 cm (12 in.), short, long		
4062006	L-type armrests, detachable, swingaway, height-adjustable,	N/C	48.00
	from 22.9 cm (9 in.) to 30.5 cm (12 in.), long		
4061321	1	N/C	12.00
	armrest pads, straight, long	N/C	15.00
	L-type clothing guards, rigid, detachable	N/C	65.00
4062071	modification of U-type armrest height, to - than 20.3 cm	79.00	N/A
. 4044051	(8 in.) or to + than 30.5 cm (12 in.)	20.00	NT/A
+4004051	7.6 cm (3 in.) armrests extensions	39.00	N/A
	Footrests:		
4060265	60° footrests, parallel, tapered, detachable, swingaway,	N/C	84.00
1000200	length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)	1 1/ C	31.00
4061339	70° footrests, parallel, tapered, detachable, swingaway,	N/C	84.00
	length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)		

4063582	90° footrests, parallel, detachable, swingaway, length-	86.00	127.00
	adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)		
+4064085	elevating legrests, from 35.6 cm (14 in.) to 48.3 cm (19 in.)	214.00	191.00
4061156	elevating legrests, with compensating mechanism, from	234.00	201.00
	35.6 cm (14 in.) to 48.3 cm (19 in.)		
4060802	padded calfrests	N/C	20.00
4060794	contoured calfrests	60.00	50.00
4060810	double calf strap	55.00	55.00
	folding footplates tubular	N/C	27.00
	oversized footplates, aluminum	44.00	49.00
	footplates, angle and depth-adjustable, standard size	76.00	65.00
	footplates, angle and depth-adjustable, oversized	82.00	68.00
	full-width footplate, angle and depth-adjustable	168.00	222.00
	heel loops, adjustable	N/C	14.00
	toe loops	30.00	15.00
	modification of footrest or legrest length, to – than 35.6 cm	79.00	N/A
4002931		79.00	1 N /A
4070730	(14 in.) or to + than 48.3 cm (19 in.)	26.00	10.00
4060729	front impact guards with rollers	36.00	18.00
	Frame:		
4062154	anti-tip rollers	N/C	46.00
	tie-down points for adapted transport	N/C	17.00
	cane holder	40.00	40.00
	folding mechanism with double crossbars	269.00	N/A
1002500	Totaling movement with doubte trooperate	203.00	1,111
	Drive systems:		
4062147	Drive systems: smooth handrims	N/C	54.00
		N/C N/C	54.00 85.00
4062139	smooth handrims		
4062139 4062113	smooth handrims plastic-coated handrims	N/C	85.00
4062139 4062113	smooth handrims plastic-coated handrims non-slip handrims handrims 1.3 cm (½ in.) closer	N/C 88.00	85.00 98.00
4062139 4062113 +4064077	smooth handrims plastic-coated handrims non-slip handrims handrims 1.3 cm (½ in.) closer Wheel locks:	N/C 88.00 N/C	85.00 98.00 N/A
4062139 4062113 +4064077 4062162	smooth handrims plastic-coated handrims non-slip handrims handrims 1.3 cm (½ in.) closer Wheel locks: standard wheel locks, push-to-lock, pull-to-lock	N/C 88.00 N/C	85.00 98.00 N/A 53.00
4062139 4062113 +4064077 4062162 4062170	smooth handrims plastic-coated handrims non-slip handrims handrims 1.3 cm (½ in.) closer Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions, retractable	N/C 88.00 N/C N/C 40.00	85.00 98.00 N/A 53.00 20.00
4062139 4062113 +4064077 4062162 4062170 4062295	smooth handrims plastic-coated handrims non-slip handrims handrims 1.3 cm (½ in.) closer Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions, retractable wheel lock extensions, fixed	N/C 88.00 N/C N/C 40.00 40.00	85.00 98.00 N/A 53.00 20.00 20.00
4062139 4062113 +4064077 4062162 4062170 4062295	smooth handrims plastic-coated handrims non-slip handrims handrims 1.3 cm (½ in.) closer Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions, retractable	N/C 88.00 N/C N/C 40.00	85.00 98.00 N/A 53.00 20.00
4062139 4062113 +4064077 4062162 4062170 4062295	smooth handrims plastic-coated handrims non-slip handrims handrims 1.3 cm (½ in.) closer Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions, retractable wheel lock extensions, fixed anti-rollback wheel locks	N/C 88.00 N/C N/C 40.00 40.00	85.00 98.00 N/A 53.00 20.00 20.00
4062139 4062113 +4064077 4062162 4062170 4062295 4062188	smooth handrims plastic-coated handrims non-slip handrims handrims 1.3 cm (½ in.) closer Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions, retractable wheel lock extensions, fixed anti-rollback wheel locks Wheels:	N/C 88.00 N/C N/C 40.00 40.00 86.00	85.00 98.00 N/A 53.00 20.00 20.00 43.00
4062139 4062113 +4064077 4062162 4062170 4062295 4062188	smooth handrims plastic-coated handrims non-slip handrims handrims 1.3 cm (½ in.) closer Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions, retractable wheel lock extensions, fixed anti-rollback wheel locks Wheels: rear mag wheels, solid tires, 50.8 cm (20 in.), 55.9 cm	N/C 88.00 N/C N/C 40.00 40.00	85.00 98.00 N/A 53.00 20.00 20.00
4062139 4062113 +4064077 4062162 4062170 4062295 4062188	smooth handrims plastic-coated handrims non-slip handrims handrims 1.3 cm (½ in.) closer Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions, retractable wheel lock extensions, fixed anti-rollback wheel locks Wheels: rear mag wheels, solid tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C 88.00 N/C N/C 40.00 40.00 86.00	85.00 98.00 N/A 53.00 20.00 20.00 43.00
4062139 4062113 +4064077 4062162 4062170 4062295 4062188	smooth handrims plastic-coated handrims non-slip handrims handrims 1.3 cm (½ in.) closer Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions, retractable wheel lock extensions, fixed anti-rollback wheel locks Wheels: rear mag wheels, solid tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.) rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.),	N/C 88.00 N/C N/C 40.00 40.00 86.00	85.00 98.00 N/A 53.00 20.00 20.00 43.00
4062139 4062113 +4064077 4062162 4062170 4062295 4062188 4060943 4062998	smooth handrims plastic-coated handrims non-slip handrims handrims 1.3 cm (½ in.) closer Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions, retractable wheel lock extensions, fixed anti-rollback wheel locks Wheels: rear mag wheels, solid tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.) rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C 88.00 N/C N/C 40.00 40.00 86.00	85.00 98.00 N/A 53.00 20.00 20.00 43.00 133.00
4062139 4062113 +4064077 4062162 4062170 4062295 4062188 4060943 4062998	smooth handrims plastic-coated handrims non-slip handrims handrims 1.3 cm (½ in.) closer Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions, retractable wheel lock extensions, fixed anti-rollback wheel locks Wheels: rear mag wheels, solid tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.) rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.) rear mag wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm	N/C 88.00 N/C N/C 40.00 40.00 86.00	85.00 98.00 N/A 53.00 20.00 20.00 43.00
4062139 4062113 +4064077 4062162 4062170 4062295 4062188 4060943 4062998 4061222	smooth handrims plastic-coated handrims non-slip handrims handrims 1.3 cm (½ in.) closer Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions, retractable wheel lock extensions, fixed anti-rollback wheel locks Wheels: rear mag wheels, solid tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.) rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.) rear mag wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C 88.00 N/C N/C 40.00 40.00 86.00 104.00 104.00	85.00 98.00 N/A 53.00 20.00 20.00 43.00 133.00 133.00
4062139 4062113 +4064077 4062162 4062170 4062295 4062188 4060943 4062998 4061222	smooth handrims plastic-coated handrims non-slip handrims handrims 1.3 cm (½ in.) closer Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions, retractable wheel lock extensions, fixed anti-rollback wheel locks Wheels: rear mag wheels, solid tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.) rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.) rear mag wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.) spoked rear wheels, solid tires, 50.8 cm (20 in.), 55.9 cm	N/C 88.00 N/C N/C 40.00 40.00 86.00	85.00 98.00 N/A 53.00 20.00 20.00 43.00 133.00
4062139 4062113 +4064077 4062162 4062170 4062295 4062188 4060943 4062998 4061222 4061370	smooth handrims plastic-coated handrims non-slip handrims handrims 1.3 cm (½ in.) closer Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions, retractable wheel lock extensions, fixed anti-rollback wheel locks Wheels: rear mag wheels, solid tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.) rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.) rear mag wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.) spoked rear wheels, solid tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C 88.00 N/C N/C 40.00 40.00 86.00 104.00 104.00 N/C	85.00 98.00 N/A 53.00 20.00 20.00 43.00 133.00 133.00 81.00
4062139 4062113 +4064077 4062162 4062170 4062295 4062188 4060943 4062998 4061222	smooth handrims plastic-coated handrims non-slip handrims handrims 1.3 cm (½ in.) closer Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions, retractable wheel lock extensions, fixed anti-rollback wheel locks Wheels: rear mag wheels, solid tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.) rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.) rear mag wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.) spoked rear wheels, solid tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.) spoked rear wheels, semi-pneumatic tires, 50.8 cm (20 in.), spoked rear wheels, semi-pneumatic tires, 50.8 cm (20 in.),	N/C 88.00 N/C N/C 40.00 40.00 86.00 104.00 104.00	85.00 98.00 N/A 53.00 20.00 20.00 43.00 133.00 133.00
4062139 4062113 +4064077 4062162 4062170 4062295 4062188 4060943 4062998 4061222 4061370 4063012	smooth handrims plastic-coated handrims non-slip handrims handrims 1.3 cm (½ in.) closer Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions, retractable wheel lock extensions, fixed anti-rollback wheel locks Wheels: rear mag wheels, solid tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.) rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.) rear mag wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.) spoked rear wheels, solid tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.) spoked rear wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C 88.00 N/C N/C 40.00 40.00 86.00 104.00 104.00 N/C N/C	85.00 98.00 N/A 53.00 20.00 20.00 43.00 133.00 133.00 81.00 81.00
4062139 4062113 +4064077 4062162 4062170 4062295 4062188 4060943 4062998 4061222 4061370 4063012	smooth handrims plastic-coated handrims non-slip handrims handrims 1.3 cm (½ in.) closer Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions, retractable wheel lock extensions, fixed anti-rollback wheel locks Wheels: rear mag wheels, solid tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.) rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.) rear mag wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.) spoked rear wheels, solid tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.) spoked rear wheels, semi-pneumatic tires, 50.8 cm (20 in.), spoked rear wheels, semi-pneumatic tires, 50.8 cm (20 in.),	N/C 88.00 N/C N/C 40.00 40.00 86.00 104.00 104.00 N/C	85.00 98.00 N/A 53.00 20.00 20.00 43.00 133.00 133.00 81.00

4061800	rear wheels, heavy-duty, solid tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)	162.00	162.00
4063020	rear wheels, heavy-duty spoked, semi-pneumatic, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)	162.00	162.00
4061818	rear wheels, heavy-duty, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)	162.00	162.00
4062212	rear wheels, heavy-duty, high pressure, 55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)	162.00	162.00
4061248	front wheels, solid tires, 12.7 cm (5 in.), 15.2 cm (6 in.), 17.8 cm (7 in.) X 2.5 cm (1 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)	N/C	39.00
4063426	front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm (1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.), 20.3 cm (8 in.) X 3.8 cm (1½ in.)	N/C	60.00
4060646	front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm (1½ in.), 20.3 cm (8 in.) X 3.2 cm (1½ in.)	34.00	56.00
4062691	front wheels, inner tube tires, 17.8 cm (7 in.) X 4.4 cm (1 ³ / ₄ in.)	34.00	56.00
4063434	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)	34.00	56.00
	Forks:		
	standard forks, short	N/C	38.00
	high forks	N/C	38.00
	fork stems, $+1.6 \text{ cm} (\frac{5}{8} \text{ in.}), +3.2 \text{ cm} (\frac{1}{4} \text{ in.})$	N/C	26.00
+4064093	multi-adjustable clamps	N/C	25.00
40.60.40	Rear axles:	N/G	5 00
	threaded axles	N/C	5.00
	quick-release axles	N/C	44.00
4060554	plates for amputees	N/C	42.00
	Non S.C. components for which supporting document must be kept on file:		
4062246	spoke guards	114.00	57.00
+4064101	dynamic back	N/C	N/A
+4064119	central propulsion	N/C	N/A
	Component under Special Consideration:		
+4064127	propulsion assistance module (auxiliary power propulsion) *	1,795.00	1,795.00

SUPPLIER: LES ÉQUIPEMENTS ADAPTÉS PHYSIPRO INC.

PRICE

+4072005 MANUAL WHEEL CHAIR IXEL MODEL

995.00

Basic Components

Body support system

- supple back, nylon
- reclining back *
- back, angle-adjustable, height-adjustable: from 38.1 cm (15 in.) to 50.8 cm (20 in.)
- supple seat, nylon
- front seat height: from 34.3 cm (13½ in.) to 54.6 cm (21½ in.)
- seat width: from 35.6 cm (14 in.) to 55.9 cm (22 in.)
- seat depth: 40.6 cm (16 in.)
- backposts, fixed back, angle-adjustable
- straight backposts, with 8° angle, 20.3 cm (8 in.)
- safety belt, auto-type, 5.1 cm (2 in.)
- backposts with push handles

Armrests

- U-type armrests, detachable, flip-back, height-adjustable, from 20.3 cm (8 in.) to 30.5 cm (12 in.), short, long
- L-type armrests, detachable, swingaway, height-adjustable, from 22.9 cm (9 in.) to 27.9 cm (11 in.), short, long
- armrest pads, straight, short, long
- armrest pads, tubular
- clothing guards, rigid, detachable, for L-type armrests
- clothing guards, rigid, built into U-type armrests

Footrests

- 60°, 70°, 90° footrests, parallel, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- padded calfrests
- folding footplates, standard
- heel loops, adjustable

Frame

- anti-tip rollers
- tie-down points for adapted transport

Drive, brake, wheel, fork and axle systems

- handrims, smooth, plastic-coated
- standard wheel locks, push-to-lock
- rear mag wheels, solid tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)

- rear mag wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)
- spoked rear wheels, solid tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)
- spoked rear wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)
- front wheels, solid tires, 7.6 cm (3 in.), 10.2 cm (4 in.), 12.7 cm (5 in.), 15.2 cm (6 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.), 20.3 cm (8 in.) X 3.2 cm (1½ in.)
- front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 2.5 cm (1 in.), 15.2 cm (6 in.) X 2.5 cm (1 in.), 17.8 cm (7 in.) X 2.5 cm (1 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)
- front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm (1¹/₄ in.), 20.3 cm (8 in.) X 3.2 cm (1¹/₄ in.), 20.3 cm (8 in.) X 4.4 cm (1³/₄ in.)
- standard forks, high forks
- threaded axles, quick-release

^{*} Component under Special Consideration

Price upon initial

Price upon

		purchase or replacement of wheel chair (price per pair, as applicable)	replacement of component (unit price)
	Basic and Optional Components		
	Body support system		
	Seat and back:		
	supple back, nylon	N/C	59.00
	back, angle-adjustable	N/C	N/A
	supple back, tension-adjustable	84.00	143.00
	folding back	245.00	N/A
	supple seat, nylon	N/C	57.00
+4071072	supple seat, tension-adjustable	83.00	140.00
	rigid seat, flat	118.00	175.00
+4071098	modification of back height from 30.5 cm (12 in.) to 35.6 cm	95.00	N/A
	(14 in.), from 53.3 cm (21 in.) to 61.0 cm (24 in.)		
+4071106	modification of seat depth from 35.6 cm (14 in.), to 38.1 cm	98.00	N/A
	(15 in.) and from 43.2 cm (17 in.) to 55.9 cm (22 in.)		
	seat cushion, flat, foam, 2.5 cm (1 in.)	53.00	53.00
	seat cushion, flat, foam, 5.1 cm (2 in.)	56.00	56.00
	seat cushion, flat, foam, 7.6 cm (3 in.)	59.00	59.00
	seat cushion, flat, foam, 10.2 cm (4 in.)	62.00	62.00
	safety belt, auto-type, 5.1 cm (2 in.)	N/C	51.00
+4071163	heavy-duty backposts	95.00	N/A
	back spreader bar	69.00	69.00
	back spreader bar with headrest support	106.00	106.00
+4071197	backposts with push handles	N/C	145.00
	Armrests:		
+4071205	U-type armrests, detachable, flip-back, height-adjustable,	N/C	120.00
	from 20.3 cm (8 in.) to 30.5 cm (12 in.), short, long		
+4071213	T-type armrests, height-adjustable, from 24.1 cm (9½ in.) to	120.00	175.00
	39.4 cm (15½ in.), short, long		
+4071221	L-type armrests, detachable, swingaway, height-adjustable,	N/C	96.00
	from 22.9 cm (9 in.) to 27.9 cm (11 in.), short, long		
+4071239	armrest pads, straight, short	N/C	28.00
	armrest pads, straight, long	N/C	30.00
	armrest pads, tubular	N/C	8.00
	clothing guards, rigid, built into U-type armrests	N/C	22.00
	clothing guards, rigid, detachable, for L-type armrests	N/C	65.00
	TD 4 4		
. 4071300	Footrests:	NI/C	105.00
+4071288	60° footrests, parallel, detachable, swingaway, length-	N/C	105.00
. 4071307	adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)	NIC	105.00
+40/1296	70° footrests, parallel, detachable, swingaway, length-	N/C	105.00
	adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)		

+4071304	90° footrests, parallel, detachable, swingaway, length-	N/C	105.00
. 4071212	adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)	N/C	105.00
+40/1312	60° footrests, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)	N/C	105.00
+4071320	70° footrests, tapered, detachable, swingaway, length-	N/C	105.00
14071320	adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)	14/6	103.00
+4071338	90° footrests, tapered, detachable, swingaway, length-	N/C	105.00
	adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)		
+4071346	footrests, quick-release, detachable, swingaway, parallel	120.00	165.00
+4071353	elevating legrests, with compensating mechanism from	210.00	210.00
	35.6 cm (14 in.) to 48.3 cm (19 in.)		
	padded calfrests	N/C	32.00
	contoured calfrests	36.00	50.00
	single calf strap	45.00	45.00
	double calf strap	58.00	58.00
	H-shaped calf strap	47.00	47.00
	single padded calf strap	84.00	84.00
	double padded calf strap	100.00	100.00
	folding footplates, standard	N/C	55.00
	footplates, angle and depth-adjustable, standard size	48.00	79.00
	oversized footplates, angle and depth-adjustable	80.00	95.00
	full-width footplate, angle and depth-adjustable	145.00	200.00
	heel loops, adjustable	N/C	14.00
+4071486	•	20.00 79.00	24.00 N/A
+40/1494	modification of footrest or legrest length, to - than 35.6 cm (14 in.) or to + than 48.3 cm (19 in.)	79.00	IN/A
14071502	front impact guards with rollers	84.00	42.00
T40/1302	from impact guards with foners	04.00	42.00
	Frame:		
+4071510	anti-tip rollers	N/C	48.00
	tie-down points for adapted transport	N/C	35.00
+4071536	modification for frame length	98.00	N/A
+4071544	heavy-duty frame	280.00	N/A
+4071551	folding mechanism with double crossbars, heavy-duty	230.00	N/A
+4071569	folding mechanism with double crossbars	269.00	N/A
	Drive avatemas		
+4071577	Drive systems: smooth handrims	N/C	47.00
	plastic-coated handrims	N/C	85.00
	non-slip handrims	76.00	85.00
T 4 0/13/3	non-sup nandrinis	70.00	05.00
	Wheel locks:		
	standard wheel locks, push-to-lock	N/C	58.00
	wheel lock extensions	36.00	18.00
	wheel lock extensions, retractable	48.00	24.00
+4071635	anti-rollback brakes	76.00	96.00

	Wheels:		
+4071643	rear mag wheels, solid tires, 50.8 cm (20 in.)	N/C	130.00
	rear mag wheels, solid tires, 55.9 cm (22 in.), 61.0 cm	N/C	122.00
	(24 in.)		
+4071668	rear mag wheels, solid tires, 66.0 cm (26 in.)	N/C	135.00
	rear mag wheels, standard pressure, 50.8 cm (20 in.)	N/C	130.00
+4071684	rear mag wheels, standard pressure, 55.9 cm (22 in.), 61.0 cm	N/C	122.00
	(24 in.)		
	rear mag wheels, standard pressure, 66.0 cm (26 in.)	N/C	135.00
	rear mag wheels, high pressure, 50.8 cm (20 in.)	16.00	138.00
+40/1/18	rear mag wheels, high pressure, 55.9 cm (22 in.), 61.0 cm	16.00	130.00
± 4071726	(24 in.) rear mag wheels, high pressure, 66.0 cm (26 in.)	16.00	143.00
	spoked rear wheels, solid tires, 50.8 cm (20 in.)	N/C	132.00
+4071734	spoked rear wheels, solid tires, 55.9 cm (22 in.), 61.0 cm	N/C	125.00
14071742	(24 in.)	14/6	123.00
+4071759	spoked rear wheels, solid tires, 66.0 cm (26 in.)	N/C	135.00
	spoked rear wheels, standard pressure, 50.8 cm (20 in.)	N/C	132.00
	spoked rear wheels, standard pressure, 55.9 cm (22 in.),	N/C	125.00
	61.0 cm (24 in.)		
	spoked rear wheels, standard pressure, 66.0 cm (26 in.)	N/C	135.00
	spoked rear wheels, high pressure, 50.8 cm (20 in.)	16.00	140.00
+4071809	spoked rear wheels, high pressure, 55.9 cm (22 in.), 61.0 cm	16.00	133.00
4054045	(24 in.)	16.00	1.42.00
+4071817		16.00	143.00
	rear wheels, heavy-duty, solid tires, 50.8 cm (20 in.) rear wheels, heavy-duty, solid tires, 55.9 cm (22 in.), 61.0 cm	22.00 22.00	143.00 136.00
+40/1033	(24 in.)	22.00	130.00
+4071841	rear wheels, heavy-duty, solid tires, 66.0 cm (26 in.)	22.00	146.00
	rear wheels, heavy-duty, standard pressure, 50.8 cm (20 in.)	22.00	143.00
	rear wheels, heavy-duty, standard pressure, 55.9 cm (22 in.),	22.00	136.00
	61.0 cm (24 in.)		
+4071874	rear wheels, heavy-duty, standard pressure, 66.0 cm (26 in.)	22.00	146.00
	rear wheels, heavy-duty, high pressure, 50.8 cm (20 in.)	38.00	151.00
+4071890	rear wheels, heavy-duty, high pressure, 55.9 cm (22 in.),	38.00	144.00
40=4000	61.0 cm (24 in.)	• • • • •	
+4071908	rear wheels, heavy-duty, high pressure, 66.0 cm (26 in.)	38.00	154.00
+4071916	front wheels, solid tires, 7.6 cm (3 in.), 10.2 cm (4 in.),	N/C	40.00
	12.7 cm (5 in.), 15.2 cm (6 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)		
±4071924	front wheels, solid tires, 20.3 cm (8 in.) X 3.2 cm (1 ¹ / ₄ in.)	N/C	58.00
+4071932		N/C	40.00
1071352	(1 in.), 15.2 cm (6 in.) X 2.5 cm (1 in.), 17.8 cm (7 in.) X	14,0	10.00
	2.5 cm (1 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)		
+4071940	front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 5.1 cm	56.00	68.00
	(2 in.), 20.3 cm (8 in.) X 5.1 cm (2 in.)		
+4071957	front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm	N/C	58.00
	(1¼ in.), 20.3 cm (8 in.) X 3.2 cm (1¼ in.), 20.3 cm (8 in.) X		
40=40.4=	4.4 cm (1¾ in.)	- - 00	-0.00
+4071965	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)	56.00	68.00

	Forks: standard forks high forks	N/C N/C	59.00 65.00
	Rear axles: threaded axles quick-release axles	N/C N/C	7.00 46.00
+4072013	Non S.C. components for which supporting document must be kept on file: spoke guards	100.00	50.00
+4072021	Component under Special Consideration: reclining back *	N/C	N/A

SUPPLIER: PRIDE MOBILITY PRODUCTS COMPANY

+4073003 MANUAL WHEEL CHAIR LITE STREAM MODEL

PRICE 1,200.00

Basic Components

Body support system

- supple back, nylon
- back, angle-adjustable, from -5° to $+15^{\circ}$
- supple seat, nylon
- back height: from 30.5 cm (12 in.) to 48.3 cm (19 in.)
- front seat height: from 38.1 cm (15 in.) to 49.5 cm (19½ in.)
- seat widths: 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.)
- seat depths: 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.)
- safety belt, velcro-type, auto-type
- backposts with push handles

Armrests

- L-type armrests, detachable, swingaway, height-adjustable from 20.3 cm (8 in.) to 25.4 cm (10 in.), short
- armrest pads, straight, short, long
- armrest pads, tubular
- clothing guards, flexible
- clothing guards, rigid, small, plastic, with holes

Footrests

- 60°, 70° footrests, parallel, 70° footrests, tapered, detachable, swingaway, length-adjustable, from 33.7 cm (13¼ in.) to 55.9 cm (22 in.)
- 90°, footrests, parallel, detachable, swingaway
- contoured calfrests
- folding footplates, standard, 10.2 cm (4 in.)
- folding footplates, oversized, 12.7 cm (5 in.), 15.2 cm (6 in.)
- folding footplates, angle and depth-adjustable, standard size, oversized
- heel loops, adjustable, fixed

Frame

- anti-tip rollers
- tie-down points for adapted transport
- folding mechanism with double crossbars

Drive, brake, wheel, fork and axle systems

- smooth handrims, for spoked wheels, 55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)
- plastic-coated handrims, for spoked wheels, 55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)
- smooth handrims, for mag wheels, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- plastic-coated handrims, for mag wheels, 55.9 cm (22 in.), 61.0 cm (24 in.)
- handrims, Natural fit, for spoked wheels, 61.0 cm (24 in.)
- standard wheel locks, push-to-lock, pull-to-lock
- rear mag wheels, solid tires, urethane, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.) X 3.5 cm (13/8 in.)
- rear mag wheels, standard pressure, 61.0 cm (24 in.)
- spoked rear wheels, solid tires, urethane, 55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)
- spoked rear wheels, standard pressure, 55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.) X 3.5 cm (13/8 in.)
- spoked rear wheels, high pressure, 55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)
- front wheels, solid tires, 10.2 cm (4 in.) X 3.8 cm (1½ in.)
- front wheels, solid tires, 12.7 cm (5 in.) X 3.2 cm (1¼ in.)
- front wheels, solid tires, 15.2 cm (6 in.), 20.3 cm (8 in.) X 3.2 cm (1¹/₄ in.)
- front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm (1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.)
- front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm (1¹/₄ in.)
- front wheels, inner tube tires, 20.3 cm (8 in.) X 3.2 cm (1¹/₄ in.)
- standard forks, 20.3 cm (8 in.) and short forks, 12.7 cm (5 in.)
- threaded axles, quick-release
- rear wheel camber

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	Basic and Optional Components		
	Body support system		
40-4044	Seat and back:	XX/G	00
+4073011		N/C	77.00
	back, angle-adjustable, -5° to + 15°	N/C	91.00
	supple back, tension-adjustable	70.00	150.00
	supple seat, nylon	N/C	50.00
	rigid seat, flat, aluminum, detachable	75.00	125.00
	modification of seat height toe to 34.3 cm (13½ in.) with rigid lowered seat	150.00	200.00
+4073078	modification of seat width to 50.8 cm (20 in.) and to 53.3 cm (21 in.)	105.00	N/A
+4073086	modification of seat depth to 48.3 cm (19 in.) and to 50.8 cm (20 in.)	75.00	N/A
+4073094	safety belt, velcro-type	N/C	26.00
	safety belt, auto-type	N/C	14.00
	backposts with push handles	N/C	N/A
	Armrests:		
+4073128	T-type armrests, height-adjustable, from 20.3 cm (8 in.) to 33.0 cm (13 in.), short, long	75.00	75.00
+4073136	L-type armrests, detachable, swingaway, height-adjustable from 20.3 cm (8 in.) to 25.4 cm (10 in.), short	N/C	16.00
+4073144	armrest pads, straight, short	N/C	7.00
	armrest pads, straight, long	N/C	7.00
	armrest pads, tubular	N/C	5.00
	clothing guards, flexible	N/C	50.00
	clothing guards, rigid, small, plastic, with holes	N/C	30.00
+4073193	clothing guards, wide, aluminum	20.00	40.00
	Footrests:		
+4073201	60° footrests, parallel, 70° footrests, parallel, detachable, swingaway, length-adjustable, from 33.7 cm (13¼ in.) to 55.9 cm (22 in.)	N/C	75.00
+4073219	70° footrests, tapered, detachable, swingaway, length-adjustable, from 33.7 cm (13¼ in.) to 55.9 cm (22 in.)	N/C	75.00
+4073227		N/C	75.00
	elevating legrests, from 33.7 cm (13¼ in.) to 55.9 cm (22 in.)	30.00	90.00
	contoured calfrests	N/C	60.00
	folding footplates, standard, 10.2 cm (4 in.)	N/C	25.00
	folding footplates, oversized, 12.7 cm (5 in.), 15.2 cm (6 in.)	N/C	28.00
	folding footplates, angle and depth-adjustable, standard size, oversized	N/C	125.00

CHEDULE 1	Tariff for devices which compensate for a motor deficiency and insured related services (authentic version)		
⊥4073284	heel loops, adjusted, fixes	N/C	8.00
	toe loops, per pair as replacements	20.00	40.00/pr
	r r r r r r r r r r r r r r r r r r r		
	Frame:		
	anti-tip rollers	N/C	19.00
	tie-down points for adapted transport	N/C	45.00
	cane holder	40.00	40.00
+4073334	folding mechanism with double crossbars	N/C	N/A
	Drive systems:		
+4073342		N/C	21.00
	(22 in.), 61.0 cm (24 in.)		
+4073359	plastic-coated handrims, for mag wheels, 55.9 cm (22 in.),	N/C	14.00
	61.0 cm (24 in.)		
+4073367	The state of the s	N/C	32.00
40=22==	61.0 cm (24 in.), 66.0 cm (26 in.)	NG	65.00
+4073375	· · · · · · · · · · · · · · · · · · ·	N/C	65.00
1/073393	61.0 cm (24 in.) plastic-coated handrims, for spoked wheels, 66.0 cm (26 in.)	N/C	80.00
	handrims with oblique projections, for mag wheels, 61.0 cm	70.00	52.00
T 7 073371	(24 in.)	70.00	32.00
+4073409		N/C	70.00
	Wheel locks:		
+4073417		N/C	15.00
	wheel lock extensions	15.00	15.00
	scissor-type wheel locks	75.00	55.00
	-		
40=0.444	Wheels:	NG	100.00
+4073441	rear mag wheels, solid tires, urethane, 50.8 cm (20 in.),	N/C	100.00
1/072/59	55.9 cm (22 in.), 61.0 cm (24 in.) X 3.5 cm (1 ³ / ₈ in.) rear mag wheels, standard pressure, 61.0 cm (24 in.)	N/C	80.00
	spoked rear wheels, solid tires, urethane, 55.9 cm (22 in.),	N/C N/C	135.00
T4073400	61.0 cm (24 in.), 66.0 cm (26 in.)	TV/C	133.00
+4073474	spoked rear wheels, standard pressure, 55.9 cm (22 in.),	N/C	135.00
	61.0 cm (24 in.), 66.0 cm (26 in.) X 3.5 cm (13/8 in.)	1,, 0	100.00
+4073482	spoked rear wheels, high pressure, 55.9 cm (22 in.), 61.0 cm	N/C	135.00
	(24 in.), 66.0 cm (26 in.)		
+4073490	front wheels, solid tires, 10.2 cm (4 in.) X 3.8 cm (1½ in.)	N/C	11.00
+4073508	* * * * * * * * * * * * * * * * * * * *	N/C	67.00
40======	(1½ in.)		- 0.05
+4073516	front wheels, semi-pneumatic tires, 15.2 cm (6 in.) X 3.8 cm	N/C	70.00
14072524	(1½ in.) front whools solid tires 12.7 cm (5 in.) V 3.2 cm (11/4 in.)	NI/C	16.00
+40/3524	front wheels, solid tires, 12.7 cm (5 in.) X 3.2 cm (1¼ in.)	N/C	16.00

N/C

N/C

N/C

19.00

75.00

75.00

+4073532 front wheels, solid tires, 15.2 cm (6 in.), 20.3 cm (8 in.) X

+4073540 front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm

+4073557 front wheels, inner tube tires, 20.3 cm (8 in.) X 3.2 cm

3.2 cm (1½ in.)

 $(1\frac{1}{4} \text{ in.})$

~ ~					_	
SC	НΙ	H/III)	ш	H 1	ı

+4073565	Forks: standard forks, 20.3 cm (8 in.) and short forks, 12.7 cm (5 in.)	N/C	21.00
+4073581 +4073599	Rear axles: threaded axles quick-release axles extension plates for amputees rear wheel camber	N/C N/C 45.00 N/C	10.00 15.00 54.00 N/A
	Non S.C. components for which supporting document must be kept on file: spoke guards, 61.0 cm (24 in.), 66.0 cm (26 in.) quick-release axles with lever mechanism	50.00 60.00	108.00 30.00

SUPPLIER: MOTION COMPOSITES INC.

PRICE

+4082004 MANUAL WHEEL CHAIR HELIO MODEL

1.744.00

Basic Components

Body support system

- supple back, nylon
- back, angle-adjustable
- back, height-adjustable: from 38.1 cm (15 in.) to 45.7 cm (18 in.)
- supple seat, nylon
- front seat height: from 34.3 cm (13½ in.) to 53.3 cm (21 in.)
- seat width: from 35.6 cm (14 in.) to 45.7 cm (18 in.)
- seat depth: 40.6 cm (16 in.)
- safety belt, auto-type, velcro-type
- push handles, bolt-on, adjustable

Armrests

- U-type armrests, detachable, flip-back, height-adjustable, from 20.3 cm (8 in.) to 30.5 cm (12 in.), short, long
- L-type armrests, detachable, swingaway, height-adjustable, from 20.3 cm (8 in.) to 30.5 cm (12 in.), short, long
- armrest pads, straight, short, long
- armrest pads, tubular
- clothing guards, rigid, detachable

Footrests

- 60°, 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)
- padded calfrests
- folding footplates, standard
- heel loops, adjustable

Frame

- anti-tip rollers
- tie-down points for adapted transport
- frame length, +2.5 cm (1 in.) or +5.1 cm (2 in.) with respect to seat depth

Drive, brake, wheel, fork and axle systems

- handrims, smooth, plastic-coated
- standard wheel locks, push-to-lock, pull-to-lock
- rear mag wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.)
- rear mag wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.)
- front wheels, solid tires, 7.6 cm (3 in.) X 2.5 cm (1 in.), 10.2 cm (4 in.) X 2.5 cm (1 in.), 12.7 cm (5 in.) X 2.5 cm (1 in.), 15.2 cm (6 in.) X 2.5 cm (1 in.), 17.8 cm (7 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)

- forks, multi-position, short, long
- threaded axles, quick-release
- rear wheel camber, 3°

Updated: February 16, 2016 221

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	Basic and Optional Components		
	Body support system		
	Seat and back:		
+4082012	supple back, nylon	N/C	62.00
+4082020	back, angle-adjustable	N/C	N/A
	supple back, tension-adjustable	79.00	140.00
	supple seat, nylon	N/C	60.00
+4082053	modification of back height, from 25.4 cm (10 in.) to 35.6 cm	99.00	N/A
	(14 in.), from 48.3 cm (19 in.) to 55.9 cm (22 in.)		
+4082061	modification of seat width to 48.3 cm (19 in.), 50.8 cm	172.00	N/A
	(20 in.)		
+4082079	modification of seat depth to 35.6 cm (14 in.), 38.1 cm	99.00	N/A
	(15 in.), 43.2 cm (17 in.) and 45.7 cm (18 in.)		
+4082087	modification of seat depth to 33.0 cm (13 in.), 48.3 cm	118.00	N/A
	(19 in.) and 50.8 cm (20 in.)		
	seat cushion, flat, foam, 5.1 cm (2 in.)	59.00	59.00
	seat cushion, flat, foam, 7.6 cm (3 in.)	59.00	59.00
	safety belt, velcro-type	N/C	44.00
	safety belt, auto-type	N/C	44.00
	safety belt, airplane-type	30.00	74.00
	headrest, contoured, nylon, small, medium, large	100.00	100.00
	headrest mounting, articulated, uniball	139.00	139.00
	back spreader bar	99.00	99.00
	back spreader bar with headrest support	129.00	129.00
+4082186	push handles, bolt-on, adjustable	N/C	34.00
	Armrests:		
+4082194	U-type armrests, detachable, flip-back, height-adjustable, from 20.3 cm (8 in.) to 30.5 cm (12 in.), short, long	N/C	128.00
+4082202	T-type armrests, detachable, height-adjustable, from 15.2 cm (6 in.) to 22.9 cm (9 in.), from 20.3 cm (8 in.) to 30.5 cm (12 in.), from 30.5 cm (12 in.) to 38.1 cm (15 in.), short, long	54.00	116.00
	L-type armrests, detachable, swingaway, height-adjustable, from 20.3 cm (8 in.) to 30.5 cm (12 in.), short, long	N/C	89.00
	armrest pads, straight, short	N/C	19.00
	armrest pads, straight, long	N/C	21.00
	armrest pads, tubular	N/C	10.00
	clothing guards, rigid, detachable	N/C	68.00
+4082269	modification of L-type and U-type armrest height, to 15.2 cm (6 in.), 17.8 cm (7 in.), 33.0 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.)	76.00	N/A

	Footrests:		
+4082277	60° footrests, parallel, detachable, swingaway, length-	N/C	98.00
	adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)		
+4082285	70° footrests, parallel, detachable, swingaway, length-	N/C	98.00
	adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)		
	elevating legrests, from 35.6 cm (14 in.) to 45.7 cm (18 in.)	222.00	209.00
	padded calfrests	N/C	26.00
	single calf strap	25.00	25.00
	folding footplates, standard	N/C	42.00
	oversized footplates	48.00	66.00
	footplates, angle and depth-adjustable, standard size	60.00 68.00	72.00 76.00
	oversized footplates, angle and depth-adjustable full-width footplate, angle and depth-adjustable	114.00	198.00
	heel loops, adjustable	N/C	12.00
+4082384	1 0	28.00	18.00
	modification of footrest and legrest length, to - than 35.6 cm	65.00	N/A
	(14 in.) or to + than $45.7 cm$ $(18 in.)$	32.00	1,112
+4082400	front impact guards with rollers	36.00	18.00
	Frame:		
	anti-tip rollers	N/C	46.00
	tie-down points for adapted transport	N/C	N/A
+4082434	frame length, $+2.5$ cm (1 in.) or to $+5.1$ cm (2 in.) with	N/C	N/A
4002442	respect to seat depth	40.00	40.00
+4082442	cane holder	40.00	40.00
	Drive systems:		
+4082459	Drive systems: smooth handrims	N/C	44.00
	smooth handrims	N/C N/C	44.00 84.00
+4082467	smooth handrims plastic-coated handrims	N/C N/C 168.00	44.00 84.00 128.00
+4082467	smooth handrims	N/C	84.00
+4082467	smooth handrims plastic-coated handrims	N/C	84.00
+4082467 +4082475	smooth handrims plastic-coated handrims non-slip handrims Wheel locks: standard wheel locks, push-to-lock, pull-to-lock	N/C 168.00 N/C	84.00 128.00 48.00
+4082467 +4082475 +4082483 +4082491	smooth handrims plastic-coated handrims non-slip handrims Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions	N/C 168.00 N/C 36.00	84.00 128.00 48.00 18.00
+4082467 +4082475 +4082483	smooth handrims plastic-coated handrims non-slip handrims Wheel locks: standard wheel locks, push-to-lock, pull-to-lock	N/C 168.00 N/C	84.00 128.00 48.00
+4082467 +4082475 +4082483 +4082491	smooth handrims plastic-coated handrims non-slip handrims Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions anti-rollback brakes	N/C 168.00 N/C 36.00	84.00 128.00 48.00 18.00
+4082467 +4082475 +4082483 +4082491 +4082509	smooth handrims plastic-coated handrims non-slip handrims Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions anti-rollback brakes Wheels:	N/C 168.00 N/C 36.00 84.00	84.00 128.00 48.00 18.00 52.00
+4082467 +4082475 +4082483 +4082491 +4082509	smooth handrims plastic-coated handrims non-slip handrims Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions anti-rollback brakes Wheels: rear mag wheels, solid tires, 55.9 cm (22 in.), 61.0 cm	N/C 168.00 N/C 36.00	84.00 128.00 48.00 18.00
+4082467 +4082475 +4082483 +4082491 +4082509	smooth handrims plastic-coated handrims non-slip handrims Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions anti-rollback brakes Wheels: rear mag wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C 168.00 N/C 36.00 84.00	84.00 128.00 48.00 18.00 52.00
+4082467 +4082475 +4082483 +4082491 +4082509	smooth handrims plastic-coated handrims non-slip handrims Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions anti-rollback brakes Wheels: rear mag wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) rear mag wheels, semi-pneumatic tires, 55.9 cm (22 in.),	N/C 168.00 N/C 36.00 84.00	84.00 128.00 48.00 18.00 52.00
+4082467 +4082475 +4082483 +4082491 +4082509 +4082517 +4082525	smooth handrims plastic-coated handrims non-slip handrims Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions anti-rollback brakes Wheels: rear mag wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) rear mag wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C 168.00 N/C 36.00 84.00 N/C N/C	84.00 128.00 48.00 18.00 52.00 124.00
+4082467 +4082475 +4082483 +4082491 +4082509	smooth handrims plastic-coated handrims non-slip handrims Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions anti-rollback brakes Wheels: rear mag wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) rear mag wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.) spoked rear wheels, solid tires, 55.9 cm (22 in.), 61.0 cm	N/C 168.00 N/C 36.00 84.00	84.00 128.00 48.00 18.00 52.00
+4082467 +4082475 +4082483 +4082491 +4082509 +4082517 +4082525	smooth handrims plastic-coated handrims non-slip handrims Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions anti-rollback brakes Wheels: rear mag wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) rear mag wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.) spoked rear wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C 168.00 N/C 36.00 84.00 N/C N/C	84.00 128.00 48.00 18.00 52.00 124.00
+4082467 +4082475 +4082483 +4082491 +4082509 +4082517 +4082525 +4082533	smooth handrims plastic-coated handrims non-slip handrims Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions anti-rollback brakes Wheels: rear mag wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) rear mag wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.) spoked rear wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C 168.00 N/C 36.00 84.00 N/C N/C 24.00	84.00 128.00 48.00 18.00 52.00 124.00 136.00
+4082467 +4082475 +4082483 +4082491 +4082509 +4082517 +4082525 +4082533 +4082541	smooth handrims plastic-coated handrims non-slip handrims Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions anti-rollback brakes Wheels: rear mag wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) rear mag wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.) spoked rear wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) spoked rear wheels, semi-pneumatic tires, 55.9 cm (22 in.), spoked rear wheels, semi-pneumatic tires, 55.9 cm (22 in.),	N/C 168.00 N/C 36.00 84.00 N/C N/C 24.00	84.00 128.00 48.00 18.00 52.00 124.00 136.00
+4082467 +4082475 +4082483 +4082491 +4082509 +4082517 +4082525 +4082533 +4082541 +4082558	smooth handrims plastic-coated handrims non-slip handrims Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions anti-rollback brakes Wheels: rear mag wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) rear mag wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.) spoked rear wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) spoked rear wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.) rear wheels, heavy-duty, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C 168.00 N/C 36.00 84.00 N/C N/C 24.00 24.00	84.00 128.00 48.00 18.00 52.00 124.00 136.00 136.00 144.00
+4082467 +4082475 +4082483 +4082491 +4082509 +4082517 +4082525 +4082533 +4082541 +4082558	smooth handrims plastic-coated handrims non-slip handrims Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions anti-rollback brakes Wheels: rear mag wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) rear mag wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.) spoked rear wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) spoked rear wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.) rear wheels, heavy-duty, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) heavy-duty spoked rear wheels, semi-pneumatic tires,	N/C 168.00 N/C 36.00 84.00 N/C N/C 24.00	84.00 128.00 48.00 18.00 52.00 124.00 136.00
+4082467 +4082475 +4082483 +4082491 +4082509 +4082517 +4082525 +4082533 +4082541 +4082558 +4082566	smooth handrims plastic-coated handrims non-slip handrims Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions anti-rollback brakes Wheels: rear mag wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) rear mag wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.) spoked rear wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) spoked rear wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.) rear wheels, heavy-duty, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) heavy-duty spoked rear wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C 168.00 N/C 36.00 84.00 N/C N/C 24.00 24.00 40.00	84.00 128.00 48.00 18.00 52.00 124.00 136.00 136.00 144.00
+4082467 +4082475 +4082483 +4082491 +4082509 +4082517 +4082525 +4082533 +4082541 +4082558 +4082566	smooth handrims plastic-coated handrims non-slip handrims Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions anti-rollback brakes Wheels: rear mag wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) rear mag wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.) spoked rear wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) spoked rear wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.) rear wheels, heavy-duty, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) heavy-duty spoked rear wheels, semi-pneumatic tires,	N/C 168.00 N/C 36.00 84.00 N/C N/C 24.00 24.00	84.00 128.00 48.00 18.00 52.00 124.00 136.00 136.00 144.00

+4082582	rear wheels, heavy-duty, high pressure, 50.8 cm (20 in.),	40.00	144.00
+4082590	55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.) front wheels, solid tires, 7.6 cm (3 in.) X 2.5 cm (1 in.), 10.2 cm (4 in.) X 2.5 cm (1 in.)	N/C	40.00
+4082608	front wheels, solid tires, 12.7 cm (5 in.) X 2.5 cm (1 in.), 15.2 cm (6 in.) X 2.5 cm (1 in.)	N/C	45.00
+4082616	front wheels, solid tires, 17.8 cm (7 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)	N/C	50.00
+4082624	front wheels, semi-pneumatic tires, 10.2 cm (4 in.) X 3.8 cm (1½ in.)	24.00	52.00
+4082632	front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm (1½ in.)	44.00	62.00
+4082640		64.00	72.00
+4082657	front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm (1½ in.), 20.3 cm (8 in.) X 3.2 cm (1½ in.)	24.00	52.00
	(1/4 m.), 20.3 cm (0 m.) 1 3.2 cm (1/4 m.)		

Forks:

+4082665	forks, multi-positions, short	N/C	40.00
+4082673	forks, multi-positions, long	N/C	54.00

Rear axles:

+4082681 threaded axles	N/C	14.00
+4082699 quick-release axles	N/C	44.00
+4082707 plates for amputees	48.00	39.00
+4082715 rear wheel camber, 3°	N/C	N/A
$+4082723$ rear wheel camber, 6°	62.00	N/A

Non S.C. components for which supporting document must be kept on file:

	mast set mept on met		
+4082731	spoke guards, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm	98.00	49.00
	(24 in.)		
+4082749	quick-release axles with lever mechanism	92.00	60.00

SUPPLIER: PRODUCT DESIGN GROUP INC.

PRICE

+4095600 MANUAL WHEEL CHAIR ECLIPSE 600 MODEL

1,810.00

Basic Components

Body support system

- fixed back, angle-adjustable from 90° to 105°
- supple back, tension-adjustable
- rigid seat, flat
- back height: from 40.6 cm (16 in.) to 50.8 cm (20 in.)
- front seat height: from 35.6 cm (14 in.) to 50.8 cm (20 in.)
- seat width: from 50.8 cm (20 in.) to 66.0 cm (26 in.)
- seat depth: from 40.6 cm (16 in.) to 55.9 cm (22 in.)
- safety belt, auto-type
- push handles, bolt-on, integrated into backposts, cane-style

Armrests

- U-type armrests, fixed height, 30.5 cm (12 in.), short, long
- armrest pads, straight, short, long
- clothing guards, rigid

Footrests

- 60°, footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)
- folding footplates, standard
- oversized footplates
- footplates, angle and depth-adjustable, standard, oversized
- heel loops, adjustable

Frame

- anti-tip rollers
- tie-down points for adapted transport
- seat tilt, 0° to 10°

Drive, brake, wheel, fork and axle systems

- smooth handrims
- standard wheel locks, push-to-lock, pull-to-lock
- rear wheels, heavy-duty, solid tires, 61.0 cm (24 in.)
- front wheels, solid tires, 12.7 cm (5 in.)
- standard forks
- threaded rear axles
- quick-release axles
- axle position along the back axis

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	Basic and Optional Components		
	Body support system		
	Seat and back:		
+4095477	supple back, tension-adjustable	N/C	155.00
+4095485	back, angle-adjustable, 90° to 105°	N/C	N/A
+4095493	rigid seat, flat	N/C	47.00
+4095501	modification of back height to 53.3 cm (21 in.), 55.9 cm	34.00	34.00
	(22 in.) and to 58.4 cm (23 in.)		
+4095519	modification of seat width from 68.6 cm (27 in.) to 121.9 cm (48 in.)	495.00	495.00
+4095527	modification of seat depth to 58.4 cm (23 in.) and to 61.0 cm (24 in.)	148.00	148.00
+4095535	back extension, 25.4 cm (10 in.)	93.00	93.00
+4095543	Solar seat cushion, 50.8 cm (20 in.) to 61.0 cm (24 in.) wide, 5.1 cm (2 in.)	101.00	101.00
+4095550	Solar contoured seat cushion, 50.8 cm (20 in.) to 61.0 cm (24 in.) wide, 7.6 cm (3 in.)	179.00	179.00
+4095568	safety belt, auto-type	N/C	20.00
	Stealth headrest, 35.6 cm (14 in.) pad, depth and height- articulated	143.00	143.00
+4095584	Stealth headrest, 25.4 cm (10 in.) pad, depth and height- articulated	143.00	143.00
+4095592	Stealth headrest, 35.6 cm (14 in.) pad, articulated, uniball	183.00	183.00
	Stealth headrest, 25.4 cm (10 in.) pad, articulated, uniball	183.00	183.00
	headrest mounting plate	16.00	16.00
	push handles, bolt-on, integrated into backposts, cane-style	N/C	100.00
400=604	Armrests:	27/6	7 0.00
	U-type armrests, fixed height, 30.5 cm (12 in.), short, long	N/C	50.00
+4095642	U-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), and from 30.5 cm (12 in.) to 40.6 cm	70.00	85.00
14005650	(16 in.), short, long	N/C	12.00
+4095659 +4095667	armrest pads, straight, short, long armrest pads, 7.6 cm (3 in.) longer	26.00	25.00
	armrest pads, 7.6 cm (3 in.) wide	76.00	50.00
	clothing guards, rigid	N/C	N/A
	front guards (extended lateral supports)	99.00	50.00
	Footrests:		
+4095709	60° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)	N/C	95.00
+4095717		260.00	225.00
+4095725	elevating legrests, with compensating mechanism	350.00	270.00

CHEDULE 1	Tariff for devices which compensate for a motor deficiency and insured related services		
	(authentic version)		
±400 57 33	single calf strap	30.00	30.00
	folding footplates, standard	N/C	19.00
	full-width footplate	197.00	235.00
	oversized footplates	N/C	53.00
	footplates, angle and depth-adjustable, standard size	N/C	19.00
	footplates, angle and depth-adjustable, oversized	N/C	53.00
	full-width footplate, angle and depth-adjustable	241.00	279.00
	heel loops, adjustable	N/C	34.00
	modification of length, from 38.1 cm (15 in.) to 48.3 cm	20.00	15.00
1000010	(19 in.)	_0.00	10.00
+4095824	extension of heavy-duty tubes, 33.0 cm (13 in.) to 48.3 cm	50.00	30.00
0,001	(19 in.)		
+4095832	dynamic footrest spring	60.00	30.00
	midline footrest attachment	135.00	135.00
	Frame:		
+4095857	growth kit, 66.0 cm (26 in.) to 121.9 cm (48 in.)	243.00	243.00
+4095865	anti-tip rollers	N/C	47.00
+4095873	tie-down points for adapted transport	N/C	N/A
+4095881	seat tilt, 0° to 10°	N/C	N/A
+4095899	heavy-duty frame, 453.6 kg (1000 lb)	81.00	81.00
	Drive systems:		
	smooth handrims	N/C	23.00
	plastic-coated handrims	80.00	63.00
+4095923	handrims with vertical projections	358.00	202.00
400 5004	Wheel locks:	NVG	22.00
	standard wheel locks, push-to-lock, pull-to-lock	N/C	33.00
+4095949	wheel lock extension	38.00	19.00
	Wheeler		
. 4005057	Wheels:	N/C	101.00
	rear wheels, heavy-duty, solid tires, 61.0 cm (24 in.)	N/C	101.00
+4073704	front wheels, solid tires, 12.7 cm (5 in.)	N/C	97.00
	Forks:		
	I UI DS.		

+4096012 reclining back, -30° *

Component under Special Consideration:

+4095972 standard forks

Rear axles: +4095980 threaded rear axles

+4096004 axle position along back axis

+4095998 quick-release axles

N/C

N/C

N/C

N/C

540.00

35.00

37.00

45.00

540.00

N/A

SUBDIVISION 2: LIGHTWEIGHT MANUAL WHEEL CHAIRS

SUPPLIER: INVACARE CANADA L.P.

PRICE

+4044400 LIGHTWEIGHT MANUAL WHEEL CHAIR TOP END CROSSFIRE T6 MODEL

1,686.00

Basic Components

Body support system

- folding back, angle and height-adjustable, from 20.3 cm (8 in.) to 50.8 cm (20 in.)
- supple seat and back, nylon
- supple seat and back, tension-adjustable
- back height: from 20.3 cm (8 in.) to 50.8 cm (20 in.)
- front seat height: from 43.2 cm (17 in.) to 53.3 cm (21 in.)
- seat width: from 30.5 cm (12 in.) to 45.7 cm (18 in.)
- seat depth: from 35.6 cm (14 in.) to 45.7 cm (18 in.)
- safety belt, velcro-type, auto-type
- push handles, bolt-on, integrated into backposts

Armrests

- L-type armrests, detachable, swingaway, height-adjustable, long
- armrest pads, tubular
- clothing guards, flexible, rigid, flanged

Footrests

- fixed footrests, narrowed, tapered, length-adjustable
- full-width footplate, tubular
- full-width footplate, angle and depth-adjustable
- single calf strap

Drive, brake, wheel, fork and axle systems

- smooth handrims
- scissor-type wheel locks, standard, push-to-lock, pull-to-lock
- spoked rear wheels, standard pressure, 55.9 cm (22 in.)
- spoked rear wheels, high pressure, 61.0 cm (24 in.), 66.0 cm (26 in.)
- rear wheels, heavy-duty, standard pressure, high pressure, 61.0 cm (24 in.), 63.5 cm (25 in.)
- front wheels, solid tires, 7.6 cm (3 in.)
- front wheels, semi-pneumatic tires, 10.2 cm (4 in.) X 2.5 cm (1 in.), 12.7 cm (5 in.) X 2.5 cm (1 in.)
- standard forks
- quick-release axles
- rear wheel camber, 0° , 3° , 6° , 9°

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	Basic and Optional Components		
	Body support system		
	Seat and back:		
+4044418	supple back, nylon	N/C	104.00
+4044426	supple back, tension-adjustable	N/C	154.00
+4044434	folding back, angle and height-adjustable, from 20.3 cm (8 in.) to 50.8 cm (20 in.)	N/C	N/A
+4044442	fixed-angle back, 0° , 3° , 6° , 9°	90.00	N/A
+4044459	supple seat, nylon	N/C	50.00
+4044467	supple seat, nylon, tension-adjustable	N/C	65.00
+4044475	seat width narrowed toward front, 2.5 cm (1 in.) to 10.2 cm (4 in.) narrower	85.00	N/A
+4044483	ERGO seat, narrowed front	135.00	N/A
	ERGO seat, V-shaped front	203.00	N/A
+4045233	modification of seat width to 48.3 cm (19 in.) and to 50.8 cm (20 in.)	56.00	N/A
+4045365	modification of seat depth to 48.3 cm (19 in.) and to 50.8 cm (20 in.)	56.00	N/A
+4045373	seat cushion, flat, foam, 5.1 cm (2 in.)	61.00	61.00
	seat cushion, flat, foam, 7.6 cm (3 in.)	61.00	61.00
	safety belt, velcro-type	N/C	42.00
	safety belt, auto-type	N/C	53.00
	backposts with push handles	N/C	52.00
+4045423	push handles, bolt-on	N/C	62.00
+ 4045431	Armrests: L-type armrests, detachable, swingaway, height-adjustable,	N/C	41.00
+4045451	long	IN/C	41.00
+4045449	armrest pads, tubular	N/C	12.00
	clothing guards, flexible	N/C	55.00
	clothing guards, rigid	N/C	48.00
	clothing guards, with mudguard	N/C	62.00
	Footrests:		
	fixed footrests, narrowed, tapered, length-adjustable	N/C	N/A
	single calf strap	N/C	38.00
	full-width footplate, tubular	N/C	127.00
	full-width footplate, angle and depth-adjustable	N/C	199.00
+4045522	clamps for installation of footplates higher on footrest support	50.00	25.00

+ 4045530 anti-tip rollers 56.00	
+4043330 and-up tolicis	69.00
Drive systems:	
+4045548 smooth handrims N/C	52.00
+4045555 plastic-coated handrims 22.00	63.00
Wheel locks:	
	46.00
/ 1	105.00
+4045571 scissor-type wheel locks +4045589 anti-rollback brakes N/C	93.00
+4045589 and-rondack drakes 94.00	93.00
Wheels:	
+4045597 spoked rear wheels, standard pressure, 55.9 cm (22 in.)	162.00
+4045605 spoked rear wheels, high pressure, 61.0 cm (24 in.)	162.00
+ 4045613 spoked rear wheels, high pressure, 66.0 cm (26 in.)	162.00
+4045621 rear wheels, heavy-duty, standard pressure, high pressure, N/C	206.00
61.0 cm (24 in.) 63.5 cm (25 in.)	
+4045639 rear wheels, heavy-duty, standard pressure, high pressure, 88.00	206.00
66.0 cm (26 in.)	
+4045647 front wheels, solid tires, 7.6 cm (3 in.)	38.00
+4045654 front wheels, semi-pneumatic tires, 10.2 cm (4 in.) X N/C	38.00
2.5 cm (1 in.), 12.7 cm (5 in.) X 2.5 cm (1 in.)	
E.J.	
Forks: +4045662 standard forks N/C	52.00
+4045002 Standard forks IN/C	32.00
Rear axles:	
+4045670 quick-release axles N/C	37.00
+4045688 rear wheel camber, 0° , 3° , 6° and 9° N/C	N/A
+4045696 axle position along the backrest axis 75.00	N/A
Non S.C. components for which supporting document	
must be kept on file:	
+ 4045704 spoke guards 64.00	32.00
+4045712 quick-release axles with lever mechanism 62.00	68.00

SUPPLIER: SUNRISE MEDICAL CANADA INC.

PRICE

4052700 MANUAL WHEEL CHAIR QUICKIE GT ADULT MODEL

1,730.00

Basic Components

Body support system

- back, angle-adjustable, 28° of adjustment
- folding back, angle-adjustable, 28° of adjustment
- folding back, angle-adjustable, height: from 25.4 cm (10 in.) to 45.7 cm (18 in.)
- supple seat and back, nylon
- seat tilt, up to 16° of adjustment
- front seat height: from 40.6 cm (16 in.) to 53.3 cm (21 in.)
- seat width: from 35.6 cm (14 in.) to 45.7 cm (18 in.)
- seat depth: from 35.6 cm (14 in.) to 45.7 cm (18 in.)
- safety belt, velcro-type, auto-type
- push handles, bolt-on, integrated into backposts

Armrests

- L-type armrests, detachable, swingaway, height-adjustable, from 20.3 cm (8 in.) to 30.5 cm (12 in.), short
- armrest pads, straight, short, long
- armrest pads, tubular
- clothing guards, flexible, rigid
- clothing guards, aluminum, folding with mudguard

Footrests

- 75°, 85° footrests, parallel, narrowed by 2.5 cm (1 in.) or by 5.1 cm (2 in.), fixed, length-adjustable, from 33.0 cm (13 in.) to 50.8 cm (20 in.)
- single calf strap
- full-width footplate, aluminum, tubular, with plate
- heel loops, adjustable

Drive, brake, wheel, fork and axle systems

- smooth handrims, 55.9 cm (22 in.), 61.0 cm (24 in.), 63.5 cm (25 in.), 66.0 cm (26 in.)
- standard wheel locks, push-to-lock, pull-to-lock
- scissor-type wheel locks
- rear mag wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.)
- rear mag wheels, standard pressure, 55.9 cm (22 in.), 61.0 cm (24 in.)
- spoked rear wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.)
- spoked rear wheels, standard pressure, 55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)
- spoked rear wheels, high pressure, 61.0 cm (24 in.), 66.0 cm (26 in.)
- rear wheels, heavy-duty, standard pressure, high pressure, 61.0 cm (24 in.)

- front wheels, solid tires, 7.6 cm (3 in.), 10.2 cm (4 in.), 12.7 cm (5 in.), 15.2 cm (6 in.)
- front wheels, semi-pneumatic tires, 10.2 cm (4 in.) X 3.2 cm (1¹/₄ in.)
- front wheels, semi-pneumatic tires, 10.2 cm (4 in.) X 3.8 cm (1½ in.), 12.7 cm (5 in.) X 3.8 cm (1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.)
- standard forks, adjustable, wide, compatible with 7.6 cm (3 in.), 10.2 cm (4 in.), 12.7 cm (5 in.) and 15.2 cm (6 in.) wheels
- quick-release axles
- rear wheel camber, 0° , 3° , 6° , 9°
- axle position along the backrest axis, -2.5 cm (1 in.) to 11.4 cm (4½ in.)

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	Basic and Optional Components		
	Body support system		
	Seat and back:		
+4055521	back, angle-adjustable, 28° of adjustment	N/C	N/A
	folding back, angle-adjustable, 28° of adjustment	N/C	N/A
	folding back, angle-adjustable, height-adjustable: from	N/C	N/A
	25.4 cm (10 in.) to 45.7 cm (18 in.)		
4052551	supple back, nylon	N/C	67.00
	supple back, tension-adjustable	76.00	143.00
	supple seat, nylon	N/C	55.00
	seat tilt, up to 16° of adjustment	N/C	N/A
4052486	modification of seat width to 48.3 cm (19 in.) or to 50.8 cm	55.00	N/A
	(20 in.)		
4052494	modification of seat depth to 48.3 cm (19 in.) or to 50.8 cm	50.00	N/A
	(20 in.)		
+4055554	modification of depth through seat canvas, customized	80.00	N/A
4052577	seat cushion, flat, foam, 5.1 cm (2 in.)	58.00	58.00
4052585	seat cushion, flat, foam, 7.6 cm (3 in.)	58.00	58.00
4052593	seat cushion, flat, foam, 10.2 cm (4 in.)	58.00	58.00
4052601	safety belt, velcro-type	N/C	29.00
4052619	safety belt, auto-type	N/C	42.00
4052536	backposts with push handles	N/C	25.00
	push handles, bolt-on	N/C	28.00
4052544	push handles, folding	52.00	51.00
	Armrests:		
4052643	T-type armrests, height-adjustable, from 22.9 cm (9 in.) to	78.00	135.00
	35.6 cm (14 in.), short, long		
4052635	L-type armrests, detachable, swingaway, height-adjustable,	N/C	96.00
	from 20.3 cm (8 in.) to 30.5 cm (12 in.), short		
	armrest pads, straight, short	N/C	15.00
	armrest pads, straight, long	N/C	18.00
	armrest pads, tubular	N/C	2.00
	clothing guards, flexible	N/C	22.00
	clothing guards, rigid	N/C	68.00
	clothing guards, aluminum, folding with mudguard	N/C	145.00
+4055562	receptors for L-type armrests, angle-adjustable	40.00	N/A
	Footrests:		
4053294	75°, 85° footrests, parallel, narrowed by 2.5 cm (1 in.) or	N/C	N/A
	5.1 cm (2 in.), fixed, length-adjustable, from 33.0 cm		
40	(13 in.) to 50.8 cm (20 in.)	**.~	10.00
4053302	single calf strap	N/C	19.00

4053310	double calf strap	14.00	33.00
4053328	full-width footplate, aluminum, tubular, with plate	N/C	N/A
	full-width footplate, angle and depth-adjustable	40.00	111.00
+4055570	footplates, angle and depth-adjustable, oversized, for	54.00	76.00
	modification of front frame		
+4055588	heel loops, adjustable	N/C	10.00
4053351	foot positioning plates	40.00	20.00
4053344	5.1 cm (2 in.), 10.2 cm (4 in.), 15.2 cm (6 in.) spacers for	20.00	10.00
	footplate		
+4055596	raised footrest mounting for angle or depth-adjustable	60.00	N/A
	footplate		
+4055604	modification permitting the installation of individual	635.00	N/A
	folding footplates		
	Frame:		
+4055612	wheel chair modification kit including: frame, back cross	450.00	N/A
	bar, seat canvas, lower portion of back, axle tubes and		
	footplate, in the first three (3) years		
	anti-tip rollers	44.00	39.00
4053401	adjustment of back depth by -2.5 cm (1 in.) or by -5.1 cm	76.00	N/A
40.50.440	(2 in.)	45.00	45.00
4053419	cane holder	45.00	45.00
	D: 4		
4052277	Drive systems:	N/C	60.00
4055577	smooth handrims, 55.9 cm (22 in.), 61.0 cm (24 in.),	N/C	00.00
1052295	63.5 cm (25 in.), 66.0 cm (26 in.)	56.00	88.00
4055565	plastic-coated handrims, 55.9 cm (22 in.), 61.0 cm (24 in.), 63.5 cm (25 in.), 66.0 cm (26 in.)	30.00	88.00
4052260	handrims with vertical or oblique projections	90.00	105.00
	non-slip handrims, 61.0 cm (24 in.)	168.00	144.00
4032027	non-sup nandrinis, 01.0 cm (24 m.)	100.00	144.00
	Wheel locks:		
4053427	standard wheel locks, push-to-lock, pull-to-lock	N/C	40.00
	scissor-type wheel locks	N/C	27.00
	scissor-type wheel locks-ergo	24.00	52.00
	wheel lock extensions	26.00	13.00
	anti-rollback brakes	68.00	34.00
	compact scissor-type wheel locks	70.00	75.00
	1 31		
	Wheels:		
4054300	rear mag wheels, semi-pneumatic tires, 55.9 cm (22 in.),	N/C	136.00
	61.0 cm (24 in.)		
4054292	rear mag wheels, standard pressure, 55.9 cm (22 in.),	N/C	113.00
	61.0 cm (24 in.)		
4054334	spoked rear wheels, semi-pneumatic tires, 55.9 cm (22 in.),	N/C	153.00
	61.0 cm (24 in.)		
4054318	spoked rear wheels, standard pressure, 55.9 cm (22 in.),	N/C	136.00
	61.0 cm (24 in.), 66.0 cm (26 in.)		
4054326	spoked rear wheels, high pressure, 61.0 cm (24 in.),	N/C	136.00
	66.0 cm (26 in.)		

4054342	rear wheels, heavy-duty, standard pressure, high pressure, 61.0 cm (24 in.)	N/C	199.00
4054359	rear wheels, heavy-duty, standard pressure, high pressure, 66.0 cm (26 in.)	56.00	227.00
4054367	rear wheels, heavy-duty, high pressure, 63.5 cm (25 in.)	56.00	227.00
	front wheels, solid tires, 7.6 cm (3 in.)	N/C	67.00
	front wheels, solid tires, 10.2 cm (4 in.)	N/C	60.00
	front wheels, solid tires, 12.7 cm (5 in.)	N/C	47.00
	front wheels, solid tires, 15.2 cm (6 in.)	N/C	62.00
+4055638	front wheels, semi-pneumatic tires, 10.2 cm (4 in.) X 3.2 cm (1 ¹ / ₄ in.)	N/C	60.00
4054417	front wheels, semi-pneumatic tires, 10.2 cm (4 in.) X 3.8 cm (1½ in.), 12.7 cm (5 in.) X 3.8 cm (1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.)	N/C	89.00
4054425	front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 5.1 cm (2 in.)	68.00	81.00
	Forks:		
4053609	standard forks, wide, adjustable, compatible with 7.6 cm (3 in.), 10.2 cm (4 in.), 12.7 cm (5 in.) and 15.2 cm (6 in.) wheels	N/C	69.00
4054250	fork-locking mechanism	99.00	83.00
	Rear axles:		
4054268	quick-release axles	N/C	33.00
	plates for amputees	56.00	84.00
	rear wheel camber to 0°, 3°, 6°, 9°	N/C	38.00
+4055646	axle position along the backrest axis, -2.5 cm (1 in.) to 11.4 cm ($4\frac{1}{2}$ in.)	N/C	N/A
	Non S.C. components for which supporting document must be kept on file:		
4054433	spoke guards	70.00	35.00
	quick-release axles with lever mechanism	66.00	66.00
	heavy-duty axles	102.00	84.00

SUBDIVISION 3: POWERED WHEEL CHAIRS

SUPPLIER: INVACARE CANADA L.P.

PRICE

+4545000 POWERED WHEEL CHAIR TDX – SP ADULT MODEL

4,322.00

Basic Components

Body support system

- back, angle-adjustable
- supple back, nylon, leatherette, heavy-duty
- rigid seat, flat
- back height: from 30.5 cm (12 in.) to 61.0 cm (24 in.)
- seat heights: 41.9 cm (16½ in.), 47.0 cm (18½ in.)
- seat width: from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- seat depth: from 40.6 cm (16 in.) to 48.3 cm (19 in.)
- back spreader bar, on reclining back
- safety belt, auto-type
- headrest mounting, articulated
- push handles
- push bar
- installation of power rocker device

Armrests

- U-type armrests, height-adjustable, from 20.3 cm (8 in.) to 30.5 cm (12 in.), short, long
- armrest pads, straight, short, long
- armrest pads, contoured, short, long
- rigid clothing guards, built into armrests

Footrests

- 70° footrests, parallel, detachable, swingaway, length-adjustable, from 29.8 cm (11¾ in.) to 43.2 cm (17 in.)
- padded calfrests
- folding footplates, standard
- heel loops, fixed
- heel loops, adjustable
- longer extension tubes, additional 5.1 cm (2 in.)

Frame

- anti-tip rollers
- tie-down points for adapted transport
- rear suspension
- rear reflectors
- running lights

Drive systems

- programmable joystick control SPJ / PSS
- battery charge display
- battery charger
- battery boxes, group 22, group 24
- toggle switch
- side bracket for joystick control
- swivel side bracket for joystick control
- bracket for separate display module
- controller
- heavy-duty motors, standard motors, with gear assembly, 4-brush

Wheels and forks

- driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.)
- front and rear casters, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.)
- driving wheel rims
- standard forks, 15.2 cm (6 in.), one-sided

For a TDX-SP wheel chair with power reclining back or power rocker only:

- conventional back, height of 40.6 cm (16 in.) to 61.0 cm (24 in.) *
- ABS shell, height of 40.6 cm (16 in.) to 61.0 cm (24 in.) *
- combined headrest/neckrest, with mounting, small, large *

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	Basic and Optional Components		
	Body support system		
	Seat and back:		
4543120	seat/back structure, with angle-adjustable back (ASBA)	574.00	675.00
4541132	back, angle-adjustable	N/C	N/A
4542841	supple back, nylon, single thickness	N/C	75.00
+4543864	supple back, heavy-duty nylon	N/C	90.00
4543179	supple back, leatherette	N/C	90.00
4542718	padded back, contoured, fabric	284.00	359.00
4543377	padded back, contoured, leatherette	414.00	489.00
+4545018	ergonomic back, from 33.0 cm (13 in.) to 50.8 cm (20 in.),	296.00	371.00
	with 12.7 cm (5 in.) thoracic supports		
+4545026	ergonomic back, from 33.0 cm (13 in.) to 50.8 cm (20 in.),	376.00	451.00
	with 17.8 cm (7 in.) thoracic supports		
+4545034	ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.),	456.00	531.00
	heavy-duty, with 12.7 cm (5 in.) thoracic supports		
+4545042	contour back, from 50.8 cm (20 in.) to 55.9 cm (22 in.),	536.00	611.00
	heavy-duty, with 17.8 cm (7 in.) thoracic supports		
4542742	rigid seat, flat	N/C	48.00
4542734	padded seat, contoured, fabric	297.00	297.00
4543260	padded seat, ergonomic, contoured, fabric, width: from	283.00	315.00
	33.0 cm (13 in.) to 48.3 cm (19 in.)		
+4545059	padded seat, ergonomic, fabric, width: from 48.3 cm	310.00	344.00
	(19 in.) to 55.9 cm (22 in.)		
4543401	padded seat, contoured, leatherette	397.00	397.00
4542809	modification of seat height, to 54.6 cm (21½ in.)	132.00	N/A
4542791	modification of ASBA seat width, from 50.8 cm (20 in.) to	225.00	N/A
	61.0 cm (24 in.)		
+4544052	modification of seat depth, from 48.3 cm (19 in.) to	186.00	N/A
	55.9 cm (22 in.)		
4545232	seat cushion, flat, foam, 5.1 cm (2 in.)	61.00	61.00
4545240	seat cushion, flat, foam, 7.6 cm (3 in.)	61.00	61.00
4540571	safety belt, auto-type	N/C	53.00
4543690	headrest, small	152.00	152.00
4543351	headrest, large	152.00	152.00
4543369	combined headrest/neckrest	152.00	152.00
4543161	headrest mounting, articulated	N/C	N/A
	headrest bracket	233.00	233.00
4541140	back spreader bar, on reclining back	N/C	N/A
4542114	push handles	N/C	52.00

	Armrests:		
4543187	U-type armrests, height-adjustable, from 20.3 cm (8 in.) to	N/C	138.00
10 10 10 1	30.5 cm (12 in.), short, long	1,, 0	150.00
+4545067		N/C	18.00
	armrest pads, contoured, short, long	N/C	30.00
	rigid clothing guards, built into armrests	N/C	N/A
	modification of armrest height, by -2.5 cm (1 in.), by -	190.00	N/A
	5.1 cm (2 in.)		
. 4544005	Footrests:	N/C	72.00
+4544227	70° footrests, parallel, detachable, swingaway, length-	N/C	72.00
4542008	adjustable, from 29.8 cm (11¾ in.) to 43.2 cm (17 in.) 70° footrests, narrowed, detachable, swingaway, length-	20.00	82.00
4542906	adjustable, from 34.3 cm (13½ in.) to 44.5 cm (17½ in.)	20.00	82.00
±4544243	midline footrests, adjustable from 23.5 cm (9½ in.) to	137.00	318.00
T -13-1-2-13	30.5 cm (12 in.), from 31.8 cm (12½ in.) to 38.1 cm (15 in.)	137.00	310.00
4542916	elevating legrests, length-adjustable, from 40.6 cm (16 in.)	238.00	191.00
4542710	to 50.8 cm (20 in.)	250.00	171.00
4543286	elevating legrests, with compensating mechanism, length-	162.00	153.00
10 10 200	adjustable, from 43.8 cm ($17\frac{1}{4}$ in.) to 54.6 cm ($21\frac{1}{2}$ in.)	102.00	155.00
4542940	padded calfrests	N/C	28.00
	single calf strap	38.00	38.00
4540423	double calf strap	57.00	57.00
	folding footplates, standard	N/C	42.00
	oversized footplates	45.00	64.00
	full-width footplate	76.00	76.00
	footplates, angle and depth-adjustable, standard size	56.00	70.00
	oversized footplates, angle and depth-adjustable	56.00	70.00
	heel loops, fixed	N/C	7.00
	heel loops, adjustable	N/C	10.00
+4545075	longer extension tubes, additional 5.1 cm (2 in.)	N/C	16.00
	Frame:		
4542106	anti-tip rollers	N/C	N/A
4542494	tie-down points for adapted transport	N/C	N/A
4543211	rear suspension	N/C	N/A
	rear reflectors	N/C	N/A
	running lights	N/C	N/A
4543617	heavy-duty frame or heavy-duty base	268.00	N/A
	Drive systems:		
+4544441	programmable joystick control SPJ / PSS	N/C	335.00
	programmable joystick control MPJ+	239.00	574.00
	joystick control, PSF and PSR	502.00	1 042.00
	compact joystick control, including display module	607.00	1 181.00
4542981	battery charge display	N/C	N/A
4540027	battery charger	N/C	240.00
	battery boxes, group 22	N/C	195.00
	battery boxes, group 24	N/C	211.00
4543757	non-proportional controls interface	1,173.00	1,173.00

	proportional chin control, including display	657.00	1 231.00
	non-proportional chin control, including display	1,655.00	2,229.00
	head control, including display	1,006.00	1,580.00
	breath control, including display and interface	1,227.00	1,801.00
	control with separate switches, including display	1,417.00	1,991.00
	foot control, including bracket	1,566.00	2,140.00
	laptray touch switch control, including display	1,655.00	2,229.00
	toggle switch	N/C	19.00
	Egg auxiliary switch	141.00	141.00
	separate display module	119.00	395.00
	ball extension	5.00 25.00	5.00
	stick extension	25.00 25.00	25.00
	T-type extension side bracket for joystick control	23.00 N/C	25.00 54.00
	swivel side bracket for joystick control	N/C N/C	34.00
	midline bracket for joystick control, GATLIN	480.00	534.00
	bracket for separate display module	N/C	185.00
	head control bracket	120.00	120.00
	breath control bracket	216.00	357.00
	chin control bracket	480.00	534.00
	chin bib control	199.00	357.00
	controller	N/C	500.00
	heavy-duty motors, with gear assembly, 4-brush	N/C	870.00
	standard motors, with gear assembly, 4-brush	N/C	870.00
	, , , , , , , , , , , , , , , , , , ,		
	Wheel locks:		
	Which locks.		
4543773	manual auxiliary wheel locks	61.00	31.00
4543773	manual auxiliary wheel locks	61.00	31.00
	manual auxiliary wheel locks Wheels and forks:		
	manual auxiliary wheel locks Wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm	61.00 N/C	31.00 60.00
+4544789	manual auxiliary wheel locks Wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.)	N/C	60.00
	wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.) driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture-		
+4544789 +4544797	wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.) driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture-resistant	N/C 40.00	60.00 80.00
+4544789 +4544797	wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.) driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture-resistant front and rear casters, semi-pneumatic tires, 15.2 cm (6 in.)	N/C	60.00
+4544789 +4544797 +4544805	Wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.) driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture- resistant front and rear casters, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.)	N/C 40.00 N/C	60.00 80.00 63.00
+4544789 +4544797 +4544805 +4544813	Wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.) driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture- resistant front and rear casters, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.) driving wheel rims	N/C 40.00 N/C N/C	60.00 80.00 63.00 75.00
+4544789 +4544797 +4544805 +4544813 +4544821	wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.) driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture- resistant front and rear casters, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.) driving wheel rims standard forks, 15.2 cm (6 in.)	N/C 40.00 N/C N/C N/C	60.00 80.00 63.00 75.00 60.00
+4544789 +4544797 +4544805 +4544813 +4544821 +4544839	wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.) driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture- resistant front and rear casters, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.) driving wheel rims standard forks, 15.2 cm (6 in.) forks, one-sided	N/C 40.00 N/C N/C N/C N/C	60.00 80.00 63.00 75.00 60.00 60.00
+4544789 +4544797 +4544805 +4544813 +4544821 +4544839	wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.) driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture- resistant front and rear casters, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.) driving wheel rims standard forks, 15.2 cm (6 in.)	N/C 40.00 N/C N/C N/C	60.00 80.00 63.00 75.00 60.00
+4544789 +4544797 +4544805 +4544813 +4544821 +4544839	wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.) driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture- resistant front and rear casters, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.) driving wheel rims standard forks, 15.2 cm (6 in.) forks, one-sided	N/C 40.00 N/C N/C N/C N/C	60.00 80.00 63.00 75.00 60.00 60.00
+4544789 +4544797 +4544805 +4544813 +4544821 +4544839	Wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.) driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture- resistant front and rear casters, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.) driving wheel rims standard forks, 15.2 cm (6 in.) forks, one-sided suspension forks	N/C 40.00 N/C N/C N/C N/C	60.00 80.00 63.00 75.00 60.00 60.00
+4544789 +4544797 +4544805 +4544813 +4544821 +4544839 4543237	Wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.) driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture- resistant front and rear casters, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.) driving wheel rims standard forks, 15.2 cm (6 in.) forks, one-sided suspension forks Non S.C. components for which supporting document	N/C 40.00 N/C N/C N/C N/C	60.00 80.00 63.00 75.00 60.00 60.00
+4544789 +4544797 +4544805 +4544813 +4544821 +4544839 4543237	Wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.) driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture- resistant front and rear casters, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.) driving wheel rims standard forks, 15.2 cm (6 in.) forks, one-sided suspension forks Non S.C. components for which supporting document must be kept on file:	N/C 40.00 N/C N/C N/C N/C N/C 130.00	60.00 80.00 63.00 75.00 60.00 60.00 125.00
+4544789 +4544797 +4544805 +4544813 +4544821 +4544839 4543237 4543831 +4545133	Wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.) driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture- resistant front and rear casters, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.) driving wheel rims standard forks, 15.2 cm (6 in.) forks, one-sided suspension forks Non S.C. components for which supporting document must be kept on file: power rocker device installation of power rocker device control system for one (1) power accessory only, joystick-	N/C 40.00 N/C N/C N/C N/C 130.00	60.00 80.00 63.00 75.00 60.00 60.00 125.00
+4544789 +4544797 +4544805 +4544813 +4544821 +4544839 4543237 4543831 +4545133 4543658	Wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.) driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture- resistant front and rear casters, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.) driving wheel rims standard forks, 15.2 cm (6 in.) forks, one-sided suspension forks Non S.C. components for which supporting document must be kept on file: power rocker device installation of power rocker device control system for one (1) power accessory only, joystick- controlled	N/C 40.00 N/C N/C N/C N/C N/C 130.00 1,800.00 N/C 549.00	60.00 80.00 63.00 75.00 60.00 60.00 125.00 1,800.00 350.00 1,060.00
+4544789 +4544797 +4544805 +4544813 +4544821 +4544839 4543237 4543831 +4545133 4543658	wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.) driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture- resistant front and rear casters, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.) driving wheel rims standard forks, 15.2 cm (6 in.) forks, one-sided suspension forks Non S.C. components for which supporting document must be kept on file: power rocker device installation of power rocker device control system for one (1) power accessory only, joystick- controlled control system for four (4) power accessories S4WSB,	N/C 40.00 N/C N/C N/C N/C 130.00 1,800.00 N/C	60.00 80.00 63.00 75.00 60.00 60.00 125.00 1,800.00 350.00
+4544789 +4544797 +4544805 +4544813 +4544821 +4544839 4543237 4543831 +4545133 4543658 +4545141	Wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.) driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture- resistant front and rear casters, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.) driving wheel rims standard forks, 15.2 cm (6 in.) forks, one-sided suspension forks Non S.C. components for which supporting document must be kept on file: power rocker device installation of power rocker device control system for one (1) power accessory only, joystick- controlled control system for four (4) power accessories S4WSB, joystick-controlled	N/C 40.00 N/C N/C N/C N/C 130.00 1,800.00 N/C 549.00 1,036.00	60.00 80.00 63.00 75.00 60.00 60.00 125.00 1,800.00 350.00 1,060.00 2,033.00
+4544789 +4544797 +4544805 +4544813 +4544821 +4544839 4543237 4543831 +4545133 4543658 +4545141 +4545158	wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.) driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture- resistant front and rear casters, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.) driving wheel rims standard forks, 15.2 cm (6 in.) forks, one-sided suspension forks Non S.C. components for which supporting document must be kept on file: power rocker device installation of power rocker device control system for one (1) power accessory only, joystick- controlled control system for four (4) power accessories S4WSB, joystick-controlled ASL micro extremity control, requires display module	N/C 40.00 N/C N/C N/C N/C 130.00 1,800.00 N/C 549.00 1,036.00 1,603.00	60.00 80.00 63.00 75.00 60.00 60.00 125.00 1,800.00 350.00 1,060.00 2,033.00 2,177.00
+4544789 +4544797 +4544805 +4544813 +4544821 +4544839 4543237 4543831 +4545133 4543658 +4545141 +4545158 +4545166	Wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.) driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture- resistant front and rear casters, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.) driving wheel rims standard forks, 15.2 cm (6 in.) forks, one-sided suspension forks Non S.C. components for which supporting document must be kept on file: power rocker device installation of power rocker device control system for one (1) power accessory only, joystick- controlled control system for four (4) power accessories S4WSB, joystick-controlled	N/C 40.00 N/C N/C N/C N/C 130.00 1,800.00 N/C 549.00 1,036.00	60.00 80.00 63.00 75.00 60.00 60.00 125.00 1,800.00 350.00 1,060.00 2,033.00

SCHEDULE 1	Tariff for devices which compensate for a motor deficiency and insured related services
	(authentic version)

+4545182	connecting cables for power reclining devices	123.00	123.00
+4545125	Components under Special Consideration seat/back structure, with reclining back with cylinder (ASBA) * power reclining back, including installation * power elevating legrests, per pair only *	787.00 2,000.00 1,499.00	1 139.00 N/A 1,409.00 / pr
	For a TDX-SP wheel chair with power reclining back or power rocker only:		
+4545190	conventional back, height of 40.6 cm (16 in.) to 61.0 cm (24 in.) *	N/C	250.00
+4545208	ABS shell, height of 40.6 cm (16 in.) to 61.0 cm (24 in.) *	N/C	215.00
+4545216	combined headrest/neckrest, with mounting, small, large *	N/C	248.00
+4545224	OTTO-BOCK arm pads, 0020400, 0020500, 0020600, 0020700 *	82.00	100.00

SUPPLIER: INVACARE CANADA L.P.

PRICE

4543005 POWERED WHEEL CHAIR STORM ARROW 3G MODEL

5,273.00

Basic Components

Body support system

- back, angle-adjustable
- supple back, fabric, leatherette, heavy-duty
- rigid seat, flat
- back height: from 30.5 cm (12 in.) to 61.0 cm (24 in.)
- seat heights: 44.5 cm (17½ in.), 50.2 cm (19¾ in.)
- seat width: from 30.5 cm (12 in.) to 48.3 cm (19 in.)
- seat depth: from 30.5 cm (12 in.) to 48.3 cm (19 in.)
- safety belt, auto-type
- back spreader bar, on reclining back
- headrest mounting, articulated
- push handles
- push bar
- installation of power rocker device

Armrests

- U-type armrests, height-adjustable, from 20.3 cm (8 in.) to 30.5 cm (12 in.), short, long
- armrest pads, straight, short, long
- armrest pads, contoured, short, long

Footrests

- 60° footrests, parallel, detachable, swingaway, length-adjustable, from 34.3 cm (13½ in.) to 44.5 cm (17½ in.); 70°, length-adjustable from 29.8 cm (11¾ in.) to 43.2 cm (17 in.)
- padded calfrests
- folding footplates, standard
- heel loops, adjustable
- heel loops, fixed
- longer extension tubes, additional 5.1 cm (2 in.)

Frame

- anti-tip rollers
- tie-down points for adapted transport
- rear suspension
- rear reflectors
- running lights

Drive systems

- programmable joystick control, MPJ+, PSF, PSR
- battery charger
- battery charge display

- battery boxes, group 22, group 24
- toggle switch
- side bracket for joystick control
- swivel side bracket for joystick control
- bracket for separate display module
- controller
- standard motors, with gear assembly, 4-brush
- heavy-duty motors, with gear assembly, 4-brush

Wheels and forks

- rear wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.)
- front wheels, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.), 20.3 cm (8 in.) X 5.7 cm (2¹/₄ in.)
- front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)
- front wheel rims
- rear wheel rims
- standard forks

For a Storm Arrow 3G wheel chair with power reclining back or power rocker only:

- conventional back, height of 40.6 cm (16 in.) to 61.4 cm (24 in.) *
- ABS shell, height from 40.6 cm (16 in.) to 61.4 cm (24 cm) *
- combined headrest/neckrest, with mounting, small, large *

Updated: February 16, 2016 243

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	Basic and Optional Components		
	Body support system		
	Seat and back:		
	seat/back structure, with angle-adjustable back (ASBA)	574.00	675.00
4541132	back, angle-adjustable	N/C	N/A
4542841	supple back, nylon, single thickness	N/C	75.00
+4543864	supple back, heavy-duty nylon	N/C	90.00
	supple back, leatherette	N/C	90.00
4542718	padded back, contoured, fabric	284.00	359.00
	padded back, contoured, leatherette	414.00	489.00
+4545018	contour back, from 33.0 cm (13 in.) to 50.8 cm (20 in.),	296.00	371.00
	with 12.7 cm (5 in.) thoracic supports		
+4545026	ergonomic back, from 33.0 cm (13 in.) to 50.8 cm (20 in.),	376.00	451.00
	with 17.8 cm (7 in.) thoracic supports		
+4545034	ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.),	456.00	531.00
	heavy-duty, with 12.7 cm (5 in.) thoracic supports		
+4545042	ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.),	536.00	611.00
	heavy-duty, with 17.8 cm (7 in.) thoracic supports		
	rigid seat, flat	N/C	48.00
	padded seat, contoured, fabric	297.00	297.00
	padded seat, contoured, leatherette	397.00	397.00
4543260	padded seat, ergonomic, contoured, fabric, width: from 33.0 cm (13 in.) to 48.3 cm (19 in.)	283.00	315.00
+4545059	padded seat, ergonomic, fabric, width: from 48.3 cm (19 in.) to 55.9 cm (22 in.)	310.00	344.00
4542809	modification of seat height, to 54.6 cm (21½ in.)	132.00	N/A
4542791	modification of ASBA seat width, from 50.8 cm (20 in.) to 61.0 cm (24 in.)	225.00	N/A
4542767	modification of seat depth, from 48.3 cm (19 in.) to 55.9 cm (22 in.), long base	186.00	N/A
4545232	seat cushion, flat, foam, 5.1 cm (2 in.)	61.00	61.00
4545240	seat cushion, flat, foam, 7.6 cm (3 in.)	61.00	61.00
4540571	safety belt, auto-type	N/C	53.00
4543690	headrest, small	152.00	152.00
4543351	headrest, large	152.00	152.00
	combined headrest/neckrest	152.00	152.00
4543161	headrest mounting, articulated	N/C	N/A
	headrest bracket	233.00	233.00
4541140	back spreader bar, on reclining back	N/C	N/A
	push handles	N/C	52.00
4543427	push bar	N/C	61.00

	Armrests:		
4543187	U-type armrests, height-adjustable, from 20.3 cm (8 in.) to	N/C	138.00
	30.5 cm (12 in.), short, long	- " -	
+4545067	armrest pads, straight, short, long	N/C	18.00
	armrest pads, contoured, short, long	N/C	30.00
	modification of armrest height, by - 2.5 cm (1 in.), by -	190.00	N/A
	5.1 cm (2 in.)		
	Footrests:		
4542890	footrests, parallel, detachable, swingaway, length-	N/C	72.00
	adjustable, from 34.3 cm (13½ in.) to 44.5 cm (17½ in.) at		
	60° , from 29.8 cm (11 ³ / ₄ in.) to 43.2 cm (17 in.) at 70°		
4542908	70° footrests, narrowed, detachable, swingaway, length-	20.00	82.00
	adjustable, from 34.3 cm (13½ in.) to 44.5 cm (17½ in.)		
4542916	elevating legrests, length-adjustable, from 40.6 cm (16 in.)	238.00	191.00
	to 50.8 cm (20 in.)		
4543286	elevating legrests, with compensating mechanism, length-	162.00	153.00
	adjustable, from 43.8 cm (171/4 in.) to 54.6 cm (211/2 in.)		
	padded calfrests	N/C	28.00
	single calf strap	38.00	38.00
	double calf strap	57.00	57.00
	folding footplates, standard	N/C	42.00
	oversized footplates	45.00	64.00
	full-width footplate	76.00	76.00
	footplates, angle and depth-adjustable, standard size	56.00	70.00 70.00
	oversized footplates, angle and depth-adjustable heel loops, fixed	56.00 N/C	70.00
	heel loops, adjustable	N/C	10.00
	longer extension tubes, additional 5.1 cm (2 in.)	N/C	16.00
T TJTJU 13	Tonger extension tubes, additional 3.1 cm (2 m.)	14/6	10.00
	Frame:		
4542106	anti-tip rollers	N/C	N/A
	tie-down points for adapted transport	N/C	N/A
	rear suspension	N/C	N/A
	rear reflectors	N/C	N/A
4543633	running lights	N/C	N/A
4543617	heavy-duty frame or base heavy-duty	268.00	N/A
	Drive systems:		
	programmable joystick control MPJ+	N/C	574.00
	joystick control - PSF, PSR	N/C	1 042.00
	compact joystick control, including display module	607.00	1 181.00
	battery charge display	N/C	N/A
	battery charger	N/C	240.00
	battery boxes, group 22	N/C	195.00
	battery boxes, group 24	N/C	211.00
	proportional chin control, including display	657.00	1,231.00
	non-proportional chin control, including display	1,655.00	2,229.00
	head control, including display	1,006.00	1,580.00
4540043	breath control, including display and interface	1,227.00	1,801.00

(authentic	version)
(additionitie	, croidin,

4540506		4 44 = 00	4 004 00
	control with separate switches, including display	1,417.00	1,991.00
	foot control, including display	1,566.00	2,140.00
	laptray touch switch control, including display	1,655.00	2,229.00
	toggle switch	N/C	N/A
	Egg auxiliary switch	141.00	141.00
	non-proportional controls interface	1,173.00	1,173.00
	separate display module	119.00	395.00
4542155	ball extension	5.00	5.00
4540159	joystick extension	25.00	25.00
4540167	T-type extension	25.00	25.00
4542064	side bracket for joystick control	N/C	54.00
4542049	swivel side bracket for joystick control	N/C	317.00
4543567	midline bracket for joystick control, GATLIN	480.00	534.00
4543765	bracket for separate display module	N/C	185.00
4543583	head control bracket	120.00	120.00
4542353	breath control bracket	216.00	357.00
4543575	chin control bracket	480.00	534.00
4543591	chin bib control	199.00	357.00
4540126	controller	N/C	500.00
4543302	heavy-duty motors, with gear assembly, 4-brush	N/C	870.00
	standard motors, with gear assembly, 4-brush	N/C	870.00
	Wheel locks:		
4542772		61.00	31.00
4545775	manual auxiliary wheel locks	01.00	31.00
	Wheels and forba		
4542054	Wheels and forks:	N/C	62.00
4545054	rear wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm	N/C	63.00
. 4545100	(3 in.)	86.00	106.00
+4545109	rear wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture-	80.00	100.00
1512611	resistant	N/C	62.00
4545041	front wheels, semi-pneumatic tires, 15.2 cm (6 in.) X	N/C	63.00
4542020	5.1 cm (2 in.), 20.3 cm (8 in.) X 5.7 cm (2 ¹ / ₄ in.)	N/C	63.00
4545059	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm	N/C	03.00
4542062	(2 in.)	20.00	92.00
4545002	front wheels, inner tube tires, 22.9 cm (9 in.) X 7.0 cm	38.00	82.00
. 4545115	(2¾ in.)	00.00	102.00
+4545117	front wheels, 22.9 cm (9 in.) X 7 cm (2¾ in.), puncture-	80.00	103.00
4542007	resistant	N/C	75.00
	rear wheel rims	N/C	75.00
	front wheel rims	N/C	N/A
	standard forks	N/C	57.00
4543237	suspension forks	130.00	125.00
	Non S.C. components for which supporting document		
AE 40001	must be kept on file:	1 000 00	1 000 00
	power rocker device	1,800.00	1,800.00
	installation of power rocker device	N/C	350.00
4543658	control system for one power accessory only, joystick-	549.00	1,060.00
. 45 454 44	controlled	1.004.00	0.000.00
+4545141	control system for four (4) power accessories S4WSB,	1,036.00	2,033.00
	joystick-controlled		

+4545166 +4545174	ASL micro extremity control, requires display module head control, ASL, requires display module Y-cable, mono (MPJ or display) for additional switch connecting cables for power reclining devices	1,603.00 3,612.00 12.00 123.00	2,177.00 4,186.00 12.00 123.00
	Components under Special Consideration		
4543112	seat/back structure, with reclining back with cylinder	787.00	1 139.00
	(ASBA) *	• 000 00	
	power reclining back, including installation *	2,000.00	N/A
4543849	power elevating legrests, by pair*	1,499.00	1,409.00 / pr
	For a Storm Arrow 3G wheel chair with power reclining back or power rocker only:		
+4545190	•	N/C	250.00
+4545208	ABS shell, height of 40.6 cm (16 in.) to 61.0 cm (24 in.) *	N/C	215.00
+4545216	combined headrest/neckrest, with mounting, small, large *	N/C	248.00
	OTTO-BOCK arm pads, 0020400, 0020500, 0020600, 0020700 *	82.00	100.00

SUPPLIER: SUNRISE MEDICAL CANADA INC.

PRICE

+4554002 POWERED WHEEL CHAIR QUICKIE 323 ADULT MODEL

4,325.00

Basic Components

- Body support systemsupple back, nylon
- back, angle-adjustable, from 84° to 116°, ASAP seat
- back, angle-adjustable, from 84° to 124°, by 4° increments, SP202
- rigid seat, flat
- back height: from 40.6 cm (16 in.) to 48.3 cm (19 in.)
- seat height: from 38.1 cm (15 in.) to 50.8 cm (20 in.)
- seat width: from 40.6 cm (16 in.) to 50.8 cm (20 in.)
- SP202 seat widths: 35.6 cm (14 in.), 38.1 cm (15 in.)
- seat depth: from 40.6 cm (16 in.) to 50.8 cm (20 in.)
- SP202 seat depth: from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- safety belt, auto-type, velcro-type
- centre of gravity adjustment from seat
- installation of power reclining back *
- installation of power rocker device
- control system for one (1) power accessory only (Solo)

Armrests

- U-type armrests, height-adjustable, short, long, on SP202 only
- T-type armrests, detachable, height-adjustable, from 22.9 cm (9 in.) to 30.5 cm (12 in.), short, long, on SP202 only
- I-type armrests, flip-back, angle-adjustable, height-adjustable, from 22.9 cm (9 in.) to 30.5 cm (12 in.), short, long, straight or contoured, on SP202
- I-type armrests, depth-adjustable, from 30.5 cm (12 in.) to 40.6 cm (16 in.); height-adjustable, from 22.9 cm (9 in.) to 30.5 cm (12 in.), long, ASAP seat
- armrest pads, straight, short, long
- armrest pads, contoured, short, long

Footrests

- footrests, angle-adjustable to 60°, 70°, 80°, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- padded calfrests for elevating legrests
- folding footplates, standard
- heel loops, adjustable

Frame

- tie-down points for adapted transport
- rear suspension
- running lights
- compact base, width: 61.0 cm (24 in.), group 22, maximum capacity of 181.4 kg (400 lb)

• regular base, width: 64.8 cm (25½ in.), group 24, maximum capacity of 181.4 kg (400 lb)

Drive systems

- programmable joystick control VR2, for 2-brush motors
- programmable joystick control R-Net, for 4-brush motors
- battery charge display
- battery charger
- battery boxes, group 22 on compact base, group 24 on regular base
- push-button switch
- side bracket for joystick control
- swivel side bracket for joystick control
- controller for VR2, 2-brush motors
- 2-brush motors, 113.4 kg (250 lb)

Wheels and forks

- driving wheels, inner tube, knobby tires, 35.6 cm (14 in.) X 7.6 cm (3 in.)
- front wheels, solid tires, 15.2 cm (6 in.) X 5.1 cm (2 in.), 20.3 cm (8 in.) X 5.1 cm (2 in.)
- front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)
- driving wheel rims
- front wheel rims
- standard forks

^{*} Component under Special Consideration

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	Basic and Optional Components		
	Body support system		
	Seat and back:		
+4554283	seat/back structure, with back, angle-adjustable, from 40.6 cm (16 in.) X 40.6 cm (16 in.) to 50.8 cm (20 in.) X 50.8 cm (20 in.), ASAP seat	550.00	550.00
+4554291	heavy-duty seat/back structure, for power device, with	850.00	850.00
· 4554300	angle-adjustable back, 181.4 kg (400 lb), SP202 * supple back, nylon	N/C	71.00
	back, angle-adjustable, from 84° to 116°, ASAP seat	N/C N/C	N/A
	back, angle-adjustable, from 84° to 124°, by 4° increments, SP202	N/C	N/A
+4554333	supple back, tension-adjustable	76.00	147.00
+4554341	padded back, contoured, fabric, maximum height of 48.3 cm (19 in.)	314.00	385.00
+4554358	padded back, contoured, fabric, from 50.8 cm (20 in.) to 61.0 cm (24 in.)	359.00	431.00
+4554366	padded back, contoured, fabric, with rigid base, maximum height of 48.3 cm (19 in.)	405.00	476.00
+4554374	padded back, contoured, fabric, with rigid structure, from 50.8 cm (20 in.) to 61.0 cm (24 in.)	466.00	537.00
+4554382	rigid seat, flat	N/C	N/A
+4554390	supple seat, nylon	95.00	95.00
	rigid seat, elastic webbing	150.00	150.00
	padded seat, contoured, fabric	254.00	308.00
+4554424	modification of back height, from 50.8 cm (20 in.) to 61.0 cm (24 in.)	83.00	N/A
+4554432	modification of seat width, from 53.3 cm (21 in.) to 61.0 cm (24 in.) on SP202	297.00	N/A
+4554440	modification of seat depth, from 50.8 cm (20 in.) to 55.9 cm (22 in.), on SP202	265.00	N/A
+4554457	seat cushion, flat, foam, 5.1 cm (2 in.)	58.00	58.00
	seat cushion, flat, foam, 7.6 cm (3 in.)	58.00	58.00
	safety belt, auto-type	N/C	42.00
	safety belt, velcro-type	N/C	29.00
	headrest, small	99.00	106.00
	headrest, medium	99.00	106.00
	headrest, large	99.00	106.00
	headrest mounting, articulated	159.00	173.00
+4554531	centre of gravity adjustment from seat	N/C	N/A

	Armrests:		
+4553400	U-type armrests, height-adjustable, short, long, on SP202	N/C	181.00
	only		
+4553418	T-type armrests, detachable, height-adjustable, from 22.9 cm	N/C	136.00
	(9 in.) to 30.5 cm (12 in.), short, long, on SP202 only		
+4554572	I-type armrests, flip-back, angle-adjustable, height-	N/C	136.00
	adjustable, from 22.9 cm (9 in.) to 30.5 cm (12 in.), short,		
	long, straight or contoured, for SP202		
+4554580	I-type armrests, depth-adjustable, from 30.5 cm (12 in.) to	N/C	136.00
	40.6 cm (16 in.); height-adjustable, from 22.9 cm (9 in.) to		
4554500	30.5 cm (12 in.), long, ASAP seat	160.00	216.00
+4554598	I-type armrests, for reclining back, height-adjustable, with	160.00	216.00
. 4554606	transfer assists and clothing guards, short, long, for SP202	N/C	15.00
+4554606 +4554614		N/C	18.00
+4554622	armrest pads, straight, long armrest pads, contoured, short, long	N/C N/C	26.00
+4554630	modification of height of T-type armrests, from 15.2 cm	82.00	N/A
T4334030	(6 in.) to 24.8 cm (9 ³ / ₄ in.)	02.00	1 \ /A
	(6 III.) to 24.6 cm (7/4 III.)		
	Footrests:		
+4554648	footrests, angle-adjustable to 60°, 70° and 80°, parallel,	N/C	140.00
	detachable, swingaway, length-adjustable, from 35.6 cm		
	(14 in.) to 48.3 cm (19 in.)		
+4554655	70° footrests, heavy-duty, parallel, detachable, swingaway,	150.00	215.00
	length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)		
	elevating legrests	178.00	229.00
	elevating legrests, with compensating mechanism	200.00	N/A
	padded calfrests for elevating legrests	N/C	19.00
	contoured calfrests	72.00	55.00
	single calf strap	19.00	19.00
	double calf strap	33.00	33.00
	folding footplates, standard oversized footplates	N/C 74.00	49.00 86.00
	folding footplates, angle-adjustable, locking	80.00	178.00
	oversized footplates, folding, angle and depth-adjustable	54.00	76.00
	folding footplates, multi-position	106.00	102.00
	one-piece footplates	150.00	N/A
	heel loops, adjustable	N/C	10.00
	modification of footrest length, customized	50.00	N/A
	front impact guard with rollers	38.00	19.00
	Frame:		
+4554812	tie-down points for adapted transport	N/C	N/A
+4554820	rear suspension	N/C	N/A
	running lights	N/C	N/A
	cane holder	45.00	45.00
+4554853	compact base, width: 61.0 cm (24 in.), group 22, maximum	N/C	N/A
48840 **	capacity of 181.4 kg (400 lb)	· - ·	
+4554861	regular base, width: 64.8 cm (25½ in.), group 24, maximum	N/C	N/A
	capacity of 181.4 kg (400 lb)		

	Drive systems:		
+4554879	programmable joystick control VR2, for 2-brush motors	N/C	450.00
+4554887	programmable joystick control R-Net, for 4-brush motors	N/C	660.00
+4554895	battery charge display	N/C	N/A
	battery charger	N/C	384.00
+4554911	battery boxes, group 22 on compact base, group 24 on	N/C	N/A
	regular base		
+4554929	adapted controls interface, with built-in display module	1,445.00	1,445.00
+4554937	laptray touch switch control (cross-shaped, Penta or Waffer)	314.00	314.00
	(requires interface)		
	breath control (requires interface)	426.00	426.00
	proportional chin control (requires interface)	555.00	555.00
	non-proportional chin control (requires interface)	555.00	555.00
	head control (requires interface)	555.00	555.00
	proportional mini-joystick control (requires interface)	790.00	1,090.00
	foot control, including support (requires interface)	1,740.00	1,740.00
+4554275	control with separate Zero Touch switches (requires	1,770.00	1,770.00
	interface)		
	push-button switch	N/C	N/A
	toggle switch	88.00	N/A
	auxiliary switch	91.00	96.00
	stick extension	21.00	21.00
	ball extension	52.00	52.00
	T-type extension	52.00	52.00
	side bracket for joystick control	N/C	74.00
	swivel side bracket for joystick control	N/C	188.00
	midline bracket for joystick control, flip-back	163.00	351.00
	breath control bracket	352.00	352.00
	chin control bracket	352.00	352.00
	head control bracket	352.00	352.00
	interface bracket	352.00	352.00
	adjustable support, for joystick control bracket	66.00	66.00
	modification, repositioning of joystick bracket inward	120.00	N/A
	chin bib control	352.00	352.00
	controller for VR2, 2-brush motors	N/C	1,100.00
	controller for R-Net, 4-brush motors	486.00	1,586.00
	2-brush motors, 113.4 kg (250 lb)	N/C 350.00	948.00
+4555207	4-brush motors, 181.4 kg (400 lb)	330.00	1,123.00
	Wheels and forks:		
<i>⊥1555215</i>	driving wheels, inner tube tires, knobby tires, 35.6 cm	N/C	215.00
T 4 333213	(14 in.) X 7.6 cm (3 in.)	IV/C	213.00
±4554077	front wheels, solid tires, 15.2 cm (6 in.) X 5.1 cm (2 in.)	N/C	62.00
	front wheels, solid tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)	N/C	84.00
	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm	N/C	72.00
1 100047)	(2 in.)	14/	72.00
+4555264	front wheel rims	N/C	N/A
+4555272	driving wheel rims	N/C	47.00
+4555280	airless inserts, driving wheel	136.00	N/A
	airless inserts, front wheel	114.00	N/A
		1100	- "

+4555306	standard forks	N/C	87.00
	Non S.C. components for which supporting document must be kept on file:		
+4555348	power rocker device	1,695.00	1,695.00
+4555389	installation of power rocker device	N/C	N/A
+4555397	control system for one (1) power accessory only (Solo)	N/C	275.00
+4555405	control system for four (4) power accessories, (Quattro)	575.00	575.00
	control system for two actuator motors, (Duo)	390.00	390.00
	joystick control system, two (2) accessories	525.00	525.00
	joystick control system, four (4) accessories	775.00	775.00
	Component(s) under Special Consideration		
+4555322	seat/back structure SP202, with reclining back with cylinder, compensating mechanism *	1,185.00	1,185.00
+4555330	power reclining back, compensating mechanism, requires SP202 *	1,100.00	1,950.00
+4555355		1,295.00	1,295.00 / pr
+4555363	*	1,295.00	1,295.00 / pr
+4555371	installation of power reclining back *	N/C	N/A

SUPPLIER: SUNRISE MEDICAL CANADA INC.

PRICE

+4555009 POWERED WHEEL CHAIR QUICKIE 747 ADULT MODEL

4,325.00

Basic Components

Body support system

- supple back, nylon
- back, angle-adjustable, from 84° to 116°, ASAP seat
- back, angle-adjustable, from 84° to 124°, by 4° increments, SP202
- rigid seat, flat
- back height: from 40.6 cm (16 in.) to 48.3 cm (19 in.)
- seat height: from 38.1 cm (15 in.) to 50.8 cm (20 in.)
- seat width: from 40.6 cm (16 in.) to 50.8 cm (20 in.)
- seat widths on SP202: 35.6 cm (14 in.), 38.1 cm (15 in.)
- seat depth: from 40.6 cm (16 in.) to 50.8 cm (20 in.)
- seat depth on SP202: from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- safety belt, auto-type, velcro-type
- centre of gravity adjustment from seat
- installation of power reclining back *
- installation of power rocker device
- control system for one (1) power accessory only (Solo)

Armrests

- U-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long, on SP202 only
- T-type armrests, detachable, height-adjustable, from 25.4 cm (10 in.) to 39.4 cm (15½ in.), short, long, on SP202 only
- I-type armrests, flip-back, angle-adjustable, height-adjustable, from 22.9 cm (9 in.) to 30.5 cm (12 in.), short, long, straight or contoured, for SP202
- I-type armrests, depth-adjustable, from 30.5 cm (12 in.) to 40.6 cm (16 in.); height-adjustable, from 22.9 cm (9 in.) to 30.5 cm (12 in.), long, ASAP seat
- armrest pads, straight, short, long
- armrest pads, contoured, short, long

Footrests

- footrests, angle-adjustable, to 60°, 70°, 80°, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- padded calfrests for elevating legrests
- folding footplates, standard
- heel loops, adjustable

Frame

- tie-down points for adapted transport
- rear suspension
- running lights
- compact base, width: 61.0 cm (24 in.), group 22, maximum capacity of 181.4 kg (400 lb)

• regular base, width: 64.8 cm (25½ in.), group 24, maximum capacity of 181.4 kg (400 lb)

Drive systems

- programmable joystick control VR2, for 2-brush motors
- programmable joystick control R-Net, for 4-brush motors
- battery charge display
- push-button switch
- battery charger
- battery boxes, group 22 on compact base, group 24 on regular base
- side bracket for joystick control
- swivel side bracket for joystick control
- controller for VR2, 2-brush motors
- 2-brush motors, 113.4 kg (250 lb)

Wheels and forks

- driving wheels, inner tube tires, knobby tires, 35.6 cm (14 in.) X 7.6 cm (3 in.)
- front wheels, solid tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)
- front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)
- driving wheel rims
- front wheel rims
- standard forks

^{*} Component under Special Consideration

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	Basic and Optional Components		
	Body support system		
	Seat and back:		
+4554283	seat/back structure, with back, angle-adjustable, from 40.6 cm (16 in.) X 40.6 cm (16 in.) to 50.8 cm (20 in.) X 50.8 cm (20 in.), ASAP seat	550.00	550.00
+4554291	heavy duty seat/back structure, for power device, with angle-adjustable back, 181.4 kg (400 lb), SP202 *	850.00	850.00
+4554309	supple back, nylon	N/C	71.00
	back, angle-adjustable, from 84° to 116°, ASAP seat	N/C	N/A
	back, angle-adjustable, from 84° to 124°, by 4° increments, SP202	N/C	N/A
+4554333	supple back, tension-adjustable	76.00	147.00
	padded back, contoured, fabric, maximum height of 48.3 cm (19 in.)	314.00	385.00
+4554358	padded back, contoured, fabric, from 50.8 cm (20 in.) to 61.0 cm (24 in.)	359.00	431.00
+4554366	padded back, contoured, fabric, with rigid base, maximum height of 48.3 cm (19 in.)	405.00	476.00
+4554374	padded back, contoured, fabric, with rigid structure, from 50.8 cm (20 in.) to 61.0 cm (24 in.)	466.00	537.00
+4554382	rigid seat, flat	N/C	N/A
	supple seat, nylon	95.00	95.00
	rigid seat, elastic webbing	150.00	150.00
	padded seat, contoured, fabric	254.00	308.00
+4554424	modification of back height, from 50.8 cm (20 in.) to 61.0 cm (24 in.)	83.00	N/A
+4554432	modification of seat width, from 53.3 cm (21 in.) to 61.0 cm (24 in.), on SP202	297.00	N/A
+4554440	modification of seat depth, from 50.8 cm (20 in.) to 55.9 cm (22 in.), on SP202	265.00	N/A
+4554457	seat cushion, flat, foam, 5.1 cm (2 in.)	58.00	58.00
+4554465	seat cushion, flat, foam, 7.6 cm (3 in.)	58.00	58.00
+4554473	safety belt, auto-type	N/C	42.00
	safety belt, velcro-type	N/C	29.00
	headrest, small	99.00	106.00
	headrest, medium	99.00	106.00
	headrest, large	99.00	106.00
	headrest mounting, articulated	159.00	173.00
	centre of gravity adjustment from seat	N/C	N/A
+4554549	modification of SP202 seat width, from 35.6 cm (14 in.) to 38.1 cm (15 in.)	N/C	N/A

	Armrests:		
+4554556	U-type armrests, height-adjustable, from 25.4 cm (10 in.) to	N/C	181.00
14254550	35.6 cm (14 in.), short, long, on SP202 only	100	101.00
+4554564	T-type armrests, detachable, height-adjustable, from	N/C	136.00
	25.4 cm (10 in.) to 39.4 cm (15½ in.), short, long, on SP202	14,0	120.00
	only		
+4554572	I-type armrests, flip-back, angle-adjustable, height-	N/C	136.00
	adjustable, from 22.9 cm (9 in.) to 30.5 cm (12 in.), short,		
	long, straight or contoured, for SP202		
+4554580	I-type armrests, depth-adjustable, from 30.5 cm (12 in.) to	N/C	136.00
	40.6 cm (16 in.); height-adjustable, from 22.9 cm (9 in.) to		
	30.5 cm (12 in.), long, ASAP seat		
+4554598	I-type armrests, for reclining back, height-adjustable, with	160.00	216.00
	transfer assists and clothing guards, short, long, for SP202		
	armrest pads, straight, short	N/C	15.00
	armrest pads, straight, long	N/C	18.00
	armrest pads, contoured, short, long	N/C	26.00
+4554630	modification of T-type armrest height, from 15.2 cm (6 in.)	82.00	N/A
	to 24.8 cm (9¾ in.)		
	T		
. 4554640	Footrests:	N/C	140.00
+4554648	footrests, angle-adjustable, to 60°, 70°, 80°, parallel,	N/C	140.00
	detachable, swingaway, length-adjustable, from 35.6 cm		
1 1551655	(14 in.) to 48.3 cm (19 in.) 70° footrests, heavy-duty, parallel, detachable, swingaway,	150.00	215.00
+4554055	length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)	130.00	213.00
+4554663	elevating legrests	178.00	229.00
	elevating legrests, with compensating mechanism	200.00	N/A
	padded calfrests for elevating legrests	N/C	19.00
	contoured calfrests	72.00	55.00
	single calf strap	19.00	19.00
	double calf strap	33.00	33.00
	folding footplates, standard	N/C	49.00
+4554739	oversized footplates	74.00	86.00
+4554747	folding footplates, angle-adjustable, locking	80.00	178.00
+4554754	oversized footplates, folding, angle and depth-adjustable	54.00	76.00
+4554762	folding footplates, multi-position	106.00	102.00
	one-piece footplates	150.00	N/A
	heel loops, adjustable	N/C	10.00
	modification of footrest length, customized	50.00	N/A
+4554804	front impact guard with rollers	38.00	19.00
	To the state of th		
14554012	Frame:	NI/C	NT / A
	tie-down points for adapted transport	N/C N/C	N/A N/A
	rear suspension running lights	N/C N/C	N/A N/A
	cane holder	45.00	45.00
	compact base, width: 61.0 cm (24 in.), group 22, maximum	43.00 N/C	43.00 N/A
[7 33 7 033	capacity of 181.4 kg (400 lb)	11/C	11/11
+4554861	regular base, width: 64.8 cm (25½ in.), group 24, maximum	N/C	N/A
1001	capacity of 181.4 kg (400 lb)	100	1 1/ 1 1
	1 0 0 0 0		

	Drive systems:		
+4554879	programmable joystick control VR2, for 2-brush motors	N/C	450.00
+4554887	programmable joystick control R-Net, for 4-brush motors	N/C	660.00
+4554895	battery charge display	N/C	N/A
	battery charger	N/C	384.00
+4554911	battery boxes, group 22 on compact base, group 24 on	N/C	N/A
	regular base		
+4554929	adapted controls interface, with built-in display module	1,445.00	1,445.00
+4554937	laptray touch switch control, Penta, Waffer or cross-shaped	314.00	314.00
	(requires interface)		
	breath control (requires interface)	426.00	426.00
	proportional chin control (requires interface)	555.00	555.00
	non-proportional chin control (requires interface)	555.00	555.00
	head control (requires interface)	555.00	555.00
	proportional mini-joystick control (requires interface)	790.00	1,090.00
	foot control, including support (requires interface)	1,740.00	1,740.00
+4554275	control with separate Zero Touch switches (requires	1,770.00	1,770.00
	interface)		
	push-button switch	N/C	N/A
	toggle switch	88.00	N/A
	auxiliary switch	91.00	96.00
	stick extension	21.00	21.00
	ball extension	52.00	52.00
	T-type extension	52.00	52.00
	side bracket for joystick control	N/C	74.00
	swivel side bracket for joystick control	N/C	188.00
	midline bracket, flip-back, for joystick control	163.00	351.00
	breath control bracket	352.00	352.00
	chin control bracket	352.00	352.00
	head control bracket	352.00	352.00
	interface bracket	352.00	352.00
	adjustable bracket for joystick control	66.00	66.00
	modification, repositioning of joystick bracket inward	120.00	N/A
	chin bib control	352.00 N/C	352.00
	controller for VR2, 2-brush motors	486.00	1,100.00
	controller for R-Net, 4-brush motors	480.00 N/C	1,586.00
	2-brush motors, 113.4 kg (250 lb) 4-brush motors, 181.4 kg (400 lb)	350.00	948.00 1 123.00
+4555207	4-01usii iiiotois, 101.4 kg (400 ib)	330.00	1 123.00
	Wheels and forks:		
+4555215	driving wheels, inner tube tires, knobby tires, 35.6 cm	N/C	215.00
14333213	(14 in.) X 7.6 cm (3 in.)	14/6	213.00
+4555223	front wheels, solid tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)	N/C	84.00
	front wheels, solid tires, 22.9 cm (9 in.) X 7.6 cm (3 in.)	50.00	97.00
	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm	N/C	72.00
	(2 in.)	14,0	, 2.00
+4555256	front wheels, inner tube tires, 22.9 cm (9 in.) X 7.6 cm	50.00	97.00
	(3 in.)	20.00	255
+4555264	front wheel rims	N/C	N/A
	driving wheel rims	N/C	47.00
	-		

	(authentic	version)
+4555280 airless inserts, driving wheel +4555298 airless inserts, front wheel	136.00 114.00	N/A N/A
+4555306 standard forks	N/C	87.00
+4555314 suspension forks	135.00	N/A
1 100001 Suspension forms	155.00	11/11
Non S.C. components for which supporting document must be kept on file:		
+4555348 power rocker device	1,695.00	1,695.00
+4555389 installation of power rocker device	N/C	N/A
+4555397 control system for one (1) power accessory only (Solo)	N/C	275.00
+4555405 control system for four (4) power accessories, (Quattro)	575.00	575.00
+4555413 control system for two actuator motors, (Duo)	390.00	390.00
+4555439 joystick control system, two (2) accessories	525.00	525.00
+4555447 joystick control system, four (4) accessories	775.00	775.00
Components under Special Consideration		
+4555322 seat/back structure SP202, with reclining back with	1,185.00	1,185.00
cylinder, compensating mechanism *		
+4555330 power reclining back, compensating mechanism, requires	1,100.00	1,950.00
SP202 *	1 205 00	1 207 00 /
+4555355 power elevating legrests, per pair, including legrests,	1,295.00	1,295.00 / pr
footplates on SP202 *	1 205 00	1 207 00 /
+4555363 power elevating legrests, per unit, including legrests,	1,295.00	1,295.00 / pr
footplates on SP202 *	N/C	NT/A
+4555371 installation of power reclining back *	N/C	N/A

SUPPLIER: ORTHOFAB INC.

PRICE

+4565800 POWERED WHEEL CHAIR MEG MODEL

2,999.00

Basic Components

Body support system

- supple back, nylon
- back, angle-adjustable
- supple seat, nylon
- back heights: 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.)
- seat height: 49.5 cm (19½ in.)
- seat widths: 40.6 cm (16 in.), 45.7 cm (18 in.)
- seat depths: 40.6 cm (16 in.), 45.7 cm (18 in.)
- safety belt, auto-type
- push handles

Armrests

- U-type armrests, height-adjustable, from 22.9 cm (9 in.) to 33.0 cm (13 in.), longs
- T-type armrests, height-adjustable, from 0.0 cm (0 in.) to 22.9 cm (9 in.), longs
- armrest pads, straight, long
- rigid clothing guards for T-type and U-type armrests

Footrests

- 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- padded calfrests
- folding footplates, standard
- heel loops, adjustable

Frame

- anti-tip rollers
- tie-down points for adapted transport
- rear reflectors

Drive systems

- joystick control with integrated controller
- battery charge display
- battery charger
- battery boxes, group U1
- push-button switch
- direction joystick
- conical-spherical stick extension
- swivel side bracket for joystick control
- motors

Wheels and forks

- manual auxiliary wheel locks
- driving or rear wheels, puncture-resistant, 31.8 cm (12½ in.) X 5.7 cm (2¼ in.)
- casters or front wheels, puncture-resistant, 20.3 cm (8 in.) X 5.1 cm (2 in.)
- driving or rear wheel rims
- front wheel or caster rims
- rear airless inserts
- front airless inserts
- standard forks

Basic and Optional Components Body support system Seat and back:			Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
Seat and back: 4564076 Supple back, nylon N/C 69,00 44564241 back, angle-adjustable N/C N/A 4564050 supple back, tension-adjustable 74,00 143,00 4564068 rigid back, contoured 141,00 200,000 14564068 rigid back, contoured 141,00 200,000 145640682 rigid seat, flat, dropped 0.0 cm (0 in.), 2.5 cm (1 in.) and 116,00 173,00 5.1 cm (2 in.)		Basic and Optional Components		
4564076 supple back, nylon		Body support system		
+456421		Seat and back:		
4564050 supple back, tension-adjustable 74.00 143.00 4564068 rigid back, contoured 141.00 200.00 +4564274 supple seat, nylon N/C 57.00 +4564282 rigid seat, flat, dropped 0.0 cm (0 in.), 2.5 cm (1 in.) and 116.00 173.00 5.1 cm (2 in.) seat cushion, and depth adjustable, from (20 in.) 290.00 N/A 4565099 modification of seat width, to 50.8 cm (20 in.) 290.00 N/A 4565099 seat cushion, flat, foam, 5.1 cm (2 in.) 59.00 59.00 4565092 back ushion, contoured, nylon 178.00 237.00 45663433 safety belt, auto-type N/C 40.00 4565061 headrest, small, medium, large 105.00 105.00 4566014 headrest mounting, articulated, uniball 135.00 135.00 456437 head greater bar 69.00 69.00 +4564415 push handles N/C N/C Armrests: ** ** ** +4564421 U-type armrests, height-adjustable, from 22.9 cm (9 in.) to 33		11 ' "		
4564068 rigid back, contoured 141.00 200.00 44564274 supple seat, nylon N/C 57.00 +4564282 rigid seat, flat, dropped 0.0 cm (0 in.), 2.5 cm (1 in.) and 116.00 173.00 5.1 cm (2 in.) 210.00 210.00 210.00 +4564308 modification of seat width, to 50.8 cm (20 in.) 290.00 N/A 4565099 seat cushion, flat, foam, 5.1 cm (2 in.) 59.00 59.00 4564820 contoured cushion, viscoelastic nylon 150.00 150.00 4565057 back cushion, contoured, nylon 178.00 237.00 4566014 headrest, small, medium, large 105.00 105.00 4565062 headrest mounting, articulated, uniball 135.00 135.00 4564337 back spreader bar with headrest support 99.00 99.00 +4564431 U-type armrests, height-adjustable, from 22.9 cm (9 in.) to 33.0 cm (13 in.), long N/C N/C 4562112 armrest pads, straight, long N/C 140.00 4564181 rigid clothing guards for T-type or U-type armrests N/C N/A Footrests: 4560694 N/C 234.00 201.00 4561643 elevating legrests, with	+4564241	back, angle-adjustable	N/C	N/A
+4564274 supple seat, nylon +4564282 rigid seat, flat, dropped 0.0 cm (0 in.), 2.5 cm (1 in.) and 116.00 173.00 5.1 cm (2 in.) +4564290 padded seat, contoured, fabric 210.00 210.00 +4564308 modification of seat width, to 50.8 cm (20 in.) 290.00 N/A 2565099 seat cushion, flat, foam, 5.1 cm (2 in.) 290.00 270			74.00	143.00
+4564282 rigid seat, flat, dropped 0.0 cm (0 in.), 2.5 cm (1 in.) and 5.1 cm (2 in.) +4564290 padded seat, contoured, fabric 210.00 210.00 +4564308 modification of seat width, to 50.8 cm (20 in.) 290.00 N/A 4565099 seat cushion, flat, foam, 5.1 cm (2 in.) 59.00 59.00 4564829 contoured cushion, viscoelastic nylon 150.00 150.00 237.00 4565057 back cushion, contoured, nylon 178.00 237.00 4565061 headrest, small, medium, large N/C 40.00 4565062 headrest mounting, articulated, uniball 135.00 135.00 150.00 4566105 back spreader bar with headrest support 99.00 99.00 99.00 4564437 back spreader bar with headrest support 99.00 99.00 150.00	4564068	rigid back, contoured	141.00	200.00
5.1 cm (2 in.) +4564290 padded seat, contoured, fabric +4564308 modification of seat width, to 50.8 cm (20 in.) 4565099 seat cushion, flat, foam, 5.1 cm (2 in.) 59.00 59.00 4564829 contoured cushion, viscoelastic nylon 4565057 back cushion, contoured, nylon 150.00 150.00 4563433 safety belt, auto-type N/C 40.00 4566014 headrest, small, medium, large 105.00 105.00 4566105 back spreader bar 4566105 back spreader bar with headrest support 99.00 99.00 99.00 45664415 push handles N/C N/A Armrests: +4564423 U-type armrests, height-adjustable, from 22.9 cm (9 in.) to 33.0 cm (13 in.), long +4564413 T-type armrests, height-adjustable, from 0.0 cm (0 in.) to 22.9 cm (9 in.), long 4566112 armrest pads, straight, long rigid clothing guards for T-type or U-type armrests N/C N/A Footrests: 4560694 70° footrests, parallel, detachable, swingaway, length- adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) 456163 elevating legrests, with compensating mechanism, length- adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) 4561661 elevating legrests, with compensating mechanism, length- adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) 456186 padded calfrests N/C AFC 20.00 4560751 folding footplates, standard N/C 27.00 456326 footplates, angle and depth-adjustable N/C 14.00 4561247 heel loops, adjustable N/C 14.00	+4564274	supple seat, nylon	N/C	57.00
### ### ##############################	+4564282		116.00	173.00
4565099 seat cushion, flat, foam, 5.1 cm (2 in.) 59.00 4564829 contoured cushion, viscoelastic nylon 150.00 150.00 4565057 back cushion, contoured, nylon 178.00 237.00 4563433 safety belt, auto-type N/C 40.00 4566014 headrest, small, medium, large 105.00 105.00 4565062 headrest mounting, articulated, uniball 135.00 69.00 4566105 back spreader bar 69.00 69.00 +4564437 back spreader bar with headrest support 99.00 99.00 +4564415 push handles N/C N/A Armrests: *** *** *** +4564423 U-type armrests, height-adjustable, from 22.9 cm (9 in.) to 33.0 cm (13 in.), long *** 140.00 +4564431 T-type armrests, height-adjustable, from 0.0 cm (0 in.) to N/C 140.00 22.9 cm (9 in.), long 4562112 armrest pads, straight, long N/C N/C N/C 4564181 rigid clothing guards for T-type or U-type armrests N/C N/C 4560694 70°	+4564290	padded seat, contoured, fabric	210.00	210.00
4564829 contoured cushion, viscoelastic nylon 150.00 150.00 4565057 back cushion, contoured, nylon 178.00 237.00 4563433 safety belt, auto-type N/C 40.00 4566014 headrest, small, medium, large 105.00 105.00 4565002 headrest mounting, articulated, uniball 135.00 135.00 4566105 back spreader bar 69.00 69.00 +4564837 back spreader bar with headrest support 99.00 99.00 +4564418 U-type armrests, height-adjustable, from 22.9 cm (9 in.) to N/C 140.00 33.0 cm (13 in.), long N/C 140.00 22.9 cm (9 in.), long N/C 140.00 22.9 cm (9 in.), long N/C 15.00 4562112 armrest pads, straight, long N/C 15.00 4564118 rigid clothing guards for T-type or U-type armrests N/C N/A Footrests: 4560694 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) 234.00 201.00 4561866 padded calfrests N/C 20.00 <tr< td=""><td>+4564308</td><td>modification of seat width, to 50.8 cm (20 in.)</td><td>290.00</td><td>N/A</td></tr<>	+4564308	modification of seat width, to 50.8 cm (20 in.)	290.00	N/A
4565057 back cushion, contoured, nylon 178.00 237.00 4563433 safety belt, auto-type N/C 40.00 4566014 headrest small, medium, large 105.00 105.00 4565062 headrest mounting, articulated, uniball 135.00 69.00 4566105 back spreader bar 69.00 69.00 +4564837 back spreader bar with headrest support 99.00 99.00 +4564415 U-type armrests, height-adjustable, from 22.9 cm (9 in.) to N/C N/C N/A Armrests: +4564423 U-type armrests, height-adjustable, from 0.0 cm (0 in.) to N/C 140.00 22.9 cm (9 in.), long N/C 15.00 4562112 armrest pads, straight, long N/C N/C 4562112 armrest pads, straight, long N/C N/A Footrests: ** ** 4560141 rigid clothing guards for T-type or U-type armrests N/C N/A **** Footrests: ** ** 4560694 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) ** ** 4561643	4565099	seat cushion, flat, foam, 5.1 cm (2 in.)	59.00	59.00
4563433 safety belt, auto-type N/C 40.00 4566014 headrest, small, medium, large 105.00 105.00 4565062 headrest mounting, articulated, uniball 135.00 135.00 4566105 back spreader bar 69.00 69.00 +4564837 back spreader bar with headrest support 99.00 99.00 +4564415 push handles N/C N/A Armrests: +4564423 U-type armrests, height-adjustable, from 22.9 cm (9 in.) to 33.0 cm (13 in.), long N/C 140.00 +4564431 T-type armrests, height-adjustable, from 0.0 cm (0 in.) to 22.9 cm (9 in.) long N/C 140.00 4562112 armrest pads, straight, long N/C 15.00 4564118 rigid clothing guards for T-type or U-type armrests N/C N/A Footrests: 4560694 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) N/C 84.00 4561866 elevating legrests, with compensating mechanism, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) N/C 20.00 4561	4564829	contoured cushion, viscoelastic nylon	150.00	150.00
4566014 headrest, small, medium, large 105.00 105.00 4565062 headrest mounting, articulated, uniball 135.00 135.00 4566105 back spreader bar 69.00 69.00 +4564837 back spreader bar with headrest support 99.00 99.00 +4564415 push handles N/C N/A Armrests: +4564423 U-type armrests, height-adjustable, from 22.9 cm (9 in.) to 33.0 cm (13 in.), long N/C 140.00 +4564431 T-type armrests, height-adjustable, from 0.0 cm (0 in.) to 22.9 cm (9 in.), long N/C 15.00 4562112 armrest pads, straight, long N/C N/C N/A Footrests: 4560694 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) N/C 84.00 4561643 elevating legrests, with compensating mechanism, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) N/C 20.00 456186 padded calfrests N/C 20.00 4563326 footplates, angle and depth-adjustable, standard size 76.00 65.00 4563326 rootplates, angle and depth-adjustable, standard size 76.00 65.00 4562815 oversized footplates, angle and depth-adjustable N/C 14.00	4565057	back cushion, contoured, nylon	178.00	237.00
4565062 headrest mounting, articulated, uniball 135.00 135.00 4566105 back spreader bar 69.00 69.00 +4564837 back spreader bar with headrest support 99.00 99.00 +4564415 push handles N/C N/A Armrests: +4564423 U-type armrests, height-adjustable, from 22.9 cm (9 in.) to 33.0 cm (13 in.), long N/C 140.00 +4564431 T-type armrests, height-adjustable, from 0.0 cm (0 in.) to 22.9 cm (9 in.), long N/C 140.00 4562112 armrest pads, straight, long N/C N/C N/A Footrests: 4560418 rigid clothing guards for T-type or U-type armrests N/C N/A Footrests: 4560694 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) 234.00 201.00 4561864 padded calfrests N/C 20.00 4561866 padded calfrests N/C 27.00 4563326 footplates, standard N/C 27.00 4563326 footplates, angle and depth-adjustable, standard size 76.00 65.00 </td <td>4563433</td> <td>safety belt, auto-type</td> <td>N/C</td> <td>40.00</td>	4563433	safety belt, auto-type	N/C	40.00
4566105 back spreader bar 69.00 69.00 +4564837 back spreader bar with headrest support 99.00 99.00 +4564415 push handles N/C N/A Armrests: +4564423 U-type armrests, height-adjustable, from 22.9 cm (9 in.) to 33.0 cm (13 in.), long N/C 140.00 +4564431 T-type armrests, height-adjustable, from 0.0 cm (0 in.) to 22.9 cm (9 in.), long N/C 140.00 4562112 armrest pads, straight, long N/C 15.00 4564118 rigid clothing guards for T-type or U-type armrests N/C N/A Footrests: 4560694 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) N/C 84.00 4561643 elevating legrests, with compensating mechanism, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) 234.00 201.00 4561866 padded calfrests N/C 20.00 4560751 folding footplates, standard N/C 27.00 4563326 footplates, angle and depth-adjustable, standard size 76.00 65.00 4562815 oversized footplates, angle and depth-adjustable	4566014	headrest, small, medium, large	105.00	105.00
+4564837 back spreader bar with headrest support 99.00 99.00 +4564415 push handles N/C N/A Armrests:	4565062	headrest mounting, articulated, uniball	135.00	135.00
+4564415 push handles N/C N/A Armrests: +4564423 U-type armrests, height-adjustable, from 22.9 cm (9 in.) to 33.0 cm (13 in.), long 140.00 +4564431 T-type armrests, height-adjustable, from 0.0 cm (0 in.) to 22.9 cm (9 in.), long N/C 140.00 4562112 armrest pads, straight, long rigid clothing guards for T-type or U-type armrests N/C N/A Footrests: N/C N/A 4560694 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) N/C 84.00 4561643 elevating legrests, with compensating mechanism, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) 234.00 201.00 4561866 padded calfrests N/C 20.00 4560751 folding footplates, standard N/C 27.00 4563326 footplates, angle and depth-adjustable, standard size 76.00 65.00 4562815 oversized footplates, angle and depth-adjustable 82.00 68.00 4561247 heel loops, adjustable N/C 14.00	4566105	back spreader bar	69.00	69.00
Armrests: +4564423 U-type armrests, height-adjustable, from 22.9 cm (9 in.) to 33.0 cm (13 in.), long +4564431 T-type armrests, height-adjustable, from 0.0 cm (0 in.) to 22.9 cm (9 in.), long 4562112 armrest pads, straight, long N/C 15.00 4564118 rigid clothing guards for T-type or U-type armrests N/C N/A Footrests: 4560694 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) 4561643 elevating legrests, with compensating mechanism, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) 4561866 padded calfrests N/C 20.00 4560751 folding footplates, standard N/C 27.00 4563326 footplates, angle and depth-adjustable, standard size 76.00 65.00 4562815 oversized footplates, angle and depth-adjustable 82.00 68.00 4561247 heel loops, adjustable N/C 14.00	+4564837	back spreader bar with headrest support	99.00	99.00
+4564423 U-type armrests, height-adjustable, from 22.9 cm (9 in.) to 33.0 cm (13 in.), long N/C 140.00 +4564431 T-type armrests, height-adjustable, from 0.0 cm (0 in.) to 22.9 cm (9 in.), long N/C 140.00 4562112 armrest pads, straight, long N/C 15.00 4564118 rigid clothing guards for T-type or U-type armrests N/C N/A Footrests: 4560694 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) N/C 84.00 4561643 elevating legrests, with compensating mechanism, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) 234.00 201.00 4561866 padded calfrests N/C 20.00 4560751 folding footplates, standard N/C 27.00 4563326 footplates, angle and depth-adjustable, standard size 76.00 65.00 4562815 oversized footplates, angle and depth-adjustable 82.00 68.00 4561247 heel loops, adjustable N/C 14.00	+4564415	push handles	N/C	N/A
33.0 cm (13 in.), long +4564431 T-type armrests, height-adjustable, from 0.0 cm (0 in.) to	. 45(4422		NIC	140.00
22.9 cm (9 in.), long N/C 15.00 4562112 armrest pads, straight, long N/C 15.00 4564118 rigid clothing guards for T-type or U-type armrests N/C N/A Footrests: 4560694 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) N/C 84.00 4561643 elevating legrests, with compensating mechanism, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) 234.00 201.00 4561866 padded calfrests N/C 20.00 4560751 folding footplates, standard N/C 27.00 4563326 footplates, angle and depth-adjustable, standard size 76.00 65.00 4562815 oversized footplates, angle and depth-adjustable 82.00 68.00 4561247 heel loops, adjustable N/C 14.00		33.0 cm (13 in.), long		
Footrests: N/C N/A 4560694 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) N/C 84.00 4561643 elevating legrests, with compensating mechanism, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) N/C 234.00 201.00 4561866 padded calfrests N/C 20.00 4560751 folding footplates, standard N/C 27.00 4563326 footplates, angle and depth-adjustable, standard size 76.00 65.00 4561247 heel loops, adjustable N/C 14.00		22.9 cm (9 in.), long		
Footrests: 4560694 70° footrests, parallel, detachable, swingaway, lengthadjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) N/C 84.00 4561643 elevating legrests, with compensating mechanism, lengthadjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) 234.00 201.00 4561866 padded calfrests N/C 20.00 4560751 folding footplates, standard N/C 27.00 4563326 footplates, angle and depth-adjustable, standard size 76.00 65.00 4562815 oversized footplates, angle and depth-adjustable 82.00 68.00 4561247 heel loops, adjustable N/C 14.00			N/C	15.00
4560694 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) N/C 84.00 4561643 elevating legrests, with compensating mechanism, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) 234.00 201.00 4561866 padded calfrests N/C 20.00 4560751 folding footplates, standard N/C 27.00 4563326 footplates, angle and depth-adjustable, standard size 76.00 65.00 4562815 oversized footplates, angle and depth-adjustable 82.00 68.00 4561247 heel loops, adjustable N/C 14.00	4564118	rigid clothing guards for T-type or U-type armrests	N/C	N/A
adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) 4561643 elevating legrests, with compensating mechanism, length- adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) 4561866 padded calfrests N/C 20.00 4560751 folding footplates, standard N/C 27.00 4563326 footplates, angle and depth-adjustable, standard size 76.00 65.00 4562815 oversized footplates, angle and depth-adjustable N/C 14.00				
4561643 elevating legrests, with compensating mechanism, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) 234.00 201.00 4561866 padded calfrests N/C 20.00 4560751 folding footplates, standard N/C 27.00 4563326 footplates, angle and depth-adjustable, standard size 76.00 65.00 4562815 oversized footplates, angle and depth-adjustable 82.00 68.00 4561247 heel loops, adjustable N/C 14.00	4560694		N/C	84.00
4561866padded calfrestsN/C20.004560751folding footplates, standardN/C27.004563326footplates, angle and depth-adjustable, standard size76.0065.004562815oversized footplates, angle and depth-adjustable82.0068.004561247heel loops, adjustableN/C14.00	4561643	elevating legrests, with compensating mechanism, length-	234.00	201.00
4560751folding footplates, standardN/C27.004563326footplates, angle and depth-adjustable, standard size76.0065.004562815oversized footplates, angle and depth-adjustable82.0068.004561247heel loops, adjustableN/C14.00	4561866		N/C	20.00
4563326footplates, angle and depth-adjustable, standard size76.0065.004562815oversized footplates, angle and depth-adjustable82.0068.004561247heel loops, adjustableN/C14.00		1		
4562815oversized footplates, angle and depth-adjustable82.0068.004561247heel loops, adjustableN/C14.00				
4561247 heel loops, adjustable N/C 14.00				

SUPPLIER: ORTHOFAB INC.

PRICE

4566006 POWERED WHEEL CHAIR OASIS 2 ADULT MODEL

4,999.00

Basic Components Body support system

- supple back, nylon
- · rigid back, flat
- rigid seat, flat
- back height: from 38.1 cm (15 in.) to 48.3 cm (19 in.)
- seat height: from 39.4 cm $(15\frac{1}{2} \text{ in.})$ to 47.0 cm $(18\frac{1}{2} \text{ in.})$
- seat widths: 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.)
- seat depths: 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.)
- modification of seat height, by +2.5 cm (1 in.), by +5.1 cm (2 in.)
- safety belt, auto-type
- push handles, built into backposts
- installation of power rocker device, including one control for one (1) accessory
- installation of power reclining back *
- adjustable seat bracket
- connecting cables for power reclining devices

Armrests

- U-type armrests, detachable, height-adjustable, from 20.3 cm (8 in.) to 30.5 cm (12 in.), from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long
- T-type armrests, detachable, height-adjustable, from 20.3 cm (8 in.) to 27.9 cm (11 in.), from 27.9 cm (11 in.) to 35.6 cm (14 in.), short, long
- armrest pads, straight, short, long
- rigid clothing guards for T-type armrests, U-type armrests

Footrests

- 60° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- 90° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- padded calfrests
- folding footplates, standard
- heel loops, adjustable

Frame

- anti-tip rollers
- tie-down points for adapted transport
- rear suspension
- rear reflectors

• running lights, front, rear

Drive systems

- programmable joystick control
- joystick control, potentiometer
- joystick control, potentiometer, toggle switch
- battery charge display
- battery charger
- breath control, included with interface
- push-button switch, toggle switch
- battery boxes, group 22, group 24
- direction joystick
- conical-spherical stick extension
- swivel side bracket for joystick control
- bracket for separate display module
- controller
- motors

Wheels and forks

- rear wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.)
- front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)
- rear wheel rims
- front wheel rims
- standard forks for 20.3 cm (8 in.), 22.9 cm (9 in.) wheels
- L-shaped forks for 20.3 cm (8 in.) wheels

^{*} Component under Special Consideration

Price upon

replacement

Price upon initial

purchase or

		purchase or replacement of wheel chair (price per pair, as applicable)	of component (unit price)
	Basic and Optional Components:		
	Body support system		
	Seat and back:		
4562716	seat/back structure, with back, angle-adjustable	838.00	N/A
4562732	rigid back, flat	N/C	59.00
4564076	supple back, nylon	N/C	69.00
4564050	supple back, tension-adjustable	74.00	143.00
4564068	rigid back, contoured	141.00	200.00
4562740	rigid seat, flat	N/C	81.00
	rigid seat, elastic webbing	68.00	149.00
4560504	modification of back height, to 50.8 cm (20 in.), 53.3 cm	96.00	N/A
	(21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.), 61.0 cm (24 in.),		
	63.5 cm (25 in.)		
4560512	modification of seat height, by $+2.5$ cm $(1 in.)$, $+5.1$ cm	N/C	N/A
	(2 in.)		
4562096	modification of seat width, from 48.3 cm (19 in.) to 58.4 cm	290.00	N/A
4= <0==0	(23 in.)	• • • • • •	
4560538	modification of seat depth, to 38.1 cm (15 in.), 48.3 cm	264.00	N/A
45.0404	(19 in.)	500.00	3 7/4
4562104	modification of seat depth, to 50.8 cm (20 in.), 53.3 cm	500.00	N/A
4525055	(21 in.)	170.00	227.00
	back cushion, contoured, nylon	178.00	237.00
	back cushion, contoured, leatherette	178.00	237.00
	seat cushion, flat, 5.1 cm (2 in.)	59.00	59.00
	seat cushion, flat, 7.6 cm (3 in.)	59.00 150.00	59.00 150.00
	contoured cushion, viscoelastic nylon	210.00	210.00
	seat cushion, contoured, nylon seat cushion, contoured, leatherette	210.00	210.00
	safety belt, velcro-type	23.00	63.00
	safety belt, auto-type	N/C	40.00
	safety belt, airplane-type	34.00	74.00
	headrest, hammock-type	75.00	75.00
	headrest, small, medium, large	105.00	105.00
	headrest, padded, contoured	105.00	105.00
	headrest mounting, articulated	120.00	120.00
	headrest mounting, articulated, uniball	135.00	135.00
	push handles built into backposts	N/C	N/A
	back spreader bar	69.00	69.00
	back spreader bar with headrest support	99.00	99.00
	adjustable seat bracket	N/C	516.00

	Armrests:		
4566030	U-type armrests, detachable, height-adjustable, from	N/C	140.00
100000	20.3 cm (8 in.) to 30.5 cm (12 in.), from 25.4 cm (10 in.) to	- " -	- 10100
	35.6 cm (14 in.), short		
4566048	U-type armrests, detachable, height-adjustable, from	N/C	140.00
	20.3 cm (8 in.) to 30.5 cm (12 in.), from 25.4 cm (10 in.) to		
	35.6 cm (14 in.), long		
4562765	T-type armrests, detachable, height-adjustable, from 20.3 cm	N/C	140.00
	(8 in.) to 27.9 cm (11 in.), from 27.9 cm (11 in.) to 35.6 cm		
	(14 in.), short		
4564092	T-type armrests, detachable, height-adjustable, from 20.3 cm	N/C	140.00
	(8 in.) to 27.9 cm (11 in.), from 27.9 cm (11 in.) to 35.6 cm		
	(14 in.), long		
	armrest pads, straight, short	N/C	12.00
	armrest pads, straight, long	N/C	15.00
	armrest pads, contoured, short	44.00	34.00
	armrest pads, contoured, long	48.00	39.00
	modification of armrest height, less than 20.3 cm (8 in.)	79.00	N/A
4564118	rigid clothing guards for T-type armrests, U-type armrests	N/C	N/A
	T		
1566151	Footrests:	N/C	94.00
4500154	60° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)	N/C	84.00
1560601	70° footrests, parallel, detachable, swingaway, length-	N/C	84.00
4500094	adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)	IN/C	04.00
±1561852	90° footrests, parallel, detachable, swingaway, length-	N/C	84.00
T 4 30 4 032	adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)	IV/C	04.00
4566055	60° footrests, narrowed, detachable, swingaway, length-	86.00	127.00
4500055	adjustable, from 38.1 cm (15 in.) to 48.3 cm (19 in.)	00.00	127.00
4566063	70° footrests, pointing inward, detachable, swingaway,	86.00	127.00
1000000	length-adjustable, from 38.1 cm (15 in.) to 48.3 cm (19 in.)	00.00	127.00
4561643	elevating legrests, with compensating mechanism, length-	234.00	201.00
	adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)		
4561866	padded calfrests	N/C	20.00
	contoured calfrests	60.00	50.00
4560702	double calf strap	55.00	55.00
4560751	folding footplates, standard	N/C	27.00
	folding footplates, aluminum	44.00	49.00
	oversized footplates	50.00	52.00
	full-width footplate	221.00	275.00
	footplates, angle and depth-adjustable, standard size	76.00	65.00
	oversized footplates, angle and depth-adjustable	82.00	68.00
	full-width footplate, angle and depth-adjustable	168.00	222.00
	heel loops, adjustable	N/C	14.00
	toe loops	30.00	15.00
4560728	modification of footrest length, by – than 35.6 cm (14 in.),	79.00	N/A
4540040	by + 48.3 cm (19 in.)	26.00	10.00
4500942	front impact guard with rollers	36.00	18.00

	Frame:		
4562880	anti-tip rollers	N/C	39.00
	tie-down points for adapted transport	N/C	N/A
4564134	rear suspension	N/C	N/A
4566097	rear reflectors	N/C	N/A
4562310	running lights, front, rear	N/C	N/A
4566113	cane holder	40.00	40.00
	Drive systems:		
	programmable joystick control	N/C	511.00
	joystick control, potentiometer	N/C	589.00
	joystick control, potentiometer, toggle switches	N/C	589.00
	compact joystick control	58.00	569.00
	battery charge display	N/C	N/A
	battery charger	N/C	379.00
	battery boxes, group 22, group 24	N/C	223.00
	adapted controls interface	995.00	1 506.00
	non-proportional chin control	421.00	421.00
	proportional chin control	540.00	540.00
	breath control, included with interface	N/C	N/A
	laptray touch switch control	301.00	301.00
	control with separate switches	379.00	379.00
	head control	540.00	540.00
	mini joy-stick control	1,199.00	1,199.00
	toggle switch	N/C	N/A
	push-button switch	N/C	N/A
	auxiliary switch, per unit	98.00	98.00
	auxiliary switch, pair	198.00	99.00
	auxiliary switch double (Y)	198.00	198.00
	auxiliary switch, four positions, cross-shaped	249.00	249.00
	direction joystick	N/C	N/A
	conical-spherical stick extension	N/C	8.00
	ball extension	27.00	35.00
	stick extension	27.00	35.00
	T-type extension	27.00	35.00
	mushroom-shaped stick extension	27.00	35.00
	swivel side bracket for joystick control	N/C	202.00
	midline bracket for joystick control, flip-back	85.00	287.00
	bracket for separate display module	N/C	37.00
	flexible support for interface display	90.00	127.00
	breath control bracket	340.00	340.00
	chin control bracket	340.00	340.00
	head control bracket	340.00	340.00
	flip-back bracket for mini joy-stick	499.00	499.00
	chin bib control	329.00	329.00
	controller	N/C	1,437.00
4562872	motors	N/C	1,122.00

	Wheels and forks:		
4561353	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm	N/C	65.00
	(2 in.)		
4562443	front wheels, inner tube tires, 22.9 cm (9 in.) X 7 cm	86.00	108.00
	(2¾ in.)		
4562922	rear wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm	N/C	106.00
45(2020	(3 in.)	122.00	NT/A
	airless inserts for front tires airless inserts for rear tires	133.00 151.00	N/A N/A
	rear wheel rims	N/C	N/A N/A
	front wheel rims	N/C N/C	N/A N/A
	standard forks for 20.3 cm (8 in.), 22.9 cm (9 in.) wheel	N/C	87.00
	L-shaped forks for 20.3 cm (8 in.) wheels	N/C	87.00
	· · · · · · · · · · · · · · · · · · ·		
	Non S.C. components for which supporting document		
	must be kept on file:		
4561957	power rocker device, including a "basic" control system for	879.00	1 395.00
. 4574051	one accessory	N/C	400.00
+4504951	installation of power rocker device, including one control for	N/C	400.00
1562351	one accessory "basic" control system for one (1) power accessory only	230.00	230.00
4302331	(external to joystick)	230.00	230.00
4562385	control system for four (4) power accessories, joystick-	740.00	740.00
	controlled		
+4564969	"advanced" control system for one (1) power accessory,	249.00	249.00
	external to joystick, with plug-in for auxiliary switches		
+4564977	"advanced" control system for two (2) accessories, external	295.00	295.00
	to joystick, with plug-in for auxiliary switches		
+4564985	"advanced" control system for four (4) accessories, external	575.00	575.00
. 4574002	to joystick, with plug-in for auxiliary switches	1 000 00	1 000 00
	proximity head control	1,999.00	1,999.00 N/A
4500147	connecting cables for power reclining devices	N/C	IN/A
	Components under Special Consideration		
4566139	reclining back with cylinder (manual device)*	269.00	269.00
	power reclining back *	639.00	639.00
4563250	power elevating legrests, with control per unit, length-	1,273.00	721.00
	adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) *		
4562849	power elevating legrests, with control per pair, length-	1,273.00	721.00
45.40.44	adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) *	37/0	200.00
+4564944	installation of power reclining back *	N/C	200.00
	Rebuilt parts with exchange		
+4565016	R-Net joystick control	N/A	353.00
	R-Net controller	N/A	862.00
	motor assembly – reduction gear – R-Net brake	N/A	673.00
	battery charger 6A, 24V, bi-mode	N/A	227.00

SUPPLIER: PRIDE MOBILITY PRODUCTS

PRICE

4577003 POWERED WHEEL CHAIR QUANTUM VIBE R 4000 MODEL

4,000.00

Basic Components

Body support system

- back, angle-adjustable
- supple back, nylon
- rigid seat, flat
- back height: from 35.6 cm (14 in.) to 63.5 cm (25 in.)
- seat height: from 44.1 cm $(17\frac{3}{8} \text{ in.})$ to 47.6 cm $(18\frac{3}{4} \text{ in.})$
- seat width: from 35.6 cm (14 in.) to 50.8 cm (20 in.), 136.1 kg (300 lb) capacity
- seat depth: from 35.6 cm (14 in.) to 50.8 cm (20 in.), 136.1 kg (300 lb) capacity
- safety belt, auto-type, velcro-type
- headrest mounting, articulated, uniball
- push handles
- push bar
- installation of reclining back, power, 100% compensating mechanism *
- installation of power rocker device
- centre of gravity adjustment from seat
- control system for one power accessory only
- control system for four power accessories
- connecting cables for power reclining devices

Armrests

- U-type armrests, height-adjustable, from 22.9 cm (9 in.) to 33.0 cm (13 in.), short, long
- T-type armrests, height-adjustable, from 27.9 cm (11 in.) to 43.2 cm (17 in.), short, long
- T-type armrests, pediatric, height-adjustable, from 19.7 cm (7¾ in.) to 24.8 cm (9¾ in.), short, long
- I-type armrests, height-adjustable, from 15.2 cm (6 in.) to 50.8 cm (20 in.), short, long
- armrest pads, straight, short, long
- armrest pads, contoured, short, long

Footrests

- 70° footrests, parallel, tapered, detachable, swingaway, length-adjustable, from 27.9 cm (11 in.) to 49.5 cm (19½ in.)
- 90° footrests, pediatric, parallel, detachable, swingaway, length-adjustable, from 17.8 cm (7 in.) to 25.4 cm (10 in.)
- padded calfrests
- folding footplates, standard
- heel loops, fixed
- heel loops, adjustable

Frame

- tie-down points for adapted transport
- rear suspension
- rear reflectors
- running lights

Drive systems

- programmable joystick control
- compact joystick control
- joystick control with built-in controller
- battery charge display
- battery charger, Lester 8A
- battery boxes, group 24
- toggle switch
- push-button switch
- · auxiliary switch
- conical-spherical stick extension
- side bracket for joystick control
- swivel side bracket for joystick control
- head control bracket
- 100A O-Logic controller
- HAMMER motors, 4-brush, 6 mph

Wheels and forks

- rear wheels, driving, inner tube tires
- front wheels, semi-pneumatic tires, 20.3 cm (8 in.)
- front wheels, inner tube tires, 22.9 cm (9 in.)
- driving or rear wheel rims
- front wheel or caster rims, 20.3 cm (8 in.), 22.9 cm (9 in.)
- front forks, standard, 20.3 cm (8 in.), 22.9 cm (9 in.)

Updated: February 16, 2016

271

^{*} Component under Special Consideration

Price upon initial

Price upon

		purchase or replacement of wheel chair (price per pair, as applicable)	replacement of component (unit price)
	Basic and Optional Components		
	Body support system Seat and back:		
4575015	seat/back structure, with back, angle-adjustable, Synergy adjustable seat	500.00	550.00
4575114	back, angle-adjustable	N/C	N/A
4575064	supple back, nylon	N/C	60.00
+4577185	supple back, tension-adjustable	90.00	150.00
+4577540	rigid back, steel plate with detachable cushion	220.00	280.00
	padded back, flat, fabric, rounded, without AES contour	280.00	340.00
	folding back	300.00	300.00
	padded back, contoured, PRAMQ, fabric, leatherette (Neoprene)	300.00	360.00
+4577565	padded back, contoured, with detachable thoracic supports, leatherette, TRU Comfort	300.00	360.00
+4577573	padded back, contoured, with detachable thoracic supports, Shape Back	300.00	360.00
4575130	rigid seat, flat	N/C	N/A
+4577581	padded seat, plat, Solution 1, 158.8 kg (350 lb) capacity, fabric	125.00	175.00
+4577599	padded seat, contoured, Solution, 158.8 kg (350 lb) capacity, fabric	180.00	200.00
	modification of seat height, to 52.7 cm (20¾ in.)	200.00	N/A
	cushion TRU Comfort, leatherette	180.00	200.00
	safety belt, auto-type	N/C	25.00
	safety belt, velcro-type	N/C	25.00
	safety belt, airplane-type	35.00	75.00
	headrest, contoured, small	140.00	180.00
	headrest, contoured, large	140.00	180.00
	headrest, padded, contoured, small	140.00	300.00
	headrest, padded, contoured, large headrest, TRU Comfort, small	140.00 140.00	300.00 300.00
	headrest, TRU Comfort, large	140.00	300.00
	headrest mounting, articulated, uniball	N/C	180.00
	headrest and mounting for power reclining back	160.00	234.00
	push handles	N/C	N/A
4575163	•	N/C	80.00
	centre of gravity adjustment from seat	N/C	N/A
4575262	Armrests: U-type armrests, height-adjustable, from 22.9 cm (9 in.) to 33.0 cm (13 in.), short, long	N/C	320.00

4575239	T-type armrests, height-adjustable, from 27.9 cm (11 in.) to	N/C	125.00
4575247	43.2 cm (17 in.), short, long T-type armrests, pediatric, height-adjustable, from 19.7 cm	N/C	125.00
	(7¾ in.) to 24.8 cm (9¾ in.), short, long		
4575254	T-type armrests, heavy-duty, height-adjustable, from 20.3 cm (8 in.) to 35.6 cm (14 in.), short, long	125.00	188.00
4575221	I-type armrests, on power reclining back, from 20.3 cm	200.00	313.00
4555010	(8 in.) to 27.9 cm (11 in.), short, long	N/C	135.00
45/5213	I-type armrests, height-adjustable, from 15.2 cm (6 in.) to 50.8 cm (20 in.), short, long	N/C	135.00
4575270	armrest pads, straight, short, long	N/C	10.00
	armrest pads, contoured, short, long	N/C	10.00
	modification of U-type armrest height, from 33.0 cm (13 in.)	150.00	150.00
	to 38.1 cm (15 in.)		
	Footrests:		
4575320	70° footrests, parallel, tapered, detachable, swingaway,	N/C	75.00
4555 (00	length-adjustable, from 27.9 cm (11 in.) to 49.5 cm (19½ in.)	NIG	77.00
+4577698	90° footrests, pediatric, parallel, detachable, swingaway,	N/C	75.00
1575220	length-adjustable, from 17.8 cm (7 in.) to 25.4 cm (10 in.)	200.00	175.00
45/5556	70° footrests, heavy-duty, parallel, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 53.3 cm (21 in.)	200.00	173.00
4575361	elevating legrests	200.00	175.00
	padded calfrests	N/C	15.00
	contoured calfrests	40.00	60.00
	single calf strap	72.00	72.00
	double calf strap	180.00	180.00
	folding footplates, standard, including extension tubes	N/C	40.00
	footplates, angle and depth-adjustable, standard size,	70.00	100.00
	including extension tubes		
+4577714	full-width footplate, angle and depth-adjustable	150.00	190.00
4575486	heel loops, fixed	N/C	15.00
	heel loops, adjustable	N/C	15.00
	toe loops (by the pair when replacements)	20.00	40.00 / pr
4575536	front impact guard with rollers	10.00	26.00
	Frame:		
	tie-down points for adapted transport	N/C	25.00
	rear suspension	N/C	N/A
	rear reflectors	N/C	20.00
	running lights	N/C	N/A
4575551	cane holder	65.00	65.00
4	Drive systems:	****	
	joystick control with built-in controller	N/C	N/A
	programmable joystick control	N/C	675.00
	compact joystick control	N/C	600.00
	battery charge display	N/C	N/A
	battery charger, Lester 8A	N/C N/C	262.00 70.00
45/00/4	battery boxes, group 24	IN/C	70.00

irea related ber vices	
(authentic version)	

4575767	adapted controls interface, advanced Q-Logic display	775.00	1,100.00
	laptray touch switch control, WAFER	270.00	270.00
	control with separate switches, including 5 switches	396.00	396.00
	non-proportional chin control, Mini Joystick	400.00	650.00
	proportional chin control, RJM, including 1 switch	500.00	500.00
	HMC Mini joystick chin control	990.00	1,260.00
4575734	foot control, RJM, adapter	1,245.00	1,245.00
4575700	head control, STEALTH RIM	1,275.00	1,605.00
4575627	toggle switch	N/C	N/A
	push-button switch	N/C	N/A
	auxiliary switch	N/C	N/A
	egg-shaped switch	60.00	60.00
	Mini Cup switch	95.00	95.00
	Micro Light switch	128.00	128.00
	conical-spherical extension	N/C	15.00
	joystick extension – chin	30.00	40.00
	ball extension, hard	30.00	40.00
	joystick extension	40.00	50.00
	mushroom-shaped stick extension	40.00	50.00
	T-type extension	55.00	60.00
	U-shaped extension	70.00	101.00
	joystick mounting bracket, vertical adjustment	50.00	90.00 19.00
	side bracket for joystick control swivel side bracket for joystick control	N/C N/C	19.00
	midline bracket for joystick control, flip-back, Stealth	400.00	400.00
+45//605	GAT410P	400.00	400.00
4575841	midline bracket for joystick control, flip-back, Body Point PC201	485.00	485.00
4575882	head control bracket	N/C	N/A
	bracket for separate display module	72.00	72.00
	Multi Axes bracket, joystick, mini-joystick	120.00	120.00
	breath control bracket	270.00	270.00
4575874	chin control bracket, RJM	573.00	573.00
4575908	chin bib control	237.00	237.00
4576906	controller 100A, Q-Logic	N/C	600.00
	HAMMER motors, 4-brush, 6 mph	N/C	560.00
+4577847	breath-control driver control module, Sip & Puff unit, cable,	945.00	945.00
	separator, requires Q-Logic display (not included)		
	Wheels and forks:		
+4577854	rear driving wheels, inner tube tires	N/C	100.00
	front wheels, semi-pneumatic tires, 20.3 cm (8 in.)	N/C	35.00
	front wheels, inner tube tires, 22.9 cm (9 in.)	N/C	60.00
	driving or rear wheel rims	N/C	80.00
	front casters or wheel rims, 20.3 cm (8 in.)	N/C	10.00
	front casters or wheel rims, 22.9 cm (9 in.)	N/C	33.00
	front airless inserts, 22.9 cm (9 in.)	60.00	30.00
	rear airless inserts	90.00	56.00
	standard forks, front, 20.3 cm (8 in.)	N/C	15.00
45/0922	standard forks, front, 22.9 cm (9 in.)	N/C	13.00

	Non S.C. components for which supporting document		
	must be kept on file:		
4573879	seat/back structure, with manual rocker device, maximum	1,000.00	1,200.00
	45.7 cm (18 in.) X 45.7 cm (18 in.), 72.6 cm (160 lb)		
4573960	power rocker device	1,895.00	2,095.00
+4577896	Multi Axes footplates, angle and depth-ajustable	240.00	280.00
	installation of power rocker device	N/C	150.00
4573895	control system for one power accessory only	N/C	200.00
4573903	control system for four power accessories	N/C	133.00
4573986	control system for power rocker device, joystick-controlled	175.00	450.00
4575593	heavy-duty joystick control, Champignon Stealth	1,500.00	2,200.00
4573911	connecting cables for power reclining devices	N/C	100.00
	Component(s) under Special Consideration		
4575999	• ''	900.00	950.00
4573929	reclining back with cylinder *	400.00	400.00
4573937	power reclining back, 100% compensating mechanism *	2,250.00	2,250.00
4573994	power elevating legrests, standard, with angle-adjustable	1,500.00	785.00
	foot plates, per pair *		
4573945	installation of power reclining back, 100% compensating	N/C	50.00
	mechanism *		
4573952	control system for power reclining back, joystick-controlled *	175.00	450.00

SUPPLIER: PRODUITS PRIDE MOBILITY

PRICE

4575007 POWERED WHEEL CHAIR QUANTUM 600 MODEL

4,100.00

Basic Components

Body support system

- back, angle-adjustable
- supple back, nylon
- rigid seat, flat
- back height: from 35.6 cm (14 in.) to 63.5 cm (25 in.)
- seat height: from 43.2 cm (17 in.) to 48.3 cm (19 in.)
- seat width: from 25.4 cm (10 in.) to 50.8 cm (20 in.), 136.1 kg (300 lb) capacity
- seat depth: from 25.4 cm (10 in.) to 50.8 cm (20 in.), 136.1 kg (300 lb) capacity
- safety belt, auto-type, velcro-type
- headrest mounting, articulated, uniball
- push handles
- push bar
- installation of power reclining back, 100% compensating mechanism*
- installation of power rocker device
- centre of gravity adjustment from seat
- control system for one (1) power accessory only
- control system for four (4) power accessories
- connecting cables for power reclining devices

Armrests

- U-type armrests, height-adjustable, from 22.9 cm (9 in.) to 33.0 cm (13 in.), short, long
- T-type armrests, height-adjustable, from 27.9 cm (11 in.) to 43.2 cm (17 in.), short, long
- T-type armrests, pediatric, height-adjustable, from 19.7 cm (7¾ in.) to 24.8 cm (9¾ in.), short, long
- I-type armrests, height-adjustable, from 15.2 cm (6 in.) to 50.8 cm (20 in.), short, long
- armrest pads, straight, short, long
- armrest pads, contoured, short, long

Footrests

- 70° footrests, parallel, tapered, detachable, swingaway, length-adjustable, from 27.9 cm (11 in.) to 49.5 cm (19½ in.)
- 90° footrests, pediatric, parallel, detachable, swingaway, length-adjustable, from 17.8 cm (7 in.) to 25.4 cm (10 in.)
- padded calfrests
- folding footplates, standard, including extension tubes
- heel loops, fixed
- heel loops, adjustable

• platform, 25.4 cm (10 in.) X 25.4 cm (10 in.)

Frame

- tie-down points for adapted transport
- rear reflectors
- running lights

Drive systems

- programmable joystick control
- compact joystick control
- joystick control with built-in controller
- battery charge display
- toggle switch
- push-button switch
- auxiliary switch
- battery charger, external 5A Power Cube
- built-in charger, 4A
- battery boxes, group 22
- conical-spherical stick extension
- side bracket for joystick control
- swivel side bracket for joystick control
- head control bracket
- Q-Logic 70A or 100A controller (HAMMER motors)
- GLIDE motors, brushes, 5 mph
- HAMMER motors, 4-brush, 6 mph

Wheels and forks

- driving wheels, inner tubes tires
- front wheels, semi-pneumatic tires, 12.7 cm (5 in.), 15.2 cm (6 in.)
- driving wheel rims
- casters or front wheel rims
- airless inserts for driving wheels, mandatory with HAMMER motors and 53.3 cm (21 in.) to 61.0 cm (24 in.) wide seat
- standard forks, front, rear

^{*} Component under Special Consideration

Price upon initial purchase or

Price upon replacement

		replacement of wheel chair (price per pair, as applicable)	of component (unit price)
	Basic and Optional Components		
	Body support system		
4575015	Seat and back: seat/back structure, with back, angle-adjustable, Synergy adjustable seat	500.00	550.00
4575114	back, angle-adjustable	N/C	N/A
4575064	supple back, nylon	N/C	60.00
	supple back, tension-adjustable, maximum width of 50.8 cm (20 in.)	90.00	150.00
	rigid back, steel plate with removable padding	220.00	280.00
	padded back, flat, fabric, rounded, without AES contour	280.00	340.00
+4577557	E	300.00	300.00
	padded back, contoured, fabric, leatherette (Neoprene), PRAMQ	300.00	360.00
+4577565	padded back, contoured, with thoracic supports, detachable, TRU Comfort, leatherette	300.00	360.00
+4577573	padded back, contoured, with thoracic supports, detachable, Shape Back	300.00	360.00
4575130	rigid seat, flat	N/C	N/A
+4577581	padded seat, flat, Solution 1, 158.8 kg (350 lb) capacity, fabric	125.00	175.00
+4577599	padded seat, contoured, Solution, 158.8 kg (350 lb) capacity, fabric	180.00	200.00
+4577607	modification of seat height, from 50.8 cm (20 in.) to 53.3 cm (21 in.)	200.00	N/A
+4577615	modification of seat width, from 53.3 cm (21 in.) to 61.0 cm (24 in.), 136.1 kg (300 lb) to 181.4 kg (400 lb), maximum of 4 mph	250.00	N/A
+4577623	modification of seat depth, from 53.3 cm (21 in.) to 61.0 cm (24 in.), 136.1 kg (300 lb) to 181.4 kg (400 lb), maximum of 4 mph	250.00	N/A
+4577631	cushion, TRU Comfort, leatherette	180.00	200.00
4575171	safety belt, auto-type	N/C	25.00
4575189	safety belt, velcro-type	N/C	25.00
	safety belt, airplane-type	35.00	75.00
+4577649	headrest, contoured, small	140.00	180.00
	headrest, contoured, large	140.00	180.00
	headrest, padded, contoured, small	140.00	300.00
	headrest, padded, contoured, large	140.00	300.00
	headrest, TRU Comfort, small	140.00	300.00
	headrest, TRU Comfort, large	140.00	300.00
	headrest and mounting for power reclining back	160.00	234.00
4575056	headrest mounting, articulated, uniball	N/C	180.00

4575155	push handles	N/C	N/A
4575163		N/C	80.00
	centre of gravity adjustment from seat	N/C	N/A
4575205	condic of gravity adjustment from sour	14,0	11/11
	Armrests:		
4575262	U-type armrests, height-adjustable, from 22.9 cm (9 in.) to	N/C	320.00
	33.0 cm (13 in.), short, long		
4575239	T-type armrests, height-adjustable, from 27.9 cm (11 in.) to	N/C	125.00
	43.2 cm (17 in.), short, long		
4575247	T-type armrests, pediatric, height-adjustable, from 19.7 cm	N/C	125.00
455554	(7¾ in.) to 24.8 cm (9¾ in.), short, long	107.00	100.00
4575254	T-type armrests, heavy-duty, height-adjustable, from	125.00	188.00
4555010	20.3 cm (8 in.) to 35.6 cm (14 in.), short, long	N/C	125.00
45/5215	I-type armrests, height-adjustable, from 15.2 cm (6 in.) to 50.8 cm (20 in.), short, long	N/C	135.00
4575221	I-type armrests, on power reclining back, from 20.3 cm	200.00	313.00
4373221	(8 in.) to 27.9 cm (11 in.), short, long	200.00	313.00
4575270	armrest pads, straight, short, long	N/C	10.00
	armrest pads, contoured, short, long	N/C	10.00
	modification of U-type armrest height, from 33.0 cm (13 in.)	150.00	150.00
	to 38.1 cm (15 in.)		
	Footrests:		
4575320	70° footrests, parallel, tapered, detachable, swingaway,	N/C	75.00
4555	length-adjustable, from 27.9 cm (11 in.) to 49.5 cm (19½ in.)	NG	75.00
+4577698	90° footrests, pediatric, parallel, detachable, swingaway,	N/C	75.00
4575220	length-adjustable, from 17.8 cm (7 in.) to 25.4 cm (10 in.)	200.00	175.00
45/5558	70° footrests, heavy-duty, parallel, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 53.3 cm (21 in.)	200.00	1/3.00
<i>157536</i> 1	elevating legrests	200.00	175.00
	padded calfrests	N/C	15.00
	contoured calfrests	40.00	60.00
	single calf strap	72.00	72.00
	double calf strap	180.00	180.00
	folding footplates, standard, including extension tubes	N/C	40.00
	footplates, angle and depth-adjustable, standard size,	70.00	100.00
	including extension tubes		
	full-width footplate, angle and depth-adjustable	150.00	190.00
	heel loops, fixed	N/C	15.00
	heel loops, adjustable	N/C	15.00
	toe loops (by the pair when replacements)	20.00	40.00/pr
	foot platform, 25.4 cm (10 in.) X 25.4 cm (10 in.)	N/C	75.00
4575353	foot platform, 25.4 cm (10 in.) X 25.4 cm (10 in.), mounted	200.00	315.00
455536	under seat (tilt/uplift)	10.00	26.00
4575536	front impact guard with rollers	10.00	26.00
	Frame:		
4575528	tie-down points for adapted transport	N/C	25.00
	rear reflectors	N/C	20.00
+4577730	running lights	N/C	N/A
4575551	cane holder	65.00	65.00

	Drive systems:		
4575601	joystick control with built-in controller	N/C	N/A
	compact joystick control	N/C	600.00
4575577	programmable joystick control	N/C	675.00
4575619	battery charge display	N/C	N/A
	built-in charger, 4A	N/C	97.00
4575650	battery charger, external, 5A Power Cube	N/C	220.00
4575676	battery boxes, group 22	N/C	72.00
4575767	adapted controls interface, advanced Q-Logic display	775.00	1,100.00
4575718	laptray touch switch control, WAFER	270.00	270.00
4575726	control with 5 separate switches	396.00	396.00
4575692	non-proportional chin control, Mini Joystick	400.00	650.00
4575684	proportional chin control, RJM, including 1 switch	500.00	500.00
+4577748	HMC Mini chin control	990.00	1,260.00
4575734	foot control, RJM, adapter	1,245.00	1,245.00
4575700	head control, STEALTH RIM	1,275.00	1,605.00
	toggle switch	N/C	N/A
4575635	push-button switch	N/C	N/A
	auxiliary switch	N/C	N/A
	egg-shaped switch	60.00	60.00
	Mini Cup switch	95.00	95.00
	Micro Light switch	128.00	128.00
	conical-spherical stick extension	N/C	15.00
	joystick extension, chin	30.00	40.00
	hard ball extension	30.00	40.00
	stick extension	40.00	50.00
	mushroom-shaped extension	40.00	50.00
	T-type extension	55.00	60.00
	U-shaped stick extension	70.00	101.00
	side bracket for joystick control	N/C	19.00
	swivel side bracket for joystick control	N/C	147.00
+4577805	midline bracket for joystick control, flip-back, Stealth	400.00	400.00
	GAT410P		
4575841	midline bracket for joystick control, flip-back, Body Point	485.00	485.00
	PC201		
	head control bracket	N/C	N/A
	bracket for separate display module	72.00	72.00
	Multi Axe bracket, joystick and mini-joystick	120.00	120.00
	breath control bracket	270.00	270.00
	chin control bracket, RJM	573.00	573.00
	chin bib control	237.00	237.00
	joystick mounting bracket vertical adjustment	50.00	90.00
	Q-Logic, 70A or 100A controller (HAMMER motors)	N/C	600.00
	GLIDE motors, brushes, 5 mph	N/C	402.00
	HAMMER motors, 4-brush, 6 mph	N/C	472.00
+45//84/	breath-control driver control module, Sip & Puff unit, cable,	945.00	945.00
	separator, requires Q-Logic display, (not included)		

	Wheels and forks:		
+4577854	driving wheels, inner tube tires	N/C	100.00
	front wheels, semi-pneumatic tires, 12.7 cm (5 in.)	N/C	21.00
	front wheels, semi-pneumatic tires, 15.2 cm (6 in.)	N/C	27.00
	front wheel or caster rims	N/C	N/A
4575965	driving wheel rims	N/C	80.00
	airless inserts for driving wheels, mandatory with	N/C	56.00
	HAMMER motors and 53.3 cm (21 in.) to 61.0 cm (24 in.)		
	wide seat		
4575981	standard forks, front, rear	N/C	12.00
	Non S.C. components for which supporting document		
	must be kept on file:		
4573879	seat/back structure, with manual rocker device, maximum	1,000.00	1,200.00
	45.7 cm (18 in.) X 45.7 cm (18 in.), 72.6 kg (160 lb)		
	power rocker device	1,895.00	2,095.00
	Multi Axes footplates, angle and depth-adjustable	240.00	280.00
	installation of power rocker device	N/C	150.00
	control system for one (1) power accessory only	N/C	200.00
	control system for four (4) power accessories	N/C	133.00
	control system for power rocker device, joystick-controlled	175.00	450.00
	joystick control, heavy-duty, Champignon Stealth	1,500.00	2,200.00
4573911	connecting cables for power reclining devices	N/C	100.00
	Component(s) under Special Consideration		
4575999	seat/back structure, with reclining back with cylinder *	900.00	950.00
	reclining back with cylinder *	400.00	400.00
4573937	power reclining back, 100% compensating mechanism*	2,250.00	2,250.00
4573994	power elevating legrests, standard, with angle-adjustable	1,500.00	785.00
	footplates, per pair *		
+4577904	power elevating foot platform, compensating mechanism *	1,500.00	1,600.00
4573945	installation of power reclining back, 100% compensating	N/C	50.00
	mechanism*		
4573952	control system for power reclining back, joystick-	175.00	450.00
	controlled *		
+4577912	control system for power elevating legrests, joystick-controlled *	175.00	450.00

SUPPLIER: PRIDE MOBILITY PRODUCTS

PRICE

+4578100 POWERED WHEEL CHAIR QUANTUM 6000 MODEL

4,300.00

Basic Components

Body support system

- back, angle-adjustable
- supple back, nylon
- rigid seat, flat
- back height: from 35.6 cm (14 in.) to 63.5 cm (25 in.)
- seat height: from $42.2 \text{ cm} (16\frac{5}{8} \text{ in.}) \text{ to } 47.3 \text{ cm} (18\frac{5}{8} \text{ in.})$
- seat width: from 35.6 cm (14 in.) to 55.8 cm (22 in.), 136.1 kg (300 lb) capacity
- seat depth: from 35.6 cm (14 in.) to 50.8 cm (20 in.), 136.1 kg (300 lb) capacity
- safety belt, auto-type, velcro-type
- headrest mounting, articulated with uniball
- push handles
- push bar
- installation of power reclining back, 100% compensating mechanism*
- installation of power rocker device
- centre of gravity adjustment from seat
- control system for one power accessory only
- control system for four power accessories
- connecting cables for power reclining devices

Armrests

- U-type armrests, height-adjustable, from 22.9 cm (9 in.) to 33.0 cm (13 in.)
- T-type armrests, height-adjustable, from 27.9 cm (11 in.) to 43.2 cm (17 in.), short, long
- I-type armrests, height-adjustable, from 15.2 cm (6 in.) to 50.8 cm (20 in.), short, long
- armrest pads, straight, short, long
- armrest pads, contoured, short, long

Footrests

- 70° footrests, parallel, tapered, detachable, swingaway, length-adjustable, from 27.9 cm (11 in.) to 49.5 cm (19½ in.)
- 90° footrests, pediatric, parallel, detachable, swingaway, length-adjustable, from 17.8 cm (7 in.) to 25.4 cm (10 in.)
- padded calfrests
- folding footplates, standard
- heel loops, adjustable
- heel loops, fixed
- foot platform, 25.4 cm (10 in.) X 25.4 cm (10 in.)

Frame

- tie-down points for adapted transport
- rear suspension
- rear reflectors
- running lights

Drive systems

- programmable joystick control
- compact joystick control
- joystick control with integrated controller
- battery charge display
- battery charger, Lester 8A
- battery boxes, group 24
- toggle switch
- push-button switch
- auxiliary switch
- conical-spherical stick extension
- side bracket for joystick control
- swivel side bracket for joystick control
- head control bracket
- controller 100A, Q-Logic
- HAMMER motors, 4-brush, 6 mph

Wheels and forks

- driving wheels, inner tube tires
- front wheels, semi-pneumatic tires, 12.7 cm (5 in.), 15.2 cm (6 in.)
- driving wheel rims
- front wheel or caster rims
- standard forks, front, rear

^{*} Component under Special Consideration

Price upon initial purchase or replacement of

Price upon replacement of component

		wheel chair (price per pair, as applicable)	(unit price)
	Basic and Optional Components		
	Body support system Seat and back:		
4575015	seat/back structure, with back, angle-adjustable, Synergy adjustable seat	500.00	550.00
4575114	back, angle-adjustable	N/C	N/A
	supple back, nylon	N/C	60.00
+4577961	supple back, tension-adjustable, maximum width of 53.3 cm (21 in.)	90.00	150.00
+4577540	rigid back, steel plate with removable padding	220.00	280.00
	padded back, flat, fabric, rounded, without AES contour	280.00	340.00
	folding back	300.00	300.00
	padded back, contoured, fabric, leatherette (Neoprene), PRAMQ	300.00	360.00
	padded back, contoured, with detachable thoracic supports, leatherette, TRU Comfort	300.00	360.00
+4577573	padded back, contoured, with detachable thoracic supports, Shape Back	300.00	360.00
4575130	rigid seat, flat	N/C	N/A
+4577581	padded seat, flat, fabric, Solution 1. 58.8 kg (350 lb) capacity	125.00	175.00
+4577599	padded seat, contoured, fabric, Solution, 158.8 kg (350 lb) capacity	180.00	200.00
+4578068	modification of seat height, from 47.3 cm ($18\frac{5}{8}$ in.) to 52.4 cm ($20\frac{5}{8}$ in.)	200.00	N/A
+4578076	modification of seat width, from 58.4 cm (23 in.) to 61.0 cm (24 in.), 136.1 kg (300 lb) to 181.4 kg (400 lb)	375.00	N/A
+4578084	modification of seat depth, from 53.3 cm (21 in.) to 61.0 cm (24 in.), 136.1 kg (300 lb) to 181.4 kg (400 lb)	375.00	N/A
+4577631	cushion, TRU Comfort leatherette	180.00	200.00
4575171	safety belt, auto-type	N/C	25.00
4575189	safety belt, velcro-type	N/C	25.00
	safety belt, airplane-type	35.00	75.00
	headrest, contoured, small	140.00	180.00
	headrest, contoured, large	140.00	180.00
	headrest, padded, contoured, small	140.00	300.00
	headrest, padded, contoured, large	140.00	300.00
	headrest, TRU Comfort, small	140.00	300.00
	headrest, TRU Comfort, large headrest and mounting for power reclining back	140.00 160.00	300.00 234.00
	headrest mounting, articulated, uniball	N/C	180.00
	push handles	N/C	N/A
	push bar	N/C	80.00
	r	17,0	00.00

4575205	centre of gravity adjustment from seat	N/C	N/A
	Armrests:		
4575262	U-type armrests, height-adjustable, from 22.9 cm (9 in.) to 33.0 cm (13 in.), short, long	N/C	320.00
4575239	T-type armrests, height-adjustable, from 27.9 cm (11 in.) to 43.2 cm (17 in.), short, long	N/C	125.00
4575247		N/C	125.00
4575254	T-type armrests, heavy-duty, height-adjustable, from 20.3 cm (8 in.) to 35.6 cm (14 in.), short, long	125.00	188.00
4575213	I-type armrests, height-adjustable, from 15.2 cm (6 in.) to 50.8 cm (20 in.), short, long	N/C	135.00
4575221	I-type armrests, on power reclining back, from 20.3 cm (8 in.) to 27.9 cm (11 in.), short, long	200.00	313.00
4575270	armrest pads, straight, short, long	N/C	10.00
	armrest pads, contoured, short, long	N/C	10.00
	modification of U-type armrest height, from 33.0 cm (13 in.) to 38.1 cm (15 in.)	150.00	150.00
4555220	Footrests:	NI/C	77.00
4575320	70° footrests, parallel, tapered, detachable, swingaway, length-adjustable, from 27.9 cm (11 in.) to 49.5 cm	N/C	75.00
+4577698	(19½ in.) 90° footrests, pediatric, parallel, detachable, swingaway,	N/C	75.00
4555220	length-adjustable, from 17.8 cm (7 in.) to 25.4 cm (10 in.)	200.00	175.00
4575338	70° footrests, heavy-duty, parallel, detachable, swingaway,	200.00	175.00
<i>1575</i> 261	length-adjustable, from 30.5 cm (12 in.) to 53.3 cm (21 in.)	200.00	175.00
	elevating legrests padded calfrests	200.00 N/C	15.00
	contoured calfrests	40.00	60.00
	single calf strap	72.00	72.00
	double calf strap	180.00	180.00
	folding footplates, standard, including extension tubes	N/C	40.00
	footplates, angle and depth-adjustable, standard size,	70.00	100.00
10.10.10.	including extension tubes	, 0.00	100.00
4577714	full-width footplate, angle and depth-adjustable	150.00	190.00
	heel loops, adjustable	N/C	15.00
4575486	heel loops, fixed	N/C	15.00
4575494	toe loops (by the pair when replacement)	20.00	40.00 / pr
+4577722	foot platform, 25.4 cm (10 in.) X 25.4 cm (10 in.)	N/C	75.00
4575353	foot platform, 25.4 cm (10 in.) X 25.4 cm (10 in.), mounted	200.00	315.00
	under seat (rocker)		
4575536	front impact guard with rollers	10.00	26.00
	Frame:		
	tie-down points for adapted transport	N/C	25.00
	rear suspension	N/C	N/A
	rear reflectors	N/C	20.00
	running lights	N/C	N/A
4575551	cane holder	65.00	65.00

	Drive systems:		
4575601	joystick control with built-in controller	N/C	N/A
4575577	programmable joystick control	N/C	675.00
4575585	compact joystick control	N/C	600.00
4575619	battery charge display	N/C	N/A
4576666	battery charger, Lester 8A	N/C	262.00
4576674	battery boxes, group 24	N/C	70.00
4575767	adapted controls interface, advanced Q-Logic display	775.00	1,100.00
4575718	laptray touch switch control, WAFER	270.00	270.00
4575726	control with separate switches, including 5 switches	396.00	396.00
4575692	non-proportional Mini joystick chin control	400.00	650.00
4575684	proportional chin control, RJM, including 1 switch	500.00	500.00
+4577748	HMC Mini joystick chin control	990.00	1260.00
4575734	foot control, RJM, adapter	1,245.00	1,245.00
	head control, STEALTH RIM	1,275.00	1,605.00
	toggle switch	N/C	N/A
	push-button switch	N/C	N/A
	auxiliary switch	N/C	N/A
	egg-shaped switch	60.00	60.00
	Mini Cup switch	95.00	95.00
	Micro Light switch	128.00	128.00
	conical-spherical stick extension	N/C	15.00
	joystick extension, chin	30.00	40.00
	ball extension, hard	30.00	40.00
	joystick extension	40.00	50.00
	mushroom-shaped extension	40.00	50.00
	T-type extension	55.00	60.00
	U-shaped extension	70.00	101.00
	joystick mounting bracket, with vertical adjustment	50.00	90.00
	side bracket for joystick control	N/C	19.00
	swivel side bracket for joystick control	N/C	147.00
+45//805	midline bracket for joystick control, flip-back, Stealth	400.00	400.00
<i>1575</i> 0 <i>1</i> 1	GAT410P	495.00	485.00
45/5841	midline bracket for joystick control, flip-back, Body Point PC201	485.00	485.00
1575000	head control bracket	N/C	N/A
	bracket for separate display module	72.00	72.00
	Multi Axes bracket, joystick, mini-joystick	120.00	120.00
	breath control bracket	270.00	270.00
	chin control bracket, RJM	573.00	573.00
	chin bib control	237.00	237.00
	controller, 100A, Q-Logic	N/C	600.00
	HAMMER motors, 4-brush, 6 mph	N/C	560.00
	breath-control driver control module, Sip & Puff unit,	945.00	945.00
11077017	cable, separator, requires Q-Logic display (not included)	713.00	7.5.00
	Wheels and feature		
. 157705 4	Wheels and forks:	NI/C	100.00
+4577854		N/C	100.00
	front wheels, semi-pneumatic tires, 12.7 cm (5 in.)	N/C	21.00
+45//8/0	front wheels, semi-pneumatic tires, 15.2 cm (6 in.)	N/C	27.00

4555055	forms and an analysis of the	N/C	NT/A
	front wheel or caster rims	N/C N/C	N/A 80.00
	driving wheel rims airless inserts for driving wheel	90.00	56.00
	standard forks, front	90.00 N/C	12.00
		N/C N/C	30.00
+45/9033	standard forks, rear	N/C	30.00
	Non S.C. components for which supporting document		
	must be kept on file:		
4573879	seat/back structure, with manual rocker device, 45.7 cm	1,000.00	1,200.00
	(18 in.) X 45.7 cm (18 in.), maximum capacity of 72.6 kg		
	(160 lb)		
4577896	Multi Axes footplate, angle and depth-adjustable	240.00	280.00
4573978	installation of power rocker device	N/C	150.00
4573895	control system for one (1) power accessory only	N/C	200.00
4573903	control system for four (4) power accessories	N/C	133.00
4573986	control system for power rocker device, joystick-controlled	175.00	450.00
4575593	heavy-duty joystick control, Champignon Stealth	1,500.00	2,200.00
4573911	connecting cables for power reclining devices	N/C	100.00
	Components under Special Consideration		
4575999	seat/back structure, with reclining back with cylinder *	900.00	950.00
	reclining back with cylinder *	400.00	400.00
	power reclining back, 100% compensating mechanism *	2,250.00	2,250.00
	power rocker device *	1,895.00	2,095.00
	power elevating legrests, standard, with angle-adjustable	1,500.00	785.00
	footplates, per pair *	·	
+4577904	foot platform, 25.4 cm (10 in.) X 25.4 cm (10 in.),	1,500.00	1,600.00
	elevating, powered, with compensating mechanism *		
4573945	installation of power reclining back, with 100%	N/C	50.00
	compensating mechanism *		
4573952	control system for power reclining back, joystick-	175.00	450.00
	controlled *		
+4577912	control system for elevating legrests, joystick-controlled *	175.00	450.00

DIVISION II: PEDIATRIC WHEEL CHAIRS

SUBDIVISION 1: MANUAL WHEEL CHAIRS

SUPPLIER: SUNRISE MEDICAL CANADA INC.

PRICE

4150009 MANUAL WHEEL CHAIR QUICKIE 2 PEDIATRIC MODEL

1,590.00

Basic Components

Body support system

- supple back, nylon
- supple seat, nylon
- back height: from 21.6 cm (8½ in.) to 47.0 cm (18½ in.)
- front seat height: from 43.8 cm (17½ in.) to 57.8 cm (22¾ in.)
- seat width: from 27.9 cm (11 in.) to 38.1 cm (15 in.)
- seat depths: 30.5 cm (12 in.), 35.6 cm (14 in.)
- safety belt, velcro-type, auto-type
- backposts with push handles

Armrests

- L-type armrests, detachable, swingaway, height-adjustable, from 20.3 cm (8 in.) to 30.5 cm (12 in.), short
- armrest pads, straight, short, long
- armrest pads, tubular
- clothing guards, flexible

Footrests

- 60°, 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- 70°, 80° footrests, parallel, detachable, swingaway, length-adjustable, from 15.2 cm (6 in.) to 30.5 cm (12 in.)
- 90° footrests, parallel, detachable, swingaway, length-adjustable, from 20.3 cm (8 in.) to 33.0 cm (13 in.)
- padded calfrests
- padded calfrests for elevating legrests, with compensating mechanism
- folding footplates, standard
- folding footplates tubular
- aluminum footplates for elevating legrests
- heel loops, adjustable

Frame

- growth kit, including: seat, back, footrests, front frame and crossbars (once only during first three years, for first user)
- anti-tip rollers
- tie-down points for adapted transport

Drive, brake, wheel, fork and axle systems

- handrims, smooth, plastic-coated, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- small handrim, plastic-coated, for one-arm drive
- standard wheel locks, push-to-lock, pull-to-lock
- rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- rear mag wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- spoked rear wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.),
 61.0 cm (24 in.)
- spoked rear wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- spoked rear wheels, high pressure, 61.0 cm (24 in.)
- front wheels, solid tires, 12.7 cm (5 in.), 15.2 cm (6 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)
- front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm (1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.), 20.3 cm (8 in.) X 3.8 cm (1½ in.)
- front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm (1¼ in.), 20.3 cm (8 in.) X 3.2 cm (1¼ in.)
- standard forks, 15.2 cm (6 in.); short forks, 13.3 cm (5¼ in.); high forks, 17.8 cm (7 in.); compatible with 12.7 cm (5 in.), 15.2 cm (6 in.) and 20.3 cm (8 in.) wheels
- standard forks, 17.8 cm (7 in.), compatible with 20.3 cm (8 in.) X 5.1 cm (2 in.) wheels
- multi-position forks for 12.7 cm (5 in.), 15.2 cm (6 in.) and 20.3 cm (8 in.) wheels
- fork stems, $+1.9 \text{ cm} (\frac{3}{4} \text{ in.}), +3.8 \text{ cm} (\frac{1}{2} \text{ in.})$
- threaded axles, quick-release
- multi-position plates for centre of gravity
- multi-position plates, with compensating mechanism
- rear wheel camber, 3° , 6° , 9°

purchase or

replacement of

Price upon

replacement

of component

		wheel chair (price per pair, as applicable)	(unit price)
	Basic and Optional Components		
	Body support system		
	Seat and back:		
4150082	supple back, nylon	N/C	64.00
	supple back, tension-adjustable	76.00	140.00
	folding back, angle and depth-adjustable	107.00	N/A
4150090	supple seat, nylon	N/C	55.00
	rigid seat, flat	120.00	175.00
4150942	modification of back height from 48.3 cm (19 in.) to	103.00	N/A
	55.9 cm (22 in.), straight handles or 8°		
	modification of seat width to 40.6 cm (16 in.)	108.00	N/A
4150108	modification of seat depth to 25.4 cm (10 in.), to 27.9 cm	40.00	N/A
	(11 in.) or to 33.0 cm (13 in.)		
4150140	seat cushion, flat, foam, 5.1 cm (2 in.)	58.00	58.00
4150157	seat cushion, flat, foam, 7.6 cm (3 in.)	58.00	58.00
4150165	seat cushion, flat, foam, 10.2 cm (4 in.)	58.00	58.00
4150173	safety belt, velcro-type	N/C	29.00
4150181	safety belt, auto-type	N/C	42.00
4151809	headrest, small, medium, large	99.00	106.00
4151791	headrest mounting, articulated	159.00	173.00
4151122	back spreader bar	130.00	N/A
4150132	backposts with push handles	N/C	20.00
4150793	backposts with angle of 8°, from 31.8 cm (12½ in.) to	14.00	27.00
	47.0 cm (18½ in.)		
4150959	backposts, angle-adjustable from -3° to + 15°, 3 positions	122.00	N/A
44.50040	Armrests:	- 0.00	107.00
4150819	T-type armrests, detachable, height-adjustable, from 19.1 cm	78.00	135.00
44 = 0.00 =	(7½ in.) to 30.5 cm (12 in.), short, long	200.00	246.00
4150835	I-type armrests, height-adjustable, from 22.2 cm (8¾ in.) to	300.00	246.00
44 = 0.004	34.9 cm (13¾ in.), short	27/6	0.5.00
4150801	L-type armrests, detachable, swingaway, height-adjustable,	N/C	96.00
44 700 7	from 20.3 cm (8 in.) to 30.5 cm (12 in.), short	NYG	15.00
	armrest pads, straight, short	N/C	15.00
	armrest pads, straight, long	N/C	18.00
	armrest pads, tubular	N/C	2.00
	clothing guards, flexible	N/C	22.00
4150272	clothing guards, rigid	92.00	68.00
	Footrests:		
4151619	60°, 70° footrests, parallel, detachable, swingaway, length-	N/C	55.00
	adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)		

4150975	70°, 80° footrests, parallel, detachable, swingaway, length-	N/C	57.00
4150200	adjustable, from 15.2 cm (6 in.) to 30.5 cm (12 in.)	N/C	55.00
4150298	90° footrests, parallel, detachable, swingaway, lengthadjustable, from 20.3 cm (8 in.) to 33.0 cm (13 in.)	N/C	33.00
4150067	70°, 80° footrests, heavy-duty	64.00	87.00
	elevating legrests	108.00	109.00
	90° elevating legrests, detachable, swingaway, length-	72.00	91.00
4132307	adjustable, from 20.3 cm (8 in.) to 30.5 cm (12 in.)	72.00	71.00
4152500	elevating legrests, with compensating mechanism, to 90°	200.00	155.00
	padded calfrests	N/C	19.00
	contoured calfrests	72.00	55.00
4152526	padded calfrests for elevating legrests, with compensating	N/C	40.00
	mechanism		
4150330	single calf strap	19.00	19.00
4150348	double calf strap	33.00	33.00
4150355	folding footplates, standard	N/C	49.00
4152542	oversized footplates	74.00	86.00
	folding footplates tubular	N/C	49.00
	folding footplates and angle and depth-adjustable	54.00	76.00
	full-width footplate, angle-adjustable	85.00	183.00
4151817	footplates, angle-adjustable, folding, locking, width of 35.6	80.00	178.00
	cm (14 in.) and more		
	aluminum footplates for elevating legrests	N/C	49.00
	heel loops, adjustable	N/C	10.00
4150868	modification of the length of footrests from 17.8 cm (7 in.)	56.00	34.00
	to 34.3 cm (13½ in.)		
4152518	modification of the length of 70°, 80°, 90° footrests by +	32.00	16.00
	5.1 cm (2 in.) or by + 10.2 cm (4 in.)	20.00	10.00
	front impact guards with rollers	38.00	19.00
4151585	90° full-width foot platform	92.00	190.00
	Frame:		
4150116	wheel chair growth kit, including: seat, back, footrests, front	N/C	N/A
	frame and crossbars (once only during first three years, for		
	first user)		
4150504	anti-tip rollers	N/C	22.00
+4152591	tie-down points for adapted transport	N/C	N/A
4150447	cane holder	45.00	45.00
	Drive systems:		
4150470	smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.),	N/C	60.00
4130470	61.0 cm (24 in.)	IV/C	00.00
4152550	plastic-coated handrims, 50.8 cm (20 in.), 55.9 cm (22 in.),	N/C	88.00
T104007	61.0 cm (24 in.)	14/0	00.00
4151015	small plastic-coated handrim for one-arm drive	N/C	97.00
	handrims with oblique or vertical projections, 61.0 cm	90.00	105.00
7150700	(24 in.)	70.00	105.00
4150876	non-slip handrims, 55.9 cm (22 in.), 61.0 cm (24 in.)	168.00	144.00
	one-arm dual handrim drive	562.00	709.00

	Wheel locks:		
4150512	standard wheel locks, push-to-lock, pull-to-lock	N/C	40.00
	wheel lock extensions	26.00	13.00
4150538	anti-rollback brakes	68.00	34.00
	Wheels:		
4150652	rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.),	N/C	136.00
41.50.6.4.5	55.9 cm (22 in.), 61.0 cm (24 in.)	N/C	126.00
	rear mag wheels, standard pressure, 50.8 cm (20 in.)	N/C	136.00
4150892	rear mag wheels, standard pressure, 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C	113.00
<i>1</i> 150620	spoked rear wheels, semi-pneumatic tires, 50.8 cm (20 in.),	N/C	153.00
4130029	55.9 cm (22 in.), 61.0 cm (24 in.)	14/ C	133.00
4150777	spoked rear wheels, standard pressure, 50.8 cm (20 in.),	N/C	136.00
4150777	55.9 cm (22 in.), 61.0 cm (24 in.)	14/6	130.00
4150637	spoked rear wheels, high pressure, 61.0 cm (24 in.)	N/C	136.00
	front wheels, solid tires, 12.7 cm (5 in.)	N/C	47.00
	front wheels, solid tires, 15.2 cm (6 in.)	N/C	62.00
4150678	front wheels, solid tires, 20.3 cm (8 in.) X 2.5 cm (1 in.)	N/C	63.00
4150900	front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm	N/C	89.00
	(1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.)		
4151049	front wheels, semi-pneumatic tires, 20.3 cm (8 in.) X 3.8 cm	N/C	99.00
44.50040	(1½ in.)	50.00	04.00
4150918	front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 5.1 cm	68.00	81.00
4150530	(2 in.)	N/C	62.00
4150/28	front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm (1 ¹ / ₄ in.)	N/C	62.00
<i>4</i> 150710	front wheels, inner tube tires, 20.3 cm (8 in.) X 3.2 cm	N/C	63.00
4130/10	(1½ in.)	14/C	03.00
4150702	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm	48.00	72.00
	(2 in.)		, _,,
	` '		
	Forks:		
4150884	standard forks, 15.2 cm (6 in.); short forks, 13.3 cm (5¼ in.);	N/C	32.00
	high forks, 17.8 cm (7 in.); compatible with 12.7 cm (5 in.),		
	15.2 cm (6 in.) and 20.3 cm (8 in.) wheels		
4151023	standard forks, 17.8 cm (7 in.), compatible with 20.3 cm (8	N/C	37.00
4151656	in.) X 5.1 cm (2 in.) wheels	N/C	56.00
4151676	multi-position forks for 12.7 cm (5 in.), 15.2 cm (6 in.), 20.3 cm (8 in.) wheels	N/C	56.00
<i>1</i> 151031	fork stems, $+1.9 \text{ cm} (\frac{3}{4} \text{ in.})$, $+3.8 \text{ cm} (\frac{1}{2} \text{ in.})$	N/C	16.00
	fork-locking mechanism	46.00	23.00
4151000	Tork rocking meentanism	40.00	23.00
	Rear axles:		
4151825	threaded axles	N/C	33.00
4150587	quick-release axles	N/C	33.00
4150611	extension plates for amputees	42.00	73.00
+4152609	multi-position plates for centre of gravity	N/C	52.00
+4152617	multi-positions plates, with compensating mechanism	N/C	65.00
4150934	multi-position plates, curved	28.00	66.00

SCHEDULE 1	Tariff for devices which compensate for a motor deficiency and insured related services
	(authentic version)

+4152625	rear wheel camber, 3° , 6° , 9°	N/C	N/A
	Non S.C. components for which supporting document must be kept on file:		
4150744	spoke guards	70.00	35.00
4150751	quick-release axles with lever mechanism	66.00	66.00

SUPPLIER: SUNRISE MEDICAL CANADA INC.

PRICE

4151007 MANUAL WHEEL CHAIR ZIPPIE GS PEDIATRIC MODEL

1,475.00

Basic Components

Body support system

- supple back, nylon
- folding back, angle-adjustable
- rigid seat, flat
- back height: from 35.6 cm (14 in.) to 55.9 cm (22 in.)
- front seat height: from 35.6 cm (14 in.) to 47.6 cm (18¾ in.)
- seat width: from 25.4 cm (10 in.) to 30.5 cm (12 in.), from 30.5 cm (12 in.) to 35.6 cm (14 in.) and from 35.6 cm (14 in.) to 40.6 cm (16 in.)
- seat depth: from 25.4 cm (10 in.) to 35.6 cm (14 in.), from 30.5 cm (12 in.) to 40.6 cm (16 in.) and from 35.6 cm (14 in.) to 45.7 cm (18 in.)
- safety belt, velcro-type, auto-type
- backposts with push handles
- backposts with push handles, 55.2 cm (21³/₄ in.), 62.9 cm (24³/₄ in.), 70.5 cm (27³/₄ in.)

Armrests

- T-type armrests, detachable, height-adjustable, from 19.1 cm (7½ in.) to 30.5 cm (12 in.), short, long
- T-type armrests, height-adjustable, from 14.0 cm ($5\frac{1}{2}$ in.), 16.5 cm ($6\frac{1}{2}$ in.) or 19.1 cm ($7\frac{1}{2}$ in.), short
- armrest pads, straight, short, long
- armrest pads, tubular
- clothing guards, flexible

Footrests

- 60°, 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- 70°, 80° footrests, parallel, detachable, swingaway, length-adjustable, from 15.2 cm (6 in.) to 30.5 cm (12 in.)
- 90° footrests, parallel, detachable, swingaway, length-adjustable, from 20.3 cm (8 in.) to 33.0 cm (13 in.)
- 70°, 80°, 90° footrests, heavy-duty, detachable, non flip-back
- padded calfrests for elevating legrests
- padded calfrests for elevating legrests, with compensating mechanism
- folding footplates, standard
- heel loops, adjustable

Frame

- anti-tip rollers
- tie-down points for adapted transport

• rigid frame option

Drive, brake, wheel, fork and axle systems

- handrims, smooth, plastic-coated, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- small plastic-coated handrim for one-arm drive
- standard wheel locks, push-to-lock, pull-to-lock
- rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- rear mag wheels, standard pressure, 30.5 cm (12 in.), 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- spoked rear wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.),
 61.0 cm (24 in.)
- spoked rear wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- spoked rear wheels, high pressure, 61.0 cm (24 in.)
- front wheels, solid tires, 12.7 cm (5 in.), 15.2 cm (6 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)
- front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm (1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.), 20.3 cm (8 in.) X 3.8 cm (1½ in.)
- front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm (1¼ in.), 20.3 cm (8 in.) X 3.2 cm (1¼ in.)
- standard forks, 15.2 cm (6 in.); short forks, 13.3 cm (5¼ in.); high forks, 17.8 cm (7 in.); compatible with 12.7 cm (5 in.), 15.2 cm (6 in.) and 20.3 cm (8 in.) wheels
- long stems, $+1.9 \text{ cm} (\frac{3}{4} \text{ in.})$, $+3.8 \text{ cm} (\frac{1}{2} \text{ in.})$
- threaded axles, quick-release
- rear wheel camber from 0° to 6°

Price upon

		purchase or replacement of wheel chair (price per pair, as applicable)	replacement of component (unit price)
	Basic and Optional Components		
	Body support system		
	Seat and back:		
	supple back, nylon	N/C	64.00
	supple back, tension-adjustable	76.00	140.00
	folding back, angle-adjustable	N/C	N/A
	rigid seat, flat	N/C	130.00
	seat cushion, flat, foam, 5.1 cm (2 in.)	58.00	58.00
	seat cushion, flat, foam, 7.6 cm (3 in.)	58.00 N/C	58.00 29.00
	safety belt, velcro-type safety belt, auto-type	N/C N/C	42.00
	safety belt, airplane-type	50.00	79.00
	safety belt, airplane-type, padded	76.00	105.00
	headrest, small, medium, large	99.00	106.00
	headrest mounting, articulated	159.00	173.00
	crossbar for headrest mounting (folding)	233.00	249.00
	crossbar for headrest mounting (rigid)	200.00	212.00
	back spreader bar	130.00	N/A
	backposts with push handles	N/C	N/A
+4152633	stroller handle extension	96.00	69.00
4152484	backposts with push handles, 55.2 cm (21¾ in.), 62.9 cm (24¾ in.), 70.5 cm (27¾ in.)	N/C	N/A
	Armrests:		
4151205	T-type armrests, detachable, height-adjustable, from 19.1 cm (7½ in.) to 30.5 cm (12 in.), short, long	N/C	135.00
4151544	T-type armrests, height-adjustable, to 14.0 cm (5½ in.), 16.5 cm (6½ in.) or 19.1 cm (7½ in.), short	N/C	160.00
4151213	I-type armrests with locking mechanism, depth-adjustable, height-adjustable, from $16.5 \text{ cm} (6\frac{1}{2} \text{ in.})$ to $33.0 \text{ cm} (13 \text{ in.})$, short	130.00	200.00
4150256	armrest pads, straight, short	N/C	15.00
	armrest pads, straight, long	N/C	18.00
	armrest pads, tubular	N/C	2.00
4150264	clothing guards, flexible	N/C	22.00
4150272	clothing guards, rigid	92.00	68.00
	Footrests:		
4151619	60°, 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)	N/C	55.00
4150975	70°, 80° footrests, parallel, detachable, swingaway, length-adjustable, from 15.2 cm (6 in.) to 30.5 cm (12 in.)	N/C	57.00

4151718	90° footrests, parallel, detachable, swingaway, length-	N/C	57.00
	adjustable, from 20.3 cm (8 in.) to 33.0 cm (13 in.)		
4151221	70°, 80°, 90° footrests, heavy-duty, detachable, non flip-	N/C	87.00
	back		
4150850	elevating legrests	108.00	109.00
	90° elevating legrests, length-adjustable from 20.3 cm (8 in.)	70.00	90.00
	to 33.0 cm (13 in.)		
4150306	elevating legrests, with compensating mechanism	200.00	155.00
	padded calfrests for elevating legrests	N/C	19.00
	padded calfrests for elevating legrests, with compensating	N/C	40.00
7132320	mechanism	14/6	40.00
4151627	contoured calfrests	72.00	55.00
	single calf strap	19.00	19.00
	double calf strap	33.00	33.00
	folding footplates, standard	N/C	49.00
	full-width footplate	85.00	183.00
	footplates, folding, angle and depth-adjustable, standard size	54.00	76.00
	heel loops, adjustable	N/C	10.00
4151239	modification of footrest length from 48.3 cm (19 in.) to	31.00	30.00
	52.1 cm (20½ in.)		
4150439	modification of footrest length from + 5.1 cm (2 in.), +	32.00	16.00
	10.2 cm (4 in.)		
4151767	90° rigid foot platform	92.00	190.00
	footrest jaws, from 17.8 cm (7 in.) to 34.3 cm (13½ in.)	56.00	34.00
	, , , , , , , , , , , , , , , , , , ,		
	Frame:		
4150504	anti-tip rollers	N/C	22.00
	front anti-tippers	58.00	29.00
	tie-down points for adapted transport	N/C	N/A
	cane holder	45.00	45.00
4152492	rigid frame option	N/C	N/A
	D. C.		
44 50 450	Drive systems:) Y (G	
4150470	smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.),	N/C	60.00
	61.0 cm (24 in.)		
4152559	plastic-coated handrims, 50.8 cm (20 in.), 55.9 cm (22 in.),	N/C	88.00
	61.0 cm (24 in.)		
	small plastic-coated handrim for one-arm drive	N/C	97.00
4150488	handrims with oblique or vertical projections, 61.0 cm	90.00	105.00
	(24 in.)		
4150876	non-slip handrims, 55.9 cm (22 in.), 61.0 cm (24 in.)	168.00	144.00
	one-arm dual handrim drive	562.00	709.00
	Wheel locks:		
4150512	standard wheel locks, push-to-lock, pull-to-lock	N/C	40.00
4150520	wheel lock extensions	26.00	13.00
	anti-rollback brakes	68.00	34.00
7130330	and-ronouck olares	00.00	34.00
	Wheels:		
41F04F2		NI/C	126.00
4150052	rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.),	N/C	136.00
	55.9 cm (22 in.), 61.0 cm (24 in.)		

		(untilefficie ve	151011)
	rear mag wheels, standard pressure, 30.5 cm (12 in.)	N/C	130.00
	rear mag wheels, standard pressure, 40.6 cm (16 in.)	32.00	146.00
	rear mag wheels, standard pressure, 50.8 cm (20 in.)	N/C	136.00
4150892	rear mag wheels, standard pressure, 55.9 cm (22 in.),	N/C	113.00
	61.0 cm (24 in.)		
4150629	spoked rear wheels, semi-pneumatic tires, 50.8 cm (20 in.),	N/C	153.00
	55.9 cm (22 in.), 61.0 cm (24 in.)		
4150777	spoked rear wheels, standard pressure, 50.8 cm (20 in.),	N/C	136.00
	55.9 cm (22 in.), 61.0 cm (24 in.)		
4150637	spoked rear wheels, high pressure, 61.0 cm (24 in.)	N/C	136.00
4150694	front wheels, solid tires, 12.7 cm (5 in.)	N/C	47.00
4150686	front wheels, solid tires, 15.2 cm (6 in.)	N/C	62.00
4150678	front wheels, solid tires, 20.3 cm (8 in.) X 2.5 cm (1 in.)	N/C	63.00
4150900	front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm	N/C	89.00
	(1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.)		
4151049	front wheels, semi-pneumatic tires, 20.3 cm (8 in.) X 3.8 cm	N/C	99.00
	$(1\frac{1}{2} \text{ in.})$		
4150728	front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm	N/C	62.00
	$(1\frac{1}{4} \text{ in.})$		
4150710	front wheels, inner tube tires, 20.3 cm (8 in.) X 3.2 cm	N/C	63.00
	$(1\frac{1}{4} \text{ in.})$		
4150702	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm	48.00	72.00
	(2 in.)		
	(= 1)		
	Forks:		
4150884	standard forks, 15.2 cm (6 in.); short forks, 13.3 cm (5 ¹ / ₄ in.);	N/C	32.00
1100001	high forks, 17.8 cm (7 in.); compatible with 12.7 cm (5 in.),	100	32.00
	15.2 cm (6 in.) and 20.3 cm (8 in.) wheels		
4151031	long stems, $+1.9 \text{ cm} (\frac{3}{4} \text{ in.}) + 3.8 \text{ cm} (\frac{1}{2} \text{ in.})$	N/C	16.00
	fork-locking mechanism	46.00	23.00
4131000	TOTK-TOCKING INCCHAINSIN	40.00	23.00
	Rear axles:		
A151925	threaded axles	N/C	33.00
	quick-release axles	N/C	33.00
	rear wheel camber from 0° to 6°	N/C N/C	33.00 N/A
4151001	real wheel camper from 0 to 0	N/C	1 N /A
	Non C.C. commonants for which arrangeting document		
	Non S.C. components for which supporting document		

70.00

35.00

must be kept on file:

4150744 spoke guards

SUBDIVISION 2: LIGHTWEIGHT MANUAL WHEEL CHAIRS

SUPPLIER: SUNRISE MEDICAL CANADA INC.

PRICE

4153300 LIGHTWEIGHT MANUAL WHEEL CHAIR QUICKIE GT PEDIATRIC MODEL

1,730.00

Basic Components

Body support system

- supple back, nylon
- folding back and angle-adjustable with 28° of adjustment
- supple seat, nylon
- back height: from 25.4 cm (10 in.) to 45.7 cm (18 in.)
- seat height: from 40.6 cm (16 in.) to 53.3 cm (21 in.)
- seat width: from 30.5 cm (12 in.) to 40.6 cm (16 in.)
- seat depth: from 30.5 cm (12 in.) to 38.1 cm (15 in.)
- safety belt, velcro-type, auto-type
- push handles, bolt-on, integrated into backposts

Armrests

- L-type armrests, detachable, swingaway, height-adjustable, to 18.7 cm (73/8 in.), 21.3 cm (83/8 in.), 23.8 cm (93/8 in.), short
- armrest pads, straight, short, long
- armrest pads, tubular
- clothing guards, flexible, rigid
- clothing guards, aluminum, folding, with mudguard

Footrests

- 75°, 85° footrests, fixed, parallel, length-adjustable, from 33.0 cm (13 in.) to 50.8 cm (20 in.)
- 75°, 85° fixed footrests, narrowed, 2.5 cm (1 in.) or 5.1 cm (2 in.)
- single calf strap
- full-width footplate, tubular, aluminum, with plate
- heel loops, adjustable
- spacers for footplate, 5.1 cm (2 in.), 10.2 cm (4 in.), 15.2 cm (6 in.)

Frame

- anti-tip rollers
- sit tilt, up to 16° of adjustment

Drive, brake, wheel, fork and axle systems

- smooth handrims, 55.9 cm (22 in.), 61.0 cm (24 in.), 63.5 cm (25 in.), 66.0 cm (26 in.)
- standard wheel locks, push-to-lock, pull-to-lock
- scissor-type wheel locks
- rear mag wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.)

- rear mag wheels, standard pressure, 55.9 cm (22 in.), 61.0 cm (24 in.)
- spoked rear wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.)
- spoked rear wheels, standard pressure, 55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)
- spoked rear wheels, high pressure, 61.0 cm (24 in.), 66.0 cm (26 in.)-
- rear wheels, heavy-duty, standard pressure, high pressure, 61.0 cm (24 in.)
- front wheels, solid tires, 7.6 cm (3 in.), 10.2 cm (4 in.), 12.7 cm (5 in.), 15.2 cm (6 in.)
- front wheels, semi-pneumatic, 10.2 cm (4 in.) X 3.2 cm (1¹/₄ in.)
- front wheels, semi-pneumatic tires, 10.2 cm (4 in.) X 3.8 cm (1½ in.), 12.7 cm (5 in.) X 3.8 cm (1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.)
- standard forks, adjustable, for 7.6 cm (3 in.), 10.2 cm (4 in.) and 12.7 cm (5 in.) wheels
- wide forks, adjustable for 7.6 cm (3 in.), 10.2 cm (4 in.), 12.7 cm (5 in.) wheels and 15.2 cm (6 in.) solid or semi-pneumatic tires
- quick-release axles
- rear wheel camber tubes, 0° , 3° , 6° , 9°
- axle position along back axis, -2.5 cm (1 in.) to +11.4 cm ($4\frac{1}{2}$ in.)

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	Basic and Optional Components		_
	Body support system		
	Seat and back:		
4151841	supple back, nylon	N/C	67.00
	back, folding and angle-adjustable with 28° of adjustment	N/C	N/A
	supple back, tension-adjustable	76.00	143.00
	supple seat, nylon	N/C	55.00
	modification of depth of seat fabric, customized	80.00	N/A
	seat cushion, flat, foam, 5.1 cm (2 in.)	58.00	58.00
	seat cushion, flat, foam, 7.6 cm (3 in.)	58.00	58.00
4151882	seat cushion, flat, foam, 10.2 cm (4 in.)	58.00	58.00
	safety belt, velcro-type	N/C	29.00
4151908	safety belt, auto-type	N/C	42.00
4152138	push handle integrated into backposts	N/C	25.00
4152120	push handles, bolt-on	N/C	28.00
	push handles, folding	52.00	51.00
	Armrests:		
4151924	T-type armrests, height-adjustable, from 19.1 cm ($7\frac{1}{2}$ in.) to 31.8 cm ($12\frac{1}{2}$ in.), short, long	78.00	135.00
4151916	L-type armrests, detachable, swingaway, height-adjustable, from 18.7 cm (73% in.), 21.3 cm (83% in.), 23.8 cm (93% in.),	N/C	96.00
	short		
4151073	armrest pads, straight, short	N/C	15.00
	armrest pads, straight, long	N/C	18.00
	armrest pads, straight, rong	N/C	2.00
	clothing guards, flexible	N/C	22.00
	clothing guards, rigid	N/C	68.00
	clothing guards, aluminum, folding, with mudguard	N/C	145.00
	receptors for L-type armrests, angle-adjustable	40.00	N/A
	Footrests:		
4151999	75°, 85° fixed footrests, parallel, narrowed by 2.5 cm	N/C	N/A
	(1 in.) or by 5.1 cm (2 in.), length-adjustable, from 33.0 cm		
	(13 in.) to 50.8 cm (20 in.)		
	single calf strap	N/C	19.00
	double calf strap	14.00	33.00
	full-width footplate, aluminum, tubular, with plate	N/C	N/A
	full-width footplate, angle and depth-adjustable	40.00	111.00
+4152674	footplates, angle and depth-adjustable, oversized, for	54.00	76.00
	modification of front of frame		
+4152682	heel loops, adjustable	N/C	10.00

4152054	spacers for footplate, 5.1 cm (2 in.), 10.2 cm (4 in.),	N/C	10.00
+4152690	15.2 cm (6 in.) raised footrest mounting for full-width footplate, angle and	60.00	N/A
	depth-adjustable foot positioning plate	40.00	20.00
+4152708	modification for installing individual folding footplates	635.00	N/A
	Frame:		
	growth kit	450.00	N/A
	anti-tip rollers	N/C	39.00
4152161	adjustment of depth of back by -2.5 cm (1 in.) or by -5.1 cm (2 in.)	76.00	N/A
+4152724	seat tilt, up to 16° of adjustment	N/C	N/A
	cane holder	45.00	45.00
	Drive systems:		
4152088	smooth handrims, 55.9 cm (22 in.), 61.0 cm (24 in.), 63.5 cm (25 in.), 66.0 cm (26 in.)	N/C	60.00
4152006	plastic-coated handrims, 55.9 cm (22 in.), 61.0 cm (24 in.),	56.00	88.00
4152070	63.5 cm (25 in.), 66.0 cm (26 in.)	30.00	00.00
4152070	handrims with vertical or oblique projections	90.00	105.00
	non-slip handrims, 61.0 cm (24 in.)	168.00	144.00
	Wheel locks:		
	standard wheel locks, push-to-lock, pull-to-lock	N/C	40.00
	scissor-type wheel locks	N/C	27.00
	scissor-type wheel locks, ergonomic	24.00	52.00
	wheel lock extensions anti-rollback brakes	26.00 68.00	13.00 34.00
	compact scissor-type wheel locks	70.00	75.00
+4152752	compact seissor-type wheel locks	70.00	73.00
41.53230	Wheels:	N/C	126.00
4152328	rear mag wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C	136.00
4152310	rear mag wheels, standard pressure, 55.9 cm (22 in.),	N/C	113.00
1102010	61.0 cm (24 in.)	1170	115.00
4152351	spoked rear wheels, semi-pneumatic tires, 55.9 cm (22 in.),	N/C	153.00
	61.0 cm (24 in.)		
4152336	spoked rear wheels, standard pressure, 55.9 cm (22 in.),	N/C	136.00
4152344	61.0 cm (24 in.), 66.0 cm (26 in.) spoked rear wheels, high pressure, 61.0 cm (24 in.),	N/C	136.00
4132344	66.0 cm (26 in.)	IV/C	130.00
4152369	rear wheels, heavy-duty, standard pressure, high pressure,	N/C	199.00
	61.0 cm (24 in.)		
	rear wheels, heavy-duty, high pressure, 63.5 cm (25 in.)	56.00	227.00
4152377	rear wheels, heavy-duty, standard pressure, high pressure,	56.00	227.00
44 50 40-	66.0 cm (26 in.)	37/6	47.0 0
	front wheels, solid tires, 7.6 cm (3 in.)	N/C	67.00
	front wheels, solid tires, 10.2 cm (4 in.) front wheels, solid tires, 12.7 cm (5 in.)	N/C N/C	60.00 47.00
4132401	from wheels, some thes, 12.7 cm (3 m.)	IN/C	47.00

		(authentic ver	'Sion)
4152393	front wheels, solid tires, 15.2 cm (6 in.)	N/C	62.00
	front wheels, semi-pneumatic tires, 10.2 cm (4 in.) X	N/C	60.00
	3.2 cm (1¼ in.)		
4152435	front wheels, semi-pneumatic tires, 10.2 cm (4 in.) X	N/C	89.00
	3.8 cm (1½ in.), 12.7 cm (5 in.) X 3.8 cm (1½ in.), 15.2 cm		
4152442	(6 in.) X 3.8 cm (1½ in.) front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X	68.00	81.00
4152445	5.1 cm (2 in.)	08.00	81.00
	5.1 cm (2 m.)		
	Forks:		
4152237	standard forks, adjustable for wheels with solid tires,	N/C	69.00
	7.6 cm (3 in.), 10.2 cm (4 in.) and 12.7 cm (5 in.)		
4152245	wide forks, adjustable for wheels with solid and semi-	N/C	69.00
	pneumatic tires, 7.6 cm (3 in.), 10.2 cm (4 in.), 12.7 cm		
4150050	(5 in.) and 15.2 cm (6 in.)	00.00	92.00
4152252	fork-locking mechanism	99.00	83.00
	Rear axles:		
4152278	quick-release axles	N/C	33.00
	plates for amputees	56.00	84.00
	rear wheel camber tubes, 0°, 3°, 6°, 9°	N/C	38.00
4152260	axle position along back axis, -2.5 cm (1 in.) to + 11.4 cm	N/C	N/A
	(4½ in.)		
	Non C.C. common outs for which summonting document		
	Non S.C. components for which supporting document must be kept on file:		
4152450	spoke guards	70.00	35.00
	quick-release axles with lever mechanism	66.00	66.00
	heavy-duty axles	102.00	84.00
	-		

SUBDIVISION 3: POWERED WHEEL CHAIRS

SUPPLIER: INVACARE CANADA L.P.

PRICE

+4642005 POWERED WHEEL CHAIR TDX – SP PEDIATRIC MODEL

4,322.00

Basic Components

Body support system

- back, angle-adjustable
- supple back, nylon, leatherette
- rigid seat, flat
- back height: from 30.5 cm (12 in.) to 61.0 cm (24 in.)
- seat heights: $41.9 \text{ cm} (16\frac{1}{2} \text{ in.}), 47.0 \text{ cm} (18\frac{1}{2} \text{ in.})$
- seat width: from 30.5 cm (12 in.) to 40.6 cm (16 in.)
- seat depth: from 30.5 cm (12 in.) to 40.6 cm (16 in.)
- safety belt, auto-type
- headrest mounting, articulated
- back tension bar, on reclining back
- push handles
- push bar
- installation of power rocker device

Armrests

- U-type armrests, height-adjustable, from 15.2 cm (6 in.) to 25.4 cm (10 in.), short, long
- armrest pads, straight, short, long
- armrest pads, contoured, short, long
- rigid clothing guards, built into armrests

Footrests

- 70° footrests, parallel, detachable, swingaway, length-adjustable, from 29.8 cm (1134 in.) to 43.2 cm (17 in.)
- padded calfrests
- folding footplates, standard
- heel loops, fixed
- heel loops, adjustable

Frame

- anti-tip rollers
- tie-down points for adapted transport
- rear suspension
- rear reflectors
- running lights

Drive systems

- programmable joystick control SPJ / PSS
- battery charge display

- battery charger
- battery boxes, group 22, group 24
- toggle switch
- side bracket for joystick control
- swivel side bracket for joystick control
- bracket for separate display module
- controller
- heavy-duty motors, standard motors, with gear assembly, 4-brush

Wheels and forks

- driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.)
- front and rear casters, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.)
- driving wheel rims
- caster rims
- standard forks, 15.2 cm (6 in.), one-sided

For a TDX-SP JR wheel chair with power reclining back or power rocker only:

- conventional back, height of 40.6 cm (16 in.) to 61.0 cm (24 in.) *
- ABS shells, height from 40.6 cm (16 in.) to 61.0 cm (24 in.) *
- headrest with mounting, small, large, combined headrest/neckrest *

Updated: February 16, 2016 305

Price upon

		Price upon initial purchase or replacement of wheel chair wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	Basic and Optional Components		
	Body support system		
	Seat and back:		
+4641247	seat/back structure, with angle-adjustable back	574.00	675.00
+4641254	back, angle-adjustable	N/C	N/A
+4641262	supple back, nylon, single thickness	N/C	75.00
+4641270	supple back, leatherette	N/C	90.00
+4641288	padded back, contoured, fabric	284.00	359.00
	padded back, contoured, leatherette	414.00	489.00
+4641304	ergonomic back, from 33.0 cm (13 in.) to 40.6 cm (16 in.),	296.00	371.00
	with 12.7 cm (5 in.) thoracic supports		
+4641312	ergonomic back, from 33.0 cm (13 in.) to 40.6 cm (16 in.),	376.00	451.00
	with 17.8 cm (7 in.) thoracic supports		
	rigid seat, flat	N/C	48.00
+4641338	padded seat, ergonomic, from 33.0 cm (13 in.) to 40.6 cm	283.00	315.00
	(16 in.) wide		
	padded seat, contoured, fabric	297.00	297.00
	padded seat, contoured, leatherette	397.00	397.00
	seat cushion, flat, foam, 5.1 cm (2 in.)	61.00	61.00
	seat cushion, flat, foam, 7.6 cm (3 in.)	61.00	61.00
	safety belt, auto-type	N/C	53.00
	headrest, small	152.00	152.00
	headrest, large	152.00	152.00
	combined headrest/neckrest	152.00	152.00
	headrest mounting, articulated	N/C	N/A
	headrest bracket	233.00	233.00
	back tension bar, on reclining back	N/C	N/A
	push handles	N/C	52.00
+4641460	push bar	N/C	61.00
	Ammanasta		
14641470	Armrests:	N/C	138.00
+4041478	U-type armrests, height-adjustable, from 15.2 cm (6 in.) to 25.4 cm (10 in.), short, long	N/C	138.00
14641496	armrest pads, straight, short, long	N/C	18.00
	armrest pads, suraight, short, long	N/C	30.00
	rigid clothing guards, built into armrests	N/C	N/A
T4041302	rigid clothing guards, built into armiests	IV/C	IN/A
	Footrests:		
+4641510	70° footrests, parallel, detachable, swingaway, length-	N/C	72.00
17071310	adjustable, from 29.8 cm (11¾ in.) to 43.2 cm (17 in.)	11/C	72.00
+4641528	70° footrests, narrowed, detachable, swingaway, length-	20.00	82.00
1 7071520	adjustable, from 34.3 cm (13½ in.) to 44.5 cm (17½ in.)	20.00	32.00
	asjastasto, from 5 115 om (15/2 m.) to 1 115 om (17/2 m.)		

+4641536	footrests, midline, adjustable from 23.5 cm (91/4 in.) to	137.00	318.00
	30.5 cm (12 in.), from 31.8 cm (12½ in.) to 38.1 cm		
	(15 in.)		
+4641544	elevating legrests, length-adjustable, from 40.6 cm (16 in.)	238.00	191.00
	to 50.8 cm (20 in.), for 40.6 cm (16 in.) width		
+4641551	elevating legrests, with compensating mechanism, length-	162.00	153.00
	adjustable, from 43.8 cm (171/4 in.) to 54.6 cm (211/2 in.),		
	for 40.6 cm (16 in.) width		
	padded calfrests	N/C	28.00
	single calf strap	38.00	38.00
	double calf strap	57.00	57.00
	folding footplates, standard	N/C	42.00
	footplates, angle and depth-adjustable, standard format	56.00	70.00
	footplates, angle and depth-adjustable, oversized	56.00	70.00
	heel loops, fixed	N/C	7.00
+4641635	heel loops, adjustable	N/C	10.00
	Frame:		
	anti-tip rollers	N/C	N/A
	tie-down points for adapted transport	N/C	N/A
	rear suspension	N/C	N/A
	rear reflectors	N/C	N/A
	running lights	N/C	N/A
+4641692	heavy-duty frame or heavy-duty base	268.00	N/A
	Drive avatema		
±4641700	Drive systems: programmable joystick control SPJ / PSS	N/C	335.00
	programmable joystick control MPJ+	239.00	574.00
	control box, PSF and PSR	502.00	1 042.00
	compact joystick control, including display module	607.00	1 181.00
	battery charge display	N/C	N/A
	battery charger	N/C	240.00
	battery boxes, group 22	N/C	195.00
	battery boxes, group 24	N/C	211.00
	non-proportional controls interface	1,173.00	1,173.00
	proportional chin control, including display	657.00	1,231.00
	non-proportional chin control, including display	1,655.00	2,229.00
	head control, including display	1,006.00	1,580.00
	breath control, including display and interface	1,227.00	1,801.00
	control with separate switches, including display	1,417.00	1,991.00
	foot control, including bracket	1,566.00	2,140.00
	laptray touch switch control, including display	1,655.00	2,229.00
	toggle switch	N/C	N/A
	Egg auxiliary switch	141.00	141.00
	separate display module	119.00	395.00
	ball extension	5.00	5.00
	joystick extension	25.00	25.00
	T-type extension	25.00	25.00
	side bracket for joystick control	N/C	54.00
	swivel side bracket for joystick control	N/C	317.00
	midline bracket for joystick control, GATLIN	480.00	534.00

			,
+ 46410 57	brooket for concrete display module	N/C	185.00
	bracket for separate display module head control bracket	120.00	120.00
		216.00	
	breath control bracket		357.00
	chin control bracket	480.00	534.00
	chin bib control	199.00	357.00
+4641239		N/C	500.00
	heavy-duty motors, with gear assembly, 4-brush	N/C	870.00
+4642021	standard motors, with gear assembly, 4-brush	N/C	870.00
4 < 40.00	Wheel locks:	61.00	21.00
+4642039	manual auxiliary wheel locks	61.00	31.00
	XXVI 1 16 1		
4 < 400 4=	Wheels and forks:	N/G	60.00
+4642047	driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm	N/C	60.00
	(3 in.)	40.00	
+4642054	. , , , , , , , , , , , , , , , , , , ,	40.00	80.00
	resistant		
+4642062	front and rear casters, semi-pneumatic tires, 15.2 cm (6 in.)	N/C	63.00
	X 5.1 cm (2 in.)		
	driving wheel rims	N/C	75.00
	caster rims	N/C	N/A
	standard forks, 15.2 cm (6 in.)	N/C	60.00
	one-sided forks	N/C	60.00
+4642112	suspension forks	130.00	125.00
	Non S.C. components for which supporting document		
	must be kept on file:		
	must be kept on file: power rocker device	1,800.00	1,800.00
+4642161	must be kept on file: power rocker device installation of power rocker device	1,800.00 N/C	1,800.00 350.00
+4642161	must be kept on file: power rocker device	•	·
+4642161	must be kept on file: power rocker device installation of power rocker device	N/C	350.00
+4642161 +4642179	must be kept on file: power rocker device installation of power rocker device control system for one power accessory only, joystick-	N/C	350.00
+4642161 +4642179	must be kept on file: power rocker device installation of power rocker device control system for one power accessory only, joystick- controlled	N/C 549.00	350.00 1,060.00
+4642161 +4642179 +4642187	must be kept on file: power rocker device installation of power rocker device control system for one power accessory only, joystick- controlled control system for four power accessories S4WSB,	N/C 549.00	350.00 1,060.00
+4642161 +4642179 +4642187 +4642195	must be kept on file: power rocker device installation of power rocker device control system for one power accessory only, joystick- controlled control system for four power accessories S4WSB, joystick-controlled	N/C 549.00 1,036.00	350.00 1,060.00 2,033.00
+4642161 +4642179 +4642187 +4642195	must be kept on file: power rocker device installation of power rocker device control system for one power accessory only, joystick- controlled control system for four power accessories S4WSB, joystick-controlled ASL Micro Extremity Control, requires display module	N/C 549.00 1,036.00 1,603.00	350.00 1,060.00 2,033.00 2,177.00
+4642161 +4642179 +4642187 +4642195	must be kept on file: power rocker device installation of power rocker device control system for one power accessory only, joystick- controlled control system for four power accessories S4WSB, joystick-controlled ASL Micro Extremity Control, requires display module	N/C 549.00 1,036.00 1,603.00	350.00 1,060.00 2,033.00 2,177.00
+4642161 +4642179 +4642187 +4642195 +4642203	must be kept on file: power rocker device installation of power rocker device control system for one power accessory only, joystick- controlled control system for four power accessories S4WSB, joystick-controlled ASL Micro Extremity Control, requires display module ASL head control, requires display module	N/C 549.00 1,036.00 1,603.00	350.00 1,060.00 2,033.00 2,177.00
+4642161 +4642179 +4642187 +4642195 +4642203	must be kept on file: power rocker device installation of power rocker device control system for one power accessory only, joystick- controlled control system for four power accessories S4WSB, joystick-controlled ASL Micro Extremity Control, requires display module ASL head control, requires display module Components under Special Consideration	N/C 549.00 1,036.00 1,603.00 3,612.00	350.00 1,060.00 2,033.00 2,177.00 4,186.00
+4642161 +4642179 +4642187 +4642195 +4642203 +4642120 +4642138	must be kept on file: power rocker device installation of power rocker device control system for one power accessory only, joystick- controlled control system for four power accessories S4WSB, joystick-controlled ASL Micro Extremity Control, requires display module ASL head control, requires display module Components under Special Consideration seat/back structure, with reclining back with cylinder *	N/C 549.00 1,036.00 1,603.00 3,612.00	350.00 1,060.00 2,033.00 2,177.00 4,186.00
+4642161 +4642179 +4642187 +4642195 +4642203 +4642120 +4642138	must be kept on file: power rocker device installation of power rocker device control system for one power accessory only, joystick- controlled control system for four power accessories S4WSB, joystick-controlled ASL Micro Extremity Control, requires display module ASL head control, requires display module Components under Special Consideration seat/back structure, with reclining back with cylinder * power reclining back, including installation *	N/C 549.00 1,036.00 1,603.00 3,612.00 787.00 2,000.00	350.00 1,060.00 2,033.00 2,177.00 4,186.00 1 139.00 N/A
+4642161 +4642179 +4642187 +4642195 +4642203 +4642120 +4642138	must be kept on file: power rocker device installation of power rocker device control system for one power accessory only, joystick- controlled control system for four power accessories S4WSB, joystick-controlled ASL Micro Extremity Control, requires display module ASL head control, requires display module Components under Special Consideration seat/back structure, with reclining back with cylinder * power reclining back, including installation *	N/C 549.00 1,036.00 1,603.00 3,612.00 787.00 2,000.00	350.00 1,060.00 2,033.00 2,177.00 4,186.00 1 139.00 N/A
+4642161 +4642179 +4642187 +4642195 +4642203 +4642120 +4642138	must be kept on file: power rocker device installation of power rocker device control system for one power accessory only, joystick- controlled control system for four power accessories S4WSB, joystick-controlled ASL Micro Extremity Control, requires display module ASL head control, requires display module Components under Special Consideration seat/back structure, with reclining back with cylinder * power reclining back, including installation * power elevating legrests, by the pair only * For a TDX-SP JR wheel chair with power reclining back or power rocker only:	N/C 549.00 1,036.00 1,603.00 3,612.00 787.00 2,000.00 1,499.00	350.00 1,060.00 2,033.00 2,177.00 4,186.00 1 139.00 N/A
+4642161 +4642179 +4642187 +4642195 +4642203 +4642120 +4642138	must be kept on file: power rocker device installation of power rocker device control system for one power accessory only, joystick- controlled control system for four power accessories S4WSB, joystick-controlled ASL Micro Extremity Control, requires display module ASL head control, requires display module Components under Special Consideration seat/back structure, with reclining back with cylinder * power reclining back, including installation * power elevating legrests, by the pair only * For a TDX-SP JR wheel chair with power reclining back or power rocker only: conventional back, height of 40.6 cm (16 in.) to 61.0 cm	N/C 549.00 1,036.00 1,603.00 3,612.00 787.00 2,000.00	350.00 1,060.00 2,033.00 2,177.00 4,186.00 1 139.00 N/A
+4642161 +4642179 +4642187 +4642195 +4642203 +4642120 +4642138 +4642153	must be kept on file: power rocker device installation of power rocker device control system for one power accessory only, joystick- controlled control system for four power accessories S4WSB, joystick-controlled ASL Micro Extremity Control, requires display module ASL head control, requires display module Components under Special Consideration seat/back structure, with reclining back with cylinder * power reclining back, including installation * power elevating legrests, by the pair only * For a TDX-SP JR wheel chair with power reclining back or power rocker only:	N/C 549.00 1,036.00 1,603.00 3,612.00 787.00 2,000.00 1,499.00	350.00 1,060.00 2,033.00 2,177.00 4,186.00 1 139.00 N/A 1,409.00 / pr
+4642161 +4642179 +4642187 +4642195 +4642203 +4642120 +4642138 +4642153	must be kept on file: power rocker device installation of power rocker device control system for one power accessory only, joystick- controlled control system for four power accessories S4WSB, joystick-controlled ASL Micro Extremity Control, requires display module ASL head control, requires display module Components under Special Consideration seat/back structure, with reclining back with cylinder * power reclining back, including installation * power elevating legrests, by the pair only * For a TDX-SP JR wheel chair with power reclining back or power rocker only: conventional back, height of 40.6 cm (16 in.) to 61.0 cm	N/C 549.00 1,036.00 1,603.00 3,612.00 787.00 2,000.00 1,499.00	350.00 1,060.00 2,033.00 2,177.00 4,186.00 1 139.00 N/A 1,409.00 / pr
+4642161 +4642179 +4642187 +4642195 +4642203 +4642120 +4642138 +4642153 +4642211 +4642229	must be kept on file: power rocker device installation of power rocker device control system for one power accessory only, joystick- controlled control system for four power accessories S4WSB, joystick-controlled ASL Micro Extremity Control, requires display module ASL head control, requires display module Components under Special Consideration seat/back structure, with reclining back with cylinder * power reclining back, including installation * power elevating legrests, by the pair only * For a TDX-SP JR wheel chair with power reclining back or power rocker only: conventional back, height of 40.6 cm (16 in.) to 61.0 cm (24 in.) *	N/C 549.00 1,036.00 1,603.00 3,612.00 787.00 2,000.00 1,499.00 N/C	350.00 1,060.00 2,033.00 2,177.00 4,186.00 1 139.00 N/A 1,409.00 / pr
+4642161 +4642179 +4642187 +4642195 +4642203 +4642120 +4642138 +4642153 +4642211 +4642229	must be kept on file: power rocker device installation of power rocker device control system for one power accessory only, joystick- controlled control system for four power accessories S4WSB, joystick-controlled ASL Micro Extremity Control, requires display module ASL head control, requires display module Components under Special Consideration seat/back structure, with reclining back with cylinder * power reclining back, including installation * power elevating legrests, by the pair only * For a TDX-SP JR wheel chair with power reclining back or power rocker only: conventional back, height of 40.6 cm (16 in.) to 61.0 cm (24 in.) * ABS shell, height of 40.6 cm (16 in.) to 61.0 cm (24 in.) *	N/C 549.00 1,036.00 1,603.00 3,612.00 787.00 2,000.00 1,499.00 N/C	350.00 1,060.00 2,033.00 2,177.00 4,186.00 1 139.00 N/A 1,409.00 / pr 250.00 215.00
+4642161 +4642179 +4642187 +4642195 +4642203 +4642138 +4642153 +4642211 +4642229 +4642237	must be kept on file: power rocker device installation of power rocker device control system for one power accessory only, joystick- controlled control system for four power accessories S4WSB, joystick-controlled ASL Micro Extremity Control, requires display module ASL head control, requires display module Components under Special Consideration seat/back structure, with reclining back with cylinder * power reclining back, including installation * power elevating legrests, by the pair only * For a TDX-SP JR wheel chair with power reclining back or power rocker only: conventional back, height of 40.6 cm (16 in.) to 61.0 cm (24 in.) * ABS shell, height of 40.6 cm (16 in.) to 61.0 cm (24 in.) * headrest, with mounting, small, large, combined	N/C 549.00 1,036.00 1,603.00 3,612.00 787.00 2,000.00 1,499.00 N/C	350.00 1,060.00 2,033.00 2,177.00 4,186.00 1 139.00 N/A 1,409.00 / pr 250.00 215.00
+4642161 +4642179 +4642187 +4642195 +4642203 +4642138 +4642153 +4642211 +4642229 +4642237	must be kept on file: power rocker device installation of power rocker device control system for one power accessory only, joystick- controlled control system for four power accessories S4WSB, joystick-controlled ASL Micro Extremity Control, requires display module ASL head control, requires display module Components under Special Consideration seat/back structure, with reclining back with cylinder * power reclining back, including installation * power elevating legrests, by the pair only * For a TDX-SP JR wheel chair with power reclining back or power rocker only: conventional back, height of 40.6 cm (16 in.) to 61.0 cm (24 in.) * ABS shell, height of 40.6 cm (16 in.) to 61.0 cm (24 in.) * headrest, with mounting, small, large, combined headrest/neckrest *	N/C 549.00 1,036.00 1,603.00 3,612.00 787.00 2,000.00 1,499.00 N/C N/C	350.00 1,060.00 2,033.00 2,177.00 4,186.00 1 139.00 N/A 1,409.00 / pr 250.00 215.00 248.00

SUPPLIER: SUNRISE MEDICAL CANADA INC.

PRICE

+4651600 POWERED WHEEL CHAIR

QUICKIE 323 PEDIATRIC MODEL

4,325.00

Basic Components

Body support system

- supple back, nylon
- back, angle-adjustable, from 84° to 124°, by 4° increments, SP202
- rigid seat, flat
- back height: from 35.6 cm (14 in.) to 45.7 cm (18 in.)
- seat height: from 38.1 cm (15 in.) to 50.8 cm (20 in.)
- seat width: from 25.4 cm (10 in.) to 40.6 cm (16 in.)
- seat depth: from 25.4 cm (10 in.) to 40.6 cm (16 in.)
- safety belt, auto-type, velcro-type
- centre of gravity adjustment from seat
- installation of power reclining back *
- installation of power rocker device
- control system for one power accessory only (Solo)

Armrests

- U-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long, on SP202 only
- T-type armrests, detachable, height-adjustable, from 20.3 cm (8 in.) to 33.0 cm (13 in.), short, long, on SP202 only
- I-type armrests, flip-back, angle-adjustable, height-adjustable, from 15.2 cm (6 in.) to 25.4 cm (10 in.), short, long, straight or contoured, for SP202
- armrest pads, straight, short, long
- armrest pads, contoured, short, long

Footrests

- footrests, angle-adjustable, to 60°, 70°, 80°, parallel, detachable, swingaway, length-adjustable, from 17.8 cm (7 in.) to 33.0 cm (13 in.)
- padded calfrests for elevating legrests
- folding footplates, standard
- heel loops, adjustable

Frame

- tie-down points for adapted transport
- rear suspension
- running lights
- compact base, 61.0 cm (24 in.) wide, group 22, maximum capacity of 181.4 kg (400 lb)
- regular base, 64.8 cm (25½ in.) wide, group 24, maximum capacity of 181.4 kg (400 lb)

Drive systems

• programmable joystick control VR2, for 2-brush motors

- programmable joystick control R-Net, for 4-brush motors
- battery charge display
- push-button switch
- battery charger
- battery boxes, group 22 on compact base, group 24 on regular base
- side bracket for joystick control
- swivel side bracket for joystick control
- controller for VR2, 2-brush motors
- 2-brush motors, 113.4 kg (250 lb)

Wheels and forks

- driving wheels, inner tube, knobby tires, 35.6 cm (14 in.) X 7.6 cm (3 in.)
- front wheels, solid tires, 15.2 cm (6 in.) X 5.1 cm (2 in.), 20.3 cm (8 in.) X 5.1 cm (2 in.)
- front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)
- driving wheel rims
- front wheel rims
- standard forks

^{*} Component under Special Consideration

angle-adjustable back, 181.4 kg (400 lb), SP202 +4652152 supple back, nylon +4652160 back, angle-adjustable, from 84° to 124°, by 4° increments, SP202 +4652178 supple back, tension-adjustable +4652186 padded back, contoured, fabric, maximum height of 48.3 cm (19 in.) +4652194 padded back, contoured, fabric, with rigid base, maximum height of 48.3 cm (19 in.) +4652202 rigid seat, flat +4652210 supple seat, nylon +4652210 supple seat, nylon +4652218 rigid seat, elastic webbing +4652228 rigid seat, elastic webbing +4652234 modification of back height, by - 35.6 cm (14 in.) and to + 45.7 cm (18 in.) +4652251 seat cushion, flat, foam, 5.1 cm (2 in.) +4652269 seat cushion, flat, foam, 7.6 cm (3 in.) +465227 safety belt, auto-type +4652281 headrest, large +4652310 headrest, large +4652321 headrest, large +4652321 headrest, large +4652332 centre of gravity adjustment from seat N/C Armrests: +4652343 U-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long, for SP202 only	pon ment onent rice)
Seaf and back: +4652145 heavy-duty seat/back structure, for power mechanism, with angle-adjustable back, 181.4 kg (400 lb), SP202 850.00 +4652152 supple back, nylon N/C +4652160 back, angle-adjustable, from 84° to 124°, by 4° increments, SP202 N/C +4652178 supple back, tension-adjustable 76.00 +4652186 padded back, contoured, fabric, maximum height of 48.3 cm (19 in.) 314.00 +4652194 padded back, contoured, fabric, with rigid base, maximum height of 48.3 cm (19 in.) 405.00 +4652210 rigid seat, flat N/C +4652221 supple seat, mylon 95.00 +4652223 rigid seat, elastic webbing 150.00 +4652224 modification of back height, by - 35.6 cm (14 in.) and to + 83.00 45.7 cm (18 in.) +4652244 modification of back height, by - 35.6 cm (14 in.) and to + 83.00 58.00 +4652251 seat cushion, flat, foam, 5.1 cm (2 in.) 58.00 +4652252 seat cushion, flat, foam, 7.6 cm (3 in.) 58.00 +4652235 safety belt, velcro-type N/C +4652235 headrest, medium 99.00 <	
+4652145 heavy-duty seat/back structure, for power mechanism, with angle-adjustable back, 181.4 kg (400 lb), SP202 +4652160 back, angle-adjustable, from 84° to 124°, by 4° increments, SP202 +4652178 supple back, tension-adjustable 76.00 +4652186 padded back, contoured, fabric, maximum height of 48.3 cm 314.00 (19 in.) +4652194 padded back, contoured, fabric, with rigid base, maximum height of 48.3 cm (19 in.) +4652202 rigid seat, flat N/C +4652218 supple seat, nylon 95.00 +4652228 rigid seat, elastic webbing 150.00 +4652226 padded seat, contoured, fabric 254.00 +4652227 modification of back height, by - 35.6 cm (14 in.) and to + 83.00 +4652241 modification of back height, by - 35.6 cm (14 in.) and to + 83.00 +4652251 seat cushion, flat, foam, 5.1 cm (2 in.) 58.00 +4652277 safety belt, auto-type N/C +4652285 safety belt, velcro-type N/C +4652293 headrest, small 99.00 +4652301 headrest, medium 99.00 +4652319 headrest, large 99.00 +4652335 centre of gravity adjustment from seat N/C Armrests: +4652343 U-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long, for SP202 only +4652350 T-type armrests, detachable, height-adjustable, from 20.3 cm N/C	
angle-adjustable back, 181.4 kg (400 lb), SP202 +4652160 back, angle-adjustable, from 84° to 124°, by 4° increments, SP202 +4652178 supple back, tension-adjustable 76.00 +4652186 padded back, contoured, fabric, maximum height of 48.3 cm 314.00 (19 in.) +4652194 padded back, contoured, fabric, with rigid base, maximum height of 48.3 cm (19 in.) +465210 rigid seat, flat N/C +465220 rigid seat, nylon 95.00 +4652210 supple seat, nylon 95.00 +4652223 rigid seat, contoured, fabric 254.00 +465224 modification of back height, by - 35.6 cm (14 in.) and to + 83.00 +4652241 modification of back height, by - 35.6 cm (14 in.) and to + 83.00 +4652251 seat cushion, flat, foam, 5.1 cm (2 in.) 58.00 +4652269 seat cushion, flat, foam, 7.6 cm (3 in.) 58.00 +4652277 safety belt, auto-type N/C +4652285 safety belt, velcro-type N/C +4652293 headrest, small 99.00 +4652301 headrest, medium 99.00 +4652319 headrest, large 99.00 +4652327 headrest mounting, articulated 159.00 +4652335 centre of gravity adjustment from seat N/C Armrests: +4652343 U-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long, for SP202 only +4652350 T-type armrests, detachable, height-adjustable, from 20.3 cm N/C	
+4652160 back, angle-adjustable, from 84° to 124°, by 4° increments, SP202 N/C +4652178 supple back, tension-adjustable 76.00 +4652186 padded back, contoured, fabric, maximum height of 48.3 cm (19 in.) 314.00 +4652194 padded back, contoured, fabric, with rigid base, maximum height of 48.3 cm (19 in.) 405.00 +4652202 rigid seat, flat N/C +4652210 supple seat, nylon 95.00 +4652223 padded seat, contoured, fabric 254.00 +4652224 modification of back height, by - 35.6 cm (14 in.) and to + 83.00 45.7 cm (18 in.) +4652245 modification of back height, by - 35.6 cm (14 in.) and to + 45.7 cm (18 in.) 58.00 +4652251 seat cushion, flat, foam, 5.1 cm (2 in.) 58.00 +4652269 seat cushion, flat, foam, 7.6 cm (3 in.) 58.00 +4652277 safety belt, auto-type N/C +4652281 headrest, small 99.00 +46522301 headrest, medium 99.00 +4652332 headrest, large 99.00 +4652335 centre of gravity adjustment from seat N/C Armr	50.00
SP202 +4652178 supple back, tension-adjustable 76.00 +4652186 padded back, contoured, fabric, maximum height of 48.3 cm 314.00 (19 in.) 314.00 314.00 +4652194 padded back, contoured, fabric, with rigid base, maximum height of 48.3 cm (19 in.) 405.00 +4652202 rigid seat, flat N/C +4652210 supple seat, nylon 95.00 +4652223 rigid seat, elastic webbing 150.00 +4652236 padded seat, contoured, fabric 254.00 +4652244 modification of back height, by - 35.6 cm (14 in.) and to + 83.00 45.7 cm (18 in.) +4652245 seat cushion, flat, foam, 5.1 cm (2 in.) 58.00 +4652269 seat cushion, flat, foam, 7.6 cm (3 in.) 58.00 +4652277 safety belt, auto-type N/C +4652293 headrest, small 99.00 +4652310 headrest, medium 99.00 +4652327 headrest, medium 99.00 +4652327 headrest mounting, articulated 159.00 +4652335 centre of gravity adjustment from seat N/C Armrests: +4652343 </th <td>71.00</td>	71.00
+4652186 padded back, contoured, fabric, maximum height of 48.3 cm (19 in.) 314.00 +4652194 padded back, contoured, fabric, with rigid base, maximum height of 48.3 cm (19 in.) 405.00 +4652202 rigid seat, flat N/C +4652210 supple seat, nylon 95.00 +4652228 rigid seat, elastic webbing 150.00 +4652236 padded seat, contoured, fabric 254.00 +4652244 modification of back height, by - 35.6 cm (14 in.) and to + 83.00 +5.7 cm (18 in.) 58.00 +4652251 seat cushion, flat, foam, 5.1 cm (2 in.) 58.00 +4652269 seat cushion, flat, foam, 7.6 cm (3 in.) 58.00 +4652275 safety belt, velcro-type N/C +4652285 safety belt, velcro-type N/C +4652301 headrest, medium 99.00 +4652319 headrest, medium 99.00 +4652327 headrest, large 99.00 +4652335 centre of gravity adjustment from seat N/C Armrests: +4652343 U-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long, for SP202 only +4652350 T-type armrests,	N/A
(19 in.) +4652194 padded back, contoured, fabric, with rigid base, maximum height of 48.3 cm (19 in.) +4652202 rigid seat, flat N/C +4652210 supple seat, nylon 95.00 +4652228 rigid seat, contoured, fabric 254.00 +4652236 padded seat, contoured, fabric 254.00 +4652244 modification of back height, by - 35.6 cm (14 in.) and to + 83.00 +45.7 cm (18 in.) +4652251 seat cushion, flat, foam, 5.1 cm (2 in.) 58.00 +4652269 seat cushion, flat, foam, 7.6 cm (3 in.) 58.00 +4652277 safety belt, auto-type N/C +4652285 safety belt, velcro-type N/C +4652293 headrest, small 99.00 +4652310 headrest, medium 99.00 +4652311 headrest, large 99.00 +4652312 headrest mounting, articulated 159.00 +4652335 centre of gravity adjustment from seat N/C Armrests: +4652343 U-type armrests, height-adjustable, from 25.4 cm (10 in.) to N/C 35.6 cm (14 in.), short, long, for SP202 only +4652350 T-type armrests, detachable, height-adjustable, from 20.3 cm N/C	47.00
height of 48.3 cm (19 in.) +4652202 rigid seat, flat **Position of the seath of t	85.00
+4652210 supple seat, nylon 95.00 +4652228 rigid seat, elastic webbing 150.00 +4652236 padded seat, contoured, fabric 254.00 +4652244 modification of back height, by - 35.6 cm (14 in.) and to + 83.00 45.7 cm (18 in.) 58.00 +4652251 seat cushion, flat, foam, 5.1 cm (2 in.) 58.00 +4652269 seat cushion, flat, foam, 7.6 cm (3 in.) 58.00 +4652277 safety belt, auto-type N/C +4652285 safety belt, velcro-type N/C +4652293 headrest, small 99.00 +4652301 headrest, medium 99.00 +4652319 headrest, large 99.00 +4652327 headrest mounting, articulated 159.00 +4652335 centre of gravity adjustment from seat N/C Armrests: +4652343 U-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long, for SP202 only N/C +4652350 T-type armrests, detachable, height-adjustable, from 20.3 cm N/C	76.00
+4652228 rigid seat, elastic webbing 150.00 +4652236 padded seat, contoured, fabric 254.00 +4652244 modification of back height, by - 35.6 cm (14 in.) and to + 45.7 cm (18 in.) 83.00 +4652251 seat cushion, flat, foam, 5.1 cm (2 in.) 58.00 +4652269 seat cushion, flat, foam, 7.6 cm (3 in.) 58.00 +4652277 safety belt, auto-type N/C +4652285 safety belt, velcro-type N/C +4652293 headrest, small 99.00 +4652301 headrest, medium 99.00 +4652319 headrest, large 99.00 +4652327 headrest mounting, articulated 159.00 +4652335 centre of gravity adjustment from seat N/C Armrests: +4652343 U-type armrests, height-adjustable, from 25.4 cm (10 in.) to N/C At the second search and search adjustable, height-adjustable, from 20.3 cm N/C	N/A
+4652236 padded seat, contoured, fabric 254.00 +4652244 modification of back height, by - 35.6 cm (14 in.) and to + 83.00 45.7 cm (18 in.) 58.00 +4652251 seat cushion, flat, foam, 5.1 cm (2 in.) 58.00 +4652269 seat cushion, flat, foam, 7.6 cm (3 in.) 58.00 +4652277 safety belt, auto-type N/C +4652285 safety belt, velcro-type N/C +4652293 headrest, small 99.00 +4652301 headrest, medium 99.00 +4652319 headrest, large 99.00 +4652327 headrest mounting, articulated 159.00 +4652335 centre of gravity adjustment from seat N/C Armrests: +4652343 U-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long, for SP202 only N/C +4652350 T-type armrests, detachable, height-adjustable, from 20.3 cm N/C	95.00
+4652244 modification of back height, by - 35.6 cm (14 in.) and to + 45.7 cm (18 in.) 83.00 +4652251 seat cushion, flat, foam, 5.1 cm (2 in.) 58.00 +4652269 seat cushion, flat, foam, 7.6 cm (3 in.) 58.00 +4652277 safety belt, auto-type N/C +4652285 safety belt, velcro-type N/C +4652293 headrest, small 99.00 +4652301 headrest, medium 99.00 +4652319 headrest, large 99.00 +4652327 headrest mounting, articulated 159.00 +4652335 centre of gravity adjustment from seat N/C Armrests: +4652343 U-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long, for SP202 only N/C +4652350 T-type armrests, detachable, height-adjustable, from 20.3 cm N/C	50.00
45.7 cm (18 in.) +4652251 seat cushion, flat, foam, 5.1 cm (2 in.) +4652269 seat cushion, flat, foam, 7.6 cm (3 in.) +4652277 safety belt, auto-type +4652285 safety belt, velcro-type +4652293 headrest, small +4652301 headrest, medium +4652319 headrest, large +4652327 headrest mounting, articulated +4652327 headrest mounting, articulated +4652335 centre of gravity adjustment from seat Armrests: +4652343 U-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long, for SP202 only +4652350 T-type armrests, detachable, height-adjustable, from 20.3 cm N/C	08.00
+4652269 seat cushion, flat, foam, 7.6 cm (3 in.) 58.00 +4652277 safety belt, auto-type N/C +4652285 safety belt, velcro-type N/C +4652293 headrest, small 99.00 +4652301 headrest, medium 99.00 +4652319 headrest, large 99.00 +4652327 headrest mounting, articulated 159.00 +4652335 centre of gravity adjustment from seat N/C Armrests: +4652343 U-type armrests, height-adjustable, from 25.4 cm (10 in.) to N/C 35.6 cm (14 in.), short, long, for SP202 only +4652350 T-type armrests, detachable, height-adjustable, from 20.3 cm N/C	N/A
+4652277 safety belt, auto-type N/C +4652285 safety belt, velcro-type N/C +4652293 headrest, small 99.00 +4652301 headrest, medium 99.00 +4652319 headrest, large 99.00 +4652327 headrest mounting, articulated 159.00 +4652335 centre of gravity adjustment from seat N/C Armrests: +4652343 U-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long, for SP202 only N/C +4652350 T-type armrests, detachable, height-adjustable, from 20.3 cm N/C	58.00
+4652285 safety belt, velcro-type N/C +4652293 headrest, small 99.00 +4652301 headrest, medium 99.00 +4652319 headrest, large 99.00 +4652327 headrest mounting, articulated 159.00 +4652335 centre of gravity adjustment from seat N/C Armrests: +4652343 U-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long, for SP202 only N/C +4652350 T-type armrests, detachable, height-adjustable, from 20.3 cm N/C	58.00
+4652293 headrest, small 99.00 +4652301 headrest, medium 99.00 +4652319 headrest, large 99.00 +4652327 headrest mounting, articulated 159.00 +4652335 centre of gravity adjustment from seat N/C Armrests: +4652343 U-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long, for SP202 only N/C +4652350 T-type armrests, detachable, height-adjustable, from 20.3 cm N/C	42.00
+4652301 headrest, medium 99.00 +4652319 headrest, large 99.00 +4652327 headrest mounting, articulated 159.00 +4652335 centre of gravity adjustment from seat N/C Armrests: +4652343 U-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long, for SP202 only N/C +4652350 T-type armrests, detachable, height-adjustable, from 20.3 cm N/C	29.00
+4652319 headrest, large +4652327 headrest mounting, articulated +4652335 centre of gravity adjustment from seat Armrests: +4652343 U-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long, for SP202 only +4652350 T-type armrests, detachable, height-adjustable, from 20.3 cm N/C	06.00
+4652327 headrest mounting, articulated +4652335 centre of gravity adjustment from seat Armrests: +4652343 U-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long, for SP202 only +4652350 T-type armrests, detachable, height-adjustable, from 20.3 cm N/C	06.00
+4652335 centre of gravity adjustment from seat Armrests: +4652343 U-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long, for SP202 only +4652350 T-type armrests, detachable, height-adjustable, from 20.3 cm N/C	06.00
Armrests: +4652343 U-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long, for SP202 only +4652350 T-type armrests, detachable, height-adjustable, from 20.3 cm N/C	73.00
+4652343 U-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long, for SP202 only +4652350 T-type armrests, detachable, height-adjustable, from 20.3 cm N/C	N/A
35.6 cm (14 in.), short, long, for SP202 only +4652350 T-type armrests, detachable, height-adjustable, from 20.3 cm N/C	81.00
+4652350 T-type armrests, detachable, height-adjustable, from 20.3 cm N/C	01.00
	36.00
+4652368 I-type armrests, flip-back, angle-adjustable, height-adjustable, from 15.2 cm (6 in.) to 25.4 cm (10 in.), short, long, straight or contoured, for SP202	36.00
	16.00
+4652392 armrest pads, straight, short N/C	15.00
+4652400 armrest pads, straight, long N/C	18.00
+4652418 armrest pads, contoured, short, long N/C	26.00

+4652384	modification of T-type armrest pads, from 15.2 cm (6 in.) to $24.8 \text{ cm} (9\frac{3}{4} \text{ in.})$	82.00	N/A
+4652426	Footrests: footrests, angle-adjustable to 60°, 70°, 80°, parallel, detachable, swingaway, length-adjustable, from 17.8 cm	N/C	140.00
+4652434	(7 in.) to 33.0 cm (13 in.) 70° footrests, heavy-duty, parallel, detachable, swingaway, length-adjustable, from 17.8 cm (7 in.) to 33.0 cm (13 in.)	150.00	215.00
+4652442	elevating legrests	178.00	229.00
	elevating legrests, with compensating mechanism	200.00	N/A
+4652467	padded calfrests for elevating legrests	N/C	19.00
+4652475	contoured calfrests	72.00	55.00
+4652483	single calf strap	19.00	19.00
	double calf strap	33.00	33.00
	folding footplates, standard	N/C	49.00
	oversized footplates	74.00	86.00
	folding footplates, angle-adjustable, locking	80.00	178.00
	oversized footplates, folding, angle and depth-adjustable	54.00	76.00
	folding footplates, multi-position	106.00	102.00
	one-piece footplates	150.00	N/A
	heel loops, adjustable	N/C	10.00
	modification of footrest length, customized	50.00 38.00	N/A 19.00
+4052582	front impact guard with rollers	38.00	19.00
	Frame:		
+4652590	tie-down points for adapted transport	N/C	N/A
+4652608	rear suspension	N/C	N/A
+4652616	running lights	N/C	N/A
	cane holder	45.00	45.00
+4652632	compact base, width: 61.0 cm (24 in.), group 22, maximum capacity of 181.4 kg (400 lb)	N/C	N/A
+4652640	regular base, width: 64.8 cm (25½ in.), group 24, maximum capacity of 181.4 kg (400 lb)	N/C	N/A
+4652657	Drive systems: programmable joystick control VR2, for 2-brush motors	N/C	450.00
+4652665	programmable joystick control VR2, for 4-brush motors	N/C N/C	660.00
+4652673	battery charge display	N/C	N/A
+4652681	battery charger	N/C	384.00
+4652699	battery boxes, group 22 on compact base, group 24 on	N/C	N/A
110020	regular base	1,, 6	1 1/11
+4652707	adapted controls interface, with built-in display module	1,445.00	1,445.00
+4652715	laptray touch switch control (cross-shaped, Penta or Waffer) (requires interface)	314.00	314.00
+4652723	breath control (requires interface)	426.00	426.00
	proportional chin control (requires interface)	555.00	555.00
	non-proportional chin control (requires interface)	555.00	555.00
	head control (requires interface)	555.00	555.00
+4652764	proportional mini-joystick control (requires interface)	790.00	1,090.00

4650550		1 7 40 00	1.740.00
	foot control, including support (requires interface)	1,740.00	1,740.00
+4052/80	control with separate Zero Touch switches (requires	1,770.00	1,770.00
. 4653700	interface)	NI/C	NT/A
	push-button switch	N/C 91.00	N/A 96.00
	auxiliary switch	88.00	96.00 N/A
	toggle switch joystick extension	21.00	21.00
	ball extension	52.00	52.00
		52.00	52.00
	T-type extension side bracket for joystick control	N/C	74.00
	swivel side bracket for joystick control	N/C N/C	188.00
	midline bracket, flip-back, for joystick control	163.00	351.00
	breath control bracket	352.00	352.00
	chin control bracket	352.00	352.00
	head control bracket	352.00	352.00
	interface bracket	352.00	352.00
	adjustable bracket, for joystick control	66.00	66.00
	modification, repositioning of joystick bracket inward	120.00	N/A
	chin bib control	352.00	352.00
	controller for VR2, 2-brush motors	N/C	1,100.00
	controller for R-Net, 4-brush motors	486.00	1,586.00
	2-brush motors, 113.4 kg (250 lb)	N/C	948.00
	4-brush motors, 181.4 kg (400 lb)	350.00	1,123.00
14052700	4-51ush motors, 101.4 kg (400 lb)	330.00	1,123.00
	Wheels and forks:		
+4652996		N/C	215.00
	7.6 cm (3 in.)		
+4653002	front wheels, solid tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)	N/C	84.00
	front wheels, solid tires, 22.9 cm (9 in.) X 7.6 cm (3 in.)	69.00	97.00
	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm	N/C	72.00
	(2 in.)		
+4651931	front wheels, solid tires, 15.2 cm (6 in.) X 5.1 cm (2 in.)	N/C	62.00
	front wheels, inner tube tires, 22.9 cm (9 in.) X 7.6 cm	69.00	97.00
	(3 in.)		
+4653044	front wheel rims	N/C	N/A
+4653051	driving wheel rims	N/C	47.00
	airless inserts, driving wheel	136.00	N/A
+4653077	airless inserts, front wheel	114.00	N/A
	standard forks	N/C	87.00
	Non S.C. components for which supporting document		
	must be kept on file:		
	power rocker device	1,695.00	1,695.00
	installation of power rocker device	N/C	N/A
	control system for one (1) power accessory only (Solo)	N/C	275.00
	control system for four (4) power accessories, (Quattro)	575.00	575.00
	control system for two (2) actuator motors, (Duo)	390.00	390.00
	joystick control system, two (2) accessories	525.00	525.00
+4653218	joystick control system, four (4) accessories	775.00	775.00

	Component(s) under Special Consideration :		
+4653101	seat/back structure, SP202, with reclining back and cylinder,	1,185.00	1,185.00
	compensating mechanism *		
+4653119	power reclining back, compensating mechanism, requires	1,100.00	1,950.00
	SP202 *		
+4653135	power elevating legrests, per pair, including legrests and	1,295.00	1,295.00 / pr
	footplates, on SP202 *		
+4653143	power elevating legrests, per unit, including legrests and	1,295.00	1,295.00 / pr
	footplates, on SP202 *		_
+4653150	installation of power reclining back *	N/C	N/A

SUPPLIER: SUNRISE MEDICAL CANADA INC.

PRICE

+4653200 POWERED WHEEL CHAIR QUICKIE 747 PEDIATRIC MODEL

4,325.00

315

Basic Components

Body support system

- supple back, nylon
- back, angle-adjustable, from 84° à 124°, by 4° increments, SP202
- rigid seat, flat
- back height: from 35.6 cm (14 in.) to 45.7 cm (18 in.)
- seat height: from 38.1 cm (15 in.) to 50.8 cm (20 in.)
- seat width: from 25.4 cm (10 in.) to 40.6 cm (16 in.)
- seat depth: from 25.4 cm (10 in.) to 40.6 cm (16 in.)
- safety belt, auto-type, velcro-type
- centre of gravity adjustment from seat
- installation of power reclining back *
- installation of power rocker device
- control system for one power accessory only (Solo)

Armrests

- U-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long, on SP202 only
- T-type armrests, detachable, height-adjustable, from 20.3 cm (8 in.) to 33.0 cm (13 in.), short, long, on SP202 only
- I-type armrests, flip-back, angle-adjustable, height-adjustable, from 15.2 cm (6 in.) to 25.4 cm (10 in.), short, long, straight or contoured, for SP202
- armrest pads, straight, short, long
- armrest pads, contoured, short, long

Footrests

- footrests, angle-adjustable to 60°, 70° and 80°, parallel, detachable, swingaway, length-adjustable, from 17.8 cm (7 in.) to 33.0 cm (13 in.)
- padded calfrests for elevating legrests
- folding footplates, standard
- heel loops, adjustable

Frame

- tie-down points for adapted transport
- rear suspension
- running lights
- compact base, width: 61.0 cm (24 in.), group 22, maximum capacity of 181.4 kg (400 lb)
- regular base, width: 64.8 cm (25½ in.), group 24, maximum capacity of 181.4 kg (400 lb)

Drive systems

- programmable joystick control VR2, for 2-brush motors
- programmable joystick control R-Net, pour 4-brush motors
- battery charge display
- battery charger
- battery boxes, group 22 on compact base, group 24 on regular base
- push-button switch
- side bracket for joystick control
- swivel side bracket for joystick control
- controller for VR2. 2-brush motors
- 2-brush motors, 113.4 kg (250 lb)

Wheels and forks

- driving wheels, inner tubes, knobby tires, 35.6 cm (14 in.) X 7.6 cm (3 in.)
- front wheels, solid tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)
- front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)
- driving wheel rims
- front wheel rims
- standard forks

^{*} Component under Special Consideration

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	Basic and Optional Components		
	Body support system		
	Seat and back:		
+4652145	heavy-duty seat/back structure, for power mechanism, with angle-adjustable back, 181.4 kg (400 lb), SP202	850.00	850.00
+4652152	supple back, nylon	N/C	71.00
+4652160	back, angle-adjustable, from 84° à 124°, by 4° increments, SP202	N/C	N/A
+4652178	supple back, tension-adjustable	76.00	147.00
+4652186	padded back, contoured, fabric, maximum height of 48.3 cm (19 in.)	314.00	385.00
+4652194	padded back, contoured, fabric, with rigid base, maximum height of 48.3 cm (19 in.)	405.00	476.00
+4652202	rigid seat, flat	N/C	N/A
+4652210	supple seat, nylon	95.00	95.00
	rigid seat, elastic webbing	150.00	150.00
	padded seat, contoured, fabric	254.00	308.00
+4652244	modification of back height, to - than 35.6 cm (14 in.), to + than 45.7 cm (18 in.)	83.00	N/A
	seat cushion, flat, foam, 5.1 cm (2 in.)	58.00	58.00
	seat cushion, flat, foam, 7.6 cm (3 in.)	58.00	58.00
	safety belt, auto-type	N/C	42.00
	safety belt, velcro-type	N/C	29.00
	headrest, small	99.00	106.00
	headrest, medium	99.00	106.00
	headrest, large	99.00	106.00
	headrest mounting, articulated	159.00	173.00
+4652335	centre of gravity adjustment from seat	N/C	N/A
4 < 200 10	Armrests:	37/~	101.00
+4652343	U-type armrests, height-adjustable, from 25.4 cm (10 in.) to	N/C	181.00
. 4652250	35.6 cm (14 in.), short, long, on SP202 only	N/C	126.00
+4652350	T-type armrests, detachable, height-adjustable, from 20.3 cm	N/C	136.00
14653269	(8 in.) to 33.0 cm (13 in.), short, long, on SP202 only I-type armrests, flip-back, angle-adjustable, height-	N/C	136.00
+4032300	adjustable, from 15.2 cm (6 in.) to 25.4 cm (10 in.), short,	IV/C	130.00
4/800=	long, straight or contoured, for SP202	120.00	21 6 00
	I-type armrests, for reclining back, height-adjustable, with transfer assists and clothing guards, short, long, for SP202	160.00	216.00
	modification of T-type armrest height, from 15.2 cm (6 in.) to 24.8 cm (9¾ in.)	82.00	N/A
+4652392	armrest pads, straight, short	N/C	15.00
+4652400	armrest pads, straight, long	N/C	18.00

+4652418	armrest pads, contoured, short, long	N/C	26.00
	Footrests:		
+4652426	footrests, angle-adjustable to 60°, 70°, 80°, parallel, detachable, swingaway, length-adjustable, from 17.8 cm	N/C	140.00
	(7 in.) to 33.0 cm (13 in.)		
+4652434	70° footrests, heavy-duty, parallel, detachable, swingaway,	150.00	215.00
. 4652442	length-adjustable, from 17.8 cm (7 in.) to 33.0 cm (13 in.)	178.00	229.00
	elevating legrests with companyating machanism	200.00	229.00 N/A
	elevating legrests, with compensating mechanism padded calfrests for elevating legrests	200.00 N/C	19.00
	contoured calfrests	72.00	55.00
	single calf strap	19.00	19.00
	double calf strap	33.00	33.00
	folding footplates, standard	N/C	49.00
	oversized footplates	74.00	86.00
	folding footplates, angle-adjustable, locking	80.00	178.00
	folding footplates, angle and depth-adjustable, oversized	54.00	76.00
	folding footplates, multi-position	106.00	102.00
	footplates, one-piece	150.00	N/A
	heel loops, adjustable	N/C	10.00
	modification of footrest length, customized	50.00	N/A
	front impact guard with rollers	38.00	19.00
T4032362	from impact guard with foners	36.00	19.00
	Frame:		
⊥ 4652590	tie-down points for adapted transport	N/C	N/A
	rear suspension	N/C	N/A
	running lights	N/C	N/A
	cane holder	45.00	45.00
	compact base, width: 61.0 cm (24 in.), group 22, maximum	N/C	N/A
	capacity of 181.4 kg (400 lb)		
+4652640	regular base, width: 64.8 cm (25½ in.), group 24, maximum capacity of 181.4 kg (400 lb)	N/C	N/A
	Drive systems:		
	programmable joystick control VR2, for 2-brush motors	N/C	450.00
+4652665	programmable joystick control R-Net, pour 4-brush motors	N/C	660.00
+4652673	battery charge display	N/C	N/A
+4652681	battery charger	N/C	384.00
+4652699	battery boxes, group 22 on compact base, group 24 on regular base	N/C	N/A
+4652707	adapted controls interface, with built-in display module	1,445.00	1,445.00
	laptray touch switch control, cross-shaped, Penta or Waffer	314.00	314.00
	(requires interface)		
	breath control (requires interface)	426.00	426.00
	proportional chin control (requires interface)	555.00	555.00
	non-proportional chin control (requires interface)	555.00	555.00
	head control (requires interface)	555.00	555.00
	proportional mini-joystick control (requires interface)	790.00	1,090.00
+4652772	foot control, including support (requires interface)	1,740.00	1,740.00

+4652780	control with separate Zero Touch switches (requires	1,770.00	1,770.00
	interface)		
	push-button switch	N/C	N/A
	toggle switch	88.00	N/A
	auxiliary switch	91.00	96.00
	joystick extension	21.00	21.00
	ball extension	52.00	52.00
	T-type extension	52.00	52.00
	side bracket for joystick control	N/C	74.00
	swivel side bracket for joystick control	N/C	188.00
	midline bracket, flip-back, for joystick control	163.00	351.00
	breath control bracket	352.00	352.00
	chin control bracket	352.00	352.00
	head control bracket	352.00	352.00
	interface bracket	352.00	352.00
	adjustable bracket for joystick control	66.00	66.00
	modification, repositioning of joystick bracket inward	120.00	N/A
	chin bib control	352.00	352.00
	controller for VR2, 2-brush motors	N/C	1,100.00
	controller for R-Net, 4-brush motors	486.00	1,586.00
	2-brush motors, 113.4 kg (250 lb)	N/C	948.00
+4652988	4-brush motors, 181.4 kg (400 lb)	350.00	1,123.00
	Wheels and forks:		
+4652996	driving wheels, inner tube, knobby tires, 35.6 cm (14 in.) X	N/C	215.00
	7.6 cm (3 in.)		
	front wheels, solid tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)	N/C	84.00
	front wheels, solid tires, 22.9 cm (9 in.) X 7.6 cm (3 in.)	50.00	97.00
+4653028	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm	N/C	72.00
. 4652026	(2 in.)	50.00	07.00
+4053030	front wheels, inner tube tires, 22.9 cm (9 in.) X 7.6 cm (3 in.)	50.00	97.00
+4653044	front wheel rims	N/C	N/A
	driving wheel rims	N/C	47.00
	airless inserts, driving wheel	136.00	N/A
	airless inserts, front wheel	114.00	N/A
	standard forks	N/C	87.00
	suspension forks	135.00	N/A
	Non S.C. components for which supporting document		
	must be kept on file:		
+4653127	power rocker device	1,695.00	1,695.00
	installation of power rocker device	N/C	N/A
	control system for one (1) power accessory only (Solo)	N/C	275.00
	control system for four (4) power accessories, (Quattro)	575.00	575.00
	control system for two actuator motors (Duo)	390.00	390.00
	joystick control system, two (2) accessories	525.00	525.00
	joystick control system, four (4) accessories	775.00	775.00
	Jajaara I she of oj otem, I od (.) woodbolloo	. 72.00	. ,

	Components under Special Consideration:		
+4653101	seat/back structure SP202, with reclining back with cylinder,	1,185.00	1,185.00
	compensating mechanism *		
+4653119	power reclining back, compensating mechanism, requires	1,100.00	1,950.00
	SP202 *		
+4653135	power elevating legrests, per pair, including legrests,	1,295.00	1,295.00 / pr
	footplates on SP202 *		
+4653143	power elevating legrests, per unit, including legrests,	1,295.00	1,295.00 / pr
	footplates on SP202 *		
+4653150	installation of power reclining back *	N/C	N/A

SUPPLIER: ORTHOFAB INC.

PRICE

4663001 POWERED WHEEL CHAIR OASIS 2 PEDIATRIC MODEL

4,999.00

Basic Components Body support system

- supple back, nylon
- rigid back, flat
- rigid seat, flat
- back height: from 35.6 cm (14 in.) to 45.7 cm (18 in.)
- seat height: from 39.4 cm $(15\frac{1}{2} \text{ in.})$ to 47.0 cm $(18\frac{1}{2} \text{ in.})$
- seat widths: 30.5 cm (12 in.), 33.0 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.)
- seat depths: 35.6 cm (14 in.), 40.6 cm (16 in.)
- modification of seat height, by +2.5 cm (1 in.), +5.1 cm (2 in.)
- safety belt, auto-type
- push handles
- seatback handles raised by 7.6 cm (3 in.)
- installation of power rocker device
- adjustable seat bracket
- connecting cables for power reclining devices

Armrests

- U-type armrests, height-adjustable, from 15.2 cm (6 in.) to 20.3 cm (8 in.), from 20.3 cm (8 in.) to 30.5 cm (12 in.), short, long
- T-type armrests, height-adjustable, from 15.2 cm (6 in.) to 25.4 cm (10 in.), short
- armrest pads, straight, short, long
- rigid clothing guards, for T-type armrests, U-type armrests

Footrests

- 70° footrests, parallel, detachable, swingaway, length-adjustable, from 17.8 cm (7 in.) to 35.6 cm (14 in.)
- 90° footrests, parallel, detachable, swingaway, length-adjustable, from 17.8 cm (7 in.) to 35.6 cm (14 in.)
- contoured calfrests
- folding footplates, standard
- heel loops, adjustable

Frame

- anti-tip rollers
- tie-down points for adapted transport
- rear suspension
- rear reflectors
- running lights, front, rear

Drive systems

- programmable joystick control
- control box, potentiometer
- control box, potentiometer, toggle switch
- battery charge display
- battery charger
- battery boxes, group 22, group 24
- breath control, included in interface
- toggle switch
- push-button switch
- direction joystick
- conical-spherical stick extension
- swivel side bracket for joystick control
- bracket for separate display module
- controller
- motors

Wheels and forks

- rear wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.)
- front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)
- rear wheel rims
- front wheel rims
- standard forks for 20.3 cm (8 in.), 22.9 cm (9 in.) wheels
- L-shaped forks, 20.3 cm (8 in.) wheels

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	Basic and Optional Components		
	Body support system		
	Seat and back:		
4662490	seat/back structure, with angle-adjustable back	838.00	N/A
4661831	rigid back, flat	N/C	59.00
	supple back, nylon	N/C	69.00
4662805	supple back, tension-adjustable	74.00	143.00
	rigid back, contoured	141.00	200.00
	rigid seat, flat	N/C	81.00
	rigid seat, elastic webbing	68.00	149.00
	modification of back height, to + 45.7 cm (18 in.)	96.00	N/A
4662193	modification of seat height, by $+2.5$ cm $(1 in.)$, $+5.1$ cm	N/C	N/A
	(2 in.)		
4662185	modification of seat depth, to 30.5 cm (12 in.), to 33.0 cm	264.00	N/A
	(13 in.) and to 38.1 cm (15 in.)		
	seat cushion, flat, foam, 5.1 cm (2 in.)	59.00	59.00
	seat cushion, flat, foam, 7.6 cm (3 in.)	59.00	59.00
	seat cushion, viscoelastic nylon	150.00	150.00
	back cushion, contoured, nylon	178.00	237.00
	back cushion, contoured, leatherette	178.00	237.00
	seat cushion, contoured, nylon	210.00	210.00
	seat cushion, contoured, leatherette	210.00	210.00
	safety belt, velcro-type	23.00	63.00
	safety belt, auto-type	N/C	40.00
	safety belt, airplane-type	34.00	74.00
	headrest, hammock-type	75.00	75.00
	headrest, padded, contoured	105.00	105.00
	headrest, small, medium, large	105.00	105.00
	headrest mounting, articulated headrest mounting, articulated, uniball	120.00 135.00	120.00 135.00
	back tension bar	69.00	69.00
	back tension bar with headrest mounting	99.00	99.00
	push handles	N/C	N/A
	raised back handles, 7.6 cm (3 in.)	N/C	N/A
	seat bracket, adjustable	N/C	516.00
T 4 003000	seat bracket, adjustable	14/6	310.00
	Armrests:		
4662888	U-type armrests, height-adjustable, from 15.2 cm (6 in.) to	N/C	140.00
	20.3 cm (8 in.), from 20.3 cm (8 in.) to 30.5 cm (12 in.),		
4664005	short	****	1 10 00
4662896	U-type armrests, height-adjustable, from 15.2 cm (6 in.) to 20.3 cm (8 in.), from 20.3 cm (8 in.) to 30.5 cm (12 in.), longs	N/C	140.00

		(authentic v	ersion)
4661914	T-type armrests, height-adjustable, from 15.2 cm (6 in.) to 25.4 cm (10 in.), short	N/C	140.00
4662227	armrest pads, straight, short	N/C	12.00
	armrest pads, straight, long	N/C	15.00
	armrest pads, suright, fong armrest pads, contoured, short	44.00	34.00
	armrest pads, contoured, long	48.00	39.00
	rigid clothing guards, for T-type and U-type armrests	N/C	N/A
	modification of T-type armrest height, to + than 25.4 cm	79.00	N/A
4002730	(10 in.)	79.00	1 V /A
+4663076	modification of U-type armrest height, to + than 30.5 cm (12 in.)	79.00	N/A
+4663084	U-type armrest extension, 7.6 cm (3 in.)	39.00	N/A
	Footrests:		
4661948	70° footrests, parallel, detachable, swingaway, length-	N/C	84.00
	adjustable, from 17.8 cm (7 in.) to 35.6 cm (14 in.)		
4661955	90° footrests, parallel, detachable, swingaway, length-	N/C	84.00
	adjustable, from 17.8 cm (7 in.) to 35.6 cm (14 in.)		
4661971	elevating legrests, with compensating mechanism, length-	234.00	201.00
	adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)		
4662938	contoured calfrests	N/C	N/A
4660460	double calf strap	55.00	55.00
4660478	folding footplates, standard	N/C	27.00
4662946	folding footplates, aluminum	44.00	49.00
4660494	full-width footplate	221.00	275.00
4661724	footplates, angle and depth-adjustable, standard size	76.00	65.00
4662722	footplates, angle and depth-adjustable, oversized	82.00	68.00
4662953	footplate, angle and depth-adjustable, full-width	168.00	222.00
4662235	heel loops, adjustable	N/C	14.00
4661534	toe loops	30.00	15.00
4660536	modification of legrest length, from 35.6 cm (14 in.) to	79.00	N/A
	48.3 cm (19 in.)		
4660999	front impact guard with rollers	36.00	18.00
	Frame:		
4661245	anti-tip rollers	N/C	39.00
4661773	tie-down points for adapted transport	N/C	N/A
4662789	rear suspension	N/C	N/A
4662615	rear reflectors	N/C	N/A
4662383	running lights, front, rear	N/C	N/A
+4663092	cane holder	40.00	40.00
	Drive systems:		
4660551	programmable joystick control	N/C	511.00
	compact joystick control	58.00	569.00
+4663100	control box, potentiometer	N/C	589.00
4662763	control box, potentiometer, toggle switch	N/C	589.00
	battery charge display	N/C	N/A
4661997	battery charger	N/C	379.00
4662243	battery boxes, group 22, group 24	N/C	223.00
4662755	adapted controls interface	995.00	1,506.00

4662276	breath control, included in interface	N/C	N/A
	laptray touch switch control	301.00	301.00
	control with separate switches	379.00	379.00
	non-proportional chin control	421.00	421.00
	proportional chin control	540.00	540.00
	head control	540.00	540.00
+4663118	mini-joystick control	1,199.00	1,199.00
+4663126	toggle switch	N/C	N/A
4660692	push-button switch	N/C	N/A
+4663134	auxiliary switch, one	98.00	98.00
	auxiliary switch, one pair	198.00	99.00
	auxiliary switch, four (4) positions, cross-shaped	249.00	249.00
	auxiliary switch double (Y)	198.00	198.00
	direction joystick	N/C	N/A
	conical-spherical stick extension	N/C	8.00
	ball extension	27.00	35.00
	joystick extension	27.00	35.00
	mushroom-shaped stick extension	27.00	35.00
	T-type extension	27.00	35.00
	swivel side bracket for joystick control	N/C	202.00
	midline bracket, flip-back, for joystick control	85.00	287.00
	bracket for separate display module	N/C	37.00
	adjustable bracket for interface display	90.00	127.00
	chin bib control	329.00	329.00
	breath control bracket	340.00	340.00
	chin control bracket	340.00	340.00
	head control bracket	340.00	340.00
	bracket, flip-back, for mini-joystick control	499.00	499.00
	controller	N/C	1 437.00
4662342	motors	N/C	1 122.00
	XX/1 1 1 C 1		
4662070	Wheels and forks:	N/C	106.00
4002979	rear wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.)	N/C	100.00
4662987	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm	N/C	65.00
	(2 in.)		
4662995	front wheels, inner tube tires, 22.9 cm (9 in.) X 7.0 cm	88.00	108.00
4660000	(2¾ in.)	N/C	NT/A
	rear wheel rims front wheel rims	N/C	N/A N/A
	front wheel rims front airless inserts	N/C 133.00	N/A N/A
	rear airless inserts		N/A N/A
	standard forks for, 20.3 cm (8 in.), 22.9 cm (9 in.) wheels	151.00 N/C	87.00
		N/C	87.00
4003019	L-shaped forks for 20.3 cm (8 in.) wheels	IN/C	07.00

	Non S.C. components for which supporting document		
	must be kept on file:		
4662094	power rocker device, including a "basic" control system for	879.00	1,395.00
	one (1) accessory		
	installation of power rocker device	N/C	400.00
4662441	"basic" control system for a single power accessory (external	230.00	230.00
	to joystick)		
4662466	control system for four (4) power accessories, using joystick	740.00	740.00
+4663191	"advanced" control system for one (1) accessory, external to	249.00	249.00
	joystick, with plug-in for auxiliary switches		
+4663209	"advanced" control system for two (2) accessories, external	295.00	295.00
	to joystick, with plug-in for auxiliary switches		
+4663217	"advanced" control system for four (4) accessories, external	575.00	575.00
	to joystick, with plug-in for auxiliary switches		
+4663225	proximity head control	1,999.00	1,999.00
4662961	connecting cables for power reclining devices	N/C	N/A
	Components under Special Consideration		
	reclining back with cylinder (manual device)*	269.00	269.00
4662417	power elevating legrests, from 35.6 cm (14 in.) to 48.3 cm	1,273.00	721.00
	(19 in.), per unit *		
4662706	power elevating legrests, from 35.6 cm (14 in.) to 48.3 cm	1,273.00	721.00
	(19 in.), per pair *		
	Parts rebuilt with exchange:		
	R-Net joystick control	N/A	353.00
	R-Net controller	N/A	862.00
+4663258	motor assembly – reduction gear – R-Net brake	N/A	673.00
+4663266	battery charger 6A, 24V, bi-mode	N/A	227.00

SUPPLIER: PRIDE MOBILITY PRODUCTS

PRICE

+4674800 POWERED WHEEL CHAIR QUANTUM 610 MODEL

3,900.00

Basic Components

Body support system

- back, angle-adjustable
- supple back, nylon
- rigid seat, flat
- back height: from 35.6 cm (14 in.) to 63.5 cm (25 in.)
- seat height: from $42.2 \text{ cm} (16\frac{5}{8} \text{ in.})$ to $47.3 \text{ cm} (17\frac{5}{8} \text{ in.})$
- seat width: from 25.4 cm (10 in.) to 50.8 cm (20 in.), 136.1 kg (300 lb) maximum
- seat depth: from 25.4 cm (10 in.) to 50.8 cm (20 in.), 136.1 kg (300 lb) maximum
- safety belt, auto-type, velcro-type
- headrest mounting, articulated, uniball
- push handles
- push bar
- installation of power reclining back, 100% compensating mechanism *
- installation of power rocker device
- centre of gravity adjustment from seat
- control system for one (1) power accessory only
- control system for four (4) power accessories
- connecting cables for power reclining devices

Armrests

- U-type armrests, height-adjustable, from 22.9 cm (9 in.) to 33.0 cm (13 in.), short, long
- T-type armrests, height-adjustable, from 27.9 cm (11 in.) to 43.2 cm (17 in.), short, long
- T-type armrests, pediatric, height-adjustable, from 19.7 cm (7¾ in.) to 24.8 cm (9¾ in.), short, long
- I-type armrests, height-adjustable, from 15.2 cm (6 in.) to 50.8 cm (20 in.), short, long
- armrest pads, straight, short, long
- · armrest pads, contoured, short, long

Footrests

- 70° footrests, parallel, tapered, detachable, swingaway, length-adjustable, from 27.9 cm (11 in.) to 49.8 cm (19½ in.)
- 90° footrests, pediatric, parallel, detachable, swingaway, length-adjustable, from 17.8 cm (7 in.) to 25.4 cm (10 in.)
- padded calfrests
- folding footplates, standard
- heel loops, fixed

- heel loops, adjustable
- foot platform 25.4 cm (10 in.) X 25.4 cm (10 in.)

Frame

- tie-down points for adapted transport
- rear suspension
- rear reflectors
- running lights

Drive systems

- programmable joystick control
- compact joystick control
- joystick control with built-in controller
- battery charge display
- battery charger, external 5A, Power Cube
- battery charger, 4A, built-in
- battery boxes, group 22
- toggle switch
- push-button switch
- · auxiliary switch
- conical-spherical stick extension
- side bracket for joystick control
- swivel side bracket for joystick control
- head control bracket
- controller Q-Logic 70A
- GLIDE motors, brushes, 4 mph

Wheels and forks

- driving wheels, inner tube tires
- front wheels, semi-pneumatic tires, 12.7 cm (5 in.), 15.2 cm (6 in.)
- driving wheel rims
- front caster or wheel rims
- standard forks, front, rear

^{*} Components under Special Consideration

Price upon initial purchase or

replacement of

Price upon replacement

of component

		wheel chair (price per pair, as applicable)	(unit price)
	Basic and Optional Components		
	Body support system		
	Seat and back:		
+4674172	seat/back structure, with angle-adjustable back, Synergy	500.00	550.00
	adjustable seat		
	back, angle-adjustable	N/C	N/A
	supple back, nylon	N/C	60.00
+4674206	supple back, tension-adjustable, maximum width of 50.8 cm	90.00	150.00
4.7.404.4	(20 in.)	220.00	•00.00
	rigid back, steel plate with removable cushion	220.00	280.00
	padded back, plat, fabric, rounded, without AES contour	280.00	340.00
	folding back	300.00	300.00
+4674248	padded back, contoured, fabric, leatherette (Neoprene),	300.00	360.00
4654055	PRAMQ	200.00	260.00
+4674255	padded back, contoured, with detachable thoracic supports,	300.00	360.00
4654060	TRU Comfort, leatherette	200.00	260.00
+4674263	padded back, contoured, with detachable thoracic supports,	300.00	360.00
. 465.4051	Shape Back	N/C	NT/A
	rigid seat, flat	N/C	N/A
+4674289	padded seat, flat, Solution 1, fabric, 158.8 kg (350 lb)	125.00	175.00
. 467.4207	capacity	100.00	200.00
+40/429/	padded seat, contoured, Solution, fabric, 158.8 kg (350 lb)	180.00	200.00
. 4674205	capacity	180.00	200.00
	cushion, TRU Comfort, leatherette	N/C	25.00
	safety belt, auto-type safety belt, velcro-type	N/C N/C	25.00
	safety belt, airplane-type	35.00	75.00
	headrest, contoured, small	140.00	180.00
	headrest, contoured, large	140.00	180.00
	headrest, contoured, padded, small	140.00	300.00
	headrest, contoured, padded, large	140.00	300.00
	headrest, TRU Comfort, small	140.00	300.00
	headrest, TRU Comfort, large	140.00	300.00
	headrest and mounting for power reclining back	160.00	234.00
	headrest mounting, articulated, uniball	N/C	180.00
	push handles	N/C	N/A
+4674438		N/C	80.00
	centre of gravity adjustment from seat	N/C	N/A
T70/7770	control of gravity adjustment from seat	14/C	1 1 // / 1
	Armrests:		
+4674453	U-type armrests, height-adjustable, from 22.9 cm (9 in.) to	N/C	320.00
	33.0 cm (13 in.), short, long		

+4674461	T-type armrests, height-adjustable, from 27.9 cm (11 in.) to	N/C	125.00
. 4674470	43.2 cm (17 in.), short, long	N/C	125.00
+40/44/9	T-type armrests, pediatric, height-adjustable, from 19.7 cm (7¾ in.) to 24.8 cm (9¾ in.), short, long	N/C	125.00
<i>⊥46744</i> 87	T-type armrests, heavy-duty, height-adjustable, from	125.00	188.00
T 70/770 /	20.3 cm (8 in.) to 35.6 cm (14 in.), short, long	123.00	100.00
+4674495	I-type armrests, height-adjustable, from 15.2 cm (6 in.) to	N/C	135.00
	50.8 cm (20 in.), short, long	1,, 0	100.00
+4674503	I-type armrests, on power reclining back, from 20.3 cm	200.00	313.00
	(8 in.) to 27.9 cm (11 in.), short, long		
+4674511	armrest pads, straight, short, long	N/C	10.00
+4674529	armrest pads, contoured, short, long	N/C	10.00
+4674537	modification of U-type armrest height, from 33.0 cm (13 in.)	150.00	150.00
	to 38.1 cm (15 in.)		
. 4254545	Footrests:	N/C	75.00
+4674545	70° footrests, parallel, tapered, detachable, swingaway,	N/C	75.00
	length-adjustable, from 33.0 cm (11 in.) to 49.5 cm (19½ in.)		
<i>⊥1671552</i>	90° footrests, pediatric, parallel, detachable, swingaway,	N/C	75.00
T 4 07 4 332	length-adjustable, from 17.8 cm (7 in.) to 25.4 cm (10 in.)	14/C	75.00
+4674560	70° footrests, heavy-duty, parallel, detachable, swingaway,	200.00	175.00
11071200	length-adjustable, from 30.5 cm (12 in.) to 53.3 cm (21 in.)	200.00	175.00
+4674578	elevating legrests	200.00	175.00
	padded calfrests	N/C	15.00
+4674594	contoured calfrests	40.00	60.00
+4674602	single calf strap	72.00	72.00
	double calf strap	180.00	180.00
	folding footplates, standard	N/C	40.00
+4674636	footplates, angle and depth-adjustable, standard size,	70.00	100.00
	including extension tubes	4.50.00	100.00
	full-width footplate, angle and depth-adjustable	150.00	190.00
	heel loops, fixed	N/C	15.00
	heel loops, adjustable toe loops (by the pair when replacements)	N/C	15.00
	foot platform, 25.4 cm (10 in.) X 25.4 cm (10 in.)	20.00 N/C	40.00 / pr 75.00
	foot platform, 25.4 cm (10 in.) X 25.4 cm (10 in.), mounted	200.00	315.00
+4074023	under seat (rocker)	200.00	313.00
+4674701	front impact guard with rollers	10.00	26.00
1 107 1701	mono imputo guina wini ronoro	10.00	20.00
	Frame:		
+4674719	tie-down points for adapted transport	N/C	25.00
+4674727	rear suspension	N/C	N/A
+4674735	rear reflectors	N/C	20.00
	running lights	N/C	N/A
+4674750	cane holder	65.00	65.00
	-		
. 4654560	Drive systems:	37/6	3.T/ A
	joystick control with built-in controller	N/C	N/A
+40/4//6	programmable joystick control	N/C	675.00

. 1671701	accompant invoticly control	N/C	600.00
	compact joystick control	N/C	N/A
	battery charge display battery charger, 4A, built-in	N/C	97.00
	battery charger, external, 5A, Power Cube	N/C	220.00
	battery boxes, group 22	N/C	72.00
	adapted controls interface, advanced Q-Logic display	775.00	1 100.00
	laptray touch switch control, Waffer	270.00	270.00
	control with separate switches, including 5 switches	396.00	396.00
	non-proportional chin control, Mini Joystick	400.00	650.00
+4674875	proportional chin control, RJM, including 1 switch	500.00	500.00
	chin control, HMC Mini	990.00	1 260.00
	foot control, RJM, adapter	1,245.00	1,245.00
	head control, Stealth Rim	1,275.00	1,605.00
	toggle switch	N/C	N/A
	push-button switch	N/C	N/A
	auxiliary switch	N/C	N/A
	egg-shaped switch	60.00	60.00
	Mini Cup switch	95.00	95.00
	Micro Light switch	128.00	128.00
	conical-spherical extension	N/C	15.00
	extension of chin control stick	30.00	40.00
+4674990	ball extension, hard	30.00	40.00
+4675005	joystick extension	40.00	50.00
+4675013	mushroom-shaped stick extension	40.00	50.00
+4675021	T-type extension	55.00	60.00
+4675039	U-shaped extension	70.00	101.00
+4675047	joystick mounting bracket, vertical adjustment	50.00	90.00
+4675054	side bracket for joystick control	N/C	19.00
	swivel side bracket for joystick control	N/C	147.00
+4675070	midline bracket, flip-back, for joystick control, Stealth	400.00	400.00
	GAT410P		
+4675088	midline bracket, flip-back, for joystick control, Body Point PC201	485.00	485.00
+4675096	head control bracket	N/C	N/A
	bracket for separate display module	72.00	72.00
	Multi Axes bracket, joystick, mini-joystick	120.00	120.00
	breath control bracket	270.00	270.00
	chin control bracket, RJM	573.00	573.00
	chin bib control	237.00	237.00
	controller Q-Logic 70A	N/C	567.00
	GLIDE motors, brushes, 4 mph	N/C	402.00
+4675179	breath-control driver control module, Sip & Puff unit, cable, separator, requires Q-Logic display (not included)	945.00	945.00
+4675187	Wheels and forks: driving wheels, inner tube tires	N/C	45.00
	front wheels, semi-pneumatic tires, 12.7 cm (5 in.)	N/C	21.00
	front wheels, semi-pneumatic tires, 12.7 cm (5 in.)	N/C	27.00
	front wheel or caster rims	N/C	N/A
+4675229	driving wheel rims	N/C	45.00
	airless inserts for driving wheels	70.00	80.00
		, 0.00	50.00

+4675245	standard forks, front, rear	N/C	12.00
	Non S.C. components for which supporting document must be kept on file:		
+4675260	seat/back structure, with manual rocker device, maximum 45.7 cm (18 in.) X 45.7 cm (18 in.), 72.6 kg (160 lb) capacity	1,000.00	1,200.00
+4675294	power rocker device	1,895.00	2,095.00
	footplates, angle and depth-adjustable, multi-directional	240.00	280.00
	elevating foot platform, 25.4 cm (10 in.) X 25.4 cm (10 in.),	1,500.00	1,600.00
	compensating mechanism	·	•
+4675344	installation of power rocker device	N/C	150.00
+4675351	control system for one (1) power accessory only	N/C	200.00
+4675369	control system for four (4) power accessories	N/C	133.00
+4675385	control system for power rocker device, joystick-controlled	175.00	450.00
+4675401	heavy-duty joystick control, Champignon Stealth	1,500.00	2,200.00
+4675419	connecting cables for power reclining devices	N/C	100.00
	Components under Special Consideration		
+4675252	seat/back structure, with reclining back with cylinder *	900.00	950.00
	reclining back with cylinder *	400.00	400.00
	power reclining back, 100% compensating mechanism*	2,250.00	2,250.00
	power elevating legrests, standard, with angle-adjustable footplates, per pair *	1,500.00	785.00
+4675336	installation of power reclining back, 100% compensating mechanism *	N/C	50.00
+4675377	control system for power reclining back, joystick-controlled *	175.00	450.00
+4675393	control system for power elevating legrests, joystick-controlled *	175.00	450.00

DIVISION III: COMPLEMENTS FOR WHEEL CHAIRS

SUBDIVISION 1: WHEEL CHAIR SEAT CUSHIONS AND COVERS

	Description	Maximum price
4490223	Standardized cushion, multilayer or injected foam	400.00
4490249	Standardized cushion, viscoelastic foam and gel	400.00
4499646	Standardized cushion, viscofluid foam and gel	400.00
4499869	Standardized cushion, static air-adjustable, single-compartment (by	500.00
	adjusting pressure or cell quantity)	
4490215	Standardized cushion, static air-adjustable, multi-compartment (by	500.00
	adjusting pressure or cell quantity)	
4499695	Standardized cushion, viscoelastic gel	500.00
4490231	Standardized cushion, viscofluid gel	500.00
4490256	Standardized cushion, foam with air insert	500.00
+4490248	Standardized convoluted cushion, fusion-bonded thermoplastic	500.00
	polymer	
4490272	Customized cushion, multilayer or injected foam	425.00
4490280	Customized cushion, viscoelastic foam and gel	425.00
4490298	Customized cushion, viscofluid foam and gel	425.00
4490306	Customized cushion, foam with air insert	525.00
+4490307	Customized cushion, fusion-bonded thermoplastic polymer	600.00
4498847	Non-listed specialized seat cushion (S.C.)	S.C.
+4020510	Standard cover for specialized seat cushion	75.00
+4020511	Commercial waterproof cover for specialized seat cushion	100.00
+4020512	Surcharge payable for 2 commercial waterproof covers, provided	50.00
	with purchase or replacement of specialized seat cushion, as	
	substitution for 2 standard covers	
+4020513	Waterproof cover for seat cushion (any size)	75.00
+4020514	Non-listed cover provided, extra or replacement	S.C.
+4020515	Surcharge payable for bariatric cushion over than 20 inches width	150.00

Updated: February 16, 2016 333

SUBDIVISION 2: TIRES AND INSERTS FOR MANUAL AND POWERED WHEEL CHAIRS

TIRES AND INSERTS

FOR MANUAL WHEEL CHAIRS

SUPPLIER: OF	RTHOFAB INC.	PRICE
4401873	tire, inner tube, standard pressure, 31.8 cm (12½ in.) X 5.7 cm (2¼ in.)	10.25
4401006	tire, inner tube, standard pressure, 50.8 cm (20 in.) X 3.5 cm (1\% in.)	8.00
4401014	tire, inner tube, standard pressure, 55.9 cm (22 in.) X 3.5 cm (13/8 in.)	8.00
4401022	tire, inner tube, standard pressure, 61.0 cm (24 in.) X 3.2 cm (11/4 in.)	8.75
4401030	tire, inner tube, standard pressure, 61.0 cm (24 in.) X 3.5 cm (1\% in.)	8.00
4401048	tire, inner tube, standard pressure, 61.0 cm (24 in.) X 4.4 cm (1¾ in.)	9.75
4401683	tire, inner tube, standard pressure, 40.6 cm (16 in.) X 4.4 cm (1¾ in.)	9.75
4401055	tire, inner tube, standard pressure, 66.0 cm (26 in.) X 3.5 cm (13/8 in.)	8.75
4401063	tire, inner tube, high pressure, 50.8 cm (20 in.) X 2.5 cm (1 in.)	13.25
	tire, inner tube, high pressure, 55.9 cm (22 in.) X 2.5 cm (1 in.)	12.75
	tire, inner tube, high pressure, 61.0 cm (24 in.) X 2.5 cm (1 in.)	12.75
	tire, inner tube, high pressure, 66.0 cm (26 in.) X 2.5 cm (1 in.)	12.75
	tire, inner tube, high pressure, 63.5 cm (25 in.), Sylver Bullet	22.75
	tire, inner tube, high pressure, 61.0 cm (24 in.), Cross Court	17.25
+4401931	tire, inner tube, high pressure, 66.0 cm (26 in.), all-terrain, knobby	12.25
4401105	tire, inner tube, 61.0 cm (24 in.) X 3.5 cm (1\% in.), all-terrain, rounded surface	13.75
	tire, inner tube, $61.0 \text{ cm} (24 \text{ in.}) \text{ X } 3.5 \text{ cm} (1\frac{3}{8} \text{ in.})$, all-terrain, flattened surface	8.50
	solid tire, 20.3 cm (8 in.) X 2.5 cm (1 in.)	4.75
	solid tire, 55.9 cm (22 in.) X 2.5 cm (1 in.)	9.75
	solid tire, 61.0 cm (24 in.) X 2.5 cm (1 in.)	9.75
	tire, inner tube, 15.2 cm (6 in.) X 3.2 cm (1¼ in.)	7.25
	tire, inner tube, 20.3 cm (8 in.) X 3.2 cm (1 ¹ / ₄ in.) (C-63)	7.25
	tire, inner tube, 20.3 cm (8 in.) X 4.4 cm (1¾ in.)	8.25
	tire, inner tube, 20.3 cm (8 in.) X 5.1 cm (2 in.)	7.75
	tire, inner tube, 18.8 cm (7 in.) X 4.4 cm (1¾ in.)	8.25
	tire, inner tube, 20.3 cm (8 in.) X 3.2 cm (1 ¹ / ₄ in.) (C-737)	7.25
4401196	1 , , , , , , , , , , , , , , , , , , ,	9.25
4401204		9.25
4401709	semi-pneumatic tire, 20.3 cm (8 in.) X 2.5 cm (1 in.) (poly kik)	10.50

4401212	semi-pneumatic tire, 20.3 cm (8 in.) X 2.5 cm (1 in.) (poly	10.50
	pyramide)	
4401220	solid tire, 55.9 cm (22 in.) X 2.5 cm (1 in.)	16.75
4401238	solid tire, 61.0 cm (24 in.) X 2.5 cm (1 in.)	16.75
4401246	solid tire, 66.0 cm (26 in.) X 2.5 cm (1 in.)	16.75
+4401949	urethane tire, black, ribbed, 50.8 cm (20 in.) X 3.2 cm (1 ¹ / ₄ in.)	24.25
+4401956	urethane tire, black, ribbed, 55.9 cm (22 in.) X 3.2 cm (1 ¹ / ₄ in.)	24.25
+4401964	urethane tire, black, ribbed, 61.0 cm (24 in.) X 3.2 cm (1 ¹ / ₄ in.)	24.25
4401253	puncture-resistant tire, 15.2 cm (6 in.) X 3.2 cm (1¼ in.)	9.75
+4401972	puncture-resistant tire, 17.8 cm (7 in.) X 4.4 cm (1¾ in.)	40.25
4401261	puncture-resistant tire, 20.3 cm (8 in.) X 3.2 cm (1¼ in.)	9.75
4401279	puncture-resistant tire, 20.3 cm (8 in.) X 4.4 cm (1¾ in.)	12.75
4401287	puncture-resistant tire, 20.3 cm (8 in.) X 5.1 cm (2 in.)	12.75
4401295	semi-pneumatic tire, 50.8 cm (20 in.) X 3.5 cm (1\% in.)	21.50
4401303	semi-pneumatic tire, 55.9 cm (22 in.) X 3.5 cm (1\% in.)	21.50
4401311	semi-pneumatic tire, 61.0 cm (24 in.) X 2.5 cm (1 in.)	19.00
4401329	semi-pneumatic tire, 61.0 cm (24 in.) X 3.5 cm (13/8 in.)	21.50

TIRES AND INSERTS

FOR POWERED WHEEL CHAIRS

SUPPLIER: O	ORTHOFAB INC.	PRICE
4401881	tire, inner tube, 33.0 cm (13 in.) X 10.2 cm (4 in.) (400-5)	16.75
	tire, inner tube, 18.8 cm (7 in.) X 4.4 cm (1¾ in.)	8.25
	tire, inner tube, 20.3 cm (8 in.) X 3.2 cm (1 ¹ / ₄ in.)	7.25
	tire, inner tube, 20.3 cm (8 in.) X 4.4 cm (1¾ in.)	8.25
	tire, inner tube, 20.3 cm (8 in.) X 5.1 cm (2 in.)	7.75
	tire, inner tube, 20.3 cm (8 in.) X 7 cm (2¾ in.)	8.25
	tire, inner tube, 22.9 cm (9 in.) X 7 cm (2¾ in.)	9.00
	tire, inner tube, 30.5 cm (12 in.) X 7.6 cm (3 in.)	14.25
	tire, inner tube, $31.8 \text{ cm} (12\frac{1}{2} \text{ in.}) \times 5.7 \text{ cm} (2\frac{1}{4} \text{ in.})$	10.25
	tire, inner tube, 35.6 cm (14 in.) X 5.7 cm (2½ in.)	11.25
	tire, inner tube, 35.6 cm (14 in.) X 7.6 cm (3 in.), (300-8)	18.25
	tire, 35.6 cm (14 in.) X 7.6 cm (3 in.), grey, smooth (C-917-3)	20.75
	tire, inner tube, 35.6 cm (14 in.) X 10.2 cm (4 in.) (400-6)	16.75
	tire, inner tube, 40.6 cm (16 in.) X 5.7 cm (2½ in.)	10.47
	tire, inner tube, $40.6 \text{ cm} (16 \text{ in.}) \times 5.3 \text{ cm} (2\frac{1}{8} \text{ in.})$	10.47
	tire, inner tube, 45.7 cm (18 in.) X 5.7 cm (2½ in.)	10.96
	tire, inner tube, 50.8 cm (20 in.) X 5.3 cm (2½ in.) tire, inner tube, 50.8 cm (20 in.) X 5.7 cm (2¼ in.)	12.75 12.41
	semi-pneumatic tire, 20.3 cm (8 in.) X 4.4 cm (13/4 in.)	9.25
	semi-pneumatic tire, 22.9 cm (9 in.) X 7.0 cm (2¾ in.)	9.23 27.75
	puncture-resistant tire, 20.3 cm (8 in.) X 4.4 cm (1¾ in.) (poly	12.75
4401770	kik)	12.73
4401568	puncture-resistant tire, 22.9 cm (9 in.) X 7.0 cm (2 ³ / ₄ in.)	33.00
	tire, inner tube, $22.9 \text{ cm} (9 \text{ in.}) \text{ X } 7.0 \text{ cm} (2\frac{3}{4} \text{ in.})$, rounded, for	9.00
	Invacare	7.00
+4402004	puncture-resistant tire, 22.9 cm (9 in.) X 7.0 cm (2¾ in.), for	33.00
	Invacare	
+4402012	tire, inner tube, 22.9 cm (9 in.) X 7.0 cm (23/4 in.), rounded,	9.00
	deep tread, for Pride	
+4402020	puncture-resistant tire, 22.9 cm (9 in.) X 7.0 cm (2¾ in.),	33.00
	rounded, deep tread, for Pride	
	puncture-resistant tire, (280/250-4)	34.75
	puncture-resistant tire, 30.5 cm (12 in.) X 7.6 cm (3 in.)	35.50
	puncture-resistant tire, 35.6 cm (14 in.) X 10.2 cm (4 in.)	46.75
	puncture-resistant tire, 35.6 cm (14 in.) X 7.6 cm (3 in.)	63.50
+4402046	tire, inner tube, 35.6 cm (14 in.) X 7.6 cm (3 in.), rounded,	20.75
	(Primo Duratrap), for Pride	
+4402053	puncture-resistant tire, 35.6 cm (14 in.) X 7.6 cm (3 in.),	70.00
4400064	rounded, (Primo Duratrap), for Pride	-2 - 2
	puncture-resistant tire, (3.00-8)	63.50
4401816	puncture-resistant tire, 35.6 cm (14 in.) X 10.2 cm (4 in.), (400-	46.75
4404700	6)	21.27
	puncture-resistant tire, 50.8 cm (20 in.) X 5.3 cm ($2\frac{1}{8}$ in.)	31.25
4401824	puncture-resistant tire, 20.3 cm (8 in.) X 5.1 cm (2 in.)	33.75

4401832	puncture-resistant tire, 20.3 cm (8 in.) X 5.1 cm (2 in.) (poly	13.50
	kik)	
4401618	airless insert, 20.3 cm (8 in.) X 3.2 cm (1 ¹ / ₄ in.)	10.00
4401626	airless insert, 20.3 cm (8 in.) X 4.4 cm (1¾ in.)	10.00
4401634	airless insert, 31.8 cm (12½ in.) X 5.7 cm (2¼ in.)	20.00
4401840	airless insert, 35.6 cm (14 in.) X 5.7 cm (2 ¹ / ₄ in.)	20.00
4401642	airless insert, $40.6 \text{ cm} (16 \text{ in.}) \text{ X } 5.3 \text{ cm} (2\frac{1}{8} \text{ in.})$	20.00
4401857	airless insert, 45.7 cm (18 in.) X 5.7 cm (2 ¹ / ₄ in.)	20.00
4401659	airless insert, 50.8 cm (20 in.) X 5.3 cm (21/8 in.)	20.00
4401865	airless insert, 50.8 cm (20 in.) X 5.7 cm (2 ¹ / ₄ in.)	20.00

SUBDIVISION 3: BATTERIES FOR POWERED WHEEL CHAIRS

SEALED BATTERIES (GEL)

Price including delivery, guarantee, and recovery of noncompliant or defective batteries (price per pair)

SUPPLIER: POWER BATTERY SALES

GROUP 22NF BATTERIES (GEL TYPE)

4498010 Model: 8G22NF 253.06

SUPPLIER: POWER BATTERY SALES

GROUP 24 BATTERIES (GEL TYPE)

4498671 Model: 8G24T881 319.22

SUPPLIER: POWER BATTERY SALES

GROUP U1 BATTERIES (GEL TYPE)

4498051 Model: 8GU1 161.94

DIVISION IV: OTHER LOCOMOTOR ASSISTS

SUBDIVISION 1: ADULT POSITIONING BASES

SUPPLIER: INVACARE CANADA L.P.

PRICE

4240008 POSITIONING BASE, ADULT SOLARA 2G MODEL

1,930.00

Basic Components

Body support system

- folding back, angle-adjustable
- back height: 50.8 cm (20 in.), 61.0 cm (24 in.)
- seat height: from 39.4 cm (15½ in.) to 48.3 cm (19 in.)
- seat widths: 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.),45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.)
- seat depths: 30.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.)
- safety belt, velcro-type, auto-type
- push handles integrated into backposts
- stroller handle, non-adjustable

Armrests

- U-type armrests, height-adjustable, from 21.6 cm (8½ in.) to 31.8 cm (12½ in.), short, long
- T-type armrests, height-adjustable, from 20.3 cm (8 in.) to 30.5 cm (12 in.), from 25.4 cm (10 in.) to 40.6 cm (16 in.), short, long
- armrest pads, straight, short, long

Footrests

- 60° footrests, parallel, detachable, swingaway, length-adjustable, from 34.3 cm (13½ in.) to 44.5 cm (17½ in.)
- 70° footrests, parallel, detachable, swingaway, length-adjustable, from 34.3 cm (13½ in.) to 41.9 cm (16½ in.)
- 70° footrests, lift-off, parallel, length-adjustable, from 34.3 cm ($13\frac{1}{2}$ in.) to 41.9 cm ($16\frac{1}{2}$ in.)
- 70° footrests, lift-off, MFX, length-adjustable, from 14.6 cm (5¾ in.) to 29.8 cm (11¾ in.)
- 60° footrests, MFX, parallel, detachable, swingaway, length-adjustable, from 22.9 cm (9 in.) to 31.8 cm (12½ in.)
- 70° footrests, MFX, parallel, detachable, swingaway, length-adjustable, from 14.6 cm (5¾ in.) to 29.8 cm (11¾ in.)
- padded calfrests
- folding footplates, standard
- footplates, angle and depth-adjustable, standard size, oversized, 18.4 cm (7½ in.)

- heel loops, fixed
- heel loops, adjustable

Frame

- anti-tip rollers
- tie-down points for transport
- frame length, from 38.1 cm (15 in.) to 48.3 cm (19 in.), from 45.7 cm (18 in.) to 55.9 cm (22 in.)
- rocker device

Drive, brake, wheel, fork, and axle systems

- handrims, smooth, plastic-coated
- standard wheel locks, push-to-lock, pull-to-lock
- rear mag wheels, solid tires, 30.5 cm (12 in.), with puncture-resistance
- rear mag wheels, solid tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- rear mag wheels, standard pressure, 30.5 cm (12 in.)
- rear mag wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- front wheels, solid tires, 12.7 cm (5 in.), 15.2 cm (6 in.)
- front wheels, solid tires, 20.3 cm (8 in.) X 3.2 cm (1½ in.)
- front wheels, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.)
- front wheels, semi-pneumatic tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)
- standard forks
- threaded axles
- quick-release axles

Price upon initial

Price upon

		purchase or replacement of wheel chair (price per pair, as applicable)	replacement of component (unit price)
	Basic and Optional Components		
	Body support system		
	Seat and back:		
4240594	folding back, angle-adjustable	N/C	N/A
	rigid seat, flat	55.00	119.00
	modification of seat width, 53.3 cm (21 in.), 55.9 cm (22 in.)	67.00	N/A
	safety belt, velcro-type	N/C	42.00
	safety belt, auto-type	N/C	53.00
	headrest, hammock-style, with pillow	55.00	110.00
	Stealth headrest, 35.6 cm (14 in.), adjustable mounting	250.00	250.00
	back tension bar	20.00	60.00
	push handles integrated into backposts	N/C	52.00
+4240628	stroller handle, non-adjustable	N/C	66.00
40.400	Armrests:	27/0	120.00
4240073	U-type armrests, height-adjustable, from 21.6 cm (8½ in.) to	N/C	138.00
10 10001	31.8 cm (12½ in.), short, long	27/0	120.00
4240081	T-type armrests, height-adjustable, from 20.3 cm (8 in.) to	N/C	120.00
	30.5 cm (12 in.), from 25.4 cm (10 in.) to 40.6 cm (16 in.),		
42.401.05	short, long	N/C	10.00
	armrest pads, straight, short	N/C	18.00
4240099	armrest pads, straight, long	N/C	18.00
	Factuatas		
4240122	Footrests:	N/C	72.00
4240123	60° footrests, parallel, detachable, swingaway, length-adjustable, from 34.3 cm (13½ in.) to 44.5 cm (17½ in.)	N/C	72.00
4240121	70° footrests, parallel, detachable, swingaway, length-	N/C	72.00
4240131	adjustable, from 34.3 cm (13½ in.) to 41.9 cm (16½ in.)	IN/C	72.00
4240140	90° footrests, parallel, detachable, swingaway, length-	20.00	82.00
4240147	adjustable, from 11.4 cm ($4\frac{1}{2}$ in.) to 19.1 cm ($7\frac{1}{2}$ in.)	20.00	62.00
1210156	60° footrests, MFX, parallel, detachable, swingaway, length-	N/C	72.00
4240130	adjustable, from 22.9 cm (9 in.) to 31.8 cm (12½ in.)	TV/C	72.00
4240164	70° footrests, MFX, parallel, detachable, swingaway, length-	N/C	72.00
4240104	adjustable, from 14.6 cm (5¾ in.) to 29.8 cm (11¾ in.)	14/6	72.00
4240172	70° footrests, narrowed, detachable, swingaway, length-	20.00	82.00
7 27 01/2	adjustable, from 32.4 cm (12¾ in.) to 41.3 cm (16¼ in.)	20.00	02.00
4240180	70° footrests, lift-off, parallel, length-adjustable, from	N/C	72.00
727010U	34.3 cm (13½ in.) to 41.9 cm (16½ in.)	14/C	72.00
<i>474</i> በ10Q	70° footrests, lift-off, MFX, length-adjustable, from 14.6 cm	N/C	72.00
7270170	(5¾ in.) to 29.8 cm (11¾ in.)	14/ C	72.00
4240214	90° footrests, lift-off, parallel, length-adjustable, from	20.00	82.00
-127V21 7	11.4 cm (4½ in.) to 19.1 cm (7½ in.)	20.00	02.00
	11. Viii (1/2 iii) (0 1/11 viii (1/2 iii)		

4240222	elevating legrests, length-adjustable, from 35.6 cm (14 in.)	238.00	191.00
4240230	to 50.8 cm (20 in.) elevating legrests with compensating mechanism, from	162.00	153.00
4240250	40.6 cm (16 in.) to 53.3 cm (21 in.)	102.00	133.00
4240255	padded calfrests	N/C	28.00
	single calf strap	38.00	38.00
4240271	double calf strap	57.00	57.00
	folding footplates, standard	N/C	42.00
	oversized footplates	45.00	64.00
4240297	footplates, angle and depth-adjustable, standard size,	N/C	70.00
10.10010	oversized, 18.4 cm (7 ¹ / ₄ in.)	N/C	7.00
	heel loops, fixed	N/C	7.00
4240321	heel loops, adjustable	N/C	10.00
	Frame:		
	anti-tip rollers	N/C	44.00
4240404	tie-down points for transport	N/C	N/A
4240388	frame length, from 38.1 cm (15 in.) to 48.3 cm (19 in.), from	N/C	N/A
	45.7 cm (18 in.) to 55.9 cm (22 in.)		
4240602	rocker device	N/C	N/A
	Drive systems:		
4240339	smooth handrims	N/C	52.00
	plastic-coated handrims	N/C	63.00
	handrims with vertical or oblique projections	129.00	116.00
	Wheel locks:		4 - 00
	standard wheel locks, push-to-lock, pull-to-lock	N/C	46.00
4240420	wheel lock extension, push-to-lock	34.00	63.00
	Wheels:		
4240495	rear mag wheels, solid tires, 30.5 cm (12 in.), with puncture-	N/C	70.00
	resistance		
4240487	rear mag wheels, solid tires, 50.8 cm (20 in.), 55.9 cm	N/C	112.00
10.10.161	(22 in.), 61.0 cm (24 in.)	N/G	55.00
	rear mag wheels, standard pressure, 30.5 cm (12 in.)	N/C	55.00
4240479	rear mag wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C	112.00
4240503	front wheels, solid tires, 12.7 cm (5 in.), 15.2 cm (6 in.)	N/C	38.00
	front wheels, solid tires, 20.3 cm (8 in.) X 3.2 cm (1½ in.)	N/C	38.00
	front wheels, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm	N/C	50.00
	(2 in.)	- ·· -	- 3.33
4240537	front wheels, semi-pneumatic tires, 20.3 cm (8 in.) X 5.1 cm	N/C	63.00
	(2 in.)		
	Forks:		
4240438	standard forks	N/C	52.00
T# TUTOU	omiton o IVIRU	14/0	32.00

4240446	Rear axles: threaded axles	N/C	5.00
	Non S.C. components for which supporting document must be kept on file:		
4240453	quick-release axles	N/C	37.00
4240560	heavy-duty frame	252.00	N/A
4240578	contracture footrests, bilateral	192.00	N/A
4240586	contracture footrests, one-piece	192.00	N/A
	Component under Special Consideration:	710.00	
4240552	reclining back, 0°, 10°, 20°, 30° *	518.00	N/A

343

SUPPLIER: SUNRISE MEDICAL CANADA INC.

4250007 POSITIONING BASE, ADULT QUICKIE-IRIS MODEL

PRICE 1,798.00

Basic Components

Body support system

- folding back, angle-adjustable, from 80° to 120°
- back height-adjustable, from 40.6 cm (16 in.) to 50.8 cm (20 in.) with adjustable stroller handles
- back height: 45.7 cm (18 in.), 53.3 cm (21 in.), 61.0 cm (24 in.) and height-adjustable, from 40.6 cm (16 in.) to 50.8 cm (20 in.)
- seat height: from 36.8 cm (14½ in.) to 52.1 cm (20½ in.)
- seat width: from 35.6 cm (14 in.) to 50.8 cm (20 in.)
- seat depth: from 38.1 cm (15 in.) to 55.9 cm (22 in.)
- safety belt, auto-type, velcro-type
- back tension bar
- push handles integrated into backposts
- detachable extensions for stroller handles

Armrests

- U-type armrests, detachable, flip-back, height-adjustable, from 24.1 cm (9½ in.) to 36.8 cm (14½ in.), short, long
- T-type armrests, height-adjustable, from 26.0 cm ($10\frac{1}{4}$ in.) to 38.7 cm ($15\frac{1}{4}$ in.), short, long
- armrest pads, straight, short, long
- armrest pads tubular

Footrests

- 60°, 70° footrests, parallel, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 48.3 cm (19 in.)
- 70° footrests, tapered, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 48.3 cm (19 in.)
- footrests adjustable to 70°, 80°, 90°, parallel, detachable, swingaway, length-adjustable, from 12.7 cm (5 in.) to 27.9 cm (11 in.)
- padded calfrests for elevating legrests
- folding footplates, standard
- footplates, angle and depth-adjustable, folding
- heel loops, adjustable

Frame

- anti-tip rollers
- tie-down points for transport
- seat frame for contracture footrests *
- rocker device, from -5 $^{\circ}$ to +60 $^{\circ}$

Drive, brake, wheel, fork, and axle systems

- smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- standard wheel locks, push-to-lock
- rear mag wheels, semi-pneumatic tires, 30.5 cm (12 in.), 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- rear mag wheels, standard pressure, 30.5 cm (12 in.), 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- spoked rear wheels, standard pressure, 61.0 cm (24 in.)
- front wheels, solid tires, 15.2 cm (6 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)
- front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm (1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.), 20.3 cm (8 in.) X 3.8 cm (1½ in.)
- standard forks, 15.2 cm (6 in.); short forks, 13.3 cm (5¼ in.); high forks, 17.8 cm (7 in.), compatible with 12.7 cm (5 in.), 15.2 cm (6 in.) and 20.3 cm (8 in.) wheels
- forks, 17.8 cm (7 in.) compatible with 20.3 cm (8 in.) X 5.1 cm (2 in.) wheels
- long stems, $+1.9 \text{ cm} (\frac{3}{4} \text{ in.}), +3.8 \text{ cm} (\frac{1}{2} \text{ in.})$
- threaded rear axle
- quick-release axles

Updated: February 16, 2016 345

Price upon initial

Price upon

		purchase or replacement of wheel chair (price per pair, as applicable)	replacement of component (unit price)
	Basic and Optional Components		
	Body support system		
	Seat and back:		
	folding back, angle-adjustable, from 80° to 120°	N/C	N/A
+4250734	back height-adjustable, from 40.6 cm (16 in.) to 50.8 cm	N/C	N/A
	(20 in.) with adjustable stroller handles		
	rigid seat, flat, adjustable for growth	64.00	158.00
	rigid seat, flat, dropped, adjustable for growth	64.00	158.00
4250049	modification of seat width, to 53.3 cm (21 in.), to 55.9 cm	64.00	N/A
400	(22 in.)	XX/G	40.00
	safety belt, auto-type	N/C	42.00
	safety belt, velcro-type	N/C	29.00
	safety belt, airplane-type	50.00	79.00
	safety belt, airplane-type, padded	76.00	105.00
	headrest, small, medium, large	99.00	106.00
	headrest mounting, articulated	159.00	173.00
	crossbar for headrest mounting	200.00	212.00
	back tension bar	N/C	N/A
	push handles integrated into backposts	N/C	N/A
+4250742	detachable extensions for stroller handles	N/C	N/A
	Armrests:		
4250130	U-type armrests, detachable, flip-back, height-adjustable,	N/C	176.00
120100	from 24.1 cm (9½ in.) to 36.8 cm (14½ in.), short, long	1,, 0	1,0.00
4250148	T-type armrests, height-adjustable, from 26.0 cm (10¼ in.)	N/C	135.00
	to 38.7 cm (15 ¹ / ₄ in.), short, long	1,, 0	100.00
4250155	I-type armrests, height and depth-adjustable, locking, short	220.00	245.00
	armrest pads, straight, short	N/C	15.00
	armrest pads, straight, long	N/C	18.00
	armrest pads, tubular	N/C	2.00
	clothing guards, rigid	92.00	68.00
	T. 4		
40 = 0.00 =	Footrests:	×:~	## OO
4250205	60°, 70° footrests, parallel, detachable, swingaway, length-	N/C	55.00
40.50004	adjustable, from 30.5 cm (12 in.) to 48.3 cm (19 in.)	XX/G	
4250221	70°, 80°, 90° footrests, parallel, detachable, swingaway,	N/C	57.00
40-4-	length-adjustable, from 12.7 cm (5 in.) to 27.9 cm (11 in.)	XX/G	~~ 00
4250213	70° footrests, tapered, detachable, swingaway, length-	N/C	55.00
	adjustable, from 30.5 cm (12 in.) to 48.3 cm (19 in.)		a =
	70°, 80°, 90° footrests, heavy-duty, non flip-back	64.00	87.00
	elevating legrests	108.00	109.00
4250288	90° elevating legrests, length-adjustable, from 20.3 cm	72.00	91.00
	(8 in.) to 33.0 cm (13 in.)		

		(authentic ve	ersion)
4250270	elevating legrests, with compensating mechanism	200.00	155.00
	padded calfrests for elevating legrests	N/C	19.00
	contoured calfrests	72.00	55.00
	single calf strap	19.00	19.00
	double calf strap	33.00	33.00
	folding footplates, standard	N/C	49.00
	folding footplates oversized	54.00	76.00
	full-width footplate, angle and depth-adjustable	85.00	183.00
	footplates, angle and depth-adjustable, folding	N/C	76.00
	footplates, angle-adjustable, folding, locking	80.00	178.00
+4250767	footplates, multi-positions	106.00	102.00
4250346	heel loops, adjustable	N/C	10.00
4250247	modification of footrest length, from 43.2 cm (17 in.) to	31.00	30.00
	48.3 cm (19 in.)		
4250254	modification of 70°, 80°, 90° footrest length, by 5.1 cm	32.00	16.00
	(2 in.), 10.2 cm (4 in.)		
4250395	modification of footrest mounting, from 17.8 cm (7 in.) to	56.00	34.00
	34.3 cm (13½ in.)		
4250387	90° full-width foot platform	92.00	190.00
	Frame:	= 0.00	40.00
	front anti-tippers	70.00	40.00
	anti-tip rollers	N/C	25.00
	tie-down points for transport	N/C	N/A
	rocker device, from -5° to +60°	N/C	N/A
4230432	heavy-duty frame, 158.8 kg (350 lb) maximum	270.00	N/A
	Drive systems:		
4250403	smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.),	N/C	60.00
1200100	61.0 cm (24 in.)	1,, 0	00.00
4250411	plastic-coated handrims, 50.8 cm (20 in.), 55.9 cm (22 in.),	56.00	88.00
	61.0 cm (24 in.)		
4250437	small handrim for one-arm drive	56.00	97.00
4250429	handrims with vertical or oblique projections, 61.0 cm	90.00	105.00
	(24 in.)		
4250445	one-arm drive for dual handrim	536.00	669.00
	Wheel locks:		
	standard wheel locks, push-to-lock	N/C	40.00
4250536	wheel lock extensions	40.00	20.00
	¥7/L 1		
4250502	Wheels:	N/C	145.00
	rear mag wheels, semi-pneumatic tires, 30.5 cm (12 in.)	N/C N/C	136.00
4230001	rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)	IV/C	130.00
4250551	rear mag wheels, standard pressure, 30.5 cm (12 in.)	N/C	130.00
	rear mag wheels, standard pressure, 30.5 cm (12 m.)	32.00	146.00
	rear mag wheels, standard pressure, 40.0 cm (10 iii.)	N/C	136.00
	rear mag wheels, standard pressure, 55.9 cm (20 in.)	N/C	113.00
	61.0 cm (24 in.)	2 ", C	110.00
4250619	spoked rear wheels, standard pressure, 61.0 cm (24 in.)	N/C	136.00
	, r	-	

4250643	front wheels, solid tires, 15.2 cm (6 in.)	N/C	62.00
4250635	front wheels, solid tires, 20.3 cm (8 in.) X 2.5 cm (1 in.)	N/C	63.00
4250650	front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm	N/C	89.00
	(1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.)		
4250668	front wheels, semi-pneumatic tires, 20.3 cm (8 in.) X 3.8 cm	N/C	99.00
	$(1\frac{1}{2} \text{ in.})$		
4250627	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm	20.00	72.00
	(2 in.)		
	(=)		
	Forks:		
4250676	forks, 17.8 cm (7 in.) compatible with 20.3 cm (8 in.) X	N/C	37.00
12000.0	5.1 cm (2 in.) wheels	- ", -	
4250684	standard forks, 15.2 cm (6 in.); short forks, 13.3 cm (5 ¹ / ₄ in.);	N/C	32.00
	high forks, 17.8 cm (7 in.); compatible with 12.7 cm (5 in.),		
	15.2 cm (6 in.) and 20.3 cm (8 in.) wheels		
4250692	long stems, $+1.9 \text{ cm} (\sqrt[3]{4} \text{ in.})$, $+3.8 \text{ cm} (\sqrt{11/2} \text{ in.})$	N/C	16.00
		- ", -	
	Rear axles:		
4250544	threaded rear axle	N/C	33.00
		- ", -	
	Non S.C. components for which supporting document		
	must be kept on file:		
4250718	spoke guards	70.00	35.00
	quick-release axles	N/C	33.00
	seat frame for contracture footrests	N/C	N/A
	contracture footrests, angle-adjustable and multi-directional	218.00	316.00
.200700	tonia account 100 a total angle and account and more an extensional	210.00	210.00
	Component under Special Consideration:		
4250726	reclining back *	574.00	N/A
		2700	- 1/ - 1

SUPPLIER: ORTHOFAB INC.

PRICE

4260006 POSITIONING BASE, ADULT TANGO MODEL

1,911.00

Basic Components

Body support system

- folding back, angle-adjustable
- dynamic back
- back height: from 50.8 cm (20 in.) to 63.5 cm (25 in.)
- seat height: from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- seat widths: 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.)
- seat depths: 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.)
- safety belt, auto-type
- push handles integrated into backposts, bolt-on, directional

Armrests

- U-type armrests, detachable, flip-back, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long
- T-type armrests, detachable, height-adjustable, from 0 cm (0 in.) to 35.6 cm (14 in.), long
- armrest pads, straight, short, long
- clothing guards, rigid

Footrests

- 60°, 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- 60°, 70° footrests, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- padded calfrests
- folding footplates, standard
- footplates, angle and depth-adjustable, standard size, oversized
- heel loops, adjustable

Frame

- anti-tip rollers
- tie-down points for transport
- rocker device
- central propulsion configuration

Drive, brake, wheel, fork, and axle systems

- smooth handrims, 1.3 cm (½ in.) closer
- standard wheel locks, push-to-lock, pull-to-lock
- foot-activated wheel locks

- rear mag wheels, solid tires, 30.5 cm (12 in.), 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- spoked rear wheels, solid tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- spoked rear wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- front wheels, solid tires, 15.2 cm (6 in.), 17.8 cm (7 in.) X 2.5 cm (1 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)
- front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm (1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.), 20.3 cm (8 in.) X 3.8 cm (1½ in.)
- high forks
- threaded axles
- quick-release axles

Price upon initial

Price upon

Basic and Optional Components Body support system Seat and back:			purchase or replacement of wheel chair (price per pair, as applicable)	replacement of component (unit price)
Seat and back: 1/200386 160 160 160 160 160 140 1420030 17 17 160		Basic and Optional Components		
4260030 rigid seat, elastic webbing 14.00 149.00 149.00 149.00 149.00 149.00 149.00 149.00 149.00 149.00 149.00 149.00 149.00 149.00 149.00 149.00 17.00 N/A 65.00 N/A 65.00 N/A 65.90 modification of seat depth, from 48.3 cm (19 in.) to 55.90 101.00 N/A 55.90 modification of seat depth, from 48.3 cm (19 in.) to 55.90 30.00 63.00 63.00 426007 426007 84.00 63.00 63.00 4260089 42604 beth, electro-type 23.00 63.00 63.00 4260089 83.40 74.00 40.00 42.00 120.00 42.00 120.00		• •		
426048 rigid seat, elastic webbing 149.00 149.00 4426067 modification of back height, from 40.6 cm (16 in.) to 99.00 N/A 48.3 cm (19 in.) wolfication of seat depth, from 48.3 cm (19 in.) to 101.00 N/A 4260071 safety belt, velcro-type 23.00 63.00 4260089 safety belt, auto-type N/C 40.00 4260014 headrest hammock 75.00 75.00 4260015 headrest contoured, nylon, leatherette 105.00 105.00 4260055 headrest mounting, articulated 120.00 120.00 4260467 back tension bar 69.00 69.00 4260477 back tension bar with headrest mounting bracket 99.00 99.00 4260441 push handles integrated into backposts N/C N/A 4260431 push handles, bolt-on, directional N/C N/A 4260445 push handles, bolt-on, directional N/C N/C 4260151 push handles, bolt-on, directional N/C 20.00 4260152 push handles, bolt-on, directional N/C 20.00 4260153 push rest, detachable, height-adjustable, from 0 cm N/C 200.00 (0 in.) t	4260386	folding back, angle-adjustable	N/C	N/A
### ##################################	4260030	rigid seat, flat	81.00	81.00
48.3 cm (19 in.) +4260675 modification of seat depth, from 48.3 cm (19 in.) to 101.00 N/A 55.9 cm (22 in.) 4260071 safety belt, velcro-type 23.00 63.00 4260089 safety belt, auto-type N/C 40.00 4260097 safety belt, airplane-type 34.00 74.00 4260014 headrest hammock 75.00 75.00 75.00 75.00 4260022 headrest, contoured, nylon, leatherette 105.00 105.00 105.00 4260055 headrest mounting, articulated 120.00 120.00 4260063 headrest mounting, uniball 135.00 135.00 135.00 4260409 back tension bar with headrest mounting bracket 99.00 99.00 4260409 push handles integrated into backposts N/C N/A 4260451 push handles, bolt-on, directional N/C 99.00 42604081 lowered seating, 30.5 cm (12 in.), HSS 81.00 81.00 81.00 Armrests: 4260101 T-type armrests, detachable, flip-back, height-adjustable, from 0 cm (0 in.) to 35.6 cm (14 in.), long 4260141 T-type armrest shetchable, height-adjustable, from 0 cm (0 in.) to 35.6 cm (14 in.), long 4260141 T-type armrest shetchable, height-adjustable, from 0 cm (0 in.) to 35.6 cm (14 in.), long 4260162 clothing guards, rigid N/C 12.00 4260162 clothing guards, rigid N/C N/A 4260164 modification of U-type armrest height, less than 25.4 cm (10 in.) 4260161 U-type armrest extension, 7.6 cm (3 in.) 39.00 N/A 4260160 for 60° footrests, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) 4260166 for 70° footrests, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) 4260166 for 70° footrests, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) 4260166 for 70° footrests, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) 4260160 for 70° footrests, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) 4260160 for 70° footrests, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) 4260160 for 70° footrests, tapered, detachable, swingaway, length-	4260048	rigid seat, elastic webbing	149.00	149.00
35.9 cm (22 in.) 3afety belt, eutor-type 23.00 63.00 3afety belt, autor-type N/C 40.00 4260089 3afety belt, autor-type 34.00 74.00 74.00 3afety belt, airplane-type 34.00 75.00 75.00 75.00 4260014 headrest hammock 75.00 75.00 105.	+4260667		99.00	N/A
4260089 safety belt, auto-type N/C 40.00 4260097 safety belt, airplane-type 34.00 74.00 4260012 headrest hammock 75.00 75.00 4260022 headrest, contoured, nylon, leatherette 105.00 105.00 4260055 headrest mounting, articulated 120.00 120.00 4260063 headrest mounting, uniball 135.00 135.00 4260470 back tension bar 69.00 69.00 4260469 back tension bar with headrest mounting bracket 99.00 99.00 4260440 push handles integrated into backposts N/C N/A 4260451 push handles, bolt-on, directional N/C 99.00 +4260483 lowered seating, 30.5 cm (12 in.), HSS 81.00 81.00 Armrests: 4260105 U-type armrests, detachable, flip-back, height-adjustable, N/C 140.00 from 25.4 cm (10 in.) to 35.6 cm (14 in.), bort, long N/C 200.00 4260121 T-type armrests, detachable, height-adjustable, from 0 cm N/C 12.00		55.9 cm (22 in.)		
426007 safety belt, airplane-type 34.00 74.00 4260014 headrest hammock 75.00 75.00 4260022 headrest, contoured, nylon, leatherette 105.00 105.00 4260055 headrest mounting, articulated 120.00 120.00 4260063 headrest mounting, uniball 135.00 135.00 4260470 back tension bar 69.00 69.00 4260449 back tension bar with headrest mounting bracket 99.00 99.00 4260451 push handles integrated into backposts N/C N/A 4260452 push handles, bolt-on, directional N/C 99.00 +4260683 lowered seating, 30.5 cm (12 in.), HSS 81.00 81.00 Armrests: 4260105 U-type armrests, detachable, flip-back, height-adjustable, from 0 cm N/C 140.00 from 25.4 cm (10 in.) to 35.6 cm (14 in.), long N/C 140.00 4260121 T-type armrests, detachable, height-adjustable, from 0 cm N/C 200.00 (0 in.) to 35.6 cm (14 in.), long N/C 15.00 4260139 armrest pads, straight, long N/C N/C N/C		* * * * * * * * * * * * * * * * * * * *		
4260014 headrest hammock 75.00 75.00 4260022 headrest, contoured, nylon, leatherette 105.00 105.00 4260065 beadrest mounting, articulated 120.00 120.00 4260063 headrest mounting, uniball 135.00 135.00 4260477 back tension bar 69.00 69.00 4260469 back tension bar with headrest mounting bracket 99.00 99.00 4260441 push handles integrated into backposts N/C N/A 4260451 push handles, bolt-on, directional N/C 99.00 +4260483 lowered seating, 30.5 cm (12 in.), HSS 81.00 81.00 Armrests: 4260105 U-type armrests, detachable, flip-back, height-adjustable, from 0 cm from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long N/C 140.00 4260121 T-type armrests, detachable, height-adjustable, from 0 cm (0 in.) to 35.6 cm (14 in.), long N/C 20.00 4260147 armrest pads, straight, short N/C 15.00 4260159 armrest pads, straight, long N/C 15.00 4260162 clothing guards, rigid N/C N/C N/C N/A 4260161 modification of U-type armrest height, less than 25.4 cm (10 in.) 79.00 N/A 4260161 m		• • • • • • • • • • • • • • • • • • • •		
4260022 headrest, contoured, nylon, leatherette 105.00 105.00 4260055 headrest mounting, articulated 120.00 120.00 4260047 back tension bar 69.00 69.00 4260475 back tension bar with headrest mounting bracket 99.00 99.00 4260469 back tension bar with headrest mounting bracket 99.00 99.00 4260444 push handles integrated into backposts N/C N/A 4260451 push handles, bolt-on, directional N/C 99.00 +4260683 lowered seating, 30.5 cm (12 in.), HSS 81.00 81.00 Armrests: 4260105 U-type armrests, detachable, flip-back, height-adjustable, from 0 cm (0 in.) to 35.6 cm (14 in.), short, long N/C 200.00 4260121 T-type armrests, detachable, height-adjustable, from 0 cm (0 in.) to 35.6 cm (14 in.), long N/C 12.00 4260139 armrest pads, straight, short N/C N/C N/A 4260162 clothing guards, rigid N/C N/A 4260154 modification of U-type armrest height, less than 25.4 cm (79.00 N/A 42601554 modification of U-type armrest height, less than				
4260055 headrest mounting, articulated 120.00 120.00 4260063 headrest mounting, uniball 135.00 135.00 4260477 back tension bar 69.00 69.00 4260449 back tension bar with headrest mounting bracket 99.00 99.00 4260444 push handles integrated into backposts N/C N/A 4260451 push handles, bolt-on, directional N/C 99.00 +4260683 lowered seating, 30.5 cm (12 in.), HSS 81.00 81.00 Armrests: 4260105 U-type armrests, detachable, flip-back, height-adjustable, from 0 cm (0 in.) to 35.6 cm (14 in.), long N/C 200.00 4260121 T-type armrests, detachable, height-adjustable, from 0 cm (0 in.) to 35.6 cm (14 in.), long N/C 200.00 4260139 armrest pads, straight, short N/C 12.00 4260142 armrest pads, straight, long N/C 15.00 4260153 modification of U-type armrest height, less than 25.4 cm (79.00 N/A 4260154 modification of U-type armrest height, less than 25.4 cm (79.00 N/A 4260155 60° footrests, tapered, detachable, swingaway, lengthadjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)				
4260063 headrest mounting, uniball 135.00 135.00 4260477 back tension bar 69.00 69.00 4260469 back tension bar with headrest mounting bracket 99.00 99.00 4260441 push handles integrated into backposts N/C N/A 4260451 push handles, bolt-on, directional N/C 99.00 +4260683 lowered seating, 30.5 cm (12 in.), HSS 81.00 81.00 Armrests: 4260105 U-type armrests, detachable, flip-back, height-adjustable, from 0 cm (0 in.) to 35.6 cm (14 in.), short, long N/C 140.00 4260121 T-type armrests, detachable, height-adjustable, from 0 cm (0 in.) to 35.6 cm (14 in.), long N/C 200.00 4260147 armrest pads, straight, short N/C 12.00 4260139 armrest pads, straight, long N/C 15.00 4260162 clothing guards, rigid N/C N/A 4260154 modification of U-type armrest height, less than 25.4 cm (10 in.) 79.00 N/A 4260159 U-type armrest extension, 7.6 cm (3 in.) 39.00 N/A 4260170 60° footrests, tapered, detachable, swingaway, lengthadjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) N/C 84.00 4260188 70° footrests, tapered, detachable, swingaway, lengthadjustable, from 35.6 cm (14 in.) to 4				
4260477 back tension bar 69.00 69.00 4260469 back tension bar with headrest mounting bracket 99.00 99.00 4260444 push handles integrated into backposts N/C N/A 4260451 push handles, bolt-on, directional N/C 99.00 +4260683 lowered seating, 30.5 cm (12 in.), HSS 81.00 81.00 Armrests: 4260105 U-type armrests, detachable, flip-back, height-adjustable, from 0 cm (0 in.) to 35.6 cm (14 in.), short, long N/C 200.00 4260121 T-type armrests, detachable, height-adjustable, from 0 cm (0 in.) to 35.6 cm (14 in.), long N/C 200.00 4260147 armrest pads, straight, short N/C 12.00 4260149 armrest pads, straight, long N/C 15.00 4260154 modification of U-type armrest height, less than 25.4 cm (79.00 N/A 4260154 modification of U-type armrest height, less than 25.4 cm (79.00 N/A 4260169 U-type armrest extension, 7.6 cm (3 in.) 39.00 N/A Footrests: 4260170 60° footrests, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) N/C				
4260469 back tension bar with headrest mounting bracket 99.00 99.00 4260444 push handles integrated into backposts N/C N/A 4260451 push handles, bolt-on, directional N/C 99.00 +4260683 lowered seating, 30.5 cm (12 in.), HSS 81.00 81.00 Armrests: 4260105 U-type armrests, detachable, flip-back, height-adjustable, from 0 cm (0 in.) to 35.6 cm (14 in.), short, long N/C 200.00 4260121 T-type armrests, detachable, height-adjustable, from 0 cm (0 in.) to 35.6 cm (14 in.), long N/C 12.00 4260147 armrest pads, straight, short N/C 12.00 4260139 armrest pads, straight, long N/C 15.00 4260162 clothing guards, rigid N/C N/A 4260154 modification of U-type armrest height, less than 25.4 cm (10 in.) 79.00 N/A +4260691 U-type armrest extension, 7.6 cm (3 in.) 39.00 N/A Footrests: 4260170 60° footrests, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) N/C 84.00 4260188 70° footrests, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) N/C 84.00 4260196 60°, 70° footrests, parallel, detachable, swingaway, leng		G.		
4260444 push handles integrated into backposts N/C N/A 4260451 push handles, bolt-on, directional N/C 99.00 +4260683 lowered seating, 30.5 cm (12 in.), HSS 81.00 81.00 Armrests: 4260105 U-type armrests, detachable, flip-back, height-adjustable, from 0 cm (0 in.) to 35.6 cm (14 in.), long N/C 140.00 4260121 T-type armrests, detachable, height-adjustable, from 0 cm (0 in.) to 35.6 cm (14 in.), long N/C 200.00 4260147 armrest pads, straight, short N/C 12.00 4260139 armrest pads, straight, long N/C 15.00 4260162 clothing guards, rigid N/C N/A 4260154 modification of U-type armrest height, less than 25.4 cm (79.00 N/A +4260691 U-type armrest extension, 7.6 cm (3 in.) 39.00 N/A 4260170 60° footrests, tapered, detachable, swingaway, lengthadjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) N/C 84.00 4260188 70° footrests, tapered, detachable, swingaway, lengthadjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) N/C 84.00 4260196 60°, 70° footrests, parallel, detachable, swingaway, lengthadjustable, not expressed.				
4260451 push handles, bolt-on, directional N/C 99.00 +4260683 lowered seating, 30.5 cm (12 in.), HSS 81.00 81.00 Armrests: 4260105 U-type armrests, detachable, flip-back, height-adjustable, from 0 cm from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long N/C 140.00 4260121 T-type armrests, detachable, height-adjustable, from 0 cm (0 in.) to 35.6 cm (14 in.), long N/C 200.00 4260147 armrest pads, straight, short N/C 12.00 4260139 armrest pads, straight, long N/C 15.00 4260162 clothing guards, rigid N/C N/A 4260154 modification of U-type armrest height, less than 25.4 cm (79.00 N/A 4260150 U-type armrest extension, 7.6 cm (3 in.) 39.00 N/A Footrests: 4260170 60° footrests, tapered, detachable, swingaway, lengthadjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) N/C 84.00 4260188 70° footrests, tapered, detachable, swingaway, lengthadjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) N/C 84.00 4260196 60°, 70° footrests, parallel, detachable, swingaway, lengthadjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) N/C		_		
4260683 lowered seating, 30.5 cm (12 in.), HSS 81.00 81.00 Armrests: 4260105 U-type armrests, detachable, flip-back, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long N/C 140.00 4260121 T-type armrests, detachable, height-adjustable, from 0 cm (0 in.) to 35.6 cm (14 in.), long N/C 200.00 4260147 armrest pads, straight, short N/C 12.00 4260139 armrest pads, straight, long N/C 15.00 4260162 clothing guards, rigid N/C N/A 4260154 modification of U-type armrest height, less than 25.4 cm (10 in.) 79.00 N/A +4260691 U-type armrest extension, 7.6 cm (3 in.) 39.00 N/A Footrests: 4260170 60° footrests, tapered, detachable, swingaway, lengthadjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) 4260188 70° footrests, tapered, detachable, swingaway, lengthadjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) N/C 84.00 4260196 60°, 70° footrests, parallel, detachable, swingaway, length N/C 84.00				
Armrests: 4260105 U-type armrests, detachable, flip-back, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long 4260121 T-type armrests, detachable, height-adjustable, from 0 cm (0 in.) to 35.6 cm (14 in.), long 4260147 armrest pads, straight, short N/C 12.00 4260139 armrest pads, straight, long N/C 15.00 4260162 clothing guards, rigid N/C N/A 4260154 modification of U-type armrest height, less than 25.4 cm (79.00 N/A (10 in.)) +4260691 U-type armrest extension, 7.6 cm (3 in.) 39.00 N/A Footrests: 4260170 60° footrests, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) 4260188 70° footrests, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) 4260196 60°, 70° footrests, parallel, detachable, swingaway, length-N/C 84.00 4260196 60°, 70° footrests, parallel, detachable, swingaway, length-N/C 84.00		•		
4260105 U-type armrests, detachable, flip-back, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long N/C 140.00 4260121 T-type armrests, detachable, height-adjustable, from 0 cm (0 in.) to 35.6 cm (14 in.), long N/C 200.00 4260147 armrest pads, straight, short N/C 12.00 4260139 armrest pads, straight, long N/C 15.00 4260162 clothing guards, rigid N/C N/A 4260154 modification of U-type armrest height, less than 25.4 cm (10 in.) 79.00 N/A +4260691 U-type armrest extension, 7.6 cm (3 in.) 39.00 N/A Footrests: 4260170 60° footrests, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) N/C 84.00 4260188 70° footrests, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) N/C 84.00 4260196 60°, 70° footrests, parallel, detachable, swingaway, length-N/C N/C 84.00	+4260683	lowered seating, 30.5 cm (12 in.), HSS	81.00	81.00
from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long 4260121 T-type armrests, detachable, height-adjustable, from 0 cm (0 in.) to 35.6 cm (14 in.), long 4260147 armrest pads, straight, short N/C 12.00 4260139 armrest pads, straight, long N/C 15.00 4260162 clothing guards, rigid N/C N/A 4260154 modification of U-type armrest height, less than 25.4 cm (10 in.) +4260691 U-type armrest extension, 7.6 cm (3 in.) 39.00 N/A Footrests: 4260170 60° footrests, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) 4260188 70° footrests, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) 4260196 60°, 70° footrests, parallel, detachable, swingaway, length-	<i>126</i> 0105		N/C	140.00
4260121 T-type armrests, detachable, height-adjustable, from 0 cm (0 in.) to 35.6 cm (14 in.), long N/C 200.00 4260147 armrest pads, straight, short N/C 12.00 4260139 armrest pads, straight, long N/C 15.00 4260162 clothing guards, rigid N/C N/A 4260154 modification of U-type armrest height, less than 25.4 cm (10 in.) 79.00 N/A +4260691 U-type armrest extension, 7.6 cm (3 in.) 39.00 N/A Footrests: 4260170 60° footrests, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) N/C 84.00 4260188 70° footrests, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) N/C 84.00 4260196 60°, 70° footrests, parallel, detachable, swingaway, length-N/C N/C 84.00	4200105		N/C	140.00
(0 in.) to 35.6 cm (14 in.), long 4260147 armrest pads, straight, short 4260139 armrest pads, straight, long 4260162 clothing guards, rigid 4260154 modification of U-type armrest height, less than 25.4 cm (10 in.) +4260691 U-type armrest extension, 7.6 cm (3 in.) Footrests: 4260170 60° footrests, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) 4260188 70° footrests, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) 4260196 60°, 70° footrests, parallel, detachable, swingaway, length-	4260121		N/C	200.00
4260147 armrest pads, straight, short N/C 12.00 4260139 armrest pads, straight, long N/C 15.00 4260162 clothing guards, rigid N/C N/A 4260154 modification of U-type armrest height, less than 25.4 cm (10 in.) 79.00 N/A Footrests: 4260170 60° footrests, tapered, detachable, swingaway, lengthadjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) N/C 84.00 4260188 70° footrests, tapered, detachable, swingaway, lengthadjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) N/C 84.00 4260196 60°, 70° footrests, parallel, detachable, swingaway, lengthadjustable, swingaway, lengthadjust	4200121		IV/C	200.00
4260139 armrest pads, straight, long N/C 15.00 4260162 clothing guards, rigid N/C N/A 4260154 modification of U-type armrest height, less than 25.4 cm (10 in.) 79.00 N/A +4260691 U-type armrest extension, 7.6 cm (3 in.) 39.00 N/A Footrests: 4260170 60° footrests, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) N/C 84.00 4260188 70° footrests, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) N/C 84.00 4260196 60°, 70° footrests, parallel, detachable, swingaway, length-N/C N/C 84.00	4260147		N/C	12.00
4260162 clothing guards, rigid N/C N/A 4260154 modification of U-type armrest height, less than 25.4 cm (10 in.) 79.00 N/A +4260691 U-type armrest extension, 7.6 cm (3 in.) 39.00 N/A Footrests: 4260170 60° footrests, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) N/C 84.00 4260188 70° footrests, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) N/C 84.00 4260196 60°, 70° footrests, parallel, detachable, swingaway, length-N/C 84.00				
4260154 modification of U-type armrest height, less than 25.4 cm (10 in.) 79.00 N/A (10 in.) +4260691 U-type armrest extension, 7.6 cm (3 in.) 39.00 N/A Footrests: 4260170 60° footrests, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) N/C 84.00 4260188 70° footrests, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) N/C 84.00 4260196 60°, 70° footrests, parallel, detachable, swingaway, length-N/C 84.00				
(10 in.) +4260691 U-type armrest extension, 7.6 cm (3 in.) Footrests: 4260170 60° footrests, tapered, detachable, swingaway, lengthadjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) 4260188 70° footrests, tapered, detachable, swingaway, lengthadjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) 4260196 60°, 70° footrests, parallel, detachable, swingaway, length N/C 84.00				
Footrests: 4260170 60° footrests, tapered, detachable, swingaway, lengthadjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) N/C 84.00 4260188 70° footrests, tapered, detachable, swingaway, lengthadjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) N/C 84.00 4260196 60°, 70° footrests, parallel, detachable, swingaway, length N/C 84.00	4200154	7.2	77.00	1771
426017060° footrests, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)N/C84.00426018870° footrests, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)N/C84.00426019660°, 70° footrests, parallel, detachable, swingaway, length-N/C84.00	+4260691		39.00	N/A
adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) 4260188 70° footrests, tapered, detachable, swingaway, length- adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) 4260196 60°, 70° footrests, parallel, detachable, swingaway, length- N/C 84.00				
adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) 4260196 60°, 70° footrests, parallel, detachable, swingaway, length- N/C 84.00	4260170		N/C	84.00
4260196 60°, 70° footrests, parallel, detachable, swingaway, length- N/C 84.00	4260188		N/C	84.00
	4260196	60°, 70° footrests, parallel, detachable, swingaway, length-	N/C	84.00

4260204	90° footrests, parallel, detachable, swingaway, length-	86.00	127.00
4260212	adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) elevating legrests, length-adjustable, from 35.6 cm (14 in.)	214.00	191.00
4260220	to 48.3 cm (19 in.) elevating legrests with compensating mechanism, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)	234.00	201.00
4260246	padded calfrests	N/C	20.00
	contoured calfrests	60.00	50.00
	double calf strap	55.00	55.00
	folding footplates, standard	N/C	27.00
	folding footplates oversized, aluminum	44.00	49.00
	footplates, angle and depth-adjustable, standard size	N/C	65.00
	oversized footplates, angle and depth-adjustable	N/C	68.00
	full-width footplate, angle and depth-adjustable	168.00	222.00
	heel loops, adjustable	N/C	14.00
	toe loops	30.00	15.00
	modification of footrest or legrest length, – than 35.6 cm	79.00	N/A
	(14 in.), + than 48.3 cm (19 in.)		
4260329	front impact guards with rollers	36.00	18.00
	Frame:		
4260394	anti-tip rollers	N/C	46.00
	tie-down points for transport	N/C	N/A
	rocker device	N/C	N/A
	cane holder	40.00	40.00
	flared frame	95.00	N/A
	Drive systems:		
4260352	smooth handrims	N/C	54.00
4260378	plastic-coated handrims	62.00	85.00
	non-slip handrims	88.00	98.00
+4260717	handrims, 1.3 cm (½ in.) closer	N/C	N/A
	Wheel locks:		
4260485	standard wheel locks, push-to-lock, pull-to-lock	N/C	53.00
4260527	foot-activated wheel locks	N/C	N/A
4260493	wheel lock extensions, retractable	40.00	20.00
4260501	wheel lock extensions, fixed	40.00	20.00
4260519	anti-rollback brakes	86.00	43.00
	Wheels:		
4260550	rear mag wheels, solid tires, 30.5 cm (12 in.)	N/C	117.00
	rear mag wheels, solid tires, 50.8 cm (20 in.), 55.9 cm	N/C	133.00
	(22 in.), 61.0 cm (24 in.)	3	
+4260733	rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.),	N/C	133.00
	55.9 cm (22 in.), 61.0 cm (24 in.)		
4260568		N/C	81.00

4260576	spoked rear wheels, semi-pneumatic tires, 50.8 cm (20 in.),	N/C	81.00
	55.9 cm (22 in.), 61.0 cm (24 in.)		
4260584	front wheels, solid tires, 15.2 cm (6 in.), 17.8 cm (7 in.) X	N/C	39.00
	2.5 cm (1 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)		
4260600	front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X	N/C	60.00
	3.8 cm (1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.), 20.3 cm		
	(8 in.) X 3.8 cm (1½ in.)		
	Forks:		
4260535	high forks	N/C	38.00
	Rear axles:		
4260543	threaded axles	N/C	5.00
	Non S.C. components for which supporting document		
	must be kept on file:		
4260642	spoke guards	114.00	57.00
	quick-release axles	N/C	44.00
	dynamic back	N/C	N/A
	power tilt, 35°	179.00	646.00
	central propulsion configuration	N/C	N/A
	Component under Special Consideration:		
4260634	reclining back *	269.00	269.00

SUPPLIER: LES ÉQUIPEMENTS ADAPTÉS PHYSIPRO INC.

PRICE 1,855.00

4270005 POSITIONING BASE, ADULT X = ACT MODEL

Basic Components

Body support system

- folding back, angle-adjustable
- back height: from 50.8 cm (20 in.) to 61.0 cm (24 in.)
- seat height: from 35.6 cm (14 in.) to 50.8 cm (20 in.)
- seat width: from 38.1 cm (15 in.) to 50.8 cm (20 in.)
- seat depth: from 40.6 cm (16 in.) to 55.9 cm (22 in.)
- safety belt, auto-type, 5.1 cm (2 in.)
- push handles integrated into backposts
- raised extension for push handles

Armrests

- T-type armrests, height-adjustable, from 20.3 cm (8 in.) to 35.6 cm (14 in.), short, long
- armrest pads, straight, short, long
- clothing guards, rigid

Footrests

- 60°, 70°, 75° footrests, parallel, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)
- padded calfrests for elevating legrests
- folding footplates, standard
- heel loops, adjustable

Frame

- anti-tip rollers
- tie-down points for transport
- rocker device, from -5° to $+35^{\circ}$

Drive, brake, wheel, fork, and axle systems

- handrims, smooth, plastic-coated
- standard wheel locks, push-to-lock
- foot-activated rear wheel locks
- rear mag wheels, solid tires, 30.5 cm (12 in.), 40.6 cm (16 in.), 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- rear mag wheels, standard pressure, 30.5 cm (12 in.), 40.6 cm (16 in.), 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- spoked rear wheels, solid tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- spoked rear wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)

- front wheels, solid tires, 12.7 cm (5 in.), 15.2 cm (6 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)
- front wheels, solid tires, 20.3 cm (8 in.) X 3.2 cm (1¹/₄ in.)
- front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 5.1 cm (2 in.), 15.2 cm (6 in.) X 2.5 cm (1 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)
- front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm (1¹/₄ in.), 20.3 cm (8 in.) X 3.2 cm (1¹/₄ in.), 20.3 cm (8 in.) X 4.4 cm (1³/₄ in.)
- standard forks
- threaded rear axle
- plates and anchoring for rear wheels, 50.8 cm (20 in.), 55.9 cm (22 in.),
 61.0 cm (24 in.)

Updated: February 16, 2016 355

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	Basic and Optional Components		
	Body support system		
	Seat and back:		
4270260	folding back, angle-adjustable	N/C	N/A
	safety belt, auto-type, 5.1 cm (2 in.)	N/C	51.00
4270203	tension bar with headrest mounting bracket	124.00	124.00
4270211	push handles integrated into backposts	N/C	145.00
4270229	raised extension for push handles	N/C	228.00
	Armrests:		
4270021	T-type armrests, height-adjustable, from 20.3 cm (8 in.) to	N/C	196.00
1270021	35.6 cm (14 in.), short, long	11/0	170.00
4270039	armrest pads, straight, short	N/C	28.00
	armrest pads, straight, long	N/C	30.00
	clothing guards, rigid	N/C	16.00
4270062	Footrests:	N/C	105.00
42/0062	60°, 70°, 75° footrests, parallel, detachable, swingaway,	N/C	105.00
4270070	length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)	62.00	126.00
42/00/0	90° footrests, parallel, detachable, swingaway, length-	62.00	136.00
4270000	adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.) elevating legrests, length-adjustable, from 30.5 cm (12 in.)	160.00	185.00
4270000	to 45.7 cm (18 in.)	100.00	165.00
±4270468	elevating legrests with compensating mechanism, length-	210.00	210.00
T4270400	adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)	210.00	210.00
4270328	padded calfrests for elevating legrests	N/C	32.00
	contoured calfrests	36.00	50.00
	single calf strap	45.00	45.00
	double calf strap	58.00	58.00
	H-shaped calf strap	47.00	47.00
	single calf strap, padded	84.00	84.00
	double calf strap, padded	100.00	100.00
	folding footplates, standard	N/C	55.00
	footplates, angle and depth-adjustable, standard size	48.00	79.00
4270187	oversized footplates, angle and depth-adjustable	80.00	95.00
	full-width footplate, angle and depth-adjustable	90.00	200.00
	heel loops, adjustable	N/C	14.00
4270153	toe loops	20.00	24.00
4270195	front impact guards with rollers	84.00	42.00
	Frame:		
4270245	growth kit: siderails for depth	156.00	156.00
	anti-tip rollers	N/C	45.00

		•	,
4270237	tie-down points for transport	N/C	35.00
	rocker device, from -5° to +35°	N/C	N/A
	Duivo avatamas		
±4270492	Drive systems: smooth handrims	N/C	47.00
	plastic-coated handrims	N/C	85.00
	non-slip handrims	76.00	85.00
	1		
	Wheel locks:		
	standard wheel locks, push-to-lock	N/C	58.00
	foot-activated rear wheel locks	N/C	158.00
4270294	wheel lock extension	36.00	18.00
	Wheels:		
4270344	rear mag wheels, solid tires, 30.5 cm (12 in.), 40.6 cm	N/C	102.00
	(16 in.)		
	rear mag wheels, solid tires, 50.8 cm (20 in.)	N/C	130.00
+4270534	rear mag wheels, solid tires, 55.9 cm (22 in.), 61.0 cm	N/C	122.00
40=000	(24 in.)) Y (G	100.00
4270336	rear mag wheels, standard pressure, 30.5 cm (12 in.),	N/C	102.00
14270542	40.6 cm (16 in.) rear mag wheels, standard pressure, 50.8 cm (20 in.)	N/C	130.00
	rear mag wheels, standard pressure, 50.9 cm (20 in.)	N/C	122.00
1121000	61.0 cm (24 in.)	14.0	122.00
+4270567	spoked rear wheels, solid tires, 50.8 cm (20 in.)	N/C	132.00
+4270575	spoked rear wheels, solid tires, 55.9 cm (22 in.), 61.0 cm	N/C	125.00
	(24 in.)		
	spoked rear wheels, standard pressure, 50.8 cm (20 in.)	N/C	132.00
+4270591	spoked rear wheels, standard pressure, 55.9 cm (22 in.),	N/C	125.00
1270395	61.0 cm (24 in.) front wheels, solid tires, 12.7 cm (5 in.), 15.2 cm (6 in.),	N/C	40.00
4270303	20.3 cm (8 in.) X 2.5 cm (1 in.)	N/C	40.00
+4270609	front wheels, solid tires, 20.3 cm (8 in.) X 3.2 cm (1½ in.)	N/C	58.00
	front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X	N/C	40.00
	5.1 cm (2 in.), 15.2 cm (6 in.) X 2.5 cm (1 in.), 20.3 cm		
	(8 in.) X 2.5 cm (1 in.)		
4270401	, ,	56.00	68.00
4270277	5.1 cm (2 in.)	N/C	58.00
42/03//	front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm (1¼ in.), 20.3 cm (8 in.) X 3.2 cm (1¼ in.), 20.3 cm (8 in.)	N/C	38.00
	X 4.4 cm (1 ³ / ₄ in.)		
4270369	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm	56.00	68.00
	(2 in.)		
4250425	Forks:	NI/C	50.00
4270427	standard forks forks compatible with 20.3 cm (8 in) V 5.1 cm (2 in) front	N/C	59.00
44/0419	forks compatible with 20.3 cm (8 in.) X 5.1 cm (2 in.) front wheels	22.00	70.00
	WIICOID		

	Rear axles:		
+4270617	threaded rear axle	N/C	7.00
+4270625	plates and anchorages for 50.8 cm (20 in.), 55.9 cm	N/C	83.00
	(22 in.), 61.0 cm (24 in.) rear wheels		
	Non S.C. components for which supporting document		
	must be kept on file:		
+4270633	spoke guards	100.00	50.00
4270435	quick-release axles	78.00	46.00
4270443	heavy-duty frame	280.00	N/A
	Component under Special Consideration:		
4270450	reclining back *	295.00	295.00

SUPPLIER: HANDICARE INC.

PRICE

+4286100 POSITIONING BASE, ADULT IBIS X SERIE MODEL

1,839.00

Basic Components

Body support system

- folding back, angle-adjustable
- back height: $52.1 \text{ cm} (20\frac{1}{2} \text{ in.}), 57.2 \text{ cm} (22\frac{1}{2} \text{ in.})$
- seat height: from 31.8 cm (12½ in.) to 47.0 cm (18½ in.)
- seat widths: 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.)
- seat depths: 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.)
- safety belt, auto-type
- push handles integrated into backposts
- back tension bar

Armrests

- T-type armrests, height-adjustable, from 17.8 cm (7 in.) to 27.9 cm (11 in.), with pad, short, long
- T-type armrests, height-adjustable, from 17.8 cm (7 in.) to 27.9 cm (11 in.), with P (propulsion) pad, long
- armrest pads, straight, short, long
- armrest pads P (propulsion), long
- clothing guards, rigid

Footrests

- 65° footrests, parallel, detachable, swingaway, length-adjustable, from 38.7 cm (15¼ in.) to 50.2 cm (19¾ in.)
- padded calfrests
- footplates, angle and depth-adjustable, standard size
- heel loops, fixed
- heel loops, adjustable

Frame

- anti-tip rollers
- tie-down points for transport
- standard frame, 124.7 kg (275 lb) capacity
- rocker device, 85° to 125°
- array to limit the degree of tilt/uplift

Drive, brake, wheel, fork, and axle systems

- smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- standard wheel locks, push-to-lock
- rear mag wheels, semi-pneumatic tires, 30.5 cm (12 in.), 40.6 cm (16 in.),

50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)

- front wheels, semi-pneumatic tires, 17.8 cm (7 in.) X 4.4 cm (13/4 in.)
- standard forks
- threaded axles

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	Basic and Optional Components		
	Body support system		
	Seat and back:		
	folding back, angle-adjustable	N/C	N/A
	rigid seat, flat	60.00	60.00
	safety belt, auto-type	N/C	31.00
	headrest, small	84.00	99.00
	headrest, one-side	90.00	105.00
	headrest, full-width	98.00	111.00
	headrest, small compensating	125.00	147.00
	headrest, side compensating	135.00	153.00
	headrest, full-width compensating	145.00	159.00
	back tension bar	N/C	N/A
+4286217	push handles integrated into backposts	N/C	N/A
	Armrests:		
+4286225	T-type armrests, height-adjustable, from 17.8 cm (7 in.) to	N/C	92.00
. 1200220	27.9 cm (11 in.), with pads, short, long	1,, 0	72. 00
+4286233	T-type armrests, height-adjustable, from 17.8 cm (7 in.) to	N/C	100.00
. 1200200	27.9 cm (11 in.), with P (propulsion) pads, long	- " -	
+4286241	armrest pads, straight, short, long	N/C	45.00
	armrest pads P (propulsion), long	N/C	48.00
	clothing guards, rigid	N/C	10.00
	clothing guards, padded (hip protector)	36.00	28.00
. 429.6292	Footrests:	N/C	106.00
+4286282		N/C	106.00
. 420.6200	adjustable, from 38.7 cm (15¼ in.) to 50.2 cm (19¾ in.)	220.00	220.00
+4286290	elevating legrests with compensating mechanism, with	228.00	220.00
. 420/200	calfrests, from 38.7 cm (151/4 in.) to 50.2 cm (193/4 in.)	N/C	25.00
	padded calfrests	N/C 25.00	35.00 25.00
	single calf strap	23.00 N/C	59.00
	footplates, angle and depth-adjustable, standard size heel loops, fixed	N/C	15.00
	heel loops, adjustable	N/C	15.00
	modification of length of elevating footrests and legrests,	123.00	123.00
T 4 20033/	by more than 10 cm (3.9 in.)	123.00	123.00
±4286365	platform elevating footrests with padded calfrests	58.00	270.00
	knee protectors	40.00	40.00
	Frame:		
	anti-tip rollers	N/C	52.00
+4286399	tie-down points for adapted transport	N/C	N/A

+4286415 +4286423	standard frame, 124.7 kg (275 lb) capacity heavy-duty frame, 158.8 kg (350 lb) capacity rocker device, 85° to 125° array to limit degree of tilt/up-lift	N/C 122.00 N/C N/C	N/A N/A N/A 3.00
+4286449 +4286456	Drive systems: smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.) plastic-coated handrims, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C 55.00	36.00 68.00
	Wheel locks: standard wheel locks, push-to-lock wheel lock extensions	N/C 38.00	39.00 19.00
+4286498 +4286506	Wheels: rear mag wheels, semi-pneumatic tires, 30.5 cm (12 in.) rear mag wheels, semi-pneumatic tires, 40.6 cm (16 in.) rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.) front wheels, semi-pneumatic tires, 17.8 cm (7 in.) X 4.4 cm (1¾ in.)	N/C N/C N/C	80.00 90.00 107.00 36.00
+4286522	Forks: standard forks	N/C	35.00
+4286530	Rear axles: threaded axles	N/C	19.00
+4286548	Non S.C. components for which supporting document must be kept on file: quick-release axles	45.00	45.00
+4286555	Component under Special Consideration: reclining back, with lever handle *	159.00	N/A

SUPPLIER: PRODUCT DESIGN GROUP INC.

PRICE

4295002 POSITIONING BASE, ADULT STELLAR MODEL

1,810.00

Basic Components

Body support system

- back, folding and angle-adjustable, from 90° to 120°
- back height: from 50.8 cm (20 in.) to 78.7 cm (31 in.)
- seat height: from 35.6 cm (14 in.) to 50.8 cm (20 in.)
- seat width: from 35.6 cm (14 in.) to 50.8 cm (20 in.)
- seat depth: from 40.6 cm (16 in.) to 50.8 cm (20 in.)
- safety belt, auto-type
- push handles integrated into backposts
- push bar, adjustable

Armrests

- U-type armrests, height-adjustable, short, long
- U-type armrests, fixed height, 30.5 cm (12 in.), short, long
- T-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long
- I-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long
- armrest pads, straight, short, long
- clothing guards, rigid

Footrests

- 60°, 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)
- 70° footrests, fixed, parallel, plug-ins, detachable, length-adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)
- folding footplates, standard size, oversized
- footplates, angle and depth-adjustable, standard size, oversized
- heel loops, adjustable

Frame

- anti-tip rollers
- tie-down points for transport
- rocker device
- double gas struts, seat width: from 58.4 cm (23 in.) to 81.3 cm (32 in.)

Drive, brake, wheel, fork, and axle systems

- smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- standard wheel locks, push-to-lock, pull-to-lock
- rear mag wheels, solid tires, contoured urethane, 30.5 cm (12 in.), 40.6 cm (16 in.), 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)

- front wheels, solid tires, 15.2 cm (6 in.), 20.3 cm (8 in.) X 3.2 cm (1¹/₄ in.)
- front wheels, semi-pneumatic tires, 15.2 cm (6 in.) X 2.5 cm (1 in.)
- standard forks
- threaded axles
- quick-release axles

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	Basic and Optional Components		
	Body support system		
	Seat and back:		
	back, folding and angle-adjustable, from 90° to 120°	N/C	N/A
	rigid seat, flat	47.00	47.00
+4295671	modification of back height, from 63.5 cm (25 in.) to 78.7 cm (31 in.)	N/C	109.00
+4295689	modification of seat height, from 35.6 cm (14 in.) to	N/C	40.00
4205077	50.8 cm (20 in.)	70.00	NT/A
4295077	modification of seat width, to 53.3 cm (21 in.) and to	78.00	N/A
4205005	55.9 cm (22 in.) modification of seat depth, to 53.3 cm (21 in.) and to	78.00	78.00
4295085	55.9 cm (22 in.)	/8.00	78.00
1205003	safety belt, auto-type	N/C	20.00
	Stealth headrest, 25.4 cm (10 in.), 35.6 cm (14 in.) pad,	143.00	143.00
4293020	double articulated (depth and height)	143.00	143.00
+4295697	Stealth headrest, 25.4 cm (10 in.), 35.6 cm (14 in.) pad,	183.00	183.00
142/30/1	articulated and uniball	103.00	103.00
+4295705	crossbar for headrest mounting	200.00	200.00
4295036	headrest mounting plate	16.00	16.00
	push handles integrated into backposts	N/C	N/A
	push handles integrated into backposts, with straight canes	40.00	40.00
+4295739	push bar, adjustable	N/C	20.00
	Armrests:		
4295101	U-type armrests, height-adjustable, short, long	N/C	85.00
	U-type armrests, fixed-height at 30.5 cm (12 in.), short,	N/C	85.00
11256717	long	1,, 0	32.00
+4295754	T-type armrests, height-adjustable, from 25.4 cm (10 in.) to	N/C	85.00
	35.6 cm (14 in.), short, long		
4295119	I-type armrests, height-adjustable, from 25.4 cm (10 in.) to	N/C	85.00
	35.6 cm (14 in.), short, long		
4295143	armrest pads, straight, short, long	N/C	12.00
+4295762	armrest pads, 7.6 cm (3 in.), longer	26.00	25.00
	armrest pads, 7.6 cm (3 in.) wide, short, long	76.00	50.00
	clothing guards, rigid	N/C	31.00
4295135	modification of armrest height, from 20.3 cm (8 in.) to	16.00	93.00
	27.9 cm (11 in.), from 30.5 cm (12 in.) to 40.6 cm (16 in.)		
4295127	armrest tube extension, 7.6 cm (3 in.)	40.00	20.00
	Footrests::		
4295176	60°, 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)	N/C	95.00

4295200	70° footrests, fixed, parallel, plug-ins, detachable, length-	N/C	93.00
	adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)		
4295192	70° footrests, narrowed, detachable, swingaway, length-	30.00	110.00
	adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)		
4295218	footrests, fixed, plug-ins, detachable, parallel, angle-	128.00	157.00
4205226	adjustable at knees	260.00	225.00
	elevating legrests	260.00	225.00
	elevating legrests, with compensating mechanism	350.00 30.00	270.00 30.00
	single calf strap folding footplates, standard	N/C	19.00
	oversized footplates	N/C N/C	53.00
	full-width footplate	197.00	235.00
	footplates, angle and depth-adjustable, standard size	N/C	19.00
	footplates, angle and depth-adjustable, oversized	N/C	53.00
	full-width footplate, angle and depth-adjustable	241.00	279.00
	heel loops, adjustable	N/C	34.00
	modification of length, from 38.1 cm (15 in.) to 48.3 cm	20.00	15.00
	(19 in.)		
+4295812	heavy-duty extension tubes	50.00	30.00
	Frame:		
	growth kit, 5.1 cm (2 in.) increase in width	N/A	47.00
	anti-tip rollers	N/C	47.00
	tie-down points for transport	N/C	N/A
	rocker device	N/C	97.00
	rocker device activated by the user and the attendant	62.00	62.00
+4295838	extension to allow user to control tilt/uplift	30.00 270.00	30.00 N/A
+4493030	• heavy-duty frame, double gas struts, 204.1 kg (450 lb) maximum	270.00	IN/A
+4295846		N/C	186.00
T 7 2730 7 0	81.3 cm (32 in.)	14/C	100.00
+4295853		558.00	N/A
142/3033	81.3 cm (32 in.), including double gas struts	330.00	14/21
+4295861		372.00	N/A
1 12/0001	66.0 cm (26 in.), including double gas struts	<i>072.</i> 00	1,171
	colo em (20 m), metading dodole gas sadas		
	Drive systems:		
4295317	<u> </u>	N/C	23.00
	61.0 cm (24 in.)		
4295325	plastic-coated handrims, 50.8 cm (20 in.), 55.9 cm (22 in.),	80.00	63.00
	61.0 cm (24 in.)		
4295333	handrims with vertical projections, 50.8 cm (20 in.),	358.00	202.00
	55.9 cm (22 in.), 61.0 cm (24 in.)		
	Wheel locks:		
4295440	standard wheel locks, push-to-lock, pull-to-lock	N/C	33.00
4295457	wheel lock extensions	38.00	19.00

	Wheels:		
4295572	rear mag wheels, solid tires, contoured urethane, 30.5 cm	N/C	101.00
	(12 in.), 40.6 cm (16 in.), 50.8 cm (20 in.), 55.9 cm		
	(22 in.), 61.0 cm (24 in.)		
4295499	rear mag wheels, standard pressure, inner tube tires,	68.00	135.00
	30.5 cm (12 in.), 40.6 cm (16 in.), 50.8 cm (20 in.),		
	55.9 cm (22 in.), 61.0 cm (24 in.)		
4295614	front wheels, solid tires, 15.2 cm (6 in.)	N/C	97.00
	front wheels, solid tires, 20.3 cm (8 in.) X 3.2 cm (1 ¹ / ₄ in.)	N/C	97.00
4295630	front wheels, semi-pneumatic tires, 15.2 cm (6 in.) X	N/C	97.00
	2.5 cm (1 in.)		
4295622	front wheels, semi-pneumatic tires, 20.3 cm (8 in.) X	16.00	105.00
	5.1 cm (2 in.)		
4295648	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm	30.00	112.00
	(2 in.)		
	Forks:		
4295465	Forks: standard forks	N/C	35.00
4295465	Forks: standard forks	N/C	35.00
4295465		N/C	35.00
	standard forks	N/C	35.00 37.00
	standard forks Rear axles:		
	standard forks Rear axles: threaded axles Non S.C. components for which supporting document		
	standard forks Rear axles: threaded axles Non S.C. components for which supporting document must be kept on file:	N/C	37.00
4295473 4295481	standard forks Rear axles: threaded axles Non S.C. components for which supporting document must be kept on file: quick-release axles	N/C	37.00 45.00
4295473 4295481	Rear axles: threaded axles Non S.C. components for which supporting document must be kept on file: quick-release axles spring backrest	N/C N/C 66.00	37.00 45.00 33.00
4295473 4295481	Rear axles: threaded axles Non S.C. components for which supporting document must be kept on file: quick-release axles spring backrest anti-tippers, heavy-duty, detachable	N/C N/C 66.00 300.00	37.00 45.00 33.00 300.00
4295473 4295481 +4295879	Rear axles: threaded axles Non S.C. components for which supporting document must be kept on file: quick-release axles spring backrest	N/C N/C 66.00	37.00 45.00 33.00
4295473 4295481 +4295879 +4295887	Rear axles: threaded axles Non S.C. components for which supporting document must be kept on file: quick-release axles spring backrest anti-tippers, heavy-duty, detachable dynamic spring footrests	N/C N/C 66.00 300.00	37.00 45.00 33.00 300.00
4295473 4295481 +4295879 +4295887 +4295895	Rear axles: threaded axles Non S.C. components for which supporting document must be kept on file: quick-release axles spring backrest anti-tippers, heavy-duty, detachable	N/C N/C 66.00 300.00	37.00 45.00 33.00 300.00

SUPPLIER: PRODUCT DESIGN GROUP INC.

PRICE

+4296000 POSITIONING BASE, ADULT FUZE T20 / T50 MODEL

1,810.00

Basic Components

Body support system

- back, angle-adjustable, from 90° to 120°
- back height: from 50.8 cm (20 in.) to 63.5 cm (25 in.)
- seat height: from 33.0 cm (13 in.) to 50.8 cm (20 in.)
- seat width: from 33.0 cm (13 in.) to 50.8 cm (20 in.)
- seat depth: from 38.1 cm (15 in.) to 50.8 cm (20 in.)
- safety belt, auto-type
- push bar, adjustable

Armrests

- U-type armrests, height-adjustable, fixed height, 30.5 cm (12 in.), short, long
- T-type armrests, height-adjustable, from 25. 4 cm (10 in.) to 35.6 cm (14 in.), short, long
- I-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long
- armrest pads, straight, short, long
- clothing guards, rigid

Footrests

- 60°, 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)
- 70° footrests, fixed, parallel, plug-ins, detachable, length-adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)
- folding footplates, angle and depth-adjustable, standard size, oversized
- heel loops, adjustable

Frame

- anti-tip rollers
- tie-down points for transport
- rocker device

Drive, brake, wheel, fork, and axle systems

- smooth handrims
- standard wheel locks, push-to-lock, pull-to-lock
- rear mag wheels, solid tires, 30.5 cm (12 in.), 40.6 cm (16 in.), 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- front wheels, solid tires, 12.7 cm (5 in.), 15.2 cm (6 in.), 20.3 cm (8 in.) X 3.2 cm (1¹/₄ in.)
- front wheels, semi-pneumatic tires, 15.2 cm (6 in.) X 2.5 cm (1 in.)
- standard forks

- threaded axles
- quick-release axles

Updated: February 16, 2016 369

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	Basic and Optional Components		
	Body support system		
	Seat and back:		
+4295911	back, angle-adjustable, from 90° to 120°	N/C	N/A
+4295929	rigid seat, flat	47.00	47.00
+4295937	modification of back height, from 50.8 cm (20 in.) to 63.5 cm (25 in.)	N/C	109.00
+4295945	modification of seat height, from 33.0 cm (13 in.) to 50.8 cm (20 in.)	N/C	40.00
+4295952	modification of seat width, from 33.0 cm (13 in.) to 50.8 cm (20 in.)	N/C	78.00
+4295960	modification of seat width, to 53.3 cm (21 in.), to 55.9 cm (22 in.)	78.00	78.00
+4295978	modification of seat depth, from 38.1 cm (15 in.) to 50.8 cm (20 in.)	N/C	78.00
+4295986	modification of seat depth, to 53.3 cm (21 in.), 55.9 cm (22 in.)	78.00	78.00
+4295994	safety belt, auto-type	N/C	20.00
	Stealth headrest, 35.6 cm (14 in.) pad, double articulated (depth and height)	143.00	143.00
	Stealth headrest, 25.4 cm (10 in.) pad, double articulated (depth and height)	143.00	143.00
	Stealth headrest, 35.6 cm (14 in.) pad, articulated, uniball	183.00	183.00
	Stealth headrest, 25.4 cm (10 in.) pad, articulated, uniball	183.00	183.00
	crossbar for headrest mounting	200.00	200.00
	headrest mounting plate	16.00	16.00
	push handles integrated into backposts with straight canes	40.00	40.00
+4296075	push bar, adjustable	N/C	20.00
	Armrests:		
	U-type armrests, height-adjustable, short, long	N/C	85.00
	U-type armrests, fixed height, 30.5 cm (12 in.), short, long	N/C	85.00
	T-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long	N/C	85.00
	I-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long	N/C	85.00
	armrest pads, straight, short, long	N/C	12.00
	armrest pads, 7.6 cm (3 in.) longer	26.00	25.00
	armrest pads, 7.6 cm (3 in.) wide, short, long	76.00	50.00
	clothing guards, rigid	N/C	31.00
	7.6 cm (3 in.) armrest tube extension	40.00	20.00
+4296174	modification of armrest height, from 20.3 cm (8 in.) to 25.4 cm (10 in.), from 30.5 cm (12 in.) to 40.6 cm (16 in.)	16.00	93.00

	Footrests:		
+4296182	60°, 70° footrests, parallel, detachable, swingaway, length-	N/C	95.00
	adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)		
+4296190	70° footrests, fixed, parallel, plug-ins, detachable, length-	N/C	93.00
	adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)		
+4296208	70° footrests, narrowed, detachable, swingaway, length-	30.00	110.00
	adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)		
+4296216	footrests, fixed, plug-ins, detachable, parallel, angle-	128.00	157.00
	adjustable at knees		
	elevating legrests	260.00	225.00
	elevating legrests, with compensating mechanism	350.00	270.00
	single calf strap	30.00	30.00
	full-width footplate	197.00	235.00
	folding footplates, standard, angle and depth-adjustable	N/C	19.00
	oversized footplates, angle and depth-adjustable	N/C	53.00
	full-width footplate, angle and depth-adjustable	241.00	279.00
	heel loops, adjustable	N/C	34.00
+4296307	modification of length, from 38.1 cm (15 in.) to 48.3 cm	20.00	15.00
. 420/215	(19 in.)	50.00	20.00
+4290315	heavy-duty extension tubes	50.00	30.00
	Frame:		
⊥ 4296323	anti-tip rollers	N/C	47.00
	tie-down points for transport	N/C	N/A
	rocker device	N/C	97.00
	rocker device activated by the user and the attendant	62.00	62.00
	extension to allow user to control tilt/uplift T20	30.00	30.00
	Drive systems:		
+4296372	smooth handrims	N/C	23.00
+4296380	plastic-coated handrims	80.00	63.00
+4296398	handrims with vertical projections	358.00	202.00
	Wheel locks:		
	standard wheel locks, push-to-lock, pull-to-lock	N/C	33.00
+4296414	wheel lock extensions	38.00	19.00
	Wheels:		
+4296422	6	N/C	101.00
100<100	(16 in.), 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)		127.00
+4296430	rear mag wheels, standard pressure, 30.5 cm (12 in.),	68.00	135.00
	40.6 cm (16 in.), 50.8 cm (20 in.), 55.9 cm (22 in.),		
. 4207 440	61.0 cm (24 in.)	NI/C	07.00
	front wheels, solid tires, 12.7 cm (5 in.), 15.2 cm (6 in.)	N/C	97.00
	front wheels, solid tires, 20.3 cm (8 in.) X 3.2 cm (1¼ in.)	N/C	97.00
+4 <i>4</i> 7040 <i>3</i>	front wheels, semi-pneumatic tires, 15.2 cm (6 in.) X 2.5 cm (1 in.)	N/C	97.00
±4206471	front wheels, semi-pneumatic tires, 20.3 cm (8 in.) X	16.00	105.00
T44704/1	5.1 cm (2 in.)	10.00	103.00
	J.1 CIII (2 III.)		

+4296489	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)	30.00	112.00
+4296497	Forks: standard forks	N/C	35.00
+4296505	Rear axles: threaded axles	N/C	37.00
	Non S.C. components for which supporting document must be kept on file:		
+4296513	quick-release axles	N/C	45.00
	spring backrest	66.00	33.00
+4296447	heavy-duty frame,158.8 kg (350 lb) maximum	270.00	N/A
+4296454	dynamic spring footrests	60.00	30.00
	Component under Special Consideration:		
+4296539	reclining back 30°, gas strut *	550.00	550.00

SUPPLIER: PRODUCT DESIGN GROUP INC.

PRICE

+4297008 POSITIONING BASE, ADULT BENTLEY MODEL

1,810.00

Basic Components

Body support system

- back, folding and angle-adjustable, from 90° to 120°
- back height: from 50.8 cm (20 in.) to 78.7 cm (31 in.)
- seat height: from 33.0 cm (13 in.) to 50.8 cm (20 in.)
- seat width: from 35.6 cm (14 in.) to 50.8 cm (20 in.)
- seat depth: from 40.6 cm (16 in.) to 50.8 cm (20 in.)
- safety belt, auto-type
- push handles integrated into backposts
- push bar, adjustable

Armrests

- U-type armrests, height-adjustable, short, long
- U-type armrests, fixed height from 30.5 cm (12 in.), short, long
- T-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long
- I-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long
- armrest pads, straight, short, long
- clothing guards, rigid

Footrests

- 70° footrests, fixed, parallel, plug-ins, detachable, length-adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)
- 60°, 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)
- folding footplates, standard, oversized
- footplates, angle and depth-adjustable, standard size, oversized
- heel loops, adjustable

Frame

- anti-tip rollers
- tie-down points for transport
- rocker device
- double gas struts, chair width, from 58.4 cm (23 in.) to 81.3 cm (32 in.)

Drive, brake, wheel, fork, and axle systems

- smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- standard wheel locks, push-to-lock, pull-to-lock
- rear mag wheels, solid tires, contoured urethane, 30.5 cm (12 in.), 40.6 cm (16 in.), 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)

- front wheels, solid tires, 15.2 cm (6 in.), 20.3 cm (8 in.) X 3.2 cm (1¹/₄ in.)
- front wheels, semi-pneumatic tires, 15.2 cm (6 in.) X 2.5 cm (1 in.)
- standard forks
- threaded axles
- quick-release axles

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	Basic and Optional Components		
	Body support system		
	Seat and back:		
+4295663	folding back, angle-adjustable, from 90° to 120°	N/C	N/A
4295010	rigid seat, flat	47.00	47.00
+4296596	modification of back height, from 50.8 cm (20 in.) to	N/C	109.00
	63.5 cm (25 in.), from 63.5 cm (25 in.) to 78.7 cm (31 in.)		
+4296604	modification of seat height, from 33.0 cm (13 in.) to	N/C	40.00
	50.8 cm (20 in.)		
4295077	modification of seat width, to 53.3 cm (21 in.), 55.9 cm	78.00	N/A
	(22 in.)		
+4296620	modification of seat width, from 58.4 cm (23 in.) to	372.00	N/A
	66.0 cm (26 in.)		
+4296638	modification of seat width, from 68.6 cm (27 in.) to	558.00	N/A
	81.3 cm (32 in.)		
4295085	modification of seat depth, to 53.3 cm (21 in.), 55.9 cm	78.00	78.00
	(22 in.)		
	safety belt, auto-type	N/C	20.00
4295028	Stealth headrest, 25.4 cm (10 in.), 35.6 cm (14 in.) pad,	143.00	143.00
	double articulated (depth and height)		
+4295697	Stealth headrest, 25.4 cm (10 in.), 35.6 cm (14 in.) pad,	183.00	183.00
	articulated, uniball		
	crossbar for headrest mounting	200.00	200.00
	headrest mounting plate	16.00	16.00
	push handles integrated into backposts	N/C	N/A
	push handles integrated into backposts, with straight canes	40.00	40.00
+4295739	push bar, adjustable	N/C	20.00
	Armrests:		
	U-type armrests, height-adjustable, short, long	N/C	85.00
	U-type armrests, fixed height, 30.5 cm (12 in.), short, long	N/C	85.00
+4295754	T-type armrests, height-adjustable, from 25.4 cm (10 in.) to	N/C	85.00
4005440	35.6 cm (14 in.), short, long	NIG	0.5.00
4295119	I-type armrests, height-adjustable, from 25.4 cm (10 in.) to	N/C	85.00
1005110	35.6 cm (14 in.), short, long	27/0	10.00
	armrest pads, straight, short, long	N/C	12.00
+4295762	1 , , ,	26.00	25.00
	armrest pads, 7.6 cm (3 in.) long, short, long	76.00	50.00
	clothing guards, rigid	N/C	31.00
	7.6 cm (3 in.) armrest tube extension	40.00	20.00
4295135	modification of armrest height, from 20.3 cm (8 in.) to	16.00	93.00
	27.9 cm (11 in.), from 30.5 cm (12 in.) to 40.6 cm (16 in.)		

	Footrests:		
4295176	60°, 70° footrests, parallel, detachable, swingaway, length-	N/C	95.00
	adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)		
4295200	70° footrests, fixed, plug-ins, detachable, parallel, length-	N/C	93.00
	adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)		
4295192	70° footrests, narrowed, detachable, swingaway, length-	30.00	110.00
	adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)		
4295218	footrests, fixed, plug-ins, detachable, parallel, angle-	128.00	157.00
	adjustable at knees		
	elevating legrests	260.00	225.00
	elevating legrests, with compensating mechanism	350.00	270.00
	single calf strap	30.00	30.00
	folding footplates, standard	N/C	19.00
	oversized footplates	N/C	53.00
	full-width footplate	197.00	235.00
	footplates, angle and depth-adjustable, standard size	N/C	19.00
	oversized footplates, angle and depth-adjustable	N/C	53.00
	full-width footplate, angle and depth-adjustable	241.00	279.00
	heel loops, adjustable	N/C	34.00
+4295804	modification of length, from 38.1 cm (15 in.) to 48.3 cm	20.00	15.00
4005040	(19 in.)	50.00	20.00
+4295812	heavy-duty extension tubes	50.00	30.00
	Frama		
4205341	Frame:	N/C	47.00
	anti-tip rollers	N/C N/C	47.00 N/A
+4295820	anti-tip rollers tie-down points for transport	N/C	N/A
+4295820 +4297032	anti-tip rollers tie-down points for transport back extension, 25.4 cm (10 in.)	N/C 93.00	N/A 93.00
+4295820 +4297032 4295358	anti-tip rollers tie-down points for transport back extension, 25.4 cm (10 in.) rocker device	N/C 93.00 N/C	N/A 93.00 97.00
+4295820 +4297032 4295358 4295366	anti-tip rollers tie-down points for transport back extension, 25.4 cm (10 in.) rocker device rocker device activated by the user and the attendant	N/C 93.00 N/C 62.00	N/A 93.00 97.00 62.00
+4295820 +4297032 4295358 4295366	anti-tip rollers tie-down points for transport back extension, 25.4 cm (10 in.) rocker device rocker device activated by the user and the attendant heavy-duty frame, double gas struts, 204.1 kg (450 lb)	N/C 93.00 N/C	N/A 93.00 97.00
+4295820 +4297032 4295358 4295366 +4295838	anti-tip rollers tie-down points for transport back extension, 25.4 cm (10 in.) rocker device rocker device activated by the user and the attendant heavy-duty frame, double gas struts, 204.1 kg (450 lb) maximum	N/C 93.00 N/C 62.00 270.00	N/A 93.00 97.00 62.00 N/A
+4295820 +4297032 4295358 4295366 +4295838	anti-tip rollers tie-down points for transport back extension, 25.4 cm (10 in.) rocker device rocker device activated by the user and the attendant heavy-duty frame, double gas struts, 204.1 kg (450 lb) maximum double gas struts for wheel chair width, from 58.4 cm	N/C 93.00 N/C 62.00	N/A 93.00 97.00 62.00
+4295820 +4297032 4295358 4295366 +4295838 +4295846	anti-tip rollers tie-down points for transport back extension, 25.4 cm (10 in.) rocker device rocker device activated by the user and the attendant heavy-duty frame, double gas struts, 204.1 kg (450 lb) maximum double gas struts for wheel chair width, from 58.4 cm (23 in.) to 81.3 cm (32 in.)	N/C 93.00 N/C 62.00 270.00	N/A 93.00 97.00 62.00 N/A
+4295820 +4297032 4295358 4295366 +4295838 +4295846	anti-tip rollers tie-down points for transport back extension, 25.4 cm (10 in.) rocker device rocker device activated by the user and the attendant heavy-duty frame, double gas struts, 204.1 kg (450 lb) maximum double gas struts for wheel chair width, from 58.4 cm	N/C 93.00 N/C 62.00 270.00	N/A 93.00 97.00 62.00 N/A
+4295820 +4297032 4295358 4295366 +4295838 +4295846	anti-tip rollers tie-down points for transport back extension, 25.4 cm (10 in.) rocker device rocker device activated by the user and the attendant heavy-duty frame, double gas struts, 204.1 kg (450 lb) maximum double gas struts for wheel chair width, from 58.4 cm (23 in.) to 81.3 cm (32 in.)	N/C 93.00 N/C 62.00 270.00	N/A 93.00 97.00 62.00 N/A
+4295820 +4297032 4295358 4295366 +4295838 +4295846	anti-tip rollers tie-down points for transport back extension, 25.4 cm (10 in.) rocker device rocker device activated by the user and the attendant heavy-duty frame, double gas struts, 204.1 kg (450 lb) maximum double gas struts for wheel chair width, from 58.4 cm (23 in.) to 81.3 cm (32 in.) extension to allow user to control tilt/uplift	N/C 93.00 N/C 62.00 270.00	N/A 93.00 97.00 62.00 N/A
+4295820 +4297032 4295358 4295366 +4295838 +4295846 4295374	anti-tip rollers tie-down points for transport back extension, 25.4 cm (10 in.) rocker device rocker device activated by the user and the attendant heavy-duty frame, double gas struts, 204.1 kg (450 lb) maximum double gas struts for wheel chair width, from 58.4 cm (23 in.) to 81.3 cm (32 in.) extension to allow user to control tilt/uplift Drive systems:	N/C 93.00 N/C 62.00 270.00 N/C 30.00	N/A 93.00 97.00 62.00 N/A 186.00
+4295820 +4297032 4295358 4295366 +4295838 +4295846 4295374	anti-tip rollers tie-down points for transport back extension, 25.4 cm (10 in.) rocker device rocker device activated by the user and the attendant heavy-duty frame, double gas struts, 204.1 kg (450 lb) maximum double gas struts for wheel chair width, from 58.4 cm (23 in.) to 81.3 cm (32 in.) extension to allow user to control tilt/uplift Drive systems: smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.),	N/C 93.00 N/C 62.00 270.00 N/C 30.00 N/C	N/A 93.00 97.00 62.00 N/A 186.00 30.00
+4295820 +4297032 4295358 4295366 +4295838 +4295846 4295374 4295317 +4297107	anti-tip rollers tie-down points for transport back extension, 25.4 cm (10 in.) rocker device rocker device activated by the user and the attendant heavy-duty frame, double gas struts, 204.1 kg (450 lb) maximum double gas struts for wheel chair width, from 58.4 cm (23 in.) to 81.3 cm (32 in.) extension to allow user to control tilt/uplift Drive systems: smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C 93.00 N/C 62.00 270.00 N/C 30.00	N/A 93.00 97.00 62.00 N/A 186.00 30.00
+4295820 +4297032 4295358 4295366 +4295838 +4295846 4295374 4295317 +4297107	anti-tip rollers tie-down points for transport back extension, 25.4 cm (10 in.) rocker device rocker device activated by the user and the attendant heavy-duty frame, double gas struts, 204.1 kg (450 lb) maximum double gas struts for wheel chair width, from 58.4 cm (23 in.) to 81.3 cm (32 in.) extension to allow user to control tilt/uplift Drive systems: smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.) plastic-coated handrims handrims with vertical projections	N/C 93.00 N/C 62.00 270.00 N/C 30.00 N/C	N/A 93.00 97.00 62.00 N/A 186.00 30.00
+4295820 +4297032 4295358 4295366 +4295838 +4295846 4295374 4295317 +4297107 +4297115	anti-tip rollers tie-down points for transport back extension, 25.4 cm (10 in.) rocker device rocker device activated by the user and the attendant heavy-duty frame, double gas struts, 204.1 kg (450 lb) maximum double gas struts for wheel chair width, from 58.4 cm (23 in.) to 81.3 cm (32 in.) extension to allow user to control tilt/uplift Drive systems: smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.) plastic-coated handrims handrims with vertical projections Wheel locks:	N/C 93.00 N/C 62.00 270.00 N/C 30.00 N/C 80.00 358.00	N/A 93.00 97.00 62.00 N/A 186.00 30.00 63.00 202.00
+4295820 +4297032 4295358 4295366 +4295838 +4295846 4295374 4295317 +4297107 +4297115	anti-tip rollers tie-down points for transport back extension, 25.4 cm (10 in.) rocker device rocker device activated by the user and the attendant heavy-duty frame, double gas struts, 204.1 kg (450 lb) maximum double gas struts for wheel chair width, from 58.4 cm (23 in.) to 81.3 cm (32 in.) extension to allow user to control tilt/uplift Drive systems: smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.) plastic-coated handrims handrims with vertical projections Wheel locks:	N/C 93.00 N/C 62.00 270.00 N/C 30.00 N/C	N/A 93.00 97.00 62.00 N/A 186.00 30.00

	Wheels:		
4295572	rear mag wheels, solid tires, contoured urethane, 30.5 cm	N/C	101.00
	(12 in.), 40.6 cm (16 in.), 50.8 cm (20 in.), 55.9 cm		
	(22 in.), 61.0 cm (24 in.)		
+4297156	rear mag wheels, standard pressure, inner tube tires,	68.00	135.00
	30.5 cm (12 in.), 40.6 cm (16 in.), 50.8 cm (20 in.),		
	55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)		
4295614	front wheels, solid tires, 15.2 cm (6 in.)	N/C	97.00
4295606	front wheels, solid tires, 20.3 cm (8 in.) X 3.2 cm (1 ¹ / ₄ in.)	N/C	97.00
4295630	front wheels, semi-pneumatic tires, 15.2 cm (6 in.) X	N/C	97.00
	2.5 cm (1 in.)		
4295622	front wheels, semi-pneumatic tires, 20.3 cm (8 in.) X	16.00	105.00
	5.1 cm (2 in.)		
4295648	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm	30.00	112.00
	(2 in.)		
	Forks:		
4295465	Forks: standard forks	N/C	35.00
4295465	standard forks	N/C	35.00
	standard forks Rear axles:		35.00
	standard forks	N/C	35.00 37.00
	Rear axles: threaded axles		
	Rear axles: threaded axles Non S.C. components for which supporting document		
4295473	Rear axles: threaded axles Non S.C. components for which supporting document must be kept on file:	N/C	37.00
4295473 4295481	Rear axles: threaded axles Non S.C. components for which supporting document must be kept on file: quick-release axles	N/C	37.00 45.00
4295473 4295481 +4295887	Rear axles: threaded axles Non S.C. components for which supporting document must be kept on file: quick-release axles anti-tippers, heavy-duty, detachable	N/C N/C 300.00	37.00 45.00 300.00
4295473 4295481 +4295887 +4295879	Rear axles: threaded axles Non S.C. components for which supporting document must be kept on file: quick-release axles anti-tippers, heavy-duty, detachable spring backrest	N/C N/C 300.00 66.00	37.00 45.00 300.00 33.00
4295473 4295481 +4295887 +4295879	Rear axles: threaded axles Non S.C. components for which supporting document must be kept on file: quick-release axles anti-tippers, heavy-duty, detachable	N/C N/C 300.00	37.00 45.00 300.00
4295473 4295481 +4295887 +4295879	Rear axles: threaded axles Non S.C. components for which supporting document must be kept on file: quick-release axles anti-tippers, heavy-duty, detachable spring backrest dynamic spring footrests	N/C N/C 300.00 66.00	37.00 45.00 300.00 33.00
4295473 4295481 +4295887 +4295879 +4295895	Rear axles: threaded axles Non S.C. components for which supporting document must be kept on file: quick-release axles anti-tippers, heavy-duty, detachable spring backrest	N/C N/C 300.00 66.00	37.00 45.00 300.00 33.00

SUBDIVISION 2: PEDIATRIC POSITIONING BASES

SUPPLIER: INVACARE CANADA L.P.

PRICE

4340006 PEDIATRIC POSITIONING BASE SPREE XT MODEL

1,798.00

Basic Components

Body support system

- folding back, angle-adjustable, from 86° to 106°
- back height: 50.8 cm (20 in.), 61.0 cm (24 in.)
- seat height: from 39.4 cm (15½ in.) to 48.3 cm (19 in.)
- seat width: from 25.4 cm (10 in.) to 40.6 cm (16 in.)
- seat depth: from 30.5 cm (12 in.) to 45.7 cm (18 in.)
- safety belt, auto-type, velcro-type
- push handles integrated into backposts
- stroller handle, non-adjustable

Armrests

- T-type armrests, height-adjustable, from 20.3 cm (8 in.) to 30.5 cm (12 in.), from 25.4 cm (10 in.) to 40.6 cm (16 in.), short, long
- I-type armrests, height-adjustable, from 15.2 cm (6 in.) to 22.9 cm (9 in.), from 22.9 cm (9 in.) to 30.5 cm (12 in.), short, long
- armrest pads, straight, short, long
- clothing guards, supple, rigid

Footrests

- 60° footrests, parallel, detachable, swingaway, length-adjustable, from 34.3 cm (13½ in.) to 44.5 cm (17½ in.)
- 70° footrests, parallel, detachable, swingaway, length-adjustable, from 34.3 cm (13½ in.) to 41.9 cm (16½ in.)
- 90° footrests, parallel, detachable, swingaway, length-adjustable, from 11.4 cm (4½ in.) to 19.1 cm (7½ in.)
- 70° footrests, narrowed, detachable, swingaway, length-adjustable, from 32.4 cm (12¾ in.) to 41.3 cm (16¼ in.)
- 60° footrests, MFX, detachable, swingaway, length-adjustable, from 22.9 cm (9 in.) to 31.8 cm (12½ in.)
- 70° footrests, MFX, detachable, swingaway, length-adjustable, from 14.6 cm (5¾ in.) to 29.8 cm (11¾ in.)
- padded calfrests
- folding footplates, standard
- folding footplates, angle and depth-adjustable, standard size
- heel loops, fixed
- heel loops, adjustable

Frame

- growth kit (once only during first three years, for first user)
- anti-tip rollers
- tie-down points for transport TRBKTS
- rocker device

Drive, brake, wheel, fork, and axle systems

- handrims, smooth, plastic-coated
- standard wheel locks, push-to-lock, pull-to-lock
- rear mag wheels, solid tires, puncture-resistant tires, 30.5 cm (12 in.)
- rear mag wheels, solid tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- rear mag wheels, standard pressure, 30.5 cm (12 in.), 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- front wheels, solid tires, 12.7 cm (5 in.), 15.2 cm (6 in.), 20.3 cm (8 in.) X 3.2 cm (1¹/₄ in.)
- front wheels, semi-pneumatic tires, 10.2 cm (4 in.) X 2.5 cm (1 in.), 12.7 cm (5 in.) X 2.5 cm (1 in.), 15.2 cm (6 in.)
- standard forks
- threaded axles
- quick-release axles

Price upon initial

Price upon

		purchase or replacement of wheel chair (price per pair, as applicable)	replacement of component (unit price)
	Basic and Optional Components		
	Body support system Seat and back:		
4340303	folding back, angle-adjustable, from 86° to 106°	N/C	N/A
	safety belt, auto-type	N/C	53.00
4340030	safety belt, velcro-type	N/C	42.00
4340287	back tension bar	66.00	66.00
4340295	push handles integrated into backposts	N/C	52.00
+4344077	stroller handle, non-adjustable	N/C	66.00
	Armrests:		4.0.00
4340048	T-type armrests, height-adjustable, from 20.3 cm (8 in.) to 30.5 cm (12 in.), from 25.4 cm (10 in.) to 40.6 cm (16 in.), short, long	N/C	120.00
4340055	I-type armrests, height-adjustable, from 15.2 cm (6 in.) to 22.9 cm (9 in.), from 22.9 cm (9 in.) to 30.5 cm (12 in.), short, long	N/C	120.00
4340071	armrest pads, straight, short	N/C	18.00
	armrest pads, straight, long	N/C	18.00
	clothing guards, supple, rigid	N/C	48.00
	Footrests:		
4340097	60° footrests, parallel, detachable, swingaway, length-adjustable, from 34.3 cm (13½ in.) to 44.5 cm (17½ in.)	N/C	72.00
4340105	70° footrests, parallel, detachable, swingaway, length-	N/C	72.00
4340103	adjustable, from 34.3 cm (13½ in.) to 41.9 cm (16½ in.)	N/C	72.00
4340113	90° footrests, parallel, detachable, swingaway, length-	N/C	82.00
10 10110	adjustable, from 11.4 cm ($4\frac{1}{2}$ in.) to 19.1 cm ($7\frac{1}{2}$ in.)	1 1, 0	02.00
4340147	70° footrests, narrowed, detachable, swingaway, length-	N/C	82.00
	adjustable, from 32.4 cm (12¾ in.) to 41.3 cm (16¼ in.)		
4340121	60° footrests, MFX, detachable, swingaway, length-	N/C	72.00
	adjustable, from 22.9 cm (9 in.) to 31.8 cm (12½ in.)		
4340139	70° footrests, MFX, detachable, swingaway, length-adjustable, from 14.6 cm (5¾ in.) to 29.8 cm (11¾ in.)	N/C	72.00
4340154	elevating legrests, from 35.6 cm (14 in.) to 50.8 cm (20 in.)	238.00	191.00
	elevating legrests, with compensating mechanism, from 40.6 cm (16 in.) to 53.3 cm (21 in.)	162.00	153.00
4340170	padded calfrests	N/C	28.00
	single calf strap	38.00	38.00
	double calf strap	57.00	57.00
	folding footplates, standard	N/C	42.00
	folding footplates, angle and depth-adjustable, standard size	N/C	70.00

		(authentic ve	ersion)
	heel loops, fixed heel loops, adjustable	N/C N/C	7.00 10.00
4340279 4340311	Frame: growth kit (once only during first three years, for first user) anti-tip rollers tie-down points for transport TRBKTS rocker device	N/C N/C N/C N/C	N/A 44.00 N/A N/A
4340253	Drive systems: smooth handrims plastic-coated handrims handrims with vertical or oblique projections	N/C N/C 129.00	52.00 63.00 116.00
	Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions	N/C 27.00	46.00 20.00
4340402	Wheels: rear mag wheels, solid tires, with airless inserts, 30.5 cm (12 in.)	N/C	70.00
4340410	rear mag wheels, solid tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C	112.00
	rear mag wheels, standard pressure, 30.5 cm (12 in.) rear mag wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C N/C	55.00 112.00
4340428	front wheels, solid tires, 12.7 cm (5 in.), 15.2 cm (6 in.), 20.3 cm (8 in.) X 3.2 cm (1 ¹ / ₄ in.)	N/C	38.00
4340469	front wheels, semi-pneumatic tires, 10.2 cm (4 in.) X	N/C	44.00
4340451	2.5 cm (1 in.), 12.7 cm (5 in.) X 2.5 cm (1 in.) front wheels, semi-pneumatic tires, 15.2 cm (6 in.) X	N/C	52.00
4340436	5.1 cm (2 in.) front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm (1½ in.), 20.3 cm (8 in.) X 3.2 cm (1½ in.)	34.00	55.00
4340352	Forks: standard forks	N/C	52.00
4340360	Rear axles: threaded axles	N/C	5.00
4340378	Non S.C. components for which supporting document must be kept on file: quick-release axles	N/C	37.00

SUPPLIER: SUNRISE MEDICAL CANADA INC.

PRICE

4350005 PEDIATRIC POSITIONING BASE ZIPPIE TS MODEL

1,715.00

Basic Components

Body support system

- back, angle-adjustable
- folding back, angle-adjustable, from 78° to 120°, by 6° increments
- back height: 54.6 cm (21½ in.), 62.2 cm (24½ in.), 69.9 cm (27½ in.), with push handles
- front seat height: from 40.6 cm (16 in.) to 51.4 cm (20½ in.)
- seat width: from 25.4 cm (10 in.) to 40.6 cm (16 in.)
- seat depth: from 33.0 cm (13 in.) to 50.8 cm (20 in.)
- safety belt, velcro-type, auto-type
- back tension bar
- push handles integrated into backposts
- stroller handle extension

Armrests

- T-type armrests, detachable, height-adjustable, from 17.8 cm (7 in.) to 33.0 cm (13 in.), short, long
- T-type armrests, detachable, height-adjustable, 14.0 cm (5½ in.), 16.5 cm ($6\frac{1}{2}$ in.), 19.1 cm ($7\frac{1}{2}$ in.), short
- I-type armrests, locking, depth-adjustable, height-adjustable, from 16.5 cm (6½ in.) to 33.0 cm (13 in.), short, long
- armrest pads, straight, short, long
- armrest pads, tubular

Footrests

- 60°, 70° footrests, parallel, detachable, swingaway, length-adjustable, from 31.1 cm (12¼ in.) to 43.2 cm (17 in.)
- 70°, 80°, 90° footrests, parallel, detachable, swingaway, length-adjustable, from 20.3 cm (8 in.) to 33.0 cm (13 in.)
- 70°, 80°, 90° footrests, heavy-duty, detachable, non flip-back
- padded calfrests for elevating legrests
- folding footplates, standard
- folding footplates, angle and depth-adjustable, standard size
- heel loops, adjustable

Frame

- anti-tip rollers
- tie-down points for transport
- rocker device, from 0° to 45°

Drive, brake, wheel, fork, and axle systems

- smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- standard wheel locks, push-to-lock, pull-to-lock
- rear mag wheels, semi-pneumatic tires, 30.5 cm (12 in.), 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- rear mag wheels, standard pressure, 30.5 cm (12 in.), 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- front wheels, solid tires, 12.7 cm (5 in.), 15.2 cm (6 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)
- front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm (1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.), 20.3 cm (8 in.) X 3.8 cm (1½ in.)
- front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm (1¹/₄ in.), 20.3 cm (8 in.) X 3.2 cm (1¹/₄ in.)
- standard forks, 15.2 cm (6 in.); short forks, 13.3 cm (5¼ in.); high forks, 17.8 cm (7 in.); compatible with 12.7 cm (5 in.), for 15.2 cm (6 in.) and 20.3 cm (8 in.) wheels
- forks, 17.8 cm (7 in.) compatible with 20.3 cm (8 in.) X 5.1 cm (2 in.) wheels
- long stems, $+1.9 \text{ cm} (\frac{3}{4} \text{ in.})$, $+3.8 \text{ cm} (\frac{1}{2} \text{ in.})$
- quick-release axles

Updated: February 16, 2016

383

Price upon initial purchase or

Price upon replacement

		replacement of wheel chair (price per pair, as applicable)	of component (unit price)
	Basic and Optional Components		
	Body support system		
	Seat and back:		
	back, angle-adjustable	N/C	N/A
4350435	folding back, angle-adjustable, from 78° to 120°, by	N/C	N/A
4250045	increments of 6°	125.00	120.00
	rigid seat, flat	125.00	130.00
	safety belt, velcro-type	N/C	29.00
	safety belt, auto-type	N/C	42.00
	safety belt, airplane-type	50.00	79.00
	safety belt, airplane-type, padded	76.00 99.00	105.00
	headrest small, medium, large	159.00	106.00 173.00
	headrest mounting, articulated crossbar for headrest mounting, fixed frame	200.00	212.00
	crossbar for headrest mounting, fixed frame	233.00	249.00
	back tension bar	253.00 N/C	191.00
	push handles integrated into backposts	N/C	N/A
	stroller handle extension	N/C	69.00
4330443	Stroner handre extension	14/6	07.00
	Armrests:		
4350096	T-type armrests, detachable, height-adjustable, from 17.8 cm	N/C	135.00
	(7 in.) to 33.0 cm (13 in.), short, long		
4350104	T-type armrests, detachable, height-adjustable, 14.0 cm	N/C	160.00
	$(5\frac{1}{2} \text{ in.})$, 16.5 cm $(6\frac{1}{2} \text{ in.})$, 19.1 cm $(7\frac{1}{2} \text{ in.})$, short		
4350112	I-type armrests, locking, depth-adjustable, height-adjustable,	N/C	200.00
	from 16.5 cm (6½ in.) to 33.0 cm (13 in.), short, long		
	armrest pads, straight, short	N/C	15.00
4350138	armrest pads, straight, long	N/C	18.00
	armrest pads, tubular	N/C	2.00
4350153	clothing guards, rigid	92.00	68.00
	T		
4250150	Footrests:	N/C	55.00
4350179	60°, 70° footrests, parallel, detachable swingaway, length-	N/C	55.00
4350105	adjustable, from 31.1 cm ($12\frac{1}{4}$ in.) to 43.2 cm (17 in.)	N/C	57.00
4350187	70°, 80°, 90° footrests, parallel, detachable, swingaway,	N/C	57.00
4250105	length-adjustable, from 20.3 cm (8 in.) to 33.0 cm (13 in.)	N/C	97.00
4350195	70°, 80°, 90° footrests, heavy-duty, detachable, non flipback	N/C	87.00
A250211	elevating legrests	108.00	109.00
	90° elevating legrests, length-adjustable, from 20.3 cm	70.00	90.00
4330203	(8 in.) to 33.0 cm (13 in.)	70.00	90.00
4350227	padded calfrests for elevating legrests	N/C	19.00
	contoured calfrests for elevating legrests	72.00	55.00
7330340	contoured currents for elevating legicous	12.00	33.00

4350302	single calf strap	19.00	19.00
	folding footplates, standard	N/C	49.00
	folding footplates, angle and depth-adjustable, standard size	N/C	76.00
	full-width footplate, angle-adjustable	85.00	183.00
	heel loops, adjustable	N/C	10.00
	modification of footrest length, by 5.1 cm (2 in.), 10.2 cm	32.00	16.00
	(4 in.)		
+4350807	modification of length, from 48.3 cm (19 in.) to 52.1 cm	31.00	30.00
1 100007	(20½ in.)	31.00	20.00
4350740	bracket, footrest mounting, from 17.8 cm (7 in.) to 34.3 cm	56.00	34.00
4330740	(13½ in.)	30.00	31.00
4350294	full-width foot platform, 90°	92.00	190.00
T33027T	run widin 100t piutionii, 70	72.00	170.00
	Frame:		
1350303	anti-tip rollers	N/C	22.00
	tie-down points for transport	N/C	N/A
	cane holder	45.00	45.00
	rocker device, 0° to 45°	N/C	N/A
	optional folding base	108.00	N/A
4330427	optional folding base	106.00	IN/A
	Duino anatoma		
4250757	Drive systems:	N/C	60.00
4350757	smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.),	N/C	60.00
4250251	61.0 cm (24 in.)	56.00	99.00
4350351	plastic-coated handrims, 50.8 cm (20 in.), 55.9 cm (22 in.),	56.00	88.00
4250255	61.0 cm (24 in.)	50.00	07.00
4350377	*	56.00	97.00
	handrims with oblique, vertical projections, 61.0 cm (24 in.)	90.00	105.00
	non-slip handrims, 55.9 cm (22 in.), 61.0 cm (24 in.)	168.00	144.00
4350336	one-arm dual handrim drive	562.00	709.00
	XX 71 11 1		
4250450	Wheel locks:	NG	40.00
	standard wheel locks, push-to-lock, pull-to-lock	N/C	40.00
	wheel lock extensions	26.00	13.00
4350476	anti-rollback brakes	68.00	34.00
4250 600	Wheels:	MG	1.15.00
	rear mag wheels, semi-pneumatic tires, 30.5 cm (12 in.)	N/C	145.00
4350617	rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.),	N/C	136.00
	55.9 cm (22 in.), 61.0 cm (24 in.)		4.000
	rear mag wheels, standard pressure, 30.5 cm (12 in.)	N/C	130.00
	rear mag wheels, standard pressure, 40.6 cm (16 in.)	32.00	146.00
	rear mag wheels, standard pressure, 50.8 cm (20 in.)	N/C	136.00
4350591	rear mag wheels, standard pressure, 55.9 cm (22 in.),	N/C	113.00
	61.0 cm (24 in.)		
	front wheels, solid tires, 12.7 cm (5 in.)	N/C	47.00
	front wheels, solid tires, 15.2 cm (6 in.)	N/C	62.00
	front wheels, solid tires, 20.3 cm (8 in.) X 2.5 cm (1 in.)	N/C	63.00
4350682	front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm	N/C	89.00
	(1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.)		
4350690	front wheels, semi-pneumatic tires, 20.3 cm (8 in.) X 3.8 cm	N/C	99.00
	(1½ in.)		

Rear axles: **4350534** quick-release axles

4350674	front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm (1½ in.)	N/C	62.00
4350666	front wheels, inner tube tires, 20.3 cm (8 in.) X 3.2 cm (1½ in.)	N/C	63.00
4350658	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)	48.00	72.00
	Forks:		
4350492	standard forks, 15.2 cm (6 in.); short forks, 13.3 cm (5¼ in.); high forks, 17.8 cm (7 in.); compatible with 12.7 cm (5 in.),	N/C	32.00
	15.2 cm (6 in.) and 20.3 cm (8 in.) wheels		
4350500	forks, 17.8 cm (7 in.) compatible with 20.3 cm (8 in.) X 5.1 cm (2 in.) wheels	N/C	37.00
4350526	long stems, +1.9 cm (3/4 in.), +3.8 cm (1½ in.)	N/C	16.00
	fork-locking mechanism	46.00	23.00

N/C

33.00

SUPPLIER: SUNRISE MEDICAL CANADA INC.

PRICE

+4352001 PEDIATRIC POSITIONING BASE ZIPPIE IRIS MODEL

1,760.00

Basic Components

Body support system

- folding back, angle-adjustable, from 85° to 120°
- back, height-adjustable, with adjustable stroller handles
- back height: 45.7 (18 in.), 53.3 cm (21 in.), 61.0 cm (24 in.), height-adjustable, from 40.6 cm (16 in.) to 50.8 cm (20 in.)
- front seat height: from 27.9 cm (11 in.) to 49.5 cm (19½ in.)
- seat width: from 25.4 cm (10 in.) to 40.6 cm (16 in.)
- seat depth: from 25.4 cm (10 in.) to 45.7 cm (18 in.)
- safety belt, velcro-type, auto-type
- back tension bar
- push handles integrated into backposts
- detachable extensions for stroller handles

Armrests

- T-type armrests, detachable, height-adjustable, from 17.8 cm (7 in.) to 35.6 cm (14 in.), short, long
- I-type armrests, depth-adjustable, locking, height-adjustable, short,
- armrest pads, straight, short, long
- armrest pads, tubular

Footrests

- 60°, 70° footrests, parallel, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 48.3 cm (19 in.)
- 70°, 80°, 90° footrests, parallel, detachable, swingaway, length-adjustable, from 12.7 cm (5 in.) to 27.9 cm (11 in.)
- 70°, 80°, 90° footrests, heavy-duty, detachable, non flip-back
- 70° footrests, tapered, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 48.3 cm (19 in.)
- padded calfrests for elevating legrests
- folding footplates, standard
- folding footplates, angle and depth-adjustable, standard size
- heel loops, adjustable

Frame

- anti-tip rollers
- tie-down points for transport
- rocker device, from -5° to $+60^{\circ}$

Drive, brake, wheel, fork, and axle systems

- smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- standard wheel locks, push-to-lock
- rear mag wheels, solid tires, 30.5 cm (12 in.)
- rear mag wheels,, semi-pneumatic tires, 30.5 cm (12 in.), 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- rear mag wheels, standard pressure, 30.5 cm (12 in.), 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- front wheels, solid tires, 15.2 cm (6 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)
- front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm (1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.), 20.3 cm (8 in.) X 3.8 cm (1½ in.)
- standard forks, 15.2 cm (6 in.); short forks, 13.3 cm (5¼ in.); high forks, 17.8 cm (7 in.), compatible with 12.7 cm (5 in.), 15.2 cm (6 in.) and 20.3 cm (8 in.) wheels
- long stems, $+1.9 \text{ cm} (\frac{3}{4} \text{ in.})$, $+3.8 \text{ cm} (\frac{1}{2} \text{ in.})$
- threaded axles
- quick-release axles

Price upon initial

Price upon

		purchase or replacement of wheel chair (price per pair, as applicable)	replacement of component (unit price)
	Basic and Optional Components		
	Body support system		
	Seat and back:		
+4350831	folding back, angle-adjustable, from 85° to 120°	N/C	N/A
	back, height-adjustable, with adjustable stroller handles	N/C	N/A
	rigid seat, flat, adjustable for growth	64.00	158.00
+4350864	rigid seat, flat, dropped, adjustable for growth	64.00	158.00
4350054	safety belt, velcro-type	N/C	29.00
4350062	safety belt, auto-type	N/C	42.00
4350070	safety belt, airplane-type	50.00	79.00
4350088	safety belt, airplane-type, padded	76.00	105.00
4350013	headrest small, medium, large	99.00	106.00
4350732	headrest mounting, articulated	159.00	173.00
	crossbar for headrest mounting	200.00	212.00
	back tension bar	N/C	N/A
	push handles integrated into backposts	N/C	N/A
+4350963	detachable extensions for stroller handles	N/C	N/A
4	Armrests:	27/0	127.00
+4350971	T-type armrests, detachable, height-adjustable, from	N/C	135.00
42.50000	17.8 cm (7 in.) to 35.6 cm (14 in.), short, long	27/0	247.00
+4350989	I-type armrests, depth-adjustable, locking, height-	N/C	245.00
12 701 15	adjustable, short	NIC	15.00
	armrest pads, straight, short	N/C	15.00
	armrest pads, straight, long	N/C	18.00
	armrest pads, tubular	N/C	2.00
4350153	clothing guards, rigid	92.00	68.00
	Footrests:		
± /351037	60°, 70° footrests, parallel, detachable swingaway, length-	N/C	55.00
+4331037	adjustable, from 30.5 cm (12 in.) to 48.3 cm (19 in.)	IV/C	33.00
± 4251045	70°, 80°, 90° footrests, parallel, detachable, swingaway,	N/C	57.00
+4331043	length-adjustable, from 12.7 cm (5 in.) to 27.9 cm (11 in.)	IV/C	37.00
1350105	70°, 80°, 90° footrests, heavy-duty, detachable, non flip-	N/C	87.00
4330173	back	IV/C	67.00
+4351060	70° footrests, tapered, detachable, swingaway, length-	N/C	55.00
T 4 331000	adjustable, from 30.5 cm (12 in.) to 48.3 cm (19 in.)	IV/C	33.00
1350203	90° elevating legrests, length-adjustable, from 20.3 cm	70.00	90.00
4330403	(8 in.) to 33.0 cm (13 in.)	70.00	90.00
/250211		100 00	100.00
	elevating legrests	108.00 N/C	109.00
	padded calfrests for elevating legrests		19.00
	contoured calfrests for elevating legrests	72.00	55.00
4350302	single calf strap	19.00	19.00

	folding footplates, standard	N/C	49.00
4350278	folding footplates, angle and depth-adjustable, standard	N/C	76.00
4250207	size	05.00	102.00
	full-width footplate, angle-adjustable	85.00 106.00	183.00 102.00
	footplates, multi-position heel loops, adjustable	N/C	102.00
	modification of footrest length, by 5.1 cm (2 in.), 10.2 cm	32.00	16.00
+4331177	(4 in.), 15.2 cm (6 in.)	32.00	10.00
4350294	full-width foot platform, 90°	92.00	190.00
	bracket, footrest mounting, from 17.8 cm (7 in.) to 34.3 cm	56.00	34.00
10007.10	(13½ in.)		
	Frame:		
	anti-tip rollers	N/C	25.00
	front anti-tippers	58.00	29.00
	tie-down points for transport	N/C	N/A
	rocker device, from -5° to $+60^{\circ}$	N/C	N/A
+4351243	front wheel spacers	68.00	N/A
	Deline and an a		
4250757	Drive systems:	N/C	60.00
4350757	smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C	00.00
1350351	plastic-coated handrims, 50.8 cm (20 in.), 55.9 cm (22 in.),	56.00	88.00
4550551	61.0 cm (24 in.)	30.00	88.00
4350377	small plastic-coated handrim for one-arm drive	56.00	97.00
	handrims with oblique or vertical projections, 61.0 cm	90.00	105.00
4550544	(24 in.)	70.00	103.00
+4351292	one-arm dual handrim drive	536.00	669.00
	Wheel locks:		
	standard wheel locks, push-to-lock	N/C	40.00
+4351318	wheel lock extensions	40.00	20.00

. 4251227	Wheels:	N/C	147.00
	rear mag wheels, solid tires, 30.5 cm (12 in.)	N/C	145.00
	rear mag wheels, semi-pneumatic tires, 30.5 cm (12 in.) rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.),	N/C N/C	113.00 136.00
4350017	55.9 cm (22 in.), 61.0 cm (24 in.)	N/C	130.00
4350567	rear mag wheels, standard pressure, 30.5 cm (12 in.)	N/C	130.00
	rear mag wheels, standard pressure, 40.6 cm (16 in.)	32.00	146.00
	rear mag wheels, standard pressure, 50.8 cm (20 in.)	N/C	136.00
	rear mag wheels, standard pressure, 55.9 cm (22 in.),	N/C	113.00
	61.0 cm (24 in.)		
4350633	front wheels, solid tires, 15.2 cm (6 in.)	N/C	62.00
	front wheels, solid tires, 20.3 cm (8 in.) X 2.5 cm (1 in.)	N/C	63.00
4350682	front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X	N/C	89.00
	3.8 cm (1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.)		
4350690	front wheels, semi-pneumatic tires, 20.3 cm (8 in.) X	N/C	99.00
	3.8 cm (1½ in.)		
+4351433	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm	20.00	72.00
	(2 in.)		

	Forks:		
4350492	standard forks, 15.2 cm (6 in.); short forks, 13.3 cm	N/C	32.00
	(5½ in.); high forks, 17.8 cm (7 in.); compatible with		
	12.7 cm (5 in.), 15.2 cm (6 in.) and 20.3 cm (8 in.) wheels		
4350526	long stems, $+1.9 \text{ cm} (\frac{3}{4} \text{ in.}), +3.8 \text{ cm} (\frac{1}{2} \text{ in.})$	N/C	16.00
1000020	101g 5001115, 115 0111 (7.1111), 1510 0111 (17.2 1111)	1,70	10.00
	Rear axles:		
±4351466	threaded axles	N/C	33.00
T 4 331400	threaded axies	14/6	33.00
	Non S.C. components for which supporting document		
	Non S.C. components for which supporting document		
4251 45 4	must be kept on file:	N/C	22.00
	must be kept on file: quick-release axles	N/C	33.00
	must be kept on file:	N/C 218.00	33.00 316.00
	must be kept on file: quick-release axles	- " -	
	must be kept on file: quick-release axles	- " -	
+4351490	must be kept on file: quick-release axles contracture footrests, angle-adjustable and multi-directional	- " -	

SUPPLIER: LES ÉQUIPEMENTS ADAPTÉS PHYSIPRO INC.

4370003 PEDIATRIC POSITIONING BASE TWIGY MODEL

PRICE 1,668.00

Basic Components

Body support system

- folding back, angle-adjustable
- back height: from 43.2 cm (17 in.) to 55.9 cm (22 in.)
- seat height: from 35.6 cm (14 in.) to 50.8 cm (20 in.)
- seat width: from 25.4 cm (10 in.) to 40.6 cm (16 in.)
- seat depth: from 30.5 cm (12 in.) to 40.6 cm (16 in.)
- safety belt, auto-type, 3.8 cm (1½ in.)
- push handles integrated into backposts
- raised extension for push handles

Armrests

- T-type armrests, height-adjustable, from 17.8 cm (7 in.) to 35.6 cm (14 in.), short, long
- armrest pads, straight, short, long
- clothing guards, rigid

Footrests

- 60°, 70°, 75°, 90° footrests, parallel, detachable, swingaway, length-adjustable, from 17.8 cm (7 in.) to 33.0 cm (13 in.)
- padded calfrests for elevating legrests
- folding footplates, standard
- heel loops, adjustable

Frame

- growth kit: side rails for depth and inside crossbars for frame width
- anti-tip rollers
- tie-down points for transport
- rocker device, from -5° to $+35^{\circ}$

Drive, brake, wheel, fork, and axle systems

- handrims, smooth, plastic-coated
- standard wheel locks, push-to-lock
- foot-activated wheel locks
- rear mag wheels, solid tires, 30.5 cm (12 in.), 40.6 cm (16 in.), 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- rear mag wheels, standard pressure, 30.5 cm (12 in.), 40.6 cm (16 in.), 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- spoked rear wheels, solid tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- spoked rear wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.),

- 61.0 cm (24 in.)
- front wheels, solid tires, 12.7 cm (5 in.), 15.2 cm (6 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)
- front wheels, solid tires, 20.3 cm (8 in.) X 3.2 cm (1¼ in.)
- front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 5.1 cm (2 in.), 15.2 cm (6 in.) X 2.5 cm (1 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)
- front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm (1¹/₄ in.), 20.3 cm (8 in.) X 3.2 cm (1¹/₄ in.), 15.2 cm (6 in.), 20.3 cm (8 in.) X 4.4 cm (1³/₄ in.)
- standard forks
- threaded rear axle
- plates and anchorages for rear wheels, 50.8 cm (20 in.), 55.9 cm (22 in.),
 61.0 cm (24 in.)

Updated: February 16, 2016 393

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	Basic and Optional Components		
	Body support system		
	Seat and back:		
4370276	folding back, angle-adjustable	N/C	N/A
	safety belt, auto-type, 3.8 cm (1½ in.)	N/C	51.00
	tension bar with headrest mounting bracket	124.00	124.00
	push handles integrated into backposts	N/C	145.00
	raised extension for push handles	N/C	228.00
	Armrests:		
4370029	T-type armrests, height-adjustable, from 17.8 cm (7 in.) to	N/C	196.00
	35.6 cm (14 in.), short, long		
4370037	armrest pads, straight, short	N/C	28.00
	armrest pads, straight, long	N/C	30.00
	clothing guards, rigid	N/C	16.00
	Footrests:		
4370060	60°, 70°, 75°, 90° footrests, parallel, detachable,	N/C	105.00
	swingaway, length-adjustable, from 17.8 cm (7 in.) to	- " -	
	33.0 cm (13 in.)		
4370078	elevating legrests, length-adjustable, from 17.8 cm (7 in.)	160.00	185.00
	to 33.0 cm (13 in.)		
+4370458	elevating legrests with compensating mechanism, length-	210.00	210.00
	adjustable, from 17.8 cm (7 in.) to 33.0 cm (13 in.)		
4370086	padded calfrests for elevating legrests	N/C	32.00
	contoured calfrests	36.00	50.00
	single calf strap	45.00	45.00
	double calf strap	58.00	58.00
	H-shaped calf strap	47.00	47.00
	single calf strap, padded	84.00	84.00
	double calf strap, padded	100.00	100.00
	folding footplates, standard	N/C	55.00
	footplates, angle and depth-adjustable, standard size	48.00	79.00
	oversized footplates, angle and depth-adjustable	80.00	95.00
	full-width footplate, angle and depth-adjustable	90.00	200.00
	toe loops	20.00	24.00
4370136	heel loops, adjustable	N/C	14.00
	front impact guards with rollers	84.00	42.00
	Frame:		
4370201	growth kit: siderails for depth and inside crossbars for	N/C	N/A
	frame width		
4370227	anti-tip rollers	N/C	45.00

	tie-down points for transport rocker device, from -5° to +35°	N/C N/C	35.00 N/A
+4370490	Drive systems: smooth handrims plastic-coated handrims non-slip handrims	N/C N/C 76.00	47.00 85.00 85.00
4370300	Wheel locks: standard wheel locks, push-to-lock foot-activated rear wheel locks wheel lock extension	N/C N/C 36.00	58.00 158.00 18.00
4370334	Wheels: rear mag wheels, solid tires, 30.5 cm (12 in.), 40.6 cm (16 in.)	N/C	102.00
	rear mag wheels, solid tires, 50.8 cm (20 in.) rear mag wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C N/C	130.00 122.00
4370326	rear mag wheels, standard pressure, 30.5 cm (12 in.), 40.6 cm (16 in.)	N/C	102.00
	rear mag wheels, standard pressure, 50.8 cm (20 in.) rear mag wheels, standard pressure, 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C N/C	130.00 122.00
+4370557 +4370565	spoked rear wheels, solid tires, 50.8 cm (20 in.) spoked rear wheels, solid tires, 55.9 cm (22 in.)	N/C N/C	132.00 125.00
	spoked rear wheels, solid tires, 61.0 cm (24 in.) spoked rear wheels, standard pressure, 50.8 cm (20 in.)	N/C N/C	122.00 132.00
+4370599	spoked rear wheels, standard pressure, 55.9 cm (22 in.) spoked rear wheels, standard pressure, 61.0 cm (24 in.)	N/C N/C	125.00 122.00
	front wheels, solid tires, 12.7 cm (5 in.), 15.2 cm (6 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)	N/C	40.00
	front wheels, solid tires, 20.3 cm (8 in.) X 3.2 cm ($1\frac{1}{4}$ in.) front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 5.1 cm (2 in.), 15.2 cm (6 in.) X 2.5 cm (1 in.), 20.3 cm	N/C N/C	58.00 40.00
4370391	(8 in.) X 2.5 cm (1 in.) front wheels, semi-pneumatic tires, 20.3 cm (8 in.) X	56.00	68.00
4370359	5.1 cm (2 in.) front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm	56.00	68.00
4370367	(2 in.) front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm (1½ in.), 20.3 cm (8 in.) X 3.2 cm (1½ in.), 20.3 cm (8 in.) X 4.4 cm (1¾ in.)	N/C	58.00
4370417 4370409	Forks: standard forks forks compatible with 20.3 cm (8 in.) X 5.1 cm (2 in.) front wheels	N/C 22.00	59.00 70.00

	Rear axles: threaded rear axle plates and anchorages for rear wheels, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C N/C	7.00 83.00
	Non S.C. components for which supporting document must be kept on file:	400.00	
+4370631	spoke guards	100.00	50.00
4370425	quick-release axles	78.00	46.00
4370441	heavy-duty frame	280.00	N/A
	Component under Special Consideration: reclining back *	295.00	295.00

DIVISION V: STROLLERS AND ORTHOMOBILES

	DEVICE	Maximum price
	Buggy Major-type stroller, including footrests and harness less than three years of age * three years of age and over	660.00 660.00
	Available Component(s)	
4494993 4493862	padded seat other components thoracic support chest pad	96.00 S.C. 96.00 57.00

DURATION OF GUARANTEE: 12 months

DEVICE	Maximum price
4495701 Other strollers*	S.C.
2192300 Orthomobiles	S.C.

Updated: February 16, 2016 397

PART II: POSTURE ASSITS

		Maximum price
	DEVICE	
+4565058	Technical posture aid * The price of the technical posture aid is equal to the total price of the positioning components.	*
	WARRANTY PERIOD: 3 months	
+4565069	Positioning components for head and neck, standardized or standardized modular components	350.00
+4565060	Positioning components for torso, pelvis or both, standardized or standardized modular components, excluding seat cushion	450.00
	Positioning belt specialized for pelvis, standardized	100.00
	Positioning harness for torso standardized	100.00
+4565062	Right upper limb positioning components, standardized or standardized modular components	170.00
+4565063	Left upper limb positioning components, standardized or standardized modular components	170.00
+4565064	Right lower limb positioning components, standardized or standardized modular components	200.00
+4565066	Left lower limb positioning components, standardized or standardized modular components	200.00
+4565067	Bilateral upper limb positioning components, standardized or standardized modular components	200.00
+4565068	Bilateral lower limb positioning components, standardized or standardized modular components	200.00
+4565071	Additional or replacement standard cover for specialized back	75.00
+4565072	Surcharge payable upon purchase or replacement of back or cover for complete or partial water proofing	50.00
	Additionnal or replacement waterproof cover for specialized back	100.00
	Head or neck components, moulded or customized	450.00
	Torso positioning components, moulded or customized	500.00
	Torso and pelvic positioning component, one-piece, customized contouring	900.00
	Pelvic positioning component, moulded or customized, excluding seat cushion	200.00
	Torso positioning harness customized	100.00
	Right upper limb positioning components, moulded or customized Left upper limb positioning components, moulded or customized	270.00 270.00
	Right lower limb positioning components, moulded or customized	300.00
	Left lower limb positioning components, moulded or customized	300.00
	Bilateral upper limb positioning components, moulded or customized	300.00
	Bilateral lower limb positioning components, moulded or customized	300.00
	Non-listed positioning component	S.C.

PART III: ELEMENTS INCLUDED IN THE PRICES OF THE DEVICES

- 1. The maximum or the fixed price for the purchase or replacement of an insured device referred to in Part I or II of this Title includes the following elements:
 - (1) the maximum or fixed price for its basic components, its optional components and its and supplements, if any;
 - (2) the cost of its manufacture;
 - (3) the cost of adjustments required while it is being manufactured, up to and including the final installation;
 - (4) the cost of adjustments and repairs during the guarantee period referred to in this Title in respect of each device or in the contract with the supplier, beginning immediately after the final installation and during which any adjustment or repair of a device used under normal conditions is made, in order to bring the device into conformity with the original prescription, where the beneficiary's physical condition has not changed, and to enable the beneficiary to derive maximum benefit from the device.
- 2. The replacement cost of a component or supplement for a device includes the following elements:
 - (1) the cost price of the materials;
 - (2) the cost of its manufacture, if any;
 - (3) the cost of adjustment and installation.

Updated: February 16, 2016 399

TITLE THREE: INSURED RELATED SERVICES

Codes	Description	Labour rate or lump sum	References to the Regulation respecting devices which compensate for a physical deficiency
5499991	adaptation of a device which no longer appears on the updated list (Title II)		
5999998	Labour for the repair of a device which no longer appears on the updated list (Title I)		
5444468	Labour for the repair of powered wheel chairs during the guarantee period when authorized by supplier		
5444484	Labour for the repair of manual wheel chairs and positioning bases during the guarantee period when authorized by supplier	15.24 per quarter hour	Sections 23, 24, 25, 62, 63 and 64
5477716	Labour for the replacement of batteries for powered wheel chairs during the guarantee period		
5488887	Travel time for an "emergency repair"		
5499983	Adaptation service for a ventilator or a		
	compressor on a powered wheel chair		
5444435	Labour for a product recall		
5499967	Labour for taking in charge a manual wheelchair		
	Labour for taking in charge a power wheelchair		
4499976		73.44	Section 25.1
4499935		257.02	Section 65
4499927		314.54	Section 65
+5442272	Non-listed lump sum for initial purchase or replacement of adapted stroller (S.C)	402.65	
+5442269	Lump sum for initial purchase or replacement of a positioning base where the insured person dies before taking final receipt of device	257.02	
4499943		43.76	Section 65
4499968		402.65	Section 66
4499992	of a powered wheel chair	542.19	Section 66
+5442260	a positioning base	402.65	
4499950	Lump sum where a device must be adjusted to the growth of an insured person under age 19	200.71	Section 66

4495552	Lump sum for the initial purchase or replacement of a Buggy Major-type stroller	46.52	Section 67
4400706		120.52	0
4499596	1 1	139.53	Section 66
	of a propulsion assistance module		
+5442254		30.48	
	positioning		
+5442255	Repair service for specialized seat cushion,	Labour cost	Section 45
	waterproof cover or cover (excluding cover	+	
	replacement)	Repair materials cost	
+5442256		· <	
	waterproof cover or cover (excluding cover	80% of total cushion	
	replacement)	purchase cost	
+5442261	Lump sum for head or neck positioning	30.48	
	Lump sum for positioning of torso, pelvis or both	60.96	
+3442202	(excluding specialized seat cushion-related	00.70	
	service)		
+5442262	Lump sum for right upper limb positioning	30.48	
	Lump sum for left upper limb positioning	30.48	
	Lump sum for right lower limb positioning	30.48	
	Lump sum for left lower limb positioning	30.48	
+5442267		Labour cost	Section 45
	positioning component	+	
+5442268	Materials to repair technical posture aid or	Repair materials cost	
	positioning component	≤	
		80% of total aid or	
		component purchase	
		cost	
+5442257	Lump sum for initial purchase or replacement of	15.24	
	an ambulation aid provided as a complement to		
	an orthosis or prosthesis		
+5442258	•	30.48	
	an ambulation aid provided as a device to an adult		
+5442259	•	45.72	
13112237	an ambulation aid provided as a device to a	13.72	
	person under 19 years of age		
+5499968		Labour cost	Section 12
+3477708	Repair services for announation and		Section 12
		+ Danair materials asst	
		Repair materials cost	
. 7.4000.50	M	<u> </u>	
+5499969	Materials to repair ambulation aid	80% of total aid	
		purchase cost	

Updated: February 16, 2016 401