## SCHEDULE I (s. 1)

# TARIFF FOR DEVICES WHICH COMPENSATE FOR A MOTOR DEFICIENCY AND INSURED RELATED SERVICES



TITLE ONE: PROSTHESES, ORTHOSES, AMBULATION AIDS OR STANDING AIDS	1
PART I: AIDS FURNISHED BY AN INSTITUTION OR A LABORATORY	2
DIVISION I: LOWER-LIMB PROSTHESES	2
SUBDIVISION 1: FOOT PROSTHESES	
SUBDIVISION 2: ANKLE PROSTHESES	
SUBDIVISION 3: TIBIAL PROSTHESES	
SUBDIVISION 4: TIBIOFEMORAL PROSTHESES	
SUBDIVISION 5: FEMORAL PROSTHESES	26
SUBDIVISION 6: COXOFEMORAL AND HEMIPELVIC PROSTHESES	
SUBDIVISION 7: LOWER-LIMB PROSTHESES	48
DIVISION II: UPPER-LIMB PROSTHESES	
SUBDIVISION 1: HAND PROSTHESES	49
SUBDIVISION 2: WRIST PROSTHESES	
SUBDIVISION 3: CUBITAL PROSTHESES	
SUBDIVISION 4: CUBITOHUMERAL PROSTHESES	
SUBDIVISION 5: HUMERAL PROSTHESES	
SUBDIVISION 6: GLENOHUMERAL AND THORACIC PROSTHESES	
SUBDIVISION 7: BASIC OR OPTIONAL COMPONENTS FOR UPPER-LIMB PROSTHESES	
SUBDIVISION 8 : UPPER-LIMB PROSTHESES	72
DIVISION III: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES	73
DIVISION IV: LOWER-LIMB ORTHOSES	86
SUBDIVISION 1: TIBIAL ORTHOSES	
SUBDIVISION 2: TIBIOFEMORAL ORTHOSES	
SUBDIVISION 3: FEMORAL ORTHOSES	
SUBDIVISION 4: COXOFEMORAL ORTHOSES	
SUBDIVISION 5: BILATERAL LOWER-LIMB ORTHOSES	
SUBDIVISION 6: ADDITIONAL COMPONENTS FOR TIBIAL, FEMORAL AND COXOFEMORAL ORTH	
SUBDIVISION 7: LOWER-LIMB ORTHOSES	
DIVISION V: UPPER-LIMB ORTHOSES	
SUBDIVISION 1: HAND ORTHOSES THAT MAY INCLUDE THE THUMB AND THE OTHER FINGERS	
SUBDIVISION 2: WRIST AND HAND ORTHOSES	
SUBDIVISION 3: ELBOW, WRIST AND HAND ORTHOSES	
SUBDIVISION 4: SHOULDER, ELBOW, WRIST AND HAND ORTHOSES	
SUBDIVISION 5: UPPER-LIMB ORTHOSES	140
DIVISION VI: TRUNK AND CERVICAL ORTHOSES	
SUBDIVISION 1: TRUNK ORTHOSES	
SUBDIVISION 2: CERVICAL ORTHOSES	
SUBDIVISION 3: OTHER TRUNK AND CERVICAL ORTHOSES	151
DIVISION VII: AMBULATION AIDS	152
DIVISION VIII: STANDING AIDS	157
PART II: AIDS FURNISHED SOLELY BY AN INSTITUTION	159
DIVISION I: UPPER-LIMB PROSTHESES	159
DIVISION II: SOCKS FOR UPPER-LIMR AND LOWER-LIMR PROSTHESES	168

PART I: LOCOMOTOR ASSISTS  DIVISION I: ADULT WHEEL CHAIRS  SUBDIVISION 1: MANUAL WHEEL CHAIRS  SUBDIVISION 2: LIGHTWEIGHT MANUAL WHEEL CHAIRS  SUBDIVISION 3: POWERED WHEEL CHAIRS  DIVISION II: PEDIATRIC WHEEL CHAIRS.	
SUBDIVISION 1: MANUAL WHEEL CHAIRSSUBDIVISION 2: LIGHTWEIGHT MANUAL WHEEL CHAIRSSUBDIVISION 3: POWERED WHEEL CHAIRS	
SUBDIVISION 2: LIGHTWEIGHT MANUAL WHEEL CHAIRSSUBDIVISION 3: POWERED WHEEL CHAIRS	
SUBDIVISION 3: POWERED WHEEL CHAIRS	
DIVISION II: PEDIATRIC WHEEL CHAIRS	•••••
SUBDIVISION 1: MANUAL WHEEL CHAIRS	
SUBDIVISION 2: LIGHTWEIGHT MANUAL WHEEL CHAIRS	
SUBDIVISION 3: POWERED WHEEL CHAIRS	
DIVISION III: COMPLEMENTS FOR WHEEL CHAIRS	
SUBDIVISION 1: WHEEL CHAIR SEAT CUSHIONS AND COVERS	
SUBDIVISION 2: TIRES AND INSERTS FOR MANUAL AND POWERED WHEEL CHAIRS.	
SUBDIVISION 3: BATTERIES FOR POWERED WHEEL CHAIRS	
DIVISION IV: OTHER LOCOMOTOR ASSISTS	
SUBDIVISION 1: ADULT POSITIONING BASES	
SUBDIVISION 2: PEDIATRIC POSITIONING BASES	
DIVISION V: STROLLERS AND ORTHOMOBILES	
PART II: POSTURE ASSITS	

#### TITLE ONE: PROSTHESES, ORTHOSES, AMBULATION AIDS OR STANDING AIDS

Updated: December 12, 2016

#### PART I: AIDS FURNISHED BY AN INSTITUTION OR A LABORATORY

#### **DIVISION I: LOWER-LIMB PROSTHESES**

**SUBDIVISION 1: FOOT PROSTHESES** 

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1120534	Prosthesis for total amputation of second, third and fourth toe, of two or of all of those toes, made from plaster or digital mold of insured person	408.53			3
	BASIC COMPONENTS AND SUPPLEMENTS				
	Filler for anterior part of foot, on rigid or pliable sole Compensatory sole for limb not fitted with a prosthesis				
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENTS AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1120542	Prosthesis for total amputation of first toe, with or without amputation of second, third, fourth or fifth toe, made from plaster or digital mold of insured person	432.95			3
	BASIC COMPONENTS AND SUPPLEMENTS				
	Filler for anterior part of foot, on rigid or				

pliable sole Longitudinal arch support Correction or shank Compensatory sole for limb not fitted with a prosthesis

COMPONENT AND SUPPLEMENT AVAILABLE

None

#### ADJUSTMENTS AVAILABLE

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1120518	Prosthesis for transmetatarsal or transcalcaneal amputation with ankle support, made from plaster or digital mold of insured person	945.54			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Filler for anterior or posterior part of foot Laminated or molded plastic or molded leather socket Leg support where necessary				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	OPTIONAL COMPONENTS				
	Ankle joints:				
1125632	Gilette joints pair single	122.05 N. A.	N. A. 66.80		
1125640	Oklahoma joints pair single	115.62 N. A.	N. A. 64.24		
1125657	Wafer joints pair	133.60	N. A.		
1125665	single Tamarak joints	N. A.	73.23		

### SCHEDULE 1 Tariff for devices which compensate for a motor deficiency and insured related services (authentic version)

1125673	pair single Gaffney joints	128.46 N. A.	N. A. 70.66
1123073	pair single	141.33 N. A.	N. A. 75.80
	SUPPLEMENTS AVAILABLE		
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*
3194016	Nylon sheath	18.23	21.18
	Tigron sheath	10.23	21.10
	ADJUSTMENTS AVAILABLE	10.23	21.10

#### SUBDIVISION 2: ANKLE PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1130103	Temporary Symes prosthesis	991.82			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person Temporary foot (loan)				
	*DURATION OF GUARANTEE: Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENT				
1145523	Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person	N. C.	N. A.		
	OPTIONAL COMPONENTS				
	Supracondylar strap Foam flexible double comfort socket	110.48 101.48	149.04 197.84		3 3
1145598	Thigh lacer	192.69	209.41		3
	SUPPLEMENTS AVAILABLE				
3492501	Cane	10.12	10.12		
	Crutches with axillary support, height-	20.24	20.24		
+3492551	adjustable Crutches with forearm support, height- adjustable	55.66	55.66		
	Stump sock * (consult Division III of this Part for the	*	*		
3194016	codes and prices of these supplements) Nylon sheath, 45.7 cm (18 in.) to	18.23	21.18		

SCHEDULE 1	Tariff for devices which compensate for a motor deficiency and insured related services
	(authentic version)

ADJUSTMENT AVAILABLE  None  Maximum	m price Maximum
DEVICE Maximum Purchas replaceme device	m price price Maximum Guarantee ent of component price (months)

1,572.88

### BASIC COMPONENTS AND SUPPLEMENTS

1130509 Symes prosthesis

55.9 cm (22 in.)

Laminated plastic socket, made from plaster or digital mold of insured person, with or without medial or posterior window SACH foot

### COMPONENTS AND SUPPLEMENTS AVAILABLE

#### BASIC COMPONENTS

1125509	SACH foot	N. C.	258.63	
1135516	Laminated plastic socket, made from	N. C.	1,223.03	3
	plaster or digital mold of insured person,			
	with or without medial or posterior			
	window			

#### OPTIONAL COMPONENTS

1195502 Trial socket	131.02	N. A.	
1135532 Supracondylar strap	110.48	149.04	3
1125525 Symes foot	N. C.	254.38	
1125566 Dynamic response foot (Seattle)	354.18	612.81	
1125582 Dynamic response foot (Seattle Light)	462.12	720.74	
1125681 Dynamic response foot (Step Light)	279.68	538.29	
1125699 Dynamic response foot (USMC)	173.06	431.67	
1125707 Dynamic foot, for child (1K10)	35.56	294.20	
1135508 Silicone laminated extensible double	258.22	450.94	3

6

	socket			
1135524	Foam flexible double comfort socket	101.48	197.84	3
	Thigh lacer with reinforced uniaxial ballbearing joints	678.34	695.04	3
1145671	Thigh lacer with light uniaxial ball-bearing joints	570.41	587.10	3
1145689	Thigh lacer with polycentric joints	903.75	920.42	3
	SUPPLEMENTS AVAILABLE			
	Stump sock	*	*	
	* (consult Division III of this Part for the codes and prices of these supplements)			
3194016	Nylon sheath, 45.7 cm (18 in.) to 55.9 cm (22 in.)	18.23	21.18	
3194024	Nylon sheath, 80.0 cm (31½ in.) to 92.7 cm (36½ in.)	23.75	26.68	
3194081	Nylon sheath with elastic band, 55.9 cm (22 in.) to 66.0 cm (26 in.)	37.59	40.68	
3194099	Nylon sheath with elastic band, 73.7 cm (29 in.) to 86.4 cm (34 in.)	37.59	40.68	
3492501	Cane	10.12	10.12	
3492550	Crutches with axillary support, height-adjustable	20.24	20.24	
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66	

#### ADJUSTMENTS AVAILABLE

----- Any pertinent adjustment

#### **SUBDIVISION 3: TIBIAL PROSTHESES**

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1140011	Post-operative tibial prosthesis necessitating obligatory renewal of plaster or digital mold	764.41			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Lycra compressible socks (4) Plaster sockets (2) Means of suspension (belt) SACH foot (loan) Adjustable pylon (loan)				
	*DURATION OF GUARANTEE: Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Plaster sockets (2) Means of suspension (belt)	N. C. N. C.	N. A. N. A.		
	SUPPLEMENTS AVAILABLE				
	Lycra compressible sock Crutches with axillary support, height- adjustable	N. C. 20.24	N. A. 20.24		
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66		
	ADJUSTMENT AVAILABLE				

8

None

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1140060	Pneumatic post-operative tibial prosthesis, non-articulated	608.96			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Inflatable bag or case Distal pad Suspension straps Mobility frame (loan) Electric pump (loan)				
	*DURATION OF GUARANTEE: Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	SUPPLEMENTS AVAILABLE				
3492550	Crutches with axillary support, height-adjustable	20.24	20.24		
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66		
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
	ADJUSTMENT AVAILABLE				
	None				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1140078	Pneumatic post-operative tibial prosthesis, articulated	772.12			*
	BASIC COMPONENTS AND				

Updated: December 12, 2016

#### **SUPPLEMENTS**

Inflatable bag or case
Thigh lacer system (loan)
Knee joint system (loan)
Universal socket (loan)
Modular system (loan)
SACH foot (loan)
Air pump (loan)

\*DURATION OF GUARANTEE: Life of prosthesis

### COMPONENTS AND SUPPLEMENTS AVAILABLE

#### SUPPLEMENTS AVAILABLE

3492550	Crutches with axillary support, height-adjustable	20.24	20.24
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)		

#### ADJUSTMENT AVAILABLE

None

10

|--|

981.51

1140102 Temporary tibial prosthesis

BASIC COMPONENTS AND SUPPLEMENTS

Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person Temporary foot (loan) Endoskeletal system (loan)

\*DURATION OF GUARANTEE: Life of prosthesis

Updated: December 12, 2016

ጥ

### COMPONENTS AND SUPPLEMENTS AVAILABLE

#### BASIC COMPONENT

1145523	Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person	N. C.	N. A.	
	OPTIONAL COMPONENTS			
1145598	Thigh lacer	192.69	209.41	3
1135532	Supracondylar strap	110.48	149.04	3
1145549	Foam flexible double comfort socket	106.62	186.29	3
1145564	Tibial belt with Y strap	101.48	165.73	3
1145697	Suspension lining covered with nylon on inside	80.95	88.64	
1145705	Suspension lining not covered with nylon on inside	97.54	105.27	
1145713	Latex suspension lining	43.66	52.66	
1145721	Elastic suspension lining	35.97	44.97	
	SUPPLEMENTS AVAILABLE			
	Stump sock	*	*	
	* (consult Division III of this Part for the			
2104022	codes and prices of these supplements) Nylon tibial sheath, 15.2 cm (6 in.) to	18.23	21.18	
3194032	45.7 cm (18 in.)	10.23	21.10	
3194040	Nylon tibial sheath, 55.9 cm (22 in.) to	18.23	21.18	
319/107	80.0 cm (31½ in.) Nylon sheath with tibial elastic band,	30.96	33.89	
3174107	25.4 cm (10 in.) to 55.9 cm (22 in.)	30.70	33.07	
3194115	Nylon sheath with tibial elastic band,	29.25	32.19	
	50.8 cm (20 in.) to 73.7 cm (29 in.)			
3194206	Nylon suction sheath (all sizes)	29.25	32.19	
3492550	Crutches with axillary support, height-adjustable	20.24	20.24	
+3492551	Crutches with forearm support, height-	55.66	55.66	

#### ADJUSTMENTS AVAILABLE

None

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1140508	Exoskeletal tibial prosthesis	1,640.98			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic tibial socket, made from plaster or digital mold of insured person SACH foot Medial wedge Ankle block				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1125509	Ankle block SACH foot Laminated plastic tibial socket, made from plaster or digital mold of insured	N. C. N. C. N. C.	N. A. 258.63 1,285.99		3
1145457	person Medial wedge	N. C.	N. A.		
	OPTIONAL COMPONENTS				
1195585	Trial socket	122.05	N. A.		
	Foam or molded plastic flexible double comfort socket	106.62	186.29		3
1145556	Foam or molded plastic flexible double comfort socket, with medial wedge	128.46	206.83		3
1145630	Silicone gel double socket	274.93	499.76		3
1145648	Silicone gel double socket, with medial wedge	295.49	520.30		3
1146554	Silicone gel flexible double socket, with distal attachment	878.74	912.15		3
1146570	Silicone gel flexible double socket, with distal attachment, excluding replacement of distal attachment	N. A.	633.37		3
	Tibial belt with Y strap	101.48	165.73		3
	Supracondylar strap	110.48	149.04		3
1145697	Suspension lining covered with nylon on inside	80.95	88.64		

1145705	Suspension lining not covered with nylon on inside	97.54	105.27	
1145713	Latex suspension lining	43.66	52.66	
	Elastic suspension lining	35.97	44.97	
	Articulated foot	143.07	401.67	
1125574	Dynamic response foot, spring and	341.34	599.96	
	prosthetic cover included (Quantum)			
1125624	Adapter for foot (Quantum)	133.60	186.29	
	Dynamic response foot (Seattle Light)	462.12	720.74	
	Dynamic response foot (Sten foot)	76.68	335.32	
	Dynamic response foot (SAFE foot)	182.04	440.67	
	Dynamic response foot (1D10, 1D11)	155.33	413.94	
	Dynamic response foot (Seattle)	354.18	612.81	
	Dynamic response foot (Carbon Copy II)	295.10	553.73	
	Dynamic foot, for child (1K10)	35.56	294.20	
	Multiaxial foot with rotator (1A29)	221.86	480.48	
	Femoral device with plastic ischiatic	738.70	779.82	
1103339	support	730.70	119.02	
1145663	Thigh lacer with reinforced uniaxial ball-	678.34	695.04	
	bearing joints			
1145671	Thigh lacer with light uniaxial ball-	570.41	587.10	
	bearing joints			
	Thigh lacer with polycentric joints	903.75	920.42	
1145739	Replacement of thigh lacer with recovery	N. A.	403.39	
	and reinstallation of existing joints			
1145580	Suction valve and seat	246.00	311.50	
1145655	Suction valve	N. A.	221.59	
1145747	Foam flexible prosthetic cover	84.81	118.19	
	SUPPLEMENTS AVAILABLE			
3194032	Nylon tibial sheath, 15.2 cm (6 in.) to	18.23	21.18	
	45.7 cm (18 in.)			
3194040	Nylon tibial sheath, 55.9 cm (22 in.) to	18.23	21.18	
	80.0 cm (31½ in.)			
3194107	Nylon sheath with tibial elastic band,	30.96	33.89	
	25.4 cm (10 in.) to 55.9 cm (22 in.)			
3194115	Nylon sheath with tibial elastic band,	29.25	32.19	
	50.8 cm (20 in.) to 73.7 cm (29 in.)			
3194206	Nylon suction sheath (all sizes)	29.25	32.19	
	Prosthetic socks, per pair	27.00	35.97	
3492501		10.12	10.12	
	Crutches with axillary support, height-	20.24	20.24	
	adjustable			
+3492551	Crutches with forearm support, height-	55.66	55.66	
13172331	adjustable	23.00	23.00	
	Stump sock	*	*	
	* (consult Division III of this Part for the			
	codes and prices of these supplements)			
	codes and prices of these supplements)			

Updated: December 12, 2016

#### ADJUSTMENTS AVAILABLE

1146521	Socket lining (leather, plastic or other			167.01	
	material) Lengthening of a tibial prosthesis Any pertinent adjustment			314.73	
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1141514	Endoskeletal tibial prosthesis	1,819.56			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic tibial socket, made from plaster or digital mold of insured person Medial wedge SACH foot and adapter Complete endoskeletal system (modular components, prosthetic cover and prosthetic socks (2))				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1124015 1145531 1195528 1145614	SACH foot Adapter Laminated plastic tibial socket, made from plaster or digital mold of insured person Complete endoskeletal system Prosthetic cover Medial wedge	N. C. N. C. N. C. N. C. N. C. N. C.	258.63 N. A. 1,285.99 N. A. 349.44 N. A.		3
	OPTIONAL COMPONENTS				
1145754	Trial socket Foam or molded plastic flexible double comfort socket Foam or molded plastic flexible double	122.05 106.62 128.46	N. A. 186.29 206.83		3
	Foam or molded plastic flexible double comfort socket, with medial wedge				3
	Silicone gel double socket Silicone gel double socket, with medial	274.93 295.49	499.76 520.30		3 3

	wedge			
1146554	Silicone gel flexible double socket, with	878.74	912.15	3
1140354	distal attachment	070.74	712.13	3
1146562	Silicone gel flexible double socket, with	917.28	950.69	3
1110302	attachment and pneumatic cushion	717.20	250.02	3
1146570	Silicone gel flexible double socket, with	N. A.	633.37	3
1110370	distal attachment, excluding replacement	11. 11.	033.37	3
	of distal attachment			
1145564	Tibial belt with Y strap	101.48	165.73	3
	Supracondylar strap	110.48	149.04	3
	Suspension lining covered with nylon on	80.95	88.64	
	inside			
1145705	Suspension lining not covered with nylon	97.54	105.27	
	on inside			
1145713	Latex suspension lining	43.66	52.66	
	Elastic suspension lining	35.97	44.97	
1125715	Articulated foot and adapter	176.25	434.87	
1125723	Articulated foot without adapter	N. A.	267.25	
1125566	Dynamic response foot (Seattle)	354.18	612.81	
1125541	Dynamic response foot (Carbon Copy II)	295.10	553.73	
1125707	Dynamic foot, for child (1K10)	35.56	294.20	
1125798	Dynamic response foot, spring,	305.37	563.99	
	prosthetic cover and foam included			
	(Quantum)			
	Adapter for foot (Quantum)	52.66	97.64	
	Dynamic response foot (Seattle Light)	462.12	720.74	
	Dynamic response foot (Sten foot)	76.68	335.32	
	Dynamic response foot (SAFE foot)	182.04	440.67	
	Dynamic response foot (1D10, 1D11)	155.33	413.94	
	Dynamic response foot (Step Light)	279.68	538.29	
	Dynamic response foot (USMC)	173.06	431.67	
	Dynamic plus foot (1D25)	420.99	679.61	
	Multiaxial foot with rotator (1A30)	649.19	907.81	
	Multiaxial foot with rotator (Endolite)	567.45	826.07	
1125764	Dynamic response foot with rotator	757.60	1,016.23	
44 - 7 700	(Endolite)	<b>720 70</b>		
1165539	Femoral device with plastic ischiatic	738.70	779.82	3
1145662	support	670.24	605.04	2
1145663	Thigh lacer with reinforced uniaxial ball-	678.34	695.04	3
1145671	bearing joints	570 41	507.10	2
1145671	Thigh lacer with light uniaxial ball-	570.41	587.10	3
1145690	bearing joints	002.75	020.42	2
	Thigh lacer with polycentric joints	903.75	920.42	3 3
1143739	Replacement of thigh lacer with recovery	N. A.	403.39	3
1145500	and reinstallation of existing joints Suction valve and seat	246.00	211.50	
	Suction valve Suction valve	246.00 N. A.	311.50 221.59	
	Ankle rotator (4R39, 4R40)	N. A. 717.69	772.93	
	Ankle rotator (4R85)	641.37	691.46	
	Titanium modular system and carbon	91.22	N. A.	
1133013	Trainain modular system and carbon	71.44	1 <b>1.</b> A.	

C* 1		1	
11	ber	nv	On
11	$\omega_{\rm CI}$	$\nu_{\nu}$	ш

CLIDDI	EMENTS	$\Delta V \Delta \Pi$	ΔRIF
OULL		AVAIL	ADLE

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Any pertinent adjustment				
	excluding replacement of prosthetic cover and prosthetic sock				
1146547	Lengthening of tibial part of prosthesis,			220.98	
1146521	Socket lining (leather, plastic or other material)			167.01	
	ADJUSTMENTS AVAILABLE				
	* (consult Division III of this Part for the codes and prices of these supplements)				
	Stump sock	*	*		
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66		
	adjustable				
	Crutches with axillary support, height-	20.24	20.24		
3492501		10.12	10.12		
	Prosthetic socks, per pair	N. C.	35.97		
3194206	50.8 cm (20 in.) to 73.7 cm (29 in.) Nylon sheath (all sizes)	29.25	32.19		
3194115	25.4 cm (10 in.) to 55.9 cm (22 in.) Nylon sheath with tibial elastic band,	29.25	32.19		
3194107	80.0 cm (31½ in.) Nylon sheath with tibial elastic band,	30.96	33.89		
3194040	Nylon tibial sheath, 55.9 cm (22 in.) to	18.23	21.18		
3194032	Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm (18 in.)	18.23	21.18		

1141753 Prosthetic restoration of a leg

2,216.15

2

BASIC COMPONENTS AND SUPPLEMENTS

Prosthetic foam-rubber calf

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

SCHEDULE 1 Tariff for devices which compensate for a motor deficiency and insured related services (authentic version)

1145622 Prosthetic foam-rubber calf N. C. N. A.

OPTIONAL COMPONENT

1165547 Thigh extension 521.59 N. A. 2

ADJUSTMENT AVAILABLE

TIDS COTTUINET TO THE TIDEL

----- Any pertinent adjustment

Updated: December 12, 2016

None

#### SUBDIVISION 4: TIBIOFEMORAL PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1150010	Post-operative tibiofemoral prosthesis necessitating obligatory renewal of plaster or digital mold	1,144.68			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Lycra compressible socks (4) Plaster sockets (2) Means of suspension (belt) SACH foot (loan) Adjustable pylon (loan) Suspension cable, distal pad, ring				
	*DURATION OF GUARANTEE: Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1195510	Plaster sockets (2) Means of suspension (belt) Suspension cable, distal pad, ring	N. C. N. C. N. C.	N. A. N. A. N. A.		
	SUPPLEMENTS AVAILABLE				
	Lycra compressible socks (4) Crutches with axillary support, height- adjustable	N. C. 20.24	N. A. 20.24		
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66		
	ADJUSTMENT AVAILABLE				

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1150101	Pneumatic post-operative tibiofemoral prosthesis, non-articulated	603.80			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Inflatable bag or case Distal pad Suspension straps Mobility frame (loan) Electric pump (loan)				
	*DURATION OF GUARANTEE: Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	SUPPLEMENTS AVAILABLE				
3492550	Crutches with axillary support, height-adjustable	20.24	20.24		
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66		
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
	ADJUSTMENT AVAILABLE				
	None				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1150051	Pneumatic post-operative tibiofemoral prosthesis, articulated	766.96			*
	BASIC COMPONENTS AND				

#### **SUPPLEMENTS**

Inflatable bag or case
Thigh lacer system (loan)
Knee joint system (loan)
Modular system (loan)
Universal socket (loan)
SACH foot (loan)
Air pump (loan)

\*DURATION OF GUARANTEE: Life of prosthesis

### COMPONENTS AND SUPPLEMENTS AVAILABLE

#### SUPPLEMENTS AVAILABLE

3492550	Crutches with axillary support, height-adjustable	20.24	20.24
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*

#### ADJUSTMENT AVAILABLE

None

|--|

1150069 Temporary tibiofemoral prosthesis

1,235.91

BASIC COMPONENTS AND SUPPLEMENTS

Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person Temporary foot (loan) Endoskeletal system (loan)

\*GUARANTEE PERIOD: Life of prosthesis

20

### COMPONENTS AND SUPPLEMENTS AVAILABLE

#### BASIC COMPONENT

1145523	Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person	N. C.	N. A.	
	OPTIONAL COMPONENTS			
	Foam flexible double comfort socket	106.62	186.29	3
	Silesian belt	136.17	154.18	3
	Pelvic belt (steel joint and band)	318.62	490.78	3
1165703	Pelvic belt (plastic joint and band)	259.52	431.67	3
	SUPPLEMENTS AVAILABLE			
3194057	Nylon sheath, 50.8 cm (20 in.) to 61.0 cm (24 in.)	18.23	21.18	
3194123	Nylon sheath with elastic band, 45.7 cm (18 in.) to 55.9 cm (22 in.)	30.96	33.89	
3194206	Nylon suction sheath (all sizes)	29.25	32.19	
3492501	· · ·	10.12	10.12	
3492550	Crutches with axillary support, height-adjustable	20.24	20.24	
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66	
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*	

#### ADJUSTMENT AVAILABLE

None

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1150507	Exoskeletal tibiofemoral prosthesis	3,078.58			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person				

External knee joints SACH foot and ankle block

### COMPONENTS AND SUPPLEMENTS AVAILABLE

#### **BASIC COMPONENTS**

1125509	Ankle block SACH foot Laminated plastic tibiofemoral socket, made from plaster or digital mold of	N. C. N. C. N. C.	N. A. 258.63 1,820.45	3
1155514	insured person External knee joints	N. C.	714.32	
	OPTIONAL COMPONENTS			
1195551	Trial socket	168.29	N. A.	
	Foam flexible double comfort socket	143.88	241.52	
	Silicone gel flexible double socket, with	878.74	912.15	3
	distal attachment			
1146570	Silicone gel flexible double socket, with	N. A.	633.37	3
	distal attachment, excluding replacement			
4447770	of distal attachment	10:15	17110	•
	Silesian belt	136.17	154.18	3
	Neoprene Silesian belt	154.18	176.00	_
	Pelvic belt (titanium joint and band)	409.81	581.98	3
	Pelvic belt (plastic joint and band)	259.52	431.67	3
	Pelvic belt (steel joint and band)	318.62	490.78	3
	Articulated foot	143.07	401.67	
1125574	Dynamic response foot, spring and	341.34	599.96	
	prosthetic cover included (Quantum)			
	Adapter for foot (Quantum)	133.60	186.29	
	Dynamic response foot (Seattle Light)	462.12	720.74	
	Dynamic response foot (Sten foot)	76.68	335.32	
	Dynamic response foot (SAFE foot)	182.04	440.67	
1125616	Dynamic response foot (1D10, 1D11)	155.33	413.94	
1125566	Dynamic response foot (Seattle)	354.18	612.81	
1125541	Dynamic response foot (Carbon Copy II)	295.10	553.73	
1125707	Dynamic foot, for child (1K10)	35.56	294.20	
1125772	Multiaxial foot with rotator (1A29)	221.86	480.48	
1155647	Constant friction knee (3P25)	145.19	859.48	
1155563	Constant friction knee (3P1)	73.23	786.25	
1145580	Suction valve and seat	246.00	311.50	
1145655	Suction valve	N. A.	221.59	
1145747	Foam flexible cover for tibial part	84.81	118.19	
	SUPPLEMENTS AVAILABLE			
3194057	Nylon sheath, 50.8 cm (20 in.) to	18.23	21.18	

SC	HF	DI	II	F	1

3194206 3194198 3492501 3492550	61.0 cm (24 in.) Nylon sheath with elastic band, 45.7 cm (18 in.) to 55.9 cm (22 in.) Nylon suction sheath (all sizes) Prosthetic socks, per pair Cane Crutches with axillary support, height-adjustable Crutches with forearm support, height-adjustable	30.96 29.25 27.00 10.12 20.24 55.66	33.89 32.19 35.97 10.12 20.24 55.66		
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
	ADJUSTMENTS AVAILABLE				
1146521	Socket lining (leather, plastic or other			167.01	
	material) Lengthening of tibial part Any pertinent adjustment			314.73	
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1151505	Endoskeletal tibiofemoral prosthesis	3,819.75			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person SACH foot Complete endoskeletal system with knee (3R21) (modular components, prosthetic cover and prosthetic socks (2)). If child, uniaxial knee (3R38)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	SACH foot Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person	N. C. N. C.	258.63 1,820.45		3

1105528	Complete endoskeletal system	N. C.	N. A.
	Knee (3R21)	N. C. N. C.	1,364.26
	Prosthetic cover	N. C. N. C.	561.42
1103370	1 Tostilette cover	Ν. C.	301.42
	OPTIONAL COMPONENTS		
1195551	Trial socket	168.29	N. A.
	Foam flexible double comfort socket	143.88	241.52
		- 10100	
1146554	Silicone gel flexible double socket, with	878.74	912.15
1146570	distal attachment	N. A.	633.37
1140370	Silicone gel flexible double socket, with distal attachment, excluding replacement	N. A.	033.37
	of distal attachment		
1165570	Silesian belt	136.17	154.18
	Neoprene Silesian belt	154.18	176.00
	Pelvic belt (steel joint and band)	318.62	490.78
	Pelvic belt (plastic joint and band)	259.52	431.67
	Pelvic belt (titanium joint and band)	409.81	581.98
	Articulated foot and adapter	176.25	434.87
	Articulated without adapter	N. A.	267.25
	Dynamic response foot, spring and	341.34	599.96
112007.	prosthetic cover included (Quantum)	0.110.	6,7,1,0
1125780	Adapter for foot (Quantum)	52.66	97.64
	Dynamic foot, for child (1K10)	35.56	294.20
	Dynamic response foot (Seattle Light)	462.12	720.74
	Dynamic response foot (Sten foot)	76.68	335.32
	Dynamic response foot (SAFE foot)	182.04	440.67
1125616	Dynamic response foot (1D10, 1D11)	155.33	413.94
1125566	Dynamic response foot (Seattle)	354.18	612.81
1125541	Dynamic response foot (Carbon Copy II)	295.10	553.73
1125681	Dynamic response foot (Step Light)	279.68	538.29
1125699	Dynamic response foot (USMC)	173.06	431.67
1125731	Dynamic plus foot (1D25)	420.99	679.61
1125749	Multiaxial foot with rotator (1A30)	649.19	907.81
	Multiaxial foot with rotator (Endolite)	567.45	826.07
1125764	Dynamic response foot with rotator (Endolite)	757.60	1,016.23
1155571	Multiaxial knee, for child (TK40C) (used	463.89	1,828.15
1100071	with DAW endoskeletal system)	103.07	1,020.13
1155589	Uniaxial constant friction knee, for child	109.33	1,473.59
	(TK1C1)		2,1,2,2,
1155597	Uniaxial knee, for child (3R38)	N. C.	1,134.42
1155605	Uniaxial knee with lock, for child (3R39)	N. C.	1,259.03
1155613	Polycentric-joint knee with assisted	460.49	1,824.75
1155601	extension, titanium (3R30)  Multipyial knee with rotator, for child	N. C.	1 246 20
1133021	Multiaxial knee with rotator, for child (3R66)	N. C.	1,346.39
1155630	Polycentric-joint knee with lock, titanium	289.17	1,653.43
1155057	(3R32)	209.17	1,033.43
	(3132)		

$\alpha$	711			TT		- 1
<b>\</b> 1	- 1	$\mathbf{E}$	. 11	- 1 - 1	н.	

1145580	Suction valve and seat	246.00	311.50	
1145655	Suction valve	N. A.	221.59	
1135557	Ankle rotator (4R39, 4R40)	717.69	772.93	
	Ankle rotator (4R85)	641.37	691.46	
	Titanium modular system and carbon	91.22	N. A.	
	fiber pylon			
	17			
	SUPPLEMENTS AVAILABLE			
3194032	Nylon tibial sheath, 15.2 cm (6 in.) to	18.23	21.18	
	45.7 cm (18 in.)			
3194040	Nylon tibial sheath, 55.9 cm (22 in.) to	18.23	21.18	
	80.0 cm (31½ in.)			
3194230	Nylon sheath with elastic band	30.96	33.89	
3194115	Nylon sheath with tibial elastic band,	29.25	32.19	
	50.8 cm (20 in.) to 73.7 cm (29 in.)			
3194206	Nylon sheath (all sizes)	29.25	32.19	
3194172	Prosthetic socks, per pair	N. C.	44.96	
3492501	Cane	10.12	10.12	
3492550	Crutches with axillary support, height-adjustable	20.24	20.24	
+3492551	Crutches with forearm support, height-	55.66	55.66	
	adjustable			
	Stump sock	*	*	
	* (consult Division III of this Part for the			
	codes and prices of these supplements)			
	ADJUSTMENTS AVAILABLE			
1146521	Socket lining (leather, plastic or other			167.01
	material)			
11/65/17	I enothening of tibial part of proethesis			220.08

1146521	Socket lining (leather, plastic or other	167.01
	material)	
1146547	Lengthening of tibial part of prosthesis,	220.98
	excluding replacement of prosthetic	
	cover and prosthetic sock	
	Any pertinent adjustment	

26

#### **SUBDIVISION 5: FEMORAL PROSTHESES**

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1160019	Post-operative femoral prosthesis necessitating obligatory renewal of plaster or digital mold	1,111.30			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Compressible Lycra socks (4) Plaster sockets (2) Means of suspension (belt) SACH foot (loan) Adjustable pylon with joint (loan) Suspension cable, distal pad, ring				
	*GUARANTEE PERIOD: Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1195510	Plaster sockets (2) Means of suspension (belt) Suspension cable, distal pad, ring	N. C. N. C. N. C.	N. A. N. A. N. A.		
	SUPPLEMENTS AVAILABLE				
	Compressible Lycra socks (4) Crutches with axillary support, height-adjustable	N. C. 20.24	N. A. 20.24		
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66		
	ADJUSTMENT AVAILABLE				
	None				
	DEVICE	Maximum price Purchase or	Maximum price	Maximum adjustement	Guarantee (months)

		replacement of device	Replacement of component or supplement	price	
1160050	Pneumatic post-operative femoral prosthesis, non-articulated	603.80			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Inflatable bag or case Distal pad Suspension straps Mobility frame (loan) Electric pump (loan)				
	*GUARANTEE PERIOD: Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	SUPPLEMENTS AVAILABLE				
3492550	Crutches with axillary support, height-adjustable	20.24	20.24		
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66		
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
	ADJUSTMENT AVAILABLE				
	None				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1160068	Pneumatic post-operative femoral prosthesis, articulated	766.96			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Inflatable bag or case Thigh lacer system (loan)				

Knee joint system (loan) Modular system (loan) Universal socket (loan) SACH foot (loan) Air pump (loan)

\*GUARANTEE PERIOD: Life of prosthesis

COMPONENTS AND SUPPLEMENTS AVAILABLE

#### SUPPLEMENTS AVAILABLE

3492550	Crutches with axillary support, height-adjustable	20.24	20.24
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*

#### ADJUSTMENT AVAILABLE

None

or supplement	DEVICE	Maximum price Purchase or replacement of device  Maximum price Maximum Replacement adjustement of component price or supplement
---------------	--------	---

1160100 Temporary femoral prosthesis

1,135.71

BASIC COMPONENTS AND SUPPLEMENTS

Laminated or molded plastic socket, made from plaster or digital mold of insured person Temporary foot (loan) Endoskeletal system (loan)

\*GUARANTEE PERIOD: Life of prosthesis

COMPONENTS AND SUPPLEMENTS AVAILABLE

**BASIC COMPONENTS** 

28

Updated: December 12, 2016

1145523	Laminated or molded plastic socket, made from plaster or digital mold of insured person	N. C.	N. A.	
	OPTIONAL COMPONENTS			
1165570	Silesian belt	136.17	154.18	3
1165703	Pelvic belt (plastic joint and band)	259.52	431.67	3
	Pelvic belt (steel joint and band)	318.62	490.78	3
	SUPPLEMENTS AVAILABLE			
3194065	Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	18.23	21.18	
3194131	Nylon sheath with elastic band, 15.2 cm (6 in.) to 45.7 cm (18 in.)	34.35	37.27	
3194149	Nylon sheath with V opening, 15.2 cm (6 in.) to 50.8 cm (20 in.)	35.61	38.56	
3194206	Nylon suction sheath (all sizes)	29.25	32.19	
3492501	•	10.12	10.12	
3492550	Crutches with axillary support, height-adjustable	20.24	20.24	
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66	
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*	

#### ADJUSTMENT AVAILABLE

None

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1160506	Exoskeletal femoral prosthesis with constant friction knee (3P25)	2,879.45			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic femoral socket, made from plaster or digital mold of insured person Constant friction knee (3P25) SACH foot				

### COMPONENTS AND SUPPLEMENTS AVAILABLE

#### BASIC COMPONENTS

	SACH foot Laminated plastic femoral socket, made from plaster or digital mold of insured	N. C. N. C.	258.63 1,634.14	3
1155522	person Constant friction knee (3P25)	N. C.	859.48	
	OPTIONAL COMPONENTS			
	Trial socket	149.04	N. A.	
1165570	Silesian belt	136.17	154.18	3
1165828	Neoprene Silesian belt	154.18	176.00	
1165588	Pelvic belt (steel joint and band)	318.62	490.78	3
1165711	Pelvic belt (titanium joint and band)	409.81	581.98	3
1165703	Pelvic belt (plastic joint and band)	259.52	431.67	3
1146554	Silicone gel flexible double socket, with distal attachment	878.74	912.15	3
1146570	Silicone gel double socket, with distal	N. A.	633.37	3
	attachment, excluding replacement of distal attachment			
1145580	Suction valve and seat	246.00	311.50	
1145655	Suction valve	N. A.	221.59	
	Articulated foot	143.07	401.67	
	Dynamic response foot, spring and	341.34	599.96	
	prosthetic cover included (Quantum)			
1125624	Adapter for foot (Quantum)	133.60	186.29	
	Dynamic response foot (Seattle Light)	462.12	720.74	
	Dynamic response foot (Sten foot)	76.68	335.32	
	Dynamic response foot (SAFE foot)	182.04	440.67	
	Dynamic response foot (1D10, 1D11)	155.33	413.94	
	Dynamic response foot (Seattle)	354.18	612.81	
	Dynamic response foot (Carbon Copy II)	295.10	553.73	
	Dynamic foot, for child (1K10)	35.56	294.20	
	Foam flexible cover for tibial part	84.81	118.19	
	Safety knee (3P23, 3P24)	134.90	994.35	
	Manual locking knee (3P4)	21.83	881.33	
	Manual locking knee (3P52)	124.63	984.11	
	Geriatric knee with manual lock (3K9)	51.39	910.87	
	Constant friction locking knee (3P4F)	43.66	903.16	
	SUPPLEMENTS AVAILABLE			
3194065	Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	18.23	21.18	

SCHEDULE 1	Tariff for devices which compensate for a motor deficiency and insured related services
	(authentic version)

				`	,
3194131	Nylon sheath with elastic band, 15.2 cm (6 in.) to 45.7 cm (18 in.)	34.35	37.27		
3194149	Nylon sheath with V opening, 15.2 cm	35.61	38.56		
2104156	(6 in.) to 50.8 cm (20 in.)	25.24	10.05		
3194156	Wool socks, 3-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	37.24	40.25		
3194164	Wool socks, 5-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm	38.10	41.08		
2104100	(20 in.)	27.00	25.07		
	Prosthetic socks, per pair	27.00 29.25	35.97		
	Nylon suction sheath (all sizes)	10.12	32.19		
3492501			10.12		
	Crutches with axillary support, height-adjustable	20.24	20.24		
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66		
	Stump sock	*	*		
	* (consult Division III of this Part for the				
	codes and prices of these supplements)				
	ADJUSTMENTS AVAILABLE				
1146521	Lengthening of tibial part of the prosthesis			167.01	
1166537	Socket lining (leather, plastic or other			314.73	
	material)				
	Any pertinent adjustment				
		Maximum price	Maximum		
	DEVICE	Purchase or replacement of device	price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1160605	Exoskeletal femoral prosthesis with friction locking knee, for child (3P21)	2,726.57			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic femoral socket, made from plaster or digital mold of insured person Friction locking knee, for child (3P21) SACH foot				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				

Updated: December 12, 2016

#### BASIC COMPONENTS

	SACH foot Laminated plastic femoral socket, made	N. C. N. C.	258.63 1,634.14	3
	from plaster or digital mold of insured person			
1165737	Friction locking knee, for child (3P21)	N. C.	706.60	
	OPTIONAL COMPONENTS			
1195577	Trial socket	149.04	N. A.	
1165570	Silesian belt	136.17	154.18	3
1165828	Neoprene Silesian belt	154.18	176.00	
1165588	Pelvic belt (steel joint and band)	318.62	490.78	3
1165711	Pelvic belt (titanium joint and band)	409.81	581.98	3
1165703	Pelvic belt (plastic joint and band)	259.52	431.67	3
1146554	Silicone gel flexible double socket, with distal attachment	878.74	912.15	3
1146570	Silicone gel double socket, with distal attachment, excluding replacement of distal attachment	N. A.	633.37	3
1145500	Suction valve and seat	246.00	211.50	
	Suction valve Suction valve	246.00 N. A.	311.50	
	Articulated foot	143.07	221.59 401.67	
		341.34	599.96	
	Dynamic response foot, spring and prosthetic cover included (Quantum)			
	Adapter for foot (Quantum)	133.60	186.29	
	Dynamic response foot (Seattle Light)	462.12	720.74	
	Dynamic response foot (Sten foot)	76.68	335.32	
	Dynamic response foot (SAFE foot)	182.04	440.67	
	Dynamic response foot (1D10, 1D11)	155.33	413.94	
	Dynamic response foot (Seattle)	354.18	612.81	
	Dynamic response foot (Carbon Copy II)	295.10	553.73	
	Dynamic foot, for child (1K10)	35.56	294.20	
1145747	Foam flexible cover for tibial part	84.81	118.19	
1165745	Friction locking knee, for child (3P50)	43.66	750.26	
	SUPPLEMENTS AVAILABLE			
3194065	Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	18.23	21.18	
3194131	Nylon sheath with elastic band, 15.2 cm (6 in.) to 45.7 cm (18 in.)	34.35	37.27	
3194149	Nylon sheath with V opening, 15.2 cm (6 in.) to 50.8 cm (20 in.)	35.61	38.56	
3194156	Wool socks, 3-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	37.24	40.25	

· 0	CF	T	-	TT	_	-1
•		1 1			н	

3194164	Wool socks, 5-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm	38.10	41.08		
	(20 in.)				
3194198	Prosthetic socks, per pair	27.00	35.97		
	Nylon suction sheath (all sizes)	29.25	32.19		
3492501	•	10.12	10.12		
	Crutches with axillary support, height-adjustable	20.24	20.24		
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66		
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
	ADJUSTMENTS AVAILABLE				
1146521	Lengthening of tibial part of the			167.01	
1166537	prosthesis Socket lining (leather, plastic or other			314.73	
	material) Any pertinent adjustment				
		Maximum price Purchase or	Maximum price	Maximum	Commenter
	DEVICE	replacement of device	Replacement of component or supplement	adjustement price	Guarantee (months)
1161504	Endoskeletal femoral prosthesis	replacement of	of component	-	
1161504		replacement of device	of component	-	(months)
1161504	Endoskeletal femoral prosthesis BASIC COMPONENTS AND	replacement of device	of component	-	(months)
1161504	Endoskeletal femoral prosthesis  BASIC COMPONENTS AND SUPPLEMENTS  Laminated plastic femoral socket, made from plaster or digital mold of insured person SACH foot Complete endoskeletal system with uniaxial constant friction knee (3R16) (modular components, prosthetic cover	replacement of device	of component	-	(months)
1161504	Endoskeletal femoral prosthesis  BASIC COMPONENTS AND SUPPLEMENTS  Laminated plastic femoral socket, made from plaster or digital mold of insured person SACH foot  Complete endoskeletal system with uniaxial constant friction knee (3R16) (modular components, prosthetic cover and prosthetic socks (2))  COMPONENTS AND SUPPLEMENTS	replacement of device	of component	-	(months)

## person

1165653	Complete endoskeletal system Uniaxial constant friction knee (3R16) Prosthetic cover	N. C. N. C. N. C.	N. A. 504.91 561.42	
	OPTIONAL COMPONENTS			
1195577	Trial socket	149.04	N. A.	
1165570	Silesian belt	136.17	154.18	3
1165828	Neoprene Silesian belt	154.18	176.00	
	Pelvic belt (steel joint and band)	318.62	490.78	3
	Pelvic belt (titanium joint and band)	409.81	581.98	3
	Pelvic belt (plastic joint and band)	259.52	431.67	3
1146554	Silicone gel flexible double socket, with distal attachment	878.74	912.15	3
1146570	Silicone gel flexible double socket, with distal attachment, excluding replacement of distal attachment	N. A.	633.37	3
1145580	Suction valve and seat	246.00	311.50	
	Suction valve	N. A.	221.59	
	Articulated foot and adapter	176.25	434.87	
	Articulated without adapter	N. A.	267.25	
	Dynamic response foot, spring and	341.34	599.96	
	prosthetic cover included (Quantum)			
1125780	Adapter for foot (Quantum)	52.66	97.64	
	Dynamic foot, for child (1K10)	35.56	294.20	
	Dynamic response foot (Seattle Light)	462.12	720.74	
	Dynamic response foot (Sten foot)	76.68	335.32	
	Dynamic response foot (SAFE foot)	182.04	440.67	
1125616	Dynamic response foot (1D10, 1D11)	155.33	413.94	
	Dynamic response foot (Seattle)	354.18	612.81	
1125541	Dynamic response foot (Carbon Copy II)	295.10	553.73	
1125681	Dynamic response foot (Step Light)	279.68	538.29	
1125699	Dynamic response foot (USMC)	173.06	431.67	
	Dynamic plus foot (1D25)	420.99	679.61	
1125749	Multiaxial foot with rotator (1A30)	649.19	907.81	
1125756	Multiaxial foot with rotator (Endolite)	567.45	826.07	
1125764	Dynamic response foot with rotator (Endolite)	757.60	1,016.23	
1165802	Uniaxial knee with lock, for child (3R39)	817.95	1,322.85	
1165810	Uniaxial constant friction knee (3R18)	182.42	687.33	
1165679	Safety knee (3R15)	292.91	799.08	
	Manual locking knee (3R17)	367.88	872.79	
1165687	4-axis polycentric knee (3R20)	380.80	885.70	
1165752	Manual locking knee, aluminum (3R40)	271.46	776.36	
	Manual locking knee, titanium (3R33)	644.23	1,149.13	
	Safety knee, titanium (3R49)	584.59	1,089.48	
1165836	Multiaxial knee with rotator, for child (3R66)	841.49	1,346.39	

1135557	Ankle rotator (4R39, 4R40)	717.69	772.93	
	Ankle rotator (4R85)	641.37	691.46	
	Knee rotator (4R57)	819.23	870.64	
	Multiaxial knee, for child (TK40C)	1,321.99	1,828.15	
	Uniaxial constant friction knee with or	968.67	1,473.59	
1102011	without lock, for child (TK1C1)	700.07	1,173.07	
1165851	Uniaxial knee, for child (3R38)	624.38	1,134.42	
	Titanium modular system and carbon	91.22	N. A.	
1133013	fiber pylon	71.22	14. 71.	
	noor pyron			
	SUPPLEMENTS AVAILABLE			
3194065	Nylon sheath, 20.3 cm (8 in.) to 50.8 cm	18.23	21.18	
2101121	(20 in.)	24.25	a= a=	
3194131	Nylon sheath with elastic band, 15.2 cm	34.35	37.27	
	(6 in.) to 45.7 cm (18 in.)			
3194248	Nylon sheath with V opening, from	35.61	38.56	
	15.2 cm (6 in.) to 50.8 cm (20 in.)			
3194156	Wool socks, 3-ply, with V opening, sizes	37.24	40.25	
	1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm			
	(20 in.)			
3194164	Wool socks, 5-ply, with V opening, sizes	38.10	41.08	
	1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm			
	(20 in.)			
	Nylon suction sheath (all sizes)	29.25	32.19	
3492501		10.12	10.12	
3492550	Crutches with axillary support, height-	20.24	20.24	
	adjustable			
+3492551	Crutches with forearm support, height-	55.66	55.66	
	adjustable			
	Stump sock	*	*	
	* (consult Division III of this Part for the			
	codes and prices of these supplements)			
3194172	Prosthetic socks (2)	N. C.	44.96	
	ADJUSTMENTS AVAILABLE			
1146501	Longthoning of tibiol want of the			167.01
1146521	Lengthening of tibial part of the			167.01
	prosthesis, excluding replacement of			
1116515	prosthetic cover and prosthetic sock			220.00
1146547	Socket lining (leather, plastic or other			220.98
	material)			
	A Property of the Control of the Con			
	Any pertinent adjustment			

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1162254	Bilateral femoral stubbies	3,568.08			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic femoral sockets, made from plaster or digital mold of insured person (2) SACH or modified feet (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1125509	Modified foot SACH foot Laminated plastic femoral socket, made from plaster or digital mold of insured person	N. C. N. C. N. C.	N. A. 258.63 1,632.87		
	OPTIONAL COMPONENTS				
1165570 1165828 1165588 1165703 1165711 1145580	Trial socket Silesian belt Neoprene Silesian belt Pelvic belt (steel joint and band) Pelvic belt (plastic joint and band) Pelvic belt (titanium joint and band) Suction valve and seat Suction valve	149.04 136.17 154.18 318.62 259.52 409.81 246.00 N. A.	N. A. 154.18 176.00 490.78 431.67 581.98 311.50 221.59		3 3 3 3
	SUPPLEMENTS AVAILABLE				
3194065	Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	18.23	21.18		
3194131	Nylon sheath with elastic band, 15.2 cm (6 in.) to 45.7 cm (18 in.)	34.35	37.27		
	Nylon sheath with V opening, 15.2 cm (6 in.) to 50.8 cm (20 in.)	35.61	38.56		
3194156	Wool socks, 3-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	37.24	40.25		

3194164	Wool socks, 5-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	38.10	41.08
3194206	Nylon suction sheath (all sizes)	29.25	32.19
3492501	Cane	10.12	10.12
3492550	Crutches with axillary support, height-adjustable	20.24	20.24
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*

### ADJUSTMENTS AVAILABLE

1146521 Socket lining (leather, plastic or other material)

----- Any pertinent adjustment

167.01

## SUBDIVISION 6: COXOFEMORAL AND HEMIPELVIC PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1170505	Exoskeletal coxofemoral prosthesis with constant friction knee (3P25)	4,446.81			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic socket, made from plaster or digital mold of insured person Constant friction knee (3P25) SACH foot Hip joint – Canadian type (CHJ-100, CHJ-75)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1125509	SACH foot	N. C.	258.63		
1175504	Laminated plastic socket, made from	N. C.	2,604.11		
1175512	plaster or digital mold of insured person Hip joint – Canadian type (CHJ-100, CHJ-75)	N. C.	543.44		
1155522	Constant friction knee (3P25)	N. C.	859.48		
	OPTIONAL COMPONENTS				
1195593	Trial socket	287.77	N. A.		
1145580	Suction valve and seat	246.00	311.50		
1145655	Suction valve	N. A.	221.59		
	Articulated foot	143.07	401.67		
1125574	Dynamic response foot, spring and prosthetic cover included (Quantum)	341.34	599.96		
	Adapter for foot (Quantum)	133.60	186.29		
	Dynamic response foot (Seattle Light)	462.12	720.74		
	Dynamic response foot (Sten foot)	76.68	335.32		
	Dynamic response foot (SAFE foot)	182.04	440.67		
	Dynamic response foot (1D10, 1D11)	155.33	413.94		
	Dynamic response foot (Seattle)  Dynamic response foot (Carbon Copy II)	354.18 295.10	612.81 553.73		
	Dynamic foot, for child (1K10)	35.56	294.20		
1145/0/	Dynamic 100t, for clind (1K10)	33.30	277.20		

SCHEDULE 1	Tariff for devices which compensate for a motor deficiency and insured related services
	(authentic version)

1145747	Foam flexible cover for tibial part	84.81	118.19		
1167604	G 6 - 1 (ODGG ODGA)	124.00	004.25		
	Safety knee (3P23, 3P24)	134.90	994.35		
	Manual locking knee (3P4)	21.83	881.33		
	Manual locking knee (3P52)	124.63	984.11		
	Geriatric knee with manual lock (3K9)	51.39	910.87		
1165729	Constant friction locking knee (3P4F)	43.66	903.16		
	SUPPLEMENTS AVAILABLE				
3194198	Prosthetic socks, per pair	27.00	35.97		
	Pant-style sock	17.02	22.59		
		10.12			
3492501			10.12		
3492550	Crutches with axillary support, height-adjustable	20.24	20.24		
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66		
	adjustable				
	ADJUSTMENTS AVAILABLE				
	ADJUSTMENTS AVAILABLE				
1166537	Lengthening of tibial part of the			314.73	
	prosthesis				
	Any pertinent adjustment				
	<b>J</b> 1				
		Maximum price	Maximum		
		Maximum price	price	Maximum	Guarantaa
	DEVICE	Purchase or	price Replacement	adjustement	Guarantee (months)
	DEVICE	Purchase or replacement of	price Replacement of component		Guarantee (months)
	DEVICE	Purchase or	price Replacement	adjustement	
1170604	DEVICE  Exoskeletal coxofemoral prosthesis with friction locking knee, for child (3P21)	Purchase or replacement of	price Replacement of component	adjustement	
1170604	Exoskeletal coxofemoral prosthesis with friction locking knee, for child (3P21)	Purchase or replacement of device	price Replacement of component	adjustement	(months)
1170604	Exoskeletal coxofemoral prosthesis with	Purchase or replacement of device	price Replacement of component	adjustement	(months)
1170604	Exoskeletal coxofemoral prosthesis with friction locking knee, for child (3P21)  BASIC COMPONENTS AND SUPPLEMENTS	Purchase or replacement of device	price Replacement of component	adjustement	(months)
1170604	Exoskeletal coxofemoral prosthesis with friction locking knee, for child (3P21)  BASIC COMPONENTS AND SUPPLEMENTS  Laminated plastic socket, made from	Purchase or replacement of device	price Replacement of component	adjustement	(months)
1170604	Exoskeletal coxofemoral prosthesis with friction locking knee, for child (3P21)  BASIC COMPONENTS AND SUPPLEMENTS  Laminated plastic socket, made from plaster or digital mold of insured person	Purchase or replacement of device	price Replacement of component	adjustement	(months)
1170604	Exoskeletal coxofemoral prosthesis with friction locking knee, for child (3P21)  BASIC COMPONENTS AND SUPPLEMENTS  Laminated plastic socket, made from plaster or digital mold of insured person Friction locking knee, for child (3P21)	Purchase or replacement of device	price Replacement of component	adjustement	(months)
1170604	Exoskeletal coxofemoral prosthesis with friction locking knee, for child (3P21)  BASIC COMPONENTS AND SUPPLEMENTS  Laminated plastic socket, made from plaster or digital mold of insured person Friction locking knee, for child (3P21) SACH foot	Purchase or replacement of device	price Replacement of component	adjustement	(months)
1170604	Exoskeletal coxofemoral prosthesis with friction locking knee, for child (3P21)  BASIC COMPONENTS AND SUPPLEMENTS  Laminated plastic socket, made from plaster or digital mold of insured person Friction locking knee, for child (3P21)	Purchase or replacement of device	price Replacement of component	adjustement	(months)
1170604	Exoskeletal coxofemoral prosthesis with friction locking knee, for child (3P21)  BASIC COMPONENTS AND SUPPLEMENTS  Laminated plastic socket, made from plaster or digital mold of insured person Friction locking knee, for child (3P21) SACH foot	Purchase or replacement of device	price Replacement of component	adjustement	(months)
1170604	Exoskeletal coxofemoral prosthesis with friction locking knee, for child (3P21)  BASIC COMPONENTS AND SUPPLEMENTS  Laminated plastic socket, made from plaster or digital mold of insured person Friction locking knee, for child (3P21) SACH foot Hip joint – Canadian type (CHJ-100, CHJ-75)	Purchase or replacement of device	price Replacement of component	adjustement	(months)
1170604	Exoskeletal coxofemoral prosthesis with friction locking knee, for child (3P21)  BASIC COMPONENTS AND SUPPLEMENTS  Laminated plastic socket, made from plaster or digital mold of insured person Friction locking knee, for child (3P21) SACH foot Hip joint – Canadian type (CHJ-100, CHJ-75)  COMPONENTS AND SUPPLEMENTS	Purchase or replacement of device	price Replacement of component	adjustement	(months)
1170604	Exoskeletal coxofemoral prosthesis with friction locking knee, for child (3P21)  BASIC COMPONENTS AND SUPPLEMENTS  Laminated plastic socket, made from plaster or digital mold of insured person Friction locking knee, for child (3P21) SACH foot Hip joint – Canadian type (CHJ-100, CHJ-75)	Purchase or replacement of device	price Replacement of component	adjustement	(months)
1170604	Exoskeletal coxofemoral prosthesis with friction locking knee, for child (3P21)  BASIC COMPONENTS AND SUPPLEMENTS  Laminated plastic socket, made from plaster or digital mold of insured person Friction locking knee, for child (3P21) SACH foot Hip joint – Canadian type (CHJ-100, CHJ-75)  COMPONENTS AND SUPPLEMENTS	Purchase or replacement of device	price Replacement of component	adjustement	(months)
	Exoskeletal coxofemoral prosthesis with friction locking knee, for child (3P21)  BASIC COMPONENTS AND SUPPLEMENTS  Laminated plastic socket, made from plaster or digital mold of insured person Friction locking knee, for child (3P21) SACH foot  Hip joint – Canadian type (CHJ-100, CHJ-75)  COMPONENTS AND SUPPLEMENTS AVAILABLE	Purchase or replacement of device	price Replacement of component	adjustement	(months)

Updated: December 12, 2016

39

1175504	Laminated plastic socket, made from	N. C.	2,604.11	
	plaster or digital mold of insured person			
1175512	Hip joint – Canadian type (CHJ-100, CHJ-75)	N. C.	543.44	
1165737	Friction locking knee, for child (3P21)	N. C.	706.60	
	OPTIONAL COMPONENTS			
1195593	Trial socket	287.77	N. A.	
	Suction valve and seat	246.00	311.50	
	Suction valve and seat	N. A.	221.59	
	Articulated foot	143.07	401.67	
	Dynamic response foot, spring and	341.34	599.96	
1123374	prosthetic cover included (Quantum)	341.34	377.70	
1125624	Adapter for foot (Quantum)	133.60	186.29	
	Dynamic response foot (Seattle Light)	462.12	720.74	
	Dynamic response foot (Sten foot)	76.68	335.32	
	Dynamic response foot (SAFE foot)	182.04	440.67	
	Dynamic response foot (1D10, 1D11)	155.33	413.94	
	Dynamic response foot (Seattle)	354.18	612.81	
	Dynamic response foot (Carbon Copy II)	295.10	553.73	
	Dynamic foot, for child (1K10)	35.56	294.20	
	Foam flexible cover for tibial part	84.81	118.19	
11 157 17	Touri Heardie cover for trotal part	01.01	110.17	
1165745	Constant friction locking knee, for child (3P50)	43.66	750.26	
	SUPPLEMENTS AVAILABLE			
210/108	Prosthetic socks, per pair	27.00	35.97	
	Pant-style sock	17.02	22.59	
3492501	The state of the s	10.12	10.12	
		20.24		
3492330	Crutches with axillary support, height-adjustable	20.24	20.24	
+3492551	Crutches with forearm support, height-	55.66	55.66	
	adjustable			
	ADJUSTMENTS AVAILABLE			
1166537	Lengthening of tibial part of the prosthesis			314.73
	A 1' 4 1'			

40 Updated: December 12, 2016

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1171503	Endoskeletal coxofemoral prosthesis	6,086.77			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic socket, made from plaster or digital mold of insured person SACH foot Complete endoskeletal system wth uniaxial constant friction knee (3R16) (modular components, prosthetic cover and prosthetic socks (2)) Hip joint (7E7)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	SACH foot Laminated plastic socket, made from plaster or digital mold of insured person	N. C. N. C.	258.63 2,604.11		
1165653	Complete endoskeletal system Uniaxial constant friction knee (3R16) Prosthetic cover	N. C. N. C. N. C.	N. A. 504.91 718.15		
	Hip joint (7E7)	N. C.	N. A.		
	OPTIONAL COMPONENTS				
	Trial socket Joint of hip joint (7E7)	287.77 N. A.	N. A. 2,007.39		
1165810	Joint of hip joint, for child (7E8) Uniaxial constant friction knee (3R18)	247.96 182.42	1,518.54 687.33		
1165661	Safety knee (3R15) Manual locking knee (3R17) 4-axis polycentric knee (3R20)	292.91 367.88 380.80	799.08 872.79 885.70		
1165752 1165760	Manual locking knee, aluminum (3R40) Manual locking knee, titanium (3R33)	271.46 644.23	776.36 1,149.13		
	Safety knee. titanium (3R49) Multiaxial knee with rotator, for child (3R66)	584.59 841.49	1,089.48 1,346.39		
	Multiaxial knee, for child (TK40C) Uniaxial constant friction knee, with or	817.95 1,321.99	1,322.85 1,828.15		

	without lock, for child (TK1C1)			
1165844	Knee rotator (4R57)	968.67	1,473.59	
1103644	Kilee Totator (4K37)	908.07	1,473.39	
1155548	Multiaxial knee, for child (TK40C)	819.23	870.64	
	Ankle rotator (4R39, 4R40)	717.69		
	Ankle rotator (4R85)	641.37		
	Articulated foot and adapter	176.25		
	Articulated without adapter	N. A.		
	Dynamic response foot, spring and	305.37	563.99	
	prosthetic cover included (Quantum)			
1125780	Adapter for foot (Quantum)	52.66	97.64	
	Dynamic foot, for child 1K10	35.56	294.20	
	Dynamic response foot (Seattle Light)	462.12	720.74	
	Dynamic response foot (Sten foot)	76.68	335.32	
1125608	Dynamic response foot (SAFE foot)	182.04	440.67	
1125616	Dynamic response foot (1D10 or 1D11)	155.33	413.94	
1125566	Dynamic response foot (Seattle)	354.18	612.81	
1125541	Dynamic response foot (Carbon Copy II)	295.10	553.73	
1125681	Dynamic response foot (Step Light)	279.68	538.29	
1125699	Dynamic response foot (USMC)	173.06	431.67	
1125731	Dynamic plus foot (1D25)	420.99	679.61	
	Multiaxial foot with rotator (1A30)	649.19	907.81	
	Multiaxial foot with rotator (Endolite)	567.45	826.07	
1125764	Dynamic response foot with rotator (Endolite)	757.60	1,016.23	
1135615	Titanium modular system and carbon	91.22	N. A.	
	fiber pylon			
	SUPPLEMENTS AVAILABLE			
3194180	Pant-style sock	17.02	22.59	
3492501	·	10.12		
	Crutches with axillary support, height-	20.24		
	adjustable			
+3492551	Crutches with forearm support, height-	55.66	55.66	
	adjustable			
3194214	Prosthetic socks (2)	N. C.	39.83	
	ADJUSTMENTS AVAILABLE			
1146547	Lengthening of tibial part of prosthesis,			220.98
	excluding replacement of prosthetic			
	cover and prosthetic sock			
	Any pertinent adjustment			

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1180504	Exoskeletal hemipelvic prosthesis, with constant friction knee (3P25)	4,585.57			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic socket, made from plaster or digital mold of insured person Constant friction knee (3P25) SACH foot Hip joint – Canadian type (CHJ-100, CHJ-75)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1125509	SACH foot	N. C.	258.63		
1175504	Laminated plastic socket, made from plaster or digital mold of insured person	N. C.	2,604.11		
1175512	Hip joint – Canadian type (CHJ-100, CHJ-75)	N. C.	543.44		
1155522	Constant friction knee (3P25)	N. C.	859.48		
	OPTIONAL COMPONENTS				
1195593	Trial socket	287.77	N. A.		
1125517	Articulated foot	143.07	401.67		
1125574	Dynamic response foot, spring and prosthetic cover included (Quantum)	341.34	599.96		
1125624	Adapter for foot (Quantum)	133.60	186.29		
	Dynamic response foot (Seattle Light)	462.12	720.74		
	Dynamic response foot (Sten foot)	76.68	335.32		
1125608	Dynamic response foot (SAFE foot)	182.04	440.67		
	Dynamic response foot (1D10 or 1D11)	155.33	413.94		
	Dynamic response foot (Seattle)	354.18	612.81		
	Dynamic response foot (Carbon Copy II)	295.10	553.73		
	Dynamic foot, for child (1K10)	35.56	294.20		
1145/47	Foam flexible cover for tibial part	84.81	118.19		
1165604	Safety knee (3P23, 3P24)	134.90	994.35		
	Manual locking knee (3P4)	21.83	881.33		

SCHEDULI	E 1 Tariff for devices which comp	ensate for a motor	deficiency and in	nsured related s (authentic v	
1165646	Manual locking knee (3P52) Geriatric knee with manual lock (3K9) Constant friction locking knee (3P4F)	124.63 51.39 43.66	984.11 910.87 903.16		
	SUPPLEMENTS AVAILABLE				
3194180 3492501 3492550	Prosthetic socks, per pair Pant-style sock Cane Crutches with axillary support, height- adjustable Crutches with forearm support, height- adjustable	27.00 17.02 10.12 20.24 55.66	35.97 22.59 10.12 20.24 55.66		
1166537	ADJUSTMENTS AVAILABLE  Lengthening of tibial part of the prosthesis			314.73	
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of	Maximum price Replacement	Maximum adjustement	Guarantee (months)
		device	of component or supplement	price	(monus)
1181601	Exoskeletal hemipelvic prosthesis, with friction locking knee, for child (3P21)			price	6
1181601		device		price	
1181601	friction locking knee, for child (3P21)  BASIC COMPONENTS AND	device		price	
1181601	friction locking knee, for child (3P21)  BASIC COMPONENTS AND SUPPLEMENTS  Laminated plastic socket, made from plaster or digital mold of insured person Friction locking knee, for child (3P21) SACH foot Hip joint – Canadian type (CHJ-100,	device		price	
1181601	friction locking knee, for child (3P21)  BASIC COMPONENTS AND SUPPLEMENTS  Laminated plastic socket, made from plaster or digital mold of insured person Friction locking knee, for child (3P21) SACH foot Hip joint – Canadian type (CHJ-100, CHJ-75)  COMPONENTS AND SUPPLEMENTS	device		price	
1125509	friction locking knee, for child (3P21)  BASIC COMPONENTS AND SUPPLEMENTS  Laminated plastic socket, made from plaster or digital mold of insured person Friction locking knee, for child (3P21) SACH foot Hip joint – Canadian type (CHJ-100, CHJ-75)  COMPONENTS AND SUPPLEMENTS AVAILABLE  BASIC COMPONENTS  SACH foot Laminated plastic socket, made from	device		price	
1125509 1175504	friction locking knee, for child (3P21)  BASIC COMPONENTS AND SUPPLEMENTS  Laminated plastic socket, made from plaster or digital mold of insured person Friction locking knee, for child (3P21) SACH foot Hip joint – Canadian type (CHJ-100, CHJ-75)  COMPONENTS AND SUPPLEMENTS AVAILABLE  BASIC COMPONENTS SACH foot	device 4,432.67 N. C.	or supplement	price	

#### **OPTIONAL COMPONENTS**

1195593	Trial socket	287.77	N. A.
1125517	Articulated foot	143.07	401.67
1125574	Dynamic response foot, spring and	341.34	599.96
	prosthetic cover included (Quantum)		
1125624	Adapter for foot (Quantum)	133.60	186.29
1125582	Dynamic response foot (Seattle Light)	462.12	720.74
1125590	Dynamic response foot (Sten foot)	76.68	335.32
1125608	Dynamic response foot (SAFE foot)	182.04	440.67
1125616	Dynamic response foot (1D10 or 1D11)	155.33	413.94
1125566	Dynamic response foot (Seattle)	354.18	612.81
1125541	Dynamic response foot (Carbon Copy II)	295.10	553.73
1125707	Dynamic foot, for child (1K10)	35.56	294.20
1145747	Foam flexible cover for tibial part	84.81	118.19
1165745	Friction locking knee, for child (3P50)	43.66	750.26
	SUPPLEMENTS AVAILABLE		
3194198	Prosthetic socks, per pair	27.00	35.97
3194180	Pant-style sock	17.02	22.59
3492501	Cane	10.12	10.12
3492550	Crutches with axillary support, height-adjustable	20.24	20.24
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66

#### ADJUSTMENTS AVAILABLE

1166537 Lengthening of tibial part of the

----- Any pertinent adjustment

ngthening of tibial part of the	314.73
osthesis	

|--|

1181502 Endoskeletal hemipelvic prosthesis

6,246.07

6

BASIC COMPONENTS AND SUPPLEMENTS

Laminated plastic socket, made from plaster or digital mold of insured person SACH foot

Complete endoskeletal system with uniaxial constant friction knee (3R16) (modular components, prosthetic cover and prosthetic socks (2))
Hip joint (7E7)

# COMPONENTS AND SUPPLEMENTS AVAILABLE

#### BASIC COMPONENTS

1125509	SACH foot	N. C.	258.63
	Laminated plastic socket, made from	N. C.	2,604.11
	plaster or digital mold of insured person		
1195528	Complete endoskeletal system	N. C.	N. A.
1165653	Uniaxial constant friction knee (3R16)	N. C.	504.91
1175538	Prosthetic cover	N. C.	718.15
1175561	Hip joint (7E7)	N. C.	N. A.
	OPTIONAL COMPONENTS		
1195593	Trial socket	287.77	N. A.
1175553	Joint of hip joint (7E7)	N. A.	2,007.39
1175579	Joint of hip joint, for child (7E8)	247.96	1,518.54
1165810	Uniaxial constant friction knee (3R18)	182.42	687.33
1165679	Safety knee (3R15)	292.91	799.08
1165661	Manual locking knee (3R17)	367.88	872.79
1165687	4-axis polycentric knee (3R20)	380.80	885.70
1165752	Manual locking knee, aluminum (3R40)	271.46	776.36
1165760	Manual locking knee, titanium (3R33)	644.23	1,149.13
1165778	Safety knee, titanium (3R49)	584.59	1,089.48
1165836	Multiaxial knee with rotator, for child	841.49	1,346.39
	(3R66)		
	Uniaxial knee with lock, for child (3R39)	817.95	1,322.85
	Multiaxial knee, for child (TK40C)	1,321.99	1,828.15
1165844	Uniaxial constant friction knee, with or	968.67	1,473.59
	without lock, for child (TK1C1)		
	Knee rotator (4R57)	819.23	870.64
	Ankle rotator (4R39, 4R40)	717.69	772.93
	Ankle rotator (4R85)	641.37	691.46
	Articulated foot and adapter	176.25	434.87
	Articulated without adapter	N. A.	267.25
1125798	Dynamic response foot, spring and	305.37	563.99
	prosthetic cover included (Quantum)		
	Adapter for foot (Quantum)	52.66	97.64
	Dynamic foot, for child (1K10)	35.56	294.20
	Dynamic response foot (Seattle Light)	462.12	720.74
	Dynamic response foot (Sten foot)	76.68	335.32
	Dynamic response foot (SAFE foot)	182.04	440.67
1125616	Dynamic response foot (1D10, 1D11)	155.33	413.94

1125566	Dynamic response foot (Seattle)	354.18	612.81	
1125541	Dynamic response foot (Carbon Copy II)	295.10	553.73	
1125681	Dynamic response foot (Step Light)	279.68	538.29	
1125699	Dynamic response foot (USMC)	173.06	431.67	
1125731	Dynamic plus foot (1D25)	420.99	679.61	
1125749	Multiaxial foot with rotator (1A30)	649.19	907.81	
1125756	Multiaxial foot with rotator (Endolite)	567.45	826.07	
1125764	Dynamic response foot with rotator (Endolite)	757.60	1,016.23	
1135615	Titanium modular system and carbon fiber pylon	91.22	N. A.	
	SUPPLEMENTS AVAILABLE			
3194180	Pant-style sock	17.02	22.59	
3492501	· · · · · · · · · · · · · · · · · · ·	10.12	10.12	
3492550	Crutches with axillary support, height-adjustable	20.24	20.24	
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66	
3194214	Prosthetic socks (2)	N. C.	39.83	
	ADJUSTMENTS AVAILABLE)			
	Lengthening of tibial part of prosthesis, excluding replacement of prosthetic cover and prosthetic sock			220.98
	Any pertinent adjustment			

### **SUBDIVISION 7: LOWER-LIMB PROSTHESES**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1142009 Other lower-limb prostheses *	S. C.			6

<sup>\*</sup> When price is below that of the similar prosthesis

## **DIVISION II: UPPER-LIMB PROSTHESES**

#### **SUBDIVISION 1: HAND PROSTHESES**

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
+1211755	Prosthetic restoration of one finger (thumb) made from plaster or digital mold of insured person	751.56			1
+1211756	Prosthetic restoration of one finger (index) made from plaster or digital mold of insured person	751.56			
+1211757	Prosthetic restoration of one finger (middle finger) made from plaster or digital mold of insured person	751.56			
+1211758	Prosthetic restoration of one finger (ring finger) made from plaster or digital mold of insured person	751.56			
+1211759	Prosthetic restoration of one finger (little finger) made from plaster or digital mold of insured person	751.56			
	BASIC COMPONENTS AND SUPPLEMENTS				
	Compensatory part for finger and prosthetic cover (Realistic)				
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component	Maximum adjustement price	Guarantee (months)

Updated: December 12, 2016 49

		or s	supplement	
1221753	Prosthetic partial hand restoration, made from plaster or digital mold of insured person	1,467.16		1
	BASIC COMPONENTS AND SUPPLEMENTS			
	Compensatory part Prosthetic partial hand and prosthetic glove, made from plaster or digital mold of insured person (Realistic)			
	COMPONENTS AND SUPPLEMENTS AVAILABLE			
1295807	Prosthetic partial hand and prosthetic glove, made from plaster or digital mold of insured person (Realistic)	N. C.	704.04	
	ADJUSTMENT AVAILABLE			
	Any pertinent adjustment			

50 Updated: December 12, 2016

## **SUBDIVISION 2: WRIST PROSTHESES**

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1230507	Exoskeletal cubital or wrist prosthesis	1,518.54			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Wrist friction joint Rigid plastic socket, made from plaster or digital mold of insured person Suspension harness Tricipital pad Control cable, connections, terminals and housing (reinforced materials)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1235514	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	950.69		3
	Suspension harness Control cable, connections, terminals and housing (reinforced materials)	N. C. N. C.	156.74 194.00		3 3
	Wrist friction joint Tricipital pad	N. C. N. C.	336.59 156.74		
	OPTIONAL COMPONENTS				
	Metal elbow joints, flexible Anchoring part for cable for passive hand and hook Other optional components (consult Subdivision VII for the codes and prices of these components)	405.97 38.54	472.78 61.66		3
	SUPPLEMENTS AVAILABLE				
	Stump sock * (consult Division III of this Part for the	*	*		
3190014	codes and prices of these supplements) Nylon stump sheath	18.23	21.18		

### ADJUSTMENTS AVAILABLE

1246511 Lengthening of prosthesis
----- Any pertinent adjustment

262.07

3

## **SUBDIVISION 3: CUBITAL PROSTHESES**

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1241504	Endoskeletal cubital prosthetic restoration	1,548.74			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person Passive hand with flexible fingers and prosthetic glove (Otto Bock) Complete endoskeletal system (including modular components and prosthetic cover)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1235514	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	950.69		3
1295534	Complete endoskeletal system	N. C.	N. A.		
	Prosthetic cover	N. C.	291.64		
3222817	Passive hand with flexible fingers (Otto Bock)	N. C.	312.17		
3223005	Prosthetic glove (Otto Bock)	N. C.	267.87		
	OPTIONAL COMPONENTS				
	Metal elbow joints, flexible Other optional components (consult Subdivision VII for the codes and prices of these components)	405.97	472.78		
	SUPPLEMENTS AVAILABLE				
	Prosthetic socks, per pair Stump sock * (consult Division III of this Part for the	* 27.00	35.97 *		
3190014	codes and prices of these supplements) Nylon stump sheath	18.23	21.18		
	ADJUSTMENT AVAILABLE				

# ----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1231752	Exoskeletal cubital or wrist prosthetic restoration	1,458.80			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Passive hand with flexible fingers and prosthetic glove (Otto Bock) Rigid plastic socket, made from plaster or digital mold of insured person Wrist friction joint				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	950.69		3
1295526	Wrist friction joint	N. C.	336.59		
3222817	Passive hand with flexible fingers (Otto Bock)	N. C.	312.17		
3223005	Prosthetic glove (Otto Bock)	N. C.	267.87		
	OPTIONAL COMPONENTS				
1295716	Suspension harness Other optional components (consult Subdivision VII for the codes and prices of these components)	106.62	156.74		
	SUPPLEMENTS AVAILABLE				
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
3190014	Nylon stump sheath	18.23	21.18		
	ADJUSTMENTS AVAILABLE				
1246511	Lengthening of prosthesis Any pertinent adjustment			262.07	3

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1240514	Cubital prosthesis with multiple-action joints	2,286.81			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Wrist friction joint Rigid plastic socket, made from plaster or digital mold of insured person Forearm restoration Multiple-action elbow joints Suspension harness Armband Control cable, connections, terminals and housing (reinforced materials)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1245539	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,196.08		3
1295526	Wrist friction joint	N. C.	336.59		
	Multiple-action elbow joints	N. C.	601.24		
1245562	Forearm restoration	N. C.	441.94		3
1295500	Suspension harness	N. C.	156.74		3
1295518	Control cable, connections, terminals and housing (reinforced materials)	N. C.	194.00		3
1295799	Armband	N. C.	184.98		3
	OPTIONAL COMPONENTS				
	Anchoring part for cable for passive hand and hook	38.54	61.66		3
	Other optional components (consult Subdivision VII for the codes and prices of these components)				
	SUPPLEMENTS AVAILABLE				
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		

SCHEDULE 1 Tariff for devices which compensate for a motor deficiency and insured related services (authentic version)

3190014 Nylon stump sheath 18.23 21.18

ADJUSTMENTS AVAILABLE

1246511 Lengthening of prosthesis
----- Any pertinent adjustment

56 Updated: December 12, 2016

# SUBDIVISION 4: CUBITOHUMERAL PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1250505	Exoskeletal cubitohumeral prosthesis	3,093.59			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Wrist friction joint Rigid plastic socket, made from plaster or digital mold of insured person Forearm restoration Joints with external lock (E-500, E-1500) Suspension harness Control cables (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1255512	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,226.91		3
1295526	Wrist friction joint	N. C.	336.59		
1255520	Joints with external lock (E-500, E-1500)	N. C.	1,194.80		
1245562	Forearm restoration	N. C.	441.94		3
1295591	Suspension harness	N. C.	168.29		3
1295641	Control cables (2)	N. C.	246.65		3
	OPTIONAL COMPONENTS				
1295559	Flexion assist mechanism	386.71	453.52		3
	Anchoring part for cable for passive hand and hook	38.54	61.66		3
	Other optional components (consult Subdivision VII for the codes and prices of these components)				
	SUPPLEMENTS AVAILABLE				
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
3190014	Nylon stump sheath	18.23	21.18		

### ADJUSTMENTS AVAILABLE

1246529 Lengthening of cubital part of the prosthesis

262.07

3

----- Any pertinent adjustment

58 Updated: December 12, 2016

# SUBDIVISION 5: HUMERAL PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1260504	Exoskeletal humeral prosthesis	3,101.29			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Wrist friction joint Rigid plastic socket, made from plaster or digital mold of insured person Forearm restoration Elbow with internal lock (E-400) Suspension harness Control cables (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1265511	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,196.08		3
1295526	Wrist friction joint	N. C.	336.59		
	Elbow with internal lock (E-400)	N. C.	1,038.06		
	Forearm restoration	N. C.	441.94		3
	Suspension harness	N. C.	168.29		3
1295641	Control cables (2)	N. C.	246.65		3
	OPTIONAL COMPONENTS				
1295815	Anchoring part for cable for passive hand and hook	38.54	61.66		3
1295823	Flexion assist mechanism	253.08	319.89		3
1295575	Nudge control	427.80	501.03		3
	Other optional components (consult Subdivision VII for the codes and prices of these components)				
	SUPPLEMENTS AVAILABLE				
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		

Updated: December 12, 2016

SCHEDU	LE 1	Tariff for devices whi	ich compensate for	a motor defic	ciency and insu	red related serv (authentic vers	
3190014	Nylon stump sl	heath		18.23	21.18		
	ADJUSTMEN	TS AVAILABLE					
	Lengthening of prosthesis Any pertinent a	f cubital part of the adjustment				262.07	3

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1261502	Endoskeletal humeral prosthetic restoration	2,584.22			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person Passive hand with flexible fingers and prosthetic glove (Otto Bock) Complete endoskeletal system (modular components and prosthetic cover) Suspension harness Prosthetic socks (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1265511	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,196.08		3
1295658	Complete endoskeletal system	N. C.	N. A.		
	Prosthetic cover	N. C.	345.59		
	Suspension harness	N. C.	168.29		3
3222817	Passive hand with flexible fingers (Otto Bock)	N. C.	312.17		
3223005	Prosthetic glove (Otto Bock)	N. C.	267.87		
	OPTIONAL COMPONENTS				
1295831	Flexion wrist	292.91	441.94		
1295849	Shoulder-activated lock elbow Other optional components (consult Subdivision VII for the codes and prices of these components)	328.90	845.34		

SCHEDULE 1	Tariff for devices which compensate for a motor deficiency and insured related services
	(authentic version)

1295815	Anchoring part for cable for passive hand and hook	38.54	61.66
	SUPPLEMENTS AVAILABLE		
	Prosthetic socks, per pair Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	N. C.	41.10 *
3190014	Nylon stump sheath	18.23	21.18
	ADJUSTMENT AVAILABLE		

----- Any pertinent adjustment

## SUBDIVISION 6: GLENOHUMERAL AND THORACIC PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1270503	Exoskeletal glenohumeral prosthesis	4,683.25			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Wrist friction joint Rigid plastic socket, made from plaster or digital mold of insured person Forearm restoration Elbow with internal lock (E-400) Flexion assist mechanism Arm restoration Shoulder joint (FAJ-100) Suspension harness Control cables (2), connections, terminals and housing (reinforced materials and pulley)  COMPONENTS AND SUPPLEMENTS				
	AVAILABLE  BASIC COMPONENTS				
1275510	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,617.46		3
1295666	Suspension harness	N. C.	178.57		3
	Control cables (2), connections, terminals and housing (reinforced materials and pulley)	N. C.	387.98		3
1295526	Wrist friction joint	N. C.	336.59		
	Elbow with internal lock (E-400)	N. C.	1,038.06		
	Forearm restoration	N. C.	441.94		3
	Arm restoration	N. C.	366.15		3
1265545	Shoulder joint (FAJ-100)	N. C.	762.30		
	Flexion assist mechanism	N. C.	334.03		3
	OPTIONAL COMPONENTS				
1205575	Nudgo control	427.80	501.02		2
	Nudge control Anchoring part for cable for passive hand and hook	38.54	501.03 61.66		3 3

SCHEDU	LE 1 Tariff for devices which compensate	for a motor defic	•	red related servi (authentic versi	
	Other optional components (consult Subdivision VII for the codes and prices of these components)				
	SUPPLEMENTS AVAILABLE				
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
3190014	Nylon stump sheath	18.23	21.18		
	ADJUSTMENT AVAILABLE				
1246529	Lengthening of cubital part of the prosthesis			262.07	3

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1271501	Endoskeletal glenohumeral prosthetic restoration	3,360.18			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person Passive hand with flexible fingers and prosthetic glove (Otto Bock) Complete endoskeletal system (modular components and prosthetic cover) Suspension harness				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1275510	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,617.46		3
1295682	Complete endoskeletal system	N. C.	N. A.		
	Prosthetic cover	N. C.	402.11		
1295666	Suspension harness	N. C.	178.57		3
	Passive hand with flexible fingers (Otto Bock)	N. C.	312.17		
3223005	Prosthetic glove (Otto Bock)	N. C.	267.87		

Updated: December 12, 2016 63

OPTIONAL COMPONENTS

	Flexion wrist	292.91	441.94	
	Shoulder-activated lock elbow	328.90		_
1295815	Anchoring part for cable for passive hand and hook	38.54	61.66	3
	Other optional components (consult			
	Subdivision VII for the codes and prices of			
	these components)			
1295856	Nudge control where shoulder-activated	427.80	501.03	3
	lock elbow is used			
	SUPPLEMENTS AVAILABLE			
2202100		27.00	25.07	
	Prosthetic socks, per pair	27.00	35.97 *	
	Stump sock	<b>ক</b>	<b>ক</b>	
	* (consult Division III of this Part for the			
2100014	codes and prices of these supplements)	10.22	21.10	
3190014	Nylon stump sheath	18.23	21.18	
	ADJUSTMENT AVAILABLE			
	ADJUSTIVILITI AVAILABLE			
	Any pertinent adjustment			
	, F and and another			

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)

1280502 Exoskeletal thoracic prosthesis

6,148.78

6

# BASIC COMPONENTS AND SUPPLEMENTS

Wrist friction joint

Rigid plastic socket, made from plaster or

digital mold of insured person

Forearm restoration

Elbow with internal lock (E-400)

Flexion assist mechanism

Arm restoration

Shoulder joint (FAJ-100)

Suspension harness

Control cables (2), connections, terminals

and housing (reinforced materials and

pulley)

COMPONENTS AND SUPPLEMENTS AVAILABLE

**BASIC COMPONENTS** 

1205510	Disidulactic coalect made from places on	N.C	2 001 60		2
1285519	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	2,001.60		3
1205666	Suspension harness	N. C.	178.57		3
	Control cables (2), connections, terminals	N. C. N. C.	387.98		3
1293074	and housing (reinforced materials and pulley)	N. C.	367.76		3
1295526	Wrist friction joint	N. C.	336.59		
	Elbow with internal lock (E-400)	N. C.	1,038.06		
	Forearm restoration	N. C.	441.94		3
1265537	Arm restoration	N. C.	366.15		3
1265545	Shoulder joint (FAJ-100)	N. C.	762.30		
	Flexion assist mechanism	N. C.	334.03		3
	OPTIONAL COMPONENTS				
1295575	Nudge control	427.80	501.03		3
	Anchoring part for cable for passive hand	38.54	61.66		3
,	and hook				
	Other optional components (consult				
	Subdivision VII for the codes and prices of				
	these components)				
	SUPPLEMENTS AVAILABLE				
	g. 1	*	*		
		*	*		
	* (consult Division III of this Part for the				
2100014	codes and prices of these supplements)	10.22	21.10		
3190014	Nylon stump sheath	18.23	21.18		
	ADJUSTMENT AVAILABLE				
12/6529	Lengthening of cubital part of the			262.07	3
1440343	prosthesis			202.07	5
	prostricoro				

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)

1281500 Endoskeletal thoracic prosthetic restoration

3,692.93

6

# BASIC COMPONENTS AND SUPPLEMENTS

Rigid plastic socket, made from plaster or digital mold of insured person Passive hand with flexible fingers and prosthetic glove (Otto Bock) Complete endoskeletal system (modular components and prosthetic cover)
Suspension harness

# COMPONENTS AND SUPPLEMENTS AVAILABLE

#### BASIC COMPONENTS

----- Any pertinent adjustment

1285519	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	2,001.60	3
1205682	Complete endoskeletal system	N. C.	N. A.	
	Prosthetic cover	N. C. N. C.	402.11	
	Suspension harness	N. C. N. C.	178.57	3
	Passive hand with flexible fingers (Otto	N. C. N. C.	312.17	3
3222017	Bock)	N. C.	312.17	
3223005	Prosthetic glove, fitting included (Otto	N. C.	267.87	
3223003	Bock)	N. C.	207.87	
	·			
	OPTIONAL COMPONENTS			
1295831	Flexion wrist	292.91	441.94	
1295849	Shoulder-activated lock elbow	328.90	845.34	
1295815	Anchoring part for cable for passive hand	38.54	61.66	3
	and hook			
	Other optional components (consult			
	Subdivision VII for the codes and prices of			
	these components)			
1295856	Nudge control where shoulder-activated	427.80	501.03	3
	lock elbow is used			
	SUPPLEMENTS AVAILABLE			
2202180	Prosthetic socks, per pair	27.00	35.97	
	Stump sock	27.00 *	*	
	* (consult Division III of this Part for the			
	codes and prices of these supplements)			
3190014	Nylon stump sheath	18.23	21.18	
5170014	Tyron stump sheam	10.23	21.10	
	ADJUSTMENT AVAILABLE			

### SUBDIVISION 7: BASIC OR OPTIONAL COMPONENTS FOR UPPER-LIMB PROSTHESES

WRISTS, HOOKS, HANDS, PROSTHETIC GLOVES, ELBOW JOINTS, SHOULDER JOINTS AND OTHERS

	WRISTS FOR EXOSKELETAL PROSTHESES	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
3232725	Quick disconnect wrist including a socket (FM-100)	70.66	399.55	
3232733	Quick disconnect wrist including a socket (FM-100S)	504.91	832.51	
3232741	Quick disconnect wrist including a socket (WD-400)	52.66	380.28	
3232758	Quick disconnect wrist including a socket (WD-400S)	184.98	512.60	
	Quick disconnect wrist including a socket (WD-400SS)	490.78	818.35	
3232766	Wrist for child (CAPP)	N. C.	334.03	
	Flexion wrist for child (CAPP)	87.37	414.95	
3232774	Flexion wrist (FW-200, FW-300, FW-500)	203.01	530.59	
3232808	Flexion wrist (FW-500S)	722.00	1,049.62	
3232782	Flexion wrist (18-00)	346.88	675.78	
3232816	Flexion wrist (FW-50)	355.87	684.76	
3299005	Extra socket for wrist (WD-400)	47.53	47.53	
3299013	Extra socket for wrist (WD-400S, WD-400SS)	102.79	102.79	
3299021	Extra socket for wrist (FM-100)	62.94	62.94	
	HOOKS	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
3222908	Dorrance hook, farmer's-type (6)	1,959.19	2,005.45	
	Dorrance hook, farmer's-type (7 LO)	1,093.30	1,139.53	
	APRL hook (302-00)	1,553.23	1,598.21	
	• • •	*	•	

	Sierra hook	1,932.21	1,978.47	
3222619	Hook, model 99X or equivalent: use,	565.27	611.53	
	shape, cost (10X, 10P, 99X8, 88X5, 5X,			
	5XA)			
	Hook (12P)	612.81	659.07	
	Hook (99P)	575.55	659.07	
3223393	Voluntary closing hook, for adult (TRS,	1,393.91	1,440.18	
2222401	Grip I)	1.254.00	1 200 07	
3223401	Voluntary closing hook, for adult (TRS,	1,354.08	1,399.07	
2222112	Grip II)	4 74 7 0 7	4.7.0.00	
3223419	Voluntary closing hook, for adult (TRS,	1,515.97	1,562.22	
2222425	Grip III)	054.55	1 000 70	
3223427	Voluntary closing hook, for child (TRS,	954.55	1 000.79	
2222125	Grip I)	000.10	0.7.4.00	
3223435	Voluntary closing hook, for child (TRS,	930.13	976.39	
2222442	Grip II)	000.51	070.74	
3223443	Voluntary closing hook, for child (TRS,	832.51	878.74	
2002450	Grip III)	070 (1	010.07	
<i>5225</i> 450	Voluntary closing hook, for child (TRS,	873.61	919.87	
	Grip IV)			
		Maximum	Maximum	
		substitution	replacement	
		price of	price of	
	PASSIVE HANDS FOR PROSTHETIC	•	component	
	RESTORATION	component at the time of	•	
	RESTORATION	purchase or		
		replacement		
		of prosthesis		
		or prosulesis		
3222858	Steeper hand for child, including prosthetic	34.70	480.48	
<i>5222</i> 030	glove and installation	57.70	700 <b>.7</b> 0	
3222692	Centri hand for child, including prosthetic	50.09	495.90	
3444074	glove and installation	50.07	773.70	
3222866	Hosmer hand for adult, including	138.75	584.56	
<i>5222</i> 000	prosthetic glove and installation	130.73	30 <del>-1</del> .30	
3222627	Otto Bock hand for adult, including	N. C.	445.82	
<i>3222021</i>	prosthetic glove and installation	11. C.	773.02	
	prosition grove and instantation			
		Maximum	Maximum	
		substitution	replacement	
		price of	price of	
	PASSIVE HANDS FOR FUNCTIONAL	component at	component	
	PROSTHESES	the time of		
		purchase or		
		replacement		
		of prosthesis		
		or probulests		
3222643	Steeper hand for child, including prosthetic	416.25	480.48	
3222013	glove and installation	110.23	100.10	
	5-0.0 mile illomitation			

3222684	Centri hand for child, including prosthetic	431.67	495.90	
3222635	glove and installation  Hosmer hand for adult, including	520.30	584.56	
3222874	Otto Bock hand for adult, including prosthetic glove and installation	381.55	445.82	
	MECHANICAL HANDS	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
3222841	Voluntary opening Sierra hand, including prosthetic glove and installation	2,191.73	2,255.96	
3222809	Voluntary opening APRL hand and prosthetic glove, installation included	2,498.77	2,563.01	
3222833	Voluntary closing Otto Bock hand and prosthetic glove, installation included (8K15)	985.37	1,049.62	
3222676	Voluntary closing Otto Bock hand and prosthetic glove, installation included (8K25)	985.37	1,049.62	
3222668	Voluntary closing Otto Bock hand and prosthetic glove, installation included (8K21, 8K23)	629.52	692.46	
3222650	Voluntary closing Otto Bock hand and prosthetic glove, installation included, for endoskeletal system (8K27)	755.43	818.35	
3222726	Becker Imperial hand, prosthetic glove and protective glove, installation included	1,050.89	1,113.86	
3222734	Robin Aid hand and Realistic prosthetic glove, installation included (RA-100)	954.55	1,018.79	
3222742	Dorrance hand and Realistic prosthetic glove, installation included	1,801.19	1,864.13	
3222759	Voluntary closing APRL hand and Realistic prosthetic glove, installation included	2,498.77	2,563.01	
3222767	Becker hand, Realistic prosthetic glove and protective glove, installation included (BLG-100)	986.68	1,050.89	
3222775	Robin Aid hand and Realistic prosthetic glove, installation included (RA-200)	954.55	1,018.79	
3222783	Becker hand and Realistic prosthetic glove, installation included (BP-100)	786.25	978.97	

	MITTS FOR CHILDREN TO REPLACE PASSIVE HAND	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
	Hosmer mitt, installation included Crawl mitt and prosthetic glove, installation included	N. C. 102.79	278.78 540.87	
	PROSTHETIC GLOVES	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
3223005	Otto Bock prosthetic glove, installation included	N. C.	267.87	
3223120	Realistic prosthetic glove, installation included	N. C.	282.64	
	ELBOW JOINTS	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
1245588	External monocentric free-moving locking joint (E-5500)	973.82	1,558.37	
1245596	External monocentric free-moving locking joint (E-1500)	608.96	1,194.80	
1245604	External polycentric free-moving joint (MA-50, MA-75, MA-100)	77.07	662.93	
	Constant friction elbow, for child (E-50) Elbow with internal lock (E-400HD)	N. C. N. C.	1,030.34 1,056.04	

	SHOULDER JOINTS	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
1245638 1245646	Abduction-adduction joint (SAJ-75) Abduction-adduction joint (SAJ-100) Free movement joint (Hosmer) Joint (FS-50, FS-75)	N. C. 100.22 34.70 N. C.	521.59 759.27 693.74 596.10	
	CONTROLS	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
1295583	Truncular abdominal or scapular control, including manufacturing, fitting and installation time as well as materials	55.26	83.52	

#### **SUBDIVISION 8: UPPER-LIMB PROSTHESES**

DEVICE	Maximum price Purchase or replacement of device  Maximum price Maximum price Maximum Guarantee of component price or supplement
--------	---

1242007 Other upper-limb prostheses \*\*

S. C.

\*

\*GUARANTEE PERIOD: Hand prostheses: 1 month

Others: 6 months

\*\* When price is below that of the similar prosthesis

## DIVISION III: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES

## SUPPLEMENT FOR PROSTHESES

	Description	Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement	
SUPPLI	EMENTS FOR PROSTHESES		of socks	_
STUMF	SOCKS			
WOOL	2-3-5 PLY			
Width:	15.2 cm (6 in.)			
3493004 length: 2	25.4 cm (10 in.)	9.63	12.49	
3493012 length: 3	30.5 cm (12 in.)	10.48	13.47	
3493020 length: 3		11.77	14.74	
3493038 length: 4		12.75	15.57	
3493046 length: 4		13.86	16.74	
3493053 length: 3		14.90 16.01	17.71	
3493061 length: 3	,	17.71	19.00 20.55	
3493087 length: (		18.85	21.82	
3493095 length:		19.98	22.80	
3493103 length:		20.82	23.82	
3493111 length: 8		22.11	25.07	
Width:	17.8 cm (7 in.)			
3493129 length: 2	25.4 cm (10 in.)	10.34	13.34	
3493137 length: 3		11.49	14.47	
3493145 length: 3		12.88	15.90	
3493152 length: 4		14.33	17.30	
3493160 length:		16.01	19.00	
3493178 length:		17.57	20.55	
3493186 length: 3		18.69	21.67	
3493194 length: (		19.98	22.95	
3493202 length: (	,	21.53 22.67	24.50 25.65	
3493210 length: 3493228 length:		23.81	25.05 26.76	
3493236 length: 8		25.21	28.18	
5 155 250 Tengun	01.5 cm (52 m.)	23.21	20.10	
Width: 2	20.3 cm (8 in.)			
3493244 length: 2	25.4 cm (10 in.)	11.88	14.90	
3493251 length: 3		13.47	16.27	
3493269 length:		14.72	17.71	
3493277 length: 4	40.6 cm (16 in.)	16.27	19.28	

3493293 3493301 3493319 3493327 3493335 3493343	length: 61.0 cm (24 in.) length: 66.0 cm (26 in.)	17.71 19.12 20.55 22.24 23.81 25.36 26.49 28.05	20.55 22.13 23.51 25.22 26.64 28.35 29.48 31.03
	Width: 22.9 cm (9 in.)		
3493376 3493384 3493392 3493400 3493418 3493426 3493434 3493459 3493467	length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.) length: 66.0 cm (26 in.) length: 71.1 cm (28 in.)	13.60 15.32 16.86 18.27 20.11 21.67 23.23 24.63 26.37 28.05 29.47 31.03	16.59 18.15 19.84 21.26 23.11 24.64 26.19 27.61 29.35 31.03 32.29 33.84
3473473	Width: 25.4 cm (10 in.)	31.03	33.04
3493533 3493541 3493558 3493566	length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.) length: 66.0 cm (26 in.) length: 71.1 cm (28 in.) length: 76.2 cm (30 in.) length: 81.3 cm (32 in.)	15.32 16.59 18.56 20.27 21.81 23.66 25.36 26.92 28.47 30.31 32.01 33.71	18.15 19.55 21.55 23.11 24.81 26.64 28.35 29.89 31.30 33.27 34.88 36.70
3493616 3493624 3493632 3493640 3493657	length: 45.7 cm (18 in.)	20.39 21.95 23.81 25.36 27.19 28.89 30.58 32.43 33.71	23.25 24.94 26.76 28.35 30.03 31.76 33.45 35.29 36.54

			(authentic version)
3493699 length: 71.1 cm (28 in.)	35.68	38.54	
3493707 length: 76.2 cm (30 in.)	37.13	40.10	
3493715 length: 81.3 cm (32 in.)	38.93	41.95	
	Maximum miaa	Maximum	
	Maximum price Purchase or	price at the	
Description	replacement of	time of	
	prosthesis	replacement	
		of socks	
WOOL 6 DLV			
WOOL 6-PLY			
Width: 15.2 cm (6 in.)			
2402722 1 1 27 4 (401.)	10.10	42.45	
3493723 length: 25.4 cm (10 in.)	10.48	13.47	
3493731 length: 30.5 cm (12 in.)	11.61	14.58	
3493749 length: 35.6 cm (14 in.)	12.88	15.90	
3493756 length: 40.6 cm (16 in.)	14.02	17.01	
3493764 length: 45.7 cm (18 in.)	15.32	18.15	
3493772 length: 50.8 cm (20 in.)	16.42	19.28	
3493780 length: 55.9 cm (22 in.)	17.71	20.55	
3493798 length: 61.0 cm (24 in.)	19.42	22.39	
3493806 length: 66.0 cm (26 in.)	20.69	23.66	
3493814 length: 71.1 cm (28 in.)	21.81	24.81	
3493822 length: 76.2 cm (30 in.)	22.94	25.93	
3493830 length: 81.3 cm (32 in.)	24.36	27.34	
Width: 17.8 cm (7 in.)			
3493848 length: 25.4 cm (10 in.)	11.49	14.47	
3493855 length: 30.5 cm (12 in.)	12.63	15.57	
3493863 length: 35.6 cm (14 in.)	14.33	17.13	
3493871 length: 40.6 cm (16 in.)	15.74	18.70	
3493889 length: 45.7 cm (18 in.)	17.71	20.55	
3493897 length: 50.8 cm (20 in.)	19.25	22.24	
3493905 length: 55.9 cm (22 in.)	20.69	23.66	
3493913 length: 61.0 cm (24 in.)	22.11	24.94	
3493921 length: 66.0 cm (26 in.)	23.81	26.64	
3493939 length: 71.1 cm (28 in.)	24.81	27.76	
3493947 length: 76.2 cm (30 in.)	26.19	29.19	
3493954 length: 81.3 cm (32 in.)	27.92	30.90	
Width: 20.3 cm (8 in.)			
3493962 length: 25.4 cm (10 in.)	13.18	16.01	
3493970 length: 30.5 cm (12 in.)	14.72	17.58	
3493988 length: 35.6 cm (14 in.)	16.27	19.28	
3493996 length: 40.6 cm (16 in.)	18.00	20.97	
3494002 length: 45.7 cm (18 in.)	19.42	22.39	
3494010 length: 50.8 cm (20 in.)	21.13	23.94	
3494028 length: 55.9 cm (22 in.)	22.67	25.65	
5777020 lengui. 55.7 em (22 m.)	22.07	25.05	

3494044 3494051	• ,	24.36 26.05 27.92	27.34 29.05 30.90
3494069 3494077	` ,	29.35 30.88	32.29 33.84
3474077	length. 01.5 cm (32 m.)	30.00	33.04
	Width: 22.9 cm (9 in.)		
	length: 25.4 cm (10 in.)	14.90	17.85
	length: 30.5 cm (12 in.)	16.73	19.70
3494101	<b>E</b> , ,	18.56	21.55
3494119		20.11	23.11
3494127	• ,	22.11	25.07
	length: 50.8 cm (20 in.)	23.81	26.76
	length: 55.9 cm (22 in.)	25.49	28.46
	length: 61.0 cm (24 in.)	27.19 29.05	30.03
	length: 66.0 cm (26 in.)	30.88	31.87 33.84
	length: 71.1 cm (28 in.) length: 76.2 cm (30 in.)	32.28	35.29
3494192		34.14	37.00
JT/T1/2	length. 01.3 cm (32 m.)	34.14	37.00
	Width: 25.4 cm (10 in.)		
3494200	length: 25.4 cm (10 in.)	16.73	19.70
	length: 30.5 cm (12 in.)	18.27	21.26
3494226	length: 35.6 cm (14 in.)	20.39	23.39
3494234	length: 40.6 cm (16 in.)	22.11	25.07
3494242	length: 45.7 cm (18 in.)	23.94	26.94
3494259	• ,	26.05	29.05
3494267	• ,	27.92	30.90
	length: 61.0 cm (24 in.)	29.74	32.73
	length: 66.0 cm (26 in.)	31.44	34.30
	length: 71.1 cm (28 in.)	33.44	36.40
	length: 76.2 cm (30 in.)	35.12	38.10
3494317	length: 81.3 cm (32 in.)	37.13	39.94
	Width: 30.5 cm (12 in.)		
3494325	length: 25.4 cm (10 in.)	22.37	25.36
	length: 30.5 cm (12 in.)	24.06	27.07
	length: 35.6 cm (14 in.)	26.19	29.19
	length: 40.6 cm (16 in.)	27.92	30.90
3494366	length: 45.7 cm (18 in.)	29.89	32.87
3494374	length: 50.8 cm (20 in.)	31.87	34.72
3494382	length: 55.9 cm (22 in.)	33.71	36.54
3494390	length: 61.0 cm (24 in.)	35.68	38.54
	length: 66.0 cm (26 in.)	37.00	39.94
3494416	length: 71.1 cm (28 in.)	39.07	42.07
	length: 76.2 cm (30 in.)	40.94	43.78
3494432	length: 81.3 cm (32 in.)	42.78	45.75

	Description	Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks	
	WOOL AND NYLON 2-3-5 PLY			
	Width: 15.2 cm (6 in.)			
3494440	length: 25.4 cm (10 in.)	13.32	16.27	
	length: 30.5 cm (12 in.)	13.32	16.27	
	length: 35.6 cm (14 in.)	15.32	18.15	
	length: 40.6 cm (16 in.)	15.32	18.15	
	length: 45.7 cm (18 in.)	15.32	18.15	
	length: 50.8 cm (20 in.)	17.43	20.27	
	length: 55.9 cm (22 in.)	17.43	20.27	
	Width: 17.8 cm (7 in.)			
3494515	length: 25.4 cm (10 in.)	13.32	16.27	
	length: 30.5 cm (12 in.)	13.32	16.27	
	length: 35.6 cm (14 in.)	15.32	18.15	
	length: 40.6 cm (16 in.)	15.32	18.15	
	length: 45.7 cm (18 in.)	15.32	18.15	
	length: 50.8 cm (20 in.)	17.43	20.27	
	length: 55.9 cm (22 in.)	17.43	20.27	
	length: 61.0 cm (24 in.)	17.43	20.27	
	Width: 20.3 cm (8 in.)			
3494598	length: 25.4 cm (10 in.)	15.32	18.15	
	length: 30.5 cm (12 in.)	15.32	18.15	
	length: 35.6 cm (14 in.)	15.32	18.15	
	length: 40.6 cm (16 in.)	17.43	20.27	
	length: 45.7 cm (18 in.)	17.43	20.27	
	length: 50.8 cm (20 in.)	17.43	20.27	
	length: 55.9 cm (22 in.)	19.98	22.80	
	length: 61.0 cm (24 in.)	19.98	22.80	
	length: 66.0 cm (26 in.)	19.98	22.80	
	length: 71.1 cm (28 in.)	19.98	22.80	
	Width: 22.9 cm (9 in.)			
3494697	length: 25.4 cm (10 in.)	15.32	18.15	
	length: 30.5 cm (12 in.)	15.32	18.15	
	length: 35.6 cm (14 in.)	17.43	20.27	
	length: 40.6 cm (16 in.)	17.43	20.27	
	length: 45.7 cm (18 in.)	17.43	20.27	
	length: 50.8 cm (20 in.)	19.98	22.80	

SCI	$_{ m HF}$	DI	П	$\mathbf{F}$	1

		prosthesis	replacement of socks	
	Description	Purchase or replacement of	price at the time of	
		Maximum price	Maximum	
3495074	length: 50.8 cm (20 in.)	19.98	22.80	
	length: 45.7 cm (18 in.)	19.98	22.80	
3495058	length: 40.6 cm (16 in.)	19.98	22.80	
3495041	length: 35.6 cm (14 in.)	19.98	22.80	
3495033	length: 30.5 cm (12 in.)	19.98	22.80	
	length: 25.4 cm (10 in.)	17.43	20.27	
	Width: 30.5 cm (12 in.)			
3495017	length: 132.1 cm (52 in.)	19.98	22.80	
	length: 127.0 cm (50 in.)	19.98	22.80	
	length: 121.9 cm (48 in.)	19.98	22.80	
	length: 116.8 cm (46 in.)	17.43	20.27	
	length: 111.8 cm (44 in.)	17.43	20.27	
	length: 106.7 cm (42 in.)	15.32	18.15	
	length: 101.6 cm (40 in.)	15.32	18.15	
	length: 66.0 cm (26 in.)	21.95	24.94	
	length: 61.0 cm (24 in.)	19.98	22.80	
	length: 55.9 cm (22 in.)	19.98	22.80	
	length: 50.8 cm (20 in.)	19.98	22.80	
	length: 45.7 cm (18 in.)	19.98	22.80	
	length: 40.6 cm (16 in.)	17.43	20.27	
	length: 35.6 cm (14 in.)	17.43	20.27	
	length: 30.5 cm (12 in.)	17.43	20.27	
	length: 25.4 cm (10 in.)	15.32	18.15	
	Width: 25.4 cm (10 in.)			
	length: 132.1 cm (52 in.)	19.98	22.80	
	length: 127.0 cm (50 in.)	19.98	22.80	
	length: 121.9 cm (48 in.)	17.43	20.27	
	length: 116.8 cm (46 in.)	17.43	20.27	
	length: 111.8 cm (44 in.)	17.43	20.27	
	length: 106.7 cm (42 in.)	15.32	18.15	
	length: 101.6 cm (40 in.)	15.32	18.15	
	length: 71.1 cm (28 in.)	19.98	22.80	
	length: 66.0 cm (26 in.)	19.98	22.80	
3494762	length: 61.0 cm (24 in.)	19.98	22.80	
3494754	length: 55.9 cm (22 in.)	19.98	22.80	

#### **WOOL AND NYLON 6-PLY**

Width: 15.2 cm (6 in.)

3495082 length: 30.5 cm (12 in.) 14.72 17.58

	Description	Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks	
	length: 61.0 cm (24 in.)	21.53	24.37	
	length: 50.8 cm (20 in.) length: 55.9 cm (22 in.)	21.53 21.53	24.37 24.37	
	length: 45.7 cm (18 in.)	18.56	21.55	
	length: 40.6 cm (16 in.)	18.56	21.55	
	length: 35.6 cm (14 in.)	18.56	21.55	
	length: 30.5 cm (12 in.)	16.42	19.42	
	Width: 22.9 cm (9 in.)			
3495280	length: 61.0 cm (24 in.)	21.53	24.37	
	length: 55.9 cm (22 in.)	21.53	24.37	
3495264	length: 50.8 cm (20 in.)	18.56	21.55	
	length: 45.7 cm (18 in.)	18.56	21.55	
	length: 40.6 cm (16 in.)	18.56	21.55	
	length: 35.6 cm (14 in.)	16.42	19.42	
	length: 30.5 cm (12 in.)	16.42	19.42	
3495215	length: 25.4 cm (10 in.)	16.42	19.42	
	Width: 20.3 cm (8 in.)			
3495207	length: 55.9 cm (22 in.)	18.56	21.55	
3495199	length: 50.8 cm (20 in.)	18.56	21.55	
	length: 45.7 cm (18 in.)	16.42	19.42	
	length: 40.6 cm (16 in.)	16.42	19.42	
	length: 35.6 cm (14 in.)	16.42	19.42	
	length: 30.5 cm (12 in.)	14.72	17.58	
3495140	length: 25.4 cm (10 in.)	16.42	19.42	
	Width: 17.8 cm (7 in.)			
3495132	length: 55.9 cm (22 in.)	18.56	21.55	
	length: 50.8 cm (20 in.)	18.56	21.55	
	length: 45.7 cm (18 in.)	16.42	19.42	
	length: 40.6 cm (16 in.)	16.42	19.42	
JT/JU/U	length: 35.6 cm (14 in.)	16.42	19.42	

#### ULTRA WOOL 3-5 PLY

Width: 15.2 cm (6 in.)

3495363	length: 25.4 cm (10 in.)	14.72	17.58
3495371	length: 30.5 cm (12 in.)	14.72	17.58
3495389	length: 35.6 cm (14 in.)	16.86	19.70
3495397	length: 40.6 cm (16 in.)	16.86	19.70

3495413 3495421	length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.)	16.8 19.1 19.1 19.1	2 22.13 2 22.13
	Width: 17.8 cm (7 in.)		
3495462 3495470 3495488 3495496 3495504	length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.)	14.7 14.7 16.8 16.8 19.1 19.1	72     17.58       36     19.70       36     19.70       36     19.70       2     22.13       2     22.13
	Width: 20.3 cm (8 in.)		
3495538 3495546 3495553 3495561 3495579 3495587	` '	16.8 16.8 19.1 19.1 19.1 22.1 22.1	36     19.70       36     19.70       2     22.13       2     22.13       2     22.13       1     25.07
	Width: 22.9 cm (9 in.)		
3495645 3495652 3495660	length: 30.5 cm (12 in.)	16.8 16.8 19.1 19.1 19.1 22.1 22.1	19.70 2 22.13 2 22.13 2 22.13 1 25.07 1 25.07
	Width: 25.4 cm (10 in.)		
3495694 3495702 3495710 3495728 3495736 3495744	length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.)	16.8 19.1 19.1 19.1 22.1 22.1 22.1	2 22.13 2 22.13 2 22.13 1 25.07 1 25.07 1 25.07
	Width: 30.5 cm (12 in.)		

3495777 3495785	length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.)	19.12 22.11 22.11 22.11 Maximum price	22.13 22.37 25.07 25.07	
	Description	Purchase or replacement of prosthesis	price at the time of replacement of socks	
	WOOL AND LYCRA			
	Extra narrow short			
3495819 3495827		13.32 14.19 15.02 16.01	16.27 17.13 18.00 18.85	
	Narrow short			
3495850 3495868	•	14.19 15.02 16.01 16.86	17.13 18.00 18.85 19.70	
	Narrow long or wide short			
3495892 3495900	Thick Very thick	16.42 17.28 18.14 18.99	19.28 20.27 21.13 21.95	
	Wide long			
3495934 3495942		18.99 19.98 20.82 22.11	21.95 22.80 23.66 25.07	
	Description	Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks	

## COTTON 3 – 5 PLY

Width: 15.2 cm (6 in.)

Updated: December 12, 2016

3495967	length: 25.4 cm (10 in.)	7.24	10.21
3495975	length: 30.5 cm (12 in.)	8.09	11.06
3495983	length: 35.6 cm (14 in.)	8.94	11.89
3495991		9.79	12.76
3496007		10.48	13.47
3496015	` '	11.32	14.33
	length: 55.9 cm (22 in.)	12.18	15.15
	length: 61.0 cm (24 in.)	13.47	16.27
	length: 66.0 cm (26 in.)	14.33	17.30
	length: 71.1 cm (28 in.)	15.15	18.15
3470030	length. 71.1 cm (20 m.)	15.15	10.13
	Width: 17.8 cm (7 in.)		
	The same of the sa		
3496064	length: 25.4 cm (10 in.)	7.91	10.77
	length: 30.5 cm (12 in.)	8.80	11.62
	length: 35.6 cm (14 in.)	9.79	12.76
	length: 40.6 cm (16 in.)	10.93	13.73
	length: 45.7 cm (18 in.)	12.18	15.15
	length: 50.8 cm (20 in.)	13.32	16.27
3496122		14.33	17.13
3496130		15.32	18.15
	length: 66.0 cm (26 in.)	16.42	19.28
		17.28	20.12
3490133	length: 71.1 cm (28 in.)	17.20	20.12
	Width: 20.3 cm (8 in.)		
	Widdi. 20.5 cm (6 m.)		
3496163	length: 25.4 cm (10 in.)	9.20	12.06
3496171		10.07	13.03
3496189		11.32	14.19
3496197	` '	12.33	15.34
	length: 45.7 cm (18 in.)	13.47	16.27
	length: 50.8 cm (20 in.)	14.46	17.43
	length: 55.9 cm (22 in.)	15.74	18.56
	length: 61.0 cm (24 in.)	16.86	19.84
	length: 66.0 cm (26 in.)	18.00	20.97
	length: 71.1 cm (28 in.)	19.42	22.24
3470234	length. 71.1 cm (28 m.)	19.42	22.24
	Width: 22.9 cm (9 in.)		
	Widdi. 22.5 cm (5 m.)		
3496262	length: 25.4 cm (10 in.)	10.34	13.34
	length: 30.5 cm (12 in.)	11.49	14.47
	length: 35.6 cm (14 in.)	12.75	15.74
	length: 40.6 cm (16 in.)	13.86	16.85
3496304	length: 45.7 cm (18 in.)	15.32	18.27
3496312	length: 50.8 cm (20 in.)	16.42	19.42
	length: 55.9 cm (22 in.)	17.71	20.55
	length: 61.0 cm (24 in.)	18.69	21.67
	length: 66.0 cm (26 in.)	19.98	22.95
	length: 71.1 cm (28 in.)	21.39	24.37
J <del>T</del> /UJJJ	lengui. / 1.1 em (20 m.)	41.37	4.31

3496361   length: 25.4 cm (10 in.)   11.49   14.47     3496379   length: 30.5 cm (12 in.)   12.63   15.57     3496387   length: 35.6 cm (14 in.)   14.19   17.13     3496387   length: 40.6 cm (16 in.)   15.32   18.27     3496403   length: 45.7 cm (18 in.)   16.59   19.42     34964103   length: 55.9 cm (22 in.)   18.00   20.97     3496429   length: 55.9 cm (22 in.)   19.25   22.24     3496437   length: 61.0 cm (24 in.)   20.55   23.51     3496440   length: 61.0 cm (26 in.)   21.67   24.50     3496452   length: 71.1 cm (28 in.)   22.94   25.93    Width: 30.5 cm (12 in.)   3496460   length: 25.4 cm (10 in.)   31.56   18.42     3496478   length: 30.5 cm (12 in.)   3496486   length: 35.6 cm (14 in.)   3496480   length: 40.6 cm (16 in.)   3496502   length: 40.7 cm (18 in.)   20.69   23.51     3496502   length: 40.7 cm (18 in.)   20.69   23.51     3496503   length: 61.0 cm (24 in.)   21.95   24.94     3496504   length: 61.0 cm (24 in.)   24.63   27.50     3496548   length: 61.0 cm (24 in.)   24.63   27.50     3496549   length: 61.0 cm (26 in.)   25.65   28.63     3496551   length: 71.1 cm (28 in.)   26.92   29.89      Description   Descri		Width: 25.4 cm (10 in.)			
3496379   length: 30.5 cm (12 in)   12.63   15.57	3496361	length: 25.4 cm (10 in )	11 49	14 47	
3496387   length: 35.6 cm (14 in)   14.19   17.13					
3496395   length: 45.7 cm (18 in.)   15.32   18.27					
3496403   length: 45.7 cm (18 in.)   16.59   19.42     3496411   length: 50.8 cm (20 in.)   18.00   20.97     3496424   length: 55.9 cm (22 in.)   19.25   22.24     3496437   length: 61.0 cm (24 in.)   20.55   23.51     3496445   length: 66.0 cm (26 in.)   21.67   24.50     3496445   length: 71.1 cm (28 in.)   22.94   25.93     Width: 30.5 cm (12 in.)   3496460   length: 25.4 cm (10 in.)   15.56   18.42     3496478   length: 30.5 cm (12 in.)   16.59   19.55     3496494   length: 40.6 cm (16 in.)   19.42   22.24     3496502   length: 45.7 cm (18 in.)   20.69   23.51     3496502   length: 55.9 cm (22 in.)   21.95   24.94     3496513   length: 55.9 cm (20 in.)   21.95   24.94     3496528   length: 61.0 cm (24 in.)   24.63   27.50     3496536   length: 61.0 cm (24 in.)   25.65   28.63     3496551   length: 71.1 cm (28 in.)   26.92   29.89      Description   Maximum price Purchase or replacement of socks     WOOL 5-PLY					
19.25   22.24			16.59	19.42	
3496437   length: 61.0 cm (24 in.)   20.55   23.51     3496445   length: 66.0 cm (26 in.)   21.67   24.50     3496452   length: 71.1 cm (28 in.)   22.94   25.93     Width: 30.5 cm (12 in.)     3496460   length: 25.4 cm (10 in.)   15.56   18.42     3496478   length: 30.5 cm (12 in.)   16.59   19.55     3496486   length: 35.6 cm (14 in.)   18.14   21.13     3496494   length: 40.6 cm (16 in.)   19.42   22.24     3496502   length: 50.8 cm (20 in.)   20.69   23.51     3496510   length: 50.8 cm (20 in.)   21.95   24.94     3496528   length: 55.9 cm (22 in.)   23.23   26.19     3496536   length: 61.0 cm (24 in.)   24.63   27.50     3496544   length: 66.0 cm (26 in.)   25.65   28.63     3496551   length: 71.1 cm (28 in.)   26.92   29.89      Maximum price Purchase or replacement of prosthesis   prosthesis   prosthesis   prosthesis     Description   Maximum price prosthesis   prosthe	3496411	length: 50.8 cm (20 in.)	18.00	20.97	
3496445   length: 66.0 cm (26 in.)   21.67   24.50   25.93	3496429	length: 55.9 cm (22 in.)	19.25	22.24	
Width: 30.5 cm (12 in.)   22.94   25.93	3496437	length: 61.0 cm (24 in.)	20.55	23.51	
Width: 30.5 cm (12 in.)  3496460 length: 25.4 cm (10 in.)	3496445	length: 66.0 cm (26 in.)	21.67	24.50	
3496460   length: 25.4 cm (10 in.)   15.56   18.42	3496452	length: 71.1 cm (28 in.)	22.94	25.93	
3496478   length: 30.5 cm (12 in.)   16.59   19.55     3496486   length: 35.6 cm (14 in.)   18.14   21.13     3496494   length: 40.6 cm (16 in.)   19.42   22.24     3496502   length: 45.7 cm (18 in.)   20.69   23.51     3496536   length: 55.9 cm (22 in.)   23.23   26.19     3496544   length: 66.0 cm (26 in.)   25.65   28.63     3496551   length: 71.1 cm (28 in.)   26.92   29.89      Maximum price prochasis   Maximum price at the time of replacement of socks		Width: 30.5 cm (12 in.)			
3496486   length: 35.6 cm (14 in.)   18.14   21.13     3496494   length: 40.6 cm (16 in.)   19.42   22.24     3496502   length: 45.7 cm (18 in.)   20.69   23.51     3496510   length: 50.8 cm (20 in.)   21.95   24.94     3496528   length: 55.9 cm (22 in.)   23.23   26.19     3496536   length: 61.0 cm (24 in.)   24.63   27.50     3496544   length: 66.0 cm (26 in.)   25.65   28.63     3496551   length: 71.1 cm (28 in.)   26.92   29.89      Maximum price Purchase or replacement of prosthesis   Purchase or replacement of socks      WOOL 5-PLY	3496460	length: 25.4 cm (10 in.)	15.56	18.42	
3496494   length: 40.6 cm (16 in.)   19.42   22.24     3496502   length: 45.7 cm (18 in.)   20.69   23.51     3496510   length: 55.9 cm (20 in.)   21.95   24.94     3496528   length: 55.9 cm (22 in.)   23.23   26.19     3496544   length: 66.0 cm (24 in.)   24.63   27.50     3496544   length: 66.0 cm (26 in.)   25.65   28.63     3496551   length: 71.1 cm (28 in.)   26.92   29.89      Maximum price Purchase or replacement of prosthesis   Purchase or replacement of socks      WOOL 5-PLY			16.59	19.55	
3496502 length: 45.7 cm (18 in.)   20.69   23.51     3496510 length: 50.8 cm (20 in.)   21.95   24.94     3496528 length: 55.9 cm (22 in.)   23.23   26.19     3496536 length: 61.0 cm (24 in.)   24.63   27.50     3496541 length: 66.0 cm (26 in.)   25.65   28.63     3496551 length: 71.1 cm (28 in.)   26.92   29.89			18.14	21.13	
3496510   length: 50.8 cm (20 in.)   21.95   24.94     3496528   length: 55.9 cm (22 in.)   23.23   26.19     3496536   length: 61.0 cm (24 in.)   24.63   27.50     3496544   length: 66.0 cm (26 in.)   25.65   28.63     3496551   length: 71.1 cm (28 in.)   26.92   29.89      Description   Maximum price Purchase or replacement of prosthesis   Purchase or replacement of socks					
3496528   length: 55.9 cm (22 in.)   23.23   26.19     3496536   length: 61.0 cm (24 in.)   24.63   27.50     3496544   length: 66.0 cm (26 in.)   25.65   28.63     3496551   length: 71.1 cm (28 in.)   26.92   29.89      Description   Maximum price Purchase or replacement of prosthesis   Purchase or replacement of socks      WOOL 5-PLY		` '			
Age		` '			
August		` '			
Description					
Description					
Description   Purchase or replacement of prosthesis   Purchase or replacement of socks	3496551	length: 71.1 cm (28 in.)	26.92	29.89	
Description   replacement of prosthesis   replacement of replacement of socks					
WOOL 5-PLY           3496569 length: 30.5 cm (12 in.)         9.20         12.06           3496577 length: 33.0 cm (13 in.)         9.63         12.49           3496585 length: 35.6 cm (14 in.)         9.79         12.76           3496593 length: 38.1 cm (15 in.)         10.48         13.34           3496601 length: 40.6 cm (16 in.)         10.76         13.73           3496619 length: 45.7 cm (18 in.)         11.49         14.47    Maximum price Purchase or replacement of prosthesis  Maximum price at the time of replacement		<b>5</b>		-	
WOOL 5-PLY           3496569 length: 30.5 cm (12 in.)         9.20         12.06           3496577 length: 33.0 cm (13 in.)         9.63         12.49           3496585 length: 35.6 cm (14 in.)         9.79         12.76           3496593 length: 38.1 cm (15 in.)         10.48         13.34           3496601 length: 40.6 cm (16 in.)         10.76         13.73           3496619 length: 45.7 cm (18 in.)         11.49         14.47    Maximum price Purchase or replacement of prosthesis replacement		Description			
WOOL 5-PLY         3496569 length: 30.5 cm (12 in.)       9.20       12.06         3496577 length: 33.0 cm (13 in.)       9.63       12.49         3496585 length: 35.6 cm (14 in.)       9.79       12.76         3496593 length: 38.1 cm (15 in.)       10.48       13.34         3496601 length: 40.6 cm (16 in.)       10.76       13.73         3496619 length: 45.7 cm (18 in.)       11.49       14.47         Maximum price Purchase or replacement of prosthesis       Maximum price at the time of replacement			prostnesis	_	
3496569 length: 30.5 cm (12 in.) 3496577 length: 33.0 cm (13 in.) 3496585 length: 35.6 cm (14 in.) 3496593 length: 38.1 cm (15 in.) 3496601 length: 40.6 cm (16 in.) 3496619 length: 45.7 cm (18 in.)  Description  Maximum price Purchase or replacement of prosthesis  Maximum price at the time of replacement				or soons	
3496577 length: 33.0 cm (13 in.) 3496585 length: 35.6 cm (14 in.) 3496593 length: 38.1 cm (15 in.) 3496601 length: 40.6 cm (16 in.) 3496619 length: 45.7 cm (18 in.)  Description  Description  9.63 12.49 12.76 13.73 10.48 13.34 13.44 13.44 14.47  Maximum price Purchase or replacement of prosthesis replacement  The procedure of replacement of replacement of replacement of replacement		WOOL 5-PLY			
3496585 length: 35.6 cm (14 in.) 3496593 length: 38.1 cm (15 in.) 3496601 length: 40.6 cm (16 in.) 3496619 length: 45.7 cm (18 in.)  Description  Maximum price Purchase or price at the replacement of prosthesis replacement  replacement  replacement			9.20	12.06	
3496593 length: 38.1 cm (15 in.) 3496601 length: 40.6 cm (16 in.) 3496619 length: 45.7 cm (18 in.)  10.48 13.34 10.76 13.73 11.49 14.47  Maximum price Purchase or price at the replacement of prosthesis replacement					
3496601 length: 40.6 cm (16 in.) 3496619 length: 45.7 cm (18 in.)  10.76 11.49 14.47  Maximum price Purchase or price at the replacement of prosthesis replacement					
3496619 length: 45.7 cm (18 in.)  11.49  Maximum price Purchase or price at the replacement of prosthesis replacement  The provided HTML representation of time of replacement of replacem					
Maximum price Maximum Purchase or price at the Description replacement of time of prosthesis replacement					
Purchase or price at the  Description replacement of time of prosthesis replacement	3496619	length: 45.7 cm (18 in.)	11.49	14.47	
Description replacement of time of prosthesis replacement					
prosthesis replacement		Description		•	
· · · · · · · · · · · · · · · · · · ·		Description			
			Prostation	•	

## WOOL 3-5 PLY

Width (max.): 15.2 cm (6 in.)

2406627		0.25	10.22
3496627	width (min.): 7.6, 8.9, 10.2 cm (3, 3½, 4 in.) length: 20.3 cm (8 in.)	9.35	12.33
3496635	width (min.): 7.6 cm (3 in.) length:	9.35	12.33
3170035	25.4 cm (10 in.)	7.55	12.55
3496643	width (min.): $8.9 \text{ cm} (3\frac{1}{2} \text{ in.}) \text{ length:}$	9.63	12.49
	25.4 cm (10 in.)		
3496650	width (min.): 10.2 cm (4 in.) length:	9.92	12.88
	25.4 cm (10 in.)		
3496668	width (min.): 7.6 cm (3 in.) length:	10.34	13.34
	30.5 cm (12 in.)		
3496676	width (min.): 8.9 cm (3½ in.) length:	10.48	13.47
	30.5 cm (12 in.)		
3496684	width (min.): 10.2 cm (4 in.) length:	10.93	13.73
	30.5 cm (12 in.)		
3496692	width (min.): 7.6 cm (3 in.) length:	11.49	14.47
2.40.5	35.6 cm (14 in.)	44.55	
3496700	width (min.): 8.9 cm (3½ in.) length:	11.77	14.74
2406710	35.6 cm (14 in.)	12.06	15.02
3496/18	width (min.): 10.2 cm (4 in.) length:	12.06	15.03
2406726	35.6 cm (14 in.)	12.44	15 44
3490720	width (min.): 7.6 cm (3 in.) length: 40.6 cm (16 in.)	12.44	15.44
2406724	width (min.): 8.9 cm (3½ in.) length:	12.75	15.57
3470734	40.6 cm (16 in.)	12.73	13.37
3496742	width (min.): 10.2 cm (4 in.) length:	13.18	16.16
3470742		13.10	10.10
	4U n (:m ( In m )		
	40.6 cm (16 in.)		
	Width (max.): 17.8 cm (7 in.)		
3496759		10.48	13.47
3496759	Width (max.): 17.8 cm (7 in.)	10.48	13.47
	Width (max.): 17.8 cm (7 in.) width (min.): 8.9, 10.2, 11.4, 12,7 cm (3½,	10.48 9.92	13.47 12.88
	Width (max.): 17.8 cm (7 in.) width (min.): 8.9, 10.2, 11.4, 12,7 cm (3½, 4, 4½, 5 in.) length: 20.3 cm (8 in.)		
3496767	Width (max.): 17.8 cm (7 in.)  width (min.): 8.9, 10.2, 11.4, 12,7 cm (3½, 4, 4½, 5 in.) length: 20.3 cm (8 in.)  width (min.): 8.9 cm (3½ in.) length: 25.4 cm (10 in.)  width (min.): 10.2 cm (4 in.) length:		
3496767 3496775	Width (max.): 17.8 cm (7 in.)  width (min.): 8.9, 10.2, 11.4, 12,7 cm (3½, 4, 4½, 5 in.) length: 20.3 cm (8 in.)  width (min.): 8.9 cm (3½ in.) length: 25.4 cm (10 in.)  width (min.): 10.2 cm (4 in.) length: 25.4 cm (10 in.)	9.92 10.34	12.88 13.34
3496767 3496775	Width (max.): 17.8 cm (7 in.)  width (min.): 8.9, 10.2, 11.4, 12,7 cm (3½, 4, 4½, 5 in.) length: 20.3 cm (8 in.)  width (min.): 8.9 cm (3½ in.) length: 25.4 cm (10 in.)  width (min.): 10.2 cm (4 in.) length: 25.4 cm (10 in.)  width (min.): 11.4 cm (4½ in.) length:	9.92	12.88
3496767 3496775 3496783	Width (max.): 17.8 cm (7 in.)  width (min.): 8.9, 10.2, 11.4, 12,7 cm (3½, 4, 4½, 5 in.) length: 20.3 cm (8 in.)  width (min.): 8.9 cm (3½ in.) length: 25.4 cm (10 in.)  width (min.): 10.2 cm (4 in.) length: 25.4 cm (10 in.)  width (min.): 11.4 cm (4½ in.) length: 25.4 cm (10 in.)	9.92 10.34 10.93	12.88 13.34 13.73
3496767 3496775	Width (max.): 17.8 cm (7 in.)  width (min.): 8.9, 10.2, 11.4, 12,7 cm (3½, 4, 4½, 5 in.) length: 20.3 cm (8 in.)  width (min.): 8.9 cm (3½ in.) length: 25.4 cm (10 in.)  width (min.): 10.2 cm (4 in.) length: 25.4 cm (10 in.)  width (min.): 11.4 cm (4½ in.) length: 25.4 cm (10 in.)  width (min.): 12.7 cm (5 in.) length:	9.92 10.34	12.88 13.34
3496767 3496775 3496783 3496791	Width (max.): 17.8 cm (7 in.)  width (min.): 8.9, 10.2, 11.4, 12,7 cm (3½, 4, 4½, 5 in.) length: 20.3 cm (8 in.)  width (min.): 8.9 cm (3½ in.) length: 25.4 cm (10 in.)  width (min.): 10.2 cm (4 in.) length: 25.4 cm (10 in.)  width (min.): 11.4 cm (4½ in.) length: 25.4 cm (10 in.)  width (min.): 12.7 cm (5 in.) length: 25.4 cm (10 in.)	9.92 10.34 10.93 11.77	12.88 13.34 13.73 14.74
3496767 3496775 3496783	Width (max.): 17.8 cm (7 in.)  width (min.): 8.9, 10.2, 11.4, 12,7 cm (3½, 4, 4½, 5 in.) length: 20.3 cm (8 in.)  width (min.): 8.9 cm (3½ in.) length: 25.4 cm (10 in.)  width (min.): 10.2 cm (4 in.) length: 25.4 cm (10 in.)  width (min.): 11.4 cm (4½ in.) length: 25.4 cm (10 in.)  width (min.): 12.7 cm (5 in.) length: 25.4 cm (10 in.)  width (min.): 8.9 cm (3½ in.) length: 25.4 cm (10 in.)	9.92 10.34 10.93	12.88 13.34 13.73
3496767 3496775 3496783 3496791 3496809	Width (max.): 17.8 cm (7 in.)  width (min.): 8.9, 10.2, 11.4, 12,7 cm (3½, 4, 4½, 5 in.) length: 20.3 cm (8 in.)  width (min.): 8.9 cm (3½ in.) length: 25.4 cm (10 in.)  width (min.): 10.2 cm (4 in.) length: 25.4 cm (10 in.)  width (min.): 11.4 cm (4½ in.) length: 25.4 cm (10 in.)  width (min.): 12.7 cm (5 in.) length: 25.4 cm (10 in.)  width (min.): 8.9 cm (3½ in.) length: 25.5 cm (10 in.)	9.92 10.34 10.93 11.77 10.93	12.88 13.34 13.73 14.74 13.87
3496767 3496775 3496783 3496791	Width (max.): 17.8 cm (7 in.)  width (min.): 8.9, 10.2, 11.4, 12,7 cm (3½, 4, 4½, 5 in.) length: 20.3 cm (8 in.)  width (min.): 8.9 cm (3½ in.) length: 25.4 cm (10 in.)  width (min.): 10.2 cm (4 in.) length: 25.4 cm (10 in.)  width (min.): 11.4 cm (4½ in.) length: 25.4 cm (10 in.)  width (min.): 12.7 cm (5 in.) length: 25.4 cm (10 in.)  width (min.): 8.9 cm (3½ in.) length: 30.5 cm (12 in.)  width (min.): 10.2 cm (4 in.) length:	9.92 10.34 10.93 11.77	12.88 13.34 13.73 14.74
3496767 3496775 3496783 3496791 3496809 3496817	Width (max.): 17.8 cm (7 in.)  width (min.): 8.9, 10.2, 11.4, 12,7 cm (3½, 4, 4½, 5 in.) length: 20.3 cm (8 in.)  width (min.): 8.9 cm (3½ in.) length: 25.4 cm (10 in.)  width (min.): 10.2 cm (4 in.) length: 25.4 cm (10 in.)  width (min.): 11.4 cm (4½ in.) length: 25.4 cm (10 in.)  width (min.): 12.7 cm (5 in.) length: 25.4 cm (10 in.)  width (min.): 8.9 cm (3½ in.) length: 30.5 cm (12 in.)  width (min.): 10.2 cm (4 in.) length: 30.5 cm (12 in.)	9.92 10.34 10.93 11.77 10.93 11.49	12.88 13.34 13.73 14.74 13.87 14.47
3496767 3496775 3496783 3496791 3496809 3496817	Width (max.): 17.8 cm (7 in.)  width (min.): 8.9, 10.2, 11.4, 12,7 cm (3½, 4, 4½, 5 in.) length: 20.3 cm (8 in.)  width (min.): 8.9 cm (3½ in.) length: 25.4 cm (10 in.)  width (min.): 10.2 cm (4 in.) length: 25.4 cm (10 in.)  width (min.): 11.4 cm (4½ in.) length: 25.4 cm (10 in.)  width (min.): 12.7 cm (5 in.) length: 25.4 cm (10 in.)  width (min.): 8.9 cm (3½ in.) length: 30.5 cm (12 in.)  width (min.): 10.2 cm (4 in.) length: 30.5 cm (12 in.)  width (min.): 11.4 cm (4½ in.) length: 30.5 cm (12 in.)	9.92 10.34 10.93 11.77 10.93	12.88 13.34 13.73 14.74 13.87
3496767 3496775 3496783 3496791 3496809 3496817 3496825	Width (max.): 17.8 cm (7 in.)  width (min.): 8.9, 10.2, 11.4, 12,7 cm (3½, 4, 4½, 5 in.) length: 20.3 cm (8 in.)  width (min.): 8.9 cm (3½ in.) length: 25.4 cm (10 in.)  width (min.): 10.2 cm (4 in.) length: 25.4 cm (10 in.)  width (min.): 11.4 cm (4½ in.) length: 25.4 cm (10 in.)  width (min.): 12.7 cm (5 in.) length: 25.4 cm (10 in.)  width (min.): 8.9 cm (3½ in.) length: 30.5 cm (12 in.)  width (min.): 10.2 cm (4 in.) length: 30.5 cm (12 in.)  width (min.): 11.4 cm (4½ in.) length: 30.5 cm (12 in.)	9.92 10.34 10.93 11.77 10.93 11.49 12.06	12.88 13.34 13.73 14.74 13.87 14.47 15.03
3496767 3496775 3496783 3496791 3496809 3496817	Width (max.): 17.8 cm (7 in.)  width (min.): 8.9, 10.2, 11.4, 12,7 cm (3½, 4, 4½, 5 in.) length: 20.3 cm (8 in.)  width (min.): 8.9 cm (3½ in.) length: 25.4 cm (10 in.)  width (min.): 10.2 cm (4 in.) length: 25.4 cm (10 in.)  width (min.): 11.4 cm (4½ in.) length: 25.4 cm (10 in.)  width (min.): 12.7 cm (5 in.) length: 25.4 cm (10 in.)  width (min.): 8.9 cm (3½ in.) length: 30.5 cm (12 in.)  width (min.): 10.2 cm (4 in.) length: 30.5 cm (12 in.)  width (min.): 11.4 cm (4½ in.) length: 30.5 cm (12 in.)  width (min.): 11.4 cm (4½ in.) length: 30.5 cm (12 in.)  width (min.): 12.7 cm (5 in.) length:	9.92 10.34 10.93 11.77 10.93 11.49	12.88 13.34 13.73 14.74 13.87 14.47
3496767 3496775 3496783 3496791 3496809 3496817 3496825 3496833	Width (max.): 17.8 cm (7 in.)  width (min.): 8.9, 10.2, 11.4, 12,7 cm (3½, 4, 4½, 5 in.) length: 20.3 cm (8 in.)  width (min.): 8.9 cm (3½ in.) length: 25.4 cm (10 in.)  width (min.): 10.2 cm (4 in.) length: 25.4 cm (10 in.)  width (min.): 11.4 cm (4½ in.) length: 25.4 cm (10 in.)  width (min.): 12.7 cm (5 in.) length: 25.4 cm (10 in.)  width (min.): 8.9 cm (3½ in.) length: 30.5 cm (12 in.)  width (min.): 10.2 cm (4 in.) length: 30.5 cm (12 in.)  width (min.): 11.4 cm (4½ in.) length: 30.5 cm (12 in.)  width (min.): 12.7 cm (5 in.) length: 30.5 cm (12 in.)	9.92 10.34 10.93 11.77 10.93 11.49 12.06 12.75	12.88 13.34 13.73 14.74 13.87 14.47 15.03 15.57
3496767 3496775 3496783 3496791 3496809 3496817 3496825	Width (max.): 17.8 cm (7 in.)  width (min.): 8.9, 10.2, 11.4, 12,7 cm (3½, 4, 4½, 5 in.) length: 20.3 cm (8 in.)  width (min.): 8.9 cm (3½ in.) length: 25.4 cm (10 in.)  width (min.): 10.2 cm (4 in.) length: 25.4 cm (10 in.)  width (min.): 11.4 cm (4½ in.) length: 25.4 cm (10 in.)  width (min.): 12.7 cm (5 in.) length: 25.4 cm (10 in.)  width (min.): 8.9 cm (3½ in.) length: 30.5 cm (12 in.)  width (min.): 10.2 cm (4 in.) length: 30.5 cm (12 in.)  width (min.): 11.4 cm (4½ in.) length: 30.5 cm (12 in.)  width (min.): 12.7 cm (5 in.) length: 30.5 cm (12 in.)  width (min.): 8.9 cm (5½ in.) length: 30.5 cm (12 in.)  width (min.): 8.9 cm (5½ in.) length: 30.5 cm (12 in.)	9.92 10.34 10.93 11.77 10.93 11.49 12.06	12.88 13.34 13.73 14.74 13.87 14.47 15.03
3496767 3496775 3496783 3496791 3496809 3496817 3496825 3496833 3496841	Width (max.): 17.8 cm (7 in.)  width (min.): 8.9, 10.2, 11.4, 12,7 cm (3½, 4, 4½, 5 in.) length: 20.3 cm (8 in.)  width (min.): 8.9 cm (3½ in.) length: 25.4 cm (10 in.)  width (min.): 10.2 cm (4 in.) length: 25.4 cm (10 in.)  width (min.): 11.4 cm (4½ in.) length: 25.4 cm (10 in.)  width (min.): 12.7 cm (5 in.) length: 25.4 cm (10 in.)  width (min.): 8.9 cm (3½ in.) length: 30.5 cm (12 in.)  width (min.): 10.2 cm (4 in.) length: 30.5 cm (12 in.)  width (min.): 11.4 cm (4½ in.) length: 30.5 cm (12 in.)  width (min.): 12.7 cm (5 in.) length: 30.5 cm (12 in.)	9.92 10.34 10.93 11.77 10.93 11.49 12.06 12.75	12.88 13.34 13.73 14.74 13.87 14.47 15.03 15.57

	35.6 cm (14 in.)		
3496866	width (min.): 11.4 cm (4½ in.) length:	13.60	16.43
	35.6 cm (14 in.)		
3496874	width (min.): 12.7 cm (5 in.) length:	14.19	17.13
240,0002	35.6 cm (14 in.)	12.06	1651
3496882	width (min.): 8.9 cm (3½ in.) length:	13.86	16.74
3406800	40.6 cm (16 in.) width (min.): 10.2 cm (4 in.) length:	14.33	17.30
3470070	40.6 cm (16 in.)	14.33	17.30
3496908	width (min.): 11.4 cm (4½ in.) length:	14.90	17.71
	40.6 cm (16 in.)	- 1,7 0	
3496916	width (min.): 12.7 cm (5 in.) length:	15.56	18.42
	40.6 cm (16 in.)		
	W'' 11 ( ) 20 2 (0 ! )		
	Width (max.): 20.3 cm (8 in.)		
3496924		12.06	15.03
3496924	Width (max.): 20.3 cm (8 in.) width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 20.3 cm (8 in.)	12.06	15.03
	width (min.): 10.2, 11.4, 12.7 cm (4, 4½,	12.06 11.88	15.03 14.90
	width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 20.3 cm (8 in.)		
3496932	width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 20.3 cm (8 in.) width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 25.4 cm (10 in.) width (min.):10.2, 11.4, 12.7 cm (4, 4½, 12		
3496932 3496940	width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 20.3 cm (8 in.) width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 25.4 cm (10 in.) width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 30.5 cm (12 in.)	11.88 13.32	14.90 16.27
3496932 3496940	width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 20.3 cm (8 in.) width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 25.4 cm (10 in.) width (min.):10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 30.5 cm (12 in.) width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 10.2) width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 10.2) width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 10.2)	11.88	14.90
3496932 3496940 3496957	width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 20.3 cm (8 in.) width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 25.4 cm (10 in.) width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 30.5 cm (12 in.) width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 35.6 cm (14 in.)	11.88 13.32 14.58	14.90 16.27 17.58
3496932 3496940 3496957	width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 20.3 cm (8 in.) width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 25.4 cm (10 in.) width (min.):10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 30.5 cm (12 in.) width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 10.2) width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 10.2) width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 10.2)	11.88 13.32	14.90 16.27

## **DIVISION IV: LOWER-LIMB ORTHOSES**

## **SUBDIVISION 1: TIBIAL ORTHOSES**

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2140564	Tibial orthosis with unilateral upright	421.39			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Regular stirrup Ankle free joint. aluminum (1) Rigid metal cuff with leather or thermoplastic jacket, including cover				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2135507	Regular stirrup	N. C.	93.80		
	Ankle free joint, aluminum	N. C.	131.02		
	Rigid metal cuff with leather or thermoplastic jacket, including cover	N. C.	120.76		3
	OPTIONAL COMPONENTS				
2135523	Laminated or molded plastic stirrup, made from mold of insured person	253.08	323.74		
2135606	Single malleolar strap	78.38	107.91		
	Double malleolar strap	92.50	123.33		
	Ankle spring joint, aluminum, single	7.72	132.34		
	Ankle free joint, stainless steel, single	55.26	183.71		
2135812	Ankle spring joint, stainless steel, single	74.51	203.01		
2135929	Double-action ankle spring joint, aluminum, single	33.41	161.89		
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (1/4 in.)	52.66	52.66		
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	17.99	17.99		

#### SUPPLEMENTS AVAILABLE

3492501	Cane	10.12	10.12
3492550	Crutches with axillary support, height-	20.24	20.24
	adjustable		
+3492551	Crutches with forearm support, height-	55.66	55.66
	adjustable		

#### ADJUSTMENTS AVAILABLE

2136752 Stirrup changeover
----- Any pertinent adjustment

56.53

DEVICE	Maximum price Purchase or replacement of device  Maximum price Purchase or replacement of component or supplement  Maximum price Purchase or replacement of component or supplement  Maximum price Maximum adjustement (months)

## 2140507 Tibial orthosis with bilateral uprights

512.60

6

## BASIC COMPONENTS AND SUPPLEMENTS

Regular stirrup Ankle free joints, aluminum (2) Rigid metal cuff with leather or thermoplastic jacket, including cover Retention straps

## COMPONENTS AND SUPPLEMENTS AVAILABLE

#### **BASIC COMPONENTS**

2135507	Regular stirrup	N. C.	93.80
	Ankle free joints, aluminum		
2135846	pair	N. C.	219.70
2135655	single	N. A.	131.02
2135903	Rigid metal cuff with leather or	N. C.	120.76
	thermoplastic jacket, including cover		
2195527	Retention straps, each	N. C.	25.69
	OPTIONAL COMPONENTS		
2135531	Rectangular stirrup	42.40	131.02
2135523	Laminated or molded plastic stirrup,	253.08	323.74
	made from mold of insured person		
2135606	Single malleolar strap	78.38	107.91
2135614	Double malleolar strap	92.50	123.33

	Rectangular stirrup		
2135747	pair	15.42	227.41
2135853	single	N. A.	132.34
	Ankle free joints, stainless steel		
2135861	pair	111.78	323.74
2135671	single	N. A.	183.71
	Ankle spring joints, stainless steel		
2135879	pair	149.04	362.29
2135689	single	N. A.	203.01
	Double-action ankle spring joints,		
	aluminum		
2135887	pair	66.80	278.78
2135754	single	N. A.	161.89
2125508	External build-up on orthosis or shoe for	52.66	52.66
	limb fitted with orthosis, first 0.6 cm		
	(¼ in.)		
2125516	External build-up on orthosis or shoe for	17.99	17.99
	limb fitted with orthosis, each additional		
	0.6 cm (¼ in.)		
	SUPPLEMENTS AVAILABLE		
3492501	Cane	10.12	10.12
3492550	Crutches with axillary support, height-	20.24	20.24
3472330	adjustable	20.24	20.24
+3492551	Crutches with forearm support, height-	55.66	55.66
	adjustable		
	3		

#### ADJUSTMENTS AVAILABLE

2136752 Stirrup changeover
----- Any pertinent adjustment

56.53

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2140572	Molded plastic tibial orthosis, made from plaster or digital mold of insured person	411.11			6
	BASIC COMPONENTS AND				

BASIC COMPONENTS AND SUPPLEMENTS

Molded plastic anterior or posterior shell with infra-patellar support extending under foot Calf and foot retention straps

88 Updated: December 12, 2016

# COMPONENTS AND SUPPLEMENTS AVAILABLE

#### BASIC COMPONENTS

2195527	Retention straps, each	N. C.	25.69
	OPTIONAL COMPONENTS		
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (1/4 in.)	52.66	52.66
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	17.99	17.99
2155828	Ankle free joints with overlapping Gilette ankle joints	48.82	N. A.
2155646	pair	122.05	107.91
2155893		N. A.	66.80
	Oklahoma ankle joints		
2155653	pair	115.62	101.48
2155901	single	N. A.	64.24
	Wafer ankle joints		
2155661	pair	133.60	119.48
2155919	single	N. A.	73.23
	Tamarak ankle joints		
2155679	pair	128.46	114.33
2155927	single	N. A.	70.66
	Gaffney ankle joints		
2155687	pair	141.33	125.90
2155935	single	N. A.	75.80
2195584	Full thermoformable foam lining for night orthosis	62.94	98.91
	SUPPLEMENTS AVAILABLE		
3492501	Cane	10.12	10.12
	Crutches with axillary support, height-	20.24	20.24
2.,2000	adjustable	20.21	20.21
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66

## ADJUSTMENT AVAILABLE

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2140580	Molded plastic tibial orthosis, prefabricated	182.42			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Rigid molded plastic posterior shell, one- piece, including calf and extending under foot, prefabricated or rigid spiral band Calf and foot retention straps				
	NOTICE: This orthosis has neither a hinge, nor an upright, nor a rigid lateral band, and cannot be inserted into a conventional shoe. Therefore, it is not a walking boot.				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2195527	Retention straps, each	N. C.	25.69		1
	OPTIONAL COMPONENTS				
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (1/4 in.)	52.66	52.66		
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	17.99	17.99		
2195584	Full thermoformable foam lining for night orthosis	62.94	98.91		
	SUPPLEMENTS AVAILABLE				
3492501 3492550	Cane Crutches with axillary support, height- adjustable	10.12 20.24	10.12 20.24		

SCHEDULE 1	Tariff for devices which compensate for a motor deficiency and insured related services
	(authentic version)

+3492551 Crutches with forearm support, heightadjustable 55.66 55.66

## ADJUSTMENT AVAILABLE

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2140002	Tibial orthosis for leg shortened by 7.6 cm (3 in.) or more, excluding any prosthetic knee joint	1,779.72			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	SACH foot Polyester or acrylic tibial shell with tibial or foot support Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1125509	SACH foot	N. C.	258.63		
	Polyester or acrylic tibial shell with tibial or foot support	N. C.	N. A.		
2195527	Retention straps, each	N. C.	25.69		
	OPTIONAL COMPONENTS				
1195619	Trial socket Knee free joints, aluminum (Becker S-2005-B4)	116.91	N. A.		
2155695	•	224.83	282.64		
2155943		N. A.	173.46		
	Knee joints with ring lock (Becker 1002-B4)				
2155604	•	312.17	370.00		
2155950	single Knee joints with lock, Swiss-type (Becker 1003-B4)	N. A.	217.09		
2155703		377.71	447.08		
2155968	single	N. A.	255.65		

	Polycentric knee joints (USMC-0225-10)		
2155638	•	294.20	352.00
2155976	single	N. A.	184.98
	Polycentric knee joints, for child (Becker		
	1006-C8)		
2155711	pair	426.54	484.34
2155984	single	N. A.	250.53
	Eccentric uniaxial knee free joints		
	(Becker 1008-B4)		
2155562	pair	355.87	413.70
2155992	single	N. A.	238.96
	Eccentric uniaxial ring knee joints		
	(Becker 1012-B4)		
2155729	pair	372.58	430.38
2156016		N. A.	247.96
2155745	Thigh lacer with two metal bands with	167.01	208.11
	femoral leather jacket		
2155737	Complete or full leather thigh lacer,	115.62	295.49
	without ischiatic support		
2155752	Complete or full leather thigh lacer, with	227.41	404.70
	leather ischiatic support		
2155760	Molded plastic femoral shell without	215.85	273.63
	ischiatic support		
2155778	Molded plastic femoral shell with	273.63	355.87
	molded plastic ischiatic support		
	Pelvic belt and metal band	220.98	236.37
	Pelvic belt (leather)	N. A.	169.59
2175578	Replacement of pelvic belt metal band	N. A.	127.18
2175594	Hip joint (metal part), all types	238.96	269.80
2402704		10.10	40.40
3492501		10.12	10.12
3492550	Crutches with axillary support, height-	20.24	20.24
2402551	adjustable	55.66	~ ~ · · ·
+3492551	11 , 8	55.66	55.66
	adjustable		

## ADJUSTMENT AVAILABLE

## **SUBDIVISION 2: TIBIOFEMORAL ORTHOSES**

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2150514	Molded plastic non-articulated tibiofemoral orthosis, made from plaster or digital mold of insured person	576.84			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Molded plastic splint, thigh, knee and leg Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2195527	Retention straps, each	N. C.	25.69		
	OPTIONAL COMPONENTS				
2195550	Abduction rod	100.22	115.62		
	Knee cap and straps	80.95	110.48		
2125524	External build-up on shoe for limb fitted with orthosis, for the first 0.6 cm (¼ in.)	52.66	52.66		
2125532	External build-up on shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	17.99	17.99		
	SUPPLEMENTS AVAILABLE				
3492501	Cane	10.12	10.12		
	Crutches with axillary support, height-adjustable	20.24	20.24		
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66		
	ADHICTMENT AVAILADLE				

#### ADJUSTMENT AVAILABLE

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2150548	Tibiofemoral orthosis with joints, prefabricated (Legend, Edge, Lennox, GLS)	709.16			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Knee free joints Femoral and tibial rigid cuffs Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2195527	Retention straps, each	N. C.	25.69		
	OPTIONAL COMPONENTS				
2125524	External build-up on shoe for limb fitted with orthosis, for the first 0.6 cm (¼ in.)	52.66	52.66		
2125532	External build-up on shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	17.99	17.99		
	SUPPLEMENTS AVAILABLE				
3492501	Cane	10.12	10.12		
	Crutches with axillary support, height-adjustable	20.24	20.24		
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66		
	ADJUSTMENT AVAILABLE				

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2150555	Tibiofemoral anti-recurvatum knee orthosis, Swedish-type, prefabricated	330.17			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Metal structure Rigid cuffs Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2195527	Retention straps, each	N. C.	25.69		
	OPTIONAL COMPONENTS				
2125524	External build-up on shoe for limb fitted with orthosis, for the first 0.6 cm (1/4 in.)	52.66	52.66		
2125532	External build-up on shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	17.99	17.99		
	SUPPLEMENTS AVAILABLE				
3492501 3492550	Cane Crutches with axillary support, height- adjustable	10.12 20.24	10.12 20.24		
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66		
	ADJUSTMENT AVAILABLE				

## ADJUSTMENT AVAILABLE

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2150605	Dynamic knee orthosis, made from plaster or digital mold of insured person	867.17			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Plastic or metal femoral and tibial rigid cuffs Polycentric knee free joints, aluminum (USMC F08-200-1000) Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Polycentric knee free joints, aluminum (USMC F08-200-1000)				
2155786	pair	N. C.	251.82		
2155471	single	N. A.	158.03		
2195527	Retention straps, each	N. C.	25.69		
	OPTIONAL COMPONENTS				
	Polycentric knee free joints, steel (USMC F08-220-1000)				
2155836	pair	42.40	295.49		
2155463	single	N. A.	179.85		
	Polycentric knee joints with lock, aluminum (USMC F08-200-4000)				
2155794		35.97	287.77		
2155455		N. A.	176.00		
	Polycentric knee joints with lock, steel (USMC F08-220-4000)				
2155844	*	84.81	336.59		
2155448	single Variable amplitude knee joints, aluminum (USMC F08-200-1001)	N. A.	200.42		
2155851		N. C.	251.82		
2155430		N. A.	158.03		
	Variable amplitude knee joints, steel (USMC F08-200-1001)				

SCHEDULE 1	Tariff for devices which compensate for a motor deficiency and insured related services
	(authentic version)

2155869	pair	42.40	295.49
2155422	single	N. A.	179.85
2135705	Knee cap and straps	80.95	110.48
2125524	External build-up on shoe for limb fitted with orthosis, for the first 0.6 cm (1/4 in.)	52.66	52.66
2125532	External build-up on shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	17.99	17.99
	SUPPLEMENTS AVAILABLE		
3492501	Cane	10.12	10.12
3492550	Crutches with axillary support, height-adjustable	20.24	20.24
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66

## ADJUSTMENT AVAILABLE

None

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2150597	Adjustable knee orthosis designed to limit flexion and extension movements (Donjoy, Generation II), prefabricated	349.44			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Rigid plastic cuffs, with foam Metal knee joints with ratchet Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2195527	Retention straps, each	N. C.	25.69		
	SUPPLEMENTS AVAILABLE				
3492501 3492550	Cane Crutches with axillary support, height- adjustable	10.12 20.24	10.12 20.24		

SCHEDULE 1 Tariff for devices which compensate for a motor deficiency and insured related services (authentic version)

+3492551 Crutches with forearm support, height-adjustable

55.66

55.66

ADJUSTMENT AVAILABLE

## SUBDIVISION 3: FEMORAL ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2160505	Articulated femoral orthosis with rigid metal femoral and tibial cuffs	1,169.09			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Regular stirrup Ankle free joints, aluminum (2) Knee free joints, aluminum (2) (Becker S-2005-B4) Thigh lacer with two rigid metal bands and leather femoral jacket and metal cuff with leather or thermoplastic tibial jacket Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Regular stirrup Rigid metal cuff with leather or thermoplastic tibial jacket Ankle free joints, aluminum	N. C. N. C.	93.80 120.76		
2135846		N. C.	219.70		
2135655		N. A.	131.02		
2155513	pair	N. C.	282.64		
2155414	single	N. A.	173.46		
	Thigh lacer with two rigid metal bands and leather femoral jacket	N. C.	208.11		
2195527	Retention straps, each	N. C.	25.69		
	OPTIONAL COMPONENTS				
2135531	Rectangular stirrup	42.40	131.02		
	Laminated or molded plastic stirrup, made from mold of insured person	253.08	323.74		
2135606	Single malleolar strap	78.38	107.91		
	Double malleolar strap	92.50	123.33		

2135705	Knee cap and straps	80.95	110.48
	Ankle spring joints, aluminum		
2135747	•	15.42	227.41
2135853		N. A.	132.34
	Double-action ankle spring joints,		
	aluminum		
2135887	•	66.80	278.78
2135754		N. A.	161.89
	Knee joints with ring lock (Becker 1002-		
0177701	B4)	0.5.0=	2=0.00
2155521	•	86.07	370.00
2155406	•	N. A.	217.09
	Knee joints with lock, Swiss-type		
2155547	(Becker 1003-B4)	100 14	4.47.00
2155547	pair	190.14	447.08
2155398		N. A.	255.65
215554	Polycentric knee joints (USMC-0225-10)	60.00	252.00
2155554	•	68.09	352.00
2155380		N. A.	184.98
	Polycentric knee joints, for child (Becker 1006-C8)		
2155877	pair	201.71	484.34
2155372	single	N. A.	250.53
	Eccentric uniaxial knee free joints		
	(Becker 1008-B4)		
2155588	pair	131.02	413.70
2155364	single	N. A.	238.96
	Eccentric uniaxial ring knee joints		
	(Becker 1012-B4)		
2155885	•	146.45	430.38
2155356		N. A.	247.96
2155737	Complete or full leather thigh lacer,	115.62	295.49
	without ischiatic support		
2155752	Complete or full leather thigh lacer, with	227.41	404.70
2125500	leather ischiatic support	50.66	<b>50.</b> 66
2125508	External build-up on orthosis or shoe for	52.66	52.66
	limb fitted with orthosis, first 0.6 cm		
2125516	(¼ in.)	17.00	17.00
2123310	External build-up on orthosis or shoe for limb fitted with orthosis, each additional	17.99	17.99
	0.6 cm (¼ in.)		
	0.0 Cm (74 m.)		
	SUPPLEMENTS AVAILABLE		
3492501	Cane	10.12	10.12
	Crutches with axillary support, height-	20.24	20.24
J-T/2JJU	adjustable	20.24	20.24
+3492551	Crutches with forearm support, height-	55.66	55.66
10172001	adjustable	55.00	23.00
	,		

## ADJUSTMENTS AVAILABLE

2136752	Stirrup changeover
	Any partinent adjustm

56.53

 Any pertinent adjustment		
	Manimum mains	Maximum

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2160604	Molded plastic articulated femoral orthosis, made from plaster or digital mold of insured person	1,084.30			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Molded plastic femoral shell without ischiatic support Knee free joints, aluminum (2) (Becker S-2005-B4) Molded plastic anterior or posterior tibial shell extending under foot Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2155802	Molded plastic femoral shell without ischiatic support	N. C.	273.63		
2155810	Molded plastic anterior or posterior tibial shell extending under foot Knee free joints, aluminum (Becker S-2005-B4)	N. C.	301.92		
2155513	pair	N. C.	282.64		
2155414		N. A.	173.46		
2195527	Retention straps, each	N. C.	25.69		
	OPTIONAL COMPONENTS				
2135820	Regular stirrup	66.80	93.80		
2155828	Ankle free joints with overlapping Gilette ankle joints	48.82	N. A.		
2155646	•	122.05	107.91		
2155893	Oklahoma ankle joints	N. A.	66.80		
2155653	•	115.62	101.48		
2155901	single	N. A.	64.24		

Updated: December 12, 2016

	Wafer ankle joints		
2155661	pair	133.60	119.48
2155919	•	N. A.	73.23
	Tamarak ankle joints		
2155679	· ·	128.46	114.33
2155927	single	N. A.	70.66
	Gaffney ankle joints		
2155687	pair	141.33	125.90
2155935	single	N. A.	75.80
2135606	Single malleolar strap	78.38	107.91
2135705	Knee cap and straps	80.95	110.48
	Ankle spring joints, aluminum		
2135747	pair	15.42	227.41
2135853	single	N. A.	132.34
	Double-action ankle spring joints,		
	aluminum		
2135887	•	66.80	278.78
2135754	· ·	N. A.	161.89
	Knee joints with ring lock (Becker 1002-		
	B4)		
2155521	pair	86.07	370.00
2155406	e	N. A.	217.09
	Knee joints with lock, Swiss-type		
0155545	(Becker 1003-B4)	100.14	4.47.00
2155547	•	190.14	447.08
2155398	e	N. A.	255.65
0155554	Polycentric knee joints (USMC-0225-10)	60.00	252.00
2155554	•	68.09	352.00
2155380	single  Polysontria know is into for shild (Posker	N. A.	184.98
	Polycentric knee joints, for child (Becker		
2155877	1006-C8) pair	201.71	484.34
2155372		N. A.	250.53
2133372	Eccentric uniaxial knee free joints	IV. A.	230.33
	(Becker 1008-B4)		
2155588		131.02	413.70
2155364	•	N. A.	238.96
2133304	Eccentric uniaxial ring knee joints	14. 71.	230.70
	(Becker 1012-B4)		
2155885		146.45	430.38
2155356	•	N. A.	247.96
	Molded plastic ischiatic support	75.80	N. A.
	Molded plastic femoral shell with	N. A.	355.87
	molded plastic ischiatic support		
2125508	External build-up on orthosis or shoe for	52.66	52.66
	limb fitted with orthosis, first 0.6 cm		
	(¼ in.)		
2125516	External build-up on orthosis or shoe for	17.99	17.99
	limb fitted with orthosis, each additional		
	0.6 cm (¼ in.)		

Updated: December 12, 2016

## SUPPLEMENTS AVAILABLE

3492501	Cane	10.12	10.12
3492550	Crutches with axillary support, height-	20.24	20.24
	adjustable		
+3492551	Crutches with forearm support, height-	55.66	55.66
	adjustable		

## ADJUSTMENTS AVAILABLE

2136752 Stirrup changeover

----- Any pertinent adjustment

56.53

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2160703	Articulated femoral orthosis with rigid metal femoral cuffs and molded plastic posterior or anterior tibial shell, made from plaster or digital mold of insured person	1,115.14			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Thigh lacer with two rigid metal bands and femoral leather jacket Knee free joints, aluminum (2) (Becker S-2005-B4) Molded plastic posterior or anterior tibial shell extending under foot Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2195501	Thigh lacer with two rigid metal bands and femoral leather jacket	N. C.	208.11		
2155810	Molded plastic posterior or anterior tibial shell extending under foot Knee free joints, aluminum (Becker S-2005-B4)	N. C.	301.92		
2155513 2155414		N. C. N. A.	282.64 173.46		

2195527	Retention straps, each	N. C.	25.69
	OPTIONAL COMPONENTS		
2155828	Ankle free joints with overlapping Gilette ankle joints	48.82	N. A.
2155646	· ·	122.05	107.91
2155893	•	N. A.	66.80
	Oklahoma ankle joints		
2155653	y .	115.62	101.48
2155901		N. A.	64.24
	Wafer ankle joints		
2155661	pair	133.60	119.48
2155919	single	N. A.	73.23
	Tamarak ankle joints		
2155679	pair	128.46	114.33
2155927	single	N. A.	70.66
	Gaffney ankle joints		
2155687	pair	141.33	125.90
2155935		N. A.	75.80
2135606	Single malleolar strap	78.38	107.91
2135705	Knee cap and straps	80.95	110.48
	Ankle spring joints, aluminum		
2135747	•	15.42	227.41
2135853	_	N. A.	132.34
	Double-action ankle spring joints,		
	aluminum		
2135887		66.80	278.78
2135754		N. A.	161.89
	Knee joints with ring lock (Becker 1002-		
2177721	B4)	0.5.0	2=0.00
2155521	pair	86.07	370.00
2155406		N. A.	217.09
	Knee joints with lock, Swiss-type		
2155547	(Becker 1003-B4)	100 14	447.00
2155547	pair	190.14	447.08
2155398	e e e e e e e e e e e e e e e e e e e	N. A.	255.65
2155554	Polycentric knee joints (USMC-0225-10)	68.09	352.00
2155380	•	N. A.	184.98
2133360	Polycentric knee joints, for child (Becker	N. A.	104.90
	1006-C8)		
2155877	•	201.71	484.34
2155372	<u> </u>	N. A.	250.53
	Eccentric uniaxial knee free joints (Becker 1008-B4)		
2155588	pair	131.02	413.70
2155364	single	N. A.	238.96
	Eccentric uniaxial ring knee joints		
	(Becker 1012-B4)		

SCHEDUL	$\mathbf{F}$	1
SCHEDUL	ناد	1

2155885 pair 146.45 430	0.38
2155356 single N. A. 247	7.96
2155737 Complete or full leather thigh lacer, 115.62 295 without ischiatic support	5.49
2155752 Complete or full leather thigh lacer, with leather ischiatic support 227.41 404	4.70
2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.)	2.66
2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	7.99
SUPPLEMENTS AVAILABLE	
3492501 Cane 10.12 10	0.12
3492550 Crutches with axillary support, height- 20.24 20 adjustable	0.24
+3492551 Crutches with forearm support, height- adjustable 55.66 55	5.66

#### ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2160802	Articulated femoral orthosis with molded plastic femoral shell, made from plaster or digital mold of insured person, and rigid metal cuff with tibial leather jacket  BASIC COMPONENTS AND SUPPLEMENTS  Regular stirrup Ankle free joints, aluminum (2) Knee free joints, aluminum (2) (Becker S-2005-B4) Rigid metal cuff with leather or thermoplastic jacket, including tibial cover Molded plastic femoral shell without ischiatic support Retention straps	1,261.59			6

# COMPONENTS AND SUPPLEMENTS AVAILABLE

#### BASIC COMPONENTS

2135507	Regular stirrup	N. C.	93.80
	Rigid metal cuff with leather or	N. C.	120.76
	thermoplastic jacket, including tibial		
	cover		
	Ankle free joints, aluminum		
2135739		N. C.	219.70
2135655	single	N. A.	131.02
	Knee free joints, aluminum (Becker		
	S-2005-B4)		
2155513	pair	N. C.	282.64
2155414	single	N. A.	173.46
2155802	Molded plastic femoral shell without	N. C.	273.63
	ischiatic support		
2195527	Retention straps, each	N. C.	25.69
	OPTIONAL COMPONENTS		
	Rectangular stirrup	42.40	131.02
2135523	Laminated or molded plastic stirrup,	253.08	323.74
	made from mold of insured person		
	Single malleolar strap	78.38	107.91
	Double malleolar strap	92.50	123.33
2135705	Knee cap and straps	80.95	110.48
2125515	Ankle spring joints, aluminum	1 7 10	225.11
2135747	1	15.42	227.41
2135853	E	N. A.	132.34
	Double-action ankle spring joints,		
212700	aluminum		250 50
2135887	•	66.80	278.78
2135754	9	N. A.	161.89
	Knee joints with ring lock (Becker 1002-		
	B4)	0.40	2=0.00
2155521	1	86.07	370.00
2155406	•	N. A.	217.09
	Knee joints with lock, Swiss-type		
	(Becker 1003-B4)	10011	4.45.00
2155547	pair	190.14	447.08
2155398	· ·	N. A.	255.65
	Polycentric knee joints (USMC-0225-10)		
2155554	*	68.09	352.00
2155380	single	N. A.	184.98
	Polycentric knee joints, for child (Becker 1006-C8)		
2155077	,	201.71	101 21
2155877	*	201.71 N. A.	484.34 250.53
2155372	Siligic	N. A.	230.33

	Eccentric uniaxial knee free joints		
	(Becker 1008-B4)		
2155588	pair	131.02	413.70
2155364	single	N. A.	238.96
	Eccentric uniaxial ring knee joints		
	(Becker 1012-B4)		
2155885	pair	146.45	430.38
2155356	single	N. A.	247.96
2155497	Molded plastic ischiatic support	75.80	N. A.
2155489	Molded plastic femoral shell with	N. A.	355.87
	molded plastic ischiatic support		
2125508	External build-up on orthosis or shoe for	52.66	52.66
	limb fitted with orthosis, first 0.6 cm		
	(¼ in.)		
2125516	External build-up on orthosis or shoe for	17.99	17.99
	limb fitted with orthosis, each additional		
	0.6 cm (¼ in.)		
	SUPPLEMENTS AVAILABLE		
3492501	Cane	10.12	10.12
3492550	Crutches with axillary support, height-	20.24	20.24
	adjustable		
+3492551	Crutches with forearm support, height-	55.66	55.66
	adjustable		
	•		

#### ADJUSTMENTS AVAILABLE

2136752 Stirrup changeover
----- Any pertinent adjustment

56.53

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2160547 Molded plastic non-articulated femoral orthosis, made from plaster or digital mold of insured person	651.36			6
BASIC COMPONENTS AND SUPPLEMENTS				
Molded plastic splint, thigh, knee, leg and foot Retention straps				
COMPONENTS AND SUPPLEMENTS AVAILABLE				

2195527	Retention straps, each	N. C.	25.69
	OPTIONAL COMPONENTS		
2195550 2155497	Knee cap and straps Abduction rod Molded plastic ischiatic support External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm	80.95 100.22 75.80 52.66	110.48 115.62 N. A. 52.66
2125516	(1/4 in.) External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	17.99	17.99
	SUPPLEMENTS AVAILABLE		
	Cane Crutches with axillary support, height- adjustable Crutches with forearm support, height- adjustable	10.12 20.24 55.66	10.12 20.24 55.66

### ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2160539	Articulated femoral orthosis with unilateral upright with rigid metal femoral and tibial cuffs	887.75			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Regular stirrup Unilateral ankle free joint, aluminum Unilateral knee free joint, aluminum (Becker S-2005-B4) Rigid metal cuffs with leather femoral and tibial jacket, including cover Retention straps				

# COMPONENTS AND SUPPLEMENTS AVAILABLE

#### BASIC COMPONENTS

2135507	Regular stirrup	N. C.	93.80
	Rigid metal cuff with leather tibial	N. C.	120.76
	jacket, including cover		
	Unilateral ankle free joint, aluminum	N. C.	131.02
2135770	Unilateral knee free joint, aluminum (Becker S-2005-B4)	N. C.	173.46
2195592	Rigid metal cuff with leather femoral jacket, including cover	N. C.	208.11
2195527	Retention straps, each	N. C.	25.69
	OPTIONAL COMPONENTS		
2135523	Laminated or molded plastic stirrup,	253.08	323.74
2135606	made from mold of insured person Single malleolar strap	78.38	107.91
	Double malleolar strap	92.50	123.33
	Knee cap and straps	80.95	110.48
	Ankle spring joint, aluminum	7.72	132.34
	Double-action ankle spring joint,	33.41	161.89
2133929	aluminum	33.41	101.09
2135788	Knee joint with ring lock (Becker 1002-B4)	43.66	217.09
2135796	Eccentric uniaxial knee free joint (Becker 1008-B4)	65.54	238.96
2135804	Eccentric uniaxial ring knee joint (Becker 1012-B4)	73.23	247.96
2175594	Hip joint (metal part), all types	238.96	269.80
2175610	Pelvic belt and metal band	220.98	236.37
2175511	Pelvic belt (leather)	N. A.	169.59
	Replacement of pelvic belt metal band	N. A.	127.18
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (1/4 in.)	52.66	52.66
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	17.99	17.99
	SUPPLEMENTS AVAILABLE		
3492501	Cane	10.12	10.12
	Crutches with axillary support, height-	20.24	20.24
3 <del>7</del> 72330	adjustable	20.24	20.24

SCHEDULE 1 Tariff for devices which compensate for a motor deficiency and insured related services (authentic version)

+3492551 Crutches with forearm support, heightadjustable 55.66 55.66

ADJUSTMENTS AVAILABLE

2136752 Stirrup changeover 56.53

----- Any pertinent adjustment

# SUBDIVISION 4: COXOFEMORAL ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2170504	Articulated coxofemoral orthosis with rigid metal femoral and tibial cuffs	1,704.82			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Regular stirrup Ankle free joints, aluminum (2) Knee free joints, aluminum (2) (Becker S-2005-B4) Thigh lacer with two rigid metal bands and femoral leather jacket, including cover, and rigid metal cuff with leather or thermoplastic tibial jacket Hip joint (metal part), all types				
	Retention straps Pelvic belt and metal band				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2135507	Regular stirrup Ankle free joints, aluminum	N. C.	93.80		
2135739	pair	N. C.	219.70		
2135655		N. A.	131.02		
2195527	Retention straps, each	N. C.	25.69		
2135556	Rigid metal cuff with leather or thermoplastic tibial jacket Knee free joints, aluminum (Becker S-2005-B4)	N. C.	120.76		
2155513	· · · · · · · · · · · · · · · · · · ·	N. C.	282.64		
2155414	•	N. A.	173.46		
	Thigh lacer with two rigid metal bands and femoral leather jacket, including cover	N. C.	208.11		
2175560	Hip joint (metal part), all types	N. C.	269.80		
2175537	Pelvic belt and metal band	N. C.	236.37		

#### OPTIONAL COMPONENTS

	Rectangular stirrup	42.40	131.02
2135523	Laminated or molded plastic stirrup,	253.08	323.74
2125606	made from mold of insured person	78.38	107.91
	Single malleolar strap Knee cap and straps	80.95	107.91
2133703	Ankle spring joints, aluminum	80.93	110.48
2135747	pair	15.42	227.41
2135853	•	N. A.	132.34
	Double-action ankle spring joints,		
	aluminum		
2135887	•	66.80	278.78
2135754		N. A.	161.89
	Knee joints with ring lock (Becker 1002-B4)		
2155521	pair	86.07	370.00
2155406	•	N. A.	217.09
2100 100	Knee joints with lock, Swiss-type	11.11.	217.09
	(Becker 1003-B4)		
2155547	pair	190.14	447.08
2155398	e	N. A.	255.65
	Polycentric knee joints (USMC-0225-10)	-0.00	
2155554	•	68.09	352.00
2155380	single	N. A.	184.98
	Polycentric knee joints, for child (Becker 1006-C8)		
2155877	*	201.71	484.34
2155372	•	N. A.	250.53
	Eccentric uniaxial knee free joints		
	(Becker 1008-B4)		
2155588	*	131.02	413.70
2155364	single	N. A.	238.96
	Eccentric uniaxial ring knee joints		
2155885	(Becker 1012-B4)	146.45	430.38
2155356	•	N. A.	247.96
	Replacement of pelvic belt metal band	N. A.	127.18
2170070	respondent of pervie seri metal sand	11.11.	127.10
2175511	Pelvic belt (leather)	N. A.	169.59
2155737	Complete or full leather thigh lacer,	115.62	295.49
	without ischiatic support		
2155752	Complete or full leather thigh lacer, with	227.41	404.70
2125500	leather ischiatic support	50.66	52.66
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm	52.66	52.66
	(½ in.)		
2125516	External build-up on orthosis or shoe for	17.99	17.99
	limb fitted with orthosis, each additional	2,.,,,	2,
	0.6 cm (¼ in.)		

#### SUPPLEMENTS AVAILABLE

3492501	Cane	10.12	10.12
3492550	Crutches with axillary support, height-	20.24	20.24
	adjustable		
+3492551	Crutches with forearm support, height-	55.66	55.66
	adjustable		

#### ADJUSTMENTS AVAILABLE

2136752 Stirrup changeover

----- Any pertinent adjustment

56.53

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2170603	Molded plastic articulated coxofemoral orthosis, made from plaster or digital mold of insured person	1,596.91			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Molded plastic femoral shell without ischiatic support Knee free joints, aluminum (2) (Becker S-2005-B4) Hip joint (metal part), all types				
	Molded plastic posterior or anterior tibial shell extending under foot Retention straps Pelvic belt and metal band				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2155802	Molded plastic femoral shell without ischiatic support	N. C.	273.63		
2155810	Molded plastic posterior or anterior tibial shell extending under foot Knee free joints, aluminum (Becker S-2005-B4)	N. C.	301.92		
2155513	pair	N. C.	282.64		

1

2155414		N. A.	173.46	
2175560	Hip joint (metal part), all types	N. C.	269.80	
	Retention straps, each	N. C.	25.69	
2175537	Pelvic belt and metal band	N. C.	236.37	
	ODTIONAL COMPONENTS			
	OPTIONAL COMPONENTS			
2175578	Replacement of pelvic belt metal band	N. A.	127.18	
	-			
2175511	Pelvic belt (leather)	N. A.	169.59	
2155828	Ankle free joints with overlapping	48.82	N. A.	
	Gilette ankle joints			
2155646	pair	122.05	107.91	
2155893	single	N. A.	66.80	
	Oklahoma ankle joints			
2155653	pair	115.62	101.48	
2155901	single	N. A.	64.24	
	Wafer ankle joints			
2155661		133.60	119.48	
2155919	single	N. A.	73.23	
	Tamarak ankle joints			
2155679	pair	128.46	114.33	
2155927	single	N. A.	70.66	
	Gaffney ankle joints			
2155687	pair	141.33	125.90	
2155935		N. A.	75.80	
	Single malleolar strap	78.38	107.91	
2135705	Knee cap and straps	80.95	110.48	
	Ankle spring joints, aluminum			
2135747	1	15.42	227.41	
2135853	C	N. A.	132.34	
2135820	Regular stirrup	66.80	93.80	
	Double-action ankle spring joints,			
	aluminum			
2135887	pair	66.80	278.78	
2135754	C	N. A.	161.89	
	Knee joints with ring lock (Becker 1002-			
	B4)			
2155521	*	86.07	370.00	
2155406	· ·	N. A.	217.09	
	Knee joints with lock, Swiss-type			
	(Becker 1003-B4)			
2155547	*	190.14	447.08	
2155398	e	N. A.	255.65	
	Polycentric knee joints (USMC-0225-10)			
2155554	•	68.09	352.00	
2155380	· ·	N. A.	184.98	
	Polycentric knee joints, for child (Becker			
	1006-C8)			

SCHEDULE 1	Tariff for devices which compensate for a mo

2155877	pair	201.71	484.34
2155372	single	N. A.	250.53
	Eccentric uniaxial knee free joints		
	(Becker 1008-B4)		
2155588	pair	131.02	413.70
2155364	single	N. A.	238.96
	Eccentric uniaxial ring knee joints		
	(Becker 1012-B4)		
2155885	pair	146.45	430.38
2155356	single	N. A.	247.96
2155497	Molded plastic ischiatic support	75.80	N. A.
2155489	Molded plastic femoral shell with	N. A.	355.87
	molded plastic ischiatic support		
2125508	External build-up on orthosis or shoe for	52.66	52.66
	limb fitted with orthosis, first 0.6 cm		
	(¼ in.)		
2125516	External build-up on orthosis or shoe for	17.99	17.99
	limb fitted with orthosis, each additional		
	0.6 cm (¼ in.)		
	SUPPLEMENTS AVAILABLE		
3492501	Cane	10.12	10.12
3492550	Crutches with axillary support, height-	20.24	20.24
	adjustable		
+3492551	Crutches with forearm support, height-	55.66	55.66
	adjustable		
	-		

#### ADJUSTMENTS AVAILABLE

2136752 Stirrup changeover ----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2170702	Articulated coxofemoral orthosis with rigid metal femoral cuffs and molded plastic posterior or anterior tibial shell, made from plaster or digital mold of insured person	1,661.15			6

#### BASIC COMPONENTS AND **SUPPLEMENTS**

Thigh lacer with two rigid metal bands and femoral leather jacket

56.53

Knee free joints, aluminum (2) (Becker S-2005-B4) Hip joint (metal part), all types

Molded plastic posterior or anterior tibial shell extending under foot Retention straps Pelvic belt and metal band

# COMPONENTS AND SUPPLEMENTS AVAILABLE

#### **BASIC COMPONENTS**

Thigh lacer with two rigid metal bands	N. C.	208.11
and femoral leather jacket		
Molded plastic posterior or anterior tibial	N. C.	301.92
shell extending under foot		
Knee free joints, aluminum (Becker S-		
2005-B4)		
pair	N. C.	282.64
•	N. A.	173.46
	N. C.	25.69
		269.80
The form (mount pure), and offers	1 0.	207.00
Pelvic belt and metal band	N. C.	236.37
101/10 out and motar out	1	200.07
OPTIONAL COMPONENTS		
0111011122 0 01111 01 (22 112		
Ankle free joints with overlapping	48.82	N. A.
	.0.02	1 11 1 11
· ·	122.05	107.91
•		66.80
	11.71.	00.00
· ·	115.62	101.48
•		64.24
	14. A.	04.24
· ·	133.60	119.48
		73.23
	N. A.	13.23
· · · · · · · · · · · · · · · · · · ·	120 46	114.33
•		
e e e e e e e e e e e e e e e e e e e	N. A.	70.66
•	1.41.22	127.00
		125.90
	N. A.	75.80
1 00		
*		227.41
	N. A.	132.34
1 00		
aluminum		
	and femoral leather jacket Molded plastic posterior or anterior tibial shell extending under foot Knee free joints, aluminum (Becker S- 2005-B4) pair single Retention straps, each Hip joint (metal part), all types  Pelvic belt and metal band  OPTIONAL COMPONENTS  Ankle free joints with overlapping Gilette ankle joints pair single Oklahoma ankle joints pair single Wafer ankle joints pair single Tamarak ankle joints pair single Gaffney ankle joints pair single Gaffney ankle joints pair single Ankle spring joints, aluminum pair	and femoral leather jacket  Molded plastic posterior or anterior tibial shell extending under foot Knee free joints, aluminum (Becker S- 2005-B4) pair N. C. single N. A. Retention straps, each N. C. Hip joint (metal part), all types N. C.  Pelvic belt and metal band N. C.  OPTIONAL COMPONENTS  Ankle free joints with overlapping 48.82 Gilette ankle joints pair 122.05 single N. A. Oklahoma ankle joints pair 115.62 single N. A. Wafer ankle joints pair 133.60 single N. A.  Wafer ankle joints pair 133.60 single N. A. Gaffney ankle joints pair 128.46 single N. A. Gaffney ankle joints pair 128.46 single N. A. Gaffney ankle joints pair 141.33 single N. A. Gaffney ankle joints pair 141.33 single N. A. Double-action ankle spring joints,

116

	2135887	pair	66.80	278.78
	2135754		N. A.	161.89
		Single malleolar strap	78.38	107.91
		Knee joints with ring lock (Becker 1002-		
		B4)		
	2155521	pair	86.07	370.00
	2155406	•	N. A.	217.09
		Knee joints with lock, Swiss-type		
		(Becker 1003-B4)		
	2155547	pair	190.14	447.08
	2155398	single	N. A.	255.65
		Polycentric knee joints (USMC-0225-10)		
	2155554	pair	68.09	352.00
	2155380	single	N. A.	184.98
		Polycentric knee joints, for child (Becker 1006-C8)		
	2155877	pair	201.71	484.34
	2155372	•	N. A.	250.53
		Eccentric uniaxial knee free joints	1,1,1,1,1	200.00
		(Becker 1008-B4)		
	2155588		131.02	413.70
	2155364	•	N. A.	238.96
		Eccentric uniaxial ring knee joints (Becker 1012-B4)		
	2155885		146.45	430.38
	2155356	•	N. A.	247.96
		Knee cap and straps	80.95	110.48
		Complete or full leather thigh lacer,	115.62	295.49
		without ischiatic support		
	2155752	Complete or full leather thigh lacer, with	227.41	404.70
		leather ischiatic support		
	2175578	Replacement of pelvic belt metal band	N. A.	127.18
	2175511	Pelvic belt (leather)	N. A.	169.59
	2125508	External build-up on orthosis or shoe for	52.66	52.66
		limb fitted with orthosis, first 0.6 cm		
		(½ in.)		
	2125516	External build-up on orthosis or shoe for	17.99	17.99
		limb fitted with orthosis, each additional		
		0.6 cm (¼ in.)		
		SUPPLEMENTS AVAILABLE		
	3492501	Cane	10.12	10.12
		Crutches with axillary support, height-	20.24	20.24
		adjustable		
+	+3492551	Crutches with forearm support, height-	55.66	55.66
		adjustable		

#### ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2170801	Articulated coxofemoral orthosis with molded plastic femoral shell, made from plaster or digital mold of insured person, and rigid metal cuff with leather or thermoplastic tibial jacket	1,875.69			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Regular stirrup Ankle free joints, aluminum (2) Knee free joints, aluminum (2) (Becker S-2005-B4) Rigid metal cuff with leather or thermoplastic jacket, including tibial cover Molded plastic femoral shell without ischiatic support Hip joint (metal part), all types				
	Retention straps Pelvic belt and metal band				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Regular stirrup Rigid metal cuff with leather or thermoplastic jacket, including tibial cover Knee free joints, aluminum (Becker	N. C. N. C.	93.80 120.76		
2155513	•	N. C.	282.64		
2155414	Ankle free joints, aluminum	N. A.	173.46		
2135739 2135655	•	N. C. N. A.	219.70 131.02		
	Molded plastic femoral shell without ischiatic support	N. A. N. C.	273.63		

	P ****	1.0	
2155356	single	N. A.	247.96
2155497	Molded plastic ischiatic support	75.80	N. A.
2155489	Molded plastic femoral shell with	N. A.	355.87
	molded plastic ischiatic support		
2125508	External build-up on orthosis or shoe for	52.66	52.66
	limb fitted with orthosis, first 0.6 cm		
	(¼ in.)		

131.02

N.A.

146.45

413.70

238.96

430.38

Eccentric uniaxial knee free joints

Eccentric uniaxial ring knee joints

(Becker 1008-B4)

(Becker 1012-B4)

2155588 pair

2155885 pair

2155364 single

SCHEDULE 1	Tariff for devices which compensate for a motor deficiency and insured related services
	(authentic version)

2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	17.99	17.99	
2175578	Replacement of pelvic belt metal band	N. A.	127.18	
2175511	Pelvic belt (leather)	N. A.	169.59	
	SUPPLEMENTS AVAILABLE			
3492501	Cane	10.12	10.12	
3492550	Crutches with axillary support, height-adjustable	20.24	20.24	
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66	
	ADJUSTMENTS AVAILABLE			

56.53

2136752 Stirrup changeover
----- Any pertinent adjustment

### SUBDIVISION 5: BILATERAL LOWER-LIMB ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2190502	Femoral derotation orthosis	101.48			6
	COMPOSANT ET COMPLÉMENT DE BASE				
	Metal bar with ratchet, fixed to shoes				
	COMPONENT AND SUPPLEMENT AVAILABLE				
2195551	Articulated metal bar	85.58	85.58		
	ADJUSTMENTS AVAILABLE				
2196517	Shoe changeover (unriveted) Shoe changeover (riveted) Any pertinent adjustment			27.00 35.97	
	DEVICE	Maximum price Purchase or	Maximum price Replacement	Maximum adjustement	Guarantee
	DEVICE	replacement of device	of component or supplement	price	(months)
2190510	Coxofemoral derotation orthosis with torsion cable	-	of component	•	(months)
2190510	Coxofemoral derotation orthosis with	device	of component	•	
2190510	Coxofemoral derotation orthosis with torsion cable  BASIC COMPONENTS AND	device	of component	•	
2190510	Coxofemoral derotation orthosis with torsion cable  BASIC COMPONENTS AND SUPPLEMENTS  Regular stirrup Torsion cable Pelvic belt (leather)	device	of component	•	
2190510	Coxofemoral derotation orthosis with torsion cable  BASIC COMPONENTS AND SUPPLEMENTS  Regular stirrup Torsion cable Pelvic belt (leather) Hip free joint (metal part)  COMPONENTS AND SUPPLEMENTS	device	of component	•	

SCHEDULI	E 1 Tariff for devices which comp	ensate for a motor	deficiency and in	nsured related s (authentic v	
2175586	Torsion cable Hip free joint (metal part) Pelvic belt (leather)	N. C. N. C. N. C.	97.64 83.52 115.62		
	OPTIONAL COMPONENT				
2155570	Knee joint	127.18	142.61		
	SUPPLEMENTS AVAILABLE				
3492550	Crutches with axillary support, height-adjustable	20.24	20.24		
+3492551	· ·	55.66	55.66		
	ADJUSTMENTS AVAILABLE				
2136752	Stirrup changeover Any pertinent adjustment			56.53	
		Maximum price	Maximum price	Maximum	Guarantee
	DEVICE	Purchase or replacement of device	Replacement of component or supplement	adjustement price	(months)
2190528	Pelvifemoral abduction orthosis, custom made	replacement of	Replacement of component	•	
2190528	Pelvifemoral abduction orthosis, custom	replacement of device	Replacement of component	•	(months)
2190528	Pelvifemoral abduction orthosis, custom made  BASIC COMPONENTS AND	replacement of device	Replacement of component	•	(months)
2190528	Pelvifemoral abduction orthosis, custom made  BASIC COMPONENTS AND SUPPLEMENTS  Two plastic thigh cuffs	replacement of device	Replacement of component	•	(months)
2190528	Pelvifemoral abduction orthosis, custom made  BASIC COMPONENTS AND SUPPLEMENTS  Two plastic thigh cuffs Metal bar  COMPONENT AND SUPPLEMENT	replacement of device	Replacement of component	•	(months)

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2190544	Molded plastic pelvifemoral abduction orthosis for child, made from plaster or digital mold of insured person	829.94			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Molded plastic orthosis Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2195527	Retention straps, each	N. C.	25.69		
	OPTIONAL COMPONENTS				
3122603	Abduction rod Extension to feet inclusively Knee cap and straps  ADJUSTMENT AVAILABLE	100.22 476.63 80.95	115.62 N. A. 110.48		
	Any pertinent adjustment				
	7 my pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2190536	Pelvifemoral orthosis, for young child	194.00			6
	COMPOSANT ET COMPLÉMENT DE BASE				
	Cloth harness or prefabricated plastic splint				
	COMPONENT AND SUPPLEMENT AVAILABLE				

None

#### ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2180008	Articulated pelvifemoral abduction orthosis, Scottish Rite-type	1,211.50			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Rigid metal cuffs with leather or thermoplastic femoral jacket (2) Metal bar Universal joints Pelvic band Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2195600	Rigid metal cuffs with leather or thermoplastic femoral jacket (2)	N. C.	208.11		
2195527	Retention straps, each	N. C.	25.69		
	SUPPLEMENTS AVAILABLE				
3492550	Crutches with axillary support, height-adjustable	20.24	20.24		
+3492551	Crutches with forearm support, height-adjustable	55.66	55.66		
	ADJUSTMENT AVAILABLE				

124

# SUBDIVISION 6: ADDITIONAL COMPONENTS FOR TIBIAL, FEMORAL AND COXOFEMORAL ORTHOSES

	Maximum prise Purchase or replacement of device	Maximum price of component alone	
2135564 Regular stirrup, additional 2135598 Rectangular stirrup, additional	66.80 107.91	82.20 131.02	

#### **SUBDIVISION 7: LOWER-LIMB ORTHOSES**

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2190601	Other lower-limb orthoses *	S. C.			6

<sup>\*</sup> When price is below that of the similar orthosis

### **DIVISION V: UPPER-LIMB ORTHOSES**

# SUBDIVISION 1: HAND ORTHOSES THAT MAY INCLUDE THE THUMB AND THE OTHER FINGERS

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Prefabricated passive orthosis for proximal				2
	and distal interphalangeal joints <b>Thumb</b>				
2210003	If first finger	111.78	N. A.		
	If additional finger	29.56	N. A.		
2210011	Index	27.30	14. 74.		
2210029	If first finger	111.78	N. A.		
	If additional finger	29.56	N. A.		
	Middle finger				
	If first finger	111.78	N. A.		
2210052	If additional finger	29.56	N. A.		
	Ring finger				
	If first finger	111.78	N. A.		
2210078	If additional finger	29.56	N. A.		
2210006	Little finger	111.78	N. A.		
	If first finger If additional finger	29.56	N. A. N. A.		
2210094	n additional finger	29.30	N. A.		
	BASIC COMPONENTS AND SUPPLEMENTS				
	Thermoplastic or metal splint Straps				
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Prefabricated dynamic orthosis for distal and/or proximal interphalangeal joints				2
	Thumb				
2210102	If first finger	111.78	N. A.		
	If additional finger	29.56	N. A.		
	Index				
2210128	If first finger	111.78	N. A.		
2210136	If additional finger	29.56	N. A.		
	Middle finger				
2210144	If first finger	111.78	N. A.		
2210151	If additional finger	29.56	N. A.		
	Ring finger				
	If first finger	111.78	N. A.		
2210177	If additional finger	29.56	N. A.		
	Little finger				
	If first finger	111.78	N. A.		
2210193	If additional finger	29.56	N. A.		
	BASIC COMPONENTS AND SUPPLEMENTS				
	Support pads Springs				
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2210516	Prefabricated dynamic orthosis for metacarpophalangeal joints	149.04			2

BASIC COMPONENTS AND

----- Any pertinent adjustment

#### **SUPPLEMENTS**

Metacarpal bars Phalangeal bars

Articular pivots

Elastic bands

Piano wire

Other types of springs

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2220010	Passive thumb orthosis including carpometacarpal, metacarpophalangeal and interphalangeal joints, made from plaster or digital mold of insured person  BASIC COMPONENTS AND	258.22			2
	SUPPLEMENTS  Molded component, thermoplastic or other material Straps				
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)

168.29

2220036 Molded plastic passive thumb orthosis

including carpometacarpal,

metacarpophalangeal and interphalangeal joints, made from mold of insured person

or prefabricated

BASIC COMPONENTS AND **SUPPLEMENTS** 

Molded thermoplastic component **Straps** 

COMPONENT AND SUPPLEMENT **AVAILABLE** 

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2220028	Dynamic thumb orthosis, which may include carpometacarpal, metacarpophalangeal and interphalangeal joints, made from plaster or digital mold of insured person	348.17	, ,		2

BASIC COMPONENTS AND **SUPPLEMENTS** 

Stabilizing components Traction apparatus made with springs Piano wire, elastic bands Straps

COMPONENT AND SUPPLEMENT **AVAILABLE** 

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

130 Updated: December 12, 2016

2

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2220044	Molded plastic dynamic thumb orthosis, which may include carpometacarpal, metacarpophalangeal and interphalangeal joints, made from mold of insured person or prefabricated	217.09			2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Stabilizing components Traction apparatus made with springs Piano wire, elastic bands Straps				
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				

### **SUBDIVISION 2: WRIST AND HAND ORTHOSES**

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2230548	Passive orthosis for wrist and hand including fingers and thumb, palmar or dorsal, made from plaster or digital mold of insured person	377.71			2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Splint Straps Bilateral fixed joints for dorsal orthosis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	OPTIONAL COMPONENT				
2231124	Finger separator, including straps	14.15	N. A.		
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2230555	Molded plastic passive orthosis for wrist and hand including fingers and thumb, palmar or dorsal, made from mold of insured person or prefabricated	265.92			2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Thermoplastic splint Straps Bilateral fixed joints for dorsal orthosis				

COMPONENTS AND SUPPLEMENTS AVAILABLE

OPTIONAL COMPONENT

2231124 Finger separator, including straps

14.15 N. A.

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2230563	Passive orthosis for wrist, palmar or dorsal, including thumb extension, where applicable, made from plaster or digital mold of insured person	305.78			2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Thermoplastic splint, palmar or dorsal, or reinforced molded leather splint, including thumb extension, where applicable Palmar or dorsal metacarpal bar Straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	OPTIONAL COMPONENT				
2231132	Full leather lining of thermoplastic splint	52.66	N. A.		
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2230571	Plastic or molded plastic passive orthosis for wrist, including thumb extension, where applicable, made from mold of insured person or prefabricated	224.83			2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Plastic or molded plastic splint, prefabricated or made from mold of insured person, including thumb extension, where applicable Palmar or dorsal metacarpal bar Straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	OPTIONAL COMPONENTS				
2231165 2231140	Finger traction apparatus Flexion glove Wrist free joints (incompatible with wrist traction apparatus) Wrist traction apparatus (incompatible	167.01 89.93 64.24 66.80	N. A. N. A. N. A.		
2231173	with wrist free joints)	00.80	N. A.		
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2230589	Prefabricated static wrist and dynamic finger orthosis, which may include Swanson-type thumb	490.78			2
	BASIC COMPONENTS AND SUPPLEMENTS				

Transverse and longitudinal bars Palmar support Finger and thumb traction apparatus

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

|--|

2230514 Custom-made tenodesis orthosis

754.14

2

BASIC COMPONENTS AND SUPPLEMENTS

Stabilizing components for thumb, index finger and middle finger
Metacarpophalangeal joints
Wrist joints
Forearm stabilizing component
Telescoping rod

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

# SUBDIVISION 3: ELBOW, WRIST AND HAND ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2250017	Molded plastic passive elbow orthosis, anterior or posterior, made from mold of insured person	318.62			2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Splint including arm and forearm Straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	OPTIONAL COMPONENTS				
2255503	Suspension strap Elbow pad and strap Uniaxial or polycentric bilateral elbow joints	24.41 80.95 71.97	N. A. 110.48 N. A.		
3492659	Turnbuckle	66.80	N. A.		
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2250009	Passive elbow orthosis, anterior or posterior, made from plaster or digital mold of insured person	381.55			2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Splint including arm and forearm Straps				

# COMPONENTS AND SUPPLEMENTS AVAILABLE

### OPTIONAL COMPONENTS

2255511	Suspension strap	24.41	N. A.
2255503	Elbow pad and strap	80.95	110.48
2255529	Uniaxial or polycentric bilateral elbow	71.97	N. A.
	joints		
3492659	Turnbuckle	66.80	N. A.

#### ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

# SUBDIVISION 4: SHOULDER, ELBOW, WRIST AND HAND ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2270007	Glenohumeral orthosis, made from plaster or digital mold of insured person	381.55			2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Shoulder-to-epicondyle molded thermoplastic sleeve Thoracic straps Velcro straps for adjusting sleeve circumference				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	OPTIONAL COMPONENT				
2255511	Suspension strap	24.41	N. A.		
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2270510	Prefabricated adjustable passive abduction orthosis for the shoulder, elbow, wrist and hand airplane design	886.46			2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Thoracic and pelvic support Adjustable shoulder and elbow joints Arm, forearm and hand splints Adjustable stabilizing bar between truncular and humeral support				

Anchor straps

Pads

COMPONENTS AND SUPPLEMENTS AVAILABLE

OPTIONAL COMPONENT

2275501 Pelvihumeral mobilization bar

98.91

N. A.

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

|--|

2270015 Prefabricated glenohumeral orthosis

332.74

2

BASIC COMPONENTS AND SUPPLEMENTS

Shoulder-to-epicondyle molded thermoplastic sleeve Thoracic straps Velcro straps for adjusting sleeve circumference

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

Updated: December 12, 2016

139

#### **SUBDIVISION 5: UPPER-LIMB ORTHOSES**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2290609 Other upper-limb orthoses *	N. C.			2

\* When the price is below that of the similar orthosis

# DIVISION VI: TRUNK AND CERVICAL ORTHOSES

# **SUBDIVISION 1: TRUNK ORTHOSES**

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2320505	Prefabricated lumbar sacral immobilization orthosis, to limit anteroposterior and lateral movements of the spine, molded plastic or metal structure, Harris, Knight or Williams-type	405.97			3
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2320604	Lumbar sacral orthosis with rigid molded thermoplastic plate, made from mold of insured person (Ortho-mold-type)	247.96			3
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2320513	Plastic lumbar sacral immobilization orthosis, made from plaster or digital mold of insured person	716.89			3
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2340503	Custom-made rigid-frame dorsal lumbar immobilization orthosis (Taylor or Harris-Taylor-type)	548.58			3
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	OPTIONAL COMPONENTS				
	Axilla crutch Corrective pad	46.25 46.25	N. A. N. A.		3 3
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2340602	Dorsal lumbar orthosis with rigid molded thermoplastic plate, made from mold of insured person (Ortho-mold-type)	354.58			3

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2340701	Rigid dorsal lumbar immobilization orthosis covered in whale fabric (Taylor or Harris-Taylor-type) (Camp, Airway make)	287.77			3
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2340537	Plastic dorsal lumbar sacral immobilization orthosis with bilateral overlapping resulting from double molding, made from plaster or digital mold of insured person	1,152.38			3
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2340404	Prefabricated molded plastic dorsal lumbar sacral immobilization orthosis (Boston Overlap Brace-type)	488.18			3
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2340578	Plastic dorsal lumbar sacral immobilization orthosis made from plaster or digital mold of insured person	991.82			3
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2350528	Prefabricated hyperextension orthosis (Jewitt, Florida Brace)	440.67			3
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				

# ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2380509	Cervical dorsal lumbar sacral immobilization orthosis with plastic base, made from plaster or digital mold of insured person (Milwaukee-type)	1,505.69			3
	BASIC COMPONENT AND SUPPLEMENT				
	Pelvic component, made from plaster or digital mold of insured person				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENT				
2385508	Pelvic component, made from plaster or digital mold of insured person	N. C.	873.61		3
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2380004	Prefabricated cervical dorsal lumbar sacral immobilization orthosis with molded plastic base (Milwaukee-type)	1,255.17			3
	COMPOSANT ET COMPLÉMENT DE BASE				
	Prefabricated pelvic component				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				

145

## BASIC COMPONENT

	BASIC COMPONENT				
2385516	Prefabricated pelvic component	N. C.	634.66		3
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2380020	Charleston hypercorrective cervical dorsal lumbar sacral orthosis, made from plaster or digital mold of insured person	1,256.45			3
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	Any pertinent adjustment  DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2380533		Purchase or replacement of	price Replacement of component	adjustement	
2380533	DEVICE  Cervical dorsal lumbar sacral orthosis	Purchase or replacement of device	price Replacement of component	adjustement	(months)
2380533	DEVICE  Cervical dorsal lumbar sacral orthosis (Lyonnais-type)  COMPOSANT ET COMPLÉMENT DE	Purchase or replacement of device	price Replacement of component	adjustement	(months)
2380533	DEVICE  Cervical dorsal lumbar sacral orthosis (Lyonnais-type)  COMPOSANT ET COMPLÉMENT DE BASE  Prefabricated pelvic component, made from plaster or digital mold of insured	Purchase or replacement of device	price Replacement of component	adjustement	(months)
2380533	Cervical dorsal lumbar sacral orthosis (Lyonnais-type)  COMPOSANT ET COMPLÉMENT DE BASE  Prefabricated pelvic component, made from plaster or digital mold of insured person  COMPONENTS AND SUPPLEMENTS	Purchase or replacement of device	price Replacement of component	adjustement	(months)

person

# ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2380525	Prefabricated corrective dorsal lumbar orthosis (Boston-type)	801.67			3
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component	Maximum adjustement price	Guarantee (months)
		device	or supplement	-	
2380012	Corrective dorsal lumbar orthosis, made from plaster or digital mold of insured person (Boston-type)	1,153.67	or supplement		3
2380012	from plaster or digital mold of insured		or supplement		3
2380012	from plaster or digital mold of insured person (Boston-type)  COMPONENT AND SUPPLEMENT		or supplement		3
2380012	from plaster or digital mold of insured person (Boston-type)  COMPONENT AND SUPPLEMENT AVAILABLE		or supplement		3

# **SUBDIVISION 2: CERVICAL ORTHOSES**

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2370500	Thermoplastic cervical orthosis with sternal support, made from plaster or digital mold of insured person	563.99			3
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2370559	Prefabricated semi-rigid cervical orthosis (Philadelphia design)	154.18			3
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2370518	Cervical orthosis with multiple vertical uprights	283.92			3
	COMPONENT AND SUPPLEMENT AVAILABLE				

None

## ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

NOTICE: A Halo cervical orthosis (Halo vest) is not an insured device.

Therefore, it cannot be considered in the same way as a Minerva cervical orthosis.

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2370526	Minerva molded plastic cervical orthosis, made from plaster or digital mold of insured person	1,201.22			3
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	<u>NOTICE</u> : A Halo cervical orthosis (Halo vest) is not an insured device.  Therefore, it cannot be considered in the same way as a Minerva cervical orthosis.				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2370609	Minerva prefabricated cervical orthosis	810.67			3
	COMPONENT AND SUPPLEMENT AVAILABLE				

Updated: December 12, 2016

None

## ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

NOTICE: A Halo cervical orthosis (Halo vest) is not an insured device.

Therefore, it cannot be considered in the same way as a Minerva cervical orthosis.

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2370534	Cervical orthosis (SOMI-type)	580.72			3
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	OPTIONAL COMPONENT				
2375509	Halo support with lateral stabilization uprights	214.54	231.25		3
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				

# SUBDIVISION 3: OTHER TRUNK AND CERVICAL ORTHOSES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2390607 Other trunk orthoses * 2371003 Other cervical orthoses *	S. C. S. C.			3 3

<sup>\*</sup> When the price is below that of the similar orthosis

# **DIVISION VII: AMBULATION AIDS**

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
4490009	Quad cane, height-adjustable	35.42			12
	BASIC COMPONENT AND SUPPLEMENT				
	Tip				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENT				
4495727	Tip (per pair)	N. C.	2.57		
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
4490017	Crutches with axillary support, height-adjustable	20.24			12
	BASIC COMPONENTS AND SUPPLEMENTS				
	Tips (2) Axillary pads (2) Handrest covers (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
4495727 4495743 4495750	Tips (per pair) Axillary pads (per pair) Handrest covers (per pair)	N. C. N. C. N. C.	2.57 2.57 2.57		
	OPTIONAL COMPONENTS				

4495768	Flip-up ice tips with four or five prongs Pair Unit	10.29 N. A.	N. A. 5.14		
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
+4490018	Crutches with forearm support, height-adjustable	55.66			12
	BASIC COMPONENTS AND SUPPLEMENTS				
	Tips (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
4495727	Tips (per pair)	N. C.	2.57		
	OPTIONAL COMPONENTS				
4495768	Flip-up ice tips with four or five prongs Pair Unit	10.29 N. A.	N. A. 5.14		
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
4490082	Anterior walker, folding, without wheels or with wheels (2), height-adjustable	50.60			12
	BASIC COMPONENTS AND SUPPLEMENTS				
	Tips (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				

4495727	Tips (2)	N. C.	2.57		
	OPTIONAL COMPONENTS				
4495776	Walker skis on rear legs				
,,,,	Pair	12.14	12.14		
	Unit	6.07	6.07		
4495826	Rear hand brakes				
	Pair	51.39	N. A.		
	Unit	N. A.	25.69		
4495784	Forearm supports				
	Pair	156.74	N. A.		
	Unit	78.38	78.38		
		Maximum	Maximum		
		price	price	Maximum	Cuamantaa
	DEVICE	Purchase or	Replacement	adjustement	Guarantee (months)
		replacement of	of component	price	(monus)
		device	or supplement		
+4490085	Anterior walker, without wheels or with wheels (2), height-adjustable, weighted or bariatric type	111.32			12
	BASIC COMPONENTS AND SUPPLEMENTS				
	Tips (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
4495727	Tips (per pair)	N. C.	2.57		
	OPTIONAL COMPONENTS				
4495776	Walker skis on rear legs	12.14	12.14		
	Pair	6.07	6.07		
	Unit				
4495826	Rear hand brakes	51.39	S.O.		
	Pair	S.O.	25.69		
	Unit				
4495784	Forearm supports	156.74	S.O.		
	Pair	78.38	78.38		
	Unit				

154

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
+4490083	Anterior walker, folding, with 2 wheels, height-adjustable, for child	156.86			12
	BASIC COMPONENTS AND SUPPLEMENTS				
	Tips (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
4495727	Tips (per pair)	N. C.	2.57		
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
+4490084	Posterior walker, folding, with wheels (2 or 4), and height-adjustable, for child	232.76			12
	BASIC COMPONENTS AND SUPPLEMENTS				
	Tips (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
4495727	Tips (2)	N. C.	2.57		
	OPTIONAL COMPONENTS				
4495784	Forearm supports (2) Pair Unit	156.74 78.38	N. A. 78.38		

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
+4490166	Walker with wheels 4, height-adjustable with thoracic support, depth-adjustable and width-adjustable, for child	657.80			12
	BASIC COMPONENTS AND SUPPLEMENTS				
	Steel frame Thoracic support, with cover Flexible seat Front bumpers (4) Wheelbrakes (4)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
+4495835	Steel frame, height-adjustable	N. C.	566.72		
+4495843	Thoracic support, depth-adjustable with cover	N. C.	298.54		
4495867	Flexible seat	N. C.	69.37		
	Front bumpers (4)	N. C.	N. A.		
	Wheelbrakes (4)	N. C.	34.70		
	OPTIONAL COMPONENTS				
4495917	Lower-limb abductor	178.57	178.57		
	Back/headrest and cover	280.09	280.09		
4495933	Thoracic support cover only	N. A.	102.79		

# **DIVISION VIII: STANDING AIDS**

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2192276	Parapodium, for child (Variety Village system)	2,205.86			3
	COMPOSANT ET COMPLÉMENT DE BASE				
	Prefabricated parapodium orthosis				
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2192292	Parapodium, for adult (Variety Village system)	2,995.97			3
	COMPOSANT ET COMPLÉMENT DE BASE				
	Prefabricated parapodium orthosis				
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2192284	Orthopodium	1,296.27			3
	COMPOSANT ET COMPLÉMENT DE BASE				
	Prefabricated orthopodium				
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				

# PART II: AIDS FURNISHED SOLELY BY AN INSTITUTION

## **DIVISION I: UPPER-LIMB PROSTHESES**

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1242106	Myoelectric cubital prosthesis	4,742.20			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Single laminated plastic socket, made from plaster or digital mold of insured person Electrical system (1 connecting cable, 1 electrode cable, 1 coaxial outlet, 1 coupling component) Lamination collar (wrist) Pack Electrode (1) Standard battery Standard charger Prosthetic glove (Otto Bock)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1245687	Simple laminated plastic socket, made from plaster or digital mold of insured person	N. C.	1,772.91		
1245695	Electrical system (1 connecting cable, 1 electrode cable, 1 coaxial outlet, 1 coupling component)	N. C.	*		
1245703	Lamination collar (wrist)	N. C.	*		
1245729	Pack First electrode Additional electrode Additional electrode cable	N. C. N. C. 1,450.10 82.20	* * 1,450.10 82.20		
1245778	Standard battery Standard charger Prosthetic glove (Otto Bock)	N. C. N. C. N. C.	* * 267.87		

## OPTIONAL COMPONENTS

	Double flexoform socket Electric hand (Otto Bock) for one 63/4	244.09 4,220.30	323.74 4,220.30
	electrode	·	·
3223302	Electric hand (Otto Bock) for one 7 <sup>1</sup> / <sub>4</sub> and 7 <sup>3</sup> / <sub>4</sub> electrode	4,775.29	4,775.29
3223310	Electric hand (Otto Bock) for one 8 <sup>1</sup> / <sub>4</sub> electrode	5,003.97	5,003.97
3223328	Electric hand (Otto Bock) for two 6¾ electrodes	3,777.08	3,777.08
3223336	Electric hand (Otto Bock) for two 7 <sup>1</sup> / <sub>4</sub> and 7 <sup>3</sup> / <sub>4</sub> electrodes	5,202.45	5,202.45
3223344	Electric hand (Otto Bock) for two 8 <sup>1</sup> / <sub>4</sub> electrodes	5,468.10	5,468.10
	Electric hands (VASI):		
3223047	- 0 to 3 years for one electrode	5,778.67	5,778.67
3223054	- 2 to 6 years for two electrodes	5,778.67	5,778.67
3223062	- 5 to 9 years for two electrodes	6,158.94	6,158.94
3223070	Electric hand (Steeper), 1.75	3,644.73	3,644.73
3223351	Electric hand (Steeper), 2.00	3,797.62	3,797.62
3223369	Electric hand (Steeper), 2.25 to 3.25	4,100.82	4,100.82
3223088	Electric hand 2000 (Otto Bock) for two 5 electrodes	5,920.00	5,920.00
3223377	Electric hand 2000 (Otto Bock) for two 5½ and 6 electrodes	6,198.77	6,198.77
3223385	Electric hand 2000 (Otto Bock) for two 6½ electrodes	6,450.58	6,450.58
1245828	Electronic box for electric hand 2000	1,382.37	1,382.37
1245836	Battery (1) for electric hand 2000	39.83	39.83
1245844	Electrode cables (2) for electric hand 2000	124.63	124.63
1245802	Charger for hand 2000	133.60	133.60
3223096	Electric hook for one electrode	4,899.92	4,899.92
3223104	Electric hook for two electrodes	4,725.20	4,725.20

Electronics module system:

SCHEDULE 1	Tariff for devices which compensate for a motor deficiency and insured related services
	(authentic version)

3232824	Electric wrist rotator	361.00	361.00	
3232832	Myoelectrically controlled prosthetic wrist, including a control unit	5,499.11	5,499.11	
1245919	Rapid charger	749.84	749.84	
	Activating switch	197.84	197.84	
	Adaptations to make prosthesis mechanical:			
3232840	Quick disconnect wrist	736.15	736.15	
3222965	Hook, 99X-type	565.27	611.53	
1295716	Suspension harness	106.62	156.74	
1295724	Control cable, terminal connections and housing (reinforced materials)	143.88	194.00	
	SUPPLEMENT AVAILABLE			
1245851	Conductor gel	6.42	6.42	
	ADJUSTMENT AVAILABLE			

----- Any pertinent adjustment

<sup>\*</sup> Repair. Indicate materials and labour. Supporting documents must be kept on file

of supplement	DEVICE	Maximum price Purchase or replacement of device  Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
---------------	--------	---	---------------------------------	--------------------

1242502 Myoelectric prosthesis for dislocation of wrist

4,460.87

6

# BASIC COMPONENTS AND SUPPLEMENTS

Single laminated plastic socket, made from plaster or digital mold of insured person Electrical system (1 connecting cable,

1 electrode cable)

Pack

Electrode (1)

Standard battery

Standard charger

Prosthetic glove (Otto Bock)

# COMPONENTS AND SUPPLEMENTS AVAILABLE

## BASIC COMPONENTS

1245927	Single laminated plastic socket, made from plaster or digital mold of insured person	N. C.	1,636.74
1245935	Electrical system (1 connecting cable, 1 electrode cable)	N. C.	*
1245752	,	N. C.	*
	First electrode	N. C.	*
	Additional electrode	1,450.10	1,450.10
	Additional electrode cable	82.20	82.20
	Standard battery	N. C.	*
	Standard charger	N. C.	*
3223005	Prosthetic glove (Otto Bock), fitting included	N. C.	267.87
	OPTIONAL COMPONENTS		
1245786	Double flexoform socket	244.09	323.74
3223039	Electric hand (Otto Bock) for one 63/4 electrode	4,220.30	4,220.30
3223302	Electric hand (Otto Bock) for one 71/4 or 73/4 electrode	4,775.29	4,775.29
3223310	Electric hand (Otto Bock) for one 81/4	5,003.97	5,003.97
3223328	electrode Electric hand (Otto Bock) for two 63/4	3,777.08	3,777.08
2022224	electrodes	5 202 45	5 202 45
	Electric hand (Otto Bock) for two 7 <sup>1</sup> / <sub>4</sub> and 7 <sup>3</sup> / <sub>4</sub> electrodes	5,202.45	5,202.45
3223344	Electric hand (Otto Bock) for two 8 <sup>1</sup> / <sub>4</sub> electrodes	5,468.10	5,468.10
3223070	Electric hand (Steeper), 1.75	3,644.73	3,644.73
3223351	Electric hand (Steeper), 2.00	3,797.62	3,797.62
3223369	Electric hand (Steeper), 2.25 to 3.25	4,100.82	4,100.82
3223088	Electric hand 2000 (Otto Bock) for two 5	5,920.00	5,920.00
3223377	electrodes Electric hand 2000 (Otto Bock) for two 5½	6,198.77	6,198.77
222222	and 6 electrodes	c 150 50	2 AEO EO
3223385	Electric hand 2000 (Otto Bock) for two 6½ electrodes	6,450.58	6,450.58
1245828	Electronic box for electric hand 2000	1,382.37	1,382.37
1245836	Battery (1) for electric hand 2000	39.83	39.83

SCHEDULE 1	Tariff for devices which compensate for a motor deficiency and insured related services
	(authentic version)

1245844	Electrode cables (2) for electric hand 2000	124.63	124.63	
1245802	Charger for hand 2000	133.60	133.60	
3223096	Electric hook for one electrode	4,899.92	4,899.92	
3223104	Electric hook for two electrodes	4,725.20	4,725.20	
	Rapid charger Activating switch	749.84 197.84	749.84 197.84	
	COMPLÉMENT DISPONIBLE			
1245851	Conductor gel	6.42	6.42	
	ADJUSTMENT AVAILABLE			
	Any pertinent adjustment			

\* Repair. Indicate materials and labour. Supporting documents must be kept on file

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)

### 1262104 Myoelectric humeral prosthesis

6,996.89

6

# BASIC COMPONENTS AND SUPPLEMENTS

Single laminated plastic socket, made from plaster or digital mold of insured person Electrical system (1 connecting cable, 1 electrode cable, 1 coaxial outlet, 1 coupling component)
Lamination collar (wrist)
Elbow with internal lock, model E-400
Pack
Electrode (1)

Standard battery

Standard charger

Prosthetic glove (Otto Bock)

COMPONENTS AND SUPPLEMENTS AVAILABLE

**BASIC COMPONENTS** 

1245869	Single laminated plastic socket, made from plaster or digital mold of insured person	N. C.	2,286.81
1245695	Electrical system (1 connecting cable, 1 electrode cable, 1 coaxial outlet, 1 coupling component)	N. C.	*
1265529	Elbow with internal lock, model E-400	N. C.	1,038.06
1245703	Lamination collar (wrist)	N. C.	*
1245752	Pack	N. C.	*
1245711	First electrode	N. C.	*
1245729	Additional electrode	1,450.10	1,450.10
1245745	Additional electrode cable	82.20	82.20
1245760	Standard battery	N. C.	*
1245778	Standard charger	N. C.	*
3223005	Prosthetic glove (Otto Bock), fitting included	N. C.	267.87
	OPTIONAL COMPONENTS		
1265560	Double flexoform socket	310.89	390.54
1265578	Additional cost of socket where elbow joint has external lock	214.54	214.54
3223039	Electric hand (Otto Bock) for one 63/4 electrode	4,220.30	4,220.30
3223302	Electric hand (Otto Bock) for one 7 <sup>1</sup> / <sub>4</sub> or 7 <sup>3</sup> / <sub>4</sub> electrode	4,775.29	4,775.29
3223310	Electric hand (Otto Bock) for one 8 <sup>1</sup> / <sub>4</sub> electrode	5,003.97	5,003.97
3223328	Electric hand (Otto Bock) for two 63/4 electrodes	3,777.08	3,777.08
3223336	Electric hand (Otto Bock) for two 7 <sup>1</sup> / <sub>4</sub> and 7 <sup>3</sup> / <sub>4</sub> electrodes	5,202.45	5,202.45
3223344		5,468.10	5,468.10
	Electric hands (VASI):		
3223047	- 0 to 3 years for one electrode	5,778.67	5,778.67
3223054	- 2 to 6 years for two electrodes	5,778.67	5,778.67
3223062	- 5 to 9 years for two electrodes	6,158.94	6,158.94
3223070	Electric hand (Steeper), 1.75	3,644.73	3,644.73

3223351	Electric hand (Steeper), 2.00	3,797.62	3,797.62
3223369	Electric hand (Steeper), 2.25 to 3.25	4,100.82	4,100.82
3223088	Electric hand 2000 (Otto Bock) for two 5 electrodes	5,920.00	5,920.00
3223377	Electric hand 2000 (Otto Bock) for two 5½ and 6 electrodes	6,198.77	6,198.77
3223385	Electric hand 2000 (Otto Bock) for two 6½ electrodes	6,450.58	6,450.58
1245828	Electronic box for electric hand 2000	1,382.37	1,382.37
1245836	Battery (1) for electric hand 2000	39.83	39.83
1245844	Electrode cables (2) for electric hand 2000	124.63	124.63
1245802	Charger for hand 2000	133.60	133.60
3223096	Electric hook for one electrode	4,899.92	4,899.92
3223104	Electric hook for two electrodes	4,725.20	4,725.20
	Electronics module system:		
3232824	Electric wrist rotator	361.00	361.00
3232832	Myoelectrically controlled prosthetic wrist, including a control unit	5,499.11	5,499.11
1265586	Electric elbow (Hosmer) with switch (including one battery, charger, switch)	7,782.84	7,782.84
	Rapid charger	749.84	749.84
1245810	Activating switch	197.84	197.84
	Adaptations to make prosthesis mechanical:		
3232840	Quick disconnect wrist	736.15	736.15
3222965	Hook, 99X-type	565.27	611.53
1295716	Suspension harness	106.62	156.74
1295724	Control cable, terminal connections and housing (reinforced materials)	143.88	194.00
1295559	Flexion assist mechanism	386.71	453.52
	SUPPLEMENTS AVAILABLE		
1245851	Conductor gel	6.42	6.42
	ADJUSTMENT AVAILABLE		

# ----- Any pertinent adjustment

\* Repair. Indicate materials and labour. Supporting documents must be kept on file

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1242205	Electro-mechanical cubital prosthesis	3,595.29			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Single laminated plastic socket, made from plaster or digital mold of insured person Electrical system (1 connecting cable, 1 coaxial outlet, cable connecting switch to coaxial outlet, switch) Lamination collar (wrist) Standard batteries (2) Pack Standard charger Prosthetic glove (Otto Bock)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1245687	Single laminated plastic socket, made from plaster or digital mold of insured person	N. C.	1,772.91		
1245885	Electrical system (1 connecting cable, 1 coaxial outlet, cable connecting switch to coaxial outlet, switch)	N. C.	*		
1245703	Lamination collar (wrist)	N. C.	*		
1245752		N. C.	*		
1245893	Standard batteries (2)	N. C.	*		
	Standard charger	N. C.	*		
	Prosthetic glove (Otto Bock)	N. C.	267.87		
	OPTIONAL COMPONENTS				
1245786	Double flexoform socket	244.09	323.74		
	Electric hand (Otto Bock) for one 63/4 electrode	4,220.30	4,220.30		

3223302	Electric hand (Otto Bock) for one 7 <sup>1</sup> / <sub>4</sub> or 7 <sup>3</sup> / <sub>4</sub> electrode	4,775.29	4,775.29
3223310	Electric hand (Otto Bock) for one 81/4	5,003.97	5,003.97
3223328	electrode Electric hand (Otto Bock) for two 63/4	3,777.08	3,777.08
3223336	electrodes Electric hand (Otto Bock) for two 7¼ and	5,202.45	5,202.45
3223344	7¾ electrodes Electric hand (Otto Bock) for two 8¼ electrodes	5,468.10	5,468.10
	District Lands (MACIV.		
3223047	Electric hands (VASI): - 0 to 3 years for one electrode	5,778.67	5,778.67
3223054	- 2 to 6 years for two electrodes	5,778.67	5,778.67
3223062	- 5 to 9 years for two electrodes	6,158.94	6,158.94
3223070	Electric hand (Steeper), 1.75	3,644.73	3,644.73
3223351	Electric hand (Steeper), 2.00	3,797.62	3,797.62
3223369	Electric hand (Steeper), 2.25 to 3.25	4,100.82	4,100.82
3223096	Electric hook for one electrode	4,899.92	4,899.92
3223104	Electric hook for two electrodes	4,725.20	4,725.20
1245919	Rapid charger	749.84	749.84
	Activating switch	197.84	197.84
	Adaptations to make prosthesis		
3232840	mechanical: Quick disconnect wrist	736.15	736.15
	Hook, 99X-type	565.27	611.53
	Suspension harness	106.62	156.74
1295724	Control cable, terminal connections and housing (reinforced materials)	143.88	194.00
	SUPPLEMENTS AVAILABLE		
	Stump sock * (consult Division II of this Part for the codes and prices of these supplements)	*	*
	ADJUSTMENT AVAILABLE		

Updated: December 12, 2016

----- Any pertinent adjustment

# DIVISION II: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES

See Title One, Part I, Division III, "SOCKS FOR PROSTHESES

## **DIVISION III: AMBULATION AIDS**

4490181 Other non-listed ambulation aids S.C.

GUARANTEE PERIOD: 1 year

+4490421 Non-listed ambulation aid component S.C.

(S.C.)

#### PART III: ELEMENTS INCLUDED IN THE PRICES OF THE DEVICES:

- 1. The maximum price for the purchase or replacement of an insured device referred to in Part I or II of this Title includes the following elements:
  - (1) the maximum price for its basic components and supplements;
  - (2) the cost of its manufacture;
  - (3) the cost of fittings required while it is being manufactured, up to and including the final installation;
  - (4) the cost of fittings and repairs during the guarantee period referred to in this Title in respect of each device, beginning immediately after the final installation and during which any fitting or repair of a device used under normal conditions is made, in order to bring the device into conformity with the original medical prescription, where the beneficiary's physical condition has not changed, and to enable the beneficiary to derive maximum benefit from the device.
- 2. The maximum replacement cost of a component or supplement for a device referred to in Part I or II of this Title includes the following elements:
  - (1) the cost price of the materials;
  - (2) the cost of its manufacture, if any;
  - (3) the cost of fitting and installation.
- 3. The maximum price for a cane includes the safety tip, and the fixed price for a pair of height-adjustable axillary crutches includes the safety tips, the axillary pads and the elastomer handrest covers.
- 4. The maximum price for a standard post-operative prosthesis assumed by the Board following the amputation of a lower limb includes the supply, even if temporary, of the components required for the entire time the prosthesis is worn, the work performed in the operating room, the waiting period, the application of a rigid bandage, the fixation of the pylon and foot, and the changing of the rigid bandage as required.
- 5. The maximum price for a post-operative pneumatic prosthesis assumed by the Board following the amputation of a lower limb includes the supply, even if temporary, of the components required for the entire time the prosthesis is worn, the work performed at the institution, the waiting period, and the installation of the pneumatic lining, metallic support and means of suspension.
- 6. The maximum price for a temporary prosthesis assumed by the Board includes, for the entire time the prosthesis is worn, the supply, even if temporary, of the components, the manufacture of or modifications made to the socket, the means of suspension required, as well as the alignment and fittings required.

TITLE TWO: LOCOMOTOR AND POSTURE ASSISTS (FURNISHED SOLELY BY AN INSTITUTION)

#### PART I: LOCOMOTOR ASSISTS

#### **DIVISION I: ADULT WHEEL CHAIRS**

#### SUBDIVISION 1: MANUAL WHEEL CHAIRS

SUPPLIER: INVACARE CANADA L.P.

**PRICE** 

# 4043006 MANUAL WHEEL CHAIR PATRIOT MODEL

872.00

### **Basic Components**

### **Body support system**

- fixed back, angle-adjustable, height-adjustable, from 38.1 cm (15 in.) to 48.3 cm (19 in.)
- supple seat and back, nylon
- seat height: from 35.6 cm (14 in.) to 49.5 cm (19½ in.)
- seat widths: 35.6 cm (14 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 50.8 cm (20 in.)
- seat depths: 40.6 cm (16 in.), 45.7 cm (18 in.)
- safety belt, velcro-type, auto-type
- backposts with push handles

#### **Armrests**

- U-type armrests, detachable, flip-back, height-adjustable from 20.3 cm (8 in.) to 25.4 cm (10 in.), from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long
- armrest pads, straight, short, long
- clothing guards, flexible

#### **Footrests**

- footrests, parallel, detachable, swingaway, length-adjustable from 34.9 cm (13¾ in.) to 44.5 cm (17½ in.) at 60°, from 31.8 cm (12½ in.) to 44.5 cm (17½ in.) at 70°
- padded calfrests
- folding footplates, standard
- heel loops, fixed
- heel loops, adjustable
- longer extension tubes

#### Frame

- anti-tip rollers
- tie-down points for adapted transport

## Drive, brake, wheel, fork and axle systems

- plastic-coated handrims, smooth
- standard wheel locks, push-to-lock, pull-to-lock
- rear mag wheels, solid tires, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- front wheels, solid tires, 12.7 cm (5 in.), 15.2 cm (6 in.), 20.3 cm (8 in.) X 3.2 cm (1<sup>1</sup>/<sub>4</sub> in.)
- standard forks
- threaded axles, quick-release
- plates for amputees
- rear wheel camber, 0° and 3°

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	<b>Basic and Optional Components</b>		
	Body support system		
	Seat and back:		
	supple back, nylon	N/C	69.00
	back, angle-adjustable	N/C	133.00
4044517	11	85.00	154.00
	supple seat, nylon	N/C	65.00
	modification of back height to 50.8 cm (20 in.)	37.00	N/A
	seat cushion, flat, foam, 5.1 cm (2 in.)	61.00	61.00
	seat cushion, flat, foam, 7.6 cm (3 in.)	61.00	61.00
	safety belt, velcro-type	N/C	42.00
	safety belt, auto-type	N/C	53.00
4044210	backposts with push handles	N/C	52.00
	Armrests:		
4041000	U-type armrests, detachable, flip-back, height-adjustable	N/C	138.00
	from 20.3 cm (8 in.) to 25.4 cm (10 in.), from 25.4 cm		
	(10 in.) to 35.6 cm (14 in.), short, long		
4044707	armrest pads, straight, short	N/C	18.00
4044715	armrest pads, straight, long	N/C	18.00
4044723	clothing guards, flexible	N/C	48.00
	Footrests:		
4041018	footrests, parallel, detachable, swingaway, length-adjustable	N/C	72.00
	from 34.9 cm (13¾ in.) to 44.5 cm (17½ in.) at 60°, from		
	31.8 cm (12½ in.) to 44.5 cm (17½ in.) at 70°		
4040697	70° footrests, narrowed, detachable, swingaway, length-	20.00	82.00
	adjustable, from 37.5 cm (14¾ in.) to 47.6 cm (18¾ in.)		
4041042	elevating legrests, length-adjustable from 36.2 cm (141/4 in.)	238.00	191.00
	to 51.4 cm (20 <sup>1</sup> / <sub>4</sub> in.)		
4043246	elevating legrests, with compensating mechanism	162.00	153.00
4044822	padded calfrests	N/C	28.00
4044830	single calf strap	38.00	38.00
4044848	double calf strap	57.00	57.00
4044855	folding footplates, standard	N/C	42.00
	oversized footplates	45.00	64.00
4044897	footplates, angle and depth-adjustable, standard, oversized,	55.00	70.00
40.4.401.2	18.4 cm (7¼ in.)	NI/C	7.00
	heel loops, fixed	N/C	7.00
	heel loops, adjustable	N/C	10.00
	heel loops and ankle strap	36.00	25.00
+4044236	longer extension tubes	N/C	16.00

	Frame:		
4044962	anti-tip rollers	N/C	44.00
+4044244	tie-down points for adapted transport	N/C	N/A
4044970	cane holder	42.00	42.00
	Drive systems:		
4044939	smooth handrims	N/C	52.00
4044947	plastic-coated handrims	N/C	63.00
	handrims with vertical or oblique projections	129.00	116.00
	Wheel locks:		
4044988	standard wheel locks, push-to-lock	N/C	46.00
	standard wheel locks, pull-to-lock	N/C	46.00
	wheel lock extensions	27.00	20.00
	anti-rollback brakes	94.00	93.00
	XX/I I		
40.45002	Wheels:	N/C	112.00
4045092	rear mag wheels, solid tires, 50.8 cm (20 in.), 55.9 cm	N/C	112.00
4045100	(22 in.), 61.0 cm (24 in.)	N/C	112.00
4045100	rear mag wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C	112.00
4041222	front wheels, solid tires, 12.7 cm (5 in.), 15.2 cm (6 in.),	N/C	38.00
4041232	20.3 cm (8 in.) X 3.2 cm (1 <sup>1</sup> / <sub>4</sub> in.)	IV/C	36.00
4045209	front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm	34.00	55.00
1012209	(1 <sup>1</sup> / <sub>4</sub> in.), 20.3 cm (8 in.) X 3.2 cm (1 <sup>1</sup> / <sub>4</sub> in.)	300	22.00
40.411.66	Forks:	N/C	52.00
4041166	standard forks	N/C	52.00
	Rear axles:		
	threaded axles	N/C	5.00
	quick-release axles	N/C	37.00
	plates for amputees	N/C	21.00
+4044251	rear wheel camber, 0° and 3°	N/C	N/A

#### SUPPLIER: SUNRISE MEDICAL CANADA INC.

#### **PRICE**

### +4058400 MANUAL WHEEL CHAIR TRANSPORT CHAIR

135.00

## **Basic Components**

#### **Body support system**

- seat and back, nylon, padded
- back height: 43.2 cm (17 in.)
- seat height: 48.3 cm (19 in.)
- seat width: 43.2 cm (17 in.), 48.3 cm (19 in.)
- seat depth: 40.6 cm (16 in.)
- safety belt, velcro-type, auto-type
- backposts with push handles

#### Armrests

- U-type armrests, fixed height, 23.5 cm (9½ in.)
- armrest pads, straight, long

#### **Footrests**

• complete footrest array, including bracket and folding footplates, from 39.4 cm (15½ in.) to 52.1 cm (20½ in.)

## Drive, brake, wheel, fork and axle systems

- standard wheel locks, push-to-lock
- rear wheels, semi-pneumatic tires, 20.3 cm (8 in.) X 2.5 cm (1 in.)
- front wheels, semi-pneumatic tires, 20.3 cm (8 in.) X 2.5 cm (1 in.)
- fork and front wheel array, solid tires, 20.3 cm (8 in.) X 2.5 cm (1 in.)

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	<b>Basic and Optional Components</b>		
+4054664 +4054672	Body support system Seat and back: seat and back, nylon, padded safety belt, velcro-type safety belt, auto-type backposts with push handles	N/C N/C N/C N/C	50.00 16.00 19.00 N/A
	Armrests: U-type armrests, fixed height, 23.5 cm (9¼ in.) armrest pads, straight, long	N/C N/C	N/A 18.00
+4054714	<b>Footrests:</b> complete footrest array, including bracket and folding footplates, 39.4 cm (15½ in.) to 52.1 cm (20½ in.), per pair upon replacement	N/C	50.00/pr
+4054722	Wheel locks: standard, push-to-lock, per pair upon replacement	N/C	27.00/pr
+4054730	Wheels: rear wheels, semi-pneumatic tires, 20.3 cm (8 in.) X 2.5 cm (1 in.), per pair upon replacement	N/C	23.00/pr
+4054748	front wheels, semi-pneumatic tires, 20.3cm (8 in.) X 2.5 cm	N/C	23.00/pr
+4054755	(1 in.), per pair upon replacement fork and front wheel array, solid tires, 20.3 cm (8 in.) X 2.5 cm (1 in.), per pair upon replacement	N/C	30.00/pr

## **PRICE**

# 4050001 MANUAL WHEEL CHAIR BREEZY 600 MODEL

929.00

# **Basic Components**

# **Body support system**

- supple back, nylon
- back, angle-adjustable, -3°, 0°, 6°, 12°, 15°
- supple seat, nylon, padded nylon
- back height: from 17.8 cm (15 in.) to 50.8 cm (20 in.)
- front seat height: from 40.6 cm (16 in.) to 50.8 cm (20 in.)
- seat width: from 35.6 cm (14 in.) to 45.7 cm (18 in.)
- seat depths: 38.1 cm (15 in.), 40.6 cm (16 in.)
- safety belt, velcro-type, auto-type
- backposts with push handles

#### **Armrests**

- U-type armrests, detachable, flip-back, height-adjustable, from 22.9 cm (9 in.) to 33.0 cm (13 in.), short, long
- armrest pads, straight, short, long
- clothing guards, flexible, rigid

#### **Footrests**

- 60°, 70° footrests, parallel, detachable, swingaway, length-adjustable, from 33.0 cm (13 in.) to 45.7 cm (18 in.)
- padded calfrests for elevating legrests, with compensating mechanism
- folding footplates, standard
- aluminum footplates for elevating legrests
- heel loops, adjustable

### Frame

- anti-tip rollers
- tie-down points for adapted transport

# Drive, brake, wheel, fork and axle systems

- handrims, smooth, plastic-coated, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- plastic-coated handrims for one-arm drive
- standard wheel locks, push-to-lock, pull-to-lock
- rear mag wheels, solid or semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- rear mag wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- front wheels, solid tires, 12.7 cm (5 in.)
- front wheels, solid tires, 15.2 cm (6 in.)

- front wheels, solid tires, 20.3 cm (8 in.) X 2.5 cm (1 in.)
- front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm ( $1\frac{1}{2}$  in.), 15.2 cm (6 in.) X 3.8 cm ( $1\frac{1}{2}$  in.)
- front wheels, semi-pneumatic tires, 20.3 cm (8 in.) X 3.8 cm (1½ in.)
- front wheels, inner tube tires, 20.3 cm (8 in.) X 4.4 cm (1<sup>3</sup>/<sub>4</sub> in.)
- standard forks, 15.2 cm (6 in.), compatible with 12.7 cm (5 in.), 15.2 cm (6 in.) and 20.3 cm (8 in.) wheels
- short forks, 12.1 cm (4<sup>3</sup>/<sub>4</sub> in.), compatible with 12.7 cm (5 in.) wheels
- fork stems,  $+3.8 \text{ cm} (1\frac{1}{2} \text{ in.})$
- threaded axles, quick-release
- extension plates for amputees

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	<b>Basic and Optional Components</b>		
	<b>Body support system</b>		
	Seat and back:		
	supple back, nylon	N/C	64.00
	back, angle-adjustable, -3°, 0°, 6°, 12°, 15°	N/C	N/A
	supple back, tension-adjustable	76.00	140.00
	supple seat, nylon	N/C	55.00
	supple seat, padded nylon	N/C	55.00
4050019	modification of seat height from 33.0 cm (13 in.) to 39.4 cm	65.00	N/A
4050027	(15½ in.), on ultra-hemi frame modification of seat width to 48.3 cm (19 in.) or to 50.8 cm	75.00	N/A
4030027	(20 in.)	73.00	IV/A
4050035	modification of seat depth to 43.2 cm (17 in.) or to 45.7 cm	78.00	N/A
1020022	(18 in.)	70.00	1 1/11
4050068	seat cushion, flat, foam, 5.1 cm (2 in.)	58.00	58.00
	seat cushion, flat, foam, 7.6 cm (3 in.)	58.00	58.00
	seat cushion, flat, foam, 10.2 cm (4 in.)	58.00	58.00
	safety belt, velcro-type	N/C	29.00
4050100	safety belt, auto-type	N/C	42.00
4052353	headrest, small, medium, large	99.00	106.00
4052361	headrest mounting, articulated	159.00	173.00
+4054797	transversal bar for headrest mounting	130.00	N/A
4050084	backposts with push handles	N/C	36.00
	Armrests:		
4051652	U-type armrests, detachable, flip-back, height-adjustable,	N/C	131.00
	from 22.9 cm (9 in.) to 33.0 cm (13 in.), short, long		
+4054805	T-type armrests, detachable, height-adjustable, short, long	8.00	135.00
4050134	armrest pads, straight, short	N/C	15.00
	armrest pads, straight, long	N/C	18.00
4051249	clothing guards, flexible	N/C	22.00
4051256	clothing guards, rigid	N/C	68.00
	Footrests:		
4050167	60° footrests, parallel, detachable, swingaway, length-	N/C	55.00
1020107	adjustable, from 33.0 cm (13 in.) to 45.7 cm (18 in.)	1,, 0	22.00
4050175	70° footrests, parallel, detachable, swingaway, length-	N/C	55.00
	adjustable, from 33.0 cm (13 in.) to 45.7 cm (18 in.)		
4054557	elevating legrests	108.00	109.00
	elevating legrests, with compensating mechanism	200.00	155.00
	padded calfrests for elevating legrests	N/C	19.00
	padded calfrests for elevating legrests, with compensating mechanism	N/C	40.00

		`	,
4050209	single calf strap	19.00	19.00
	double calf strap	33.00	33.00
	folding footplates, standard	N/C	49.00
	oversized footplates	74.00	86.00
	folding footplates, angle and depth-adjustable, standard size	54.00	76.00
	aluminum footplates for elevating legrests	N/C	49.00
	heel loops, adjustable	N/C	10.00
	modification of footrest length from 45.7 cm (18 in.) to	31.00	30.00
4050200		31.00	30.00
	52.1 cm (20½ in.)		
	Enome		
4050216	Frame:	N/C	22.00
	anti-tip rollers	45.00	45.00
	cane holder		
+4055406	tie-down points for adapted transport	N/C	N/C
	Duine austanes		
4050303	Drive systems:	N/C	<i>c</i> 0.00
4050282	smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm	N/C	60.00
4054516	(24 in.)	N/C	00.00
4054516	plastic-coated handrims, 50.8 cm (20 in.), 55.9 cm (22 in.),	N/C	88.00
40.50.5	61.0 cm (24 in.)	MG	07.00
	plastic-coated handrims for one-arm drive	N/C	97.00
4050308	handrims with vertical or oblique projections, 61.0 cm	90.00	105.00
	(24 in.)	200.00	<b>700</b> 00
4050274	one-arm dual handrim drive	399.00	522.00
40.50222	Wheel locks:	MG	40.00
	standard wheel locks, push-to-lock, pull-to-lock	N/C	40.00
	wheel lock extensions	26.00	13.00
4050357	anti-rollback brakes	68.00	34.00
	***		
4050415	Wheels:	N/O	126.00
4050415	rear mag wheels, solid or semi-pneumatic tires, 50.8 cm	N/C	136.00
40.50.405	(20 in.)	MG	12600
4050407	rear mag wheels, solid or semi-pneumatic tires, 55.9 cm	N/C	136.00
40 = 4 400	(22 in.), 61.0 cm (24 in.)	<b>N</b> 100	42500
	rear mag wheels, standard pressure, 50.8 cm (20 in.)	N/C	136.00
4051728	rear mag wheels, standard pressure, 55.9 cm (22 in.), 61.0 cm	N/C	113.00
	(24 in.)		
	front wheels, solid tires, 12.7 cm (5 in.)	N/C	47.00
	front wheels, solid tires, 15.2 cm (6 in.)	N/C	62.00
	front wheels, solid tires, 20.3 cm (8 in.) X 2.5 cm (1 in.)	N/C	63.00
4051736	front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm	N/C	89.00
	(1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.)		
4052098	front wheels, semi-pneumatic tires, 20.3 cm (8 in.) X 3.8 cm	N/C	99.00
	$(1\frac{1}{2} in.)$		
4050472	front wheels, inner tube tires, 20.3 cm (8 in.) X 4.4 cm	N/C	63.00
	(1¾ in.)		

	Forks:		
4050365	standard forks, 15.2 cm (6 in.), compatible with 12.7 cm	N/C	32.00
	(5 in.), 15.2 cm (6 in.) and 20.3 cm (8 in.) wheels		
4051538	short forks, 12.1 cm (4¾ in.), compatible with 12.7 cm (5 in.) wheels	N/C	32.00
4054490	fork stems, +3.8 cm (1½ in.)	N/C	16.00
	Rear axles:		
4050381	threaded axles	N/C	18.00
4051371	quick-release axles	N/C	33.00
4051546	extension plates for amputees	N/C	N/A
	Non S.C. components for which supporting document		
	must be kept on file:		
4050480	spoke guards	70.00	35.00

# +4056800 MANUAL WHEEL CHAIR QUICKIE LXG MODEL

# **PRICE** 1,280.00

# **Basic Components**

# **Body support system**

- supple back, nylon
- fixed back, angle-adjustable from 85° to 115°
- supple seat, nylon
- back height: from 38.1 cm (15 in.) to 50.8 cm (20 in.)
- front seat height: from 34.3 cm (13½ in.) to 52.1 cm (20½ in.)
- seat width: from 35.6 cm (14 in.) to 45.7 cm (18 in.)
- seat depth: 40.6 cm (16 in.)
- safety belt, velcro-type, auto-type
- backposts with push handles

#### **Armrests**

- U-type armrests, detachable, flip-back, height-adjustable, from 21.6 cm (8½ in.) to 34.9 cm (13¾ in.), short, long
- armrest pads, straight, short, long

## **Footrests**

- 60°, 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- padded calfrests
- folding footplates, standard
- folding footplates, aluminum, for elevating legrests
- heel loops, adjustable

## Frame

- anti-tip rollers
- tie-down points for adapted transport

## Drive, brake, wheel, fork and axle systems

- handrims, smooth, plastic-coated, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- standard wheel locks, push-to-lock, pull-to-lock
- rear mag wheels, solid tires, 50.8 cm (20 in.)
- rear mag wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.)
- rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- rear mag wheels, standard pressure, 50.8 cm (20 in.)
- rear mag wheels, standard pressure, 55.9 cm (22 in.), 61.0 cm (24 in.)
- front wheels, solid tires, 10.2 cm (4 in.)
- front wheels, solid tires, 12.7 cm (5 in.)

- front wheels, solid tires, 15.2 cm (6 in.)
- front wheels, solid tires, 17.8 cm (7 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)
- front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm (1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.), 20.3 cm (8 in.) X 3.8 cm (1½ in.)
- front wheels, inner tube tires, 20.3 cm (8 in.) X 3.2 cm (1<sup>1</sup>/<sub>4</sub> in.)
- standard forks, 15.2 cm (6 in.), short forks, 13.3 cm (5½ in.), high forks, 17.8 cm (7 in.), compatible with 12.7 cm (5 in.), 15.2 cm (6 in.), 20.3 cm (8 in.) and 20.3 cm (8 in.) X 5.1 cm (2 in.) wheels
- high forks, 17.8 cm (7 in.) compatible with 20.3 cm (8 in.) X 5.1 cm (2 in.) wheels
- long stems,  $+1.9 \text{ cm} (\frac{3}{4} \text{ in.})$ ,  $+3.8 \text{ cm} (\frac{1}{2} \text{ in.})$
- threaded axles, quick-release
- extension plate for amputees

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	<b>Basic and Optional Components</b>		
	Body support system		
	Seat and back:		
4051116	supple back, nylon	N/C	64.00
+4054839	back, angle-adjustable from 85° to 115°	N/C	N/A
4051090	supple back, tension-adjustable	76.00	140.00
4051124	supple seat, nylon	N/C	55.00
+4055398	rigid seat, flat	120.00	175.00
+4054870	modification of seat width to 48.3 cm (19 in.) and to 50.8 cm (20 in.)	98.00	N/A
+4054888	modification of seat depth to 35.6 cm (14 in.) and to 38.1 cm (15 in.)	41.00	N/A
	modification of seat depth to 43.2 cm (17 in.) and to 45.7 cm (18 in.)	69.00	N/A
	seat cushion, flat, foam, 5.1 cm (2 in.)	58.00	58.00
	seat cushion, flat, foam, 7.6 cm (3 in.)	58.00	58.00
	seat cushion, flat, foam, 10.2 cm (4 in.)	58.00	58.00
	safety belt, velcro-type	N/C	29.00
	safety belt, auto-type	N/C	42.00
	safety belt, airplane-type	50.00	79.00
	headrest, small, medium, large	99.00	106.00
	headrest mounting, articulated	159.00	173.00
	transversal bar for headrest mounting	200.00	212.00
+4054995	backposts with push handles	N/C	30.00
40.000	Armrests:	<b>.</b>	121.00
+4055018	U-type armrests, detachable, flip-back, height-adjustable,	N/C	131.00
4050124	from 21.6 cm (8½ in.) to 34.9 cm (13¾ in.), short, long	NI/C	15.00
	armrest pads, straight, short	N/C N/C	15.00 18.00
4050142	armrest pads, straight, long	N/C	16.00
	Footrests:		
4050662	footrests, 60°, 70°, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)	N/C	55.00
4054557	elevating legrests	108.00	109.00
	padded calfrests	N/C	19.00
	single calf strap	19.00	19.00
	folding footplates, standard	N/C	49.00
	folding footplates, angle and depth-adjustable, standard	54.00	76.00
	folding footplates, aluminum, for elevating legrests	N/C	49.00
	heel loops, adjustable	N/C	10.00
+4055125	modification of footrest length from 48.3 cm (19 in.) to 52.1 cm (20½ in.)	31.00	30.00

	Frame:		
4050316	anti-tip rollers	N/C	22.00
+4055406	tie-down points for adapted transport	N/C	N/A
4051306	cane holder	45.00	45.00
40.5000	Drive systems:	NG	60.00
4050282	smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm	N/C	60.00
1051516	(24 in.) plastic-coated handrims, 50.8 cm (20 in.), 55.9 cm (22 in.),	N/C	88.00
4034310	61.0 cm (24 in.)	IV/C	88.00
4051686	non-slip handrims, 55.9 cm (22 in.), 61.0 cm (24 in.)	168.00	144.00
1001000	<del></del>		
	Wheel locks:		
4050332	standard wheel locks, push-to-lock, pull-to-lock	N/C	40.00
4051355	wheel lock extensions	26.00	13.00
. 4055317	Wheels:	N/C	126.00
	rear mag wheels, solid tires, 50.8 cm (20 in.)	N/C	136.00
+4055224	rear mag wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C	136.00
4051470	rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.),	N/C	136.00
4051470	55.9 cm (22 in.), 61.0 cm (24 in.)	14/6	130.00
4051488	rear mag wheels, standard pressure, 50.8 cm (20 in.)	N/C	136.00
	rear mag wheels, standard pressure, 55.9 cm (22 in.), 61.0 cm	N/C	113.00
	(24 in.)		
4052478	front wheels, solid tires, 10.2 cm (4 in.)	N/C	60.00
	front wheels, solid tires, 12.7 cm (5 in.)	N/C	47.00
	front wheels, solid tires, 15.2 cm (6 in.)	N/C	62.00
+4055299	front wheels, solid tires, 17.8 cm (7 in.), 20.3 cm (8 in.) X	N/C	63.00
4051537	2.5 cm (1 in.)	N/C	00.00
4051736	front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm ( $1\frac{1}{2}$ in.), 15.2 cm (6 in.) X 3.8 cm ( $1\frac{1}{2}$ in.)	N/C	89.00
4052098	front wheels, semi-pneumatic tires, 20.3 cm (8 in.) X 3.8 cm	N/C	99.00
7052070	110th wheels, seini-pheumatic tires, 20.5 cm (6 iii.) $\times$ 5.6 cm (1½ in.)	14/ C	77.00
4051017	front wheels, inner tube tires, 20.3 cm (8 in.) X 3.2 cm	N/C	63.00
	$(1\frac{1}{4} \text{ in.})$		
	Forks:		
+4055331	standard forks, 15.2 cm (6 in.); short forks, 13.3 cm (5¼ in.);	N/C	32.00
	high forks, 17.8 cm (7 in.); compatible with 12.7 cm (5 in.),		
	15.2 cm (6 in.), 17.8 cm (7 in.), 20.3 cm (8 in.) and 20.3 cm		
4053074	(8 in.) X 5.1 cm (2 in.) wheels	N/C	16.00
4052064	long stems, $+ 1.9 \text{ cm} (\frac{3}{4} \text{ in.}), + 3.8 \text{ cm} (\frac{1}{2} \text{ in.})$	N/C	16.00
	Rear axles:		
+4055356	threaded axles	N/C	11.00
	quick-release axles	N/C	33.00
	extension plates for amputees	N/C	N/A

Tariff for devices which compensate for a motor deficiency and insured related services (authentic version)

SCHEDULE 1

Non S.C. components for which supporting document must be kept on file:

**4050480** spoke guards 70.00 35.00

## **PRICE**

# 4052007 MANUAL WHEEL CHAIR QUICKIE 2 ADULT MODEL

## 1,675.00

# **Basic Components**

# **Body support system**

- supple back, nylon, fixed, angle-adjustable
- supple seat, nylon
- fixed back height: from 21.6 cm (8½ in.) to 47.0 cm (18½ in.)
- back height, angle-adjustable: from 30.5 cm (12 in.) to 53.3 cm (21 in.)
- front seat height: from 36.8 cm (14½ in.) to 54.6 cm (21½ in.)
- seat width: from 35.6 cm (14 in.) to 50.8 cm (20 in.)
- seat depth: 40.6 cm (16 in.)
- backposts, angle adjustable from -3°, to + 15°, 3 positions
- safety belt, velcro-type, auto-type
- backposts with push handles

#### **Armrests**

- U-type armrests, detachable, flip-back, height-adjustable, from 22.9 cm (9 in.) to 33.0 cm (13 in.), short, long
- L-type armrests, detachable, swingaway, height-adjustable, from 21.6 cm (8½ in.) to 30.5 cm (12 in.), short
- armrest pads, straight, short, long
- armrest pads, tubular
- clothing guards, flexible, rigid

## **Footrests**

- 60°, 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- 70°, 80°, 90° footrests, parallel, detachable, swingaway, length-adjustable, from 15.2 cm (6 in.) to 30.5 cm (12 in.)
- 70° footrests, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- padded calfrests
- padded calfrests for elevating legrests, with compensating mechanism
- folding footplates, standard
- folding footplates, tubular
- aluminum footrests for elevating legrests
- heel loops, adjustable

# Frame

- growth kit, including: seat, back, footrests, front frame and crossbars (once only during first three years, for first user)
- anti-tip rollers
- tie-down points for adapted transport

## Drive, brake, wheel, fork and axle systems

- handrims, smooth, plastic-coated, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)
- small plastic-coated handrim for one-arm drive
- standard wheel locks, push-to-lock, pull-to-lock
- rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- rear mag wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.),
   61.0 cm (24 in.)
- spoked rear wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- spoked rear wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)
- spoked rear wheels, high pressure, 61.0 cm (24 in.), 66.0 cm (26 in.)
- front wheels, solid tires, 12.7 cm (5 in.), 15.2 cm (6 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)
- front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm (1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.), 20.3 cm (8 in.) X 3.8 cm (1½ in.)
- front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm (1<sup>1</sup>/<sub>4</sub> in.), 20.3 cm (8 in.) X 3.2 cm (1<sup>1</sup>/<sub>4</sub> in.)
- standard forks, 15.2 cm (6 in.); short forks, 13.3 cm (5¼ in.), high forks, 17.8 cm (7 in.), compatible with 12.7 cm (5 in.), 15.2 cm (6 in.) and 20.3 cm (8 in.) wheels
- high forks, 17.8 cm (7 in.), compatible with 20.3 cm (8 in.) X 5.1 cm (2 in.) wheels
- multi-position forks for 12.7 cm (5 in.), 15.2 cm (6 in.), 20.3 cm (8 in.) wheels
- fork stems,  $+1.9 \text{ cm} (\frac{3}{4} \text{ in.})$ ,  $+3.8 \text{ cm} (\frac{1}{2} \text{ in.})$
- threaded axles, quick-release
- multi-position plates for centre of gravity
- multi-position plates for centre of gravity, with compensating mechanism
- rear wheel camber,  $3^{\circ}$ ,  $6^{\circ}$ ,  $9^{\circ}$

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	<b>Basic and Optional Components</b>		
	Body support system		
	Seat and back:		
4051116	supple back, nylon	N/C	64.00
4051090	supple back, tension-adjustable	76.00	140.00
4051082	back, angle and depth-adjustable	107.00	N/A
4051124	supple seat, nylon	N/C	55.00
	rigid seat, flat	120.00	175.00
4052023	modification of the height of fixed back from 48.3 cm	103.00	N/A
	(19 in.) to 55.9 cm (22 in.), straight handles or with 8° angle		
4051132	modification of seat depth to 35.6 cm (14 in.), 38.1 cm	40.00	N/A
	(15 in.), 43.2 cm (17 in.) or to 45.7 cm (18 in.)		
	seat cushion, flat, foam, 5.1 cm (2 in.)	58.00	58.00
4050076	seat cushion, flat, foam, 7.6 cm (3 in.)	58.00	58.00
4051173	seat cushion, flat, foam, 10.2 cm (4 in.)	58.00	58.00
	safety belt, velcro-type	N/C	29.00
4050100	safety belt, auto-type	N/C	42.00
4052353	headrest, small, medium, large	99.00	106.00
4052361	headrest mounting, articulated	159.00	173.00
	back spreader bar	130.00	N/A
4052429	back spreader bar, folding	226.00	226.00
	backposts with push handles	N/C	20.00
	backposts, angle adjustable from -3° to + 15°, 3 positions	N/C	N/A
4051611	backposts with 8° angle, 31.8 cm (12½ in.) to 47.0 cm	14.00	27.00
	(18½ in.)		
	Armrests:		
	U-type armrests, detachable, flip-back, height-adjustable,	N/C	131.00
	from 22.9 cm (9 in.) to 33.0 cm (13 in.), short, long		
4051645	T-type armrests, detachable, height-adjustable, from 22.9 cm (9 in.) to 35.6 cm (14 in.), short, long	78.00	135.00
4051637	L-type armrests, detachable, swingaway, height-adjustable, from 21.6 cm (8½ in.) to 30.5 cm (12 in.), short	N/C	96.00
4050134	armrest pads, straight, short	N/C	15.00
	armrest pads, straight, long	N/C	18.00
	armrest pads, tubular	N/C	2.00
	clothing guards, flexible	N/C	22.00
	clothing guards, rigid	N/C	68.00
	5 5 mm 3	= ., C	

	Footrests:		
4050662	60°, 70° footrests, parallel, detachable, swingaway, length-	N/C	55.00
	adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)		
4051264	70° footrests, tapered, detachable, swingaway, length-	N/C	55.00
	adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)		
4054532	70°, 80°, 90° footrests, parallel, detachable, swingaway,	N/C	57.00
	length-adjustable, from 15.2 cm (6 in.) to 30.5 cm (12 in.)		
	70°, 80° footrests, heavy-duty, non flip-back	64.00	87.00
	elevating legrests	108.00	109.00
	elevating legrests, with compensating mechanism	200.00	155.00
	padded calfrests	N/C	19.00
	contoured calfrests	72.00	55.00
4052213	padded calfrests for elevating legrests, with compensating	N/C	40.00
40.50000	mechanism	10.00	10.00
	single calf strap	19.00	19.00
	double calf strap	33.00	33.00
	oversized footplates	74.00	86.00
	folding footplates, standard	N/C	49.00
	folding footplates tubular	N/C 54.00	49.00 76.00
	folding footplates, angle and depth-adjustable, standard size folding footplates, angle-adjustable, locking	80.00	178.00
	full-width footplate, folding, angle-adjustable	85.00	183.00
	aluminum footplates for elevating legrests	N/C	49.00
	heel loops, adjustable	N/C	10.00
	modification of the length of footrests from 48.3 cm (19 in.)	31.00	30.00
4050701	to 54.6 cm (21½ in.)	31.00	30.00
4052403	modification of length of 70°, 80° and 90° footrests by	32.00	31.00
1002100	5.1 cm (2 in.) and by 10.2 cm (4 in.)	32.00	21.00
4054573	raised footplate mountings, 17.8 cm (7 in.) to 34.3 cm	56.00	34.00
100 1070	$(13\frac{1}{2})$ in.) in length		
4052221	front impact guards with rollers	38.00	19.00
	r G		
	Frame:		
4051140	growth kit, including: seat, back, footrests, front frame and	N/C	N/A
	crossbars (once only during first three years, for first user)		
4050316	anti-tip rollers	N/C	22.00
+4055406	tie-down points for adapted transport	N/C	N/A
4051306	cane holder	45.00	45.00
	extra-long frame, depths: 48.3 cm (19 in.), 50.8 cm (20 in.)	52.00	N/A
4054607	optional heavy-duty frame, width: 45.7 cm (18 in.) to	371.00	N/A
	55.9 cm (22 in.), 158.8 kg (350 lb), including stabilizing bar		
	and double crossbar		
40 = 4 = 0 :	Drive systems:		-0.0-
4054581		N/C	60.00
40 = 4 = 0 0	(24 in.), 66.0 cm (26 in.)	37/6	00.00
4054599	plastic-coated handrims, 50.8 cm (20 in.), 55.9 cm (22 in.),	N/C	88.00
4050057	61.0 cm (24 in.), 66.0 cm (26 in.)	NI/C	07.00
4052056	small plastic-coated handrim for one-arm drive	N/C	97.00

4050308	handrims with vertical or oblique projections, 61.0 cm (24 in.)	90.00	105.00
	non-slip handrims, 55.9 cm (22 in.), 61.0 cm (24 in.) one-arm dual handrim drive	168.00 562.00	144.00 709.00
4051355 4050357	Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions anti-rollback brakes wheel locks, push-to-lock, unilateral control	N/C 26.00 68.00 128.00	40.00 13.00 34.00 N/A
4051470	Wheels: rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C	136.00
	rear mag wheels, standard pressure, 50.8 cm (20 in.) rear mag wheels, standard pressure, 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C N/C	136.00 113.00
4051413	spoked rear wheels, semi-pneumatic tires, 50.8 cm (20 in.),	N/C	153.00
4051439	55.9 cm (22 in.), 61.0 cm (24 in.) spoked rear wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)	N/C	136.00
4051447	spoked rear wheels, high pressure, 61.0 cm (24 in.), 66.0 cm (26 in.)	N/C	136.00
4051710	rear wheels, heavy-duty, standard pressure, high pressure, 61.0 cm (24 in.)	126.00	199.00
	front wheels, solid tires, 12.7 cm (5 in.)	N/C	47.00
	front wheels, solid tires, 15.2 cm (6 in.)	N/C N/C	62.00 63.00
	front wheels, solid tires, 20.3 cm (8 in.) X 2.5 cm (1 in.) front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm	N/C N/C	89.00
4031730	(1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.)	14/6	07.00
4052098	front wheels, semi-pneumatic tires, 20.3 cm (8 in.) X 3.8 cm ( $1\frac{1}{2}$ in.)	N/C	99.00
4051744	front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 5.1 cm (2 in.)	68.00	81.00
4051025	front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm (1½ in.)	N/C	62.00
4051017	front wheels, inner tube tires, 20.3 cm (8 in.) X 3.2 cm (1½ in.)	N/C	63.00
4051033	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)	48.00	72.00
4051694	high forks, 17.8 cm (7 in.); compatible with 12.7 cm (5 in.),	N/C	32.00
4051702	15.2 cm (6 in.) and 20.3 cm (8 in.) wheels high forks, 17.8 cm (7 in.), compatible with 20.3 cm (8 in.) X 5.1 cm (2 in.) wheels	N/C	37.00
4052247	multi-position forks for 12.7 cm (5 in.), 15.2 cm (6 in.),	N/C	56.00
	20.3 cm (8 in.) wheels fork stems, +1.9 cm (¾ in.), +3.8 cm (1½ in.) fork-locking mechanism	N/C 46.00	16.00 23.00

	Rear axles:		
4052445	threaded axles	N/C	33.00
4051371	quick-release axles	N/C	33.00
4051405	extension plates for amputees	42.00	73.00
+4055414	multi-position plates for centre of gravity	N/C	52.00
+4055422	multi-position plates for centre of gravity, with compensating	N/C	65.00
	mechanism		
4051785	multi-position plates, curved	28.00	66.00
+4055430	rear wheel camber from 3°, 6°, 9°	N/C	N/A
	Non S.C. components for which supporting document must be kept on file:		
4050480	spoke guards	70.00	35.00
4051058	quick-release axles with lever mechanism	66.00	66.00

## **PRICE**

# 4053005 MANUAL WHEEL CHAIR QUICKIE 2 HP ADULT MODEL

#### 1.675.00

# **Basic Components**

# **Body support system**

- supple back, nylon
- supple seat, nylon
- back height: from 21.6 cm (8½ in.) to 47.0 cm (18½ in.)
- back height: from 30.5 cm (12 in.) to 53.3 cm (21 in.) with angle-adjustable back
- front seat height: from 43.2 cm (17 in.) to 58.4 cm (23 in.)
- seat width: from 35.6 cm (14 in.) to 50.8 cm (20 in.)
- seat depth: 40.6 cm (16 in.)
- safety belt, velcro-type, auto-type
- backposts with push handles
- backposts, angle adjustable from -3° to + 15°, 3 positions

## **Armrests**

- U-type armrests, detachable, flip-back, height-adjustable, from 22.9 cm (9 in.) to 33.0 cm (13 in.), short, long
- L-type armrests, detachable, swingaway, height-adjustable, from 21.6 cm (8½ in.) to 30.5 cm (12 in.), short
- armrest pads, straight, short, long
- armrest pads, tubular
- clothing guards, flexible, rigid

### **Footrests**

- 60°, 70° footrests, fixed, parallel, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- folding footplates, standard
- folding footplates, tubular
- heel loops, adjustable

#### Frame

- anti-tip rollers
- tie-down points for adapted transport

# Drive, brake, wheel, fork and axle systems

- handrims, smooth, plastic-coated, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)
- small plastic-coated handrim for one-arm drive
- standard wheel locks, push-to-lock, pull-to-lock
- rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)

- rear mag wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- spoked rear wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- spoked rear wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)
- spoked rear wheels, high pressure, 61.0 cm (24 in.), 66.0 cm (26 in.)
- front wheels, solid tires, 7.6 cm (3 in.), 10.2 cm (4 in.), 12.7 cm (5 in.), 15.2 cm (6 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)
- front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm (1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.), 20.3 cm (8 in.) X 3.8 cm (1½ in.)
- front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm (1¼ in.), 20.3 cm (8 in.) X 3.2 cm (1¼ in.)
- standard forks, 15.2 cm (6 in.); short forks, 13.3 cm (5¼ in.); high forks, 17.8 cm (7 in.), compatible with 12.7 cm (5 in.), 15.2 cm (6 in.) and 20.3 cm (8 in.) wheels
- high forks, 17.8 cm (7 in.) compatible with 20.3 cm (8 in.) X 5.1 cm (2 in.) wheels
- multi-position forks for 12.7 cm (5 in.), 15.2 cm (6 in.), 20.3 cm (8 in.) wheels
- fork stems,  $+1.9 \text{ cm} (\frac{3}{4} \text{ in.})$ ,  $+3.8 \text{ cm} (\frac{1}{2} \text{ in.})$
- threaded axles, quick-release
- multi-position plates for centre of gravity
- multi-position plates for centre of gravity, with compensating mechanism
- rear wheel camber from 3°, 6°, 9°

195

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	<b>Basic and Optional Components</b>		
	Body support system		
	Seat and back:		
4051116	supple back, nylon	N/C	64.00
4051090	supple back, tension-adjustable	76.00	140.00
4051124	supple seat, nylon	N/C	55.00
	rigid seat, flat	120.00	175.00
4052023	modification of back height from 48.3 cm (19 in.) to 55.9 cm	103.00	N/A
	(22 in.), straight handles or with 8° angle		
4051629	modification of seat depth to 35.6 cm (14 in.), to 38.1 cm	48.00	N/A
	(15 in.), to 43.2 cm (17 in.) or to 45.7 cm (18 in.)		
	seat cushion, flat, foam, 5.1 cm (2 in.)	58.00	58.00
	seat cushion, flat, foam, 7.6 cm (3 in.)	58.00	58.00
	seat cushion, flat, foam, 10.2 cm (4 in.)	58.00	58.00
	safety belt, velcro-type	N/C	29.00
	safety belt, auto-type	N/C	42.00
	headrest, small, medium, large	99.00	106.00
	headrest mounting, articulated	159.00 130.00	173.00
	back spreader bar	226.00	N/A 226.00
	back spreader bar, folding backposts with push handles	N/C	20.00
	backposts, angle adjustable from -3° to + 15°, 3 positions	N/C N/C	20.00 N/A
	backposts, angle adjustable from -3 to +13, 3 positions backposts with angle of 8°, from 31.8 cm (12½ in.) to	14.00	27.00
4031011	47.0 cm (18½ in.) with handles	14.00	27.00
	47.0 cm (10/2 m.) with handles		
	Armrests:		
4051652	U-type armrests, detachable, flip-back, height-adjustable,	N/C	131.00
	from 22.9 cm (9 in.) to 33.0 cm (13 in.), short, long		
4051645	T-type armrests, detachable, height-adjustable, from 22.9 cm	78.00	135.00
	(9 in.) to 35.6 cm (14 in.), short, long		
4051637	L-type armrests, detachable, swingaway, height-adjustable,	N/C	96.00
	from 21.6 cm (8½ in.) to 30.5 cm (12 in.), short		
	armrest pads, straight, short	N/C	15.00
	armrest pads, straight, long	N/C	18.00
	armrest pads, tubular	N/C	2.00
	clothing guards, flexible	N/C	22.00
4051256	clothing guards, rigid	N/C	68.00
	Footpota		
ANE1561	Footrests: 60° 70° fixed footrests, parallel, length, adjustable, from	NI/C	44.00
4051501	60°, 70° fixed footrests, parallel, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)	N/C	44.00
4050209	single calf strap	19.00	19.00
	double calf strap	33.00	33.00
4030417	uouoie can suap	33.00	33.00

	folding footplates, standard	N/C	49.00
	oversized footplates	74.00	86.00
	folding footplates tubular	N/C	49.00
4050704	folding footplates, angle and depth-adjustable, standard size	54.00	76.00
4054565	full-width footplate, angle-adjustable	85.00	183.00
4050258	heel loops, adjustable	N/C	10.00
4050761	modification of footrest length from 48.3 cm (19 in.) to	31.00	30.00
	54.6 cm (21½ in.)		
4054573	raised footplate mountings, 17.8 cm (7 in.) to 34.3 cm	56.00	34.00
	$(13\frac{1}{2} \text{ in.})$		
40 - 0 - 4 -	Frame:	37/0	22.00
	anti-tip rollers	N/C	22.00
	tie-down points for adapted transport	N/C	N/A
	cane holder	45.00	45.00
	extra-long frame, depths: 48.3 cm (19 in.), 50.8 cm (20 in.)	52.00	N/A
4054607	heavy-duty option, width: from 45.7 cm (18 in.) to 55.9 cm	371.00	N/A
	(22 in.), 158.8 kg (350 lb), including back stabilizing bar and		
	double crossbar		
	Duive avatoma		
405 4501	Drive systems:	N/C	60.00
4054581	smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm	N/C	60.00
4054500	(24 in.), 66.0 cm (26 in.)	N/C	00.00
4054599	plastic-coated handrims, 50.8 cm (20 in.), 55.9 cm (22 in.),	N/C	88.00
4052056	61.0 cm (24 in.), 66.0 cm (26 in.)	NI/C	07.00
	small plastic-coated handrim for one-arm drive	N/C	97.00
4050308	handrims with vertical or oblique projections, 61.0 cm	90.00	105.00
40.54.60.6	(24 in.)	1.60.00	1.44.00
	non-slip handrims, 55.9 cm (22 in.), 61.0 cm (24 in.)	168.00	144.00
4051322	one-arm dual handrim drive	562.00	709.00
	Wheel locks:		
4050332	standard wheel locks, push-to-lock, pull-to-lock	N/C	40.00
	wheel lock extensions	26.00	13.00
	scissor-type wheel locks	26.00	53.00
	anti-rollback brakes	68.00	34.00
	wheel locks, push-to-lock, unilateral control	128.00	N/A
7032237	wheel locks, push-to-lock, unhateral control	120.00	14/11
	Wheels:		
4051470	rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.),	N/C	136.00
	55.9 cm (22 in.), 61.0 cm (24 in.)		
4051488	rear mag wheels, standard pressure, 50.8 cm (20 in.)	N/C	136.00
	rear mag wheels, standard pressure, 55.9 cm (22 in.), 61.0 cm	N/C	113.00
0	(24 in.)	<del>-</del>	
4051413	spoked rear wheels, semi-pneumatic tires, 50.8 cm (20 in.),	N/C	153.00
	55.9 cm (22 in.), 61.0 cm (24 in.)	1,,0	122.30
4051439	spoked rear wheels, standard pressure, 50.8 cm (20 in.),	N/C	136.00
	55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)	14,0	150.00
4051447	spoked rear wheels, high pressure, 61.0 cm (24 in.), 66.0 cm	N/C	136.00
	(26 in.)	10,0	120.00
	( <del></del> /		

4051710	rear wheels, heavy-duty, standard pressure, high pressure,	126.00	199.00
4051002	61.0 cm (24 in.)	N/C	<i>(7</i> ,00
	front wheels, solid tires, 7.6 cm (3 in.)	N/C N/C	67.00 60.00
	front wheels, solid tires, 10.2 cm (4 in.) front wheels, solid tires, 12.7 cm (5 in.)	N/C N/C	47.00
	front wheels, solid tires, 12.7 cm (5 in.)	N/C	62.00
	front wheels, solid tires, 20.3 cm (8 in.) X 2.5 cm (1 in.)	N/C	63.00
	front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm	N/C	89.00
4051750	$(1\frac{1}{2} \text{ in.})$ , 15.2 cm (6 in.) X 3.8 cm (1\frac{1}{2} \text{ in.})	14.0	07.00
4052098	front wheels, semi-pneumatic tires, 20.3 cm (8 in.) X 3.8 cm	N/C	99.00
	$(1\frac{1}{2} in.)$		
4051744	front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 5.1 cm	68.00	81.00
	(2 in.)		
4051025	front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm	N/C	62.00
4051015	(1¼ in.)	NG	62.00
4051017	front wheels, inner tube tires, 20.3 cm (8 in.) X 3.2 cm	N/C	63.00
4051022	(1½ in.)	49.00	72.00
4051055	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)	48.00	72.00
	Forks:		
4051694	standard forks, 15.2 cm (6 in.); short forks, 13.3 cm (5 <sup>1</sup> / <sub>4</sub> in.);	N/C	32.00
4051074	high forks, 17.8 cm (7 in.); compatible with 12.7 cm (5 in.),	14/6	32.00
	15.2 cm (6 in.) and 20.3 cm (8 in.) wheels		
4051702	high forks, 17.8 cm (7 in.) compatible with 20.3 cm (8 in.) X	N/C	37.00
	5.1 cm (2 in.) wheels		
4052247		N/C	56.00
	20.3 cm (8 in.) wheels		
4052064	fork stems, +1.9 cm (3/4 in.), +3.8 cm (1½ in.)	N/C	16.00
4050803	fork-locking mechanism	46.00	23.00
	Rear axles:		
	threaded axles	N/C	33.00
	quick-release axles	N/C	33.00
	heavy-duty axles	102.00	84.00
	extension plates for amputees	42.00	73.00
	multi-position plates for centre of gravity	N/C	52.00
+4055422	multi-position plates for centre of gravity, with compensating	N/C	65.00
4054505	mechanism	20.00	66.00
	multi-position plates, curved	28.00	66.00
+4055430	rear wheel camber, 3°, 6°, 9°	N/C	N/A
	Non S.C. components for which supporting document		
	must be kept on file:		
4050400	•	70.00	35.00
	spoke guards		
4021028	quick-release axles with lever mechanism	66.00	66.00

## **SUPPLIER: ORTHOFAB INC**

## **PRICE**

# +4064200 MANUAL WHEEL CHAIR CH MODEL

## 819.00

# **Basic Components**

# **Body support system**

- fixed back, angle-adjustable, height-adjustable, from 40.6 cm (16 in.) to 50.8 cm (20 in.)
- supple seat and back, nylon
- seat height: from 33.7 cm (13<sup>1</sup>/<sub>4</sub> in.) to 48.9 cm (19<sup>1</sup>/<sub>4</sub> in.)
- seat widths: 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.)
- seat depth: 40.6 cm (16 in.)
- safety belt, auto-type
- backposts with push handles

## **Armrests**

- U-type armrests, detachable, flip-back, height-adjustable, from 22.9 cm (9 in.) to 33.0 cm (13 in.), long, with clothing guards, rigid
- armrest pads, straight, long

#### **Footrests**

- 70° footrests, parallel, detachable, swingaway, length-adjustable, from 40.6 cm (16 in.) to 48.3 cm (19 in.)
- padded calfrests
- folding footplates, standard
- heel loops, adjustable

#### Frame

- anti-tip rollers
- tie-down points for adapted transport

## Drive, brake, wheel, fork and axle systems

- handrims, smooth, plastic-coated
- handrims, 1.3 cm (½ in.) closer
- standard wheel locks, push-to-lock
- rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- front wheels, solid tires, 7.6 cm (3 in.), 12.7 cm (5 in.), 15.2 cm (6 in.), 17.8 cm (7 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)
- front wheels, semi-pneumatic tires, 12.7 cm (5 in.), 15.2 cm (6 in.), 20.3 cm (8 in.) X 3.8 cm (1½ in.)
- standard forks, short
- fork stems,  $+1.6 \text{ cm} (\frac{5}{8} \text{ in.})$ ,  $+3.2 \text{ cm} (\frac{11}{4} \text{ in.})$
- multi-adjustable clamps
- threaded axles, quick-release

• plates for amputees

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	<b>Basic and Optional Components</b>		
	Body support system		
	Seat and back:		
4060117	supple back, nylon	N/C	69.00
4062964	back, angle-adjustable	N/C	N/A
4060018	supple back, tension-adjustable	74.00	143.00
	supple seat, nylon	N/C	57.00
+4064150	rigid seat, flat, 0 cm (0 in.), 2.5 cm (1 in.) seat depth	116.00	173.00
+4063657	modification of seat width, to 50.8 cm (20 in.)	101.00	N/A
+4063665	modification of seat depth, from 43.2 cm (17 in.), to 45.7 cm (18 in.)	101.00	N/A
4064135	seat cushion, flat, foam, 5.1 cm (2 in.)	59.00	59.00
	safety belt, velcro-type	23.00	63.00
4061982	safety belt, auto-type	N/C	40.00
	safety belt, airplane-type	34.00	74.00
	headrest, contoured, nylon	105.00	105.00
	headrest mounting, articulated, uniball	135.00	135.00
	back spreader bar	69.00	69.00
	back spreader bar with headrest support	99.00	99.00
4061768	backposts with push handles	N/C	N/A
+4063764	<b>Armrests:</b> U-type armrests, detachable, flip-back, height-adjustable,	N/C	140.00
14005704	from 22.9 cm (9 in.) to 33.0 cm (13 in.), long, with clothing guards, rigid	100	110.00
4062055	armrest pads, straight, long	N/C	15.00
	TR 4 4		
+4063780	<b>Footrests:</b> 70 ° footrests, parallel, detachable, swingaway, lengthadjustable, from 40.6 cm (16 in.) to 48.3 cm (19 in.)	N/C	84.00
+4063798		214.00	191.00
4060802	padded calfrests	N/C	20.00
	folding footplates, standard	N/C	27.00
	footplates, angle and depth-adjustable, standard size	76.00	65.00
	footplates, angle and depth-adjustable, oversized	82.00	68.00
	heel loops, adjustable	N/C	14.00
	front impact guards with rollers	36.00	18.00
40 < 24 5 4	Frame:	N/0	46.00
4062154	anti-tip rollers	N/C	46.00
	tie-down points for adapted transport	N/C	17.00
4060737	cane holder	40.00	40.00

	Drive systems:		
4062147	smooth handrims	N/C	54.00
4062139	plastic-coated handrims	N/C	85.00
	handrims, 1.3 cm (½ in. closer)	N/C	N/A
	, , , ,		
	Wheel locks:		
4062162	standard wheel locks, push-to-lock	N/C	53.00
4062170	wheel lock extensions, retractable	40.00	20.00
4062295	wheel lock extensions, fixed	40.00	20.00
40.62020	Wheels:	N/C	122.00
+4063939	rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.),	N/C	133.00
. 40/2047	55.9 cm (22 in.), 61.0 cm (24 in.)	N/C	20.00
+4063947	front wheels, solid tires, 7.6 cm (3 in.), 12.7 cm (5 in.),	N/C	39.00
	15.2 cm (6 in.), 17.8 cm (7 in.), 20.3 cm (8 in.) X 2.5 cm		
40/242/	(1 in.)	N/C	<b>60.00</b>
4063426	front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm	N/C	60.00
	(1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.), 20.3 cm (8 in.) X		
	$3.8 \text{ cm } (1\frac{1}{2} \text{ in.})$		
	Forks:		
4062683	standard forks, short	N/C	38.00
	fork stems, + 1.6 cm (5% in.), + 3.2 cm (11/4 in.)	N/C	26.00
	multi-adjustable clamps	N/C	25.00
	<b></b>		
	Rear axles:		
4060497	threaded axles	N/C	5.00
4060471	quick-release axles	N/C	44.00
4060554	plates for amputees	N/C	42.00
. 407.4105	Component under Special Consideration:	1 705 00	1 705 00
+4064127	propulsion assistance module (PAM) *	1,795.00	1,795.00

## SUPPLIER: ORTHOFAB INC.

# **PRICE**

# 4060000 MANUAL WHEEL CHAIR PRIMA MODEL

# 1,696.00

# **Basic Components**

# **Body support system**

- supple back, nylon
- back, angle-adjustable
- back, height-adjustable: from 38.1 cm (15 in.) to 45.7 cm (18 in.)
- dynamic back
- backposts, fixed back, 90°, 96°
- backposts, angle-adjustable
- backposts, 0°, 8°, to 20.3 cm (8 in.)
- supple seat, nylon
- front seat height: from 34.0 cm (13\% in.) to 55.2 cm (21\% in.)
- seat width: from 35.6 cm (14 in.) to 58.4 cm (23 in.)
- seat depth: 40.6 cm (16 in.)
- safety belt, auto-type
- backposts with push handles
- back handles raised by 7.6 cm (3 in.)

#### **Armrests**

- U-type armrests, detachable, flip-back, height-adjustable, from 20.3 cm (8 in.) to 30.5 cm (12 in.), short, long
- L-type armrests, detachable, swingaway, height-adjustable, from 22.9 cm (9 in.) to 30.5 cm (12 in.), long
- armrest pads, straight, short, long
- L-type clothing guards, rigid, detachable

## **Footrests**

- 60°, 70° footrests, parallel, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- padded calfrests
- folding footplates, tubular
- heel loops, adjustable

## Frame

- anti-tip rollers
- tie-down points for adapted transport

# Drive, brake, wheel, fork and axle systems

- handrims, smooth, plastic-coated
- handrims 1.3 cm (½ in.) closer
- central propulsion

- standard wheel locks, push-to-lock, pull-to-lock
- spoked rear wheels, solid tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- spoked rear wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- front wheels, solid tires, 12.7 cm (5 in.), 15.2 cm (6 in.), 17.8 cm (7 in.) X 2.5 cm (1 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)
- front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm (1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.), 20.3 cm (8 in.) X 3.8 cm (1½ in.)
- standard forks, short forks, high forks
- fork stems,  $+1.6 \text{ cm} (\frac{5}{8} \text{ in.})$ ,  $+3.2 \text{ cm} (\frac{11}{4} \text{ in.})$
- multi-adjustable clamps
- threaded axles, quick-release
- plates for amputees

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	<b>Basic and Optional Components</b>		
	Body support system		
	Seat and back:		
4060117	supple back, nylon	N/C	69.00
4062964	back, angle-adjustable	N/C	N/A
	supple back, tension-adjustable	74.00	143.00
4061966	supple seat, nylon	N/C	57.00
4061750	rigid seat, flat, 0 cm (0 in.), 2.5 cm (1 in.), 5.1 cm (2 in.) seat	116.00	173.00
4061065	pan modification of back height, 33.0 cm (13 in.), 35.6 cm (14 in.), and 48.3 cm (19 in.) to 55.9 cm (22 in.)	99.00	N/A
4060091	modification of seat depth to 35.6 cm (14 in.), 38.1 cm (15 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.)	101.00	N/A
4064135	seat cushion, flat, foam, 5.1 cm (2 in.)	59.00	59.00
4064143	seat cushion, flat, foam, 7.6 cm (3 in.)	59.00	59.00
	safety belt, velcro-type	23.00	63.00
4061982	safety belt, auto-type	N/C	40.00
4061990	safety belt, airplane-type	34.00	74.00
4063392	headrest, contoured, nylon	105.00	105.00
4063400	headrest mounting, articulated, uniball	135.00	135.00
	back spreader bar	69.00	69.00
	back spreader bar with headrest support	99.00	99.00
	backposts with push handles	N/C	N/A
+4064044	back handles raised by 7.6 cm (3 in.)	N/C	N/A
	Armrests:		
4061099	U-type armrests, detachable, flip-back, height-adjustable, from 20.3 cm (8 in.) to 30.5 cm (12 in.), short, long	N/C	140.00
4062006	L-type armrests, detachable, swingaway, height-adjustable, from 22.9 cm (9 in.) to 30.5 cm (12 in.), long	N/C	48.00
4061321	armrest pads, straight, short	N/C	12.00
	armrest pads, straight, long	N/C	15.00
	L-type clothing guards, rigid, detachable	N/C	65.00
4062071	modification of U-type armrest height, to - than 20.3 cm (8 in.) or to + than 30.5 cm (12 in.)	79.00	N/A
+4064051	7.6 cm (3 in.) armrests extensions	39.00	N/A
4060265	<b>Footrests:</b> 60° footrests, parallel, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)	N/C	84.00
4061339	70° footrests, parallel, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)	N/C	84.00

		(authentic v	ersion)
4063582	90° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)	86.00	127.00
+4064085	elevating legrests, from 35.6 cm (14 in.) to 48.3 cm (19 in.)	214.00	191.00
4061156	elevating legrests, with compensating mechanism, from 35.6 cm (14 in.) to 48.3 cm (19 in.)	234.00	201.00
4060802	padded calfrests	N/C	20.00
4060794	contoured calfrests	60.00	50.00
	double calf strap	55.00	55.00
	folding footplates tubular	N/C	27.00
	oversized footplates, aluminum	44.00	49.00
	footplates, angle and depth-adjustable, standard size	76.00	65.00
	footplates, angle and depth-adjustable, oversized	82.00	68.00
	full-width footplate, angle and depth-adjustable	168.00	222.00
	heel loops, adjustable	N/C	14.00
4062097	•	30.00	15.00
4062931	modification of footrest or legrest length, to – than 35.6 cm	79.00	N/A
40.60530	(14 in.) or to + than 48.3 cm (19 in.)	26.00	10.00
4060729	front impact guards with rollers	36.00	18.00
	Fuemer		
4062154	Frame: anti-tip rollers	N/C	46.00
	tie-down points for adapted transport	N/C N/C	17.00
	cane holder	40.00	40.00
	folding mechanism with double crossbars	269.00	N/A
4002750	Tolding meendingm with double crossours	207.00	14/11
	Drive systems:		
4062147	smooth handrims	N/C	54.00
	plastic-coated handrims	N/C	85.00
	non-slip handrims	88.00	98.00
	handrims 1.3 cm (½ in.) closer	N/C	N/A
	Wheel locks:		
	standard wheel locks, push-to-lock, pull-to-lock	N/C	53.00
	wheel lock extensions, retractable	40.00	20.00
	wheel lock extensions, fixed	40.00	20.00
4062188	anti-rollback wheel locks	86.00	43.00
	***		
1070012	Wheels:	104.00	122.00
4060943	rear mag wheels, solid tires, 50.8 cm (20 in.), 55.9 cm	104.00	133.00
40/2000	(22 in.), 61.0 cm (24 in.)	104.00	122.00
4002998	rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.),	104.00	133.00
4061222	55.9 cm (22 in.), 61.0 cm (24 in.)	104.00	133.00
4001222	rear mag wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm	104.00	133.00
4061270	(22 in.), 61.0 cm (24 in.)	N/C	91.00
40013/0	spoked rear wheels, solid tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C	81.00
4063012	spoked rear wheels, semi-pneumatic tires, 50.8 cm (20 in.),	N/C	81.00
4003012	55.9 cm (22 in.), 61.0 cm (24 in.)	IN/C	01.00
<b>4</b> 060068		72.00	117 00
4060968	spoked rear wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)	72.00	117.00

4061800	rear wheels, heavy-duty, solid tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)	162.00	162.00
4063020	rear wheels, heavy-duty spoked, semi-pneumatic, 50.8 cm	162.00	162.00
	(20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)		
4061818	rear wheels, heavy-duty, standard pressure, 50.8 cm (20 in.),	162.00	162.00
	55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)		
4062212	rear wheels, heavy-duty, high pressure, 55.9 cm (22 in.),	162.00	162.00
4071240	61.0 cm (24 in.), 66.0 cm (26 in.)	N/C	20.00
4061248	front wheels, solid tires, 12.7 cm (5 in.), 15.2 cm (6 in.),	N/C	39.00
	17.8 cm (7 in.) X 2.5 cm (1 in.), 20.3 cm (8 in.) X 2.5 cm		
4062426	(1 in.)	N/C	60.00
4003420	front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm (1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.), 20.3 cm (8 in.) X	N/C	00.00
1060616	3.8 cm ( $1\frac{1}{2}$ in.)	34.00	56.00
4000040	front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm (1 <sup>1</sup> / <sub>4</sub> in.), 20.3 cm (8 in.) X 3.2 cm (1 <sup>1</sup> / <sub>4</sub> in.)	34.00	36.00
4062601	front wheels, inner tube tires, 17.8 cm (7 in.) X 4.4 cm	34.00	56.00
4002091	(13/4 in.)	34.00	30.00
1063131	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)	34.00	56.00
4003434	from wheels, filler tube tires, 20.5 cm (8 m.) A 5.1 cm (2 m.)	34.00	30.00
	Forks:		
4062683	standard forks, short	N/C	38.00
		- · · · ·	
4060877	nigh forks	N/C	38.00
4060877 4062980		N/C N/C	38.00 26.00
4062980	fork stems, $+ 1.6 \text{ cm} (\frac{5}{8} \text{ in.}), + 3.2 \text{ cm} (\frac{11}{4} \text{ in.})$	N/C	26.00
4062980			
4062980	fork stems, $+ 1.6 \text{ cm} (\frac{5}{8} \text{ in.}), + 3.2 \text{ cm} (\frac{11}{4} \text{ in.})$	N/C	26.00
4062980 +4064093	fork stems, $+$ 1.6 cm ( $\frac{5}{8}$ in.), $+$ 3.2 cm ( $\frac{1}{4}$ in.) multi-adjustable clamps	N/C	26.00
4062980 +4064093 4060497	fork stems, + 1.6 cm (5% in.), + 3.2 cm (1¼ in.) multi-adjustable clamps  Rear axles:	N/C N/C	26.00 25.00
4062980 +4064093 4060497 4060471	fork stems, + 1.6 cm (5% in.), + 3.2 cm (1¼ in.) multi-adjustable clamps  Rear axles: threaded axles	N/C N/C	26.00 25.00
4062980 +4064093 4060497 4060471	fork stems, + 1.6 cm (5% in.), + 3.2 cm (1¼ in.) multi-adjustable clamps  Rear axles: threaded axles quick-release axles	N/C N/C N/C N/C	26.00 25.00 5.00 44.00
4062980 +4064093 4060497 4060471	fork stems, + 1.6 cm (5% in.), + 3.2 cm (1¼ in.) multi-adjustable clamps  Rear axles: threaded axles quick-release axles plates for amputees  Non S.C. components for which supporting document	N/C N/C N/C N/C	26.00 25.00 5.00 44.00
4062980 +4064093 4060497 4060471 4060554	fork stems, + 1.6 cm (5% in.), + 3.2 cm (1¼ in.) multi-adjustable clamps  Rear axles: threaded axles quick-release axles plates for amputees  Non S.C. components for which supporting document must be kept on file:	N/C N/C N/C N/C N/C	26.00 25.00 5.00 44.00 42.00
4062980 +4064093 4060497 4060471 4060554	fork stems, + 1.6 cm (5/8 in.), + 3.2 cm (11/4 in.) multi-adjustable clamps  Rear axles: threaded axles quick-release axles plates for amputees  Non S.C. components for which supporting document must be kept on file: spoke guards	N/C N/C N/C N/C N/C	26.00 25.00 5.00 44.00 42.00
4062980 +4064093 4060497 4060471 4060554 4062246 +4064101	fork stems, + 1.6 cm (5% in.), + 3.2 cm (1¼ in.) multi-adjustable clamps  Rear axles: threaded axles quick-release axles plates for amputees  Non S.C. components for which supporting document must be kept on file: spoke guards dynamic back	N/C N/C N/C N/C N/C	26.00 25.00 5.00 44.00 42.00 57.00 N/A
4062980 +4064093 4060497 4060471 4060554 4062246 +4064101	fork stems, + 1.6 cm (5/8 in.), + 3.2 cm (11/4 in.) multi-adjustable clamps  Rear axles: threaded axles quick-release axles plates for amputees  Non S.C. components for which supporting document must be kept on file: spoke guards	N/C N/C N/C N/C N/C	26.00 25.00 5.00 44.00 42.00
4062980 +4064093 4060497 4060471 4060554 4062246 +4064101	fork stems, + 1.6 cm (5% in.), + 3.2 cm (1¼ in.) multi-adjustable clamps  Rear axles: threaded axles quick-release axles plates for amputees  Non S.C. components for which supporting document must be kept on file: spoke guards dynamic back central propulsion	N/C N/C N/C N/C N/C	26.00 25.00 5.00 44.00 42.00 57.00 N/A
4062980 +4064093 4060497 4060471 4060554 4062246 +4064101 +4064119	fork stems, + 1.6 cm (5% in.), + 3.2 cm (1¼ in.) multi-adjustable clamps  Rear axles: threaded axles quick-release axles plates for amputees  Non S.C. components for which supporting document must be kept on file: spoke guards dynamic back	N/C N/C N/C N/C N/C	26.00 25.00 5.00 44.00 42.00 57.00 N/A

# SUPPLIER: LES ÉQUIPEMENTS ADAPTÉS PHYSIPRO INC.

## **PRICE**

# +4072005 MANUAL WHEEL CHAIR IXEL MODEL

995.00

# **Basic Components**

# **Body support system**

- supple back, nylon
- reclining back \*
- back, angle-adjustable, height-adjustable: from 38.1 cm (15 in.) to 50.8 cm (20 in.)
- supple seat, nylon
- front seat height: from 34.3 cm (13½ in.) to 54.6 cm (21½ in.)
- seat width: from 35.6 cm (14 in.) to 55.9 cm (22 in.)
- seat depth: 40.6 cm (16 in.)
- backposts, fixed back, angle-adjustable
- straight backposts, with 8° angle, 20.3 cm (8 in.)
- safety belt, auto-type, 5.1 cm (2 in.)
- backposts with push handles

#### **Armrests**

- U-type armrests, detachable, flip-back, height-adjustable, from 20.3 cm (8 in.) to 30.5 cm (12 in.), short, long
- L-type armrests, detachable, swingaway, height-adjustable, from 22.9 cm (9 in.) to 27.9 cm (11 in.), short, long
- armrest pads, straight, short, long
- armrest pads, tubular
- clothing guards, rigid, detachable, for L-type armrests
- clothing guards, rigid, built into U-type armrests

#### **Footrests**

- 60°, 70°, 90° footrests, parallel, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- padded calfrests
- folding footplates, standard
- heel loops, adjustable

# **Frame**

- anti-tip rollers
- tie-down points for adapted transport

# Drive, brake, wheel, fork and axle systems

- handrims, smooth, plastic-coated
- standard wheel locks, push-to-lock
- rear mag wheels, solid tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)

- rear mag wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)
- spoked rear wheels, solid tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)
- spoked rear wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)
- front wheels, solid tires, 7.6 cm (3 in.), 10.2 cm (4 in.), 12.7 cm (5 in.), 15.2 cm (6 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.), 20.3 cm (8 in.) X 3.2 cm (1<sup>1</sup>/<sub>4</sub> in.)
- front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 2.5 cm (1 in.), 15.2 cm (6 in.) X 2.5 cm (1 in.), 17.8 cm (7 in.) X 2.5 cm (1 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)
- front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm (1<sup>1</sup>/<sub>4</sub> in.), 20.3 cm (8 in.) X 3.2 cm (1<sup>1</sup>/<sub>4</sub> in.), 20.3 cm (8 in.) X 4.4 cm (1<sup>3</sup>/<sub>4</sub> in.)
- standard forks, high forks
- threaded axles, quick-release

Updated: December 12, 2016 209

<sup>\*</sup> Component under Special Consideration

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	<b>Basic and Optional Components</b>		
	Body support system		
	Seat and back:		
+4071023	supple back, nylon	N/C	59.00
+4071031	back, angle-adjustable	N/C	N/A
+4071049	supple back, tension-adjustable	84.00	143.00
+4071056	folding back	245.00	N/A
+4071064	supple seat, nylon	N/C	57.00
+4071072	supple seat, tension-adjustable	83.00	140.00
	rigid seat, flat	118.00	175.00
	modification of back height from 30.5 cm (12 in.) to 35.6 cm	95.00	N/A
	(14 in.), from 53.3 cm (21 in.) to 61.0 cm (24 in.)		
+4071106	modification of seat depth from 35.6 cm (14 in.), to 38.1 cm	98.00	N/A
	(15 in.) and from 43.2 cm (17 in.) to 55.9 cm (22 in.)		
+4071114	seat cushion, flat, foam, 2.5 cm (1 in.)	53.00	53.00
	seat cushion, flat, foam, 5.1 cm (2 in.)	56.00	56.00
	seat cushion, flat, foam, 7.6 cm (3 in.)	59.00	59.00
	seat cushion, flat, foam, 10.2 cm (4 in.)	62.00	62.00
	safety belt, auto-type, 5.1 cm (2 in.)	N/C	51.00
	heavy-duty backposts	95.00	N/A
	back spreader bar	69.00	69.00
	back spreader bar with headrest support	106.00	106.00
	backposts with push handles	N/C	145.00
	T		
	Armrests:		
+4071205	U-type armrests, detachable, flip-back, height-adjustable,	N/C	120.00
	from 20.3 cm (8 in.) to 30.5 cm (12 in.), short, long		
+4071213	T-type armrests, height-adjustable, from 24.1 cm (9½ in.) to	120.00	175.00
	39.4 cm (15½ in.), short, long		
	L-type armrests, detachable, swingaway, height-adjustable,	N/C	96.00
	from 22.9 cm (9 in.) to 27.9 cm (11 in.), short, long		
+4071239	armrest pads, straight, short	N/C	28.00
+4071247	1	N/C	30.00
	armrest pads, tubular	N/C	8.00
	clothing guards, rigid, built into U-type armrests	N/C	22.00
	clothing guards, rigid, detachable, for L-type armrests	N/C	65.00
		11,0	33.00
	Footrests:		
+4071288	60° footrests, parallel, detachable, swingaway, length-	N/C	105.00
	adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)	, <b>C</b>	
+4071296	70° footrests, parallel, detachable, swingaway, length-	N/C	105.00
. •	adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)		

+4071304	90° footrests, parallel, detachable, swingaway, length-	N/C	105.00
+ 4071212	adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) 60° footrests, tapered, detachable, swingaway, length-	N/C	105.00
T <b>4</b> 0/1312	adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)	N/C	103.00
+4071320	70° footrests, tapered, detachable, swingaway, length-	N/C	105.00
	adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)		
+4071338	90° footrests, tapered, detachable, swingaway, length-	N/C	105.00
	adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)		
	footrests, quick-release, detachable, swingaway, parallel	120.00	165.00
+4071353	elevating legrests, with compensating mechanism from	210.00	210.00
	35.6 cm (14 in.) to 48.3 cm (19 in.)	27/6	22.00
	padded calfrests	N/C	32.00
	contoured calfrests	36.00	50.00
	single calf strap	45.00	45.00
	double calf strap	58.00 47.00	58.00 47.00
	H-shaped calf strap single padded calf strap	84.00	84.00
	double padded calf strap	100.00	100.00
	folding footplates, standard	N/C	55.00
	footplates, angle and depth-adjustable, standard size	48.00	79.00
	oversized footplates, angle and depth-adjustable	80.00	95.00
	full-width footplate, angle and depth-adjustable	145.00	200.00
	heel loops, adjustable	N/C	14.00
+4071486	toe loops	20.00	24.00
+4071494	modification of footrest or legrest length, to - than 35.6 cm	79.00	N/A
	(14 in.) or to + than 48.3 cm (19 in.)		
+4071502	front impact guards with rollers	84.00	42.00
	Frame:		
	anti-tip rollers	N/C	48.00
	tie-down points for adapted transport	N/C	35.00
	modification for frame length	98.00	N/A
	heavy-duty frame	280.00	N/A
	folding mechanism with double crossbars, heavy-duty	230.00 269.00	N/A N/A
+40/1509	folding mechanism with double crossbars	209.00	IN/A
	Drive systems:		
+4071577	smooth handrims	N/C	47.00
	plastic-coated handrims	N/C	85.00
+4071593	non-slip handrims	76.00	85.00
	Wheel locks:		
	standard wheel locks, push-to-lock	N/C	58.00
	wheel lock extensions	36.00	18.00
	wheel lock extensions, retractable	48.00	24.00
+40/1635	anti-rollback brakes	76.00	96.00

	Wheels:		
+4071643	rear mag wheels, solid tires, 50.8 cm (20 in.)	N/C	130.00
	rear mag wheels, solid tires, 55.9 cm (22 in.), 61.0 cm	N/C	122.00
	(24 in.)		
+4071668	rear mag wheels, solid tires, 66.0 cm (26 in.)	N/C	135.00
	rear mag wheels, standard pressure, 50.8 cm (20 in.)	N/C	130.00
+4071684	rear mag wheels, standard pressure, 55.9 cm (22 in.), 61.0 cm	N/C	122.00
	(24 in.)		
	rear mag wheels, standard pressure, 66.0 cm (26 in.)	N/C	135.00
	rear mag wheels, high pressure, 50.8 cm (20 in.)	16.00	138.00
+4071718	rear mag wheels, high pressure, 55.9 cm (22 in.), 61.0 cm	16.00	130.00
. 4071736	(24 in.)	16.00	143.00
	rear mag wheels, high pressure, 66.0 cm (26 in.) spoked rear wheels, solid tires, 50.8 cm (20 in.)	N/C	132.00
+4071734	spoked rear wheels, solid tires, 55.9 cm (22 in.), 61.0 cm	N/C	125.00
140/1/42	(24 in.)	14/6	123.00
+4071759	spoked rear wheels, solid tires, 66.0 cm (26 in.)	N/C	135.00
+4071767	spoked rear wheels, standard pressure, 50.8 cm (20 in.)	N/C	132.00
+4071775	spoked rear wheels, standard pressure, 55.9 cm (22 in.),	N/C	125.00
	61.0 cm (24 in.)		
	spoked rear wheels, standard pressure, 66.0 cm (26 in.)	N/C	135.00
	spoked rear wheels, high pressure, 50.8 cm (20 in.)	16.00	140.00
+4071809	spoked rear wheels, high pressure, 55.9 cm (22 in.), 61.0 cm	16.00	133.00
4054045	(24 in.)	16.00	1.42.00
+4071817	spoked rear wheels, high pressure, 66.0 cm (26 in.)	16.00	143.00
	rear wheels, heavy-duty, solid tires, 50.8 cm (20 in.)	22.00 22.00	143.00
+40/1033	rear wheels, heavy-duty, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.)	22.00	136.00
<b>+4071841</b>	rear wheels, heavy-duty, solid tires, 66.0 cm (26 in.)	22.00	146.00
	rear wheels, heavy-duty, standard pressure, 50.8 cm (20 in.)	22.00	143.00
	rear wheels, heavy-duty, standard pressure, 55.9 cm (22 in.),	22.00	136.00
	61.0 cm (24 in.)		
+4071874	rear wheels, heavy-duty, standard pressure, 66.0 cm (26 in.)	22.00	146.00
	rear wheels, heavy-duty, high pressure, 50.8 cm (20 in.)	38.00	151.00
+4071890	rear wheels, heavy-duty, high pressure, 55.9 cm (22 in.),	38.00	144.00
	61.0 cm (24 in.)		
+4071908	rear wheels, heavy-duty, high pressure, 66.0 cm (26 in.)	38.00	154.00
+4071916	front wheels, solid tires, 7.6 cm (3 in.), 10.2 cm (4 in.),	N/C	40.00
	12.7 cm (5 in.), 15.2 cm (6 in.), 20.3 cm (8 in.) X 2.5 cm		
±40 <b>7</b> 1024	(1 in.) front wheels, solid tires, 20.3 cm (8 in.) X 3.2 cm (1 <sup>1</sup> / <sub>4</sub> in.)	N/C	58.00
	front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 2.5 cm	N/C	40.00
140/1/52	(1 in.), 15.2 cm (6 in.) X 2.5 cm (1 in.), 17.8 cm (7 in.) X	14/0	10.00
	2.5 cm (1 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)		
+4071940	front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 5.1 cm	56.00	68.00
	(2 in.), 20.3 cm (8 in.) X 5.1 cm (2 in.)		
+4071957	front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm	N/C	58.00
	(1 <sup>1</sup> / <sub>4</sub> in.), 20.3 cm (8 in.) X 3.2 cm (1 <sup>1</sup> / <sub>4</sub> in.), 20.3 cm (8 in.) X		
	4.4 cm (1¾ in.)		
+4071965	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)	56.00	68.00

	Forks: standard forks high forks	N/C N/C	59.00 65.00
	Rear axles: threaded axles quick-release axles	N/C N/C	7.00 46.00
+4072013	Non S.C. components for which supporting document must be kept on file: spoke guards	100.00	50.00
+4072021	Component under Special Consideration: reclining back *	N/C	N/A

### SUPPLIER: PRIDE MOBILITY PRODUCTS COMPANY

# **PRICE** 1,200.00

# +4073003 MANUAL WHEEL CHAIR LITE STREAM MODEL

# **Basic Components**

### **Body support system**

- supple back, nylon
- back, angle-adjustable, from  $-5^{\circ}$  to  $+15^{\circ}$
- supple seat, nylon
- back height: from 30.5 cm (12 in.) to 48.3 cm (19 in.)
- front seat height: from 38.1 cm (15 in.) to 49.5 cm (19½ in.)
- seat widths: 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.)
- seat depths: 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.)
- safety belt, velcro-type, auto-type
- backposts with push handles

#### **Armrests**

- L-type armrests, detachable, swingaway, height-adjustable from 20.3 cm (8 in.) to 25.4 cm (10 in.), short
- armrest pads, straight, short, long
- armrest pads, tubular
- clothing guards, flexible
- clothing guards, rigid, small, plastic, with holes

#### **Footrests**

- 60°, 70° footrests, parallel, 70° footrests, tapered, detachable, swingaway, length-adjustable, from 33.7 cm (13¼ in.) to 55.9 cm (22 in.)
- 90°, footrests, parallel, detachable, swingaway
- contoured calfrests
- folding footplates, standard, 10.2 cm (4 in.)
- folding footplates, oversized, 12.7 cm (5 in.), 15.2 cm (6 in.)
- folding footplates, angle and depth-adjustable, standard size, oversized
- heel loops, adjustable, fixed

#### **Frame**

- anti-tip rollers
- tie-down points for adapted transport
- folding mechanism with double crossbars

#### Drive, brake, wheel, fork and axle systems

- smooth handrims, for spoked wheels, 55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)
- plastic-coated handrims, for spoked wheels, 55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)
- smooth handrims, for mag wheels, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- plastic-coated handrims, for mag wheels, 55.9 cm (22 in.), 61.0 cm (24 in.)
- handrims, Natural fit, for spoked wheels, 61.0 cm (24 in.)
- standard wheel locks, push-to-lock, pull-to-lock
- rear mag wheels, solid tires, urethane, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.) X 3.5 cm (1<sup>3</sup>/<sub>8</sub> in.)
- rear mag wheels, standard pressure, 61.0 cm (24 in.)
- spoked rear wheels, solid tires, urethane, 55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)
- spoked rear wheels, standard pressure, 55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.) X 3.5 cm (13/8 in.)
- spoked rear wheels, high pressure, 55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)
- front wheels, solid tires, 10.2 cm (4 in.) X 3.8 cm (1½ in.)
- front wheels, solid tires, 12.7 cm (5 in.) X 3.2 cm (1¼ in.)
- front wheels, solid tires, 15.2 cm (6 in.), 20.3 cm (8 in.) X 3.2 cm (1<sup>1</sup>/<sub>4</sub> in.)
- front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm (1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.)
- front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm (1<sup>1</sup>/<sub>4</sub> in.)
- front wheels, inner tube tires, 20.3 cm (8 in.) X 3.2 cm (1<sup>1</sup>/<sub>4</sub> in.)
- standard forks, 20.3 cm (8 in.) and short forks, 12.7 cm (5 in.)
- threaded axles, quick-release
- rear wheel camber

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	<b>Basic and Optional Components</b>		_
	Body support system		
	Seat and back:		
+4073011	supple back, nylon	N/C	77.00
+4073029	back, angle-adjustable, $-5^{\circ}$ to $+15^{\circ}$	N/C	91.00
+4073037	supple back, tension-adjustable	70.00	150.00
	supple seat, nylon	N/C	50.00
	rigid seat, flat, aluminum, detachable	75.00	125.00
+4073060	modification of seat height toe to 34.3 cm (13½ in.) with rigid lowered seat	150.00	200.00
+4073078	modification of seat width to 50.8 cm (20 in.) and to 53.3 cm (21 in.)	105.00	N/A
+4073086	modification of seat depth to 48.3 cm (19 in.) and to 50.8 cm (20 in.)	75.00	N/A
+4073094	safety belt, velcro-type	N/C	26.00
	safety belt, auto-type	N/C	14.00
+4073110	backposts with push handles	N/C	N/A
	Armrests:		
+4073128	T-type armrests, height-adjustable, from 20.3 cm (8 in.) to 33.0 cm (13 in.), short, long	75.00	75.00
+4073136	L-type armrests, detachable, swingaway, height-adjustable from 20.3 cm (8 in.) to 25.4 cm (10 in.), short	N/C	16.00
+4073144	armrest pads, straight, short	N/C	7.00
+4073151	armrest pads, straight, long	N/C	7.00
+4073169	armrest pads, tubular	N/C	5.00
+4073177	clothing guards, flexible	N/C	50.00
	clothing guards, rigid, small, plastic, with holes	N/C	30.00
+4073193	clothing guards, wide, aluminum	20.00	40.00
	Footrests:		
+4073201	60° footrests, parallel, 70° footrests, parallel, detachable, swingaway, length-adjustable, from 33.7 cm (13¼ in.) to 55.9 cm (22 in.)	N/C	75.00
+4073219	70° footrests, tapered, detachable, swingaway, length-adjustable, from 33.7 cm (13¼ in.) to 55.9 cm (22 in.)	N/C	75.00
+4073227	90° footrests, parallel, detachable, swingaway	N/C	75.00
	elevating legrests, from 33.7 cm (13¼ in.) to 55.9 cm (22 in.)	30.00	90.00
	contoured calfrests	N/C	60.00
	folding footplates, standard, 10.2 cm (4 in.)	N/C	25.00
	folding footplates, oversized, 12.7 cm (5 in.), 15.2 cm (6 in.)	N/C	28.00
	folding footplates, angle and depth-adjustable, standard size, oversized	N/C	125.00

	heel loops, adjusted, fixes toe loops, per pair as replacements	N/C 20.00	8.00 40.00/pr
+4073318 +4073326	Frame: anti-tip rollers tie-down points for adapted transport cane holder folding mechanism with double crossbars	N/C N/C 40.00 N/C	19.00 45.00 40.00 N/A
+4073342	<b>Drive systems:</b> smooth handrims, for mag wheels, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C	21.00
+4073359	plastic-coated handrims, for mag wheels, 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C	14.00
+4073367		N/C	32.00
+4073375		N/C	65.00
	plastic-coated handrims, for spoked wheels, 66.0 cm (26 in.)	N/C	80.00
+4073391	handrims with oblique projections, for mag wheels, 61.0 cm (24 in.)	70.00	52.00
+4073409	handrims, Natural fit, for spoked wheels, 61.0 cm (24 in.)	N/C	70.00
	Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions scissor-type wheel locks	N/C 15.00 75.00	15.00 15.00 55.00
+4073441	Wheels: rear mag wheels, solid tires, urethane, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.) X 3.5 cm (13/8 in.)	N/C	100.00
	rear mag wheels, standard pressure, 61.0 cm (24 in.)	N/C	80.00
+4073466	spoked rear wheels, solid tires, urethane, 55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)	N/C	135.00
+4073474	spoked rear wheels, standard pressure, 55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.) X 3.5 cm (13/8 in.)	N/C	135.00
+4073482	spoked rear wheels, high pressure, 55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)	N/C	135.00
+4073490	front wheels, solid tires, 10.2 cm (4 in.) X 3.8 cm (1½ in.)	N/C	11.00
+4073508	front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm ( $1\frac{1}{2}$ in.)	N/C	67.00
+4073516	front wheels, semi-pneumatic tires, 15.2 cm (6 in.) X 3.8 cm (1½ in.)	N/C	70.00
	front wheels, solid tires, 12.7 cm (5 in.) X 3.2 cm (11/4 in.)	N/C	16.00
	front wheels, solid tires, 15.2 cm (6 in.), 20.3 cm (8 in.) X 3.2 cm (1¼ in.)	N/C	19.00
+4073540	front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm (1½ in.)	N/C	75.00
+4073557	front wheels, inner tube tires, 20.3 cm (8 in.) X 3.2 cm (1 <sup>1</sup> / <sub>4</sub> in.)	N/C	75.00

+4073565	Forks: standard forks, 20.3 cm (8 in.) and short forks, 12.7 cm (5 in.)	N/C	21.00
. 4072572	Rear axles:	N/C	10.00
	threaded axles	N/C	10.00
	quick-release axles	N/C	15.00
+4073599	extension plates for amputees	45.00	54.00
+4073607	rear wheel camber	N/C	N/A
	Non S.C. components for which supporting document must be kept on file:		
+4073615	spoke guards, 61.0 cm (24 in.), 66.0 cm (26 in.)	50.00	108.00
	quick-release axles with lever mechanism	60.00	30.00

#### SUPPLIER: MOTION COMPOSITES INC.

# **PRICE**

# +4082004 MANUAL WHEEL CHAIR HELIO MODEL

1,744.00

### **Basic Components**

# **Body support system**

- supple back, nylon
- back, angle-adjustable
- back, height-adjustable: from 38.1 cm (15 in.) to 45.7 cm (18 in.)
- supple seat, nylon
- front seat height: from 34.3 cm (13½ in.) to 53.3 cm (21 in.)
- seat width: from 35.6 cm (14 in.) to 45.7 cm (18 in.)
- seat depth: 40.6 cm (16 in.)
- safety belt, auto-type, velcro-type
- push handles, bolt-on, adjustable

#### **Armrests**

- U-type armrests, detachable, flip-back, height-adjustable, from 20.3 cm (8 in.) to 30.5 cm (12 in.), short, long
- L-type armrests, detachable, swingaway, height-adjustable, from 20.3 cm (8 in.) to 30.5 cm (12 in.), short, long
- armrest pads, straight, short, long
- armrest pads, tubular
- clothing guards, rigid, detachable

#### **Footrests**

- 60°, 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)
- padded calfrests
- folding footplates, standard
- heel loops, adjustable

#### Frame

- anti-tip rollers
- tie-down points for adapted transport
- frame length, +2.5 cm (1 in.) or +5.1 cm (2 in.) with respect to seat depth

### Drive, brake, wheel, fork and axle systems

- handrims, smooth, plastic-coated
- standard wheel locks, push-to-lock, pull-to-lock
- rear mag wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.)
- rear mag wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.)
- front wheels, solid tires, 7.6 cm (3 in.) X 2.5 cm (1 in.), 10.2 cm (4 in.) X 2.5 cm (1 in.), 12.7 cm (5 in.) X 2.5 cm (1 in.), 15.2 cm (6 in.) X 2.5 cm (1 in.), 17.8 cm (7 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)

- forks, multi-position, short, long
- threaded axles, quick-release
- rear wheel camber, 3°

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	Basic and Optional Components		
	Body support system		
	Seat and back:		
+4082012	supple back, nylon	N/C	62.00
+4082020	back, angle-adjustable	N/C	N/A
+4082038	supple back, tension-adjustable	79.00	140.00
+4082046	supple seat, nylon	N/C	60.00
+4082053	modification of back height, from 25.4 cm (10 in.) to 35.6 cm	99.00	N/A
	(14 in.), from 48.3 cm (19 in.) to 55.9 cm (22 in.)		
+4082061	modification of seat width to 48.3 cm (19 in.), 50.8 cm	172.00	N/A
	(20 in.)		
+4082079	modification of seat depth to 35.6 cm (14 in.), 38.1 cm	99.00	N/A
	(15 in.), 43.2 cm (17 in.) and 45.7 cm (18 in.)		
+4082087	modification of seat depth to 33.0 cm (13 in.), 48.3 cm	118.00	N/A
	(19 in.) and 50.8 cm (20 in.)		
+4082095	seat cushion, flat, foam, 5.1 cm (2 in.)	59.00	59.00
+4082103	seat cushion, flat, foam, 7.6 cm (3 in.)	59.00	59.00
	safety belt, velcro-type	N/C	44.00
+4082129	safety belt, auto-type	N/C	44.00
+4082137	safety belt, airplane-type	30.00	74.00
	headrest, contoured, nylon, small, medium, large	100.00	100.00
+4082152	headrest mounting, articulated, uniball	139.00	139.00
	back spreader bar	99.00	99.00
	back spreader bar with headrest support	129.00	129.00
	push handles, bolt-on, adjustable	N/C	34.00
	Armrests:		
+4082194	U-type armrests, detachable, flip-back, height-adjustable, from 20.3 cm (8 in.) to 30.5 cm (12 in.), short, long	N/C	128.00
+4082202	T-type armrests, detachable, height-adjustable, from 15.2 cm (6 in.) to 22.9 cm (9 in.), from 20.3 cm (8 in.) to 30.5 cm	54.00	116.00
+4082210	(12 in.), from 30.5 cm (12 in.) to 38.1 cm (15 in.), short, long L-type armrests, detachable, swingaway, height-adjustable, from 20.3 cm (8 in.) to 30.5 cm (12 in.), short, long	N/C	89.00
+4082228	armrest pads, straight, short	N/C	19.00
	armrest pads, straight, long	N/C	21.00
	armrest pads, straight, fong	N/C	10.00
	clothing guards, rigid, detachable	N/C	68.00
	modification of L-type and U-type armrest height, to 15.2 cm (6 in.), 17.8 cm (7 in.), 33.0 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.)	76.00	N/A

	Footrests:		
+4082277	60° footrests, parallel, detachable, swingaway, length-	N/C	98.00
	adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)		
+4082285	70° footrests, parallel, detachable, swingaway, length-	N/C	98.00
	adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)		
+4082293	elevating legrests, from 35.6 cm (14 in.) to 45.7 cm (18 in.)	222.00	209.00
+4082301	padded calfrests	N/C	26.00
	single calf strap	25.00	25.00
	folding footplates, standard	N/C	42.00
	oversized footplates	48.00	66.00
	footplates, angle and depth-adjustable, standard size	60.00	72.00
	oversized footplates, angle and depth-adjustable	68.00	76.00
	full-width footplate, angle and depth-adjustable	114.00	198.00
	heel loops, adjustable	N/C	12.00
+4082384	*	28.00	18.00
+4082392	modification of footrest and legrest length, to - than 35.6 cm	65.00	N/A
14082400	(14 in.) or to + than 45.7 cm (18 in.) front impact guards with rollers	36.00	18.00
+4002400	from impact guards with foliers	30.00	18.00
	Frame:		
+4082418	anti-tip rollers	N/C	46.00
	tie-down points for adapted transport	N/C	N/A
	frame length, $+2.5$ cm (1 in.) or to $+5.1$ cm (2 in.) with	N/C	N/A
	respect to seat depth		
+4082442	cane holder	40.00	40.00
	D. ·		
	Drive systems:		
+4082459	smooth handrims	N/C	44.00
+4082467	smooth handrims plastic-coated handrims	N/C	84.00
+4082467	smooth handrims		
+4082467	smooth handrims plastic-coated handrims non-slip handrims	N/C	84.00
+4082467 +4082475	smooth handrims plastic-coated handrims non-slip handrims  Wheel locks:	N/C 168.00	84.00 128.00
+4082467 +4082475 +4082483	smooth handrims plastic-coated handrims non-slip handrims  Wheel locks: standard wheel locks, push-to-lock, pull-to-lock	N/C 168.00 N/C	84.00 128.00 48.00
+4082467 +4082475 +4082483 +4082491	smooth handrims plastic-coated handrims non-slip handrims  Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions	N/C 168.00 N/C 36.00	84.00 128.00 48.00 18.00
+4082467 +4082475 +4082483	smooth handrims plastic-coated handrims non-slip handrims  Wheel locks: standard wheel locks, push-to-lock, pull-to-lock	N/C 168.00 N/C	84.00 128.00 48.00
+4082467 +4082475 +4082483 +4082491	smooth handrims plastic-coated handrims non-slip handrims  Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions	N/C 168.00 N/C 36.00	84.00 128.00 48.00 18.00
+4082467 +4082475 +4082483 +4082491	smooth handrims plastic-coated handrims non-slip handrims  Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions anti-rollback brakes	N/C 168.00 N/C 36.00	84.00 128.00 48.00 18.00
+4082467 +4082475 +4082483 +4082491 +4082509	smooth handrims plastic-coated handrims non-slip handrims  Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions anti-rollback brakes  Wheels:	N/C 168.00 N/C 36.00 84.00	84.00 128.00 48.00 18.00 52.00
+4082467 +4082475 +4082483 +4082491 +4082509	smooth handrims plastic-coated handrims non-slip handrims  Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions anti-rollback brakes  Wheels: rear mag wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) rear mag wheels, semi-pneumatic tires, 55.9 cm (22 in.),	N/C 168.00 N/C 36.00 84.00	84.00 128.00 48.00 18.00 52.00
+4082467 +4082475 +4082483 +4082491 +4082509 +4082517 +4082525	smooth handrims plastic-coated handrims non-slip handrims  Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions anti-rollback brakes  Wheels: rear mag wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) rear mag wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C 168.00 N/C 36.00 84.00 N/C N/C	84.00 128.00 48.00 18.00 52.00 124.00
+4082467 +4082475 +4082483 +4082491 +4082509 +4082517 +4082525	smooth handrims plastic-coated handrims non-slip handrims  Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions anti-rollback brakes  Wheels: rear mag wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) rear mag wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.) spoked rear wheels, solid tires, 55.9 cm (22 in.), 61.0 cm	N/C 168.00 N/C 36.00 84.00	84.00 128.00 48.00 18.00 52.00
+4082467 +4082475 +4082483 +4082491 +4082509 +4082517 +4082525 +4082533	smooth handrims plastic-coated handrims non-slip handrims  Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions anti-rollback brakes  Wheels: rear mag wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) rear mag wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.) spoked rear wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C 168.00 N/C 36.00 84.00 N/C N/C 24.00	84.00 128.00 48.00 18.00 52.00 124.00 136.00
+4082467 +4082475 +4082483 +4082491 +4082509 +4082517 +4082525	smooth handrims plastic-coated handrims non-slip handrims  Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions anti-rollback brakes  Wheels: rear mag wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) rear mag wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.) spoked rear wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) spoked rear wheels, semi-pneumatic tires, 55.9 cm (22 in.), spoked rear wheels, semi-pneumatic tires, 55.9 cm (22 in.),	N/C 168.00 N/C 36.00 84.00 N/C N/C	84.00 128.00 48.00 18.00 52.00 124.00
+4082467 +4082475 +4082483 +4082491 +4082509 +4082517 +4082525 +4082533 +4082541	smooth handrims plastic-coated handrims non-slip handrims  Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions anti-rollback brakes  Wheels: rear mag wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) rear mag wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.) spoked rear wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) spoked rear wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C 168.00 N/C 36.00 84.00 N/C N/C 24.00	84.00 128.00 48.00 18.00 52.00 124.00 136.00
+4082467 +4082475 +4082483 +4082491 +4082509 +4082517 +4082525 +4082533 +4082541	smooth handrims plastic-coated handrims non-slip handrims  Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions anti-rollback brakes  Wheels: rear mag wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) rear mag wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.) spoked rear wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) spoked rear wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.) rear wheels, heavy-duty, solid tires, 55.9 cm (22 in.), 61.0 cm	N/C 168.00 N/C 36.00 84.00 N/C N/C 24.00	84.00 128.00 48.00 18.00 52.00 124.00 136.00
+4082467 +4082475 +4082483 +4082491 +4082509 +4082517 +4082525 +4082533 +4082541 +4082558	smooth handrims plastic-coated handrims non-slip handrims  Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions anti-rollback brakes  Wheels: rear mag wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) rear mag wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.) spoked rear wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) spoked rear wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.) rear wheels, heavy-duty, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C 168.00 N/C 36.00 84.00 N/C N/C 24.00 24.00 40.00	84.00 128.00 48.00 18.00 52.00 124.00 136.00 136.00 144.00
+4082467 +4082475 +4082483 +4082491 +4082509 +4082517 +4082525 +4082533 +4082541 +4082558	smooth handrims plastic-coated handrims non-slip handrims  Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions anti-rollback brakes  Wheels: rear mag wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) rear mag wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.) spoked rear wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) spoked rear wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.) rear wheels, heavy-duty, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) heavy-duty spoked rear wheels, semi-pneumatic tires,	N/C 168.00 N/C 36.00 84.00 N/C N/C 24.00	84.00 128.00 48.00 18.00 52.00 124.00 136.00
+4082467 +4082475 +4082483 +4082491 +4082509 +4082517 +4082525 +4082533 +4082541 +4082558 +4082566	smooth handrims plastic-coated handrims non-slip handrims  Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions anti-rollback brakes  Wheels: rear mag wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) rear mag wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.) spoked rear wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) spoked rear wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.) rear wheels, heavy-duty, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) heavy-duty spoked rear wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C 168.00 N/C 36.00 84.00 N/C N/C 24.00 24.00 40.00	84.00 128.00 48.00 18.00 52.00 124.00 136.00 136.00 144.00
+4082467 +4082475 +4082483 +4082491 +4082509 +4082517 +4082525 +4082533 +4082541 +4082558 +4082566	smooth handrims plastic-coated handrims non-slip handrims  Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions anti-rollback brakes  Wheels: rear mag wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) rear mag wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.) spoked rear wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) spoked rear wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.) rear wheels, heavy-duty, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.) heavy-duty spoked rear wheels, semi-pneumatic tires,	N/C 168.00 N/C 36.00 84.00 N/C N/C 24.00 24.00 40.00	84.00 128.00 48.00 18.00 52.00 124.00 136.00 136.00 144.00

+4082582	rear wheels, heavy-duty, high pressure, 50.8 cm (20 in.),	40.00	144.00
	55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)		
+4082590	front wheels, solid tires, 7.6 cm (3 in.) X 2.5 cm (1 in.),	N/C	40.00
	10.2 cm (4 in.) X 2.5 cm (1 in.)		
+4082608	front wheels, solid tires, 12.7 cm (5 in.) X 2.5 cm (1 in.),	N/C	45.00
4002616	15.2 cm (6 in.) X 2.5 cm (1 in.)	NIG	<b>50.00</b>
+4082616	front wheels, solid tires, 17.8 cm (7 in.), 20.3 cm (8 in.) X	N/C	50.00
. 4002624	2.5 cm (1 in.)	24.00	52.00
+4082624	front wheels, semi-pneumatic tires, $10.2 \text{ cm}$ (4 in.) X 3.8 cm (1½ in.)	24.00	32.00
1/1082632	front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm	44.00	62.00
T4002032	(1½ in.)	44.00	02.00
+4082640	front wheels, semi-pneumatic tires, 15.2 cm (6 in.) X 3.8 cm	64.00	72.00
14002040	(1½ in.)	01.00	72.00
+4082657	front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm	24.00	52.00
	(1¼ in.), 20.3 cm (8 in.) X 3.2 cm (1¼ in.)		
	Forks:		
	forks, multi-positions, short	N/C	40.00
		N/C N/C	40.00 54.00
	forks, multi-positions, short forks, multi-positions, long		
+4082673	forks, multi-positions, short forks, multi-positions, long  Rear axles:	N/C	54.00
+4082673 +4082681	forks, multi-positions, short forks, multi-positions, long  Rear axles: threaded axles	N/C	54.00 14.00
+4082673 +4082681 +4082699	forks, multi-positions, short forks, multi-positions, long  Rear axles: threaded axles quick-release axles	N/C N/C N/C	54.00 14.00 44.00
+4082673 +4082681 +4082699 +4082707	forks, multi-positions, short forks, multi-positions, long  Rear axles: threaded axles quick-release axles plates for amputees	N/C N/C N/C 48.00	54.00 14.00 44.00 39.00
+4082673 +4082681 +4082699 +4082707 +4082715	forks, multi-positions, short forks, multi-positions, long  Rear axles: threaded axles quick-release axles plates for amputees rear wheel camber, 3°	N/C N/C N/C 48.00 N/C	54.00 14.00 44.00 39.00 N/A
+4082673 +4082681 +4082699 +4082707 +4082715	forks, multi-positions, short forks, multi-positions, long  Rear axles: threaded axles quick-release axles plates for amputees	N/C N/C N/C 48.00	54.00 14.00 44.00 39.00
+4082673 +4082681 +4082699 +4082707 +4082715	forks, multi-positions, short forks, multi-positions, long  Rear axles: threaded axles quick-release axles plates for amputees rear wheel camber, 3° rear wheel camber, 6°  Non S.C. components for which supporting document	N/C N/C N/C 48.00 N/C	54.00 14.00 44.00 39.00 N/A
+4082673 +4082681 +4082699 +4082707 +4082715 +4082723	forks, multi-positions, short forks, multi-positions, long  Rear axles: threaded axles quick-release axles plates for amputees rear wheel camber, 3° rear wheel camber, 6°  Non S.C. components for which supporting document must be kept on file:	N/C N/C N/C 48.00 N/C 62.00	54.00 14.00 44.00 39.00 N/A N/A
+4082673 +4082681 +4082699 +4082707 +4082715 +4082723	forks, multi-positions, short forks, multi-positions, long  Rear axles: threaded axles quick-release axles plates for amputees rear wheel camber, 3° rear wheel camber, 6°  Non S.C. components for which supporting document must be kept on file: spoke guards, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm	N/C N/C N/C 48.00 N/C	54.00 14.00 44.00 39.00 N/A
+4082673 +4082681 +4082699 +4082707 +4082715 +4082723	forks, multi-positions, short forks, multi-positions, long  Rear axles: threaded axles quick-release axles plates for amputees rear wheel camber, 3° rear wheel camber, 6°  Non S.C. components for which supporting document must be kept on file:	N/C N/C N/C 48.00 N/C 62.00	54.00 14.00 44.00 39.00 N/A N/A

#### SUPPLIER: PRODUCT DESIGN GROUP INC.

#### **PRICE**

# +4095600 MANUAL WHEEL CHAIR ECLIPSE 600 MODEL

#### 1,810.00

### **Basic Components**

### **Body support system**

- fixed back, angle-adjustable from 90° to 105°
- supple back, tension-adjustable
- rigid seat, flat
- back height: from 40.6 cm (16 in.) to 50.8 cm (20 in.)
- front seat height: from 35.6 cm (14 in.) to 50.8 cm (20 in.)
- seat width: from 50.8 cm (20 in.) to 66.0 cm (26 in.)
- seat depth: from 40.6 cm (16 in.) to 55.9 cm (22 in.)
- safety belt, auto-type
- push handles, bolt-on, integrated into backposts, cane-style

#### **Armrests**

- U-type armrests, fixed height, 30.5 cm (12 in.), short, long
- armrest pads, straight, short, long
- clothing guards, rigid

### **Footrests**

- 60°, footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)
- folding footplates, standard
- oversized footplates
- footplates, angle and depth-adjustable, standard, oversized
- heel loops, adjustable

#### Frame

- anti-tip rollers
- tie-down points for adapted transport
- seat tilt,  $0^{\circ}$  to  $10^{\circ}$

### Drive, brake, wheel, fork and axle systems

- smooth handrims
- standard wheel locks, push-to-lock, pull-to-lock
- rear wheels, heavy-duty, solid tires, 61.0 cm (24 in.)
- front wheels, solid tires, 12.7 cm (5 in.)
- standard forks
- threaded rear axles
- quick-release axles
- axle position along the back axis

224

Price upon initial

Price upon

		purchase or replacement of wheel chair (price per pair, as applicable)	replacement of component (unit price)
	<b>Basic and Optional Components</b>		
	Body support system Seat and back:		
+4095477	supple back, tension-adjustable	N/C	155.00
+4095485	back, angle-adjustable, 90° to 105°	N/C	N/A
	rigid seat, flat	N/C	47.00
	modification of back height to 53.3 cm (21 in.), 55.9 cm (22 in.) and to 58.4 cm (23 in.)	34.00	34.00
+4095519	modification of seat width from 68.6 cm (27 in.) to 121.9 cm (48 in.)	495.00	495.00
	(24 in.)	148.00	148.00
	back extension, 25.4 cm (10 in.)	93.00	93.00
	Solar seat cushion, 50.8 cm (20 in.) to 61.0 cm (24 in.) wide, 5.1 cm (2 in.)	101.00	101.00
	Solar contoured seat cushion, 50.8 cm (20 in.) to 61.0 cm (24 in.) wide, 7.6 cm (3 in.)	179.00	179.00
+4095568	safety belt, auto-type	N/C	20.00
	Stealth headrest, 35.6 cm (14 in.) pad, depth and height-articulated	143.00	143.00
+4095584	Stealth headrest, 25.4 cm (10 in.) pad, depth and height-articulated	143.00	143.00
	Stealth headrest, 35.6 cm (14 in.) pad, articulated, uniball	183.00	183.00
	Stealth headrest, 25.4 cm (10 in.) pad, articulated, uniball	183.00	183.00
	headrest mounting plate	16.00	16.00
+4095626	push handles, bolt-on, integrated into backposts, cane-style	N/C	100.00
400=<04	Armrests:	)	<b>~</b> 0.00
	U-type armrests, fixed height, 30.5 cm (12 in.), short, long	N/C	50.00
+4095642	U-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), and from 30.5 cm (12 in.) to 40.6 cm (16 in.), short, long	70.00	85.00
+4095659	armrest pads, straight, short, long	N/C	12.00
	armrest pads, 7.6 cm (3 in.) longer	26.00	25.00
	armrest pads, 7.6 cm (3 in.) wide	76.00	50.00
	clothing guards, rigid	N/C	N/A
	front guards (extended lateral supports)	99.00	50.00
	<b>Footrests:</b> 60° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)	N/C	95.00
	elevating legrests	260.00	225.00
+4095725	elevating legrests, with compensating mechanism	350.00	270.00

	single calf strap	30.00	30.00
	folding footplates, standard	N/C	19.00
	full-width footplate	197.00	235.00
	oversized footplates	N/C	53.00
	footplates, angle and depth-adjustable, standard size	N/C	19.00
	footplates, angle and depth-adjustable, oversized	N/C	53.00
	full-width footplate, angle and depth-adjustable	241.00	279.00
	heel loops, adjustable	N/C	34.00
+4095816	modification of length, from 38.1 cm (15 in.) to 48.3 cm	20.00	15.00
	(19 in.)		
+4095824	extension of heavy-duty tubes, 33.0 cm (13 in.) to 48.3 cm	50.00	30.00
	(19 in.)		
	dynamic footrest spring	60.00	30.00
+4095840	midline footrest attachment	135.00	135.00
	Frame:		
+4095857	growth kit, 66.0 cm (26 in.) to 121.9 cm (48 in.)	243.00	243.00
	anti-tip rollers	N/C	47.00
	tie-down points for adapted transport	N/C	N/A
	seat tilt, $0^{\circ}$ to $10^{\circ}$	N/C	N/A
+4095899	heavy-duty frame, 453.6 kg (1000 lb)	81.00	81.00
	D: (		
. 4005005	Drive systems:	N/C	22.00
	smooth handrims	N/C	23.00
	plastic-coated handrims	80.00	63.00
+4095923	handrims with vertical projections	358.00	202.00
	Wheel locks:		
14005031	standard wheel locks, push-to-lock, pull-to-lock	N/C	33.00
	wheel lock extension	38.00	19.00
T4023242	WHEEL TOCK EXTENSION	36.00	19.00
	Wheels:		
+4095956	rear wheels, heavy-duty, solid tires, 61.0 cm (24 in.)	N/C	101.00
	front wheels, solid tires, 12.7 cm (5 in.)	N/C	97.00
11000001	from wheels, some thes, 12.7 cm (2 m.)	100	77.00
	Forks:		
+4095972	standard forks	N/C	35.00
0>0>.2		1 " 0	22.00
	Rear axles:		
+4095980	threaded rear axles	N/C	37.00
	quick-release axles	N/C	45.00
	axle position along back axis	N/C	N/A
	1	0	<b></b>
	G		
. 4007012	Component under Special Consideration:	£40.00	540.00
+4096012	reclining back, -30° *	540.00	540.00

#### SUBDIVISION 2: LIGHTWEIGHT MANUAL WHEEL CHAIRS

# SUPPLIER: INVACARE CANADA L.P.

#### **PRICE**

# +4044400 LIGHTWEIGHT MANUAL WHEEL CHAIR TOP END CROSSFIRE T6 MODEL

1,686.00

#### **Basic Components**

### **Body support system**

- folding back, angle and height-adjustable, from 20.3 cm (8 in.) to 50.8 cm (20 in.)
- supple seat and back, nylon
- supple seat and back, tension-adjustable
- back height: from 20.3 cm (8 in.) to 50.8 cm (20 in.)
- front seat height: from 43.2 cm (17 in.) to 53.3 cm (21 in.)
- seat width: from 30.5 cm (12 in.) to 45.7 cm (18 in.)
- seat depth: from 35.6 cm (14 in.) to 45.7 cm (18 in.)
- safety belt, velcro-type, auto-type
- push handles, bolt-on, integrated into backposts

#### **Armrests**

- L-type armrests, detachable, swingaway, height-adjustable, long
- armrest pads, tubular
- clothing guards, flexible, rigid, flanged

# **Footrests**

- fixed footrests, narrowed, tapered, length-adjustable
- full-width footplate, tubular
- full-width footplate, angle and depth-adjustable
- single calf strap

# Drive, brake, wheel, fork and axle systems

- smooth handrims
- scissor-type wheel locks, standard, push-to-lock, pull-to-lock
- spoked rear wheels, standard pressure, 55.9 cm (22 in.)
- spoked rear wheels, high pressure, 61.0 cm (24 in.), 66.0 cm (26 in.)
- rear wheels, heavy-duty, standard pressure, high pressure, 61.0 cm (24 in.), 63.5 cm (25 in.)
- front wheels, solid tires, 7.6 cm (3 in.)
- front wheels, semi-pneumatic tires, 10.2 cm (4 in.) X 2.5 cm (1 in.), 12.7 cm (5 in.) X 2.5 cm (1 in.)
- standard forks
- quick-release axles
- rear wheel camber,  $0^{\circ}$ ,  $3^{\circ}$ ,  $6^{\circ}$ ,  $9^{\circ}$

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	<b>Basic and Optional Components</b>		
	Body support system		
	Seat and back:		
+4044418	supple back, nylon	N/C	104.00
	supple back, tension-adjustable	N/C	154.00
+4044434	folding back, angle and height-adjustable, from 20.3 cm	N/C	N/A
	(8 in.) to 50.8 cm (20 in.)		
	fixed-angle back, $0^{\circ}$ , $3^{\circ}$ , $6^{\circ}$ , $9^{\circ}$	90.00	N/A
	supple seat, nylon	N/C	50.00
	supple seat, nylon, tension-adjustable	N/C	65.00
+4044475	seat width narrowed toward front, 2.5 cm (1 in.) to 10.2 cm	85.00	N/A
	(4 in.) narrower		
	ERGO seat, narrowed front	135.00	N/A
	ERGO seat, V-shaped front	203.00	N/A
+4045233	modification of seat width to 48.3 cm (19 in.) and to	56.00	N/A
	50.8 cm (20 in.)		
+4045365	modification of seat depth to 48.3 cm (19 in.) and to	56.00	N/A
40.4-4-4	50.8 cm (20 in.)		-1.00
	seat cushion, flat, foam, 5.1 cm (2 in.)	61.00	61.00
	seat cushion, flat, foam, 7.6 cm (3 in.)	61.00	61.00
	safety belt, velcro-type	N/C	42.00
	safety belt, auto-type	N/C	53.00
	backposts with push handles	N/C	52.00
+4045423	push handles, bolt-on	N/C	62.00
	Armrests:		
±4045431	L-type armrests, detachable, swingaway, height-adjustable,	N/C	41.00
14045451	long	14/0	41.00
+4045449	armrest pads, tubular	N/C	12.00
	clothing guards, flexible	N/C	55.00
	clothing guards, rigid	N/C	48.00
	clothing guards, with mudguard	N/C	62.00
	66		
	Footrests:		
+4045480	fixed footrests, narrowed, tapered, length-adjustable	N/C	N/A
+4045498	single calf strap	N/C	38.00
	full-width footplate, tubular	N/C	127.00
	full-width footplate, angle and depth-adjustable	N/C	199.00
+4045522	clamps for installation of footplates higher on footrest support	50.00	25.00

+ <b>4045530</b> anti-tip rollers 56.00	
+4045550 and-up tollers 50.00	69.00
Drive systems:	
+4045548 smooth handrims N/C	52.00
+4045555 plastic-coated handrims 22.00	63.00
Wheel locks:	
	46.00
/ <b>1</b>	105.00
+4045571 scissor-type wheel locks +4045589 anti-rollback brakes N/C	93.00
+4045589 and-rondack drakes 94.00	93.00
Wheels:	
+4045597 spoked rear wheels, standard pressure, 55.9 cm (22 in.)	162.00
<b>+4045605</b> spoked rear wheels, high pressure, 61.0 cm (24 in.)	162.00
+ <b>4045613</b> spoked rear wheels, high pressure, 66.0 cm (26 in.)	162.00
+4045621 rear wheels, heavy-duty, standard pressure, high pressure, N/C	206.00
61.0 cm (24 in.) 63.5 cm (25 in.)	
+4045639 rear wheels, heavy-duty, standard pressure, high pressure, 88.00	206.00
66.0 cm (26 in.)	
<b>+4045647</b> front wheels, solid tires, 7.6 cm (3 in.)	38.00
+4045654 front wheels, semi-pneumatic tires, 10.2 cm (4 in.) X N/C	38.00
2.5 cm (1 in.), 12.7 cm (5 in.) X 2.5 cm (1 in.)	
E.J.	
Forks: +4045662 standard forks N/C	52.00
+4045002 Standard forks IN/C	32.00
Rear axles:	
+4045670 quick-release axles N/C	37.00
+4045688 rear wheel camber, $0^{\circ}$ , $3^{\circ}$ , $6^{\circ}$ and $9^{\circ}$ N/C	N/A
+4045696 axle position along the backrest axis 75.00	N/A
Non S.C. components for which supporting document	
must be kept on file:	
+ <b>4045704</b> spoke guards 64.00	32.00
+4045712 quick-release axles with lever mechanism 62.00	68.00

#### SUPPLIER: SUNRISE MEDICAL CANADA INC.

#### **PRICE**

# 4052700 MANUAL WHEEL CHAIR QUICKIE GT ADULT MODEL

1,730.00

# **Basic Components**

### **Body support system**

- back, angle-adjustable, 28° of adjustment
- folding back, angle-adjustable, 28° of adjustment
- folding back, angle-adjustable, height: from 25.4 cm (10 in.) to 45.7 cm (18 in.)
- supple seat and back, nylon
- seat tilt, up to 16° of adjustment
- front seat height: from 40.6 cm (16 in.) to 53.3 cm (21 in.)
- seat width: from 35.6 cm (14 in.) to 45.7 cm (18 in.)
- seat depth: from 35.6 cm (14 in.) to 45.7 cm (18 in.)
- safety belt, velcro-type, auto-type
- push handles, bolt-on, integrated into backposts

#### **Armrests**

- L-type armrests, detachable, swingaway, height-adjustable, from 20.3 cm (8 in.) to 30.5 cm (12 in.), short
- armrest pads, straight, short, long
- armrest pads, tubular
- clothing guards, flexible, rigid
- clothing guards, aluminum, folding with mudguard

#### **Footrests**

- 75°, 85° footrests, parallel, narrowed by 2.5 cm (1 in.) or by 5.1 cm (2 in.), fixed, length-adjustable, from 33.0 cm (13 in.) to 50.8 cm (20 in.)
- single calf strap
- full-width footplate, aluminum, tubular, with plate
- heel loops, adjustable

# Drive, brake, wheel, fork and axle systems

- smooth handrims, 55.9 cm (22 in.), 61.0 cm (24 in.), 63.5 cm (25 in.), 66.0 cm (26 in.)
- standard wheel locks, push-to-lock, pull-to-lock
- scissor-type wheel locks
- rear mag wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.)
- rear mag wheels, standard pressure, 55.9 cm (22 in.), 61.0 cm (24 in.)
- spoked rear wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.)
- spoked rear wheels, standard pressure, 55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)
- spoked rear wheels, high pressure, 61.0 cm (24 in.), 66.0 cm (26 in.)
- rear wheels, heavy-duty, standard pressure, high pressure, 61.0 cm (24 in.)

230

- front wheels, solid tires, 7.6 cm (3 in.), 10.2 cm (4 in.), 12.7 cm (5 in.), 15.2 cm (6 in.)
- front wheels, semi-pneumatic tires, 10.2 cm (4 in.) X 3.2 cm (1<sup>1</sup>/<sub>4</sub> in.)
- front wheels, semi-pneumatic tires, 10.2 cm (4 in.) X 3.8 cm (1½ in.), 12.7 cm (5 in.) X 3.8 cm (1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.)
- standard forks, adjustable, wide, compatible with 7.6 cm (3 in.), 10.2 cm (4 in.), 12.7 cm (5 in.) and 15.2 cm (6 in.) wheels
- quick-release axles
- rear wheel camber,  $0^{\circ}$ ,  $3^{\circ}$ ,  $6^{\circ}$ ,  $9^{\circ}$
- axle position along the backrest axis, -2.5 cm (1 in.) to 11.4 cm (4½ in.)

Updated: December 12, 2016 231

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	<b>Basic and Optional Components</b>		_
	Body support system		
	Seat and back:		
+4055521	back, angle-adjustable, 28° of adjustment	N/C	N/A
	folding back, angle-adjustable, 28° of adjustment	N/C	N/A
	folding back, angle-adjustable, height-adjustable: from	N/C	N/A
	25.4 cm (10 in.) to 45.7 cm (18 in.)		
4052551	supple back, nylon	N/C	67.00
4052510	supple back, tension-adjustable	76.00	143.00
4052569	supple seat, nylon	N/C	55.00
+4055547	seat tilt, up to 16° of adjustment	N/C	N/A
4052486	modification of seat width to 48.3 cm (19 in.) or to 50.8 cm	55.00	N/A
	(20 in.)		
4052494	modification of seat depth to 48.3 cm (19 in.) or to 50.8 cm	50.00	N/A
	(20 in.)		
+4055554	modification of depth through seat canvas, customized	80.00	N/A
4052577	seat cushion, flat, foam, 5.1 cm (2 in.)	58.00	58.00
4052585	seat cushion, flat, foam, 7.6 cm (3 in.)	58.00	58.00
4052593	seat cushion, flat, foam, 10.2 cm (4 in.)	58.00	58.00
4052601	safety belt, velcro-type	N/C	29.00
	safety belt, auto-type	N/C	42.00
	backposts with push handles	N/C	25.00
	push handles, bolt-on	N/C	28.00
4052544	push handles, folding	52.00	51.00
	Armrests:		
4052643	T-type armrests, height-adjustable, from 22.9 cm (9 in.) to	78.00	135.00
4052045	35.6 cm (14 in.), short, long	70.00	133.00
4052635	L-type armrests, detachable, swingaway, height-adjustable,	N/C	96.00
1022022	from 20.3 cm (8 in.) to 30.5 cm (12 in.), short	14,0	70.00
4052692	armrest pads, straight, short	N/C	15.00
	armrest pads, straight, long	N/C	18.00
	armrest pads, tubular	N/C	2.00
	clothing guards, flexible	N/C	22.00
	clothing guards, rigid	N/C	68.00
	clothing guards, aluminum, folding with mudguard	N/C	145.00
	receptors for L-type armrests, angle-adjustable	40.00	N/A
	Footrests:		
4053204	75°, 85° footrests, parallel, narrowed by 2.5 cm (1 in.) or	N/C	N/A
7033434	5.1 cm (2 in.), fixed, length-adjustable, from 33.0 cm	IN/C	1 <b>N</b> / P <b>1</b>
	(13 in.) to 50.8 cm (20 in.)		
4053302	single calf strap	N/C	19.00
7033304	onigio ouri orrup	14/	17.00

		`	,
4053310	double calf strap	14.00	33.00
	full-width footplate, aluminum, tubular, with plate	N/C	N/A
	full-width footplate, angle and depth-adjustable	40.00	111.00
	footplates, angle and depth-adjustable, oversized, for	54.00	76.00
1000070	modification of front frame	21.00	70.00
+4055588	heel loops, adjustable	N/C	10.00
	foot positioning plates	40.00	20.00
	5.1 cm (2 in.), 10.2 cm (4 in.), 15.2 cm (6 in.) spacers for	20.00	10.00
	footplate		
+4055596	raised footrest mounting for angle or depth-adjustable	60.00	N/A
	footplate		
+4055604	modification permitting the installation of individual	635.00	N/A
	folding footplates		
	Frame:		
+4055612	wheel chair modification kit including: frame, back cross	450.00	N/A
	bar, seat canvas, lower portion of back, axle tubes and		
	footplate, in the first three (3) years		
	anti-tip rollers	44.00	39.00
4053401	adjustment of back depth by -2.5 cm (1 in.) or by -5.1 cm	76.00	N/A
40.50.44.0	(2 in.)	45.00	47.00
4053419	cane holder	45.00	45.00
	Duine anatoma		
4053377	<b>Drive systems:</b> smooth handrims, 55.9 cm (22 in.), 61.0 cm (24 in.),	N/C	60.00
4055577	63.5 cm (25 in.), 66.0 cm (26 in.)	IN/C	00.00
4053385		56.00	88.00
4033303	63.5 cm (25 in.), 66.0 cm (26 in.)	30.00	00.00
4053369	handrims with vertical or oblique projections	90.00	105.00
	non-slip handrims, 61.0 cm (24 in.)	168.00	144.00
1002027			
	Wheel locks:		
4053427	standard wheel locks, push-to-lock, pull-to-lock	N/C	40.00
4053435	scissor-type wheel locks	N/C	27.00
4052411	scissor-type wheel locks-ergo	24.00	52.00
4053443	wheel lock extensions	26.00	13.00
4053450	anti-rollback brakes	68.00	34.00
+4055620	compact scissor-type wheel locks	70.00	75.00
40 =	Wheels:		4.5.0.
4054300	rear mag wheels, semi-pneumatic tires, 55.9 cm (22 in.),	N/C	136.00
40.74505	61.0 cm (24 in.)	37/0	110.00
4054292	rear mag wheels, standard pressure, 55.9 cm (22 in.),	N/C	113.00
4054334	61.0 cm (24 in.)	NT/C	152.00
4054334	spoked rear wheels, semi-pneumatic tires, 55.9 cm (22 in.),	N/C	153.00
4054210	61.0 cm (24 in.)	N/C	126.00
4034318	spoked rear wheels, standard pressure, 55.9 cm (22 in.),	N/C	136.00
1051226	61.0 cm (24 in.), 66.0 cm (26 in.) spoked rear wheels, high pressure, 61.0 cm (24 in.),	N/C	136.00
4034320	66.0 cm (26 in.)	IN/C	130.00
	00.0 CIII (20 III.)		

4054342	rear wheels, heavy-duty, standard pressure, high pressure, 61.0 cm (24 in.)	N/C	199.00
4054359	rear wheels, heavy-duty, standard pressure, high pressure, 66.0 cm (26 in.)	56.00	227.00
4054367	rear wheels, heavy-duty, high pressure, 63.5 cm (25 in.)	56.00	227.00
	front wheels, solid tires, 7.6 cm (3 in.)	N/C	67.00
	front wheels, solid tires, 10.2 cm (4 in.)	N/C	60.00
	front wheels, solid tires, 12.7 cm (5 in.)	N/C	47.00
	front wheels, solid tires, 15.2 cm (6 in.)	N/C	62.00
+4055638	front wheels, semi-pneumatic tires, 10.2 cm (4 in.) X 3.2 cm (1 <sup>1</sup> / <sub>4</sub> in.)	N/C	60.00
4054417	front wheels, semi-pneumatic tires, 10.2 cm (4 in.) X 3.8 cm (1½ in.), 12.7 cm (5 in.) X 3.8 cm (1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.)	N/C	89.00
4054425	front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 5.1 cm (2 in.)	68.00	81.00
	Forks:		
4053609	standard forks, wide, adjustable, compatible with 7.6 cm (3 in.), 10.2 cm (4 in.), 12.7 cm (5 in.) and 15.2 cm (6 in.) wheels	N/C	69.00
4054250	fork-locking mechanism	99.00	83.00
	Rear axles:		
4054268	quick-release axles	N/C	33.00
	plates for amputees	56.00	84.00
	rear wheel camber to 0°, 3°, 6°, 9°	N/C	38.00
+4055646	axle position along the backrest axis, -2.5 cm (1 in.) to $11.4$ cm ( $4\frac{1}{2}$ in.)	N/C	N/A
	Non S.C. components for which supporting document must be kept on file:		
4054433	spoke guards	70.00	35.00
	quick-release axles with lever mechanism	66.00	66.00
	heavy-duty axles	102.00	84.00

### **SUBDIVISION 3: POWERED WHEEL CHAIRS**

# SUPPLIER: INVACARE CANADA L.P.

#### **PRICE**

# +4545000 POWERED WHEEL CHAIR TDX – SP ADULT MODEL

4,322.00

# **Basic Components**

# **Body support system**

- back, angle-adjustable
- supple back, nylon, leatherette, heavy-duty
- rigid seat, flat
- back height: from 30.5 cm (12 in.) to 61.0 cm (24 in.)
- seat heights: 41.9 cm (16½ in.), 47.0 cm (18½ in.)
- seat width: from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- seat depth: from 40.6 cm (16 in.) to 48.3 cm (19 in.)
- back spreader bar, on reclining back
- safety belt, auto-type
- headrest mounting, articulated
- push handles
- push bar
- installation of power rocker device

#### Armrests

- U-type armrests, height-adjustable, from 20.3 cm (8 in.) to 30.5 cm (12 in.), short, long
- armrest pads, straight, short, long
- armrest pads, contoured, short, long
- rigid clothing guards, built into armrests

### **Footrests**

- 70° footrests, parallel, detachable, swingaway, length-adjustable, from 29.8 cm (11¾ in.) to 43.2 cm (17 in.)
- padded calfrests
- folding footplates, standard
- heel loops, fixed
- heel loops, adjustable
- longer extension tubes, additional 5.1 cm (2 in.)

### Frame

- anti-tip rollers
- tie-down points for adapted transport
- rear suspension
- rear reflectors
- running lights

### **Drive systems**

- programmable joystick control SPJ / PSS
- battery charge display
- battery charger
- battery boxes, group 22, group 24
- toggle switch
- side bracket for joystick control
- swivel side bracket for joystick control
- bracket for separate display module
- controller
- heavy-duty motors, standard motors, with gear assembly, 4-brush

#### Wheels and forks

- driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.)
- front and rear casters, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.)
- driving wheel rims
- standard forks, 15.2 cm (6 in.), one-sided

# For a TDX-SP wheel chair with power reclining back or power rocker only:

- conventional back, height of 40.6 cm (16 in.) to 61.0 cm (24 in.) \*
- ABS shell, height of 40.6 cm (16 in.) to 61.0 cm (24 in.) \*
- combined headrest/neckrest, with mounting, small, large \*

454132         back, angle-adjustable         N/C         N/C           4542841         supple back, nylon, single thickness         N/C         75.0           454364         supple back, heavy-duty nylon         N/C         90.0           4543179         supple back, leatherette         N/C         90.0           4543171         padded back, contoured, fabric         284.00         359.0           4543377         padded back, contoured, leatherette         414.00         489.0           +4545018         ergonomic back, from 33.0 cm (13 in.) to 50.8 cm (20 in.), with 12.7 cm (5 in.) thoracic supports         296.00         371.0           +4545026         ergonomic back, from 33.0 cm (13 in.) to 50.8 cm (20 in.), with 17.8 cm (7 in.) thoracic supports         456.00         531.0           +4545034         ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 12.7 cm (5 in.) thoracic supports         536.00         611.0           +4545042         contour back, from 50.8 cm (20 in.) to 55.9 cm (22 in.)         536.00         611.0           4542742         rigid seat, flat         N/C         48.0           4542734         padded seat, contoured, fabric         297.00         297.0           4543260         padded seat, ergonomic, contoured, fabric, width: from 33.0 cm (13 in.) to 55.9 cm (22 in.)         397.00			Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
Seat and back:         4543120         seat/back structure, with angle-adjustable back (ASBA)         574.00         675.0           4541132         back, angle-adjustable         N/C         N/C           4542841         supple back, nylon, single thickness         N/C         75.0           44543864         supple back, heavy-duty nylon         N/C         90.0           4543179         supple back, leatherette         N/C         90.0           4543171         padded back, contoured, fabric         284.00         359.0           4543377         padded back, contoured, leatherette         414.00         489.0           4543018         ergonomic back, from 33.0 cm (13 in.) to 50.8 cm (20 in.)         296.00         371.0           with 12.7 cm (5 in.) thoracic supports         4545026         ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (20 in.)         376.00         451.0           4545034         ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.)         456.00         531.0           heavy-duty, with 17.8 cm (7 in.) thoracic supports         74545042         536.00         611.0           4542742         padded seat, contoured, fabric         297.00         297.00           4542734         padded seat, contoured, fabric         297.00         297.00           4543260		Basic and Optional Components		
4543120       seat/back structure, with angle-adjustable back (ASBA)       574.00       675.0         4541132       back, angle-adjustable       N/C       N/C         4542841       supple back, nylon, single thickness       N/C       75.0         4543864       supple back, heavy-duty nylon       N/C       90.0         4543179       supple back, leavy-duty nylon       N/C       90.0         45432718       padded back, contoured, fabric       284.00       359.0         4543377       padded back, contoured, leatherette       414.00       489.0         4545018       ergonomic back, from 33.0 cm (13 in.) to 50.8 cm (20 in.), with 12.7 cm (5 in.) thoracic supports       296.00       371.0         +4545026       ergonomic back, from 33.0 cm (13 in.) to 50.8 cm (20 in.), with 17.8 cm (7 in.) thoracic supports       376.00       451.0         +4545034       ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 12.7 cm (5 in.) thoracic supports       4542742       19id seat, flat       N/C       48.0         4542742       rigid seat, flat       N/C       48.0       48.0         4542742       padded seat, contoured, fabric       297.00       297.0         4543260       padded seat, ergonomic, contoured, fabric, width: from 48.3 cm       310.00       344.0         (19		Body support system		
4541132         back, angle-adjustable         N/C         N/C           4542841         supple back, nylon, single thickness         N/C         75.0           45434864         supple back, heavy-duty nylon         N/C         90.0           4543179         supple back, leatherette         N/C         90.0           4543771         padded back, contoured, fabric         284.00         359.0           4543377         padded back, contoured, leatherette         414.00         489.0           +4545018         ergonomic back, from 33.0 cm (13 in.) to 50.8 cm (20 in.), with 12.7 cm (5 in.) thoracic supports         296.00         371.0           +4545026         ergonomic back, from 30.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 12.7 cm (5 in.) thoracic supports         456.00         531.0           +4545034         ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 17.8 cm (7 in.) thoracic supports         536.00         611.0           +4545042         contour back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 17.8 cm (7 in.) thoracic supports         75.0         4542742         17 id seat, flat         N/C         48.0           4542734         padded seat, contoured, fabric         297.00         297.0         297.0           4543260         padded seat, ergonomic, contoured, fabric, width: from 48.3 cm         310		Seat and back:		
4542841         supple back, nylon, single thickness         N/C         75.0           +4543864         supple back, heavy-duty nylon         N/C         90.0           4543179         supple back, leatherette         N/C         90.0           4542718         padded back, contoured, fabric         284.00         359.0           4543377         padded back, contoured, leatherette         414.00         489.0           +4545018         ergonomic back, from 33.0 cm (13 in.) to 50.8 cm (20 in.), with 12.7 cm (5 in.) thoracic supports         296.00         371.0           +4545026         ergonomic back, from 33.0 cm (13 in.) to 50.8 cm (20 in.), argonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 12.7 cm (5 in.) thoracic supports         456.00         531.0           +4545034         ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 17.8 cm (7 in.) thoracic supports         536.00         611.0           +4545042         contour back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 17.8 cm (7 in.) thoracic supports         70.0         297.00         297.00           4542734         padded seat, ergonomic, contoured, fabric, width: from 283.00         315.0         315.0           4543260         padded seat, ergonomic, contoured, fabric, width: from 48.3 cm (19 in.) to 55.9 cm (21 in.)         397.00         397.0           4543401         <	4543120	seat/back structure, with angle-adjustable back (ASBA)	574.00	675.00
+4543864         supple back, heavy-duty nylon         N/C         90.0           4543179         supple back, leatherette         N/C         90.0           4543177         padded back, contoured, fabric         284.00         359.0           4543377         padded back, contoured, leatherette         414.00         489.0           +4545018         ergonomic back, from 33.0 cm (13 in.) to 50.8 cm (20 in.), with 12.7 cm (5 in.) thoracic supports         296.00         371.0           +4545026         ergonomic back, from 30.0 cm (13 in.) to 50.8 cm (20 in.), with 17.8 cm (7 in.) thoracic supports         376.00         451.0           +4545034         ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 12.7 cm (5 in.) thoracic supports         456.00         531.0           +4545042         contour back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 17.8 cm (7 in.) thoracic supports         536.00         611.0           4542742         rigid seat, flat         N/C         48.0           4542734         padded seat, contoured, fabric         297.00         297.0           4543260         padded seat, ergonomic, contoured, fabric, width: from 33.0 cm (13 in.) to 48.3 cm (19 in.)         310.00         344.0           4543401         padded seat, contoured, leatherette         397.00         397.0           4543280         <	4541132	back, angle-adjustable	N/C	N/A
4543179       supple back, leatherette       N/C       90.0         4542718       padded back, contoured, fabric       284.00       359.0         4543377       padded back, contoured, leatherette       414.00       489.0         +4545018       ergonomic back, from 33.0 cm (13 in.) to 50.8 cm (20 in.), with 12.7 cm (5 in.) thoracic supports       296.00       371.0         +4545026       ergonomic back, from 33.0 cm (13 in.) to 50.8 cm (20 in.), with 17.8 cm (7 in.) thoracic supports       376.00       451.0         +4545034       ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 12.7 cm (5 in.) thoracic supports       456.00       531.0         +4545042       contour back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 17.8 cm (7 in.) thoracic supports       536.00       611.0         4542742       rigid seat, flat       N/C       48.0         4542734       padded seat, contoured, fabric       297.00       297.00         4543260       padded seat, ergonomic, contoured, fabric, width: from 283.00       315.0         4543260       padded seat, ergonomic, fabric, width: from 48.3 cm (19 in.)       397.00       397.0         4543401       padded seat, contoured, leatherette       397.00       397.0         4542791       modification of seat height, from 50.8 cm (20 in.) to 61.0 cm (24 in.)       132.00	4542841	supple back, nylon, single thickness	N/C	75.00
4542718 padded back, contoured, fabric       284.00       359.0         4543377 padded back, contoured, leatherette       414.00       489.0         +4545018 ergonomic back, from 33.0 cm (13 in.) to 50.8 cm (20 in.), with 12.7 cm (5 in.) thoracic supports       296.00       371.0         +4545026 ergonomic back, from 33.0 cm (13 in.) to 50.8 cm (20 in.), with 17.8 cm (7 in.) thoracic supports       376.00       451.0         +4545034 ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 12.7 cm (5 in.) thoracic supports       456.00       531.0         +4545042 contour back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 17.8 cm (7 in.) thoracic supports       536.00       611.0         4542742 rigid seat, flat       N/C       48.0         4542734 padded seat, contoured, fabric       297.00       297.00         4543260 padded seat, ergonomic, contoured, fabric, width: from 33.0 cm (13 in.) to 48.3 cm (19 in.)       310.00       344.0         +4545059 padded seat, ergonomic, fabric, width: from 48.3 cm (19 in.) to 55.9 cm (22 in.)       397.00       397.00         4542809 modification of seat height, to 54.6 cm (21½ in.)       132.00       N/         4542791 modification of seat depth, from 48.3 cm (20 in.) to 61.0 cm (24 in.)       186.00       N/         +4544052 modification of seat depth, from 48.3 cm (19 in.) to 55.9 cm (22 in.)       55.9 cm (22 in.)       61.00       61.00 <td>+4543864</td> <td>supple back, heavy-duty nylon</td> <td>N/C</td> <td>90.00</td>	+4543864	supple back, heavy-duty nylon	N/C	90.00
4543377       padded back, contoured, leatherette       414.00       489.0         +4545018       ergonomic back, from 33.0 cm (13 in.) to 50.8 cm (20 in.), with 12.7 cm (5 in.) thoracic supports       296.00       371.0         +4545026       ergonomic back, from 33.0 cm (13 in.) to 50.8 cm (20 in.), with 17.8 cm (7 in.) thoracic supports       376.00       451.0         +4545034       ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 12.7 cm (5 in.) thoracic supports       536.00       611.0         +4545042       contour back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 17.8 cm (7 in.) thoracic supports       536.00       611.0         4542742       rigid seat, flat       N/C       48.0         4542734       padded seat, contoured, fabric       297.00       297.0         4543260       padded seat, ergonomic, contoured, fabric, width: from 33.0 cm (13 in.) to 48.3 cm (19 in.)       310.00       344.0         +4545059       padded seat, contoured, leatherette       397.00       397.0         4542809       modification of seat height, to 54.6 cm (21½ in.)       132.00       N/.         4542791       modification of seat depth, from 48.3 cm (20 in.) to 61.0 cm (24 in.)       186.00       N/.         +454202       seat cushion, flat, foam, 5.1 cm (2 in.)       61.00       61.00       61.00	4543179	supple back, leatherette	N/C	90.00
### ### ##############################	4542718	padded back, contoured, fabric	284.00	359.00
with 12.7 cm (5 in.) thoracic supports  +4545026 ergonomic back, from 33.0 cm (13 in.) to 50.8 cm (20 in.), with 17.8 cm (7 in.) thoracic supports  +4545034 ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 12.7 cm (5 in.) thoracic supports  +4545042 contour back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 17.8 cm (7 in.) thoracic supports  4542742 rigid seat, flat  N/C  4542734 padded seat, contoured, fabric 297.00 297.0  4543260 padded seat, ergonomic, contoured, fabric, width: from 33.0 cm (13 in.) to 48.3 cm (19 in.)  +4545059 padded seat, contoured, fabric, width: from 48.3 cm (19 in.) to 55.9 cm (22 in.)  4543401 padded seat, contoured, leatherette 397.00 397.0  4542809 modification of seat height, to 54.6 cm (21½ in.)  4542791 modification of ASBA seat width, from 50.8 cm (20 in.) to 61.0 cm (24 in.)  +4544052 seat cushion, flat, foam, 5.1 cm (2 in.)  61.00 61.00  61.00  61.00  61.00  61.00  61.00  61.00  61.00  61.00  61.00  61.00  61.00	4543377	padded back, contoured, leatherette	414.00	489.00
+4545026 ergonomic back, from 33.0 cm (13 in.) to 50.8 cm (20 in.), with 17.8 cm (7 in.) thoracic supports  +4545034 ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 12.7 cm (5 in.) thoracic supports  +4545042 contour back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 17.8 cm (7 in.) thoracic supports  4542742 rigid seat, flat N/C 48.0  4542734 padded seat, contoured, fabric 297.00 297.0  4543260 padded seat, ergonomic, contoured, fabric, width: from 283.00 315.0  33.0 cm (13 in.) to 48.3 cm (19 in.)  +4545059 padded seat, ergonomic, fabric, width: from 48.3 cm 310.00 344.0  (19 in.) to 55.9 cm (22 in.)  4543401 padded seat, contoured, leatherette 397.00 397.0  4542809 modification of seat height, to 54.6 cm (21½ in.) 132.00 N/A  4542791 modification of ASBA seat width, from 50.8 cm (20 in.) to 225.00 N/A  4544052 modification of seat depth, from 48.3 cm (19 in.) to 186.00 N/A  55.9 cm (22 in.)  4545232 seat cushion, flat, foam, 5.1 cm (2 in.) 61.00 61.00	+4545018	ergonomic back, from 33.0 cm (13 in.) to 50.8 cm (20 in.),	296.00	371.00
with 17.8 cm (7 in.) thoracic supports  +4545034 ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 12.7 cm (5 in.) thoracic supports  +4545042 contour back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 17.8 cm (7 in.) thoracic supports  4542742 rigid seat, flat N/C 48.0  4542734 padded seat, contoured, fabric 297.00 297.0  4543260 padded seat, ergonomic, contoured, fabric, width: from 283.00 315.0  33.0 cm (13 in.) to 48.3 cm (19 in.)  +4545059 padded seat, ergonomic, fabric, width: from 48.3 cm 310.00 344.0  (19 in.) to 55.9 cm (22 in.)  4543401 padded seat, contoured, leatherette 397.00 397.0  4542809 modification of seat height, to 54.6 cm (21½ in.) 132.00 N/A  4542791 modification of ASBA seat width, from 50.8 cm (20 in.) to 225.00 N/A  4544052 modification of seat depth, from 48.3 cm (19 in.) to 186.00 N/A  55.9 cm (22 in.)  4545232 seat cushion, flat, foam, 5.1 cm (2 in.) 61.00 61.00		with 12.7 cm (5 in.) thoracic supports		
+4545034 ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 12.7 cm (5 in.) thoracic supports  +4545042 contour back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 17.8 cm (7 in.) thoracic supports  4542742 rigid seat, flat  4542734 padded seat, contoured, fabric  4543260 padded seat, ergonomic, contoured, fabric, width: from 283.00 315.00 33.0 cm (13 in.) to 48.3 cm (19 in.)  +4545059 padded seat, ergonomic, fabric, width: from 48.3 cm (19 in.) to 55.9 cm (22 in.)  4543401 padded seat, contoured, leatherette 397.00 397.00 4542809 modification of seat height, to 54.6 cm (21½ in.) 132.00 N/.  4542791 modification of ASBA seat width, from 50.8 cm (20 in.) to 61.0 cm (24 in.)  +4544052 modification of seat depth, from 48.3 cm (19 in.) to 55.9 cm (22 in.)  4545232 seat cushion, flat, foam, 5.1 cm (2 in.) 61.00 61.00 61.00	+4545026	ergonomic back, from 33.0 cm (13 in.) to 50.8 cm (20 in.),	376.00	451.00
heavy-duty, with 12.7 cm (5 in.) thoracic supports  +4545042 contour back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 17.8 cm (7 in.) thoracic supports  4542742 rigid seat, flat  4542734 padded seat, contoured, fabric padded seat, ergonomic, contoured, fabric, width: from 33.0 cm (13 in.) to 48.3 cm (19 in.)  +4545059 padded seat, ergonomic, fabric, width: from 48.3 cm (19 in.) to 55.9 cm (22 in.)  4543401 padded seat, contoured, leatherette modification of seat height, to 54.6 cm (21½ in.)  4542791 modification of ASBA seat width, from 50.8 cm (20 in.) to 61.0 cm (24 in.)  +4544052 modification of seat depth, from 48.3 cm (19 in.) to 55.9 cm (22 in.)  4545232 seat cushion, flat, foam, 5.1 cm (2 in.)  61.00  61.00  61.00  61.00  61.00  61.00  61.00  61.00		with 17.8 cm (7 in.) thoracic supports		
+4545042       contour back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 17.8 cm (7 in.) thoracic supports       536.00       611.00         4542742       rigid seat, flat       N/C       48.00         4542734       padded seat, contoured, fabric       297.00       297.00         4543260       padded seat, ergonomic, contoured, fabric, width: from 33.0 cm (13 in.) to 48.3 cm (19 in.)       310.00       344.00         4545059       padded seat, ergonomic, fabric, width: from 48.3 cm (19 in.) to 55.9 cm (22 in.)       397.00       397.00         4543401       padded seat, contoured, leatherette modification of seat height, to 54.6 cm (21½ in.)       132.00       N/A         4542791       modification of ASBA seat width, from 50.8 cm (20 in.) to 61.0 cm (24 in.)       225.00       N/A         +4544052       modification of seat depth, from 48.3 cm (19 in.) to 55.9 cm (22 in.)       186.00       N/A         4545232       seat cushion, flat, foam, 5.1 cm (2 in.)       61.00       61.00       61.00	+4545034		456.00	531.00
heavy-duty, with 17.8 cm (7 in.) thoracic supports  4542742 rigid seat, flat  4542734 padded seat, contoured, fabric  4543260 padded seat, ergonomic, contoured, fabric, width: from  33.0 cm (13 in.) to 48.3 cm (19 in.)  +4545059 padded seat, ergonomic, fabric, width: from 48.3 cm  (19 in.) to 55.9 cm (22 in.)  4543401 padded seat, contoured, leatherette  397.00  4542809 modification of seat height, to 54.6 cm (21½ in.)  4542791 modification of ASBA seat width, from 50.8 cm (20 in.) to  61.0 cm (24 in.)  +4544052 modification of seat depth, from 48.3 cm (19 in.) to  55.9 cm (22 in.)  4545232 seat cushion, flat, foam, 5.1 cm (2 in.)  61.00  61.00  61.00  61.00  61.00  61.00  61.00  61.00  61.00  61.00  61.00		heavy-duty, with 12.7 cm (5 in.) thoracic supports		
4542742       rigid seat, flat       N/C       48.0         4542734       padded seat, contoured, fabric       297.00       297.00         4543260       padded seat, ergonomic, contoured, fabric, width: from 33.0 cm (13 in.) to 48.3 cm (19 in.)       283.00       315.0         +4545059       padded seat, ergonomic, fabric, width: from 48.3 cm (19 in.) to 55.9 cm (22 in.)       397.00       397.00         4543401       padded seat, contoured, leatherette       397.00       397.0         4542809       modification of seat height, to 54.6 cm (21½ in.)       132.00       N/A         4542791       modification of ASBA seat width, from 50.8 cm (20 in.) to 61.0 cm (24 in.)       225.00       N/A         +4544052       modification of seat depth, from 48.3 cm (19 in.) to 55.9 cm (22 in.)       186.00       N/A         4545232       seat cushion, flat, foam, 5.1 cm (2 in.)       61.00       61.00	+4545042		536.00	611.00
4542734 padded seat, contoured, fabric       297.00       297.00         4543260 padded seat, ergonomic, contoured, fabric, width: from 33.0 cm (13 in.) to 48.3 cm (19 in.)       315.0         +4545059 padded seat, ergonomic, fabric, width: from 48.3 cm (19 in.) to 55.9 cm (22 in.)       310.00       344.0         4543401 padded seat, contoured, leatherette padded seat, contoured, leatherette modification of seat height, to 54.6 cm (21½ in.)       397.00       397.00         4542791 modification of ASBA seat width, from 50.8 cm (20 in.) to 61.0 cm (24 in.)       225.00       N/         +4544052 modification of seat depth, from 48.3 cm (19 in.) to 55.9 cm (22 in.)       186.00       N/         4545232 seat cushion, flat, foam, 5.1 cm (2 in.)       61.00       61.00		heavy-duty, with 17.8 cm (7 in.) thoracic supports		
4543260       padded seat, ergonomic, contoured, fabric, width: from 33.0 cm (13 in.) to 48.3 cm (19 in.)       283.00       315.0 cm (23 in.)         +4545059       padded seat, ergonomic, fabric, width: from 48.3 cm (19 in.) to 55.9 cm (22 in.)       310.00       344.0 cm (21 in.)         4543401       padded seat, contoured, leatherette modification of seat height, to 54.6 cm (21½ in.)       397.00       397.00         4542791       modification of ASBA seat width, from 50.8 cm (20 in.) to 61.0 cm (24 in.)       225.00       N/2         +4544052       modification of seat depth, from 48.3 cm (19 in.) to 55.9 cm (22 in.)       186.00       N/2         4545232       seat cushion, flat, foam, 5.1 cm (2 in.)       61.00       61.00	4542742	rigid seat, flat	N/C	48.00
33.0 cm (13 in.) to 48.3 cm (19 in.)  +4545059 padded seat, ergonomic, fabric, width: from 48.3 cm (19 in.) to 55.9 cm (22 in.)  4543401 padded seat, contoured, leatherette 397.00 4542809 modification of seat height, to 54.6 cm (21½ in.) 132.00 N/. 4542791 modification of ASBA seat width, from 50.8 cm (20 in.) to 61.0 cm (24 in.)  +4544052 modification of seat depth, from 48.3 cm (19 in.) to 55.9 cm (22 in.)  4545232 seat cushion, flat, foam, 5.1 cm (2 in.) 61.00 61.00 61.00 61.00 61.00 61.00 61.00 61.00	4542734	padded seat, contoured, fabric	297.00	297.00
+4545059       padded seat, ergonomic, fabric, width: from 48.3 cm (19 in.) to 55.9 cm (22 in.)       310.00       344.00         4543401       padded seat, contoured, leatherette       397.00       397.00         4542809       modification of seat height, to 54.6 cm (21½ in.)       132.00       N/         4542791       modification of ASBA seat width, from 50.8 cm (20 in.) to 61.0 cm (24 in.)       225.00       N/         +4544052       modification of seat depth, from 48.3 cm (19 in.) to 55.9 cm (22 in.)       186.00       N/         4545232       seat cushion, flat, foam, 5.1 cm (2 in.)       61.00       61.00	4543260	padded seat, ergonomic, contoured, fabric, width: from	283.00	315.00
(19 in.) to 55.9 cm (22 in.)  4543401 padded seat, contoured, leatherette 397.00 397.0  4542809 modification of seat height, to 54.6 cm (21½ in.) 132.00 N/.  4542791 modification of ASBA seat width, from 50.8 cm (20 in.) to 61.0 cm (24 in.)  +4544052 modification of seat depth, from 48.3 cm (19 in.) to 186.00 N/.  55.9 cm (22 in.)  4545232 seat cushion, flat, foam, 5.1 cm (2 in.) 61.00 61.00				
4542809 modification of seat height, to 54.6 cm (21½ in.)       132.00 N/.         4542791 modification of ASBA seat width, from 50.8 cm (20 in.) to 61.0 cm (24 in.)       225.00 N/.         +4544052 modification of seat depth, from 48.3 cm (19 in.) to 55.9 cm (22 in.)       186.00 N/.         4545232 seat cushion, flat, foam, 5.1 cm (2 in.)       61.00 61.00	+4545059	-	310.00	344.00
4542791 modification of ASBA seat width, from 50.8 cm (20 in.) to       225.00       N/.         61.0 cm (24 in.)       55.9 cm (22 in.)       186.00       N/.         4545232 seat cushion, flat, foam, 5.1 cm (2 in.)       61.00       61.00	4543401	padded seat, contoured, leatherette	397.00	397.00
61.0 cm (24 in.)  +4544052 modification of seat depth, from 48.3 cm (19 in.) to 55.9 cm (22 in.)  4545232 seat cushion, flat, foam, 5.1 cm (2 in.)  61.00 61.00	4542809	modification of seat height, to 54.6 cm (21½ in.)	132.00	N/A
55.9 cm (22 in.) <b>4545232</b> seat cushion, flat, foam, 5.1 cm (2 in.) 61.00 61.00	4542791		225.00	N/A
	+4544052	*	186.00	N/A
	4545232	seat cushion, flat, foam, 5.1 cm (2 in.)	61.00	61.00
4545240 beat easinon, flat, fount, 7.0 cm (5 m.)		seat cushion, flat, foam, 7.6 cm (3 in.)	61.00	61.00
			N/C	53.00
· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	152.00	152.00
<b>4543351</b> headrest, large 152.00 152.0	4543351	headrest, large	152.00	152.00
<b>4543369</b> combined headrest/neckrest 152.00 152.0	4543369	combined headrest/neckrest	152.00	152.00
4543161 headrest mounting, articulated N/C N/.	4543161	headrest mounting, articulated	N/C	N/A
<b>4541157</b> headrest bracket 233.00 233.0	4541157	headrest bracket	233.00	233.00
4541140 back spreader bar, on reclining back N/C N/.	4541140	back spreader bar, on reclining back	N/C	N/A
1		*		52.00
<b>4543427</b> push bar N/C 61.0	4543427	push bar	N/C	61.00

	Armrests:		
4543187	U-type armrests, height-adjustable, from 20.3 cm (8 in.) to	N/C	138.00
	30.5 cm (12 in.), short, long		
+4545067	armrest pads, straight, short, long	N/C	18.00
	armrest pads, contoured, short, long	N/C	30.00
	rigid clothing guards, built into armrests	N/C	N/A
	modification of armrest height, by -2.5 cm (1 in.), by -	190.00	N/A
	5.1 cm (2 in.)		
	Footrests:		
+4544227	70° footrests, parallel, detachable, swingaway, length-	N/C	72.00
14344221	adjustable, from 29.8 cm (11¾ in.) to 43.2 cm (17 in.)	14/6	72.00
4542908	70° footrests, narrowed, detachable, swingaway, length-	20.00	82.00
4542700	adjustable, from 34.3 cm (13½ in.) to 44.5 cm (17½ in.)	20.00	02.00
+4544243	midline footrests, adjustable from 23.5 cm (9 <sup>1</sup> / <sub>4</sub> in.) to	137.00	318.00
	30.5  cm (12 in.), from $31.8  cm$ (12½ in.) to $38.1  cm$ (15 in.)		
4542916	elevating legrests, length-adjustable, from 40.6 cm (16 in.)	238.00	191.00
	to 50.8 cm (20 in.)		
4543286	elevating legrests, with compensating mechanism, length-	162.00	153.00
	adjustable, from 43.8 cm (17 <sup>1</sup> / <sub>4</sub> in.) to 54.6 cm (21 <sup>1</sup> / <sub>2</sub> in.)		
4542940	padded calfrests	N/C	28.00
4540415	single calf strap	38.00	38.00
	double calf strap	57.00	57.00
	folding footplates, standard	N/C	42.00
	oversized footplates	45.00	64.00
	full-width footplate	76.00	76.00
	footplates, angle and depth-adjustable, standard size	56.00	70.00
	oversized footplates, angle and depth-adjustable	56.00	70.00
	heel loops, fixed	N/C	7.00
	heel loops, adjustable	N/C	10.00 16.00
+4545075	longer extension tubes, additional 5.1 cm (2 in.)	N/C	10.00
	Frame:		
	anti-tip rollers	N/C	N/A
	tie-down points for adapted transport	N/C	N/A
	rear suspension	N/C	N/A
	rear reflectors	N/C	N/A
	running lights	N/C	N/A
4543017	heavy-duty frame or heavy-duty base	268.00	N/A
	Drive systems:		
	programmable joystick control SPJ / PSS	N/C	335.00
	programmable joystick control MPJ+	239.00	574.00
	joystick control, PSF and PSR	502.00	1 042.00
	compact joystick control, including display module	607.00	1 181.00
	battery charge display	N/C	N/A
	battery charger	N/C	240.00
	battery boxes, group 22	N/C	195.00
	battery boxes, group 24	N/C	211.00
4545757	non-proportional controls interface	1,173.00	1,173.00

(authentic version)
---------------------

	proportional chin control, including display	657.00	1 231.00
	non-proportional chin control, including display	1,655.00	2,229.00
	head control, including display	1,006.00	1,580.00
4540043	breath control, including display and interface	1,227.00	1,801.00
4543526	control with separate switches, including display	1,417.00	1,991.00
4543294	foot control, including bracket	1,566.00	2,140.00
4543203	laptray touch switch control, including display	1,655.00	2,229.00
+4544607	toggle switch	N/C	19.00
	Egg auxiliary switch	141.00	141.00
	separate display module	119.00	395.00
	ball extension	5.00	5.00
	stick extension	25.00	25.00
	T-type extension	25.00	25.00
	side bracket for joystick control	N/C	54.00
	swivel side bracket for joystick control	N/C	317.00
	midline bracket for joystick control, GATLIN	480.00	534.00
	bracket for separate display module	N/C	185.00
	head control bracket	120.00	120.00
	breath control bracket	216.00	
			357.00
	chin control bracket	480.00	534.00
	chin bib control	199.00	357.00
	controller	N/C	500.00
	heavy-duty motors, with gear assembly, 4-brush	N/C	870.00
+4545091	standard motors, with gear assembly, 4-brush	N/C	870.00
	XX71 11 1		
	Wheel locks:		
4540550		c1 00	21.00
4543773	manual auxiliary wheel locks	61.00	31.00
4543773	·	61.00	31.00
	Wheels and forks:		
4543773 +4544789	Wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm	61.00 N/C	31.00 60.00
+4544789	Wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.)	N/C	60.00
+4544789	Wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.) driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture-		
+4544789 +4544797	Wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.) driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture-resistant	N/C 40.00	60.00 80.00
+4544789 +4544797	Wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.) driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture-	N/C	60.00
+4544789 +4544797	Wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.) driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture-resistant	N/C 40.00	60.00 80.00
+4544789 +4544797 +4544805	Wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.) driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture- resistant front and rear casters, semi-pneumatic tires, 15.2 cm (6 in.)	N/C 40.00	60.00 80.00
+4544789 +4544797 +4544805 +4544813	Wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.) driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture- resistant front and rear casters, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.)	N/C 40.00 N/C	60.00 80.00 63.00
+4544789 +4544797 +4544805 +4544813 +4544821	Wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.) driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture- resistant front and rear casters, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.) driving wheel rims	N/C 40.00 N/C N/C	60.00 80.00 63.00 75.00
+4544789 +4544797 +4544805 +4544813 +4544821 +4544839	Wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.) driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture- resistant front and rear casters, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.) driving wheel rims standard forks, 15.2 cm (6 in.)	N/C 40.00 N/C N/C N/C	60.00 80.00 63.00 75.00 60.00
+4544789 +4544797 +4544805 +4544813 +4544821 +4544839	Wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.) driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture- resistant front and rear casters, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.) driving wheel rims standard forks, 15.2 cm (6 in.) forks, one-sided	N/C 40.00 N/C N/C N/C N/C	60.00 80.00 63.00 75.00 60.00 60.00
+4544789 +4544797 +4544805 +4544813 +4544821 +4544839	Wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.) driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture- resistant front and rear casters, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.) driving wheel rims standard forks, 15.2 cm (6 in.) forks, one-sided	N/C 40.00 N/C N/C N/C N/C	60.00 80.00 63.00 75.00 60.00 60.00
+4544789 +4544797 +4544805 +4544813 +4544821 +4544839 4543237	Wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.) driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture- resistant front and rear casters, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.) driving wheel rims standard forks, 15.2 cm (6 in.) forks, one-sided suspension forks  Non S.C. components for which supporting document must be kept on file:	N/C 40.00 N/C N/C N/C N/C	60.00 80.00 63.00 75.00 60.00 60.00
+4544789 +4544797 +4544805 +4544813 +4544821 +4544839 4543237	Wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.) driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture- resistant front and rear casters, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.) driving wheel rims standard forks, 15.2 cm (6 in.) forks, one-sided suspension forks  Non S.C. components for which supporting document	N/C 40.00 N/C N/C N/C N/C	60.00 80.00 63.00 75.00 60.00 60.00
+4544789 +4544797 +4544805 +4544813 +4544821 +4544839 4543237	Wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.) driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture- resistant front and rear casters, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.) driving wheel rims standard forks, 15.2 cm (6 in.) forks, one-sided suspension forks  Non S.C. components for which supporting document must be kept on file:	N/C 40.00 N/C N/C N/C N/C N/C 130.00	60.00 80.00 63.00 75.00 60.00 60.00 125.00
+4544789 +4544797 +4544805 +4544813 +4544821 +4544839 4543237 4543831 +4545133	Wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.) driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture- resistant front and rear casters, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.) driving wheel rims standard forks, 15.2 cm (6 in.) forks, one-sided suspension forks  Non S.C. components for which supporting document must be kept on file: power rocker device installation of power rocker device	N/C 40.00 N/C N/C N/C N/C 130.00	60.00 80.00 63.00 75.00 60.00 60.00 125.00
+4544789 +4544797 +4544805 +4544813 +4544821 +4544839 4543237 4543831 +4545133	Wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.) driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture- resistant front and rear casters, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.) driving wheel rims standard forks, 15.2 cm (6 in.) forks, one-sided suspension forks  Non S.C. components for which supporting document must be kept on file: power rocker device	N/C 40.00 N/C N/C N/C N/C 130.00  1,800.00 N/C	60.00 80.00 63.00 75.00 60.00 60.00 125.00
+4544789 +4544797 +4544805 +4544813 +4544821 +4544839 4543237 4543831 +4545133 4543658	Wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.) driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture- resistant front and rear casters, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.) driving wheel rims standard forks, 15.2 cm (6 in.) forks, one-sided suspension forks  Non S.C. components for which supporting document must be kept on file: power rocker device installation of power rocker device control system for one (1) power accessory only, joystick- controlled	N/C 40.00 N/C N/C N/C N/C 130.00  1,800.00 N/C	60.00 80.00 63.00 75.00 60.00 60.00 125.00
+4544789 +4544797 +4544805 +4544813 +4544821 +4544839 4543237 4543831 +4545133 4543658	Wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.) driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture- resistant front and rear casters, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.) driving wheel rims standard forks, 15.2 cm (6 in.) forks, one-sided suspension forks  Non S.C. components for which supporting document must be kept on file: power rocker device installation of power rocker device control system for one (1) power accessory only, joystick-	N/C 40.00 N/C N/C N/C N/C 130.00  1,800.00 N/C 549.00	60.00 80.00 63.00 75.00 60.00 60.00 125.00 1,800.00 350.00 1,060.00
+4544789 +4544797 +4544805 +4544813 +4544821 +4544839 4543237 4543831 +4545133 4543658 +4545141	Wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.) driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture- resistant front and rear casters, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.) driving wheel rims standard forks, 15.2 cm (6 in.) forks, one-sided suspension forks  Non S.C. components for which supporting document must be kept on file: power rocker device installation of power rocker device control system for one (1) power accessory only, joystick- controlled control system for four (4) power accessories S4WSB, joystick-controlled	N/C 40.00 N/C N/C N/C N/C 130.00  1,800.00 N/C 549.00 1,036.00	60.00 80.00 63.00 75.00 60.00 60.00 125.00 1,800.00 350.00 1,060.00 2,033.00
+4544789 +4544797 +4544805 +4544813 +4544821 +4544839 4543237 4543831 +4545133 4543658 +4545141 +4545158	Wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.) driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture- resistant front and rear casters, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.) driving wheel rims standard forks, 15.2 cm (6 in.) forks, one-sided suspension forks  Non S.C. components for which supporting document must be kept on file: power rocker device installation of power rocker device control system for one (1) power accessory only, joystick- controlled control system for four (4) power accessories S4WSB, joystick-controlled ASL micro extremity control, requires display module	N/C 40.00 N/C N/C N/C N/C N/C 130.00  1,800.00 N/C 549.00  1,036.00  1,603.00	60.00 80.00 63.00 75.00 60.00 60.00 125.00 1,800.00 350.00 1,060.00 2,033.00 2,177.00
+4544789 +4544797 +4544805 +4544813 +4544821 +4544839 4543237 4543831 +4545133 4543658 +4545141 +4545158 +4545166	Wheels and forks: driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.) driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture- resistant front and rear casters, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.) driving wheel rims standard forks, 15.2 cm (6 in.) forks, one-sided suspension forks  Non S.C. components for which supporting document must be kept on file: power rocker device installation of power rocker device control system for one (1) power accessory only, joystick- controlled control system for four (4) power accessories S4WSB, joystick-controlled	N/C 40.00 N/C N/C N/C N/C 130.00  1,800.00 N/C 549.00 1,036.00	60.00 80.00 63.00 75.00 60.00 60.00 125.00 1,800.00 350.00 1,060.00 2,033.00

SCHEDULE 1	Tariff for devices which compensate for a motor deficiency and insured related services
	(authentic version)

+4545182	connecting cables for power reclining devices	123.00	123.00
+4545125	Components under Special Consideration seat/back structure, with reclining back with cylinder (ASBA) * power reclining back, including installation *	787.00 2,000.00	1 139.00 N/A
4543849	power elevating legrests, per pair only *	1,499.00	1,409.00 / pr
	For a TDX-SP wheel chair with power reclining back or power rocker only:		
+4545190	conventional back, height of 40.6 cm (16 in.) to 61.0 cm (24 in.) *	N/C	250.00
+4545208	ABS shell, height of 40.6 cm (16 in.) to 61.0 cm (24 in.) *	N/C	215.00
+4545216	combined headrest/neckrest, with mounting, small, large *	N/C	248.00
+4545224	OTTO-BOCK arm pads, 0020400, 0020500, 0020600, 0020700 *	82.00	100.00

#### SUPPLIER: INVACARE CANADA L.P.

#### **PRICE**

# 4543005 POWERED WHEEL CHAIR STORM ARROW 3G MODEL

5,273.00

# **Basic Components**

# **Body support system**

- back, angle-adjustable
- supple back, fabric, leatherette, heavy-duty
- rigid seat, flat
- back height: from 30.5 cm (12 in.) to 61.0 cm (24 in.)
- seat heights: 44.5 cm (17½ in.), 50.2 cm (19¾ in.)
- seat width: from 30.5 cm (12 in.) to 48.3 cm (19 in.)
- seat depth: from 30.5 cm (12 in.) to 48.3 cm (19 in.)
- safety belt, auto-type
- back spreader bar, on reclining back
- headrest mounting, articulated
- push handles
- push bar
- installation of power rocker device

#### Armrests

- U-type armrests, height-adjustable, from 20.3 cm (8 in.) to 30.5 cm (12 in.), short, long
- armrest pads, straight, short, long
- armrest pads, contoured, short, long

#### **Footrests**

- 60° footrests, parallel, detachable, swingaway, length-adjustable, from 34.3 cm (13½ in.) to 44.5 cm (17½ in.); 70°, length-adjustable from 29.8 cm (11¾ in.) to 43.2 cm (17 in.)
- padded calfrests
- folding footplates, standard
- heel loops, adjustable
- heel loops, fixed
- longer extension tubes, additional 5.1 cm (2 in.)

#### **Frame**

- anti-tip rollers
- tie-down points for adapted transport
- rear suspension
- rear reflectors
- running lights

#### **Drive systems**

- programmable joystick control, MPJ+, PSF, PSR
- battery charger
- battery charge display

- battery boxes, group 22, group 24
- toggle switch
- side bracket for joystick control
- swivel side bracket for joystick control
- bracket for separate display module
- controller
- standard motors, with gear assembly, 4-brush
- heavy-duty motors, with gear assembly, 4-brush

### Wheels and forks

- rear wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.)
- front wheels, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.), 20.3 cm (8 in.) X 5.7 cm (2<sup>1</sup>/<sub>4</sub> in.)
- front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)
- front wheel rims
- rear wheel rims
- standard forks

# For a Storm Arrow 3G wheel chair with power reclining back or power rocker only:

- conventional back, height of 40.6 cm (16 in.) to 61.4 cm (24 in.) \*
- ABS shell, height from 40.6 cm (16 in.) to 61.4 cm (24 cm) \*
- combined headrest/neckrest, with mounting, small, large \*

Price upon initial purchase or

Price upon replacement

4541132         back, angle-adjustable         N/C         N/A           4542841         supple back, lyon, single thickness         N/C         75.00           4543281         supple back, heavy-duty nylon         N/C         90.00           4543179         supple back, leatherette         N/C         90.00           4543377         padded back, contoured, fabric         284.00         359.00           4543377         padded back, contoured, leatherette         414.00         489.00           4545018         contour back, from 33.0 cm (13 in.) to 50.8 cm (20 in.), with 12.7 cm (5 in.) thoracic supports         296.00         371.00           44545026         ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), argonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.)         456.00         531.00           4545034         ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.)         536.00         611.00           4542742         rigid seat, flat         N/C         48.00           4542742         rigid seat, flat         N/C         48.00           4543401         padded seat, contoured, fabric         297.00         297.00           4543272         rigid seat, ergonomic, contoured, fabric, width: from         283.00         315.00           4542809         padded seat, ergonomic, contoured,			replacement of wheel chair (price per pair, as applicable)	of component (unit price)
Seaf and back:   4543120   sactback structure, with angle-adjustable back (ASBA)   574.00   675.00   K541132   back, angle-adjustable   N/C   N/A   K542841   supple back, nylon, single thickness   N/C   75.00   N/C   M/A   K543864   supple back, nylon, single thickness   N/C   90.00   A543178   supple back, leatherette   N/C   90.00   A543377   padded back, contoured, fabric   284.00   359.00   A543377   padded back, contoured, leatherette   414.00   489.00   A543377   padded back, contoured, leatherette   414.00   489.00   A543377   padded back, contoured, leatherette   414.00   A543377   padded back, from 33.0 cm (13 in.) to 50.8 cm (20 in.), with 12.7 cm (5 in.) thoracic supports   4545026   ergonomic back, from 33.0 cm (13 in.) to 50.8 cm (20 in.), with 17.8 cm (7 in.) thoracic supports   4545042   ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 12.7 cm (5 in.) thoracic supports   4542742   rigid seat, flat   N/C   48.00   A543401   padded seat, contoured, fabric   297.00   297.00   297.00   4543401   padded seat, contoured, fabric   297.00   297.00   297.00   4543401   padded seat, ergonomic, contoured, fabric, width: from   283.00   315.00   330.0 cm (13 in.) to 48.3 cm (19 in.)   4542809   padded seat, ergonomic, contoured, fabric, width: from   283.00   315.00   330.0 cm (13 in.) to 48.3 cm (19 in.)   4542809   modification of seat height, to 54.6 cm (21½ in.)   132.00   N/A   4542791   modification of seat height, from 48.3 cm (19 in.) to   186.00   N/A   5452320   seat cushion, flat, foam, 5.1 cm (2 in.)   4545232   seat cushion, flat, foam, 5.1 cm (2 in.)   45452340   seat cushion, flat, foam, 5.1 cm (2 in.)   4543690   headrest, small   152.00   152.00   4543690   headrest, small   152.00   152.00   4543361   headrest mounting, articulated   N/C   N/A   4542114   back spreader bar, on reclining back   N/C   N/A   4542114   back spreader bar, on reclining back   N/C   N/A   4542114   back spreader bar, on reclining back   N/C   N/A   4542114   back spreader bar, on recli		Basic and Optional Components		
4543120         seat/back structure, with angle-adjustable back (ASBA)         574.00         675.00           4541132         back, angle-adjustable         N/C         N/A           4542843         supple back, nylon, single thickness         N/C         75.00           4543364         supple back, leavy-duty nylon         N/C         90.00           4543179         supple back, leavy-duty nylon         N/C         90.00           4543377         padded back, contoured, fabric         284.00         359.00           454378         padded back, contoured, leatherette         414.00         489.00           +4545018         contour back, from 33.0 cm (13 in.) to 50.8 cm (20 in.), with 12.7 cm (5 in.) thoracic supports         376.00         451.00           +4545026         ergonomic back, from 30.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 17.8 cm (7 in.) thoracic supports         454.00         531.00           +4545034         ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 17.8 cm (7 in.) thoracic supports         454.00         531.00           +4545042         ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.)         536.00         611.00           4542742         rigid seat, flat         N/C         48.00           4542734         padded seat, contoured, fabric         297.00         297.		Body support system		
454132 back, angle-adjustable  4542841 supple back, heavy-duty nylon  4543719 supple back, heavy-duty nylon  4543179 supple back, leatherette  50,000  4543179 padded back, contoured, fabric  4543377 padded back, contoured, fabric  4543377 padded back, contoured, leatherette  414,00 489,00  4543377 padded back, contoured, leatherette  44545018 contour back, from 33.0 cm (13 in.) to 50.8 cm (20 in.),  with 12.7 cm (5 in.) thoracic supports  4545026 ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.),  heavy-duty, with 12.7 cm (5 in.) thoracic supports  4545402 ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.),  heavy-duty, with 17.8 cm (7 in.) thoracic supports  4542742 rigid seat, flat  4542742 rigid seat, flat  4542742 rigid seat, flat  4543260 padded seat, contoured, fabric  33.0 cm (13 in.) to 48.3 cm (19 in.)  4543360 padded seat, ergonomic, contoured, fabric, width: from  33.0 cm (13 in.) to 48.3 cm (19 in.)  4542809 modification of Seat height, to 54.6 cm (21½ in.)  4542801 modification of ASBA seat width, from 50.8 cm (20 in.) to  55.9 cm (22 in.)  4543240 modification of ASBA seat width, from 50.8 cm (20 in.) to  50.9 cm (22 in.)  45432741 modification of ASBA seat width, from 48.3 cm (19 in.) to  55.9 cm (22 in.) long base  4545232 seat cushion, flat, foam, 7.6 cm (3 in.)  4543600 headrest, small  4543610 headrest, small  52.00 152.00  4543351 headrest, large  52.00 152.00  4543161 headrest mounting, articulated  52.00 152.00  52.00		Seat and back:		
4542841         supple back, nylon, single thickness         N/C         75.00           44543864         supple back, heavy-duty nylon         N/C         90.00           4543179         supple back, leatherette         N/C         90.00           4543377         padded back, contoured, fabric         284.00         359.00           4543377         padded back, contoured, leatherette         414.00         489.00           4543377         padded back, contoured, leatherette         414.00         489.00           4543377         padded back, contoured, leatherette         414.00         489.00           4545018         contour back, from 33.0 cm (13 in.) to 50.8 cm (20 in.), with 17.2 cm (7 in.) thoracic supports         376.00         451.00           4545026         ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 17.8 cm (7 in.) thoracic supports         456.00         531.00           4545042         ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 17.8 cm (7 in.) thoracic supports         4542742         136.00         611.00           4542742         rigid seat, flat         N/C         48.00         297.00         297.00           4542741         padded seat, contoured, fabric         297.00         297.00         397.00         397.00           45433601	4543120	seat/back structure, with angle-adjustable back (ASBA)	574.00	675.00
+4543864         supple back, heavy-duty nylon         N/C         90.00           4543179         supple back, leatherette         N/C         90.00           4542718         padded back, contoured, fabric         284.00         359.00           4543377         padded back, contoured, leatherette         414.00         489.00           +4545018         contour back, from 33.0 cm (13 in.) to 50.8 cm (20 in.), with 12.7 cm (5 in.) thoracic supports         296.00         371.00           +4545026         ergonomic back, from 33.0 cm (13 in.) to 50.8 cm (20 in.), beavy-duty, with 12.7 cm (5 in.) thoracic supports         456.00         531.00           +4545034         ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 17.8 cm (7 in.) thoracic supports         456.00         531.00           +4545042         ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 17.8 cm (7 in.) thoracic supports         70.00         70.00         70.00           4542742         rigid seat, flat         N/C         48.00         48.00         48.00           4543260         padded seat, contoured, fabric         297.00         297.00         397.00         397.00         397.00         397.00         397.00         33.0 cm (13 in.) to 48.3 cm (19 in.)         310.00         344.00         344.00         310.00         344.00         34	4541132	back, angle-adjustable	N/C	N/A
4543179         supple back, leatherette         N/C         90.00           4542718         padded back, contoured, fabric         284.00         359.00           4543377         padded back, contoured, leatherette         414.00         489.00           44545018         contour back, from 33.0 cm (13 in.) to 50.8 cm (20 in.), with 12.7 cm (5 in.) thoracic supports         296.00         371.00           44545026         ergonomic back, from 33.0 cm (13 in.) to 50.8 cm (20 in.), with 17.8 cm (7 in.) thoracic supports         376.00         451.00           44545034         ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 12.7 cm (5 in.) thoracic supports         456.00         531.00           45454742         ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 17.8 cm (7 in.) thoracic supports         N/C         48.00           4542742         padded seat, contoured, fabric         297.00         297.00           4542734         padded seat, contoured, fabric         297.00         397.00           4543260         padded seat, contoured, leatherette         397.00         397.00           45454509         padded seat, contoured, fabric, width: from 48.3 cm         310.00         344.00           4542809         padded seat, ergonomic, fabric, width: from 48.3 cm         310.00         3440.00           4542791 </td <td>4542841</td> <td>supple back, nylon, single thickness</td> <td>N/C</td> <td>75.00</td>	4542841	supple back, nylon, single thickness	N/C	75.00
4542718         padded back, contoured, fabric         284.00         359.00           4543377         padded back, contoured, leatherette         414.00         489.00           +4545018         contour back, from 33.0 cm (13 in.) to 50.8 cm (20 in.), with 12.7 cm (5 in.) thoracic supports         296.00         371.00           +4545026         ergonomic back, from 33.0 cm (13 in.) to 50.8 cm (20 in.), with 17.8 cm (7 in.) thoracic supports         456.00         531.00           +4545034         ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 12.7 cm (5 in.) thoracic supports         456.00         531.00           +4545042         ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 17.8 cm (7 in.) thoracic supports         536.00         611.00           4542742         padded sea, from 50.8 cm (20 in.) to 55.9 cm (22 in.), and padded sea, contoured, fabric         297.00         297.00           4542734         padded seat, contoured, fabric         397.00         397.00           4543401         padded seat, ergonomic, contoured, fabric, width: from 33.0 cm (13 in.) to 48.3 cm (19 in.)         310.00         344.00           4542809         padded seat, ergonomic, fabric, width: from 48.3 cm (310.00         310.00         344.00           4542809         modification of seat height, to 54.6 cm (21½ in.)         132.00         N/A           4542791	+4543864	supple back, heavy-duty nylon	N/C	90.00
4543377 padded back, contoured, leatherette  +4545018 contour back, from 33.0 cm (13 in.) to 50.8 cm (20 in.), with 12.7 cm (5 in.) thoracic supports  +4545026 ergonomic back, from 33.0 cm (13 in.) to 50.8 cm (20 in.), with 17.8 cm (7 in.) thoracic supports  +4545034 ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 12.7 cm (5 in.) thoracic supports  +4545042 ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 17.8 cm (7 in.) thoracic supports  4542742 rigid seat, flat  4542742 rigid seat, flat  4542734 padded seat, contoured, fabric 297.00 297.00 4543401 padded seat, contoured, leatherette 397.00 397.00 33.0 cm (13 in.) to 48.3 cm (19 in.)  4542809 padded seat, ergonomic, fabric, width: from 33.0 cm (13 in.) to 48.3 cm (19 in.) 4542809 modification of seat height, to 54.6 cm (21½ in.) and final modification of ASBA seat width, from 50.8 cm (20 in.) to 55.9 cm (22 in.), long base  4542767 modification of seat depth, from 48.3 cm (19 in.) to 55.9 cm (22 in.), long base  4545232 seat cushion, flat, foam, 5.1 cm (2 in.) 4542809 headrest, small 4543600 headrest, small 4543361 headrest flat, loam, 7.6 cm (3 in.) 4543161 headrest mounting, articulated 4543161 headrest bracket 233.00 23	4543179	supple back, leatherette	N/C	90.00
+4545018 contour back, from 33.0 cm (13 in.) to 50.8 cm (20 in.), with 12.7 cm (5 in.) thoracic supports  +4545026 ergonomic back, from 33.0 cm (13 in.) to 50.8 cm (20 in.), with 17.8 cm (7 in.) thoracic supports  +4545034 ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 12.7 cm (5 in.) thoracic supports  +4545042 ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 17.8 cm (7 in.) thoracic supports  +4542742 rigid seat, flat N/C 48.00 297.00 297.00 297.00 4543401 padded seat, contoured, fabric 297.00 297.00 397.00 397.00 397.00 397.00 397.00 397.00 30. cm (13 in.) to 48.3 cm (19 in.) to 48.3 cm (19 in.) to 48.3 cm (19 in.) to 55.9 cm (20 in.) to 61.00 61.00 M/A 542791 modification of seat depth, from 48.3 cm (19 in.) to 55.9 cm (20 in.) to 55.9	4542718	padded back, contoured, fabric	284.00	359.00
with 12.7 cm (5 in.) thoracic supports ergonomic back, from 33.0 cm (13 in.) to 50.8 cm (20 in.), with 17.8 cm (7 in.) thoracic supports ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 12.7 cm (5 in.) thoracic supports ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 17.8 cm (7 in.) thoracic supports  4542742 rigid seat, flat  M/C  4542734 padded seat, contoured, fabric 297.00 297.00 4543401 padded seat, contoured, fabric, width: from padded seat, ergonomic, contoured, fabric, width: from 33.0 cm (13 in.) to 48.3 cm (19 in.)  4542509 padded seat, ergonomic, fabric, width: from 48.3 cm (19 in.) to 55.9 cm (22 in.)  4542809 modification of seat height, to 54.6 cm (21½ in.)  4542791 modification of seat depth, from 48.3 cm (20 in.) to 55.9 cm (22 in.), long base  4545232 seat cushion, flat, foam, 5.1 cm (2 in.)  4545232 seat cushion, flat, foam, 7.6 cm (3 in.)  4543369 headrest, large 152.00  4543369 combined headrest/neckrest 152.00 152.00 4543369 combined headrest/neckrest 152.00 152.00 45431161 headrest mounting, articulated N/C N/A 4542114 push handles N/C N/A 4542114	4543377	padded back, contoured, leatherette	414.00	489.00
+4545026 ergonomic back, from 33.0 cm (13 in.) to 50.8 cm (20 in.), with 17.8 cm (7 in.) thoracic supports  +4545034 ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 12.7 cm (5 in.) thoracic supports  +4545042 ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 17.8 cm (7 in.) thoracic supports  4542742 rigid seat, flat  4542734 padded seat, contoured, fabric  4543401 padded seat, contoured, leatherette  397.00  397.00  4543400 padded seat, ergonomic, contoured, fabric, width: from  33.0 cm (13 in.) to 48.3 cm (19 in.)  +4545059 padded seat, ergonomic, fabric, width: from 48.3 cm (19 in.) to 55.9 cm (22 in.)  4542809 modification of seat height, to 54.6 cm (21½ in.)  4542791 modification of seat height, to 54.6 cm (21½ in.)  4542707 modification of seat depth, from 48.3 cm (19 in.) to 55.9 cm (22 in.), long base  4545232 seat cushion, flat, foam, 5.1 cm (2 in.)  45454050 headrest, small  152.00  4543690 headrest, small  152.00  152.00  4543351 headrest mounting, articulated  N/C  N/A  4541157 headrest bracket  233.00	+4545018	contour back, from 33.0 cm (13 in.) to 50.8 cm (20 in.),	296.00	371.00
with 17.8 cm (7 in.) thoracic supports ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 12.7 cm (5 in.) thoracic supports  +4545042 ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 17.8 cm (7 in.) thoracic supports  4542742 rigid seat, flat  N/C  48.00  4542734 padded seat, contoured, fabric  297.00  297.00  4543401 padded seat, contoured, leatherette  397.00  397.00  397.00  4543260 padded seat, ergonomic, contoured, fabric, width: from 33.0 cm (13 in.) to 48.3 cm (19 in.)  +4545059 padded seat, ergonomic, fabric, width: from 48.3 cm (19 in.) to 55.9 cm (22 in.)  4542791 modification of seat height, to 54.6 cm (21½ in.)  4542791 modification of Seat depth, from 48.3 cm (20 in.) to 61.0 cm (24 in.)  4542767 modification of seat depth, from 48.3 cm (19 in.) to 55.9 cm (22 in.), long base  4545232 seat cushion, flat, foam, 5.1 cm (2 in.)  4545240 seat cushion, flat, foam, 5.1 cm (2 in.)  45454571 safety belt, auto-type  4543369 headrest, small  152.00  152.00  4543351 headrest, large  152.00  152.00  4543369 combined headrest/neckrest  152.00  152.00  4543161 headrest mounting, articulated  N/C  N/A  4541157 headrest bracket  233.00  233.00  233.00  233.00  4542114 push handles  N/C  N/C  N/A		with 12.7 cm (5 in.) thoracic supports		
+4545034 ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 12.7 cm (5 in.) thoracic supports  +4545042 ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), beavy-duty, with 17.8 cm (7 in.) thoracic supports  4542742 rigid seat, flat  4542734 padded seat, contoured, fabric  4543401 padded seat, contoured, fabric, width: from 283.00 315.00  4543401 padded seat, ergonomic, contoured, fabric, width: from 283.00 315.00  33.0 cm (13 in.) to 48.3 cm (19 in.)  +4545059 padded seat, ergonomic, fabric, width: from 48.3 cm (19 in.) to 55.9 cm (22 in.)  4542809 modification of seat height, to 54.6 cm (21½ in.) 132.00 N/A  4542791 modification of ASBA seat width, from 50.8 cm (20 in.) to 225.00 N/A  55.9 cm (24 in.)  4545232 seat cushion, flat, foam, 5.1 cm (2 in.) 61.00 61.00  4545240 seat cushion, flat, foam, 7.6 cm (3 in.) 61.00 61.00  4543351 headrest, large 152.00 152.00  4543369 headrest, large 152.00 152.00  4543161 headrest mounting, articulated N/C N/A  4541157 headrest bracket 233.00 233.00  4541140 back spreader bar, on reclining back N/C 52.00	+4545026	ergonomic back, from 33.0 cm (13 in.) to 50.8 cm (20 in.),	376.00	451.00
heavy-duty, with 12.7 cm (5 in.) thoracic supports ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 17.8 cm (7 in.) thoracic supports  4542742 rigid seat, flat  4542734 padded seat, contoured, fabric 297.00 297.00 4543401 padded seat, contoured, leatherette 397.00 397.00 397.00 350.0 cm (13 in.) to 48.3 cm (19 in.)  45454569 padded seat, ergonomic, contoured, fabric, width: from 33.0 cm (13 in.) to 48.3 cm (19 in.)  4542809 modification of seat height, to 54.6 cm (21½ in.) 132.00 N/A 4542791 modification of ASBA seat width, from 50.8 cm (20 in.) to 61.0 cm (24 in.)  4542767 modification of seat depth, from 48.3 cm (19 in.) to 55.9 cm (22 in.), long base  4545232 seat cushion, flat, foam, 5.1 cm (2 in.) 61.00 61.00 4540571 safety belt, auto-type N/C 53.00 4543351 headrest, large 152.00 152.00 4543351 headrest, large 4543369 combined headrest/neckrest 152.00 152.00 4543161 headrest mounting, articulated N/C N/A 4541170 back spreader bar, on reclining back N/C N/A 4542114 push handles		with 17.8 cm (7 in.) thoracic supports		
+4545042       ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.), heavy-duty, with 17.8 cm (7 in.) thoracic supports       536.00       611.00         4542742       rigid seat, flat       N/C       48.00         4542734       padded seat, contoured, fabric       297.00       297.00         4543401       padded seat, contoured, leatherette       397.00       397.00         4543260       padded seat, ergonomic, contoured, fabric, width: from 283.00       315.00         33.0 cm (13 in.) to 48.3 cm (19 in.)       310.00       344.00         (19 in.) to 55.9 cm (22 in.)       132.00       N/A         4542809       modification of seat height, to 54.6 cm (21½ in.)       132.00       N/A         4542791       modification of SaBA seat width, from 50.8 cm (20 in.) to 61.00       225.00       N/A         4542767       modification of seat depth, from 48.3 cm (19 in.) to 55.9 cm (22 in.), long base       186.00       N/A         4545232       seat cushion, flat, foam, 5.1 cm (2 in.)       61.00       61.00         4545240       seat cushion, flat, foam, 7.6 cm (3 in.)       61.00       61.00         4543690       headrest, small       152.00       152.00         4543351       headrest, large       152.00       152.00         4543157       headrest bracket       23	+4545034	ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.),	456.00	531.00
heavy-duty, with 17.8 cm (7 in.) thoracic supports  4542742 rigid seat, flat  4542734 padded seat, contoured, fabric  4543401 padded seat, contoured, leatherette  397.00 397.00  4543260 padded seat, ergonomic, contoured, fabric, width: from 33.0 cm (13 in.) to 48.3 cm (19 in.)  +4545059 padded seat, ergonomic, fabric, width: from 48.3 cm (19 in.) to 55.9 cm (22 in.)  4542809 modification of seat height, to 54.6 cm (21½ in.)  4542791 modification of ASBA seat width, from 50.8 cm (20 in.) to 61.0 cm (24 in.)  4542767 modification of seat depth, from 48.3 cm (19 in.) to 55.9 cm (22 in.), long base  4545232 seat cushion, flat, foam, 5.1 cm (2 in.)  4543690 headrest, small  4543361 headrest, small  152.00  4543369 combined headrest/neckrest  4543369 combined headrest/neckrest  4543157 headrest bracket  233.00  233.00  4541140 back spreader bar, on reclining back  N/C  N/A  4542114 push handles		heavy-duty, with 12.7 cm (5 in.) thoracic supports		
4542742         rigid seat, flat         N/C         48.00           4542734         padded seat, contoured, fabric         297.00         297.00           4543401         padded seat, contoured, leatherette         397.00         397.00           4543260         padded seat, ergonomic, contoured, fabric, width: from 33.0 cm (13 in.) to 48.3 cm (19 in.)         283.00         315.00           33.0 cm (13 in.) to 48.3 cm (19 in.)         310.00         344.00           (19 in.) to 55.9 cm (22 in.)         modification of seat height, to 54.6 cm (21½ in.)         132.00         N/A           4542809         modification of ASBA seat width, from 50.8 cm (20 in.) to 61.0 cm (24 in.)         225.00         N/A           4542791         modification of seat depth, from 48.3 cm (19 in.) to 55.9 cm (22 in.), long base         186.00         N/A           4542767         modification of seat depth, from 48.3 cm (19 in.) to 55.9 cm (22 in.), long base         61.00         61.00         61.00           4543232         seat cushion, flat, foam, 5.1 cm (2 in.)         61.00         61.00         61.00           4545240         seat cushion, flat, foam, 7.6 cm (3 in.)         61.00         61.00         61.00           4543690         headrest, small         152.00         152.00           4543369         combined headrest/neckrest         15	+4545042	ergonomic back, from 50.8 cm (20 in.) to 55.9 cm (22 in.),	536.00	611.00
4542734       padded seat, contoured, fabric       297.00       297.00         4543401       padded seat, contoured, leatherette       397.00       397.00         4543260       padded seat, ergonomic, contoured, fabric, width: from 33.0 cm (13 in.) to 48.3 cm (19 in.)       283.00       315.00         33.0 cm (13 in.) to 48.3 cm (19 in.)       310.00       344.00         (19 in.) to 55.9 cm (22 in.)       310.00       N/A         4542809       modification of seat height, to 54.6 cm (21½ in.)       132.00       N/A         4542791       modification of ASBA seat width, from 50.8 cm (20 in.) to 61.0 cm (24 in.)       225.00       N/A         4542767       modification of seat depth, from 48.3 cm (19 in.) to 55.9 cm (22 in.), long base       186.00       N/A         4545232       seat cushion, flat, foam, 5.1 cm (2 in.)       61.00       61.00       61.00         4545240       seat cushion, flat, foam, 7.6 cm (3 in.)       61.00       61.00       61.00         4543690       headrest, small       152.00       152.00         4543369       headrest, large       152.00       152.00         4543161       headrest mounting, articulated       N/C       N/A         4541157       headrest bracket       233.00       233.00         4541140       back spread		heavy-duty, with 17.8 cm (7 in.) thoracic supports		
4543401       padded seat, contoured, leatherette       397.00       397.00         4543260       padded seat, ergonomic, contoured, fabric, width: from       283.00       315.00         33.0 cm (13 in.) to 48.3 cm (19 in.)       310.00       344.00         +4545059       padded seat, ergonomic, fabric, width: from 48.3 cm (19 in.) to 55.9 cm (22 in.)       132.00       N/A         4542809       modification of seat height, to 54.6 cm (21½ in.)       132.00       N/A         4542791       modification of ASBA seat width, from 50.8 cm (20 in.) to 61.0 cm (24 in.)       225.00       N/A         4542767       modification of seat depth, from 48.3 cm (19 in.) to 55.9 cm (22 in.), long base       186.00       N/A         4545232       seat cushion, flat, foam, 5.1 cm (2 in.)       61.00       61.00       61.00         4545240       seat cushion, flat, foam, 7.6 cm (3 in.)       61.00       61.00       61.00         4543690       headrest, small       152.00       152.00       152.00         4543369       headrest, large       152.00       152.00         4543161       headrest mounting, articulated       N/C       N/A         4541175       headrest bracket       233.00       233.00         4541140       back spreader bar, on reclining back       N/C       N/C	4542742	rigid seat, flat	N/C	48.00
4543260       padded seat, ergonomic, contoured, fabric, width: from 33.0 cm (13 in.) to 48.3 cm (19 in.)       283.00       315.00         44545059       padded seat, ergonomic, fabric, width: from 48.3 cm (19 in.) to 55.9 cm (22 in.)       310.00       344.00         4542809       modification of seat height, to 54.6 cm (21½ in.)       132.00       N/A         4542791       modification of ASBA seat width, from 50.8 cm (20 in.) to 61.0 cm (24 in.)       225.00       N/A         4542767       modification of seat depth, from 48.3 cm (19 in.) to 55.9 cm (22 in.), long base       186.00       N/A         4545232       seat cushion, flat, foam, 5.1 cm (2 in.)       61.00       61.00       61.00         4545240       seat cushion, flat, foam, 7.6 cm (3 in.)       61.00       61.00       61.00         4543690       headrest, small       152.00       152.00         4543351       headrest, large       152.00       152.00         4543161       headrest mounting, articulated       N/C       N/A         4541157       headrest bracket       233.00       233.00         4541140       back spreader bar, on reclining back       N/C       N/A         4542114       push handles       N/C       52.00	4542734	padded seat, contoured, fabric	297.00	297.00
33.0 cm (13 in.) to 48.3 cm (19 in.)  +4545059 padded seat, ergonomic, fabric, width: from 48.3 cm	4543401	padded seat, contoured, leatherette	397.00	397.00
+4545059       padded seat, ergonomic, fabric, width: from 48.3 cm (19 in.) to 55.9 cm (22 in.)       310.00       344.00         4542809       modification of seat height, to 54.6 cm (21½ in.)       132.00       N/A         4542791       modification of ASBA seat width, from 50.8 cm (20 in.) to 61.0 cm (24 in.)       225.00       N/A         4542767       modification of seat depth, from 48.3 cm (19 in.) to 55.9 cm (22 in.), long base       186.00       N/A         4545232       seat cushion, flat, foam, 5.1 cm (2 in.)       61.00       61.00         4545240       seat cushion, flat, foam, 7.6 cm (3 in.)       61.00       61.00         4540571       safety belt, auto-type       N/C       53.00         4543690       headrest, small       152.00       152.00         4543351       headrest, large       152.00       152.00         4543161       headrest mounting, articulated       N/C       N/A         4541157       headrest bracket       233.00       233.00         4541140       back spreader bar, on reclining back       N/C       N/A         4542114       push handles       N/C       52.00	4543260	padded seat, ergonomic, contoured, fabric, width: from	283.00	315.00
(19 in.) to 55.9 cm (22 in.)       4542809 modification of seat height, to 54.6 cm (21½ in.)       132.00 N/A         4542791 modification of ASBA seat width, from 50.8 cm (20 in.) to 61.0 cm (24 in.)       225.00 N/A         4542767 modification of seat depth, from 48.3 cm (19 in.) to 55.9 cm (22 in.), long base       186.00 N/A         4545232 seat cushion, flat, foam, 5.1 cm (2 in.)       61.00 61.		33.0 cm (13 in.) to 48.3 cm (19 in.)		
4542809 modification of seat height, to 54.6 cm (21½ in.)       132.00       N/A         4542791 modification of ASBA seat width, from 50.8 cm (20 in.) to 61.0 cm (24 in.)       225.00       N/A         4542767 modification of seat depth, from 48.3 cm (19 in.) to 55.9 cm (22 in.), long base       186.00       N/A         4545232 seat cushion, flat, foam, 5.1 cm (2 in.)       61.00       61.00         4545240 seat cushion, flat, foam, 7.6 cm (3 in.)       61.00       61.00         4543690 headrest, small       152.00       152.00         4543351 headrest, large       152.00       152.00         4543161 headrest mounting, articulated       N/C       N/A         4541157 headrest bracket       233.00       233.00         4541140 back spreader bar, on reclining back       N/C       N/A         4542114 push handles       N/C       52.00	+4545059	padded seat, ergonomic, fabric, width: from 48.3 cm	310.00	344.00
4542791       modification of ASBA seat width, from 50.8 cm (20 in.) to 61.0 cm (24 in.)       225.00       N/A 61.0 cm (24 in.)         4542767       modification of seat depth, from 48.3 cm (19 in.) to 55.9 cm (22 in.), long base       186.00       N/A 55.9 cm (22 in.), long base         4545232       seat cushion, flat, foam, 5.1 cm (2 in.)       61.00       61.00         4545240       seat cushion, flat, foam, 7.6 cm (3 in.)       61.00       61.00         4543691       headrest, small       152.00       152.00         4543351       headrest, large       152.00       152.00         4543161       headrest mounting, articulated       N/C       N/A         4541157       headrest bracket       233.00       233.00         4541140       back spreader bar, on reclining back       N/C       N/A         4542114       push handles       N/C       52.00		(19 in.) to 55.9 cm (22 in.)		
4542791       modification of ASBA seat width, from 50.8 cm (20 in.) to 61.0 cm (24 in.)       225.00       N/A 61.0 cm (24 in.)         4542767       modification of seat depth, from 48.3 cm (19 in.) to 55.9 cm (22 in.), long base       186.00       N/A 55.9 cm (22 in.), long base         4545232       seat cushion, flat, foam, 5.1 cm (2 in.)       61.00       61.00         4545240       seat cushion, flat, foam, 7.6 cm (3 in.)       61.00       61.00         4543691       headrest, small       152.00       152.00         4543351       headrest, large       152.00       152.00         4543161       headrest mounting, articulated       N/C       N/A         4541157       headrest bracket       233.00       233.00         4541140       back spreader bar, on reclining back       N/C       N/A         4542114       push handles       N/C       52.00	4542809	modification of seat height, to 54.6 cm (21½ in.)	132.00	N/A
61.0 cm (24 in.)  4542767 modification of seat depth, from 48.3 cm (19 in.) to 55.9 cm (22 in.), long base  4545232 seat cushion, flat, foam, 5.1 cm (2 in.) 61.00			225.00	N/A
4542767       modification of seat depth, from 48.3 cm (19 in.) to 55.9 cm (22 in.), long base       186.00       N/A 55.9 cm (22 in.), long base         4545232       seat cushion, flat, foam, 5.1 cm (2 in.)       61.00       61.00         4545240       seat cushion, flat, foam, 7.6 cm (3 in.)       61.00       61.00         4540571       safety belt, auto-type       N/C       53.00         4543690       headrest, small       152.00       152.00         4543351       headrest, large       152.00       152.00         4543369       combined headrest/neckrest       152.00       152.00         4543161       headrest mounting, articulated       N/C       N/A         4541157       headrest bracket       233.00       233.00         4541140       back spreader bar, on reclining back       N/C       N/A         4542114       push handles       N/C       52.00				
55.9 cm (22 in.), long base         4545232 seat cushion, flat, foam, 5.1 cm (2 in.)       61.00       61.00         4545240 seat cushion, flat, foam, 7.6 cm (3 in.)       61.00       61.00         4540571 safety belt, auto-type       N/C       53.00         4543690 headrest, small       152.00       152.00         4543351 headrest, large       152.00       152.00         4543369 combined headrest/neckrest       152.00       152.00         4543161 headrest mounting, articulated       N/C       N/A         4541157 headrest bracket       233.00       233.00         4541140 back spreader bar, on reclining back       N/C       N/A         4542114 push handles       N/C       52.00	4542767		186.00	N/A
4545240       seat cushion, flat, foam, 7.6 cm (3 in.)       61.00       61.00         4540571       safety belt, auto-type       N/C       53.00         4543690       headrest, small       152.00       152.00         4543351       headrest, large       152.00       152.00         4543369       combined headrest/neckrest       152.00       152.00         4543161       headrest mounting, articulated       N/C       N/A         4541157       headrest bracket       233.00       233.00         4541140       back spreader bar, on reclining back       N/C       N/A         4542114       push handles       N/C       52.00				
4540571       safety belt, auto-type       N/C       53.00         4543690       headrest, small       152.00       152.00         4543351       headrest, large       152.00       152.00         4543369       combined headrest/neckrest       152.00       152.00         4543161       headrest mounting, articulated       N/C       N/A         4541157       headrest bracket       233.00       233.00         4541140       back spreader bar, on reclining back       N/C       N/A         4542114       push handles       N/C       52.00	4545232	seat cushion, flat, foam, 5.1 cm (2 in.)	61.00	61.00
4543690 headrest, small       152.00       152.00         4543351 headrest, large       152.00       152.00         4543369 combined headrest/neckrest       152.00       152.00         4543161 headrest mounting, articulated       N/C       N/A         4541157 headrest bracket       233.00       233.00         4541140 back spreader bar, on reclining back       N/C       N/A         4542114 push handles       N/C       52.00			61.00	61.00
4543690 headrest, small       152.00       152.00         4543351 headrest, large       152.00       152.00         4543369 combined headrest/neckrest       152.00       152.00         4543161 headrest mounting, articulated       N/C       N/A         4541157 headrest bracket       233.00       233.00         4541140 back spreader bar, on reclining back       N/C       N/A         4542114 push handles       N/C       52.00	4540571	safety belt, auto-type	N/C	53.00
4543351       headrest, large       152.00       152.00         4543369       combined headrest/neckrest       152.00       152.00         4543161       headrest mounting, articulated       N/C       N/A         4541157       headrest bracket       233.00       233.00         4541140       back spreader bar, on reclining back       N/C       N/A         4542114       push handles       N/C       52.00			152.00	152.00
4543369 combined headrest/neckrest       152.00         4543161 headrest mounting, articulated       N/C       N/A         4541157 headrest bracket       233.00       233.00         4541140 back spreader bar, on reclining back       N/C       N/A         4542114 push handles       N/C       52.00			152.00	152.00
4543161       headrest mounting, articulated       N/C       N/A         4541157       headrest bracket       233.00       233.00         4541140       back spreader bar, on reclining back       N/C       N/A         4542114       push handles       N/C       52.00			152.00	152.00
4541157 headrest bracket       233.00       233.00         4541140 back spreader bar, on reclining back       N/C       N/A         4542114 push handles       N/C       52.00				N/A
4541140back spreader bar, on reclining backN/CN/A4542114push handlesN/C52.00				233.00
<b>4542114</b> push handles N/C 52.00				N/A
1				52.00
			N/C	61.00

	Armrests:		
4543187	U-type armrests, height-adjustable, from 20.3 cm (8 in.) to	N/C	138.00
10 10107	30.5 cm (12 in.), short, long	14,0	120.00
+4545067	` ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	N/C	18.00
	armrest pads, contoured, short, long	N/C	30.00
	modification of armrest height, by - 2.5 cm (1 in.), by -	190.00	N/A
	5.1 cm (2 in.)	-,	- ,,
	Footrests:		
4542890	footrests, parallel, detachable, swingaway, length-	N/C	72.00
	adjustable, from 34.3 cm (13½ in.) to 44.5 cm (17½ in.) at		
	60°, from 29.8 cm (11¾ in.) to 43.2 cm (17 in.) at 70°		
4542908	70° footrests, narrowed, detachable, swingaway, length-	20.00	82.00
	adjustable, from 34.3 cm (13½ in.) to 44.5 cm (17½ in.)		
4542916	elevating legrests, length-adjustable, from 40.6 cm (16 in.)	238.00	191.00
	to 50.8 cm (20 in.)		
4543286	elevating legrests, with compensating mechanism, length-	162.00	153.00
	adjustable, from 43.8 cm (17 <sup>1</sup> / <sub>4</sub> in.) to 54.6 cm (21 <sup>1</sup> / <sub>2</sub> in.)		
	padded calfrests	N/C	28.00
	single calf strap	38.00	38.00
	double calf strap	57.00	57.00
	folding footplates, standard	N/C	42.00
	oversized footplates	45.00	64.00
	full-width footplate	76.00	76.00
	footplates, angle and depth-adjustable, standard size	56.00	70.00
	oversized footplates, angle and depth-adjustable	56.00	70.00
	heel loops, fixed	N/C	7.00
	heel loops, adjustable	N/C	10.00
+4545075	longer extension tubes, additional 5.1 cm (2 in.)	N/C	16.00
	Frame:		
4542106	anti-tip rollers	N/C	N/A
	tie-down points for adapted transport	N/C	N/A
	rear suspension	N/C	N/A
	rear reflectors	N/C	N/A
	running lights	N/C	N/A
	heavy-duty frame or base heavy-duty	268.00	N/A
	Drive systems:		
	programmable joystick control MPJ+	N/C	574.00
	joystick control - PSF, PSR	N/C	1 042.00
	compact joystick control, including display module	607.00	1 181.00
	battery charge display	N/C	N/A
	battery charger	N/C	240.00
	battery boxes, group 22	N/C	195.00
	battery boxes, group 24	N/C	211.00
	proportional chin control, including display	657.00	1,231.00
	non-proportional chin control, including display	1,655.00	2,229.00
	head control, including display	1,006.00	1,580.00
4340043	breath control, including display and interface	1,227.00	1,801.00

4543526	control with separate switches, including display	1,417.00	1,991.00
	foot control, including display	1,566.00	2,140.00
	laptray touch switch control, including display	1,655.00	2,229.00
	toggle switch	N/C	N/A
	Egg auxiliary switch	141.00	141.00
	non-proportional controls interface	1,173.00	1,173.00
	separate display module	119.00	395.00
	ball extension	5.00	5.00
4540159	joystick extension	25.00	25.00
4540167	T-type extension	25.00	25.00
4542064	side bracket for joystick control	N/C	54.00
4542049	swivel side bracket for joystick control	N/C	317.00
4543567	midline bracket for joystick control, GATLIN	480.00	534.00
4543765	bracket for separate display module	N/C	185.00
4543583	head control bracket	120.00	120.00
4542353	breath control bracket	216.00	357.00
4543575	chin control bracket	480.00	534.00
4543591	chin bib control	199.00	357.00
4540126	controller	N/C	500.00
4543302	heavy-duty motors, with gear assembly, 4-brush	N/C	870.00
+4545091	standard motors, with gear assembly, 4-brush	N/C	870.00
	Wheel locks:		
4543773	manual auxiliary wheel locks	61.00	31.00
10 10770		01.00	21.00
	Wheels and forks:		
4543054	rear wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm	N/C	63.00
	(3 in.)	0.1.00	
+4545109	rear wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture-	86.00	106.00
4540641	resistant	NG	62.00
4543641	front wheels, semi-pneumatic tires, 15.2 cm (6 in.) X	N/C	63.00
4542020	5.1 cm (2 in.), 20.3 cm (8 in.) X 5.7 cm (2 <sup>1</sup> / <sub>4</sub> in.)	N/C	<i>(2.00)</i>
4543039	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm	N/C	63.00
4542062	(2 in.)	20.00	92.00
4545002	front wheels, inner tube tires, 22.9 cm (9 in.) X 7.0 cm	38.00	82.00
. 4545117	(2 <sup>3</sup> / <sub>4</sub> in.) front wheels, 22.9 cm (9 in.) X 7 cm (2 <sup>3</sup> / <sub>4</sub> in.), puncture-	80.00	103.00
+4545117	resistant	80.00	103.00
1512006	rear wheel rims	N/C	75.00
	front wheel rims	N/C N/C	N/A
	standard forks	N/C N/C	57.00
		130.00	125.00
4343237	suspension forks	130.00	123.00
	Non S.C. components for which supporting document		
	must be kept on file:		
4543831	power rocker device	1,800.00	1,800.00
	installation of power rocker device	N/C	350.00
	control system for one power accessory only, joystick-	549.00	1,060.00
	controlled		
+4545141	control system for four (4) power accessories S4WSB,	1,036.00	2,033.00
	joystick-controlled		

ASL micro extremity control, requires display module head control, ASL, requires display module Y-cable, mono (MPJ or display) for additional switch connecting cables for power reclining devices	1,603.00 3,612.00 12.00 123.00	2,177.00 4,186.00 12.00 123.00
<b>Components under Special Consideration</b>		
seat/back structure, with reclining back with cylinder	787.00	1 139.00
	• • • • • •	/.
	,	N/A
power elevating legrests, by pair*	1,499.00	1,409.00 / pr
For a Storm Arrow 3G wheel chair with power		
reclining back or power rocker only:		
conventional back, height of 40.6 cm (16 in.) to 61.4 cm	N/C	250.00
(24 in.) *		
ABS shell, height of 40.6 cm (16 in.) to 61.0 cm (24 in.) *	N/C	215.00
combined headrest/neckrest, with mounting, small, large *	N/C	248.00
OTTO-BOCK arm pads, 0020400, 0020500, 0020600, 0020700 *	82.00	100.00
	head control, ASL, requires display module Y-cable, mono (MPJ or display) for additional switch connecting cables for power reclining devices  Components under Special Consideration seat/back structure, with reclining back with cylinder (ASBA) * power reclining back, including installation * power elevating legrests, by pair*  For a Storm Arrow 3G wheel chair with power reclining back or power rocker only: conventional back, height of 40.6 cm (16 in.) to 61.4 cm (24 in.) * ABS shell, height of 40.6 cm (16 in.) to 61.0 cm (24 in.) * combined headrest/neckrest, with mounting, small, large * OTTO-BOCK arm pads, 0020400, 0020500, 0020600,	head control, ASL, requires display module Y-cable, mono (MPJ or display) for additional switch connecting cables for power reclining devices  123.00  Components under Special Consideration seat/back structure, with reclining back with cylinder (ASBA) * power reclining back, including installation * power elevating legrests, by pair*  1,499.00  For a Storm Arrow 3G wheel chair with power reclining back or power rocker only: conventional back, height of 40.6 cm (16 in.) to 61.4 cm (24 in.) * ABS shell, height of 40.6 cm (16 in.) to 61.0 cm (24 in.) * ABS shell, height of 40.6 cm (16 in.) to 61.0 cm (24 in.) * N/C combined headrest/neckrest, with mounting, small, large * OTTO-BOCK arm pads, 0020400, 0020500, 0020600,  82.00

#### SUPPLIER: SUNRISE MEDICAL CANADA INC.

#### **PRICE**

# +4554002 POWERED WHEEL CHAIR QUICKIE 323 ADULT MODEL

4,325.00

# **Basic Components Body support system**

- supple back, nylon
- back, angle-adjustable, from 84° to 116°, ASAP seat
- back, angle-adjustable, from 84° to 124°, by 4° increments, SP202
- rigid seat, flat
- back height: from 40.6 cm (16 in.) to 48.3 cm (19 in.)
- seat height: from 38.1 cm (15 in.) to 50.8 cm (20 in.)
- seat width: from 40.6 cm (16 in.) to 50.8 cm (20 in.)
- SP202 seat widths: 35.6 cm (14 in.), 38.1 cm (15 in.)
- seat depth: from 40.6 cm (16 in.) to 50.8 cm (20 in.)
- SP202 seat depth: from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- safety belt, auto-type, velcro-type
- centre of gravity adjustment from seat
- installation of power reclining back \*
- installation of power rocker device
- control system for one (1) power accessory only (Solo)

#### **Armrests**

- U-type armrests, height-adjustable, short, long, on SP202 only
- T-type armrests, detachable, height-adjustable, from 22.9 cm (9 in.) to 30.5 cm (12 in.), short, long, on SP202 only
- I-type armrests, flip-back, angle-adjustable, height-adjustable, from 22.9 cm (9 in.) to 30.5 cm (12 in.), short, long, straight or contoured, on SP202
- I-type armrests, depth-adjustable, from 30.5 cm (12 in.) to 40.6 cm (16 in.); height-adjustable, from 22.9 cm (9 in.) to 30.5 cm (12 in.), long, ASAP seat
- armrest pads, straight, short, long
- armrest pads, contoured, short, long

### **Footrests**

- footrests, angle-adjustable to 60°, 70°, 80°, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- padded calfrests for elevating legrests
- folding footplates, standard
- heel loops, adjustable

#### Frame

- tie-down points for adapted transport
- rear suspension
- running lights
- compact base, width: 61.0 cm (24 in.), group 22, maximum capacity of 181.4 kg (400 lb)

• regular base, width: 64.8 cm (25½ in.), group 24, maximum capacity of 181.4 kg (400 lb)

# **Drive systems**

- programmable joystick control VR2, for 2-brush motors
- programmable joystick control R-Net, for 4-brush motors
- battery charge display
- battery charger
- battery boxes, group 22 on compact base, group 24 on regular base
- push-button switch
- side bracket for joystick control
- swivel side bracket for joystick control
- controller for VR2, 2-brush motors
- 2-brush motors, 113.4 kg (250 lb)

#### Wheels and forks

- driving wheels, inner tube, knobby tires, 35.6 cm (14 in.) X 7.6 cm (3 in.)
- front wheels, solid tires, 15.2 cm (6 in.) X 5.1 cm (2 in.), 20.3 cm (8 in.) X 5.1 cm (2 in.)
- front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)
- driving wheel rims
- front wheel rims
- standard forks

<sup>\*</sup> Component under Special Consideration

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	Basic and Optional Components		
	Body support system		
4554600	Seat and back:	<b>550.00</b>	<b>550.00</b>
+4554283	seat/back structure, with back, angle-adjustable, from 40.6 cm (16 in.) X 40.6 cm (16 in.) to 50.8 cm (20 in.) X 50.8 cm (20 in.), ASAP seat	550.00	550.00
+4554291	heavy-duty seat/back structure, for power device, with angle-adjustable back, 181.4 kg (400 lb), SP202 *	850.00	850.00
+4554309	supple back, nylon	N/C	71.00
+4554317	back, angle-adjustable, from 84° to 116°, ASAP seat	N/C	N/A
+4554325	back, angle-adjustable, from 84° to 124°, by 4° increments, SP202	N/C	N/A
	supple back, tension-adjustable	76.00	147.00
+4554341	padded back, contoured, fabric, maximum height of 48.3 cm (19 in.)	314.00	385.00
+4554358	padded back, contoured, fabric, from 50.8 cm (20 in.) to 61.0 cm (24 in.)	359.00	431.00
+4554366	padded back, contoured, fabric, with rigid base, maximum height of 48.3 cm (19 in.)	405.00	476.00
+4554374	padded back, contoured, fabric, with rigid structure, from 50.8 cm (20 in.) to 61.0 cm (24 in.)	466.00	537.00
+4554382	rigid seat, flat	N/C	N/A
	supple seat, nylon	95.00	95.00
+4554408	rigid seat, elastic webbing	150.00	150.00
	padded seat, contoured, fabric	254.00	308.00
+4554424	modification of back height, from 50.8 cm (20 in.) to 61.0 cm (24 in.)	83.00	N/A
+4554432	modification of seat width, from 53.3 cm (21 in.) to 61.0 cm (24 in.) on SP202	297.00	N/A
+4554440	modification of seat depth, from 50.8 cm (20 in.) to 55.9 cm (22 in.), on SP202	265.00	N/A
+4554457	seat cushion, flat, foam, 5.1 cm (2 in.)	58.00	58.00
	seat cushion, flat, foam, 7.6 cm (3 in.)	58.00	58.00
	safety belt, auto-type	N/C	42.00
+4554481	safety belt, velcro-type	N/C	29.00
	headrest, small	99.00	106.00
	headrest, medium	99.00	106.00
	headrest, large	99.00	106.00
	headrest mounting, articulated	159.00	173.00
+4554531	centre of gravity adjustment from seat	N/C	N/A

	Armrests:		
+4553400	U-type armrests, height-adjustable, short, long, on SP202	N/C	181.00
	only		
+4553418	T-type armrests, detachable, height-adjustable, from 22.9 cm	N/C	136.00
	(9 in.) to 30.5 cm (12 in.), short, long, on SP202 only		
+4554572	I-type armrests, flip-back, angle-adjustable, height-	N/C	136.00
	adjustable, from 22.9 cm (9 in.) to 30.5 cm (12 in.), short,		
	long, straight or contoured, for SP202		
+4554580	I-type armrests, depth-adjustable, from 30.5 cm (12 in.) to	N/C	136.00
	40.6 cm (16 in.); height-adjustable, from 22.9 cm (9 in.) to		
	30.5 cm (12 in.), long, ASAP seat		
+4554598	I-type armrests, for reclining back, height-adjustable, with	160.00	216.00
	transfer assists and clothing guards, short, long, for SP202		
+4554606	armrest pads, straight, short	N/C	15.00
	armrest pads, straight, long	N/C	18.00
	armrest pads, contoured, short, long	N/C	26.00
+4554630	modification of height of T-type armrests, from 15.2 cm	82.00	N/A
	(6 in.) to 24.8 cm (9¾ in.)		
	Footrests:		
1 1551619	footrests; angle-adjustable to 60°, 70° and 80°, parallel,	N/C	140.00
+4554046	detachable, swingaway, length-adjustable, from 35.6 cm	N/C	140.00
	(14 in.) to 48.3 cm (19 in.)		
+4554655	70° footrests, heavy-duty, parallel, detachable, swingaway,	150.00	215.00
14004000	length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)	150.00	213.00
+4554663	elevating legrests	178.00	229.00
	elevating legrests, with compensating mechanism	200.00	N/A
	padded calfrests for elevating legrests	N/C	19.00
	contoured calfrests	72.00	55.00
+4554705	single calf strap	19.00	19.00
+4554713	double calf strap	33.00	33.00
+4554721	folding footplates, standard	N/C	49.00
+4554739	oversized footplates	74.00	86.00
	folding footplates, angle-adjustable, locking	80.00	178.00
	oversized footplates, folding, angle and depth-adjustable	54.00	76.00
	folding footplates, multi-position	106.00	102.00
	one-piece footplates	150.00	N/A
	heel loops, adjustable	N/C	10.00
	modification of footrest length, customized	50.00	N/A
+4554804	front impact guard with rollers	38.00	19.00
	T.		
. 455 4012	Frame:	N/C	NT/A
	tie-down points for adapted transport	N/C	N/A
	rear suspension	N/C	N/A
	running lights cane holder	N/C 45.00	N/A 45.00
		45.00 N/C	45.00 N/A
±4334633	compact base, width: 61.0 cm (24 in.), group 22, maximum capacity of 181.4 kg (400 lb)	IN/C	1 <b>v</b> /A
+ <b>45548</b> 61	regular base, width: 64.8 cm (25½ in.), group 24, maximum	N/C	N/A
TJJ70U1	capacity of 181.4 kg (400 lb)	1 <b>V</b> /C	1 <b>v</b> / A
	enparty of 101.1 kg (100 10)		

	Drive systems:		
+4554879	programmable joystick control VR2, for 2-brush motors	N/C	450.00
	programmable joystick control R-Net, for 4-brush motors	N/C	660.00
	battery charge display	N/C	N/A
	battery charger	N/C	384.00
	battery boxes, group 22 on compact base, group 24 on	N/C	N/A
14354711	regular base	14/6	14/11
+4554929	adapted controls interface, with built-in display module	1,445.00	1,445.00
	laptray touch switch control (cross-shaped, Penta or Waffer)	314.00	314.00
1 100 1507	(requires interface)	2100	0100
+4554945	breath control (requires interface)	426.00	426.00
+4554952	proportional chin control (requires interface)	555.00	555.00
+4554960	non-proportional chin control (requires interface)	555.00	555.00
+4554978	head control (requires interface)	555.00	555.00
+4554986	proportional mini-joystick control (requires interface)	790.00	1,090.00
+4554994	foot control, including support (requires interface)	1,740.00	1,740.00
+4554275	control with separate Zero Touch switches (requires	1,770.00	1,770.00
	interface)		
+4555017	push-button switch	N/C	N/A
	toggle switch	88.00	N/A
	auxiliary switch	91.00	96.00
	stick extension	21.00	21.00
+4555058	ball extension	52.00	52.00
	T-type extension	52.00	52.00
	side bracket for joystick control	N/C	74.00
	swivel side bracket for joystick control	N/C	188.00
	midline bracket for joystick control, flip-back	163.00	351.00
	breath control bracket	352.00	352.00
	chin control bracket	352.00	352.00
	head control bracket	352.00	352.00
	interface bracket	352.00	352.00
	adjustable support, for joystick control bracket	66.00	66.00
	modification, repositioning of joystick bracket inward	120.00	N/A
	chin bib control	352.00	352.00
	controller for VR2, 2-brush motors	N/C	1,100.00
	controller for R-Net, 4-brush motors	486.00	1,586.00
	2-brush motors, 113.4 kg (250 lb)	N/C	948.00
+4555207	4-brush motors, 181.4 kg (400 lb)	350.00	1,123.00
	Wheels and forks:		
+4555215		N/C	215.00
	(14 in.) X 7.6 cm (3 in.)		
+4554077	front wheels, solid tires, 15.2 cm (6 in.) X 5.1 cm (2 in.)	N/C	62.00
+4555223	front wheels, solid tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)	N/C	84.00
+4555249	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm	N/C	72.00
4====	(2 in.)	***	**/*
	front wheel rims	N/C	N/A
	driving wheel rims	N/C	47.00
+4555280	airless inserts, driving wheel	136.00	N/A
+4555298	airless inserts, front wheel	114.00	N/A

+4555306	standard forks	N/C	87.00
	Non S.C. components for which supporting document must be kept on file:		
+4555348	power rocker device	1,695.00	1,695.00
+4555389	installation of power rocker device	N/C	N/A
+4555397	control system for one (1) power accessory only (Solo)	N/C	275.00
+4555405	control system for four (4) power accessories, (Quattro)	575.00	575.00
+4555413	control system for two actuator motors, (Duo)	390.00	390.00
+4555439	joystick control system, two (2) accessories	525.00	525.00
+4555447	joystick control system, four (4) accessories	775.00	775.00
	Component(s) under Special Consideration		
+4555322	seat/back structure SP202, with reclining back with cylinder, compensating mechanism *	1,185.00	1,185.00
+4555330		1,100.00	1,950.00
+4555355		1,295.00	1,295.00 / pr
+4555363	•	1,295.00	1,295.00 / pr
+4555371	installation of power reclining back *	N/C	N/A

## SUPPLIER: SUNRISE MEDICAL CANADA INC.

## **PRICE**

# +4555009 POWERED WHEEL CHAIR QUICKIE 747 ADULT MODEL

4,325.00

# **Basic Components**

# **Body support system**

- supple back, nylon
- back, angle-adjustable, from 84° to 116°, ASAP seat
- back, angle-adjustable, from 84° to 124°, by 4° increments, SP202
- rigid seat, flat
- back height: from 40.6 cm (16 in.) to 48.3 cm (19 in.)
- seat height: from 38.1 cm (15 in.) to 50.8 cm (20 in.)
- seat width: from 40.6 cm (16 in.) to 50.8 cm (20 in.)
- seat widths on SP202: 35.6 cm (14 in.), 38.1 cm (15 in.)
- seat depth: from 40.6 cm (16 in.) to 50.8 cm (20 in.)
- seat depth on SP202: from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- safety belt, auto-type, velcro-type
- centre of gravity adjustment from seat
- installation of power reclining back \*
- installation of power rocker device
- control system for one (1) power accessory only (Solo)

### **Armrests**

- U-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long, on SP202 only
- T-type armrests, detachable, height-adjustable, from 25.4 cm (10 in.) to 39.4 cm (15½ in.), short, long, on SP202 only
- I-type armrests, flip-back, angle-adjustable, height-adjustable, from 22.9 cm (9 in.) to 30.5 cm (12 in.), short, long, straight or contoured, for SP202
- I-type armrests, depth-adjustable, from 30.5 cm (12 in.) to 40.6 cm (16 in.); height-adjustable, from 22.9 cm (9 in.) to 30.5 cm (12 in.), long, ASAP seat
- armrest pads, straight, short, long
- armrest pads, contoured, short, long

# **Footrests**

- footrests, angle-adjustable, to 60°, 70°, 80°, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- padded calfrests for elevating legrests
- folding footplates, standard
- heel loops, adjustable

## Frame

- tie-down points for adapted transport
- rear suspension
- running lights
- compact base, width: 61.0 cm (24 in.), group 22, maximum capacity of 181.4 kg (400 lb)

regular base, width: 64.8 cm (25½ in.), group 24, maximum capacity of 181.4 kg (400 lb)

# **Drive systems**

- programmable joystick control VR2, for 2-brush motors
- programmable joystick control R-Net, for 4-brush motors
- battery charge display
- push-button switch
- battery charger
- battery boxes, group 22 on compact base, group 24 on regular base
- side bracket for joystick control
- swivel side bracket for joystick control
- controller for VR2, 2-brush motors
- 2-brush motors, 113.4 kg (250 lb)

- driving wheels, inner tube tires, knobby tires, 35.6 cm (14 in.) X 7.6 cm (3 in.)
- front wheels, solid tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)
- front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)
- driving wheel rims
- front wheel rims
- standard forks

<sup>\*</sup> Component under Special Consideration

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	<b>Basic and Optional Components</b>		
+4554283	Body support system Seat and back: seat/back structure, with back, angle-adjustable, from 40.6 cm (16 in.) X 40.6 cm (16 in.) to 50.8 cm (20 in.) X 50.8 cm (20 in.), ASAP seat	550.00	550.00
+4554291	heavy duty seat/back structure, for power device, with angle-adjustable back, 181.4 kg (400 lb), SP202 *	850.00	850.00
+4554309	supple back, nylon	N/C	71.00
	back, angle-adjustable, from 84° to 116°, ASAP seat	N/C	N/A
	back, angle-adjustable, from 84° to 124°, by 4° increments, SP202	N/C	N/A
+4554333	supple back, tension-adjustable	76.00	147.00
	padded back, contoured, fabric, maximum height of 48.3 cm (19 in.)	314.00	385.00
+4554358	padded back, contoured, fabric, from 50.8 cm (20 in.) to 61.0 cm (24 in.)	359.00	431.00
+4554366	padded back, contoured, fabric, with rigid base, maximum height of 48.3 cm (19 in.)	405.00	476.00
+4554374	padded back, contoured, fabric, with rigid structure, from 50.8 cm (20 in.) to 61.0 cm (24 in.)	466.00	537.00
+4554382	rigid seat, flat	N/C	N/A
	supple seat, nylon	95.00	95.00
	rigid seat, elastic webbing	150.00	150.00
	padded seat, contoured, fabric	254.00	308.00
	modification of back height, from 50.8 cm (20 in.) to	83.00	N/A
	61.0 cm (24 in.)		
+4554432	modification of seat width, from 53.3 cm (21 in.) to 61.0 cm (24 in.), on SP202	297.00	N/A
+4554440	modification of seat depth, from 50.8 cm (20 in.) to 55.9 cm (22 in.), on SP202	265.00	N/A
+4554457	seat cushion, flat, foam, 5.1 cm (2 in.)	58.00	58.00
	seat cushion, flat, foam, 7.6 cm (3 in.)	58.00	58.00
	safety belt, auto-type	N/C	42.00
	safety belt, velcro-type	N/C	29.00
	headrest, small	99.00	106.00
	headrest, medium	99.00	106.00
+4554515	headrest, large	99.00	106.00
	headrest mounting, articulated	159.00	173.00
+4554531	centre of gravity adjustment from seat	N/C	N/A
+4554549	modification of SP202 seat width, from 35.6 cm (14 in.) to 38.1 cm (15 in.)	N/C	N/A

	Armrests:		
+4554556	U-type armrests, height-adjustable, from 25.4 cm (10 in.) to	N/C	181.00
14354550	35.6 cm (14 in.), short, long, on SP202 only	100	101.00
+4554564	T-type armrests, detachable, height-adjustable, from	N/C	136.00
	25.4 cm (10 in.) to 39.4 cm (15½ in.), short, long, on SP202	14,0	120.00
	only		
+4554572	I-type armrests, flip-back, angle-adjustable, height-	N/C	136.00
	adjustable, from 22.9 cm (9 in.) to 30.5 cm (12 in.), short,		
	long, straight or contoured, for SP202		
+4554580	I-type armrests, depth-adjustable, from 30.5 cm (12 in.) to	N/C	136.00
	40.6 cm (16 in.); height-adjustable, from 22.9 cm (9 in.) to		
	30.5 cm (12 in.), long, ASAP seat		
+4554598	I-type armrests, for reclining back, height-adjustable, with	160.00	216.00
	transfer assists and clothing guards, short, long, for SP202		
	armrest pads, straight, short	N/C	15.00
	armrest pads, straight, long	N/C	18.00
	armrest pads, contoured, short, long	N/C	26.00
+4554630	modification of T-type armrest height, from 15.2 cm (6 in.)	82.00	N/A
	to 24.8 cm (9¾ in.)		
	T		
. 4554640	Footrests:	N/C	140.00
+4554648	footrests, angle-adjustable, to 60°, 70°, 80°, parallel,	N/C	140.00
	detachable, swingaway, length-adjustable, from 35.6 cm		
1 1551655	(14 in.) to 48.3 cm (19 in.) 70° footrests, heavy-duty, parallel, detachable, swingaway,	150.00	215.00
+4554055	length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)	130.00	213.00
+4554663	elevating legrests	178.00	229.00
	elevating legrests, with compensating mechanism	200.00	N/A
	padded calfrests for elevating legrests	N/C	19.00
	contoured calfrests	72.00	55.00
	single calf strap	19.00	19.00
	double calf strap	33.00	33.00
	folding footplates, standard	N/C	49.00
+4554739	oversized footplates	74.00	86.00
+4554747	folding footplates, angle-adjustable, locking	80.00	178.00
+4554754	oversized footplates, folding, angle and depth-adjustable	54.00	76.00
+4554762	folding footplates, multi-position	106.00	102.00
	one-piece footplates	150.00	N/A
	heel loops, adjustable	N/C	10.00
	modification of footrest length, customized	50.00	N/A
+4554804	front impact guard with rollers	38.00	19.00
	To the state of th		
14554012	Frame:	NI/C	NT / A
	tie-down points for adapted transport	N/C N/C	N/A N/A
	rear suspension running lights	N/C N/C	N/A N/A
	cane holder	45.00	45.00
	compact base, width: 61.0 cm (24 in.), group 22, maximum	43.00 N/C	43.00 N/A
[ <b>7</b> 33 <b>7</b> 033	capacity of 181.4 kg (400 lb)	11/C	11/11
+4554861	regular base, width: 64.8 cm (25½ in.), group 24, maximum	N/C	N/A
1001	capacity of 181.4 kg (400 lb)	100	1 1/ 1 1
	1 0 0 0 0		

	Drive systems:		
+4554879	programmable joystick control VR2, for 2-brush motors	N/C	450.00
+4554887	programmable joystick control R-Net, for 4-brush motors	N/C	660.00
+4554895	battery charge display	N/C	N/A
	battery charger	N/C	384.00
+4554911	battery boxes, group 22 on compact base, group 24 on	N/C	N/A
	regular base		
+4554929	adapted controls interface, with built-in display module	1,445.00	1,445.00
+4554937	laptray touch switch control, Penta, Waffer or cross-shaped	314.00	314.00
	(requires interface)		
	breath control (requires interface)	426.00	426.00
	proportional chin control (requires interface)	555.00	555.00
	non-proportional chin control (requires interface)	555.00	555.00
	head control (requires interface)	555.00	555.00
	proportional mini-joystick control (requires interface)	790.00	1,090.00
	foot control, including support (requires interface)	1,740.00	1,740.00
+4554275	control with separate Zero Touch switches (requires	1,770.00	1,770.00
	interface)		
	push-button switch	N/C	N/A
	toggle switch	88.00	N/A
	auxiliary switch	91.00	96.00
	stick extension	21.00	21.00
	ball extension	52.00	52.00
	T-type extension	52.00	52.00
	side bracket for joystick control	N/C	74.00
	swivel side bracket for joystick control	N/C	188.00
	midline bracket, flip-back, for joystick control	163.00	351.00
	breath control bracket	352.00	352.00
	chin control bracket	352.00	352.00
	head control bracket	352.00	352.00
	interface bracket	352.00	352.00
	adjustable bracket for joystick control	66.00	66.00
	modification, repositioning of joystick bracket inward	120.00	N/A
	chin bib control	352.00 N/C	352.00
	controller for VR2, 2-brush motors	486.00	1,100.00
	controller for R-Net, 4-brush motors	480.00 N/C	1,586.00
	2-brush motors, 113.4 kg (250 lb) 4-brush motors, 181.4 kg (400 lb)	350.00	948.00 1 123.00
+4555207	4-01usii iiiotois, 101.4 kg (400 ib)	330.00	1 123.00
	Wheels and forks:		
+4555215	driving wheels, inner tube tires, knobby tires, 35.6 cm	N/C	215.00
14333213	(14 in.) X 7.6 cm (3 in.)	14/6	213.00
+4555223	front wheels, solid tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)	N/C	84.00
	front wheels, solid tires, 22.9 cm (9 in.) X 7.6 cm (3 in.)	50.00	97.00
	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm	N/C	72.00
	(2 in.)	14,0	, 2.00
+4555256	front wheels, inner tube tires, 22.9 cm (9 in.) X 7.6 cm	50.00	97.00
	(3 in.)	20.00	255
+4555264	front wheel rims	N/C	N/A
	driving wheel rims	N/C	47.00
	<del>-</del>		

+4555280	airless inserts, driving wheel	136.00	N/A
	airless inserts, front wheel	114.00	N/A
+4555306	standard forks	N/C	87.00
	suspension forks	135.00	N/A
	Non S.C. components for which supporting document		
4555040	must be kept on file:	1 60 7 00	1.607.00
+4555348	*	1,695.00	1,695.00
	installation of power rocker device	N/C	N/A
+4555397		N/C	275.00
	control system for four (4) power accessories, (Quattro)	575.00	575.00
+4555413	control system for two actuator motors, (Duo)	390.00	390.00
+4555439	joystick control system, two (2) accessories	525.00	525.00
+4555447	joystick control system, four (4) accessories	775.00	775.00
	Components under Special Consideration		
<b>⊥</b> 4555322	seat/back structure SP202, with reclining back with	1,185.00	1,185.00
T <b>4</b> 333322	cylinder, compensating mechanism *	1,103.00	1,165.00
+4555330	power reclining back, compensating mechanism, requires	1,100.00	1,950.00
	SP202 *		·
+4555355	power elevating legrests, per pair, including legrests,	1,295.00	1,295.00 / pr
	footplates on SP202 *		
+4555363		1,295.00	1,295.00 / pr
	footplates on SP202 *		
+4555371	installation of power reclining back *	N/C	N/A

## **SUPPLIER: ORTHOFAB INC.**

# **PRICE**

# +4565800 POWERED WHEEL CHAIR MEG MODEL

2,999.00

# **Basic Components**

# **Body support system**

- supple back, nylon
- back, angle-adjustable
- supple seat, nylon
- back heights: 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.)
- seat height: 49.5 cm (19½ in.)
- seat widths: 40.6 cm (16 in.), 45.7 cm (18 in.)
- seat depths: 40.6 cm (16 in.), 45.7 cm (18 in.)
- safety belt, auto-type
- push handles

# **Armrests**

- U-type armrests, height-adjustable, from 22.9 cm (9 in.) to 33.0 cm (13 in.), longs
- T-type armrests, height-adjustable, from 0.0 cm (0 in.) to 22.9 cm (9 in.), longs
- armrest pads, straight, long
- rigid clothing guards for T-type and U-type armrests

# **Footrests**

- 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- padded calfrests
- folding footplates, standard
- heel loops, adjustable

## Frame

- anti-tip rollers
- tie-down points for adapted transport
- rear reflectors

# **Drive systems**

- joystick control with integrated controller
- battery charge display
- battery charger
- battery boxes, group U1
- push-button switch
- direction joystick
- conical-spherical stick extension
- swivel side bracket for joystick control
- motors

# Wheels and forks

- manual auxiliary wheel locks
- driving or rear wheels, puncture-resistant, 31.8 cm (12½ in.) X 5.7 cm (2¼ in.)
- casters or front wheels, puncture-resistant, 20.3 cm (8 in.) X 5.1 cm (2 in.)
- driving or rear wheel rims
- front wheel or caster rims
- rear airless inserts
- front airless inserts
- standard forks

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	<b>Basic and Optional Components</b>		
	Body support system		
	Seat and back:		
	supple back, nylon	N/C	69.00
+4564241	back, angle-adjustable	N/C	N/A
	supple back, tension-adjustable	74.00	143.00
	rigid back, contoured	141.00	200.00
	supple seat, nylon	N/C	57.00
+4564282	rigid seat, flat, dropped 0.0 cm (0 in.), 2.5 cm (1 in.) and 5.1 cm (2 in.)	116.00	173.00
+4564290	padded seat, contoured, fabric	210.00	210.00
	modification of seat width, to 50.8 cm (20 in.)	290.00	N/A
	seat cushion, flat, foam, 5.1 cm (2 in.)	59.00	59.00
	contoured cushion, viscoelastic nylon	150.00	150.00
	back cushion, contoured, nylon	178.00	237.00
	safety belt, auto-type	N/C	40.00
	headrest, small, medium, large	105.00	105.00
	headrest mounting, articulated, uniball	135.00	135.00
	back spreader bar	69.00	69.00
+4564837	back spreader bar with headrest support	99.00	99.00
+4564415	push handles	N/C	N/A
45<4400	Armrests:	N/G	140.00
	U-type armrests, height-adjustable, from 22.9 cm (9 in.) to 33.0 cm (13 in.), long	N/C	140.00
+4564431	T-type armrests, height-adjustable, from 0.0 cm (0 in.) to 22.9 cm (9 in.), long	N/C	140.00
4562112	armrest pads, straight, long	N/C	15.00
4564118	rigid clothing guards for T-type or U-type armrests	N/C	N/A
	Footrests:		
4560694	70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)	N/C	84.00
4561643	elevating legrests, with compensating mechanism, length- adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)	234.00	201.00
4561866	padded calfrests	N/C	20.00
	folding footplates, standard	N/C	27.00
	footplates, angle and depth-adjustable, standard size	76.00	65.00
	oversized footplates, angle and depth-adjustable	82.00	68.00
	heel loops, adjustable	N/C	14.00
730127/	neer roops, adjustable	IV/C	14.00

	Frame:		
+4564548	anti-tip rollers	N/C	46.00
4562021	tie-down points for adapted transport	N/C	N/A
4566097	rear reflectors	N/C	N/A
	Drive systems:		
+4564571	joystick control with built-in controller	N/C	698.00
+4564589	joystick control protector shield	39.00	39.00
4562161	battery charge display	N/C	N/A
4560033	battery charger	N/C	379.00
+4564613	battery boxes, group U1	N/C	59.00
4561312	push-button switch	N/C	N/A
4560157	direction joystick	N/C	N/A
4562633	conical-spherical stick extension	N/C	8.00
4560173	ball extension	27.00	35.00
4560165	joystick extension	27.00	35.00
4560181	T-type extension	27.00	35.00
4562625	mushroom-shaped stick extension	27.00	35.00
	swivel side bracket for joystick control	N/C	202.00
+4564704	motors	N/C	595.00
	Wheels and forks:		
+4565115	manual auxiliary wheel locks	N/C	N/A
+4564720	driving or rear wheels, puncture-resistant, 31.8 cm	N/C	125.00
	(12½ in.) X 5.7 cm (2¼ in.)		
+4564738	caster or front wheels, puncture-resistant, 20.3 cm (8 in.) X	N/C	100.00
	5.1 cm (2 in.)		
+4564746	caster or front wheel rims	N/C	N/A
+4564753	driving or rear wheel rims	N/C	N/A
+4564761	rear airless inserts	N/C	N/A
+4564779	front airless inserts	N/C	N/A
+4564787	standard forks	N/C	87.00
	Rebuilt parts with exchange:		
	battery charger, 5A, 24V, bi-mode, external	N/A	227.00
	motor assembly – reduction gear – MEG brake	N/A	357.00
+4564811	VSI joystick control	N/A	419.00

## **SUPPLIER: ORTHOFAB INC.**

## **PRICE**

# 4566006 POWERED WHEEL CHAIR OASIS 2 ADULT MODEL

4,999.00

# **Basic Components Body support system**

- supple back, nylon
- rigid back, flat
- rigid seat, flat
- back height: from 38.1 cm (15 in.) to 48.3 cm (19 in.)
- seat height: from 39.4 cm  $(15\frac{1}{2} \text{ in.})$  to 47.0 cm  $(18\frac{1}{2} \text{ in.})$
- seat widths: 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.)
- seat depths: 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.)
- modification of seat height, by +2.5 cm (1 in.), by +5.1 cm (2 in.)
- safety belt, auto-type
- push handles, built into backposts
- installation of power rocker device, including one control for one (1) accessory
- installation of power reclining back \*
- adjustable seat bracket
- connecting cables for power reclining devices

### **Armrests**

- U-type armrests, detachable, height-adjustable, from 20.3 cm (8 in.) to 30.5 cm (12 in.), from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long
- T-type armrests, detachable, height-adjustable, from 20.3 cm (8 in.) to 27.9 cm (11 in.), from 27.9 cm (11 in.) to 35.6 cm (14 in.), short, long
- armrest pads, straight, short, long
- rigid clothing guards for T-type armrests, U-type armrests

## **Footrests**

- 60° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- 90° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- padded calfrests
- folding footplates, standard
- heel loops, adjustable

### Frame

- anti-tip rollers
- tie-down points for adapted transport
- rear suspension
- rear reflectors

• running lights, front, rear

# **Drive systems**

- programmable joystick control
- joystick control, potentiometer
- joystick control, potentiometer, toggle switch
- battery charge display
- battery charger
- breath control, included with interface
- push-button switch, toggle switch
- battery boxes, group 22, group 24
- direction joystick
- conical-spherical stick extension
- swivel side bracket for joystick control
- bracket for separate display module
- controller
- motors

- rear wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.)
- front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)
- rear wheel rims
- front wheel rims
- standard forks for 20.3 cm (8 in.), 22.9 cm (9 in.) wheels
- L-shaped forks for 20.3 cm (8 in.) wheels

<sup>\*</sup> Component under Special Consideration

		wheel chair (price per pair, as applicable)	(unit price)
	<b>Basic and Optional Components:</b>		
	Body support system		
	Seat and back:		
	seat/back structure, with back, angle-adjustable	838.00	N/A
	rigid back, flat	N/C	59.00
	supple back, nylon	N/C	69.00
4564050	supple back, tension-adjustable	74.00	143.00
4564068	rigid back, contoured	141.00	200.00
4562740	rigid seat, flat	N/C	81.00
4564043	rigid seat, elastic webbing	68.00	149.00
4560504	modification of back height, to 50.8 cm (20 in.), 53.3 cm	96.00	N/A
	(21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.), 61.0 cm (24 in.),		
	63.5 cm (25 in.)		
4560512	modification of seat height, by $+ 2.5$ cm (1 in.), $+5.1$ cm	N/C	N/A
	(2 in.)		
4562096	modification of seat width, from 48.3 cm (19 in.) to 58.4 cm	290.00	N/A
	(23 in.)		
4560538	modification of seat depth, to 38.1 cm (15 in.), 48.3 cm	264.00	N/A
	(19 in.)		
4562104	modification of seat depth, to 50.8 cm (20 in.), 53.3 cm	500.00	N/A
	(21 in.)		
4565057	back cushion, contoured, nylon	178.00	237.00
4565065	back cushion, contoured, leatherette	178.00	237.00
4565099	seat cushion, flat, 5.1 cm (2 in.)	59.00	59.00
4565107	seat cushion, flat, 7.6 cm (3 in.)	59.00	59.00
+4564829	contoured cushion, viscoelastic nylon	150.00	150.00
4565073	seat cushion, contoured, nylon	210.00	210.00
4565081	seat cushion, contoured, leatherette	210.00	210.00
4563417	safety belt, velcro-type	23.00	63.00
4563433	safety belt, auto-type	N/C	40.00
4563441	safety belt, airplane-type	34.00	74.00
4566022	headrest, hammock-type	75.00	75.00
4566014	headrest, small, medium, large	105.00	105.00
4563219	headrest, padded, contoured	105.00	105.00
4561817	headrest mounting, articulated	120.00	120.00
4562062	headrest mounting, articulated, uniball	135.00	135.00
4560959	push handles built into backposts	N/C	N/A
4566105	back spreader bar	69.00	69.00
+4564837	back spreader bar with headrest support	99.00	99.00
+4564845	adjustable seat bracket	N/C	516.00

Price upon replacement

of component

Price upon initial purchase or replacement of

	Armrests:		
4566030	U-type armrests, detachable, height-adjustable, from	N/C	140.00
	20.3 cm (8 in.) to 30.5 cm (12 in.), from 25.4 cm (10 in.) to		
	35.6 cm (14 in.), short		
4566048	U-type armrests, detachable, height-adjustable, from	N/C	140.00
	20.3 cm (8 in.) to 30.5 cm (12 in.), from 25.4 cm (10 in.) to		
	35.6 cm (14 in.), long		
4562765	T-type armrests, detachable, height-adjustable, from 20.3 cm	N/C	140.00
1002700	(8 in.) to 27.9 cm (11 in.), from 27.9 cm (11 in.) to 35.6 cm	1,, 0	1.0.00
	(14 in.), short		
4564092	T-type armrests, detachable, height-adjustable, from 20.3 cm	N/C	140.00
1001072	(8 in.) to 27.9 cm (11 in.), from 27.9 cm (11 in.) to 35.6 cm	1,, 0	1.0.00
	(14 in.), long		
4562542	armrest pads, straight, short	N/C	12.00
	armrest pads, straight, long	N/C	15.00
	armrest pads, contoured, short	44.00	34.00
	armrest pads, contoured, long	48.00	39.00
	modification of armrest height, less than 20.3 cm (8 in.)	79.00	N/A
	rigid clothing guards for T-type armrests, U-type armrests	N/C	N/A
1001110	rigid crouming guards for 1 type arimests, e type arimests	14,0	1,111
	Footrests:		
4566154	60° footrests, parallel, detachable, swingaway, length-	N/C	84.00
	adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)		
4560694	70° footrests, parallel, detachable, swingaway, length-	N/C	84.00
	adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)		
+4564852	90° footrests, parallel, detachable, swingaway, length-	N/C	84.00
	adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)		
4566055	60° footrests, narrowed, detachable, swingaway, length-	86.00	127.00
	adjustable, from 38.1 cm (15 in.) to 48.3 cm (19 in.)		
4566063	70° footrests, pointing inward, detachable, swingaway,	86.00	127.00
	length-adjustable, from 38.1 cm (15 in.) to 48.3 cm (19 in.)		
4561643	elevating legrests, with compensating mechanism, length-	234.00	201.00
	adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)		
4561866	padded calfrests	N/C	20.00
4560678	contoured calfrests	60.00	50.00
4560702	double calf strap	55.00	55.00
4560751	folding footplates, standard	N/C	27.00
4566089	folding footplates, aluminum	44.00	49.00
4563342	oversized footplates	50.00	52.00
4560744	full-width footplate	221.00	275.00
	footplates, angle and depth-adjustable, standard size	76.00	65.00
4562815	oversized footplates, angle and depth-adjustable	82.00	68.00
	full-width footplate, angle and depth-adjustable	168.00	222.00
	heel loops, adjustable	N/C	14.00
	toe loops	30.00	15.00
4560728	modification of footrest length, by – than 35.6 cm (14 in.),	79.00	N/A
	by + 48.3 cm (19 in.)		
4560942	front impact guard with rollers	36.00	18.00

	Frame:		
4562880	anti-tip rollers	N/C	39.00
	tie-down points for adapted transport	N/C	N/A
	rear suspension	N/C	N/A
	rear reflectors	N/C	N/A
4562310	running lights, front, rear	N/C	N/A
	cane holder	40.00	40.00
	Drive systems:		
	programmable joystick control	N/C	511.00
	joystick control, potentiometer	N/C	589.00
	joystick control, potentiometer, toggle switches	N/C	589.00
	compact joystick control	58.00	569.00
	battery charge display	N/C	N/A
	battery charger	N/C	379.00
	battery boxes, group 22, group 24	N/C	223.00
	adapted controls interface	995.00	1 506.00
	non-proportional chin control	421.00	421.00
	proportional chin control	540.00	540.00
	breath control, included with interface	N/C	N/A
	laptray touch switch control	301.00	301.00
	control with separate switches	379.00	379.00
	head control	540.00	540.00
	mini joy-stick control	1,199.00	1,199.00
	toggle switch	N/C	N/A
	push-button switch	N/C	N/A
	auxiliary switch, per unit	98.00	98.00
	auxiliary switch, pair	198.00	99.00
	auxiliary switch double (Y)	198.00	198.00
	auxiliary switch, four positions, cross-shaped	249.00	249.00
	direction joystick	N/C	N/A
	conical-spherical stick extension	N/C	8.00
	ball extension	27.00	35.00
	stick extension	27.00	35.00
	T-type extension	27.00	35.00
	mushroom-shaped stick extension	27.00	35.00
	swivel side bracket for joystick control	N/C	202.00
	midline bracket for joystick control, flip-back	85.00	287.00
	bracket for separate display module	N/C	37.00
	flexible support for interface display	90.00	127.00
4562989		340.00	340.00
	chin control bracket	340.00	340.00
	head control bracket	340.00	340.00
	flip-back bracket for mini joy-stick	499.00	499.00
	chin bib control	329.00 N/C	329.00
	controller	N/C	1,437.00
4562872	IIIOIOIS	N/C	1,122.00

	Wheels and forks:		
4561353	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm	N/C	65.00
	(2 in.)		
4562443	front wheels, inner tube tires, 22.9 cm (9 in.) X 7 cm	86.00	108.00
	$(2^{3/4} in.)$		
4562922	rear wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm	N/C	106.00
	(3 in.)		
4562930	airless inserts for front tires	133.00	N/A
	airless inserts for rear tires	151.00	N/A
4563359	rear wheel rims	N/C	N/A
4560793	front wheel rims	N/C	N/A
	standard forks for 20.3 cm (8 in.), 22.9 cm (9 in.) wheel	N/C	87.00
	L-shaped forks for 20.3 cm (8 in.) wheels	N/C	87.00
	•		
	Non S.C. components for which supporting document		
	must be kept on file:		
4561957	power rocker device, including a "basic" control system for	879.00	1 395.00
	one accessory		
+4564951	installation of power rocker device, including one control for	N/C	400.00
	one accessory		
4562351	"basic" control system for one (1) power accessory only	230.00	230.00
	(external to joystick)		
4562385	control system for four (4) power accessories, joystick-	740.00	740.00
	controlled		
+4564969	"advanced" control system for one (1) power accessory,	249.00	249.00
	external to joystick, with plug-in for auxiliary switches		
+4564977	"advanced" control system for two (2) accessories, external	295.00	295.00
	to joystick, with plug-in for auxiliary switches		
+4564985	"advanced" control system for four (4) accessories, external	575.00	575.00
	to joystick, with plug-in for auxiliary switches		
+4564993	proximity head control	1,999.00	1,999.00
4566147	connecting cables for power reclining devices	N/C	N/A
	Components under Special Consideration		
4566139	reclining back with cylinder (manual device)*	269.00	269.00
4561932	power reclining back *	639.00	639.00
4563250	power elevating legrests, with control per unit, length-	1,273.00	721.00
	adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) *		
4562849	power elevating legrests, with control per pair, length-	1,273.00	721.00
	adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) *		
+4564944	installation of power reclining back *	N/C	200.00
	Rebuilt parts with exchange		
	R-Net joystick control	N/A	353.00
	R-Net controller	N/A	862.00
	motor assembly – reduction gear – R-Net brake	N/A	673.00
+4565040	battery charger 6A, 24V, bi-mode	N/A	227.00

# **SUPPLIER: PRIDE MOBILITY PRODUCTS**

## **PRICE**

# 4577003 POWERED WHEEL CHAIR QUANTUM VIBE R 4000 MODEL

4,000.00

# **Basic Components**

# **Body support system**

- back, angle-adjustable
- supple back, nylon
- rigid seat, flat
- back height: from 35.6 cm (14 in.) to 63.5 cm (25 in.)
- seat height: from 44.1 cm  $(17\frac{3}{8} \text{ in.})$  to 47.6 cm  $(18\frac{3}{4} \text{ in.})$
- seat width: from 35.6 cm (14 in.) to 50.8 cm (20 in.), 136.1 kg (300 lb) capacity
- seat depth: from 35.6 cm (14 in.) to 50.8 cm (20 in.), 136.1 kg (300 lb) capacity
- safety belt, auto-type, velcro-type
- headrest mounting, articulated, uniball
- push handles
- push bar
- installation of reclining back, power, 100% compensating mechanism \*
- installation of power rocker device
- centre of gravity adjustment from seat
- control system for one power accessory only
- control system for four power accessories
- connecting cables for power reclining devices

### **Armrests**

- U-type armrests, height-adjustable, from 22.9 cm (9 in.) to 33.0 cm (13 in.), short, long
- T-type armrests, height-adjustable, from 27.9 cm (11 in.) to 43.2 cm (17 in.), short, long
- T-type armrests, pediatric, height-adjustable, from 19.7 cm (7¾ in.) to 24.8 cm (9¾ in.), short, long
- I-type armrests, height-adjustable, from 15.2 cm (6 in.) to 50.8 cm (20 in.), short, long
- armrest pads, straight, short, long
- armrest pads, contoured, short, long

# **Footrests**

- 70° footrests, parallel, tapered, detachable, swingaway, length-adjustable, from 27.9 cm (11 in.) to 49.5 cm (19½ in.)
- 90° footrests, pediatric, parallel, detachable, swingaway, length-adjustable, from 17.8 cm (7 in.) to 25.4 cm (10 in.)
- padded calfrests
- folding footplates, standard
- heel loops, fixed
- heel loops, adjustable

## Frame

- tie-down points for adapted transport
- rear suspension
- rear reflectors
- running lights

# **Drive systems**

- programmable joystick control
- compact joystick control
- joystick control with built-in controller
- battery charge display
- battery charger, Lester 8A
- battery boxes, group 24
- toggle switch
- push-button switch
- auxiliary switch
- conical-spherical stick extension
- side bracket for joystick control
- swivel side bracket for joystick control
- head control bracket
- 100A Q-Logic controller
- HAMMER motors, 4-brush, 6 mph

- rear wheels, driving, inner tube tires
- front wheels, semi-pneumatic tires, 20.3 cm (8 in.)
- front wheels, inner tube tires, 22.9 cm (9 in.)
- driving or rear wheel rims
- front wheel or caster rims, 20.3 cm (8 in.), 22.9 cm (9 in.)
- front forks, standard, 20.3 cm (8 in.), 22.9 cm (9 in.)

<sup>\*</sup> Component under Special Consideration

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	<b>Basic and Optional Components</b>		
	Body support system		
	Seat and back:		
4575015	seat/back structure, with back, angle-adjustable, Synergy	500.00	550.00
	adjustable seat		
4575114	back, angle-adjustable	N/C	N/A
	supple back, nylon	N/C	60.00
	supple back, tension-adjustable	90.00	150.00
	rigid back, steel plate with detachable cushion	220.00	280.00
	padded back, flat, fabric, rounded, without AES contour	280.00	340.00
	folding back	300.00	300.00
4575080	padded back, contoured, PRAMQ, fabric, leatherette	300.00	360.00
	(Neoprene)	200.00	2 50 00
+4577565	padded back, contoured, with detachable thoracic supports,	300.00	360.00
45555	leatherette, TRU Comfort	200.00	260.00
+4577573	padded back, contoured, with detachable thoracic supports,	300.00	360.00
4555120	Shape Back	N/C	NT/A
	rigid seat, flat	N/C	N/A
+45//581	padded seat, plat, Solution 1, 158.8 kg (350 lb) capacity, fabric	125.00	175.00
+ <i>45775</i> 00		180.00	200.00
+4311399	padded seat, contoured, Solution, 158.8 kg (350 lb) capacity, fabric	180.00	200.00
±4577250	modification of seat height, to 52.7 cm (20¾ in.)	200.00	N/A
	cushion TRU Comfort, leatherette	180.00	200.00
	safety belt, auto-type	N/C	25.00
	safety belt, velcro-type	N/C	25.00
	safety belt, airplane-type	35.00	75.00
	headrest, contoured, small	140.00	180.00
	headrest, contoured, large	140.00	180.00
	headrest, padded, contoured, small	140.00	300.00
	headrest, padded, contoured, large	140.00	300.00
	headrest, TRU Comfort, small	140.00	300.00
	headrest, TRU Comfort, large	140.00	300.00
	headrest mounting, articulated, uniball	N/C	180.00
	headrest and mounting for power reclining back	160.00	234.00
	push handles	N/C	N/A
4575163	•	N/C	80.00
4575205	centre of gravity adjustment from seat	N/C	N/A
4575262	<b>Armrests:</b> U-type armrests, height-adjustable, from 22.9 cm (9 in.) to 33.0 cm (13 in.), short, long	N/C	320.00

4575239	T-type armrests, height-adjustable, from 27.9 cm (11 in.) to 43.2 cm (17 in.), short, long	N/C	125.00
4575247	T-type armrests, pediatric, height-adjustable, from 19.7 cm (7¾ in.) to 24.8 cm (9¾ in.), short, long	N/C	125.00
4575254	T-type armrests, heavy-duty, height-adjustable, from 20.3 cm (8 in.) to 35.6 cm (14 in.), short, long	125.00	188.00
4575221	I-type armrests, on power reclining back, from 20.3 cm (8 in.) to 27.9 cm (11 in.), short, long	200.00	313.00
4575213	I-type armrests, height-adjustable, from 15.2 cm (6 in.) to 50.8 cm (20 in.), short, long	N/C	135.00
4575270	armrest pads, straight, short, long	N/C	10.00
	armrest pads, contoured, short, long	N/C	10.00
	modification of U-type armrest height, from 33.0 cm (13 in.) to 38.1 cm (15 in.)	150.00	150.00
	Footrests:		
	70° footrests, parallel, tapered, detachable, swingaway, length-adjustable, from 27.9 cm (11 in.) to 49.5 cm (19½ in.)	N/C	75.00
+4577698	90° footrests, pediatric, parallel, detachable, swingaway, length-adjustable, from 17.8 cm (7 in.) to 25.4 cm (10 in.)	N/C	75.00
4575338	70° footrests, heavy-duty, parallel, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 53.3 cm (21 in.)	200.00	175.00
4575361	elevating legrests	200.00	175.00
4575395	padded calfrests	N/C	15.00
4575403	contoured calfrests	40.00	60.00
	single calf strap	72.00	72.00
4575429	double calf strap	180.00	180.00
	folding footplates, standard, including extension tubes	N/C	40.00
4575437	footplates, angle and depth-adjustable, standard size, including extension tubes	70.00	100.00
	full-width footplate, angle and depth-adjustable	150.00	190.00
	heel loops, fixed	N/C	15.00
	heel loops, adjustable	N/C	15.00
	toe loops (by the pair when replacements)	20.00	40.00 / pr
4575536	front impact guard with rollers	10.00	26.00
	Frame:		
	tie-down points for adapted transport	N/C	25.00
	rear suspension	N/C	N/A
	rear reflectors	N/C	20.00
	running lights	N/C	N/A
4575551	cane holder	65.00	65.00
<i>15754</i> 01	Drive systems:	N/C	N/A
	joystick control with built-in controller	N/C N/C	N/A 675.00
	programmable joystick control	N/C N/C	600.00
	compact joystick control battery charge display	N/C N/C	N/A
	battery charger, Lester 8A	N/C N/C	262.00
	battery boxes, group 24	N/C N/C	70.00
73/00/4	onici y oones, group 27	1 <b>V</b> /C	70.00

	adapted controls interface, advanced Q-Logic display	775.00	1,100.00
	laptray touch switch control, WAFER	270.00	270.00
	control with separate switches, including 5 switches	396.00	396.00
	non-proportional chin control, Mini Joystick	400.00	650.00
	proportional chin control, RJM, including 1 switch	500.00	500.00
	HMC Mini joystick chin control	990.00	1,260.00
	foot control, RJM, adapter	1,245.00	1,245.00
	head control, STEALTH RIM	1,275.00	1,605.00
	toggle switch	N/C	N/A
	push-button switch	N/C	N/A
	auxiliary switch	N/C	N/A
	egg-shaped switch	60.00	60.00
	Mini Cup switch	95.00	95.00
	Micro Light switch	128.00	128.00
	conical-spherical extension	N/C	15.00
	joystick extension – chin	30.00	40.00
	ball extension, hard	30.00	40.00
	joystick extension	40.00	50.00
	mushroom-shaped stick extension	40.00	50.00
	T-type extension	55.00	60.00
	U-shaped extension	70.00	101.00
	joystick mounting bracket, vertical adjustment	50.00	90.00
	side bracket for joystick control	N/C	19.00
	swivel side bracket for joystick control	N/C	147.00
+4577805	midline bracket for joystick control, flip-back, Stealth	400.00	400.00
.===0.44	GAT410P	407.00	
4575841	midline bracket for joystick control, flip-back, Body Point	485.00	485.00
.====	PC201	27/6	27/1
	head control bracket	N/C	N/A
	bracket for separate display module	72.00	72.00
	Multi Axes bracket, joystick, mini-joystick	120.00	120.00
	breath control bracket	270.00	270.00
	chin control bracket, RJM	573.00	573.00
	chin bib control	237.00	237.00
	controller 100A, Q-Logic	N/C	600.00
	HAMMER motors, 4-brush, 6 mph	N/C	560.00
+4577847	breath-control driver control module, Sip & Puff unit, cable,	945.00	945.00
	separator, requires Q-Logic display (not included)		
	VVI 1 10 1		
4555054	Wheels and forks:	NIG	100.00
	rear driving wheels, inner tube tires	N/C	100.00
	front wheels, semi-pneumatic tires, 20.3 cm (8 in.)	N/C	35.00
	front wheels, inner tube tires, 22.9 cm (9 in.)	N/C	60.00
	driving or rear wheel rims	N/C	80.00
	front casters or wheel rims, 20.3 cm (8 in.)	N/C	10.00
	front casters or wheel rims, 22.9 cm (9 in.)	N/C	33.00
	front airless inserts, 22.9 cm (9 in.)	60.00	30.00
	rear airless inserts	90.00	56.00
	standard forks, front, 20.3 cm (8 in.)	N/C	15.00
4576922	standard forks, front, 22.9 cm (9 in.)	N/C	13.00

	Non S.C. components for which supporting document must be kept on file:		
4573879	seat/back structure, with manual rocker device, maximum	1,000.00	1,200.00
	45.7 cm (18 in.) X 45.7 cm (18 in.), 72.6 cm (160 lb)		
4573960	power rocker device	1,895.00	2,095.00
+4577896	Multi Axes footplates, angle and depth-ajustable	240.00	280.00
4573978	installation of power rocker device	N/C	150.00
4573895	control system for one power accessory only	N/C	200.00
4573903	control system for four power accessories	N/C	133.00
4573986	control system for power rocker device, joystick-controlled	175.00	450.00
4575593	heavy-duty joystick control, Champignon Stealth	1,500.00	2,200.00
4573911	connecting cables for power reclining devices	N/C	100.00
	Component(s) under Special Consideration		
4575999	seat/back structure, with reclining back with cylinder *	900.00	950.00
4573929	reclining back with cylinder *	400.00	400.00
4573937	power reclining back, 100% compensating mechanism *	2,250.00	2,250.00
4573994	power elevating legrests, standard, with angle-adjustable	1,500.00	785.00
	foot plates, per pair *		
4573945	installation of power reclining back, 100% compensating	N/C	50.00
	mechanism *		
4573952	control system for power reclining back, joystick-controlled	175.00	450.00
	*		

# **SUPPLIER: PRODUITS PRIDE MOBILITY**

## **PRICE**

# 4575007 POWERED WHEEL CHAIR QUANTUM 600 MODEL

4,100.00

# Basic Components Body support system

- back, angle-adjustable
- supple back, nylon
- rigid seat, flat
- back height: from 35.6 cm (14 in.) to 63.5 cm (25 in.)
- seat height: from 43.2 cm (17 in.) to 48.3 cm (19 in.)
- seat width: from 25.4 cm (10 in.) to 50.8 cm (20 in.), 136.1 kg (300 lb) capacity
- seat depth: from 25.4 cm (10 in.) to 50.8 cm (20 in.), 136.1 kg (300 lb) capacity
- safety belt, auto-type, velcro-type
- headrest mounting, articulated, uniball
- push handles
- push bar
- installation of power reclining back, 100% compensating mechanism\*
- installation of power rocker device
- centre of gravity adjustment from seat
- control system for one (1) power accessory only
- control system for four (4) power accessories
- connecting cables for power reclining devices

### **Armrests**

- U-type armrests, height-adjustable, from 22.9 cm (9 in.) to 33.0 cm (13 in.), short, long
- T-type armrests, height-adjustable, from 27.9 cm (11 in.) to 43.2 cm (17 in.), short, long
- T-type armrests, pediatric, height-adjustable, from 19.7 cm (7¾ in.) to 24.8 cm (9¾ in.), short, long
- I-type armrests, height-adjustable, from 15.2 cm (6 in.) to 50.8 cm (20 in.), short, long
- armrest pads, straight, short, long
- armrest pads, contoured, short, long

# **Footrests**

- 70° footrests, parallel, tapered, detachable, swingaway, length-adjustable, from 27.9 cm (11 in.) to 49.5 cm (19½ in.)
- 90° footrests, pediatric, parallel, detachable, swingaway, length-adjustable, from 17.8 cm (7 in.) to 25.4 cm (10 in.)
- padded calfrests
- folding footplates, standard, including extension tubes
- heel loops, fixed
- heel loops, adjustable

• platform, 25.4 cm (10 in.) X 25.4 cm (10 in.)

### Frame

- tie-down points for adapted transport
- rear reflectors
- running lights

# **Drive systems**

- programmable joystick control
- compact joystick control
- joystick control with built-in controller
- battery charge display
- toggle switch
- push-button switch
- auxiliary switch
- battery charger, external 5A Power Cube
- built-in charger, 4A
- battery boxes, group 22
- conical-spherical stick extension
- side bracket for joystick control
- swivel side bracket for joystick control
- head control bracket
- Q-Logic 70A or 100A controller (HAMMER motors)
- GLIDE motors, brushes, 5 mph
- HAMMER motors, 4-brush, 6 mph

- driving wheels, inner tubes tires
- front wheels, semi-pneumatic tires, 12.7 cm (5 in.), 15.2 cm (6 in.)
- driving wheel rims
- casters or front wheel rims
- airless inserts for driving wheels, mandatory with HAMMER motors and 53.3 cm (21 in.) to 61.0 cm (24 in.) wide seat
- standard forks, front, rear

<sup>\*</sup> Component under Special Consideration

Price upon initial

Price upon

		purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	<b>Basic and Optional Components</b>		
	Body support system Seat and back:		
4575015	seat/back structure, with back, angle-adjustable, Synergy adjustable seat	500.00	550.00
4575114	back, angle-adjustable	N/C	N/A
4575064	supple back, nylon	N/C	60.00
	supple back, tension-adjustable, maximum width of 50.8 cm (20 in.)	90.00	150.00
+4577540	rigid back, steel plate with removable padding	220.00	280.00
4575072	padded back, flat, fabric, rounded, without AES contour	280.00	340.00
+4577557	folding back	300.00	300.00
4575080	padded back, contoured, fabric, leatherette (Neoprene), PRAMQ	300.00	360.00
+4577565	padded back, contoured, with thoracic supports, detachable, TRU Comfort, leatherette	300.00	360.00
+4577573	padded back, contoured, with thoracic supports, detachable, Shape Back	300.00	360.00
4575130	rigid seat, flat	N/C	N/A
+4577581	padded seat, flat, Solution 1, 158.8 kg (350 lb) capacity, fabric	125.00	175.00
+4577599	padded seat, contoured, Solution, 158.8 kg (350 lb) capacity, fabric	180.00	200.00
+4577607	modification of seat height, from 50.8 cm (20 in.) to 53.3 cm (21 in.)	200.00	N/A
+4577615	modification of seat width, from 53.3 cm (21 in.) to 61.0 cm (24 in.), 136.1 kg (300 lb) to 181.4 kg (400 lb), maximum of 4 mph	250.00	N/A
+4577623	modification of seat depth, from 53.3 cm (21 in.) to 61.0 cm (24 in.), 136.1 kg (300 lb) to 181.4 kg (400 lb), maximum of 4 mph	250.00	N/A
+4577631	cushion, TRU Comfort, leatherette	180.00	200.00
	safety belt, auto-type	N/C	25.00
	safety belt, velcro-type	N/C	25.00
	safety belt, airplane-type	35.00	75.00
	headrest, contoured, small	140.00	180.00
	headrest, contoured, large	140.00	180.00
	headrest, padded, contoured, small	140.00	300.00
	headrest, padded, contoured, large	140.00	300.00
	headrest, TRU Comfort, small	140.00	300.00
	headrest, TRU Comfort, large	140.00	300.00
	headrest and mounting for power reclining back	160.00	234.00
4575056	headrest mounting, articulated, uniball	N/C	180.00

	push handles	N/C	N/A
4575163		N/C	80.00
4575205	centre of gravity adjustment from seat	N/C	N/A
	Armrests:		
4575262	U-type armrests, height-adjustable, from 22.9 cm (9 in.) to	N/C	320.00
1070202	33.0 cm (13 in.), short, long	11,70	320.00
4575239	T-type armrests, height-adjustable, from 27.9 cm (11 in.) to	N/C	125.00
	43.2 cm (17 in.), short, long		
4575247	T-type armrests, pediatric, height-adjustable, from 19.7 cm	N/C	125.00
	(7¾ in.) to 24.8 cm (9¾ in.), short, long		
4575254	T-type armrests, heavy-duty, height-adjustable, from	125.00	188.00
	20.3 cm (8 in.) to 35.6 cm (14 in.), short, long		
4575213	I-type armrests, height-adjustable, from 15.2 cm (6 in.) to	N/C	135.00
	50.8 cm (20 in.), short, long		
4575221	I-type armrests, on power reclining back, from 20.3 cm	200.00	313.00
	(8 in.) to 27.9 cm (11 in.), short, long	N. 16	10.00
	armrest pads, straight, short, long	N/C	10.00
	armrest pads, contoured, short, long	N/C	10.00
+4577680	modification of U-type armrest height, from 33.0 cm (13 in.)	150.00	150.00
	to 38.1 cm (15 in.)		
	Footrests:		
4575320	70° footrests, parallel, tapered, detachable, swingaway,	N/C	75.00
1070020	length-adjustable, from 27.9 cm (11 in.) to 49.5 cm (19½ in.)	11,70	72.00
+4577698	90° footrests, pediatric, parallel, detachable, swingaway,	N/C	75.00
	length-adjustable, from 17.8 cm (7 in.) to 25.4 cm (10 in.)		
4575338	70° footrests, heavy-duty, parallel, detachable, swingaway,	200.00	175.00
	length-adjustable, from 30.5 cm (12 in.) to 53.3 cm (21 in.)		
4575361	elevating legrests	200.00	175.00
	padded calfrests	N/C	15.00
	contoured calfrests	40.00	60.00
	single calf strap	72.00	72.00
	double calf strap	180.00	180.00
	folding footplates, standard, including extension tubes	N/C	40.00
4575437	footplates, angle and depth-adjustable, standard size,	70.00	100.00
. 4577714	including extension tubes	150.00	100.00
	full-width footplate, angle and depth-adjustable heel loops, fixed	150.00 N/C	190.00 15.00
	heel loops, adjustable	N/C N/C	15.00
	toe loops (by the pair when replacements)	20.00	40.00/pr
	foot platform, 25.4 cm (10 in.) X 25.4 cm (10 in.)	N/C	75.00
	foot platform, 25.4 cm (10 in.) X 25.4 cm (10 in.), mounted	200.00	315.00
10.000	under seat (tilt/uplift)		
4575536	front impact guard with rollers	10.00	26.00
	To a second seco		
<i>15550</i> 0	Frame:	NI/C	25.00
	tie-down points for adapted transport rear reflectors	N/C N/C	25.00 20.00
	rear reflectors running lights	N/C N/C	20.00 N/A
	cane holder	65.00	65.00
43/3331	cane notice	05.00	03.00

	Drive systems:		
4575601	joystick control with built-in controller	N/C	N/A
	compact joystick control	N/C	600.00
4575577	programmable joystick control	N/C	675.00
	battery charge display	N/C	N/A
	built-in charger, 4A	N/C	97.00
	battery charger, external, 5A Power Cube	N/C	220.00
	battery boxes, group 22	N/C	72.00
	adapted controls interface, advanced Q-Logic display	775.00	1,100.00
4575718	laptray touch switch control, WAFER	270.00	270.00
4575726	control with 5 separate switches	396.00	396.00
4575692	non-proportional chin control, Mini Joystick	400.00	650.00
4575684	proportional chin control, RJM, including 1 switch	500.00	500.00
+4577748	HMC Mini chin control	990.00	1,260.00
4575734	foot control, RJM, adapter	1,245.00	1,245.00
4575700	head control, STEALTH RIM	1,275.00	1,605.00
4575627	toggle switch	N/C	N/A
4575635	push-button switch	N/C	N/A
4575643	auxiliary switch	N/C	N/A
	egg-shaped switch	60.00	60.00
+4577763	Mini Cup switch	95.00	95.00
+4577771	Micro Light switch	128.00	128.00
4575817	conical-spherical stick extension	N/C	15.00
+4577789	joystick extension, chin	30.00	40.00
4575783	hard ball extension	30.00	40.00
4575775	stick extension	40.00	50.00
4575809	mushroom-shaped extension	40.00	50.00
4575791	T-type extension	55.00	60.00
+4577797	U-shaped stick extension	70.00	101.00
4575825	side bracket for joystick control	N/C	19.00
	swivel side bracket for joystick control	N/C	147.00
+4577805	midline bracket for joystick control, flip-back, Stealth	400.00	400.00
	GAT410P		
4575841	midline bracket for joystick control, flip-back, Body Point	485.00	485.00
	PC201		
	head control bracket	N/C	N/A
	bracket for separate display module	72.00	72.00
	Multi Axe bracket, joystick and mini-joystick	120.00	120.00
	breath control bracket	270.00	270.00
	chin control bracket, RJM	573.00	573.00
	chin bib control	237.00	237.00
	joystick mounting bracket vertical adjustment	50.00	90.00
	Q-Logic, 70A or 100A controller (HAMMER motors)	N/C	600.00
	GLIDE motors, brushes, 5 mph	N/C	402.00
	HAMMER motors, 4-brush, 6 mph	N/C	472.00
+4577847	breath-control driver control module, Sip & Puff unit, cable,	945.00	945.00
	separator, requires Q-Logic display, (not included)		

	Wheels and forks:		
+4577854	driving wheels, inner tube tires	N/C	100.00
+4577862	front wheels, semi-pneumatic tires, 12.7 cm (5 in.)	N/C	21.00
+4577870	front wheels, semi-pneumatic tires, 15.2 cm (6 in.)	N/C	27.00
4575957	front wheel or caster rims	N/C	N/A
4575965	driving wheel rims	N/C	80.00
+4577888	airless inserts for driving wheels, mandatory with	N/C	56.00
	HAMMER motors and 53.3 cm (21 in.) to 61.0 cm (24 in.)		
	wide seat		
4575981	standard forks, front, rear	N/C	12.00
	Non S.C. components for which supporting document must be kept on file:		
4573879	seat/back structure, with manual rocker device, maximum	1,000.00	1,200.00
4575077	45.7 cm (18 in.) X 45.7 cm (18 in.), 72.6 kg (160 lb)	1,000.00	1,200.00
4573960	power rocker device	1,895.00	2,095.00
	Multi Axes footplates, angle and depth-adjustable	240.00	280.00
	installation of power rocker device	N/C	150.00
	control system for one (1) power accessory only	N/C	200.00
	control system for four (4) power accessories	N/C	133.00
	control system for power rocker device, joystick-controlled	175.00	450.00
4575593	joystick control, heavy-duty, Champignon Stealth	1,500.00	2,200.00
4573911	connecting cables for power reclining devices	N/C	100.00
	Component(s) under Special Consideration		
4575999	<u>-</u>	900.00	950.00
	reclining back with cylinder *	400.00	400.00
	power reclining back, 100% compensating mechanism*	2,250.00	2,250.00
	power elevating legrests, standard, with angle-adjustable	1,500.00	785.00
	footplates, per pair *	,	
+4577904	power elevating foot platform, compensating mechanism *	1,500.00	1,600.00
4573945	installation of power reclining back, 100% compensating	N/C	50.00
	mechanism*		
4573952	control system for power reclining back, joystick-	175.00	450.00
	controlled *		
+4577912	control system for power elevating legrests, joystick-controlled *	175.00	450.00

# **SUPPLIER: PRIDE MOBILITY PRODUCTS**

## **PRICE**

# +4578100 POWERED WHEEL CHAIR QUANTUM 6000 MODEL

4,300.00

# **Basic Components**

## **Body support system**

- back, angle-adjustable
- supple back, nylon
- rigid seat, flat
- back height: from 35.6 cm (14 in.) to 63.5 cm (25 in.)
- seat height: from  $42.2 \text{ cm} (16\frac{5}{8} \text{ in.}) \text{ to } 47.3 \text{ cm} (18\frac{5}{8} \text{ in.})$
- seat width: from 35.6 cm (14 in.) to 55.8 cm (22 in.), 136.1 kg (300 lb) capacity
- seat depth: from 35.6 cm (14 in.) to 50.8 cm (20 in.), 136.1 kg (300 lb) capacity
- safety belt, auto-type, velcro-type
- headrest mounting, articulated with uniball
- push handles
- push bar
- installation of power reclining back, 100% compensating mechanism\*
- installation of power rocker device
- centre of gravity adjustment from seat
- control system for one power accessory only
- control system for four power accessories
- connecting cables for power reclining devices

## **Armrests**

- U-type armrests, height-adjustable, from 22.9 cm (9 in.) to 33.0 cm (13 in.)
- T-type armrests, height-adjustable, from 27.9 cm (11 in.) to 43.2 cm (17 in.), short, long
- I-type armrests, height-adjustable, from 15.2 cm (6 in.) to 50.8 cm (20 in.), short, long
- armrest pads, straight, short, long
- armrest pads, contoured, short, long

## **Footrests**

- 70° footrests, parallel, tapered, detachable, swingaway, length-adjustable, from 27.9 cm (11 in.) to 49.5 cm (19½ in.)
- 90° footrests, pediatric, parallel, detachable, swingaway, length-adjustable, from 17.8 cm (7 in.) to 25.4 cm (10 in.)
- padded calfrests
- folding footplates, standard
- heel loops, adjustable
- heel loops, fixed
- foot platform, 25.4 cm (10 in.) X 25.4 cm (10 in.)

## Frame

- tie-down points for adapted transport
- rear suspension
- rear reflectors
- running lights

# **Drive systems**

- programmable joystick control
- compact joystick control
- joystick control with integrated controller
- battery charge display
- battery charger, Lester 8A
- battery boxes, group 24
- toggle switch
- push-button switch
- auxiliary switch
- conical-spherical stick extension
- side bracket for joystick control
- swivel side bracket for joystick control
- head control bracket
- controller 100A, Q-Logic
- HAMMER motors, 4-brush, 6 mph

- driving wheels, inner tube tires
- front wheels, semi-pneumatic tires, 12.7 cm (5 in.), 15.2 cm (6 in.)
- driving wheel rims
- front wheel or caster rims
- standard forks, front, rear

<sup>\*</sup> Component under Special Consideration

Price upon initial purchase or

replacement of

Price upon replacement

of component

		wheel chair (price per pair, as applicable)	(unit price)
	<b>Basic and Optional Components</b>		
	Body support system		
	Seat and back:		
4575015	seat/back structure, with back, angle-adjustable, Synergy adjustable seat	500.00	550.00
4575114	back, angle-adjustable	N/C	N/A
4575064	supple back, nylon	N/C	60.00
+4577961	supple back, tension-adjustable, maximum width of 53.3 cm (21 in.)	90.00	150.00
+4577540	rigid back, steel plate with removable padding	220.00	280.00
	padded back, flat, fabric, rounded, without AES contour	280.00	340.00
	folding back	300.00	300.00
	padded back, contoured, fabric, leatherette (Neoprene), PRAMQ	300.00	360.00
+4577565	padded back, contoured, with detachable thoracic supports, leatherette, TRU Comfort	300.00	360.00
+4577573	padded back, contoured, with detachable thoracic supports, Shape Back	300.00	360.00
4575130	rigid seat, flat	N/C	N/A
	padded seat, flat, fabric, Solution 1. 58.8 kg (350 lb) capacity	125.00	175.00
+4577599		180.00	200.00
+4578068	modification of seat height, from 47.3 cm ( $18\frac{5}{8}$ in.) to 52.4 cm ( $20\frac{5}{8}$ in.)	200.00	N/A
+4578076	modification of seat width, from 58.4 cm (23 in.) to 61.0 cm (24 in.), 136.1 kg (300 lb) to 181.4 kg (400 lb)	375.00	N/A
+4578084	modification of seat depth, from 53.3 cm (21 in.) to 61.0 cm (24 in.), 136.1 kg (300 lb) to 181.4 kg (400 lb)	375.00	N/A
+4577631	cushion, TRU Comfort leatherette	180.00	200.00
4575171	safety belt, auto-type	N/C	25.00
4575189	safety belt, velcro-type	N/C	25.00
4575197	safety belt, airplane-type	35.00	75.00
+4577649	headrest, contoured, small	140.00	180.00
+4577656	headrest, contoured, large	140.00	180.00
4575023	headrest, padded, contoured, small	140.00	300.00
4575031	headrest, padded, contoured, large	140.00	300.00
+4577664	headrest, TRU Comfort, small	140.00	300.00
+4577672	headrest, TRU Comfort, large	140.00	300.00
4575049	headrest and mounting for power reclining back	160.00	234.00
4575056	headrest mounting, articulated, uniball	N/C	180.00
	push handles	N/C	N/A
4575163	push bar	N/C	80.00

4575205	centre of gravity adjustment from seat	N/C	N/A
	Armrests:		
4575262	U-type armrests, height-adjustable, from 22.9 cm (9 in.) to 33.0 cm (13 in.), short, long	N/C	320.00
4575239	T-type armrests, height-adjustable, from 27.9 cm (11 in.) to 43.2 cm (17 in.), short, long	N/C	125.00
4575247	T-type armrests, pediatric, height-adjustable, from 19.7 cm (7¾ in.) to 24.8 cm (9¾ in.), short, long	N/C	125.00
4575254	T-type armrests, heavy-duty, height-adjustable, from 20.3 cm (8 in.) to 35.6 cm (14 in.), short, long	125.00	188.00
4575213	I-type armrests, height-adjustable, from 15.2 cm (6 in.) to 50.8 cm (20 in.), short, long	N/C	135.00
4575221	I-type armrests, on power reclining back, from 20.3 cm (8 in.) to 27.9 cm (11 in.), short, long	200.00	313.00
4575270	armrest pads, straight, short, long	N/C	10.00
	armrest pads, contoured, short, long	N/C	10.00
	modification of U-type armrest height, from 33.0 cm (13 in.) to 38.1 cm (15 in.)	150.00	150.00
	Footrests:		
4575320	70° footrests, parallel, tapered, detachable, swingaway,	N/C	75.00
	length-adjustable, from 27.9 cm (11 in.) to 49.5 cm		
4555.00	(19½ in.)	N/C	75.00
+4577698	90° footrests, pediatric, parallel, detachable, swingaway,	N/C	75.00
4575220	length-adjustable, from 17.8 cm (7 in.) to 25.4 cm (10 in.)	200.00	175.00
45/5558	70° footrests, heavy-duty, parallel, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 53.3 cm (21 in.)	200.00	175.00
1575361	elevating legrests	200.00	175.00
	padded calfrests	200.00 N/C	15.00
	contoured calfrests	40.00	60.00
	single calf strap	72.00	72.00
	double calf strap	180.00	180.00
	folding footplates, standard, including extension tubes	N/C	40.00
	footplates, angle and depth-adjustable, standard size,	70.00	100.00
4575457	including extension tubes	70.00	100.00
4577714	full-width footplate, angle and depth-adjustable	150.00	190.00
	heel loops, adjustable	N/C	15.00
	heel loops, fixed	N/C	15.00
	toe loops (by the pair when replacement)	20.00	40.00 / pr
	foot platform, 25.4 cm (10 in.) X 25.4 cm (10 in.)	N/C	75.00
4575353	foot platform, 25.4 cm (10 in.) X 25.4 cm (10 in.), mounted	200.00	315.00
	under seat (rocker)		
4575536	front impact guard with rollers	10.00	26.00
	Frame:		
	tie-down points for adapted transport	N/C	25.00
	rear suspension	N/C	N/A
	rear reflectors	N/C	20.00
	running lights	N/C	N/A
4575551	cane holder	65.00	65.00

	Drive systems:		
4575601	joystick control with built-in controller	N/C	N/A
4575577	programmable joystick control	N/C	675.00
4575585	compact joystick control	N/C	600.00
4575619	battery charge display	N/C	N/A
4576666	battery charger, Lester 8A	N/C	262.00
4576674	battery boxes, group 24	N/C	70.00
4575767	adapted controls interface, advanced Q-Logic display	775.00	1,100.00
4575718	laptray touch switch control, WAFER	270.00	270.00
4575726	control with separate switches, including 5 switches	396.00	396.00
4575692	non-proportional Mini joystick chin control	400.00	650.00
4575684	proportional chin control, RJM, including 1 switch	500.00	500.00
+4577748	HMC Mini joystick chin control	990.00	1260.00
4575734	foot control, RJM, adapter	1,245.00	1,245.00
	head control, STEALTH RIM	1,275.00	1,605.00
	toggle switch	N/C	N/A
	push-button switch	N/C	N/A
	auxiliary switch	N/C	N/A
	egg-shaped switch	60.00	60.00
	Mini Cup switch	95.00	95.00
	Micro Light switch	128.00	128.00
	conical-spherical stick extension	N/C	15.00
	joystick extension, chin	30.00	40.00
	ball extension, hard	30.00	40.00
	joystick extension	40.00	50.00
	mushroom-shaped extension	40.00	50.00
	T-type extension	55.00	60.00
	U-shaped extension	70.00	101.00
	joystick mounting bracket, with vertical adjustment	50.00	90.00
	side bracket for joystick control	N/C	19.00
	swivel side bracket for joystick control	N/C	147.00
+45//805	midline bracket for joystick control, flip-back, Stealth	400.00	400.00
<i>1575</i> 0 <i>1</i> 1	GAT410P	495.00	485.00
45/5841	midline bracket for joystick control, flip-back, Body Point PC201	485.00	485.00
1575000	head control bracket	N/C	N/A
	bracket for separate display module	72.00	72.00
	Multi Axes bracket, joystick, mini-joystick	120.00	120.00
	breath control bracket	270.00	270.00
	chin control bracket, RJM	573.00	573.00
	chin bib control	237.00	237.00
	controller, 100A, Q-Logic	N/C	600.00
	HAMMER motors, 4-brush, 6 mph	N/C	560.00
	breath-control driver control module, Sip & Puff unit,	945.00	945.00
11077017	cable, separator, requires Q-Logic display (not included)	713.00	7.5.00
	Wheels and feature		
. 157705 4	Wheels and forks:	NI/C	100.00
+4577854		N/C	100.00
	front wheels, semi-pneumatic tires, 12.7 cm (5 in.)	N/C	21.00
+45//8/0	front wheels, semi-pneumatic tires, 15.2 cm (6 in.)	N/C	27.00

	front wheel or caster rims	N/C	N/A
	driving wheel rims	N/C	80.00
+4579017	airless inserts for driving wheel	90.00	56.00
+4579025	standard forks, front	N/C	12.00
+4579033	standard forks, rear	N/C	30.00
	Non S.C. components for which supporting document		
	must be kept on file:		
4573879	seat/back structure, with manual rocker device, 45.7 cm	1,000.00	1,200.00
	(18 in.) X 45.7 cm (18 in.), maximum capacity of 72.6 kg		
	(160 lb)		
	Multi Axes footplate, angle and depth-adjustable	240.00	280.00
4573978	installation of power rocker device	N/C	150.00
4573895	control system for one (1) power accessory only	N/C	200.00
4573903	control system for four (4) power accessories	N/C	133.00
4573986	control system for power rocker device, joystick-controlled	175.00	450.00
4575593	heavy-duty joystick control, Champignon Stealth	1,500.00	2,200.00
4573911	connecting cables for power reclining devices	N/C	100.00
4===000	Components under Special Consideration	000.00	0.50.00
	seat/back structure, with reclining back with cylinder *	900.00	950.00
	reclining back with cylinder *	400.00	400.00
	power reclining back, 100% compensating mechanism *	2,250.00	2,250.00
	power rocker device *	1,895.00	2,095.00
4573994	power elevating legrests, standard, with angle-adjustable	1,500.00	785.00
	footplates, per pair *		
+4577904	foot platform, 25.4 cm (10 in.) X 25.4 cm (10 in.),	1,500.00	1,600.00
	elevating, powered, with compensating mechanism *		
4573945	installation of power reclining back, with 100%	N/C	50.00
	compensating mechanism *		
4573952	control system for power reclining back, joystick-	175.00	450.00
	controlled *		
+4577912	control system for elevating legrests, joystick-controlled *	175.00	450.00

#### **DIVISION II: PEDIATRIC WHEEL CHAIRS**

#### **SUBDIVISION 1: MANUAL WHEEL CHAIRS**

#### SUPPLIER: SUNRISE MEDICAL CANADA INC.

#### **PRICE**

# 4150009 MANUAL WHEEL CHAIR QUICKIE 2 PEDIATRIC MODEL

#### 1,590.00

#### **Basic Components**

#### **Body support system**

- supple back, nylon
- supple seat, nylon
- back height: from 21.6 cm (8½ in.) to 47.0 cm (18½ in.)
- front seat height: from 43.8 cm (17½ in.) to 57.8 cm (22¾ in.)
- seat width: from 27.9 cm (11 in.) to 38.1 cm (15 in.)
- seat depths: 30.5 cm (12 in.), 35.6 cm (14 in.)
- safety belt, velcro-type, auto-type
- backposts with push handles

#### **Armrests**

- L-type armrests, detachable, swingaway, height-adjustable, from 20.3 cm (8 in.) to 30.5 cm (12 in.), short
- armrest pads, straight, short, long
- armrest pads, tubular
- clothing guards, flexible

#### **Footrests**

- 60°, 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- 70°, 80° footrests, parallel, detachable, swingaway, length-adjustable, from 15.2 cm (6 in.) to 30.5 cm (12 in.)
- 90° footrests, parallel, detachable, swingaway, length-adjustable, from 20.3 cm (8 in.) to 33.0 cm (13 in.)
- padded calfrests
- padded calfrests for elevating legrests, with compensating mechanism
- folding footplates, standard
- folding footplates tubular
- aluminum footplates for elevating legrests
- heel loops, adjustable

#### Frame

- growth kit, including: seat, back, footrests, front frame and crossbars (once only during first three years, for first user)
- anti-tip rollers
- tie-down points for adapted transport

#### Drive, brake, wheel, fork and axle systems

- handrims, smooth, plastic-coated, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- small handrim, plastic-coated, for one-arm drive
- standard wheel locks, push-to-lock, pull-to-lock
- rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- rear mag wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- spoked rear wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.),
   61.0 cm (24 in.)
- spoked rear wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- spoked rear wheels, high pressure, 61.0 cm (24 in.)
- front wheels, solid tires, 12.7 cm (5 in.), 15.2 cm (6 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)
- front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm (1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.), 20.3 cm (8 in.) X 3.8 cm (1½ in.)
- front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm (1¼ in.), 20.3 cm (8 in.) X 3.2 cm (1¼ in.)
- standard forks, 15.2 cm (6 in.); short forks, 13.3 cm (5¼ in.); high forks, 17.8 cm (7 in.); compatible with 12.7 cm (5 in.), 15.2 cm (6 in.) and 20.3 cm (8 in.) wheels
- standard forks, 17.8 cm (7 in.), compatible with 20.3 cm (8 in.) X 5.1 cm (2 in.) wheels
- multi-position forks for 12.7 cm (5 in.), 15.2 cm (6 in.) and 20.3 cm (8 in.) wheels
- fork stems,  $+1.9 \text{ cm} (\frac{3}{4} \text{ in.}), +3.8 \text{ cm} (\frac{1}{2} \text{ in.})$
- threaded axles, quick-release
- multi-position plates for centre of gravity
- multi-position plates, with compensating mechanism
- rear wheel camber,  $3^{\circ}$ ,  $6^{\circ}$ ,  $9^{\circ}$

Price upon initial

purchase or

replacement of

Price upon

replacement

of component

		wheel chair (price per pair, as applicable)	(unit price)
	Basic and Optional Components		
	Body support system		
	Seat and back:		
4150082	supple back, nylon	N/C	64.00
	supple back, tension-adjustable	76.00	140.00
	folding back, angle and depth-adjustable	107.00	N/A
4150090	supple seat, nylon	N/C	55.00
	rigid seat, flat	120.00	175.00
4150942	modification of back height from 48.3 cm (19 in.) to	103.00	N/A
	55.9 cm (22 in.), straight handles or 8°		
	modification of seat width to 40.6 cm (16 in.)	108.00	N/A
4150108	modification of seat depth to 25.4 cm (10 in.), to 27.9 cm	40.00	N/A
	(11 in.) or to 33.0 cm (13 in.)		
4150140	seat cushion, flat, foam, 5.1 cm (2 in.)	58.00	58.00
4150157	seat cushion, flat, foam, 7.6 cm (3 in.)	58.00	58.00
4150165	seat cushion, flat, foam, 10.2 cm (4 in.)	58.00	58.00
4150173	safety belt, velcro-type	N/C	29.00
4150181	safety belt, auto-type	N/C	42.00
4151809	headrest, small, medium, large	99.00	106.00
4151791	headrest mounting, articulated	159.00	173.00
4151122	back spreader bar	130.00	N/A
4150132	backposts with push handles	N/C	20.00
4150793	backposts with angle of 8°, from 31.8 cm (12½ in.) to	14.00	27.00
	47.0 cm (18½ in.)		
4150959	backposts, angle-adjustable from -3° to + 15°, 3 positions	122.00	N/A
44.50040	Armrests:	<b>-</b> 0.00	107.00
4150819	T-type armrests, detachable, height-adjustable, from 19.1 cm	78.00	135.00
44 = 0.00 =	(7½ in.) to 30.5 cm (12 in.), short, long	200.00	24600
4150835	I-type armrests, height-adjustable, from 22.2 cm (8¾ in.) to	300.00	246.00
44 = 0.004	34.9 cm (13¾ in.), short	27/6	0.5.00
4150801	L-type armrests, detachable, swingaway, height-adjustable,	N/C	96.00
44 700 7	from 20.3 cm (8 in.) to 30.5 cm (12 in.), short	NYG	15.00
	armrest pads, straight, short	N/C	15.00
	armrest pads, straight, long	N/C	18.00
	armrest pads, tubular	N/C	2.00
	clothing guards, flexible	N/C	22.00
4150272	clothing guards, rigid	92.00	68.00
	Footrests:		
4151619	60°, 70° footrests, parallel, detachable, swingaway, length-	N/C	55.00
	adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)		

4150975	70°, 80° footrests, parallel, detachable, swingaway, length-	N/C	57.00
4150200	adjustable, from 15.2 cm (6 in.) to 30.5 cm (12 in.)	N/C	55.00
4150298	90° footrests, parallel, detachable, swingaway, lengthadjustable, from 20.3 cm (8 in.) to 33.0 cm (13 in.)	N/C	33.00
4150067	70°, 80° footrests, heavy-duty	64.00	87.00
	elevating legrests	108.00	109.00
	90° elevating legrests, detachable, swingaway, length-	72.00	91.00
4132307	adjustable, from 20.3 cm (8 in.) to 30.5 cm (12 in.)	72.00	71.00
4152500	elevating legrests, with compensating mechanism, to 90°	200.00	155.00
	padded calfrests	N/C	19.00
	contoured calfrests	72.00	55.00
4152526	padded calfrests for elevating legrests, with compensating	N/C	40.00
	mechanism		
4150330	single calf strap	19.00	19.00
4150348	double calf strap	33.00	33.00
4150355	folding footplates, standard	N/C	49.00
4152542	oversized footplates	74.00	86.00
	folding footplates tubular	N/C	49.00
	folding footplates and angle and depth-adjustable	54.00	76.00
	full-width footplate, angle-adjustable	85.00	183.00
4151817	footplates, angle-adjustable, folding, locking, width of 35.6	80.00	178.00
	cm (14 in.) and more		
	aluminum footplates for elevating legrests	N/C	49.00
	heel loops, adjustable	N/C	10.00
4150868	modification of the length of footrests from 17.8 cm (7 in.)	56.00	34.00
	to 34.3 cm (13½ in.)		
4152518	modification of the length of 70°, 80°, 90° footrests by +	32.00	16.00
	5.1  cm  (2  in.)  or by  + 10.2  cm  (4  in.)	20.00	10.00
	front impact guards with rollers	38.00	19.00
4151585	90° full-width foot platform	92.00	190.00
	Frame:		
4150116	wheel chair growth kit, including: seat, back, footrests, front	N/C	N/A
	frame and crossbars (once only during first three years, for		
	first user)		
4150504	anti-tip rollers	N/C	22.00
+4152591	tie-down points for adapted transport	N/C	N/A
4150447	cane holder	45.00	45.00
	Drive systems:		
4150470	smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.),	N/C	60.00
4130470	61.0 cm (24 in.)	IV/C	00.00
4152550	plastic-coated handrims, 50.8 cm (20 in.), 55.9 cm (22 in.),	N/C	88.00
T104007	61.0 cm (24 in.)	14/0	00.00
4151015	small plastic-coated handrim for one-arm drive	N/C	97.00
	handrims with oblique or vertical projections, 61.0 cm	90.00	105.00
7150700	(24 in.)	70.00	105.00
4150876	non-slip handrims, 55.9 cm (22 in.), 61.0 cm (24 in.)	168.00	144.00
	one-arm dual handrim drive	562.00	709.00

	Wheel locks:		
4150512	standard wheel locks, push-to-lock, pull-to-lock	N/C	40.00
	wheel lock extensions	26.00	13.00
4150538	anti-rollback brakes	68.00	34.00
	W/L L		
4150652	Wheels: rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.),	N/C	136.00
7130032	55.9 cm (22 in.), 61.0 cm (24 in.)	14/ C	130.00
4150645	rear mag wheels, standard pressure, 50.8 cm (20 in.)	N/C	136.00
	rear mag wheels, standard pressure, 55.9 cm (22 in.),	N/C	113.00
	61.0 cm (24 in.)		
4150629	spoked rear wheels, semi-pneumatic tires, 50.8 cm (20 in.),	N/C	153.00
	55.9 cm (22 in.), 61.0 cm (24 in.)		4.5.00
4150777	spoked rear wheels, standard pressure, 50.8 cm (20 in.),	N/C	136.00
4150627	55.9 cm (22 in.), 61.0 cm (24 in.)	N/C	126.00
	spoked rear wheels, high pressure, 61.0 cm (24 in.) front wheels, solid tires, 12.7 cm (5 in.)	N/C N/C	136.00 47.00
	front wheels, solid tires, 12.7 cm (5 in.)	N/C	62.00
	front wheels, solid tires, 20.3 cm (8 in.) X 2.5 cm (1 in.)	N/C	63.00
	front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm	N/C	89.00
	(1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.)	- " -	
4151049	front wheels, semi-pneumatic tires, 20.3 cm (8 in.) X 3.8 cm	N/C	99.00
	$(1\frac{1}{2} in.)$		
4150918	front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 5.1 cm	68.00	81.00
44.50540	(2 in.)	NG	<b>62</b> 00
4150728	front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm	N/C	62.00
<i>4</i> 150710	(1 <sup>1</sup> / <sub>4</sub> in.) front wheels, inner tube tires, 20.3 cm (8 in.) X 3.2 cm	N/C	63.00
4150/10	(1½ in.)	14/ C	05.00
4150702	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm	48.00	72.00
	(2 in.)		
	Forks:		
4150884	standard forks, 15.2 cm (6 in.); short forks, 13.3 cm (5 <sup>1</sup> / <sub>4</sub> in.);	N/C	32.00
	high forks, 17.8 cm (7 in.); compatible with 12.7 cm (5 in.),		
4151022	15.2 cm (6 in.) and 20.3 cm (8 in.) wheels	N/C	27.00
4151023	standard forks, 17.8 cm (7 in.), compatible with 20.3 cm (8 in.) X 5.1 cm (2 in.) wheels	N/C	37.00
4151676	multi-position forks for 12.7 cm (5 in.), 15.2 cm (6 in.),	N/C	56.00
4151070	20.3 cm (8 in.) wheels	14/6	30.00
4151031	fork stems, $+1.9 \text{ cm} (\frac{3}{4} \text{ in.})$ , $+3.8 \text{ cm} (\frac{1}{2} \text{ in.})$	N/C	16.00
	fork-locking mechanism	46.00	23.00
	Rear axles:		
	threaded axles	N/C	33.00
	quick-release axles	N/C	33.00
	extension plates for amputees	42.00 N/C	73.00
+4152609	multi-position plates for centre of gravity	N/C	52.00
+4152617	multi-positions plates, with compensating mechanism	N/C	65.00
4150934	multi-position plates, curved	28.00	66.00

SCHEDULE 1	Tariff for devices which compensate for a motor deficiency and insured related services
	(authentic version)

+4152625	rear wheel camber, $3^{\circ}$ , $6^{\circ}$ , $9^{\circ}$	N/C	N/A
	Non S.C. components for which supporting document must be kept on file:		
	spoke guards quick-release axles with lever mechanism	70.00 66.00	35.00 66.00

#### SUPPLIER: SUNRISE MEDICAL CANADA INC.

#### **PRICE**

### 4151007 MANUAL WHEEL CHAIR ZIPPIE GS PEDIATRIC MODEL

1,475.00

#### **Basic Components**

#### **Body support system**

- supple back, nylon
- folding back, angle-adjustable
- rigid seat, flat
- back height: from 35.6 cm (14 in.) to 55.9 cm (22 in.)
- front seat height: from 35.6 cm (14 in.) to 47.6 cm (18¾ in.)
- seat width: from 25.4 cm (10 in.) to 30.5 cm (12 in.), from 30.5 cm (12 in.) to 35.6 cm (14 in.) and from 35.6 cm (14 in.) to 40.6 cm (16 in.)
- seat depth: from 25.4 cm (10 in.) to 35.6 cm (14 in.), from 30.5 cm (12 in.) to 40.6 cm (16 in.) and from 35.6 cm (14 in.) to 45.7 cm (18 in.)
- safety belt, velcro-type, auto-type
- backposts with push handles
- backposts with push handles, 55.2 cm (21¾ in.), 62.9 cm (24¾ in.), 70.5 cm (27¾ in.)

#### Armrests

- T-type armrests, detachable, height-adjustable, from 19.1 cm (7½ in.) to 30.5 cm (12 in.), short, long
- T-type armrests, height-adjustable, from 14.0 cm ( $5\frac{1}{2}$  in.), 16.5 cm ( $6\frac{1}{2}$  in.) or 19.1 cm ( $7\frac{1}{2}$  in.), short
- armrest pads, straight, short, long
- armrest pads, tubular
- clothing guards, flexible

#### **Footrests**

- 60°, 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- 70°, 80° footrests, parallel, detachable, swingaway, length-adjustable, from 15.2 cm (6 in.) to 30.5 cm (12 in.)
- 90° footrests, parallel, detachable, swingaway, length-adjustable, from 20.3 cm (8 in.) to 33.0 cm (13 in.)
- 70°, 80°, 90° footrests, heavy-duty, detachable, non flip-back
- padded calfrests for elevating legrests
- padded calfrests for elevating legrests, with compensating mechanism
- folding footplates, standard
- heel loops, adjustable

#### Frame

- anti-tip rollers
- tie-down points for adapted transport

• rigid frame option

## Drive, brake, wheel, fork and axle systems

- handrims, smooth, plastic-coated, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- small plastic-coated handrim for one-arm drive
- standard wheel locks, push-to-lock, pull-to-lock
- rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- rear mag wheels, standard pressure, 30.5 cm (12 in.), 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- spoked rear wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.),
   61.0 cm (24 in.)
- spoked rear wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- spoked rear wheels, high pressure, 61.0 cm (24 in.)
- front wheels, solid tires, 12.7 cm (5 in.), 15.2 cm (6 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)
- front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm (1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.), 20.3 cm (8 in.) X 3.8 cm (1½ in.)
- front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm (1¼ in.), 20.3 cm (8 in.) X 3.2 cm (1¼ in.)
- standard forks, 15.2 cm (6 in.); short forks, 13.3 cm (5¼ in.); high forks, 17.8 cm (7 in.); compatible with 12.7 cm (5 in.), 15.2 cm (6 in.) and 20.3 cm (8 in.) wheels
- long stems,  $+1.9 \text{ cm} (\frac{3}{4} \text{ in.})$ ,  $+3.8 \text{ cm} (\frac{1}{2} \text{ in.})$
- threaded axles, quick-release
- rear wheel camber from 0° to 6°

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	<b>Basic and Optional Components</b>		
	Body support system		
	Seat and back:		
4150082	supple back, nylon	N/C	64.00
4150066	supple back, tension-adjustable	76.00	140.00
4151114	folding back, angle-adjustable	N/C	N/A
4151130	rigid seat, flat	N/C	130.00
4150140	seat cushion, flat, foam, 5.1 cm (2 in.)	58.00	58.00
4150157	seat cushion, flat, foam, 7.6 cm (3 in.)	58.00	58.00
4150173	safety belt, velcro-type	N/C	29.00
4150181	safety belt, auto-type	N/C	42.00
4151189	safety belt, airplane-type	50.00	79.00
4151692	safety belt, airplane-type, padded	76.00	105.00
4151809	headrest, small, medium, large	99.00	106.00
4151791	headrest mounting, articulated	159.00	173.00
4151080	crossbar for headrest mounting (folding)	233.00	249.00
4151106	crossbar for headrest mounting (rigid)	200.00	212.00
4151122	back spreader bar	130.00	N/A
4151155	backposts with push handles	N/C	N/A
+4152633	stroller handle extension	96.00	69.00
4152484	backposts with push handles, 55.2 cm (21¾ in.), 62.9 cm (24¾ in.), 70.5 cm (27¾ in.)	N/C	N/A
	Armrests:		
4151205	T-type armrests, detachable, height-adjustable, from 19.1 cm (7½ in.) to 30.5 cm (12 in.), short, long	N/C	135.00
4151544	T-type armrests, height-adjustable, to 14.0 cm (5½ in.),	N/C	160.00
	16.5 cm (6½ in.) or 19.1 cm (7½ in.), short		
4151213	I-type armrests with locking mechanism, depth-adjustable, height-adjustable, from 16.5 cm (6½ in.) to 33.0 cm (13 in.), short	130.00	200.00
4150256	armrest pads, straight, short	N/C	15.00
	armrest pads, straight, long	N/C	18.00
	armrest pads, tubular	N/C	2.00
	clothing guards, flexible	N/C	22.00
	clothing guards, rigid	92.00	68.00
	Footrests:		
4151619	60°, 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)	N/C	55.00
4150975	70°, 80° footrests, parallel, detachable, swingaway, length-adjustable, from 15.2 cm (6 in.) to 30.5 cm (12 in.)	N/C	57.00

4151718	90° footrests, parallel, detachable, swingaway, length-	N/C	57.00
	adjustable, from 20.3 cm (8 in.) to 33.0 cm (13 in.)		
4151221	70°, 80°, 90° footrests, heavy-duty, detachable, non flip-	N/C	87.00
4150850	back elevating legrests	108.00	109.00
	90° elevating legrests, length-adjustable from 20.3 cm (8 in.)	70.00	90.00
4130043	to 33.0 cm (13 in.)	70.00	70.00
4150306	elevating legrests, with compensating mechanism	200.00	155.00
	padded calfrests for elevating legrests	N/C	19.00
	padded calfrests for elevating legrests, with compensating	N/C	40.00
4132320	mechanism	IV/C	40.00
4151627	contoured calfrests	72.00	55.00
	single calf strap	19.00	19.00
	double calf strap	33.00	33.00
	folding footplates, standard	N/C	49.00
	full-width footplate	85.00	183.00
	footplates, folding, angle and depth-adjustable, standard size	54.00	76.00
	heel loops, adjustable	N/C	10.00
	modification of footrest length from 48.3 cm (19 in.) to	31.00	30.00
4131239	52.1 cm (20½ in.)	31.00	30.00
4150420	modification of footrest length from + 5.1 cm (2 in.), +	32.00	16.00
4150439	10.2 cm (4 in.)	32.00	10.00
1151767		02.00	190.00
	90° rigid foot platform	92.00 56.00	34.00
4151775	footrest jaws, from 17.8 cm (7 in.) to 34.3 cm (13½ in.)	30.00	34.00
	Frame:		
4150504	anti-tip rollers	N/C	22.00
	front anti-tippers	58.00	29.00
	tie-down points for adapted transport	N/C	N/A
	cane holder	45.00	45.00
	rigid frame option	N/C	N/A
	Drive systems:		
4150470	smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.),	N/C	60.00
	61.0 cm (24 in.)		
4152559	plastic-coated handrims, 50.8 cm (20 in.), 55.9 cm (22 in.),	N/C	88.00
	61.0 cm (24 in.)		
	small plastic-coated handrim for one-arm drive	N/C	97.00
4150488	handrims with oblique or vertical projections, 61.0 cm	90.00	105.00
	(24 in.)	4.50.00	11100
	non-slip handrims, 55.9 cm (22 in.), 61.0 cm (24 in.)	168.00	144.00
4150462	one-arm dual handrim drive	562.00	709.00
	Wheel locks:		
4150512	standard wheel locks, push-to-lock, pull-to-lock	N/C	40.00
	wheel lock extensions	26.00	13.00
	anti-rollback brakes	68.00	34.00
.120220	THE POSTORER CHARGE	30.00	5 1.00
	Wheels:		
4150652	rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.),	N/C	136.00
	55.9 cm (22 in.), 61.0 cm (24 in.)		

4151262	rear mag wheels, standard pressure, 30.5 cm (12 in.)	N/C	130.00
	rear mag wheels, standard pressure, 40.6 cm (16 in.)	32.00	146.00
4150645	rear mag wheels, standard pressure, 50.8 cm (20 in.)	N/C	136.00
4150892	rear mag wheels, standard pressure, 55.9 cm (22 in.),	N/C	113.00
	61.0 cm (24 in.)		
4150629	spoked rear wheels, semi-pneumatic tires, 50.8 cm (20 in.),	N/C	153.00
	55.9 cm (22 in.), 61.0 cm (24 in.)		
4150777	spoked rear wheels, standard pressure, 50.8 cm (20 in.),	N/C	136.00
	55.9 cm (22 in.), 61.0 cm (24 in.)		
4150637	spoked rear wheels, high pressure, 61.0 cm (24 in.)	N/C	136.00
4150694	front wheels, solid tires, 12.7 cm (5 in.)	N/C	47.00
4150686	front wheels, solid tires, 15.2 cm (6 in.)	N/C	62.00
4150678	front wheels, solid tires, 20.3 cm (8 in.) X 2.5 cm (1 in.)	N/C	63.00
4150900	front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm	N/C	89.00
	$(1\frac{1}{2} \text{ in.}), 15.2 \text{ cm} (\hat{6} \text{ in.}) \text{ X } 3.8 \text{ cm} (1\frac{1}{2} \text{ in.})$		
4151049	front wheels, semi-pneumatic tires, 20.3 cm (8 in.) X 3.8 cm	N/C	99.00
	$(1\frac{1}{2} \text{ in.})$		
4150728	front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm	N/C	62.00
	(1¼ in.)		
4150710	front wheels, inner tube tires, 20.3 cm (8 in.) X 3.2 cm	N/C	63.00
	(1¼ in.)		
4150702	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm	48.00	72.00
	(2 in.)		
	Forks:		
4150884	standard forks, 15.2 cm (6 in.); short forks, 13.3 cm (5¼ in.);	N/C	32.00
	high forks, 17.8 cm (7 in.); compatible with 12.7 cm (5 in.),		
	15.2 cm (6 in.) and 20.3 cm (8 in.) wheels		
4151031	long stems, $+ 1.9 \text{ cm} (\frac{3}{4} \text{ in.}), + 3.8 \text{ cm} (\frac{1}{2} \text{ in.})$	N/C	16.00
4151668	fork-locking mechanism	46.00	23.00
	Rear axles:		
	threaded axles	N/C	33.00
4150587	quick-release axles	N/C	33.00
4151601	rear wheel camber from $0^{\circ}$ to $6^{\circ}$	N/C	N/A
	Non S.C. components for which supporting document		
	must be kept on file:		
4150744	spoke guards	70.00	35.00

#### SUBDIVISION 2: LIGHTWEIGHT MANUAL WHEEL CHAIRS

#### SUPPLIER: SUNRISE MEDICAL CANADA INC.

#### **PRICE**

# 4153300 LIGHTWEIGHT MANUAL WHEEL CHAIR QUICKIE GT PEDIATRIC MODEL

1,730.00

#### **Basic Components**

#### **Body support system**

- supple back, nylon
- folding back and angle-adjustable with 28° of adjustment
- supple seat, nylon
- back height: from 25.4 cm (10 in.) to 45.7 cm (18 in.)
- seat height: from 40.6 cm (16 in.) to 53.3 cm (21 in.)
- seat width: from 30.5 cm (12 in.) to 40.6 cm (16 in.)
- seat depth: from 30.5 cm (12 in.) to 38.1 cm (15 in.)
- safety belt, velcro-type, auto-type
- push handles, bolt-on, integrated into backposts

#### **Armrests**

- L-type armrests, detachable, swingaway, height-adjustable, to 18.7 cm  $(7\frac{3}{8} \text{ in.})$ , 21.3 cm  $(8\frac{3}{8} \text{ in.})$ , 23.8 cm  $(9\frac{3}{8} \text{ in.})$ , short
- armrest pads, straight, short, long
- armrest pads, tubular
- clothing guards, flexible, rigid
- clothing guards, aluminum, folding, with mudguard

#### **Footrests**

- 75°, 85° footrests, fixed, parallel, length-adjustable, from 33.0 cm (13 in.) to 50.8 cm (20 in.)
- 75°, 85° fixed footrests, narrowed, 2.5 cm (1 in.) or 5.1 cm (2 in.)
- single calf strap
- full-width footplate, tubular, aluminum, with plate
- heel loops, adjustable
- spacers for footplate, 5.1 cm (2 in.), 10.2 cm (4 in.), 15.2 cm (6 in.)

#### Frame

- anti-tip rollers
- sit tilt, up to 16° of adjustment

#### Drive, brake, wheel, fork and axle systems

- smooth handrims, 55.9 cm (22 in.), 61.0 cm (24 in.), 63.5 cm (25 in.), 66.0 cm (26 in.)
- standard wheel locks, push-to-lock, pull-to-lock
- scissor-type wheel locks
- rear mag wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.)

- rear mag wheels, standard pressure, 55.9 cm (22 in.), 61.0 cm (24 in.)
- spoked rear wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.)
- spoked rear wheels, standard pressure, 55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)
- spoked rear wheels, high pressure, 61.0 cm (24 in.), 66.0 cm (26 in.)-
- rear wheels, heavy-duty, standard pressure, high pressure, 61.0 cm (24 in.)
- front wheels, solid tires, 7.6 cm (3 in.), 10.2 cm (4 in.), 12.7 cm (5 in.), 15.2 cm (6 in.)
- front wheels, semi-pneumatic, 10.2 cm (4 in.) X 3.2 cm (1<sup>1</sup>/<sub>4</sub> in.)
- front wheels, semi-pneumatic tires, 10.2 cm (4 in.) X 3.8 cm (1½ in.), 12.7 cm (5 in.) X 3.8 cm (1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.)
- standard forks, adjustable, for 7.6 cm (3 in.), 10.2 cm (4 in.) and 12.7 cm (5 in.) wheels
- wide forks, adjustable for 7.6 cm (3 in.), 10.2 cm (4 in.), 12.7 cm (5 in.) wheels and 15.2 cm (6 in.) solid or semi-pneumatic tires
- quick-release axles
- rear wheel camber tubes,  $0^{\circ}$ ,  $3^{\circ}$ ,  $6^{\circ}$ ,  $9^{\circ}$
- axle position along back axis, -2.5 cm (1 in.) to +11.4 cm ( $4\frac{1}{2}$  in.)

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	<b>Basic and Optional Components</b>		
	Body support system		
	Seat and back:		
4151841	supple back, nylon	N/C	67.00
4152112	back, folding and angle-adjustable with 28° of adjustment	N/C	N/A
4151833	supple back, tension-adjustable	76.00	143.00
4151858	supple seat, nylon	N/C	55.00
	modification of depth of seat fabric, customized	80.00	N/A
	seat cushion, flat, foam, 5.1 cm (2 in.)	58.00	58.00
	seat cushion, flat, foam, 7.6 cm (3 in.)	58.00	58.00
	seat cushion, flat, foam, 10.2 cm (4 in.)	58.00	58.00
	safety belt, velcro-type	N/C	29.00
	safety belt, auto-type	N/C	42.00
	push handle integrated into backposts	N/C	25.00
	push handles, bolt-on	N/C	28.00
4152146	push handles, folding	52.00	51.00
44.54.00.4	Armrests:	70.00	125.00
4151924	T-type armrests, height-adjustable, from 19.1 cm ( $7\frac{1}{2}$ in.) to 31.8 cm ( $12\frac{1}{2}$ in.), short, long	78.00	135.00
4151916	L-type armrests, detachable, swingaway, height-adjustable, from 18.7 cm ( $7\frac{3}{8}$ in.), 21.3 cm ( $8\frac{3}{8}$ in.), 23.8 cm ( $9\frac{3}{8}$ in.), short	N/C	96.00
4151973	armrest pads, straight, short	N/C	15.00
	armrest pads, straight, long	N/C	18.00
	armrest pads, tubular	N/C	2.00
	clothing guards, flexible	N/C	22.00
	clothing guards, rigid	N/C	68.00
	clothing guards, aluminum, folding, with mudguard	N/C	145.00
	receptors for L-type armrests, angle-adjustable	40.00	N/A
	Footrests:		
4151999	75°, 85° fixed footrests, parallel, narrowed by 2.5 cm (1 in.) or by 5.1 cm (2 in.), length-adjustable, from 33.0 cm (13 in.) to 50.8 cm (20 in.)	N/C	N/A
4152013	single calf strap	N/C	19.00
	double calf strap	14.00	33.00
	full-width footplate, aluminum, tubular, with plate	N/C	N/A
	full-width footplate, angle and depth-adjustable	40.00	111.00
	footplates, angle and depth-adjustable, oversized, for modification of front of frame	54.00	76.00
+4152682	heel loops, adjustable	N/C	10.00

4152054	spacers for footplate, 5.1 cm (2 in.), 10.2 cm (4 in.),	N/C	10.00
+4152690	15.2 cm (6 in.) raised footrest mounting for full-width footplate, angle and	60.00	N/A
	depth-adjustable foot positioning plate	40.00	20.00
+4152708	modification for installing individual folding footplates	635.00	N/A
	Frame:		
	growth kit	450.00	N/A
	anti-tip rollers	N/C	39.00
4152161	adjustment of depth of back by -2.5 cm (1 in.) or by -5.1 cm (2 in.)	76.00	N/A
+4152724	seat tilt, up to 16° of adjustment	N/C	N/A
	cane holder	45.00	45.00
	Drive systems:		
4152088	smooth handrims, 55.9 cm (22 in.), 61.0 cm (24 in.), 63.5 cm (25 in.), 66.0 cm (26 in.)	N/C	60.00
4152006	plastic-coated handrims, 55.9 cm (22 in.), 61.0 cm (24 in.),	56.00	88.00
4152070	63.5 cm (25 in.), 66.0 cm (26 in.)	30.00	00.00
4152070	handrims with vertical or oblique projections	90.00	105.00
	non-slip handrims, 61.0 cm (24 in.)	168.00	144.00
	Wheel locks:		
	standard wheel locks, push-to-lock, pull-to-lock	N/C	40.00
	scissor-type wheel locks	N/C	27.00
	scissor-type wheel locks, ergonomic	24.00	52.00
	wheel lock extensions anti-rollback brakes	26.00 68.00	13.00 34.00
	compact scissor-type wheel locks	70.00	75.00
+4152752	compact seissor-type wheel locks	70.00	73.00
41.53230	Wheels:	N/C	126.00
4152328	rear mag wheels, semi-pneumatic tires, 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C	136.00
4152310	rear mag wheels, standard pressure, 55.9 cm (22 in.),	N/C	113.00
1102010	61.0 cm (24 in.)	1170	115.00
4152351	spoked rear wheels, semi-pneumatic tires, 55.9 cm (22 in.),	N/C	153.00
	61.0 cm (24 in.)		
4152336	spoked rear wheels, standard pressure, 55.9 cm (22 in.),	N/C	136.00
4152344	61.0 cm (24 in.), 66.0 cm (26 in.) spoked rear wheels, high pressure, 61.0 cm (24 in.),	N/C	136.00
4132344	66.0 cm (26 in.)	IV/C	130.00
4152369	rear wheels, heavy-duty, standard pressure, high pressure,	N/C	199.00
	61.0 cm (24 in.)		
	rear wheels, heavy-duty, high pressure, 63.5 cm (25 in.)	56.00	227.00
4152377	rear wheels, heavy-duty, standard pressure, high pressure,	56.00	227.00
44 50 40-	66.0 cm (26 in.)	37/6	<b>47.0</b> 0
	front wheels, solid tires, 7.6 cm (3 in.)	N/C	67.00
	front wheels, solid tires, 10.2 cm (4 in.) front wheels, solid tires, 12.7 cm (5 in.)	N/C N/C	60.00 47.00
4132401	from wheels, some thes, 12.7 cm (3 m.)	IN/C	47.00

4152393	front wheels, solid tires, 15.2 cm (6 in.)	N/C	62.00
+4152740	front wheels, semi-pneumatic tires, 10.2 cm (4 in.) X	N/C	60.00
	3.2 cm (1¼ in.)		
4152435	front wheels, semi-pneumatic tires, 10.2 cm (4 in.) X	N/C	89.00
	3.8 cm (1½ in.), 12.7 cm (5 in.) X 3.8 cm (1½ in.), 15.2 cm		
	$(6 \text{ in.}) \text{ X } 3.8 \text{ cm } (1\frac{1}{2} \text{ in.})$		
4152443	front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X	68.00	81.00
	5.1 cm (2 in.)		
	Forks:		
4150027		N/C	69.00
4152257	standard forks, adjustable for wheels with solid tires, 7.6 cm (3 in.), 10.2 cm (4 in.) and 12.7 cm (5 in.)	N/C	09.00
1152215	wide forks, adjustable for wheels with solid and semi-	N/C	69.00
7132273	pneumatic tires, 7.6 cm (3 in.), 10.2 cm (4 in.), 12.7 cm	14/C	07.00
	(5 in.) and 15.2 cm (6 in.)		
4152252	fork-locking mechanism	99.00	83.00
1102202	Tork rocking mechanism	<i>77.</i> 00	03.00
	Rear axles:		
4152278	quick-release axles	N/C	33.00
	plates for amputees	56.00	84.00
4152302	rear wheel camber tubes, 0°, 3°, 6°, 9°	N/C	38.00
4152260	axle position along back axis, -2.5 cm (1 in.) to + 11.4 cm	N/C	N/A
	$(4\frac{1}{2} \text{ in.})$		
	Non S.C. components for which supporting document		
	must be kept on file:		
4152450	spoke guards	70.00	35.00
	quick-release axles with lever mechanism	66.00	66.00
	heavy-duty axles	102.00	84.00
1152770	nour j danj dirios	102.00	01.00

#### **SUBDIVISION 3: POWERED WHEEL CHAIRS**

#### SUPPLIER: INVACARE CANADA L.P.

#### **PRICE**

# +4642005 POWERED WHEEL CHAIR TDX – SP PEDIATRIC MODEL

4,322.00

# **Basic Components**

# **Body support system**

- back, angle-adjustable
- supple back, nylon, leatherette
- rigid seat, flat
- back height: from 30.5 cm (12 in.) to 61.0 cm (24 in.)
- seat heights:  $41.9 \text{ cm} (16\frac{1}{2} \text{ in.}), 47.0 \text{ cm} (18\frac{1}{2} \text{ in.})$
- seat width: from 30.5 cm (12 in.) to 40.6 cm (16 in.)
- seat depth: from 30.5 cm (12 in.) to 40.6 cm (16 in.)
- safety belt, auto-type
- headrest mounting, articulated
- back tension bar, on reclining back
- push handles
- push bar
- installation of power rocker device

#### **Armrests**

- U-type armrests, height-adjustable, from 15.2 cm (6 in.) to 25.4 cm (10 in.), short, long
- armrest pads, straight, short, long
- armrest pads, contoured, short, long
- rigid clothing guards, built into armrests

#### **Footrests**

- 70° footrests, parallel, detachable, swingaway, length-adjustable, from 29.8 cm (1134 in.) to 43.2 cm (17 in.)
- padded calfrests
- folding footplates, standard
- heel loops, fixed
- heel loops, adjustable

#### Frame

- anti-tip rollers
- tie-down points for adapted transport
- rear suspension
- rear reflectors
- running lights

## **Drive systems**

- programmable joystick control SPJ / PSS
- battery charge display

- battery charger
- battery boxes, group 22, group 24
- toggle switch
- side bracket for joystick control
- swivel side bracket for joystick control
- bracket for separate display module
- controller
- heavy-duty motors, standard motors, with gear assembly, 4-brush

#### Wheels and forks

- driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.)
- front and rear casters, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.)
- driving wheel rims
- caster rims
- standard forks, 15.2 cm (6 in.), one-sided

# For a TDX-SP JR wheel chair with power reclining back or power rocker only:

- conventional back, height of 40.6 cm (16 in.) to 61.0 cm (24 in.) \*
- ABS shells, height from 40.6 cm (16 in.) to 61.0 cm (24 in.) \*
- headrest with mounting, small, large, combined headrest/neckrest \*

Price upon initial

Price upon

		Price upon initial purchase or replacement of wheel chair wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	<b>Basic and Optional Components</b>		
	Body support system		
	Seat and back:		
+4641247	seat/back structure, with angle-adjustable back	574.00	675.00
+4641254	back, angle-adjustable	N/C	N/A
+4641262	supple back, nylon, single thickness	N/C	75.00
+4641270	supple back, leatherette	N/C	90.00
+4641288	padded back, contoured, fabric	284.00	359.00
	padded back, contoured, leatherette	414.00	489.00
+4641304	ergonomic back, from 33.0 cm (13 in.) to 40.6 cm (16 in.),	296.00	371.00
	with 12.7 cm (5 in.) thoracic supports		
+4641312	ergonomic back, from 33.0 cm (13 in.) to 40.6 cm (16 in.),	376.00	451.00
	with 17.8 cm (7 in.) thoracic supports		
	rigid seat, flat	N/C	48.00
+4641338	padded seat, ergonomic, from 33.0 cm (13 in.) to 40.6 cm	283.00	315.00
	(16 in.) wide		
	padded seat, contoured, fabric	297.00	297.00
	padded seat, contoured, leatherette	397.00	397.00
	seat cushion, flat, foam, 5.1 cm (2 in.)	61.00	61.00
	seat cushion, flat, foam, 7.6 cm (3 in.)	61.00	61.00
	safety belt, auto-type	N/C	53.00
	headrest, small	152.00	152.00
	headrest, large	152.00	152.00
	combined headrest/neckrest	152.00	152.00
	headrest mounting, articulated	N/C	N/A
	headrest bracket	233.00	233.00
	back tension bar, on reclining back	N/C	N/A
+4641460	push handles	N/C N/C	52.00 61.00
+4041400	pusii bai	N/C	01.00
	Armrests:		
<i>⊥46414</i> 78	U-type armrests, height-adjustable, from 15.2 cm (6 in.) to	N/C	138.00
T <b>40414</b> 70	25.4 cm (10 in.), short, long	11/C	130.00
<i>⊥</i> 4641486	armrest pads, straight, short, long	N/C	18.00
	armrest pads, contoured, short, long	N/C	30.00
	rigid clothing guards, built into armrests	N/C	N/A
14041502	rigid crothing guards, built into armicsts	14/6	14/11
	Footrests:		
+4641510	70° footrests, parallel, detachable, swingaway, length-	N/C	72.00
	adjustable, from 29.8 cm (11¾ in.) to 43.2 cm (17 in.)	11/0	, 2.00
+4641528	70° footrests, narrowed, detachable, swingaway, length-	20.00	82.00
	adjustable, from 34.3 cm (13½ in.) to 44.5 cm (17½ in.)	_ = =	30
	, , , , , , , , , , , , , , , , , , , ,		

		(authentic v	ersion)
+4641536	footrests, midline, adjustable from 23.5 cm (9¼ in.) to 30.5 cm (12 in.), from 31.8 cm (12½ in.) to 38.1 cm (15 in.)	137.00	318.00
+4641544	elevating legrests, length-adjustable, from 40.6 cm (16 in.) to 50.8 cm (20 in.), for 40.6 cm (16 in.) width	238.00	191.00
+4641551	elevating legrests, with compensating mechanism, length-adjustable, from 43.8 cm (17½ in.) to 54.6 cm (21½ in.), for 40.6 cm (16 in.) width	162.00	153.00
<b>+4641569</b>	padded calfrests	N/C	28.00
	single calf strap	38.00	38.00
	double calf strap	57.00	57.00
	folding footplates, standard	N/C	42.00
	footplates, angle and depth-adjustable, standard format	56.00	70.00
	footplates, angle and depth-adjustable, oversized	56.00	70.00
	heel loops, fixed	N/C	7.00
+4641635	heel loops, adjustable	N/C	10.00
	Frame:		
	anti-tip rollers	N/C	N/A
	tie-down points for adapted transport	N/C	N/A
	rear suspension	N/C	N/A
	rear reflectors	N/C	N/A
	running lights	N/C	N/A
+4641692	heavy-duty frame or heavy-duty base	268.00	N/A
4 < 44 = 0.0	Drive systems:	N/G	225.00
	programmable joystick control SPJ / PSS	N/C	335.00
	programmable joystick control MPJ+	239.00	574.00
	control box, PSF and PSR	502.00 607.00	1 042.00
	compact joystick control, including display module	N/C	1 181.00 N/A
	battery charge display battery charger	N/C N/C	240.00
	battery boxes, group 22	N/C N/C	195.00
	battery boxes, group 24	N/C	211.00
	non-proportional controls interface	1,173.00	1,173.00
	proportional chin control, including display	657.00	1,231.00
	non-proportional chin control, including display	1,655.00	2,229.00
	head control, including display	1,006.00	1,580.00
	breath control, including display and interface	1,227.00	1,801.00
	control with separate switches, including display	1,417.00	1,991.00
+4641841	foot control, including bracket	1,566.00	2,140.00
+4641858	laptray touch switch control, including display	1,655.00	2,229.00
+4641866	toggle switch	N/C	N/A
	Egg auxiliary switch	141.00	141.00
	separate display module	119.00	395.00
	ball extension	5.00	5.00
	joystick extension	25.00	25.00
	T-type extension	25.00	25.00
	side bracket for joystick control	N/C	54.00
	swivel side bracket for joystick control midling bracket for joystick control GATLIN	N/C 480.00	317.00 534.00
<b></b>	TOTAL THE DESCRIPTION TO TOTAL CONTROL LEADER IN	4311111	3 3/1 1 11 1

534.00

480.00

+4641940 midline bracket for joystick control, GATLIN

	bracket for separate display module	N/C	185.00
	head control bracket	120.00	120.00
	breath control bracket	216.00	357.00
	chin control bracket	480.00	534.00
	chin bib control	199.00	357.00
+4641239		N/C	500.00
	heavy-duty motors, with gear assembly, 4-brush	N/C	870.00
+4642021	standard motors, with gear assembly, 4-brush	N/C	870.00
	Wheel locks:		
±4642030	manual auxiliary wheel locks	61.00	31.00
T <b>TUT</b> 2U37	manual auxinary wheel locks	01.00	31.00
	Wheels and forks:		
+4642047	driving wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm	N/C	60.00
	(3 in.)		
+4642054	driving wheels, 35.6 cm (14 in.) X 7.6 cm (3 in.), puncture-	40.00	80.00
	resistant		
+4642062	front and rear casters, semi-pneumatic tires, 15.2 cm (6 in.)	N/C	63.00
	X 5.1 cm (2 in.)		
+4642070	driving wheel rims	N/C	75.00
+4642088	caster rims	N/C	N/A
+4642096	standard forks, 15.2 cm (6 in.)	N/C	60.00
	one-sided forks	N/C	60.00
+4642112	suspension forks	130.00	125.00
	Non S.C. components for which supporting document		
14642146	must be kept on file:	1 200 00	1 800 00
	must be kept on file: power rocker device	1,800.00	1,800.00
+4642161	must be kept on file: power rocker device installation of power rocker device	N/C	350.00
+4642161	must be kept on file: power rocker device installation of power rocker device control system for one power accessory only, joystick-		·
+4642161 +4642179	must be kept on file: power rocker device installation of power rocker device control system for one power accessory only, joystick- controlled	N/C 549.00	350.00 1,060.00
+4642161 +4642179	must be kept on file: power rocker device installation of power rocker device control system for one power accessory only, joystick- controlled control system for four power accessories S4WSB,	N/C	350.00
+4642161 +4642179 +4642187	must be kept on file: power rocker device installation of power rocker device control system for one power accessory only, joystick- controlled control system for four power accessories S4WSB, joystick-controlled	N/C 549.00 1,036.00	350.00 1,060.00 2,033.00
+4642161 +4642179 +4642187 +4642195	must be kept on file: power rocker device installation of power rocker device control system for one power accessory only, joystick- controlled control system for four power accessories S4WSB, joystick-controlled ASL Micro Extremity Control, requires display module	N/C 549.00 1,036.00 1,603.00	350.00 1,060.00 2,033.00 2,177.00
+4642161 +4642179 +4642187 +4642195	must be kept on file: power rocker device installation of power rocker device control system for one power accessory only, joystick- controlled control system for four power accessories S4WSB, joystick-controlled	N/C 549.00 1,036.00	350.00 1,060.00 2,033.00
+4642161 +4642179 +4642187 +4642195	must be kept on file: power rocker device installation of power rocker device control system for one power accessory only, joystick- controlled control system for four power accessories S4WSB, joystick-controlled ASL Micro Extremity Control, requires display module	N/C 549.00 1,036.00 1,603.00	350.00 1,060.00 2,033.00 2,177.00
+4642161 +4642179 +4642187 +4642195 +4642203	must be kept on file:  power rocker device installation of power rocker device control system for one power accessory only, joystick- controlled control system for four power accessories S4WSB, joystick-controlled ASL Micro Extremity Control, requires display module ASL head control, requires display module  Components under Special Consideration seat/back structure, with reclining back with cylinder *	N/C 549.00 1,036.00 1,603.00	350.00 1,060.00 2,033.00 2,177.00
+4642161 +4642179 +4642187 +4642195 +4642203 +4642120 +4642138	must be kept on file:  power rocker device installation of power rocker device control system for one power accessory only, joystick- controlled control system for four power accessories S4WSB, joystick-controlled ASL Micro Extremity Control, requires display module ASL head control, requires display module Components under Special Consideration seat/back structure, with reclining back with cylinder * power reclining back, including installation *	N/C 549.00 1,036.00 1,603.00 3,612.00 787.00 2,000.00	350.00 1,060.00 2,033.00 2,177.00 4,186.00 1 139.00 N/A
+4642161 +4642179 +4642187 +4642195 +4642203 +4642120 +4642138	must be kept on file:  power rocker device installation of power rocker device control system for one power accessory only, joystick- controlled control system for four power accessories S4WSB, joystick-controlled ASL Micro Extremity Control, requires display module ASL head control, requires display module  Components under Special Consideration seat/back structure, with reclining back with cylinder *	N/C 549.00 1,036.00 1,603.00 3,612.00	350.00 1,060.00 2,033.00 2,177.00 4,186.00
+4642161 +4642179 +4642187 +4642195 +4642203 +4642120 +4642138	must be kept on file: power rocker device installation of power rocker device control system for one power accessory only, joystick- controlled control system for four power accessories S4WSB, joystick-controlled ASL Micro Extremity Control, requires display module ASL head control, requires display module  Components under Special Consideration seat/back structure, with reclining back with cylinder * power reclining back, including installation * power elevating legrests, by the pair only *	N/C 549.00 1,036.00 1,603.00 3,612.00 787.00 2,000.00	350.00 1,060.00 2,033.00 2,177.00 4,186.00 1 139.00 N/A
+4642161 +4642179 +4642187 +4642195 +4642203 +4642120 +4642138	must be kept on file:  power rocker device installation of power rocker device control system for one power accessory only, joystick- controlled control system for four power accessories S4WSB, joystick-controlled ASL Micro Extremity Control, requires display module ASL head control, requires display module  Components under Special Consideration seat/back structure, with reclining back with cylinder * power reclining back, including installation * power elevating legrests, by the pair only *  For a TDX-SP JR wheel chair with power reclining	N/C 549.00 1,036.00 1,603.00 3,612.00 787.00 2,000.00	350.00 1,060.00 2,033.00 2,177.00 4,186.00 1 139.00 N/A
+4642161 +4642179 +4642187 +4642195 +4642203 +4642120 +4642138 +4642153	must be kept on file:  power rocker device installation of power rocker device control system for one power accessory only, joystick- controlled control system for four power accessories S4WSB, joystick-controlled ASL Micro Extremity Control, requires display module ASL head control, requires display module  Components under Special Consideration seat/back structure, with reclining back with cylinder * power reclining back, including installation * power elevating legrests, by the pair only *  For a TDX-SP JR wheel chair with power reclining back or power rocker only:	N/C 549.00 1,036.00 1,603.00 3,612.00 787.00 2,000.00 1,499.00	350.00 1,060.00 2,033.00 2,177.00 4,186.00 1 139.00 N/A 1,409.00 / pr
+4642161 +4642179 +4642187 +4642195 +4642203 +4642120 +4642138 +4642153	must be kept on file:  power rocker device installation of power rocker device control system for one power accessory only, joystick- controlled control system for four power accessories S4WSB, joystick-controlled ASL Micro Extremity Control, requires display module ASL head control, requires display module  Components under Special Consideration seat/back structure, with reclining back with cylinder * power reclining back, including installation * power elevating legrests, by the pair only *  For a TDX-SP JR wheel chair with power reclining back or power rocker only: conventional back, height of 40.6 cm (16 in.) to 61.0 cm	N/C 549.00 1,036.00 1,603.00 3,612.00 787.00 2,000.00	350.00 1,060.00 2,033.00 2,177.00 4,186.00 1 139.00 N/A
+4642161 +4642179 +4642187 +4642195 +4642203 +4642120 +4642138 +4642153	must be kept on file: power rocker device installation of power rocker device control system for one power accessory only, joystick- controlled control system for four power accessories S4WSB, joystick-controlled ASL Micro Extremity Control, requires display module ASL head control, requires display module  Components under Special Consideration seat/back structure, with reclining back with cylinder * power reclining back, including installation * power elevating legrests, by the pair only *  For a TDX-SP JR wheel chair with power reclining back or power rocker only: conventional back, height of 40.6 cm (16 in.) to 61.0 cm (24 in.) *	N/C 549.00 1,036.00 1,603.00 3,612.00 787.00 2,000.00 1,499.00 N/C	350.00 1,060.00 2,033.00 2,177.00 4,186.00 1 139.00 N/A 1,409.00 / pr
+4642161 +4642179 +4642187 +4642195 +4642203 +4642120 +4642138 +4642153 +4642211 +4642229	must be kept on file:  power rocker device installation of power rocker device control system for one power accessory only, joystick- controlled control system for four power accessories S4WSB, joystick-controlled ASL Micro Extremity Control, requires display module ASL head control, requires display module  Components under Special Consideration seat/back structure, with reclining back with cylinder * power reclining back, including installation * power elevating legrests, by the pair only *  For a TDX-SP JR wheel chair with power reclining back or power rocker only: conventional back, height of 40.6 cm (16 in.) to 61.0 cm (24 in.) *  ABS shell, height of 40.6 cm (16 in.) to 61.0 cm (24 in.) *	N/C 549.00 1,036.00 1,603.00 3,612.00 787.00 2,000.00 1,499.00 N/C	350.00 1,060.00 2,033.00 2,177.00 4,186.00 1 139.00 N/A 1,409.00 / pr 250.00 215.00
+4642161 +4642179 +4642187 +4642195 +4642203 +4642120 +4642138 +4642153 +4642211 +4642229	must be kept on file:  power rocker device installation of power rocker device control system for one power accessory only, joystick- controlled control system for four power accessories S4WSB, joystick-controlled ASL Micro Extremity Control, requires display module ASL head control, requires display module  Components under Special Consideration seat/back structure, with reclining back with cylinder * power reclining back, including installation * power elevating legrests, by the pair only *  For a TDX-SP JR wheel chair with power reclining back or power rocker only: conventional back, height of 40.6 cm (16 in.) to 61.0 cm (24 in.) * ABS shell, height of 40.6 cm (16 in.) to 61.0 cm (24 in.) * headrest, with mounting, small, large, combined	N/C 549.00 1,036.00 1,603.00 3,612.00 787.00 2,000.00 1,499.00 N/C	350.00 1,060.00 2,033.00 2,177.00 4,186.00 1 139.00 N/A 1,409.00 / pr
+4642161 +4642179 +4642187 +4642195 +4642203 +4642138 +4642153 +4642211 +4642229 +4642237	must be kept on file:  power rocker device installation of power rocker device control system for one power accessory only, joystick- controlled control system for four power accessories S4WSB, joystick-controlled ASL Micro Extremity Control, requires display module ASL head control, requires display module  Components under Special Consideration seat/back structure, with reclining back with cylinder * power reclining back, including installation * power elevating legrests, by the pair only *  For a TDX-SP JR wheel chair with power reclining back or power rocker only: conventional back, height of 40.6 cm (16 in.) to 61.0 cm (24 in.) * ABS shell, height of 40.6 cm (16 in.) to 61.0 cm (24 in.) * headrest, with mounting, small, large, combined headrest/neckrest *	N/C 549.00 1,036.00 1,603.00 3,612.00 787.00 2,000.00 1,499.00 N/C N/C	350.00 1,060.00 2,033.00 2,177.00 4,186.00 1 139.00 N/A 1,409.00 / pr 250.00 215.00 248.00
+4642161 +4642179 +4642187 +4642195 +4642203 +4642120 +4642138 +4642153 +4642211 +4642229	must be kept on file:  power rocker device installation of power rocker device control system for one power accessory only, joystick- controlled control system for four power accessories S4WSB, joystick-controlled ASL Micro Extremity Control, requires display module ASL head control, requires display module  Components under Special Consideration seat/back structure, with reclining back with cylinder * power reclining back, including installation * power elevating legrests, by the pair only *  For a TDX-SP JR wheel chair with power reclining back or power rocker only: conventional back, height of 40.6 cm (16 in.) to 61.0 cm (24 in.) * ABS shell, height of 40.6 cm (16 in.) to 61.0 cm (24 in.) * headrest, with mounting, small, large, combined	N/C 549.00 1,036.00 1,603.00 3,612.00 787.00 2,000.00 1,499.00 N/C	350.00 1,060.00 2,033.00 2,177.00 4,186.00 1 139.00 N/A 1,409.00 / pr 250.00 215.00

#### SUPPLIER: SUNRISE MEDICAL CANADA INC.

**PRICE** 

#### +4651600 POWERED WHEEL CHAIR

**QUICKIE 323 PEDIATRIC MODEL** 

4,325.00

# **Basic Components**

#### **Body support system**

- supple back, nylon
- back, angle-adjustable, from 84° to 124°, by 4° increments, SP202
- rigid seat, flat
- back height: from 35.6 cm (14 in.) to 45.7 cm (18 in.)
- seat height: from 38.1 cm (15 in.) to 50.8 cm (20 in.)
- seat width: from 25.4 cm (10 in.) to 40.6 cm (16 in.)
- seat depth: from 25.4 cm (10 in.) to 40.6 cm (16 in.)
- safety belt, auto-type, velcro-type
- centre of gravity adjustment from seat
- installation of power reclining back \*
- installation of power rocker device
- control system for one power accessory only (Solo)

#### **Armrests**

- U-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long, on SP202 only
- T-type armrests, detachable, height-adjustable, from 20.3 cm (8 in.) to 33.0 cm (13 in.), short, long, on SP202 only
- I-type armrests, flip-back, angle-adjustable, height-adjustable, from 15.2 cm (6 in.) to 25.4 cm (10 in.), short, long, straight or contoured, for SP202
- armrest pads, straight, short, long
- armrest pads, contoured, short, long

#### **Footrests**

- footrests, angle-adjustable, to 60°, 70°, 80°, parallel, detachable, swingaway, length-adjustable, from 17.8 cm (7 in.) to 33.0 cm (13 in.)
- padded calfrests for elevating legrests
- folding footplates, standard
- heel loops, adjustable

#### **Frame**

- tie-down points for adapted transport
- rear suspension
- running lights
- compact base, 61.0 cm (24 in.) wide, group 22, maximum capacity of 181.4 kg (400 lb)
- regular base, 64.8 cm (25½ in.) wide, group 24, maximum capacity of 181.4 kg (400 lb)

#### **Drive systems**

• programmable joystick control VR2, for 2-brush motors

- programmable joystick control R-Net, for 4-brush motors
- battery charge display
- push-button switch
- battery charger
- battery boxes, group 22 on compact base, group 24 on regular base
- side bracket for joystick control
- swivel side bracket for joystick control
- controller for VR2, 2-brush motors
- 2-brush motors, 113.4 kg (250 lb)

#### Wheels and forks

- driving wheels, inner tube, knobby tires, 35.6 cm (14 in.) X 7.6 cm (3 in.)
- front wheels, solid tires, 15.2 cm (6 in.) X 5.1 cm (2 in.), 20.3 cm (8 in.) X 5.1 cm (2 in.)
- front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)
- driving wheel rims
- front wheel rims
- standard forks

<sup>\*</sup> Component under Special Consideration

Price upon initial

Price upon

		purchase or replacement of wheel chair (price per pair, as applicable)	replacement of component (unit price)
	Basic and Optional Components	, , , , , , , , , , , , , , , , , , ,	
	Body support system		
	Seat and back:		
+4652145	heavy-duty seat/back structure, for power mechanism, with angle-adjustable back, 181.4 kg (400 lb), SP202	850.00	850.00
	supple back, nylon	N/C	71.00
+4652160	back, angle-adjustable, from 84° to 124°, by 4° increments, SP202	N/C	N/A
+4652178	supple back, tension-adjustable	76.00	147.00
	padded back, contoured, fabric, maximum height of 48.3 cm (19 in.)	314.00	385.00
+4652194	padded back, contoured, fabric, with rigid base, maximum height of 48.3 cm (19 in.)	405.00	476.00
+4652202	rigid seat, flat	N/C	N/A
+4652210	supple seat, nylon	95.00	95.00
	rigid seat, elastic webbing	150.00	150.00
	padded seat, contoured, fabric	254.00	308.00
+4652244	modification of back height, by - 35.6 cm (14 in.) and to + 45.7 cm (18 in.)	83.00	N/A
	seat cushion, flat, foam, 5.1 cm (2 in.)	58.00	58.00
	seat cushion, flat, foam, 7.6 cm (3 in.)	58.00	58.00
	safety belt, auto-type	N/C	42.00
	safety belt, velcro-type	N/C	29.00
	headrest, small	99.00	106.00
	headrest, medium	99.00	106.00
	headrest, large	99.00	106.00
	headrest mounting, articulated	159.00	173.00
+4652335	centre of gravity adjustment from seat	N/C	N/A
	Armrests:		
	U-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long, for SP202 only	N/C	181.00
+4652350	T-type armrests, detachable, height-adjustable, from 20.3 cm (8 in.) to 33.0 cm (13 in.), short, long, for SP202 only	N/C	136.00
+4652368	I-type armrests, flip-back, angle-adjustable, height-adjustable, from 15.2 cm (6 in.) to 25.4 cm (10 in.), short, long, straight or contoured, for SP202	N/C	136.00
+4652376	I-type armrests, for reclining back, height-adjustable, with transfer assists and clothing guards, short, long, for SP202	160.00	216.00
+4652392	armrest pads, straight, short	N/C	15.00
+4652400		N/C	18.00
+4652418	armrest pads, contoured, short, long	N/C	26.00

+4652384	modification of T-type armrest pads, from 15.2 cm (6 in.) to 24.8 cm (93/4 in.)	82.00	N/A
	· ,		
4650406	Footrests:	N/C	1 40 00
+4652426	footrests, angle-adjustable to 60°, 70°, 80°, parallel,	N/C	140.00
	detachable, swingaway, length-adjustable, from 17.8 cm (7 in.) to 33.0 cm (13 in.)		
±4652434	70° footrests, heavy-duty, parallel, detachable, swingaway,	150.00	215.00
T4032434	length-adjustable, from 17.8 cm (7 in.) to 33.0 cm (13 in.)	130.00	213.00
+4652442	elevating legrests	178.00	229.00
	elevating legrests, with compensating mechanism	200.00	N/A
	padded calfrests for elevating legrests	N/C	19.00
	contoured calfrests	72.00	55.00
+4652483	single calf strap	19.00	19.00
	double calf strap	33.00	33.00
	folding footplates, standard	N/C	49.00
	oversized footplates	74.00	86.00
	folding footplates, angle-adjustable, locking	80.00	178.00
	oversized footplates, folding, angle and depth-adjustable	54.00	76.00
	folding footplates, multi-position	106.00	102.00
	one-piece footplates	150.00	N/A
	heel loops, adjustable	N/C	10.00
	modification of footrest length, customized	50.00	N/A
+4052582	front impact guard with rollers	38.00	19.00
	Frame:		
	tie-down points for adapted transport	N/C	N/A
	rear suspension	N/C	N/A
	running lights	N/C	N/A
	cane holder	45.00	45.00
+4652632	compact base, width: 61.0 cm (24 in.), group 22, maximum capacity of 181.4 kg (400 lb)	N/C	N/A
+4652640	regular base, width: 64.8 cm (25½ in.), group 24, maximum	N/C	N/A
	capacity of 181.4 kg (400 lb)		
	Drive systems:		
+4652657	programmable joystick control VR2, for 2-brush motors	N/C	450.00
	programmable joystick control R-Net, for 4-brush motors	N/C	660.00
	battery charge display	N/C	N/A
	battery charger	N/C	384.00
+4652699	battery boxes, group 22 on compact base, group 24 on regular base	N/C	N/A
+4652707	adapted controls interface, with built-in display module	1,445.00	1,445.00
+4652715	laptray touch switch control (cross-shaped, Penta or Waffer) (requires interface)	314.00	314.00
+4652723	breath control (requires interface)	426.00	426.00
	proportional chin control (requires interface)	555.00	555.00
	non-proportional chin control (requires interface)	555.00	555.00
	head control (requires interface)	555.00	555.00
+4652764	proportional mini-joystick control (requires interface)	790.00	1,090.00

+4652772	foot control, including support (requires interface)	1,740.00	1,740.00
	control with separate Zero Touch switches (requires	1,770.00	1,770.00
	interface)		
+4652798	push-button switch	N/C	N/A
+4652814	auxiliary switch	91.00	96.00
+4652806	toggle switch	88.00	N/A
+4652822	joystick extension	21.00	21.00
+4652830	ball extension	52.00	52.00
+4652848	T-type extension	52.00	52.00
+4652855	side bracket for joystick control	N/C	74.00
	swivel side bracket for joystick control	N/C	188.00
+4652871	midline bracket, flip-back, for joystick control	163.00	351.00
+4652889	breath control bracket	352.00	352.00
+4652897	chin control bracket	352.00	352.00
+4652905	head control bracket	352.00	352.00
+4652913	interface bracket	352.00	352.00
+4652921	adjustable bracket, for joystick control	66.00	66.00
+4652939	modification, repositioning of joystick bracket inward	120.00	N/A
+4652947	chin bib control	352.00	352.00
+4652954	controller for VR2, 2-brush motors	N/C	1,100.00
+4652962	controller for R-Net, 4-brush motors	486.00	1,586.00
+4652970	2-brush motors, 113.4 kg (250 lb)	N/C	948.00
+4652988	4-brush motors, 181.4 kg (400 lb)	350.00	1,123.00
	Wheels and forks:		
+4652996	driving wheels, inner tube, knobby tires, 35.6 cm (14 in.) X	N/C	215.00
	7.6 cm (3 in.)		
+4653002	front wheels, solid tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)	N/C	84.00
+4651915	front wheels, solid tires, 22.9 cm (9 in.) X 7.6 cm (3 in.)	69.00	97.00
+4653028	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm	N/C	72.00
	(2 in.)		
	front wheels, solid tires, 15.2 cm (6 in.) X 5.1 cm (2 in.)	N/C	62.00
+4651949	front wheels, inner tube tires, 22.9 cm (9 in.) X 7.6 cm	69.00	97.00
	(3 in.)		
	front wheel rims	N/C	N/A
	driving wheel rims	N/C	47.00
+4653069		136.00	N/A
+4653077		114.00	N/A
+4653085	standard forks	N/C	87.00
	Non S.C. components for which supporting document		
4650105	must be kept on file:	1 605 00	1 605 00
	power rocker device	1,695.00	1,695.00
	installation of power rocker device	N/C	N/A
	control system for one (1) power accessory only (Solo)	N/C	275.00
	control system for four (4) power accessories, (Quattro)	575.00	575.00
	control system for two (2) actuator motors, (Duo)	390.00	390.00
	joystick control system, two (2) accessories	525.00	525.00
+4653218	joystick control system, four (4) accessories	775.00	775.00

	Component(s) under Special Consideration:		
+4653101	seat/back structure, SP202, with reclining back and cylinder, compensating mechanism *	1,185.00	1,185.00
+4653119	power reclining back, compensating mechanism, requires SP202 *	1,100.00	1,950.00
+4653135	power elevating legrests, per pair, including legrests and footplates, on SP202 *	1,295.00	1,295.00 / pr
+4653143	power elevating legrests, per unit, including legrests and footplates, on SP202 *	1,295.00	1,295.00 / pr
+4653150	installation of power reclining back *	N/C	N/A

#### SUPPLIER: SUNRISE MEDICAL CANADA INC.

#### **PRICE**

# +4653200 POWERED WHEEL CHAIR QUICKIE 747 PEDIATRIC MODEL

4,325.00

# **Basic Components**

#### **Body support system**

- supple back, nylon
- back, angle-adjustable, from 84° à 124°, by 4° increments, SP202
- rigid seat, flat
- back height: from 35.6 cm (14 in.) to 45.7 cm (18 in.)
- seat height: from 38.1 cm (15 in.) to 50.8 cm (20 in.)
- seat width: from 25.4 cm (10 in.) to 40.6 cm (16 in.)
- seat depth: from 25.4 cm (10 in.) to 40.6 cm (16 in.)
- safety belt, auto-type, velcro-type
- centre of gravity adjustment from seat
- installation of power reclining back \*
- installation of power rocker device
- control system for one power accessory only (Solo)

#### Armrests

- U-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long, on SP202 only
- T-type armrests, detachable, height-adjustable, from 20.3 cm (8 in.) to 33.0 cm (13 in.), short, long, on SP202 only
- I-type armrests, flip-back, angle-adjustable, height-adjustable, from 15.2 cm (6 in.) to 25.4 cm (10 in.), short, long, straight or contoured, for SP202
- armrest pads, straight, short, long
- armrest pads, contoured, short, long

#### **Footrests**

- footrests, angle-adjustable to 60°, 70° and 80°, parallel, detachable, swingaway, length-adjustable, from 17.8 cm (7 in.) to 33.0 cm (13 in.)
- padded calfrests for elevating legrests
- folding footplates, standard
- heel loops, adjustable

#### Frame

- tie-down points for adapted transport
- rear suspension
- running lights
- compact base, width: 61.0 cm (24 in.), group 22, maximum capacity of 181.4 kg (400 lb)
- regular base, width: 64.8 cm (25½ in.), group 24, maximum capacity of 181.4 kg (400 lb)

### **Drive systems**

- programmable joystick control VR2, for 2-brush motors
- programmable joystick control R-Net, pour 4-brush motors
- battery charge display
- battery charger
- battery boxes, group 22 on compact base, group 24 on regular base
- push-button switch
- side bracket for joystick control
- swivel side bracket for joystick control
- controller for VR2. 2-brush motors
- 2-brush motors, 113.4 kg (250 lb)

#### Wheels and forks

- driving wheels, inner tubes, knobby tires, 35.6 cm (14 in.) X 7.6 cm (3 in.)
- front wheels, solid tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)
- front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)
- driving wheel rims
- front wheel rims
- standard forks

Updated: December 12, 2016

315

<sup>\*</sup> Component under Special Consideration

Basic and Optional Components  Body support system  Seat and back:	
Seat and back:	
Seat and back:	
+4652145 heavy-duty seat/back structure, for power mechanism, with 850.00 85	00.00
angle-adjustable back, 181.4 kg (400 lb), SP202	
	'1.00
+4652160 back, angle-adjustable, from 84° à 124°, by 4° increments, N/C SP202	N/A
	7.00
	35.00
(19 in.)	5.00
+4652194 padded back, contoured, fabric, with rigid base, maximum 405.00 47	6.00
height of 48.3 cm (19 in.)	
+4652202 rigid seat, flat N/C	N/A
	5.00
$\mathcal{E}$	0.00
<b>.</b>	08.00
+ <b>4652244</b> modification of back height, to - than 35.6 cm (14 in.), to + than 45.7 cm (18 in.)	N/A
+4652251 seat cushion, flat, foam, 5.1 cm (2 in.) 58.00	8.00
+4652269 seat cushion, flat, foam, 7.6 cm (3 in.) 58.00	8.00
+4652277 safety belt, auto-type N/C	2.00
<b>7</b>	9.00
· · · · · · · · · · · · · · · · · · ·	06.00
	6.00
, &	6.00
$\mathcal{C}'$	3.00
+4652335 centre of gravity adjustment from seat N/C	N/A
Armrests:	
	31.00
35.6 cm (14 in.), short, long, on SP202 only	00
$\mathcal{J}_{1}$	6.00
(8 in.) to 33.0 cm (13 in.), short, long, on SP202 only +4652368 I-type armrests, flip-back, angle-adjustable, height- N/C 13	86.00
+4652368 I-type armrests, flip-back, angle-adjustable, height-adjustable, from 15.2 cm (6 in.) to 25.4 cm (10 in.), short,	0.00
long, straight or contoured, for SP202	
	6.00
transfer assists and clothing guards, short, long, for SP202	
+4652384 modification of T-type armrest height, from 15.2 cm (6 in.) 82.00	N/A
to 24.8 cm (9¾ in.)	
	5.00
+4652400 armrest pads, straight, long N/C	8.00

+4652418	armrest pads, contoured, short, long	N/C	26.00
	Footrests:		
+4652426	footrests, angle-adjustable to 60°, 70°, 80°, parallel, detachable, swingaway, length-adjustable, from 17.8 cm	N/C	140.00
4650404	(7 in.) to 33.0 cm (13 in.)	150.00	215.00
+4652434	70° footrests, heavy-duty, parallel, detachable, swingaway, length-adjustable, from 17.8 cm (7 in.) to 33.0 cm (13 in.)	150.00	215.00
+4652442	elevating legrests	178.00	229.00
	elevating legrests, with compensating mechanism	200.00	N/A
	padded calfrests for elevating legrests	N/C	19.00
	contoured calfrests	72.00	55.00
	single calf strap	19.00	19.00
	double calf strap	33.00	33.00
	folding footplates, standard	N/C	49.00
	oversized footplates	74.00	86.00
	folding footplates, angle-adjustable, locking	80.00	178.00
	folding footplates, angle and depth-adjustable, oversized folding footplates, multi-position	54.00 106.00	76.00 102.00
	footplates, one-piece	150.00	N/A
	heel loops, adjustable	N/C	10.00
	modification of footrest length, customized	50.00	N/A
	front impact guard with rollers	38.00	19.00
14052502	front impact guard with foliois	30.00	17.00
	Frame:		
+4652590	tie-down points for adapted transport	N/C	N/A
	rear suspension	N/C	N/A
+4652616	running lights	N/C	N/A
+4652624	cane holder	45.00	45.00
+4652632	compact base, width: 61.0 cm (24 in.), group 22, maximum capacity of 181.4 kg (400 lb)	N/C	N/A
+4652640	regular base, width: 64.8 cm (25½ in.), group 24, maximum capacity of 181.4 kg (400 lb)	N/C	N/A
	Drive systems:		
	programmable joystick control VR2, for 2-brush motors	N/C	450.00
+4652665	programmable joystick control R-Net, pour 4-brush motors	N/C	660.00
+4652673	battery charge display	N/C	N/A
	battery charger	N/C	384.00
+4652699	battery boxes, group 22 on compact base, group 24 on regular base	N/C	N/A
+4652707	adapted controls interface, with built-in display module	1,445.00	1,445.00
+4652715	laptray touch switch control, cross-shaped, Penta or Waffer (requires interface)	314.00	314.00
+4652723	breath control (requires interface)	426.00	426.00
+4652731	proportional chin control (requires interface)	555.00	555.00
	non-proportional chin control (requires interface)	555.00	555.00
	head control (requires interface)	555.00	555.00
	proportional mini-joystick control (requires interface)	790.00	1,090.00
+4652772	foot control, including support (requires interface)	1,740.00	1,740.00

+4652780	control with separate Zero Touch switches (requires	1,770.00	1,770.00
. 4653500	interface)	N/C	NT/A
	push-button switch	N/C	N/A
	toggle switch	88.00	N/A
	auxiliary switch	91.00	96.00
	joystick extension	21.00	21.00
	ball extension	52.00	52.00 52.00
	T-type extension	52.00 N/C	74.00
	side bracket for joystick control swivel side bracket for joystick control	N/C N/C	188.00
	midline bracket, flip-back, for joystick control	163.00	351.00
	breath control bracket	352.00	352.00
	chin control bracket	352.00	352.00
	head control bracket	352.00	352.00
	interface bracket	352.00	352.00
	adjustable bracket for joystick control	66.00	66.00
	modification, repositioning of joystick bracket inward	120.00	N/A
	chin bib control	352.00	352.00
	controller for VR2, 2-brush motors	N/C	1,100.00
	controller for R-Net, 4-brush motors	486.00	1,586.00
	2-brush motors, 113.4 kg (250 lb)	N/C	948.00
	4-brush motors, 181.4 kg (400 lb)	350.00	1,123.00
. 1002>00	orden motors, forming (100 le)	320.00	1,123.00
	Wheels and forks:		
+4652996	driving wheels, inner tube, knobby tires, 35.6 cm (14 in.) X	N/C	215.00
	7.6 cm (3 in.)		
	front wheels, solid tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)	N/C	84.00
	front wheels, solid tires, 22.9 cm (9 in.) X 7.6 cm (3 in.)	50.00	97.00
+4653028	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm	N/C	72.00
	(2 in.)		
+4653036	front wheels, inner tube tires, 22.9 cm (9 in.) X 7.6 cm	50.00	97.00
4653044	(3 in.)	NIG	<b>N</b> T/A
	front wheel rims	N/C	N/A
	driving wheel rims	N/C	47.00
	airless inserts, driving wheel	136.00	N/A
	airless inserts, front wheel standard forks	114.00 N/C	N/A 87.00
	suspension forks	135.00	87.00 N/A
+4053093	suspension forks	133.00	N/A
	Non S.C. components for which supporting document		
	must be kept on file:		
	power rocker device	1,695.00	1,695.00
	installation of power rocker device	N/C	N/A
	control system for one (1) power accessory only (Solo)	N/C	275.00
	control system for four (4) power accessories, (Quattro)	575.00	575.00
	control system for two actuator motors (Duo)	390.00	390.00
	joystick control system, two (2) accessories	525.00	525.00
+4653218	joystick control system, four (4) accessories	775.00	775.00

	<b>Components under Special Consideration:</b>		
+4653101	seat/back structure SP202, with reclining back with cylinder, compensating mechanism *	1,185.00	1,185.00
+4653119	power reclining back, compensating mechanism, requires SP202 *	1,100.00	1,950.00
+4653135	power elevating legrests, per pair, including legrests, footplates on SP202 *	1,295.00	1,295.00 / pr
+4653143	power elevating legrests, per unit, including legrests, footplates on SP202 *	1,295.00	1,295.00 / pr
+4653150	installation of power reclining back *	N/C	N/A

#### SUPPLIER: ORTHOFAB INC.

#### **PRICE**

### 4663001 POWERED WHEEL CHAIR OASIS 2 PEDIATRIC MODEL

4,999.00

# **Basic Components Body support system**

- supple back, nylon
- rigid back, flat
- rigid seat, flat
- back height: from 35.6 cm (14 in.) to 45.7 cm (18 in.)
- seat height: from 39.4 cm  $(15\frac{1}{2} \text{ in.})$  to 47.0 cm  $(18\frac{1}{2} \text{ in.})$
- seat widths: 30.5 cm (12 in.), 33.0 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.)
- seat depths: 35.6 cm (14 in.), 40.6 cm (16 in.)
- modification of seat height, by +2.5 cm (1 in.), +5.1 cm (2 in.)
- safety belt, auto-type
- push handles
- seatback handles raised by 7.6 cm (3 in.)
- installation of power rocker device
- adjustable seat bracket
- connecting cables for power reclining devices

#### Armrests

- U-type armrests, height-adjustable, from 15.2 cm (6 in.) to 20.3 cm (8 in.), from 20.3 cm (8 in.) to 30.5 cm (12 in.), short, long
- T-type armrests, height-adjustable, from 15.2 cm (6 in.) to 25.4 cm (10 in.), short
- armrest pads, straight, short, long
- rigid clothing guards, for T-type armrests, U-type armrests

#### **Footrests**

- 70° footrests, parallel, detachable, swingaway, length-adjustable, from 17.8 cm (7 in.) to 35.6 cm (14 in.)
- 90° footrests, parallel, detachable, swingaway, length-adjustable, from 17.8 cm (7 in.) to 35.6 cm (14 in.)
- contoured calfrests
- folding footplates, standard
- heel loops, adjustable

#### **Frame**

- anti-tip rollers
- tie-down points for adapted transport
- rear suspension
- rear reflectors
- running lights, front, rear

320

### **Drive systems**

- programmable joystick control
- control box, potentiometer
- control box, potentiometer, toggle switch
- battery charge display
- battery charger
- battery boxes, group 22, group 24
- breath control, included in interface
- toggle switch
- push-button switch
- direction joystick
- conical-spherical stick extension
- swivel side bracket for joystick control
- bracket for separate display module
- controller
- motors

### Wheels and forks

- rear wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.)
- front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)
- rear wheel rims
- front wheel rims
- standard forks for 20.3 cm (8 in.), 22.9 cm (9 in.) wheels
- L-shaped forks, 20.3 cm (8 in.) wheels

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	<b>Basic and Optional Components</b>		
	Body support system		
	Seat and back:		
4662490	seat/back structure, with angle-adjustable back	838.00	N/A
4661831	rigid back, flat	N/C	59.00
	supple back, nylon	N/C	69.00
4662805	supple back, tension-adjustable	74.00	143.00
4662698	rigid back, contoured	141.00	200.00
4662144	rigid seat, flat	N/C	81.00
4662839	rigid seat, elastic webbing	68.00	149.00
4661898	modification of back height, to + 45.7 cm (18 in.)	96.00	N/A
4662193	modification of seat height, by $+2.5$ cm $(1 in.)$ , $+5.1$ cm	N/C	N/A
	(2 in.)		
4662185	modification of seat depth, to 30.5 cm (12 in.), to 33.0 cm	264.00	N/A
	(13 in.) and to 38.1 cm (15 in.)		
4662862	seat cushion, flat, foam, 5.1 cm (2 in.)	59.00	59.00
	seat cushion, flat, foam, 7.6 cm (3 in.)	59.00	59.00
	seat cushion, viscoelastic nylon	150.00	150.00
	back cushion, contoured, nylon	178.00	237.00
4662821	back cushion, contoured, leatherette	178.00	237.00
	seat cushion, contoured, nylon	210.00	210.00
	seat cushion, contoured, leatherette	210.00	210.00
	safety belt, velcro-type	23.00	63.00
	safety belt, auto-type	N/C	40.00
	safety belt, airplane-type	34.00	74.00
	headrest, hammock-type	75.00	75.00
	headrest, padded, contoured	105.00	105.00
	headrest, small, medium, large	105.00	105.00
	headrest mounting, articulated	120.00	120.00
	headrest mounting, articulated, uniball	135.00	135.00
	back tension bar	69.00	69.00
	back tension bar with headrest mounting	99.00	99.00
	push handles	N/C	N/A
	raised back handles, 7.6 cm (3 in.)	N/C	N/A
+4663068	seat bracket, adjustable	N/C	516.00
4662888	Armrests: U-type armrests, height-adjustable, from 15.2 cm (6 in.) to 20.3 cm (8 in.), from 20.3 cm (8 in.) to 30.5 cm (12 in.),	N/C	140.00
4662896	short U-type armrests, height-adjustable, from 15.2 cm (6 in.) to 20.3 cm (8 in.), from 20.3 cm (8 in.) to 30.5 cm (12 in.), longs	N/C	140.00

		(authentic v	ersion)
4661014	T-type armrests, height-adjustable, from 15.2 cm (6 in.) to	N/C	140.00
4001714	25.4 cm (10 in.), short	N/C	140.00
4662227	armrest pads, straight, short	N/C	12.00
	armrest pads, straight, long	N/C	15.00
	armrest pads, contoured, short	44.00	34.00
	armrest pads, contoured, long	48.00	39.00
	rigid clothing guards, for T-type and U-type armrests	N/C	N/A
	modification of T-type armrest height, to + than 25.4 cm	79.00	N/A
	(10 in.)		
+4663076	modification of U-type armrest height, to + than 30.5 cm	79.00	N/A
	(12 in.)		
+4663084	U-type armrest extension, 7.6 cm (3 in.)	39.00	N/A
	<b>T</b>		
4661040	Footrests:	N/C	04.00
4661948	70° footrests, parallel, detachable, swingaway, length-	N/C	84.00
1661055	adjustable, from 17.8 cm (7 in.) to 35.6 cm (14 in.)	N/C	84.00
4001933	90° footrests, parallel, detachable, swingaway, length-adjustable, from 17.8 cm (7 in.) to 35.6 cm (14 in.)	N/C	84.00
4661071	elevating legrests, with compensating mechanism, length-	234.00	201.00
40017/1	adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)	234.00	201.00
4662938	contoured calfrests	N/C	N/A
	double calf strap	55.00	55.00
	folding footplates, standard	N/C	27.00
	folding footplates, aluminum	44.00	49.00
	full-width footplate	221.00	275.00
	footplates, angle and depth-adjustable, standard size	76.00	65.00
	footplates, angle and depth-adjustable, oversized	82.00	68.00
4662953	footplate, angle and depth-adjustable, full-width	168.00	222.00
	heel loops, adjustable	N/C	14.00
4661534	•	30.00	15.00
4660536	modification of legrest length, from 35.6 cm (14 in.) to	79.00	N/A
4660000	48.3 cm (19 in.)	26.00	10.00
4660999	front impact guard with rollers	36.00	18.00
	Frame:		
1661215	anti-tip rollers	N/C	39.00
	tie-down points for adapted transport	N/C	N/A
	rear suspension	N/C	N/A
	rear reflectors	N/C	N/A
	running lights, front, rear	N/C	N/A
	cane holder	40.00	40.00
	Drive systems:		
	programmable joystick control	N/C	511.00
	compact joystick control	58.00	569.00
	control box, potentiometer	N/C	589.00
	control box, potentiometer, toggle switch	N/C	589.00
	battery charge display	N/C	N/A
	battery charger	N/C	379.00
	battery boxes, group 22, group 24	N/C	223.00
4004/55	adapted controls interface	995.00	1,506.00

4662276	breath control, included in interface	N/C	N/A
	laptray touch switch control	301.00	301.00
	control with separate switches	379.00	379.00
	non-proportional chin control	421.00	421.00
	proportional chin control	540.00	540.00
	head control	540.00	540.00
+4663118	mini-joystick control	1,199.00	1,199.00
+4663126	toggle switch	N/C	N/A
4660692	push-button switch	N/C	N/A
+4663134	auxiliary switch, one	98.00	98.00
+4663142	auxiliary switch, one pair	198.00	99.00
+4663159	auxiliary switch, four (4) positions, cross-shaped	249.00	249.00
+4663167	auxiliary switch double (Y)	198.00	198.00
4660718	direction joystick	N/C	N/A
4662607	conical-spherical stick extension	N/C	8.00
4660742	ball extension	27.00	35.00
	joystick extension	27.00	35.00
4662599	mushroom-shaped stick extension	27.00	35.00
4660759	T-type extension	27.00	35.00
	swivel side bracket for joystick control	N/C	202.00
	midline bracket, flip-back, for joystick control	85.00	287.00
	bracket for separate display module	N/C	37.00
	adjustable bracket for interface display	90.00	127.00
	chin bib control	329.00	329.00
	breath control bracket	340.00	340.00
	chin control bracket	340.00	340.00
	head control bracket	340.00	340.00
	bracket, flip-back, for mini-joystick control	499.00	499.00
	controller	N/C	1 437.00
4662342	motors	N/C	1 122.00
	****		
4662050	Wheels and forks:	N/C	106.00
4662979	rear wheels, inner tube tires, 35.6 cm (14 in.) X 7.6 cm (3 in.)	N/C	106.00
4662987	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)	N/C	65.00
4662995	front wheels, inner tube tires, 22.9 cm (9 in.) X 7.0 cm (2¾ in.)	88.00	108.00
4660882	rear wheel rims	N/C	N/A
	front wheel rims	N/C	N/A
	front airless inserts	133.00	N/A
	rear airless inserts	151.00	N/A
	standard forks for, 20.3 cm (8 in.), 22.9 cm (9 in.) wheels	N/C	87.00
	L-shaped forks for 20.3 cm (8 in.) wheels	N/C	87.00
	*		

	Non S.C. components for which supporting document		
4662094	must be kept on file: power rocker device, including a "basic" control system for one (1) accessory	879.00	1,395.00
+4663183	installation of power rocker device	N/C	400.00
	"basic" control system for a single power accessory (external to joystick)	230.00	230.00
4662466	control system for four (4) power accessories, using joystick	740.00	740.00
	"advanced" control system for one (1) accessory, external to	249.00	249.00
14003171	joystick, with plug-in for auxiliary switches	219.00	219.00
+4663209	"advanced" control system for two (2) accessories, external	295.00	295.00
. 1000_0	to joystick, with plug-in for auxiliary switches	_,_,	_, _,
+4663217	"advanced" control system for four (4) accessories, external	575.00	575.00
	to joystick, with plug-in for auxiliary switches		
+4663225	proximity head control	1,999.00	1,999.00
	connecting cables for power reclining devices	N/C	N/A
	<b>Components under Special Consideration</b>		
4663027	reclining back with cylinder (manual device)*	269.00	269.00
4662417	power elevating legrests, from 35.6 cm (14 in.) to 48.3 cm (19 in.), per unit *	1,273.00	721.00
4662706	power elevating legrests, from 35.6 cm (14 in.) to 48.3 cm	1,273.00	721.00
	(19 in.), per pair *		
	Parts rebuilt with exchange:		
+4663233	R-Net joystick control	N/A	353.00
	R-Net controller	N/A	862.00
+4663258	motor assembly – reduction gear – R-Net brake	N/A	673.00
	battery charger 6A, 24V, bi-mode	N/A	227.00

#### **SUPPLIER: PRIDE MOBILITY PRODUCTS**

#### **PRICE**

## +4674800 POWERED WHEEL CHAIR QUANTUM 610 MODEL

3,900.00

### **Basic Components**

### **Body support system**

- back, angle-adjustable
- supple back, nylon
- rigid seat, flat
- back height: from 35.6 cm (14 in.) to 63.5 cm (25 in.)
- seat height: from  $42.2 \text{ cm} (16\frac{5}{8} \text{ in.})$  to  $47.3 \text{ cm} (17\frac{5}{8} \text{ in.})$
- seat width: from 25.4 cm (10 in.) to 50.8 cm (20 in.), 136.1 kg (300 lb) maximum
- seat depth: from 25.4 cm (10 in.) to 50.8 cm (20 in.), 136.1 kg (300 lb) maximum
- safety belt, auto-type, velcro-type
- headrest mounting, articulated, uniball
- push handles
- push bar
- installation of power reclining back, 100% compensating mechanism \*
- installation of power rocker device
- centre of gravity adjustment from seat
- control system for one (1) power accessory only
- control system for four (4) power accessories
- connecting cables for power reclining devices

#### **Armrests**

- U-type armrests, height-adjustable, from 22.9 cm (9 in.) to 33.0 cm (13 in.), short, long
- T-type armrests, height-adjustable, from 27.9 cm (11 in.) to 43.2 cm (17 in.), short, long
- T-type armrests, pediatric, height-adjustable, from 19.7 cm (7¾ in.) to 24.8 cm (9¾ in.), short, long
- I-type armrests, height-adjustable, from 15.2 cm (6 in.) to 50.8 cm (20 in.), short, long
- armrest pads, straight, short, long
- armrest pads, contoured, short, long

### **Footrests**

- 70° footrests, parallel, tapered, detachable, swingaway, length-adjustable, from 27.9 cm (11 in.) to 49.8 cm (19½ in.)
- 90° footrests, pediatric, parallel, detachable, swingaway, length-adjustable, from 17.8 cm (7 in.) to 25.4 cm (10 in.)
- padded calfrests
- folding footplates, standard
- · heel loops, fixed

- heel loops, adjustable
- foot platform 25.4 cm (10 in.) X 25.4 cm (10 in.)

#### Frame

- tie-down points for adapted transport
- rear suspension
- rear reflectors
- running lights

## **Drive systems**

- programmable joystick control
- compact joystick control
- joystick control with built-in controller
- battery charge display
- battery charger, external 5A, Power Cube
- battery charger, 4A, built-in
- battery boxes, group 22
- toggle switch
- push-button switch
- auxiliary switch
- conical-spherical stick extension
- side bracket for joystick control
- swivel side bracket for joystick control
- head control bracket
- controller Q-Logic 70A
- GLIDE motors, brushes, 4 mph

#### Wheels and forks

- driving wheels, inner tube tires
- front wheels, semi-pneumatic tires, 12.7 cm (5 in.), 15.2 cm (6 in.)
- driving wheel rims
- front caster or wheel rims
- standard forks, front, rear

Updated: December 12, 2016

327

<sup>\*</sup> Components under Special Consideration

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	<b>Basic and Optional Components</b>		
	Body support system		
	Seat and back:		
+4674172	seat/back structure, with angle-adjustable back, Synergy	500.00	550.00
	adjustable seat		
	back, angle-adjustable	N/C	N/A
	supple back, nylon	N/C	60.00
+4674206	supple back, tension-adjustable, maximum width of 50.8 cm (20 in.)	90.00	150.00
+4674214	rigid back, steel plate with removable cushion	220.00	280.00
+4674222	padded back, plat, fabric, rounded, without AES contour	280.00	340.00
+4674230	folding back	300.00	300.00
+4674248	padded back, contoured, fabric, leatherette (Neoprene), PRAMO	300.00	360.00
+4674255		300.00	360.00
+4674263	•	300.00	360.00
+4674271	rigid seat, flat	N/C	N/A
	padded seat, flat, Solution 1, fabric, 158.8 kg (350 lb) capacity	125.00	175.00
+4674297	padded seat, contoured, Solution, fabric, 158.8 kg (350 lb) capacity	180.00	200.00
+4674305	cushion, TRU Comfort, leatherette	180.00	200.00
	safety belt, auto-type	N/C	25.00
	safety belt, velcro-type	N/C	25.00
	safety belt, airplane-type	35.00	75.00
	headrest, contoured, small	140.00	180.00
	headrest, contoured, large	140.00	180.00
	headrest, contoured, padded, small	140.00	300.00
	headrest, contoured, padded, large	140.00	300.00
	headrest, TRU Comfort, small	140.00	300.00
	headrest, TRU Comfort, large	140.00	300.00
	headrest and mounting for power reclining back	160.00	234.00
	headrest mounting, articulated, uniball	N/C	180.00
	push handles	N/C	N/A
+4674438		N/C	80.00
	centre of gravity adjustment from seat	N/C	N/A
+4674453	Armrests: U-type armrests, height-adjustable, from 22.9 cm (9 in.) to 33.0 cm (13 in.), short, long	N/C	320.00

+4674461	T-type armrests, height-adjustable, from 27.9 cm (11 in.) to	N/C	125.00
. 4674470	43.2 cm (17 in.), short, long	N/C	125.00
+40/44/9	T-type armrests, pediatric, height-adjustable, from 19.7 cm (7¾ in.) to 24.8 cm (9¾ in.), short, long	N/C	125.00
<i>⊥46744</i> 87	T-type armrests, heavy-duty, height-adjustable, from	125.00	188.00
T <b>70/770</b> /	20.3 cm (8 in.) to 35.6 cm (14 in.), short, long	123.00	100.00
+4674495	I-type armrests, height-adjustable, from 15.2 cm (6 in.) to	N/C	135.00
	50.8 cm (20 in.), short, long	1,, 0	100.00
+4674503	I-type armrests, on power reclining back, from 20.3 cm	200.00	313.00
	(8 in.) to 27.9 cm (11 in.), short, long		
+4674511	armrest pads, straight, short, long	N/C	10.00
+4674529	armrest pads, contoured, short, long	N/C	10.00
+4674537	modification of U-type armrest height, from 33.0 cm (13 in.)	150.00	150.00
	to 38.1 cm (15 in.)		
. 4254545	Footrests:	N/C	75.00
+4674545	70° footrests, parallel, tapered, detachable, swingaway,	N/C	75.00
	length-adjustable, from 33.0 cm (11 in.) to 49.5 cm (19½ in.)		
<i>⊥1671552</i>	90° footrests, pediatric, parallel, detachable, swingaway,	N/C	75.00
T <b>4</b> 07 <b>4</b> 332	length-adjustable, from 17.8 cm (7 in.) to 25.4 cm (10 in.)	14/C	75.00
+4674560	70° footrests, heavy-duty, parallel, detachable, swingaway,	200.00	175.00
11071200	length-adjustable, from 30.5 cm (12 in.) to 53.3 cm (21 in.)	200.00	175.00
+4674578	elevating legrests	200.00	175.00
	padded calfrests	N/C	15.00
+4674594	contoured calfrests	40.00	60.00
+4674602	single calf strap	72.00	72.00
	double calf strap	180.00	180.00
	folding footplates, standard	N/C	40.00
+4674636	footplates, angle and depth-adjustable, standard size,	70.00	100.00
	including extension tubes	4.50.00	100.00
	full-width footplate, angle and depth-adjustable	150.00	190.00
	heel loops, fixed	N/C	15.00
	heel loops, adjustable toe loops (by the pair when replacements)	N/C	15.00
	foot platform, 25.4 cm (10 in.) X 25.4 cm (10 in.)	20.00 N/C	40.00 / pr 75.00
	foot platform, 25.4 cm (10 in.) X 25.4 cm (10 in.), mounted	200.00	315.00
+4074023	under seat (rocker)	200.00	313.00
+4674701	front impact guard with rollers	10.00	26.00
1 107 1701	mono imputo guina wini ronoro	10.00	20.00
	Frame:		
+4674719	tie-down points for adapted transport	N/C	25.00
+4674727	rear suspension	N/C	N/A
+4674735	rear reflectors	N/C	20.00
	running lights	N/C	N/A
+4674750	cane holder	65.00	65.00
	<b>-</b>		
. 4654560	Drive systems:	37/6	3.T/ A
	joystick control with built-in controller	N/C	N/A
+40/4//6	programmable joystick control	N/C	675.00

		(authentic	version)
14674794	compact iovertials control	N/C	600.00
	compact joystick control battery charge display	N/C N/C	N/A
	battery charger, 4A, built-in	N/C N/C	97.00
	battery charger, external, 5A, Power Cube	N/C N/C	220.00
	battery boxes, group 22	N/C N/C	72.00
	adapted controls interface, advanced Q-Logic display	775.00	1 100.00
	laptray touch switch control, Waffer	270.00	270.00
	control with separate switches, including 5 switches	396.00	396.00
	non-proportional chin control, Mini Joystick	400.00	650.00
	proportional chin control, RJM, including 1 switch	500.00	500.00
	chin control, HMC Mini	990.00	1 260.00
	foot control, RJM, adapter	1,245.00	1,245.00
	head control, Stealth Rim	1,275.00	1,605.00
	toggle switch	N/C	N/A
	push-button switch	N/C	N/A
	auxiliary switch	N/C	N/A
	egg-shaped switch	60.00	60.00
	Mini Cup switch	95.00	95.00
	Micro Light switch	128.00	128.00
	conical-spherical extension	N/C	15.00
	extension of chin control stick	30.00	40.00
	ball extension, hard	30.00	40.00
	joystick extension	40.00	50.00
	mushroom-shaped stick extension	40.00	50.00
	T-type extension	55.00	60.00
+4675039	U-shaped extension	70.00	101.00
	joystick mounting bracket, vertical adjustment	50.00	90.00
	side bracket for joystick control	N/C	19.00
+4675062	swivel side bracket for joystick control	N/C	147.00
+4675070	midline bracket, flip-back, for joystick control, Stealth	400.00	400.00
	GAT410P		
+4675088	midline bracket, flip-back, for joystick control, Body Point PC201	485.00	485.00
+4675096	head control bracket	N/C	N/A
+4675104	bracket for separate display module	72.00	72.00
+4675112	Multi Axes bracket, joystick, mini-joystick	120.00	120.00
+4675120	breath control bracket	270.00	270.00
	chin control bracket, RJM	573.00	573.00
	chin bib control	237.00	237.00
	controller Q-Logic 70A	N/C	567.00
	GLIDE motors, brushes, 4 mph	N/C	402.00
+4675179	breath-control driver control module, Sip & Puff unit, cable,	945.00	945.00
	separator, requires Q-Logic display (not included)		
. 4/85405	Wheels and forks:	MG	45.00
+4675187	driving wheels, inner tube tires	N/C	45.00
	front wheels, semi-pneumatic tires, 12.7 cm (5 in.)	N/C	21.00
	front wheels, semi-pneumatic tires, 15.2 cm (6 in.)	N/C	27.00
	front wheel or caster rims	N/C	N/A
	driving wheel rims	N/C	45.00
+40/525/	airless inserts for driving wheels	70.00	80.00

+4675245	standard forks, front, rear	N/C	12.00
	Non S.C. components for which supporting document must be kept on file:		
+4675260	45.7 cm (18 in.) X 45.7 cm (18 in.), 72.6 kg (160 lb)	1,000.00	1,200.00
+4675294	capacity power rocker device	1,895.00	2,095.00
	footplates, angle and depth-adjustable, multi-directional	240.00	280.00
	elevating foot platform, 25.4 cm (10 in.) X 25.4 cm (10 in.),	1,500.00	1,600.00
T <b>4</b> 073320	compensating mechanism	1,500.00	1,000.00
+4675344	installation of power rocker device	N/C	150.00
	control system for one (1) power accessory only	N/C	200.00
+4675369		N/C	133.00
	control system for power rocker device, joystick-controlled	175.00	450.00
	heavy-duty joystick control, Champignon Stealth	1,500.00	2,200.00
+4675419	connecting cables for power reclining devices	N/C	100.00
	<b>Components under Special Consideration</b>		
+4675252	seat/back structure, with reclining back with cylinder *	900.00	950.00
+4675278	reclining back with cylinder *	400.00	400.00
	power reclining back, 100% compensating mechanism*	2,250.00	2,250.00
+4675302	power elevating legrests, standard, with angle-adjustable footplates, per pair *	1,500.00	785.00
+4675336	installation of power reclining back, 100% compensating mechanism *	N/C	50.00
+4675377	control system for power reclining back, joystick-controlled *	175.00	450.00
+4675393	control system for power elevating legrests, joystick-controlled *	175.00	450.00

# DIVISION III: COMPLEMENTS FOR WHEEL CHAIRS

# SUBDIVISION 1: WHEEL CHAIR SEAT CUSHIONS AND COVERS

	Description	Maximum price
4490223	Standardized cushion, multilayer or injected foam	400.00
4490249	Standardized cushion, viscoelastic foam and gel	400.00
4499646	Standardized cushion, viscofluid foam and gel	400.00
4499869	Standardized cushion, static air-adjustable, single-compartment (by adjusting pressure or cell quantity)	500.00
4490215	Standardized cushion, static air-adjustable, multi-compartment (by adjusting pressure or cell quantity)	500.00
4499695	Standardized cushion, viscoelastic gel	500.00
4490231	Standardized cushion, viscofluid gel	500.00
4490256	Standardized cushion, foam with air insert	500.00
+4490248	Standardized convoluted cushion, fusion-bonded thermoplastic polymer	500.00
4490272	Customized cushion, multilayer or injected foam	425.00
4490280	Customized cushion, viscoelastic foam and gel	425.00
4490298	Customized cushion, viscofluid foam and gel	425.00
4490306	Customized cushion, foam with air insert	525.00
+4490307	Customized cushion, fusion-bonded thermoplastic polymer	600.00
4498847	Non-listed specialized seat cushion (S.C.)	S.C.
+4020510	Standard cover for specialized seat cushion	75.00
+4020511	Commercial waterproof cover for specialized seat cushion	100.00
+4020512	Surcharge payable for 2 commercial waterproof covers, provided	50.00
	with purchase or replacement of specialized seat cushion, as substitution for 2 standard covers	
+4020513	Waterproof cover for seat cushion (any size)	75.00
+4020514	Non-listed cover provided, extra or replacement	S.C.
+4020515	Surcharge payable for bariatric cushion over than 20 inches width	150.00

# SUBDIVISION 2: TIRES AND INSERTS FOR MANUAL AND POWERED WHEEL CHAIRS

## TIRES AND INSERTS

## FOR MANUAL WHEEL CHAIRS

SUPPLIER: OF	RTHOFAB INC.	PRICE
4401873	tire, inner tube, standard pressure, 31.8 cm (12½ in.) X 5.7 cm (2¼ in.)	10.25
4401006	tire, inner tube, standard pressure, 50.8 cm (20 in.) X 3.5 cm (1\% in.)	8.00
4401014	tire, inner tube, standard pressure, 55.9 cm (22 in.) X 3.5 cm (1\% in.)	8.00
4401022	tire, inner tube, standard pressure, 61.0 cm (24 in.) X 3.2 cm (1 <sup>1</sup> / <sub>4</sub> in.)	8.75
4401030	tire, inner tube, standard pressure, 61.0 cm (24 in.) X 3.5 cm ( $1\frac{3}{8}$ in.)	8.00
	tire, inner tube, standard pressure, 61.0 cm (24 in.) X 4.4 cm (13/4 in.)	9.75
	tire, inner tube, standard pressure, 40.6 cm (16 in.) X 4.4 cm (13/4 in.)	9.75
	tire, inner tube, standard pressure, $66.0 \text{ cm} (26 \text{ in.}) \text{ X } 3.5 \text{ cm} (1\frac{3}{8} \text{ in.})$	8.75
	tire, inner tube, high pressure, 50.8 cm (20 in.) X 2.5 cm (1 in.)	13.25
	tire, inner tube, high pressure, 55.9 cm (22 in.) X 2.5 cm (1 in.)	12.75
	tire, inner tube, high pressure, 61.0 cm (24 in.) X 2.5 cm (1 in.)	12.75
	tire, inner tube, high pressure, 66.0 cm (26 in.) X 2.5 cm (1 in.)	12.75
	tire, inner tube, high pressure, 63.5 cm (25 in.), Sylver Bullet	22.75
	tire, inner tube, high pressure, 61.0 cm (24 in.), Cross Court	17.25
	tire, inner tube, high pressure, 66.0 cm (26 in.), all-terrain, knobby	12.25
	tire, inner tube, 61.0 cm (24 in.) X 3.5 cm (1\sqrt{s} in.), all-terrain, rounded surface	13.75
	tire, inner tube, 61.0 cm (24 in.) X 3.5 cm (1\% in.), all-terrain, flattened surface	8.50
	solid tire, 20.3 cm (8 in.) X 2.5 cm (1 in.)	4.75
	solid tire, 55.9 cm (22 in.) X 2.5 cm (1 in.)	9.75
	solid tire, 61.0 cm (24 in.) X 2.5 cm (1 in.)	9.75
	tire, inner tube, 15.2 cm (6 in.) X 3.2 cm (1¼ in.)	7.25
	tire, inner tube, 20.3 cm (8 in.) X 3.2 cm (1¼ in.) (C-63)	7.25
	tire, inner tube, 20.3 cm (8 in.) X 4.4 cm (1 <sup>3</sup> / <sub>4</sub> in.)	8.25
	tire, inner tube, 20.3 cm (8 in.) X 5.1 cm (2 in.)	7.75
	tire, inner tube, 18.8 cm (7 in.) X 4.4 cm (1¾ in.)	8.25
4401196	tire, inner tube, 20.3 cm (8 in.) X 3.2 cm (1 <sup>1</sup> / <sub>4</sub> in.) (C-737) semi-pneumatic tire, 12.7 cm (5 in.) X 2.5 cm (1 in.)	7.25
	1 , , , , , , , , , , , , , , , , , , ,	9.25 9.25
4401204 4401709	semi-pneumatic tire, 15.2 cm (6 in.) X 2.5 cm (1 in.) semi-pneumatic tire, 20.3 cm (8 in.) X 2.5 cm (1 in.) (poly kik)	10.50

4401212	semi-pneumatic tire, 20.3 cm (8 in.) X 2.5 cm (1 in.) (poly	10.50
	pyramide)	
4401220	solid tire, 55.9 cm (22 in.) X 2.5 cm (1 in.)	16.75
4401238	solid tire, 61.0 cm (24 in.) X 2.5 cm (1 in.)	16.75
4401246	solid tire, 66.0 cm (26 in.) X 2.5 cm (1 in.)	16.75
+4401949	urethane tire, black, ribbed, 50.8 cm (20 in.) X 3.2 cm (1¼ in.)	24.25
+4401956	urethane tire, black, ribbed, 55.9 cm (22 in.) X 3.2 cm (1¼ in.)	24.25
+4401964	urethane tire, black, ribbed, 61.0 cm (24 in.) X 3.2 cm (1¼ in.)	24.25
4401253	puncture-resistant tire, 15.2 cm (6 in.) X 3.2 cm (1 <sup>1</sup> / <sub>4</sub> in.)	9.75
+4401972	puncture-resistant tire, 17.8 cm (7 in.) X 4.4 cm (1¾ in.)	40.25
4401261	puncture-resistant tire, 20.3 cm (8 in.) X 3.2 cm (1 <sup>1</sup> / <sub>4</sub> in.)	9.75
4401279	puncture-resistant tire, 20.3 cm (8 in.) X 4.4 cm (1 <sup>3</sup> / <sub>4</sub> in.)	12.75
4401287	puncture-resistant tire, 20.3 cm (8 in.) X 5.1 cm (2 in.)	12.75
4401295	semi-pneumatic tire, 50.8 cm (20 in.) X 3.5 cm (1\sqrt{s} in.)	21.50
4401303	semi-pneumatic tire, 55.9 cm (22 in.) X 3.5 cm (1\% in.)	21.50
4401311	semi-pneumatic tire, 61.0 cm (24 in.) X 2.5 cm (1 in.)	19.00
4401329	semi-pneumatic tire, 61.0 cm (24 in.) X 3.5 cm (1\sqrt{s} in.)	21.50

# TIRES AND INSERTS

# FOR POWERED WHEEL CHAIRS

SUPPLIER: O	ORTHOFAB INC.	PRICE
4401881	tire, inner tube, 33.0 cm (13 in.) X 10.2 cm (4 in.) (400-5)	16.75
4401717	tire, inner tube, 18.8 cm (7 in.) X 4.4 cm (1¾ in.)	8.25
4401428	tire, inner tube, 20.3 cm (8 in.) X 3.2 cm (1 <sup>1</sup> / <sub>4</sub> in.)	7.25
4401436	tire, inner tube, 20.3 cm (8 in.) X 4.4 cm (1¾ in.)	8.25
4401444	tire, inner tube, 20.3 cm (8 in.) X 5.1 cm (2 in.)	7.75
4401725	tire, inner tube, 20.3 cm (8 in.) X 7 cm (2¾ in.)	8.25
4401469	tire, inner tube, 22.9 cm (9 in.) X 7 cm (2¾ in.)	9.00
4401485	tire, inner tube, 30.5 cm (12 in.) X 7.6 cm (3 in.)	14.25
	tire, inner tube, 31.8 cm (12½ in.) X 5.7 cm (2¼ in.)	10.25
4401733	tire, inner tube, 35.6 cm (14 in.) X 5.7 cm (2½ in.)	11.25
	tire, inner tube, 35.6 cm (14 in.) X 7.6 cm (3 in.), (300-8)	18.25
+4401980	tire, 35.6 cm (14 in.) X 7.6 cm (3 in.), grey, smooth (C-917-3)	20.75
	tire, inner tube, 35.6 cm (14 in.) X 10.2 cm (4 in.) (400-6)	16.75
	tire, inner tube, 40.6 cm (16 in.) X 5.7 cm (2½ in.)	10.47
	tire, inner tube, $40.6 \text{ cm} (16 \text{ in.}) \text{ X } 5.3 \text{ cm} (2\frac{1}{8} \text{ in.})$	10.47
4401774	tire, inner tube, 45.7 cm (18 in.) X 5.7 cm (2½ in.)	10.96
4401535	tire, inner tube, 50.8 cm (20 in.) X 5.3 cm ( $2\frac{1}{8}$ in.)	12.75
4401782	tire, inner tube, 50.8 cm (20 in.) X 5.7 cm (2½ in.)	12.41
4401543	semi-pneumatic tire, 20.3 cm (8 in.) X 4.4 cm (1¾ in.)	9.25
4401550	semi-pneumatic tire, 22.9 cm (9 in.) X 7.0 cm (2¾ in.)	27.75
4401790	puncture-resistant tire, 20.3 cm (8 in.) X 4.4 cm (1¾ in.) (poly	12.75
	kik)	
4401568	puncture-resistant tire, 22.9 cm (9 in.) X 7.0 cm (2 <sup>3</sup> / <sub>4</sub> in.)	33.00
+4401998	tire, inner tube, 22.9 cm (9 in.) X 7.0 cm (2¾ in.), rounded, for	9.00
	Invacare	
+4402004	puncture-resistant tire, 22.9 cm (9 in.) X 7.0 cm (2¾ in.), for	33.00
	Invacare	
+4402012	tire, inner tube, 22.9 cm (9 in.) X 7.0 cm (2¾ in.), rounded,	9.00
	deep tread, for Pride	
+4402020	puncture-resistant tire, 22.9 cm (9 in.) X 7.0 cm (2¾ in.),	33.00
	rounded, deep tread, for Pride	
	puncture-resistant tire, (280/250-4)	34.75
	puncture-resistant tire, 30.5 cm (12 in.) X 7.6 cm (3 in.)	35.50
4401808	puncture-resistant tire, 35.6 cm (14 in.) X 10.2 cm (4 in.)	46.75
	puncture-resistant tire, 35.6 cm (14 in.) X 7.6 cm (3 in.)	63.50
+4402046	tire, inner tube, 35.6 cm (14 in.) X 7.6 cm (3 in.), rounded,	20.75
	(Primo Duratrap), for Pride	
+4402053	puncture-resistant tire, 35.6 cm (14 in.) X 7.6 cm (3 in.),	70.00
	rounded, (Primo Duratrap), for Pride	
	puncture-resistant tire, (3.00-8)	63.50
4401816	puncture-resistant tire, 35.6 cm (14 in.) X 10.2 cm (4 in.), (400-	46.75
	6)	
	puncture-resistant tire, 50.8 cm (20 in.) X 5.3 cm (2½ in.)	31.25
4401824	puncture-resistant tire, 20.3 cm (8 in.) X 5.1 cm (2 in.)	33.75

4401832	puncture-resistant tire, 20.3 cm (8 in.) X 5.1 cm (2 in.) (poly	13.50
	kik)	
4401618	airless insert, 20.3 cm (8 in.) X 3.2 cm (1 <sup>1</sup> / <sub>4</sub> in.)	10.00
4401626	airless insert, 20.3 cm (8 in.) X 4.4 cm (1¾ in.)	10.00
4401634	airless insert, 31.8 cm (12½ in.) X 5.7 cm (2¼ in.)	20.00
4401840	airless insert, 35.6 cm (14 in.) X 5.7 cm (2 <sup>1</sup> / <sub>4</sub> in.)	20.00
4401642	airless insert, 40.6 cm (16 in.) X 5.3 cm (21/8 in.)	20.00
4401857	airless insert, 45.7 cm (18 in.) X 5.7 cm (2 <sup>1</sup> / <sub>4</sub> in.)	20.00
4401659	airless insert, 50.8 cm (20 in.) X 5.3 cm ( $2\frac{1}{8}$ in.)	20.00
4401865	airless insert, 50.8 cm (20 in.) X 5.7 cm (2 <sup>1</sup> / <sub>4</sub> in.)	20.00

# SUBDIVISION 3: BATTERIES FOR POWERED WHEEL CHAIRS

**SEALED BATTERIES (GEL)** 

Price including delivery, guarantee, and recovery of noncompliant or defective batteries (price per pair)

**SUPPLIER: POWER BATTERY SALES** 

**GROUP 22NF BATTERIES (GEL TYPE)** 

**4498010** Model: **8G22NF** 263.74

**SUPPLIER: POWER BATTERY SALES** 

**GROUP 24 BATTERIES (GEL TYPE)** 

**4498671 Model: 8G24T881** 342.20

**SUPPLIER: POWER BATTERY SALES** 

**GROUP U1 BATTERIES (GEL TYPE)** 

**4498051 Model: 8GU1** 170.26

#### **DIVISION IV: OTHER LOCOMOTOR ASSISTS**

### **SUBDIVISION 1: ADULT POSITIONING BASES**

**SUPPLIER: INVACARE CANADA L.P.** 

### **PRICE**

# 4240008 POSITIONING BASE, ADULT SOLARA 2G MODEL

## 1,930.00

## **Basic Components**

#### **Body support system**

- folding back, angle-adjustable
- back height: 50.8 cm (20 in.), 61.0 cm (24 in.)
- seat height: from 39.4 cm (15½ in.) to 48.3 cm (19 in.)
- seat widths: 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.)
- seat depths: 30.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.)
- safety belt, velcro-type, auto-type
- push handles integrated into backposts
- stroller handle, non-adjustable

#### **Armrests**

- U-type armrests, height-adjustable, from 21.6 cm (8½ in.) to 31.8 cm (12½ in.), short, long
- T-type armrests, height-adjustable, from 20.3 cm (8 in.) to 30.5 cm (12 in.), from 25.4 cm (10 in.) to 40.6 cm (16 in.), short, long
- armrest pads, straight, short, long

### **Footrests**

- 60° footrests, parallel, detachable, swingaway, length-adjustable, from 34.3 cm (13½ in.) to 44.5 cm (17½ in.)
- 70° footrests, parallel, detachable, swingaway, length-adjustable, from 34.3 cm (13½ in.) to 41.9 cm (16½ in.)
- 70° footrests, lift-off, parallel, length-adjustable, from 34.3 cm ( $13\frac{1}{2}$  in.) to 41.9 cm ( $16\frac{1}{2}$  in.)
- 70° footrests, lift-off, MFX, length-adjustable, from 14.6 cm (5¾ in.) to 29.8 cm (11¾ in.)
- 60° footrests, MFX, parallel, detachable, swingaway, length-adjustable, from 22.9 cm (9 in.) to 31.8 cm (12½ in.)
- 70° footrests, MFX, parallel, detachable, swingaway, length-adjustable, from 14.6 cm (5¾ in.) to 29.8 cm (11¾ in.)
- padded calfrests
- folding footplates, standard
- footplates, angle and depth-adjustable, standard size, oversized, 18.4 cm (71/4 in.)

- heel loops, fixed
- heel loops, adjustable

#### Frame

- anti-tip rollers
- tie-down points for transport
- frame length, from 38.1 cm (15 in.) to 48.3 cm (19 in.), from 45.7 cm (18 in.) to 55.9 cm (22 in.)
- rocker device

### Drive, brake, wheel, fork, and axle systems

- handrims, smooth, plastic-coated
- standard wheel locks, push-to-lock, pull-to-lock
- rear mag wheels, solid tires, 30.5 cm (12 in.), with puncture-resistance
- rear mag wheels, solid tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- rear mag wheels, standard pressure, 30.5 cm (12 in.)
- rear mag wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- front wheels, solid tires, 12.7 cm (5 in.), 15.2 cm (6 in.)
- front wheels, solid tires, 20.3 cm (8 in.) X 3.2 cm (1½ in.)
- front wheels, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.)
- front wheels, semi-pneumatic tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)
- standard forks
- threaded axles
- quick-release axles

Price upon initial

purchase or

replacement of

Price upon

replacement

of component

		wheel chair (price per pair, as applicable)	(unit price)
	<b>Basic and Optional Components</b>		
	Body support system		
	Seat and back:		
4240594	folding back, angle-adjustable	N/C	N/A
4240040	rigid seat, flat	55.00	119.00
	modification of seat width, 53.3 cm (21 in.), 55.9 cm (22 in.)	67.00	N/A
4240057	safety belt, velcro-type	N/C	42.00
	safety belt, auto-type	N/C	53.00
	headrest, hammock-style, with pillow	55.00	110.00
	Stealth headrest, 35.6 cm (14 in.), adjustable mounting	250.00	250.00
	back tension bar	20.00	60.00
	push handles integrated into backposts	N/C	52.00
+4240628	stroller handle, non-adjustable	N/C	66.00
	Armrests:		
4240073	U-type armrests, height-adjustable, from 21.6 cm (8½ in.) to	N/C	138.00
	31.8 cm (12½ in.), short, long		
4240081	T-type armrests, height-adjustable, from 20.3 cm (8 in.) to	N/C	120.00
	30.5 cm (12 in.), from 25.4 cm (10 in.) to 40.6 cm (16 in.),		
	short, long		
4240107		N/C	18.00
	armrest pads, straight, long	N/C	18.00
	Es des des		
4240122	Footrests:	N/C	72.00
4240123	60° footrests, parallel, detachable, swingaway, length-	N/C	72.00
4240121	adjustable, from 34.3 cm (13½ in.) to 44.5 cm (17½ in.)	N/C	72.00
4240131	70° footrests, parallel, detachable, swingaway, length-	N/C	72.00
4240140	adjustable, from 34.3 cm (13½ in.) to 41.9 cm (16½ in.)	20.00	82.00
4240149	90° footrests, parallel, detachable, swingaway, length-	20.00	82.00
1210156	adjustable, from 11.4 cm (4½ in.) to 19.1 cm (7½ in.) 60° footrests, MFX, parallel, detachable, swingaway, length-	N/C	72.00
4240150	adjustable, from 22.9 cm (9 in.) to 31.8 cm (12½ in.)	N/C	72.00
4240164	70° footrests, MFX, parallel, detachable, swingaway, length-	N/C	72.00
4240104	adjustable, from 14.6 cm (5¾ in.) to 29.8 cm (11¾ in.)	N/C	72.00
4240172	70° footrests, narrowed, detachable, swingaway, length-	20.00	82.00
4240172	adjustable, from 32.4 cm (12¾ in.) to 41.3 cm (16¼ in.)	20.00	82.00
/2/01Q0	70° footrests, lift-off, parallel, length-adjustable, from	N/C	72.00
4240100	34.3 cm (13½ in.) to 41.9 cm (16½ in.)	IN/C	72.00
/2/0100	70° footrests, lift-off, MFX, length-adjustable, from 14.6 cm	N/C	72.00
4240139	(5¾ in.) to 29.8 cm (11¾ in.)	IN/C	72.00
4240214	90° footrests, lift-off, parallel, length-adjustable, from	20.00	82.00
4240214	11.4 cm ( $4\frac{1}{2}$ in.) to 19.1 cm ( $7\frac{1}{2}$ in.)	20.00	02.00
	11.4 Cm (472 m.) to 19.1 Cm (772 m.)		

4240222	elevating legrests, length-adjustable, from 35.6 cm (14 in.)	238.00	191.00
4240230	to 50.8 cm (20 in.) elevating legrests with compensating mechanism, from	162.00	153.00
4240255	40.6 cm (16 in.) to 53.3 cm (21 in.)	N/C	28.00
	padded calfrests single calf strap	38.00	38.00
	double calf strap	57.00	57.00
	folding footplates, standard	N/C	42.00
	oversized footplates	45.00	64.00
	footplates, angle and depth-adjustable, standard size,	N/C	70.00
7270271	oversized, 18.4 cm (7½ in.)	14/6	70.00
4240313	heel loops, fixed	N/C	7.00
	heel loops, adjustable	N/C	10.00
	Frame:		
4240370	anti-tip rollers	N/C	44.00
	tie-down points for transport	N/C	N/A
	frame length, from 38.1 cm (15 in.) to 48.3 cm (19 in.), from	N/C	N/A
	45.7 cm (18 in.) to 55.9 cm (22 in.)		
4240602	rocker device	N/C	N/A
	Drive systems:		
4240339	smooth handrims	N/C	52.00
	plastic-coated handrims	N/C	63.00
	handrims with vertical or oblique projections	129.00	116.00
	Wheel locks:		
4240412	standard wheel locks, push-to-lock, pull-to-lock	N/C	46.00
	wheel lock extension, push-to-lock	34.00	63.00
	Wheels:		
4240495	rear mag wheels, solid tires, 30.5 cm (12 in.), with puncture-	N/C	70.00
12 10 105	resistance	37/0	110.00
4240487	rear mag wheels, solid tires, 50.8 cm (20 in.), 55.9 cm	N/C	112.00
1210161	(22 in.), 61.0 cm (24 in.) rear mag wheels, standard pressure, 30.5 cm (12 in.)	N/C	55.00
	rear mag wheels, standard pressure, 50.3 cm (12 iii.)	N/C N/C	112.00
4240477	55.9 cm (22 in.), 61.0 cm (24 in.)	N/C	112.00
4240503	front wheels, solid tires, 12.7 cm (5 in.), 15.2 cm (6 in.)	N/C	38.00
	front wheels, solid tires, 20.3 cm (8 in.) X 3.2 cm (1½ in.)	N/C	38.00
	front wheels, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm	N/C	50.00
	(2 in.)		
4240537	front wheels, semi-pneumatic tires, 20.3 cm (8 in.) X 5.1 cm	N/C	63.00
	(2 in.)		
	Forks:		
4240438	standard forks	N/C	52.00

4240446	Rear axles: threaded axles	N/C	5.00
	Non S.C. components for which supporting document must be kept on file:		
4240453	quick-release axles	N/C	37.00
4240560	heavy-duty frame	252.00	N/A
4240578	contracture footrests, bilateral	192.00	N/A
4240586	contracture footrests, one-piece	192.00	N/A
	<b>Component under Special Consideration:</b>		
4240552	reclining back, 0°, 10°, 20°, 30° *	518.00	N/A

#### SUPPLIER: SUNRISE MEDICAL CANADA INC.

# 4250007 POSITIONING BASE, ADULT QUICKIE-IRIS MODEL

# **PRICE** 1,798.00

### **Basic Components**

### **Body support system**

- folding back, angle-adjustable, from 80° to 120°
- back height-adjustable, from 40.6 cm (16 in.) to 50.8 cm (20 in.) with adjustable stroller handles
- back height: 45.7 cm (18 in.), 53.3 cm (21 in.), 61.0 cm (24 in.) and height-adjustable, from 40.6 cm (16 in.) to 50.8 cm (20 in.)
- seat height: from 36.8 cm (14½ in.) to 52.1 cm (20½ in.)
- seat width: from 35.6 cm (14 in.) to 50.8 cm (20 in.)
- seat depth: from 38.1 cm (15 in.) to 55.9 cm (22 in.)
- safety belt, auto-type, velcro-type
- back tension bar
- push handles integrated into backposts
- detachable extensions for stroller handles

#### **Armrests**

- U-type armrests, detachable, flip-back, height-adjustable, from 24.1 cm (9½ in.) to 36.8 cm (14½ in.), short, long
- T-type armrests, height-adjustable, from 26.0 cm ( $10\frac{1}{4}$  in.) to 38.7 cm ( $15\frac{1}{4}$  in.), short, long
- armrest pads, straight, short, long
- armrest pads tubular

#### **Footrests**

- 60°, 70° footrests, parallel, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 48.3 cm (19 in.)
- 70° footrests, tapered, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 48.3 cm (19 in.)
- footrests adjustable to 70°, 80°, 90°, parallel, detachable, swingaway, length-adjustable, from 12.7 cm (5 in.) to 27.9 cm (11 in.)
- padded calfrests for elevating legrests
- folding footplates, standard
- footplates, angle and depth-adjustable, folding
- heel loops, adjustable

#### **Frame**

- anti-tip rollers
- tie-down points for transport
- seat frame for contracture footrests \*
- rocker device, from -5 $^{\circ}$  to +60 $^{\circ}$

### Drive, brake, wheel, fork, and axle systems

- smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- standard wheel locks, push-to-lock
- rear mag wheels, semi-pneumatic tires, 30.5 cm (12 in.), 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- rear mag wheels, standard pressure, 30.5 cm (12 in.), 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- spoked rear wheels, standard pressure, 61.0 cm (24 in.)
- front wheels, solid tires, 15.2 cm (6 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)
- front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm (1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.), 20.3 cm (8 in.) X 3.8 cm (1½ in.)
- standard forks, 15.2 cm (6 in.); short forks, 13.3 cm (5¼ in.); high forks, 17.8 cm (7 in.), compatible with 12.7 cm (5 in.), 15.2 cm (6 in.) and 20.3 cm (8 in.) wheels
- forks, 17.8 cm (7 in.) compatible with 20.3 cm (8 in.) X 5.1 cm (2 in.) wheels
- long stems,  $+1.9 \text{ cm} (\frac{3}{4} \text{ in.})$ ,  $+3.8 \text{ cm} (\frac{1}{2} \text{ in.})$
- threaded rear axle
- quick-release axles

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	<b>Basic and Optional Components</b>		
	Body support system		
	Seat and back:		
	folding back, angle-adjustable, from 80° to 120°	N/C	N/A
+4250734	back height-adjustable, from 40.6 cm (16 in.) to 50.8 cm	N/C	N/A
	(20 in.) with adjustable stroller handles		
	rigid seat, flat, adjustable for growth	64.00	158.00
	rigid seat, flat, dropped, adjustable for growth	64.00	158.00
4250049	modification of seat width, to 53.3 cm (21 in.), to 55.9 cm	64.00	N/A
	(22 in.)		
	safety belt, auto-type	N/C	42.00
	safety belt, velcro-type	N/C	29.00
	safety belt, airplane-type	50.00	79.00
4250080	safety belt, airplane-type, padded	76.00	105.00
4250015	headrest, small, medium, large	99.00	106.00
4250098	headrest mounting, articulated	159.00	173.00
4250106	crossbar for headrest mounting	200.00	212.00
4250114	back tension bar	N/C	N/A
4250510	push handles integrated into backposts	N/C	N/A
+4250742	detachable extensions for stroller handles	N/C	N/A
	Armrests:		4=-00
	U-type armrests, detachable, flip-back, height-adjustable, from 24.1 cm (9½ in.) to 36.8 cm (14½ in.), short, long	N/C	176.00
4250148	T-type armrests, height-adjustable, from 26.0 cm (10¼ in.) to 38.7 cm (15¼ in.), short, long	N/C	135.00
4250155	I-type armrests, height and depth-adjustable, locking, short	220.00	245.00
	armrest pads, straight, short	N/C	15.00
	armrest pads, straight, long	N/C	18.00
	armrest pads, tubular	N/C	2.00
	clothing guards, rigid	92.00	68.00
	Footrests:		
4250205	60°, 70° footrests, parallel, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 48.3 cm (19 in.)	N/C	55.00
4250221	70°, 80°, 90° footrests, parallel, detachable, swingaway, length-adjustable, from 12.7 cm (5 in.) to 27.9 cm (11 in.)	N/C	57.00
4250213	70° footrests, tapered, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 48.3 cm (19 in.)	N/C	55.00
4250239	70°, 80°, 90° footrests, heavy-duty, non flip-back	64.00	87.00
	elevating legrests	108.00	109.00
	90° elevating legrests, length-adjustable, from 20.3 cm (8 in.) to 33.0 cm (13 in.)	72.00	91.00

		`	,
4250270	elevating legrests, with compensating mechanism	200.00	155.00
	padded calfrests for elevating legrests	N/C	19.00
	contoured calfrests	72.00	55.00
	single calf strap	19.00	19.00
	double calf strap	33.00	33.00
	folding footplates, standard	N/C	49.00
	folding footplates oversized	54.00	76.00
	full-width footplate, angle and depth-adjustable	85.00	183.00
	footplates, angle and depth-adjustable, folding	N/C	76.00
			178.00
	footplates, angle-adjustable, folding, locking	80.00	
	footplates, multi-positions	106.00	102.00
	heel loops, adjustable	N/C	10.00
	modification of footrest length, from 43.2 cm (17 in.) to 48.3 cm (19 in.)	31.00	30.00
4250254	modification of 70°, 80°, 90° footrest length, by 5.1 cm (2 in.), 10.2 cm (4 in.)	32.00	16.00
4250395	modification of footrest mounting, from 17.8 cm (7 in.) to	56.00	34.00
4250205	34.3 cm (13½ in.)	02.00	100.00
4250387	90° full-width foot platform	92.00	190.00
	TO.		
4050450	Frame:	70.00	40.00
	front anti-tippers	70.00	40.00
	anti-tip rollers	N/C	25.00
	tie-down points for transport	N/C	N/A
	rocker device, from -5° to +60°	N/C	N/A
4250452	heavy-duty frame, 158.8 kg (350 lb) maximum	270.00	N/A
	D: .		
40.50.40.0	Drive systems:	NIG	60.00
4250403	smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.),	N/C	60.00
	61.0 cm (24 in.)		
4250411	plastic-coated handrims, 50.8 cm (20 in.), 55.9 cm (22 in.),	56.00	88.00
	61.0 cm (24 in.)		
	small handrim for one-arm drive	56.00	97.00
4250429	handrims with vertical or oblique projections, 61.0 cm	90.00	105.00
	(24 in.)		
4250445	one-arm drive for dual handrim	536.00	669.00
	Wheel locks:		
	standard wheel locks, push-to-lock	N/C	40.00
4250536	wheel lock extensions	40.00	20.00
	Wheels:		
	rear mag wheels, semi-pneumatic tires, 30.5 cm (12 in.)	N/C	145.00
4250601	rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.),	N/C	136.00
	55.9 cm (22 in.), 61.0 cm (24 in.)		
4250551	rear mag wheels, standard pressure, 30.5 cm (12 in.)	N/C	130.00
4250569	rear mag wheels, standard pressure, 40.6 cm (16 in.)	32.00	146.00
	rear mag wheels, standard pressure, 50.8 cm (20 in.)	N/C	136.00
	rear mag wheels, standard pressure, 55.9 cm (22 in.),	N/C	113.00
	61.0 cm (24 in.)		
4250619	spoked rear wheels, standard pressure, 61.0 cm (24 in.)	N/C	136.00
	The state of the s	- " -	123.00

		(authentic ver	SiOii)
4250643	front wheels, solid tires, 15.2 cm (6 in.)	N/C	62.00
4250635	front wheels, solid tires, 20.3 cm (8 in.) X 2.5 cm (1 in.)	N/C	63.00
4250650	front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm (1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.)	N/C	89.00
4250668	front wheels, semi-pneumatic tires, 20.3 cm (8 in.) X 3.8 cm ( $1\frac{1}{2}$ in.)	N/C	99.00
4250627	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)	20.00	72.00
	Forks:		
4250676	forks, 17.8 cm (7 in.) compatible with 20.3 cm (8 in.) X 5.1 cm (2 in.) wheels	N/C	37.00
4250684	standard forks, 15.2 cm (6 in.); short forks, 13.3 cm (5¼ in.); high forks, 17.8 cm (7 in.); compatible with 12.7 cm (5 in.), 15.2 cm (6 in.) and 20.3 cm (8 in.) wheels	N/C	32.00
4250692	long stems, +1.9 cm (¾ in.), +3.8 cm (1½ in.)	N/C	16.00
	Rear axles:		
4250544	threaded rear axle	N/C	33.00
	Non S.C. components for which supporting document		
<i>125</i> 0710	must be kept on file:	70.00	35.00
4250/10	spoke guards	70.00	33.00

**4250122** quick-release axles

**4250726** reclining back \*

+4250783 seat frame for contracture footrests

**4250700** contracture footrests, angle-adjustable and multi-directional

**Component under Special Consideration:** 

N/C

N/C

218.00

574.00

33.00

N/A

N/A

316.00

#### **SUPPLIER: ORTHOFAB INC.**

#### **PRICE**

# 4260006 POSITIONING BASE, ADULT TANGO MODEL

1,911.00

### **Basic Components**

#### **Body support system**

- folding back, angle-adjustable
- dynamic back
- back height: from 50.8 cm (20 in.) to 63.5 cm (25 in.)
- seat height: from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- seat widths: 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.)
- seat depths: 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.)
- safety belt, auto-type
- push handles integrated into backposts, bolt-on, directional

#### **Armrests**

- U-type armrests, detachable, flip-back, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long
- T-type armrests, detachable, height-adjustable, from 0 cm (0 in.) to 35.6 cm (14 in.), long
- armrest pads, straight, short, long
- clothing guards, rigid

#### **Footrests**

- 60°, 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- 60°, 70° footrests, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)
- padded calfrests
- folding footplates, standard
- footplates, angle and depth-adjustable, standard size, oversized
- heel loops, adjustable

#### Frame

- anti-tip rollers
- tie-down points for transport
- rocker device
- central propulsion configuration

### Drive, brake, wheel, fork, and axle systems

- smooth handrims, 1.3 cm (½ in.) closer
- standard wheel locks, push-to-lock, pull-to-lock
- foot-activated wheel locks

348

- rear mag wheels, solid tires, 30.5 cm (12 in.), 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- spoked rear wheels, solid tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- spoked rear wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.),
   61.0 cm (24 in.)
- front wheels, solid tires, 15.2 cm (6 in.), 17.8 cm (7 in.) X 2.5 cm (1 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)
- front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm (1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.), 20.3 cm (8 in.) X 3.8 cm (1½ in.)
- high forks
- threaded axles
- quick-release axles

Price upon initial purchase or

Price upon replacement

		replacement of wheel chair (price per pair, as applicable)	of component (unit price)
	<b>Basic and Optional Components</b>		
	<b>Body support system</b>		
	Seat and back:		
	folding back, angle-adjustable	N/C	N/A
	rigid seat, flat	81.00	81.00
	rigid seat, elastic webbing	149.00	149.00
+4260667	modification of back height, from 40.6 cm (16 in.) to 48.3 cm (19 in.)	99.00	N/A
+4260675	modification of seat depth, from 48.3 cm (19 in.) to 55.9 cm (22 in.)	101.00	N/A
4260071	safety belt, velcro-type	23.00	63.00
	safety belt, auto-type	N/C	40.00
	safety belt, airplane-type	34.00	74.00
	headrest hammock	75.00	75.00
	headrest, contoured, nylon, leatherette	105.00	105.00
	headrest mounting, articulated	120.00	120.00
	headrest mounting, uniball	135.00	135.00
	back tension bar	69.00	69.00
	back tension bar with headrest mounting bracket	99.00	99.00
	push handles integrated into backposts	N/C	N/A
	push handles, bolt-on, directional	N/C	99.00
	lowered seating, 30.5 cm (12 in.), HSS	81.00	81.00
	Armrests:		
4260105	U-type armrests, detachable, flip-back, height-adjustable,	N/C	140.00
40.004.04	from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long	NIC	200.00
4260121	T-type armrests, detachable, height-adjustable, from 0 cm	N/C	200.00
4270145	(0 in.) to 35.6 cm (14 in.), long	N/C	12.00
	armrest pads, straight, short	N/C	12.00
	armrest pads, straight, long clothing guards, rigid	N/C N/C	15.00 N/A
	modification of U-type armrest height, less than 25.4 cm	79.00	N/A N/A
4200154	(10 in.)	79.00	IN/A
+4260691	U-type armrest extension, 7.6 cm (3 in.)	39.00	N/A
	Footrests:		
4260170	60° footrests, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)	N/C	84.00
4260188	70° footrests, tapered, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)	N/C	84.00
4260196	60°, 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)	N/C	84.00

4260204	90° footrests, parallel, detachable, swingaway, length-	86.00	127.00
4260212	adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.) elevating legrests, length-adjustable, from 35.6 cm (14 in.)	214.00	191.00
4260220	to 48.3 cm (19 in.)	224.00	201.00
4260220	elevating legrests with compensating mechanism, length- adjustable, from 35.6 cm (14 in.) to 48.3 cm (19 in.)	234.00	201.00
4260246	padded calfrests	N/C	20.00
	contoured calfrests	60.00	50.00
4260261	double calf strap	55.00	55.00
4260279	folding footplates, standard	N/C	27.00
4260287	folding footplates oversized, aluminum	44.00	49.00
4260295	footplates, angle and depth-adjustable, standard size	N/C	65.00
4260303	oversized footplates, angle and depth-adjustable	N/C	68.00
4260311	full-width footplate, angle and depth-adjustable	168.00	222.00
4260345	heel loops, adjustable	N/C	14.00
4260337	toe loops	30.00	15.00
4260238	modification of footrest or legrest length, – than 35.6 cm	79.00	N/A
4260220	(14 in.), + than 48.3 cm (19 in.)	36.00	18.00
4200329	front impact guards with rollers	30.00	18.00
	Frame:		
4260394	anti-tip rollers	N/C	46.00
+4260709	tie-down points for transport	N/C	N/A
4260436	rocker device	N/C	N/A
4260428	cane holder	40.00	40.00
4260410	flared frame	95.00	N/A
	Drive systems:		
4260352	smooth handrims	N/C	54.00
4260378	plastic-coated handrims	62.00	85.00
4260360	non-slip handrims	88.00	98.00
+4260717	handrims, 1.3 cm (½ in.) closer	N/C	N/A
	Wheel locks:		
4260485	standard wheel locks, push-to-lock, pull-to-lock	N/C	53.00
4260527	foot-activated wheel locks	N/C	N/A
4260493	wheel lock extensions, retractable	40.00	20.00
4260501	wheel lock extensions, fixed	40.00	20.00
4260519	anti-rollback brakes	86.00	43.00
	Wheels:		
4260550	rear mag wheels, solid tires, 30.5 cm (12 in.)	N/C	117.00
	rear mag wheels, solid tires, 50.8 cm (20 in.), 55.9 cm	N/C	133.00
. 1200120	(22 in.), 61.0 cm (24 in.)	14/6	133.00
+4260733	rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.),	N/C	133.00
	55.9 cm (22 in.), 61.0 cm (24 in.)	0	
4260568	spoked rear wheels, solid tires, 50.8 cm (20 in.), 55.9 cm	N/C	81.00
	(22 in.), 61.0 cm (24 in.)		

4260576	spoked rear wheels, semi-pneumatic tires, 50.8 cm (20 in.),	N/C	81.00
	55.9 cm (22 in.), 61.0 cm (24 in.)		
4260584	front wheels, solid tires, 15.2 cm (6 in.), 17.8 cm (7 in.) X	N/C	39.00
	2.5 cm (1 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)		
4260600	front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X	N/C	60.00
	3.8 cm (1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.), 20.3 cm		
	(8 in.) X 3.8 cm (1½ in.)		
	Forks:		
4260535	high forks	N/C	38.00
	Rear axles:		
4260543	threaded axles	N/C	5.00
	Non S.C. components for which supporting document		
	must be kept on file:		
4260642	spoke guards	114.00	57.00
4260659	quick-release axles	N/C	44.00
+4260741	dynamic back	N/C	N/A
+4260758	power tilt, 35°	179.00	646.00
4260618	central propulsion configuration	N/C	N/A
	Component under Special Consideration:		
4260634	reclining back *	269.00	269.00

# SUPPLIER: LES ÉQUIPEMENTS ADAPTÉS PHYSIPRO INC.

# 4270005 POSITIONING BASE, ADULT X = ACT MODEL

# **PRICE** 1,855.00

### **Basic Components**

### **Body support system**

- folding back, angle-adjustable
- back height: from 50.8 cm (20 in.) to 61.0 cm (24 in.)
- seat height: from 35.6 cm (14 in.) to 50.8 cm (20 in.)
- seat width: from 38.1 cm (15 in.) to 50.8 cm (20 in.)
- seat depth: from 40.6 cm (16 in.) to 55.9 cm (22 in.)
- safety belt, auto-type, 5.1 cm (2 in.)
- push handles integrated into backposts
- raised extension for push handles

#### **Armrests**

- T-type armrests, height-adjustable, from 20.3 cm (8 in.) to 35.6 cm (14 in.), short, long
- armrest pads, straight, short, long
- clothing guards, rigid

#### **Footrests**

- 60°, 70°, 75° footrests, parallel, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)
- padded calfrests for elevating legrests
- folding footplates, standard
- heel loops, adjustable

### **Frame**

- anti-tip rollers
- tie-down points for transport
- rocker device, from  $-5^{\circ}$  to  $+35^{\circ}$

#### Drive, brake, wheel, fork, and axle systems

- handrims, smooth, plastic-coated
- standard wheel locks, push-to-lock
- foot-activated rear wheel locks
- rear mag wheels, solid tires, 30.5 cm (12 in.), 40.6 cm (16 in.), 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- rear mag wheels, standard pressure, 30.5 cm (12 in.), 40.6 cm (16 in.), 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- spoked rear wheels, solid tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- spoked rear wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)

- front wheels, solid tires, 12.7 cm (5 in.), 15.2 cm (6 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)
- front wheels, solid tires, 20.3 cm (8 in.) X 3.2 cm (1<sup>1</sup>/<sub>4</sub> in.)
- front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 5.1 cm (2 in.), 15.2 cm (6 in.) X 2.5 cm (1 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)
- front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm (1<sup>1</sup>/<sub>4</sub> in.), 20.3 cm (8 in.) X 3.2 cm (1<sup>1</sup>/<sub>4</sub> in.), 20.3 cm (8 in.) X 4.4 cm (1<sup>3</sup>/<sub>4</sub> in.)
- standard forks
- threaded rear axle
- plates and anchoring for rear wheels, 50.8 cm (20 in.), 55.9 cm (22 in.),
   61.0 cm (24 in.)

Basic and Optional Components   Body support system   Seat and back:   4270260   folding back, angle-adjustable   N/C   N/A   4270013   safety belt, auto-type, 5.1 cm (2 in.)   N/C   51.00   124.00   124.00   124.00   124.00   124.00   124.00   124.00   124.00   124.00   124.00   124.00   124.00   124.00   124.00   125.00			Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
Seat and back:   4270013   Safety belt, auto-type, 5.1 cm (2 in.)   N/C   51.00   4270013   safety belt, auto-type, 5.1 cm (2 in.)   N/C   51.00   4270203   tension bar with headrest mounting bracket   124.00   124.00   4270211   push handles integrated into backposts   N/C   145.00   4270229   raised extension for push handles   N/C   228.00   N/C   35.6 cm (14 in.), short, long   35.6 cm (14 in.), short, long   armrest pads, straight, short   N/C   28.00   4270039   armrest pads, straight, short   N/C   30.00   4270047   armrest pads, straight, long   N/C   30.00   4270045   clothing guards, rigid   N/C   16.00   N/C   1		<b>Basic and Optional Components</b>		
Seat and back:   4270013   Safety belt, auto-type, 5.1 cm (2 in.)   N/C   51.00   4270013   safety belt, auto-type, 5.1 cm (2 in.)   N/C   51.00   4270203   tension bar with headrest mounting bracket   124.00   124.00   4270211   push handles integrated into backposts   N/C   145.00   4270229   raised extension for push handles   N/C   228.00   N/C   35.6 cm (14 in.), short, long   35.6 cm (14 in.), short, long   armrest pads, straight, short   N/C   28.00   4270039   armrest pads, straight, short   N/C   30.00   4270047   armrest pads, straight, long   N/C   30.00   4270045   clothing guards, rigid   N/C   16.00   N/C   1		Body support system		
4270013         safety belt, auto-type, 5.1 cm (2 in.)         N/C         51.00           4270203         tension bar with headrest mounting bracket         124.00         124.00           4270219         push handles integrated into backposts         N/C         145.00           4270229         raised extension for push handles         N/C         228.00           Armrests:           4270021         T-type armrests, height-adjustable, from 20.3 cm (8 in.) to 35.6 cm (14 in.), short, long         N/C         196.00           4270039         armrest pads, straight, short         N/C         30.00           4270047         armrest pads, straight, long         N/C         30.00           4270054         clothing guards, rigid         N/C         10.00           Footrests:           4270062         60°, 70°, 75° footrests, parallel, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)         62.00         136.00           4270070         90° footrests, parallel, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)         160.00         185.00           4270088         elevating legrests, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)         160.00         210.00           4270038         elevating legrests with compensating mechanism, length-adjustable, from		• ••		
4270013         safety belt, auto-type, 5.1 cm (2 in.)         N/C         51.00           4270203         tension bar with headrest mounting bracket         124.00         124.00           4270219         push handles integrated into backposts         N/C         145.00           4270229         raised extension for push handles         N/C         228.00           Armrests:           4270021         T-type armrests, height-adjustable, from 20.3 cm (8 in.) to 35.6 cm (14 in.), short, long         N/C         28.00           4270039         armrest pads, straight, short         N/C         30.00           4270047         armrest pads, straight, long         N/C         30.00           4270054         clothing guards, rigid         N/C         16.00           Footrests:           4270062         60°, 70°, 75° footrests, parallel, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)         62.00         136.00           4270070         90° footrests, parallel, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)         160.00         185.00           4270088         elevating legrests, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)         160.00         210.00           4270146         elevating legrests with compensating mechanism, length-adjustable, from 3	4270260	folding back, angle-adjustable	N/C	N/A
4270203         tension bar with headrest mounting bracket         124.00         124.00           4270211         push handles integrated into backposts         N/C         145.00           4270229         raised extension for push handles         N/C         228.00           Armrests:           4270021         T-type armrests, height-adjustable, from 20.3 cm (8 in.) to 35.6 cm (14 in.), short, long         N/C         196.00           4270039         armrest pads, straight, short         N/C         30.00           4270047         armrest pads, straight, long         N/C         30.00           4270054         clothing guards, rigid         N/C         105.00           Footrests:           4270062         60°, 70°, 75° footrests, parallel, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)         62.00         136.00           4270070         90° footrests, parallel, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)         160.00         185.00           4270088         elevating legrests, length-adjustable, from 30.5 cm (12 in.)         160.00         185.00           4270468         elevating legrests with compensating mechanism, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)         210.00         210.00           4270046         contoured calfres			N/C	51.00
Armrests:		•	124.00	124.00
Armrests:			N/C	145.00
4270021       T-type armrests, height-adjustable, from 20.3 cm (8 in.) to 35.6 cm (14 in.), short, long armrest pads, straight, short       N/C       28.00         4270047       armrest pads, straight, long Armost pads, straight, long armrest pads, straight, long armrest pads, straight, long Armost pads, straight, long armrest pads, straight, long N/C Brothests:       N/C       30.00         Footrests:         4270062       60°, 70°, 75° footrests, parallel, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)       N/C       105.00         4270070       90° footrests, parallel, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)       62.00       136.00         4270088       elevating legrests, length-adjustable, from 30.5 cm (12 in.)       160.00       185.00         4270468       elevating legrests with compensating mechanism, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)       210.00       210.00         4270328       padded calfrests for elevating legrests       N/C       32.00         4270104       single calf strap       45.00       45.00         4270112       double calf strap       45.00       45.00         4270120       H-shaped calf strap, padded       84.00       84.00         4270146       folding footplates, strandard       N/C       55.00         4270187       footplates,			N/C	228.00
4270021       T-type armrests, height-adjustable, from 20.3 cm (8 in.) to 35.6 cm (14 in.), short, long armrest pads, straight, short       N/C       28.00         4270047       armrest pads, straight, long Armost pads, straight, long armrest pads, straight, long armrest pads, straight, long Armost pads, straight, long armrest pads, straight, long N/C Brothests:       N/C       30.00         Footrests:         4270062       60°, 70°, 75° footrests, parallel, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)       N/C       105.00         4270070       90° footrests, parallel, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)       62.00       136.00         4270088       elevating legrests, length-adjustable, from 30.5 cm (12 in.)       160.00       185.00         4270468       elevating legrests with compensating mechanism, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)       210.00       210.00         4270328       padded calfrests for elevating legrests       N/C       32.00         4270104       single calf strap       45.00       45.00         4270112       double calf strap       45.00       45.00         4270120       H-shaped calf strap, padded       84.00       84.00         4270146       folding footplates, strandard       N/C       55.00         4270187       footplates,		Armrests:		
35.6 cm (14 in.), short, long 4270039 armrest pads, straight, short 4270047 armrest pads, straight, long 4270054 clothing guards, rigid  Footrests:  4270062 60°, 70°, 75° footrests, parallel, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)  4270070 90° footrests, parallel, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)  4270088 elevating legrests, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (12 in.)  4270468 elevating legrests with compensating mechanism, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)  4270328 padded calfrests for elevating legrests  AUC 32.00  4270104 single calf strap  4270105 double calf strap  45.00 45.00  4270112 double calf strap  45.00 45.00  4270120 H-shaped calf strap  47.00 47.00  44270476 single calf strap, padded  4270484 double calf strap, padded  4270146 footplates, angle and depth-adjustable, standard size  4270179 footplates, angle and depth-adjustable  80.00 95.00  4270161 full-width footplate, angle and depth-adjustable  80.00 95.00  4270161 full-width footplate, angle and depth-adjustable  90.00 200.00	4270021		N/C	196.00
4270039         armrest pads, straight, short         N/C         28.00           4270047         armrest pads, straight, long         N/C         30.00           4270054         clothing guards, rigid         N/C         16.00           Footrests:           4270062         60°, 70°, 75° footrests, parallel, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)         N/C         105.00           4270070         90° footrests, parallel, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)         62.00         136.00           4270088         elevating legrests, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)         160.00         185.00           4270468         elevating legrests with compensating mechanism, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)         210.00         210.00         210.00           4270328         padded calfrests for elevating legrests         N/C         32.00         4270100         45.00         45.00         45.00         45.00         45.00         45.00         427014         45.00         45.00         45.00         45.00         45.00         427014         47.00         47.00         447.00         447.00         427014         47.00         47.00         4270146         60ding footplates, standard         N/C <th>1270021</th> <td></td> <td>1,, 0</td> <td>1,0,00</td>	1270021		1,, 0	1,0,00
4270047         armrest pads, straight, long         N/C         30.00           4270054         clothing guards, rigid         N/C         16.00           Footrests:           4270062         60°, 70°, 75° footrests, parallel, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)         N/C         105.00           4270070         90° footrests, parallel, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)         62.00         136.00           4270088         elevating legrests, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)         160.00         185.00           4270468         elevating legrests with compensating mechanism, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)         210.00         210.00           4270328         padded calfrests for elevating legrests         N/C         32.00           4270096         contoured calfrests         36.00         50.00           4270104         single calf strap         45.00         45.00           4270112         double calf strap         45.00         45.00           4270146         H-shaped calf strap, padded         84.00         84.00           4270476         footplates, standard         N/C         55.00           4270179         footplates, angle and depth-adjustable, stan	4270039	· · · · · · · · · · · · · · · · · · ·	N/C	28.00
Footrests: 4270062 60°, 70°, 75° footrests, parallel, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.) 4270070 90° footrests, parallel, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.) 4270088 elevating legrests, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (12 in.) 4270468 elevating legrests with compensating mechanism, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)  4270328 padded calfrests for elevating legrests 4270328 padded calfrests for elevating legrests 4270104 single calf strap 4270104 double calf strap 4270112 double calf strap 427012 double calf strap 427014 single calf strap 427015 ingle calf strap 427016 folding footplates, standard 427016 oversized footplates, angle and depth-adjustable 427016 full-width footplate, angle and depth-adjustable 90.00 200.00				
4270062       60°, 70°, 75° footrests, parallel, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)       N/C       105.00         4270070       90° footrests, parallel, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)       62.00       136.00         4270088       elevating legrests, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)       160.00       185.00         +4270468       elevating legrests with compensating mechanism, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)       210.00       210.00         4270328       padded calfrests for elevating legrests       N/C       32.00         4270096       contoured calfrests       36.00       50.00         4270104       single calf strap       45.00       45.00         4270112       double calf strap       58.00       58.00         4270120       H-shaped calf strap, padded       84.00       84.00         +4270484       double calf strap, padded       100.00       100.00         4270146       folding footplates, standard       N/C       55.00         4270179       footplates, angle and depth-adjustable, standard size       48.00       79.00         4270187       full-width footplate, angle and depth-adjustable       90.00       200.00			N/C	16.00
4270062       60°, 70°, 75° footrests, parallel, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)       N/C       105.00         4270070       90° footrests, parallel, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)       62.00       136.00         4270088       elevating legrests, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)       160.00       185.00         +4270468       elevating legrests with compensating mechanism, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)       210.00       210.00         4270328       padded calfrests for elevating legrests       N/C       32.00         4270096       contoured calfrests       36.00       50.00         4270104       single calf strap       45.00       45.00         4270112       double calf strap       58.00       58.00         4270120       H-shaped calf strap, padded       84.00       84.00         +4270484       double calf strap, padded       100.00       100.00         4270146       folding footplates, standard       N/C       55.00         4270179       footplates, angle and depth-adjustable, standard size       48.00       79.00         4270187       full-width footplate, angle and depth-adjustable       90.00       200.00		Footracts		
length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.) 4270070 90° footrests, parallel, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)  4270088 elevating legrests, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)  +4270468 elevating legrests with compensating mechanism, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)  4270328 padded calfrests for elevating legrests	4270062		N/C	105.00
4270070       90° footrests, parallel, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)       62.00       136.00         4270088       elevating legrests, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)       160.00       185.00         +4270468       elevating legrests with compensating mechanism, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)       210.00       210.00         4270328       padded calfrests for elevating legrests       N/C       32.00         4270096       contoured calfrests       36.00       50.00         4270104       single calf strap       45.00       45.00         4270112       double calf strap       58.00       58.00         4270120       H-shaped calf strap       47.00       47.00         +4270476       single calf strap, padded       84.00       84.00         +4270484       double calf strap, padded       100.00       100.00         4270146       folding footplates, standard       N/C       55.00         4270179       footplates, angle and depth-adjustable, standard size       48.00       79.00         4270187       oversized footplates, angle and depth-adjustable       80.00       95.00         4270161       full-width footplate, angle and depth-adjustable       90.00       200.00	4270002		14/6	103.00
adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)  4270088 elevating legrests, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)  +4270468 elevating legrests with compensating mechanism, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)  4270328 padded calfrests for elevating legrests  4270096 contoured calfrests  50.00  4270104 single calf strap  45.00  4270112 double calf strap  45.00  4270120 H-shaped calf strap  47.00  47.00  44270476 single calf strap, padded  40uble calf strap, padded  40uble calf strap, padded  4270146 folding footplates, standard  4270147 footplates, angle and depth-adjustable, standard size  4270187 oversized footplates, angle and depth-adjustable  4270161 full-width footplate, angle and depth-adjustable	4270070		62.00	136 00
4270088       elevating legrests, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)       160.00       185.00 to 45.7 cm (18 in.)         +4270468       elevating legrests with compensating mechanism, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)       210.00       210.00         4270328       padded calfrests for elevating legrests       N/C       32.00         4270096       contoured calfrests       36.00       50.00         4270104       single calf strap       45.00       45.00         4270112       double calf strap       58.00       58.00         4270120       H-shaped calf strap, padded       47.00       47.00         +4270476       single calf strap, padded       84.00       84.00         +4270484       double calf strap, padded       100.00       100.00         4270146       folding footplates, standard       N/C       55.00         4270179       footplates, angle and depth-adjustable, standard size       48.00       79.00         4270187       oversized footplates, angle and depth-adjustable       80.00       95.00         4270161       full-width footplate, angle and depth-adjustable       90.00       200.00	42/00/0		02.00	130.00
to 45.7 cm (18 in.)  +4270468 elevating legrests with compensating mechanism, length- adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)  4270328 padded calfrests for elevating legrests N/C 32.00  4270096 contoured calfrests 36.00 50.00  4270104 single calf strap 45.00 45.00  4270112 double calf strap 58.00 58.00  4270120 H-shaped calf strap 47.00 47.00  +4270476 single calf strap, padded +4270484 double calf strap, padded 100.00 100.00  4270146 folding footplates, standard N/C 55.00  4270179 footplates, angle and depth-adjustable, standard size 48.00 79.00  4270187 oversized footplates, angle and depth-adjustable 90.00 200.00	4270088		160.00	185 00
+4270468       elevating legrests with compensating mechanism, length-adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)       210.00         4270328       padded calfrests for elevating legrests       N/C       32.00         4270096       contoured calfrests       36.00       50.00         4270104       single calf strap       45.00       45.00         4270112       double calf strap       58.00       58.00         4270120       H-shaped calf strap       47.00       47.00         +4270476       single calf strap, padded       84.00       84.00         +4270484       double calf strap, padded       100.00       100.00         4270146       folding footplates, standard       N/C       55.00         4270179       footplates, angle and depth-adjustable, standard size       48.00       79.00         4270187       oversized footplates, angle and depth-adjustable       80.00       95.00         4270161       full-width footplate, angle and depth-adjustable       90.00       200.00	1270000		100.00	100.00
adjustable, from 30.5 cm (12 in.) to 45.7 cm (18 in.)  4270328 padded calfrests for elevating legrests  N/C  32.00  4270096 contoured calfrests  36.00  50.00  4270104 single calf strap  45.00  4270112 double calf strap  58.00  4270120 H-shaped calf strap  47.00  44270476 single calf strap, padded  44270484 double calf strap, padded  44270485 folding footplates, standard  79.00  4270146 folding footplates, angle and depth-adjustable, standard size  48.00  79.00  4270187 oversized footplates, angle and depth-adjustable  80.00  95.00  4270161 full-width footplate, angle and depth-adjustable	+4270468		210.00	210.00
4270328       padded calfrests for elevating legrests       N/C       32.00         4270096       contoured calfrests       36.00       50.00         4270104       single calf strap       45.00       45.00         4270112       double calf strap       58.00       58.00         4270120       H-shaped calf strap       47.00       47.00         +4270476       single calf strap, padded       84.00       84.00         +4270484       double calf strap, padded       100.00       100.00         4270146       folding footplates, standard       N/C       55.00         4270179       footplates, angle and depth-adjustable, standard size       48.00       79.00         4270187       oversized footplates, angle and depth-adjustable       80.00       95.00         4270161       full-width footplate, angle and depth-adjustable       90.00       200.00	1 127 0 100		_10.00	210.00
4270096       contoured calfrests       36.00       50.00         4270104       single calf strap       45.00       45.00         4270112       double calf strap       58.00       58.00         4270120       H-shaped calf strap       47.00       47.00         +4270476       single calf strap, padded       84.00       84.00         +4270484       double calf strap, padded       100.00       100.00         4270146       folding footplates, standard       N/C       55.00         4270179       footplates, angle and depth-adjustable, standard size       48.00       79.00         4270187       oversized footplates, angle and depth-adjustable       80.00       95.00         4270161       full-width footplate, angle and depth-adjustable       90.00       200.00	4270328		N/C	32.00
4270104       single calf strap       45.00       45.00         4270112       double calf strap       58.00       58.00         4270120       H-shaped calf strap       47.00       47.00         +4270476       single calf strap, padded       84.00       84.00         +4270484       double calf strap, padded       100.00       100.00         4270146       folding footplates, standard       N/C       55.00         4270179       footplates, angle and depth-adjustable, standard size       48.00       79.00         4270187       oversized footplates, angle and depth-adjustable       80.00       95.00         4270161       full-width footplate, angle and depth-adjustable       90.00       200.00				
4270112       double calf strap       58.00       58.00         4270120       H-shaped calf strap       47.00       47.00         +4270476       single calf strap, padded       84.00       84.00         +4270484       double calf strap, padded       100.00       100.00         4270146       folding footplates, standard       N/C       55.00         4270179       footplates, angle and depth-adjustable, standard size       48.00       79.00         4270187       oversized footplates, angle and depth-adjustable       80.00       95.00         4270161       full-width footplate, angle and depth-adjustable       90.00       200.00				45.00
4270120       H-shaped calf strap       47.00       47.00         +4270476       single calf strap, padded       84.00       84.00         +4270484       double calf strap, padded       100.00       100.00         4270146       folding footplates, standard       N/C       55.00         4270179       footplates, angle and depth-adjustable, standard size       48.00       79.00         4270187       oversized footplates, angle and depth-adjustable       80.00       95.00         4270161       full-width footplate, angle and depth-adjustable       90.00       200.00				
+4270476       single calf strap, padded       84.00       84.00         +4270484       double calf strap, padded       100.00       100.00         4270146       folding footplates, standard       N/C       55.00         4270179       footplates, angle and depth-adjustable, standard size       48.00       79.00         4270187       oversized footplates, angle and depth-adjustable       80.00       95.00         4270161       full-width footplate, angle and depth-adjustable       90.00       200.00				
4270146folding footplates, standardN/C55.004270179footplates, angle and depth-adjustable, standard size48.0079.004270187oversized footplates, angle and depth-adjustable80.0095.004270161full-width footplate, angle and depth-adjustable90.00200.00			84.00	84.00
4270179footplates, angle and depth-adjustable, standard size48.0079.004270187oversized footplates, angle and depth-adjustable80.0095.004270161full-width footplate, angle and depth-adjustable90.00200.00	+4270484	double calf strap, padded	100.00	100.00
4270187oversized footplates, angle and depth-adjustable80.0095.004270161full-width footplate, angle and depth-adjustable90.00200.00	4270146	folding footplates, standard	N/C	55.00
<b>4270161</b> full-width footplate, angle and depth-adjustable 90.00 200.00	4270179	footplates, angle and depth-adjustable, standard size	48.00	79.00
	4270187	oversized footplates, angle and depth-adjustable	80.00	95.00
<b>4270138</b> heel loops adjustable N/C 14 00	4270161	full-width footplate, angle and depth-adjustable	90.00	200.00
14.00 100ps, adjustation 14.00	4270138	heel loops, adjustable	N/C	14.00
<b>4270153</b> toe loops 20.00 24.00				
<b>4270195</b> front impact guards with rollers 84.00 42.00	4270195	front impact guards with rollers	84.00	42.00
Frame:		Frame:		
<b>4270245</b> growth kit: siderails for depth 156.00 156.00	4270245	growth kit: siderails for depth	156.00	156.00
<b>4270252</b> anti-tip rollers N/C 45.00			N/C	45.00

		(authentic ve	rsion)
	tie-down points for transport rocker device, from -5° to +35°	N/C N/C	35.00 N/A
+4270500	Drive systems: smooth handrims plastic-coated handrims non-slip handrims	N/C N/C 76.00	47.00 85.00 85.00
4270302	Wheel locks: standard wheel locks, push-to-lock foot-activated rear wheel locks wheel lock extension	N/C N/C 36.00	58.00 158.00 18.00
4270344	Wheels: rear mag wheels, solid tires, 30.5 cm (12 in.), 40.6 cm (16 in.)	N/C	102.00
	rear mag wheels, solid tires, 50.8 cm (20 in.) rear mag wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C N/C	130.00 122.00
	rear mag wheels, standard pressure, 30.5 cm (12 in.), 40.6 cm (16 in.)	N/C	102.00
	rear mag wheels, standard pressure, 50.8 cm (20 in.) rear mag wheels, standard pressure, 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C N/C	130.00 122.00
	spoked rear wheels, solid tires, 50.8 cm (20 in.) spoked rear wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C N/C	132.00 125.00
	spoked rear wheels, standard pressure, 50.8 cm (20 in.) spoked rear wheels, standard pressure, 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C N/C	132.00 125.00
	front wheels, solid tires, 12.7 cm (5 in.), 15.2 cm (6 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)	N/C	40.00
	front wheels, solid tires, 20.3 cm (8 in.) X 3.2 cm (1 <sup>1</sup> / <sub>4</sub> in.) front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 5.1 cm (2 in.), 15.2 cm (6 in.) X 2.5 cm (1 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)	N/C N/C	58.00 40.00
4270401	front wheels, semi-pneumatic tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)	56.00	68.00
4270377	front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm (1½ in.), 20.3 cm (8 in.) X 3.2 cm (1½ in.), 20.3 cm (8 in.) X 4.4 cm (1¾ in.)	N/C	58.00
4270369	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)	56.00	68.00
4270427	Forks: standard forks	N/C	59.00
435041A	6 1 (11 14 00 2 (0 1 ) X 5 1 (0 1 ) 6	22.00	70.00

**4270419** forks compatible with 20.3 cm (8 in.) X 5.1 cm (2 in.) front

wheels

70.00

22.00

	Rear axles:		
+4270617	threaded rear axle	N/C	7.00
+4270625	plates and anchorages for 50.8 cm (20 in.), 55.9 cm	N/C	83.00
	(22 in.), 61.0 cm (24 in.) rear wheels		
	Non S.C. components for which supporting document		
	must be kept on file:	400.00	<b>-</b> 0.00
	spoke guards	100.00	50.00
4270435	quick-release axles	78.00	46.00
4270443	heavy-duty frame	280.00	N/A
	Component under Special Consideration:		
4270450	reclining back *	295.00	295.00

#### **SUPPLIER: HANDICARE INC.**

# **PRICE**

# +4286100 POSITIONING BASE, ADULT IBIS X SERIE MODEL

1,839.00

# **Basic Components**

# **Body support system**

- folding back, angle-adjustable
- back height: 52.1 cm (20½ in.), 57.2 cm (22½ in.)
- seat height: from 31.8 cm (12½ in.) to 47.0 cm (18½ in.)
- seat widths: 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.),45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.)
- seat depths: 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.)
- safety belt, auto-type
- push handles integrated into backposts
- back tension bar

#### **Armrests**

- T-type armrests, height-adjustable, from 17.8 cm (7 in.) to 27.9 cm (11 in.), with pad, short, long
- T-type armrests, height-adjustable, from 17.8 cm (7 in.) to 27.9 cm (11 in.), with P (propulsion) pad, long
- armrest pads, straight, short, long
- armrest pads P (propulsion), long
- clothing guards, rigid

#### **Footrests**

- 65° footrests, parallel, detachable, swingaway, length-adjustable, from 38.7 cm (15¼ in.) to 50.2 cm (19¾ in.)
- padded calfrests
- footplates, angle and depth-adjustable, standard size
- heel loops, fixed
- heel loops, adjustable

#### Frame

- anti-tip rollers
- tie-down points for transport
- standard frame, 124.7 kg (275 lb) capacity
- rocker device, 85° to 125°
- array to limit the degree of tilt/uplift

### Drive, brake, wheel, fork, and axle systems

- smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- standard wheel locks, push-to-lock
- rear mag wheels, semi-pneumatic tires, 30.5 cm (12 in.), 40.6 cm (16 in.),

50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)

- front wheels, semi-pneumatic tires, 17.8 cm (7 in.) X 4.4 cm (1¾ in.)
- standard forks
- threaded axles

Updated: December 12, 2016 359

Price upon initial purchase or

Price upon replacement

		replacement of wheel chair (price per pair, as applicable)	of component (unit price)
	<b>Basic and Optional Components</b>	, , , , , , , , , , , , , , , , , , ,	
	Body support system		
	Seat and back:		
+4286118	folding back, angle-adjustable	N/C	N/A
+4286126	rigid seat, flat	60.00	60.00
+4286134	safety belt, auto-type	N/C	31.00
+4286142	headrest, small	84.00	99.00
+4286159	headrest, one-side	90.00	105.00
+4286167	headrest, full-width	98.00	111.00
+4286175	headrest, small compensating	125.00	147.00
+4286183	headrest, side compensating	135.00	153.00
+4286191	headrest, full-width compensating	145.00	159.00
+4286209	back tension bar	N/C	N/A
+4286217	push handles integrated into backposts	N/C	N/A
	Armrests:		
	T-type armrests, height-adjustable, from 17.8 cm (7 in.) to 27.9 cm (11 in.), with pads, short, long	N/C	92.00
+4286233	T-type armrests, height-adjustable, from 17.8 cm (7 in.) to 27.9 cm (11 in.), with P (propulsion) pads, long	N/C	100.00
+4286241	armrest pads, straight, short, long	N/C	45.00
+4286258	armrest pads P (propulsion), long	N/C	48.00
+4286266	clothing guards, rigid	N/C	10.00
	clothing guards, padded (hip protector)	36.00	28.00
	Footrests:		
+4286282	65° footrests, parallel, detachable, swingaway, length-	N/C	106.00
	adjustable, from 38.7 cm (15¼ in.) to 50.2 cm (19¾ in.)		
+4286290	elevating legrests with compensating mechanism, with calfrests, from 38.7 cm (15¼ in.) to 50.2 cm (19¾ in.)	228.00	220.00
+4286308	padded calfrests	N/C	35.00
	single calf strap	25.00	25.00
+4286324	footplates, angle and depth-adjustable, standard size	N/C	59.00
+4286332	heel loops, fixed	N/C	15.00
	heel loops, adjustable	N/C	15.00
+4286357	modification of length of elevating footrests and legrests, by more than 10 cm (3.9 in.)	123.00	123.00
+4286365	platform elevating footrests with padded calfrests	58.00	270.00
	knee protectors	40.00	40.00
	Frame:		
	anti-tip rollers	N/C	52.00
+4286399	tie-down points for adapted transport	N/C	N/A

+4286415 +4286423	standard frame, 124.7 kg (275 lb) capacity heavy-duty frame, 158.8 kg (350 lb) capacity rocker device, 85° to 125° array to limit degree of tilt/up-lift	N/C 122.00 N/C N/C	N/A N/A N/A 3.00
+4286449 +4286456	<b>Drive systems:</b> smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.) plastic-coated handrims, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C 55.00	36.00 68.00
	Wheel locks: standard wheel locks, push-to-lock wheel lock extensions	N/C 38.00	39.00 19.00
+4286498 +4286506	Wheels: rear mag wheels, semi-pneumatic tires, 30.5 cm (12 in.) rear mag wheels, semi-pneumatic tires, 40.6 cm (16 in.) rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.) front wheels, semi-pneumatic tires, 17.8 cm (7 in.) X 4.4 cm (1¾ in.)	N/C N/C N/C	80.00 90.00 107.00 36.00
+4286522	Forks: standard forks	N/C	35.00
+4286530	Rear axles: threaded axles	N/C	19.00
+4286548	Non S.C. components for which supporting document must be kept on file: quick-release axles  Component under Special Consideration:	45.00	45.00
+4286555	reclining back, with lever handle *	159.00	N/A

#### SUPPLIER: PRODUCT DESIGN GROUP INC.

#### **PRICE**

# 4295002 POSITIONING BASE, ADULT STELLAR MODEL

1,810.00

# **Basic Components**

### **Body support system**

- back, folding and angle-adjustable, from 90° to 120°
- back height: from 50.8 cm (20 in.) to 78.7 cm (31 in.)
- seat height: from 35.6 cm (14 in.) to 50.8 cm (20 in.)
- seat width: from 35.6 cm (14 in.) to 50.8 cm (20 in.)
- seat depth: from 40.6 cm (16 in.) to 50.8 cm (20 in.)
- safety belt, auto-type
- push handles integrated into backposts
- push bar, adjustable

#### **Armrests**

- U-type armrests, height-adjustable, short, long
- U-type armrests, fixed height, 30.5 cm (12 in.), short, long
- T-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long
- I-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long
- armrest pads, straight, short, long
- clothing guards, rigid

#### **Footrests**

- 60°, 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)
- 70° footrests, fixed, parallel, plug-ins, detachable, length-adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)
- folding footplates, standard size, oversized
- footplates, angle and depth-adjustable, standard size, oversized
- heel loops, adjustable

#### **Frame**

- anti-tip rollers
- tie-down points for transport
- rocker device
- double gas struts, seat width: from 58.4 cm (23 in.) to 81.3 cm (32 in.)

# Drive, brake, wheel, fork, and axle systems

- smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- standard wheel locks, push-to-lock, pull-to-lock
- rear mag wheels, solid tires, contoured urethane, 30.5 cm (12 in.), 40.6 cm (16 in.), 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)

- front wheels, solid tires, 15.2 cm (6 in.), 20.3 cm (8 in.) X 3.2 cm (1<sup>1</sup>/<sub>4</sub> in.)
- front wheels, semi-pneumatic tires, 15.2 cm (6 in.) X 2.5 cm (1 in.)
- standard forks
- threaded axles
- quick-release axles

Updated: December 12, 2016 363

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	<b>Basic and Optional Components</b>		
	Body support system		
	Seat and back:		
	back, folding and angle-adjustable, from 90° to 120°	N/C	N/A
	rigid seat, flat	47.00	47.00
+4295671	modification of back height, from 63.5 cm (25 in.) to 78.7 cm (31 in.)	N/C	109.00
+4295689	modification of seat height, from 35.6 cm (14 in.) to	N/C	40.00
4205077	50.8 cm (20 in.)	70.00	NT/A
4295077	modification of seat width, to 53.3 cm (21 in.) and to	78.00	N/A
4205005	55.9 cm (22 in.) modification of seat depth, to 53.3 cm (21 in.) and to	78.00	78.00
4295085	55.9 cm (22 in.)	/8.00	78.00
1205003	safety belt, auto-type	N/C	20.00
	Stealth headrest, 25.4 cm (10 in.), 35.6 cm (14 in.) pad,	143.00	143.00
4293020	double articulated (depth and height)	143.00	145.00
+4295697	Stealth headrest, 25.4 cm (10 in.), 35.6 cm (14 in.) pad,	183.00	183.00
142/30/1	articulated and uniball	103.00	103.00
+4295705	crossbar for headrest mounting	200.00	200.00
4295036	headrest mounting plate	16.00	16.00
	push handles integrated into backposts	N/C	N/A
	push handles integrated into backposts, with straight canes	40.00	40.00
+4295739	push bar, adjustable	N/C	20.00
	Armrests:		
4295101	U-type armrests, height-adjustable, short, long	N/C	85.00
	U-type armrests, fixed-height at 30.5 cm (12 in.), short,	N/C	85.00
11256717	long	1,, 0	32.00
+4295754	T-type armrests, height-adjustable, from 25.4 cm (10 in.) to	N/C	85.00
	35.6 cm (14 in.), short, long		
4295119	I-type armrests, height-adjustable, from 25.4 cm (10 in.) to	N/C	85.00
	35.6 cm (14 in.), short, long		
4295143	armrest pads, straight, short, long	N/C	12.00
+4295762	armrest pads, 7.6 cm (3 in.), longer	26.00	25.00
	armrest pads, 7.6 cm (3 in.) wide, short, long	76.00	50.00
	clothing guards, rigid	N/C	31.00
4295135	modification of armrest height, from 20.3 cm (8 in.) to	16.00	93.00
	27.9 cm (11 in.), from 30.5 cm (12 in.) to 40.6 cm (16 in.)		
4295127	armrest tube extension, 7.6 cm (3 in.)	40.00	20.00
	Footrests::		
4295176	60°, 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)	N/C	95.00

		(40041011110 )	.101011)
4295200	70° footrests, fixed, parallel, plug-ins, detachable, length-adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)	N/C	93.00
4295192	70° footrests, narrowed, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)	30.00	110.00
4295218	footrests, fixed, plug-ins, detachable, parallel, angle-adjustable at knees	128.00	157.00
4295226	elevating legrests	260.00	225.00
	elevating legrests, with compensating mechanism	350.00	270.00
	single calf strap	30.00	30.00
	folding footplates, standard	N/C	19.00
	oversized footplates	N/C	53.00
	full-width footplate	197.00	235.00
	footplates, angle and depth-adjustable, standard size	N/C	19.00
	footplates, angle and depth-adjustable, oversized	N/C	53.00
	full-width footplate, angle and depth-adjustable	241.00	279.00
4295309	heel loops, adjustable	N/C	34.00
+4295804	modification of length, from 38.1 cm (15 in.) to 48.3 cm (19 in.)	20.00	15.00
+4295812	heavy-duty extension tubes	50.00	30.00
	•		
	Frame:		
4295408	growth kit, 5.1 cm (2 in.) increase in width	N/A	47.00
4295341	anti-tip rollers	N/C	47.00
+4295820	tie-down points for transport	N/C	N/A
4295358	rocker device	N/C	97.00
4295366	rocker device activated by the user and the attendant	62.00	62.00
4295374	extension to allow user to control tilt/uplift	30.00	30.00
+4295838		270.00	N/A
	(450 lb) maximum		
+4295846	8	N/C	186.00
	81.3 cm (32 in.)		
+4295853	• modification of seat width, from 68.6 cm (27 in.) to 81.3 cm (32 in.), including double gas struts	558.00	N/A
+4295861		372.00	N/A
	66.0 cm (26 in.), including double gas struts		
	D: .		
420E21E	Drive systems:	NI/C	22.00
4295317	smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C	23.00
4295325	plastic-coated handrims, 50.8 cm (20 in.), 55.9 cm (22 in.),	80.00	63.00
4295525	61.0 cm (24 in.)	80.00	03.00
4295333	handrims with vertical projections, 50.8 cm (20 in.),	358.00	202.00
,0000	55.9 cm (22 in.), 61.0 cm (24 in.)	220.00	232.00
	(- <b>-</b> )		
	Wheel locks:		
4295440	standard wheel locks, push-to-lock, pull-to-lock	N/C	33.00
	wheel lock extensions	38.00	19.00

	Wheels:		
4295572	rear mag wheels, solid tires, contoured urethane, 30.5 cm	N/C	101.00
	(12 in.), 40.6 cm (16 in.), 50.8 cm (20 in.), 55.9 cm		
	(22 in.), 61.0 cm (24 in.)		
4295499	rear mag wheels, standard pressure, inner tube tires,	68.00	135.00
	30.5 cm (12 in.), 40.6 cm (16 in.), 50.8 cm (20 in.),		
	55.9 cm (22 in.), 61.0 cm (24 in.)		
	front wheels, solid tires, 15.2 cm (6 in.)	N/C	97.00
	front wheels, solid tires, 20.3 cm (8 in.) X 3.2 cm (11/4 in.)	N/C	97.00
4295630	front wheels, semi-pneumatic tires, 15.2 cm (6 in.) X	N/C	97.00
	2.5 cm (1 in.)		
4295622	front wheels, semi-pneumatic tires, 20.3 cm (8 in.) X	16.00	105.00
	5.1 cm (2 in.)		
4295648	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm	30.00	112.00
	(2 in.)		
	Forks:		
4295465	Forks: standard forks	N/C	35.00
4295465	Forks: standard forks	N/C	35.00
4295465		N/C	35.00
	standard forks	N/C	35.00 37.00
	standard forks  Rear axles: threaded axles		
	standard forks  Rear axles: threaded axles  Non S.C. components for which supporting document		
4295473	standard forks  Rear axles: threaded axles  Non S.C. components for which supporting document must be kept on file:	N/C	37.00
4295473 4295481	standard forks  Rear axles: threaded axles  Non S.C. components for which supporting document must be kept on file: quick-release axles	N/C	37.00 45.00
4295473 4295481 +4295879	Rear axles: threaded axles  Non S.C. components for which supporting document must be kept on file: quick-release axles spring backrest	N/C N/C 66.00	37.00 45.00 33.00
4295473 4295481 +4295879 +4295887	Rear axles: threaded axles  Non S.C. components for which supporting document must be kept on file: quick-release axles spring backrest anti-tippers, heavy-duty, detachable	N/C N/C 66.00 300.00	37.00 45.00 33.00 300.00
4295473 4295481 +4295879 +4295887	Rear axles: threaded axles  Non S.C. components for which supporting document must be kept on file: quick-release axles spring backrest	N/C N/C 66.00	37.00 45.00 33.00
4295473 4295481 +4295879 +4295887	Rear axles: threaded axles  Non S.C. components for which supporting document must be kept on file: quick-release axles spring backrest anti-tippers, heavy-duty, detachable dynamic spring footrests	N/C N/C 66.00 300.00	37.00 45.00 33.00 300.00
4295473 4295481 +4295879 +4295887 +4295895	Rear axles: threaded axles  Non S.C. components for which supporting document must be kept on file: quick-release axles spring backrest anti-tippers, heavy-duty, detachable	N/C N/C 66.00 300.00	37.00 45.00 33.00 300.00

# SUPPLIER: PRODUCT DESIGN GROUP INC.

# **PRICE**

# +4296000 POSITIONING BASE, ADULT FUZE T20 / T50 MODEL

1,810.00

# **Basic Components**

# **Body support system**

- back, angle-adjustable, from 90° to 120°
- back height: from 50.8 cm (20 in.) to 63.5 cm (25 in.)
- seat height: from 33.0 cm (13 in.) to 50.8 cm (20 in.)
- seat width: from 33.0 cm (13 in.) to 50.8 cm (20 in.)
- seat depth: from 38.1 cm (15 in.) to 50.8 cm (20 in.)
- safety belt, auto-type
- push bar, adjustable

#### **Armrests**

- U-type armrests, height-adjustable, fixed height, 30.5 cm (12 in.), short, long
- T-type armrests, height-adjustable, from 25. 4 cm (10 in.) to 35.6 cm (14 in.), short, long
- I-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long
- armrest pads, straight, short, long
- clothing guards, rigid

#### **Footrests**

- 60°, 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)
- 70° footrests, fixed, parallel, plug-ins, detachable, length-adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)
- folding footplates, angle and depth-adjustable, standard size, oversized
- heel loops, adjustable

#### **Frame**

- anti-tip rollers
- tie-down points for transport
- rocker device

# Drive, brake, wheel, fork, and axle systems

- smooth handrims
- standard wheel locks, push-to-lock, pull-to-lock
- rear mag wheels, solid tires, 30.5 cm (12 in.), 40.6 cm (16 in.), 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- front wheels, solid tires, 12.7 cm (5 in.), 15.2 cm (6 in.), 20.3 cm (8 in.) X 3.2 cm (1<sup>1</sup>/<sub>4</sub> in.)
- front wheels, semi-pneumatic tires, 15.2 cm (6 in.) X 2.5 cm (1 in.)
- standard forks

- threaded axles
- quick-release axles

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	Basic and Optional Components		
	Body support system		
	Seat and back:		
	back, angle-adjustable, from 90° to 120°	N/C	N/A
	rigid seat, flat	47.00	47.00
+4295937	modification of back height, from 50.8 cm (20 in.) to	N/C	109.00
4205045	63.5 cm (25 in.)	NIC	40.00
+4295945	modification of seat height, from 33.0 cm (13 in.) to	N/C	40.00
. 4205052	50.8 cm (20 in.)	N/C	70.00
+4295952	modification of seat width, from 33.0 cm (13 in.) to 50.8 cm (20 in.)	N/C	78.00
1/205060	modification of seat width, to 53.3 cm (21 in.), to 55.9 cm	78.00	78.00
T4273700	(22 in.)	76.00	76.00
±4295978	modification of seat depth, from 38.1 cm (15 in.) to	N/C	78.00
142/3/10	50.8 cm (20 in.)	14/6	70.00
+4295986	modification of seat depth, to 53.3 cm (21 in.), 55.9 cm	78.00	78.00
11250500	(22 in.)	70.00	, 0.00
+4295994	safety belt, auto-type	N/C	20.00
	Stealth headrest, 35.6 cm (14 in.) pad, double articulated	143.00	143.00
	(depth and height)		
+4296018	Stealth headrest, 25.4 cm (10 in.) pad, double articulated	143.00	143.00
	(depth and height)		
	Stealth headrest, 35.6 cm (14 in.) pad, articulated, uniball	183.00	183.00
+4296034	Stealth headrest, 25.4 cm (10 in.) pad, articulated, uniball	183.00	183.00
	crossbar for headrest mounting	200.00	200.00
	headrest mounting plate	16.00	16.00
	push handles integrated into backposts with straight canes	40.00	40.00
+4296075	push bar, adjustable	N/C	20.00
	Armrests:		
<b>±4296083</b>	U-type armrests, height-adjustable, short, long	N/C	85.00
	U-type armrests, fixed height, 30.5 cm (12 in.), short, long	N/C	85.00
	T-type armrests, height-adjustable, from 25.4 cm (10 in.) to	N/C	85.00
11270107	35.6 cm (14 in.), short, long	100	02.00
+4296117	I-type armrests, height-adjustable, from 25.4 cm (10 in.) to	N/C	85.00
, v=4,	35.6 cm (14 in.), short, long	,, -	
+4296125	armrest pads, straight, short, long	N/C	12.00
	armrest pads, 7.6 cm (3 in.) longer	26.00	25.00
	armrest pads, 7.6 cm (3 in.) wide, short, long	76.00	50.00
	clothing guards, rigid	N/C	31.00
	7.6 cm (3 in.) armrest tube extension	40.00	20.00
+4296174	modification of armrest height, from 20.3 cm (8 in.) to	16.00	93.00
	25.4 cm (10 in.), from 30.5 cm (12 in.) to 40.6 cm (16 in.)		

	Footrests:		
+4296182	60°, 70° footrests, parallel, detachable, swingaway, length-	N/C	95.00
	adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)		
+4296190	70° footrests, fixed, parallel, plug-ins, detachable, length-	N/C	93.00
	adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)		
+4296208	70° footrests, narrowed, detachable, swingaway, length-	30.00	110.00
	adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)		
+4296216	footrests, fixed, plug-ins, detachable, parallel, angle-	128.00	157.00
	adjustable at knees		
	elevating legrests	260.00	225.00
	elevating legrests, with compensating mechanism	350.00	270.00
	single calf strap	30.00	30.00
	full-width footplate	197.00	235.00
	folding footplates, standard, angle and depth-adjustable	N/C	19.00
	oversized footplates, angle and depth-adjustable	N/C	53.00
	full-width footplate, angle and depth-adjustable	241.00	279.00
	heel loops, adjustable	N/C	34.00
+4296307	modification of length, from 38.1 cm (15 in.) to 48.3 cm	20.00	15.00
. 420/215	(19 in.)	50.00	20.00
+4296315	heavy-duty extension tubes	50.00	30.00
	Frame:		
±4206323	anti-tip rollers	N/C	47.00
	tie-down points for transport	N/C	N/A
	rocker device	N/C	97.00
	rocker device activated by the user and the attendant	62.00	62.00
	extension to allow user to control tilt/uplift T20	30.00	30.00
. 1230001	Chicago de Carro III do Contro de Carro	20.00	20.00
	Drive systems:		
+4296372	smooth handrims	N/C	23.00
	plastic-coated handrims	80.00	63.00
	handrims with vertical projections	358.00	202.00
	Wheel locks:		
+4296406	standard wheel locks, push-to-lock, pull-to-lock	N/C	33.00
+4296414	wheel lock extensions	38.00	19.00
	Wheels:		
+4296422	rear mag wheels, solid tires, 30.5 cm (12 in.), 40.6 cm	N/C	101.00
	(16 in.), 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)		
+4296430	rear mag wheels, standard pressure, 30.5 cm (12 in.),	68.00	135.00
	40.6 cm (16 in.), 50.8 cm (20 in.), 55.9 cm (22 in.),		
100 < 1.10	61.0 cm (24 in.)	37/6	05.00
	front wheels, solid tires, 12.7 cm (5 in.), 15.2 cm (6 in.)	N/C	97.00
	front wheels, solid tires, 20.3 cm (8 in.) X 3.2 cm (1¼ in.)	N/C	97.00
+4296463	front wheels, semi-pneumatic tires, 15.2 cm (6 in.) X	N/C	97.00
. 4207 451	2.5 cm (1 in.)	17.00	105.00
+4296471	front wheels, semi-pneumatic tires, 20.3 cm (8 in.) X	16.00	105.00
	5.1 cm (2 in.)		

+4296489	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)	30.00	112.00
+4296497	Forks: standard forks	N/C	35.00
+4296505	Rear axles: threaded axles	N/C	37.00
	Non S.C. components for which supporting document must be kept on file:		
+4296513	quick-release axles	N/C	45.00
	spring backrest	66.00	33.00
+4296447	heavy-duty frame,158.8 kg (350 lb) maximum	270.00	N/A
+4296454	dynamic spring footrests	60.00	30.00
	Component under Special Consideration:		
+4296539	reclining back 30°, gas strut *	550.00	550.00

#### SUPPLIER: PRODUCT DESIGN GROUP INC.

#### **PRICE**

# +4297008 POSITIONING BASE, ADULT BENTLEY MODEL

1,810.00

# **Basic Components**

# **Body support system**

- back, folding and angle-adjustable, from 90° to 120°
- back height: from 50.8 cm (20 in.) to 78.7 cm (31 in.)
- seat height: from 33.0 cm (13 in.) to 50.8 cm (20 in.)
- seat width: from 35.6 cm (14 in.) to 50.8 cm (20 in.)
- seat depth: from 40.6 cm (16 in.) to 50.8 cm (20 in.)
- safety belt, auto-type
- push handles integrated into backposts
- push bar, adjustable

#### Armrests

- U-type armrests, height-adjustable, short, long
- U-type armrests, fixed height from 30.5 cm (12 in.), short, long
- T-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long
- I-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long
- armrest pads, straight, short, long
- clothing guards, rigid

#### **Footrests**

- 70° footrests, fixed, parallel, plug-ins, detachable, length-adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)
- 60°, 70° footrests, parallel, detachable, swingaway, length-adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)
- folding footplates, standard, oversized
- footplates, angle and depth-adjustable, standard size, oversized
- heel loops, adjustable

#### **Frame**

- anti-tip rollers
- tie-down points for transport
- rocker device
- double gas struts, chair width, from 58.4 cm (23 in.) to 81.3 cm (32 in.)

# Drive, brake, wheel, fork, and axle systems

- smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- standard wheel locks, push-to-lock, pull-to-lock
- rear mag wheels, solid tires, contoured urethane, 30.5 cm (12 in.), 40.6 cm (16 in.), 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)

372

- front wheels, solid tires, 15.2 cm (6 in.), 20.3 cm (8 in.) X 3.2 cm (1<sup>1</sup>/<sub>4</sub> in.)
- front wheels, semi-pneumatic tires, 15.2 cm (6 in.) X 2.5 cm (1 in.)
- standard forks
- threaded axles
- quick-release axles

Updated: December 12, 2016 373

Price upon initial

Price upon

Body support system   Seat and back:			Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
Seat and back:   +4295663   folialing back, angle-adjustable, from 90° to 120°   N/C   A7.00   47.00   47.00   47.00   47.00   63.5 cm (25 in.), from 63.5 cm (25 in.), to 78.7 cm (31 in.)   M/C   63.5 cm (25 in.), from 63.5 cm (25 in.) to 78.7 cm (31 in.)   M/C   40.00   50.8 cm (20 in.)   M/C   4295077   modification of seat width, to 53.3 cm (21 in.), 55.9 cm   78.00   N/A   4295079   M/C		Basic and Optional Components		
### ### ##############################		• • • •		
4295010         rigid seat, flat         47.00         47.00           4296576         modification of back height, from 50.8 cm (20 in.) to 78.7 cm (31 in.)         N/C         109.00           4296604         modification of seat height, from 33.0 cm (13 in.) to 50.8 cm (20 in.)         N/C         40.00           4295077         modification of seat width, to 53.3 cm (21 in.), 55.9 cm (22 in.)         78.00         N/A           4296620         modification of seat width, from 58.4 cm (23 in.) to 66.0 cm (26 in.)         372.00         N/A           4296638         modification of seat width, from 68.6 cm (27 in.) to 81.3 cm (32 in.)         558.00         N/A           4295085         modification of seat depth, to 53.3 cm (21 in.), 55.9 cm (22 in.)         78.00         78.00           4295085         modification of seat depth, to 53.3 cm (21 in.), 55.9 cm (22 in.)         78.00         78.00           4295085         modification of seat depth, to 53.3 cm (21 in.), 55.9 cm (22 in.)         78.00         78.00           4295085         modification of seat depth, to 53.3 cm (21 in.), 55.9 cm (78.00         78.00         78.00           4295087         Stealth headrest, 25.4 cm (10 in.), 35.6 cm (14 in.) pad, articulated, and and anticulated (depth and height)         143.00         143.00           4295097         Stealth headrest, 25.4 cm (10 in.), 35.6 cm (14 in.) pad, articulated, uniball	+4295663		N/C	N/A
### ##################################				
63.5 cm (25 in.), from 63.5 cm (25 in.) to 78.7 cm (31 in.)  +4296604 modification of seat height, from 33.0 cm (13 in.) to 50.8 cm (20 in.)  modification of seat width, to 53.3 cm (21 in.), 55.9 cm (22 in.)  +4296620 modification of seat width, from 58.4 cm (23 in.) to 66.0 cm (26 in.)  +4296638 modification of seat width, from 68.6 cm (27 in.) to 81.3 cm (32 in.)  4295085 modification of seat depth, to 53.3 cm (21 in.), 55.9 cm (22 in.)  4295093 safety belt, auto-type  Average Steath headrest, 25.4 cm (10 in.), 35.6 cm (14 in.) pad, double articulated (depth and height)  +4295097 Stealth headrest, 25.4 cm (10 in.), 35.6 cm (14 in.) pad, articulated, uniball  +4295705 crossbar for headrest mounting  4295036 headrest mounting plate  4295737 push handles integrated into backposts  4295739 push handles integrated into backposts, with straight canes  4295747 U-type armrests, height-adjustable, short, long  4295757 Type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long  4295143 armrest pads, 7.6 cm (3 in.) longer  4295770 armrest pads, 7.6 cm (3 in.) longer  4295777 no cm (3 in.) armrest tube extension  4295135 modification of seat width, from 58.4 cm (23 in.) to 16.00  4295135 modification of seat width, from 58.4 cm (23 in.) to 16.00  N/C  4295135 modification of seat width, from 58.4 cm (23 in.) to 16.00  N/C  4295135 modification of seat width, from 58.4 cm (23 in.) to 16.00  N/C  4295135 modification of seat width, from 20.3 cm (8 in.) to 16.00  93.00				
+4296604       modification of seat height, from 33.0 cm (13 in.) to 50.8 cm (20 in.)       N/C       40.00         4295077       modification of seat width, to 53.3 cm (21 in.), 55.9 cm (22 in.)       78.00       N/A (22 in.)         +4296620       modification of seat width, from 58.4 cm (23 in.) to 66.0 cm (26 in.)       558.00       N/A 81.3 cm (32 in.)         +4296638       modification of seat depth, to 53.3 cm (21 in.), 55.9 cm (22 in.)       78.00       78.00         4295085       modification of seat depth, to 53.3 cm (21 in.), 55.9 cm (22 in.)       78.00       78.00         4295093       safety belt, auto-type       N/C 20.00         4295028       Stealth headrest, 25.4 cm (10 in.), 35.6 cm (14 in.) pad, articulated (depth and height)       143.00       143.00         +4295697       Stealth headrest, 25.4 cm (10 in.), 35.6 cm (14 in.) pad, articulated, uniball       183.00       183.00         +4295705       crossbar for headrest mounting       200.00       200.00         4295036       headrest mounting plate       16.00       16.00         +4295713       push handles integrated into backposts, with straight canes       40.00       40.00         +4295731       push bar, adjustable       N/C       85.00         +4295747       U-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long       N/C       <	. 12,00,0		1,, 0	10,100
50.8 cm (20 in.)  4295077 modification of seat width, to 53.3 cm (21 in.), 55.9 cm (22 in.)  +4296620 modification of seat width, from 58.4 cm (23 in.) to 372.00 N/A 66.0 cm (26 in.)  +4296638 modification of seat width, from 68.6 cm (27 in.) to 81.3 cm (32 in.)  4295085 modification of seat depth, to 53.3 cm (21 in.), 55.9 cm (22 in.)  4295093 safety belt, auto-type N/C 20.00 4295028 Stealth headrest, 25.4 cm (10 in.), 35.6 cm (14 in.) pad, 143.00 143.00 double articulated (depth and height)  +4295697 Stealth headrest, 25.4 cm (10 in.), 35.6 cm (14 in.) pad, articulated, uniball  +4295705 crossbar for headrest mounting 200.00 200.00 4295036 headrest mounting plate 16.00 16.00  +4295731 push handles integrated into backposts, with straight canes 40.00 40.00  +4295731 push bar, adjustable N/C 20.00  Armrests:  4295101 U-type armrests, height-adjustable, short, long N/C 85.00  4295747 U-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long  4295742 I-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long  4295143 armrest pads, straight, short, long  4295143 armrest pads, straight, short, long  4295168 clothing guards, rigid N/C 31.00  4295135 modification of armrest height, from 20.3 cm (8 in.) to 16.00 93.00	+4296604		N/C	40.00
4295077         modification of seat width, to 53.3 cm (21 in.), 55.9 cm (22 in.)         78.00         N/A (22 in.)           +4296620         modification of seat width, from 58.4 cm (23 in.) to 66.0 cm (26 in.)         372.00         N/A 66.0 cm (26 in.)           +4296638         modification of seat width, from 68.6 cm (27 in.) to 81.3 cm (32 in.)         558.00         N/A 81.3 cm (32 in.)           4295085         modification of seat depth, to 53.3 cm (21 in.), 55.9 cm (22 in.)         78.00         78.00           4295093         safety belt, auto-type         N/C 20.00         4295028           4295098         Stealth headrest, 25.4 cm (10 in.), 35.6 cm (14 in.) pad, double articulated (depth and height)         143.00         143.00           +4295697         Stealth headrest, 25.4 cm (10 in.), 35.6 cm (14 in.) pad, articulated, uniball         183.00         183.00           +4295705         crossbar for headrest mounting         200.00         200.00           4295036         headrest mounting plate         16.00         16.00           +4295713         push handles integrated into backposts         N/C         N/C           +4295720         push har, adjustable         N/C         85.00           +4295734         U-type armrests, height-adjustable, short, long         N/C         85.00           +4295747         U-type armrests, fixed height,				
(22 in.)       4296620       modification of seat width, from 58.4 cm (23 in.) to 66.0 cm (26 in.)       372.00       N/A 66.0 cm (26 in.)         +4296638       modification of seat width, from 68.6 cm (27 in.) to 81.3 cm (32 in.)       558.00       N/A 81.3 cm (32 in.)         4295085       modification of seat depth, to 53.3 cm (21 in.), 55.9 cm (22 in.)       78.00       78.00         4295093       safety belt, auto-type       N/C 20.00         4295028       Stealth headrest, 25.4 cm (10 in.), 35.6 cm (14 in.) pad, double articulated (depth and height)       143.00       143.00         +4295697       Stealth headrest, 25.4 cm (10 in.), 35.6 cm (14 in.) pad, articulated, uniball       183.00       183.00         +4295705       crossbar for headrest mounting       200.00       200.00         4295036       headrest mounting plate       16.00       16.00         4295713       push handles integrated into backposts       N/C N/A         +4295721       push handles integrated into backposts, with straight canes       40.00       40.00         +4295737       U-type armrests, height-adjustable, short, long       N/C 85.00         +4295747       U-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long         4295143       armrest pads, straight, short, long         4295143       armrest pads, straight, short, long	4295077		78.00	N/A
+4296620 modification of seat width, from 58.4 cm (23 in.) to 66.0 cm (26 in.)  +4296638 modification of seat width, from 68.6 cm (27 in.) to 81.3 cm (32 in.)  4295085 modification of seat depth, to 53.3 cm (21 in.), 55.9 cm 78.00 78.00 (22 in.)  4295093 safety belt, auto-type N/C 20.00  4295028 Stealth headrest, 25.4 cm (10 in.), 35.6 cm (14 in.) pad, double articulated (depth and height)  +4295697 Stealth headrest, 25.4 cm (10 in.), 35.6 cm (14 in.) pad, articulated, uniball articulated, uniball 4295705 crossbar for headrest mounting 200.00 200.00 4295036 headrest mounting plate 16.00 16.00 16.00 16.00 4295713 push handles integrated into backposts N/C N/A 4295721 push handles integrated into backposts, with straight canes 40.00 40.00 40.00 4295730 push bar, adjustable N/C 20.00 Armrests:  4295101 U-type armrests, height-adjustable, short, long N/C 85.00 35.6 cm (14 in.), short, long N/C 85.00 35.6 cm (14 in.), short, long Armrests armrests, height-adjustable, from 25.4 cm (10 in.) to N/C 85.00 35.6 cm (14 in.), short, long Armrest pads, 5.6 cm (3 in.) longer 26.00 25.00 4295143 armrest pads, 7.6 cm (3 in.) longer 26.00 25.00 4295168 clothing guards, rigid N/C 31.00 429517 7.6 cm (3 in.) armrest tube extension 40.00 429513 modification of armrest height, from 20.3 cm (8 in.) to 16.00 93.00				
44296638 modification of seat width, from 68.6 cm (27 in.) to 81.3 cm (32 in.)       558.00       N/A 81.3 cm (32 in.)         4295085 modification of seat depth, to 53.3 cm (21 in.), 55.9 cm (22 in.)       78.00       78.00         4295093 safety belt, auto-type       N/C 20.00         4295028 Stealth headrest, 25.4 cm (10 in.), 35.6 cm (14 in.) pad, double articulated (depth and height)       143.00       143.00         +4295697 Stealth headrest, 25.4 cm (10 in.), 35.6 cm (14 in.) pad, articulated, uniball       183.00       200.00         +4295705 crossbar for headrest mounting       200.00       200.00         4295036 headrest mounting plate       16.00       16.00         +4295712 push handles integrated into backposts       N/C N/A         +4295739 push handles integrated into backposts, with straight canes       40.00       40.00         +4295747 U-type armrests, height-adjustable, short, long       N/C 85.00         +4295747 T-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long       N/C 85.00         4295119 I-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long       N/C 85.00         4295143 armrest pads, straight, short, long       N/C 12.00         4295762 armrest pads, 7.6 cm (3 in.) longer       26.00       25.00         +4295770 armrest pads, 7.6 cm (3 in.) long, short, long       76.00       50.00	+4296620		372.00	N/A
### ##################################				
81.3 cm (32 in.)  4295085 modification of seat depth, to 53.3 cm (21 in.), 55.9 cm (22 in.)  4295093 safety belt, auto-type N/C 20.00  4295028 Stealth headrest, 25.4 cm (10 in.), 35.6 cm (14 in.) pad, double articulated (depth and height)  +4295697 Stealth headrest, 25.4 cm (10 in.), 35.6 cm (14 in.) pad, articulated, uniball  +4295705 crossbar for headrest mounting 4295036 headrest mounting plate 16.00 16.00  4295739 push handles integrated into backposts N/C N/A  +4295721 push handles integrated into backposts, with straight canes 40.00 40.00  4295739 push bar, adjustable N/C 20.00  Armrests:  4295101 U-type armrests, height-adjustable, short, long N/C 85.00  4295747 U-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long 4295749 I-type armrests, height-adjustable, from 25.4 cm (10 in.) to N/C 85.00 35.6 cm (14 in.), short, long 4295143 armrest pads, straight, short, long 4295762 armrest pads, straight, short, long 4295763 armrest pads, 7.6 cm (3 in.) longer 4295770 armrest pads, 7.6 cm (3 in.) longer 4295770 armrest pads, 7.6 cm (3 in.) long, short, long 4295127 7.6 cm (3 in.) armrest theight, from 20.3 cm (8 in.) to 16.00 4295135 modification of armrest height, from 20.3 cm (8 in.) to 16.00 93.00	+4296638		558.00	N/A
4295085       modification of seat depth, to 53.3 cm (21 in.), 55.9 cm (22 in.)       78.00       78.00         4295093       safety belt, auto-type       N/C       20.00         4295028       Stealth headrest, 25.4 cm (10 in.), 35.6 cm (14 in.) pad, double articulated (depth and height)       143.00       183.00         +4295697       Stealth headrest, 25.4 cm (10 in.), 35.6 cm (14 in.) pad, articulated, uniball       183.00       200.00       200.00         4295705       crossbar for headrest mounting       200.00       200.00         4295713       push handles integrated into backposts       N/C       N/A         +4295721       push handles integrated into backposts, with straight canes       40.00       40.00         +4295739       push bar, adjustable       N/C       20.00         Armrests:       4295101       U-type armrests, height-adjustable, short, long       N/C       85.00         +4295747       U-type armrests, fixed height, 30.5 cm (12 in.), short, long       N/C       85.00         4295119       I-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long       N/C       85.00         4295143       armrest pads, straight, short, long       N/C       85.00         4295762       armrest pads, 7.6 cm (3 in.) longer       26.00       25.00				
(22 in.)       4295093       safety belt, auto-type       N/C       20.00         4295028       Stealth headrest, 25.4 cm (10 in.), 35.6 cm (14 in.) pad, double articulated (depth and height)       143.00       143.00         +4295697       Stealth headrest, 25.4 cm (10 in.), 35.6 cm (14 in.) pad, articulated, uniball       183.00       200.00       200.00         +4295705       crossbar for headrest mounting       200.00       200.00       4295036       headrest mounting plate       16.00       16.00         +4295713       push handles integrated into backposts       N/C       N/A       40.00       40.00         +4295721       push bar, adjustable       N/C       20.00         Armrests:       4295101       U-type armrests, height-adjustable, short, long       N/C       85.00         +4295747       U-type armrests, fixed height, 30.5 cm (12 in.), short, long       N/C       85.00         +4295744       U-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long       N/C       85.00         4295119       I-type armrests, height-adjustable, from 25.4 cm (10 in.) to N/C       85.00         35.6 cm (14 in.), short, long       N/C       85.00         4295102       armrest pads, straight, short, long       N/C       12.00         4295103       armrest pads, 7.6	4295085	modification of seat depth, to 53.3 cm (21 in.), 55.9 cm	78.00	78.00
4295028       Stealth headrest, 25.4 cm (10 in.), 35.6 cm (14 in.) pad, double articulated (depth and height)       143.00       143.00         +4295697       Stealth headrest, 25.4 cm (10 in.), 35.6 cm (14 in.) pad, articulated, uniball       183.00       183.00         +4295705       crossbar for headrest mounting       200.00       200.00         4295036       headrest mounting plate       16.00       16.00         +4295712       push handles integrated into backposts       N/C       N/A         +4295739       push bar, adjustable       N/C       20.00         Armrests:       Armrests:       4295101       U-type armrests, height-adjustable, short, long       N/C       85.00         +4295747       U-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long       N/C       85.00         +4295754       T-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long       N/C       85.00         4295119       I-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long       N/C       85.00         4295143       armrest pads, straight, short, long       N/C       12.00         +4295760       armrest pads, 7.6 cm (3 in.) longer       26.00       25.00         +4295770       armrest pads, 7.6 cm (3 in.) long, short, long       76.00				
double articulated (depth and height)  +4295697 Stealth headrest, 25.4 cm (10 in.), 35.6 cm (14 in.) pad, articulated, uniball  +4295705 crossbar for headrest mounting 200.00 200.00  4295036 headrest mounting plate 16.00 16.00  +4295713 push handles integrated into backposts N/C N/A  +4295721 push handles integrated into backposts, with straight canes 40.00 40.00  +4295739 push bar, adjustable N/C 20.00  Armrests:  4295101 U-type armrests, height-adjustable, short, long N/C 85.00  +4295747 U-type armrests, fixed height, 30.5 cm (12 in.), short, long N/C 85.00  +4295754 T-type armrests, height-adjustable, from 25.4 cm (10 in.) to N/C 85.00  35.6 cm (14 in.), short, long  4295119 I-type armrests, height-adjustable, from 25.4 cm (10 in.) to N/C 85.00  35.6 cm (14 in.), short, long  4295143 armrest pads, straight, short, long  4295162 armrest pads, 7.6 cm (3 in.) longer 26.00 25.00  +4295770 armrest pads, 7.6 cm (3 in.) long, short, long  4295168 clothing guards, rigid N/C 31.00  4295105 modification of armrest height, from 20.3 cm (8 in.) to 16.00 93.00	4295093	safety belt, auto-type	N/C	20.00
+4295697       Stealth headrest, 25.4 cm (10 in.), 35.6 cm (14 in.) pad, articulated, uniball       183.00       183.00         +4295705       crossbar for headrest mounting       200.00       200.00         4295036       headrest mounting plate       16.00       16.00         +4295712       push handles integrated into backposts       N/C       N/A         +4295721       push handles integrated into backposts, with straight canes       40.00       40.00         +4295739       push bar, adjustable       N/C       20.00         Armrests:         4295101       U-type armrests, height-adjustable, short, long       N/C       85.00         +4295747       U-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long       N/C       85.00         4295135       I-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long       N/C       85.00         4295143       armrest pads, straight, short, long       N/C       12.00         4295740       armrest pads, 7.6 cm (3 in.) longer       26.00       25.00         +4295770       armrest pads, 7.6 cm (3 in.) long, short, long       76.00       50.00         4295168       clothing guards, rigid       N/C       31.00         4295135       modification of armrest heig	4295028	Stealth headrest, 25.4 cm (10 in.), 35.6 cm (14 in.) pad,	143.00	143.00
articulated, uniball  +4295705 crossbar for headrest mounting 200.00 200.00  4295036 headrest mounting plate 16.00 16.00  +4295713 push handles integrated into backposts N/C N/A  +4295721 push handles integrated into backposts, with straight canes 40.00 40.00  +4295739 push bar, adjustable N/C 20.00  Armrests:  4295101 U-type armrests, height-adjustable, short, long N/C 85.00  +4295747 U-type armrests, fixed height, 30.5 cm (12 in.), short, long N/C 85.00  +4295754 T-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long  4295119 I-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long  4295143 armrest pads, traight, short, long  4295162 armrest pads, 7.6 cm (3 in.) longer 26.00 25.00  +4295770 armrest pads, 7.6 cm (3 in.) long, short, long 76.00 50.00  4295168 clothing guards, rigid N/C 31.00  4295127 7.6 cm (3 in.) armrest tube extension 40.00 20.00  4295135 modification of armrest height, from 20.3 cm (8 in.) to 16.00 93.00		double articulated (depth and height)		
+4295705       crossbar for headrest mounting       200.00       200.00         4295036       headrest mounting plate       16.00       16.00         +4295713       push handles integrated into backposts       N/C       N/A         +4295721       push handles integrated into backposts, with straight canes       40.00       40.00         +4295739       push bar, adjustable       N/C       20.00         Armrests:         4295101       U-type armrests, height-adjustable, short, long       N/C       85.00         +4295747       U-type armrests, fixed height, 30.5 cm (12 in.), short, long       N/C       85.00         +4295754       T-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long       N/C       85.00         4295119       I-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long       N/C       85.00         4295143       armrest pads, straight, short, long       N/C       12.00         +4295762       armrest pads, 7.6 cm (3 in.) longer       26.00       25.00         +4295770       armrest pads, 7.6 cm (3 in.) long, short, long       76.00       50.00         4295168       clothing guards, rigid       N/C       31.00         4295127       7.6 cm (3 in.) armrest tube extension	+4295697	Stealth headrest, 25.4 cm (10 in.), 35.6 cm (14 in.) pad,	183.00	183.00
4295036 headrest mounting plate       16.00       16.00         +4295713 push handles integrated into backposts       N/C       N/A         +4295721 push handles integrated into backposts, with straight canes       40.00       40.00         +4295739 push bar, adjustable       N/C       20.00         Armrests:         4295101 U-type armrests, height-adjustable, short, long       N/C       85.00         +4295747 U-type armrests, fixed height, 30.5 cm (12 in.), short, long       N/C       85.00         +4295754 T-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long       N/C       85.00         4295119 I-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long       N/C       85.00         4295143 armrest pads, straight, short, long       N/C       12.00         +4295762 armrest pads, 7.6 cm (3 in.) longer       26.00       25.00         +4295770 armrest pads, 7.6 cm (3 in.) long, short, long       76.00       50.00         4295168 clothing guards, rigid       N/C       31.00         4295127 7.6 cm (3 in.) armrest tube extension       40.00       20.00         4295135 modification of armrest height, from 20.3 cm (8 in.) to       16.00       93.00		articulated, uniball		
+4295713       push handles integrated into backposts       N/C       N/A         +4295721       push handles integrated into backposts, with straight canes       40.00       40.00         +4295739       push bar, adjustable       N/C       20.00         Armrests:         4295101       U-type armrests, height-adjustable, short, long       N/C       85.00         +4295747       U-type armrests, fixed height, 30.5 cm (12 in.), short, long       N/C       85.00         +4295745       T-type armrests, height-adjustable, from 25.4 cm (10 in.) to       N/C       85.00         35.6 cm (14 in.), short, long       N/C       85.00         4295119       I-type armrests, height-adjustable, from 25.4 cm (10 in.) to       N/C       85.00         35.6 cm (14 in.), short, long       N/C       85.00         4295143       armrest pads, straight, short, long       N/C       12.00         +4295762       armrest pads, 7.6 cm (3 in.) long, short, long       76.00       50.00         +4295770       armrest pads, 7.6 cm (3 in.) long, short, long       76.00       50.00         4295168       clothing guards, rigid       N/C       31.00         4295127       7.6 cm (3 in.) armrest tube extension       40.00       20.00         4295135       modificat			200.00	200.00
+4295721       push handles integrated into backposts, with straight canes       40.00       40.00         +4295739       push bar, adjustable       N/C       20.00         Armrests:       4295101       U-type armrests, height-adjustable, short, long       N/C       85.00         +4295747       U-type armrests, fixed height, 30.5 cm (12 in.), short, long       N/C       85.00         +4295754       T-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long       N/C       85.00         4295119       I-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long       N/C       85.00         4295143       armrest pads, straight, short, long       N/C       12.00         +4295762       armrest pads, 7.6 cm (3 in.) longer       26.00       25.00         +4295770       armrest pads, 7.6 cm (3 in.) long, short, long       76.00       50.00         4295168       clothing guards, rigid       N/C       31.00         4295127       7.6 cm (3 in.) armrest tube extension       40.00       20.00         4295135       modification of armrest height, from 20.3 cm (8 in.) to       16.00       93.00				16.00
4295739 push bar, adjustable       N/C       20.00         Armrests:         4295101 U-type armrests, height-adjustable, short, long       N/C       85.00         +4295747 U-type armrests, fixed height, 30.5 cm (12 in.), short, long       N/C       85.00         4295754 T-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long       N/C       85.00         4295119 I-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long       N/C       85.00         4295143 armrest pads, straight, short, long       N/C       12.00         +4295762 armrest pads, 7.6 cm (3 in.) long, short, long       76.00       25.00         +4295770 armrest pads, 7.6 cm (3 in.) long, short, long       76.00       50.00         4295168 clothing guards, rigid       N/C       31.00         4295127 7.6 cm (3 in.) armrest tube extension       40.00       20.00         4295135 modification of armrest height, from 20.3 cm (8 in.) to       16.00       93.00				N/A
Armrests:         4295101       U-type armrests, height-adjustable, short, long       N/C       85.00         +4295747       U-type armrests, fixed height, 30.5 cm (12 in.), short, long       N/C       85.00         +4295754       T-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long       N/C       85.00         4295119       I-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long       N/C       85.00         4295143       armrest pads, straight, short, long       N/C       12.00         +4295762       armrest pads, 7.6 cm (3 in.) longer       26.00       25.00         +4295770       armrest pads, 7.6 cm (3 in.) long, short, long       76.00       50.00         4295168       clothing guards, rigid       N/C       31.00         4295127       7.6 cm (3 in.) armrest tube extension       40.00       20.00         4295135       modification of armrest height, from 20.3 cm (8 in.) to       16.00       93.00				
4295101       U-type armrests, height-adjustable, short, long       N/C       85.00         +4295747       U-type armrests, fixed height, 30.5 cm (12 in.), short, long       N/C       85.00         +4295754       T-type armrests, height-adjustable, from 25.4 cm (10 in.) to       N/C       85.00         35.6 cm (14 in.), short, long       N/C       85.00         4295119       I-type armrests, height-adjustable, from 25.4 cm (10 in.) to       N/C       85.00         35.6 cm (14 in.), short, long       N/C       12.00         4295143       armrest pads, straight, short, long       N/C       12.00         +4295762       armrest pads, 7.6 cm (3 in.) longer       26.00       25.00         +4295770       armrest pads, 7.6 cm (3 in.) long, short, long       76.00       50.00         4295168       clothing guards, rigid       N/C       31.00         4295127       7.6 cm (3 in.) armrest tube extension       40.00       20.00         4295135       modification of armrest height, from 20.3 cm (8 in.) to       16.00       93.00	+4295739	push bar, adjustable	N/C	20.00
+4295747       U-type armrests, fixed height, 30.5 cm (12 in.), short, long       N/C       85.00         +4295754       T-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long       N/C       85.00         4295119       I-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long       N/C       85.00         4295143       armrest pads, straight, short, long       N/C       12.00         +4295762       armrest pads, 7.6 cm (3 in.) longer       26.00       25.00         +4295770       armrest pads, 7.6 cm (3 in.) long, short, long       76.00       50.00         4295168       clothing guards, rigid       N/C       31.00         4295127       7.6 cm (3 in.) armrest tube extension       40.00       20.00         4295135       modification of armrest height, from 20.3 cm (8 in.) to       16.00       93.00	4007404		N/G	05.00
+4295754       T-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long       N/C       85.00 N/C         4295119       I-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long       N/C       85.00 N/C         4295143       armrest pads, straight, short, long N/C       12.00 N/C       12.00 N/C         +4295762       armrest pads, 7.6 cm (3 in.) longer N/C       25.00 N/C         +4295770       armrest pads, 7.6 cm (3 in.) long, short, long N/C       76.00 N/C       31.00 N/C         4295168       clothing guards, rigid N/C       31.00 N/C       31.00 N/C       31.00 N/C         4295127       7.6 cm (3 in.) armrest tube extension N/C       40.00 N/C       20.00 N/C         4295135       modification of armrest height, from 20.3 cm (8 in.) to       16.00 N/C       93.00				
35.6 cm (14 in.), short, long 4295119 I-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long 4295143 armrest pads, straight, short, long 4295762 armrest pads, 7.6 cm (3 in.) longer 4295770 armrest pads, 7.6 cm (3 in.) long, short, long 4295168 clothing guards, rigid 4295127 7.6 cm (3 in.) armrest tube extension 4295135 modification of armrest height, from 20.3 cm (8 in.) to  N/C 35.00 N/C 35.00 25.0				
4295119       I-type armrests, height-adjustable, from 25.4 cm (10 in.) to 35.6 cm (14 in.), short, long       N/C       85.00         4295143       armrest pads, straight, short, long       N/C       12.00         +4295762       armrest pads, 7.6 cm (3 in.) longer       26.00       25.00         +4295770       armrest pads, 7.6 cm (3 in.) long, short, long       76.00       50.00         4295168       clothing guards, rigid       N/C       31.00         4295127       7.6 cm (3 in.) armrest tube extension       40.00       20.00         4295135       modification of armrest height, from 20.3 cm (8 in.) to       16.00       93.00	+4295754		N/C	85.00
35.6 cm (14 in.), short, long 4295143 armrest pads, straight, short, long +4295762 armrest pads, 7.6 cm (3 in.) longer 26.00 25.00 +4295770 armrest pads, 7.6 cm (3 in.) long, short, long 76.00 50.00 4295168 clothing guards, rigid 70.6 cm (3 in.) armrest tube extension 4295127 7.6 cm (3 in.) armrest tube extension 40.00 20.00 4295135 modification of armrest height, from 20.3 cm (8 in.) to 40.00 93.00	4295119		N/C	85 00
4295143       armrest pads, straight, short, long       N/C       12.00         +4295762       armrest pads, 7.6 cm (3 in.) longer       26.00       25.00         +4295770       armrest pads, 7.6 cm (3 in.) long, short, long       76.00       50.00         4295168       clothing guards, rigid       N/C       31.00         4295127       7.6 cm (3 in.) armrest tube extension       40.00       20.00         4295135       modification of armrest height, from 20.3 cm (8 in.) to       16.00       93.00	12/011/		14,0	02.00
+4295762       armrest pads, 7.6 cm (3 in.) longer       26.00       25.00         +4295770       armrest pads, 7.6 cm (3 in.) long, short, long       76.00       50.00         4295168       clothing guards, rigid       N/C       31.00         4295127       7.6 cm (3 in.) armrest tube extension       40.00       20.00         4295135       modification of armrest height, from 20.3 cm (8 in.) to       16.00       93.00	4295143		N/C	12.00
+4295770 armrest pads, 7.6 cm (3 in.) long, short, long       76.00       50.00         4295168 clothing guards, rigid       N/C       31.00         4295127 7.6 cm (3 in.) armrest tube extension       40.00       20.00         4295135 modification of armrest height, from 20.3 cm (8 in.) to       16.00       93.00				
4295168 clothing guards, rigid       N/C       31.00         4295127 7.6 cm (3 in.) armrest tube extension       40.00       20.00         4295135 modification of armrest height, from 20.3 cm (8 in.) to       16.00       93.00				
4295127       7.6 cm (3 in.) armrest tube extension       40.00       20.00         4295135       modification of armrest height, from 20.3 cm (8 in.) to       16.00       93.00				31.00
<b>4295135</b> modification of armrest height, from 20.3 cm (8 in.) to 16.00 93.00				20.00
				93.00
		27.9 cm (11 in.), from 30.5 cm (12 in.) to 40.6 cm (16 in.)		

	Footrests:		
4295176	60°, 70° footrests, parallel, detachable, swingaway, length-	N/C	95.00
	adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)		
4295200	70° footrests, fixed, plug-ins, detachable, parallel, length-	N/C	93.00
	adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)		
4295192	70° footrests, narrowed, detachable, swingaway, length-	30.00	110.00
	adjustable, from 35.6 cm (14 in.) to 45.7 cm (18 in.)		
4295218	footrests, fixed, plug-ins, detachable, parallel, angle-	128.00	157.00
	adjustable at knees		
	elevating legrests	260.00	225.00
	elevating legrests, with compensating mechanism	350.00	270.00
	single calf strap	30.00	30.00
	folding footplates, standard	N/C	19.00
	oversized footplates	N/C	53.00
	full-width footplate	197.00	235.00
	footplates, angle and depth-adjustable, standard size	N/C	19.00
	oversized footplates, angle and depth-adjustable	N/C	53.00
	full-width footplate, angle and depth-adjustable	241.00	279.00
	heel loops, adjustable	N/C	34.00
+4295804	modification of length, from 38.1 cm (15 in.) to 48.3 cm	20.00	15.00
. 4205012	(19 in.)	<b>5</b> 0.00	20.00
+4295812	heavy-duty extension tubes	50.00	30.00
	Frame:		
4295341	Frame: anti-tip rollers	N/C	47.00
	anti-tip rollers	N/C N/C	47.00 N/A
+4295820	anti-tip rollers tie-down points for transport	N/C N/C 93.00	47.00 N/A 93.00
+4295820 +4297032	anti-tip rollers	N/C	N/A
+4295820 +4297032 4295358	anti-tip rollers tie-down points for transport back extension, 25.4 cm (10 in.)	N/C 93.00	N/A 93.00
+4295820 +4297032 4295358 4295366	anti-tip rollers tie-down points for transport back extension, 25.4 cm (10 in.) rocker device rocker device activated by the user and the attendant	N/C 93.00 N/C	N/A 93.00 97.00
+4295820 +4297032 4295358 4295366	anti-tip rollers tie-down points for transport back extension, 25.4 cm (10 in.) rocker device	N/C 93.00 N/C 62.00	N/A 93.00 97.00 62.00
+4295820 +4297032 4295358 4295366 +4295838	anti-tip rollers tie-down points for transport back extension, 25.4 cm (10 in.) rocker device rocker device activated by the user and the attendant heavy-duty frame, double gas struts, 204.1 kg (450 lb)	N/C 93.00 N/C 62.00	N/A 93.00 97.00 62.00
+4295820 +4297032 4295358 4295366 +4295838	anti-tip rollers tie-down points for transport back extension, 25.4 cm (10 in.) rocker device rocker device activated by the user and the attendant heavy-duty frame, double gas struts, 204.1 kg (450 lb) maximum	N/C 93.00 N/C 62.00 270.00	N/A 93.00 97.00 62.00 N/A
+4295820 +4297032 4295358 4295366 +4295838 +4295846	anti-tip rollers tie-down points for transport back extension, 25.4 cm (10 in.) rocker device rocker device activated by the user and the attendant heavy-duty frame, double gas struts, 204.1 kg (450 lb) maximum double gas struts for wheel chair width, from 58.4 cm	N/C 93.00 N/C 62.00 270.00	N/A 93.00 97.00 62.00 N/A
+4295820 +4297032 4295358 4295366 +4295838 +4295846	anti-tip rollers tie-down points for transport back extension, 25.4 cm (10 in.) rocker device rocker device activated by the user and the attendant heavy-duty frame, double gas struts, 204.1 kg (450 lb) maximum double gas struts for wheel chair width, from 58.4 cm (23 in.) to 81.3 cm (32 in.) extension to allow user to control tilt/uplift	N/C 93.00 N/C 62.00 270.00	N/A 93.00 97.00 62.00 N/A 186.00
+4295820 +4297032 4295358 4295366 +4295838 +4295846 4295374	anti-tip rollers tie-down points for transport back extension, 25.4 cm (10 in.) rocker device rocker device activated by the user and the attendant heavy-duty frame, double gas struts, 204.1 kg (450 lb) maximum double gas struts for wheel chair width, from 58.4 cm (23 in.) to 81.3 cm (32 in.) extension to allow user to control tilt/uplift  Drive systems:	N/C 93.00 N/C 62.00 270.00 N/C 30.00	N/A 93.00 97.00 62.00 N/A 186.00 30.00
+4295820 +4297032 4295358 4295366 +4295838 +4295846	anti-tip rollers tie-down points for transport back extension, 25.4 cm (10 in.) rocker device rocker device activated by the user and the attendant heavy-duty frame, double gas struts, 204.1 kg (450 lb) maximum double gas struts for wheel chair width, from 58.4 cm (23 in.) to 81.3 cm (32 in.) extension to allow user to control tilt/uplift  Drive systems: smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.),	N/C 93.00 N/C 62.00 270.00	N/A 93.00 97.00 62.00 N/A 186.00
+4295820 +4297032 4295358 4295366 +4295838 +4295846 4295374	anti-tip rollers tie-down points for transport back extension, 25.4 cm (10 in.) rocker device rocker device activated by the user and the attendant heavy-duty frame, double gas struts, 204.1 kg (450 lb) maximum double gas struts for wheel chair width, from 58.4 cm (23 in.) to 81.3 cm (32 in.) extension to allow user to control tilt/uplift  Drive systems: smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C 93.00 N/C 62.00 270.00 N/C 30.00	N/A 93.00 97.00 62.00 N/A 186.00 30.00
+4295820 +4297032 4295358 4295366 +4295838 +4295846 4295374 4295317 +4297107	anti-tip rollers tie-down points for transport back extension, 25.4 cm (10 in.) rocker device rocker device activated by the user and the attendant heavy-duty frame, double gas struts, 204.1 kg (450 lb) maximum double gas struts for wheel chair width, from 58.4 cm (23 in.) to 81.3 cm (32 in.) extension to allow user to control tilt/uplift  Drive systems: smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.) plastic-coated handrims	N/C 93.00 N/C 62.00 270.00 N/C 30.00 N/C	N/A 93.00 97.00 62.00 N/A 186.00 30.00
+4295820 +4297032 4295358 4295366 +4295838 +4295846 4295374 4295317 +4297107	anti-tip rollers tie-down points for transport back extension, 25.4 cm (10 in.) rocker device rocker device activated by the user and the attendant heavy-duty frame, double gas struts, 204.1 kg (450 lb) maximum double gas struts for wheel chair width, from 58.4 cm (23 in.) to 81.3 cm (32 in.) extension to allow user to control tilt/uplift  Drive systems: smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C 93.00 N/C 62.00 270.00 N/C 30.00	N/A 93.00 97.00 62.00 N/A 186.00 30.00
+4295820 +4297032 4295358 4295366 +4295838 +4295846 4295374 4295317 +4297107	anti-tip rollers tie-down points for transport back extension, 25.4 cm (10 in.) rocker device rocker device activated by the user and the attendant heavy-duty frame, double gas struts, 204.1 kg (450 lb) maximum double gas struts for wheel chair width, from 58.4 cm (23 in.) to 81.3 cm (32 in.) extension to allow user to control tilt/uplift  Drive systems: smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.) plastic-coated handrims handrims with vertical projections	N/C 93.00 N/C 62.00 270.00 N/C 30.00 N/C	N/A 93.00 97.00 62.00 N/A 186.00 30.00
+4295820 +4297032 4295358 4295366 +4295838 +4295846 4295374 4295317 +4297107 +4297115	anti-tip rollers tie-down points for transport back extension, 25.4 cm (10 in.) rocker device rocker device activated by the user and the attendant heavy-duty frame, double gas struts, 204.1 kg (450 lb) maximum double gas struts for wheel chair width, from 58.4 cm (23 in.) to 81.3 cm (32 in.) extension to allow user to control tilt/uplift  Drive systems: smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.) plastic-coated handrims handrims with vertical projections  Wheel locks:	N/C 93.00 N/C 62.00 270.00 N/C 30.00 N/C 80.00 358.00	N/A 93.00 97.00 62.00 N/A 186.00 30.00 23.00 63.00 202.00
+4295820 +4297032 4295358 4295366 +4295838 +4295846 4295374 4295317 +4297107 +4297115	anti-tip rollers tie-down points for transport back extension, 25.4 cm (10 in.) rocker device rocker device activated by the user and the attendant heavy-duty frame, double gas struts, 204.1 kg (450 lb) maximum double gas struts for wheel chair width, from 58.4 cm (23 in.) to 81.3 cm (32 in.) extension to allow user to control tilt/uplift  Drive systems: smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.) plastic-coated handrims handrims with vertical projections	N/C 93.00 N/C 62.00 270.00 N/C 30.00 N/C	N/A 93.00 97.00 62.00 N/A 186.00 30.00

	Wheels:		
4295572	rear mag wheels, solid tires, contoured urethane, 30.5 cm	N/C	101.00
	(12 in.), 40.6 cm (16 in.), 50.8 cm (20 in.), 55.9 cm		
	(22 in.), 61.0 cm (24 in.)		
+4297156	rear mag wheels, standard pressure, inner tube tires,	68.00	135.00
	30.5 cm (12 in.), 40.6 cm (16 in.), 50.8 cm (20 in.),		
	55.9 cm (22 in.), 61.0 cm (24 in.), 66.0 cm (26 in.)		
4295614	front wheels, solid tires, 15.2 cm (6 in.)	N/C	97.00
4295606	front wheels, solid tires, 20.3 cm (8 in.) X 3.2 cm (11/4 in.)	N/C	97.00
4295630	front wheels, semi-pneumatic tires, 15.2 cm (6 in.) X	N/C	97.00
	2.5 cm (1 in.)		
4295622	front wheels, semi-pneumatic tires, 20.3 cm (8 in.) X	16.00	105.00
	5.1 cm (2 in.)		
4295648	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm	30.00	112.00
	(2 in.)		
	Forks:		
4295465	Forks: standard forks	N/C	35.00
4295465	standard forks	N/C	35.00
		N/C	35.00 37.00
	standard forks  Rear axles:		
	standard forks  Rear axles:		
	Rear axles: threaded axles		
4295473	Rear axles: threaded axles  Non S.C. components for which supporting document		
4295473	Rear axles: threaded axles  Non S.C. components for which supporting document must be kept on file:	N/C	37.00
4295473 4295481 +4295887	Rear axles: threaded axles  Non S.C. components for which supporting document must be kept on file: quick-release axles	N/C	37.00 45.00
4295473 4295481 +4295887 +4295879	Rear axles: threaded axles  Non S.C. components for which supporting document must be kept on file: quick-release axles anti-tippers, heavy-duty, detachable	N/C N/C 300.00	37.00 45.00 300.00
4295473 4295481 +4295887 +4295879	Rear axles: threaded axles  Non S.C. components for which supporting document must be kept on file: quick-release axles anti-tippers, heavy-duty, detachable spring backrest dynamic spring footrests	N/C N/C 300.00 66.00	37.00 45.00 300.00 33.00
4295473 4295481 +4295887 +4295879 +4295895	Rear axles: threaded axles  Non S.C. components for which supporting document must be kept on file: quick-release axles anti-tippers, heavy-duty, detachable spring backrest	N/C N/C 300.00 66.00	37.00 45.00 300.00 33.00

# (authentic version)

#### **SUBDIVISION 2: PEDIATRIC POSITIONING BASES**

# SUPPLIER: INVACARE CANADA L.P.

#### PRICE

### 1,798.00

# 4340006 PEDIATRIC POSITIONING BASE SPREE XT MODEL

# **Basic Components**

# **Body support system**

- folding back, angle-adjustable, from 86° to 106°
- back height: 50.8 cm (20 in.), 61.0 cm (24 in.)
- seat height: from 39.4 cm (15½ in.) to 48.3 cm (19 in.)
- seat width: from 25.4 cm (10 in.) to 40.6 cm (16 in.)
- seat depth: from 30.5 cm (12 in.) to 45.7 cm (18 in.)
- safety belt, auto-type, velcro-type
- push handles integrated into backposts
- stroller handle, non-adjustable

#### **Armrests**

- T-type armrests, height-adjustable, from 20.3 cm (8 in.) to 30.5 cm (12 in.), from 25.4 cm (10 in.) to 40.6 cm (16 in.), short, long
- I-type armrests, height-adjustable, from 15.2 cm (6 in.) to 22.9 cm (9 in.), from 22.9 cm (9 in.) to 30.5 cm (12 in.), short, long
- armrest pads, straight, short, long
- clothing guards, supple, rigid

#### **Footrests**

- 60° footrests, parallel, detachable, swingaway, length-adjustable, from 34.3 cm (13½ in.) to 44.5 cm (17½ in.)
- 70° footrests, parallel, detachable, swingaway, length-adjustable, from 34.3 cm (13½ in.) to 41.9 cm (16½ in.)
- 90° footrests, parallel, detachable, swingaway, length-adjustable, from 11.4 cm (4½ in.) to 19.1 cm (7½ in.)
- 70° footrests, narrowed, detachable, swingaway, length-adjustable, from 32.4 cm (12¾ in.) to 41.3 cm (16¼ in.)
- 60° footrests, MFX, detachable, swingaway, length-adjustable, from 22.9 cm (9 in.) to 31.8 cm (12½ in.)
- 70° footrests, MFX, detachable, swingaway, length-adjustable, from 14.6 cm (5¾ in.) to 29.8 cm (11¾ in.)
- padded calfrests
- folding footplates, standard
- folding footplates, angle and depth-adjustable, standard size
- heel loops, fixed
- heel loops, adjustable

#### **Frame**

- growth kit (once only during first three years, for first user)
- anti-tip rollers
- tie-down points for transport TRBKTS
- rocker device

# Drive, brake, wheel, fork, and axle systems

- handrims, smooth, plastic-coated
- standard wheel locks, push-to-lock, pull-to-lock
- rear mag wheels, solid tires, puncture-resistant tires, 30.5 cm (12 in.)
- rear mag wheels, solid tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- rear mag wheels, standard pressure, 30.5 cm (12 in.), 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- front wheels, solid tires, 12.7 cm (5 in.), 15.2 cm (6 in.), 20.3 cm (8 in.) X 3.2 cm (1<sup>1</sup>/<sub>4</sub> in.)
- front wheels, semi-pneumatic tires, 10.2 cm (4 in.) X 2.5 cm (1 in.), 12.7 cm (5 in.) X 2.5 cm (1 in.), 15.2 cm (6 in.)
- standard forks
- threaded axles
- quick-release axles

Price upon initial

Price upon

		purchase or replacement of wheel chair (price per pair, as applicable)	replacement of component (unit price)
	<b>Basic and Optional Components</b>		
	Body support system Seat and back:		
4340303	folding back, angle-adjustable, from 86° to 106°	N/C	N/A
	safety belt, auto-type	N/C	53.00
	safety belt, velcro-type	N/C	42.00
	back tension bar	66.00	66.00
	push handles integrated into backposts	N/C	52.00
+4344077	stroller handle, non-adjustable	N/C	66.00
	Armrests:		
4340048	T-type armrests, height-adjustable, from 20.3 cm (8 in.) to	N/C	120.00
	30.5 cm (12 in.), from 25.4 cm (10 in.) to 40.6 cm (16 in.),		
4240055	short, long	N/C	120.00
4340055	I-type armrests, height-adjustable, from 15.2 cm (6 in.) to 22.9 cm (9 in.), from 22.9 cm (9 in.) to 30.5 cm (12 in.),	N/C	120.00
	short, long		
4340071	armrest pads, straight, short	N/C	18.00
	armrest pads, straight, long	N/C	18.00
	clothing guards, supple, rigid	N/C	48.00
	Footrests:		
4340097	60° footrests, parallel, detachable, swingaway, length-	N/C	72.00
	adjustable, from 34.3 cm (13½ in.) to 44.5 cm (17½ in.)		
4340105	70° footrests, parallel, detachable, swingaway, length-	N/C	72.00
4240112	adjustable, from 34.3 cm (13½ in.) to 41.9 cm (16½ in.)	N/C	82.00
4340113	90° footrests, parallel, detachable, swingaway, length-adjustable, from 11.4 cm (4½ in.) to 19.1 cm (7½ in.)	N/C	82.00
4340147	70° footrests, narrowed, detachable, swingaway, length-	N/C	82.00
4340147	adjustable, from 32.4 cm (12 <sup>3</sup> / <sub>4</sub> in.) to 41.3 cm (16 <sup>1</sup> / <sub>4</sub> in.)	IV/C	62.00
4340121	60° footrests, MFX, detachable, swingaway, length-	N/C	72.00
	adjustable, from 22.9 cm (9 in.) to 31.8 cm (12½ in.)	1,, 0	. =
4340139	70° footrests, MFX, detachable, swingaway, length-	N/C	72.00
	adjustable, from 14.6 cm (5¾ in.) to 29.8 cm (11¾ in.)		
4340154	elevating legrests, from 35.6 cm (14 in.) to 50.8 cm (20 in.)	238.00	191.00
+4344085	elevating legrests, with compensating mechanism, from	162.00	153.00
	40.6 cm (16 in.) to 53.3 cm (21 in.)		
	padded calfrests	N/C	28.00
	single calf strap	38.00	38.00
	double calf strap	57.00 N/C	57.00
	folding footplates, standard folding footplates, angle and depth-adjustable, standard	N/C N/C	42.00 70.00
4540414	size	IV/C	70.00
	DILL		

	heel loops, fixed heel loops, adjustable	N/C N/C	7.00 10.00
1010200	neer roops, adjustacre	14.0	10.00
4340279 4340311	Frame: growth kit (once only during first three years, for first user) anti-tip rollers tie-down points for transport TRBKTS rocker device	N/C N/C N/C N/C	N/A 44.00 N/A N/A
4340253	<b>Drive systems:</b> smooth handrims plastic-coated handrims handrims with vertical or oblique projections	N/C N/C 129.00	52.00 63.00 116.00
	Wheel locks: standard wheel locks, push-to-lock, pull-to-lock wheel lock extensions	N/C 27.00	46.00 20.00
4340402	Wheels: rear mag wheels, solid tires, with airless inserts, 30.5 cm (12 in.)	N/C	70.00
4340410	rear mag wheels, solid tires, 50.8 cm (20 in.), 55.9 cm	N/C	112.00
	(22 in.), 61.0 cm (24 in.) rear mag wheels, standard pressure, 30.5 cm (12 in.) rear mag wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C N/C	55.00 112.00
4340428	front wheels, solid tires, 12.7 cm (5 in.), 15.2 cm (6 in.), 20.3 cm (8 in.) X 3.2 cm (1 <sup>1</sup> / <sub>4</sub> in.)	N/C	38.00
4340469	front wheels, semi-pneumatic tires, 10.2 cm (4 in.) X 2.5 cm (1 in.), 12.7 cm (5 in.) X 2.5 cm (1 in.)	N/C	44.00
4340451	front wheels, semi-pneumatic tires, 15.2 cm (6 in.) X 5.1 cm (2 in.)	N/C	52.00
4340436	front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm (1 <sup>1</sup> / <sub>4</sub> in.), 20.3 cm (8 in.) X 3.2 cm (1 <sup>1</sup> / <sub>4</sub> in.)	34.00	55.00
4340352	Forks: standard forks	N/C	52.00
4340360	Rear axles: threaded axles	N/C	5.00
4340378	Non S.C. components for which supporting document must be kept on file: quick-release axles	N/C	37.00

#### SUPPLIER: SUNRISE MEDICAL CANADA INC.

#### **PRICE**

# 4350005 PEDIATRIC POSITIONING BASE ZIPPIE TS MODEL

#### 1,715.00

# **Basic Components**

# **Body support system**

- back, angle-adjustable
- folding back, angle-adjustable, from 78° to 120°, by 6° increments
- back height: 54.6 cm (21½ in.), 62.2 cm (24½ in.), 69.9 cm (27½ in.), with push handles
- front seat height: from 40.6 cm (16 in.) to 51.4 cm (20½ in.)
- seat width: from 25.4 cm (10 in.) to 40.6 cm (16 in.)
- seat depth: from 33.0 cm (13 in.) to 50.8 cm (20 in.)
- safety belt, velcro-type, auto-type
- back tension bar
- push handles integrated into backposts
- stroller handle extension

#### **Armrests**

- T-type armrests, detachable, height-adjustable, from 17.8 cm (7 in.) to 33.0 cm (13 in.), short, long
- T-type armrests, detachable, height-adjustable, 14.0 cm (5½ in.), 16.5 cm (6½ in.), 19.1 cm (7½ in.), short
- I-type armrests, locking, depth-adjustable, height-adjustable, from 16.5 cm (6½ in.) to 33.0 cm (13 in.), short, long
- armrest pads, straight, short, long
- armrest pads, tubular

#### **Footrests**

- 60°, 70° footrests, parallel, detachable, swingaway, length-adjustable, from 31.1 cm (12¼ in.) to 43.2 cm (17 in.)
- 70°, 80°, 90° footrests, parallel, detachable, swingaway, length-adjustable, from 20.3 cm (8 in.) to 33.0 cm (13 in.)
- 70°, 80°, 90° footrests, heavy-duty, detachable, non flip-back
- padded calfrests for elevating legrests
- folding footplates, standard
- folding footplates, angle and depth-adjustable, standard size
- heel loops, adjustable

# **Frame**

- anti-tip rollers
- tie-down points for transport
- rocker device, from 0° to 45°

#### Drive, brake, wheel, fork, and axle systems

- smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- standard wheel locks, push-to-lock, pull-to-lock
- rear mag wheels, semi-pneumatic tires, 30.5 cm (12 in.), 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- rear mag wheels, standard pressure, 30.5 cm (12 in.), 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- front wheels, solid tires, 12.7 cm (5 in.), 15.2 cm (6 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)
- front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm (1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.), 20.3 cm (8 in.) X 3.8 cm (1½ in.)
- front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm (1<sup>1</sup>/<sub>4</sub> in.), 20.3 cm (8 in.) X 3.2 cm (1<sup>1</sup>/<sub>4</sub> in.)
- standard forks, 15.2 cm (6 in.); short forks, 13.3 cm (5¼ in.); high forks, 17.8 cm (7 in.); compatible with 12.7 cm (5 in.), for 15.2 cm (6 in.) and 20.3 cm (8 in.) wheels
- forks, 17.8 cm (7 in.) compatible with 20.3 cm (8 in.) X 5.1 cm (2 in.) wheels
- long stems,  $+1.9 \text{ cm} (\frac{3}{4} \text{ in.})$ ,  $+3.8 \text{ cm} (\frac{11}{2} \text{ in.})$
- quick-release axles

Price upon initial

Price upon

		purchase or replacement of wheel chair (price per pair, as applicable)	replacement of component (unit price)
	<b>Basic and Optional Components</b>		
	Body support system		
	Seat and back:		
	back, angle-adjustable	N/C	N/A
4350435	folding back, angle-adjustable, from $78^{\circ}$ to $120^{\circ}$ , by increments of $6^{\circ}$	N/C	N/A
4350047	rigid seat, flat	125.00	130.00
4350054	safety belt, velcro-type	N/C	29.00
4350062	safety belt, auto-type	N/C	42.00
4350070	safety belt, airplane-type	50.00	79.00
4350088	safety belt, airplane-type, padded	76.00	105.00
4350013	headrest small, medium, large	99.00	106.00
4350732	headrest mounting, articulated	159.00	173.00
4350021	crossbar for headrest mounting, fixed frame	200.00	212.00
4350039	crossbar for headrest mounting, folding frame	233.00	249.00
4350385	back tension bar	N/C	191.00
+4350955	push handles integrated into backposts	N/C	N/A
	stroller handle extension	N/C	69.00
4	Armrests:		4.5.00
4350096	T-type armrests, detachable, height-adjustable, from 17.8 cm (7 in.) to 33.0 cm (13 in.), short, long	N/C	135.00
<b>435010</b> 4	T-type armrests, detachable, height-adjustable, 14.0 cm	N/C	160.00
4330104	(5½ in.), 16.5 cm (6½ in.), 19.1 cm (7½ in.), short	IN/C	100.00
4350113		N/C	200.00
4350112	I-type armrests, locking, depth-adjustable, height-adjustable,	N/C	200.00
4250146	from 16.5 cm (6½ in.) to 33.0 cm (13 in.), short, long	N/C	15.00
	armrest pads, straight, short		
	armrest pads, straight, long	N/C N/C	18.00
	armrest pads, tubular		2.00
4350153	clothing guards, rigid	92.00	68.00
4250170	Footrests:	N/C	55.00
4350179	60°, 70° footrests, parallel, detachable swingaway, length-	N/C	55.00
4250105	adjustable, from 31.1 cm (12¼ in.) to 43.2 cm (17 in.)	N/C	<b>57</b> 00
4350187	70°, 80°, 90° footrests, parallel, detachable, swingaway,	N/C	57.00
4250405	length-adjustable, from 20.3 cm (8 in.) to 33.0 cm (13 in.)	37/0	0= 00
4350195	70°, 80°, 90° footrests, heavy-duty, detachable, non flipback	N/C	87.00
4350211	elevating legrests	108.00	109.00
	90° elevating legrests, length-adjustable, from 20.3 cm	70.00	90.00
7330203	(8 in.) to 33.0 cm (13 in.)	70.00	30.00
1350227	padded calfrests for elevating legrests	N/C	19.00
4330328	contoured calfrests for elevating legrests	72.00	55.00

4350302	single calf strap	19.00	19.00
4350260	folding footplates, standard	N/C	49.00
	folding footplates, angle and depth-adjustable, standard size	N/C	76.00
4350286	full-width footplate, angle-adjustable	85.00	183.00
4350310	heel loops, adjustable	N/C	10.00
	modification of footrest length, by 5.1 cm (2 in.), 10.2 cm	32.00	16.00
	(4 in.)		
+4350807	modification of length, from 48.3 cm (19 in.) to 52.1 cm	31.00	30.00
	$(20\frac{1}{2} \text{ in.})$		
4350740	bracket, footrest mounting, from 17.8 cm (7 in.) to 34.3 cm	56.00	34.00
	$(13\frac{1}{2} in.)$		
4350294	full-width foot platform, 90°	92.00	190.00
	•		
	Frame:		
4350393	anti-tip rollers	N/C	22.00
+4350815	tie-down points for transport	N/C	N/A
4350419	cane holder	45.00	45.00
4350765	rocker device, $0^{\circ}$ to $45^{\circ}$	N/C	N/A
4350427	optional folding base	108.00	N/A
	Drive systems:		
4350757	smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.),	N/C	60.00
	61.0 cm (24 in.)		
4350351	plastic-coated handrims, 50.8 cm (20 in.), 55.9 cm (22 in.),	56.00	88.00
	61.0 cm (24 in.)		
4350377	small plastic-coated handrim for one-arm drive	56.00	97.00
4350344	handrims with oblique, vertical projections, 61.0 cm (24 in.)	90.00	105.00
	non-slip handrims, 55.9 cm (22 in.), 61.0 cm (24 in.)	168.00	144.00
4350336	one-arm dual handrim drive	562.00	709.00
	Wheel locks:		
	standard wheel locks, push-to-lock, pull-to-lock	N/C	40.00
	wheel lock extensions	26.00	13.00
4350476	anti-rollback brakes	68.00	34.00
	Wheels:		
	rear mag wheels, semi-pneumatic tires, 30.5 cm (12 in.)	N/C	145.00
4350617	rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.),	N/C	136.00
4250565	55.9 cm (22 in.), 61.0 cm (24 in.)	NAC	120.00
	rear mag wheels, standard pressure, 30.5 cm (12 in.)	N/C	130.00
	rear mag wheels, standard pressure, 40.6 cm (16 in.)	32.00	146.00
	rear mag wheels, standard pressure, 50.8 cm (20 in.)	N/C	136.00
4350591	rear mag wheels, standard pressure, 55.9 cm (22 in.),	N/C	113.00
40.000	61.0 cm (24 in.)	>*/~	45.00
	front wheels, solid tires, 12.7 cm (5 in.)	N/C	47.00
	front wheels, solid tires, 15.2 cm (6 in.)	N/C	62.00
	front wheels, solid tires, 20.3 cm (8 in.) X 2.5 cm (1 in.)	N/C	63.00
4350682	front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm	N/C	89.00
40.500	(1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.)	**/~	00.00
4350690	· · · · · · · · · · · · · · · · · · ·	N/C	99.00
	(1½ in.)		

4350674	front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm	N/C	62.00
4350666	(1½ in.) front wheels, inner tube tires, 20.3 cm (8 in.) X 3.2 cm	N/C	63.00
4350658	(1¼ in.) front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)	48.00	72.00
	Forks:		
4350492	high forks, 17.8 cm (7 in.); compatible with 12.7 cm (5 in.),	N/C	32.00
4350500	15.2 cm (6 in.) and 20.3 cm (8 in.) wheels forks, 17.8 cm (7 in.) compatible with 20.3 cm (8 in.) X	N/C	37.00
4330300	5.1 cm (2 in.) wheels	14/6	37.00
4350526	long stems, $+1.9 \text{ cm} (\frac{3}{4} \text{ in.}), +3.8 \text{ cm} (\frac{1}{2} \text{ in.})$	N/C	16.00
4350518	fork-locking mechanism	46.00	23.00
	Rear axles:		
4350534	quick-release axles	N/C	33.00

#### SUPPLIER: SUNRISE MEDICAL CANADA INC.

#### **PRICE**

# +4352001 PEDIATRIC POSITIONING BASE ZIPPIE IRIS MODEL

1,760.00

# **Basic Components**

# **Body support system**

- folding back, angle-adjustable, from 85° to 120°
- back, height-adjustable, with adjustable stroller handles
- back height: 45.7 (18 in.), 53.3 cm (21 in.), 61.0 cm (24 in.), height-adjustable, from 40.6 cm (16 in.) to 50.8 cm (20 in.)
- front seat height: from 27.9 cm (11 in.) to 49.5 cm (19½ in.)
- seat width: from 25.4 cm (10 in.) to 40.6 cm (16 in.)
- seat depth: from 25.4 cm (10 in.) to 45.7 cm (18 in.)
- safety belt, velcro-type, auto-type
- back tension bar
- push handles integrated into backposts
- detachable extensions for stroller handles

#### **Armrests**

- T-type armrests, detachable, height-adjustable, from 17.8 cm (7 in.) to 35.6 cm (14 in.), short, long
- I-type armrests, depth-adjustable, locking, height-adjustable, short,
- armrest pads, straight, short, long
- armrest pads, tubular

#### **Footrests**

- 60°, 70° footrests, parallel, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 48.3 cm (19 in.)
- 70°, 80°, 90° footrests, parallel, detachable, swingaway, length-adjustable, from 12.7 cm (5 in.) to 27.9 cm (11 in.)
- 70°, 80°, 90° footrests, heavy-duty, detachable, non flip-back
- 70° footrests, tapered, detachable, swingaway, length-adjustable, from 30.5 cm (12 in.) to 48.3 cm (19 in.)
- padded calfrests for elevating legrests
- folding footplates, standard
- folding footplates, angle and depth-adjustable, standard size
- heel loops, adjustable

### Frame

- anti-tip rollers
- tie-down points for transport
- rocker device, from -5 $^{\circ}$  to +60 $^{\circ}$

# Drive, brake, wheel, fork, and axle systems

- smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- standard wheel locks, push-to-lock
- rear mag wheels, solid tires, 30.5 cm (12 in.)
- rear mag wheels,, semi-pneumatic tires, 30.5 cm (12 in.), 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- rear mag wheels, standard pressure, 30.5 cm (12 in.), 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- front wheels, solid tires, 15.2 cm (6 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)
- front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 3.8 cm (1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.), 20.3 cm (8 in.) X 3.8 cm (1½ in.)
- standard forks, 15.2 cm (6 in.); short forks, 13.3 cm (5¼ in.); high forks, 17.8 cm (7 in.), compatible with 12.7 cm (5 in.), 15.2 cm (6 in.) and 20.3 cm (8 in.) wheels
- long stems,  $+1.9 \text{ cm} (\frac{3}{4} \text{ in.})$ ,  $+3.8 \text{ cm} (\frac{1}{2} \text{ in.})$
- threaded axles
- quick-release axles

Price upon initial

Price upon

		purchase or replacement of wheel chair (price per pair, as applicable)	replacement of component (unit price)
	<b>Basic and Optional Components</b>		
	Body support system Seat and back:		
+4350831	folding back, angle-adjustable, from 85° to 120°	N/C	N/A
	back, height-adjustable, with adjustable stroller handles	N/C	N/A
	rigid seat, flat, adjustable for growth	64.00	158.00
	rigid seat, flat, dropped, adjustable for growth	64.00	158.00
	safety belt, velcro-type	N/C	29.00
	safety belt, auto-type	N/C	42.00
	safety belt, airplane-type	50.00	79.00
	safety belt, airplane-type, padded	76.00	105.00
	headrest small, medium, large	99.00	106.00
	headrest mounting, articulated	159.00	173.00
	crossbar for headrest mounting	200.00	212.00
	back tension bar	N/C	N/A
	push handles integrated into backposts	N/C	N/A
	detachable extensions for stroller handles	N/C	N/A
	Armrests:		
+4350971	T-type armrests, detachable, height-adjustable, from	N/C	135.00
14330711	17.8 cm (7 in.) to 35.6 cm (14 in.), short, long	14.6	133.00
+4350989	I-type armrests, depth-adjustable, locking, height-	N/C	245.00
14330707	adjustable, short	14/6	243.00
4350146	armrest pads, straight, short	N/C	15.00
	armrest pads, straight, long	N/C	18.00
	armrest pads, straight, long	N/C	2.00
	clothing guards, rigid	92.00	68.00
4330133	cioning guards, rigid	92.00	08.00
4254025	Footrests:	NG	55.00
+4351037	60°, 70° footrests, parallel, detachable swingaway, length-	N/C	55.00
	adjustable, from 30.5 cm (12 in.) to 48.3 cm (19 in.)	27/0	
+4351045	70°, 80°, 90° footrests, parallel, detachable, swingaway,	N/C	57.00
	length-adjustable, from 12.7 cm (5 in.) to 27.9 cm (11 in.)	27/0	0= 00
4350195	70°, 80°, 90° footrests, heavy-duty, detachable, non flip-	N/C	87.00
	back		
+4351060		N/C	55.00
	adjustable, from 30.5 cm (12 in.) to 48.3 cm (19 in.)		
4350203	90° elevating legrests, length-adjustable, from 20.3 cm	70.00	90.00
	(8 in.) to 33.0 cm (13 in.)		
	elevating legrests	108.00	109.00
4350237	padded calfrests for elevating legrests	N/C	19.00
4350328	contoured calfrests for elevating legrests	72.00	55.00
	single calf strap	19.00	19.00
	•		

	·	(authentic ve	rsion)
	folding footplates, standard	N/C	49.00
4350278	folding footplates, angle and depth-adjustable, standard	N/C	76.00
4250206	size	05.00	102.00
	full-width footplate, angle-adjustable	85.00	183.00
	footplates, multi-position heel loops, adjustable	106.00 N/C	102.00 10.00
	modification of footrest length, by 5.1 cm (2 in.), 10.2 cm	32.00	16.00
T <b>4</b> 331177	(4 in.), 15.2 cm (6 in.)	32.00	10.00
4350294	full-width foot platform, 90°	92.00	190.00
4350740	•	56.00	34.00
1000710	(13½ in.)	20.00	200
	Frame:		
+4351201	anti-tip rollers	N/C	25.00
	front anti-tippers	58.00	29.00
	tie-down points for transport	N/C	N/A
	rocker device, from $-5^{\circ}$ to $+60^{\circ}$	N/C	N/A
+4351243	front wheel spacers	68.00	N/A
	Drive systems:		
4350757	smooth handrims, 50.8 cm (20 in.), 55.9 cm (22 in.),	N/C	60.00
4330737	61.0 cm (24 in.)	14/6	00.00
4350351	plastic-coated handrims, 50.8 cm (20 in.), 55.9 cm (22 in.),	56.00	88.00
	61.0 cm (24 in.)		
4350377	small plastic-coated handrim for one-arm drive	56.00	97.00
4350344	handrims with oblique or vertical projections, 61.0 cm	90.00	105.00
	(24 in.)		
+4351292	one-arm dual handrim drive	536.00	669.00
	Wheel locks:		
	standard wheel locks, push-to-lock	N/C	40.00
+4351318	wheel lock extensions	40.00	20.00
	Wheels:		
+4351326	rear mag wheels, solid tires, 30.5 cm (12 in.)	N/C	145.00
	rear mag wheels, semi-pneumatic tires, 30.5 cm (12 in.)	N/C	113.00
4350617	rear mag wheels, semi-pneumatic tires, 50.8 cm (20 in.),	N/C	136.00
	55.9 cm (22 in.), 61.0 cm (24 in.)		
	rear mag wheels, standard pressure, 30.5 cm (12 in.)	N/C	130.00
	rear mag wheels, standard pressure, 40.6 cm (16 in.)	32.00	146.00
	rear mag wheels, standard pressure, 50.8 cm (20 in.)	N/C	136.00
4350591	rear mag wheels, standard pressure, 55.9 cm (22 in.),	N/C	113.00
4250722	61.0 cm (24 in.)	N/C	<b>62.00</b>
	front wheels, solid tires, 15.2 cm (6 in.) front wheels, solid tires, 20.3 cm (8 in.) X 2.5 cm (1 in.)	N/C N/C	62.00 63.00
	front wheels, sond tires, 20.5 cm (8 in.) X 2.5 cm (1 in.) front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X	N/C N/C	89.00
7330002	3.8 cm (1½ in.), 15.2 cm (6 in.) X 3.8 cm (1½ in.)	1 <b>V</b> /C	07.00
4350690	front wheels, semi-pneumatic tires, 20.3 cm (8 in.) X	N/C	99.00
1220070	3.8 cm (1½ in.)	140	<i>) ) i i i i i i i i i i</i>
+4351433	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm	20.00	72.00
	(2 in )		

(2 in.)

	Forks:		
4350492	standard forks, 15.2 cm (6 in.); short forks, 13.3 cm	N/C	32.00
	(5½ in.); high forks, 17.8 cm (7 in.); compatible with		
	12.7 cm (5 in.), 15.2 cm (6 in.) and 20.3 cm (8 in.) wheels		
4350526	long stems, $+1.9 \text{ cm} (\frac{3}{4} \text{ in.}), +3.8 \text{ cm} (\frac{1}{2} \text{ in.})$	N/C	16.00
	Rear axles:		
+4351466	threaded axles	N/C	33.00
	Non S.C. components for which supporting document		
	must be kept on file:		
+4351474	quick-release axles	N/C	33.00
	contracture footrests, angle-adjustable and multi-directional	218.00	316.00
T4331470	contracture rootrests, angle-adjustable and multi-directional	210.00	310.00
	Component under Special Consideration		
1051100	Component under Special Consideration :	<b>77</b> 4 00	37/1
+4351482	reclining back *	574.00	N/A

# SUPPLIER: LES ÉQUIPEMENTS ADAPTÉS PHYSIPRO INC.

# 4370003 PEDIATRIC POSITIONING BASE TWIGY MODEL

# **PRICE** 1,668.00

# **Basic Components**

# **Body support system**

- folding back, angle-adjustable
- back height: from 43.2 cm (17 in.) to 55.9 cm (22 in.)
- seat height: from 35.6 cm (14 in.) to 50.8 cm (20 in.)
- seat width: from 25.4 cm (10 in.) to 40.6 cm (16 in.)
- seat depth: from 30.5 cm (12 in.) to 40.6 cm (16 in.)
- safety belt, auto-type, 3.8 cm (1½ in.)
- push handles integrated into backposts
- raised extension for push handles

#### **Armrests**

- T-type armrests, height-adjustable, from 17.8 cm (7 in.) to 35.6 cm (14 in.), short, long
- armrest pads, straight, short, long
- clothing guards, rigid

#### **Footrests**

- 60°, 70°, 75°, 90° footrests, parallel, detachable, swingaway, length-adjustable, from 17.8 cm (7 in.) to 33.0 cm (13 in.)
- padded calfrests for elevating legrests
- folding footplates, standard
- heel loops, adjustable

#### Frame

- growth kit: side rails for depth and inside crossbars for frame width
- anti-tip rollers
- tie-down points for transport
- rocker device, from  $-5^{\circ}$  to  $+35^{\circ}$

# Drive, brake, wheel, fork, and axle systems

- handrims, smooth, plastic-coated
- standard wheel locks, push-to-lock
- foot-activated wheel locks
- rear mag wheels, solid tires, 30.5 cm (12 in.), 40.6 cm (16 in.), 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- rear mag wheels, standard pressure, 30.5 cm (12 in.), 40.6 cm (16 in.), 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- spoked rear wheels, solid tires, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)
- spoked rear wheels, standard pressure, 50.8 cm (20 in.), 55.9 cm (22 in.),

- 61.0 cm (24 in.)
- front wheels, solid tires, 12.7 cm (5 in.), 15.2 cm (6 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)
- front wheels, solid tires, 20.3 cm (8 in.) X 3.2 cm (1¼ in.)
- front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 5.1 cm (2 in.), 15.2 cm (6 in.) X 2.5 cm (1 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)
- front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm (1<sup>1</sup>/<sub>4</sub> in.), 20.3 cm (8 in.) X 3.2 cm (1<sup>1</sup>/<sub>4</sub> in.), 15.2 cm (6 in.), 20.3 cm (8 in.) X 4.4 cm (1<sup>3</sup>/<sub>4</sub> in.)
- standard forks
- threaded rear axle
- plates and anchorages for rear wheels, 50.8 cm (20 in.), 55.9 cm (22 in.), 61.0 cm (24 in.)

		Price upon initial purchase or replacement of wheel chair (price per pair, as applicable)	Price upon replacement of component (unit price)
	<b>Basic and Optional Components</b>		
	Body support system		
	Seat and back:		
4370276	folding back, angle-adjustable	N/C	N/A
	safety belt, auto-type, 3.8 cm (1½ in.)	N/C	51.00
	tension bar with headrest mounting bracket	124.00	124.00
4370235	push handles integrated into backposts	N/C	145.00
4370243	raised extension for push handles	N/C	228.00
	Armrests:		
4370029	T-type armrests, height-adjustable, from 17.8 cm (7 in.) to	N/C	196.00
	35.6 cm (14 in.), short, long		
	armrest pads, straight, short	N/C	28.00
	armrest pads, straight, long	N/C	30.00
4370052	clothing guards, rigid	N/C	16.00
	Footrests:		
4370060	60°, 70°, 75°, 90° footrests, parallel, detachable,	N/C	105.00
	swingaway, length-adjustable, from 17.8 cm (7 in.) to		
4250050	33.0 cm (13 in.)	160.00	107.00
43/00/8	elevating legrests, length-adjustable, from 17.8 cm (7 in.)	160.00	185.00
. 4270450	to 33.0 cm (13 in.)	210.00	210.00
+43/0458	elevating legrests with compensating mechanism, length-adjustable, from 17.8 cm (7 in.) to 33.0 cm (13 in.)	210.00	210.00
1370086	padded calfrests for elevating legrests	N/C	32.00
	contoured calfrests	36.00	50.00
	single calf strap	45.00	45.00
	double calf strap	58.00	58.00
	H-shaped calf strap	47.00	47.00
	single calf strap, padded	84.00	84.00
	double calf strap, padded	100.00	100.00
	folding footplates, standard	N/C	55.00
	footplates, angle and depth-adjustable, standard size	48.00	79.00
	oversized footplates, angle and depth-adjustable	80.00	95.00
	full-width footplate, angle and depth-adjustable	90.00	200.00
	toe loops	20.00	24.00
	heel loops, adjustable	N/C	14.00
	front impact guards with rollers	84.00	42.00
	Frame:		
4370201	growth kit: siderails for depth and inside crossbars for	N/C	N/A
4250225	frame width	NI/O	45.00
4370227	anti-tip rollers	N/C	45.00

	tie-down points for transport rocker device, from -5° to +35°	N/C N/C	35.00 N/A
	Drive systems: smooth handrims plastic-coated handrims non-slip handrims	N/C N/C 76.00	47.00 85.00 85.00
4370300	Wheel locks: standard wheel locks, push-to-lock foot-activated rear wheel locks wheel lock extension	N/C N/C 36.00	58.00 158.00 18.00
4370334	Wheels: rear mag wheels, solid tires, 30.5 cm (12 in.), 40.6 cm (16 in.)	N/C	102.00
	rear mag wheels, solid tires, 50.8 cm (20 in.) rear mag wheels, solid tires, 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C N/C	130.00 122.00
4370326	rear mag wheels, standard pressure, 30.5 cm (12 in.), 40.6 cm (16 in.)	N/C	102.00
	rear mag wheels, standard pressure, 50.8 cm (20 in.) rear mag wheels, standard pressure, 55.9 cm (22 in.), 61.0 cm (24 in.)	N/C N/C	130.00 122.00
	spoked rear wheels, solid tires, 50.8 cm (20 in.) spoked rear wheels, solid tires, 55.9 cm (22 in.)	N/C N/C N/C	132.00 125.00
	spoked rear wheels, solid tires, 61.0 cm (24 in.) spoked rear wheels, standard pressure, 50.8 cm (20 in.) spoked rear wheels, standard pressure, 55.9 cm (22 in.)	N/C N/C N/C	122.00 132.00 125.00
+4370607	*	N/C N/C	122.00 40.00
	front wheels, solid tires, 20.3 cm (8 in.) X 3.2 cm (1 ¼ in.) front wheels, semi-pneumatic tires, 12.7 cm (5 in.) X 5.1 cm (2 in.), 15.2 cm (6 in.) X 2.5 cm (1 in.), 20.3 cm (8 in.) X 2.5 cm (1 in.)	N/C N/C	58.00 40.00
4370391	front wheels, semi-pneumatic tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)	56.00	68.00
4370359	front wheels, inner tube tires, 20.3 cm (8 in.) X 5.1 cm (2 in.)	56.00	68.00
4370367	front wheels, inner tube tires, 15.2 cm (6 in.) X 3.2 cm (1¼ in.), 20.3 cm (8 in.) X 3.2 cm (1¼ in.), 20.3 cm (8 in.) X 4.4 cm (1¾ in.)	N/C	58.00
4370417 4370409	<b>Forks:</b> standard forks forks compatible with 20.3 cm (8 in.) X 5.1 cm (2 in.) front wheels	N/C 22.00	59.00 70.00

	Rear axles:		
4370318	threaded rear axle	N/C	7.00
+4370623	plates and anchorages for rear wheels, 50.8 cm (20 in.),	N/C	83.00
	55.9 cm (22 in.), 61.0 cm (24 in.)		
	Non S.C. components for which supporting document		
	must be kept on file:		
+4370631	spoke guards	100.00	50.00
4370425	quick-release axles	78.00	46.00
4370441	heavy-duty frame	280.00	N/A
	Component under Special Consideration:		
4370433	reclining back *	295.00	295.00

# **DIVISION V: STROLLERS AND ORTHOMOBILES**

	DEVICE	Maximum price
	Buggy Major-type stroller, including footrests and harness less than three years of age * three years of age and over	660.00 660.00
	Available Component(s)	
4495651	padded seat	96.00
4494993	other components	S.C.
4493862	thoracic support	96.00
4493870	chest pad	57.00

# **DURATION OF GUARANTEE: 12 months**

DEVICE	Maximum price
4495701 Other strollers*	S.C.
2192300 Orthomobiles	S.C.

# PART II: POSTURE ASSITS

		Maximum price
	DEVICE	
+4565058	Technical posture aid * The price of the technical posture aid is equal to the total price of the positioning components.	*
	WARRANTY PERIOD: 3 months	
+4565078	Adjustable pediatric posture seat for adaptable stroller, including positioning for torso, pelvis and lower limbs	1,200.00
+4565069	Positioning components for head and neck, standardized or standardized modular components	350.00
+4565060	Positioning components for torso, pelvis or both, standardized or standardized modular components, excluding seat cushion	450.00
+4565070	Positioning belt specialized for pelvis, standardized	100.00
+4565061	Positioning harness for torso standardized	100.00
+4565062	Right upper limb positioning components, standardized or standardized modular components	170.00
+4565063	Left upper limb positioning components, standardized or standardized modular components	170.00
+4565064	Right lower limb positioning components, standardized or standardized modular components	200.00
+4565066	Left lower limb positioning components, standardized or standardized modular components	200.00
+4565067	Bilateral upper limb positioning components, standardized or standardized modular components	200.00
+4565068	Bilateral lower limb positioning components, standardized or standardized modular components	200.00
+4565071	Additional or replacement standard cover for specialized back	75.00
+4565074	Additionnal or replacement waterproof cover for specialized back	100.00
+4565072	Surcharge payable upon purchase or replacement of back or cover for complete or partial water proofing	50.00
+4565075	Surcharge payable for a large positioning component for torso, pelvis or both, width or height of more than 50.8 cm (20 in.)	50.00
+4565080	Surcharge payable for hardware allowing thoracic supports to swing away, flip back or fold	200.00
+4499900	Head or neck components, moulded or customized	450.00
	Torso positioning components, moulded or customized	500.00
+4499890	Torso and pelvic positioning component, one-piece, customized contouring	900.00
+4499891	Pelvic positioning component, moulded or customized, excluding seat cushion	200.00
+4499892	Torso positioning harness customized	100.00
	Right upper limb positioning components, moulded or customized	270.00
	Left upper limb positioning components, moulded or customized	270.00
+4499896	Right lower limb positioning components, moulded or customized	300.00

# SCHEDULE 1 Tariff for devices which compensate for a motor deficiency and insured related services (authentic version)

+4499897	Left lower limb positioning components, moulded or customized	300.00
+4499899	Bilateral upper limb positioning components, moulded or customized	300.00
+4499889	Bilateral lower limb positioning components, moulded or customized	300.00
+4565082	multi-segment positioning components installed in a suitable stroller	S.C.
+4565083	Head and neck positioning components	S.C.
+4565084	Positioning component for torso, pelvis or both, excluding seat cushion	S.C.
+4565085	Specialized positioning belt for pelvis	S.C.
+4565086	Torso positioning harness	S.C.
+4565087	Upper limb positioning components	S.C.
+4565088	Lower limb positioning components	S.C.
+4565089	Cover for specialized back	S.C.

# PART III: ELEMENTS INCLUDED IN THE PRICES OF THE DEVICES

- 1. The maximum or the fixed price for the purchase or replacement of an insured device referred to in Part I or II of this Title includes the following elements:
  - (1) the maximum or fixed price for its basic components, its optional components and its and supplements, if any;
  - (2) the cost of its manufacture;
  - (3) the cost of adjustments required while it is being manufactured, up to and including the final installation;
  - (4) the cost of adjustments and repairs during the guarantee period referred to in this Title in respect of each device or in the contract with the supplier, beginning immediately after the final installation and during which any adjustment or repair of a device used under normal conditions is made, in order to bring the device into conformity with the original prescription, where the beneficiary's physical condition has not changed, and to enable the beneficiary to derive maximum benefit from the device.
- 2. The replacement cost of a component or supplement for a device includes the following elements:
  - (1) the cost price of the materials;
  - (2) the cost of its manufacture, if any;
  - (3) the cost of adjustment and installation.

Updated: December 12, 2016 399

# TITLE THREE: INSURED RELATED SERVICES

Codes	Description	Labour rate or lump sum	References to the Regulation respecting devices which compensate for a physical deficiency
5499991	adaptation of a device which no longer appears on the updated list (Title II)		
5599998	Labour for the repair of a device, including a device which no longer appears on the updated list (Title I)		
5444468	Labour for the repair of powered wheel chairs during the guarantee period when authorized by supplier		
5444484	**	15.42 per quarter hour	Sections 23, 24, 25, 62, 63 and 64
5477716	Labour for the replacement of batteries for powered wheel chairs during the guarantee period		
5488887	Travel time for an "emergency repair"		
5499983	Adaptation service for a ventilator or a		
	compressor on a powered wheel chair		
5444435	Labour for a product recall		
5499967	Labour for taking in charge a manual wheelchair		
	Labour for taking in charge a power wheelchair		
4499976	Recovery, safety check, cleaning, reallocation and inventory management services for a walker with thorax support	74.32	Section 25.1
4499935	Lump sum where the insured person dies before taking final receipt of a manual wheel chair	260.10	Section 65
4499927	Lump sum where the insured person dies before taking final receipt of a powered wheel chair	318.31	Section 65
+5442269	Lump sum for initial purchase or replacement of a positioning base where the insured person dies before taking final receipt of device	260.10	
4499943	Lump sum where the insured person dies before taking final receipt of a stroller	44.29	Section 65
4499968	Lump sum for the initial purchase or replacement of a manual wheel chair	407.48	Section 66
4499992	Lump sum for the initial purchase or replacement of a powered wheel chair	548.70	Section 66
	Lump sum for initial purchase or replacement of a positioning base	407.48	
+5442272	Non-listed lump sum for initial purchase or replacement of adapted stroller (S.C)	407.48	
4499950	Lump sum where a device must be adjusted to the	203.12	Section 66

	growth of an insured person under age 19		
4495552		47.08	Section 67
4495552		47.08	Section 67
4400506	of a Buggy Major-type stroller	141.00	G .:
4499596		141.20	Section 66
	of a propulsion assistance module	20.07	
+5442254		30.85	
	positioning		
+5442255	Repair service for specialized seat cushion,	Labour cost	Section 45
	waterproof cover or cover (excluding cover	(15.42 per	
	replacement)	quarter hour)	
+5442256	, i	+	
	waterproof cover or cover (excluding cover	Repair materials cost	
	replacement)	<u>≤</u>	
		80% of total cushion	
		purchase cost	
+5442261	Lump sum for head or neck positioning	30.85	
+5442262	Lump sum for positioning of torso, pelvis or both	61.69	
	(excluding specialized seat cushion-related		
	service)		
+5442263	·	30.85	
+5442264	1 0 11 1	30.85	
+5442265	1 1 1	30.85	
	Lump sum for left lower limb positioning	30.85	
+5442267	Repair service for technical posture aid or	Labour cost	Section 45
+3442207	positioning component	(15.42 per	Section 43
+5112269		quarter hour)	
+5442268		quarter nour)	
	positioning component	Repair materials cost	
		Repair materials cost	
		200/ aftatal aid an	
		80% of total aid or	
		component purchase	
. 5 4 40057	T C ' '.' 1 1 1 1 C	cost	
+5442257	Lump sum for initial purchase or replacement of	15.42	
	an ambulation aid provided as a complement to		
# 1 100 = 0	an orthosis or prosthesis	20.07	
+5442258	Lump sum for initial purchase or replacement of	30.85	
	an ambulation aid provided as a device to an adult		
+5442259	1 * *	46.27	
	an ambulation aid provided as a device to a		
	person under 19 years of age		
+5499968	Repair services for ambulation aid	Labour cost	Section 12
		(15.42 per	
		quarter hour)	
+5499969	Materials to repair ambulation aid	+	
		Repair materials cost	
		<u> </u>	
		80% of total aid	
		purchase cost	

Updated: December 12, 2016 401