

SCHEDULE I

(s. 1)

**TARIFF FOR DEVICES WHICH COMPENSATE
FOR A MOTOR DEFICIENCY
AND INSURED RELATED SERVICES**

Document produced by the Régie de l'assurance maladie du Québec and published on its website

Legal deposit – Library and Archives Canada, 2009

ISSN 1920-2318

Québec June 14, 2017

| | |
|---|----------|
| TITLE ONE: PROSTHESES, ORTHOSES, AMBULATION AIDS OR STANDING AIDS | 5 |
| PART I: AIDS FURNISHED BY AN INSTITUTION OR A LABORATORY | 6 |
| DIVISION I: LOWER-LIMB PROSTHESES | 6 |
| SUBDIVISION 1: FOOT PROSTHESES | 6 |
| SUBDIVISION 2: ANKLE PROSTHESES | 8 |
| SUBDIVISION 3: TIBIAL PROSTHESES | 11 |
| SUBDIVISION 4: TIBIOFEMORAL PROSTHESES | 19 |
| SUBDIVISION 5: FEMORAL PROSTHESES | 26 |
| SUBDIVISION 6: COXOFEMORAL AND HEMIPELVIC PROSTHESES | 36 |
| SUBDIVISION 7: LOWER-LIMB PROSTHESES | 45 |
| DIVISION II: UPPER-LIMB PROSTHESES | 46 |
| SUBDIVISION 1: HAND PROSTHESES | 46 |
| SUBDIVISION 2: WRIST PROSTHESES | 48 |
| SUBDIVISION 3: CUBITAL PROSTHESES | 49 |
| SUBDIVISION 4: CUBITOHUMERAL PROSTHESES | 52 |
| SUBDIVISION 5: HUMERAL PROSTHESES | 53 |
| SUBDIVISION 6: GLENOHUMERAL AND THORACIC PROSTHESES | 55 |
| SUBDIVISION 7: BASIC OR OPTIONAL COMPONENTS FOR UPPER-LIMB PROSTHESES | 60 |
| SUBDIVISION 8 : UPPER-LIMB PROSTHESES | 65 |
| DIVISION III: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES | 66 |
| DIVISION IV: LOWER-LIMB ORTHOSES | 78 |
| SUBDIVISION 1: TIBIAL ORTHOSES | 78 |
| SUBDIVISION 2: TIBIOFEMORAL ORTHOSES | 84 |
| SUBDIVISION 3: FEMORAL ORTHOSES | 88 |
| SUBDIVISION 4: COXOFEMORAL ORTHOSES | 99 |
| SUBDIVISION 5: BILATERAL LOWER-LIMB ORTHOSES | 108 |
| SUBDIVISION 6: ADDITIONAL COMPONENTS FOR TIBIAL, FEMORAL AND COXOFEMORAL ORTHOSES | 111 |
| SUBDIVISION 7: LOWER-LIMB ORTHOSES | 112 |
| DIVISION V: UPPER-LIMB ORTHOSES | 113 |
| SUBDIVISION 1: HAND ORTHOSES THAT MAY INCLUDE THE THUMB AND THE OTHER FINGERS | 113 |
| SUBDIVISION 2: WRIST AND HAND ORTHOSES | 117 |
| SUBDIVISION 3: ELBOW, WRIST AND HAND ORTHOSES | 120 |
| SUBDIVISION 4: SHOULDER, ELBOW, WRIST AND HAND ORTHOSES | 121 |
| SUBDIVISION 5: UPPER-LIMB ORTHOSES | 123 |
| DIVISION VI: TRUNK AND CERVICAL ORTHOSES | 124 |
| SUBDIVISION 1: TRUNK ORTHOSES | 124 |
| SUBDIVISION 2: CERVICAL ORTHOSES | 130 |
| SUBDIVISION 3: OTHER TRUNK AND CERVICAL ORTHOSES | 132 |
| DIVISION VII: AMBULATION AIDS | 133 |
| DIVISION VIII: STANDING AIDS | 137 |

| | |
|--|------------|
| PART II: AIDS FURNISHED SOLELY BY AN INSTITUTION | 138 |
| DIVISION I: UPPER-LIMB PROSTHESES | 138 |
| DIVISION II: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES | 146 |
| DIVISION III: AMBULATION AIDS | 147 |
| PART III: ELEMENTS INCLUDED IN THE PRICES OF THE DEVICES | 148 |
| TITLE TWO: LOCOMOTOR AND POSTURE ASSISTS (FURNISHED SOLELY BY AN INSTITUTION) | 149 |
| PART I: LOCOMOTOR ASSISTS | 150 |
| DIVISION I: ADULT WHEELCHAIRS | 150 |
| SUBDIVISION 1: MANUAL WHEELCHAIRS | 150 |
| SUBDIVISION 2: LIGHTWEIGHT MANUAL WHEELCHAIRS | 172 |
| SUBDIVISION 3: POWERED WHEELCHAIRS | 175 |
| DIVISION II: PEDIATRIC WHEELCHAIRS | 209 |
| SUBDIVISION 1: MANUAL WHEELCHAIRS | 209 |
| SUBDIVISION 2: POWERED WHEELCHAIRS | 212 |
| DIVISION III: COMPLEMENTS FOR WHEELCHAIRS | 221 |
| SUBDIVISION 1: FACULTATIVE COMPONENTS | 221 |
| SUBDIVISION 2: BATTERIES FOR POWERED WHEELCHAIRS | 222 |
| DIVISION IV: OTHER LOCOMOTOR ASSISTS | 223 |
| SUBDIVISION 1: ADULT POSITIONING BASES | 223 |
| SUBDIVISION 2: PEDIATRIC POSITIONING BASES | 235 |
| DIVISION V: STROLLERS AND ORTHOMOBILES | 238 |
| PART II: POSTURE DEVICE | 239 |
| PART III: ELEMENTS INCLUDED IN THE PRICES OF THE DEVICES | 242 |
| TITLE THREE: INSURED RELATED SERVICES | 243 |
| PART I: PROSTHESES, ORTHOSES, AMBULATION AIDS OR STANDING AIDS | 243 |
| PART II: LOCOMOTOR AND POSTURE ASSISTS | 244 |

TITLE ONE: PROSTHESES, ORTHOSES, AMBULATION AIDS OR STANDING AIDS

PART I: AIDS FURNISHED BY AN INSTITUTION OR A LABORATORY
DIVISION I: LOWER-LIMB PROSTHESES
SUBDIVISION 1: FOOT PROSTHESES

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 1120534 Prosthesis for total amputation of second, third and fourth toe, of two or of all of those toes, made from plaster or digital mold of insured person | 411.39 | | | 3 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Filler for anterior part of foot, on rigid or pliable sole | | | | |
| Compensatory sole for limb not fitted with a prosthesis | | | | |
| COMPONENT AND SUPPLEMENT AVAILABLE | | | | |
| None | | | | |
| ADJUSTMENTS AVAILABLE | | | | |
| ----- Any pertinent adjustment | | | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---|--|---|--------------------------------|-----------------------|
| 1120542 Prosthesis for total amputation of first toe, with or without amputation of second, third, fourth or fifth toe, made from plaster or digital mold of insured person | 435.98 | | | 3 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Filler for anterior part of foot, on rigid or pliable sole | | | | |
| Longitudinal arch support | | | | |
| Correction or shank | | | | |
| Compensatory sole for limb not fitted with a prosthesis | | | | |
| COMPONENT AND SUPPLEMENT AVAILABLE | | | | |
| None | | | | |
| ADJUSTMENTS AVAILABLE | | | | |

----- Any pertinent adjustment

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---|--|---|--------------------------------|-----------------------|
| 1120518 Prosthesis for transmetatarsal or transcalcaneal amputation with ankle support, made from plaster or digital mold of insured person | 952.16 | | | 6 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Filler for anterior or posterior part of foot | | | | |
| Laminated or molded plastic or molded leather socket | | | | |
| Leg support where necessary | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| OPTIONAL COMPONENTS | | | | |
| Ankle joints: | | | | |
| 1125632 Gillette joints | | | | |
| pair | 122.90 | N. A. | | |
| single | N. A. | 67.27 | | |
| 1125640 Oklahoma joints | | | | |
| pair | 116.43 | N. A. | | |
| single | N. A. | 64.69 | | |
| 1125657 Wafer joints | | | | |
| pair | 134.54 | N. A. | | |
| single | N. A. | 73.74 | | |
| 1125665 Tamarak joints | | | | |
| pair | 129.36 | N. A. | | |
| single | N. A. | 71.15 | | |
| 1125673 Gaffney joints | | | | |
| pair | 142.32 | N. A. | | |
| single | N. A. | 76.33 | | |
| SUPPLEMENTS AVAILABLE | | | | |
| ----- Stump sock | | * | * | |
| * (consult Division III of this Part for the codes and prices of these supplements) | | | | |
| 3194016 Nylon sheath | 18.36 | 21.33 | | |
| ADJUSTMENTS AVAILABLE | | | | |
| ----- Any pertinent adjustment | | | | |

SUBDIVISION 2: ANKLE PROSTHESES

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---|--|---|--------------------------------|-----------------------|
| 1130103 Temporary Symes prosthesis | 998.76 | | | * |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person | | | | |
| Temporary foot (loan) | | | | |
| *DURATION OF GUARANTEE : Life of prosthesis | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENT | | | | |
| 1145523 Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person | N. C. | N. A. | | |
| OPTIONAL COMPONENTS | | | | |
| 1135532 Supracondylar strap | 111.25 | 150.08 | | 3 |
| 1135524 Foam flexible double comfort socket | 102.19 | 199.22 | | 3 |
| 1145598 Thigh lacer | 194.04 | 210.88 | | 3 |
| SUPPLEMENTS AVAILABLE | | | | |
| 3492501 Cane | 10.19 | 10.19 | | |
| 3492550 Crutches with axillary support, height-adjustable | 20.38 | 20.38 | | |
| 3492551 Crutches with forearm support, height-adjustable | 56.05 | 56.05 | | |
| ----- Stump sock | * | * | | |
| * (consult Division III of this Part for the codes and prices of these supplements) | | | | |
| 3194016 Nylon sheath, 45.7 cm (18 in.) to 55.9 cm (22 in.) | 18.36 | 21.33 | | |
| 3194024 Nylon sheath, 80.0 cm (31½ in.) to 92.7 cm (36½ in.) | 23.92 | 26.87 | | |
| 3194081 Nylon sheath with elastic band, 55.9 cm (22 in.) to 66.0 cm (26 in.) | 37.85 | 40.96 | | |
| 3194099 Nylon sheath with elastic band, 73.7 cm (29 in.) to 86.4 cm (34 in.) | 37.85 | 40.96 | | |
| ADJUSTMENT AVAILABLE | | | | |
| None | | | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---|--|---|--------------------------------|-----------------------|
| 1130509 Symes prosthesis | 1,583.89 | | | 6 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Laminated plastic socket, made from plaster or digital mold of insured person, with or without medial or posterior window | | | | |
| SACH foot | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENTS | | | | |
| 1125509 SACH foot | N. C. | 260.44 | | 3 |
| 1135516 Laminated plastic socket, made from plaster or digital mold of insured person, with or without medial or posterior window | N. C. | 1,231.59 | | |
| OPTIONAL COMPONENTS | | | | |
| 1195502 Trial socket | 131.94 | N. A. | | |
| 1135532 Supracondylar strap | 111.25 | 150.08 | | 3 |
| 1125525 Symes foot | N. C. | 256.16 | | |
| 1125566 Dynamic response foot (Seattle) | 356.66 | 617.10 | | |
| 1125582 Dynamic response foot (Seattle Light) | 465.35 | 725.79 | | |
| 1125681 Dynamic response foot (Step Light) | 281.64 | 542.06 | | |
| 1125699 Dynamic response foot (USMC) | 174.27 | 434.69 | | |
| 1125707 Dynamic foot, for child (1K10) | 35.81 | 296.26 | | |
| 1135508 Silicone laminated extensible double socket | 260.03 | 454.10 | | 3 |
| 1135524 Foam flexible double comfort socket | 102.19 | 199.22 | | 3 |
| 1145663 Thigh lacer with reinforced uniaxial ball-bearing joints | 683.09 | 699.91 | | 3 |
| 1145671 Thigh lacer with light uniaxial ball-bearing joints | 574.40 | 591.21 | | 3 |
| 1145689 Thigh lacer with polycentric joints | 910.08 | 926.86 | | 3 |
| SUPPLEMENTS AVAILABLE | | | | |
| ----- Stump sock | * | * | | |
| * (consult Division III of this Part for the codes and prices of these supplements) | | | | |
| 3194016 Nylon sheath, 45.7 cm (18 in.) to 55.9 cm (22 in.) | 18.36 | 21.33 | | |
| 3194024 Nylon sheath, 80.0 cm (31½ in.) to 92.7 cm (36½ in.) | 23.92 | 26.87 | | |
| 3194081 Nylon sheath with elastic band, 55.9 cm (22 in.) to 66.0 cm (26 in.) | 37.85 | 40.96 | | |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | |
|---------|--|-------|-------|
| 3194099 | Nylon sheath with elastic band, 73.7 cm (29 in.) to 86.4 cm (34 in.) | 37.85 | 40.96 |
| 3492501 | Cane | 10.19 | 10.19 |
| 3492550 | Crutches with axillary support, height-adjustable | 20.38 | 20.38 |
| 3492551 | Crutches with forearm support, height-adjustable | 56.05 | 56.05 |

ADJUSTMENTS AVAILABLE

----- Any pertinent adjustment

SUBDIVISION 3: TIBIAL PROSTHESES

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 1140011 Post-operative tibial prosthesis necessitating obligatory renewal of plaster or digital mold | 769.76 | | | * |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Lycra compressible socks (4) | | | | |
| Plaster sockets (2) | | | | |
| Means of suspension (belt) | | | | |
| SACH foot (loan) | | | | |
| Adjustable pylon (loan) | | | | |
| *DURATION OF GUARANTEE : Life of prosthesis | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENTS | | | | |
| 1145515 Plaster sockets (2) | N. C. | N. A. | | |
| 1195510 Means of suspension (belt) | N. C. | N. A. | | |
| SUPPLEMENTS AVAILABLE | | | | |
| 3194008 Lycra compressible sock | N. C. | N. A. | | |
| 3492550 Crutches with axillary support, height-adjustable | 20.38 | 20.38 | | |
| 3492551 Crutches with forearm support, height-adjustable | 56.05 | 56.05 | | |
| ADJUSTMENT AVAILABLE | | | | |
| None | | | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---|--|---|--------------------------------|-----------------------|
| 1140060 Pneumatic post-operative tibial prosthesis, non-articulated | 613.22 | | | * |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Inflatable bag or case | | | | |
| Distal pad | | | | |
| Suspension straps | | | | |
| Mobility frame (loan) | | | | |
| Electric pump (loan) | | | | |

*DURATION OF GUARANTEE : Life of prosthesis

COMPONENTS AND SUPPLEMENTS AVAILABLE

SUPPLEMENTS AVAILABLE

| | | | |
|---------|---|-------|-------|
| 3492550 | Crutches with axillary support, height-adjustable | 20.38 | 20.38 |
| 3492551 | Crutches with forearm support, height-adjustable | 56.05 | 56.05 |

----- Stump sock * *

* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENT AVAILABLE

None

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---|--|---|--------------------------------|-----------------------|
| 1140078 Pneumatic post-operative tibial prosthesis, articulated | 777.52 | | | * |

BASIC COMPONENTS AND SUPPLEMENTS

- Inflatable bag or case
- Thigh lacer system (loan)
- Knee joint system (loan)
- Universal socket (loan)
- Modular system (loan)
- SACH foot (loan)
- Air pump (loan)

*DURATION OF GUARANTEE : Life of prosthesis

COMPONENTS AND SUPPLEMENTS AVAILABLE

SUPPLEMENTS AVAILABLE

| | | | |
|---------|---|-------|-------|
| 3492550 | Crutches with axillary support, height-adjustable | 20.38 | 20.38 |
| 3492551 | Crutches with forearm support, height-adjustable | 56.05 | 56.05 |

----- Stump sock
* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENT AVAILABLE

None

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---|--|---|--------------------------------|-----------------------|
| 1140102 Temporary tibial prosthesis | 988.38 | | | * |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person | | | | |
| Temporary foot (loan) Endoskeletal system (loan) | | | | |
| *DURATION OF GUARANTEE : Life of prosthesis | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENT | | | | |
| 1145523 Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person | N. C. | N. A. | | |
| OPTIONAL COMPONENTS | | | | |
| 1145598 Thigh lacer | 194.04 | 210.88 | | 3 |
| 1135532 Supracondylar strap | 111.25 | 150.08 | | 3 |
| 1145549 Foam flexible double comfort socket | 107.37 | 187.59 | | 3 |
| 1145564 Tibial belt with Y strap | 102.19 | 166.89 | | 3 |
| 1145697 Suspension lining covered with nylon on inside | 81.52 | 89.26 | | |
| 1145705 Suspension lining not covered with nylon on inside | 98.22 | 106.01 | | |
| 1145713 Latex suspension lining | 43.97 | 53.03 | | |
| 1145721 Elastic suspension lining | 36.22 | 45.28 | | |
| SUPPLEMENTS AVAILABLE | | | | |
| ----- Stump sock * (consult Division III of this Part for the codes and prices of these supplements) | * | * | | |
| 3194032 Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm (18 in.) | 18.36 | 21.33 | | |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | |
|---------|---|-------|-------|
| 3194040 | Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm (31½ in.) | 18.36 | 21.33 |
| 3194107 | Nylon sheath with tibial elastic band, 25.4 cm (10 in.) to 55.9 cm (22 in.) | 31.18 | 34.13 |
| 3194115 | Nylon sheath with tibial elastic band, 50.8 cm (20 in.) to 73.7 cm (29 in.) | 29.45 | 32.42 |
| 3194206 | Nylon suction sheath (all sizes) | 29.45 | 32.42 |
| 3492550 | Crutches with axillary support, height-adjustable | 20.38 | 20.38 |
| 3492551 | Crutches with forearm support, height-adjustable | 56.05 | 56.05 |

ADJUSTMENTS AVAILABLE

None

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|--|--------------------------|--------------------|
| 1140508 | Exoskeletal tibial prosthesis | 1,652.47 | | 6 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Laminated plastic tibial socket, made from plaster or digital mold of insured person | | | | |
| SACH foot | | | | |
| Medial wedge | | | | |
| Ankle block | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENTS | | | | |
| 1125491 | Ankle block | N. C. | N. A. | |
| 1125509 | SACH foot | N. C. | 260.44 | |
| 1145531 | Laminated plastic tibial socket, made from plaster or digital mold of insured person | N. C. | 1,294.99 | 3 |
| 1145457 | Medial wedge | N. C. | N. A. | |
| OPTIONAL COMPONENTS | | | | |
| 1195585 | Trial socket | 122.90 | N. A. | |
| 1145754 | Foam or molded plastic flexible double comfort socket | 107.37 | 187.59 | 3 |
| 1145556 | Foam or molded plastic flexible double comfort socket, with medial wedge | 129.36 | 208.28 | 3 |
| 1145630 | Silicone gel double socket | 276.85 | 503.26 | 3 |
| 1145648 | Silicone gel double socket, with medial wedge | 297.56 | 523.94 | 3 |
| 1146554 | Silicone gel flexible double socket, with distal attachment | 884.89 | 918.54 | 3 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|---------|---|--------|--------|---|
| 1146570 | Silicone gel flexible double socket, with distal attachment, excluding replacement of distal attachment | N. A. | 637.80 | 3 |
| 1145564 | Tibial belt with Y strap | 102.19 | 166.89 | 3 |
| 1135532 | Supracondylar strap | 111.25 | 150.08 | 3 |
| 1145697 | Suspension lining covered with nylon on inside | 81.52 | 89.26 | |
| 1145705 | Suspension lining not covered with nylon on inside | 98.22 | 106.01 | |
| 1145713 | Latex suspension lining | 43.97 | 53.03 | |
| 1145721 | Elastic suspension lining | 36.22 | 45.28 | |
| 1125517 | Articulated foot | 144.07 | 404.48 | |
| 1125574 | Dynamic response foot, spring and prosthetic cover included (Quantum) | 343.73 | 604.16 | |
| 1125624 | Adapter for foot (Quantum) | 134.54 | 187.59 | |
| 1125582 | Dynamic response foot (Seattle Light) | 465.35 | 725.79 | |
| 1125590 | Dynamic response foot (Sten foot) | 77.22 | 337.67 | |
| 1125608 | Dynamic response foot (SAFE foot) | 183.31 | 443.75 | |
| 1125616 | Dynamic response foot (1D10, 1D11) | 156.42 | 416.84 | |
| 1125566 | Dynamic response foot (Seattle) | 356.66 | 617.10 | |
| 1125541 | Dynamic response foot (Carbon Copy II) | 297.17 | 557.61 | |
| 1125707 | Dynamic foot, for child (1K10) | 35.81 | 296.26 | |
| 1125806 | Multiaxial foot with rotator (1A29) | 223.41 | 483.84 | |
| 1165539 | Femoral device with plastic ischiatic support | 743.87 | 785.28 | 3 |
| 1145663 | Thigh lacer with reinforced uniaxial ball-bearing joints | 683.09 | 699.91 | 3 |
| 1145671 | Thigh lacer with light uniaxial ball-bearing joints | 574.40 | 591.21 | 3 |
| 1145689 | Thigh lacer with polycentric joints | 910.08 | 926.86 | 3 |
| 1145739 | Replacement of thigh lacer with recovery and reinstallation of existing joints | N. A. | 406.21 | 3 |
| 1145580 | Suction valve and seat | 247.72 | 313.68 | |
| 1145655 | Suction valve | N. A. | 223.14 | |
| 1145747 | Foam flexible prosthetic cover | 85.40 | 119.02 | |

SUPPLEMENTS AVAILABLE

| | | | | |
|---------|---|-------|-------|--|
| 3194032 | Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm (18 in.) | 18.36 | 21.33 | |
| 3194040 | Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm (31½ in.) | 18.36 | 21.33 | |
| 3194107 | Nylon sheath with tibial elastic band, 25.4 cm (10 in.) to 55.9 cm (22 in.) | 31.18 | 34.13 | |
| 3194115 | Nylon sheath with tibial elastic band, 50.8 cm (20 in.) to 73.7 cm (29 in.) | 29.45 | 32.42 | |
| 3194206 | Nylon suction sheath (all sizes) | 29.45 | 32.42 | |
| 3194198 | Prosthetic socks, per pair | 27.19 | 36.22 | |
| 3492501 | Cane | 10.19 | 10.19 | |
| 3492550 | Crutches with axillary support, height-adjustable | 20.38 | 20.38 | |
| 3492551 | Crutches with forearm support, height-adjustable | 56.05 | 56.05 | |

----- Stump sock * *

* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENTS AVAILABLE

| | |
|--|--------|
| 1146521 Socket lining (leather, plastic or other material) | 168.18 |
| 1146539 Lengthening of a tibial prosthesis | 316.93 |
| ----- Any pertinent adjustment | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 1141514 Endoskeletal tibial prosthesis | 1,832.30 | | | 6 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Laminated plastic tibial socket, made from plaster or digital mold of insured person | | | | |
| Medial wedge | | | | |
| SACH foot and adapter | | | | |
| Complete endoskeletal system (modular components, prosthetic cover and prosthetic socks (2)) | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENTS | | | | |
| 1125509 SACH foot | N. C. | 260.44 | | |
| 1124015 Adapter | N. C. | N. A. | | |
| 1145531 Laminated plastic tibial socket, made from plaster or digital mold of insured person | N. C. | 1,294.99 | | 3 |
| 1195528 Complete endoskeletal system | N. C. | N. A. | | |
| 1145614 Prosthetic cover | N. C. | 351.89 | | |
| 1145457 Medial wedge | N. C. | N. A. | | |
| OPTIONAL COMPONENTS | | | | |
| 1195585 Trial socket | 122.90 | N. A. | | |
| 1145754 Foam or molded plastic flexible double comfort socket | 107.37 | 187.59 | | 3 |
| 1145556 Foam or molded plastic flexible double comfort socket, with medial wedge | 129.36 | 208.28 | | 3 |
| 1145630 Silicone gel double socket | 276.85 | 503.26 | | 3 |
| 1145648 Silicone gel double socket, with medial wedge | 297.56 | 523.94 | | 3 |
| 1146554 Silicone gel flexible double socket, with distal attachment | 884.89 | 918.54 | | 3 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services

(authentic version)

| | | | |
|---|--------|----------|---|
| 1146562 Silicone gel flexible double socket, with attachment and pneumatic cushion | 923.70 | 957.34 | 3 |
| 1146570 Silicone gel flexible double socket, with distal attachment, excluding replacement of distal attachment | N. A. | 637.80 | 3 |
| 1145564 Tibial belt with Y strap | 102.19 | 166.89 | 3 |
| 1135532 Supracondylar strap | 111.25 | 150.08 | 3 |
| 1145697 Suspension lining covered with nylon on inside | 81.52 | 89.26 | |
| 1145705 Suspension lining not covered with nylon on inside | 98.22 | 106.01 | |
| 1145713 Latex suspension lining | 43.97 | 53.03 | |
| 1145721 Elastic suspension lining | 36.22 | 45.28 | |
| 1125715 Articulated foot and adapter | 177.48 | 437.91 | |
| 1125723 Articulated foot without adapter | N. A. | 269.12 | |
| 1125566 Dynamic response foot (Seattle) | 356.66 | 617.10 | |
| 1125541 Dynamic response foot (Carbon Copy II) | 297.17 | 557.61 | |
| 1125707 Dynamic foot, for child (1K10) | 35.81 | 296.26 | |
| 1125798 Dynamic response foot, spring, prosthetic cover and foam included (Quantum) | 307.51 | 567.94 | |
| 1125780 Adapter for foot (Quantum) | 53.03 | 98.32 | |
| 1125582 Dynamic response foot (Seattle Light) | 465.35 | 725.79 | |
| 1125590 Dynamic response foot (Sten foot) | 77.22 | 337.67 | |
| 1125608 Dynamic response foot (SAFE foot) | 183.31 | 443.75 | |
| 1125616 Dynamic response foot (1D10, 1D11) | 156.42 | 416.84 | |
| 1125681 Dynamic response foot (Step Light) | 281.64 | 542.06 | |
| 1125699 Dynamic response foot (USMC) | 174.27 | 434.69 | |
| 1125731 Dynamic plus foot (1D25) | 423.94 | 684.37 | |
| 1125749 Multiaxial foot with rotator (1A30) | 653.73 | 914.16 | |
| 1125756 Multiaxial foot with rotator (Endolite) | 571.42 | 831.85 | |
| 1125764 Dynamic response foot with rotator (Endolite) | 762.90 | 1,023.34 | |
| 1165539 Femoral device with plastic ischiatic support | 743.87 | 785.28 | 3 |
| 1145663 Thigh lacer with reinforced uniaxial ball-bearing joints | 683.09 | 699.91 | 3 |
| 1145671 Thigh lacer with light uniaxial ball-bearing joints | 574.40 | 591.21 | 3 |
| 1145689 Thigh lacer with polycentric joints | 910.08 | 926.86 | 3 |
| 1145739 Replacement of thigh lacer with recovery and reinstallation of existing joints | N. A. | 406.21 | 3 |
| 1145580 Suction valve and seat | 247.72 | 313.68 | |
| 1145655 Suction valve | N. A. | 223.14 | |
| 1135557 Ankle rotator (4R39, 4R40) | 722.71 | 778.34 | |
| 1135607 Ankle rotator (4R85) | 645.86 | 696.30 | |
| 1135615 Titanium modular system and carbon fiber pylon | 91.86 | N. A. | |
| SUPPLEMENTS AVAILABLE | | | |
| 3194032 Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm (18 in.) | 18.36 | 21.33 | |
| 3194040 Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm (31½ in.) | 18.36 | 21.33 | |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | |
|--|-------|-------|
| 3194107 Nylon sheath with tibial elastic band, 25.4 cm (10 in.) to 55.9 cm (22 in.) | 31.18 | 34.13 |
| 3194115 Nylon sheath with tibial elastic band, 50.8 cm (20 in.) to 73.7 cm (29 in.) | 29.45 | 32.42 |
| 3194206 Nylon sheath (all sizes) | 29.45 | 32.42 |
| 3194222 Prosthetic socks, per pair | N. C. | 36.22 |
| 3492501 Cane | 10.19 | 10.19 |
| 3492550 Crutches with axillary support, height-adjustable | 20.38 | 20.38 |
| 3492551 Crutches with forearm support, height-adjustable | 56.05 | 56.05 |

----- Stump sock * *

* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENTS AVAILABLE

| | | |
|---|--|--------|
| 1146521 Socket lining (leather, plastic or other material) | | 168.18 |
| 1146547 Lengthening of tibial part of prosthesis, excluding replacement of prosthetic cover and prosthetic sock | | 222.53 |

----- Any pertinent adjustment

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--------|--|---|--------------------------------|-----------------------|
|--------|--|---|--------------------------------|-----------------------|

| | | | | |
|---|----------|--|--|---|
| 1141753 Prosthetic restoration of a leg | 2,231.66 | | | 2 |
|---|----------|--|--|---|

BASIC COMPONENTS AND SUPPLEMENTS

Prosthetic foam-rubber calf

COMPONENTS AND SUPPLEMENTS
AVAILABLE

BASIC COMPONENTS

| | | | | |
|-------------------------------------|-------|-------|--|--|
| 1145622 Prosthetic foam-rubber calf | N. C. | N. A. | | |
|-------------------------------------|-------|-------|--|--|

OPTIONAL COMPONENT

| | | | | |
|-------------------------|--------|-------|--|---|
| 1165547 Thigh extension | 525.24 | N. A. | | 2 |
|-------------------------|--------|-------|--|---|

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

SUBDIVISION 4: TIBIOFEMORAL PROSTHESES

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 1150010 Post-operative tibiofemoral prosthesis necessitating obligatory renewal of plaster or digital mold | 1,152.69 | | | * |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Lycra compressible socks (4) | | | | |
| Plaster sockets (2) | | | | |
| Means of suspension (belt) | | | | |
| SACH foot (loan) | | | | |
| Adjustable pylon (loan) | | | | |
| Suspension cable, distal pad, ring | | | | |
| *DURATION OF GUARANTEE : Life of prosthesis | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENTS | | | | |
| 1145515 Plaster sockets (2) | N. C. | N. A. | | |
| 1195510 Means of suspension (belt) | N. C. | N. A. | | |
| 1195544 Suspension cable, distal pad, ring | N. C. | N. A. | | |
| SUPPLEMENTS AVAILABLE | | | | |
| 3194008 Lycra compressible socks (4) | N. C. | N. A. | | |
| 3492550 Crutches with axillary support, height-adjustable | 20.38 | 20.38 | | |
| 3492551 Crutches with forearm support, height-adjustable | 56.05 | 56.05 | | |
| ADJUSTMENT AVAILABLE | | | | |
| None | | | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---|--|---|--------------------------------|-----------------------|
| 1150101 Pneumatic post-operative tibiofemoral prosthesis, non-articulated | 608.03 | | | * |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Inflatable bag or case | | | | |
| Distal pad | | | | |
| Suspension straps | | | | |

Mobility frame (loan)
Electric pump (loan)

*DURATION OF GUARANTEE : Life of
prosthesis

COMPONENTS AND SUPPLEMENTS
AVAILABLE

SUPPLEMENTS AVAILABLE

| | | | |
|---------|---|-------|-------|
| 3492550 | Crutches with axillary support, height-adjustable | 20.38 | 20.38 |
| 3492551 | Crutches with forearm support, height-adjustable | 56.05 | 56.05 |

| | | | |
|-------|---|---|---|
| ----- | Stump sock | * | * |
| | * (consult Division III of this Part for the codes and prices of these supplements) | | |

ADJUSTMENT AVAILABLE

None

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---------------|--|---|--------------------------------|-----------------------|
|---------------|--|---|--------------------------------|-----------------------|

| | | | | |
|---------|--|--------|--|---|
| 1150051 | Pneumatic post-operative tibiofemoral prosthesis, articulated | 772.33 | | * |
|---------|--|--------|--|---|

BASIC COMPONENTS AND SUPPLEMENTS

Inflatable bag or case
Thigh lacer system (loan)
Knee joint system (loan)
Modular system (loan)
Universal socket (loan)
SACH foot (loan)
Air pump (loan)

*DURATION OF GUARANTEE : Life of
prosthesis

COMPONENTS AND SUPPLEMENTS
AVAILABLE

SUPPLEMENTS AVAILABLE

| | | | |
|---------|---|-------|-------|
| 3492550 | Crutches with axillary support, height-adjustable | 20.38 | 20.38 |
| 3492551 | Crutches with forearm support, height-adjustable | 56.05 | 56.05 |

----- Stump sock * *

* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENT AVAILABLE

None

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---|--|---|--------------------------------|-----------------------|
| 1150069 Temporary tibiofemoral prosthesis | 1,244.56 | | | * |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person | | | | |
| Temporary foot (loan) | | | | |
| Endoskeletal system (loan) | | | | |
| *GUARANTEE PERIOD: Life of prosthesis | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENT | | | | |
| 1145523 Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person | N. C. | N. A. | | |
| OPTIONAL COMPONENTS | | | | |
| 1145549 Foam flexible double comfort socket | 107.37 | 187.59 | | 3 |
| 1165570 Silesian belt | 137.12 | 155.26 | | 3 |
| 1165588 Pelvic belt (steel joint and band) | 320.85 | 494.22 | | 3 |
| 1165703 Pelvic belt (plastic joint and band) | 261.34 | 434.69 | | 3 |
| SUPPLEMENTS AVAILABLE | | | | |
| 3194057 Nylon sheath, 50.8 cm (20 in.) to 61.0 cm (24 in.) | 18.36 | 21.33 | | |
| 3194123 Nylon sheath with elastic band, 45.7 cm (18 in.) to 55.9 cm (22 in.) | 31.18 | 34.13 | | |
| 3194206 Nylon suction sheath (all sizes) | 29.45 | 32.42 | | |
| 3492501 Cane | 10.19 | 10.19 | | |
| 3492550 Crutches with axillary support, height-adjustable | 20.38 | 20.38 | | |

| | | |
|---|-------|-------|
| 3492551 Crutches with forearm support, height-adjustable | 56.05 | 56.05 |
| ----- Stump sock | * | * |
| * (consult Division III of this Part for the codes and prices of these supplements) | | |

ADJUSTMENT AVAILABLE

None

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---|--|---|--------------------------------|-----------------------|
| 1150507 Exoskeletal tibiofemoral prosthesis | 3,100.13 | | | 6 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person | | | | |
| External knee joints SACH foot and ankle block | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENTS | | | | |
| 1125491 Ankle block | N. C. | N. A. | | |
| 1125509 SACH foot | N. C. | 260.44 | | |
| 1155506 Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person | N. C. | 1,833.19 | | 3 |
| 1155514 External knee joints | N. C. | 719.32 | | |
| OPTIONAL COMPONENTS | | | | |
| 1195551 Trial socket | 169.47 | N. A. | | |
| 1195569 Foam flexible double comfort socket | 144.89 | 243.21 | | |
| 1146554 Silicone gel flexible double socket, with distal attachment | 884.89 | 918.54 | | 3 |
| 1146570 Silicone gel flexible double socket, with distal attachment, excluding replacement of distal attachment | N. A. | 637.80 | | 3 |
| 1165570 Silesian belt | 137.12 | 155.26 | | 3 |
| 1165828 Neoprene Silesian belt | 155.26 | 177.23 | | |
| 1165711 Pelvic belt (titanium joint and band) | 412.68 | 586.05 | | 3 |
| 1165703 Pelvic belt (plastic joint and band) | 261.34 | 434.69 | | 3 |
| 1165588 Pelvic belt (steel joint and band) | 320.85 | 494.22 | | 3 |
| 1125517 Articulated foot | 144.07 | 404.48 | | |
| 1125574 Dynamic response foot, spring and prosthetic cover included (Quantum) | 343.73 | 604.16 | | |
| 1125624 Adapter for foot (Quantum) | 134.54 | 187.59 | | |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | |
|--|--------|--------|
| 1125582 Dynamic response foot (Seattle Light) | 465.35 | 725.79 |
| 1125590 Dynamic response foot (Sten foot) | 77.22 | 337.67 |
| 1125608 Dynamic response foot (SAFE foot) | 183.31 | 443.75 |
| 1125616 Dynamic response foot (1D10, 1D11) | 156.42 | 416.84 |
| 1125566 Dynamic response foot (Seattle) | 356.66 | 617.10 |
| 1125541 Dynamic response foot (Carbon Copy II) | 297.17 | 557.61 |
| 1125707 Dynamic foot, for child (1K10) | 35.81 | 296.26 |
| 1125772 Multiaxial foot with rotator (1A29) | 223.41 | 483.84 |
| 1155647 Constant friction knee (3P25) | 146.21 | 865.50 |
| 1155563 Constant friction knee (3P1) | 73.74 | 791.75 |
| 1145580 Suction valve and seat | 247.72 | 313.68 |
| 1145655 Suction valve | N. A. | 223.14 |
| 1145747 Foam flexible cover for tibial part | 85.40 | 119.02 |

SUPPLEMENTS AVAILABLE

| | | |
|--|-------|-------|
| 3194057 Nylon sheath, 50.8 cm (20 in.) to 61.0 cm (24 in.) | 18.36 | 21.33 |
| 3194123 Nylon sheath with elastic band, 45.7 cm (18 in.) to 55.9 cm (22 in.) | 31.18 | 34.13 |
| 3194206 Nylon suction sheath (all sizes) | 29.45 | 32.42 |
| 3194198 Prosthetic socks, per pair | 27.19 | 36.22 |
| 3492501 Cane | 10.19 | 10.19 |
| 3492550 Crutches with axillary support, height-adjustable | 20.38 | 20.38 |
| 3492551 Crutches with forearm support, height-adjustable | 56.05 | 56.05 |

----- Stump sock * *

* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENTS AVAILABLE

| | | |
|--|--|--------|
| 1146521 Socket lining (leather, plastic or other material) | | 168.18 |
| 1156504 Lengthening of tibial part | | 316.93 |
| ----- Any pertinent adjustment | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 1151505 Endoskeletal tibiofemoral prosthesis | 3,846.49 | | | 6 |

BASIC COMPONENTS AND SUPPLEMENTS

Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person

SACH foot

Complete endoskeletal system with knee (3R21) (modular components, prosthetic cover and prosthetic socks (2)). If child, uniaxial knee (3R38)

COMPONENTS AND SUPPLEMENTS
AVAILABLE

BASIC COMPONENTS

| | | | |
|--|-------|----------|---|
| 1125509 SACH foot | N. C. | 260.44 | |
| 1155506 Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person | N. C. | 1,833.19 | 3 |
| 1195528 Complete endoskeletal system | N. C. | N. A. | |
| 1155555 Knee (3R21) | N. C. | 1,373.81 | |
| 1165596 Prosthetic cover | N. C. | 565.35 | |

OPTIONAL COMPONENTS

| | | | |
|---|--------|----------|---|
| 1195551 Trial socket | 169.47 | N. A. | |
| 1195569 Foam flexible double comfort socket | 144.89 | 243.21 | |
| 1146554 Silicone gel flexible double socket, with distal attachment | 884.89 | 918.54 | 3 |
| 1146570 Silicone gel flexible double socket, with distal attachment, excluding replacement of distal attachment | N. A. | 637.80 | 3 |
| 1165570 Silesian belt | 137.12 | 155.26 | 3 |
| 1165828 Neoprene Silesian belt | 155.26 | 177.23 | |
| 1165588 Pelvic belt (steel joint and band) | 320.85 | 494.22 | 3 |
| 1165703 Pelvic belt (plastic joint and band) | 261.34 | 434.69 | 3 |
| 1165711 Pelvic belt (titanium joint and band) | 412.68 | 586.05 | 3 |
| 1125715 Articulated foot and adapter | 177.48 | 437.91 | |
| 1125723 Articulated without adapter | N. A. | 269.12 | |
| 1125574 Dynamic response foot, spring and prosthetic cover included (Quantum) | 343.73 | 604.16 | |
| 1125780 Adapter for foot (Quantum) | 53.03 | 98.32 | |
| 1125707 Dynamic foot, for child (1K10) | 35.81 | 296.26 | |
| 1125582 Dynamic response foot (Seattle Light) | 465.35 | 725.79 | |
| 1125590 Dynamic response foot (Sten foot) | 77.22 | 337.67 | |
| 1125608 Dynamic response foot (SAFE foot) | 183.31 | 443.75 | |
| 1125616 Dynamic response foot (1D10, 1D11) | 156.42 | 416.84 | |
| 1125566 Dynamic response foot (Seattle) | 356.66 | 617.10 | |
| 1125541 Dynamic response foot (Carbon Copy II) | 297.17 | 557.61 | |
| 1125681 Dynamic response foot (Step Light) | 281.64 | 542.06 | |
| 1125699 Dynamic response foot (USMC) | 174.27 | 434.69 | |
| 1125731 Dynamic plus foot (1D25) | 423.94 | 684.37 | |
| 1125749 Multiaxial foot with rotator (1A30) | 653.73 | 914.16 | |
| 1125756 Multiaxial foot with rotator (Endolite) | 571.42 | 831.85 | |
| 1125764 Dynamic response foot with rotator (Endolite) | 762.90 | 1,023.34 | |
| 1155571 Multiaxial knee, for child (TK40C) (used with DAW endoskeletal system) | 467.14 | 1,840.95 | |
| 1155589 Uniaxial constant friction knee, for child (TK1C1) | 110.10 | 1,483.91 | |
| 1155597 Uniaxial knee, for child (3R38) | N. C. | 1,142.36 | |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | |
|---|--------|----------|
| 1155605 Uniaxial knee with lock, for child (3R39) | N. C. | 1,267.84 |
| 1155613 Polycentric-joint knee with assisted extension, titanium (3R30) | 463.71 | 1,837.52 |
| 1155621 Multiaxial knee with rotator, for child (3R66) | N. C. | 1,355.81 |
| 1155639 Polycentric-joint knee with lock, titanium (3R32) | 291.19 | 1,665.00 |
| 1145580 Suction valve and seat | 247.72 | 313.68 |
| 1145655 Suction valve | N. A. | 223.14 |
| 1135557 Ankle rotator (4R39, 4R40) | 722.71 | 778.34 |
| 1135607 Ankle rotator (4R85) | 645.86 | 696.30 |
| 1135615 Titanium modular system and carbon fiber pylon | 91.86 | N. A. |

SUPPLEMENTS AVAILABLE

| | | |
|---|-------|-------|
| 3194032 Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm (18 in.) | 18.36 | 21.33 |
| 3194040 Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm (31½ in.) | 18.36 | 21.33 |
| 3194230 Nylon sheath with elastic band | 31.18 | 34.13 |
| 3194115 Nylon sheath with tibial elastic band, 50.8 cm (20 in.) to 73.7 cm (29 in.) | 29.45 | 32.42 |
| 3194206 Nylon sheath (all sizes) | 29.45 | 32.42 |
| 3194172 Prosthetic socks, per pair | N. C. | 45.27 |
| 3492501 Cane | 10.19 | 10.19 |
| 3492550 Crutches with axillary support, height-adjustable | 20.38 | 20.38 |
| 3492551 Crutches with forearm support, height-adjustable | 56.05 | 56.05 |

----- Stump sock * *

* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENTS AVAILABLE

| | | |
|---|--|--------|
| 1146521 Socket lining (leather, plastic or other material) | | 168.18 |
| 1146547 Lengthening of tibial part of prosthesis, excluding replacement of prosthetic cover and prosthetic sock | | 222.53 |
| ----- Any pertinent adjustment | | |

SUBDIVISION 5: FEMORAL PROSTHESES

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---|--|---|--------------------------------|-----------------------|
| 1160019 Post-operative femoral prosthesis necessitating obligatory renewal of plaster or digital mold | 1,119.08 | | | * |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Compressible Lycra socks (4) | | | | |
| Plaster sockets (2) | | | | |
| Means of suspension (belt) | | | | |
| SACH foot (loan) | | | | |
| Adjustable pylon with joint (loan) | | | | |
| Suspension cable, distal pad, ring | | | | |
| *GUARANTEE PERIOD: Life of prosthesis | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENTS | | | | |
| 1145515 Plaster sockets (2) | N. C. | N. A. | | |
| 1195510 Means of suspension (belt) | N. C. | N. A. | | |
| 1195544 Suspension cable, distal pad, ring | N. C. | N. A. | | |
| SUPPLEMENTS AVAILABLE | | | | |
| 3194008 Compressible Lycra socks (4) | N. C. | N. A. | | |
| 3492550 Crutches with axillary support, height-adjustable | 20.38 | 20.38 | | |
| 3492551 Crutches with forearm support, height-adjustable | 56.05 | 56.05 | | |
| ADJUSTMENT AVAILABLE | | | | |
| None | | | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 1160050 Pneumatic post-operative femoral prosthesis, non-articulated | 608.03 | | | * |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Inflatable bag or case | | | | |
| Distal pad | | | | |
| Suspension straps | | | | |
| Mobility frame (loan) | | | | |

Electric pump (loan)

*GUARANTEE PERIOD: Life of prosthesis

COMPONENTS AND SUPPLEMENTS
AVAILABLE

SUPPLEMENTS AVAILABLE

| | | | |
|---------|---|-------|-------|
| 3492550 | Crutches with axillary support, height-adjustable | 20.38 | 20.38 |
| 3492551 | Crutches with forearm support, height-adjustable | 56.05 | 56.05 |

| | | | |
|-------|---|---|---|
| ----- | Stump sock | * | * |
| | * (consult Division III of this Part for the codes and prices of these supplements) | | |

ADJUSTMENT AVAILABLE

None

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--------|--|---|--------------------------------|-----------------------|
|--------|--|---|--------------------------------|-----------------------|

| | | | | |
|---------|--|--------|--|---|
| 1160068 | Pneumatic post-operative femoral prosthesis, articulated | 772.33 | | * |
|---------|--|--------|--|---|

BASIC COMPONENTS AND SUPPLEMENTS

- Inflatable bag or case
- Thigh lacer system (loan)
- Knee joint system (loan)
- Modular system (loan)
- Universal socket (loan)
- SACH foot (loan)
- Air pump (loan)

*GUARANTEE PERIOD: Life of prosthesis

COMPONENTS AND SUPPLEMENTS
AVAILABLE

SUPPLEMENTS AVAILABLE

| | | | |
|---------|---|-------|-------|
| 3492550 | Crutches with axillary support, height-adjustable | 20.38 | 20.38 |
|---------|---|-------|-------|

| | | | |
|---------|---|-------|-------|
| 3492551 | Crutches with forearm support, height-adjustable | 56.05 | 56.05 |
| ----- | Stump sock | * | * |
| | * (consult Division III of this Part for the codes and prices of these supplements) | | |

ADJUSTMENT AVAILABLE

None

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--------|--|---|--------------------------------|-----------------------|
|--------|--|---|--------------------------------|-----------------------|

| | | | | |
|---------|------------------------------|----------|--|---|
| 1160100 | Temporary femoral prosthesis | 1,143.66 | | * |
|---------|------------------------------|----------|--|---|

BASIC COMPONENTS AND SUPPLEMENTS

Laminated or molded plastic socket, made from plaster or digital mold of insured person

Temporary foot (loan)
Endoskeletal system (loan)

*GUARANTEE PERIOD: Life of prosthesis

COMPONENTS AND SUPPLEMENTS
AVAILABLE

BASIC COMPONENTS

| | | | | |
|---------|---|-------|-------|--|
| 1145523 | Laminated or molded plastic socket, made from plaster or digital mold of insured person | N. C. | N. A. | |
|---------|---|-------|-------|--|

OPTIONAL COMPONENTS

| | | | | |
|---------|--------------------------------------|--------|--------|---|
| 1165570 | Silesian belt | 137.12 | 155.26 | 3 |
| 1165703 | Pelvic belt (plastic joint and band) | 261.34 | 434.69 | 3 |
| 1165588 | Pelvic belt (steel joint and band) | 320.85 | 494.22 | 3 |

SUPPLEMENTS AVAILABLE

| | | | | |
|---------|---|-------|-------|--|
| 3194065 | Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.) | 18.36 | 21.33 | |
| 3194131 | Nylon sheath with elastic band, 15.2 cm (6 in.) to 45.7 cm (18 in.) | 34.59 | 37.53 | |
| 3194149 | Nylon sheath with V opening, 15.2 cm (6 in.) to 50.8 cm (20 in.) | 35.86 | 38.83 | |
| 3194206 | Nylon suction sheath (all sizes) | 29.45 | 32.42 | |
| 3492501 | Cane | 10.19 | 10.19 | |
| 3492550 | Crutches with axillary support, height-adjustable | 20.38 | 20.38 | |
| 3492551 | Crutches with forearm support, height-adjustable | 56.05 | 56.05 | |

| | | | |
|-------|------------|---|---|
| ----- | Stump sock | * | * |
|-------|------------|---|---|

* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENT AVAILABLE

None

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 1160506 Exoskeletal femoral prosthesis with constant friction knee (3P25) | 2,899.61 | | | 6 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Laminated plastic femoral socket, made from plaster or digital mold of insured person | | | | |
| Constant friction knee (3P25) | | | | |
| SACH foot | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENTS | | | | |
| 1125509 SACH foot | N. C. | 260.44 | | |
| 1165505 Laminated plastic femoral socket, made from plaster or digital mold of insured person | N. C. | 1,645.58 | | 3 |
| 1155522 Constant friction knee (3P25) | N. C. | 865.50 | | |
| OPTIONAL COMPONENTS | | | | |
| 1195577 Trial socket | 150.08 | N. A. | | |
| 1165570 Silesian belt | 137.12 | 155.26 | | 3 |
| 1165828 Neoprene Silesian belt | 155.26 | 177.23 | | |
| 1165588 Pelvic belt (steel joint and band) | 320.85 | 494.22 | | 3 |
| 1165711 Pelvic belt (titanium joint and band) | 412.68 | 586.05 | | 3 |
| 1165703 Pelvic belt (plastic joint and band) | 261.34 | 434.69 | | 3 |
| 1146554 Silicone gel flexible double socket, with distal attachment | 884.89 | 918.54 | | 3 |
| 1146570 Silicone gel double socket, with distal attachment, excluding replacement of distal attachment | N. A. | 637.80 | | 3 |
| 1145580 Suction valve and seat | 247.72 | 313.68 | | |
| 1145655 Suction valve | N. A. | 223.14 | | |
| 1125517 Articulated foot | 144.07 | 404.48 | | |
| 1125574 Dynamic response foot, spring and prosthetic cover included (Quantum) | 343.73 | 604.16 | | |
| 1125624 Adapter for foot (Quantum) | 134.54 | 187.59 | | |
| 1125582 Dynamic response foot (Seattle Light) | 465.35 | 725.79 | | |
| 1125590 Dynamic response foot (Sten foot) | 77.22 | 337.67 | | |
| 1125608 Dynamic response foot (SAFE foot) | 183.31 | 443.75 | | |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | |
|--|--------|----------|
| 1125616 Dynamic response foot (1D10, 1D11) | 156.42 | 416.84 |
| 1125566 Dynamic response foot (Seattle) | 356.66 | 617.10 |
| 1125541 Dynamic response foot (Carbon Copy II) | 297.17 | 557.61 |
| 1125707 Dynamic foot, for child (1K10) | 35.81 | 296.26 |
| 1145747 Foam flexible cover for tibial part | 85.40 | 119.02 |
| | | |
| 1165604 Safety knee (3P23, 3P24) | 135.84 | 1,001.31 |
| 1165612 Manual locking knee (3P4) | 21.98 | 887.50 |
| 1165620 Manual locking knee (3P52) | 125.50 | 991.00 |
| 1165646 Geriatric knee with manual lock (3K9) | 51.75 | 917.25 |
| 1165729 Constant friction locking knee (3P4F) | 43.97 | 909.48 |

SUPPLEMENTS AVAILABLE

| | | |
|---|-------|-------|
| 3194065 Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.) | 18.36 | 21.33 |
| 3194131 Nylon sheath with elastic band, 15.2 cm (6 in.) to 45.7 cm (18 in.) | 34.59 | 37.53 |
| 3194149 Nylon sheath with V opening, 15.2 cm (6 in.) to 50.8 cm (20 in.) | 35.86 | 38.83 |
| 3194156 Wool socks, 3-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.) | 37.50 | 40.53 |
| | | |
| 3194164 Wool socks, 5-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.) | 38.37 | 41.37 |
| | | |
| 3194198 Prosthetic socks, per pair | 27.19 | 36.22 |
| 3194206 Nylon suction sheath (all sizes) | 29.45 | 32.42 |
| 3492501 Cane | 10.19 | 10.19 |
| 3492550 Crutches with axillary support, height-adjustable | 20.38 | 20.38 |
| 3492551 Crutches with forearm support, height-adjustable | 56.05 | 56.05 |

----- Stump sock * *

* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENTS AVAILABLE

| | |
|--|--------|
| 1146521 Lengthening of tibial part of the prosthesis | 168.18 |
| 1166537 Socket lining (leather, plastic or other material) | 316.93 |
| ----- Any pertinent adjustment | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---|--|---|--------------------------------|-----------------------|
| 1160605 Exoskeletal femoral prosthesis with friction locking knee, for child (3P21) | 2,745.66 | | | 6 |

BASIC COMPONENTS AND SUPPLEMENTS

Laminated plastic femoral socket, made from plaster or digital mold of insured person

Friction locking knee, for child (3P21)
SACH foot

COMPONENTS AND SUPPLEMENTS
AVAILABLE

BASIC COMPONENTS

| | | | |
|---|-------|----------|---|
| 1125509 SACH foot | N. C. | 260.44 | |
| 1165505 Laminated plastic femoral socket, made from plaster or digital mold of insured person | N. C. | 1,645.58 | 3 |
| 1165737 Friction locking knee, for child (3P21) | N. C. | 711.55 | |

OPTIONAL COMPONENTS

| | | | |
|--|--------|--------|---|
| 1195577 Trial socket | 150.08 | N. A. | |
| 1165570 Silesian belt | 137.12 | 155.26 | 3 |
| 1165828 Neoprene Silesian belt | 155.26 | 177.23 | |
| 1165588 Pelvic belt (steel joint and band) | 320.85 | 494.22 | 3 |
| 1165711 Pelvic belt (titanium joint and band) | 412.68 | 586.05 | 3 |
| 1165703 Pelvic belt (plastic joint and band) | 261.34 | 434.69 | 3 |
| 1146554 Silicone gel flexible double socket, with distal attachment | 884.89 | 918.54 | 3 |
| 1146570 Silicone gel double socket, with distal attachment, excluding replacement of distal attachment | N. A. | 637.80 | 3 |
| 1145580 Suction valve and seat | 247.72 | 313.68 | |
| 1145655 Suction valve | N. A. | 223.14 | |
| 1125517 Articulated foot | 144.07 | 404.48 | |
| 1125574 Dynamic response foot, spring and prosthetic cover included (Quantum) | 343.73 | 604.16 | |
| 1125624 Adapter for foot (Quantum) | 134.54 | 187.59 | |
| 1125582 Dynamic response foot (Seattle Light) | 465.35 | 725.79 | |
| 1125590 Dynamic response foot (Sten foot) | 77.22 | 337.67 | |
| 1125608 Dynamic response foot (SAFE foot) | 183.31 | 443.75 | |
| 1125616 Dynamic response foot (1D10, 1D11) | 156.42 | 416.84 | |
| 1125566 Dynamic response foot (Seattle) | 356.66 | 617.10 | |
| 1125541 Dynamic response foot (Carbon Copy II) | 297.17 | 557.61 | |
| 1125707 Dynamic foot, for child (1K10) | 35.81 | 296.26 | |
| 1145747 Foam flexible cover for tibial part | 85.40 | 119.02 | |
| 1165745 Friction locking knee, for child (3P50) | 43.97 | 755.51 | |

SUPPLEMENTS AVAILABLE

| | | | |
|---|-------|-------|--|
| 3194065 Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.) | 18.36 | 21.33 | |
| 3194131 Nylon sheath with elastic band, 15.2 cm (6 in.) to 45.7 cm (18 in.) | 34.59 | 37.53 | |
| 3194149 Nylon sheath with V opening, 15.2 cm (6 in.) to 50.8 cm (20 in.) | 35.86 | 38.83 | |
| 3194156 Wool socks, 3-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.) | 37.50 | 40.53 | |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | |
|---------|--|-------|-------|
| 3194164 | Wool socks, 5-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.) | 38.37 | 41.37 |
| 3194198 | Prosthetic socks, per pair | 27.19 | 36.22 |
| 3194206 | Nylon suction sheath (all sizes) | 29.45 | 32.42 |
| 3492501 | Cane | 10.19 | 10.19 |
| 3492550 | Crutches with axillary support, height-adjustable | 20.38 | 20.38 |
| 3492551 | Crutches with forearm support, height-adjustable | 56.05 | 56.05 |

----- Stump sock * *

* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENTS AVAILABLE

| | | | |
|---------|--|--|--------|
| 1146521 | Lengthening of tibial part of the prosthesis | | 168.18 |
| 1166537 | Socket lining (leather, plastic or other material) | | 316.93 |
| ----- | Any pertinent adjustment | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--------|--|---|--------------------------------|-----------------------|
|--------|--|---|--------------------------------|-----------------------|

| | | | | |
|---------|---------------------------------|----------|--|---|
| 1161504 | Endoskeletal femoral prosthesis | 3,415.79 | | 6 |
|---------|---------------------------------|----------|--|---|

BASIC COMPONENTS AND SUPPLEMENTS

Laminated plastic femoral socket, made from plaster or digital mold of insured person

SACH foot
Complete endoskeletal system with uniaxial constant friction knee (3R16) (modular components, prosthetic cover and prosthetic socks (2))

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

| | | | | |
|---------|---|-------|----------|---|
| 1125509 | SACH foot | N. C. | 260.44 | |
| 1165505 | Laminated plastic femoral socket, made from plaster or digital mold of insured person | N. C. | 1,645.58 | 3 |
| 1195528 | Complete endoskeletal system | N. C. | N. A. | |
| 1165653 | Uniaxial constant friction knee (3R16) | N. C. | 508.44 | |
| 1165596 | Prosthetic cover | N. C. | 565.35 | |

OPTIONAL COMPONENTS

| | | | | |
|---------|------------------------|--------|--------|---|
| 1195577 | Trial socket | 150.08 | N. A. | |
| 1165570 | Silesian belt | 137.12 | 155.26 | 3 |
| 1165828 | Neoprene Silesian belt | 155.26 | 177.23 | |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services

(authentic version)

| | | | |
|---|----------|----------|---|
| 1165588 Pelvic belt (steel joint and band) | 320.85 | 494.22 | 3 |
| 1165711 Pelvic belt (titanium joint and band) | 412.68 | 586.05 | 3 |
| 1165703 Pelvic belt (plastic joint and band) | 261.34 | 434.69 | 3 |
| 1146554 Silicone gel flexible double socket, with distal attachment | 884.89 | 918.54 | 3 |
| 1146570 Silicone gel flexible double socket, with distal attachment, excluding replacement of distal attachment | N. A. | 637.80 | 3 |
| 1145580 Suction valve and seat | 247.72 | 313.68 | |
| 1145655 Suction valve | N. A. | 223.14 | |
| 1125715 Articulated foot and adapter | 177.48 | 437.91 | |
| 1125723 Articulated without adapter | N. A. | 269.12 | |
| 1125574 Dynamic response foot, spring and prosthetic cover included (Quantum) | 343.73 | 604.16 | |
| 1125780 Adapter for foot (Quantum) | 53.03 | 98.32 | |
| 1125707 Dynamic foot, for child (1K10) | 35.81 | 296.26 | |
| 1125582 Dynamic response foot (Seattle Light) | 465.35 | 725.79 | |
| 1125590 Dynamic response foot (Sten foot) | 77.22 | 337.67 | |
| 1125608 Dynamic response foot (SAFE foot) | 183.31 | 443.75 | |
| 1125616 Dynamic response foot (1D10, 1D11) | 156.42 | 416.84 | |
| 1125566 Dynamic response foot (Seattle) | 356.66 | 617.10 | |
| 1125541 Dynamic response foot (Carbon Copy II) | 297.17 | 557.61 | |
| 1125681 Dynamic response foot (Step Light) | 281.64 | 542.06 | |
| 1125699 Dynamic response foot (USMC) | 174.27 | 434.69 | |
| 1125731 Dynamic plus foot (1D25) | 423.94 | 684.37 | |
| 1125749 Multiaxial foot with rotator (1A30) | 653.73 | 914.16 | |
| 1125756 Multiaxial foot with rotator (Endolite) | 571.42 | 831.85 | |
| 1125764 Dynamic response foot with rotator (Endolite) | 762.90 | 1,023.34 | |
| 1165802 Uniaxial knee with lock, for child (3R39) | 823.68 | 1,332.11 | |
| 1165810 Uniaxial constant friction knee (3R18) | 183.70 | 692.14 | |
| 1165679 Safety knee (3R15) | 294.96 | 804.67 | |
| 1165661 Manual locking knee (3R17) | 370.46 | 878.90 | |
| 1165687 4-axis polycentric knee (3R20) | 383.47 | 891.90 | |
| 1165752 Manual locking knee, aluminum (3R40) | 273.36 | 781.79 | |
| 1165760 Manual locking knee, titanium (3R33) | 648.74 | 1,157.17 | |
| 1165778 Safety knee, titanium (3R49) | 588.68 | 1,097.11 | |
| 1165836 Multiaxial knee with rotator, for child (3R66) | 847.38 | 1,355.81 | |
| 1135557 Ankle rotator (4R39, 4R40) | 722.71 | 778.34 | |
| 1135607 Ankle rotator (4R85) | 645.86 | 696.30 | |
| 1155548 Knee rotator (4R57) | 824.96 | 876.73 | |
| 1165794 Multiaxial knee, for child (TK40C) | 1,331.24 | 1,840.95 | |
| 1165844 Uniaxial constant friction knee with or without lock, for child (TK1C1) | 975.45 | 1,483.91 | |
| 1165851 Uniaxial knee, for child (3R38) | 628.75 | 1,142.36 | |
| 1135615 Titanium modular system and carbon fiber pylon | 91.86 | N. A. | |

SUPPLEMENTS AVAILABLE

| | | | |
|---|-------|-------|--|
| 3194065 Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.) | 18.36 | 21.33 | |
| 3194131 Nylon sheath with elastic band, 15.2 cm (6 in.) to 45.7 cm (18 in.) | 34.59 | 37.53 | |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | |
|---------|---|-------|-------|
| 3194248 | Nylon sheath with V opening, from 15.2 cm (6 in.) to 50.8 cm (20 in.) | 35.86 | 38.83 |
| 3194156 | Wool socks, 3-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.) | 37.50 | 40.53 |
| 3194164 | Wool socks, 5-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.) | 38.37 | 41.37 |
| 3194206 | Nylon suction sheath (all sizes) | 29.45 | 32.42 |
| 3492501 | Cane | 10.19 | 10.19 |
| 3492550 | Crutches with axillary support, height-adjustable | 20.38 | 20.38 |
| 3492551 | Crutches with forearm support, height-adjustable | 56.05 | 56.05 |
| ----- | Stump sock | * | * |
| | * (consult Division III of this Part for the codes and prices of these supplements) | | |
| 3194172 | Prosthetic socks (2) | N. C. | 45.27 |

ADJUSTMENTS AVAILABLE

| | | | |
|---------|---|--|--------|
| 1146521 | Lengthening of tibial part of the prosthesis, excluding replacement of prosthetic cover and prosthetic sock | | 168.18 |
| 1146547 | Socket lining (leather, plastic or other material) | | 222.53 |
| ----- | Any pertinent adjustment | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|---|---|--------------------------------|-----------------------|
| 1162254 | Bilateral femoral stubbies | 3,593.06 | | 6 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Laminated plastic femoral sockets, made from plaster or digital mold of insured person (2) | | | | |
| SACH or modified feet (2) | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENTS | | | | |
| 1125558 | Modified foot | N. C. | N. A. | |
| 1125509 | SACH foot | N. C. | 260.44 | |
| 1165695 | Laminated plastic femoral socket, made from plaster or digital mold of insured person | N. C. | 1,644.30 | |
| OPTIONAL COMPONENTS | | | | |
| 1195577 | Trial socket | 150.08 | N. A. | |
| 1165570 | Silesian belt | 137.12 | 155.26 | 3 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | |
|---|--------|--------|---|
| 1165828 Neoprene Silesian belt | 155.26 | 177.23 | |
| 1165588 Pelvic belt (steel joint and band) | 320.85 | 494.22 | 3 |
| 1165703 Pelvic belt (plastic joint and band) | 261.34 | 434.69 | 3 |
| 1165711 Pelvic belt (titanium joint and band) | 412.68 | 586.05 | 3 |
| 1145580 Suction valve and seat | 247.72 | 313.68 | |
| 1145655 Suction valve | N. A. | 223.14 | |

SUPPLEMENTS AVAILABLE

| | | | |
|---|-------|-------|--|
| 3194065 Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.) | 18.36 | 21.33 | |
| 3194131 Nylon sheath with elastic band, 15.2 cm (6 in.) to 45.7 cm (18 in.) | 34.59 | 37.53 | |
| 3194149 Nylon sheath with V opening, 15.2 cm (6 in.) to 50.8 cm (20 in.) | 35.86 | 38.83 | |
| 3194156 Wool socks, 3-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.) | 37.50 | 40.53 | |
| 3194164 Wool socks, 5-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.) | 38.37 | 41.37 | |
| 3194206 Nylon suction sheath (all sizes) | 29.45 | 32.42 | |
| 3492501 Cane | 10.19 | 10.19 | |
| 3492550 Crutches with axillary support, height-adjustable | 20.38 | 20.38 | |
| 3492551 Crutches with forearm support, height-adjustable | 56.05 | 56.05 | |

----- Stump sock * *

* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENTS AVAILABLE

| | | | |
|--|--|--|--------|
| 1146521 Socket lining (leather, plastic or other material) | | | 168.18 |
|--|--|--|--------|

----- Any pertinent adjustment

SUBDIVISION 6: COXOFEMORAL AND HEMIPELVIC PROSTHESES

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---|--|---|--------------------------------|-----------------------|
| 1170505 Exoskeletal coxofemoral prosthesis with constant friction knee (3P25) | 4,477.94 | | | 6 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Laminated plastic socket, made from plaster or digital mold of insured person | | | | |
| Constant friction knee (3P25) | | | | |
| SACH foot | | | | |
| Hip joint – Canadian type (CHJ-100, CHJ-75) | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENTS | | | | |
| 1125509 SACH foot | N. C. | 260.44 | | |
| 1175504 Laminated plastic socket, made from plaster or digital mold of insured person | N. C. | 2,622.34 | | |
| 1175512 Hip joint – Canadian type (CHJ-100, CHJ-75) | N. C. | 547.24 | | |
| 1155522 Constant friction knee (3P25) | N. C. | 865.50 | | |
| OPTIONAL COMPONENTS | | | | |
| 1195593 Trial socket | 289.78 | N. A. | | |
| 1145580 Suction valve and seat | 247.72 | 313.68 | | |
| 1145655 Suction valve | N. A. | 223.14 | | |
| 1125517 Articulated foot | 144.07 | 404.48 | | |
| 1125574 Dynamic response foot, spring and prosthetic cover included (Quantum) | 343.73 | 604.16 | | |
| 1125624 Adapter for foot (Quantum) | 134.54 | 187.59 | | |
| 1125582 Dynamic response foot (Seattle Light) | 465.35 | 725.79 | | |
| 1125590 Dynamic response foot (Sten foot) | 77.22 | 337.67 | | |
| 1125608 Dynamic response foot (SAFE foot) | 183.31 | 443.75 | | |
| 1125616 Dynamic response foot (1D10, 1D11) | 156.42 | 416.84 | | |
| 1125566 Dynamic response foot (Seattle) | 356.66 | 617.10 | | |
| 1125541 Dynamic response foot (Carbon Copy II) | 297.17 | 557.61 | | |
| 1125707 Dynamic foot, for child (1K10) | 35.81 | 296.26 | | |
| 1145747 Foam flexible cover for tibial part | 85.40 | 119.02 | | |
| 1165604 Safety knee (3P23, 3P24) | 135.84 | 1,001.31 | | |
| 1165612 Manual locking knee (3P4) | 21.98 | 887.50 | | |
| 1165620 Manual locking knee (3P52) | 125.50 | 991.00 | | |
| 1165646 Geriatric knee with manual lock (3K9) | 51.75 | 917.25 | | |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

1165729 Constant friction locking knee (3P4F) 43.97 909.48

SUPPLEMENTS AVAILABLE

3194198 Prosthetic socks, per pair 27.19 36.22
 3194180 Pant-style sock 17.14 22.75
 3492501 Cane 10.19 10.19
 3492550 Crutches with axillary support, height-adjustable 20.38 20.38
 3492551 Crutches with forearm support, height-adjustable 56.05 56.05

ADJUSTMENTS AVAILABLE

1166537 Lengthening of tibial part of the prosthesis 316.93
 ----- Any pertinent adjustment

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---|--|---|--------------------------------|-----------------------|
| 1170604 Exoskeletal coxofemoral prosthesis with friction locking knee, for child (3P21) | 4,323.99 | | | 6 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Laminated plastic socket, made from plaster or digital mold of insured person | | | | |
| Friction locking knee, for child (3P21) | | | | |
| SACH foot | | | | |
| Hip joint – Canadian type (CHJ-100, CHJ-75) | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENTS | | | | |
| 1125509 SACH foot | N. C. | 260.44 | | |
| 1175504 Laminated plastic socket, made from plaster or digital mold of insured person | N. C. | 2,622.34 | | |
| 1175512 Hip joint – Canadian type (CHJ-100, CHJ-75) | N. C. | 547.24 | | |
| 1165737 Friction locking knee, for child (3P21) | N. C. | 711.55 | | |
| OPTIONAL COMPONENTS | | | | |
| 1195593 Trial socket | 289.78 | N. A. | | |
| 1145580 Suction valve and seat | 247.72 | 313.68 | | |
| 1145655 Suction valve | N. A. | 223.14 | | |
| 1125517 Articulated foot | 144.07 | 404.48 | | |
| 1125574 Dynamic response foot, spring and prosthetic cover included (Quantum) | 343.73 | 604.16 | | |
| 1125624 Adapter for foot (Quantum) | 134.54 | 187.59 | | |

| | | |
|--|--------|--------|
| 1125582 Dynamic response foot (Seattle Light) | 465.35 | 725.79 |
| 1125590 Dynamic response foot (Sten foot) | 77.22 | 337.67 |
| 1125608 Dynamic response foot (SAFE foot) | 183.31 | 443.75 |
| 1125616 Dynamic response foot (1D10, 1D11) | 156.42 | 416.84 |
| 1125566 Dynamic response foot (Seattle) | 356.66 | 617.10 |
| 1125541 Dynamic response foot (Carbon Copy II) | 297.17 | 557.61 |
| 1125707 Dynamic foot, for child (1K10) | 35.81 | 296.26 |
| 1145747 Foam flexible cover for tibial part | 85.40 | 119.02 |
| 1165745 Constant friction locking knee, for child (3P50) | 43.97 | 755.51 |

SUPPLEMENTS AVAILABLE

| | | |
|---|-------|-------|
| 3194198 Prosthetic socks, per pair | 27.19 | 36.22 |
| 3194180 Pant-style sock | 17.14 | 22.75 |
| 3492501 Cane | 10.19 | 10.19 |
| 3492550 Crutches with axillary support, height-adjustable | 20.38 | 20.38 |
| 3492551 Crutches with forearm support, height-adjustable | 56.05 | 56.05 |

ADJUSTMENTS AVAILABLE

| | | |
|--|--|--------|
| 1166537 Lengthening of tibial part of the prosthesis | | 316.93 |
| ----- Any pertinent adjustment | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--------|--|---|--------------------------------|-----------------------|
|--------|--|---|--------------------------------|-----------------------|

| | | | | |
|---|----------|--|--|---|
| 1171503 Endoskeletal coxofemoral prosthesis | 6,129.38 | | | 6 |
|---|----------|--|--|---|

BASIC COMPONENTS AND SUPPLEMENTS

Laminated plastic socket, made from plaster or digital mold of insured person

SACH foot

Complete endoskeletal system with uniaxial constant friction knee (3R16) (modular components, prosthetic cover and prosthetic socks (2))

Hip joint (7E7)

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

| | | |
|---|-------|----------|
| 1125509 SACH foot | N. C. | 260.44 |
| 1175504 Laminated plastic socket, made from plaster or digital mold of insured person | N. C. | 2,622.34 |
| 1195528 Complete endoskeletal system | N. C. | N. A. |
| 1165653 Uniaxial constant friction knee (3R16) | N. C. | 508.44 |

| | | |
|--------------------------|-------|--------|
| 1175538 Prosthetic cover | N. C. | 723.18 |
| 1175561 Hip joint (7E7) | N. C. | N. A. |

OPTIONAL COMPONENTS

| | | |
|--|----------|----------|
| 1195593 Trial socket | 289.78 | N. A. |
| 1175553 Joint of hip joint (7E7) | N. A. | 2,021.44 |
| 1175579 Joint of hip joint, for child (7E8) | 249.70 | 1,529.17 |
| 1165810 Uniaxial constant friction knee (3R18) | 183.70 | 692.14 |
| 1165679 Safety knee (3R15) | 294.96 | 804.67 |
| 1165661 Manual locking knee (3R17) | 370.46 | 878.90 |
| 1165687 4-axis polycentric knee (3R20) | 383.47 | 891.90 |
| 1165752 Manual locking knee, aluminum (3R40) | 273.36 | 781.79 |
| 1165760 Manual locking knee, titanium (3R33) | 648.74 | 1,157.17 |
| 1165778 Safety knee, titanium (3R49) | 588.68 | 1,097.11 |
| 1165836 Multiaxial knee with rotator, for child (3R66) | 847.38 | 1,355.81 |
| 1165802 Multiaxial knee, for child (TK40C) | 823.68 | 1,332.11 |
| 1165794 Uniaxial constant friction knee, with or without lock, for child (TK1C1) | 1,331.24 | 1,840.95 |
| 1165844 Knee rotator (4R57) | 975.45 | 1,483.91 |
| 1155548 Multiaxial knee, for child (TK40C) | 824.96 | 876.73 |
| 1135557 Ankle rotator (4R39, 4R40) | 722.71 | 778.34 |
| 1135607 Ankle rotator (4R85) | 645.86 | 696.30 |
| 1125715 Articulated foot and adapter | 177.48 | 437.91 |
| 1125723 Articulated without adapter | N. A. | 269.12 |
| 1125798 Dynamic response foot, spring and prosthetic cover included (Quantum) | 307.51 | 567.94 |
| 1125780 Adapter for foot (Quantum) | 53.03 | 98.32 |
| 1125707 Dynamic foot, for child 1K10 | 35.81 | 296.26 |
| 1125582 Dynamic response foot (Seattle Light) | 465.35 | 725.79 |
| 1125590 Dynamic response foot (Sten foot) | 77.22 | 337.67 |
| 1125608 Dynamic response foot (SAFE foot) | 183.31 | 443.75 |
| 1125616 Dynamic response foot (1D10 or 1D11) | 156.42 | 416.84 |
| 1125566 Dynamic response foot (Seattle) | 356.66 | 617.10 |
| 1125541 Dynamic response foot (Carbon Copy II) | 297.17 | 557.61 |
| 1125681 Dynamic response foot (Step Light) | 281.64 | 542.06 |
| 1125699 Dynamic response foot (USMC) | 174.27 | 434.69 |
| 1125731 Dynamic plus foot (1D25) | 423.94 | 684.37 |
| 1125749 Multiaxial foot with rotator (1A30) | 653.73 | 914.16 |
| 1125756 Multiaxial foot with rotator (Endolite) | 571.42 | 831.85 |
| 1125764 Dynamic response foot with rotator (Endolite) | 762.90 | 1,023.34 |
| 1135615 Titanium modular system and carbon fiber pylon | 91.86 | N. A. |

SUPPLEMENTS AVAILABLE

| | | |
|---|-------|-------|
| 3194180 Pant-style sock | 17.14 | 22.75 |
| 3492501 Cane | 10.19 | 10.19 |
| 3492550 Crutches with axillary support, height-adjustable | 20.38 | 20.38 |
| 3492551 Crutches with forearm support, height-adjustable | 56.05 | 56.05 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

3194214 Prosthetic socks (2) N. C. 40.11

ADJUSTMENTS AVAILABLE

1146547 Lengthening of tibial part of prosthesis, excluding replacement of prosthetic cover and prosthetic sock 222.53

----- Any pertinent adjustment

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---|--|---|--------------------------------|-----------------------|
| 1180504 Exoskeletal hemipelvic prosthesis, with constant friction knee (3P25) | 4,617.67 | | | 6 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Laminated plastic socket, made from plaster or digital mold of insured person | | | | |
| Constant friction knee (3P25) | | | | |
| SACH foot | | | | |
| Hip joint – Canadian type (CHJ-100, CHJ-75) | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENTS | | | | |
| 1125509 SACH foot | N. C. | 260.44 | | |
| 1175504 Laminated plastic socket, made from plaster or digital mold of insured person | N. C. | 2,622.34 | | |
| 1175512 Hip joint – Canadian type (CHJ-100, CHJ-75) | N. C. | 547.24 | | |
| 1155522 Constant friction knee (3P25) | N. C. | 865.50 | | |
| OPTIONAL COMPONENTS | | | | |
| 1195593 Trial socket | 289.78 | N. A. | | |
| 1125517 Articulated foot | 144.07 | 404.48 | | |
| 1125574 Dynamic response foot, spring and prosthetic cover included (Quantum) | 343.73 | 604.16 | | |
| 1125624 Adapter for foot (Quantum) | 134.54 | 187.59 | | |
| 1125582 Dynamic response foot (Seattle Light) | 465.35 | 725.79 | | |
| 1125590 Dynamic response foot (Sten foot) | 77.22 | 337.67 | | |
| 1125608 Dynamic response foot (SAFE foot) | 183.31 | 443.75 | | |
| 1125616 Dynamic response foot (1D10 or 1D11) | 156.42 | 416.84 | | |
| 1125566 Dynamic response foot (Seattle) | 356.66 | 617.10 | | |
| 1125541 Dynamic response foot (Carbon Copy II) | 297.17 | 557.61 | | |
| 1125707 Dynamic foot, for child (1K10) | 35.81 | 296.26 | | |
| 1145747 Foam flexible cover for tibial part | 85.40 | 119.02 | | |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | |
|---|--------|----------|
| 1165604 Safety knee (3P23, 3P24) | 135.84 | 1,001.31 |
| 1165612 Manual locking knee (3P4) | 21.98 | 887.50 |
| 1165620 Manual locking knee (3P52) | 125.50 | 991.00 |
| 1165646 Geriatric knee with manual lock (3K9) | 51.75 | 917.25 |
| 1165729 Constant friction locking knee (3P4F) | 43.97 | 909.48 |

SUPPLEMENTS AVAILABLE

| | | |
|---|-------|-------|
| 3194198 Prosthetic socks, per pair | 27.19 | 36.22 |
| 3194180 Pant-style sock | 17.14 | 22.75 |
| 3492501 Cane | 10.19 | 10.19 |
| 3492550 Crutches with axillary support, height-adjustable | 20.38 | 20.38 |
| 3492551 Crutches with forearm support, height-adjustable | 56.05 | 56.05 |

ADJUSTMENTS AVAILABLE

| | | |
|--|--|--------|
| 1166537 Lengthening of tibial part of the prosthesis | | 316.93 |
| ----- Any pertinent adjustment | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--------|--|---|--------------------------------|-----------------------|
|--------|--|---|--------------------------------|-----------------------|

| | | | | |
|---|----------|--|--|---|
| 1181601 Exoskeletal hemipelvic prosthesis, with friction locking knee, for child (3P21) | 4,463.70 | | | 6 |
|---|----------|--|--|---|

BASIC COMPONENTS AND SUPPLEMENTS

Laminated plastic socket, made from plaster or digital mold of insured person

Friction locking knee, for child (3P21)
SACH foot
Hip joint – Canadian type (CHJ-100, CHJ-75)

COMPONENTS AND SUPPLEMENTS
AVAILABLE

BASIC COMPONENTS

| | | |
|---|-------|----------|
| 1125509 SACH foot | N. C. | 260.44 |
| 1175504 Laminated plastic socket, made from plaster or digital mold of insured person | N. C. | 2,622.34 |
| 1175512 Hip joint – Canadian type (CHJ-100, CHJ-75) | N. C. | 547.24 |
| 1165737 Friction locking knee, for child (3P21) | N. C. | 711.55 |

OPTIONAL COMPONENTS

| | | |
|--------------------------|--------|--------|
| 1195593 Trial socket | 289.78 | N. A. |
| 1125517 Articulated foot | 144.07 | 404.48 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | |
|---|--------|--------|
| 1125574 Dynamic response foot, spring and prosthetic cover included (Quantum) | 343.73 | 604.16 |
| 1125624 Adapter for foot (Quantum) | 134.54 | 187.59 |
| 1125582 Dynamic response foot (Seattle Light) | 465.35 | 725.79 |
| 1125590 Dynamic response foot (Sten foot) | 77.22 | 337.67 |
| 1125608 Dynamic response foot (SAFE foot) | 183.31 | 443.75 |
| 1125616 Dynamic response foot (1D10 or 1D11) | 156.42 | 416.84 |
| 1125566 Dynamic response foot (Seattle) | 356.66 | 617.10 |
| 1125541 Dynamic response foot (Carbon Copy II) | 297.17 | 557.61 |
| 1125707 Dynamic foot, for child (1K10) | 35.81 | 296.26 |
| 1145747 Foam flexible cover for tibial part | 85.40 | 119.02 |
| 1165745 Friction locking knee, for child (3P50) | 43.97 | 755.51 |

SUPPLEMENTS AVAILABLE

| | | |
|---|-------|-------|
| 3194198 Prosthetic socks, per pair | 27.19 | 36.22 |
| 3194180 Pant-style sock | 17.14 | 22.75 |
| 3492501 Cane | 10.19 | 10.19 |
| 3492550 Crutches with axillary support, height-adjustable | 20.38 | 20.38 |
| 3492551 Crutches with forearm support, height-adjustable | 56.05 | 56.05 |

ADJUSTMENTS AVAILABLE

| | | |
|--|--|--------|
| 1166537 Lengthening of tibial part of the prosthesis | | 316.93 |
| ----- Any pertinent adjustment | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--------|--|---|--------------------------------|-----------------------|
|--------|--|---|--------------------------------|-----------------------|

| | | | | |
|--|----------|--|--|---|
| 1181502 Endoskeletal hemipelvic prosthesis | 6,289.79 | | | 6 |
|--|----------|--|--|---|

BASIC COMPONENTS AND SUPPLEMENTS

Laminated plastic socket, made from plaster or digital mold of insured person

SACH foot

Complete endoskeletal system with uniaxial constant friction knee (3R16) (modular components, prosthetic cover and prosthetic socks (2))

Hip joint (7E7)

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

| | | |
|---|-------|----------|
| 1125509 SACH foot | N. C. | 260.44 |
| 1175504 Laminated plastic socket, made from plaster or digital mold of insured person | N. C. | 2,622.34 |

| | | |
|--|-------|--------|
| 1195528 Complete endoskeletal system | N. C. | N. A. |
| 1165653 Uniaxial constant friction knee (3R16) | N. C. | 508.44 |
| 1175538 Prosthetic cover | N. C. | 723.18 |
| 1175561 Hip joint (7E7) | N. C. | N. A. |

OPTIONAL COMPONENTS

| | | |
|--|----------|----------|
| 1195593 Trial socket | 289.78 | N. A. |
| 1175553 Joint of hip joint (7E7) | N. A. | 2,021.44 |
| 1175579 Joint of hip joint, for child (7E8) | 249.70 | 1,529.17 |
| 1165810 Uniaxial constant friction knee (3R18) | 183.70 | 692.14 |
| 1165679 Safety knee (3R15) | 294.96 | 804.67 |
| 1165661 Manual locking knee (3R17) | 370.46 | 878.90 |
| 1165687 4-axis polycentric knee (3R20) | 383.47 | 891.90 |
| 1165752 Manual locking knee, aluminum (3R40) | 273.36 | 781.79 |
| 1165760 Manual locking knee, titanium (3R33) | 648.74 | 1,157.17 |
| 1165778 Safety knee, titanium (3R49) | 588.68 | 1,097.11 |
| 1165836 Multiaxial knee with rotator, for child (3R66) | 847.38 | 1,355.81 |
| 1165802 Uniaxial knee with lock, for child (3R39) | 823.68 | 1,332.11 |
| 1165794 Multiaxial knee, for child (TK40C) | 1,331.24 | 1,840.95 |
| 1165844 Uniaxial constant friction knee, with or without lock, for child (TK1C1) | 975.45 | 1,483.91 |
| 1155548 Knee rotator (4R57) | 824.96 | 876.73 |
| 1135557 Ankle rotator (4R39, 4R40) | 722.71 | 778.34 |
| 1135607 Ankle rotator (4R85) | 645.86 | 696.30 |
| 1125715 Articulated foot and adapter | 177.48 | 437.91 |
| 1125723 Articulated without adapter | N. A. | 269.12 |
| 1125798 Dynamic response foot, spring and prosthetic cover included (Quantum) | 307.51 | 567.94 |
| 1125780 Adapter for foot (Quantum) | 53.03 | 98.32 |
| 1125707 Dynamic foot, for child (1K10) | 35.81 | 296.26 |
| 1125582 Dynamic response foot (Seattle Light) | 465.35 | 725.79 |
| 1125590 Dynamic response foot (Sten foot) | 77.22 | 337.67 |
| 1125608 Dynamic response foot (SAFE foot) | 183.31 | 443.75 |
| 1125616 Dynamic response foot (1D10, 1D11) | 156.42 | 416.84 |
| 1125566 Dynamic response foot (Seattle) | 356.66 | 617.10 |
| 1125541 Dynamic response foot (Carbon Copy II) | 297.17 | 557.61 |
| 1125681 Dynamic response foot (Step Light) | 281.64 | 542.06 |
| 1125699 Dynamic response foot (USMC) | 174.27 | 434.69 |
| 1125731 Dynamic plus foot (1D25) | 423.94 | 684.37 |
| 1125749 Multiaxial foot with rotator (1A30) | 653.73 | 914.16 |
| 1125756 Multiaxial foot with rotator (Endolite) | 571.42 | 831.85 |
| 1125764 Dynamic response foot with rotator (Endolite) | 762.90 | 1,023.34 |
| 1135615 Titanium modular system and carbon fiber pylon | 91.86 | N. A. |

SUPPLEMENTS AVAILABLE

| | | |
|---|-------|-------|
| 3194180 Pant-style sock | 17.14 | 22.75 |
| 3492501 Cane | 10.19 | 10.19 |
| 3492550 Crutches with axillary support, height-adjustable | 20.38 | 20.38 |
| 3492551 Crutches with forearm support, height-adjustable | 56.05 | 56.05 |
| 3194214 Prosthetic socks (2) | N. C. | 40.11 |

ADJUSTMENTS AVAILABLE)

| | | |
|---|--|--------|
| 1146547 Lengthening of tibial part of prosthesis, excluding replacement of prosthetic cover and prosthetic sock | | 222.53 |
|---|--|--------|

----- Any pertinent adjustment

SUBDIVISION 7: LOWER-LIMB PROSTHESES

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---------------------------------------|--|---|--------------------------------|-----------------------|
| 1142009 Other lower-limb prostheses * | S. C. | | | 6 |

* When price is below that of the similar prosthesis

DIVISION II: UPPER-LIMB PROSTHESES
SUBDIVISION 1: HAND PROSTHESES

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 1211755 Prosthetic restoration of one finger (thumb) made from plaster or digital mold of insured person | 756.82 | | | 1 |
| 1211756 Prosthetic restoration of one finger (index) made from plaster or digital mold of insured person | 756.82 | | | |
| 1211757 Prosthetic restoration of one finger (middle finger) made from plaster or digital mold of insured person | 756.82 | | | |
| 1211758 Prosthetic restoration of one finger (ring finger) made from plaster or digital mold of insured person | 756.82 | | | |
| 1211759 Prosthetic restoration of one finger (little finger) made from plaster or digital mold of insured person | 756.82 | | | |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Compensatory part for finger and prosthetic cover (Realistic) | | | | |
| COMPONENT AND SUPPLEMENT AVAILABLE | | | | |
| None | | | | |
| ADJUSTMENT AVAILABLE | | | | |
| ----- Any pertinent adjustment | | | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 1221753 Prosthetic partial hand restoration, made from plaster or digital mold of insured person | 1,477.43 | | | 1 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Compensatory part | | | | |

Prosthetic partial hand and prosthetic glove, made
from plaster or digital mold of insured person
(Realistic)

COMPONENTS AND SUPPLEMENTS
AVAILABLE

| | | | |
|---------|---|-------|--------|
| 1295807 | Prosthetic partial hand and prosthetic glove, made from plaster or digital mold of insured person (Realistic) | N. C. | 708.97 |
|---------|---|-------|--------|

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

SUBDIVISION 2: WRIST PROSTHESES

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 1230507 Exoskeletal cubital or wrist prosthesis | 1,529.17 | | | 6 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Wrist friction joint | | | | |
| Rigid plastic socket, made from plaster or digital mold of insured person | | | | |
| Suspension harness | | | | |
| Tricipital pad | | | | |
| Control cable, connections, terminals and housing (reinforced materials) | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENTS | | | | |
| 1235514 Rigid plastic socket, made from plaster or digital mold of insured person | N. C. | 957.34 | | 3 |
| 1295500 Suspension harness | N. C. | 157.84 | | 3 |
| 1295518 Control cable, connections, terminals and housing (reinforced materials) | N. C. | 195.36 | | 3 |
| 1295526 Wrist friction joint | N. C. | 338.95 | | |
| 1295757 Tricipital pad | N. C. | 157.84 | | |
| OPTIONAL COMPONENTS | | | | |
| 1245547 Metal elbow joints, flexible | 408.81 | 476.09 | | |
| 1295765 Anchoring part for cable for passive hand and hook | 38.81 | 62.09 | | 3 |
| ----- Other optional components (consult Subdivision VII for the codes and prices of these components) | | | | |
| SUPPLEMENTS AVAILABLE | | | | |
| ----- Stump sock | | | | |
| * (consult Division III of this Part for the codes and prices of these supplements) | | | | |
| 3190014 Nylon stump sheath | 18.36 | 21.33 | | |
| ADJUSTMENTS AVAILABLE | | | | |
| 1246511 Lengthening of prosthesis | | | 263.90 | 3 |
| ----- Any pertinent adjustment | | | | |

SUBDIVISION 3: CUBITAL PROSTHESES

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 1241504 Endoskeletal cubital prosthetic restoration | 1,559.58 | | | 6 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Rigid plastic socket, made from plaster or digital mold of insured person | | | | |
| Passive hand with flexible fingers and prosthetic glove (Otto Bock) | | | | |
| Complete endoskeletal system (including modular components and prosthetic cover) | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENTS | | | | |
| 1235514 Rigid plastic socket, made from plaster or digital mold of insured person | N. C. | 957.34 | | 3 |
| 1295534 Complete endoskeletal system | N. C. | N. A. | | |
| 1295542 Prosthetic cover | N. C. | 293.68 | | |
| 3222817 Passive hand with flexible fingers (Otto Bock) | N. C. | 314.36 | | |
| 3223005 Prosthetic glove (Otto Bock) | N. C. | 269.75 | | |
| OPTIONAL COMPONENTS | | | | |
| 1245547 Metal elbow joints, flexible | 408.81 | 476.09 | | |
| ----- Other optional components (consult Subdivision VII for the codes and prices of these components) | | | | |
| SUPPLEMENTS AVAILABLE | | | | |
| 3293164 Prosthetic socks, per pair | 27.19 | 36.22 | | |
| ----- Stump sock | | | | |
| * (consult Division III of this Part for the codes and prices of these supplements) | | | | |
| 3190014 Nylon stump sheath | 18.36 | 21.33 | | |
| ADJUSTMENT AVAILABLE | | | | |
| ----- Any pertinent adjustment | | | | |
| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |

1231752 Exoskeletal cubital or wrist prosthetic restoration 1,469.01 6

BASIC COMPONENTS AND SUPPLEMENTS

Passive hand with flexible fingers and prosthetic glove (Otto Bock)
Rigid plastic socket, made from plaster or digital mold of insured person

Wrist friction joint

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

| | | | | |
|---|-------|--------|--|---|
| 1235514 Rigid plastic socket, made from plaster or digital mold of insured person | N. C. | 957.34 | | 3 |
| 1295526 Wrist friction joint | N. C. | 338.95 | | |
| 3222817 Passive hand with flexible fingers (Otto Bock) | N. C. | 314.36 | | |
| 3223005 Prosthetic glove (Otto Bock) | N. C. | 269.75 | | |

OPTIONAL COMPONENTS

| | | | | |
|--|--------|--------|--|--|
| 1295716 Suspension harness | 107.37 | 157.84 | | |
| ----- Other optional components (consult Subdivision VII for the codes and prices of these components) | | | | |

SUPPLEMENTS AVAILABLE

| | | | | |
|---|-------|-------|--|--|
| ----- Stump sock | * | * | | |
| * (consult Division III of this Part for the codes and prices of these supplements) | | | | |
| 3190014 Nylon stump sheath | 18.36 | 21.33 | | |

ADJUSTMENTS AVAILABLE

| | | | | |
|-----------------------------------|--|--|--------|---|
| 1246511 Lengthening of prosthesis | | | 263.90 | 3 |
| ----- Any pertinent adjustment | | | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---------------|--|---|--------------------------------|-----------------------|
|---------------|--|---|--------------------------------|-----------------------|

| | | | | |
|--|----------|--|--|---|
| 1240514 Cubital prosthesis with multiple-action joints | 2,302.82 | | | 6 |
|--|----------|--|--|---|

BASIC COMPONENTS AND SUPPLEMENTS

Wrist friction joint

Rigid plastic socket, made from plaster or digital mold of insured person

Forearm restoration
Multiple-action elbow joints
Suspension harness
Armband
Control cable, connections, terminals and housing (reinforced materials)

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

| | | | | |
|---------|---|-------|----------|---|
| 1245539 | Rigid plastic socket, made from plaster or digital mold of insured person | N. C. | 1,204.45 | 3 |
| 1295526 | Wrist friction joint | N. C. | 338.95 | |
| 1245554 | Multiple-action elbow joints | N. C. | 605.45 | |
| 1245562 | Forearm restoration | N. C. | 445.03 | 3 |
| 1295500 | Suspension harness | N. C. | 157.84 | 3 |
| 1295518 | Control cable, connections, terminals and housing (reinforced materials) | N. C. | 195.36 | 3 |
| 1295799 | Armband | N. C. | 186.27 | 3 |

OPTIONAL COMPONENTS

| | | | | |
|---------|--|-------|-------|---|
| 1295815 | Anchoring part for cable for passive hand and hook | 38.81 | 62.09 | 3 |
| ----- | Other optional components (consult Subdivision VII for the codes and prices of these components) | | | |

SUPPLEMENTS AVAILABLE

| | | | | |
|---------|---|-------|-------|--|
| ----- | Stump sock | * | * | |
| | * (consult Division III of this Part for the codes and prices of these supplements) | | | |
| 3190014 | Nylon stump sheath | 18.36 | 21.33 | |

ADJUSTMENTS AVAILABLE

| | | | | |
|---------|---------------------------|--|--------|---|
| 1246511 | Lengthening of prosthesis | | 263.90 | 3 |
| ----- | Any pertinent adjustment | | | |

SUBDIVISION 4: CUBITOHUMERAL PROSTHESES

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 1250505 Exoskeletal cubitohumeral prosthesis | 3,115.25 | | | 6 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Wrist friction joint | | | | |
| Rigid plastic socket, made from plaster or digital mold of insured person | | | | |
| Forearm restoration | | | | |
| Joints with external lock (E-500, E-1500) | | | | |
| Suspension harness | | | | |
| Control cables (2) | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENTS | | | | |
| 1255512 Rigid plastic socket, made from plaster or digital mold of insured person | N. C. | 1,235.50 | | 3 |
| 1295526 Wrist friction joint | N. C. | 338.95 | | |
| 1255520 Joints with external lock (E-500, E-1500) | N. C. | 1,203.16 | | |
| 1245562 Forearm restoration | N. C. | 445.03 | | 3 |
| 1295591 Suspension harness | N. C. | 169.47 | | 3 |
| 1295641 Control cables (2) | N. C. | 248.38 | | 3 |
| OPTIONAL COMPONENTS | | | | |
| 1295559 Flexion assist mechanism | 389.42 | 456.69 | | 3 |
| 1295815 Anchoring part for cable for passive hand and hook | 38.81 | 62.09 | | 3 |
| ----- Other optional components (consult Subdivision VII for the codes and prices of these components) | | | | |
| SUPPLEMENTS AVAILABLE | | | | |
| ----- Stump sock | | | | |
| * (consult Division III of this Part for the codes and prices of these supplements) | | | | |
| 3190014 Nylon stump sheath | 18.36 | 21.33 | | |
| ADJUSTMENTS AVAILABLE | | | | |
| 1246529 Lengthening of cubital part of the prosthesis | | | 263.90 | 3 |
| ----- Any pertinent adjustment | | | | |

SUBDIVISION 5: HUMERAL PROSTHESES

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 1260504 Exoskeletal humeral prosthesis | 3,123.00 | | | 6 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Wrist friction joint | | | | |
| Rigid plastic socket, made from plaster or digital mold of insured person | | | | |
| Forearm restoration | | | | |
| Elbow with internal lock (E-400) | | | | |
| Suspension harness | | | | |
| Control cables (2) | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENTS | | | | |
| 1265511 Rigid plastic socket, made from plaster or digital mold of insured person | N. C. | 1,204.45 | | 3 |
| 1295526 Wrist friction joint | N. C. | 338.95 | | |
| 1265529 Elbow with internal lock (E-400) | N. C. | 1,045.33 | | |
| 1245562 Forearm restoration | N. C. | 445.03 | | 3 |
| 1295591 Suspension harness | N. C. | 169.47 | | 3 |
| 1295641 Control cables (2) | N. C. | 248.38 | | 3 |
| OPTIONAL COMPONENTS | | | | |
| 1295815 Anchoring part for cable for passive hand and hook | 38.81 | 62.09 | | 3 |
| 1295823 Flexion assist mechanism | 254.85 | 322.13 | | 3 |
| 1295575 Nudge control | 430.79 | 504.54 | | 3 |
| ----- Other optional components (consult Subdivision VII for the codes and prices of these components) | | | | |
| SUPPLEMENTS AVAILABLE | | | | |
| ----- Stump sock | | | | |
| * (consult Division III of this Part for the codes and prices of these supplements) | | | | |
| 3190014 Nylon stump sheath | 18.36 | 21.33 | | |
| ADJUSTMENTS AVAILABLE | | | | |
| 1246529 Lengthening of cubital part of the prosthesis | | | 263.90 | 3 |
| ----- Any pertinent adjustment | | | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 1261502 Endoskeletal humeral prosthetic restoration | 2,602.31 | | | 6 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Rigid plastic socket, made from plaster or digital mold of insured person | | | | |
| Passive hand with flexible fingers and prosthetic glove (Otto Bock) | | | | |
| Complete endoskeletal system (modular components and prosthetic cover) | | | | |
| Suspension harness | | | | |
| Prosthetic socks (2) | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENTS | | | | |
| 1265511 Rigid plastic socket, made from plaster or digital mold of insured person | N. C. | 1,204.45 | | 3 |
| 1295658 Complete endoskeletal system | N. C. | N. A. | | |
| 1265552 Prosthetic cover | N. C. | 348.01 | | |
| 1295591 Suspension harness | N. C. | 169.47 | | 3 |
| 3222817 Passive hand with flexible fingers (Otto Bock) | N. C. | 314.36 | | |
| 3223005 Prosthetic glove (Otto Bock) | N. C. | 269.75 | | |
| OPTIONAL COMPONENTS | | | | |
| 1295831 Flexion wrist | 294.96 | 445.03 | | |
| 1295849 Shoulder-activated lock elbow | 331.20 | 851.26 | | |
| ----- Other optional components (consult Subdivision VII for the codes and prices of these components) | | | | |
| 1295815 Anchoring part for cable for passive hand and hook | 38.81 | 62.09 | | |
| SUPPLEMENTS AVAILABLE | | | | |
| 3293172 Prosthetic socks, per pair | N. C. | 41.39 | | |
| ----- Stump sock | * | * | | |
| * (consult Division III of this Part for the codes and prices of these supplements) | | | | |
| 3190014 Nylon stump sheath | 18.36 | 21.33 | | |
| ADJUSTMENT AVAILABLE | | | | |
| ----- Any pertinent adjustment | | | | |

SUBDIVISION 6: GLENOHUMERAL AND THORACIC PROSTHESES

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 1270503 Exoskeletal glenohumeral prosthesis | 4,716.03 | | | 6 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Wrist friction joint | | | | |
| Rigid plastic socket, made from plaster or digital mold of insured person | | | | |
| Forearm restoration | | | | |
| Elbow with internal lock (E-400) | | | | |
| Flexion assist mechanism | | | | |
| Arm restoration | | | | |
| Shoulder joint (FAJ-100) | | | | |
| Suspension harness | | | | |
| Control cables (2), connections, terminals and housing (reinforced materials and pulley) | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENTS | | | | |
| 1275510 Rigid plastic socket, made from plaster or digital mold of insured person | N. C. | 1,628.78 | | 3 |
| 1295666 Suspension harness | N. C. | 179.82 | | 3 |
| 1295674 Control cables (2), connections, terminals and housing (reinforced materials and pulley) | N. C. | 390.70 | | 3 |
| 1295526 Wrist friction joint | N. C. | 338.95 | | |
| 1265529 Elbow with internal lock (E-400) | N. C. | 1,045.33 | | |
| 1245562 Forearm restoration | N. C. | 445.03 | | 3 |
| 1265537 Arm restoration | N. C. | 368.71 | | 3 |
| 1265545 Shoulder joint (FAJ-100) | N. C. | 767.64 | | |
| 1295690 Flexion assist mechanism | N. C. | 336.37 | | 3 |
| OPTIONAL COMPONENTS | | | | |
| 1295575 Nudge control | 430.79 | 504.54 | | 3 |
| 1295815 Anchoring part for cable for passive hand and hook | 38.81 | 62.09 | | 3 |
| ----- Other optional components (consult Subdivision VII for the codes and prices of these components) | | | | |
| SUPPLEMENTS AVAILABLE | | | | |
| ----- Stump sock | | | | |
| * (consult Division III of this Part for the codes and prices of these supplements) | | | | |

3190014 Nylon stump sheath 18.36 21.33

ADJUSTMENT AVAILABLE

1246529 Lengthening of cubital part of the prosthesis 263.90 3

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--------|--|---|--------------------------------|-----------------------|
|--------|--|---|--------------------------------|-----------------------|

1271501 Endoskeletal glenohumeral prosthetic restoration 3,383.70 6

BASIC COMPONENTS AND SUPPLEMENTS

Rigid plastic socket, made from plaster or digital mold of insured person

Passive hand with flexible fingers and prosthetic glove (Otto Bock)
Complete endoskeletal system (modular components and prosthetic cover)
Suspension harness

COMPONENTS AND SUPPLEMENTS
AVAILABLE

BASIC COMPONENTS

1275510 Rigid plastic socket, made from plaster or digital mold of insured person N. C. 1,628.78 3

1295682 Complete endoskeletal system N. C. N. A.

1275528 Prosthetic cover N. C. 404.92

1295666 Suspension harness N. C. 179.82 3

3222817 Passive hand with flexible fingers (Otto Bock) N. C. 314.36

3223005 Prosthetic glove (Otto Bock) N. C. 269.75

OPTIONAL COMPONENTS

1295831 Flexion wrist 294.96 445.03

1295849 Shoulder-activated lock elbow 331.20 851.26

1295815 Anchoring part for cable for passive hand and hook 38.81 62.09 3

----- Other optional components (consult Subdivision VII for the codes and prices of these components)

1295856 Nudge control where shoulder-activated lock elbow is used 430.79 504.54 3

SUPPLEMENTS AVAILABLE

| | | | |
|---------|---|-------|-------|
| 3293180 | Prosthetic socks, per pair | 27.19 | 36.22 |
| ----- | Stump sock | * | * |
| | * (consult Division III of this Part for the codes and prices of these supplements) | | |
| 3190014 | Nylon stump sheath | 18.36 | 21.33 |

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---|--|---|--------------------------------|-----------------------|
| 1280502 Exoskeletal thoracic prosthesis | 6,191.82 | | | 6 |

BASIC COMPONENTS AND SUPPLEMENTS

Wrist friction joint
Rigid plastic socket, made from plaster or digital mold of insured person

Forearm restoration
Elbow with internal lock (E-400)
Flexion assist mechanism
Arm restoration
Shoulder joint (FAJ-100)
Suspension harness
Control cables (2), connections, terminals and housing (reinforced materials and pulley)

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

| | | | | |
|---------|--|-------|----------|---|
| 1285519 | Rigid plastic socket, made from plaster or digital mold of insured person | N. C. | 2,015.61 | 3 |
| 1295666 | Suspension harness | N. C. | 179.82 | 3 |
| 1295674 | Control cables (2), connections, terminals and housing (reinforced materials and pulley) | N. C. | 390.70 | 3 |
| 1295526 | Wrist friction joint | N. C. | 338.95 | |
| 1265529 | Elbow with internal lock (E-400) | N. C. | 1,045.33 | |
| 1245562 | Forearm restoration | N. C. | 445.03 | 3 |
| 1265537 | Arm restoration | N. C. | 368.71 | 3 |
| 1265545 | Shoulder joint (FAJ-100) | N. C. | 767.64 | |
| 1295690 | Flexion assist mechanism | N. C. | 336.37 | 3 |

OPTIONAL COMPONENTS

| | | | | |
|---------|---------------|--------|--------|---|
| 1295575 | Nudge control | 430.79 | 504.54 | 3 |
|---------|---------------|--------|--------|---|

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|---------|--|-------|-------|---|
| 1295815 | Anchoring part for cable for passive hand and hook | 38.81 | 62.09 | 3 |
| ----- | Other optional components (consult Subdivision VII for the codes and prices of these components) | | | |

SUPPLEMENTS AVAILABLE

| | | | | |
|---------|---|-------|-------|--|
| ----- | Stump sock | * | * | |
| | * (consult Division III of this Part for the codes and prices of these supplements) | | | |
| 3190014 | Nylon stump sheath | 18.36 | 21.33 | |

ADJUSTMENT AVAILABLE

| | | | | |
|---------|---|--|--------|---|
| 1246529 | Lengthening of cubital part of the prosthesis | | 263.90 | 3 |
|---------|---|--|--------|---|

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--------|--|---|--------------------------------|-----------------------|
|--------|--|---|--------------------------------|-----------------------|

| | | | | |
|---------|--|----------|--|---|
| 1281500 | Endoskeletal thoracic prosthetic restoration | 3,718.78 | | 6 |
|---------|--|----------|--|---|

BASIC COMPONENTS AND SUPPLEMENTS

Rigid plastic socket, made from plaster or digital mold of insured person

Passive hand with flexible fingers and prosthetic glove (Otto Bock)
Complete endoskeletal system (modular components and prosthetic cover)
Suspension harness

COMPONENTS AND SUPPLEMENTS
AVAILABLE

BASIC COMPONENTS

| | | | | |
|---------|---|-------|----------|---|
| 1285519 | Rigid plastic socket, made from plaster or digital mold of insured person | N. C. | 2,015.61 | 3 |
| 1295682 | Complete endoskeletal system | N. C. | N. A. | |
| 1275528 | Prosthetic cover | N. C. | 404.92 | |
| 1295666 | Suspension harness | N. C. | 179.82 | 3 |
| 3222817 | Passive hand with flexible fingers (Otto Bock) | N. C. | 314.36 | |
| 3223005 | Prosthetic glove, fitting included (Otto Bock) | N. C. | 269.75 | |

OPTIONAL COMPONENTS

| | | | | |
|---------|--|--------|--------|---|
| 1295831 | Flexion wrist | 294.96 | 445.03 | |
| 1295849 | Shoulder-activated lock elbow | 331.20 | 851.26 | |
| 1295815 | Anchoring part for cable for passive hand and hook | 38.81 | 62.09 | 3 |

----- Other optional components (consult Subdivision VII
for the codes and prices of these components)

| | | | | |
|---------|--|--------|--------|---|
| 1295856 | Nudge control where shoulder-activated lock elbow is used | 430.79 | 504.54 | 3 |
|---------|--|--------|--------|---|

SUPPLEMENTS AVAILABLE

| | | | | |
|---------|--|-------|-------|--|
| 3293180 | Prosthetic socks, per pair | 27.19 | 36.22 | |
| ----- | Stump sock | * | * | |
| | * (consult Division III of this Part for the codes and prices of these supplements) | | | |

| | | | | |
|---------|--------------------|-------|-------|--|
| 3190014 | Nylon stump sheath | 18.36 | 21.33 | |
|---------|--------------------|-------|-------|--|

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

SUBDIVISION 7: BASIC OR OPTIONAL COMPONENTS FOR UPPER-LIMB PROSTHESESWRISTS, HOOKS, HANDS, PROSTHETIC
GLOVES, ELBOW JOINTS, SHOULDER
JOINTS AND OTHERS

| WRISTS FOR EXOSKELETAL PROSTHESES | Maximum substitution price of component at the time of purchase or replacement of prosthesis | Maximum replacement price of component |
|--|--|---|
| 3232725 Quick disconnect wrist including a socket (FM-100) | 71.15 | 402.35 |
| 3232733 Quick disconnect wrist including a socket (FM-100S) | 508.44 | 838.34 |
| 3232741 Quick disconnect wrist including a socket (WD-400) | 53.03 | 382.94 |
| 3232758 Quick disconnect wrist including a socket (WD-400S) | 186.27 | 516.19 |
| 3232790 Quick disconnect wrist including a socket (WD-400SS) | 494.22 | 824.08 |
| 3232766 Wrist for child (CAPP) | N. C. | 336.37 |
| 3232865 Flexion wrist for child (CAPP) | 87.98 | 417.85 |
| 3232774 Flexion wrist (FW-200, FW-300, FW-500) | 204.43 | 534.30 |
| 3232808 Flexion wrist (FW-500S) | 727.05 | 1,056.97 |
| 3232782 Flexion wrist (18-00) | 349.31 | 680.51 |
| 3232816 Flexion wrist (FW-50) | 358.36 | 689.55 |
| 3299005 Extra socket for wrist (WD-400) | 47.86 | 47.86 |
| 3299013 Extra socket for wrist (WD-400S, WD-400SS) | 103.51 | 103.51 |
| 3299021 Extra socket for wrist (FM-100) | 63.38 | 63.38 |
| HOOKS | Maximum substitution price of component at the time of purchase or replacement of prosthesis | Maximum replacement price of component |
| 3222908 Dorrance hook, farmer's-type (6) | 1,972.90 | 2,019.49 |
| 3222940 Dorrance hook, farmer's-type (7 LO) | 1,100.95 | 1,147.51 |
| 3222916 APRL hook (302-00) | 1,564.10 | 1,609.40 |
| 3222924 Sierra hook | 1,945.74 | 1,992.32 |
| 3222619 Hook, model 99X or equivalent: use, shape, cost (10X, 10P, 99X8, 88X5, 5X, 5XA) | 569.23 | 615.81 |
| 3222973 Hook (12P) | 617.10 | 663.68 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | |
|---|----------|----------|
| 3223013 Hook (99P) | 579.58 | 663.68 |
| 3223393 Voluntary closing hook, for adult (TRS, Grip I) | 1,403.67 | 1,450.26 |
| 3223401 Voluntary closing hook, for adult (TRS, Grip II) | 1,363.56 | 1,408.86 |
| 3223419 Voluntary closing hook, for adult (TRS, Grip III) | 1,526.58 | 1,573.16 |
| 3223427 Voluntary closing hook, for child (TRS, Grip I) | 961.23 | 1,007.80 |
| 3223435 Voluntary closing hook, for child (TRS, Grip II) | 936.64 | 983.22 |
| 3223443 Voluntary closing hook, for child (TRS, Grip III) | 838.34 | 884.89 |
| 3223450 Voluntary closing hook, for child (TRS, Grip IV) | 879.73 | 926.31 |

PASSIVE HANDS FOR PROSTHETIC RESTORATION

Maximum substitution price of component at the time of purchase or replacement of prosthesis

Maximum replacement price of component

| | | |
|---|--------|--------|
| 3222858 Steeper hand for child, including prosthetic glove and installation | 34.94 | 483.84 |
| 3222692 Centri hand for child, including prosthetic glove and installation | 50.44 | 499.37 |
| 3222866 Hosmer hand for adult, including prosthetic glove and installation | 139.72 | 588.65 |
| 3222627 Otto Bock hand for adult, including prosthetic glove and installation | N. C. | 448.94 |

PASSIVE HANDS FOR FUNCTIONAL PROSTHESES

Maximum substitution price of component at the time of purchase or replacement of prosthesis

Maximum replacement price of component

| | | |
|---|--------|--------|
| 3222643 Steeper hand for child, including prosthetic glove and installation | 419.16 | 483.84 |
| 3222684 Centri hand for child, including prosthetic glove and installation | 434.69 | 499.37 |
| 3222635 Hosmer hand for adult, including prosthetic glove and installation | 523.94 | 588.65 |
| 3222874 Otto Bock hand for adult, including prosthetic glove and installation | 384.22 | 448.94 |

| MECHANICAL HANDS | Maximum substitution price of component at the time of purchase or replacement of prosthesis | Maximum replacement price of component |
|--|--|---|
| 3222841 Voluntary opening Sierra hand, including prosthetic glove and installation | 2,207.07 | 2,271.75 |
| 3222809 Voluntary opening APRL hand and prosthetic glove, installation included | 2,516.26 | 2,580.95 |
| 3222833 Voluntary closing Otto Bock hand and prosthetic glove, installation included (8K15) | 992.27 | 1,056.97 |
| 3222676 Voluntary closing Otto Bock hand and prosthetic glove, installation included (8K25) | 992.27 | 1,056.97 |
| 3222668 Voluntary closing Otto Bock hand and prosthetic glove, installation included (8K21, 8K23) | 633.93 | 697.31 |
| 3222650 Voluntary closing Otto Bock hand and prosthetic glove, installation included, for endoskeletal system (8K27) | 760.72 | 824.08 |
| 3222726 Becker Imperial hand, prosthetic glove and protective glove, installation included | 1,058.25 | 1,121.66 |
| 3222734 Robin Aid hand and Realistic prosthetic glove, installation included (RA-100) | 961.23 | 1,025.92 |
| 3222742 Dorrance hand and Realistic prosthetic glove, installation included | 1,813.80 | 1,877.18 |
| 3222759 Voluntary closing APRL hand and Realistic prosthetic glove, installation included | 2,516.26 | 2,580.95 |
| 3222767 Becker hand, Realistic prosthetic glove and protective glove, installation included (BLG-100) | 993.59 | 1,058.25 |
| 3222775 Robin Aid hand and Realistic prosthetic glove, installation included (RA-200) | 961.23 | 1,025.92 |
| 3222783 Becker hand and Realistic prosthetic glove, installation included (BP-100) | 791.75 | 985.82 |
| MITTS FOR CHILDREN TO REPLACE PASSIVE HAND | Maximum substitution price of component at the time of purchase or replacement of prosthesis | Maximum replacement price of component |
| 3222981 Hosmer mitt, installation included | N. C. | 280.73 |
| 3222999 Crawl mitt and prosthetic glove, installation included | 103.51 | 544.66 |

| PROSTHETIC GLOVES | Maximum substitution price of component at the time of purchase or replacement of prosthesis | Maximum replacement price of component |
|---|--|--|
| 3223005 Otto Bock prosthetic glove, installation included | N. C. | 269.75 |
| 3223120 Realistic prosthetic glove, installation included | N. C. | 284.62 |
| ELBOW JOINTS | Maximum substitution price of component at the time of purchase or replacement of prosthesis | Maximum replacement price of component |
| 1245588 External monocentric free-moving locking joint (E-5500) | 980.64 | 1,569.28 |
| 1245596 External monocentric free-moving locking joint (E-1500) | 613.22 | 1,203.16 |
| 1245604 External polycentric free-moving joint (MA-50, MA-75, MA-100) | 77.61 | 667.57 |
| 1245653 Constant friction elbow, for child (E-50) | N. C. | 1,037.55 |
| 1245661 Elbow with internal lock (E-400HD) | N. C. | 1,063.43 |
| SHOULDER JOINTS | Maximum substitution price of component at the time of purchase or replacement of prosthesis | Maximum replacement price of component |
| 1245620 Abduction-adduction joint (SAJ-75) | N. C. | 525.24 |
| 1245638 Abduction-adduction joint (SAJ-100) | 100.92 | 764.58 |
| 1245646 Free movement joint (Hosmer) | 34.94 | 698.60 |
| 1245679 Joint (FS-50, FS-75) | N. C. | 600.27 |

| CONTROLS | Maximum substitution price of component at the time of purchase or replacement of prosthesis | Maximum replacement price of component |
|--|--|--|
| 1295583 Truncular abdominal or scapular control, including manufacturing, fitting and installation time as well as materials | 55.65 | 84.10 |

SUBDIVISION 8 : UPPER-LIMB PROSTHESES

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustement price | Guarantee (months) |
|---------------|--|---|---------------------------------|-----------------------|
|---------------|--|---|---------------------------------|-----------------------|

1242007 Other upper-limb prostheses **

S. C.

*

*GUARANTEE PERIOD:

Hand prostheses: 1 month

Others : 6 months

** When price is below that of the similar prosthesis

**DIVISION III: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES
SUPPLEMENTS FOR PROSTHESES**

| Description | Maximum price Purchase or replacement of prosthesis | Maximum price at the time of replacement of socks |
|-----------------------------------|--|--|
| SUPPLEMENTS FOR PROSTHESES | | |
| STUMP SOCKS | | |
| <u>WOOL 2 – 3 – 5 PLY</u> | | |
| Width: 15.2 cm (6 in.) | | |
| 3493004 length: 25.4 cm (10 in.) | 9.70 | 12.58 |
| 3493012 length: 30.5 cm (12 in.) | 10.55 | 13.56 |
| 3493020 length: 35.6 cm (14 in.) | 11.85 | 14.84 |
| 3493038 length: 40.6 cm (16 in.) | 12.84 | 15.68 |
| 3493046 length: 45.7 cm (18 in.) | 13.96 | 16.86 |
| 3493053 length: 50.8 cm (20 in.) | 15.00 | 17.83 |
| 3493061 length: 55.9 cm (22 in.) | 16.12 | 19.13 |
| 3493079 length: 61.0 cm (24 in.) | 17.83 | 20.69 |
| 3493087 length: 66.0 cm (26 in.) | 18.98 | 21.97 |
| 3493095 length: 71.1 cm (28 in.) | 20.12 | 22.96 |
| 3493103 length: 76.2 cm (30 in.) | 20.97 | 23.99 |
| 3493111 length: 81.3 cm (32 in.) | 22.26 | 25.25 |
| Width: 17.8 cm (7 in.) | | |
| 3493129 length: 25.4 cm (10 in.) | 10.41 | 13.43 |
| 3493137 length: 30.5 cm (12 in.) | 11.57 | 14.57 |
| 3493145 length: 35.6 cm (14 in.) | 12.97 | 16.01 |
| 3493152 length: 40.6 cm (16 in.) | 14.43 | 17.42 |
| 3493160 length: 45.7 cm (18 in.) | 16.12 | 19.13 |
| 3493178 length: 50.8 cm (20 in.) | 17.69 | 20.69 |
| 3493186 length: 55.9 cm (22 in.) | 18.82 | 21.82 |
| 3493194 length: 61.0 cm (24 in.) | 20.12 | 23.11 |
| 3493202 length: 66.0 cm (26 in.) | 21.68 | 24.67 |
| 3493210 length: 71.1 cm (28 in.) | 22.83 | 25.83 |
| 3493228 length: 76.2 cm (30 in.) | 23.98 | 26.95 |
| 3493236 length: 81.3 cm (32 in.) | 25.39 | 28.38 |
| Width: 20.3 cm (8 in.) | | |
| 3493244 length: 25.4 cm (10 in.) | 11.96 | 15.00 |
| 3493251 length: 30.5 cm (12 in.) | 13.56 | 16.38 |
| 3493269 length: 35.6 cm (14 in.) | 14.82 | 17.83 |
| 3493277 length: 40.6 cm (16 in.) | 16.38 | 19.41 |
| 3493285 length: 45.7 cm (18 in.) | 17.83 | 20.69 |
| 3493293 length: 50.8 cm (20 in.) | 19.25 | 22.28 |
| 3493301 length: 55.9 cm (22 in.) | 20.69 | 23.67 |
| 3493319 length: 61.0 cm (24 in.) | 22.40 | 25.40 |
| 3493327 length: 66.0 cm (26 in.) | 23.98 | 26.83 |
| 3493335 length: 71.1 cm (28 in.) | 25.54 | 28.55 |
| 3493343 length: 76.2 cm (30 in.) | 26.68 | 29.69 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | |
|----------------------------------|-------|-------|
| 3493350 length: 81.3 cm (32 in.) | 28.25 | 31.25 |
| Width: 22.9 cm (9 in.) | | |
| 3493368 length: 25.4 cm (10 in.) | 13.70 | 16.71 |
| 3493376 length: 30.5 cm (12 in.) | 15.43 | 18.28 |
| 3493384 length: 35.6 cm (14 in.) | 16.98 | 19.98 |
| 3493392 length: 40.6 cm (16 in.) | 18.40 | 21.41 |
| 3493400 length: 45.7 cm (18 in.) | 20.25 | 23.27 |
| 3493418 length: 50.8 cm (20 in.) | 21.82 | 24.81 |
| 3493426 length: 55.9 cm (22 in.) | 23.39 | 26.37 |
| 3493434 length: 61.0 cm (24 in.) | 24.80 | 27.80 |
| 3493442 length: 66.0 cm (26 in.) | 26.55 | 29.56 |
| 3493459 length: 71.1 cm (28 in.) | 28.25 | 31.25 |
| 3493467 length: 76.2 cm (30 in.) | 29.68 | 32.52 |
| 3493475 length: 81.3 cm (32 in.) | 31.25 | 34.08 |
| Width: 25.4 cm (10 in.) | | |
| 3493483 length: 25.4 cm (10 in.) | 15.43 | 18.28 |
| 3493491 length: 30.5 cm (12 in.) | 16.71 | 19.69 |
| 3493509 length: 35.6 cm (14 in.) | 18.69 | 21.70 |
| 3493517 length: 40.6 cm (16 in.) | 20.41 | 23.27 |
| 3493525 length: 45.7 cm (18 in.) | 21.96 | 24.98 |
| 3493533 length: 50.8 cm (20 in.) | 23.83 | 26.83 |
| 3493541 length: 55.9 cm (22 in.) | 25.54 | 28.55 |
| 3493558 length: 61.0 cm (24 in.) | 27.11 | 30.10 |
| 3493566 length: 66.0 cm (26 in.) | 28.67 | 31.52 |
| 3493574 length: 71.1 cm (28 in.) | 30.52 | 33.50 |
| 3493582 length: 76.2 cm (30 in.) | 32.23 | 35.12 |
| 3493590 length: 81.3 cm (32 in.) | 33.95 | 36.96 |
| Width: 30.5 cm (12 in.) | | |
| 3493608 length: 25.4 cm (10 in.) | 20.53 | 23.41 |
| 3493616 length: 30.5 cm (12 in.) | 22.10 | 25.11 |
| 3493624 length: 35.6 cm (14 in.) | 23.98 | 26.95 |
| 3493632 length: 40.6 cm (16 in.) | 25.54 | 28.55 |
| 3493640 length: 45.7 cm (18 in.) | 27.38 | 30.24 |
| 3493657 length: 50.8 cm (20 in.) | 29.09 | 31.98 |
| 3493665 length: 55.9 cm (22 in.) | 30.79 | 33.68 |
| 3493673 length: 61.0 cm (24 in.) | 32.66 | 35.54 |
| 3493681 length: 66.0 cm (26 in.) | 33.95 | 36.80 |
| 3493699 length: 71.1 cm (28 in.) | 35.93 | 38.81 |
| 3493707 length: 76.2 cm (30 in.) | 37.39 | 40.38 |
| 3493715 length: 81.3 cm (32 in.) | 39.20 | 42.24 |

| Description | Maximum price Purchase or replacement of prosthesis | Maximum price at the time of replacement of socks |
|----------------------------------|--|--|
| <u>WOOL 6-PLY</u> | | |
| Width: 15.2 cm (6 in.) | | |
| 3493723 length: 25.4 cm (10 in.) | 10.55 | 13.56 |
| 3493731 length: 30.5 cm (12 in.) | 11.69 | 14.68 |
| 3493749 length: 35.6 cm (14 in.) | 12.97 | 16.01 |
| 3493756 length: 40.6 cm (16 in.) | 14.12 | 17.13 |
| 3493764 length: 45.7 cm (18 in.) | 15.43 | 18.28 |
| 3493772 length: 50.8 cm (20 in.) | 16.53 | 19.41 |
| 3493780 length: 55.9 cm (22 in.) | 17.83 | 20.69 |
| 3493798 length: 61.0 cm (24 in.) | 19.56 | 22.55 |
| 3493806 length: 66.0 cm (26 in.) | 20.83 | 23.83 |
| 3493814 length: 71.1 cm (28 in.) | 21.96 | 24.98 |
| 3493822 length: 76.2 cm (30 in.) | 23.10 | 26.11 |
| 3493830 length: 81.3 cm (32 in.) | 24.53 | 27.53 |
| Width: 17.8 cm (7 in.) | | |
| 3493848 length: 25.4 cm (10 in.) | 11.57 | 14.57 |
| 3493855 length: 30.5 cm (12 in.) | 12.72 | 15.68 |
| 3493863 length: 35.6 cm (14 in.) | 14.43 | 17.25 |
| 3493871 length: 40.6 cm (16 in.) | 15.85 | 18.83 |
| 3493889 length: 45.7 cm (18 in.) | 17.83 | 20.69 |
| 3493897 length: 50.8 cm (20 in.) | 19.38 | 22.40 |
| 3493905 length: 55.9 cm (22 in.) | 20.83 | 23.83 |
| 3493913 length: 61.0 cm (24 in.) | 22.26 | 25.11 |
| 3493921 length: 66.0 cm (26 in.) | 23.98 | 26.83 |
| 3493939 length: 71.1 cm (28 in.) | 24.98 | 27.95 |
| 3493947 length: 76.2 cm (30 in.) | 26.37 | 29.39 |
| 3493954 length: 81.3 cm (32 in.) | 28.12 | 31.12 |
| Width: 20.3 cm (8 in.) | | |
| 3493962 length: 25.4 cm (10 in.) | 13.27 | 16.12 |
| 3493970 length: 30.5 cm (12 in.) | 14.82 | 17.70 |
| 3493988 length: 35.6 cm (14 in.) | 16.38 | 19.41 |
| 3493996 length: 40.6 cm (16 in.) | 18.13 | 21.12 |
| 3494002 length: 45.7 cm (18 in.) | 19.56 | 22.55 |
| 3494010 length: 50.8 cm (20 in.) | 21.28 | 24.11 |
| 3494028 length: 55.9 cm (22 in.) | 22.83 | 25.83 |
| 3494036 length: 61.0 cm (24 in.) | 24.53 | 27.53 |
| 3494044 length: 66.0 cm (26 in.) | 26.23 | 29.25 |
| 3494051 length: 71.1 cm (28 in.) | 28.12 | 31.12 |
| 3494069 length: 76.2 cm (30 in.) | 29.56 | 32.52 |
| 3494077 length: 81.3 cm (32 in.) | 31.10 | 34.08 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

Width: 22.9 cm (9 in.)

| | | |
|----------------------------------|-------|-------|
| 3494085 length: 25.4 cm (10 in.) | 15.00 | 17.97 |
| 3494093 length: 30.5 cm (12 in.) | 16.85 | 19.84 |
| 3494101 length: 35.6 cm (14 in.) | 18.69 | 21.70 |
| 3494119 length: 40.6 cm (16 in.) | 20.25 | 23.27 |
| 3494127 length: 45.7 cm (18 in.) | 22.26 | 25.25 |
| 3494135 length: 50.8 cm (20 in.) | 23.98 | 26.95 |
| 3494143 length: 55.9 cm (22 in.) | 25.67 | 28.66 |
| 3494150 length: 61.0 cm (24 in.) | 27.38 | 30.24 |
| 3494168 length: 66.0 cm (26 in.) | 29.25 | 32.09 |
| 3494176 length: 71.1 cm (28 in.) | 31.10 | 34.08 |
| 3494184 length: 76.2 cm (30 in.) | 32.51 | 35.54 |
| 3494192 length: 81.3 cm (32 in.) | 34.38 | 37.26 |

Width: 25.4 cm (10 in.)

| | | |
|----------------------------------|-------|-------|
| 3494200 length: 25.4 cm (10 in.) | 16.85 | 19.84 |
| 3494218 length: 30.5 cm (12 in.) | 18.40 | 21.41 |
| 3494226 length: 35.6 cm (14 in.) | 20.53 | 23.55 |
| 3494234 length: 40.6 cm (16 in.) | 22.26 | 25.25 |
| 3494242 length: 45.7 cm (18 in.) | 24.11 | 27.13 |
| 3494259 length: 50.8 cm (20 in.) | 26.23 | 29.25 |
| 3494267 length: 55.9 cm (22 in.) | 28.12 | 31.12 |
| 3494275 length: 61.0 cm (24 in.) | 29.95 | 32.96 |
| 3494283 length: 66.0 cm (26 in.) | 31.66 | 34.54 |
| 3494291 length: 71.1 cm (28 in.) | 33.67 | 36.65 |
| 3494309 length: 76.2 cm (30 in.) | 35.37 | 38.37 |
| 3494317 length: 81.3 cm (32 in.) | 37.39 | 40.22 |

Width: 30.5 cm (12 in.)

| | | |
|----------------------------------|-------|-------|
| 3494325 length: 25.4 cm (10 in.) | 22.53 | 25.54 |
| 3494333 length: 30.5 cm (12 in.) | 24.23 | 27.26 |
| 3494341 length: 35.6 cm (14 in.) | 26.37 | 29.39 |
| 3494358 length: 40.6 cm (16 in.) | 28.12 | 31.12 |
| 3494366 length: 45.7 cm (18 in.) | 30.10 | 33.10 |
| 3494374 length: 50.8 cm (20 in.) | 32.09 | 34.96 |
| 3494382 length: 55.9 cm (22 in.) | 33.95 | 36.80 |
| 3494390 length: 61.0 cm (24 in.) | 35.93 | 38.81 |
| 3494408 length: 66.0 cm (26 in.) | 37.26 | 40.22 |
| 3494416 length: 71.1 cm (28 in.) | 39.34 | 42.36 |
| 3494424 length: 76.2 cm (30 in.) | 41.23 | 44.09 |
| 3494432 length: 81.3 cm (32 in.) | 43.08 | 46.07 |

| Description | Maximum price Purchase or replacement of prosthesis | Maximum price at the time of replacement of socks |
|--|--|--|
| <u>WOOL AND NYLON 2 – 3 – 5 PLY</u> | | |
| Width: 15.2 cm (6 in.) | | |
| 3494440 length: 25.4 cm (10 in.) | 13.41 | 16.38 |
| 3494457 length: 30.5 cm (12 in.) | 13.41 | 16.38 |
| 3494465 length: 35.6 cm (14 in.) | 15.43 | 18.28 |
| 3494473 length: 40.6 cm (16 in.) | 15.43 | 18.28 |
| 3494481 length: 45.7 cm (18 in.) | 15.43 | 18.28 |
| 3494499 length: 50.8 cm (20 in.) | 17.55 | 20.41 |
| 3494507 length: 55.9 cm (22 in.) | 17.55 | 20.41 |
| Width: 17.8 cm (7 in.) | | |
| 3494515 length: 25.4 cm (10 in.) | 13.41 | 16.38 |
| 3494523 length: 30.5 cm (12 in.) | 13.41 | 16.38 |
| 3494531 length: 35.6 cm (14 in.) | 15.43 | 18.28 |
| 3494549 length: 40.6 cm (16 in.) | 15.43 | 18.28 |
| 3494556 length: 45.7 cm (18 in.) | 15.43 | 18.28 |
| 3494564 length: 50.8 cm (20 in.) | 17.55 | 20.41 |
| 3494572 length: 55.9 cm (22 in.) | 17.55 | 20.41 |
| 3494580 length: 61.0 cm (24 in.) | 17.55 | 20.41 |
| Width: 20.3 cm (8 in.) | | |
| 3494598 length: 25.4 cm (10 in.) | 15.43 | 18.28 |
| 3494606 length: 30.5 cm (12 in.) | 15.43 | 18.28 |
| 3494614 length: 35.6 cm (14 in.) | 15.43 | 18.28 |
| 3494622 length: 40.6 cm (16 in.) | 17.55 | 20.41 |
| 3494630 length: 45.7 cm (18 in.) | 17.55 | 20.41 |
| 3494648 length: 50.8 cm (20 in.) | 17.55 | 20.41 |
| 3494655 length: 55.9 cm (22 in.) | 20.12 | 22.96 |
| 3494663 length: 61.0 cm (24 in.) | 20.12 | 22.96 |
| 3494671 length: 66.0 cm (26 in.) | 20.12 | 22.96 |
| 3494689 length: 71.1 cm (28 in.) | 20.12 | 22.96 |
| Width: 22.9 cm (9 in.) | | |
| 3494697 length: 25.4 cm (10 in.) | 15.43 | 18.28 |
| 3494705 length: 30.5 cm (12 in.) | 15.43 | 18.28 |
| 3494713 length: 35.6 cm (14 in.) | 17.55 | 20.41 |
| 3494721 length: 40.6 cm (16 in.) | 17.55 | 20.41 |
| 3494739 length: 45.7 cm (18 in.) | 17.55 | 20.41 |
| 3494747 length: 50.8 cm (20 in.) | 20.12 | 22.96 |
| 3494754 length: 55.9 cm (22 in.) | 20.12 | 22.96 |
| 3494762 length: 61.0 cm (24 in.) | 20.12 | 22.96 |
| 3494770 length: 66.0 cm (26 in.) | 20.12 | 22.96 |
| 3494788 length: 71.1 cm (28 in.) | 20.12 | 22.96 |
| 3494796 length: 101.6 cm (40 in.) | 15.43 | 18.28 |
| 3494804 length: 106.7 cm (42 in.) | 15.43 | 18.28 |
| 3494812 length: 111.8 cm (44 in.) | 17.55 | 20.41 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | |
|-----------------------------------|-------|-------|
| 3494820 length: 116.8 cm (46 in.) | 17.55 | 20.41 |
| 3494838 length: 121.9 cm (48 in.) | 17.55 | 20.41 |
| 3494846 length: 127.0 cm (50 in.) | 20.12 | 22.96 |
| 3494853 length: 132.1 cm (52 in.) | 20.12 | 22.96 |

Width: 25.4 cm (10 in.)

| | | |
|-----------------------------------|-------|-------|
| 3494861 length: 25.4 cm (10 in.) | 15.43 | 18.28 |
| 3494879 length: 30.5 cm (12 in.) | 17.55 | 20.41 |
| 3494887 length: 35.6 cm (14 in.) | 17.55 | 20.41 |
| 3494895 length: 40.6 cm (16 in.) | 17.55 | 20.41 |
| 3494903 length: 45.7 cm (18 in.) | 20.12 | 22.96 |
| 3494911 length: 50.8 cm (20 in.) | 20.12 | 22.96 |
| 3494929 length: 55.9 cm (22 in.) | 20.12 | 22.96 |
| 3494937 length: 61.0 cm (24 in.) | 20.12 | 22.96 |
| 3494945 length: 66.0 cm (26 in.) | 22.10 | 25.11 |
| 3494952 length: 101.6 cm (40 in.) | 15.43 | 18.28 |
| 3494960 length: 106.7 cm (42 in.) | 15.43 | 18.28 |
| 3494978 length: 111.8 cm (44 in.) | 17.55 | 20.41 |
| 3494986 length: 116.8 cm (46 in.) | 17.55 | 20.41 |
| 3494994 length: 121.9 cm (48 in.) | 20.12 | 22.96 |
| 3495009 length: 127.0 cm (50 in.) | 20.12 | 22.96 |
| 3495017 length: 132.1 cm (52 in.) | 20.12 | 22.96 |

Width: 30.5 cm (12 in.)

| | | |
|----------------------------------|-------|-------|
| 3495025 length: 25.4 cm (10 in.) | 17.55 | 20.41 |
| 3495033 length: 30.5 cm (12 in.) | 20.12 | 22.96 |
| 3495041 length: 35.6 cm (14 in.) | 20.12 | 22.96 |
| 3495058 length: 40.6 cm (16 in.) | 20.12 | 22.96 |
| 3495066 length: 45.7 cm (18 in.) | 20.12 | 22.96 |
| 3495074 length: 50.8 cm (20 in.) | 20.12 | 22.96 |

| Description | Maximum price Purchase or replacement of prosthesis | Maximum price at the time of replacement of socks |
|-------------|--|--|
|-------------|--|--|

WOOL AND NYLON 6-PLY

Width: 15.2 cm (6 in.)

| | | |
|----------------------------------|-------|-------|
| 3495082 length: 30.5 cm (12 in.) | 14.82 | 17.70 |
| 3495090 length: 35.6 cm (14 in.) | 16.53 | 19.56 |
| 3495108 length: 40.6 cm (16 in.) | 16.53 | 19.56 |
| 3495116 length: 45.7 cm (18 in.) | 16.53 | 19.56 |
| 3495124 length: 50.8 cm (20 in.) | 18.69 | 21.70 |
| 3495132 length: 55.9 cm (22 in.) | 18.69 | 21.70 |

Width: 17.8 cm (7 in.)

| | | |
|----------------------------------|-------|-------|
| 3495140 length: 25.4 cm (10 in.) | 16.53 | 19.56 |
| 3495157 length: 30.5 cm (12 in.) | 14.82 | 17.70 |
| 3495165 length: 35.6 cm (14 in.) | 16.53 | 19.56 |
| 3495173 length: 40.6 cm (16 in.) | 16.53 | 19.56 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | |
|----------------------------------|-------|-------|
| 3495181 length: 45.7 cm (18 in.) | 16.53 | 19.56 |
| 3495199 length: 50.8 cm (20 in.) | 18.69 | 21.70 |
| 3495207 length: 55.9 cm (22 in.) | 18.69 | 21.70 |

Width: 20.3 cm (8 in.)

| | | |
|----------------------------------|-------|-------|
| 3495215 length: 25.4 cm (10 in.) | 16.53 | 19.56 |
| 3495223 length: 30.5 cm (12 in.) | 16.53 | 19.56 |
| 3495231 length: 35.6 cm (14 in.) | 16.53 | 19.56 |
| 3495249 length: 40.6 cm (16 in.) | 18.69 | 21.70 |
| 3495256 length: 45.7 cm (18 in.) | 18.69 | 21.70 |
| 3495264 length: 50.8 cm (20 in.) | 18.69 | 21.70 |
| 3495272 length: 55.9 cm (22 in.) | 21.68 | 24.54 |
| 3495280 length: 61.0 cm (24 in.) | 21.68 | 24.54 |

Width: 22.9 cm (9 in.)

| | | |
|----------------------------------|-------|-------|
| 3495298 length: 30.5 cm (12 in.) | 16.53 | 19.56 |
| 3495306 length: 35.6 cm (14 in.) | 18.69 | 21.70 |
| 3495314 length: 40.6 cm (16 in.) | 18.69 | 21.70 |
| 3495322 length: 45.7 cm (18 in.) | 18.69 | 21.70 |
| 3495330 length: 50.8 cm (20 in.) | 21.68 | 24.54 |
| 3495348 length: 55.9 cm (22 in.) | 21.68 | 24.54 |
| 3495355 length: 61.0 cm (24 in.) | 21.68 | 24.54 |

| Description | Maximum price Purchase or replacement of prosthesis | Maximum price at the time of replacement of socks |
|-------------|--|--|
|-------------|--|--|

ULTRA WOOL 3 – 5 PLY

Width: 15.2 cm (6 in.)

| | | |
|----------------------------------|-------|-------|
| 3495363 length: 25.4 cm (10 in.) | 14.82 | 17.70 |
| 3495371 length: 30.5 cm (12 in.) | 14.82 | 17.70 |
| 3495389 length: 35.6 cm (14 in.) | 16.98 | 19.84 |
| 3495397 length: 40.6 cm (16 in.) | 16.98 | 19.84 |
| 3495405 length: 45.7 cm (18 in.) | 16.98 | 19.84 |
| 3495413 length: 50.8 cm (20 in.) | 19.25 | 22.28 |
| 3495421 length: 55.9 cm (22 in.) | 19.25 | 22.28 |
| 3495439 length: 61.0 cm (24 in.) | 19.25 | 22.28 |

Width: 17.8 cm (7 in.)

| | | |
|----------------------------------|-------|-------|
| 3495447 length: 25.4 cm (10 in.) | 14.82 | 17.70 |
| 3495454 length: 30.5 cm (12 in.) | 14.82 | 17.70 |
| 3495462 length: 35.6 cm (14 in.) | 16.98 | 19.84 |
| 3495470 length: 40.6 cm (16 in.) | 16.98 | 19.84 |
| 3495488 length: 45.7 cm (18 in.) | 16.98 | 19.84 |
| 3495496 length: 50.8 cm (20 in.) | 19.25 | 22.28 |
| 3495504 length: 55.9 cm (22 in.) | 19.25 | 22.28 |
| 3495512 length: 61.0 cm (24 in.) | 19.25 | 22.28 |

Width: 20.3 cm (8 in.)

| | | |
|----------------------------------|-------|-------|
| 3495520 length: 25.4 cm (10 in.) | 16.98 | 19.84 |
| 3495538 length: 30.5 cm (12 in.) | 16.98 | 19.84 |
| 3495546 length: 35.6 cm (14 in.) | 16.98 | 19.84 |
| 3495553 length: 40.6 cm (16 in.) | 19.25 | 22.28 |
| 3495561 length: 45.7 cm (18 in.) | 19.25 | 22.28 |
| 3495579 length: 50.8 cm (20 in.) | 19.25 | 22.28 |
| 3495587 length: 55.9 cm (22 in.) | 22.26 | 25.25 |
| 3495595 length: 61.0 cm (24 in.) | 22.26 | 25.25 |

Width: 22.9 cm (9 in.)

| | | |
|----------------------------------|-------|-------|
| 3495603 length: 25.4 cm (10 in.) | 16.98 | 19.84 |
| 3495611 length: 30.5 cm (12 in.) | 16.98 | 19.84 |
| 3495629 length: 35.6 cm (14 in.) | 19.25 | 22.28 |
| 3495637 length: 40.6 cm (16 in.) | 19.25 | 22.28 |
| 3495645 length: 45.7 cm (18 in.) | 19.25 | 22.28 |
| 3495652 length: 50.8 cm (20 in.) | 22.26 | 25.25 |
| 3495660 length: 55.9 cm (22 in.) | 22.26 | 25.25 |
| 3495678 length: 61.0 cm (24 in.) | 22.26 | 25.25 |

Width: 25.4 cm (10 in.)

| | | |
|----------------------------------|-------|-------|
| 3495686 length: 25.4 cm (10 in.) | 16.98 | 19.84 |
| 3495694 length: 30.5 cm (12 in.) | 19.25 | 22.28 |
| 3495702 length: 35.6 cm (14 in.) | 19.25 | 22.28 |
| 3495710 length: 40.6 cm (16 in.) | 19.25 | 22.28 |
| 3495728 length: 45.7 cm (18 in.) | 22.26 | 25.25 |
| 3495736 length: 50.8 cm (20 in.) | 22.26 | 25.25 |
| 3495744 length: 55.9 cm (22 in.) | 22.26 | 25.25 |
| 3495751 length: 61.0 cm (24 in.) | 22.26 | 25.25 |

Width: 30.5 cm (12 in.)

| | | |
|----------------------------------|-------|-------|
| 3495769 length: 25.4 cm (10 in.) | 19.25 | 22.28 |
| 3495777 length: 30.5 cm (12 in.) | 22.26 | 22.53 |
| 3495785 length: 35.6 cm (14 in.) | 22.26 | 25.25 |
| 3495793 length: 40.6 cm (16 in.) | 22.26 | 25.25 |

| Description | Maximum price Purchase or replacement of prosthesis | Maximum price at the time of replacement of socks |
|-------------|--|--|
|-------------|--|--|

WOOL AND LYCRA

Extra narrow short

| | | |
|---------------------|-------|-------|
| 3495801 Extra light | 13.41 | 16.38 |
| 3495819 Light | 14.29 | 17.25 |
| 3495827 Thick | 15.13 | 18.13 |
| 3495835 Very thick | 16.12 | 18.98 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

Narrow short

| | | |
|---------------------|-------|-------|
| 3495843 Extra light | 14.29 | 17.25 |
| 3495850 Light | 15.13 | 18.13 |
| 3495868 Thick | 16.12 | 18.98 |
| 3495876 Very thick | 16.98 | 19.84 |

Narrow long or wide short

| | | |
|---------------------|-------|-------|
| 3495884 Extra light | 16.53 | 19.41 |
| 3495892 Light | 17.40 | 20.41 |
| 3495900 Thick | 18.27 | 21.28 |
| 3495918 Very thick | 19.12 | 22.10 |

Wide long

| | | |
|---------------------|-------|-------|
| 3495926 Extra light | 19.12 | 22.10 |
| 3495934 Light | 20.12 | 22.96 |
| 3495942 Thick | 20.97 | 23.83 |
| 3495959 Very thick | 22.26 | 25.25 |

| Description | Maximum price Purchase or replacement of prosthesis | Maximum price at the time of replacement of socks |
|-------------|--|--|
|-------------|--|--|

COTTON 3 – 5 PLY

Width: 15.2 cm (6 in.)

| | | |
|----------------------------------|-------|-------|
| 3495967 length: 25.4 cm (10 in.) | 7.29 | 10.28 |
| 3495975 length: 30.5 cm (12 in.) | 8.15 | 11.14 |
| 3495983 length: 35.6 cm (14 in.) | 9.00 | 11.97 |
| 3495991 length: 40.6 cm (16 in.) | 9.86 | 12.85 |
| 3496007 length: 45.7 cm (18 in.) | 10.55 | 13.56 |
| 3496015 length: 50.8 cm (20 in.) | 11.40 | 14.43 |
| 3496023 length: 55.9 cm (22 in.) | 12.27 | 15.26 |
| 3496031 length: 61.0 cm (24 in.) | 13.56 | 16.38 |
| 3496049 length: 66.0 cm (26 in.) | 14.43 | 17.42 |
| 3496056 length: 71.1 cm (28 in.) | 15.26 | 18.28 |

Width: 17.8 cm (7 in.)

| | | |
|----------------------------------|-------|-------|
| 3496064 length: 25.4 cm (10 in.) | 7.97 | 10.85 |
| 3496072 length: 30.5 cm (12 in.) | 8.86 | 11.70 |
| 3496080 length: 35.6 cm (14 in.) | 9.86 | 12.85 |
| 3496098 length: 40.6 cm (16 in.) | 11.01 | 13.83 |
| 3496106 length: 45.7 cm (18 in.) | 12.27 | 15.26 |
| 3496114 length: 50.8 cm (20 in.) | 13.41 | 16.38 |
| 3496122 length: 55.9 cm (22 in.) | 14.43 | 17.25 |
| 3496130 length: 61.0 cm (24 in.) | 15.43 | 18.28 |
| 3496148 length: 66.0 cm (26 in.) | 16.53 | 19.41 |
| 3496155 length: 71.1 cm (28 in.) | 17.40 | 20.26 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

Width: 20.3 cm (8 in.)

| | | |
|----------------------------------|-------|-------|
| 3496163 length: 25.4 cm (10 in.) | 9.26 | 12.14 |
| 3496171 length: 30.5 cm (12 in.) | 10.14 | 13.12 |
| 3496189 length: 35.6 cm (14 in.) | 11.40 | 14.29 |
| 3496197 length: 40.6 cm (16 in.) | 12.42 | 15.45 |
| 3496205 length: 45.7 cm (18 in.) | 13.56 | 16.38 |
| 3496213 length: 50.8 cm (20 in.) | 14.56 | 17.55 |
| 3496221 length: 55.9 cm (22 in.) | 15.85 | 18.69 |
| 3496239 length: 61.0 cm (24 in.) | 16.98 | 19.98 |
| 3496247 length: 66.0 cm (26 in.) | 18.13 | 21.12 |
| 3496254 length: 71.1 cm (28 in.) | 19.56 | 22.40 |

Width: 22.9 cm (9 in.)

| | | |
|----------------------------------|-------|-------|
| 3496262 length: 25.4 cm (10 in.) | 10.41 | 13.43 |
| 3496270 length: 30.5 cm (12 in.) | 11.57 | 14.57 |
| 3496288 length: 35.6 cm (14 in.) | 12.84 | 15.85 |
| 3496296 length: 40.6 cm (16 in.) | 13.96 | 16.97 |
| 3496304 length: 45.7 cm (18 in.) | 15.43 | 18.40 |
| 3496312 length: 50.8 cm (20 in.) | 16.53 | 19.56 |
| 3496320 length: 55.9 cm (22 in.) | 17.83 | 20.69 |
| 3496338 length: 61.0 cm (24 in.) | 18.82 | 21.82 |
| 3496346 length: 66.0 cm (26 in.) | 20.12 | 23.11 |
| 3496353 length: 71.1 cm (28 in.) | 21.54 | 24.54 |

Width: 25.4 cm (10 in.)

| | | |
|----------------------------------|-------|-------|
| 3496361 length: 25.4 cm (10 in.) | 11.57 | 14.57 |
| 3496379 length: 30.5 cm (12 in.) | 12.72 | 15.68 |
| 3496387 length: 35.6 cm (14 in.) | 14.29 | 17.25 |
| 3496395 length: 40.6 cm (16 in.) | 15.43 | 18.40 |
| 3496403 length: 45.7 cm (18 in.) | 16.71 | 19.56 |
| 3496411 length: 50.8 cm (20 in.) | 18.13 | 21.12 |
| 3496429 length: 55.9 cm (22 in.) | 19.38 | 22.40 |
| 3496437 length: 61.0 cm (24 in.) | 20.69 | 23.67 |
| 3496445 length: 66.0 cm (26 in.) | 21.82 | 24.67 |
| 3496452 length: 71.1 cm (28 in.) | 23.10 | 26.11 |

Width: 30.5 cm (12 in.)

| | | |
|----------------------------------|-------|-------|
| 3496460 length: 25.4 cm (10 in.) | 15.67 | 18.55 |
| 3496478 length: 30.5 cm (12 in.) | 16.71 | 19.69 |
| 3496486 length: 35.6 cm (14 in.) | 18.27 | 21.28 |
| 3496494 length: 40.6 cm (16 in.) | 19.56 | 22.40 |
| 3496502 length: 45.7 cm (18 in.) | 20.83 | 23.67 |
| 3496510 length: 50.8 cm (20 in.) | 22.10 | 25.11 |
| 3496528 length: 55.9 cm (22 in.) | 23.39 | 26.37 |
| 3496536 length: 61.0 cm (24 in.) | 24.80 | 27.69 |
| 3496544 length: 66.0 cm (26 in.) | 25.83 | 28.83 |
| 3496551 length: 71.1 cm (28 in.) | 27.11 | 30.10 |

| Description | Maximum price Purchase or replacement of prosthesis | Maximum price at the time of replacement of socks |
|----------------------------------|--|--|
| <u>WOOL 5-PLY</u> | | |
| 3496569 length: 30.5 cm (12 in.) | 9.26 | 12.14 |
| 3496577 length: 33.0 cm (13 in.) | 9.70 | 12.58 |
| 3496585 length: 35.6 cm (14 in.) | 9.86 | 12.85 |
| 3496593 length: 38.1 cm (15 in.) | 10.55 | 13.43 |
| 3496601 length: 40.6 cm (16 in.) | 10.84 | 13.83 |
| 3496619 length: 45.7 cm (18 in.) | 11.57 | 14.57 |

| Description | Maximum price Purchase or replacement of prosthesis | Maximum price at the time of replacement of socks |
|---|--|--|
| <u>WOOL 3 – 5 PLY</u> | | |
| Width (max.): 15.2 cm (6 in.) | | |
| 3496627 width (min.): 7.6, 8.9, 10.2 cm (3, 3½, 4 in.) length: 20.3 cm (8 in.) | 9.42 | 12.42 |
| 3496635 width (min.): 7.6 cm (3 in.) length: 25.4 cm (10 in.) | 9.42 | 12.42 |
| 3496643 width (min.): 8.9 cm (3½ in.) length: 25.4 cm (10 in.) | 9.70 | 12.58 |
| 3496650 width (min.): 10.2 cm (4 in.) length: 25.4 cm (10 in.) | 9.99 | 12.97 |
| 3496668 width (min.): 7.6 cm (3 in.) length: 30.5 cm (12 in.) | 10.41 | 13.43 |
| 3496676 width (min.): 8.9 cm (3½ in.) length: 30.5 cm (12 in.) | 10.55 | 13.56 |
| 3496684 width (min.): 10.2 cm (4 in.) length: 30.5 cm (12 in.) | 11.01 | 13.83 |
| 3496692 width (min.): 7.6 cm (3 in.) length: 35.6 cm (14 in.) | 11.57 | 14.57 |
| 3496700 width (min.): 8.9 cm (3½ in.) length: 35.6 cm (14 in.) | 11.85 | 14.84 |
| 3496718 width (min.): 10.2 cm (4 in.) length: 35.6 cm (14 in.) | 12.14 | 15.14 |
| 3496726 width (min.): 7.6 cm (3 in.) length: 40.6 cm (16 in.) | 12.53 | 15.55 |
| 3496734 width (min.): 8.9 cm (3½ in.) length: 40.6 cm (16 in.) | 12.84 | 15.68 |
| 3496742 width (min.): 10.2 cm (4 in.) length: 40.6 cm (16 in.) | 13.27 | 16.27 |

Width (max.): 17.8 cm (7 in.)

| | | | |
|---------|---|-------|-------|
| 3496759 | width (min.): 8.9, 10.2, 11.4, 12.7 cm (3½, 4, 4½, 5 in.) length: 20.3 cm (8 in.) | 10.55 | 13.56 |
| 3496767 | width (min.): 8.9 cm (3½ in.) length: 25.4 cm (10 in.) | 9.99 | 12.97 |
| 3496775 | width (min.): 10.2 cm (4 in.) length: 25.4 cm (10 in.) | 10.41 | 13.43 |
| 3496783 | width (min.): 11.4 cm (4½ in.) length: 25.4 cm (10 in.) | 11.01 | 13.83 |
| 3496791 | width (min.): 12.7 cm (5 in.) length: 25.4 cm (10 in.) | 11.85 | 14.84 |
| 3496809 | width (min.): 8.9 cm (3½ in.) length: 30.5 cm (12 in.) | 11.01 | 13.97 |
| 3496817 | width (min.): 10.2 cm (4 in.) length: 30.5 cm (12 in.) | 11.57 | 14.57 |
| 3496825 | width (min.): 11.4 cm (4½ in.) length: 30.5 cm (12 in.) | 12.14 | 15.14 |
| 3496833 | width (min.): 12.7 cm (5 in.) length: 30.5 cm (12 in.) | 12.84 | 15.68 |
| 3496841 | width (min.): 8.9 cm (3½ in.) length: 35.6 cm (14 in.) | 12.84 | 15.68 |
| 3496858 | width (min.): 10.2 cm (4 in.) length: 35.6 cm (14 in.) | 12.97 | 16.01 |
| 3496866 | width (min.): 11.4 cm (4½ in.) length: 35.6 cm (14 in.) | 13.70 | 16.55 |
| 3496874 | width (min.): 12.7 cm (5 in.) length: 35.6 cm (14 in.) | 14.29 | 17.25 |
| 3496882 | width (min.): 8.9 cm (3½ in.) length: 40.6 cm (16 in.) | 13.96 | 16.86 |
| 3496890 | width (min.): 10.2 cm (4 in.) length: 40.6 cm (16 in.) | 14.43 | 17.42 |
| 3496908 | width (min.): 11.4 cm (4½ in.) length: 40.6 cm (16 in.) | 15.00 | 17.83 |
| 3496916 | width (min.): 12.7 cm (5 in.) length: 40.6 cm (16 in.) | 15.67 | 18.55 |

Width (max.): 20.3 cm (8 in.)

| | | | |
|---------|---|-------|-------|
| 3496924 | width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 20.3 cm (8 in.) | 12.14 | 15.14 |
| 3496932 | width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 25.4 cm (10 in.) | 11.96 | 15.00 |
| 3496940 | width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 30.5 cm (12 in.) | 13.41 | 16.38 |
| 3496957 | width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 35.6 cm (14 in.) | 14.68 | 17.70 |
| 3496965 | width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 40.6 cm (16 in.) | 16.38 | 19.41 |

DIVISION IV: LOWER-LIMB ORTHOSES
SUBDIVISION 1: TIBIAL ORTHOSES

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---|--|---|--------------------------------|-----------------------|
| 2140564 Tibial orthosis with unilateral upright | 424.34 | | | 6 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Regular stirrup | | | | |
| Ankle free joint, aluminum (1) | | | | |
| Rigid metal cuff with leather or thermoplastic jacket, including cover | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENTS | | | | |
| 2135507 Regular stirrup | N. C. | 94.46 | | |
| 2135937 Ankle free joint, aluminum | N. C. | 131.94 | | |
| 2135903 Rigid metal cuff with leather or thermoplastic jacket, including cover | N. C. | 121.61 | | 3 |
| OPTIONAL COMPONENTS | | | | |
| 2135523 Laminated or molded plastic stirrup, made from mold of insured person | 254.85 | 326.01 | | |
| 2135606 Single malleolar strap | 78.93 | 108.67 | | |
| 2135614 Double malleolar strap | 93.15 | 124.19 | | |
| 2135663 Ankle spring joint, aluminum, single | 7.77 | 133.27 | | |
| 2135911 Ankle free joint, stainless steel, single | 55.65 | 185.00 | | |
| 2135812 Ankle spring joint, stainless steel, single | 75.03 | 204.43 | | |
| 2135929 Double-action ankle spring joint, aluminum, single | 33.64 | 163.02 | | |
| 2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.) | 53.03 | 53.03 | | |
| 2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.) | 18.12 | 18.12 | | |
| SUPPLEMENTS AVAILABLE | | | | |
| 3492501 Cane | 10.19 | 10.19 | | |
| 3492550 Crutches with axillary support, height-adjustable | 20.38 | 20.38 | | |
| 3492551 Crutches with forearm support, height-adjustable | 56.05 | 56.05 | | |
| ADJUSTMENTS AVAILABLE | | | | |
| 2136752 Stirrup changeover | | | 56.93 | |
| ----- Any pertinent adjustment | | | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 2140507 Tibial orthosis with bilateral uprights | 516.19 | | | 6 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Regular stirrup | | | | |
| Ankle free joints, aluminum (2) | | | | |
| Rigid metal cuff with leather or thermoplastic jacket, including cover | | | | |
| Retention straps | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENTS | | | | |
| 2135507 Regular stirrup | N. C. | 94.46 | | |
| Ankle free joints, aluminum | | | | |
| 2135846 pair | N. C. | 221.24 | | |
| 2135655 single | N. A. | 131.94 | | |
| 2135903 Rigid metal cuff with leather or thermoplastic jacket, including cover | N. C. | 121.61 | | |
| 2195527 Retention straps, each | N. C. | 25.87 | | |
| OPTIONAL COMPONENTS | | | | |
| 2135531 Rectangular stirrup | 42.70 | 131.94 | | |
| 2135523 Laminated or molded plastic stirrup, made from mold of insured person | 254.85 | 326.01 | | |
| 2135606 Single malleolar strap | 78.93 | 108.67 | | |
| 2135614 Double malleolar strap | 93.15 | 124.19 | | |
| Rectangular stirrup | | | | |
| 2135747 pair | 15.53 | 229.00 | | |
| 2135853 single | N. A. | 133.27 | | |
| Ankle free joints, stainless steel | | | | |
| 2135861 pair | 112.56 | 326.01 | | |
| 2135671 single | N. A. | 185.00 | | |
| Ankle spring joints, stainless steel | | | | |
| 2135879 pair | 150.08 | 364.83 | | |
| 2135689 single | N. A. | 204.43 | | |

Double-action ankle spring joints, aluminum

| | | |
|---|-------|--------|
| 2135887 pair | 67.27 | 280.73 |
| 2135754 single | N. A. | 163.02 |
| 2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.) | 53.03 | 53.03 |
| 2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.) | 18.12 | 18.12 |

SUPPLEMENTS AVAILABLE

| | | |
|---|-------|-------|
| 3492501 Cane | 10.19 | 10.19 |
| 3492550 Crutches with axillary support, height-adjustable | 20.38 | 20.38 |
| 3492551 Crutches with forearm support, height-adjustable | 56.05 | 56.05 |

ADJUSTMENTS AVAILABLE

| | | |
|--------------------------------|--|-------|
| 2136752 Stirrup changeover | | 56.93 |
| ----- Any pertinent adjustment | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---|--|---|--------------------------------|-----------------------|
| 2140572 Molded plastic tibial orthosis, made from plaster or digital mold of insured person | 413.99 | | | 6 |

BASIC COMPONENTS AND SUPPLEMENTS

Molded plastic anterior or posterior shell with infra-patellar support extending under foot

Calf and foot retention straps

COMPONENTS AND SUPPLEMENTS
AVAILABLE

BASIC COMPONENTS

| | | |
|--------------------------------|-------|-------|
| 2195527 Retention straps, each | N. C. | 25.87 |
|--------------------------------|-------|-------|

OPTIONAL COMPONENTS

| | | |
|---|-------|-------|
| 2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.) | 53.03 | 53.03 |
| 2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.) | 18.12 | 18.12 |
| 2155828 Ankle free joints with overlapping | 49.16 | N. A. |

| | | |
|--|--------|--------|
| Gilette ankle joints | | |
| 2155646 pair | 122.90 | 108.67 |
| 2155893 single | N. A. | 67.27 |
| Oklahoma ankle joints | | |
| 2155653 pair | 116.43 | 102.19 |
| 2155901 single | N. A. | 64.69 |
| Wafer ankle joints | | |
| 2155661 pair | 134.54 | 120.32 |
| 2155919 single | N. A. | 73.74 |
| Tamarak ankle joints | | |
| 2155679 pair | 129.36 | 115.13 |
| 2155927 single | N. A. | 71.15 |
| Gaffney ankle joints | | |
| 2155687 pair | 142.32 | 126.78 |
| 2155935 single | N. A. | 76.33 |
| 2195584 Full thermoformable foam lining for night orthosis | 63.38 | 99.60 |

SUPPLEMENTS AVAILABLE

| | | |
|---|-------|-------|
| 3492501 Cane | 10.19 | 10.19 |
| 3492550 Crutches with axillary support, height-adjustable | 20.38 | 20.38 |
| 3492551 Crutches with forearm support, height-adjustable | 56.05 | 56.05 |

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---|--|---|--------------------------------|-----------------------|
| 2140580 Molded plastic tibial orthosis, prefabricated | 183.70 | | | 6 |

BASIC COMPONENTS AND SUPPLEMENTS

Rigid molded plastic posterior shell, one-piece, including calf and extending under foot, prefabricated or rigid spiral band

Calf and foot retention straps

NOTICE: This orthosis has neither a hinge, nor an upright, nor a rigid lateral band, and cannot be inserted into a conventional shoe. Therefore, it is not a walking boot.

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

2195527 Retention straps, each N. C. 25.87 1

OPTIONAL COMPONENTS

2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.) 53.03 53.03

2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.) 18.12 18.12

2195584 Full thermoformable foam lining for night orthosis 63.38 99.60

SUPPLEMENTS AVAILABLE

3492501 Cane 10.19 10.19

3492550 Crutches with axillary support, height-adjustable 20.38 20.38

3492551 Crutches with forearm support, height-adjustable 56.05 56.05

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--------|--|---|--------------------------------|-----------------------|
|--------|--|---|--------------------------------|-----------------------|

2140002 Tibial orthosis for leg shortened by 7.6 cm (3 in.) or more, excluding any prosthetic knee joint 1,792.18 6

BASIC COMPONENTS AND SUPPLEMENTS

SACH foot
Polyester or acrylic tibial shell with tibial or foot support
Retention straps

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

1125509 SACH foot N. C. 260.44

1125483 Polyester or acrylic tibial shell with tibial or foot support N. C. N. A.

2195527 Retention straps, each N. C. 25.87

OPTIONAL COMPONENTS

1195619 Trial socket 117.73 N. A.
Knee free joints, aluminum (Becker S-2005-B4)

2155695 pair 226.40 284.62

2155943 single N. A. 174.67

| | | |
|--|--------|--------|
| Knee joints with ring lock (Becker 1002-B4) | | |
| 2155604 pair | 314.36 | 372.59 |
| 2155950 single | N. A. | 218.61 |
| Knee joints with lock, Swiss-type (Becker 1003-B4) | | |
| 2155703 pair | 380.35 | 450.21 |
| 2155968 single | N. A. | 257.44 |
| Polycentric knee joints (USMC-0225-10) | | |
| 2155638 pair | 296.26 | 354.46 |
| 2155976 single | N. A. | 186.27 |
| Polycentric knee joints, for child (Becker 1006-C8) | | |
| 2155711 pair | 429.53 | 487.73 |
| 2155984 single | N. A. | 252.28 |
| Eccentric uniaxial knee free joints (Becker 1008-B4) | | |
| 2155562 pair | 358.36 | 416.60 |
| 2155992 single | N. A. | 240.63 |
| Eccentric uniaxial ring knee joints (Becker 1012-B4) | | |
| 2155729 pair | 375.19 | 433.39 |
| 2156016 single | N. A. | 249.70 |
| 2155745 Thigh lacer with two metal bands with femoral leather jacket | 168.18 | 209.57 |
| 2155737 Complete or full leather thigh lacer, without ischiatic support | 116.43 | 297.56 |
| 2155752 Complete or full leather thigh lacer, with leather ischiatic support | 229.00 | 407.53 |
| 2155760 Molded plastic femoral shell without ischiatic support | 217.36 | 275.55 |
| 2155778 Molded plastic femoral shell with molded plastic ischiatic support | 275.55 | 358.36 |
| 2175610 Pelvic belt and metal band | 222.53 | 238.02 |
| 2175511 Pelvic belt (leather) | N. A. | 170.78 |
| 2175578 Replacement of pelvic belt metal band | N. A. | 128.07 |
| 2175594 Hip joint (metal part), all types | 240.63 | 271.69 |
| 3492501 Cane | 10.19 | 10.19 |
| 3492550 Crutches with axillary support, height-adjustable | 20.38 | 20.38 |
| 3492551 Crutches with forearm support, height-adjustable | 56.05 | 56.05 |

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

SUBDIVISION 2: TIBIOFEMORAL ORTHOSES

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---|--|---|--------------------------------|-----------------------|
| 2150514 Molded plastic non-articulated tibiofemoral orthosis, made from plaster or digital mold of insured person | 580.88 | | | 6 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Molded plastic splint, thigh, knee and leg | | | | |
| Retention straps | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENTS | | | | |
| 2195527 Retention straps, each | N. C. | 25.87 | | |
| OPTIONAL COMPONENTS | | | | |
| 2195550 Abduction rod | 100.92 | 116.43 | | |
| 2135705 Knee cap and straps | 81.52 | 111.25 | | |
| 2125524 External build-up on shoe for limb fitted with orthosis, for the first 0.6 cm (¼ in.) | 53.03 | 53.03 | | |
| 2125532 External build-up on shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.) | 18.12 | 18.12 | | |
| SUPPLEMENTS AVAILABLE | | | | |
| 3492501 Cane | 10.19 | 10.19 | | |
| 3492550 Crutches with axillary support, height-adjustable | 20.38 | 20.38 | | |
| 3492551 Crutches with forearm support, height-adjustable | 56.05 | 56.05 | | |
| ADJUSTMENT AVAILABLE | | | | |
| ----- Any pertinent adjustment | | | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 2150548 Tibiofemoral orthosis with joints, prefabricated (Legend, Edge, Lennox, GLS) | 714.12 | | | 6 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Knee free joints | | | | |
| Femoral and tibial rigid cuffs | | | | |

Retention straps

COMPONENTS AND SUPPLEMENTS
AVAILABLE

BASIC COMPONENTS

| | | | |
|---------|------------------------|-------|-------|
| 2195527 | Retention straps, each | N. C. | 25.87 |
|---------|------------------------|-------|-------|

OPTIONAL COMPONENTS

| | | | |
|---------|---|-------|-------|
| 2125524 | External build-up on shoe for limb fitted with orthosis, for the first 0.6 cm (¼ in.) | 53.03 | 53.03 |
| 2125532 | External build-up on shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.) | 18.12 | 18.12 |

SUPPLEMENTS AVAILABLE

| | | | |
|---------|---|-------|-------|
| 3492501 | Cane | 10.19 | 10.19 |
| 3492550 | Crutches with axillary support, height-adjustable | 20.38 | 20.38 |
| 3492551 | Crutches with forearm support, height-adjustable | 56.05 | 56.05 |

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--------|--|---|--------------------------------|-----------------------|
|--------|--|---|--------------------------------|-----------------------|

| | | | | |
|---|--------|--|--|---|
| 2150555 Tibiofemoral anti-recurvatum knee orthosis, Swedish-type, prefabricated | 332.48 | | | 6 |
|---|--------|--|--|---|

BASIC COMPONENTS AND SUPPLEMENTS

Metal structure
Rigid cuffs
Retention straps

COMPONENTS AND SUPPLEMENTS
AVAILABLE

BASIC COMPONENTS

| | | | |
|---------|------------------------|-------|-------|
| 2195527 | Retention straps, each | N. C. | 25.87 |
|---------|------------------------|-------|-------|

OPTIONAL COMPONENTS

| | | | |
|---------|---|-------|-------|
| 2125524 | External build-up on shoe for limb fitted with orthosis, for the first 0.6 cm (¼ in.) | 53.03 | 53.03 |
| 2125532 | External build-up on shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.) | 18.12 | 18.12 |

SUPPLEMENTS AVAILABLE

| | | |
|---|-------|-------|
| 3492501 Cane | 10.19 | 10.19 |
| 3492550 Crutches with axillary support, height-adjustable | 20.38 | 20.38 |
| 3492551 Crutches with forearm support, height-adjustable | 56.05 | 56.05 |

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 2150605 Dynamic knee orthosis, made from plaster or digital mold of insured person | 873.24 | | | 6 |

BASIC COMPONENTS AND SUPPLEMENTS

Plastic or metal femoral and tibial rigid cuffs

Polycentric knee free joints, aluminum (USMC F08-200-1000)
Retention straps

COMPONENTS AND SUPPLEMENTS
AVAILABLE

BASIC COMPONENTS

| | | |
|--|-------|--------|
| Polycentric knee free joints, aluminum (USMC F08-200-1000) | | |
| 2155786 pair | N. C. | 253.58 |
| 2155471 single | N. A. | 159.14 |
| 2195527 Retention straps, each | N. C. | 25.87 |

OPTIONAL COMPONENTS

| | | |
|---|-------|--------|
| Polycentric knee free joints, steel (USMC F08-220-1000) | | |
| 2155836 pair | 42.70 | 297.56 |
| 2155463 single | N. A. | 181.11 |
| Polycentric knee joints with lock, aluminum (USMC F08-200-4000) | | |
| 2155794 pair | 36.22 | 289.78 |
| 2155455 single | N. A. | 177.23 |
| Polycentric knee joints with lock, steel (USMC F08-220-4000) | | |
| 2155844 pair | 85.40 | 338.95 |
| 2155448 single | N. A. | 201.82 |
| Variable amplitude knee joints, aluminum (USMC F08-200-1001) | | |
| 2155851 pair | N. C. | 253.58 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | |
|---------|---|-------|--------|
| 2155430 | single Variable amplitude knee joints, steel (USMC F08-200-1001) | N. A. | 159.14 |
| 2155869 | pair | 42.70 | 297.56 |
| 2155422 | single | N. A. | 181.11 |
| 2135705 | Knee cap and straps | 81.52 | 111.25 |
| 2125524 | External build-up on shoe for limb fitted with orthosis, for the first 0.6 cm (¼ in.) | 53.03 | 53.03 |
| 2125532 | External build-up on shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.) | 18.12 | 18.12 |

SUPPLEMENTS AVAILABLE

| | | | |
|---------|---|-------|-------|
| 3492501 | Cane | 10.19 | 10.19 |
| 3492550 | Crutches with axillary support, height-adjustable | 20.38 | 20.38 |
| 3492551 | Crutches with forearm support, height-adjustable | 56.05 | 56.05 |

ADJUSTMENT AVAILABLE

None

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---|--|---|--------------------------------|-----------------------|
| 2150597 Adjustable knee orthosis designed to limit flexion and extension movements (Donjoy, Generation II), prefabricated | 351.89 | | | 6 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Rigid plastic cuffs, with foam | | | | |
| Metal knee joints with ratchet | | | | |
| Retention straps | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENTS | | | | |
| 2195527 Retention straps, each | N. C. | | 25.87 | |
| SUPPLEMENTS AVAILABLE | | | | |
| 3492501 Cane | 10.19 | | 10.19 | |
| 3492550 Crutches with axillary support, height-adjustable | 20.38 | | 20.38 | |
| 3492551 Crutches with forearm support, height-adjustable | 56.05 | | 56.05 | |
| ADJUSTMENT AVAILABLE | | | | |
| ----- Any pertinent adjustment | | | | |

SUBDIVISION 3: FEMORAL ORTHOSES

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 2160505 Articulated femoral orthosis with rigid metal femoral and tibial cuffs | 1,177.27 | | | 6 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Regular stirrup | | | | |
| Ankle free joints, aluminum (2) | | | | |
| Knee free joints, aluminum (2) (Becker S-2005-B4) | | | | |
| Thigh lacer with two rigid metal bands and leather femoral jacket and metal cuff with leather or thermoplastic tibial jacket | | | | |
| Retention straps | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENTS | | | | |
| 2135507 Regular stirrup | N. C. | 94.46 | | |
| 2135556 Rigid metal cuff with leather or thermoplastic tibial jacket | N. C. | 121.61 | | |
| Ankle free joints, aluminum | | | | |
| 2135846 pair | N. C. | 221.24 | | |
| 2135655 single | N. A. | 131.94 | | |
| Knee free joints, aluminum (Becker S-2005-B4) | | | | |
| 2155513 pair | N. C. | 284.62 | | |
| 2155414 single | N. A. | 174.67 | | |
| 2195501 Thigh lacer with two rigid metal bands and leather femoral jacket | N. C. | 209.57 | | |
| 2195527 Retention straps, each | N. C. | 25.87 | | |
| OPTIONAL COMPONENTS | | | | |
| 2135531 Rectangular stirrup | 42.70 | 131.94 | | |
| 2135523 Laminated or molded plastic stirrup, made from mold of insured person | 254.85 | 326.01 | | |
| 2135606 Single malleolar strap | 78.93 | 108.67 | | |
| 2135614 Double malleolar strap | 93.15 | 124.19 | | |
| 2135705 Knee cap and straps | 81.52 | 111.25 | | |

| | | |
|---|--------|--------|
| Ankle spring joints, aluminum | | |
| 2135747 pair | 15.53 | 229.00 |
| 2135853 single | N. A. | 133.27 |
| Double-action ankle spring joints, aluminum | | |
| 2135887 pair | 67.27 | 280.73 |
| 2135754 single | N. A. | 163.02 |
| Knee joints with ring lock (Becker 1002-B4) | | |
| 2155521 pair | 86.67 | 372.59 |
| 2155406 single | N. A. | 218.61 |
| Knee joints with lock, Swiss-type (Becker 1003-B4) | | |
| 2155547 pair | 191.47 | 450.21 |
| 2155398 single | N. A. | 257.44 |
| Polycentric knee joints (USMC-0225-10) | | |
| 2155554 pair | 68.57 | 354.46 |
| 2155380 single | N. A. | 186.27 |
| Polycentric knee joints, for child (Becker 1006-C8) | | |
| 2155877 pair | 203.12 | 487.73 |
| 2155372 single | N. A. | 252.28 |
| Eccentric uniaxial knee free joints (Becker 1008-B4) | | |
| 2155588 pair | 131.94 | 416.60 |
| 2155364 single | N. A. | 240.63 |
| Eccentric uniaxial ring knee joints (Becker 1012-B4) | | |
| 2155885 pair | 147.48 | 433.39 |
| 2155356 single | N. A. | 249.70 |
| 2155737 Complete or full leather thigh lacer, without ischiatic support | 116.43 | 297.56 |
| 2155752 Complete or full leather thigh lacer, with leather ischiatic support | 229.00 | 407.53 |
| 2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.) | 53.03 | 53.03 |
| 2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.) | 18.12 | 18.12 |

SUPPLEMENTS AVAILABLE

| | | |
|---|-------|-------|
| 3492501 Cane | 10.19 | 10.19 |
| 3492550 Crutches with axillary support, height-adjustable | 20.38 | 20.38 |
| 3492551 Crutches with forearm support, height-adjustable | 56.05 | 56.05 |

ADJUSTMENTS AVAILABLE

| | | |
|--------------------------------|--|-------|
| 2136752 Stirrup changeover | | 56.93 |
| ----- Any pertinent adjustment | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 2160604 Molded plastic articulated femoral orthosis, made from plaster or digital mold of insured person | 1,091.89 | | | 6 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Molded plastic femoral shell without ischiatic support | | | | |
| Knee free joints, aluminum (2) (Becker S-2005-B4) | | | | |
| Molded plastic anterior or posterior tibial shell extending under foot | | | | |
| Retention straps | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENTS | | | | |
| 2155802 Molded plastic femoral shell without ischiatic support | N. C. | 275.55 | | |
| 2155810 Molded plastic anterior or posterior tibial shell extending under foot | N. C. | 304.03 | | |
| Knee free joints, aluminum (Becker S-2005-B4) | | | | |
| 2155513 pair | N. C. | 284.62 | | |
| 2155414 single | N. A. | 174.67 | | |
| 2195527 Retention straps, each | N. C. | 25.87 | | |
| OPTIONAL COMPONENTS | | | | |
| 2135820 Regular stirrup | 67.27 | 94.46 | | |
| 2155828 Ankle free joints with overlapping | 49.16 | N. A. | | |
| Gilette ankle joints | | | | |
| 2155646 pair | 122.90 | 108.67 | | |
| 2155893 single | N. A. | 67.27 | | |
| Oklahoma ankle joints | | | | |
| 2155653 pair | 116.43 | 102.19 | | |
| 2155901 single | N. A. | 64.69 | | |
| Wafer ankle joints | | | | |
| 2155661 pair | 134.54 | 120.32 | | |
| 2155919 single | N. A. | 73.74 | | |
| Tamarak ankle joints | | | | |
| 2155679 pair | 129.36 | 115.13 | | |
| 2155927 single | N. A. | 71.15 | | |
| Gaffney ankle joints | | | | |
| 2155687 pair | 142.32 | 126.78 | | |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | |
|---|--------|--------|
| 2155935 single | N. A. | 76.33 |
| 2135606 Single malleolar strap | 78.93 | 108.67 |
| 2135705 Knee cap and straps | 81.52 | 111.25 |
| Ankle spring joints, aluminum | | |
| 2135747 pair | 15.53 | 229.00 |
| 2135853 single | N. A. | 133.27 |
| Double-action ankle spring joints, aluminum | | |
| 2135887 pair | 67.27 | 280.73 |
| 2135754 single | N. A. | 163.02 |
| Knee joints with ring lock (Becker 1002-B4) | | |
| 2155521 pair | 86.67 | 372.59 |
| 2155406 single | N. A. | 218.61 |
| Knee joints with lock, Swiss-type (Becker 1003-B4) | | |
| 2155547 pair | 191.47 | 450.21 |
| 2155398 single | N. A. | 257.44 |
| Polycentric knee joints (USMC-0225-10) | | |
| 2155554 pair | 68.57 | 354.46 |
| 2155380 single | N. A. | 186.27 |
| Polycentric knee joints, for child (Becker 1006-C8) | | |
| 2155877 pair | 203.12 | 487.73 |
| 2155372 single | N. A. | 252.28 |
| Eccentric uniaxial knee free joints (Becker 1008-B4) | | |
| 2155588 pair | 131.94 | 416.60 |
| 2155364 single | N. A. | 240.63 |
| Eccentric uniaxial ring knee joints (Becker 1012-B4) | | |
| 2155885 pair | 147.48 | 433.39 |
| 2155356 single | N. A. | 249.70 |
| 2155497 Molded plastic ischiatic support | 76.33 | N. A. |
| 2155489 Molded plastic femoral shell with molded plastic ischiatic support | N. A. | 358.36 |
| 2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.) | 53.03 | 53.03 |
| 2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.) | 18.12 | 18.12 |

SUPPLEMENTS AVAILABLE

| | | |
|---|-------|-------|
| 3492501 Cane | 10.19 | 10.19 |
| 3492550 Crutches with axillary support, height-adjustable | 20.38 | 20.38 |
| 3492551 Crutches with forearm support, height-adjustable | 56.05 | 56.05 |

ADJUSTMENTS AVAILABLE

| | | |
|--------------------------------|--|-------|
| 2136752 Stirrup changeover | | 56.93 |
| ----- Any pertinent adjustment | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 2160703 Articulated femoral orthosis with rigid metal femoral cuffs and molded plastic posterior or anterior tibial shell, made from plaster or digital mold of insured person | 1,122.95 | | | 6 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Thigh lacer with two rigid metal bands and femoral leather jacket Knee free joints, aluminum (2) (Becker S-2005-B4) | | | | |
| Molded plastic posterior or anterior tibial shell extending under foot Retention straps | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENTS | | | | |
| 2195501 Thigh lacer with two rigid metal bands and femoral leather jacket | N. C. | 209.57 | | |
| 2155810 Molded plastic posterior or anterior tibial shell extending under foot Knee free joints, aluminum (Becker S-2005-B4) | N. C. | 304.03 | | |
| 2155513 pair | N. C. | 284.62 | | |
| 2155414 single | N. A. | 174.67 | | |
| 2195527 Retention straps, each | N. C. | 25.87 | | |
| OPTIONAL COMPONENTS | | | | |
| 2155828 Ankle free joints with overlapping Gilette ankle joints | 49.16 | N. A. | | |
| 2155646 pair | 122.90 | 108.67 | | |
| 2155893 single Oklahoma ankle joints | N. A. | 67.27 | | |
| 2155653 pair | 116.43 | 102.19 | | |
| 2155901 single Wafer ankle joints | N. A. | 64.69 | | |
| 2155661 pair | 134.54 | 120.32 | | |
| 2155919 single Tamarak ankle joints | N. A. | 73.74 | | |
| 2155679 pair | 129.36 | 115.13 | | |
| 2155927 single Gaffney ankle joints | N. A. | 71.15 | | |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | |
|---|--------|--------|
| 2155687 pair | 142.32 | 126.78 |
| 2155935 single | N. A. | 76.33 |
| 2135606 Single malleolar strap | 78.93 | 108.67 |
| 2135705 Knee cap and straps | 81.52 | 111.25 |
| Ankle spring joints, aluminum | | |
| 2135747 pair | 15.53 | 229.00 |
| 2135853 single | N. A. | 133.27 |
| Double-action ankle spring joints, aluminum | | |
| 2135887 pair | 67.27 | 280.73 |
| 2135754 single | N. A. | 163.02 |
| Knee joints with ring lock (Becker 1002-B4) | | |
| 2155521 pair | 86.67 | 372.59 |
| 2155406 single | N. A. | 218.61 |
| Knee joints with lock, Swiss-type (Becker 1003-B4) | | |
| 2155547 pair | 191.47 | 450.21 |
| 2155398 single | N. A. | 257.44 |
| Polycentric knee joints (USMC-0225-10) | | |
| 2155554 pair | 68.57 | 354.46 |
| 2155380 single | N. A. | 186.27 |
| Polycentric knee joints, for child (Becker 1006-C8) | | |
| 2155877 pair | 203.12 | 487.73 |
| 2155372 single | N. A. | 252.28 |
| Eccentric uniaxial knee free joints (Becker 1008-B4) | | |
| 2155588 pair | 131.94 | 416.60 |
| 2155364 single | N. A. | 240.63 |
| Eccentric uniaxial ring knee joints (Becker 1012-B4) | | |
| 2155885 pair | 147.48 | 433.39 |
| 2155356 single | N. A. | 249.70 |
| 2155737 Complete or full leather thigh lacer, without ischiatic support | 116.43 | 297.56 |
| 2155752 Complete or full leather thigh lacer, with leather ischiatic support | 229.00 | 407.53 |
| 2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.) | 53.03 | 53.03 |
| 2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.) | 18.12 | 18.12 |

SUPPLEMENTS AVAILABLE

| | | |
|---|-------|-------|
| 3492501 Cane | 10.19 | 10.19 |
| 3492550 Crutches with axillary support, height-adjustable | 20.38 | 20.38 |
| 3492551 Crutches with forearm support, height-adjustable | 56.05 | 56.05 |

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 2160802 Articulated femoral orthosis with molded plastic femoral shell, made from plaster or digital mold of insured person, and rigid metal cuff with tibial leather jacket | 1,270.42 | | | 6 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Regular stirrup | | | | |
| Ankle free joints, aluminum (2) | | | | |
| Knee free joints, aluminum (2) (Becker S-2005-B4) | | | | |
| Rigid metal cuff with leather or thermoplastic jacket, including tibial cover | | | | |
| Molded plastic femoral shell without ischiatic support | | | | |
| Retention straps | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENTS | | | | |
| 2135507 Regular stirrup | N. C. | 94.46 | | |
| 2135556 Rigid metal cuff with leather or thermoplastic jacket, including tibial cover | N. C. | 121.61 | | |
| Ankle free joints, aluminum | | | | |
| 2135739 pair | N. C. | 221.24 | | |
| 2135655 single | N. A. | 131.94 | | |
| Knee free joints, aluminum (Becker S-2005-B4) | | | | |
| 2155513 pair | N. C. | 284.62 | | |
| 2155414 single | N. A. | 174.67 | | |
| 2155802 Molded plastic femoral shell without ischiatic support | N. C. | 275.55 | | |
| 2195527 Retention straps, each | N. C. | 25.87 | | |
| OPTIONAL COMPONENTS | | | | |
| 2135531 Rectangular stirrup | 42.70 | 131.94 | | |
| 2135523 Laminated or molded plastic stirrup, made from mold of insured person | 254.85 | 326.01 | | |
| 2135606 Single malleolar strap | 78.93 | 108.67 | | |
| 2135614 Double malleolar strap | 93.15 | 124.19 | | |
| 2135705 Knee cap and straps | 81.52 | 111.25 | | |
| Ankle spring joints, aluminum | | | | |
| 2135747 pair | 15.53 | 229.00 | | |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | |
|---|--------|--------|
| 2135853 single | N. A. | 133.27 |
| Double-action ankle spring joints, aluminum | | |
| 2135887 pair | 67.27 | 280.73 |
| 2135754 single | N. A. | 163.02 |
| Knee joints with ring lock (Becker 1002-B4) | | |
| 2155521 pair | 86.67 | 372.59 |
| 2155406 single | N. A. | 218.61 |
| Knee joints with lock, Swiss-type (Becker 1003-B4) | | |
| 2155547 pair | 191.47 | 450.21 |
| 2155398 single | N. A. | 257.44 |
| Polycentric knee joints (USMC-0225-10) | | |
| 2155554 pair | 68.57 | 354.46 |
| 2155380 single | N. A. | 186.27 |
| Polycentric knee joints, for child (Becker 1006-C8) | | |
| 2155877 pair | 203.12 | 487.73 |
| 2155372 single | N. A. | 252.28 |
| Eccentric uniaxial knee free joints (Becker 1008-B4) | | |
| 2155588 pair | 131.94 | 416.60 |
| 2155364 single | N. A. | 240.63 |
| Eccentric uniaxial ring knee joints (Becker 1012-B4) | | |
| 2155885 pair | 147.48 | 433.39 |
| 2155356 single | N. A. | 249.70 |
| 2155497 Molded plastic ischiatic support | 76.33 | N. A. |
| 2155489 Molded plastic femoral shell with molded plastic ischiatic support | N. A. | 358.36 |
| 2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.) | 53.03 | 53.03 |
| 2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.) | 18.12 | 18.12 |

SUPPLEMENTS AVAILABLE

| | | |
|---|-------|-------|
| 3492501 Cane | 10.19 | 10.19 |
| 3492550 Crutches with axillary support, height-adjustable | 20.38 | 20.38 |
| 3492551 Crutches with forearm support, height-adjustable | 56.05 | 56.05 |

ADJUSTMENTS AVAILABLE

| | | |
|--------------------------------|--|-------|
| 2136752 Stirrup changeover | | 56.93 |
| ----- Any pertinent adjustment | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---|--|---|--------------------------------|-----------------------|
| 2160547 Molded plastic non-articulated femoral orthosis, made from plaster or digital mold of insured person | 655.92 | | | 6 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Molded plastic splint, thigh, knee, leg and foot | | | | |
| Retention straps | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENTS | | | | |
| 2195527 Retention straps, each | N. C. | 25.87 | | |
| OPTIONAL COMPONENTS | | | | |
| 2135705 Knee cap and straps | 81.52 | 111.25 | | |
| 2195550 Abduction rod | 100.92 | 116.43 | | |
| 2155497 Molded plastic ischiatic support | 76.33 | N. A. | | |
| 2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.) | 53.03 | 53.03 | | |
| 2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.) | 18.12 | 18.12 | | |
| SUPPLEMENTS AVAILABLE | | | | |
| 3492501 Cane | 10.19 | 10.19 | | |
| 3492550 Crutches with axillary support, height-adjustable | 20.38 | 20.38 | | |
| 3492551 Crutches with forearm support, height-adjustable | 56.05 | 56.05 | | |
| ADJUSTMENT AVAILABLE | | | | |
| ----- Any pertinent adjustment | | | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---|--|---|--------------------------------|-----------------------|
| 2160539 Articulated femoral orthosis with unilateral upright with rigid metal femoral and tibial cuffs | 893.96 | | | 6 |

BASIC COMPONENTS AND SUPPLEMENTS

Regular stirrup
Unilateral ankle free joint, aluminum

Unilateral knee free joint, aluminum (Becker S-2005-
B4)
Rigid metal cuffs with leather femoral and tibial
jacket, including cover

Retention straps

COMPONENTS AND SUPPLEMENTS
AVAILABLE

BASIC COMPONENTS

| | | | |
|---------|--|-------|--------|
| 2135507 | Regular stirrup | N. C. | 94.46 |
| 2135556 | Rigid metal cuff with leather tibial jacket, including cover | N. C. | 121.61 |
| 2135895 | Unilateral ankle free joint, aluminum | N. C. | 131.94 |
| 2135770 | Unilateral knee free joint, aluminum (Becker S-2005- B4) | N. C. | 174.67 |
| 2195592 | Rigid metal cuff with leather femoral jacket, including cover | N. C. | 209.57 |
| 2195527 | Retention straps, each | N. C. | 25.87 |

OPTIONAL COMPONENTS

| | | | |
|---------|--|--------|--------|
| 2135523 | Laminated or molded plastic stirrup, made from mold of insured person | 254.85 | 326.01 |
| 2135606 | Single malleolar strap | 78.93 | 108.67 |
| 2135614 | Double malleolar strap | 93.15 | 124.19 |
| 2135705 | Knee cap and straps | 81.52 | 111.25 |
| 2135663 | Ankle spring joint, aluminum | 7.77 | 133.27 |
| 2135929 | Double-action ankle spring joint, aluminum | 33.64 | 163.02 |
| 2135788 | Knee joint with ring lock (Becker 1002-B4) | 43.97 | 218.61 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | |
|---|--------|--------|
| 2135796 Eccentric uniaxial knee free joint (Becker 1008-B4) | 66.00 | 240.63 |
| 2135804 Eccentric uniaxial ring knee joint (Becker 1012-B4) | 73.74 | 249.70 |
| 2175594 Hip joint (metal part), all types | 240.63 | 271.69 |
| 2175610 Pelvic belt and metal band | 222.53 | 238.02 |
| 2175511 Pelvic belt (leather) | N. A. | 170.78 |
| 2175578 Replacement of pelvic belt metal band | N. A. | 128.07 |
| 2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.) | 53.03 | 53.03 |
| 2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.) | 18.12 | 18.12 |

SUPPLEMENTS AVAILABLE

| | | |
|---|-------|-------|
| 3492501 Cane | 10.19 | 10.19 |
| 3492550 Crutches with axillary support, height-adjustable | 20.38 | 20.38 |
| 3492551 Crutches with forearm support, height-adjustable | 56.05 | 56.05 |

ADJUSTMENTS AVAILABLE

| | | |
|--------------------------------|--|-------|
| 2136752 Stirrup changeover | | 56.93 |
| ----- Any pertinent adjustment | | |

SUBDIVISION 4: COXOFEMORAL ORTHOSES

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 2170504 Articulated coxofemoral orthosis with rigid metal femoral and tibial cuffs | 1,716.75 | | | 6 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Regular stirrup | | | | |
| Ankle free joints, aluminum (2) | | | | |
| Knee free joints, aluminum (2) (Becker S-2005-B4) | | | | |
| Thigh lacer with two rigid metal bands and femoral leather jacket, including cover, and rigid metal cuff with leather or thermoplastic tibial jacket | | | | |
| Hip joint (metal part), all types | | | | |
| Retention straps | | | | |
| Pelvic belt and metal band | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENTS | | | | |
| 2135507 Regular stirrup | N. C. | 94.46 | | |
| Ankle free joints, aluminum | | | | |
| 2135739 pair | N. C. | 221.24 | | |
| 2135655 single | N. A. | 131.94 | | |
| 2195527 Retention straps, each | N. C. | 25.87 | | |
| 2135556 Rigid metal cuff with leather or thermoplastic tibial jacket | N. C. | 121.61 | | |
| Knee free joints, aluminum (Becker S-2005-B4) | | | | |
| 2155513 pair | N. C. | 284.62 | | |
| 2155414 single | N. A. | 174.67 | | |
| 2195618 Thigh lacer with two rigid metal bands and femoral leather jacket, including cover | N. C. | 209.57 | | |
| 2175560 Hip joint (metal part), all types | N. C. | 271.69 | | |
| 2175537 Pelvic belt and metal band | N. C. | 238.02 | | |
| OPTIONAL COMPONENTS | | | | |
| 2135531 Rectangular stirrup | 42.70 | 131.94 | | |
| 2135523 Laminated or molded plastic stirrup, made from mold of insured person | 254.85 | 326.01 | | |
| 2135606 Single malleolar strap | 78.93 | 108.67 | | |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | |
|---------|---|--------|--------|
| 2135705 | Knee cap and straps Ankle spring joints, aluminum | 81.52 | 111.25 |
| 2135747 | pair | 15.53 | 229.00 |
| 2135853 | single Double-action ankle spring joints, aluminum | N. A. | 133.27 |
| 2135887 | pair | 67.27 | 280.73 |
| 2135754 | single Knee joints with ring lock (Becker 1002-B4) | N. A. | 163.02 |
| 2155521 | pair | 86.67 | 372.59 |
| 2155406 | single Knee joints with lock, Swiss-type (Becker 1003-B4) | N. A. | 218.61 |
| 2155547 | pair | 191.47 | 450.21 |
| 2155398 | single Polycentric knee joints (USMC-0225-10) | N. A. | 257.44 |
| 2155554 | pair | 68.57 | 354.46 |
| 2155380 | single Polycentric knee joints, for child (Becker 1006-C8) | N. A. | 186.27 |
| 2155877 | pair | 203.12 | 487.73 |
| 2155372 | single Eccentric uniaxial knee free joints (Becker 1008-B4) | N. A. | 252.28 |
| 2155588 | pair | 131.94 | 416.60 |
| 2155364 | single Eccentric uniaxial ring knee joints (Becker 1012-B4) | N. A. | 240.63 |
| 2155885 | pair | 147.48 | 433.39 |
| 2155356 | single | N. A. | 249.70 |
| 2175578 | Replacement of pelvic belt metal band | N. A. | 128.07 |
| 2175511 | Pelvic belt (leather) | N. A. | 170.78 |
| 2155737 | Complete or full leather thigh lacer, without ischiatic support | 116.43 | 297.56 |
| 2155752 | Complete or full leather thigh lacer, with leather ischiatic support | 229.00 | 407.53 |
| 2125508 | External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.) | 53.03 | 53.03 |
| 2125516 | External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.) | 18.12 | 18.12 |

SUPPLEMENTS AVAILABLE

| | | |
|---|-------|-------|
| 3492501 Cane | 10.19 | 10.19 |
| 3492550 Crutches with axillary support, height-adjustable | 20.38 | 20.38 |
| 3492551 Crutches with forearm support, height-adjustable | 56.05 | 56.05 |

ADJUSTMENTS AVAILABLE

| | | |
|--------------------------------|--|-------|
| 2136752 Stirrup changeover | | 56.93 |
| ----- Any pertinent adjustment | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 2170603 Molded plastic articulated coxofemoral orthosis, made from plaster or digital mold of insured person | 1,608.09 | | | 6 |

BASIC COMPONENTS AND SUPPLEMENTS

Molded plastic femoral shell without ischiatic support
Knee free joints, aluminum (2) (Becker S-2005-B4)
Hip joint (metal part), all types

Molded plastic posterior or anterior tibial shell extending under foot
Retention straps
Pelvic belt and metal band

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

| | | |
|---|-------|--------|
| 2155802 Molded plastic femoral shell without ischiatic support | N. C. | 275.55 |
| 2155810 Molded plastic posterior or anterior tibial shell extending under foot Knee free joints, aluminum (Becker S-2005-B4) | N. C. | 304.03 |
| 2155513 pair | N. C. | 284.62 |
| 2155414 single | N. A. | 174.67 |
| 2175560 Hip joint (metal part), all types | N. C. | 271.69 |
| 2195527 Retention straps, each | N. C. | 25.87 |
| 2175537 Pelvic belt and metal band | N. C. | 238.02 |

OPTIONAL COMPONENTS

| | | |
|---|-------|--------|
| 2175578 Replacement of pelvic belt metal band | N. A. | 128.07 |
| 2175511 Pelvic belt (leather) | N. A. | 170.78 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|---------|--|--------|--------|---|
| 2155828 | Ankle free joints with overlapping | 49.16 | N. A. | |
| | Gilette ankle joints | | | |
| 2155646 | pair | 122.90 | 108.67 | |
| 2155893 | single | N. A. | 67.27 | |
| | Oklahoma ankle joints | | | |
| 2155653 | pair | 116.43 | 102.19 | |
| 2155901 | single | N. A. | 64.69 | |
| | Wafer ankle joints | | | |
| 2155661 | pair | 134.54 | 120.32 | 1 |
| 2155919 | single | N. A. | 73.74 | |
| | Tamarak ankle joints | | | |
| 2155679 | pair | 129.36 | 115.13 | |
| 2155927 | single | N. A. | 71.15 | |
| | Gaffney ankle joints | | | |
| 2155687 | pair | 142.32 | 126.78 | |
| 2155935 | single | N. A. | 76.33 | |
| 2135606 | Single malleolar strap | 78.93 | 108.67 | |
| 2135705 | Knee cap and straps | 81.52 | 111.25 | |
| | Ankle spring joints, aluminum | | | |
| 2135747 | pair | 15.53 | 229.00 | |
| 2135853 | single | N. A. | 133.27 | |
| 2135820 | Regular stirrup | 67.27 | 94.46 | |
| | Double-action ankle spring joints, aluminum | | | |
| | | | | |
| 2135887 | pair | 67.27 | 280.73 | |
| 2135754 | single | N. A. | 163.02 | |
| | Knee joints with ring lock (Becker 1002-B4) | | | |
| | | | | |
| 2155521 | pair | 86.67 | 372.59 | |
| 2155406 | single | N. A. | 218.61 | |
| | Knee joints with lock, Swiss-type (Becker 1003-B4) | | | |
| | | | | |
| 2155547 | pair | 191.47 | 450.21 | |
| 2155398 | single | N. A. | 257.44 | |
| | Polycentric knee joints (USMC-0225-10) | | | |
| | | | | |
| 2155554 | pair | 68.57 | 354.46 | |
| 2155380 | single | N. A. | 186.27 | |
| | Polycentric knee joints, for child (Becker 1006-C8) | | | |
| | | | | |
| 2155877 | pair | 203.12 | 487.73 | |
| 2155372 | single | N. A. | 252.28 | |
| | Eccentric uniaxial knee free joints (Becker 1008-B4) | | | |
| | | | | |
| 2155588 | pair | 131.94 | 416.60 | |
| 2155364 | single | N. A. | 240.63 | |
| | Eccentric uniaxial ring knee joints (Becker 1012-B4) | | | |
| | | | | |
| 2155885 | pair | 147.48 | 433.39 | |
| 2155356 | single | N. A. | 249.70 | |
| 2155497 | Molded plastic ischiatic support | 76.33 | N. A. | |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | |
|---------|---|-------|--------|
| 2155489 | Molded plastic femoral shell with molded plastic ischiatic support | N. A. | 358.36 |
| 2125508 | External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.) | 53.03 | 53.03 |
| 2125516 | External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.) | 18.12 | 18.12 |

SUPPLEMENTS AVAILABLE

| | | | |
|---------|---|-------|-------|
| 3492501 | Cane | 10.19 | 10.19 |
| 3492550 | Crutches with axillary support, height-adjustable | 20.38 | 20.38 |
| 3492551 | Crutches with forearm support, height-adjustable | 56.05 | 56.05 |

ADJUSTMENTS AVAILABLE

| | | | |
|---------|--------------------------|--|-------|
| 2136752 | Stirrup changeover | | 56.93 |
| ----- | Any pertinent adjustment | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---------|--|---|--------------------------------|-----------------------|
| 2170702 | Articulated coxofemoral orthosis with rigid metal femoral cuffs and molded plastic posterior or anterior tibial shell, made from plaster or digital mold of insured person | | | 6 |

BASIC COMPONENTS AND SUPPLEMENTS

Thigh lacer with two rigid metal bands and femoral leather jacket
 Knee free joints, aluminum (2) (Becker S-2005-B4)
 Hip joint (metal part), all types

Molded plastic posterior or anterior tibial shell extending under foot
 Retention straps
 Pelvic belt and metal band

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

| | | | |
|---------|---|-------|--------|
| 2195501 | Thigh lacer with two rigid metal bands and femoral leather jacket | N. C. | 209.57 |
| 2155810 | Molded plastic posterior or anterior tibial shell extending under foot Knee free joints, aluminum (Becker S-2005-B4) | N. C. | 304.03 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | |
|--|--------|--------|
| 2155513 pair | N. C. | 284.62 |
| 2155414 single | N. A. | 174.67 |
| 2195527 Retention straps, each | N. C. | 25.87 |
| 2175560 Hip joint (metal part), all types | N. C. | 271.69 |
| | | |
| 2175537 Pelvic belt and metal band | N. C. | 238.02 |
| | | |
| OPTIONAL COMPONENTS | | |
| 2155828 Ankle free joints with overlapping | 49.16 | N. A. |
| Gilette ankle joints | | |
| 2155646 pair | 122.90 | 108.67 |
| 2155893 single | N. A. | 67.27 |
| Oklahoma ankle joints | | |
| 2155653 pair | 116.43 | 102.19 |
| 2155901 single | N. A. | 64.69 |
| Wafer ankle joints | | |
| 2155661 pair | 134.54 | 120.32 |
| 2155919 single | N. A. | 73.74 |
| Tamarak ankle joints | | |
| 2155679 pair | 129.36 | 115.13 |
| 2155927 single | N. A. | 71.15 |
| Gaffney ankle joints | | |
| 2155687 pair | 142.32 | 126.78 |
| 2155935 single | N. A. | 76.33 |
| Ankle spring joints, aluminum | | |
| 2135747 pair | 15.53 | 229.00 |
| 2135853 single | N. A. | 133.27 |
| Double-action ankle spring joints, aluminum | | |
| 2135887 pair | 67.27 | 280.73 |
| 2135754 single | N. A. | 163.02 |
| 2135606 Single malleolar strap | 78.93 | 108.67 |
| Knee joints with ring lock (Becker 1002-B4) | | |
| 2155521 pair | 86.67 | 372.59 |
| 2155406 single | N. A. | 218.61 |
| Knee joints with lock, Swiss-type (Becker 1003-B4) | | |
| 2155547 pair | 191.47 | 450.21 |
| 2155398 single | N. A. | 257.44 |
| Polycentric knee joints (USMC-0225-10) | | |
| 2155554 pair | 68.57 | 354.46 |
| 2155380 single | N. A. | 186.27 |
| Polycentric knee joints, for child (Becker 1006-C8) | | |
| 2155877 pair | 203.12 | 487.73 |
| 2155372 single | N. A. | 252.28 |
| Eccentric uniaxial knee free joints (Becker 1008-B4) | | |
| 2155588 pair | 131.94 | 416.60 |
| 2155364 single | N. A. | 240.63 |

| | | |
|---|--------|--------|
| Eccentric uniaxial ring knee joints (Becker 1012-B4) | | |
| 2155885 pair | 147.48 | 433.39 |
| 2155356 single | N. A. | 249.70 |
| 2135705 Knee cap and straps | 81.52 | 111.25 |
| 2155737 Complete or full leather thigh lacer, without ischiatic support | 116.43 | 297.56 |
| 2155752 Complete or full leather thigh lacer, with leather ischiatic support | 229.00 | 407.53 |
| 2175578 Replacement of pelvic belt metal band | N. A. | 128.07 |
| 2175511 Pelvic belt (leather) | N. A. | 170.78 |
| 2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.) | 53.03 | 53.03 |
| 2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.) | 18.12 | 18.12 |

SUPPLEMENTS AVAILABLE

| | | |
|---|-------|-------|
| 3492501 Cane | 10.19 | 10.19 |
| 3492550 Crutches with axillary support, height-adjustable | 20.38 | 20.38 |
| 3492551 Crutches with forearm support, height-adjustable | 56.05 | 56.05 |

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---|--|---|--------------------------------|-----------------------|
| 2170801 Articulated coxofemoral orthosis with molded plastic femoral shell, made from plaster or digital mold of insured person, and rigid metal cuff with leather or thermoplastic tibial jacket | 1,888.82 | | | 6 |

BASIC COMPONENTS AND SUPPLEMENTS

- Regular stirrup
- Ankle free joints, aluminum (2)
- Knee free joints, aluminum (2) (Becker S-2005-B4)

- Rigid metal cuff with leather or thermoplastic jacket, including tibial cover

- Molded plastic femoral shell without ischiatic support
- Hip joint (metal part), all types

Retention straps
Pelvic belt and metal band

COMPONENTS AND SUPPLEMENTS
AVAILABLE

BASIC COMPONENTS

| | | | |
|---------|---|-------|--------|
| 2135507 | Regular stirrup | N. C. | 94.46 |
| 2135556 | Rigid metal cuff with leather or thermoplastic jacket, including tibial cover | N. C. | 121.61 |

Knee free joints, aluminum (Becker S-2005-B4)

| | | | |
|---------|--|-------|--------|
| 2155513 | pair | N. C. | 284.62 |
| 2155414 | single | N. A. | 174.67 |
| | Ankle free joints, aluminum | | |
| 2135739 | pair | N. C. | 221.24 |
| 2135655 | single | N. A. | 131.94 |
| 2155802 | Molded plastic femoral shell without ischiatic support | N. C. | 275.55 |
| 2175560 | Hip joint (metal part), all types | N. C. | 271.69 |
| 2195527 | Retention straps, each | N. C. | 25.87 |
| 2175537 | Pelvic belt and metal band | N. C. | 238.02 |

OPTIONAL COMPONENTS

| | | | |
|---------|---|--------|--------|
| 2135531 | Rectangular stirrup | 42.70 | 131.94 |
| 2135523 | Molded or laminated plastic stirrup, made from mold of insured person | 254.85 | 326.01 |
| 2135606 | Single malleolar strap | 78.93 | 108.67 |
| 2135614 | Double malleolar strap | 93.15 | 124.19 |
| 2135705 | Knee cap and straps | 81.52 | 111.25 |
| | Ankle spring joints, aluminum | | |
| 2135747 | pair | 15.53 | 229.00 |
| 2135853 | single | N. A. | 133.27 |
| | Double-action ankle spring joints, aluminum | | |
| 2135887 | pair | 67.27 | 280.73 |
| 2135754 | single | N. A. | 163.02 |
| | Knee joints with ring lock (Becker 1002-B4) | | |
| 2155521 | pair | 86.67 | 372.59 |
| 2155406 | single | N. A. | 218.61 |
| | Knee joints with lock, Swiss-type (Becker 1003-B4) | | |
| 2155547 | pair | 191.47 | 450.21 |
| 2155398 | single | N. A. | 257.44 |
| | Polycentric knee joints (USMC-0225-10) | | |
| 2155554 | pair | 68.57 | 354.46 |
| 2155380 | single | N. A. | 186.27 |
| | Polycentric knee joints, for child (Becker 1006-C8) | | |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | |
|---|--------|--------|
| 2155877 pair | 203.12 | 487.73 |
| 2155372 single | N. A. | 252.28 |
| Eccentric uniaxial knee free joints (Becker 1008-B4) | | |
| 2155588 pair | 131.94 | 416.60 |
| 2155364 single | N. A. | 240.63 |
| Eccentric uniaxial ring knee joints (Becker 1012-B4) | | |
| 2155885 pair | 147.48 | 433.39 |
| 2155356 single | N. A. | 249.70 |
| 2155497 Molded plastic ischiatic support | 76.33 | N. A. |
| 2155489 Molded plastic femoral shell with molded plastic ischiatic support | N. A. | 358.36 |
| 2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.) | 53.03 | 53.03 |
| 2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.) | 18.12 | 18.12 |
| 2175578 Replacement of pelvic belt metal band | N. A. | 128.07 |
| 2175511 Pelvic belt (leather) | N. A. | 170.78 |

SUPPLEMENTS AVAILABLE

| | | |
|---|-------|-------|
| 3492501 Cane | 10.19 | 10.19 |
| 3492550 Crutches with axillary support, height-adjustable | 20.38 | 20.38 |
| 3492551 Crutches with forearm support, height-adjustable | 56.05 | 56.05 |

ADJUSTMENTS AVAILABLE

| | | |
|--------------------------------|--|-------|
| 2136752 Stirrup changeover | | 56.93 |
| ----- Any pertinent adjustment | | |

SUBDIVISION 5: BILATERAL LOWER-LIMB ORTHOSES

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|---|-------------------------------|
| 2190502 Femoral derotation orthosis | 102.19 | | | 6 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Metal bar with ratchet, fixed to shoes | | | | |
| COMPONENT AND SUPPLEMENT AVAILABLE | | | | |
| 2195551 Articulated metal bar | 86.18 | 86.18 | | |
| ADJUSTMENTS AVAILABLE | | | | |
| 2196509 Shoe changeover (unriveted) | | | 27.19 | |
| 2196517 Shoe changeover (riveted) | | | 36.22 | |
| ----- Any pertinent adjustment | | | | |
| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
| 2190510 Coxofemoral derotation orthosis with torsion cable | 435.98 | | | 6 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Regular stirrup | | | | |
| Torsion cable | | | | |
| Pelvic belt (leather) | | | | |
| Hip free joint (metal part) | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENTS | | | | |
| 2135507 Regular stirrup | N. C. | 94.46 | | |
| 2195535 Torsion cable | N. C. | 98.32 | | |
| 2175586 Hip free joint (metal part) | N. C. | 84.10 | | |
| 2175602 Pelvic belt (leather) | N. C. | 116.43 | | |
| OPTIONAL COMPONENT | | | | |
| 2155570 Knee joint | 128.07 | 143.61 | | |
| SUPPLEMENTS AVAILABLE | | | | |
| 3492550 Crutches with axillary support, height-adjustable | 20.38 | 20.38 | | |

3492551 Crutches with forearm support, height-adjustable 56.05 56.05

ADJUSTMENTS AVAILABLE

2136752 Stirrup changeover 56.93
----- Any pertinent adjustment

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--------|--|---|--------------------------------|-----------------------|
|--------|--|---|--------------------------------|-----------------------|

2190528 Pelvifemoral abduction orthosis, custom made 280.73 6

BASIC COMPONENTS AND SUPPLEMENTS

Two plastic thigh cuffs
Metal bar

COMPONENT AND SUPPLEMENT

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--------|--|---|--------------------------------|-----------------------|
|--------|--|---|--------------------------------|-----------------------|

2190544 Molded plastic pelvifemoral abduction orthosis for child, made from plaster or digital mold of insured person 835.75 6

BASIC COMPONENTS AND SUPPLEMENTS

Molded plastic orthosis
Retention straps

COMPONENTS AND SUPPLEMENTS
AVAILABLE

BASIC COMPONENTS

2195527 Retention straps, each N. C. 25.87

OPTIONAL COMPONENTS

2195550 Abduction rod 100.92 116.43
3122603 Extension to feet inclusively 479.97 N. A.
2135705 Knee cap and straps 81.52 111.25

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 2190536 Pelvifemoral orthosis, for young child | 195.36 | | | 6 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Cloth harness or prefabricated plastic splint | | | | |
| COMPONENT AND SUPPLEMENT AVAILABLE | | | | |
| None | | | | |
| ADJUSTMENT AVAILABLE | | | | |
| ----- Any pertinent adjustment | | | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---|--|---|--------------------------------|-----------------------|
| 2180008 Articulated pelvifemoral abduction orthosis, Scottish Rite-type | 1,219.98 | | | 6 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Rigid metal cuffs with leather or thermoplastic femoral jacket (2) | | | | |
| Metal bar | | | | |
| Universal joints | | | | |
| Pelvic band | | | | |
| Retention straps | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENTS | | | | |
| 2195600 Rigid metal cuffs with leather or thermoplastic femoral jacket (2) | N. C. | 209.57 | | |
| 2195527 Retention straps, each | N. C. | 25.87 | | |
| SUPPLEMENTS AVAILABLE | | | | |
| 3492550 Crutches with axillary support, height-adjustable | 20.38 | 20.38 | | |
| 3492551 Crutches with forearm support, height-adjustable | 56.05 | 56.05 | | |
| ADJUSTMENT AVAILABLE | | | | |
| ----- Any pertinent adjustment | | | | |

SUBDIVISION 6: ADDITIONAL COMPONENTS FOR TIBIAL, FEMORAL AND COXOFEMORAL ORTHOSES

| | Maximum price Purchase or replacement of device | Maximum price of component alone |
|---|--|--|
| 2135564 Regular stirrup, additional | 67.27 | 82.78 |
| 2135598 Rectangular stirrup, additional | 108.67 | 131.94 |

SUBDIVISION 7: LOWER-LIMB ORTHOSES

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---------------|--|---|--------------------------------|-----------------------|
|---------------|--|---|--------------------------------|-----------------------|

2190601 Other lower-limb orthoses *

S. C.

6

* When price is below that of the similar orthosis

DIVISION V: UPPER-LIMB ORTHOSES

SUBDIVISION 1: HAND ORTHOSES THAT MAY INCLUDE THE THUMB AND THE OTHER FINGERS

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---|--|---|--------------------------------|-----------------------|
| Prefabricated passive orthosis for proximal and distal interphalangeal joints | | | | 2 |
| Thumb | | | | |
| 2210003 If first finger | 112.56 | N. A. | | |
| 2210011 If additional finger | 29.77 | N. A. | | |
| Index | | | | |
| 2210029 If first finger | 112.56 | N. A. | | |
| 2210037 If additional finger | 29.77 | N. A. | | |
| Middle finger | | | | |
| 2210045 If first finger | 112.56 | N. A. | | |
| 2210052 If additional finger | 29.77 | N. A. | | |
| Ring finger | | | | |
| 2210060 If first finger | 112.56 | N. A. | | |
| 2210078 If additional finger | 29.77 | N. A. | | |
| Little finger | | | | |
| 2210086 If first finger | 112.56 | N. A. | | |
| 2210094 If additional finger | 29.77 | N. A. | | |

BASIC COMPONENTS AND SUPPLEMENTS

Thermoplastic or metal splint
Straps

COMPONENT AND SUPPLEMENT
AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| Prefabricated dynamic orthosis for distal and/or proximal interphalangeal joints | | | | 2 |
| Thumb | | | | |
| 2210102 If first finger | 112.56 | N. A. | | |
| 2210110 If additional finger | 29.77 | N. A. | | |

| | | |
|----------------------|----------------------|--------------|
| Index | | |
| 2210128 | If first finger | 112.56 N. A. |
| 2210136 | If additional finger | 29.77 N. A. |
| Middle finger | | |
| 2210144 | If first finger | 112.56 N. A. |
| 2210151 | If additional finger | 29.77 N. A. |
| Ring finger | | |
| 2210169 | If first finger | 112.56 N. A. |
| 2210177 | If additional finger | 29.77 N. A. |
| Little finger | | |
| 2210185 | If first finger | 112.56 N. A. |
| 2210193 | If additional finger | 29.77 N. A. |

BASIC COMPONENTS AND SUPPLEMENTS

Support pads
Springs

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---|--|---|---------------------------------|---------------------------|
| 2210516 Prefabricated dynamic orthosis for metacarpophalangeal joints | 150.08 | | | 2 |

BASIC COMPONENTS AND SUPPLEMENTS

Metacarpal bars
Phalangeal bars
Articular pivots
Elastic bands
Piano wire
Other types of springs

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---|--|---|--------------------------------|-----------------------|
| 2220010 Passive thumb orthosis including carpometacarpal, metacarpophalangeal and interphalangeal joints, made from plaster or digital mold of insured person | 260.03 | | | 2 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Molded component, thermoplastic or other material | | | | |
| Straps | | | | |
| COMPONENT AND SUPPLEMENT AVAILABLE | | | | |
| None | | | | |
| ADJUSTMENT AVAILABLE | | | | |
| ----- Any pertinent adjustment | | | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 2220036 Molded plastic passive thumb orthosis including carpometacarpal, metacarpophalangeal and interphalangeal joints, made from mold of insured person or prefabricated | 169.47 | | | 2 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Molded thermoplastic component | | | | |
| Straps | | | | |
| COMPONENT AND SUPPLEMENT AVAILABLE | | | | |
| None | | | | |
| ADJUSTMENT AVAILABLE | | | | |
| ----- Any pertinent adjustment | | | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 2220028 Dynamic thumb orthosis, which may include carpometacarpal, metacarpophalangeal and interphalangeal joints, made from plaster or digital mold of insured person | 350.61 | | | 2 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Stabilizing components Traction apparatus made with springs Piano wire, elastic bands Straps | | | | |
| COMPONENT AND SUPPLEMENT AVAILABLE | | | | |
| None | | | | |
| ADJUSTMENT AVAILABLE | | | | |
| ----- Any pertinent adjustment | | | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---|--|---|--------------------------------|-----------------------|
| 2220044 Molded plastic dynamic thumb orthosis, which may include carpometacarpal, metacarpophalangeal and interphalangeal joints, made from mold of insured person or prefabricated | 218.61 | | | 2 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Stabilizing components Traction apparatus made with springs Piano wire, elastic bands Straps | | | | |
| COMPONENT AND SUPPLEMENT AVAILABLE | | | | |
| None | | | | |
| ADJUSTMENT AVAILABLE | | | | |
| ----- Any pertinent adjustment | | | | |

SUBDIVISION 2: WRIST AND HAND ORTHOSES

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 2230548 Passive orthosis for wrist and hand including fingers and thumb, palmar or dorsal, made from plaster or digital mold of insured person | 380.35 | | | 2 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Splint | | | | |
| Straps | | | | |
| Bilateral fixed joints for dorsal orthosis | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| OPTIONAL COMPONENT | | | | |
| 2231124 Finger separator, including straps | 14.25 | N. A. | | |
| ADJUSTMENT AVAILABLE | | | | |
| ----- Any pertinent adjustment | | | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---|--|---|--------------------------------|-----------------------|
| 2230555 Molded plastic passive orthosis for wrist and hand including fingers and thumb, palmar or dorsal, made from mold of insured person or prefabricated | 267.78 | | | 2 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Thermoplastic splint | | | | |
| Straps | | | | |
| Bilateral fixed joints for dorsal orthosis | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| OPTIONAL COMPONENT | | | | |
| 2231124 Finger separator, including straps | 14.25 | N. A. | | |
| ADJUSTMENT AVAILABLE | | | | |
| ----- Any pertinent adjustment | | | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 2230563 Passive orthosis for wrist, palmar or dorsal, including thumb extension, where applicable, made from plaster or digital mold of insured person | 307.92 | | | 2 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Thermoplastic splint, palmar or dorsal, or reinforced molded leather splint, including thumb extension, where applicable | | | | |
| Palmar or dorsal metacarpal bar | | | | |
| Straps | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| OPTIONAL COMPONENT | | | | |
| 2231132 Full leather lining of thermoplastic splint | 53.03 | N. A. | | |
| ADJUSTMENT AVAILABLE | | | | |
| ----- Any pertinent adjustment | | | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 2230571 Plastic or molded plastic passive orthosis for wrist, including thumb extension, where applicable, made from mold of insured person or prefabricated | 226.40 | | | 2 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Plastic or molded plastic splint, prefabricated or made from mold of insured person, including thumb extension, where applicable | | | | |
| Palmar or dorsal metacarpal bar | | | | |
| Straps | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| OPTIONAL COMPONENTS | | | | |
| 2231157 Finger traction apparatus | 168.18 | N. A. | | |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | |
|--|-------|-------|
| 2231165 Flexion glove | 90.56 | N. A. |
| 2231140 Wrist free joints (incompatible with wrist traction apparatus) | 64.69 | N. A. |
| 2231173 Wrist traction apparatus (incompatible with wrist free joints) | 67.27 | N. A. |

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 2230589 Prefabricated static wrist and dynamic finger orthosis, which may include Swanson-type thumb | 494.22 | | | 2 |

BASIC COMPONENTS AND SUPPLEMENTS

Transverse and longitudinal bars
Palmar support
Finger and thumb traction apparatus

COMPONENT AND SUPPLEMENT
AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 2230514 Custom-made tenodesis orthosis | 759.42 | | | 2 |

BASIC COMPONENTS AND SUPPLEMENTS

Stabilizing components for thumb, index finger and middle finger
Metacarpophalangeal joints
Wrist joints
Forearm stabilizing component
Telescoping rod

COMPONENT AND SUPPLEMENT
AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

SUBDIVISION 3: ELBOW, WRIST AND HAND ORTHOSES

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|---|-------------------------------|
| 2250017 Molded plastic passive elbow orthosis, anterior or posterior, made from mold of insured person | 320.85 | | | 2 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Splint including arm and forearm | | | | |
| Straps | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| OPTIONAL COMPONENTS | | | | |
| 2255511 Suspension strap | 24.58 | N. A. | | |
| 2255503 Elbow pad and strap | 81.52 | 111.25 | | |
| 2255529 Uniaxial or polycentric bilateral elbow joints | 72.47 | N. A. | | |
| 3492659 Turnbuckle | 67.27 | N. A. | | |
| ADJUSTMENT AVAILABLE | | | | |
| ----- Any pertinent adjustment | | | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|---|-------------------------------|
| 2250009 Passive elbow orthosis, anterior or posterior, made from plaster or digital mold of insured person | 384.22 | | | 2 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Splint including arm and forearm | | | | |
| Straps | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| OPTIONAL COMPONENTS | | | | |
| 2255511 Suspension strap | 24.58 | N. A. | | |
| 2255503 Elbow pad and strap | 81.52 | 111.25 | | |
| 2255529 Uniaxial or polycentric bilateral elbow joints | 72.47 | N. A. | | |
| 3492659 Turnbuckle | 67.27 | N. A. | | |
| ADJUSTMENT AVAILABLE | | | | |

SUBDIVISION 4: SHOULDER, ELBOW, WRIST AND HAND ORTHOSES

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|---|-------------------------------|
| 2270007 Glenohumeral orthosis, made from plaster or digital mold of insured person | 384.22 | | | 2 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Shoulder-to-epicondyle molded thermoplastic sleeve | | | | |
| Thoracic straps Velcro straps for adjusting sleeve circumference | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| OPTIONAL COMPONENT | | | | |
| 2255511 Suspension strap | 24.58 | N. A. | | |
| ADJUSTMENT AVAILABLE | | | | |
| ----- Any pertinent adjustment | | | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---|--|---|---|-------------------------------|
| 2270510 Prefabricated adjustable passive abduction orthosis for the shoulder, elbow, wrist and hand airplane design | 892.67 | | | 2 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Thoracic and pelvic support Adjustable shoulder and elbow joints Arm, forearm and hand splints Adjustable stabilizing bar between truncular and humeral support Anchor straps Pads | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| OPTIONAL COMPONENT | | | | |
| 2275501 Pelviumeral mobilization bar | 99.60 | N. A. | | |
| ADJUSTMENT AVAILABLE | | | | |
| ----- Any pertinent adjustment | | | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustement price | Guarantee (months) |
|--|--|---|---------------------------------|-----------------------|
| 2270015 Prefabricated glenohumeral orthosis | 335.07 | | | 2 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Shoulder-to-epicondyle molded thermoplastic sleeve | | | | |
| Thoracic straps | | | | |
| Velcro straps for adjusting sleeve circumference | | | | |
| COMPONENT AND SUPPLEMENT AVAILABLE | | | | |
| None | | | | |
| ADJUSTMENT AVAILABLE | | | | |
| ----- Any pertinent adjustment | | | | |

SUBDIVISION 5: UPPER-LIMB ORTHOSES

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustement price | Guarantee (months) |
|---------------|--|---|---------------------------------|-----------------------|
|---------------|--|---|---------------------------------|-----------------------|

2290609 Other upper-limb orthoses *

S. C.

2

* When the price is below that of the similar orthosis

DIVISION VI: TRUNK AND CERVICAL ORTHOSES
SUBDIVISION 1: TRUNK ORTHOSE

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 2320505 Prefabricated lumbar sacral immobilization orthosis, to limit anteroposterior and lateral movements of the spine, molded plastic or metal structure, Harris, Knight or Williams-type | 408.81 | | | 3 |
| COMPONENT AND SUPPLEMENT AVAILABLE | | | | |
| None | | | | |
| ADJUSTMENT AVAILABLE | | | | |
| ----- Any pertinent adjustment | | | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 2320604 Lumbar sacral orthosis with rigid molded thermoplastic plate, made from mold of insured person (Ortho-mold-type) | 249.70 | | | 3 |
| COMPONENT AND SUPPLEMENT AVAILABLE | | | | |
| None | | | | |
| ADJUSTMENT AVAILABLE | | | | |
| ----- Any pertinent adjustment | | | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 2320513 Plastic lumbar sacral immobilization orthosis, made from plaster or digital mold of insured person | 721.91 | | | 3 |
| COMPONENT AND SUPPLEMENT AVAILABLE | | | | |
| None | | | | |
| ADJUSTMENT AVAILABLE | | | | |
| ----- Any pertinent adjustment | | | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 2340503 Custom-made rigid-frame dorsal lumbar immobilization orthosis (Taylor or Harris-Taylor-type) | 552.42 | | | 3 |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| OPTIONAL COMPONENTS | | | | |
| 3342508 Axilla crutch | 46.57 | N. A. | | 3 |
| 2345502 Corrective pad | 46.57 | N. A. | | 3 |
| ADJUSTMENT AVAILABLE | | | | |
| ----- Any pertinent adjustment | | | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 2340602 Dorsal lumbar orthosis with rigid molded thermoplastic plate, made from mold of insured person (Ortho-mold-type) | 357.06 | | | 3 |
| COMPONENT AND SUPPLEMENT AVAILABLE | | | | |
| None | | | | |
| ADJUSTMENT AVAILABLE | | | | |
| ----- Any pertinent adjustment | | | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 2340701 Rigid dorsal lumbar immobilization orthosis covered in whale fabric (Taylor or Harris-Taylor-type) (Camp, Airway make) | 289.78 | | | 3 |

COMPONENT AND SUPPLEMENT
AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 2340537 Plastic dorsal lumbar sacral immobilization orthosis with bilateral overlapping resulting from double molding, made from plaster or digital mold of insured person | 1,160.45 | | | 3 |

COMPONENT AND SUPPLEMENT
AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---|--|---|--------------------------------|-----------------------|
| 2340404 Prefabricated molded plastic dorsal lumbar sacral immobilization orthosis (Boston Overlap Brace-type) | 491.60 | | | 3 |

COMPONENT AND SUPPLEMENT
AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 2340578 Plastic dorsal lumbar sacral immobilization orthosis made from plaster or digital mold of insured person | 998.76 | | | 3 |

COMPONENT AND SUPPLEMENT
AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---------------|--|---|--------------------------------|-----------------------|
|---------------|--|---|--------------------------------|-----------------------|

| | | | | |
|---|--------|--|--|---|
| 2350528 Prefabricated hyperextension orthosis (Jewitt, Florida Brace) | 443.75 | | | 3 |
|---|--------|--|--|---|

COMPONENT AND SUPPLEMENT
AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---------------|--|---|--------------------------------|-----------------------|
|---------------|--|---|--------------------------------|-----------------------|

| | | | | |
|---|----------|--|--|---|
| 2380509 Cervical dorsal lumbar sacral immobilization orthosis with plastic base, made from plaster or digital mold of insured person (Milwaukee-type) | 1,516.23 | | | 3 |
|---|----------|--|--|---|

BASIC COMPONENT AND SUPPLEMENT

Pelvic component, made from plaster or digital mold of insured person

COMPONENTS AND SUPPLEMENTS
AVAILABLE

BASIC COMPONENT

| | | | | |
|---|-------|--------|--|---|
| 2385508 Pelvic component, made from plaster or digital mold of insured person | N. C. | 879.73 | | 3 |
|---|-------|--------|--|---|

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---|--|---|--------------------------------|-----------------------|
| 2380004 Prefabricated cervical dorsal lumbar sacral immobilization orthosis with molded plastic base (Milwaukee-type) | 1,263.96 | | | 3 |
| BASIC COMPONENT AND SUPPLEMENT | | | | |
| Prefabricated pelvic component | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENT | | | | |
| 2385516 Prefabricated pelvic component | N. C. | 639.10 | | 3 |
| ADJUSTMENT AVAILABLE | | | | |
| ----- Any pertinent adjustment | | | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 2380020 Charleston hypercorrective cervical dorsal lumbar sacral orthosis, made from plaster or digital mold of insured person | 1,265.25 | | | 3 |
| COMPONENT AND SUPPLEMENT AVAILABLE | | | | |
| None | | | | |
| ADJUSTMENT AVAILABLE | | | | |
| ----- Any pertinent adjustment | | | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---|--|---|--------------------------------|-----------------------|
| 2380533 Cervical dorsal lumbar sacral orthosis (Lyonnais-type) | 1,513.63 | | | 3 |
| BASIC COMPONENT AND SUPPLEMENT | | | | |
| Prefabricated pelvic component, made from plaster or digital mold of insured person | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILAB | | | | |

BASIC COMPONENT

| | | | | |
|---|-------|--------|--|---|
| 2385524 Prefabricated pelvic component, made from plaster or digital mold of insured person | N. C. | 879.73 | | 3 |
|---|-------|--------|--|---|

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--------|--|---|--------------------------------|-----------------------|
|--------|--|---|--------------------------------|-----------------------|

| | | | | |
|---|--|--------|--|---|
| 2380525 Prefabricated corrective dorsal lumbar orthosis (Boston-type) | | 807.28 | | 3 |
|---|--|--------|--|---|

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--------|--|---|--------------------------------|-----------------------|
|--------|--|---|--------------------------------|-----------------------|

| | | | | |
|--|--|----------|--|---|
| 2380012 Corrective dorsal lumbar orthosis, made from plaster or digital mold of insured person (Boston-type) | | 1,161.75 | | 3 |
|--|--|----------|--|---|

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

SUBDIVISION 2: CERVICAL ORTHOSES

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---|--|---|--------------------------------|-----------------------|
| 2370500 Thermoplastic cervical orthosis with sternal support, made from plaster or digital mold of insured person | 567.94 | | | 3 |
| COMPONENT AND SUPPLEMENT AVAILABLE | | | | |
| None | | | | |
| ADJUSTMENT AVAILABLE | | | | |
| ----- Any pertinent adjustment | | | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 2370559 Prefabricated semi-rigid cervical orthosis (Philadelphia design) | 155.26 | | | 3 |
| COMPONENT AND SUPPLEMENT AVAILABLE | | | | |
| None | | | | |
| ADJUSTMENT AVAILABLE | | | | |
| ----- Any pertinent adjustment | | | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 2370518 Cervical orthosis with multiple vertical uprights | 285.91 | | | 3 |
| COMPONENT AND SUPPLEMENT AVAILABLE | | | | |
| None | | | | |
| ADJUSTMENT AVAILABLE | | | | |
| ----- Any pertinent adjustment | | | | |
| <u>NOTICE: A Halo cervical orthosis (Halo vest) is not an insured device. Therefore, it cannot be considered in the same way as a Minerva cervical orthosis.</u> | | | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 2370526 Minerva molded plastic cervical orthosis, made from plaster or digital mold of insured person | 1,209.63 | | | 3 |
| COMPONENT AND SUPPLEMENT AVAILABLE | | | | |
| None | | | | |
| ADJUSTMENT AVAILABLE | | | | |
| ----- Any pertinent adjustment | | | | |
| <u>NOTICE: A Halo cervical orthosis (Halo vest) is not an insured device. Therefore, it cannot be considered in the same way as a Minerva cervical orthosis.</u> | | | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 2370609 Minerva prefabricated cervical orthosis | 816.34 | | | 3 |
| COMPONENT AND SUPPLEMENT AVAILABLE | | | | |
| None | | | | |
| ADJUSTMENT AVAILABLE | | | | |
| ----- Any pertinent adjustment | | | | |
| <u>NOTICE: A Halo cervical orthosis (Halo vest) is not an insured device. Therefore, it cannot be considered in the same way as a Minerva cervical orthosis.</u> | | | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 2370534 Cervical orthosis (SOMI-type) | 584.79 | | | 3 |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| OPTIONAL COMPONENT | | | | |
| 2375509 Halo support with lateral stabilization uprights | 216.04 | 232.87 | | 3 |
| ADJUSTMENT AVAILABLE | | | | |
| ----- Any pertinent adjustment | | | | |

SUBDIVISION 3: OTHER TRUNK AND CERVICAL ORTHOSES

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustement price | Guarantee (months) |
|-----------------------------------|--|---|---------------------------------|-----------------------|
| 2390607 Other trunk orthoses * | S. C. | | | 3 |
| 2371003 Other cervical orthoses * | S. C. | | | 3 |

* When the price is below that of the similar orthosis

DIVISION VII: AMBULATION AIDS

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---|--|---|--------------------------------|-----------------------|
| 4490009 Quad cane, height-adjustable | 35.42 | | | 12 |
| BASIC COMPONENT AND SUPPLEMENT | | | | |
| Tip | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENT | | | | |
| 4495727 Tip (per pair) | N. C. | 2.57 | | |
| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
| 4490017 Crutches with axillary support, height-adjustable | 20.24 | | | 12 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Tips (2) | | | | |
| Axillary pads (2) | | | | |
| Handrest covers (2) | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENTS | | | | |
| 4495727 Tips (per pair) | N. C. | 2.57 | | |
| 4495743 Axillary pads (per pair) | N. C. | 2.57 | | |
| 4495750 Handrest covers (per pair) | N. C. | 2.57 | | |
| OPTIONAL COMPONENTS | | | | |
| 4495768 Flip-up ice tips with four or five prongs | | | | |
| Pair | 10.29 | N. A. | | |
| Unit | N. A. | 5.14 | | |
| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
| 4490018 Crutches with forearm support, height-adjustable | 55.66 | | | 12 |

BASIC COMPONENTS AND SUPPLEMENTS

Tips (2)

COMPONENTS AND SUPPLEMENTS
AVAILABLE

BASIC COMPONENTS

4495727 Tips (per pair) N. C. 2.57

OPTIONAL COMPONENTS

4495768 Flip-up ice tips with four or five prongs

| | | |
|------|-------|-------|
| Pair | 10.29 | N. A. |
| Unit | N. A. | 5.14 |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--------|--|---|--------------------------------|-----------------------|
|--------|--|---|--------------------------------|-----------------------|

| | | | | |
|--|-------|--|--|----|
| 4490082 Anterior walker, folding, without wheels or with wheels (2), height-adjustable | 50.60 | | | 12 |
|--|-------|--|--|----|

BASIC COMPONENTS AND SUPPLEMENTS

Tips (2)

COMPONENTS AND SUPPLEMENTS
AVAILABLE

BASIC COMPONENTS

4495727 Tips (2) N. C. 2.57

OPTIONAL COMPONENTS

4495776 Walker skis on rear legs

| | | |
|------|-------|-------|
| Pair | 12.14 | 12.14 |
| Unit | 6.07 | 6.07 |

4495826 Rear hand brakes

| | | |
|------|-------|-------|
| Pair | 51.39 | N. A. |
| Unit | N. A. | 25.69 |

4495784 Forearm supports

| | | |
|------|--------|-------|
| Pair | 156.74 | N. A. |
| Unit | 78.38 | 78.38 |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustement price | Guarantee (months) |
|---|--|---|---------------------------------|-----------------------|
| 4490085 Anterior walker, without wheels or with wheels (2), height-adjustable, weighted or bariatric type | 111.32 | | | 12 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Tips (2) | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENTS | | | | |
| 4495727 Tips (per pair) | N. C. | 2.57 | | |
| OPTIONAL COMPONENTS | | | | |
| 4495776 Walker skis on rear legs | | | | |
| Pair | 12.14 | 12.14 | | |
| Unit | 6.07 | 6.07 | | |
| 4495826 Rear hand brakes | | | | |
| Pair | 51.39 | N. A. | | |
| Unit | N. A. | 25.69 | | |
| 4495784 Forearm supports | | | | |
| Pair | 156.74 | N. A. | | |
| Unit | 78.38 | 78.38 | | |
| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustement price | Guarantee (months) |
| 4490083 Anterior walker, folding, with 2 wheels, height-adjustable, for child | 156.86 | | | 12 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Tips (2) | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENTS | | | | |
| 4495727 Tips (per pair) | N. C. | 2.57 | | |
| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustement price | Guarantee (months) |

4490084 Posterior walker, folding, with wheels (2 or 4), and height-adjustable, for child 232.76 12

BASIC COMPONENTS AND SUPPLEMENTS

Tips (2)

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

4495727 Tips (2) N. C. 2.57

OPTIONAL COMPONENTS

4495784 Forearm supports (2)
Pair 156.74 N. A.
Unit 78.38 78.38

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--------|--|---|--------------------------------|-----------------------|
|--------|--|---|--------------------------------|-----------------------|

4490166 Walker with wheels 4, height-adjustable with thoracic support, depth-adjustable and width-adjustable, for child 657.80 12

BASIC COMPONENTS AND SUPPLEMENTS

Steel frame
Thoracic support, with cover
Flexible seat
Front bumpers (4)
Wheelbrakes (4)

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

4495835 Steel frame, height-adjustable N. C. 566.72
4495843 Thoracic support, depth-adjustable with cover N. C. 298.54

4495867 Flexible seat N. C. 69.37
4495875 Front bumpers (4) N. C. N. A.
4495883 Wheelbrakes (4) N. C. 34.70

OPTIONAL COMPONENTS

4495917 Lower-limb abductor 178.57 178.57
4495925 Back/headrest and cover 280.09 280.09
4495933 Thoracic support cover only N. A. 102.79

DIVISION VIII: STANDING AIDS

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 2192276 Parapodium, for child (Variety Village system) | 2,221.30 | | | 3 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Prefabricated parapodium orthosis | | | | |
| COMPONENT AND SUPPLEMENT AVAILABLE | | | | |
| None | | | | |
| ADJUSTMENT AVAILABLE | | | | |
| ----- Any pertinent adjustment | | | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 2192292 Parapodium, for adult (Variety Village system) | 3,016.94 | | | 3 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Prefabricated parapodium orthosis | | | | |
| COMPONENT AND SUPPLEMENT AVAILABLE | | | | |
| None | | | | |
| ADJUSTMENT AVAILABLE | | | | |
| ----- Any pertinent adjustment | | | | |

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|----------------------------------|--|---|--------------------------------|-----------------------|
| 2192284 Orthopodium | 1,305.34 | | | 3 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Prefabricated orthopodium | | | | |
| COMPONENT AND SUPPLEMENT | | | | |
| None | | | | |
| ADJUSTMENT AVAILABLE | | | | |
| ----- Any pertinent adjustment | | | | |

PART II: AIDS FURNISHED SOLELY BY AN INSTITUTION
DIVISION I: UPPER-LIMB PROSTHESES

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|---|--|---|--------------------------------|-----------------------|
| 1242106 Myoelectric cubital prosthesis | 4,775.40 | | | 6 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Single laminated plastic socket, made from plaster or digital mold of insured person | | | | |
| Electrical system (1 connecting cable, 1 electrode cable, 1 coaxial outlet, 1 coupling component) | | | | |
| Lamination collar (wrist) | | | | |
| Pack | | | | |
| Electrode (1) | | | | |
| Standard battery | | | | |
| Standard charger | | | | |
| Prosthetic glove (Otto Bock) | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENTS | | | | |
| 1245687 Simple laminated plastic socket, made from plaster or digital mold of insured person | N. C. | 1,785.32 | | |
| 1245695 Electrical system (1 connecting cable, 1 electrode cable, 1 coaxial outlet, 1 coupling component) | N. C. | * | | |
| 1245703 Lamination collar (wrist) | N. C. | * | | |
| 1245752 Pack | N. C. | * | | |
| 1245711 First electrode | N. C. | * | | |
| 1245729 Additional electrode | 1,460.25 | 1,460.25 | | |
| 1245745 Additional electrode cable | 82.78 | 82.78 | | |
| 1245760 Standard battery | N. C. | * | | |
| 1245778 Standard charger | N. C. | * | | |
| 3223005 Prosthetic glove (Otto Bock) | N. C. | 269.75 | | |
| OPTIONAL COMPONENTS | | | | |
| 1245786 Double flexoform socket | 245.80 | 326.01 | | |
| 3223039 Electric hand (Otto Bock) for one 6¾ electrode | 4,249.84 | 4,249.84 | | |
| 3223302 Electric hand (Otto Bock) for one 7¼ and 7¾ electrode | 4,808.72 | 4,808.72 | | |
| 3223310 Electric hand (Otto Bock) for one 8¼ electrode | 5,039.00 | 5,039.00 | | |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | |
|--|----------|----------|
| 3223328 Electric hand (Otto Bock) for two 6¾ electrodes | 3,803.52 | 3,803.52 |
| 3223336 Electric hand (Otto Bock) for two 7¼ and 7¼ electrodes | 5,238.87 | 5,238.87 |
| 3223344 Electric hand (Otto Bock) for two 8¼ electrodes | 5,506.38 | 5,506.38 |
| Electric hands (VASI): | | |
| 3223047 - 0 to 3 years for one electrode | 5,819.12 | 5,819.12 |
| 3223054 - 2 to 6 years for two electrodes | 5,819.12 | 5,819.12 |
| 3223062 - 5 to 9 years for two electrodes | 6,202.05 | 6,202.05 |
| 3223070 Electric hand (Steeper), 1.75 | 3,670.24 | 3,670.24 |
| 3223351 Electric hand (Steeper), 2.00 | 3,824.20 | 3,824.20 |
| 3223369 Electric hand (Steeper), 2.25 to 3.25 | 4,129.53 | 4,129.53 |
| 3223088 Electric hand 2000 (Otto Bock) for two 5 electrodes | 5,961.44 | 5,961.44 |
| 3223377 Electric hand 2000 (Otto Bock) for two 5½ and 6 electrodes | 6,242.16 | 6,242.16 |
| 3223385 Electric hand 2000 (Otto Bock) for two 6½ electrodes | 6,495.73 | 6,495.73 |
| 1245828 Electronic box for electric hand 2000 | 1,392.05 | 1,392.05 |
| 1245836 Battery (1) for electric hand 2000 | 40.11 | 40.11 |
| 1245844 Electrode cables (2) for electric hand 2000 | 125.50 | 125.50 |
| 1245802 Charger for hand 2000 | 134.54 | 134.54 |
| 3223096 Electric hook for one electrode | 4,934.22 | 4,934.22 |
| 3223104 Electric hook for two electrodes | 4,758.28 | 4,758.28 |
| Electronics module system: | | |
| 3232824 Electric wrist rotator | 363.53 | 363.53 |
| 3232832 Myoelectrically controlled prosthetic wrist, including a control unit | 5,537.60 | 5,537.60 |
| 1245919 Rapid charger | 755.09 | 755.09 |
| 1245810 Activating switch | 199.22 | 199.22 |
| Adaptations to make prosthesis mechanical: | | |
| 3232840 Quick disconnect wrist | 741.30 | 741.30 |
| 3222965 Hook, 99X-type | 569.23 | 615.81 |
| 1295716 Suspension harness | 107.37 | 157.84 |
| 1295724 Control cable, terminal connections and housing (reinforced materials) | 144.89 | 195.36 |

SUPPLEMENT AVAILABLE

| | | |
|-----------------------|------|------|
| 1245851 Conductor gel | 6.46 | 6.46 |
|-----------------------|------|------|

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

* Repair. Indicate materials and labour. Supporting documents must be kept on file

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 1242502 Myoelectric prosthesis for dislocation of wrist | 4,492.10 | | | 6 |
| BASIC COMPONENTS AND SUPPLEMENTS | | | | |
| Single laminated plastic socket, made from plaster or digital mold of insured person | | | | |
| Electrical system (1 connecting cable, 1 electrode cable) | | | | |
| Pack | | | | |
| Electrode (1) | | | | |
| Standard battery | | | | |
| Standard charger | | | | |
| Prosthetic glove (Otto Bock) | | | | |
| COMPONENTS AND SUPPLEMENTS AVAILABLE | | | | |
| BASIC COMPONENTS | | | | |
| 1245927 Single laminated plastic socket, made from plaster or digital mold of insured person | N. C. | 1,648.20 | | |
| 1245935 Electrical system (1 connecting cable, 1 electrode cable) | N. C. | | * | |
| 1245752 Pack | N. C. | | * | |
| 1245711 First electrode | N. C. | | * | |
| 1245729 Additional electrode | 1,460.25 | 1,460.25 | | |
| 1245745 Additional electrode cable | 82.78 | 82.78 | | |
| 1245760 Standard battery | N. C. | | * | |
| 1245778 Standard charger | N. C. | | * | |
| 3223005 Prosthetic glove (Otto Bock), fitting included | N. C. | 269.75 | | |
| OPTIONAL COMPONENTS | | | | |
| 1245786 Double flexoform socket | 245.80 | 326.01 | | |
| 3223039 Electric hand (Otto Bock) for one 6¾ electrode | 4,249.84 | 4,249.84 | | |
| 3223302 Electric hand (Otto Bock) for one 7¼ or 7¾ electrode | 4,808.72 | 4,808.72 | | |
| 3223310 Electric hand (Otto Bock) for one 8¼ electrode | 5,039.00 | 5,039.00 | | |
| 3223328 Electric hand (Otto Bock) for two 6¾ electrodes | 3,803.52 | 3,803.52 | | |
| 3223336 Electric hand (Otto Bock) for two 7¼ and 7¾ electrodes | 5,238.87 | 5,238.87 | | |
| 3223344 Electric hand (Otto Bock) for two 8¼ electrodes | 5,506.38 | 5,506.38 | | |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | |
|--|----------|----------|
| 3223070 Electric hand (Steeper), 1.75 | 3,670.24 | 3,670.24 |
| 3223351 Electric hand (Steeper), 2.00 | 3,824.20 | 3,824.20 |
| 3223369 Electric hand (Steeper), 2.25 to 3.25 | 4,129.53 | 4,129.53 |
| 3223088 Electric hand 2000 (Otto Bock) for two 5 electrodes | 5,961.44 | 5,961.44 |
| 3223377 Electric hand 2000 (Otto Bock) for two 5½ and 6 electrodes | 6,242.16 | 6,242.16 |
| 3223385 Electric hand 2000 (Otto Bock) for two 6½ electrodes | 6,495.73 | 6,495.73 |
| 1245828 Electronic box for electric hand 2000 | 1,392.05 | 1,392.05 |
| 1245836 Battery (1) for electric hand 2000 | 40.11 | 40.11 |
| 1245844 Electrode cables (2) for electric hand 2000 | 125.50 | 125.50 |
| 1245802 Charger for hand 2000 | 134.54 | 134.54 |
| 3223096 Electric hook for one electrode | 4,934.22 | 4,934.22 |
| 3223104 Electric hook for two electrodes | 4,758.28 | 4,758.28 |
| 1245919 Rapid charger | 755.09 | 755.09 |
| 1245810 Activating switch | 199.22 | 199.22 |

SUPPLEMENT AVAILABLE

| | | |
|-----------------------|------|------|
| 1245851 Conductor gel | 6.46 | 6.46 |
|-----------------------|------|------|

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

* Repair. Indicate materials and labour. Supporting documents must be kept on file

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--|--|---|--------------------------------|-----------------------|
| 1262104 Myoelectric humeral prosthesis | 7,045.87 | | | 6 |

BASIC COMPONENTS AND SUPPLEMENTS

Single laminated plastic socket, made from plaster or digital mold of insured person

Electrical system (1 connecting cable, 1 electrode cable, 1 coaxial outlet, 1 coupling component)

Lamination collar (wrist)

Elbow with internal lock, model E-400

Pack

Electrode (1)

Standard battery

Standard charger

Prosthetic glove (Otto Bock)

COMPONENTS AND SUPPLEMENTS
AVAILABLE

BASIC COMPONENTS

| | | | |
|---------|---|----------|----------|
| 1245869 | Single laminated plastic socket, made from plaster or digital mold of insured person | N. C. | 2,302.82 |
| 1245695 | Electrical system (1 connecting cable, 1 electrode cable, 1 coaxial outlet, 1 coupling component) | N. C. | * |
| 1265529 | Elbow with internal lock, model E-400 | N. C. | 1,045.33 |
| 1245703 | Lamination collar (wrist) | N. C. | * |
| 1245752 | Pack | N. C. | * |
| 1245711 | First electrode | N. C. | * |
| 1245729 | Additional electrode | 1,460.25 | 1,460.25 |
| 1245745 | Additional electrode cable | 82.78 | 82.78 |
| 1245760 | Standard battery | N. C. | * |
| 1245778 | Standard charger | N. C. | * |
| 3223005 | Prosthetic glove (Otto Bock), fitting included | N. C. | 269.75 |

OPTIONAL COMPONENTS

| | | | |
|---------|---|----------|----------|
| 1265560 | Double flexoform socket | 313.07 | 393.27 |
| 1265578 | Additional cost of socket where elbow joint has external lock | 216.04 | 216.04 |
| 3223039 | Electric hand (Otto Bock) for one 6¾ electrode | 4,249.84 | 4,249.84 |
| 3223302 | Electric hand (Otto Bock) for one 7¼ or 7¾ electrode | 4,808.72 | 4,808.72 |
| 3223310 | Electric hand (Otto Bock) for one 8¼ electrode | 5,039.00 | 5,039.00 |
| 3223328 | Electric hand (Otto Bock) for two 6¾ electrodes | 3,803.52 | 3,803.52 |
| 3223336 | Electric hand (Otto Bock) for two 7¼ and 7¾ electrodes | 5,238.87 | 5,238.87 |
| 3223344 | Electric hand (Otto Bock) for two 8¼ electrodes | 5,506.38 | 5,506.38 |

Electric hands (VASI):

| | | | |
|---------|--|----------|----------|
| 3223047 | - 0 to 3 years for one electrode | 5,819.12 | 5,819.12 |
| 3223054 | - 2 to 6 years for two electrodes | 5,819.12 | 5,819.12 |
| 3223062 | - 5 to 9 years for two electrodes | 6,202.05 | 6,202.05 |
| 3223070 | Electric hand (Steeper), 1.75 | 3,670.24 | 3,670.24 |
| 3223351 | Electric hand (Steeper), 2.00 | 3,824.20 | 3,824.20 |
| 3223369 | Electric hand (Steeper), 2.25 to 3.25 | 4,129.53 | 4,129.53 |
| 3223088 | Electric hand 2000 (Otto Bock) for two 5 electrodes | 5,961.44 | 5,961.44 |
| 3223377 | Electric hand 2000 (Otto Bock) for two 5½ and 6 electrodes | 6,242.16 | 6,242.16 |
| 3223385 | Electric hand 2000 (Otto Bock) for two 6½ electrodes | 6,495.73 | 6,495.73 |
| 1245828 | Electronic box for electric hand 2000 | 1,392.05 | 1,392.05 |
| 1245836 | Battery (1) for electric hand 2000 | 40.11 | 40.11 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | |
|--|---|----------|----------|
| 1245844 | Electrode cables (2) for electric hand 2000 | 125.50 | 125.50 |
| 1245802 | Charger for hand 2000 | 134.54 | 134.54 |
| 3223096 | Electric hook for one electrode | 4,934.22 | 4,934.22 |
| 3223104 | Electric hook for two electrodes | 4,758.28 | 4,758.28 |
| Electronics module system: | | | |
| 3232824 | Electric wrist rotator | 363.53 | 363.53 |
| 3232832 | Myoelectrically controlled prosthetic wrist, including a control unit | 5,537.60 | 5,537.60 |
| 1265586 | Electric elbow (Hosmer) with switch (including one battery, charger, switch) | 7,837.32 | 7,837.32 |
| 1245919 | Rapid charger | 755.09 | 755.09 |
| 1245810 | Activating switch | 199.22 | 199.22 |
| Adaptations to make prosthesis mechanical: | | | |
| 3232840 | Quick disconnect wrist | 741.30 | 741.30 |
| 3222965 | Hook, 99X-type | 569.23 | 615.81 |
| 1295716 | Suspension harness | 107.37 | 157.84 |
| 1295724 | Control cable, terminal connections and housing (reinforced materials) | 144.89 | 195.36 |
| 1295559 | Flexion assist mechanism | 389.42 | 456.69 |

SUPPLEMENTS AVAILABLE

| | | | |
|---------|---------------|------|------|
| 1245851 | Conductor gel | 6.46 | 6.46 |
|---------|---------------|------|------|

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

* Repair. Indicate materials and labour. Supporting documents must be kept on file

| DEVICE | Maximum price Purchase or replacement of device | Maximum price Replacement of component or supplement | Maximum adjustment price | Guarantee (months) |
|--------|--|---|--------------------------------|-----------------------|
|--------|--|---|--------------------------------|-----------------------|

| | | | | |
|---------|---------------------------------------|----------|--|---|
| 1242205 | Electro-mechanical cubital prosthesis | 3,620.46 | | 6 |
|---------|---------------------------------------|----------|--|---|

BASIC COMPONENTS AND SUPPLEMENTS

Single laminated plastic socket, made from plaster or digital mold of insured person

Electrical system (1 connecting cable, 1 coaxial outlet, cable connecting switch to coaxial outlet, switch)

Lamination collar (wrist)

Standard batteries (2)

Pack

Standard charger

Prosthetic glove (Otto Bock)

COMPONENTS AND SUPPLEMENTS

AVAILABLE

BASIC COMPONENTS

| | | | |
|---------|---|-------|----------|
| 1245687 | Single laminated plastic socket, made from plaster or digital mold of insured person | N. C. | 1,785.32 |
| 1245885 | Electrical system (1 connecting cable, 1 coaxial outlet, cable connecting switch to coaxial outlet, switch) | N. C. | * |
| 1245703 | Lamination collar (wrist) | N. C. | * |
| 1245752 | Pack | N. C. | * |
| 1245893 | Standard batteries (2) | N. C. | * |
| 1245778 | Standard charger | N. C. | * |
| 3223005 | Prosthetic glove (Otto Bock) | N. C. | 269.75 |

OPTIONAL COMPONENTS

| | | | |
|---------|--|----------|----------|
| 1245786 | Double flexoform socket | 245.80 | 326.01 |
| 3223039 | Electric hand (Otto Bock) for one 6¾ electrode | 4,249.84 | 4,249.84 |
| 3223302 | Electric hand (Otto Bock) for one 7¼ or 7¾ electrode | 4,808.72 | 4,808.72 |
| 3223310 | Electric hand (Otto Bock) for one 8¼ electrode | 5,039.00 | 5,039.00 |
| 3223328 | Electric hand (Otto Bock) for two 6¾ electrodes | 3,803.52 | 3,803.52 |
| 3223336 | Electric hand (Otto Bock) for two 7¼ and 7¾ electrodes | 5,238.87 | 5,238.87 |
| 3223344 | Electric hand (Otto Bock) for two 8¼ electrodes | 5,506.38 | 5,506.38 |

Electric hands (VASI):

| | | | |
|---------|---------------------------------------|----------|----------|
| 3223047 | - 0 to 3 years for one electrode | 5,819.12 | 5,819.12 |
| 3223054 | - 2 to 6 years for two electrodes | 5,819.12 | 5,819.12 |
| 3223062 | - 5 to 9 years for two electrodes | 6,202.05 | 6,202.05 |
| 3223070 | Electric hand (Steeper), 1.75 | 3,670.24 | 3,670.24 |
| 3223351 | Electric hand (Steeper), 2.00 | 3,824.20 | 3,824.20 |
| 3223369 | Electric hand (Steeper), 2.25 to 3.25 | 4,129.53 | 4,129.53 |
| 3223096 | Electric hook for one electrode | 4,934.22 | 4,934.22 |
| 3223104 | Electric hook for two electrodes | 4,758.28 | 4,758.28 |
| 1245919 | Rapid charger | 755.09 | 755.09 |
| 1245810 | Activating switch | 199.22 | 199.22 |

Adaptations to make prosthesis mechanical:

| | | | |
|---------|--|--------|--------|
| 3232840 | Quick disconnect wrist | 741.30 | 741.30 |
| 3222965 | Hook, 99X-type | 569.23 | 615.81 |
| 1295716 | Suspension harness | 107.37 | 157.84 |
| 1295724 | Control cable, terminal connections and housing (reinforced materials) | 144.89 | 195.36 |

SUPPLEMENTS AVAILABLE

| | | | |
|-------|------------|---|---|
| ----- | Stump sock | * | * |
|-------|------------|---|---|

* (consult Division II of this Part for the codes and prices of these supplements)

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DIVISION II: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES

See Title One, Part I, Division III, "SOCKS FOR PROSTHESES"

DIVISION III: AMBULATION AIDS

4490181 Other non-listed ambulation aids S. C.

GUARANTEE PERIOD: 1 year

4490421 Non-listed ambulation aid component (S. C.) S. C.

PART III: ELEMENTS INCLUDED IN THE PRICES OF THE DEVICES:

1. The maximum price for the purchase or replacement of an insured device referred to in Part I or II of this Title includes the following elements:
 - (1) the maximum price for its basic components and supplements;
 - (2) the cost of its manufacture;
 - (3) the cost of fittings required while it is being manufactured, up to and including the final installation;
 - (4) the cost of fittings and repairs during the guarantee period referred to in this Title in respect of each device, beginning immediately after the final installation and during which any fitting or repair of a device used under normal conditions is made, in order to bring the device into conformity with the original medical prescription, where the beneficiary's physical condition has not changed, and to enable the beneficiary to derive maximum benefit from the device.

2. The maximum replacement cost of a component or supplement for a device referred to in Part I or II of this Title includes the following elements:
 - (1) the cost price of the materials;
 - (2) the cost of its manufacture, if any;
 - (3) the cost of fitting and installation.

3. The maximum price for a cane includes the safety tip, and the fixed price for a pair of height-adjustable axillary crutches includes the safety tips, the axillary pads and the elastomer handrest covers.

4. The maximum price for a standard post-operative prosthesis assumed by the Board following the amputation of a lower limb includes the supply, even if temporary, of the components required for the entire time the prosthesis is worn, the work performed in the operating room, the waiting period, the application of a rigid bandage, the fixation of the pylon and foot, and the changing of the rigid bandage as required.

5. The maximum price for a post-operative pneumatic prosthesis assumed by the Board following the amputation of a lower limb includes the supply, even if temporary, of the components required for the entire time the prosthesis is worn, the work performed at the institution, the waiting period, and the installation of the pneumatic lining, metallic support and means of suspension.

6. The maximum price for a temporary prosthesis assumed by the Board includes, for the entire time the prosthesis is worn, the supply, even if temporary, of the components, the manufacture of or modifications made to the socket, the means of suspension required, as well as the alignment and fittings required.

TITLE TWO: LOCOMOTOR AND POSTURE ASSISTS (FURNISHED SOLELY BY AN INSTITUTION)

PART I: LOCOMOTOR ASSISTS
DIVISION I: ADULT WHEELCHAIRS
SUBDIVISION 1: MANUAL WHEELCHAIRS

| | PRICE (including all the basic components) |
|---|---|
| 7150000 MANUAL WHEELCHAIRS IN SUBCATEGORY “BASIC (FOLDING FRAME)” MOTION COMPOSITES INC. “CHRONOS” MODEL | 910.00 |

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Device weight: 15.9 kg (35 lb.)

Overall width: 19.1 cm (7½ in.) over the nominal seat width at 0° rear wheel camber

Front seat-to-floor height: 31.8 cm to 51.4 cm (12½ in. to 20¼ in.)

Rear seat-to-floor height: 31.1 cm to 48.3 cm (12¼ in. to 19 in.)

Frame : straight back canes or bend back canes from 8° to 10°, height and angle-adjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of 6°; non-slip push handles; four tie-down points for adapted transport

| BASIC AND OPTIONAL COMPONENTS | Unit price of component during device purchase | Unit price for component replacement | Warranty (months) |
|--|---|--|----------------------|
| BODY SUPPORT SYSTEM | | | |
| 7150001 Flexible nylon mesh seat, with mesh-stretching system; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.) | N. C. | 36.00 | 12 |
| 7150002 Flat foam seat cushion, 5.1 cm (2 in.); two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion | 63.00 | 63.00 | 36 |
| 7150003 Flat foam seat cushion, 7.6 cm (3 in.); two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion | 104.00 | 104.00 | 36 |
| 7150004 Flexible nylon mesh back, padded; heights of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.) or 48.3 cm (19 in.) | N. C. | 32.33 | 12 |
| 7150005 Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back | 83.00 | 115.33 | 12 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|---------|--|--------|--------|----|
| 7150006 | Pelvic positioning belt, auto buckle | N. C. | 13.75 | 36 |
| 7150007 | Pelvic positioning belt, Velcro | N. C. | 47.50 | 36 |
| 7150008 | U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 118.00 | 60 |
| 7150009 | U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 120.33 | 60 |
| 7150010 | Armrest pad, straight, short | N. C. | 4.75 | 12 |
| 7150011 | Armrest pad, straight, long | N. C. | 5.58 | 12 |
| 7150012 | Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 34.3 cm to 44.5 cm (13½ in. to 17½ in.), from 40 cm to 50.8 cm (15¾ in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.) | N. C. | 23.88 | 60 |
| 7150013 | Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 34.3 cm to 44.5 cm (13½ in. to 17½ in.), from 40 cm to 50.8 cm (15¾ in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.) | N. C. | 48.00 | 60 |
| 7150014 | Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable | 177.50 | 201.38 | 36 |
| 7150015 | Padded calf-rest | 48.75 | 48.75 | 36 |
| 7150016 | Folding footplate, standard, standard size; plastic | N. C. | 7.75 | 36 |
| 7150017 | Folding footplate, standard, oversize | 10.00 | 17.75 | 36 |
| 7150018 | Footplate, angle and depth-adjustable, standard size | 90.00 | 97.75 | 36 |
| 7150019 | Footplate, angle and depth-adjustable, oversize | 90.00 | 97.75 | 36 |
| 7150020 | Heel loop, adjustable | | 4.50 | 36 |
| 7150021 | Headrest cushion, contoured, all sizes | 85.00 | 85.00 | 36 |
| 7150022 | Headrest bracket, height and depth-adjustable, or articulated uniball bracket | 90.00 | 90.00 | 36 |

| FRAME | | | | |
|-------------------------|---|-------|-------|----|
| 7150023 | Anti-tipping wheels, detachable or pivoting, with locking mechanism | N. C. | 21.00 | 60 |
| 7150024 | Fold-away back spreader bar to fold chair; with anchor for headrest bracket | 70.00 | 70.00 | 36 |
| 7150025 | Front impact guard with rollers | 35.00 | 35.00 | 36 |
| 7150026 | Cane holder | 30.00 | 30.00 | 36 |
| DRIVE SYSTEM | | | | |
| 7150027 | Handrim, smooth | N. C. | 14.50 | 36 |
| 7150028 | Handrim, plastic-coated | N. C. | 32.00 | 36 |
| 7150029 | Standard wheel lock, push-to-lock or pull-to-lock | N. C. | 14.00 | 36 |
| 7150030 | Plug-in wheel lock extension | 10.00 | 10.00 | 36 |
| 7150031 | Caster fork to adjust height and angle perpendicular to the ground to compensate for changes in the rear seat-to-floor height | N. C. | 9.63 | 36 |
| WHEELS AND TIRES | | | | |
| 7150032 | Front mag wheel; semi-pneumatic tire; 20.3 cm (8 in.); 2.5 cm (1 in.) wide | N. C. | 24.91 | 36 |
| 7150033 | Front mag wheel; semi-pneumatic tire; 12.7 cm (5 in.), 15.2 cm (6 in.) or 17.8 cm (7 in.); 2.5 cm (1 in.) wide | N. C. | 8.65 | 36 |
| 7150034 | Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity to at least two horizontal positions; rear height adjustable for 5° of seat tilt, compatible with all wheel diameters | N. C. | 9.63 | 36 |
| 7150035 | Threaded rear axle | N. C. | 4.75 | 36 |
| 7150036 | Adapter for "amputee" axle position | 53.00 | 53.00 | 36 |
| 7150037 | Spoked rear wheel; semi-pneumatic tire; 61 cm (24 in.); 3.2 cm (1¼ in.) wide | | 52.88 | 36 |
| 7150038 | Spoked rear wheel; semi-pneumatic tire; 50.8 cm (20 in.) or 55.9 cm (22 in.); 3.2 cm (1¼ in.) wide | N. C. | 52.88 | 36 |

PRICE
(including all
the basic
components)

7151421 **MANUAL WHEELCHAIRS**

1,040.00

IN SUBCATEGORY “INTERMEDIATE (CLASS A FOLDING FRAME)”

MOTION COMPOSITES INC.

“COBALT 1” MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Device weight: 16.8 kg (37 lb.)

Overall width : 19,1 cm (7½ in.) over the nominal seat width at 0° rear wheel camber

Front seat-to-floor height: 34.9 cm to 54.6 cm (13¾ in. to 21½ in.)

Rear seat-to-floor height: 34.3 cm to 54 cm (13½ in. to 21¼ in.)

Frame : straight back canes or bend back canes from 8° to 10°, height and angle-adjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of 6°; non-slip push handles; four tie-down points for adapted transport

| BASIC AND OPTIONAL COMPONENTS | Unit price for component during device purchase | Unit price for component replacement | Warranty (months) |
|--|---|--------------------------------------|-------------------|
| BODY SUPPORT SYSTEM | | | |
| 7151422 Flexible nylon mesh seat, with mesh-stretching system; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.) | N. C. | 36.00 | 12 |
| 7151423 Flat foam seat cushion 5.1 cm (2 in.); two strips of “velour” Velcro, 5.1 cm (2 in.) wide, under the cushion | 63.00 | 63.00 | 36 |
| 7151424 Flat foam seat cushion, 7.6 cm (3 in.); two strips of “velour” Velcro, 5.1 cm (2 in.) wide, under the cushion | 104.00 | 104.00 | 36 |
| 7151425 Seat – width modification to 48.3 cm (19 in.) | 100.00 | | 36 |
| 7151426 Seat – width modification to 50.8 cm (20 in.) | 100.00 | | 36 |
| 7151427 Flexible nylon mesh back, padded; heights of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.) | N. C. | 32.33 | 12 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|---------|---|-------|--------|----|
| 7151428 | Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back | 83.00 | 115.33 | 12 |
| 7151429 | Pelvic positioning belt, auto buckle | N. C. | 13.75 | 36 |
| 7151430 | Pelvic positioning belt, Velcro | N. C. | 47.50 | 36 |
| 7151431 | U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 118.00 | 60 |
| 7151432 | T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 118.00 | 60 |
| 7151433 | U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | | 120.33 | 60 |
| 7151434 | T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 120.33 | 60 |
| 7151435 | Armrest pad, straight, short | N. C. | 4.75 | 12 |
| 7151436 | Armrest pad, straight, long | N. C. | 5.58 | 12 |
| 7151437 | Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 34.3 cm to 44.5 cm (13½ in. to 17½ in.), from 40 cm to 50.8 cm (15¾ in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.) | N. C. | 23.88 | 60 |
| 7151438 | Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 34.3 cm to 44.5 cm (13½ in. to 17½ in.), from 40 cm to 50.8 cm (15¾ in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.) | N. C. | 48.00 | 60 |

| | | | | |
|---------------------|--|--------|--------|----|
| 7151439 | Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable | 177.50 | 201.38 | 36 |
| 7151440 | Padded calf-rest | 48.75 | 48.75 | 36 |
| 7151441 | Calf-rest strap, single or double | 20.00 | 20.00 | 36 |
| 7151442 | Folding footplate, standard, standard size; plastic | | 7.75 | 36 |
| 7151443 | Folding footplate, standard, oversize; plastic | 10.00 | 17.75 | 36 |
| 7151444 | Footplate, angle and depth-adjustable, standard size | 90.00 | 97.75 | 36 |
| 7151445 | Footplate, angle and depth-adjustable, oversize | 90.00 | 97.75 | 36 |
| 7151446 | Heel loop, adjustable | N. C. | 4.50 | 36 |
| 7151447 | Headrest cushion, contoured, all sizes | 85.00 | 85.00 | 36 |
| 7151448 | Headrest bracket, height and depth-adjustable, or articulated uniball bracket | 90.00 | 90.00 | 36 |
| FRAME | | | | |
| 7151449 | Anti-tipping wheels, detachable or pivoting, with locking mechanism | N. C. | 21.00 | 60 |
| 7151450 | Fold-away back spreader bar to fold chair; with anchor for headrest bracket | 70.00 | 70.00 | 36 |
| 7151451 | Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.) | 400.00 | | 36 |
| 7151452 | Front impact guard with rollers | 35.00 | 35.00 | 36 |
| 7151453 | Cane holder | 30.00 | 30.00 | 36 |
| DRIVE SYSTEM | | | | |
| 7151454 | Handrim, smooth | N. C. | 14.50 | 36 |
| 7151455 | Handrim, plastic-coated | N. C. | 32.00 | 36 |
| 7151456 | Handrim with oblique projections | 110.00 | 124.50 | 36 |
| 7151457 | Non-slip foam handrim | 110.00 | 124.50 | 36 |
| 7151458 | Standard wheel lock, push-to-lock or pull-to-lock | N. C. | 14.00 | 36 |
| 7151459 | Anti-rollback brake | 106.00 | 120.00 | 36 |
| 7151460 | Plug-in wheel lock extension | 10.00 | 10.00 | 36 |
| 7151461 | Caster fork to adjust height and angle perpendicular to the ground to compensate for changes in the rear seat-to-floor height | N. C. | 9.63 | 36 |

WHEELS AND TIRES

| | | | | |
|---------|---|-------|--------|----|
| 7151462 | Front mag wheel; semi-pneumatic tire; 20.3 cm (8 in.); 2.5 cm (1 in.) wide | N. C. | 24.91 | 36 |
| 7151463 | Front mag wheel; semi-pneumatic tire; 12.7 cm (5 in.), 15.2 cm (6 in.) or 17.8 cm (7 in.); 2.5 cm (1 in.) wide | N. C. | 8.65 | 36 |
| 7151464 | Front wheel; inner tube; 15.2 cm (6 in.) or 20.3 cm (8 in.) | 40.00 | 64.91 | 36 |
| 7151465 | Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity to four horizontal positions; rear height adjustable for 5° of seat tilt, compatible with all wheel diameters | N. C. | 9.63 | 36 |
| 7151466 | Threaded rear axle | N. C. | 4.75 | 36 |
| 7151467 | Adapter for “amputee” axle position | 53.00 | 53.00 | 36 |
| 7151468 | Spoked rear wheel; semi-pneumatic tire; 61 cm (24 in.); 3.2 cm (1¼ in.) wide | N. C. | 52.88 | 36 |
| 7151469 | Spoked rear wheel; semi-pneumatic tire; 50.8 cm (20 in.) or 55.9 cm (22 in.); 3.2 cm (1¼ in.) wide | N. C. | 52.88 | 36 |
| 7151470 | Rear wheel; inner tube, standard pressure; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.) | 50.00 | 102.88 | 36 |
| 7151471 | Rear wheel, heavy-duty; semi-pneumatic tire; 55.9 cm (22 in.) or 61 cm (24 in.) | 80.00 | 132.88 | 36 |
| 7151472 | Spoke guard | 65.00 | 65.00 | 36 |

PRICE
(including all
the basic
components)

7151013 **MANUAL WHEELCHAIRS** **1,175.00**

IN SUBCATEGORY “INTERMEDIATE (CLASS A FOLDING FRAME)”

ORTHO FAB INC.

“PRIMA 4” MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Device weight: 18 kg (40 lb.)

Overall width : 19,8 cm (7⁷/₈ in.) over the nominal seat width at 0° rear wheel camber

Front seat-to-floor height: 35.6 cm to 55.2 cm (14 in. to 21³/₄ in.)

Rear seat-to-floor height: 33.7 cm to 49.8 cm (13¹/₄ in. to 19⁵/₈ in.)

Frame : straight back canes or bend back canes from 8° to 10°, height and angle-adjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of 6°; non-slip push handles; four tie-down points for adapted transport

| BASIC AND OPTIONAL COMPONENTS | Unit price for component during device purchase | Unit price for component replacement | Warranty (months) |
|--|---|--------------------------------------|-------------------|
| BODY SUPPORT SYSTEM | | | |
| 7150039 Flexible nylon mesh seat, with mesh-stretching system; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.) | N. C. | 30.00 | 12 |
| 7150040 Flat foam seat cushion, 5.1 cm (2 in.); two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion | 60.00 | 60.00 | 36 |
| 7150041 Flat foam seat cushion, 7.6 cm (3 in.); two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion | 65.00 | 65.00 | 36 |
| 7150042 Seat – width modification to 48.3 cm (19 in.) | 99.00 | | 36 |
| 7150043 Seat – width modification to 50.8 cm (20 in.) | 99.00 | | 36 |
| 7150044 Flexible nylon mesh back, padded; heights of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.) or 58.4 cm (23 in.) | N. C. | 80.00 | 12 |
| 7150045 Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back | 40.00 | 120.00 | 12 |
| 7150046 Pelvic positioning belt, auto buckle | N. C. | 6.00 | 36 |
| 7150047 Pelvic positioning belt, Velcro | N. C. | 15.00 | 36 |
| 7150048 U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 150.00 | 60 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|---------|---|--------|--------|----|
| 7150049 | T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 150.00 | 60 |
| 7150050 | U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 150.00 | 60 |
| 7150051 | T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 150.00 | 60 |
| 7150052 | Armrest pad, straight, short | N. C. | 6.00 | 12 |
| 7150053 | Armrest pad, straight, long | N. C. | 6.00 | 12 |
| 7150054 | Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 48.3 cm to 53.3 cm (19 in. to 21 in.) | N. C. | 100.00 | 60 |
| 7150055 | Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 48.3 cm to 53.3 cm (19 in. to 21 in.) | N. C. | 100.00 | 60 |
| 7150056 | Elevating leg-rest, compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; padded calf-rest, height and depth-adjustable | 100.00 | 200.00 | 36 |
| 7150057 | Padded calf-rest | 15.00 | 15.00 | 36 |
| 7150058 | Calf-rest strap, single or double | 15.00 | 15.00 | 36 |
| 7150059 | Folding footplate, standard, standard size; plastic | N. C. | 6.00 | 36 |
| 7150060 | Folding footplate, standard, oversize; plastic | 29.00 | 35.00 | 36 |
| 7150061 | Footplate, angle and depth-adjustable, standard size | 44.00 | 50.00 | 36 |
| 7150062 | Footplate, angle and depth-adjustable, oversize | 49.00 | 55.00 | 36 |
| 7150063 | Heel loop, adjustable | N. C. | 3.00 | 36 |

| | | | | |
|-------------------------|---|--------|--------|----|
| 7150064 | Headrest cushion, flat, all sizes | 40.00 | 40.00 | 36 |
| 7150065 | Headrest bracket, height and depth-adjustable | 35.00 | 35.00 | 36 |
| FRAME | | | | |
| 7150066 | Anti-tipping wheels, detachable or pivoting, with locking mechanism | N. C. | 12.00 | 60 |
| 7150067 | Fold-away back spreader bar to fold chair; with anchor for headrest bracket | 75.00 | 75.00 | 36 |
| 7150068 | Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.) | 103.00 | N. A. | 36 |
| 7150069 | Front impact guard with rollers | 10.00 | 10.00 | 36 |
| 7150070 | Cane holder | 25.00 | 25.00 | 36 |
| DRIVE SYSTEM | | | | |
| 7150071 | Handrim, smooth | N. C. | 80.00 | 36 |
| 7150072 | Handrim, plastic-coated | N. C. | 80.00 | 36 |
| 7150073 | Handrim with oblique projections | N. C. | 80.00 | 36 |
| 7150074 | Non-slip foam handrim | 40.00 | 120.00 | 36 |
| 7150075 | Standard wheel lock, push-to-lock or pull-to-lock | N. C. | 30.00 | 36 |
| 7150076 | Anti-rollback brake | 25.00 | 55.00 | 36 |
| 7150077 | Plug-in wheel lock extension | 10.00 | 10.00 | 36 |
| 7150078 | Caster fork to adjust height and angle perpendicular to the ground to compensate for changes in the rear seat-to-floor height | N. C. | 15.00 | 36 |
| WHEELS AND TIRES | | | | |
| 7150079 | Front mag wheel; semi-pneumatic tire; 17.8 cm (7 in.), 2.54 cm (1 in.) wide; or 20.3 cm (8 in.), 3.2 cm (1¼ in.) or 3.8 cm (1½ in.) wide | N. C. | 40.00 | 36 |
| 7150080 | Front mag wheel; semi-pneumatic tire; 12.7 cm (5 in.) or 15.2 cm (6 in.); 3.8 cm (1½ in.) wide | N. C. | 40.00 | 36 |
| 7150081 | Front wheel; inner tube; 15.2 cm (6 in.), 17.8 cm (7 in.) or 20.3 cm (8 in.) | 10.00 | 50.00 | 36 |
| 7150082 | Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity to four horizontal positions; rear height adjustable for 5° of seat tilt, compatible with all wheel diameters | N. C. | 15.00 | 36 |
| 7150083 | Threaded rear axle | N. C. | 2.00 | 36 |
| 7150084 | Adapter for "amputee" axle position | 10.00 | 10.00 | 36 |
| 7150085 | Spoked rear wheel; semi-pneumatic tire; 61 cm (24 in.); 3.2 cm (1¼ in.) wide | N. C. | 100.00 | 36 |
| 7150086 | Spoked rear wheel; semi-pneumatic tire; 50.8 cm (20 in.) or 55.9 cm (22 in.); 3.2 cm (1¼ in.) wide | N. C. | 100.00 | 36 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|---------|---|-------|--------|----|
| 7150087 | Rear wheel; inner tube, standard pressure; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.) | N. C. | 100.00 | 36 |
| 7150088 | Rear wheel, heavy-duty; semi-pneumatic tire; 55.9 cm (22 in.) or 61 cm (24 in.) | 50.00 | 150.00 | 36 |
| 7150089 | Spoke guard | 70.00 | 70.00 | 36 |

PRICE
(including all
the basic
components)

7151014 **MANUAL WHEELCHAIRS** **1,040.00**

IN SUBCATEGORY “INTERMEDIATE (CLASS B FOLDING FRAME)”

MOTION COMPOSITES INC.

“COBALT 2” MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Device weight: 15.9 kg (35 lb.)

Overall width: 19,1 cm (7½ in.) over the nominal seat width at 0° rear wheel camber

Front seat-to-floor height: 31.8 cm to 51.4 cm (12½ in. to 20¼ in.)

Rear seat-to-floor height: 31.1 cm to 48.3 cm (12¼ in. to 19 in.)

Frame : straight back canes or bend back canes from 8° to 10°, height and angle-adjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of 6°; non-slip push handles; four tie-down points for adapted transport

| BASIC AND OPTIONAL COMPONENTS | Unit price for component during device purchase | Unit price for component replacement | Warranty (months) |
|--|---|--------------------------------------|-------------------|
| BODY SUPPORT SYSTEM | | | |
| 7151015 Flexible nylon mesh seat, with mesh-stretching system; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.) | N. C. | 36.00 | 12 |
| 7151016 Flat foam seat cushion, 5.1 cm (2 in.); two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion | 63.00 | 63.00 | 36 |
| 7151017 Flat foam seat cushion, 7.6 cm (3 in.); two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion | 104.00 | 104.00 | 36 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|---------|---|--------|--------|----|
| 7151018 | Seat – width modification to 48.3 cm (19 in.) | 100.00 | | 36 |
| 7151019 | Seat – width modification to 50.8 cm (20 in.) | 100.00 | | 36 |
| 7151020 | Flexible nylon mesh back, padded; heights of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.) 48.3 cm (19 in.) or 50.8 cm (20 in.) | N. C. | 32.33 | 12 |
| 7151021 | Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back | 83.00 | 115.33 | 12 |
| 7151022 | Pelvic positioning belt, auto buckle | N. C. | 13.75 | 36 |
| 7151023 | Pelvic positioning belt, Velcro | N. C. | 47.50 | 36 |
| 7151024 | U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 118.00 | 60 |
| 7151025 | T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 118.00 | 60 |
| 7151026 | U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | | 120.33 | 60 |
| 7151027 | T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 120.33 | 60 |
| 7151028 | Armrest pad, straight, short | N. C. | 4.75 | 12 |
| 7151029 | Armrest pad, straight, long | N. C. | 5.58 | 12 |
| 7151030 | Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 34.3 cm to 44.5 cm (13½ in. to 17½ in.), from 40 cm to 50.8 cm (15¾ in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.) | N. C. | 23.88 | 60 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|---------------------|--|--------|--------|----|
| 7151031 | Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 34.3 cm to 44.5 cm (13½ in. to 17½ in.), from 40 cm to 50.8 cm (15¾ in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.) | N. C. | 48.00 | 60 |
| 7151032 | Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable | 177.50 | 201.38 | 36 |
| 7151033 | Padded calf-rest | 48.75 | 48.75 | 36 |
| 7151034 | Calf-rest strap, single or double | 20.00 | 20.00 | 36 |
| 7151035 | Folding footplate, standard, standard size; plastic | | 7.75 | 36 |
| 7151036 | Folding footplate, standard, oversize; plastic | 10.00 | 17.75 | 36 |
| 7151037 | Footplate, angle and depth-adjustable, standard size | 90.00 | 97.75 | 36 |
| 7151038 | Footplate, angle and depth-adjustable, oversize | 90.00 | 97.75 | 36 |
| 7151039 | Heel loop, adjustable | N. C. | 4.50 | 36 |
| 7151040 | Headrest cushion, contoured, all sizes | 85.00 | 85.00 | 36 |
| 7151041 | Headrest bracket, height and depth-adjustable, or articulated uniball bracket | 90.00 | 90.00 | 36 |
| FRAME | | | | |
| 7151042 | Anti-tipping wheels, detachable or pivoting, with locking mechanism | N. C. | 21.00 | 60 |
| 7151043 | Fold-away back spreader bar to fold chair; with anchor for headrest bracket | 70.00 | 70.00 | 36 |
| 7151044 | Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.) | 400.00 | | 36 |
| 7151045 | Front impact guard with rollers | 35.00 | 35.00 | 36 |
| 7151046 | Cane holder | 30.00 | 30.00 | 36 |
| DRIVE SYSTEM | | | | |
| 7151047 | Handrim, smooth | N. C. | 14.50 | 36 |
| 7151048 | Handrim, plastic-coated | N. C. | 32.00 | 36 |
| 7151049 | Non-slip foam handrim | 110.00 | 124.50 | 36 |
| 7151050 | Handrim with oblique projections | 110.00 | 124.50 | 36 |
| 7151051 | Standard wheel lock, push-to-lock or pull-to-lock | N. C. | 14.00 | 36 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|-------------------------|---|--------|--------|----|
| 7151052 | Anti-rollback brake | 106.00 | 120.00 | 36 |
| 7151053 | Plug-in wheel lock extension | 10.00 | 10.00 | 36 |
| 7151054 | Caster fork to adjust height and angle perpendicular to the ground to compensate for changes in the rear seat-to-floor height | N. C. | 9.63 | 36 |
| WHEELS AND TIRES | | | | |
| 7151055 | Front mag wheel; semi-pneumatic tire; 20.3 cm (8 in.); 2.5 cm (1 in.) wide | N. C. | 24.91 | 36 |
| 7151056 | Front mag wheel; semi-pneumatic tire; 12.7 cm (5 in.), 15.2 cm (6 in.) or 17.8 cm (7 in.); 2.5 cm (1 in.) wide | N. C. | 8.65 | 36 |
| 7151057 | Front wheel; inner tube; 15.2 cm (6 in.) or 20.3 cm (8 in.) | 40.00 | 64.91 | 36 |
| 7151058 | Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity to four horizontal positions; rear height adjustable for 5° of seat tilt, compatible with all wheel diameters | N. C. | 9.63 | 36 |
| 7151059 | Threaded rear axle | N. C. | 4.75 | 36 |
| 7151060 | Adapter for "amputee" axle position | 53.00 | 53.00 | 36 |
| 7151061 | Spoked rear wheel; semi-pneumatic tire; 61 cm (24 in.); 3.2 cm (1¼ in.) wide | N. C. | 52.88 | 36 |
| 7151062 | Spoked rear wheel; semi-pneumatic tire; 50.8 cm (20 in.) or 55.9 cm (22 in.); 3.2 cm (1¼ in.) wide | N. C. | 52.88 | 36 |
| 7151063 | Rear wheel, heavy-duty; semi-pneumatic tire; 55.9 cm (22 in.) or 61 cm (24 in.) | 80.00 | 132.88 | 36 |
| 7151064 | Rear wheel; inner tube, standard pressure; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.) | 50.00 | 102.88 | 36 |
| 7151065 | Spoke guard | 65.00 | 65.00 | 36 |

| | PRICE (including all the basic components) |
|--|---|
| 7151066 MANUAL WHEELCHAIRS IN SUBCATEGORY “MULTI-ADJUSTABLE (CLASS A FOLDING FRAME)” MOTION COMPOSITES INC. “PLATINE 1” MODEL | 1,200.00 |
| TECHNICAL SPECIFICATIONS OF THE DEVICE | |
| Maximum weight capacity: 113.4 kg (250 lb.) | |
| Device weight: 16.8 kg (37 lb.) | |
| Overall width: 19,1 cm (7½ in.) over the nominal seat width at 0° rear wheel camber | |
| Front seat-to-floor height: 34.9 cm to 54.6 cm (13¾ in. to 21½ in.) | |
| Rear seat-to-floor height: 34.3 cm to 54 cm (13½ in. to 21¼ in.) | |
| Frame : straight back canes or bend back canes from 8° to 10°, height and angle-adjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of 6°; non-slip push handles; four tie-down points for adapted transport | |

| BASIC AND OPTIONAL COMPONENTS | Unit price for component during device purchase | Unit price for component replacement | Warranty (months) |
|--|--|--|----------------------|
| BODY SUPPORT SYSTEM | | | |
| 7151067 Flexible nylon mesh seat, with mesh-stretching system; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.) | N. C. | 36.00 | 12 |
| 7151068 Flat foam seat cushion, 5.1 cm (2 in.); two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion | 63.00 | 63.00 | 36 |
| 7151069 Flat foam seat cushion, 7.6 cm (3 in.); two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion | 104.00 | 104.00 | 36 |
| 7151070 Seat – depth modification to 48.3 cm (19 in.) | N. C. | N. A. | 36 |
| 7151071 Seat – depth modification to 50.8 cm (20 in.) | N. C. | N. A. | 36 |
| 7151072 Seat – width modification to 53.3 cm (21 in.) | 400.00 | N. A. | 36 |
| 7151073 Seat – width modification to 55.9 cm (22 in.) | 400.00 | N. A. | 36 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|---------|---|-------|--------|----|
| 7151074 | Flexible nylon mesh back, padded; heights of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.) | N. C. | 32.33 | 12 |
| 7151075 | Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back | 83.00 | 115.33 | 12 |
| 7151076 | Pelvic positioning belt, auto buckle | N. C. | 13.75 | 36 |
| 7151077 | Pelvic positioning belt, Velcro | N. C. | 47.50 | 36 |
| 7151078 | L-type armrest, long; pivoting and detachable; height-adjustable by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid or flexible, detachable; tubular armrest pad | | 118.00 | 60 |
| 7151079 | U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 118.00 | 60 |
| 7151080 | T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 118.00 | 60 |
| 7151081 | U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 120.33 | 60 |
| 7151082 | T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 120.33 | 60 |
| 7151083 | Armrest pad, straight, short | N. C. | 4.75 | 12 |
| 7151084 | Armrest pad, straight, long | N. C. | 5.58 | 12 |
| 7151085 | Armrest pad, tubular, for L-type armrest | N. C. | 40.00 | 12 |
| 7151086 | Clothing guard, rigid, for L-type armrest | N. C. | 77.00 | 36 |
| 7151087 | Clothing guard, flexible, for L-type armrest | N. C. | 77.00 | 36 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|---------|--|--------|--------|----|
| 7151088 | Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 34.3 cm to 44.5 cm (13½ in. to 17½ in.), from 40 cm to 50.8 cm (15¾ in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.) | N. C. | 23.88 | 60 |
| 7151089 | Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 34.3 cm to 44.5 cm (13½ in. to 17½ in.), from 40 cm to 50.8 cm (15¾ in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.) | N. C. | 48.00 | 60 |
| 7151090 | Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable | 177.50 | 201.38 | 36 |
| 7151091 | Padded calf-rest | 48.75 | 48.75 | 36 |
| 7151092 | Calf-rest strap, single or double | 20.00 | 20.00 | 36 |
| 7151093 | Folding footplate, standard, standard size; plastic | N. C. | 7.75 | 36 |
| 7151094 | Folding footplate, standard, oversize; plastic | 10.00 | 17.75 | 36 |
| 7151095 | Footplate, angle and depth-adjustable, standard size | 90.00 | 97.75 | 36 |
| 7151096 | Footplate, angle and depth-adjustable, oversize | 90.00 | 97.75 | 36 |
| 7151097 | Full-width footplate, one piece, folding; fixed angle or angle-adjustable | 120.00 | 135.50 | 36 |
| 7151098 | Heel loop, adjustable | N. C. | 4.50 | 36 |
| 7151099 | Headrest cushion, contoured, all sizes | 85.00 | 85.00 | 36 |
| 7151100 | Headrest bracket, height and depth-adjustable, or articulated uniball bracket | 90.00 | 90.00 | 36 |

| FRAME | | | | |
|-------------------------|---|--------|--------|----|
| 7151101 | Fold-away back spreader bar to fold chair; with anchor for headrest bracket | 70.00 | 70.00 | 36 |
| 7151102 | Anti-tipping wheels, detachable or pivoting, with locking mechanism | N. C. | 21.00 | 60 |
| 7151103 | Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.) | 400.00 | N. A. | 36 |
| 7151104 | Front impact guard with rollers | 35.00 | 35.00 | 36 |
| 7151105 | Cane holder | 30.00 | 30.00 | 36 |
| DRIVE SYSTEM | | | | |
| 7151106 | Handrim, smooth | N. C. | 14.50 | 36 |
| 7151107 | Handrim, plastic-coated | N. C. | 32.00 | 36 |
| 7151108 | Handrim with oblique projections | 110.00 | 124.50 | 36 |
| 7151109 | Non-slip foam handrim | 110.00 | 124.50 | 36 |
| 7151110 | Standard wheel lock, push-to-lock or pull-to-lock | N. C. | 14.00 | 36 |
| 7151111 | Anti-rollback brake | 106.00 | 120.00 | 36 |
| 7151112 | Plug-in wheel lock extension | 10.00 | 10.00 | 36 |
| 7151113 | Caster fork to adjust height and angle perpendicular to the ground to compensate for changes in the rear seat-to-floor height | N. C. | 9.63 | 36 |
| WHEELS AND TIRES | | | | |
| 7151114 | Front mag wheel; semi-pneumatic tire; 20.3 cm (8 in.); 2.5 cm (1 in.) wide | N. C. | 24.91 | 36 |
| 7151115 | Front mag wheel; semi-pneumatic tire; 12.7 cm (5 in), 15.2 cm (6 in.) or 17.8 cm (7 in.); 2.5 cm (1 in.) wide | N. C. | 8.65 | 36 |
| 7151116 | Front wheel; inner tube; 15.2 cm (6 in.) or 20.3 cm (8 in.) | 40.00 | 64.91 | 36 |
| 7151117 | Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity by maximum increments of 0.63 cm (¼ in.) on a horizontal range of 6.4 cm (2½ in.); adjustable rear height by maximum increments of 2 cm (¾ in.) for up to 6.4 cm (2½ in.) of seat tilt, compatible with all wheel diameters | N. C. | 9.63 | 36 |
| 7151118 | Threaded rear axle | N. C. | 4.75 | 36 |
| 7151119 | Adapter for “amputee” axle position | 53.00 | 53.00 | 36 |
| 7151120 | Spoked rear wheel; semi-pneumatic tire; 61 cm (24 in.); 3.2 cm (1¼ in.) wide | N. C. | 52.88 | 36 |
| 7151121 | Spoked rear wheel; semi-pneumatic tire; 50.8 cm (20 in.) or 55.9 cm (22 in.); 3.2 cm (1¼ in.) wide | N. C. | 52.88 | 36 |
| 7151122 | Spoked rear wheel; inner tube, high pressure; 55.9 cm (22 in.) or 61 cm (24 in.) | 60.00 | 112.88 | 36 |
| 7151123 | Spoked rear wheel; inner tube, standard pressure; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.) | 50.00 | 102.88 | 36 |

| | | | | |
|---------|---|--------|--------|----|
| 7151124 | Rear wheel, heavy-duty; semi-pneumatic tire; 55.9 cm (22 in.) or 61 cm (24 in.) | 80.00 | 132.88 | 36 |
| 7151125 | Rear wheel camber, 3° or 6° | 100.00 | 100.00 | 36 |
| 7151126 | Spoke guard | 65.00 | 65.00 | 36 |

PRICE

7151127 **MANUAL WHEELCHAIRS**
IN SUBCATEGORY "MULTI-ADJUSTABLE (CLASS B
MOTION COMPOSITES INC.

1,200.00

"PLATINE 2" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE**Maximum weight capacity:** 113.4 kg (250 lb.)**Device weight:** 15.9 kg (35 lb.)**Overall width:** 19,1 cm (7½ in.) over the nominal seat width at 0° rear wheel camber**Front seat-to-floor height:** 31.8 cm to 51.4 cm (12½ in. to 20¼ in.)**Rear seat-to-floor height:** 31.1 cm to 48.3 cm (12¼ in. to 19 in.)**Frame :** straight back canes or bend back canes from 8° to 10°, height and angle-adjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of 6°; non-slip push handles; four tie-down points for adapted transport

| BASIC AND OPTIONAL COMPONENTS | Unit price for component during device purchase | Unit price for component replacement | Warranty (months) |
|--|---|--------------------------------------|-------------------|
| BODY SUPPORT SYSTEM | | | |
| 7151128 Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.) | N. C. | 36.00 | 12 |
| 7151129 Flat foam seat cushion, 5.1 cm (2 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion | 63.00 | 63.00 | 36 |
| 7151130 Flat foam seat cushion, 7.6 cm (3 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion | 104.00 | 104.00 | 36 |
| 7151131 Flexible nylon mesh back, padded; heights of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.) | N. C. | 32.33 | 12 |
| 7151132 Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back | 83.00 | 115.33 | 12 |
| 7151133 Pelvic positioning belt, auto buckle | N. C. | 13.75 | 36 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|---------|---|-------|--------|----|
| 7151134 | Pelvic positioning belt, Velcro | N. C. | 47.50 | 36 |
| 7151135 | U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 118.00 | 60 |
| 7151136 | T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 118.00 | 60 |
| 7151137 | U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 120.33 | 60 |
| 7151138 | T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 120.33 | 60 |
| 7151139 | L-type armrest, long; pivoting and detachable; height-adjustable by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, flexible or rigid, detachable; tubular armrest pad. | N. C. | 118.00 | 60 |
| 7151140 | Armrest pad, straight, short | N. C. | 4.75 | 12 |
| 7151141 | Armrest pad, straight, long | N. C. | 5.58 | 12 |
| 7151142 | Armrest pad, tubular, for L-type armrest | N. C. | 40.00 | 12 |
| 7151143 | Clothing guard, rigid, for L-type armrest | N. C. | 77.00 | 36 |
| 7151144 | Clothing guard, flexible, for L-type armrest | N. C. | 77.00 | 36 |
| 7151145 | Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 34.3 cm to 44.5 cm (13½ in. to 17½ in.), from 40 cm to 50.8 cm (15¾ in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.) | N. C. | 23.88 | 60 |

| | | | | |
|---------------------|--|--------|--------|----|
| 7151146 | Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 34.3 cm to 44.5 cm (13½ in. to 17½ in.), from 40 cm to 50.8 cm (15¾ in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.) | N. C. | 48.00 | 60 |
| 7151147 | Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable | 177.50 | 201.38 | 36 |
| 7151148 | Padded calf-rest | 48.75 | 48.75 | 36 |
| 7151149 | Calf-rest strap, single or double | 20.00 | 20.00 | 36 |
| 7151150 | Folding footplate, standard, standard size; plastic | N. C. | 7.75 | 36 |
| 7151151 | Folding footplate, standard, oversize; plastic | 10.00 | 17.75 | 36 |
| 7151152 | Footplate, angle and depth-adjustable, standard size | 90.00 | 97.75 | 36 |
| 7151153 | Footplate, angle and depth-adjustable, oversize | 90.00 | 97.75 | 36 |
| 7151154 | Full-width footplate, one piece, folding; fixed angle or angle-adjustable | 120.00 | 135.50 | 36 |
| 7151155 | Heel loop, adjustable | N. C. | 4.50 | 36 |
| 7151156 | Headrest cushion, contoured, all sizes | 85.00 | 85.00 | 36 |
| 7151157 | Headrest bracket, height and depth-adjustable, or articulated uniball bracket | 90.00 | 90.00 | 36 |
| FRAME | | | | |
| 7151158 | Anti-tipping wheels, detachable or pivoting, with locking mechanism | N. C. | 21.00 | 60 |
| 7151159 | Fold-away back spreader bar to fold chair; with anchor for headrest bracket | 70.00 | 70.00 | 36 |
| 7151160 | Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.) | 400.00 | N. A. | 36 |
| 7151161 | Front impact guard with rollers | 35.00 | 35.00 | 36 |
| 7151162 | Cane holder | 30.00 | 30.00 | 36 |
| DRIVE SYSTEM | | | | |
| 7151163 | Handrim, smooth | N. C. | 14.50 | 36 |
| 7151164 | Handrim, plastic-coated | N. C. | 32.00 | 36 |
| 7151165 | Handrim with oblique projections | 110.00 | 124.50 | 36 |
| 7151166 | Non-slip foam handrim | 110.00 | 124.50 | 36 |
| 7151167 | Standard wheel lock, push-to-lock or pull-to-lock | N. C. | 14.00 | 36 |
| 7151168 | Anti-rollback brake | 106.00 | 120.00 | 36 |
| 7151169 | Plug-in wheel lock extension | 10.00 | 10.00 | 36 |
| 7151170 | Caster fork to adjust height and angle perpendicular to the ground to compensate for changes in the rear seat-to-floor height | N. C. | 9.63 | 36 |

WHEELS AND TIRES

| | | | | |
|---------|---|--------|--------|----|
| 7151171 | Front mag wheel; semi-pneumatic tire; 20.3 cm (8 in.); 2.5 cm (1 in.) wide | N. C. | 24.91 | 36 |
| 7151172 | Front mag wheel; semi-pneumatic tire; 12.7 cm (5 in.), 15.2 cm (6 in.) or 17.8 cm (7 in.); 2.5 cm (in.) wide | N. C. | 8.65 | 36 |
| 7151173 | Front wheel; inner tube; 15.2 cm (6 in.) or 20.3 cm (8 in.) | 40.00 | 64.91 | 36 |
| 7151174 | Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity by maximum increments of 0.63 cm (¼ in.) on a horizontal range of 6.4 cm (2½ in.); adjustable rear height by maximum increments of 2 cm (¾ in.) for up to 6.4 cm (2½ in.) of seat tilt, compatible with all wheel diameters | N. C. | 9.63 | 36 |
| 7151175 | Threaded rear axle | N. C. | 4.75 | 36 |
| 7151176 | Adapter for "amputee" axle position | 53.00 | 53.00 | 36 |
| 7151177 | Spoked rear wheel; semi-pneumatic tire; 61 cm (24 in.); 3.2 cm (1¼ in.) | N. C. | 52.88 | 36 |
| 7151178 | Spoked rear wheel; semi-pneumatic tire; 50.8 cm (20 in.) or 55.9 cm (22 in.); 3.2 cm (1¼ in.) wide | N. C. | 52.88 | 36 |
| 7151179 | Rear wheel, heavy-duty; semi-pneumatic tire; 55.9 cm (22 in.) or 61 cm (24 in.) | 80.00 | 132.88 | 36 |
| 7151180 | Rear wheel, heavy-duty; inner tube, high pressure; 55.9 cm (22 in.) or 61 cm (24 in.) | 92.00 | 144.88 | 36 |
| 7151181 | Spoked rear wheel; inner tube, standard pressure; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.) | 50.00 | 102.88 | 36 |
| 7151182 | Spoked rear wheel; inner tube, high pressure; 55.9 cm (22 in.) or 61 cm (24 in.) | 60.00 | 112.88 | 36 |
| 7151183 | Rear wheel camber, 3° or 6° | 100.00 | 100.00 | 36 |
| 7151184 | Spoke guard | 65.00 | 65.00 | 36 |

SUBDIVISION 2: LIGHTWEIGHT MANUAL WHEELCHAIRS

| | PRICE (including all the basic components) |
|---|---|
| 7151258 LIGHTWEIGHT MANUAL WHEELCHAIR IN SUBCATEGORY "CLASS 2 RIGID PERFORMANCE FRAME" SUNRISE MEDICAL CANADA INC. "QUICKIE QRI" MODEL | 1,190.00 |
| TECHNICAL SPECIFICATIONS OF THE DEVICE | |
| Maximum weight capacity: 120.2 kg (265 lb.) | |
| Device weight: 13.6 kg (30 lb.) | |
| Overall width: 20,3 cm (8 in.) over the nominal seat width at 0° rear wheel camber | |
| Front seat-to-floor height: 38.1 cm to 53.3 cm (15 in. to 21 in.) | |
| Rear seat-to-floor height: 35.6 cm to 53.3 cm (14 in. to 21 in.) | |
| Frame : Fold-away back canes, height-adjustable and angle-adjustable from 80° to 100° by maximum increments of 6°; built into push handles, non-slip; four tie-down points for adapted transport | |

| BASIC AND OPTIONAL COMPONENTS | Unit price for component during device purchase | Unit price for component replacement | Warranty (months) |
|--|--|--|----------------------|
| BODY SUPPORT SYSTEM | | | |
| 7151259 Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.) or 48.3 cm (19 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.) or 48.3 cm (19 in.) | N. C. | 55.00 | 12 |
| 7151260 Flat foam seat cushion, 5.1 cm (2 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion | 48.00 | 48.00 | 36 |
| 7151261 Flat foam seat cushion, 7.6 cm (3 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion | 55.00 | 55.00 | 36 |
| 7151262 Flexible nylon mesh back, padded; heights of 25.4 cm (10 in.), 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.) | N. C. | 40.00 | 12 |

| | | | | |
|-------------------------|--|-------|--------|----|
| 7151263 | Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps—except for backs ≤ 38.1 cm (15 in.)—spread across the height of the back | N. C. | 45.00 | 12 |
| 7151264 | Pelvic positioning belt, auto buckle | N. C. | 35.00 | 36 |
| 7151265 | Pelvic positioning belt, Velcro | N. C. | 29.00 | 36 |
| 7151266 | L-type armrest, long; pivoting and detachable; height-adjustable, from 22.9 cm to 33 cm (9 in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, detachable; armrest pad, tubular | N. C. | 96.00 | 60 |
| 7151267 | T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 27.9 cm (7 in. to 11 in.) or from 21.6 cm to 34.3 cm (8½ in. to 13½ in.), with locking mechanism; armrest pad, straight | 24.00 | 120.00 | 60 |
| 7151268 | Armrest pad, tubular, for L-type armrest | N. C. | 2.00 | 12 |
| 7151269 | Armrest pad, straight, short or long | 7.00 | 9.00 | 12 |
| 7151270 | Clothing guard, flexible | N. C. | 22.00 | 36 |
| 7151271 | Clothing guard, rigid, for L-type armrest | N. C. | 20.00 | 36 |
| 7151272 | Calf-rest strap, single | N. C. | 19.00 | 36 |
| 7151273 | Calf-rest strap, double | 6.00 | 25.00 | 36 |
| 7151274 | Footplate, full-width, standard, aluminum | N. C. | 65.00 | 36 |
| 7151275 | Footplate, full-width, angle-adjustable | N. C. | 111.00 | 36 |
| FRAME | | | | |
| 7151276 | Push handle, bolt-on or fold-down | N. C. | 51.00 | 36 |
| 7151277 | Anti-tipping wheels, detachable or pivoting, with locking mechanism | N. C. | 28.00 | 60 |
| DRIVE SYSTEM | | | | |
| 7151278 | Handrim, smooth | N. C. | 40.00 | 36 |
| 7151279 | Handrim, plastic-coated | N. C. | 40.00 | 36 |
| 7151280 | Non-slip foam handrim | 85.00 | 125.00 | 36 |
| 7151281 | Handrim with vertical or oblique projections | 45.00 | 85.00 | 36 |
| 7151282 | Standard wheel lock, push-to-lock or pull-to-lock | N. C. | 32.00 | 36 |
| 7151283 | Scissor lock | 4.00 | 36.00 | 36 |
| 7151284 | Anti-rollback brake | 34.00 | 66.00 | 36 |
| 7151285 | Plug-in wheel lock extension | 7.00 | 7.00 | 36 |
| 7151286 | Caster fork to adjust height | N. C. | 32.00 | 36 |
| WHEELS AND TIRES | | | | |
| 7151287 | Front mag wheel; semi-pneumatic tire; 12.7 cm (5 in.); 2.5 cm (1 in.) or 3.8 cm (1½ in.) wide | N. C. | 15.00 | 36 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|---------|--|-------|-------|----|
| 7151288 | Front mag wheel; semi-pneumatic tire; 10.2 (4 in.), 2.5 cm (1 in.) or 3.3 cm (1¼ in.) wide; or 15.2 cm (6 in.), 2.5 cm (1 in.) or 3.8 cm (1½ in.) wide | N. C. | 15.00 | 36 |
| 7151289 | Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity by maximum increments of 0.63 cm (¼ in.); adjustable rear height by maximum increments of 1.3 cm (½ in.) for up to 7.6 cm (3 in.) of seat tilt; tilt can be obtained in combination with the frame shape | N. C. | 33.00 | 36 |
| 7151290 | Rear axle, quick release system, with lever mechanism | 8.00 | 41.00 | 36 |
| 7151291 | Spoked rear wheel, heavy-duty; semi-pneumatic tire; 61 cm (24 in.) | N. C. | 80.00 | 36 |
| 7151292 | Spoked rear wheel, heavy-duty; semi-pneumatic tire; 55.9 cm (22 in.), 63.5 cm (25 in.) or 66 cm (26 in.) | N. C. | 80.00 | 36 |
| 7151293 | Spoked rear wheel, heavy-duty; inner tube, high pressure; 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.) | N. C. | 80.00 | 36 |
| 7151294 | Spoked rear wheel, heavy-duty; inner tube, standard pressure; 55.9 cm (22 in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.) | N. C. | 80.00 | 36 |
| 7151295 | Spoke guard | 20.00 | 20.00 | 36 |

SUBDIVISION 3: POWERED WHEELCHAIRS

| | PRICE (including all the basic components) |
|--|---|
| 7153000 POWERED WHEELCHAIR | 4,560.00 |
| SUBCATEGORY “INTERMEDIATE COMPACT (MID-FRONT, MEDIAL, OR MID-REAR DRIVE WHEELS)” | |
| SUNRISE MEDICAL CANADA INC. | |
| “323 IC” MODEL | |
| TECHNICAL SPECIFICATIONS OF THE DEVICE | |
| Maximum weight capacity: 136 kg (300 lb.) | |
| Seat-to-floor height: 41.3 cm to 51.4 cm (16¼ in. to 20¼ in.) without power tilt system and 41.3 cm to 47.6 cm (16¼ in. to 18¾ in.) with power tilt system | |
| Frame: mid-wheel drive base, overall width ≤ 61 cm (24 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport | |
| Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately | |

| | BASIC AND OPTIONAL COMPONENTS | Unit price of component during device purchase | Unit price for component replacement | Warranty (months) |
|---------|--|--|--------------------------------------|-------------------|
| | BODY SUPPORT SYSTEM | | | |
| 7153001 | Seat-to-back assembly structure; resizable; back canes angle- adjustable from 90° to 110° by maximum increments of 6°; non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle-adjustable from 0° to 5° minimum; anchor for headrest bracket | N. C. | 550.00 | 36 |
| 7153002 | Rigid metal seat for cushion; two strips of “hook” Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.) | N. C. | 75.00 | 36 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|---------|--|----------|----------|----|
| 7153003 | Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base) | 225.00 | 225.00 | 36 |
| 7153004 | Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.) | N. C. | 160.00 | 12 |
| 7153005 | Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back | 40.00 | 200.00 | 12 |
| 7153006 | Padded back cushion, contoured, including a rigid, contoured back | 90.00 | 250.00 | 36 |
| 7153007 | Reclining back with cylinder; seat-to-back angle up to a minimum of 130° | 350.00 | 350.00 | 36 |
| 7153008 | Power tilt system for minimum angulation of 0° to 45°, including controller on joystick control | 1,650.00 | 1,650.00 | 36 |
| 7153009 | Pelvic positioning belt, auto buckle | N. C. | 30.00 | 36 |
| 7153010 | U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 175.00 | 60 |
| 7153011 | T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 175.00 | 60 |
| 7153012 | U-type armrest, long; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 175.00 | 60 |
| 7153013 | T-type armrest, long; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 175.00 | 60 |
| 7153014 | Armrest pad, straight, short | N. C. | 20.00 | 12 |
| 7153015 | Armrest pad, straight, long | N. C. | 20.00 | 12 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|---------|---|-------|--------|----|
| 7153017 | One-piece footrest platform, 90° angle, adjustable length | N. C. | 225.00 | 60 |
| 7153018 | Parallel footrest, adjustable angle 60° or 70°, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 31.8 cm to 39.4 cm (12½ in. to 15½ in.) or from 36.8 cm to 49.5 cm (14½ in. to 19½ in.) | N. C. | 225.00 | 60 |
| 7153019 | Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable | N. C. | 225.00 | 36 |
| 7153020 | Padded calf-rest | 35.00 | 35.00 | 36 |
| 7153021 | Folding footplate, standard, standard size | N. C. | 80.00 | 36 |
| 7153022 | Folding footplate, standard, oversize | N. C. | 80.00 | 36 |
| 7153023 | Footplate, angle and depth-adjustable, standard size | N. C. | 80.00 | 36 |
| 7153024 | Footplate, angle and depth-adjustable, oversize | N. C. | 80.00 | 36 |
| 7153025 | Heel loop, adjustable | N. C. | 30.00 | 36 |
| 7153026 | Headrest bracket, height and depth-adjustable, or articulated uniball bracket | 75.00 | 75.00 | 36 |
| 7153027 | Headrest cushion, contoured, all sizes | 70.00 | 70.00 | 36 |
| | FRAME | | | |
| 7153029 | Front impact guard with rollers | 20.00 | 20.00 | 36 |
| | DRIVE SYSTEM | | | |
| 7153030 | Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display | N. C. | 329.00 | 36 |
| 7153031 | Standard side bracket for joystick control; adjustable forward-rearward position | N. C. | 140.00 | 36 |
| 7153032 | Swivel side bracket for joystick control; with locking mechanism | N. C. | 230.00 | 36 |
| 7153033 | Midline bracket for joystick control; flip-back to provide total clearance for seat access | 60.00 | 200.00 | 36 |
| 7153034 | Controller for basic programmable electronics | N. C. | 659.00 | 36 |
| 7153035 | Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller | N. C. | 600.00 | 36 |
| 7153036 | Battery charger; external; compatible with group 22 NF batteries | N. C. | 199.00 | 36 |
| 7153037 | Ball, stick, T-type, or mushroom handle | 55.00 | 55.00 | 36 |

| WHEELS AND TIRES | | | | |
|-------------------------|--|-------|--------|----|
| 7153038 | Drive wheel, inner tube tire | N. C. | 150.00 | 36 |
| 7153039 | Front caster wheel, semi-pneumatic or inner tube | N. C. | 80.00 | 36 |
| 7153040 | Rear caster wheel, semi-pneumatic | N. C. | 80.00 | 36 |
| 7153041 | Airless insert for drive wheel | 45.00 | 45.00 | 36 |

PRICE
(including all
the basic
components)

| | | | | |
|---------|---|--|-----------------|--|
| 7153044 | POWERED WHEELCHAIR SUBCATEGORY “LOW-SEAT COMPACT MULTI-PURPOSE (MID-FRONT OR MEDIAL DRIVE WHEELS)” SUNRISE MEDICAL CANADA INC. “323 PC” MODEL | | 4,875.00 | |
|---------|---|--|-----------------|--|

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 181.4 kg (400 lb.)

Seat-to-floor height: 39.4 cm to 51.4 cm (15½ in. to 20¼ in.) without power tilt system and 39.4 cm to 48.3 cm (15½ in. to 19 in.) with power tilt system

Frame: mid-wheel drive base, overall width ≤ 61 cm (24 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

| BASIC AND OPTIONAL COMPONENTS | | Unit price of component during device purchase | Unit price for component replacement | Warranty (months) |
|-------------------------------|---|--|--------------------------------------|-------------------|
| BODY SUPPORT SYSTEM | | | | |
| 7153045 | Seat-to-back assembly structure; resizable; back canes angle- adjustable from 90° to 110° by maximum increments of 6°; non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle-adjustable from 0° to 10 ; anchor for headrest bracket | N. C. | 550.00 | 36 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|---------|---|----------|----------|----|
| 7153046 | Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.) | N. C. | 75.00 | 36 |
| 7153047 | Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base) | 225.00 | 225.00 | 36 |
| 7153048 | Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.) | N. C. | 160.00 | 12 |
| 7153049 | Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back | 40.00 | 200.00 | 12 |
| 7153050 | Padded back cushion, contoured, including a rigid, contoured back | 90.00 | 250.00 | 36 |
| 7153051 | Reclining back with cylinder; seat-to-back angle up to a minimum of 130° | 350.00 | 350.00 | 36 |
| 7153052 | Power reclining back system, including a control external to the joystick control | 1,590.00 | 1,590.00 | 36 |
| 7153053 | Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control | 1,650.00 | 1,650.00 | 36 |
| 7153054 | Pelvic positioning belt, auto buckle | N. C. | 30.00 | 36 |
| 7153055 | U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 175.00 | 60 |
| 7153056 | T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 175.00 | 60 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|---------|---|----------|----------|----|
| 7153057 | U-type armrest, long; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 175.00 | 60 |
| 7153058 | T-type armrest, long; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 175.00 | 60 |
| 7153059 | Armrest pad, straight, short | N. C. | 20.00 | 12 |
| 7153060 | Armrest pad, straight, long | N. C. | 20.00 | 12 |
| 7153061 | One-piece footrest platform, 90°angle, adjustable length | N. C. | 225.00 | 60 |
| 7153062 | Parallel footrest, adjustable angle 60° or 70°, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 31.8 cm to 39.4 cm (12½ in. to 15½ in.) or from 36.8 cm to 49.5 cm (14½ in. to 19½ in.) | N. C. | 225.00 | 60 |
| 7153063 | Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable | 112.50 | 225.00 | 36 |
| 7153064 | Power elevating leg-rest, with control per pair, including a control external to the joystick control | 637.50 | 750.00 | 36 |
| 7153065 | Power elevating leg-rest, with control per unit, including a control external to the joystick control | 637.50 | 750.00 | 36 |
| 7153066 | Power leg-rest, one piece, including a control external to the joystick control | 1,275.00 | 1,500.00 | 36 |
| 7153067 | Padded calf-rest, contoured | 35.00 | 35.00 | 36 |
| 7153068 | Folding footplate, standard, standard size | N. C. | 80.00 | 36 |
| 7153069 | Folding footplate, standard, oversize | N. C. | 80.00 | 36 |
| 7153070 | Footplate, angle and depth-adjustable, standard size | N. C. | 80.00 | 36 |
| 7153071 | Footplate, angle and depth-adjustable, oversize | N. C. | 80.00 | 36 |
| 7153072 | Heel loop, adjustable | N. C. | 30.00 | 36 |
| 7153073 | Headrest bracket, height and depth-adjustable, or articulated uniball bracket | 75.00 | 75.00 | 36 |
| 7153074 | Headrest cushion, contoured, all sizes | 70.00 | 70.00 | 36 |

| FRAME | | | | |
|---------------------|--|----------|----------|----|
| 7153075 | Front impact guard with rollers | 20.00 | 20.00 | 36 |
| DRIVE SYSTEM | | | | |
| 7153076 | Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display | N. C. | 329.00 | 36 |
| 7153077 | Standard joystick control for multi-purpose programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display | 200.00 | 529.00 | 36 |
| 7153078 | Compact joystick control, proportional | N. C. | 329.00 | 36 |
| 7153079 | Standard side bracket for joystick control; adjustable forward-rearward position | N. C. | 140.00 | 36 |
| 7153080 | Swivel side bracket for joystick control; with locking mechanism | N. C. | 230.00 | 36 |
| 7153081 | Midline bracket for joystick control; flip-back to provide total clearance for seat access | 60.00 | 200.00 | 36 |
| 7153082 | Controller for basic programmable electronics | N. C. | 659.00 | 36 |
| 7153083 | Controller for multi-purpose programmable electronics | 100.00 | 759.00 | 36 |
| 7153084 | Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller | N. C. | 600.00 | 36 |
| 7153085 | Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller | N. C. | 600.00 | 36 |
| 7153086 | Internal control system for the joystick control for one (1) power repositioning accessory | 350.00 | 350.00 | 36 |
| 7153087 | Internal control system for the joystick control for four (4) power repositioning accessories | 500.00 | 500.00 | 36 |
| 7153088 | Battery charger; external; compatible with group 22 NF or group 24 batteries | N. C. | 199.00 | 36 |
| 7153089 | Adapted head control, proportional, including mounting bracket | 1,100.00 | 1,100.00 | 36 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|-------------------------|---|----------|----------|----|
| 7153090 | Adapted head control, non-proportional, including mounting bracket | 2,200.00 | 2,200.00 | 36 |
| 7153091 | Adapted breath control, non-proportional, including mounting bracket | 1,200.00 | 1,200.00 | 36 |
| 7153092 | Adapted chin control, proportional, including mounting bracket | 600.00 | 600.00 | 36 |
| 7153093 | Adapted chin control, non-proportional, including mounting bracket | 600.00 | 600.00 | 36 |
| 7153094 | Adapted Mini joystick control, proportional, including mounting bracket | 1,510.00 | 1,510.00 | 36 |
| 7153095 | Mounting bracket for adapted control | 350.00 | 350.00 | 36 |
| 7153096 | Adapted control interface, with bracket and display | 1,100.00 | 1,100.00 | 36 |
| 7153097 | Mounting bracket for interface | 350.00 | 350.00 | 36 |
| 7153098 | Ball, stick, T-type, or mushroom handle | 52.00 | 52.00 | 36 |
| 7153099 | Course correction system | 895.00 | 895.00 | 36 |
| WHEELS AND TIRES | | | | |
| 7153100 | Drive wheel, inner tube tire | N. C. | 150.00 | 36 |
| 7153101 | Front caster wheel, semi-pneumatic or inner tube | N. C. | 80.00 | 36 |
| 7153102 | Rear caster wheel, semi-pneumatic | N. C. | 80.00 | 36 |
| 7153103 | Airless insert for drive wheel | 45.00 | 45.00 | 36 |

PRICE
(including all
the basic
components)

7153470 **POWERED WHEELCHAIR**

4,200.00

SUBCATEGORY "LOW-SEAT COMPACT
MULTI-PURPOSE (MID-FRONT OR MEDIAL
DRIVE WHEELS)"

PRIDE MOBILITY PRODUCTS COMPANY

"Q6 EDGE 2" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Seat-to-floor height: 41.9 cm to 47 cm (16½ in. to 18½ in.) without power tilt system
and 42.5 cm to 49.5 cm (16¾ in. to 19½ in.) with power tilt system

Frame: mid-front-wheel drive base, overall width ≤ 61 cm (24 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable
replaceable separately

| BASIC AND OPTIONAL COMPONENTS | | Unit price of component during device purchase | Unit price for component replacement | Warranty (months) |
|-------------------------------|--|--|--------------------------------------|-------------------|
| BODY SUPPORT SYSTEM | | | | |
| 7153471 | Seat-to-back assembly structure; resizable; back canes angle-adjustable from 90° to 110° by maximum increments of 6°; push bar or non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10 ; anchor for headrest bracket | N. C. | 500.00 | 36 |
| 7153472 | Rigid metal seat for cushion; two strips of “hook” Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 35.6 cm to 40.6 cm (14 in. to 16 in.) or 40.6 cm to 50.8 cm (16 in. to 20 in.) | N. C. | 65.00 | 36 |
| 7153473 | Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of “velour” Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base) | 175.00 | 175.00 | 36 |
| 7153474 | Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.) | N. C. | 60.00 | 12 |
| 7153475 | Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back | 90.00 | 150.00 | 12 |
| 7153476 | Back cushion, padded and contoured, including or built into a rigid back, flat or contoured | 215.00 | 275.00 | 36 |
| 7153477 | Reclining back with cylinder; seat-to-back angle up to a minimum of 130° | 591.00 | 591.00 | 36 |
| 7153478 | Power reclining back system, including a control external to the joystick control | 1,500.00 | 1,500.00 | 36 |
| 7153479 | Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control | 2,000.00 | 2,000.00 | 36 |
| 7153480 | Pelvic positioning belt, auto buckle | N. C. | 25.00 | 36 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|---------|---|----------|----------|----|
| 7153481 | U-type armrest, short; flip-away; height-adjustable, from 22.9 cm to 33 cm (9 in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 215.00 | 60 |
| 7153482 | T-type armrest, short; detachable; height-adjustable, from 19.6 cm to 24.8 cm (7¾ in. to 9¾ in.), from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 215.00 | 60 |
| 7153483 | U-type armrest, long; flip-away; height-adjustable, from 22.9 cm to 33 cm (9 in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 221.00 | 60 |
| 7153484 | T-type armrest, long; detachable; height-adjustable, from 19.6 cm to 24.8 cm (7¾ in. to 9¾ in.), from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 221.00 | 60 |
| 7153485 | Armrest pad, straight, short | N. C. | 10.00 | 12 |
| 7153486 | Armrest pad, straight, long | N. C. | 16.00 | 12 |
| 7153487 | Parallel footrest, adjustable angle 60° to 90°, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 27.9 cm to 33 cm (11 in. to 13 in.), from 33 cm to 41.9 cm (13 in. to 16½ in.) or from 39.4 cm to 49.5 cm (15½ in. to 19½ in.) | N. C. | 135.00 | 60 |
| 7153488 | Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable | 224.50 | 246.00 | 36 |
| 7153489 | Power elevating leg-rest, with control per pair, including a control external to the joystick control | 1,678.50 | 1,700.00 | 36 |
| 7153490 | Power elevating leg-rest, with control per unit, including a control external to the joystick control | 978.50 | 1,000.00 | 36 |
| 7153491 | One-piece footrest platform, 90° angle, adjustable length | N. C. | 43.00 | 60 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|---------------------|---|----------|----------|----|
| 7153492 | Power leg-rest, one piece, including a control external to the joystick control | 1,657.00 | 1,700.00 | 36 |
| 7153493 | Padded calf-rest, flat | 63.00 | 63.00 | 36 |
| 7153494 | Folding footplate, standard, standard size | N. C. | 53.00 | 36 |
| 7153495 | Folding footplate, standard, oversize | 14.00 | 67.00 | 36 |
| 7153496 | Footplate, angle and depth-adjustable, standard size | 117.00 | 170.00 | 36 |
| 7153497 | Footplate, angle and depth-adjustable, oversize | 167.00 | 220.00 | 36 |
| 7153498 | Heel loop, adjustable | N. C. | 12.00 | 36 |
| 7153499 | Headrest bracket, articulated uniball | 90.00 | 90.00 | 36 |
| 7153500 | Headrest cushion, contoured, all sizes | 90.00 | 90.00 | 36 |
| FRAME | | | | |
| 7153501 | Front impact guard with rollers | 3.00 | 3.00 | 36 |
| DRIVE SYSTEM | | | | |
| 7153502 | Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display | N. C. | 330.00 | 36 |
| 7153503 | Standard joystick control for multi-purpose programmable electronics; joystick handle; toggle switches or push buttons for on/off functions, horn, function selection; battery charge display | 380.00 | 710.00 | 36 |
| 7153504 | Compact joystick control, proportional | 315.00 | 645.00 | 36 |
| 7153505 | Standard side bracket for joystick control; adjustable forward-rearward position | N. C. | 20.00 | 36 |
| 7153506 | Swivel side bracket for joystick control; with locking mechanism | N. C. | 80.00 | 36 |
| 7153507 | Midline bracket for joystick control; flip-back to provide total clearance for seat access | 330.00 | 350.00 | 36 |
| 7153508 | Controller for basic programmable electronics | N. C. | 250.00 | 36 |
| 7153509 | Controller for multi-purpose programmable electronics | 75.00 | 325.00 | 36 |
| 7153510 | Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller | N. C. | 275.00 | 36 |
| 7153511 | Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick and controller | N. C. | 275.00 | 36 |
| 7153512 | Internal control system for the joystick control for one (1) power repositioning accessory | 300.00 | 300.00 | 36 |

| | | | | |
|-------------------------|---|----------|----------|----|
| 7153513 | Internal control system for the joystick control for four (4) power repositioning accessories | 375.00 | 375.00 | 36 |
| 7153514 | Battery charger; external; compatible with group 22 NF batteries | N. C. | 165.00 | 36 |
| 7153515 | Adapted head control, proportional, including mounting bracket | 1,452.00 | 1,452.00 | 36 |
| 7153516 | Adapted head control, non-proportional, including mounting bracket | 2,539.00 | 2,539.00 | 36 |
| 7153517 | Adapted breath control, non-proportional, including mounting bracket | 1,222.00 | 1,222.00 | 36 |
| 7153518 | Adapted chin control, proportional, including mounting bracket | 1,302.00 | 1,302.00 | 36 |
| 7153519 | Adapted chin control, non-proportional, including mounting bracket | 1,302.00 | 1,302.00 | 36 |
| 7153520 | Adapted Mini joystick control, proportional, including mounting bracket | 1,302.00 | 1,302.00 | 36 |
| 7153521 | Mounting bracket for adapted control | 91.00 | 91.00 | 36 |
| 7153522 | Adapted control interface, with bracket and display | 1,118.00 | 1,118.00 | 36 |
| 7153523 | Mounting bracket for interface | 71.00 | 71.00 | 36 |
| 7153524 | Ball, stick, T-type, or mushroom handle | 40.00 | 40.00 | 36 |
| 7153525 | Course correction system | 869.00 | 869.00 | 36 |
| WHEELS AND TIRES | | | | |
| 7153526 | Drive wheel, inner tube tire | N. C. | 100.00 | 36 |
| 7153527 | Front caster wheel, semi-pneumatic tire | N. C. | 20.00 | 36 |
| 7153528 | Rear caster wheel, semi-pneumatic tire | N. C. | 20.00 | 36 |
| 7153529 | Airless insert for drive wheel | 60.00 | 60.00 | 36 |

PRICE
(including all
the basic
components)

7153106 **POWERED WHEELCHAIR**
SUBCATEGORY "LOW-SEAT COMPACT MULTI-PURPOSE

5,710.00

ORTHOFAB INC.

"OASIS PC" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 136 kg (300 lb.)

Seat-to-floor height: 39.3 cm to 52 cm (15½ in. to 20½ in.) without power tilt system and 39.3 cm to 49.5 cm (15½ in. to 19½ in.) with power tilt system

Frame: mid-rear wheel drive base, overall width ≤ 61 cm (24 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

| BASIC AND OPTIONAL COMPONENTS | Unit price of component during device purchase | Unit price for component replacement | Warranty (months) |
|---|--|--------------------------------------|-------------------|
| BODY SUPPORT SYSTEM | | | |
| 7153107 Seat-to-back assembly structure; resizable; back canes angle adjustable from 90° to 110° by maximum increments of 6°; push bar or non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10°; anchor for headrest bracket | N. C. | 240.00 | 36 |
| 7153108 Rigid metal seat for cushion; two strips of “hook” Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.) or 58.4 cm (23 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.) or 53.3 cm (21 in.) | N. C. | 45.00 | 36 |
| 7153109 Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of “velour” Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base) | 150.00 | 150.00 | 36 |
| 7153110 Flexible nylon mesh back, padded; heights of 40.6 cm (16 in.), 43.1 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.) | N. C. | 75.00 | 12 |
| 7153111 Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back | 65.00 | 140.00 | 12 |
| 7153112 Padded back cushion, contoured, including a rigid, contoured back | 165.00 | 240.00 | 36 |
| 7153113 Reclining back with cylinder; seat-to-back angle up to a minimum of 130° | 270.00 | 270.00 | 36 |
| 7153114 Power reclining back system, including a control external to the joystick control | 750.00 | 750.00 | 36 |
| 7153115 Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control | 1,000.00 | 1,000.00 | 36 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|---------|--|--------|--------|----|
| 7153116 | Pelvic positioning belt, auto buckle | N. C. | 6.00 | 36 |
| 7153117 | U-type armrest, short; flip-away; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 150.00 | 60 |
| 7153118 | T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 27.9 cm to 35.6 cm (11 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 150.00 | 60 |
| 7153119 | U-type armrest, long; flip-away; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 150.00 | 60 |
| 7153120 | T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 27.9 cm to 35.6 cm (11 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 150.00 | 60 |
| 7153121 | Armrest pad, straight, short | N. C. | 6.00 | 12 |
| 7153122 | Armrest pad, straight, long | N. C. | 6.00 | 12 |
| 7153123 | Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or 45.7 cm to 58.4 cm (18 in. to 23 in.) | N. C. | 100.00 | 60 |
| 7153124 | Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or 45.7 cm to 58.4 cm (18 in. to 23 in.) | N. C. | 100.00 | 60 |
| 7153125 | Elevating leg-rest, compensating; detachable and pivoting, with locking mechanism; adjustable length; standard folding footplate, standard size or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, flat, padded, height- and depth-adjustable | 100.00 | 200.00 | 36 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|---------------------|---|----------|----------|----|
| 7153126 | Power elevating leg-rest, with control per unit, including a control external to the joystick control | 1,030.00 | 1,130.00 | 36 |
| 7153127 | Power elevating leg-rest, with control per pair, including a control external to the joystick control | 1,030.00 | 1,130.00 | 36 |
| 7153128 | Padded calf-rest, flat | 15.00 | 15.00 | 36 |
| 7153129 | Folding footplate, standard, standard size | N. C. | 6.00 | 36 |
| 7153130 | Folding footplate, standard, oversize | 29.00 | 35.00 | 36 |
| 7153131 | Footplate, angle and depth-adjustable, standard size | 44.00 | 50.00 | 36 |
| 7153132 | Footplate, angle and depth-adjustable, oversize | 49.00 | 55.00 | 36 |
| 7153133 | Full-width footplate, in two lockable parts; angle-adjustable | 88.00 | 100.00 | 36 |
| 7153134 | Heel loop, adjustable | N. C. | 3.00 | 36 |
| 7153135 | Headrest bracket, height and depth-adjustable | 35.00 | 35.00 | 36 |
| 7153136 | Headrest cushion, flat, all sizes | 40.00 | 40.00 | 36 |
| FRAME | | | | |
| 7153137 | Anti-tipping wheels, non-detachable except with tools | N. C. | 4.00 | 60 |
| 7153138 | Front impact guard with rollers | 10.00 | 10.00 | 36 |
| DRIVE SYSTEM | | | | |
| 7153139 | Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display | N. C. | 185.00 | 36 |
| 7153140 | Standard joystick control for multi-purpose programmable electronics; joystick handle; toggle switches or push buttons for on/off functions, horn, function selection; battery charge display | 195.00 | 380.00 | 36 |
| 7153141 | Compact joystick control, proportional | 195.00 | 380.00 | 36 |
| 7153142 | Standard side bracket for joystick control; adjustable forward-rearward position | N. C. | 25.00 | 36 |
| 7153143 | Swivel side bracket for joystick control; with locking mechanism | N. C. | 95.00 | 36 |
| 7153144 | Midline bracket for joystick control; flip-back to provide total clearance for seat access | 70.00 | 95.00 | 36 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|-------------------------|--|----------|----------|----|
| 7153145 | Controller for basic programmable electronics | N. C. | 350.00 | 36 |
| 7153146 | Controller for multi-purpose programmable electronics | 225.00 | 575.00 | 36 |
| 7153147 | Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller | N. C. | 450.00 | 36 |
| 7153148 | Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick and controller | N. C. | 450.00 | 36 |
| 7153149 | Battery charger; on board; compatible with group 22 NF or group 24 batteries | N. C. | 115.00 | 36 |
| 7153150 | Internal control system for the joystick control for one (1) power repositioning accessory | 185.00 | 185.00 | 36 |
| 7153151 | Internal control system for the joystick control for four (4) power repositioning accessories | 325.00 | 325.00 | 36 |
| 7153152 | Adapted head control, proportional, including mounting bracket | 1,000.00 | 1,000.00 | 36 |
| 7153153 | Adapted head control, non-proportional, including mounting bracket | 500.00 | 500.00 | 36 |
| 7153154 | Adapted breath control, non-proportional, including mounting bracket | 400.00 | 400.00 | 36 |
| 7153155 | Adapted chin control, proportional, including mounting bracket | 800.00 | 800.00 | 36 |
| 7153156 | Adapted chin control, non-proportional, including mounting bracket | 700.00 | 700.00 | 36 |
| 7153157 | Adapted Mini joystick control, proportional, including mounting bracket | 2,500.00 | 2,500.00 | 36 |
| 7153158 | Mounting bracket for adapted control | 400.00 | 400.00 | 36 |
| 7153159 | Adapted control interface, with bracket and display | 750.00 | 750.00 | 36 |
| 7153160 | Mounting bracket for interface | 125.00 | 125.00 | 36 |
| 7153161 | Ball, stick, T-type, or mushroom handle | 15.00 | 15.00 | 36 |
| 7153162 | Course correction system | 1,000.00 | 1,000.00 | 36 |
| WHEELS AND TIRES | | | | |
| 7153163 | Drive wheel, inner tube tire | N. C. | 100.00 | 36 |
| 7153164 | Front caster wheel, inner tube tire | N. C. | 45.00 | 36 |
| 7153165 | Airless insert for drive wheel | 75.00 | 75.00 | 36 |
| 7153166 | Airless insert for caster wheel | 30.00 | 30.00 | 36 |

| | PRICE (including all the basic components) |
|--|---|
| 7153167 MOTORIZED WHEELCHAIR SUBCATEGORY “MULTI-PURPOSE PERFORMANCE (MID-FRONT OR MEDIAL DRIVE WHEELS)” SUNRISE MEDICAL CANADA INC. “323 PP” MODEL | 4,110.00 |
| TECHNICAL SPECIFICATIONS OF THE DEVICE | |
| Maximum weight capacity: 181.4 kg (400 lb.) | |
| Seat-to-floor height: 39.4 cm to 51.4 cm (15½ in. to 20¼ in.) without power tilt system and 39.4 cm to 47.6 cm (15½ in. to 18¾ in.) with power tilt system | |
| Frame: mid-wheel drive base, overall width ≤ 66 cm (26 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport | |
| Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately | |

| BASIC AND OPTIONAL COMPONENTS | Unit price of component during device purchase | Unit price for component replacement | Warranty (months) |
|--|---|--|----------------------|
| BODY SUPPORT SYSTEM | | | |
| 7153168 Seat-to-back assembly structure; resizable; back canes angle adjustable from 90° to 110° by maximum increments of 6°; non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10°; anchor for headrest bracket | N. C. | 550.00 | 36 |
| 7153169 Rigid metal seat for cushion; two strips of “hook” Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50,8 cm (20 in.) | N. C. | 75.00 | 36 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|---------|--|----------|----------|----|
| 7153170 | Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base) | 225.00 | 225.00 | 36 |
| 7153171 | Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.) | N. C. | 160.00 | 12 |
| 7153172 | Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back | 40.00 | 200.00 | 12 |
| 7153173 | Padded back cushion, contoured, including a rigid, contoured back | 90.00 | 250.00 | 36 |
| 7153174 | Reclining back with cylinder; seat-to-back angle up to a minimum of 130° | 350.00 | 350.00 | 36 |
| 7153175 | Power reclining back system, including a control external to the joystick control | 1,590.00 | 1,590.00 | 36 |
| 7153176 | Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control | 1,650.00 | 1,650.00 | 36 |
| 7153177 | Pelvic positioning belt, auto buckle | N. C. | 30.00 | 36 |
| 7153178 | U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 175.00 | 60 |
| 7153179 | T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 175.00 | 60 |
| 7153180 | U-type armrest, long; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 175.00 | 60 |
| 7153181 | T-type armrest, long; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 175.00 | 60 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|--------------|---|----------|----------|----|
| 7153182 | Armrest pad, straight, short | N. C. | 20.00 | 12 |
| 7153183 | Armrest pad, straight, long | N. C. | 20.00 | 12 |
| 7153184 | One-piece footrest platform, 90° angle, adjustable length | N. C. | 225.00 | 60 |
| 7153185 | Parallel footrest, adjustable angle 60° or 70°, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 31.8 cm to 39.4 cm (12½ in. to 15½ in.) or from 36.8 cm to 49.5 cm (14½ in. to 19½ in.) | N. C. | 225.00 | 60 |
| 7153186 | Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable | 112.50 | 225.00 | 36 |
| 7153187 | Power elevating leg-rest, with control per pair, including a control external to the joystick control | 637.50 | 750.00 | 36 |
| 7153188 | Power elevating leg-rest, with control per unit, including a control external to the joystick control | 637.50 | 750.00 | 36 |
| 7153189 | Power leg-rest, one piece, including a control external to the joystick control | 1,275.00 | 1,500.00 | 36 |
| 7153190 | Padded calf-rest, contoured | 35.00 | 35.00 | 36 |
| 7153191 | Folding footplate, standard, standard size | N. C. | 80.00 | 36 |
| 7153192 | Folding footplate, standard, oversize | N. C. | 80.00 | 36 |
| 7153193 | Footplate, angle and depth-adjustable, standard size | N. C. | 80.00 | 36 |
| 7153194 | Footplate, angle and depth-adjustable, oversize | N. C. | 80.00 | 36 |
| 7153195 | Heel loop, adjustable | N. C. | 30.00 | 36 |
| 7153196 | Headrest bracket, height and depth-adjustable, or articulated uniball bracket | 75.00 | 75.00 | 36 |
| 7153197 | Headrest cushion, contoured, all sizes | 70.00 | 70.00 | 36 |
| FRAME | | | | |
| 7153198 | Front impact guard with rollers | 20.00 | 20.00 | 36 |

| DRIVE SYSTEM | | | | |
|---------------------|--|--------|--------|----|
| 7153199 | Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display | N. C. | 329.00 | 36 |
| 7153200 | Standard joystick control for multi-purpose programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display | 200.00 | 529.00 | 36 |
| 7153201 | Compact joystick control, proportional | N. C. | 329.00 | 36 |
| 7153202 | Standard side bracket for joystick control; adjustable forward-rearward position | N. C. | 140.00 | 36 |
| 7153203 | Swivel side bracket for joystick control; with locking mechanism | N. C. | 230.00 | 36 |
| 7153204 | Midline bracket for joystick control; flip-back to provide total clearance for seat access | 60.00 | 200.00 | 36 |
| 7153205 | Controller for basic programmable electronics | N. C. | 659.00 | 36 |
| 7153206 | Controller for multi-purpose programmable electronics | 100.00 | 759.00 | 36 |
| 7153207 | Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller | N. C. | 600.00 | 36 |
| 7153208 | Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick and controller | N. C. | 600.00 | 36 |
| 7153209 | Battery charger; external; compatible with group 22 NF or group 24 batteries | N. C. | 199.00 | 36 |
| 7153210 | Internal control system for the joystick control for one (1) power repositioning accessory | 350.00 | 350.00 | 36 |

| | | | | |
|-------------------------|---|----------|----------|----|
| 7153211 | Internal control system for the joystick control for four (4) power repositioning accessories | 500.00 | 500.00 | 36 |
| 7153212 | Adapted head control, proportional, including mounting bracket | 1,100.00 | 1,100.00 | 36 |
| 7153213 | Adapted head control, non-proportional, including mounting bracket | 2,200.00 | 2,200.00 | 36 |
| 7153214 | Adapted breath control, non-proportional, including mounting bracket | 1,200.00 | 1,200.00 | 36 |
| 7153215 | Adapted chin control, proportional, including mounting bracket | 600.00 | 600.00 | 36 |
| 7153216 | Adapted chin control, non-proportional, including mounting bracket | 600.00 | 600.00 | 36 |
| 7153217 | Adapted Mini joystick control, proportional, including mounting bracket | 1,510.00 | 1,510.00 | 36 |
| 7153218 | Mounting bracket for adapted control | 350.00 | 350.00 | 36 |
| 7153219 | Adapted control interface, with bracket and display | 1,100.00 | 1,100.00 | 36 |
| 7153220 | Mounting bracket for interface | 350.00 | 350.00 | 36 |
| 7153221 | Ball, stick, T-type, or mushroom handle | 52.00 | 52.00 | 36 |
| 7153222 | Course correction system | 895.00 | 895.00 | 36 |
| WHEELS AND TIRES | | | | |
| 7153223 | Drive wheel, inner tube tire | N. C. | 150.00 | 36 |
| 7153224 | Front caster wheel, semi-pneumatic or inner tube | N. C. | 80.00 | 36 |
| 7153225 | Rear caster wheel, semi-pneumatic | N. C. | 80.00 | 36 |
| 7153226 | Airless insert for drive wheel | 45.00 | 45.00 | 36 |

PRICE
(including all
the basic
components)

7153530 POWERED WHEELCHAIR
4,100.00

SUBCATEGORY "MULTI-PURPOSE
PERFORMANCE (MID-FRONT OR MEDIAL
DRIVE WHEELS)"

PRIDE MOBILITY PRODUCTS COMPANY

"Q6 EDGE Z" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 136 kg (300 lb.)

Seat-to-floor height: 44.5 cm to 49.5 cm (17½ in. to 19½ in.) without power tilt system
and 46 cm to 51.1 cm (18¼ in. to 20¼ in.) with power tilt system

Frame: mid-front wheel drive base, overall width ≤ 66 cm (26 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

| BASIC AND OPTIONAL COMPONENTS | Unit price of component during device purchase | Unit price for component replacement | Warranty (months) |
|---|--|--------------------------------------|-------------------|
| BODY SUPPORT SYSTEM | | | |
| 7153531 Seat-to-back assembly structure; resizable; back canes angle adjustable from 90° to 110° by maximum increments of 6°; push bar or non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10°; anchor for headrest bracket | N. C. | 500.00 | 36 |
| 7153532 Rigid metal seat for cushion; two strips of “hook” Velcro, 2.5 cm (1 in.); widths of 30.5 cm (12 in.), 33 cm (13 in.) from 35.6 cm to 40.6 cm (14 in. to 16 in.), from 40.6 cm to 50.8 cm (16 in. to 20 in.), or from 50.8 cm to 61 cm (20 in. to 24 in.); depths of 35.6 cm to 40.6 cm (14 in. to 16 in.), from 40.6 cm to 50.8 cm (16 in. to 20 in.), or from 50.8 cm to 61 cm (20 in. to 24 in.) | N. C. | 65.00 | 36 |
| 7153533 Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of “velour” Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base) | 175.00 | 175.00 | 36 |
| 7153534 Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.) | N. C. | 60.00 | 12 |
| 7153535 Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back | 90.00 | 150.00 | 12 |
| 7153536 Back cushion, padded and contoured, including or built into a rigid back, flat or contoured | 215.00 | 275.00 | 36 |
| 7153537 Reclining back with cylinder; seat-to-back angle up to a minimum of 130° | 591.00 | 591.00 | 36 |
| 7153538 Power reclining back system, including a control external to the joystick control | 1,500.00 | 1,500.00 | 36 |
| 7153539 Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control | 2,000.00 | 2,000.00 | 36 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|---------|--|----------|----------|----|
| 7153540 | Pelvic positioning belt, auto buckle | N. C. | 25.00 | 36 |
| 7153541 | U-type armrest, short; flip-away; height-adjustable, from 22.9 cm to 33 cm (9 in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 215.00 | 60 |
| 7153542 | T-type armrest, short; detachable; height-adjustable, from 19.6 cm to 24.8 cm (7¾ in. to 9¾ in.), from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from de 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 215.00 | 60 |
| 7153543 | U-type armrest, long; flip-away; height-adjustable, from 22.9 cm to 33 cm (9 in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 221.00 | 60 |
| 7153544 | T-type armrest, long; detachable; height-adjustable, from 19.6 cm to 24.8 cm (7¾ in. to 9¾ in.), from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from de 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 221.00 | 60 |
| 7153545 | Armrest pad, straight, short | N. C. | 10.00 | 12 |
| 7153546 | Armrest pad, straight, long | N. C. | 16.00 | 12 |
| 7153547 | One-piece footrest platform, 90° angle, adjustable length | N. C. | 43.00 | 60 |
| 7153548 | Parallel footrest, adjustable angle from 60° to 90°, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 27.9 cm to 33 cm (11 in. to 13 in.), from 33 cm to 41.9 cm (13 in. to 16½ in.) or from 39.4 cm to 49.5 cm (15½ in. to 19½ in.) | N. C. | 135.00 | 60 |
| 7153549 | Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable | 224.50 | 246.00 | 36 |
| 7153550 | Power elevating leg-rest, with control per pair, including a control external to the joystick control | 1,678.50 | 1,700.00 | 36 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|---------------------|---|----------|----------|----|
| 7153551 | Power elevating leg-rest, with control per unit, including a control external to the joystick control | 978.50 | 1,000.00 | 36 |
| 7153552 | Power leg-rest, one piece, including a control external to the joystick control | 1,657.00 | 1,700.00 | 36 |
| 7153553 | Calf-rest, padded, flat or contoured | 63.00 | 63.00 | 36 |
| 7153554 | Folding footplate, standard, standard size | N. C. | 53.00 | 36 |
| 7153555 | Folding footplate, standard, oversize | 14.00 | 67.00 | 36 |
| 7153556 | Footplate, angle and depth-adjustable, standard size | 117.00 | 170.00 | 36 |
| 7153557 | Footplate, angle and depth-adjustable, oversize | 167.00 | 220.00 | 36 |
| 7153558 | Heel loop, adjustable | N. C. | 12.00 | 36 |
| 7153559 | Headrest cushion, contoured, all sizes | 90.00 | 90.00 | 36 |
| 7153560 | Headrest bracket, articulated uniball | 90.00 | 90.00 | 36 |
| FRAME | | | | |
| 7153561 | Front impact guard with rollers | 3.00 | 3.00 | 36 |
| DRIVE SYSTEM | | | | |
| 7153562 | Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display | N. C. | 330.00 | 36 |
| 7153563 | Standard joystick control for multi-purpose programmable electronics; joystick handle; toggle switches or push buttons for on/off functions, horn, function selection; battery charge display | 380.00 | 710.00 | 36 |
| 7153564 | Compact joystick control, proportional | 315.00 | 645.00 | 36 |
| 7153565 | Standard side bracket for joystick control; adjustable forward-rearward position | N. C. | 20.00 | 36 |
| 7153566 | Swivel side bracket for joystick control; with locking mechanism | N. C. | 80.00 | 36 |
| 7153567 | Midline bracket for joystick control; flip-back to provide total clearance for seat access | 330.00 | 350.00 | 36 |
| 7153568 | Controller for basic programmable electronics | N. C. | 300.00 | 36 |
| 7153569 | Controller for multi-purpose programmable electronics | 50.00 | 350.00 | 36 |
| 7153570 | Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller | N. C. | 520.00 | 36 |
| 7153571 | Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick and controller | N. C. | 520.00 | 36 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|-------------------------|---|----------|----------|----|
| 7153572 | Internal control system for the joystick control for one (1) power repositioning accessory | 300.00 | 300.00 | 36 |
| 7153573 | Internal control system for the joystick control for four (4) power repositioning accessories | 375.00 | 375.00 | 36 |
| 7153574 | Battery charger; external; compatible with group 24 batteries | N. C. | 165.00 | 36 |
| 7153575 | Adapted head control, proportional, including mounting bracket | 1,452.00 | 1,452.00 | 36 |
| 7153576 | Adapted head control, non-proportional, including mounting bracket | 2,539.00 | 2,539.00 | 36 |
| 7153577 | Adapted breath control, non-proportional, including mounting bracket | 1,222.00 | 1,222.00 | 36 |
| 7153578 | Adapted chin control, proportional, including mounting bracket | 1,302.00 | 1,302.00 | 36 |
| 7153579 | Adapted chin control, non-proportional, including mounting bracket | 1,302.00 | 1,302.00 | 36 |
| 7153580 | Adapted Mini joystick control, proportional, including mounting bracket | 1,302.00 | 1,302.00 | 36 |
| 7153581 | Mounting bracket for adapted control | 91.00 | 91.00 | 36 |
| 7153582 | Adapted control interface, with bracket and display | 1,118.00 | 1,118.00 | 36 |
| 7153583 | Mounting bracket for interface | 71.00 | 71.00 | 36 |
| 7153584 | Ball, stick, T-type, or mushroom handle | 40.00 | 40.00 | 36 |
| 7153585 | Course correction system | 869.00 | 869.00 | 36 |
| WHEELS AND TIRES | | | | |
| 7153586 | Drive wheel, inner tube tire | N. C. | 100.00 | 36 |
| 7153587 | Front caster wheel, semi-pneumatic tire | N. C. | 30.00 | 36 |
| 7153588 | Rear caster wheel, semi-pneumatic tire | N. C. | 30.00 | 36 |
| 7153589 | Airless insert for drive wheel | 60.00 | 60.00 | 36 |

| | PRICE (including all the basic components) |
|---|---|
| 7153229 POWERED WHEELCHAIR SUBCATEGORY “MULTI-PURPOSE PERFORMANCE (MID-REAR DRIVE WHEELS)” ORTHOFAB INC. “OASIS PP” MODEL | 5,710.00 |
| TECHNICAL SPECIFICATIONS OF THE DEVICE | |
| Maximum weight capacity: 113.4 kg (250 lb.) | |
| Seat-to-floor height: 39.4 cm to 52 cm (15½ in. to 20½ in.) without power tilt system and 39.4 cm to 49.5 cm (15½ in. to 19½ in.) with power tilt system | |
| Frame: mid-rear wheel drive base, overall width ≤ 66 cm (26 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport | |
| Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately | |

| BASIC AND OPTIONAL COMPONENTS | Unit price of component during device purchase | Unit price for component replacement | Warranty (months) |
|---|---|--|----------------------|
| BODY SUPPORT SYSTEM | | | |
| 7153230 Seat-to-back assembly structure; resizable; back canes angle adjustable from 90° to 110° by maximum increments of 6°; push bar or non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10 ; anchor for headrest bracket | N. C. | 240.00 | 36 |
| 7153231 Rigid metal seat for cushion; two strips of “hook” Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.) or 58.4 cm (23 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.) or 53.3 cm (21 in.) | N. C. | 45.00 | 36 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|---------|--|----------|----------|----|
| 7153232 | Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of “velour” Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base) | 150.00 | 150.00 | 36 |
| 7153233 | Flexible nylon mesh back, padded; heights of 40.6 cm (16 in.), 43.1 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.) | N. C. | 75.00 | 12 |
| 7153234 | Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back | 65.00 | 140.00 | 12 |
| 7153235 | Padded back cushion, contoured, including a rigid, contoured back | 165.00 | 240.00 | 36 |
| 7153236 | Reclining back with cylinder; seat-to-back angle up to a minimum of 130° | 270.00 | 270.00 | 36 |
| 7153237 | Power reclining back system, including a control external to the joystick control | 750.00 | 750.00 | 36 |
| 7153238 | Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control | 1,000.00 | 1,000.00 | 36 |
| 7153239 | Pelvic positioning belt, auto buckle | N. C. | 6.00 | 36 |
| 7153240 | U-type armrest, short; flip-away; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 150.00 | 60 |
| 7153241 | T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 27.9 cm to 35.6 cm (11 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 150.00 | 60 |
| 7153242 | U-type armrest, long; flip-away; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 150.00 | 60 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|--------------|---|----------|----------|----|
| 7153243 | T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 27.9 cm to 35.6 cm (11 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 150.00 | 60 |
| 7153244 | Armrest pad, straight, short | N. C. | 6.00 | 12 |
| 7153245 | Armrest pad, straight, long | N. C. | 6.00 | 12 |
| 7153246 | Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 45.7 cm to 58.4 cm (18 in. to 23 in.) | N. C. | 100.00 | 60 |
| 7153247 | Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 45.7 cm to 58.4 cm (18 in. to 23 in.) | N. C. | 100.00 | 60 |
| 7153248 | Elevating leg-rest, compensating; detachable and pivoting, with locking mechanism; adjustable length; standard folding footplate, standard size or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, flat, padded, height and depth-adjustable | 100.00 | 200.00 | 36 |
| 7153249 | Power elevating leg-rest, with control per pair, including a control external to the joystick control | 1,030.00 | 1,130.00 | 36 |
| 7153250 | Power elevating leg-rest, with control per unit, including a control external to the joystick control | 1,030.00 | 1,130.00 | 36 |
| 7153251 | Padded calf-rest, flat | 15.00 | 15.00 | 36 |
| 7153252 | Folding footplate, standard, standard size | N. C. | 6.00 | 36 |
| 7153253 | Folding footplate, standard, oversize | 29.00 | 35.00 | 36 |
| 7153254 | Footplate, angle and depth-adjustable, standard size | 44.00 | 50.00 | 36 |
| 7153255 | Footplate, angle and depth-adjustable, oversize | 49.00 | 55.00 | 36 |
| 7153256 | Full-width footplate, in two lockable parts; angle-adjustable | 88.00 | 100.00 | 36 |
| 7153257 | Heel loop, adjustable | N. C. | 3.00 | 36 |
| 7153258 | Headrest bracket, height and depth-adjustable | 35.00 | 35.00 | 36 |
| 7153259 | Headrest cushion, flat, all sizes | 40.00 | 40.00 | 36 |
| FRAME | | | | |
| 7153260 | Anti-tipping wheels, non-detachable except with tools | N. C. | 4.00 | 60 |
| 7153261 | Front impact guard with rollers | 10.00 | 10.00 | 36 |

DRIVE SYSTEM

| | | | | |
|---------|---|----------|----------|----|
| 7153262 | Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display | N. C. | 185.00 | 36 |
| 7153263 | Standard joystick control for multi-purpose programmable electronics; joystick handle; toggle switches or push buttons for on/off functions, horn, function selection; battery charge display | 195.00 | 380.00 | 36 |
| 7153264 | Compact joystick control, proportional | 195.00 | 380.00 | 36 |
| 7153265 | Standard side bracket for joystick control; adjustable forward-rearward position | N. C. | 25.00 | 36 |
| 7153266 | Swivel side bracket for joystick control; with locking mechanism | N. C. | 95.00 | 36 |
| 7153267 | Midline bracket for joystick control; flip-back to provide total clearance for seat access | 70.00 | 95.00 | 36 |
| 7153268 | Controller for basic programmable electronics | N. C. | 350.00 | 36 |
| 7153269 | Controller for multi-purpose programmable electronics | 225.00 | 575.00 | 36 |
| 7153270 | Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller | N. C. | 450.00 | 36 |
| 7153271 | Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick and controller | N. C. | 450.00 | 36 |
| 7153272 | Battery charger; on board; compatible with group 22 NF or group 24 batteries | N. C. | 115.00 | 36 |
| 7153273 | Internal control system for the joystick control for one (1) power repositioning accessory | 185.00 | 185.00 | 36 |
| 7153274 | Internal control system for the joystick control for four (4) power repositioning accessories | 325.00 | 325.00 | 36 |
| 7153275 | Adapted head control, proportional, including mounting bracket | 1,000.00 | 1,000.00 | 36 |
| 7153276 | Adapted head control, non-proportional, including mounting bracket | 500.00 | 500.00 | 36 |
| 7153277 | Adapted breath control, non-proportional, including mounting bracket | 400.00 | 400.00 | 36 |
| 7153278 | Adapted chin control, proportional, including mounting bracket | 800.00 | 800.00 | 36 |
| 7153279 | Adapted chin control, non-proportional, including mounting bracket | 700.00 | 700.00 | 36 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|-------------------------|--|----------|----------|----|
| 7153280 | Adapted Mini joystick control, proportional, including mounting bracket | 2,500.00 | 2,500.00 | 36 |
| 7153281 | Mounting bracket for adapted control | 400.00 | 400.00 | 36 |
| 7153282 | Adapted control interface, with bracket and display | 750.00 | 750.00 | 36 |
| 7153283 | Mounting bracket for interface | 125.00 | 125.00 | 36 |
| 7153284 | Ball, stick, T-type, or mushroom handle | 15.00 | 15.00 | 36 |
| 7153285 | Course correction system | 1,000.00 | 1,000.00 | 36 |
| WHEELS AND TIRES | | | | |
| 7153286 | Drive wheel, inner tube tire | N. C. | 100.00 | 36 |
| 7153287 | Front caster wheel, inner tube | N. C. | 45.00 | 36 |
| 7153288 | Airless insert for drive wheel | 75.00 | 75.00 | 36 |
| 7153289 | Airless insert for caster wheel | 30.00 | 30.00 | 36 |

PRICE
(including all
the basic
components)

7153290 **POWERED WHEELCHAIR** **8,000.00**

SUBCATEGORY “OBESE (MID-FRONT OR
MEDIAL DRIVE WHEELS)”

SUNRISE MEDICAL CANADA INC.

“XCEL” MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 249.5 kg (550 lb.)

Seat-to-floor height: 41.3 cm to 51.4 cm (16¼ in. to 20¼ in.) without power tilt system
and 43.2 cm to 48.3 cm (17 in. to 19 in.) with power tilt system

Frame: mid-wheel drive base, overall width ≤ 73,3 cm (29 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

| BASIC AND OPTIONAL COMPONENTS | | Unit price of component during device purchase | Unit price for component replacement | Warranty (months) |
|-------------------------------|---|--|--------------------------------------|-------------------|
| BODY SUPPORT SYSTEM | | | | |
| 7153291 | Seat-to-back assembly structure; resizable; back canes angle adjustable from 90° to 110° by maximum increments of 6°; non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10 ; anchor for headrest bracket | N. C. | 550.00 | 36 |
| 7153292 | Rigid metal seat for cushion; two strips of “hook” Velcro, 2.5 cm (1 in.); widths of 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.), 63.5 cm (25 in.), 66 cm (26 in.), 68.6 cm (27 in.) or 71.1 cm (28 in.); depths of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 po.) | N. C. | 260.00 | 36 |
| 7153293 | Padded seat cushion, contoured; removable and washable outer cover, water-resistant or combined with an internal incontinence cover; two strips of “velour” Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base) | 490.00 | 490.00 | 36 |
| 7153294 | Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.) | N. C. | 180.00 | 12 |
| 7153295 | Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back | 310.00 | 490.00 | 12 |
| 7153296 | Padded back cushion, contoured, including a rigid, contoured back | 310.00 | 490.00 | 36 |
| 7153297 | Reclining back with cylinder; seat-to-back angle up to a minimum of 130° | 995.00 | 995.00 | 36 |
| 7153298 | Power reclining back system, including a control external to the joystick control | 2,500.00 | 2,500.00 | 36 |
| 7153299 | Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control | 3,500.00 | 3,500.00 | 36 |
| 7153300 | Pelvic positioning belt, auto buckle | N. C. | 45.00 | 36 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|---------|---|----------|----------|----|
| 7153301 | U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 225.00 | 60 |
| 7153302 | T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 225.00 | 60 |
| 7153303 | U-type armrest, long, flip-away, height-adjustable from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 225.00 | 60 |
| 7153304 | T-type armrest, long, detachable; adjustable in height from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 225.00 | 60 |
| 7153305 | Armrest pad, straight, short | N. C. | 20.00 | 12 |
| 7153306 | Armrest pad, straight, long | N. C. | 20.00 | 12 |
| 7153307 | One-piece footrest platform, 90° angle, adjustable length | N. C. | 225.00 | 60 |
| 7153308 | Parallel footrest, adjustable angle 60° or 70° , detachable and pivoting with locking mechanism; standard folding footplate; standard size; adjustable heel-loop; adjustable length of 31.8 cm to 39.4 cm (12½ in. to 15½ in.) or from 36.8 cm to 49.5 cm (14½ in. to 19½ in.) | N. C. | 225.00 | 60 |
| 7153309 | Elevating leg-rests, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rests, contoured and padded, height and depth-adjustable | 112.50 | 225.00 | 36 |
| 7153310 | Power elevating leg-rest, with control per pair, including a control external to the joystick control | 882.50 | 995.00 | 36 |
| 7153311 | Power elevating leg-rest, with control per unit, including a control external to the joystick control | 882.50 | 995.00 | 36 |
| 7153312 | Power leg-rest, one piece, including a control external to the joystick control | 1,770.00 | 1,995.00 | 36 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services

(authentic version)

| | | | | |
|---------------------|--|--------|--------|----|
| 7153313 | Padded calf-rest, contoured | 100.00 | 100.00 | 36 |
| 7153314 | Folding footplate, standard, standard size | N. C. | 100.00 | 36 |
| 7153315 | Folding footplate, standard, oversize | N. C. | 100.00 | 36 |
| 7153316 | Footplate, angle and depth-adjustable, standard size | N. C. | 100.00 | 36 |
| 7153317 | Footplate, angle and depth-adjustable, oversize | N. C. | 100.00 | 36 |
| 7153318 | Heel loop, adjustable | N. C. | 45.00 | 36 |
| 7153319 | Headrest bracket, height and depth-adjustable, or articulated uniball bracket | 75.00 | 75.00 | 36 |
| 7153320 | Headrest cushion, contoured, all sizes | 70.00 | 70.00 | 36 |
| FRAME | | | | |
| 7153321 | Front impact guard with rollers | 20.00 | 20.00 | 36 |
| DRIVE SYSTEM | | | | |
| 7153322 | Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display | N. C. | 329.00 | 36 |
| 7153323 | Standard joystick control for multi-purpose programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display | 200.00 | 529.00 | 36 |
| 7153324 | Compact joystick control, proportional | N. C. | 329.00 | 36 |
| 7153325 | Standard side bracket for joystick control; adjustable forward-rearward position | N. C. | 140.00 | 36 |
| 7153326 | Swivel side bracket for joystick control; with locking mechanism | N. C. | 230.00 | 36 |
| 7153327 | Midline bracket for joystick control; flip-back to provide total clearance for seat access | 60.00 | 200.00 | 36 |
| 7153328 | Controller for basic programmable electronics | N. C. | 659.00 | 36 |
| 7153329 | Controller for multi-purpose programmable electronics | 100.00 | 759.00 | 36 |
| 7153330 | Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller | N. C. | 900.00 | 36 |
| 7153331 | Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick and controller | N. C. | 900.00 | 36 |
| 7153332 | Battery charger; external; compatible with group 24 batteries | N. C. | 199.00 | 36 |
| 7153333 | Internal control system for the joystick control for one (1) power repositioning accessory | 350.00 | 350.00 | 36 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|-------------------------|---|----------|----------|----|
| 7153334 | Internal control system for the joystick control for four (4) power repositioning accessories | 500.00 | 500.00 | 36 |
| 7153335 | Adapted head control, proportional, including mounting bracket | 1,100.00 | 1,100.00 | 36 |
| 7153336 | Adapted head control, non-proportional, including mounting bracket | 2,200.00 | 2,200.00 | 36 |
| 7153337 | Adapted breath control, non-proportional, including mounting bracket | 1,200.00 | 1,200.00 | 36 |
| 7153338 | Adapted chin control, proportional, including mounting bracket | 600.00 | 600.00 | 36 |
| 7153339 | Adapted chin control, non-proportional, including mounting bracket | 600.00 | 600.00 | 36 |
| 7153340 | Adapted Mini joystick control, proportional, including mounting bracket | 1,510.00 | 1,510.00 | 36 |
| 7153341 | Adapted control interface, with bracket and display | 1,100.00 | 1,100.00 | 36 |
| 7153342 | Mounting bracket for interface | 350.00 | 350.00 | 36 |
| 7153343 | Mounting bracket for adapted control | 350.00 | 350.00 | 36 |
| 7153344 | Ball, stick, T-type, or mushroom handle | 52.00 | 52.00 | 36 |
| WHEELS AND TIRES | | | | |
| 7153345 | Driving wheel, inner tube tires | N. C. | 150.00 | 36 |
| 7153346 | Front caster wheel, semi-pneumatic or inner tube | N. C. | 80.00 | 36 |
| 7153347 | Rear caster wheel, semi-pneumatic or inner tube | N. C. | 80.00 | 36 |
| 7153348 | Airless insert for driving wheel | 45.00 | 45.00 | 36 |

DIVISION II: PEDIATRIC WHEELCHAIRS
SUBDIVISION 1: MANUAL WHEELCHAIRS

PRICE
(including all
the basic
components)

7151339 **MANUAL WHEELCHAIRS** **2,195.00**

SUBCATEGORY “MULTI-ADJUSTABLE
PERFORMANCE (FOLDING FRAME)”

MOTION COMPOSITES INC.

“HELIO K” MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Device weight: 14.5 kg (32 lb.)

Front seat-to-floor height: 34.3 cm to 54 cm (13½ in. to 21¼ in.)

Rear seat-to-floor height: 31.8 cm to 48.3 cm (12½ in. to 19 in.)

Frame: straight back canes or bend back canes, height and angle-adjustable; non-slip push handles; four tie-down points for adapted transport

| BASIC AND OPTIONAL COMPONENTS | | Unit price of component during device purchase | Unit price for component replacement | Warranty (months) |
|-------------------------------|--|--|--------------------------------------|-------------------|
| BODY SUPPORT SYSTEM | | | | |
| 7151340 | Flexible nylon mesh seat, with mesh-stretching system; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.) | N. C. | 36.00 | 12 |
| 7151341 | Flat foam seat cushion, 5.1 cm (2 in.); two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion | 63.00 | 63.00 | 36 |
| 7151342 | Flexible nylon mesh back, padded; heights of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.) | N. C. | 32.33 | 12 |
| 7151343 | Pelvic positioning belt, auto buckle | N. C. | 13.75 | 36 |
| 7151344 | Pelvic positioning belt, Velcro | N. C. | 47.50 | 36 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|---------|---|--------|--------|----|
| 7151345 | T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 118.00 | 60 |
| 7151346 | T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 120.33 | 60 |
| 7151347 | I-type armrest | 50.00 | 168.00 | 60 |
| 7151348 | L-type armrest; height-adjustable | N. C. | 118.00 | 60 |
| 7151349 | Armrest pad, straight, short | N. C. | 4.75 | 12 |
| 7151350 | Armrest pad, straight, long | N. C. | 5.58 | 12 |
| 7151351 | Armrest pad, tubular, for L-type armrest | 35.25 | 40.00 | 12 |
| 7151352 | Clothing guard, flexible, for L-type armrest | 77.00 | 77.00 | 36 |
| 7151353 | Clothing guard, rigid, for L-type armrest | 77.00 | 77.00 | 36 |
| 7151354 | 70° footrest, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 12.7 cm to 53.3 cm (5 in. to 21 in.) | N. C. | 48.00 | 60 |
| 7151355 | 90° footrest, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 12.7 cm to 39.4 cm (5 in. to 15½ in.) | N. C. | 48.00 | 60 |
| 7151356 | Elevating leg-rest; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment points as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable | 153.38 | 201.38 | 36 |
| 7151357 | Padded calf-rest | 48.75 | 48.75 | 36 |
| 7151358 | Calf-rest strap, single or double | 20.00 | 20.00 | 36 |
| 7151359 | Folding footplate, standard, standard size; plastic | N. C. | 7.75 | 36 |
| 7151360 | Folding footplate, standard, oversize | 10.00 | 17.75 | 36 |
| 7151361 | Footplate, angle and depth-adjustable, standard size | 90.00 | 97.75 | 36 |
| 7151362 | Footplate, angle and depth-adjustable, oversize | 90.00 | 97.75 | 36 |
| 7151363 | Full-width footplate, one piece, folding; angle-adjustable | 120.00 | 135.50 | 36 |
| 7151364 | Heel loop, adjustable | N. C. | 4.50 | 36 |

| | | | | |
|-------------------------|--|--------|--------|----|
| 7151365 | Headrest cushion, contoured, all sizes | 85.00 | 85.00 | 36 |
| 7151366 | Headrest bracket, height and depth-adjustable, or articulated uniball bracket | 90.00 | 90.00 | 36 |
| FRAME | | | | |
| 7151367 | Push handle, raised, detachable | N. C. | 100.00 | 36 |
| 7151368 | Anti-tipping wheels, detachable or pivoting, with locking mechanism | N. C. | 21.00 | 60 |
| 7151369 | Fold-away back spreader bar to fold chair; with anchor for headrest bracket | 70.00 | 70.00 | 36 |
| 7151370 | Wheelchair growth kit to enlarge chair by 5.1 cm (2 in.) | N. A. | 250.00 | 36 |
| 7151371 | Cane holder | 30.00 | 30.00 | 36 |
| DRIVE SYSTEM | | | | |
| 7151372 | Handrim, smooth | N. C. | 14.50 | 36 |
| 7151373 | Handrim, plastic-coated | N. C. | 32.00 | 36 |
| 7151374 | Non-slip handrim, foam | 110.00 | 124.50 | 36 |
| 7151375 | Standard wheel lock, push-to-lock, or pull-to-lock | N. C. | 14.00 | 36 |
| 7151376 | Anti-rollback brake | 106.00 | 120.00 | 36 |
| 7151377 | Plug-in wheel lock extension | 10.00 | 10.00 | 36 |
| 7151378 | Caster fork to adjust height and angle perpendicular to the ground to compensate for changes in the rear seat-to-floor height | N. C. | 9.63 | 36 |
| WHEELS AND TIRES | | | | |
| 7151379 | Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); 2.5 cm (1 in.) wide | N. C. | 24.91 | 36 |
| 7151380 | Front mag wheel, semi-pneumatic tire, 12.7 cm (5 in.), 15.2 cm (6 in.) or 17.8 cm (7 in.); 2.5 cm (1 in.) wide | N. C. | 8.65 | 36 |
| 7151381 | Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity by increments of 0.63 cm (¼ in.) on a horizontal range of 8.9 cm (3½ in.); adjustable rear height for up to 5° of seat tilt, compatible with all wheel diameters | N. C. | 9.63 | 36 |
| 7151382 | Threaded rear axle | N. C. | 4.75 | 36 |
| 7151383 | Spoked rear wheel, semi-pneumatic tire, 61 cm (24 in.); 3.2 cm (1¼ in.) wide | N. C. | 52.88 | 36 |
| 7151384 | Spoked rear wheel, semi-pneumatic tire, 55.9 cm (22 in.); 3.2 cm (1¼ in.) wide | N. C. | 52.88 | 36 |
| 7151385 | Spoked rear wheel with inner tube tire, high pressure; 55.9 cm (22 in.) or 61 cm (24 in.) | 60.00 | 112.88 | 36 |
| 7151386 | Spoke guard | 65.00 | 65.00 | 36 |

SUBDIVISION 2: POWERED WHEELCHAIRS

PRICE
(including all
the basic
components)

7153351 **POWERED WHEELCHAIR**

4, 875.00

SUBCATEGORY “MULTI-PURPOSE (MID-FRONT OR MEDIAL DRIVE WHEELS)”

SUNRISE MEDICAL CANADA INC.

“323 E” MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 181.4 kg (400 lb.)

Seat-to-floor height: 39.4 cm to 51.4 cm (15½ in. to 20¼ in.) without power tilt system and 39.4 cm to 47.6 cm (15½ in. to 18¾ in.) with power tilt system

Frame: mid-wheel drive base, suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

| BASIC AND OPTIONAL COMPONENTS | Unit price of component during device purchase | Unit price for component replacement | Warranty (months) |
|--|--|--------------------------------------|-------------------|
| BODY SUPPORT SYSTEM | | | |
| 7153352 Seat-to-back assembly structure; resizable; back canes angle-adjustable from 90° to 110° by maximum increments of 6°; non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle-adjustable from 0° to 10°; anchor for headrest bracket | N. C. | 550.00 | 36 |
| 7153353 Rigid metal seat for cushion; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.) or 38.1 cm (15 in.) | N. C. | 75.00 | 36 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|---------|---|----------|----------|----|
| 7153354 | Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of “velour” Velcro 5.1 cm (2 in.) wide, under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base) | 225.00 | 225.00 | 36 |
| 7153355 | Flexible nylon mesh back, padded; heights of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.) | N. C. | 160.00 | 12 |
| 7153356 | Padded back cushion, contoured, including a rigid, contoured back | 90.00 | 250.00 | 36 |
| 7153357 | Reclining back with cylinder; seat-to-back angle up to a minimum of 130° | 350.00 | 350.00 | 36 |
| 7153358 | Power reclining back system, including a control external to the joystick control | 1,590.00 | 1,590.00 | 36 |
| 7153359 | Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control | 1,650.00 | 1,650.00 | 36 |
| 7153420 | Pelvic positioning belt, auto buckle | N. C. | 30.00 | 36 |
| 7153421 | U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 175.00 | 60 |
| 7153422 | T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 175.00 | 60 |
| 7153423 | U-type armrest, long; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 175.00 | 60 |
| 7153424 | T-type armrest, long, detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest, armrest pad, straight | N. C. | 175.00 | 60 |
| 7153425 | Armrest pad, straight, short | N. C. | 20.00 | 12 |
| 7153426 | Armrest pad, straight, long | N. C. | 20.00 | 12 |
| 7153427 | One-piece footrest platform, 90°, adjustable length | N. C. | 225.00 | 60 |

| | | | | |
|---------------------|---|----------|----------|----|
| 7153428 | Footrest; adjustable angle 60°, 70°, 80° or 90°, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 14 cm to 19.1 cm (5½ in. to 7½ in.), from 21.6 cm to 39.4 cm (8½ in. to 15½ in.) or from 26.7 cm to 39.4 cm (10½ in. to 15½ in.) | N. C. | 225.00 | 60 |
| 7153429 | Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, contoured | 112.50 | 225.00 | 36 |
| 7153430 | Power elevating leg-rest, with control per pair, including a control external to the joystick control | 637.50 | 750.00 | 36 |
| 7153431 | Power elevating leg-rest, with control per unit, including a control external to the joystick control | 637.50 | 750.00 | 36 |
| 7153432 | Power leg-rest, one-piece, including a control external to the joystick control | 1,275.00 | 1,500.00 | 36 |
| 7153433 | Padded calf-rest, contoured | 35.00 | 35.00 | 36 |
| 7153434 | Folding footplate, standard, standard size | N. C. | 80.00 | 36 |
| 7153435 | Folding footplate, standard, oversize | N. C. | 80.00 | 36 |
| 7153436 | Footplate, angle and depth-adjustable, standard size | N. C. | 80.00 | 36 |
| 7153437 | Footplate, angle and depth-adjustable, oversize | N. C. | 80.00 | 36 |
| 7153438 | Heel loop, adjustable | N. C. | 30.00 | 36 |
| 7153439 | Headrest bracket, height and depth-adjustable, or articulated uniball bracket | 75.00 | 75.00 | 36 |
| 7153440 | Headrest cushion, contoured, all sizes | 70.00 | 70.00 | 36 |
| FRAME | | | | |
| 7153441 | Front impact guard with rollers | 20.00 | 20.00 | 36 |
| DRIVE SYSTEM | | | | |
| 7153442 | Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display | N. C. | 329.00 | 36 |
| 7153443 | Standard joystick control for multi-purpose programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display | 200.00 | 529.00 | 36 |
| 7153444 | Compact joystick control, proportional | N. C. | 329.00 | 36 |
| 7153445 | Standard side bracket for joystick control; adjustable forward-rearward position | N. C. | 140.00 | 36 |
| 7153446 | Swivel side bracket for joystick control; with locking mechanism | N. C. | 230.00 | 36 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|-------------------------|---|----------|----------|----|
| 7153447 | Midline bracket for joystick control; flip-back to provide total clearance for seat access | 60.00 | 200.00 | 36 |
| 7153448 | Controller for basic programmable electronics | N. C. | 659.00 | 36 |
| 7153449 | Controller for multi-purpose programmable electronics | 100.00 | 759.00 | 36 |
| 7153450 | Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller | N. C. | 600.00 | 36 |
| 7153451 | Motor for multi-functional programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller | N. C. | 600.00 | 36 |
| 7153452 | Battery charger; external; compatible with group 22 NF or group 24 batteries | N. C. | 199.00 | 36 |
| 7153453 | Internal control system for the joystick control for one (1) power repositioning accessory | 350.00 | 350.00 | 36 |
| 7153454 | Internal control system for the joystick control for four (4) power repositioning accessories | 500.00 | 500.00 | 36 |
| 7153455 | Adapted head control, proportional, including mounting bracket | 1,100.00 | 1,100.00 | 36 |
| 7153456 | Adapted head control, non-proportional, including mounting bracket | 2,200.00 | 2,200.00 | 36 |
| 7153457 | Adapted breath control, non-proportional, including mounting bracket | 1,200.00 | 1,200.00 | 36 |
| 7153458 | Adapted chin control, proportional, including mounting bracket | 600.00 | 600.00 | 36 |
| 7153459 | Adapted chin control, non-proportional, including mounting bracket | 600.00 | 600.00 | 36 |
| 7153460 | Adapted Mini joystick control, proportional, including mounting bracket | 1,510.00 | 1,510.00 | 36 |
| 7153461 | Mounting bracket for adapted control | 350.00 | 350.00 | 36 |
| 7153462 | Adapted control interface, with bracket and display | 1,100.00 | 1,100.00 | 36 |
| 7153463 | Mounting bracket for interface | 350.00 | 350.00 | 36 |
| 7153464 | Ball, stick, T-type, or mushroom handle | 52.00 | 52.00 | 36 |
| 7153465 | Course correction system | 895.00 | 895.00 | 36 |
| WHEELS AND TIRES | | | | |
| 7153466 | Drive wheel, inner tube tire | N. C. | 150.00 | 36 |
| 7153467 | Front caster wheel, semi-pneumatic or inner tube | N. C. | 80.00 | 36 |
| 7153468 | Rear caster wheel, semi-pneumatic | N. C. | 80.00 | 36 |
| 7153469 | Airless insert for drive wheel | 45.00 | 45.00 | 36 |

PRICE
(including all
the basic
components)

7153360 **POWERED WHEELCHAIR**

4,875.00

SUBCATEGORY “MULTI-PURPOSE (MID-REAR DRIVE WHEELS)”

SUNRISE MEDICAL CANADA INC.

“747 E” MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 181.4 kg (400 lb.)

Seat-to-floor height: 38.7 cm to 51.4 cm (15¼ in. to 20 in.) without power tilt system and 40 cm to 48.3 cm (15¾ in. to 19 in.) with power tilt system

Frame: mid-wheel drive base, suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

| BASIC AND OPTIONAL COMPONENTS | | Unit price of component during device purchase | Unit price for component replacement | Warranty (months) |
|-------------------------------|---|--|--------------------------------------|-------------------|
| BODY SUPPORT SYSTEM | | | | |
| 7153361 | Seat-to-back assembly structure; resizable; back canes angle-adjustable from 90° to 110° by maximum increments of 6°; push handles, covered with “non-slip” sheath; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle-adjustable from 0° to 10°; anchor for headrest bracket | N. C. | 550.00 | 36 |
| 7153362 | Rigid metal seat for cushion; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider to stabilize cushions; widths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.) or 38.1 cm (15 in.) | N. C. | 75.00 | 36 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|---------|--|----------|----------|----|
| 7153363 | Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base | 225.00 | 225.00 | 36 |
| 7153364 | Flexible nylon mesh back, padded; heights of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.) | N. C. | 160.00 | 12 |
| 7153365 | Padded back cushion, contoured, including a rigid, contoured back | 90.00 | 250.00 | 36 |
| 7153366 | Reclining back with cylinder; seat-to-back angle up to a minimum of 130° | 350.00 | 350.00 | 36 |
| 7153367 | Power reclining back device, including a control external to the joystick control | 1,590.00 | 1,590.00 | 36 |
| 7153368 | Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control | 1,650.00 | 1,650.00 | 36 |
| 7153369 | Pelvic positioning belt, auto buckle | N. C. | 30.00 | 36 |
| 7153370 | U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 175.00 | 60 |
| 7153371 | T-type armrest, short, detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism, clothing guard, rigid, built into armrest, armrest pad, straight | N. C. | 175.00 | 60 |
| 7153372 | U-type armrest, long; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 175.00 | 60 |
| 7153373 | T-type armrest, long, detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) maximum increments of 2.5 cm (1 in.), with locking mechanism, clothing guard, rigid, built into armrest, armrest pad, straight | N. C. | 175.00 | 60 |
| 7153374 | Armrest pad, straight, short | N. C. | 20.00 | 12 |
| 7153375 | Armrest pad, straight, long | N. C. | 20.00 | 12 |

| | | | | |
|---------------------|---|--------|--------|----|
| 7153376 | Footrest, adjustable to 80° or 90°, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 14 cm to 19.1 cm (5½ in. to 7½ in.), 21.6 cm to 39.4 cm (8½ in. to 15½ in.) or from 26.7 cm to 39.4 cm (10½ in. to 15½ in.) | N. C. | 225.00 | 60 |
| 7153377 | Footrest, adjustable to 60° or 70°, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 14 cm to 19.1 cm (5½ in. to 7½ in.), 21.6 cm to 39.4 cm (8½ in. to 15½ in.) or from 26.7 cm to 39.4 cm (10½ in. to 15½ in.) | N. C. | 225.00 | 60 |
| 7153378 | Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, contoured | N. C. | 225.00 | 36 |
| 7153379 | Power elevating leg-rest, with control per pair, including a control external to the joystick control | 637.50 | 862.50 | 36 |
| 7153380 | Power elevating leg-rest, with control per unit, including a control external to the joystick control | 637.50 | 862.50 | 36 |
| 7153381 | Padded calf-rest, contoured | 35.00 | 35.00 | 36 |
| 7153382 | Folding footplate, standard, standard size | N. C. | 80.00 | 36 |
| 7153383 | Folding footplate, standard, oversize | N. C. | 80.00 | 36 |
| 7153384 | Footplate, angle and depth-adjustable, standard size | N. C. | 80.00 | 36 |
| 7153385 | Footplate, angle and depth-adjustable, oversize | N. C. | 80.00 | 36 |
| 7153386 | Folding footplate, full-size, one-piece; fixed angle | N. C. | 160.00 | 36 |
| 7153387 | Heel loop, adjustable | N. C. | 30.00 | 36 |
| 7153388 | Headrest bracket, height and depth-adjustable, or articulated uniball bracket | 75.00 | 75.00 | 36 |
| 7153389 | Headrest cushion, contoured, all sizes | 70.00 | 70.00 | 36 |
| FRAME | | | | |
| 7153390 | Anti-tipping wheels, non-detachable except with tools | N. C. | 80.00 | 60 |
| 7153391 | Front impact guard with rollers | 20.00 | 20.00 | 36 |
| DRIVE SYSTEM | | | | |
| 7153392 | Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display | N. C. | 329.00 | 36 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|---------|--|----------|----------|----|
| 7153393 | Standard joystick control for multi-purpose programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display | 200.00 | 529.00 | 36 |
| 7153394 | Compact joystick control, proportional | N. C. | 329.00 | 36 |
| 7153395 | Standard side bracket for joystick control; adjustable forward-rearward position | N. C. | 140.00 | 36 |
| 7153396 | Swivel side bracket for joystick control; with locking mechanism | N. C. | 230.00 | 36 |
| 7153397 | Midline bracket for joystick control; flip-back to provide total clearance for seat access | 60.00 | 200.00 | 36 |
| 7153398 | Controller for basic programmable electronics | N. C. | 659.00 | 36 |
| 7153399 | Controller for multi-purpose programmable electronics | 100.00 | 759.00 | 36 |
| 7153400 | Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller | N. C. | 600.00 | 36 |
| 7153401 | Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller | N. C. | 600.00 | 36 |
| 7153402 | Battery charger; external; compatible with group 22 NF or group 24 batteries | N. C. | 199.00 | 36 |
| 7153403 | Internal control system for the joystick control for one (1) power repositioning accessory | 350.00 | 350.00 | 36 |
| 7153404 | Internal control system for the joystick control for four (4) power repositioning accessories | 500.00 | 500.00 | 36 |
| 7153405 | Adapted head control, proportional, including mounting bracket | 1,100.00 | 1,100.00 | 36 |
| 7153406 | Adapted head control, non-proportional, including mounting bracket | 2,200.00 | 2,200.00 | 36 |
| 7153407 | Adapted breath control, non-proportional, including mounting bracket | 1,200.00 | 1,200.00 | 36 |
| 7153408 | Adapted chin control, proportional, including mounting bracket | 600.00 | 600.00 | 36 |
| 7153409 | Adapted chin control, non-proportional, including mounting bracket | 600.00 | 600.00 | 36 |
| 7153410 | Adapted Mini joystick control, proportional, including mounting bracket | 1,510.00 | 1,510.00 | 36 |
| 7153411 | Mounting bracket for adapted control | 350.00 | 350.00 | 36 |
| 7153412 | Adapted control interface, with bracket and display | 1,100.00 | 1,100.00 | 36 |
| 7153413 | Mounting bracket for interface | 350.00 | 350.00 | 36 |
| 7153414 | Ball, stick, T-type, or mushroom handle | 52.00 | 52.00 | 36 |
| 7153415 | Course correction system | 895.00 | 895.00 | 36 |

WHEELS AND TIRES

| | | | | |
|---------|-------------------------------------|-------|--------|----|
| 7153416 | Drive wheel, inner tube tire | N. C. | 150.00 | 36 |
| 7153417 | Front caster wheel, inner tube tire | N. C. | 80.00 | 36 |
| 7153418 | Airless insert for drive wheel | 40.00 | 40.00 | 36 |
| 7153419 | Airless insert for caster wheel | 45.00 | 45.00 | 36 |

DIVISION III: COMPLEMENTS FOR WHEELCHAIRS
SUBDIVISION 1: FACULTATIVE COMPONENTS

| FACULTATIVE COMPONENTS | | Maximum unit price of component during device purchase | Maximum unit price for component replacement | Warranty (months) |
|----------------------------|---|--|--|-------------------|
| BODY SUPPORT SYSTEM | | | | |
| 7800014 | Elastic mesh seat | 385.00 | 385.00 | 36 |
| 7800000 | Dynamic back for manual wheelchair and positioning base | 135.00 | 135.00 | 36 |
| 7800001 | I-type armrest for reclining back | 100.00 | 250.00 | 36 |
| 7800002 | Armrest pad, contoured, short or long | 24.00 | 30.00 | 12 |
| 7800003 | Armrest pad, gel, short or long | 32.00 | 38.00 | 12 |
| 7800004 | Dynamic footrest for positioning base | 45.00 | 160.00 | 36 |
| 7800005 | Stump support, adjustable | 260.00 | 260.00 | 36 |
| FRAME | | | | |
| 7800015 | Angle adjustable push handle | 53.00 | 53.00 | 36 |
| 7800016 | Angle adjustable push bar | 75.00 | 75.00 | 36 |
| 7800017 | Front locking tilt for positioning base | 30.00 | 30.00 | 36 |
| 7800018 | Growth kit to enhance depth by 7.6 cm (3 in.) for pediatric manual wheelchair | 250.00 | 250.00 | 36 |
| DRIVE SYSTEM | | | | |
| 7800006 | One-arm dual handrim drive for manual wheelchair | 850.00 | 850.00 | 36 |
| 7800007 | One-arm manual wheel locks | 165.00 | 205.00 | 36 |
| 7800008 | Handrim with thumb grip | 110.00 | 125.00 | 36 |
| 7800009 | Handrim with rubber traction band | 110.00 | 125.00 | 36 |
| 7800010 | Handrim, plastic-coated, ultra-light | N. C. | 32.00 | 36 |
| 7800011 | Fork-locking mechanism | 105.00 | 105.00 | 36 |
| 7800012 | Propulsion assistance module | | | 36 |
| 7800013 | Mid-wheel manual propulsion for positioning base | 225.00 | 700.00 | 36 |

**SUBDIVISION 2: BATTERIES FOR POWERED WHEELCHAIRS
BATTERIES (GEL)**

Price including delivery,
guarantee, and recovery of non-
compliant or defective batteries
(price per pair)

| | |
|---|--------|
| 4590000 SUPPLIER: EAST PENN / POWER BATTERY | 257.14 |
| GROUP 22NF BATTERIES | |
| Model: 8G22NF | |
| 4590001 SUPPLIER: EAST PENN / POWER BATTERY | 333.64 |
| GROUP 24 BATTERIES | |
| Model: 8G24T881 | |
| 4590002 SUPPLIER: EAST PENN / POWER BATTERY | 166.00 |
| GROUP U1 BATTERIES | |
| Model: 8GU1 | |

DIVISION IV: OTHER LOCOMOTOR ASSISTS
SUBDIVISION 1: ADULT POSITIONING BASES

PRICE
(including all
the basic
components)

7156052 **ADULT POSITIONING BASES** **1,798.00**
SUBCATEGORY “MULTI-ADJUSTABLE TILT”

SUNRISE MEDICAL CANADA INC.

“QUICKIE IRIS” MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 136.1 kg (300 lb.)

Seat-to-floor height: 31.7 cm to 49.5 cm (12½ in. to 19½ in.)

Frame: structure compatible with commercial positioning device anchors; back height from 38.1 cm to 61 cm (15 in. to 24 in.) by maximum increments of 5,1 cm (2 in.); back cane angle-adjustable from 90° to 120° by maximum increments of 8°; non-slip push handles or push bar, raised; anchor for headrest bracket; tilt system for minimum angulation of 45°; four tie-down points for adapted transport

| BASIC AND OPTIONAL COMPONENTS | | Unit price of component during device purchase | Unit price for component replacement | Warranty (months) |
|-------------------------------|---|--|--------------------------------------|-------------------|
| BODY SUPPORT SYSTEM | | | | |
| 7156053 | Flat rigid seat; metal; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.) | N. C. | 158.00 | 36 |
| 7156054 | Reclining back with cylinder; continuous inclination up to a minimum of 120° | 420.00 | 420.00 | 36 |
| 7156055 | Pelvic positioning belt, auto buckle | N. C. | 35.00 | 36 |
| 7156056 | Pelvic positioning belt, Velcro | N. C. | 29.00 | 36 |
| 7156057 | U-type armrest, short; detachable; height-adjustable, from 25.4 cm to 36.8 cm (10 in. to 14½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 120.00 | 60 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|---------|---|-------|--------|----|
| 7156058 | T-type armrest, short; detachable; height-adjustable, from 18.4 cm to 28.6 cm (7¼ in. to 11¼ in.) or from 27.3 cm to 40 cm (10¾ in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 120.00 | 60 |
| 7156059 | U-type armrest, long; detachable; height-adjustable, from 25.4 cm to 36.8 cm (10 in. to 14½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 120.00 | 60 |
| 7156060 | T-type armrest, long; detachable; height-adjustable, from 18.4 cm to 28.6 cm (7¼ in. to 11¼ in.) or from 27.3 cm to 40 cm (10¾ in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 120.00 | 60 |
| 7156061 | Armrest pad, straight, short | N. C. | 9.00 | 12 |
| 7156062 | Armrest pad, straight, long | N. C. | 9.00 | 12 |
| 7156063 | Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 29.2 cm to 45.7 cm (11½ in. to 18 in.) or from 35.6 cm to 50.8 cm (14 in. to 20 in.) | N. C. | 116.00 | 60 |
| 7156064 | Parallel footrest, 70° or 90° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 29.2 cm to 48.3 cm (11½ in. to 19 in.) for the 70° footrest and adjustable length from 17.8 cm to 35.6 cm (7 in. to 14 in.) for the 90° footrest | N. C. | 116.00 | 60 |
| 7156065 | Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, height and depth-adjustable | 19.00 | 135.00 | 36 |
| 7156066 | Padded calf-rest, contoured | 20.00 | 20.00 | 36 |
| 7156067 | Calf-rest strap, single | 19.00 | 19.00 | 36 |
| 7156068 | Footplate, angle and depth-adjustable, standard size | N. C. | 40.00 | 36 |
| 7156069 | Footplate, angle and depth-adjustable, oversize | N. C. | 40.00 | 36 |
| 7156070 | Folding footplate, standard, standard size | | 9.00 | 36 |
| 7156071 | Folding footplate, standard, oversize | N. C. | 9.00 | 36 |
| 7156072 | Full-width footplate, one piece, folding; angle-adjustable | 28.00 | 108.00 | 36 |
| 7156073 | Heel loop, adjustable | N. C. | 11.00 | 36 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|-------------------------|--|--------|--------|----|
| 7156074 | Headrest bracket, height and depth-adjustable, or articulated uniball bracket | 75.00 | 75.00 | 36 |
| 7156075 | Headrest cushion, padded and contoured, all sizes | 70.00 | 70.00 | 36 |
| FRAME | | | | |
| 7156076 | Anti-tipping wheels, detachable or pivoting, with locking mechanism | N. C. | 28.00 | 60 |
| 7156077 | Heavy-duty option to increase maximum weight capacity to 181.4 kg (400 lb.) | 320.00 | N. A. | 36 |
| DRIVE SYSTEM | | | | |
| 7156078 | Handrim, smooth | N. C. | 40.00 | 36 |
| 7156079 | Handrim, plastic-coated | N. C. | 40.00 | 36 |
| 7156080 | Non-slip handrim, foam | 85.00 | 125.00 | 36 |
| 7156081 | Handrim with vertical or oblique projections | 45.00 | 85.00 | 36 |
| 7156082 | Standard wheel lock, push-to-lock | N. C. | 32.00 | 36 |
| 7156083 | Plug-in wheel lock extension | 7.00 | 7.00 | 36 |
| 7156084 | Caster fork, height-adjustable, compatible with all available wheel diameters | N. C. | 32.00 | 36 |
| WHEELS AND TIRES | | | | |
| 7156085 | Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.) | N. C. | 15.00 | 36 |
| 7156086 | Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.) | N. C. | 15.00 | 36 |
| 7156087 | Rear axle, quick release system, with push-button locking mechanism | N. C. | 33.00 | 36 |
| 7156088 | Threaded rear axle | N. C. | 5.00 | 36 |
| 7156089 | Rear mag wheel, semi-pneumatic tire, 30.5 cm (12 in.) or 40.6 cm (16 in.) | N. C. | 80.00 | 36 |
| 7156090 | Spoked rear wheel, semi-pneumatic tire, 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3.5 cm (1¾ in.) wide | N. C. | 80.00 | 36 |
| 7156091 | Spoke guard | 20.00 | 20.00 | 36 |

PRICE
(including all
the basic
components)

7156092 **ADULT POSITIONING BASES**

1,055.00

SUBCATEGORY “MULTI-ADJUSTABLE WITH
BALANCED CENTRE OF GRAVITY”

ORTHOFAB INC.

“TANGO CE” MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Seat-to-floor height: 35.6 cm to 50.8 cm (14 in. to 20 in.)

Frame: structure compatible with commercial positioning device anchors; back height from 40.6 cm to 61 cm (16 in. to 24 in.) by maximum increments of 2.51 cm (1 in.); back cane angle-adjustable from 90° to 120° by maximum increments of 8°; non-slip push handles or push bar, raised; anchor for headrest bracket; tilt system for minimum angulation of 45°; four tie-down points for adapted transport

| BASIC AND OPTIONAL COMPONENTS | | Unit price of component during device purchase | Unit price for component replacement | Warranty (months) |
|-------------------------------|--|--|--------------------------------------|-------------------|
| BODY SUPPORT SYSTEM | | | | |
| 7156093 | Flat rigid seat; metal; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm to 48.3 cm (16 in. to 19 in.) or from 48.3 cm to 55.8 cm (19 in. to 22 in.) | N. C. | 40.00 | 36 |
| 7156094 | Reclining back with cylinder; continuous inclination up to a minimum of 120° | 270.00 | 270.00 | 36 |
| 7156095 | Pelvic positioning belt, auto buckle | N. C. | 6.00 | 36 |
| 7156096 | Pelvic positioning belt, Velcro | N. C. | 15.00 | 36 |
| 7156098 | T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 150.00 | 60 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|--------------|---|--------|--------|----|
| 7156100 | T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 150.00 | 60 |
| 7156101 | Armrest pad, straight, short | N. C. | 6.00 | 12 |
| 7156102 | Armrest pad, straight, long | N. C. | 6.00 | 12 |
| 7156103 | Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 48.3 cm to 53.3 cm (19 in. to 21 in.) | N. C. | 172.00 | 60 |
| 7156104 | Parallel footrest, 70° or 90° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or additionally for 70° footrest, from 48.3 cm to 53.3 cm (19 in. to 21 in.) | N. C. | 172.00 | 60 |
| 7156105 | Elevating leg-rest, compensating; detachable and pivoting, with locking mechanism; adjustable length; standard folding footplate, standard size or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; Padded calf-rest, height and depth-adjustable | 28.00 | 200.00 | 36 |
| 7156106 | Padded calf-rest, flat | 15.00 | 15.00 | 36 |
| 7156107 | Calf-rest strap, double | 15.00 | 15.00 | 36 |
| 7156108 | Footplate, angle and depth-adjustable, standard size | N. C. | 50.00 | 36 |
| 7156109 | Footplate, angle and depth-adjustable, oversize | N. C. | 55.00 | 36 |
| 7156110 | Folding footplate, standard, standard size | N. C. | 6.00 | 36 |
| 7156111 | Folding footplate, standard, oversize | N. C. | 35.00 | 36 |
| 7156112 | Full-width footplate, in two lockable parts, angle-adjustable | N. C. | 100.00 | 36 |
| 7156113 | Heel loop, adjustable | N. C. | 3.00 | 36 |
| 7156114 | Headrest bracket, height and depth-adjustable | 35.00 | 35.00 | 36 |
| 7156115 | Headrest cushion, padded and flat, all sizes | 40.00 | 40.00 | 36 |
| FRAME | | | | |
| 7156116 | Anti-tipping wheels, detachable or pivoting, with locking mechanism | N. C. | 12.00 | 60 |
| 7156117 | Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.) | 119.00 | N. A. | 36 |

| DRIVE SYSTEM | | | | |
|-------------------------|--|-------|--------|----|
| 7156118 | Handrim, smooth | N. C. | 80.00 | 36 |
| 7156119 | Handrim, plastic-coated | N. C. | 80.00 | 36 |
| 7156120 | Non-slip handrim, foam | 40.00 | 120.00 | 36 |
| 7156121 | Handrim with oblique projections | N. C. | 80.00 | 36 |
| 7156122 | Standard wheel lock, push-to-lock | N. C. | 30.00 | 36 |
| 7156123 | Plug-in wheel lock extension | 10.00 | 10.00 | 36 |
| 7156124 | Caster fork, height-adjustable, compatible with all available wheel diameters | N. C. | 15.00 | 36 |
| WHEELS AND TIRES | | | | |
| 7156125 | Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); widths of 3.2 cm (1¼ in.) or 3.8 cm (1½ in.) | N. C. | 40.00 | 36 |
| 7156126 | Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); 3.8 cm (1½ in.) wide | N. C. | 40.00 | 36 |
| 7156127 | Rear axle, quick release system, with push-button locking mechanism | N. C. | 15.00 | 36 |
| 7156128 | Threaded rear axle | N. C. | 2.00 | 36 |
| 7156129 | Rear mag wheel, semi-pneumatic tire, 30.5 cm (12 in.) | N. C. | 100.00 | 36 |
| 7156130 | Spoked rear wheel, semi-pneumatic tire, 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3.2 cm (1¼ in.) wide | N. C. | 100.00 | 36 |
| 7156131 | Spoke guard | 70.00 | 70.00 | 36 |

PRICE
(including all
the basic
components)

7156132 **ADULT POSITIONING BASES**

1,055.00

SUBCATEGORY “MULTI-ADJUSTABLE
CYLINDER”

ORTHO FAB INC.

“TANGO AC” MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Seat-to-floor height: 35.6 cm to 50.8 cm (14 in. to 20 in.)

Frame: structure compatible with commercial positioning device anchors; back height from 40.6 cm to 61 cm (16 in. to 24 in.) by maximum increments of 2.5 cm (1 in.); back cane angle-adjustable from 90° to 120° by maximum increments of 8°; non-slip push handles or push bar, raised; anchor for headrest bracket; tilt system for minimum angulation of 45°; four tie-down points for adapted transport

| BASIC AND OPTIONAL COMPONENTS | Unit price of component during device purchase | Unit price for component replacement | Warranty (months) |
|--|--|--------------------------------------|-------------------|
| BODY SUPPORT SYSTEM | | | |
| 7156133 Flat rigid seat; metal; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm to 48.3 cm (16 in. to 19 in.) or from 48.3 cm to 55.8 cm (19 in. to 22 in.) | N. C. | 40.00 | 36 |
| 7156134 Reclining back with cylinder; continuous inclination up to a minimum of 120° | 270.00 | 270.00 | 36 |
| 7156135 Pelvic positioning belt, auto buckle | N. C. | 6.00 | 36 |
| 7156136 Pelvic positioning belt, Velcro | N. C. | 15.00 | 36 |
| 7156137 U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 150.00 | 60 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|--------------|--|--------|--------|----|
| 7156139 | U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 150.00 | 60 |
| 7156141 | Armrest pad, straight, short | N. C. | 6.00 | 12 |
| 7156142 | Armrest pad, straight, long | N. C. | 6.00 | 12 |
| 7156143 | Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 48.3 cm to 53.3 cm (19 in. to 21 in.) | N. C. | 172.00 | 60 |
| 7156144 | Parallel footrest, 70° or 90° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) and additionally for the 70° footrest, from 48.3 cm to 53.3 cm (19 in. to 21 in.) | N. C. | 172.00 | 60 |
| 7156145 | Elevating leg-rest, compensating; detachable and pivoting, with locking mechanism; adjustable length; standard folding footplate, standard size or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, height and depth-adjustable | 28.00 | 200.00 | 36 |
| 7156146 | Padded calf-rest, flat | 15.00 | 15.00 | 36 |
| 7156147 | Calf-rest strap, double | 15.00 | 15.00 | 36 |
| 7156148 | Footplate, angle and depth-adjustable, standard size | N. C. | 50.00 | 36 |
| 7156149 | Footplate, angle and depth-adjustable, oversize | N. C. | 55.00 | 36 |
| 7156150 | Folding footplate, standard, standard size | | 6.00 | 36 |
| 7156151 | Folding footplate, standard, oversize | N. C. | 35.00 | 36 |
| 7156152 | Full-width footplate, in two lockable parts; angle-adjustable | N. C. | 100.00 | 36 |
| 7156153 | Heel loop, adjustable | N. C. | 3.00 | 36 |
| 7156154 | Headrest bracket, height and depth-adjustable | 35.00 | 35.00 | 36 |
| 7156155 | Headrest cushion, padded and flat, all sizes | 40.00 | 40.00 | 36 |
| FRAME | | | | |
| 7156156 | Anti-tipping wheels, detachable or pivoting, with locking mechanism | N. C. | 12.00 | 60 |
| 7156157 | Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.) | 119.00 | N. A. | 36 |

| DRIVE SYSTEM | | | | |
|-------------------------|--|-------|--------|----|
| 7156158 | Handrim, smooth | N. C. | 80.00 | 36 |
| 7156159 | Handrim, plastic-coated | N. C. | 80.00 | 36 |
| 7156160 | Non-slip handrim, foam | 40.00 | 120.00 | 36 |
| 7156161 | Handrim with oblique projections | N. C. | 80.00 | 36 |
| 7156162 | Standard wheel lock, push-to-lock | N. C. | 30.00 | 36 |
| 7156163 | Telescopic wheel lock extension | 10.00 | 10.00 | 36 |
| 7156164 | Caster fork, height-adjustable, compatible with all available wheel diameters | N. C. | 15.00 | 36 |
| WHEELS AND TIRES | | | | |
| 7156165 | Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); widths of 3.2 cm (1¼ in.) or 3.8 cm (1½ in.) | N. C. | 40.00 | 36 |
| 7156166 | Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); 3.8 cm (1½ in.) wide | N. C. | 40.00 | 36 |
| 7156167 | Rear axle, quick release system, with push-button locking mechanism | N. C. | 15.00 | 36 |
| 7156168 | Threaded rear axle | N. C. | 2.00 | 36 |
| 7156169 | Rear mag wheel, semi-pneumatic tire, 30.5 cm (12 in.) | N. C. | 100.00 | 36 |
| 7156170 | Spoked rear wheel, semi-pneumatic tire, 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3.2 cm (1¼ in.) wide | N. C. | 100.00 | 36 |
| 7156171 | Spoke guard | 70.00 | 70.00 | 36 |

PRICE
(including all
the basic
components)

7156172 **ADULT POSITIONING BASES** **1,150.00**

SUBCATEGORY “MULTI-ADJUSTABLE WITH
CONSTANT OR NEAR-CONSTANT FRONT
SEAT-TO-FLOOR HEIGHT”

PDG PRODUCT DESIGN GROUP INC.

“BENTLEY” MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Seat-to-floor height: 33 cm to 50.8 cm (13 in. to 20 in.)

Frame: structure compatible with commercial positioning device anchors; back height of 53.3 cm (21 in.) or 61 cm (24 in.); back cane angle-adjustable from 90° to 120° by maximum increments of 8°; non-slip push bar, raised; anchor for headrest bracket; tilt system for minimum angulation of 20°; four tie-down points for adapted transport

| BASIC AND OPTIONAL COMPONENTS | Unit price of component during device purchase | Unit price for component replacement | Warranty (months) |
|---|--|--------------------------------------|-------------------|
| BODY SUPPORT SYSTEM | | | |
| 7156173 Flat rigid seat; metal; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.) | N. C. | 10.76 | 36 |
| 7156174 Reclining back with cylinder; continuous inclination up to a minimum of 120° | 187.50 | 187.50 | 36 |
| 7156175 Pelvic positioning belt, auto buckle | N. C. | 21.00 | 36 |
| 7156176 Pelvic positioning belt, Velcro | N. C. | 33.00 | 36 |
| 7156177 U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 7.50 | 60 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|---------------------|---|--------|-------|----|
| 7156179 | U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 7.50 | 60 |
| 7156181 | Armrest pad, straight, short | N. C. | 3.05 | 12 |
| 7156182 | Armrest pad, straight, long | N. C. | 2.20 | 12 |
| 7156183 | Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 33 cm to 43.2 cm (13 in. to 17 in.) or from 38.1 cm to 48.3 cm (15 in. to 19 in.) | N. C. | 52.50 | 60 |
| 7156184 | Parallel footrest, 70° or 90° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 33 cm to 43.2 cm (13 in. to 17 in.) or from 38.1 cm to 48.3 cm (15 in. to 19 in.) | N. C. | 52.50 | 60 |
| 7156185 | Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, height and depth-adjustable | 37.50 | 90.00 | 36 |
| 7156186 | Padded calf-rest, flat | 22.50 | 22.50 | 36 |
| 7156187 | Calf-rest strap, single | 35.00 | 35.00 | 36 |
| 7156188 | Footplate, angle and depth-adjustable, standard size | N. C. | 4.95 | 36 |
| 7156189 | Footplate, angle and depth-adjustable, oversize | N. C. | 5.60 | 36 |
| 7156190 | Folding footplate, standard, standard size | N. C. | 3.34 | 36 |
| 7156191 | Folding footplate, standard, oversize | N. C. | 3.34 | 36 |
| 7156192 | Full-width footplate, one piece, folding; angle-adjustable | 80.10 | 90.00 | 36 |
| 7156193 | Heel loop, adjustable | N. C. | 0.75 | 36 |
| 7156194 | Headrest bracket, height and depth-adjustable, or articulated uniball bracket | 50.00 | 50.00 | 36 |
| 7156195 | Headrest cushion, padded, flat or contoured, all sizes | 37.00 | 37.00 | 36 |
| FRAME | | | | |
| 7156196 | Anti-tipping wheels, detachable or pivoting, with locking mechanism | N. C. | 5.00 | 60 |
| 7156197 | Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.) | 550.00 | N. A. | 36 |
| DRIVE SYSTEM | | | | |
| 7156198 | Handrim, smooth | N. C. | 8.00 | 36 |
| 7156199 | Handrim, plastic-coated | 2.40 | 10.40 | 36 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|-------------------------|---|--------|--------|----|
| 7156200 | Non-slip handrim, foam | 179.50 | 187.50 | 36 |
| 7156201 | Handrim with vertical projections | 57.00 | 65.00 | 36 |
| 7156202 | Standard wheel lock, push-to-lock or pull-to-lock | N. C. | 1.80 | 36 |
| 7156203 | Plug-in wheel lock extension | 2.74 | 2.74 | 36 |
| 7156204 | Caster fork, height-adjustable, compatible with all available wheel diameters | N. C. | 5.09 | 36 |
| WHEELS AND TIRES | | | | |
| 7156205 | Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); 3 cm (13/16 in.) wide | N. C. | 8.34 | 36 |
| 7156206 | Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); 3 cm (13/16 in.) wide | N. C. | 8.34 | 36 |
| 7156207 | Rear axle, quick release system, with push-button locking mechanism | N. C. | 3.00 | 36 |
| 7156208 | Threaded rear axle | N. C. | 0.03 | 36 |
| 7156209 | Rear mag wheel, semi-pneumatic tire, 30.5 cm (12 in.) | N. C. | 12.00 | 36 |
| 7156210 | Spoked rear wheel, semi-pneumatic tire, 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3 cm (13/16 in.) wide | N. C. | 23.62 | 36 |
| 7156211 | Spoke guard | 43.00 | 43.00 | 36 |

SUBDIVISION 2: PEDIATRIC POSITIONING BASES

PRICE
(including all
the basic
components)

7156212 **PEDIATRIC POSITIONING BASES** **1,650.00**

SUBCATEGORY “MULTI-ADJUSTABLE TILT”

SUNRISE MEDICAL CANADA INC.

“ZIPPIE IRIS” MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 102.1 kg (225 lb.)

Seat-to-floor height: 33.7 cm to 48.3 cm (13¼ in. to 19 in.)

Frame: structure compatible with commercial positioning device anchors; back height from 40.6 cm to 63.5 cm (16 in. to 25 in.) by maximum increments of 5,1 cm (2 in.); back cane angle-adjustable from 90° to 120° by maximum increments of 8°; non-slip push handles or push bar, raised; anchor for headrest bracket; tilt system for minimum angulation of 45°; four tie-down points for adapted transport

| BASIC AND OPTIONAL COMPONENTS | Unit price of component during device purchase | Unit price for component replacement | Warranty (months) |
|---|--|--------------------------------------|-------------------|
| BODY SUPPORT SYSTEM | | | |
| 7156213 Flat rigid seat; metal; two strips of “hook” Velcro, 2.5 cm (1 in.) wide or wider; widths of 25.4 cm (10 in.), 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.); depths of 30.5 cm (12 in.), 35.6 cm (14 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.) | N. C. | 158.00 | 36 |
| 7156214 Pelvic positioning belt, auto buckle | N. C. | 35.00 | 36 |
| 7156215 Pelvic positioning belt, Velcro | N. C. | 29.00 | 36 |
| 7156216 I-type armrest, short; detachable; height-adjustable, from 18.4 cm to 40 cm (7¼ in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 120.00 | 60 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | | | |
|---------|--|-------|--------|----|
| 7156217 | T-type armrest, short; detachable; height-adjustable, from 18.4 cm to 40 cm (7¼ in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 120.00 | 60 |
| 7156218 | I-type armrest, long; detachable; height-adjustable, from 18.4 cm to 40 cm (7¼ in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 120.00 | 60 |
| 7156219 | T-type armrest, long; detachable; height-adjustable, from 18.4 cm to 40 cm (7¼ in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight | N. C. | 120.00 | 60 |
| 7156220 | Armrest pad, straight, short | N. C. | 9.00 | 12 |
| 7156221 | Armrest pad, straight, long | N. C. | 9.00 | 12 |
| 7156222 | 70° footrest, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 17.8 cm to 27.9 cm (7 in. to 11 in.), from 17.8 cm to 33 cm (7 in. to 13 in.), from 17.8 cm to 38,1 cm (7 in. to 15 in.) or from 30.5 cm to 40.6 cm (12 in. to 16 in.) | N. C. | 116.00 | 60 |
| 7156223 | 90° footrest, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 17.8 cm to 22.9 cm (7 in. to 9 in.), from 17.8 cm to 33 cm (7 in. to 13 in.) or from 17.8 cm to 38.1 cm (7 in. to 15 in.) | N. C. | 116.00 | 60 |
| 7156224 | Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, height and depth-adjustable | 19.00 | 135.00 | 36 |
| 7156225 | Padded calf-rest | 20.00 | 20.00 | 36 |
| 7156226 | Calf-rest strap, single | 19.00 | 19.00 | 36 |
| 7156227 | Footplate, angle and depth-adjustable, standard size | N. C. | 40.00 | 36 |
| 7156228 | Footplate, angle and depth-adjustable, oversize | N. C. | 40.00 | 36 |
| 7156229 | Folding footplate, standard, standard size | N. C. | 9.00 | 36 |
| 7156230 | Folding footplate, standard, oversize | N. C. | 9.00 | 36 |
| 7156231 | Full-width footplate, one piece, folding; angle-adjustable | 28.00 | 108.00 | 36 |
| 7156232 | Heel loop, adjustable | N. C. | 11.00 | 36 |
| 7156233 | Headrest bracket, height and depth-adjustable, or articulated uniball bracket | 75.00 | 75.00 | 36 |

| | | | | |
|-------------------------|--|-------|--------|----|
| 7156234 | Headrest cushion, padded and contoured, all sizes | 70.00 | 70.00 | 36 |
| FRAME | | | | |
| 7156235 | Anti-tipping wheels, detachable or pivoting, with locking mechanism | N. C. | 28.00 | 60 |
| DRIVE SYSTEM | | | | |
| 7156236 | Handrim, smooth | N. C. | 40.00 | 36 |
| 7156237 | Handrim, plastic-coated | N. C. | 40.00 | 36 |
| 7156238 | Non-slip handrim, foam | 85.00 | 125.00 | 36 |
| 7156239 | Handrim with vertical or oblique projections | 45.00 | 85.00 | 36 |
| 7156240 | Standard wheel lock, push-to-lock | N. C. | 32.00 | 36 |
| 7156241 | Plug-in wheel lock extension | 7.00 | 7.00 | 36 |
| 7156242 | Caster fork, height-adjustable, compatible with all available wheel diameters | N. C. | 32.00 | 36 |
| WHEELS AND TIRES | | | | |
| 7156243 | Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.) | N. C. | 15.00 | 36 |
| 7156244 | Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.) | N. C. | 15.00 | 36 |
| 7156245 | Rear axle, quick release system, with push-button locking mechanism | N. C. | 33.00 | 36 |
| 7156246 | Threaded rear axle | N. C. | 5.00 | 36 |
| 7156247 | Rear mag wheel, semi-pneumatic tire, 30.5 cm (12 in.) | N. C. | 80.00 | 36 |
| 7156248 | Spoked rear wheel, semi-pneumatic tire, 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3.5 cm (1¾ in.) wide | N. C. | 80.00 | 36 |
| 7156249 | Spoke guard | 20.00 | 20.00 | 36 |

DIVISION V: STROLLERS AND ORTHOMOBILES

| DEVICE | Maximum price |
|---|----------------------|
| Buggy Major-type stroller, including footrests and harness | |
| 4495602 less than three years of age * | 660.00 |
| 4495610 three years of age and over | 660.00 |
| Available Component(s) | |
| 4495651 padded seat | 96.00 |
| 4494993 other components | S. C. |
| 4493862 thoracic support | 96.00 |
| 4493870 chest pad | 57.00 |

DURATION OF GUARANTEE : 12 months

| DEVICE | Maximum price |
|--------------------------|----------------------|
| 4495701 Other strollers* | S. C. |
| 2192300 Orthomobiles | S. C. |

PART II: POSTURE DEVICE

| | Description | Maximum price |
|----------------------------------|--|---------------|
| DEVICE | | |
| 4565058 | Positioning device | * |
| | * The price of the positioning device is equal to the total price of the positioning components. | |
| WARRANTY PERIOD: 3 months | | |
| 4490223 | Standardized cushion, multilayer or injected foam | 400.00 |
| 4490249 | Standardized cushion, viscoelastic foam and gel | 400.00 |
| 4499646 | Standardized cushion, viscofluid foam and gel | 400.00 |
| 4499869 | Standardized cushion, static air-adjustable, single-compartment (by adjusting pressure or cell quantity) | 500.00 |
| 4490215 | Standardized cushion, static air-adjustable, multi-compartment (by adjusting pressure or cell quantity) | 500.00 |
| 4499695 | Standardized cushion, viscoelastic gel | 500.00 |
| 4490231 | Standardized cushion, viscofluid gel | 500.00 |
| 4490256 | Standardized cushion, foam with air insert | 500.00 |
| 4490248 | Standardized convoluted cushion, fusion-bonded thermoplastic polymer | 500.00 |
| 4490272 | Customized cushion, multilayer or injected foam | 425.00 |
| 4490280 | Customized cushion, viscoelastic foam and gel | 425.00 |
| 4490298 | Customized cushion, viscofluid foam and gel | 425.00 |
| 4490306 | Customized cushion, foam with air insert | 525.00 |
| 4490307 | Customized cushion, fusion-bonded thermoplastic polymer | 600.00 |
| 4020510 | Standard cover for specialized seat cushion | 75.00 |
| 4020511 | Commercial waterproof cover for specialized seat cushion | 100.00 |
| 4020512 | Surcharge payable for 2 commercial waterproof covers, provided with purchase or replacement of specialized seat cushion, as substitution for 2 standard covers | 50.00 |
| 4020513 | Waterproof cover for seat cushion (all sizes) | 75.00 |
| 4020515 | Surcharge payable for bariatric cushion, width of more than 50.8 cm (20 in.) | 150.00 |
| 4565078 | Adjustable pediatric posture seat for adaptable stroller, including positioning for torso, pelvis and lower limbs | 1 200,00 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | |
|---------|--|--------|
| 4565069 | Positioning components for head and neck, standardized or standardized modular components | 350.00 |
| 4565060 | Positioning components for torso, pelvis or both, standardized or standardized modular components, excluding seat cushion | 450.00 |
| 4565070 | Positioning belt specialized for pelvis, standardized | 100.00 |
| 4565061 | Positioning harness for torso, standardized | 100.00 |
| 4565062 | Right upper limb positioning components, standardized or standardized modular components | 170.00 |
| 4565063 | Left upper limb positioning components, standardized or standardized modular components | 170.00 |
| 4565064 | Right lower limb positioning components, standardized or standardized modular components | 200.00 |
| 4565066 | Left lower limb positioning components, standardized or standardized modular components | 200.00 |
| 4565067 | Bilateral upper limb positioning components, standardized or standardized modular components | 200.00 |
| 4565068 | Bilateral lower limb positioning components, standardized or standardized modular components | 200.00 |
| 4565071 | Additional or replacement standard cover for specialized back | 75.00 |
| 4565074 | Additional or replacement waterproof cover for specialized back | 100.00 |
| 4565072 | Surcharge payable upon purchase or replacement of back or cover for complete or partial water proofing | 50.00 |
| 4565075 | Surcharge payable for a large positioning component for torso, pelvis or both, width or height of more than 50.8 cm (20 in.) | 50.00 |
| 4565080 | Surcharge payable for hardware allowing thoracic supports to swing away, flip back or fold | 200.00 |
| 4499900 | Head or neck components, moulded or customized | 450.00 |
| 4499888 | Torso positioning components, moulded or customized | 500.00 |
| 4499889 | Bilateral lower limb positioning components, moulded or customized | 300.00 |
| 4499890 | Torso and pelvic positioning component, one-piece, customized contouring | 900.00 |
| 4499891 | Pelvic positioning component, moulded or customized, excluding seat cushion | 200.00 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | |
|---------|--|--------|
| 4499892 | Torso positioning harness, customized | 100.00 |
| 4499894 | Right upper limb positioning components, moulded or customized | 270.00 |
| 4499895 | Left upper limb positioning components, moulded or customized | 270.00 |
| 4499896 | Right lower limb positioning components, moulded or customized | 300.00 |
| 4499897 | Left lower limb positioning components, moulded or customized | 300.00 |
| 4499899 | Bilateral upper limb positioning components, moulded or customized | 300.00 |

PART III: ELEMENTS INCLUDED IN THE PRICES OF THE DEVICES

1. The maximum or the fixed price for the purchase or replacement of an insured device referred to in Part I or II of this Title includes the following elements:

- (1) the maximum or fixed price for its basic components, its optional components and its and supplements, if any;
- (2) the cost of its manufacture;
- (3) the cost of adjustments required while it is being manufactured, up to and including the final installation;
- (4) the cost of adjustments and repairs during the guarantee period referred to in this Title in respect of each device or in the contract with the supplier, beginning immediately after the final installation and during which any adjustment or repair of a device used under normal conditions is made, in order to bring the device into conformity with the original prescription, where the beneficiary's physical condition has not changed, and to enable the beneficiary to derive maximum benefit from the device.

2. The replacement cost of a component or supplement for a device includes the following elements:

- (1) the cost price of the materials;
- (2) the cost of its manufacture, if any;
- (3) the cost of adjustment and installation.

TITLE THREE: INSURED RELATED SERVICES**PART I: PROSTHESES, ORTHOSES, AMBULATION AIDS OR STANDING AIDS**

| Codes | Description | Labour rate or lump sum |
|---------|---|----------------------------|
| 5550001 | Labour for the manufacture of a device with at least one component whose purchase or replacement price is stated as « S.C. » or for the repair of an orthosis, prosthesis, ambulation aid, standing aid or their components and supplements (rate per minute) | 1.04 |
| 4499976 | Lump sum for recovery, safety check, cleaning, reallocation and inventory management of a walker with thorax support | 74.84 |
| 5442257 | Lump sum for initial purchase or replacement of an ambulation aid provided as a complement to an orthosis or prosthesis | 15.53 |
| 5442258 | Lump sum for initial purchase or replacement of an ambulation aid provided as a device to an adult | 31.07 |
| 5442259 | Lump sum for initial purchase or replacement of an ambulation aid provided as a device to a person under 19 years of age | 46.59 |

PART II: LOCOMOTOR AND POSTURE ASSISTS

| Codes | Description | Labour rate or lump sum |
|--------------|--|--------------------------------|
| 5550000 | Labour for the manufacture or repair of a locomotor assist, positioning device or their components, including repairs made under supplier's warranty (rate per minute) | 1.04 |
| 4499968 | Lump sum for the initial purchase or replacement of a manual wheel chair | 410.33 |
| 4499992 | Lump sum for the initial purchase or replacement of a powered wheel chair | 552.54 |
| 5442260 | Lump sum for initial purchase or replacement of a positioning base | 410.33 |
| 5442272 | Non-listed lump sum for initial purchase or replacement of adapted stroller (S.C.) | 410.33 |
| 4495552 | Lump sum for the initial purchase or replacement of a Buggy Major-type stroller | 47.41 |
| 4499596 | Lump sum for the initial purchase or replacement of a propulsion assistance module | 142.19 |
| 4499950 | Lump sum when a device must be adjusted to the growth of an insured person under age 19 | 204.54 |
| 4499935 | Lump sum for initial purchase or replacement of a manual wheelchair when the insured person dies before taking final receipt of device | 261.92 |
| 4499927 | Lump sum for initial purchase or replacement of a powered wheelchair when the insured person dies before taking final receipt of device | 320.54 |
| 5442269 | Lump sum for initial purchase or replacement of a positioning base when the insured person dies before taking final receipt of device | 261.92 |
| 4499943 | Lump sum for initial purchase or replacement of a stroller when the insured person dies before taking final receipt of device | 44.60 |
| 5442254 | Lump sum for specialized cushion seat positioning | 31.07 |
| 5442261 | Lump sum for head or neck positioning | 31.07 |
| 5442262 | Lump sum for positioning of torso, pelvis or both (excluding specialized seat cushion-related service) | 62.12 |

SCHEDULE 1

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

| | | |
|---------|---|-------|
| 5442263 | Lump sum for right upper limb positioning | 31.07 |
| 5442264 | Lump sum for left upper limb positioning | 31.07 |
| 5442265 | Lump sum for right lower limb positioning | 31.07 |
| 5442266 | Lump sum for left lower limb positioning | 31.07 |