SCHEDULE I (s. 1)

TARIFF FOR DEVICES WHICH COMPENSATE FOR A MOTOR DEFICIENCY AND INSURED RELATED SERVICES



LE ONE: PROSTHESES, ORTHOSES, AMBULATION AIDS OR STANDING AIDS	5
ART I: AIDS FURNISHED BY AN INSTITUTION OR A LABORATORY	6
DIVISION I: LOWER-LIMB PROSTHESES	6
SUBDIVISION 1: FOOT PROSTHESES	6
SUBDIVISION 2: ANKLE PROSTHESES	8
SUBDIVISION 3: TIBIAL PROSTHESES	11
SUBDIVISION 4: TIBIOFEMORAL PROSTHESES	19
SUBDIVISION 5: FEMORAL PROSTHESES	26
SUBDIVISION 6: COXOFEMORAL AND HEMIPELVIC PROSTHESES	36
SUBDIVISION 7: LOWER-LIMB PROSTHESES	45
DIVISION II: UPPER-LIMB PROSTHESES	46
SUBDIVISION 1: HAND PROSTHESES	46
SUBDIVISION 2: WRIST PROSTHESES	48
SUBDIVISION 3: CUBITAL PROSTHESES	49
SUBDIVISION 4: CUBITOHUMERAL PROSTHESES	52
SUBDIVISION 5: HUMERAL PROSTHESES	53
SUBDIVISION 6: GLENOHUMERAL AND THORACIC PROSTHESES	55
SUBDIVISION 7: BASIC OR OPTIONAL COMPONENTS FOR UPPER-LIMB PROSTHESES	60
SUBDIVISION 8 : UPPER-LIMB PROSTHESES	65
DIVISION III: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES	66
DIVISION IV: LOWER-LIMB ORTHOSES	78
SUBDIVISION 1: TIBIAL ORTHOSES	78
SUBDIVISION 2: TIBIOFEMORAL ORTHOSES	84
SUBDIVISION 3: FEMORAL ORTHOSES	88
SUBDIVISION 4: COXOFEMORAL ORTHOSES	99
SUBDIVISION 5: BILATERAL LOWER-LIMB ORTHOSES	108
SUBDIVISION 6: ADDITIONAL COMPONENTS FOR TIBIAL, FEMORAL AND COXOFEMORAL ORTHOSES	111
SUBDIVISION 7: LOWER-LIMB ORTHOSES	112
DIVISION V: UPPER-LIMB ORTHOSES	113
SUBDIVISION 1: HAND ORTHOSES THAT MAY INCLUDE THE THUMB AND THE OTHER FINGERS	113
SUBDIVISION 2: WRIST AND HAND ORTHOSES	117
SUBDIVISION 3: ELBOW, WRIST AND HAND ORTHOSES	120
SUBDIVISION 4: SHOULDER, ELBOW, WRIST AND HAND ORTHOSES	121
SUBDIVISION 5: UPPER-LIMB ORTHOSES	123
DIVISION VI: TRUNK AND CERVICAL ORTHOSES	124
SUBDIVISION 1: TRUNK ORTHOSES	124
SUBDIVISION 2: CERVICAL ORTHOSES	130
SUBDIVISION 3: OTHER TRUNK AND CERVICAL ORTHOSES	130
DIVISION VII: AMBULATION AIDS	133
DIVISION VIII: STANDING AIDS	137

PART II: AIDS FURNISHED SOLELY BY AN INSTITUTION	138
DIVISION I: UPPER-LIMB PROSTHESES	138
DIVISION II: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES	146
DIVISION III: AMBULATION AIDS	147
PART III: ELEMENTS INCLUDED IN THE PRICES OF THE DEVICES	148
TITLE TWO: LOCOMOTOR AND POSTURE ASSISTS (FURNISHED SOLELY BY AN INSTITUTION)	149
PART I: LOCOMOTOR ASSISTS	150
DIVISION I: ADULT WHEELCHAIRS	150
SUBDIVISION 1: MANUAL WHEELCHAIRS	150
SUBDIVISION 2: LIGHTWEIGHT MANUAL WHEELCHAIRS	172
SUBDIVISION 3: POWERED WHEELCHAIRS	175
DIVISION II: PEDIATRIC WHEELCHAIRS	209
SUBDIVISION 1: MANUAL WHEELCHAIRS	209
SUBDIVISION 2: POWERED WHEELCHAIRS	212
DIVISION III: COMPLEMENTS FOR WHEELCHAIRS	221
SUBDIVISION 1: FACULTATIVE COMPONENTS	221
SUBDIVISION 2: BATTERIES FOR POWERED WHEELCHAIRS	222
DIVISION IV: OTHER LOCOMOTOR ASSISTS	223
SUBDIVISION 1: ADULT POSITIONING BASES	223
SUBDIVISION 2: PEDIATRIC POSITIONING BASES	235
DIVISION V: STROLLERS AND ORTHOMOBILES	238
PART II: POSTURE DEVICE	239
PART III: ELEMENTS INCLUDED IN THE PRICES OF THE DEVICES	242
TITLE THREE: INSURED RELATED SERVICES	243
PART I: PROSTHESES, ORTHOSES, AMBULATION AIDS OR STANDING AIDS	243
PART II: LOCOMOTOR AND POSTURE ASSISTS	244

TITLE ONE: PROSTHESES, ORTHOSES, AMBULATION AIDS OR STANDING AIDS

PART I: AIDS FURNISHED BY AN INSTITUTION OR A LABORATORY DIVISION I: LOWER-LIMB PROSTHESES

SUBDIVISION 1: FOOT PROSTHESES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1120534 Prosthesis for total amputation of second, third and fourth toe, of two or of all of those toes, made from plaster or digital mold of insured person	411.39			3
BASIC COMPONENTS AND SUPPLEMENTS				
Filler for anterior part of foot, on rigid or pliable sole Compensatory sole for limb not fitted with a prosthesis				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENTS AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	device	supplement		
1120542 Prosthesis for total amputation of first toe, with or without amputation of second, third, fourth or fifth toe, made from plaster or digital mold of insured person	435.98	•		3
without amputation of second, third, fourth or fifth toe, made from plaster or digital mold of insured		•		3
without amputation of second, third, fourth or fifth toe, made from plaster or digital mold of insured person		•		3
without amputation of second, third, fourth or fifth toe, made from plaster or digital mold of insured person BASIC COMPONENTS AND SUPPLEMENTS Filler for anterior part of foot, on rigid or pliable sole Longitudinal arch support Correction or shank Compensatory sole for limb not fitted with a		•		3
without amputation of second, third, fourth or fifth toe, made from plaster or digital mold of insured person BASIC COMPONENTS AND SUPPLEMENTS Filler for anterior part of foot, on rigid or pliable sole Longitudinal arch support Correction or shank Compensatory sole for limb not fitted with a prosthesis COMPONENT AND SUPPLEMENT		•		3

----- Any pertinent adjustment

BASIC COMPONENTS AND SUPPLEMENTS Filler for anterior or posterior part of foot Laminated or molded plastic or molded leather socket Leg support where necessary COMPONENTS AND SUPPLEMENTS AVAILABLE OPTIONAL COMPONENTS Ankle joints: 1125632 Gilette joints pair 122.90 N. A. 67.27 1125640 Oklahoma joints pair 116.43 N. A. 67.27 1125657 Wafer joints pair 116.43 N. A. 64.69 1125657 Wafer joints pair 134.54 N. A. 3ingle N. A. 73.74 1125665 Tamarak joints pair 129.36 N. A. 73.74 1125673 Gaffney joints pair 129.36 N. A. 71.15 1125673 Gaffney joints pair 142.32 N. A. 76.33 SUPPLEMENTS AVAILABLE		DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
Filler for anterior or posterior part of foot Laminated or molded plastic or molded leather socket Leg support where necessary COMPONENTS AND SUPPLEMENTS AVAILABLE OPTIONAL COMPONENTS Ankle joints: 1125632 Gilette joints pair 122.90 N. A. 67.27 1125640 Oklahoma joints pair 116.43 N. A. 67.27 1125657 Wafer joints pair 116.43 N. A. 64.69 1125657 Wafer joints pair 134.54 N. A. 73.74 1125665 Tamarak joints pair 129.36 N. A. 71.15 1125673 Gaffney joints pair 129.36 N. A. 71.15 1125673 Gaffney joints pair 142.32 N. A. 71.15 1125673 Gaffney joints pair 142.32 N. A. 76.33 SUPPLEMENTS AVAILABLE		amputation with ankle support, made from plaster or	952.16	i		6
Laminated or molded plastic or molded leather socket Leg support where necessary COMPONENTS AND SUPPLEMENTS AVAILABLE OPTIONAL COMPONENTS Ankle joints: 1125632 Gilette joints		BASIC COMPONENTS AND SUPPLEMENTS				
AVAILABLE OPTIONAL COMPONENTS Ankle joints: 1125632 Gilette joints		Laminated or molded plastic or molded leather socket				
Ankle joints: 1125632 Gilette joints						
1125632 Gilette joints		OPTIONAL COMPONENTS				
pair single N. A. 67.27 1125640 Oklahoma joints pair 116.43 N. A. 64.69 1125657 Wafer joints pair 134.54 N. A. 73.74 1125665 Tamarak joints pair 129.36 N. A. 71.15 1125673 Gaffney joints pair 142.32 N. A. single N. A. 76.33 SUPPLEMENTS AVAILABLE		Ankle joints:				
Single						
1125640 Oklahoma joints		•				
pair single N. A. 64.69 1125657 Wafer joints pair 134.54 N. A. 73.74 1125665 Tamarak joints pair 129.36 N. A. 71.15 1125673 Gaffney joints pair 142.32 N. A. 76.33 SUPPLEMENTS AVAILABLE Stump sock * * * * (consult Division III of this Part for the codes and prices of these supplements) 3194016 Nylon sheath 18.36 21.33 ADJUSTMENTS AVAILABLE			N. A.	67.27		
single N. A. 64.69 1125657 Wafer joints		-				
1125657 Wafer joints						
pair single N. A. 73.74 1125665 Tamarak joints pair 129.36 N. A. 71.15 1125673 Gaffney joints pair 142.32 N. A. single N. A. 76.33 SUPPLEMENTS AVAILABLE Stump sock * * * (consult Division III of this Part for the codes and prices of these supplements) 3194016 Nylon sheath 18.36 21.33 ADJUSTMENTS AVAILABLE			N. A.	64.69		
Single			124.54	NT A		
1125665 Tamarak joints pair pair 129.36 N. A. single N. A. 71.15 1125673 Gaffney joints pair 142.32 N. A. single N. A. 76.33 SUPPLEMENTS AVAILABLE Stump sock * (consult Division III of this Part for the codes and prices of these supplements) 3194016 Nylon sheath ADJUSTMENTS AVAILABLE		•				
pair single N. A. 71.15 1125673 Gaffney joints Pair 142.32 N. A. single N. A. 76.33 SUPPLEMENTS AVAILABLE Stump sock * * * * * * * * * * * * * * * * * * *			N. A.	/3./4		
single N. A. 71.15 1125673 Gaffney joints pair 142.32 N. A. single N. A. 76.33 SUPPLEMENTS AVAILABLE Stump sock * * * (consult Division III of this Part for the codes and prices of these supplements) 3194016 Nylon sheath 18.36 21.33 ADJUSTMENTS AVAILABLE			120 36	NΛ		
pair 142.32 N. A. single N. A. 76.33 SUPPLEMENTS AVAILABLE Stump sock * * * * (consult Division III of this Part for the codes and prices of these supplements) 3194016 Nylon sheath 18.36 21.33 ADJUSTMENTS AVAILABLE						
pair single 142.32 N. A. 76.33 SUPPLEMENTS AVAILABLE Stump sock * (consult Division III of this Part for the codes and prices of these supplements) 3194016 Nylon sheath ADJUSTMENTS AVAILABLE			11.12.	, , , , , ,		
single SUPPLEMENTS AVAILABLE Stump sock * (consult Division III of this Part for the codes and prices of these supplements) 3194016 Nylon sheath ADJUSTMENTS AVAILABLE			142.32	N. A.		
Stump sock * (consult Division III of this Part for the codes and prices of these supplements) 3194016 Nylon sheath ADJUSTMENTS AVAILABLE		•				
* (consult Division III of this Part for the codes and prices of these supplements) 3194016 Nylon sheath 18.36 21.33 ADJUSTMENTS AVAILABLE		SUPPLEMENTS AVAILABLE				
ADJUSTMENTS AVAILABLE		* (consult Division III of this Part for the codes and	*	*		
	3194016	Nylon sheath	18.36	21.33		
		ADJUSTMENTS AVAILABLE				
Any pertinent adjustment		Any pertinent adjustment				

SUBDIVISION 2: ANKLE PROSTHESES

1130103 Temporary Symes prosthesis BASIC COMPONENTS AND SUPPLEMENTS Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person	*
Laminated or molded plastic adjustable socket,	
Temporary foot (loan)	
*DURATION OF GUARANTEE : Life of prosthesis	
COMPONENTS AND SUPPLEMENTS AVAILABLE	
BASIC COMPONENT	
1145523 Laminated or molded plastic adjustable socket, N. C. N. A. made from plaster or digital mold of insured person	
OPTIONAL COMPONENTS	
1135532 Supracondylar strap 111.25 150.08	3
1135524 Foam flexible double comfort socket 102.19 199.22	3
1145598 Thigh lacer 194.04 210.88	3
SUPPLEMENTS AVAILABLE	
3492501 Cane 10.19 10.19	
3492550 Crutches with axillary support, height-adjustable 20.38 20.38	
3492551 Crutches with forearm support, height-adjustable 56.05 56.05	
* * * * (consult Division III of this Part for the codes and prices of these supplements)	
3194016 Nylon sheath, 45.7 cm (18 in.) to 55.9 cm (22 in.) 18.36 21.33	
3194024 Nylon sheath, 80.0 cm (31½ in.) to 92.7 cm 23.92 26.87 (36½ in.)	
3194081 Nylon sheath with elastic band, 55.9 cm (22 in.) to 37.85 40.96 66.0 cm (26 in.)	
3194099 Nylon sheath with elastic band, 73.7 cm (29 in.) to 37.85 40.96 86.4 cm (34 in.)	
ADJUSTMENT AVAILABLE	
None	

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1130509	Symes prosthesis	1,583.89			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic socket, made from plaster or digital mold of insured person, with or without medial or posterior window				
	SACH foot				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	SACH foot Laminated plastic socket, made from plaster or digital mold of insured person, with or without medial or posterior window	N. C. N. C.	260.44 1,231.59		3
	OPTIONAL COMPONENTS				
1195502	Trial socket	131.94	N. A.		
	Supracondylar strap	111.25			3
	Symes foot	N. C.	256.16		
	Dynamic response foot (Seattle)	356.66			
	Dynamic response foot (Seattle Light)	465.35			
	Dynamic response foot (Step Light)	281.64			
	Dynamic response foot (USMC)	174.27	434.69		
	Dynamic foot, for child (1K10) Silicone laminated extensible double socket	35.81 260.03	296.26		2
	Foam flexible double comfort socket	102.19	454.10 199.22		3
1133324	Todali ficalole dodole conholt socket	102.17	199.22		3
1145663	Thigh lacer with reinforced uniaxial ball-bearing joints	683.09	699.91		3
1145671	Thigh lacer with light uniaxial ball-bearing joints	574.40	591.21		3
1145689	Thigh lacer with polycentric joints	910.08	926.86		3
	SUPPLEMENTS AVAILABLE				
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
3194016	Nylon sheath, 45.7 cm (18 in.) to 55.9 cm (22 in.)	18.36	21.33		
3194024	Nylon sheath, 80.0 cm (31½ in.) to 92.7 cm (36½ in.)	23.92	26.87		
3194081	Nylon sheath with elastic band, 55.9 cm (22 in.) to 66.0 cm (26 in.)	37.85	40.96		

3194099 Nylon sheath with elastic band, 73.7 cm (29 in.) to	37.85	40.96
86.4 cm (34 in.)		
3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05

ADJUSTMENTS AVAILABLE

----- Any pertinent adjustment

SUBDIVISION 3: TIBIAL PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Post-operative tibial prosthesis necessitating obligatory renewal of plaster or digital mold	769.76			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Lycra compressible socks (4) Plaster sockets (2) Means of suspension (belt) SACH foot (loan) Adjustable pylon (loan)				
	*DURATION OF GUARANTEE : Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Plaster sockets (2) Means of suspension (belt)	N. C. N. C.	N. A. N. A.		
	SUPPLEMENTS AVAILABLE				
3492550	Lycra compressible sock Crutches with axillary support, height-adjustable Crutches with forearm support, height-adjustable	N. C. 20.38 56.05	N. A. 20.38 56.05		
	ADJUSTMENT AVAILABLE				
	None				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Pneumatic post-operative tibial prosthesis, non-articulated	613.22			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Inflatable bag or case Distal pad Suspension straps Mobility frame (loan) Electric pump (loan)				

*DURATION OF GUARANTEE : Life of

prosthesis

COMPONENTS AND SUPPLEMENTS

AVAILABLE

SUPPLEMENTS AVAILABLE

3492550 Crutches with axillary support, height-adjustable 20.38 20.38 3492551 Crutches with forearm support, height-adjustable 56.05 56.05

----- Stump sock

* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENT AVAILABLE

None

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
--------	---	---	---------------------------	--------------------

777.52

1140078 Pneumatic post-operative tibial prosthesis,

articulated

BASIC COMPONENTS AND SUPPLEMENTS

Inflatable bag or case

Thigh lacer system (loan)

Knee joint system (loan)

Universal socket (loan)

Modular system (loan)

SACH foot (loan)

Air pump (loan)

*DURATION OF GUARANTEE: Life of

prosthesis

COMPONENTS AND SUPPLEMENTS

AVAILABLE

SUPPLEMENTS AVAILABLE

3492550 Crutches with axillary support, height-adjustable 20.38 20.38 3492551 Crutches with forearm support, height-adjustable 56.05 56.05

----- Stump sock

* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENT AVAILABLE

None

]	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1140102	Temporary tibial prosthesis	988.38			*
]	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person				
	Temporary foot (loan) Endoskeletal system (loan)				
	*DURATION OF GUARANTEE : Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
]	BASIC COMPONENT				
	Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person	N. C.	N. A.		
	OPTIONAL COMPONENTS				
1145598	Thigh lacer	194.04	210.88		3
	Supracondylar strap	111.25	150.08		3
1145549	Foam flexible double comfort socket	107.37	187.59		3
1145564 '	Tibial belt with Y strap	102.19	166.89		3
	Suspension lining covered with nylon on inside	81.52			2
1145705	Suspension lining not covered with nylon on inside	98.22	106.01		
1145713	Latex suspension lining	43.97	53.03		
1145721	Elastic suspension lining	36.22	45.28		
:	SUPPLEMENTS AVAILABLE				
:	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
3194032	Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm (18 in.)	18.36	21.33		

CH			

			(
3194040 Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm (31½ in.)	18.36	21.33	
3194107 Nylon sheath with tibial elastic band, 25.4 cm (10 in.) to 55.9 cm (22 in.)	31.18	34.13	
3194115 Nylon sheath with tibial elastic band, 50.8 cm	29.45	32.42	
(20 in.) to 73.7 cm (29 in.) 3194206 Nylon suction sheath (all sizes)	29.45	32.42	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	

ADJUSTMENTS AVAILABLE

None

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1140508	Exoskeletal tibial prosthesis	1,652.47			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic tibial socket, made from plaster or digital mold of insured person				
	SACH foot Medial wedge Ankle block				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1125491	Ankle block	N. C.	N. A.		
1125509	SACH foot	N. C.	260.44		
1145531	Laminated plastic tibial socket, made from plaster or digital mold of insured person	N. C.	1,294.99		3
1145457	Medial wedge	N. C.	N. A.		
	OPTIONAL COMPONENTS				
1195585	Trial socket	122.90	N. A.		
	Foam or molded plastic flexible double comfort socket	107.37	187.59		3
1145556	Foam or molded plastic flexible double comfort socket, with medial wedge	129.36	208.28		3
1145630	Silicone gel double socket	276.85	503.26		3
	Silicone gel double socket, with medial wedge	297.56	523.94		3
1146554	Silicone gel flexible double socket, with distal attachment	884.89	918.54		3

			`
1146570 Silicone gel flexible double socket, with distal	N. A.	637.80	2
attachment, excluding replacement of distal attachment			3
1145564 Tibial belt with Y strap	102.19	166.89	3
1135532 Supracondylar strap	111.25	150.08	3
1145697 Suspension lining covered with nylon on inside	81.52	89.26	
1145705 Suspension lining not covered with nylon on inside	98.22	106.01	
1145713 Latex suspension lining	43.97	53.03	
1145721 Elastic suspension lining	36.22	45.28	
1125517 Articulated foot	144.07	404.48	
1125574 Dynamic response foot, spring and prosthetic cover included (Quantum)	343.73	604.16	
1125624 Adapter for foot (Quantum)	134.54	187.59	
1125582 Dynamic response foot (Seattle Light)	465.35	725.79	
1125590 Dynamic response foot (Sten foot)	77.22	337.67	
1125608 Dynamic response foot (SAFE foot)	183.31	443.75	
1125616 Dynamic response foot (1D10, 1D11)	156.42	416.84	
1125566 Dynamic response foot (Seattle)	356.66	617.10	
1125541 Dynamic response foot (Carbon Copy II)	297.17	557.61	
1125707 Dynamic foot, for child (1K10)	35.81	296.26	
1125806 Multiaxial foot with rotator (1A29)	223.41	483.84	
1165539 Femoral device with plastic ischiatic support	743.87	785.28	3
1145663 Thigh lacer with reinforced uniaxial ball-bearing joints	683.09	699.91	3
1145671 Thigh lacer with light uniaxial ball-bearing joints	574.40	591.21	3
4445500 571111	010.00	0000	
1145689 Thigh lacer with polycentric joints	910.08	926.86	3
1145739 Replacement of thigh lacer with recovery and	N. A.	406.21	3
reinstallation of existing joints	0.47.70	212.60	
1145580 Suction valve and seat	247.72	313.68	
1145655 Suction valve	N. A.	223.14	
1145747 Foam flexible prosthetic cover	85.40	119.02	
SUPPLEMENTS AVAILABLE			
3194032 Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm (18 in.)	18.36	21.33	
3194040 Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm	18.36	21.33	
(31½ in.) 3194107 Nylon sheath with tibial elastic band, 25.4 cm	31.18	34.13	
(10 in.) to 55.9 cm (22 in.) 3194115 Nylon sheath with tibial elastic band, 50.8 cm	29.45	32.42	
(20 in.) to 73.7 cm (29 in.)	20.45	22.42	
3194206 Nylon suction sheath (all sizes)	29.45	32.42	
3194198 Prosthetic socks, per pair	27.19	36.22	
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	
Stump sock	*	*	

* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENTS AVAILABLE

1146521 Socket lining (leather, plastic or other material)

168.18

1146539 Lengthening of a tibial prosthesis

316.93

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1141514	Endoskeletal tibial prosthesis	1,832.30			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic tibial socket, made from plaster or digital mold of insured person				
	Medial wedge SACH foot and adapter Complete endoskeletal system (modular components, prosthetic cover and prosthetic socks (2))				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1125509	SACH foot	N. C.	260.44		
	Adapter	N. C.			
1145531	Laminated plastic tibial socket, made from plaster or digital mold of insured person	N. C.	1,294.99		3
1195528	Complete endoskeletal system	N. C.	N. A.		
1145614	Prosthetic cover	N. C.	351.89		
1145457	Medial wedge	N. C.	N. A.		
	OPTIONAL COMPONENTS				
1195585	Trial socket	122.90	N. A.		
	Foam or molded plastic flexible double comfort socket	107.37	187.59		3
1145556	Foam or molded plastic flexible double comfort socket, with medial wedge	129.36	208.28		3
1145630	Silicone gel double socket	276.85	503.26		3
	Silicone gel double socket, with medial wedge	297.56			
111255		004.00	040.51		3
1146554	Silicone gel flexible double socket, with distal attachment	884.89	918.54		3

1146562 Silicone gel flexible double socket, with attachment and pneumatic cushion	923.70	957.34	3
1146570 Silicone gel flexible double socket, with distal	N. A.	637.80	
attachment, excluding replacement of distal	14. 71.	037.00	3
attachment			
1145564 Tibial belt with Y strap	102.19	166.89	3
1135532 Supracondylar strap	111.25	150.08	3
1145697 Suspension lining covered with nylon on inside	81.52	89.26	
1145705 Suspension lining not covered with nylon on inside	98.22	106.01	
1145713 Latex suspension lining	43.97	53.03	
1145721 Elastic suspension lining	36.22	45.28	
1125715 Articulated foot and adapter	177.48	437.91	
1125723 Articulated foot without adapter	N. A.	269.12	
1125566 Dynamic response foot (Seattle)	356.66	617.10	
1125541 Dynamic response foot (Carbon Copy II)	297.17	557.61	
1125707 Dynamic foot, for child (1K10)	35.81	296.26	
1125798 Dynamic response foot, spring, prosthetic cover and	307.51	567.94	
foam included (Quantum)			
1125780 Adapter for foot (Quantum)	53.03	98.32	
1125582 Dynamic response foot (Seattle Light)	465.35	725.79	
1125590 Dynamic response foot (Sten foot)	77.22	337.67	
1125608 Dynamic response foot (SAFE foot)	183.31	443.75	
1125616 Dynamic response foot (1D10, 1D11)	156.42	416.84	
1125681 Dynamic response foot (Step Light)	281.64	542.06	
1125699 Dynamic response foot (USMC)	174.27	434.69	
1125731 Dynamic plus foot (1D25)	423.94	684.37	
1125749 Multiaxial foot with rotator (1A30)	653.73	914.16	
1125756 Multiaxial foot with rotator (Endolite)	571.42	831.85	
1125764 Dynamic response foot with rotator (Endolite)	762.90	1,023.34	
1165539 Femoral device with plastic ischiatic support	743.87	785.28	3
1145CC2 Third I are a identificant desired that I have in	692.00	COO 01	
1145663 Thigh lacer with reinforced uniaxial ball-bearing joints	683.09	699.91	3
1145671 Thigh lacer with light uniaxial ball-bearing joints	574.40	591.21	
11 13071 Tingii lacci with right uniuxiai ban bearing joints	371.10	371.21	3
1145689 Thigh lacer with polycentric joints	910.08	926.86	3
1145739 Replacement of thigh lacer with recovery and	N. A.	406.21	
reinstallation of existing joints			3
1145580 Suction valve and seat	247.72	313.68	
1145655 Suction valve	N. A.	223.14	
1135557 Ankle rotator (4R39, 4R40)	722.71	778.34	
1135607 Ankle rotator (4R85)	645.86	696.30	
1135615 Titanium modular system and carbon fiber pylon	91.86	N. A.	
,			
SUPPLEMENTS AVAILABLE			
3194032 Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm	18.36	21.33	
(18 in.)			
3194040 Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm	18.36	21.33	
(31½ in.)			

SCHEDULE 1	Tariff for devices whi	ch compensate for	a motor deficiency		
				(autnen	tic version)
3194107 Nylon sheath with tibial elast (10 in.) to 55.9 cm (22 in.)	stic band, 25.4 cm	31.18	34.13		
3194115 Nylon sheath with tibial elast (20 in.) to 73.7 cm (29 in.)	stic band, 50.8 cm	29.45	32.42		
3194206 Nylon sheath (all sizes)		29.45	32.42		
3194222 Prosthetic socks, per pair		N. C.	36.22		
3492501 Cane		10.19	10.19		
3492550 Crutches with axillary suppo	ort haight adjustable	20.38	20.38		
3492551 Crutches with forearm supp		56.05	56.05		
3492331 Crutches with forearm supp	ort, neight-adjustable	30.03	30.03		
Stump sock * (consult Division III of the prices of these supplements)		*	*		
ADJUSTMENTS AVAILA					
1146521 Socket lining (leather, plasti	c or other material)			168.18	
1146547 Lengthening of tibial part of replacement of prosthetic co	-			222.53	
Any pertinent adjustment					
Any pertinent adjustment DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	g	Purchase or replacement of	Replacement of component or	adjustement	
DEVICE		Purchase or replacement of device	Replacement of component or	adjustement	(months)
DEVICE 1141753 Prosthetic restoration of a le		Purchase or replacement of device	Replacement of component or	adjustement	(months)
DEVICE 1141753 Prosthetic restoration of a le BASIC COMPONENTS A	ND SUPPLEMENTS	Purchase or replacement of device	Replacement of component or	adjustement	(months)
DEVICE 1141753 Prosthetic restoration of a le BASIC COMPONENTS Al Prosthetic foam-rubber calf COMPONENTS AND SUF	ND SUPPLEMENTS	Purchase or replacement of device	Replacement of component or	adjustement	(months)
DEVICE 1141753 Prosthetic restoration of a le BASIC COMPONENTS Al Prosthetic foam-rubber calf COMPONENTS AND SUF AVAILABLE	ND SUPPLEMENTS	Purchase or replacement of device	Replacement of component or	adjustement	(months)
DEVICE 1141753 Prosthetic restoration of a le BASIC COMPONENTS Al Prosthetic foam-rubber calf COMPONENTS AND SUE AVAILABLE BASIC COMPONENTS	ND SUPPLEMENTS PPLEMENTS	Purchase or replacement of device 2,231.66	Replacement of component or supplement	adjustement	(months)

Updated : October 10, 2017 18

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

SUBDIVISION 4: TIBIOFEMORAL PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1150010	Post-operative tibiofemoral prosthesis necessitating obligatory renewal of plaster or digital mold	1,152.69			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Lycra compressible socks (4) Plaster sockets (2) Means of suspension (belt) SACH foot (loan) Adjustable pylon (loan) Suspension cable, distal pad, ring				
	*DURATION OF GUARANTEE : Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1195510	Plaster sockets (2) Means of suspension (belt) Suspension cable, distal pad, ring	N. C. N. C. N. C.			
	SUPPLEMENTS AVAILABLE				
3492550	Lycra compressible socks (4) Crutches with axillary support, height-adjustable Crutches with forearm support, height-adjustable	N. C. 20.38 56.05			
	ADJUSTMENT AVAILABLE				
	None				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1150101	Pneumatic post-operative tibiofemoral prosthesis, non-articulated	608.03			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Inflatable bag or case Distal pad Suspension straps				

Mobility frame (loan) Electric pump (loan)

*DURATION OF GUARANTEE: Life of

prosthesis

COMPONENTS AND SUPPLEMENTS

AVAILABLE

SUPPLEMENTS AVAILABLE

3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05

----- Stump sock

* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENT AVAILABLE

None

	Maximum price	Maximum price	Maximum	
DEVICE	Purchase or	Replacement of	adjustement	Guarantee
DEVICE	replacement of	component or	price	(months)
	device	supplement		
	<u> </u>	·	<u> </u>	

1150051 Pneumatic post-operative tibiofemoral prosthesis, articulated

772.33

*

BASIC COMPONENTS AND SUPPLEMENTS

Inflatable bag or case Thigh lacer system (loan)

Knee joint system (loan)

Modular system (loan)

Universal socket (loan)

SACH foot (loan)

Air pump (loan)

*DURATION OF GUARANTEE : Life of prosthesis

COMPONENTS AND SUPPLEMENTS AVAILABLE

SUPPLEMENTS AVAILABLE

3492550 Crutches with axillary support, height-adjustable 3492551 Crutches with forearm support, height-adjustable	20.38 56.05			
Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
ADJUSTMENT AVAILABLE				
None				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1150069 Temporary tibiofemoral prosthesis	1,244.56			*
BASIC COMPONENTS AND SUPPLEMENTS				
Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person	1			
Temporary foot (loan) Endoskeletal system (loan)				
*GUARANTEE PERIOD: Life of prosthesis				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENT				
1145523 Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person	N. C.	N. A.		
OPTIONAL COMPONENTS				
1145549 Foam flexible double comfort socket	107.37	187.59		3
1165570 Silesian belt	137.12			3
1165588 Pelvic belt (steel joint and band) 1165703 Pelvic belt (plastic joint and band)	320.85 261.34			3
SUPPLEMENTS AVAILABLE	201.51	13 1.09		J
	10.25	21.22		
3194057 Nylon sheath, 50.8 cm (20 in.) to 61.0 cm (24 in.)	18.36	21.33		
3194123 Nylon sheath with elastic band, 45.7 cm (18 in.) to 55.9 cm (22 in.)	31.18	34.13		
3194206 Nylon suction sheath (all sizes)	29.45			
3492501 Cane 3492550 Crutches with axillary support, height-adjustable	10.19 20.38			
5.72255 Cratenes with aximaly support, neight adjustable	20.30	20.30		

56.05

56.05

----- Stump sock

3492551 Crutches with forearm support, height-adjustable

	* (consult Division III of this Part for the codes and prices of these supplements)				
	ADJUSTMENT AVAILABLE				
	None				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1150507	Exoskeletal tibiofemoral prosthesis	3,100.13			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person				
	External knee joints SACH foot and ankle block				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1125509	Ankle block SACH foot Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person	N. C. N. C. N. C.	N. A. 260.44 1,833.19		3
1155514	External knee joints	N. C.	719.32		
	OPTIONAL COMPONENTS				
1195551	Trial socket	169.47	N. A.		
1195569	Foam flexible double comfort socket	144.89	243.21		
1146554	Silicone gel flexible double socket, with distal attachment	884.89	918.54		3
1146570	Silicone gel flexible double socket, with distal attachment, excluding replacement of distal attachment	N. A.	637.80		3
1165570	Silesian belt	137.12	155.26		3
1165828	Neoprene Silesian belt	155.26			
	Pelvic belt (titanium joint and band)	412.68	586.05		3
	Pelvic belt (plastic joint and band)	261.34			3
	Pelvic belt (steel joint and band)	320.85			3
	Articulated foot	144.07	404.48		
	Dynamic response foot, spring and prosthetic cover included (Quantum)	343.73	604.16		
1125624	Adapter for foot (Quantum)	134.54	187.59		

			Ç	,
1125582 Dynamic response foot (Seattle Light)	465.35	725.79		
1125590 Dynamic response foot (Sten foot)	77.22	337.67		
1125608 Dynamic response foot (SAFE foot)	183.31	443.75		
1125616 Dynamic response foot (1D10, 1D11)	156.42	416.84		
1125566 Dynamic response foot (Seattle)	356.66	617.10		
1125541 Dynamic response foot (Carbon Copy II)	297.17	557.61		
1125707 Dynamic foot, for child (1K10)	35.81	296.26		
1125772 Multiaxial foot with rotator (1A29)	223.41	483.84		
1155647 Constant friction knee (3P25)	146.21	865.50		
1155563 Constant friction knee (3P1)	73.74	791.75		
1145580 Suction valve and seat	247.72	313.68		
1145655 Suction valve	N. A.	223.14		
1145747 Foam flexible cover for tibial part	85.40	119.02		
SUPPLEMENTS AVAILABLE				
3194057 Nylon sheath, 50.8 cm (20 in.) to 61.0 cm (24 in.)	18.36	21.33		
3194123 Nylon sheath with elastic band, 45.7 cm (18 in.) to 55.9 cm (22 in.)	31.18	34.13		
3194206 Nylon suction sheath (all sizes)	29.45	32.42		
3194198 Prosthetic socks, per pair	27.19	36.22		
3492501 Cane	10.19	10.19		
3492550 Crutches with axillary support, height-adjustable	20.38	20.38		
3492551 Crutches with forearm support, height-adjustable	56.05	56.05		
5 1) 2551 Crateries with foreign support, neight adjustance	30.03	20.02		
Stump sock	*	*		
* (consult Division III of this Part for the codes and prices of these supplements)				
ADJUSTMENTS AVAILABLE				
1146521 Socket lining (leather, plastic or other material)			168.18	
1156504 Lengthening of tibial part			316.93	
Any pertinent adjustment				
	M M		M	

DEVICE	•		Maximum adjustement	Guarantee
	replacement of device	component or supplement	price	(months)

3,846.49

6

BASIC COMPONENTS AND SUPPLEMENTS

1151505 Endoskeletal tibiofemoral prosthesis

Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person

SACH foot

Complete endoskeletal system with knee (3R21) (modular components, prosthetic cover and prosthetic socks (2)). If child, uniaxial knee (3R38)

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

1125500 CACH foot	N. C	260.44	
1125509 SACH foot 1155506 Laminated plastic tibiofemoral socket, made from	N. C. N. C.	260.44 1,833.19	
plaster or digital mold of insured person	N. C.	1,055.19	3
plaster of digital mold of insured person			3
1195528 Complete endoskeletal system	N. C.	N. A.	
1155555 Knee (3R21)	N. C.	1,373.81	
1165596 Prosthetic cover	N. C.	565.35	
OPTIONAL COMPONENTS			
1195551 Trial socket	169.47	N. A.	
1195569 Foam flexible double comfort socket	144.89	243.21	
1146554 Silicone gel flexible double socket, with distal	884.89	918.54	3
attachment			3
1146570 Silicone gel flexible double socket, with distal	N. A.	637.80	
attachment, excluding replacement of distal			3
attachment			
1165570 Silesian belt	137.12	155.26	3
1165828 Neoprene Silesian belt	155.26	177.23	
1165588 Pelvic belt (steel joint and band)	320.85	494.22	3
1165703 Pelvic belt (plastic joint and band)	261.34	434.69	3
1165711 Pelvic belt (titanium joint and band)	412.68	586.05	3
1125715 Articulated foot and adapter	177.48	437.91	
1125723 Articulated without adapter	N. A.	269.12	
1125574 Dynamic response foot, spring and prosthetic cover	343.73	604.16	
included (Quantum)			
1125780 Adapter for foot (Quantum)	53.03	98.32	
1125707 Dynamic foot, for child (1K10)	35.81	296.26	
1125582 Dynamic response foot (Seattle Light)	465.35	725.79	
1125590 Dynamic response foot (Sten foot)	77.22	337.67	
1125608 Dynamic response foot (SAFE foot)	183.31	443.75	
1125616 Dynamic response foot (1D10, 1D11)	156.42	416.84	
1125566 Dynamic response foot (Seattle)	356.66	617.10	
1125541 Dynamic response foot (Carbon Copy II)	297.17	557.61	
1125681 Dynamic response foot (Step Light)	281.64	542.06	
1125699 Dynamic response foot (USMC)	174.27	434.69	
1125731 Dynamic plus foot (1D25)	423.94	684.37	
1125749 Multiaxial foot with rotator (1A30)	653.73	914.16	
1125756 Multiaxial foot with rotator (Endolite)	571.42	831.85	
1125764 Dynamic response foot with rotator (Endolite)	762.90	1,023.34	
1155571 Multiaxial knee, for child (TK40C) (used with	467.14	1,840.95	
DAW endoskeletal system)			
1155500 IV. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	110.10	1 402 01	
1155589 Uniaxial constant friction knee, for child (TK1C1)	110.10	1,483.91	
1155597 Uniaxial knee, for child (3R38)	N. C.	1,142.36	
,		,	

----- Any pertinent adjustment

			(
1155605 Uniaxial knee with lock, for child (3R39)	N. C.	1,267.84	
1155613 Polycentric-joint knee with assisted extension, titanium (3R30)	463.71	1,837.52	
1155621 Multiaxial knee with rotator, for child (3R66)	N. C.	1,355.81	
1155639 Polycentric-joint knee with lock, titanium (3R32)	291.19	1,665.00	
1145580 Suction valve and seat	247.72	313.68	
1145655 Suction valve	N. A.	223.14	
1135557 Ankle rotator (4R39, 4R40)	722.71	778.34	
1135607 Ankle rotator (4R85)	645.86	696.30	
1135615 Titanium modular system and carbon fiber pylon	91.86	N. A.	
SUPPLEMENTS AVAILABLE			
3194032 Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm (18 in.)	18.36	21.33	
3194040 Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm (31½ in.)	18.36	21.33	
3194230 Nylon sheath with elastic band	31.18	34.13	
3194115 Nylon sheath with tibial elastic band, 50.8 cm	29.45	32.42	
(20 in.) to 73.7 cm (29 in.)			
3194206 Nylon sheath (all sizes)	29.45	32.42	
3194172 Prosthetic socks, per pair	N. C.	45.27	
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	
Stump sock	*	*	
* (consult Division III of this Part for the codes and prices of these supplements)			
ADJUSTMENTS AVAILABLE			
1146521 Socket lining (leather, plastic or other material)			168.18
1146547 Lengthening of tibial part of prosthesis, excluding replacement of prosthetic cover and prosthetic sock			222.53

SUBDIVISION 5: FEMORAL PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Post-operative femoral prosthesis necessitating obligatory renewal of plaster or digital mold	1,119.08			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Compressible Lycra socks (4) Plaster sockets (2) Means of suspension (belt) SACH foot (loan) Adjustable pylon with joint (loan) Suspension cable, distal pad, ring *GUARANTEE PERIOD: Life of prosthesis				
	·				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1195510	Plaster sockets (2) Means of suspension (belt) Suspension cable, distal pad, ring	N. C. N. C. N. C.	N. A. N. A. N. A.		
	SUPPLEMENTS AVAILABLE				
3492550	Compressible Lycra socks (4) Crutches with axillary support, height-adjustable Crutches with forearm support, height-adjustable	N. C. 20.38 56.05	N. A. 20.38 56.05		
	ADJUSTMENT AVAILABLE				
	None				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Pneumatic post-operative femoral prosthesis, non-articulated	608.03			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Inflatable bag or case Distal pad Suspension straps Mobility frame (loan)				

Electric pump (loan)

*GUARANTEE PERIOD: Life of prosthesis

COMPONENTS AND SUPPLEMENTS AVAILABLE

SUPPLEMENTS AVAILABLE

3492550 Crutches with axillary support, height-adjustable 20.38 20.38 3492551 Crutches with forearm support, height-adjustable 56.05 56.05

----- Stump sock

* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENT AVAILABLE

None

DEVICE	Maximum price Purchase or	Maximum price Replacement of	Maximum	Guarantee
	replacement of device	component or supplement	adjustement price	(months)

772.33

20.38

1160068 Pneumatic post-operative femoral prosthesis,

articulated

BASIC COMPONENTS AND SUPPLEMENTS

Inflatable bag or case

Thigh lacer system (loan)

Knee joint system (loan)

Modular system (loan)

Universal socket (loan)

SACH foot (loan)

Air pump (loan)

*GUARANTEE PERIOD: Life of prosthesis

COMPONENTS AND SUPPLEMENTS **AVAILABLE**

SUPPLEMENTS AVAILABLE

3492550 Crutches with axillary support, height-adjustable 20.38

56.05

56.05

3492551 Crutches with forearm support, height-adjustable

	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
	ADJUSTMENT AVAILABLE				
	None				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1160100	Temporary femoral prosthesis	1,143.66			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated or molded plastic socket, made from plaster or digital mold of insured person				
	Temporary foot (loan) Endoskeletal system (loan)				
	*GUARANTEE PERIOD: Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1145523	Laminated or molded plastic socket, made from plaster or digital mold of insured person	N. C.	N. A.		
	OPTIONAL COMPONENTS				
1165570	Silesian belt	137.12	155.26		3
	Pelvic belt (plastic joint and band)	261.34	434.69		3
1165588	Pelvic belt (steel joint and band)	320.85	494.22		3
	SUPPLEMENTS AVAILABLE				
3194065	Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	18.36	21.33		
	Nylon sheath with elastic band, 15.2 cm (6 in.) to 45.7 cm (18 in.)	34.59	37.53		
3194149	Nylon sheath with V opening, 15.2 cm (6 in.) to 50.8 cm (20 in.)	35.86	38.83		
	Nylon suction sheath (all sizes)	29.45	32.42		
3492501		10.19	10.19		
	Crutches with axillary support, height-adjustable	20.38	20.38		
3492551	Crutches with forearm support, height-adjustable	56.05	56.05		
	Stump sock	*	*		

* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENT AVAILABLE

None

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Exoskeletal femoral prosthesis with constant friction knee (3P25)	2,899.61			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic femoral socket, made from plaster or digital mold of insured person				
	Constant friction knee (3P25) SACH foot				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1125509	SACH foot	N. C.	260.44		
	Laminated plastic femoral socket, made from plaster or digital mold of insured person	N. C.	1,645.58		3
1155522	Constant friction knee (3P25)	N. C.	865.50		
	OPTIONAL COMPONENTS				
1195577	Trial socket	150.08	N. A.		
1165570	Silesian belt	137.12	155.26		3
1165828	Neoprene Silesian belt	155.26	177.23		
1165588	Pelvic belt (steel joint and band)	320.85	494.22		3
	Pelvic belt (titanium joint and band)	412.68	586.05		3
	Pelvic belt (plastic joint and band)	261.34	434.69		3
	Silicone gel flexible double socket, with distal	884.89	918.54		3
	attachment	27. 4	627 00		
	Silicone gel double socket, with distal attachment,	N. A.	637.80		2
	excluding replacement of distal attachment				3
1145580	Suction valve and seat	247.72	313.68		
1145655	Suction valve	N. A.	223.14		
1125517	Articulated foot	144.07	404.48		
1125574	Dynamic response foot, spring and prosthetic cover included (Quantum)	343.73			
	Adapter for foot (Quantum)	134.54	187.59		
	Dynamic response foot (Seattle Light)	465.35	725.79		
	Dynamic response foot (Sten foot)	77.22			
	Dynamic response foot (SAFE foot)	183.31	443.75		

DEVICE	Maximum price Purchase or	Maximum price Replacement of	Maximum adjustement	Guarantee
1166537 Socket lining (leather, plastic or other material) Any pertinent adjustment			316.93	
1146521 Lengthening of tibial part of the prosthesis			168.18	
ADJUSTMENTS AVAILABLE				
Stump sock* (consult Division III of this Part for the codes and prices of these supplements)	*	*		
3492550 Crutches with axillary support, height-adjustable 3492551 Crutches with forearm support, height-adjustable	20.38 56.05			
3492501 Cane	10.19			
3194206 Nylon suction sheath (all sizes)	29.45			
3194198 Prosthetic socks, per pair	27.19			
3194164 Wool socks, 5-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	38.37	41.37		
3194156 Wool socks, 3-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	37.50	40.53		
3194149 Nylon sheath with V opening, 15.2 cm (6 in.) to 50.8 cm (20 in.)	35.86	38.83		
3194131 Nylon sheath with elastic band, 15.2 cm (6 in.) to 45.7 cm (18 in.)	34.59	37.53		
3194065 Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	18.36			
SUPPLEMENTS AVAILABLE				
1165729 Constant friction locking knee (3P4F)	43.97	909.48		
1165646 Geriatric knee with manual lock (3K9)	51.75	917.25		
1165620 Manual locking knee (3P52)	125.50			
1165612 Manual locking knee (3P4)	21.98			
1165604 Safety knee (3P23, 3P24)	135.84	1,001.31		
1145747 Foam flexible cover for tibial part	85.40			
1125541 Dynamic response foot (Carbon Copy II) 1125707 Dynamic foot, for child (1K10)	297.17 35.81			
1125566 Dynamic response foot (Seattle)	356.66			
1125616 Dynamic response foot (1D10, 1D11)	156.42			

	Maximum price	Maximum price	Maximum	
DEVICE	Purchase or	Replacement of	adjustement	Guarantee
	replacement of	component or	•	(months)
	device	supplement	price	

1160605 Exoskeletal femoral prosthesis with friction locking knee, for child (3P21)

2,745.66

6

BASIC COMPONENTS AND SUPPLEMENTS

Laminated plastic femoral socket, made from plaster or digital mold of insured person

3

3

3 3 3

3

Friction locking knee, for child (3P21) SACH foot

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

1125509 SACH foot	N. C.	260.44
1165505 Laminated plastic femoral socket, made from plaster	N. C. N. C.	1,645.58
or digital mold of insured person	11. 0.	1,0 .0.00
1165737 Friction locking knee, for child (3P21)	N. C.	711.55
1103/3/ Friction locking knee, for clind (SF21)	N. C.	/11.55
OPTIONAL COMPONENTS		
1195577 Trial socket	150.08	N. A.
1165570 Silesian belt	137.12	155.26
1165828 Neoprene Silesian belt	155.26	177.23
1165588 Pelvic belt (steel joint and band)	320.85	494.22
1165711 Pelvic belt (titanium joint and band)	412.68	586.05
1165703 Pelvic belt (plastic joint and band)	261.34	434.69
1146554 Silicone gel flexible double socket, with distal attachment	884.89	918.54
1146570 Silicone gel double socket, with distal attachment,	N. A.	637.80
excluding replacement of distal attachment	11.11.	037.00
2.72.200.05 Tep. account of distant annual minor		
1145580 Suction valve and seat	247.72	313.68
1145655 Suction valve	N. A.	223.14
1125517 Articulated foot	144.07	404.48
1125574 Dynamic response foot, spring and prosthetic cover	343.73	604.16
included (Quantum)		
1125624 Adapter for foot (Quantum)	134.54	187.59
1125582 Dynamic response foot (Seattle Light)	465.35	725.79
1125590 Dynamic response foot (Sten foot)	77.22	337.67
1125608 Dynamic response foot (SAFE foot)	183.31	443.75
1125616 Dynamic response foot (1D10, 1D11)	156.42	416.84
1125566 Dynamic response foot (Seattle)	356.66	617.10
1125541 Dynamic response foot (Carbon Copy II)	297.17	557.61
1125707 Dynamic foot, for child (1K10)	35.81	296.26
1145747 Foam flexible cover for tibial part	85.40	119.02
1165745 Friction locking knee, for child (3P50)	43.97	755.51
SUPPLEMENTS AVAILABLE		
2104065 Nydon shooth 20.2 cm (9 in) to 50.9 cm (20 in)	19.26	01.22
3194065 Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	18.36	21.33
3194131 Nylon sheath with elastic band, 15.2 cm (6 in.) to	34.59	37.53
45.7 cm (18 in.)		
3194149 Nylon sheath with V opening, 15.2 cm (6 in.) to	35.86	38.83
50.8 cm (20 in.)		
3194156 Wool socks, 3-ply, with V opening, sizes 1, 2, 3, 4,	37.50	40.53
from 15.2 cm (6 in.) to 50.8 cm (20 in.)		

			(authentic version)
3194164 Wool socks, 5-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	38.37	41.37	
110m 13.2 cm (0 m.) to 30.0 cm (20 m.)			
3194198 Prosthetic socks, per pair	27.19	36.22	
3194206 Nylon suction sheath (all sizes)	29.45	32.42	
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	
Stump sock	*	*	
* (consult Division III of this Part for the codes and			
prices of these supplements)			
ADJUSTMENTS AVAILABLE			
1146521 Lengthening of tibial part of the prosthesis			168.18
1166537 Socket lining (leather, plastic or other material)			316.93
Any pertinent adjustment			310.73
	Maximum price 1	Javimum prica	

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1161504 Endoskeletal femoral prosthesis	3,415.79			6

BASIC COMPONENTS AND SUPPLEMENTS

Laminated plastic femoral socket, made from plaster or digital mold of insured person

SACH foot

Complete endoskeletal system with uniaxial constant friction knee (3R16) (modular components, prosthetic cover and prosthetic socks (2))

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

1125509 SACH foot	N. C.	260.44	
1165505 Laminated plastic femoral socket, made from plaster	N. C.	1,645.58	
or digital mold of insured person			3
1195528 Complete endoskeletal system	N. C.	N. A.	
1165653 Uniaxial constant friction knee (3R16)	N. C.	508.44	
1165596 Prosthetic cover	N. C.	565.35	
OPTIONAL COMPONENTS			
1195577 Trial socket	150.08	N. A.	
1165570 Silesian belt	137.12	155.26	3
1165828 Neoprene Silesian belt	155.26	177.23	

3 3 3

3

1165588 Pelvic belt (steel joint and band)	320.85	494.22
1165711 Pelvic belt (titanium joint and band)	412.68	586.05
1165703 Pelvic belt (plastic joint and band)	261.34	434.69
1146554 Silicone gel flexible double socket, with distal	884.89	918.54
attachment		
1146570 Silicone gel flexible double socket, with distal	N. A.	637.80
attachment, excluding replacement of distal		
attachment		
1145580 Suction valve and seat	247.72	313.68
1145655 Suction valve	N. A.	223.14
1125715 Articulated foot and adapter	177.48	437.91
1125723 Articulated without adapter	N. A.	269.12
1125574 Dynamic response foot, spring and prosthetic cover	343.73	604.16
included (Quantum)		
1125780 Adapter for foot (Quantum)	53.03	98.32
1125707 Dynamic foot, for child (1K10)	35.81	296.26
1125582 Dynamic response foot (Seattle Light)	465.35	725.79
1125590 Dynamic response foot (Sten foot)	77.22	337.67
1125608 Dynamic response foot (SAFE foot)	183.31	443.75
1125616 Dynamic response foot (1D10, 1D11)	156.42	416.84
1125566 Dynamic response foot (Seattle)	356.66	617.10
1125541 Dynamic response foot (Carbon Copy II)	297.17	557.61
1125681 Dynamic response foot (Step Light)	281.64	542.06
1125699 Dynamic response foot (USMC)	174.27	434.69
1125731 Dynamic plus foot (1D25)	423.94	684.37
1125749 Multiaxial foot with rotator (1A30)	653.73	914.16
1125756 Multiaxial foot with rotator (Endolite)	571.42	831.85
1125764 Dynamic response foot with rotator (Endolite)	762.90	1,023.34
1165802 Uniaxial knee with lock, for child (3R39)	823.68	1,332.11
1165810 Uniaxial constant friction knee (3R18)	183.70	692.14
1165679 Safety knee (3R15)	294.96	804.67
1165661 Manual locking knee (3R17)	370.46	878.90
1165687 4-axis polycentric knee (3R20)	383.47	891.90
1165752 Manual locking knee, aluminum (3R40)	273.36	781.79
1165760 Manual locking knee, titanium (3R33)	648.74	1,157.17
1165778 Safety knee, titanium (3R49)	588.68	1,097.11
1165836 Multiaxial knee with rotator, for child (3R66)	847.38	1,355.81
1135557 Ankle rotator (4R39, 4R40)	722.71	778.34
1135607 Ankle rotator (4R85)	645.86	696.30
1155548 Knee rotator (4R57)	824.96	876.73
1165794 Multiaxial knee, for child (TK40C)	1,331.24	1,840.95
1165844 Uniaxial constant friction knee with or without lock,	975.45	1,483.91
for child (TK1C1)	<i>3101.6</i>	1,100.51
1165851 Uniaxial knee, for child (3R38)	628.75	1,142.36
1135615 Titanium modular system and carbon fiber pylon	91.86	N. A.
22222 2 Aminon modula system and earoon from pyron	71.00	11. 11.
SUPPLEMENTS AVAILABLE		
3194065 Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	18.36	21.33
3194131 Nylon sheath with elastic band, 15.2 cm (6 in.) to 45.7 cm (18 in.)	34.59	37.53
1017 6111 (10 1111)		

			(authentic version)
3194248 Nylon sheath with V opening, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	35.86	38.83	
3194156 Wool socks, 3-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	37.50	40.53	
3194164 Wool socks, 5-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	38.37	41.37	
3194206 Nylon suction sheath (all sizes)	29.45	32.42	
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	
Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*	
3194172 Prosthetic socks (2)	N. C.	45.27	
ADJUSTMENTS AVAILABLE			
1146521 Lengthening of tibial part of the prosthesis, excluding replacement of prosthetic cover and prosthetic sock			168.18
1146547 Socket lining (leather, plastic or other material)			222.53

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1162254 Bilateral femoral stubbies	3,593.06			6
BASIC COMPONENTS AND SUPPLEMENTS				
Laminated plastic femoral sockets, made from plaster or digital mold of insured person (2)				
SACH or modified feet (2)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1125558 Modified foot	N. C.	N. A.		
1125509 SACH foot	N. C.	260.44		
1165695 Laminated plastic femoral socket, made from plaster or digital mold of insured person	N. C.	1,644.30		
OPTIONAL COMPONENTS				
1195577 Trial socket	150.08	N. A.		
1165570 Silesian belt	137.12	155.26		3

168.18

1165828 Neoprene Silesian belt 1165588 Pelvic belt (steel joint and band) 1165703 Pelvic belt (plastic joint and band) 1165711 Pelvic belt (titanium joint and band) 1145580 Suction valve and seat 1145655 Suction valve	155.26 320.85 261.34 412.68 247.72 N. A.	177.23 494.22 434.69 586.05 313.68 223.14	3 3 3
SUPPLEMENTS AVAILABLE			
3194065 Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	18.36	21.33	
3194131 Nylon sheath with elastic band, 15.2 cm (6 in.) to 45.7 cm (18 in.)	34.59	37.53	
3194149 Nylon sheath with V opening, 15.2 cm (6 in.) to 50.8 cm (20 in.)	35.86	38.83	
3194156 Wool socks, 3-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	37.50	40.53	
3194164 Wool socks, 5-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	38.37	41.37	
3194206 Nylon suction sheath (all sizes)	29.45	32.42	
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	
Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*	
ADJUSTMENTS AVAILABLE			

1146521 Socket lining (leather, plastic or other material)

----- Any pertinent adjustment

SUBDIVISION 6: COXOFEMORAL AND HEMIPELVIC PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1170505	Exoskeletal coxofemoral prosthesis with constant friction knee (3P25)	4,477.94			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic socket, made from plaster or digital mold of insured person				
	Constant friction knee (3P25)				
	SACH foot Hip joint – Canadian type (CHJ-100, CHJ-75)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1125509	SACH foot	N. C.	260.44		
1175504	Laminated plastic socket, made from plaster or digital mold of insured person	N. C.	2,622.34		
1175512	Hip joint – Canadian type (CHJ-100, CHJ-75)	N. C.	547.24		
1155522	Constant friction knee (3P25)	N. C.	865.50		
	OPTIONAL COMPONENTS				
1195593	Trial socket	289.78	N. A.		
	Suction valve and seat	247.72			
	Suction valve	N. A.			
	Articulated foot	144.07			
1125574	Dynamic response foot, spring and prosthetic cover	343.73	604.16		
1125624	included (Quantum) Adapter for foot (Quantum)	134.54	187.59		
	Dynamic response foot (Seattle Light)	465.35			
	Dynamic response foot (Sten foot)	77.22			
	Dynamic response foot (SAFE foot)	183.31			
	Dynamic response foot (1D10, 1D11)	156.42			
	Dynamic response foot (Seattle)	356.66			
	Dynamic response foot (Carbon Copy II)	297.17			
	Dynamic foot, for child (1K10)	35.81			
	Foam flexible cover for tibial part	85.40	119.02		
	Safety knee (3P23, 3P24)	135.84			
	Manual locking knee (3P4)	21.98			
	Manual locking knee (3P52)	125.50			
1165646	Geriatric knee with manual lock (3K9)	51.75	917.25		

Tariff for devices which compensate for a motor deficiency and insured related service	es
(authentic versio	n)

316.93

6

SCHEDULE 1	Tariff for devices which co	ompensate for a mo	tor deficiency and i	nsured related services (authentic version)
1165729 Constant friction locking known	ee (3P4F)	43.97	909.48	
SUPPLEMENTS AVAILA	BLE			
3194198 Prosthetic socks, per pair		27.19	36.22	
3194180 Pant-style sock		17.14	22.75	
3492501 Cane		10.19	10.19	
3492550 Crutches with axillary suppo	ort, height-adjustable	20.38	20.38	
3492551 Crutches with forearm suppo	ort, height-adjustable	56.05	56.05	

ADJUSTMENTS AVAILABLE

1166537 Lengthening of tibial part of the prosthesis

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
--	--------	---	---	---------------------------------	--------------------

4,323.99

1170604 Exoskeletal coxofemoral prosthesis with friction locking knee, for child (3P21)

BASIC COMPONENTS AND SUPPLEMENTS

Laminated plastic socket, made from plaster or digital mold of insured person

Friction locking knee, for child (3P21) SACH foot

Hip joint – Canadian type (CHJ-100, CHJ-75)

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

Brisic comi ortervis		
1125509 SACH foot	N. C.	260.44
1175504 Laminated plastic socket, made from plaster or	N. C.	2,622.34
digital mold of insured person		
1175512 Hip joint – Canadian type (CHJ-100, CHJ-75)	N. C.	547.24
1165727 Emission leading lines for skild (2D21)	N. C.	711.55
1165737 Friction locking knee, for child (3P21)	N. C.	/11.55
OPTIONAL COMPONENTS		
1195593 Trial socket	289.78	N. A.
1145580 Suction valve and seat	247.72	313.68
1145655 Suction valve	N. A.	223.14
1125517 Articulated foot	144.07	404.48
1125574 Dynamic response foot, spring and prosthetic cover	343.73	604.16
included (Quantum)		
1125624 Adapter for foot (Quantum)	134.54	187.59

Updated: October 10, 2017

316.93

6

			,
1125582 Dynamic response foot (Seattle Light)	465.35	725.79	
1125590 Dynamic response foot (Sten foot)	77.22	337.67	
1125608 Dynamic response foot (SAFE foot)	183.31	443.75	
1125616 Dynamic response foot (1D10, 1D11)	156.42	416.84	
1125566 Dynamic response foot (Seattle)	356.66	617.10	
1125541 Dynamic response foot (Carbon Copy II)	297.17	557.61	
1125707 Dynamic foot, for child (1K10)	35.81	296.26	
1145747 Foam flexible cover for tibial part	85.40	119.02	
1165745 Constant friction locking knee, for child (3P50)	43.97	755.51	
SUPPLEMENTS AVAILABLE			
2104100 P 1 . 1	25.10	2 < 22	
3194198 Prosthetic socks, per pair	27.19	36.22	
3194180 Pant-style sock	17.14	22.75	
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	

ADJUSTMENTS AVAILABLE

1166537 Lengthening of tibial part of the prosthesis

1171503 Endoskeletal coxofemoral prosthesis

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
				_

6,129.38

BASIC COMPONENTS AND SUPPLEMENTS

Laminated plastic socket, made from plaster or digital mold of insured person

SACH foot

Complete endoskeletal system wth uniaxial constant friction knee (3R16) (modular components, prosthetic cover and prosthetic socks (2))

Hip joint (7E7)

COMPONENTS AND SUPPLEMENTS

AVAILABLE

BASIC COMPONENTS

1125509 SACH foot	N. C.	260.44
1175504 Laminated plastic socket, made from plaster or	N. C.	2,622.34
digital mold of insured person		
1195528 Complete endoskeletal system	N. C.	N. A.
1165653 Uniaxial constant friction knee (3R16)	N. C.	508.44

Updated: October 10, 2017

1175538 Prosthetic cover	N. C.	723.18
1175561 Hip joint (7E7)	N. C.	N. A.
OPTIONAL COMPONENTS		
1195593 Trial socket	289.78	N. A.
1175553 Joint of hip joint (7E7)	N. A.	2,021.44
1175579 Joint of hip joint, for child (7E8)	249.70	1,529.17
1165810 Uniaxial constant friction knee (3R18)	183.70	692.14
1165679 Safety knee (3R15)	294.96	804.67
1165661 Manual locking knee (3R17)	370.46	878.90
1165687 4-axis polycentric knee (3R20)	383.47	891.90
1165752 Manual locking knee, aluminum (3R40)	273.36	781.79
1165760 Manual locking knee, titanium (3R33)	648.74	1,157.17
1165778 Safety knee. titanium (3R49)	588.68	1,097.11
1165836 Multiaxial knee with rotator, for child (3R66)	847.38	1,355.81
1165802 Multiaxial knee, for child (TK40C)	823.68	1,332.11
1165794 Uniaxial constant friction knee, with or without lock, for child (TK1C1)	1,331.24	1,840.95
1165844 Knee rotator (4R57)	975.45	1,483.91
1155548 Multiaxial knee, for child (TK40C)	824.96	876.73
1135557 Ankle rotator (4R39, 4R40)	722.71	778.34
1135607 Ankle rotator (4R85)	645.86	696.30
1125715 Articulated foot and adapter	177.48	437.91
1125713 Articulated root and adapter 1125723 Articulated without adapter	N. A.	269.12
1125725 Articulated without adapter 1125798 Dynamic response foot, spring and prosthetic cover	N. A. 307.51	567.94
included (Quantum)	307.31	307.94
1125780 Adapter for foot (Quantum)	53.03	98.32
1125707 Dynamic foot, for child 1K10	35.81	296.26
1125582 Dynamic response foot (Seattle Light)	465.35	725.79
1125590 Dynamic response foot (Sten foot)	77.22	337.67
1125608 Dynamic response foot (SAFE foot)	183.31	443.75
1125616 Dynamic response foot (1D10 or 1D11)	156.42	416.84
1125566 Dynamic response foot (Seattle)	356.66	617.10
1125541 Dynamic response foot (Carbon Copy II)	297.17	557.61
1125681 Dynamic response foot (Step Light)	281.64	542.06
1125699 Dynamic response foot (USMC)	174.27	434.69
1125731 Dynamic plus foot (1D25)	423.94	684.37
1125749 Multiaxial foot with rotator (1A30)	653.73	914.16
1125756 Multiaxial foot with rotator (Endolite)	571.42	831.85
1125764 Dynamic response foot with rotator (Endolite)	762.90	1,023.34
1135615 Titanium modular system and carbon fiber pylon	91.86	N. A.
SUPPLEMENTS AVAILABLE		
3194180 Pant-style sock	17.14	22.75
3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05

3194214 Prosthetic socks (2)

N. C. 40.11

ADJUSTMENTS AVAILABLE

1146547 Lengthening of tibial part of prosthesis, excluding replacement of prosthetic cover and prosthetic sock

222.53

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1180504	Exoskeletal hemipelvic prosthesis, with constant friction knee (3P25)	4,617.67			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic socket, made from plaster or digital mold of insured person				
	Constant friction knee (3P25) SACH foot Hip joint – Canadian type (CHJ-100, CHJ-75)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1125509	SACH foot	N. C.	260.44		
1175504	Laminated plastic socket, made from plaster or digital mold of insured person	N. C.	2,622.34		
1175512	Hip joint – Canadian type (CHJ-100, CHJ-75)	N. C.	547.24		
1155522	Constant friction knee (3P25)	N. C.	865.50		
	OPTIONAL COMPONENTS				
1195593	Trial socket	289.78	N. A.		
1125517	Articulated foot	144.07	404.48		
1125574	Dynamic response foot, spring and prosthetic cover included (Quantum)	343.73	604.16		
	Adapter for foot (Quantum)	134.54	187.59		
	Dynamic response foot (Seattle Light)	465.35	725.79		
	Dynamic response foot (Sten foot)	77.22	337.67		
	Dynamic response foot (SAFE foot)	183.31	443.75		
	Dynamic response foot (1D10 or 1D11)	156.42	416.84		
	Dynamic response foot (Seattle)	356.66	617.10		
	Dynamic response foot (Carbon Copy II)	297.17	557.61		
	Dynamic foot, for child (1K10)	35.81	296.26		
1145/47	Foam flexible cover for tibial part	85.40	119.02		

Tariff for devices which compensate for a motor deficiency and insured related	services
(authentic	version)

CO	TT	T	TT	\mathbf{r}	1
.>(нь	D		JH.	

135.84	1,001.31	
21.98	887.50	
125.50	991.00	
51.75	917.25	
43.97	909.48	
27 19	36.22	
27.19 17.14	36.22 22.75	
17.14	22.75	
	21.98 125.50 51.75	21.98 887.50 125.50 991.00 51.75 917.25

ADJUSTMENTS AVAILABLE

1166537 Lengthening of tibial part of the prosthesis ------ Any pertinent adjustment

316.93

DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1181601 Exoskeletal hemipelvic prosthesis locking knee, for child (3P21)	s, with friction	4,463.70			6
BASIC COMPONENTS AND S	UPPLEMENTS				
Laminated plastic socket, made for digital mold of insured person	rom plaster or				
Friction locking knee, for child (SACH foot Hip joint – Canadian type (CHJ-					
COMPONENTS AND SUPPLE. AVAILABLE	MENTS				
BASIC COMPONENTS					
1125509 SACH foot		N. C.	260.44		
1175504 Laminated plastic socket, made for digital mold of insured person	rom plaster or	N. C.	2,622.34		
1175512 Hip joint – Canadian type (CHJ-	100, CHJ-75)	N. C.	547.24		
1165737 Friction locking knee, for child (3	3P21)	N. C.	711.55		
OPTIONAL COMPONENTS					
1195593 Trial socket		289.78	N. A.		
1125517 Articulated foot		144.07	404.48		

41 Updated: October 10, 2017

316.93

6

343.73	604.16	
134.54	187.59	
465.35	725.79	
77.22	337.67	
183.31	443.75	
156.42	416.84	
356.66	617.10	
297.17	557.61	
35.81	296.26	
85.40	119.02	
43.97	755.51	
27.19	36.22	
17.14	22.75	
10.19	10.19	
20.38	20.38	
56.05	56.05	
	134.54 465.35 77.22 183.31 156.42 356.66 297.17 35.81 85.40 43.97 27.19 17.14 10.19 20.38	134.54 187.59 465.35 725.79 77.22 337.67 183.31 443.75 156.42 416.84 356.66 617.10 297.17 557.61 35.81 296.26 85.40 119.02 43.97 755.51 27.19 36.22 17.14 22.75 10.19 10.19 20.38 20.38

ADJUSTMENTS AVAILABLE

1166537 Lengthening of tibial part of the prosthesis

----- Any pertinent adjustment

1181502 Endoskeletal hemipelvic prosthesis

Titry pertinent adjustment		
	Maximum price Maximum price	

	Maximum price	Maximum price	Maximum	
DEVICE	Purchase or	Replacement of	adjustement	Guarantee
DEVICE	replacement of	component or	price	(months)
	device	supplement	price	

6,289.79

BASIC COMPONENTS AND SUPPLEMENTS

Laminated plastic socket, made from plaster or digital mold of insured person

SACH foot

Complete endoskeletal system with uniaxial constant friction knee (3R16) (modular components, prosthetic cover and prosthetic socks (2))

Hip joint (7E7)

COMPONENTS AND SUPPLEMENTS

AVAILABLE

BASIC COMPONENTS

1125509 SACH foot	N. C.	260.44
1175504 Laminated plastic socket, made from plaster or	N. C.	2,622.34
digital mold of insured person		

1195528 Complete endoskeletal system	N. C.	N. A.
1165653 Uniaxial constant friction knee (3R16)	N. C.	508.44
1175538 Prosthetic cover	N. C.	723.18
1175561 Hip joint (7E7)	N. C.	N. A.
OPTIONAL COMPONENTS		
1195593 Trial socket	289.78	N. A.
1175553 Joint of hip joint (7E7)	N. A.	2,021.44
1175579 Joint of hip joint, for child (7E8)	249.70	1,529.17
1165810 Uniaxial constant friction knee (3R18)	183.70	692.14
1165679 Safety knee (3R15)	294.96	804.67
1165661 Manual locking knee (3R17)	370.46	878.90
1165687 4-axis polycentric knee (3R20)	383.47	891.90
1165752 Manual locking knee, aluminum (3R40)	273.36	781.79
1165760 Manual locking knee, titanium (3R33)	648.74	1,157.17
1165778 Safety knee, titanium (3R49)	588.68	1,097.11
1165836 Multiaxial knee with rotator, for child (3R66)	847.38	1,355.81
1103030 ividitiaziai kilee widi fotatof, for cilila (3K00)	047.30	1,333.01
1165802 Uniaxial knee with lock, for child (3R39)	823.68	1,332.11
1165794 Multiaxial knee, for child (TK40C)	1,331.24	1,840.95
1165844 Uniaxial constant friction knee, with or without	975.45	1,483.91
lock, for child (TK1C1)		
1155548 Knee rotator (4R57)	824.96	876.73
1135557 Ankle rotator (4R39, 4R40)	722.71	778.34
1135607 Ankle rotator (4R85)	645.86	696.30
1125715 Articulated foot and adapter	177.48	437.91
1125723 Articulated without adapter	N. A.	269.12
1125798 Dynamic response foot, spring and prosthetic cover	307.51	567.94
included (Quantum)		
1125780 Adapter for foot (Quantum)	53.03	98.32
1125707 Dynamic foot, for child (1K10)	35.81	296.26
1125582 Dynamic response foot (Seattle Light)	465.35	725.79
1125590 Dynamic response foot (Sten foot)	77.22	337.67
1125608 Dynamic response foot (SAFE foot)	183.31	443.75
1125616 Dynamic response foot (1D10, 1D11)	156.42	416.84
1125566 Dynamic response foot (Seattle)	356.66	617.10
1125541 Dynamic response foot (Carbon Copy II)	297.17	557.61
1125681 Dynamic response foot (Step Light)	281.64	542.06
1125699 Dynamic response foot (USMC)	174.27	434.69
1125731 Dynamic plus foot (1D25)	423.94	684.37
1125749 Multiaxial foot with rotator (1A30)	653.73	914.16
1125756 Multiaxial foot with rotator (Endolite)	571.42	831.85
1125764 Dynamic response foot with rotator (Endolite)	762.90	1,023.34
1135615 Titanium modular system and carbon fiber pylon	91.86	N. A.

SUPPLEMENTS AVAILABLE

3194180 Pant-style sock	17.14	22.75
3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05
3194214 Prosthetic socks (2)	N. C.	40.11

ADJUSTMENTS AVAILABLE)

1146547 Lengthening of tibial part of prosthesis, excluding replacement of prosthetic cover and prosthetic sock

222.53

----- Any pertinent adjustment

SUBDIVISION 7: LOWER-LIMB PROSTHESES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1142009 Other lower-limb prostheses *	S. C.			6

^{*} When price is below that of the similar prosthesis

DIVISION II: UPPER-LIMB PROSTHESES SUBDIVISION 1: HAND PROSTHESES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1211755 Prosthetic restoration of one finger (thumb) made from plaster or digital mold of insured person	756.82			1
1211756 Prosthetic restoration of one finger (index) made from plaster or digital mold of insured person	756.82			
1211757 Prosthetic restoration of one finger (middle finger) made from plaster or digital mold of insured person				
1211758 Prosthetic restoration of one finger (ring finger) made from plaster or digital mold of insured person	756.82 n			
1211759 Prosthetic restoration of one finger (little finger) made from plaster or digital mold of insured person	756.82 n			
BASIC COMPONENTS AND SUPPLEMENTS				
Compensatory part for finger and prosthetic cover (Realistic)				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1221753 Prosthetic partial hand restoration, made from plaster or digital mold of insured person	1,477.43			1
BASIC COMPONENTS AND SUPPLEMENTS				
Compensatory part				

Prosthetic partial hand and prosthetic glove, made from plaster or digital mold of insured person (Realistic)

COMPONENTS AND SUPPLEMENTS AVAILABLE

1295807 Prosthetic partial hand and prosthetic glove, made from plaster or digital mold of insured person (Realistic) N. C. 708.97

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

SUBDIVISION 2: WRIST PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1230507	Exoskeletal cubital or wrist prosthesis	1,529.17			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Wrist friction joint Rigid plastic socket, made from plaster or digital mold of insured person				
	Suspension harness Tricipital pad Control cable, connections, terminals and housing (reinforced materials)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	957.34		3
1295500	Suspension harness	N. C.	157.84		3
	Control cable, connections, terminals and housing (reinforced materials)	N. C.	195.36		3
	Wrist friction joint	N. C.	338.95		
	Tricipital pad	N. C.	157.84		
	OPTIONAL COMPONENTS				
1245547	Metal elbow joints, flexible	408.81	476.09		
1295765	Anchoring part for cable for passive hand and hook	38.81	62.09		3
	Other optional components (consult Subdivision VII for the codes and prices of these components)				
	SUPPLEMENTS AVAILABLE				
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
3190014	Nylon stump sheath	18.36	21.33		
	ADJUSTMENTS AVAILABLE				
	Lengthening of prosthesis Any pertinent adjustment			263.90	3

SUBDIVISION 3: CUBITAL PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1241504	Endoskeletal cubital prosthetic restoration	1,559.58			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person				
	Passive hand with flexible fingers and prosthetic glove (Otto Bock) Complete endoskeletal system (including modular components and prosthetic cover)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1235514	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	957.34		3
1295534	Complete endoskeletal system	N. C.	N. A.		
	Prosthetic cover	N. C.	293.68		
	Passive hand with flexible fingers (Otto Bock) Prosthetic glove (Otto Bock)	N. C. N. C.	314.36 269.75		
	OPTIONAL COMPONENTS				
	Metal elbow joints, flexible Other optional components (consult Subdivision VII for the codes and prices of these components)	408.81	476.09		
	SUPPLEMENTS AVAILABLE				
	Prosthetic socks, per pair Stump sock * (consult Division III of this Part for the codes and	27.19	36.22		
3190014	prices of these supplements) Nylon stump sheath	18.36	21.33		
2170014	ADJUSTMENT AVAILABLE	10.50	21.33		
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)

1231752 Exoskeletal cubital or wrist prosthetic restoration	1,469.01			6
BASIC COMPONENTS AND SUPPLEMENTS				
Passive hand with flexible fingers and prosthetic glove (Otto Bock) Rigid plastic socket, made from plaster or digital mold of insured person				
Wrist friction joint				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1235514 Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	957.34		3
1295526 Wrist friction joint	N. C.	338.95		
3222817 Passive hand with flexible fingers (Otto Bock)	N. C.	314.36		
3223005 Prosthetic glove (Otto Bock)	N. C.	269.75		
OPTIONAL COMPONENTS				
1295716 Suspension harness Other optional components (consult Subdivision VII for the codes and prices of these components)	107.37	157.84		
SUPPLEMENTS AVAILABLE				
* (consult Division III of this Part for the codes and prices of these supplements)	*	*		
3190014 Nylon stump sheath	18.36	21.33		
ADJUSTMENTS AVAILABLE				
1246511 Lengthening of prosthesis Any pertinent adjustment			263.90	3
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1240514 Cubital prosthesis with multiple-action joints	2,302.82			6
BASIC COMPONENTS AND SUPPLEMENTS				

Wrist friction joint

Rigid plastic socket, made from plaster or digital mold of insured person

Forearm restoration

Multiple-action elbow joints

Suspension harness

Armband

Control cable, connections, terminals and housing

(reinforced materials)

COMPONENTS AND SUPPLEMENTS

AVAILABLE

BASIC COMPONENTS

1245539 Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,204.45		3
1295526 Wrist friction joint	N. C.	338.95		
1245554 Multiple-action elbow joints	N. C.	605.45		
1245562 Forearm restoration	N. C.	445.03		3
1295500 Suspension harness	N. C.	157.84		3
1295518 Control cable, connections, terminals and housing (reinforced materials)	N. C.	195.36		3
1295799 Armband	N. C.	186.27		3
OPTIONAL COMPONENTS				
1295815 Anchoring part for cable for passive hand and hook	38.81	62.09		3
Other optional components (consult Subdivision VII for the codes and prices of these components)				J
SUPPLEMENTS AVAILABLE				
Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
3190014 Nylon stump sheath	18.36	21.33		
ADJUSTMENTS AVAILABLE				
1246511 Lengthening of prosthesis Any pertinent adjustment			263.90	3

SUBDIVISION 4: CUBITOHUMERAL PROSTHESES

DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1250505 Exoskeletal cubitohu	meral prosthesis	3,115.25			6
BASIC COMPONEN	NTS AND SUPPLEMENTS				
Wrist friction joint Rigid plastic socket, mold of insured perso	made from plaster or digital on				
Forearm restoration Joints with external le Suspension harness Control cables (2)	ock (E-500, E-1500)				
COMPONENTS AN AVAILABLE	D SUPPLEMENTS				
BASIC COMPONEN	NTS				
1255512 Rigid plastic socket, a mold of insured person		N. C.	1,235.50		3
1295526 Wrist friction joint 1255520 Joints with external le 1245562 Forearm restoration 1295591 Suspension harness 1295641 Control cables (2)	ock (E-500, E-1500)	N. C. N. C. N. C. N. C. N. C.	445.03		3 3 3
OPTIONAL COMPO	ONENTS				
<u> </u>		389.42 38.81	456.69 62.09		3
SUPPLEMENTS AV	-				
Stump sock * (consult Division II prices of these supple	I of this Part for the codes and	*	*		
3190014 Nylon stump sheath ADJUSTMENTS AV		18.36	21.33		
1246529 Lengthening of cubita	al part of the prosthesis			263.90	3

SUBDIVISION 5: HUMERAL PROSTHESES

]	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1260504	Exoskeletal humeral prosthesis	3,123.00			6
]	BASIC COMPONENTS AND SUPPLEMENTS				
]	Wrist friction joint Rigid plastic socket, made from plaster or digital mold of insured person				
]	Forearm restoration Elbow with internal lock (E-400) Suspension harness Control cables (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
]	BASIC COMPONENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,204.45		3
	Wrist friction joint Elbow with internal lock (E-400)	N. C. N. C.			
	Forearm restoration Suspension harness	N. C. N. C.			3 3
	Control cables (2)	N. C. N. C.			3
(OPTIONAL COMPONENTS				
1295815	Anchoring part for cable for passive hand and hook	38.81	62.09		3
1295823	Flexion assist mechanism	254.85	322.13		3
(Nudge control Other optional components (consult Subdivision VII for the codes and prices of these components)	430.79	504.54		3
;	SUPPLEMENTS AVAILABLE				
:	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
_	Nylon stump sheath	18.36	21.33		
	ADJUSTMENTS AVAILABLE				
	Lengthening of cubital part of the prosthesis Any pertinent adjustment			263.90	3

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1261502	Endoskeletal humeral prosthetic restoration	2,602.31			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person				
	Passive hand with flexible fingers and prosthetic glove (Otto Bock) Complete endoskeletal system (modular components and prosthetic cover) Suspension harness Prosthetic socks (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,204.45		3
1265552 1295591 3222817	Complete endoskeletal system Prosthetic cover Suspension harness Passive hand with flexible fingers (Otto Bock) Prosthetic glove (Otto Bock)	N. C. N. C. N. C. N. C. N. C.	348.01 169.47 314.36		3
	OPTIONAL COMPONENTS				
1295831 1295849 	Flexion wrist Shoulder-activated lock elbow Other optional components (consult Subdivision VII for the codes and prices of these components)	294.96 331.20			
1295815	Anchoring part for cable for passive hand and hook	38.81	62.09		
	SUPPLEMENTS AVAILABLE				
	Prosthetic socks, per pair Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	N. C. *			
	Nylon stump sheath	18.36	21.33		
	ADJUSTMENT AVAILABLE Any pertinent adjustment				

SUBDIVISION 6: GLENOHUMERAL AND THORACIC PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1270503	Exoskeletal glenohumeral prosthesis	4,716.03			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Wrist friction joint Rigid plastic socket, made from plaster or digital mold of insured person				
	Forearm restoration Elbow with internal lock (E-400) Flexion assist mechanism Arm restoration Shoulder joint (FAJ-100) Suspension harness Control cables (2), connections, terminals and housing (reinforced materials and pulley)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1275510	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,628.78		3
1295674	Suspension harness Control cables (2), connections, terminals and housing (reinforced materials and pulley) Wrist friction joint	N. C. N. C. N. C.	390.70		3
1265529 1245562	Elbow with internal lock (E-400) Forearm restoration Arm restoration	N. C. N. C. N. C.	1,045.33 445.03		3
1265545	Shoulder joint (FAJ-100) Flexion assist mechanism	N. C. N. C.	767.64		3
	OPTIONAL COMPONENTS				
	Nudge control Anchoring part for cable for passive hand and hook	430.79 38.81			3
	Other optional components (consult Subdivision VII for the codes and prices of these components)				
	SUPPLEMENTS AVAILABLE				
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		

3190014 Nylon stump sheath

18.36

21.33

263.90

3

ADJUSTMENT AVAILABLE

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1271501 Endoskeletal glenohumeral prosthetic restoration	3,383.70			6

BASIC COMPONENTS AND SUPPLEMENTS

Rigid plastic socket, made from plaster or digital mold of insured person

Passive hand with flexible fingers and prosthetic glove (Otto Bock) Complete endoskeletal system (modular components and prosthetic cover) Suspension harness

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

1275510 Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,628.78	3
1295682 Complete endoskeletal system 1275528 Prosthetic cover 1295666 Suspension harness 3222817 Passive hand with flexible fingers (Otto Bock)	N. C. N. C. N. C. N. C.	N. A. 404.92 179.82 314.36	3
3223005 Prosthetic glove (Otto Bock)	N. C.	269.75	
OPTIONAL COMPONENTS 1295831 Flexion wrist	294.96	445.03	
1295849 Shoulder-activated lock elbow 1295815 Anchoring part for cable for passive hand and hook	331.20 38.81	851.26 62.09	
Other optional components (consult Subdivision VII for the codes and prices of these components)			3
1295856 Nudge control where shoulder-activated lock elbow is used	430.79	504.54	3

Updated: October 10, 2017

CLIDDI	EMEN	7 A 7T	7 A TT	ΛRI	\mathbf{F}

3293180 Prosthetic socks, per pair	27.19	36.22
Stump sock	*	*
* (consult Division III of this Part for the codes and		
prices of these supplements)		
3190014 Nylon stump sheath	18.36	21.33

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1280502 Exoskeletal thoracic prosthesis	6,191.82			6
BASIC COMPONENTS AND SUPPLEMENTS				
Wrist friction joint Rigid plastic socket, made from plaster or digital mold of insured person				
Forearm restoration Elbow with internal lock (E-400) Flexion assist mechanism Arm restoration Shoulder joint (FAJ-100) Suspension harness Control cables (2), connections, terminals and housing (reinforced materials and pulley)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1285519 Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	2,015.61		3
1295666 Suspension harness	N. C.	179.82		3
1295674 Control cables (2), connections, terminals and housing (reinforced materials and pulley)	N. C.	390.70		3
1295526 Wrist friction joint	N. C.	338.95		
1265529 Elbow with internal lock (E-400)	N. C.			
1245562 Forearm restoration	N. C.	,		3
1265537 Arm restoration	N. C.			3
1265545 Shoulder joint (FAJ-100)	N. C.			
1295690 Flexion assist mechanism	N. C.	336.37		3
OPTIONAL COMPONENTS				
1295575 Nudge control	430.79	504.54		3

1295815	Anchoring part for cable for passive hand and hook	38.81	62.09		3
	Other optional components (consult Subdivision VII for the codes and prices of these components)				
	SUPPLEMENTS AVAILABLE				
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements) Nylon stump sheath	* 18.36	21.33		
	ADJUSTMENT AVAILABLE				
1246529	Lengthening of cubital part of the prosthesis			263.90	3
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1281500	Endoskeletal thoracic prosthetic restoration	3,718.78			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person				
	Passive hand with flexible fingers and prosthetic glove (Otto Bock) Complete endoskeletal system (modular components and prosthetic cover) Suspension harness				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	2,015.61		3
1275528 1295666 3222817	Complete endoskeletal system Prosthetic cover Suspension harness Passive hand with flexible fingers (Otto Bock) Prosthetic glove, fitting included (Otto Bock)	N. C. N. C. N. C. N. C. N. C.	404.92 179.82 314.36		3
	OPTIONAL COMPONENTS				
1295849	Flexion wrist Shoulder-activated lock elbow Anchoring part for cable for passive hand and hook	294.96 331.20 38.81			3

Other optional components (consult Subdivision VII for the codes and prices of these components)			
1295856 Nudge control where shoulder-activated lock elbow is used	430.79	504.54	3
SUPPLEMENTS AVAILABLE			
3293180 Prosthetic socks, per pair	27.19	36.22	
* (consult Division III of this Part for the codes and prices of these supplements)	*	*	
3190014 Nylon stump sheath	18.36	21.33	
ADJUSTMENT AVAILABLE			

----- Any pertinent adjustment

SUBDIVISION 7: BASIC OR OPTIONAL COMPONENTS FOR UPPER-LIMB PROSTHESES

WRISTS, HOOKS, HANDS, PROSTHETIC GLOVES, ELBOW JOINTS, SHOULDER JOINTS AND OTHERS

3232725 Quick disconnect wrist including a socket (FM-100) 3232733 Quick disconnect wrist including a socket (FM-100S) 3232731 Quick disconnect wrist including a socket (FM-100S) 3232741 Quick disconnect wrist including a socket (WD-400) 3232758 Quick disconnect wrist including a socket (WD-400S) 3232790 Quick disconnect wrist including a socket (WD-400S) 3232790 Quick disconnect wrist including a socket (WD-400S) 3232766 Wrist for child (CAPP) N. C. 336.37 3232865 Flexion wrist for child (CAPP) 87.98 417.85 3232774 Flexion wrist (FW-200, FW-300, FW-500) 204.43 534.30 3232808 Flexion wrist (FW-500S) 727.05 1,056.97 3232782 Flexion wrist (FW-500S) 3232782 Flexion wrist (FW-500) 3232816 Flexion wrist (FW-50) 3232816 Flexion wrist (WD-400) 47.86 47.86 3299013 Extra socket for wrist (WD-400S, WD-400SS) Maximum substitution price of component at the time of maximum replacement	WRISTS FOR EXOSKELETAL PROSTHESES	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
3232733 Quick disconnect wrist including a socket (FM-100S) 3232741 Quick disconnect wrist including a socket (WD-400) 3232758 Quick disconnect wrist including a socket (WD-400S) 3232790 Quick disconnect wrist including a socket (WD-400S) 3232766 Wrist for child (CAPP) 3232766 Wrist for child (CAPP) 3232765 Pexion wrist (FW-200, FW-300, FW-500) 3232774 Flexion wrist (FW-200, FW-300, FW-500) 3232808 Flexion wrist (FW-500S) 3232782 Flexion wrist (FW-500S) 3232782 Flexion wrist (FW-50) 3232816 Flexion wrist (FW-50) 3232816 Flexion wrist (WD-400) 323290013 Extra socket for wrist (WD-400S, WD-400SS) 32399021 Extra socket for wrist (FM-100) 32329021 Extra socket for wrist (FM-100) 323280 Maximum substitution price of component at the time of component	Š	71.15	402.35	
3232741 Quick disconnect wrist including a socket (WD-400) 3232758 Quick disconnect wrist including a socket (WD-400S) 3232790 Quick disconnect wrist including a socket (WD-400SS) 3232766 Wrist for child (CAPP) 3232865 Flexion wrist for child (CAPP) 32328774 Flexion wrist (FW-200, FW-300, FW-500) 3232808 Flexion wrist (FW-500S) 3232782 Flexion wrist (18-00) 3232782 Flexion wrist (FW-50) 3232816 Flexion wrist (FW-50) 3232816 Flexion wrist (WD-400) 323290021 Extra socket for wrist (WD-400S, WD-400SS) 32329021 Extra socket for wrist (FM-100) Maximum substitution price of component at the time of the t	3232733 Quick disconnect wrist including a socket	508.44	838.34	
3232758 Quick disconnect wrist including a socket (WD-400S) 3232790 Quick disconnect wrist including a socket (WD-400SS) 3232766 Wrist for child (CAPP) 3232865 Flexion wrist for child (CAPP) 3232774 Flexion wrist (FW-200, FW-300, FW-500) 3232808 Flexion wrist (FW-500S) 3232782 Flexion wrist (18-00) 3232782 Flexion wrist (FW-50) 3232816 Flexion wrist (FW-50) 3232816 Flexion wrist (WD-400) 32329005 Extra socket for wrist (WD-400) 3299013 Extra socket for wrist (WD-400S, WD-400SS) 3299021 Extra socket for wrist (FM-100) 329021 Extra socket for wrist (FM-100) 32032816 Flexion wrist (FM-100) 32032816 Flexion wrist (WD-400S, WD-400SS) 32032816 Flexion wrist (WD-40OS, WD-40OSS)	3232741 Quick disconnect wrist including a socket	53.03	382.94	
(WD-400SS) 3232766 Wrist for child (CAPP) 3232865 Flexion wrist for child (CAPP) 3232774 Flexion wrist (FW-200, FW-300, FW-500) 3232808 Flexion wrist (FW-500S) 3232782 Flexion wrist (18-00) 3232816 Flexion wrist (FW-50) 3232816 Flexion wrist (FW-50) 3299005 Extra socket for wrist (WD-400) 3299013 Extra socket for wrist (WD-400S, WD-400SS) 3299021 Extra socket for wrist (FM-100) 3299021 Extra socket for wrist (FM-100) 33038 Maximum Substitution price of component at the time of th	3232758 Quick disconnect wrist including a socket	186.27	516.19	
3232865 Flexion wrist for child (CAPP) 87.98 417.85 3232774 Flexion wrist (FW-200, FW-300, FW-500) 204.43 534.30 3232808 Flexion wrist (FW-500S) 727.05 1,056.97 3232782 Flexion wrist (18-00) 349.31 680.51 3232816 Flexion wrist (FW-50) 358.36 689.55 3299005 Extra socket for wrist (WD-400) 47.86 47.86 3299013 Extra socket for wrist (WD-400S, WD-400SS) 103.51 103.51 3299021 Extra socket for wrist (FM-100) 63.38 63.38 Maximum substitution price of component at the time of the time	3232790 Quick disconnect wrist including a socket	494.22	824.08	
3232774 Flexion wrist (FW-200, FW-300, FW-500) 204.43 534.30 3232808 Flexion wrist (FW-500S) 727.05 1,056.97 3232782 Flexion wrist (18-00) 349.31 680.51 3232816 Flexion wrist (FW-50) 358.36 689.55 3299005 Extra socket for wrist (WD-400) 47.86 47.86 3299013 Extra socket for wrist (WD-400S, WD-400SS) 3299021 Extra socket for wrist (FM-100) Maximum substitution price of component at the time of the time of the time of replacement	3232766 Wrist for child (CAPP)	N. C.	336.37	
3232808 Flexion wrist (FW-500S) 727.05 1,056.97 3232782 Flexion wrist (18-00) 3232816 Flexion wrist (FW-50) 3299005 Extra socket for wrist (WD-400) 3299013 Extra socket for wrist (WD-400S, WD-400SS) Maximum substitution price of component at the time of the time	3232865 Flexion wrist for child (CAPP)	87.98	417.85	
3232782 Flexion wrist (18-00) 3232816 Flexion wrist (FW-50) 3299005 Extra socket for wrist (WD-400) 47.86 3299013 Extra socket for wrist (WD-400S, WD-400SS) 3299021 Extra socket for wrist (FM-100) 47.86 47.86 47.86 47.86 3299021 Extra socket for wrist (FM-100) 48 Aximum substitution price of component at the time of the time	3232774 Flexion wrist (FW-200, FW-300, FW-500)	204.43	534.30	
3232816 Flexion wrist (FW-50) 3299005 Extra socket for wrist (WD-400) 47.86 3299013 Extra socket for wrist (WD-400S, WD-400SS) 103.51 103.51 Maximum substitution price of component at the time of t	3232808 Flexion wrist (FW-500S)	727.05	1,056.97	
3299005 Extra socket for wrist (WD-400) 47.86 3299013 Extra socket for wrist (WD-400S, WD-400SS) 103.51 103.51 Maximum substitution price of component at the time of the tim	3232782 Flexion wrist (18-00)	349.31	680.51	
3299013 Extra socket for wrist (WD-400S, WD-400SS) 103.51 103.51 3299021 Extra socket for wrist (FM-100) Maximum substitution price of component at the time of the time o	3232816 Flexion wrist (FW-50)	358.36	689.55	
3299021 Extra socket for wrist (FM-100) Maximum substitution price of component at the time of the ti	3299005 Extra socket for wrist (WD-400)	47.86	47.86	
Maximum substitution price of component at the time of Maximum replacement	3299013 Extra socket for wrist (WD-400S, WD-400SS)	103.51	103.51	
substitution price of component at the time of the time of	3299021 Extra socket for wrist (FM-100)	63.38	63.38	
purchase or price of component prosthesis	HOOKS	substitution price of component at the time of purchase or replacement of	replacement price of	
3222908 Dorrance hook, farmer's-type (6) 1,972.90 2,019.49	3222908 Dorrance hook, farmer's-type (6)	1,972.90	2,019.49	
3222940 Dorrance hook, farmer's-type (7 LO) 1,100.95 1,147.51	3222940 Dorrance hook, farmer's-type (7 LO)	1,100.95	1,147.51	
3222916 APRL hook (302-00) 1,564.10 1,609.40	3222916 APRL hook (302-00)		1,609.40	
3222924 Sierra hook 1,945.74 1,992.32		1,945.74	1,992.32	
3222619 Hook, model 99X or equivalent: use, shape, cost 569.23 615.81 (10X, 10P, 99X8, 88X5, 5X, 5XA)		569.23	615.81	
3222973 Hook (12P) 617.10 663.68		617.10	663.68	

			(authentic version)
3223013 Hook (99P) 3223393 Voluntary closing hook, for adult (TRS, Grip I)	579.58 1,403.67	663.68 1,450.26	
3223401 Voluntary closing hook, for adult (TRS, Grip II)	1,363.56	1,408.86	
3223419 Voluntary closing hook, for adult (TRS, Grip III)	1,526.58	1,573.16	
3223427 Voluntary closing hook, for child (TRS, Grip I)	961.23	1,007.80	
3223435 Voluntary closing hook, for child (TRS, Grip II)	936.64	983.22	
3223443 Voluntary closing hook, for child (TRS, Grip III)	838.34	884.89	
3223450 Voluntary closing hook, for child (TRS, Grip IV)	879.73	926.31	
PASSIVE HANDS FOR PROSTHETIC RESTORATION	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
3222858 Steeper hand for child, including prosthetic glove and installation	34.94	483.84	
3222692 Centri hand for child, including prosthetic glove and installation	50.44	499.37	
3222866 Hosmer hand for adult, including prosthetic glove	139.72	588.65	
and installation 3222627 Otto Bock hand for adult, including prosthetic glove and installation	N. C.	448.94	
PASSIVE HANDS FOR FUNCTIONAL PROSTHESES	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
3222643 Steeper hand for child, including prosthetic glove and installation	419.16	483.84	
3222684 Centri hand for child, including prosthetic glove and installation	434.69	499.37	
3222635 Hosmer hand for adult, including prosthetic glove and installation	523.94	588.65	
3222874 Otto Bock hand for adult, including prosthetic glove	384.22	448.94	

MECHANICAL HANDS	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
3222841 Voluntary opening Sierra hand, including prosthetic glove and installation	2,207.07	2,271.75	
3222809 Voluntary opening APRL hand and prosthetic glove, installation included	2,516.26	2,580.95	
3222833 Voluntary closing Otto Bock hand and prosthetic glove, installation included (8K15)	992.27	1,056.97	
3222676 Voluntary closing Otto Bock hand and prosthetic glove, installation included (8K25)	992.27	1,056.97	
3222668 Voluntary closing Otto Bock hand and prosthetic glove, installation included (8K21, 8K23)	633.93	697.31	
3222650 Voluntary closing Otto Bock hand and prosthetic glove, installation included, for endoskeletal system (8K27)	760.72	824.08	
3222726 Becker Imperial hand, prosthetic glove and protective glove, installation included	1,058.25	1,121.66	
3222734 Robin Aid hand and Realistic prosthetic glove, installation included (RA-100)	961.23	1,025.92	
3222742 Dorrance hand and Realistic prosthetic glove, installation included	1,813.80	1,877.18	
3222759 Voluntary closing APRL hand and Realistic prosthetic glove, installation included	2,516.26	2,580.95	
3222767 Becker hand, Realistic prosthetic glove and protective glove, installation included (BLG-100)	993.59	1,058.25	
3222775 Robin Aid hand and Realistic prosthetic glove, installation included (RA-200)	961.23	1,025.92	
3222783 Becker hand and Realistic prosthetic glove, installation included (BP-100)	791.75	985.82	
MITTS FOR CHILDREN TO REPLACE PASSIVE HAND	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
3222981 Hosmer mitt, installation included 3222999 Crawl mitt and prosthetic glove, installation included	N. C. 103.51	280.73 544.66	

PROSTHETIC GLOVES	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
3223005 Otto Bock prosthetic glove, installation included 3223120 Realistic prosthetic glove, installation included	N. C. N. C.	269.75 284.62	
ELBOW JOINTS	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
1245588 External monocentric free-moving locking joint (E-5500)	980.64	1,569.28	
1245596 External monocentric free-moving locking joint (E-1500)	613.22	1,203.16	
1245604 External polycentric free-moving joint (MA-50, MA-75, MA-100)	77.61	667.57	
1245653 Constant friction elbow, for child (E-50) 1245661 Elbow with internal lock (E-400HD)	N. C. N. C.	1,037.55 1,063.43	
SHOULDER JOINTS	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
1245620 Abduction-adduction joint (SAJ-75)	N. C.	525.24	
1245638 Abduction-adduction joint (SAJ-100)	100.92	764.58	
1245646 Free movement joint (Hosmer) 1245679 Joint (FS-50, FS-75)	34.94 N. C.	698.60 600.27	

CONTROLS	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
1295583 Truncular abdominal or scapular control, including manufacturing, fitting and installation time as well as materials	55.65	84.10	_

SUBDIVISION 8 : UPPER-LIMB PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
--	--------	---	---	---------------------------	-----------------------

1242007 Other upper-limb prostheses **

S. C.

*

*GUARANTEE PERIOD: Hand prostheses: 1 month

Others: 6 months

^{**} When price is below that of the similar prosthesis

DIVISION III: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES SUPPLEMENTS FOR PROSTHESES

	Maximum price	•	
Description	Purchase or	at the time of	
Description	replacement of	replacement of	
	prosthesis	socks	
SUPPLEMENTS FOR PROSTHESES			
STUMP SOCKS			
$\underline{WOOL \ 2-3-5\ PLY}$			
Width: 15.2 cm (6 in.)			
3493004 length: 25.4 cm (10 in.)	9.70	12.58	
3493012 length: 30.5 cm (12 in.)	10.55	13.56	
3493020 length: 35.6 cm (14 in.)	11.85	14.84	
3493038 length: 40.6 cm (16 in.)	12.84	15.68	
3493046 length: 45.7 cm (18 in.)	13.96	16.86	
3493053 length: 50.8 cm (20 in.)	15.00	17.83	
3493061 length: 55.9 cm (22 in.)	16.12	19.13	
3493079 length: 61.0 cm (24 in.)	17.83	20.69	
3493087 length: 66.0 cm (26 in.)	18.98	21.97	
3493095 length: 71.1 cm (28 in.)	20.12	22.96	
3493103 length: 76.2 cm (30 in.)	20.97	23.99	
3493111 length: 81.3 cm (32 in.)	22.26	25.25	
Width: 17.8 cm (7 in.)			
3493129 length: 25.4 cm (10 in.)	10.41	13.43	
3493137 length: 30.5 cm (12 in.)	11.57	14.57	
3493145 length: 35.6 cm (14 in.)	12.97	16.01	
3493152 length: 40.6 cm (16 in.)	14.43	17.42	
3493160 length: 45.7 cm (18 in.)	16.12	19.13	
3493178 length: 50.8 cm (20 in.)	17.69	20.69	
3493186 length: 55.9 cm (22 in.)	18.82	21.82	
3493194 length: 61.0 cm (24 in.)	20.12	23.11	
3493202 length: 66.0 cm (26 in.)	21.68	24.67	
3493210 length: 71.1 cm (28 in.)	22.83	25.83	
3493228 length: 76.2 cm (30 in.)	23.98	26.95	
3493236 length: 81.3 cm (32 in.)	25.39	28.38	
Width: 20.3 cm (8 in.)			
3493244 length: 25.4 cm (10 in.)	11.96	15.00	
3493251 length: 30.5 cm (12 in.)	13.56	16.38	
3493269 length: 35.6 cm (14 in.)	14.82	17.83	
3493277 length: 40.6 cm (16 in.)	16.38	19.41	
3493285 length: 45.7 cm (18 in.)	17.83	20.69	
3493293 length: 50.8 cm (20 in.)	19.25	22.28	
3493301 length: 55.9 cm (22 in.)	20.69	23.67	
3493319 length: 61.0 cm (24 in.)	22.40	25.40	
3493327 length: 66.0 cm (26 in.)	23.98	26.83	
3493335 length: 71.1 cm (28 in.)	25.54	28.55	
3493343 length: 76.2 cm (30 in.)	26.68	29.69	

3493350 length: 81.3 cm (32 in.)	28.25	31.25
Width: 22.9 cm (9 in.)		
3493368 length: 25.4 cm (10 in.)	13.70	16.71
3493376 length: 30.5 cm (12 in.)	15.43	18.28
3493384 length: 35.6 cm (14 in.)	16.98	19.98
3493392 length: 40.6 cm (16 in.)	18.40	21.41
3493400 length: 45.7 cm (18 in.)	20.25	23.27
3493418 length: 50.8 cm (20 in.)	21.82	24.81
3493426 length: 55.9 cm (22 in.)	23.39	26.37
3493434 length: 61.0 cm (24 in.)	24.80	27.80
3493442 length: 66.0 cm (26 in.)	26.55	29.56
3493459 length: 71.1 cm (28 in.)	28.25	31.25
3493467 length: 76.2 cm (30 in.)	29.68	32.52
3493475 length: 81.3 cm (32 in.)	31.25	34.08
Width: 25.4 cm (10 in.)		
3493483 length: 25.4 cm (10 in.)	15.43	18.28
3493491 length: 30.5 cm (12 in.)	16.71	19.69
3493509 length: 35.6 cm (14 in.)	18.69	21.70
3493517 length: 40.6 cm (16 in.)	20.41	23.27
3493525 length: 45.7 cm (18 in.)	21.96	24.98
3493533 length: 50.8 cm (20 in.)	23.83	26.83
3493541 length: 55.9 cm (22 in.)	25.54	28.55
3493558 length: 61.0 cm (24 in.)	27.11	30.10
3493566 length: 66.0 cm (26 in.)	28.67	31.52
3493574 length: 71.1 cm (28 in.)	30.52	33.50
3493582 length: 76.2 cm (30 in.)	32.23	35.12
3493590 length: 81.3 cm (32 in.)	33.95	36.96
Width: 30.5 cm (12 in.)		
3493608 length: 25.4 cm (10 in.)	20.53	23.41
3493616 length: 30.5 cm (12 in.)	22.10	25.11
3493624 length: 35.6 cm (14 in.)	23.98	26.95
3493632 length: 40.6 cm (16 in.)	25.54	28.55
3493640 length: 45.7 cm (18 in.)	27.38	30.24
3493657 length: 50.8 cm (20 in.)	29.09	31.98
3493665 length: 55.9 cm (22 in.)	30.79	33.68
3493673 length: 61.0 cm (24 in.)	32.66	35.54
3493681 length: 66.0 cm (26 in.)	33.95	36.80
3493699 length: 71.1 cm (28 in.)	35.93	38.81
3493707 length: 76.2 cm (30 in.)	37.39	40.38
3493715 length: 81.3 cm (32 in.)	39.20	42.24

	-	Maximum price	
Description	Purchase or	at the time of	
Description	replacement of	replacement of	
	prosthesis	socks	
WOOL 6-PLY			
Width: 15.2 cm (6 in.)			
3493723 length: 25.4 cm (10 in.)	10.55	13.56	
3493731 length: 30.5 cm (12 in.)	11.69	14.68	
3493749 length: 35.6 cm (14 in.)	12.97	16.01	
3493756 length: 40.6 cm (16 in.)	14.12	17.13	
3493764 length: 45.7 cm (18 in.)	15.43	18.28	
3493772 length: 50.8 cm (20 in.)	16.53	19.41	
3493780 length: 55.9 cm (22 in.)	17.83	20.69	
3493798 length: 61.0 cm (24 in.)	19.56	22.55	
3493806 length: 66.0 cm (26 in.)	20.83	23.83	
3493814 length: 71.1 cm (28 in.)	21.96	24.98	
3493822 length: 76.2 cm (30 in.)	23.10	26.11	
3493830 length: 81.3 cm (32 in.)	24.53	27.53	
Width: 17.8 cm (7 in.)			
3493848 length: 25.4 cm (10 in.)	11.57	14.57	
3493855 length: 30.5 cm (12 in.)	12.72	15.68	
3493863 length: 35.6 cm (14 in.)	14.43	17.25	
3493871 length: 40.6 cm (16 in.)	15.85	18.83	
3493889 length: 45.7 cm (18 in.)	17.83	20.69	
3493897 length: 50.8 cm (20 in.)	19.38	22.40	
3493905 length: 55.9 cm (22 in.)	20.83	23.83	
3493913 length: 61.0 cm (24 in.)	22.26	25.11	
3493921 length: 66.0 cm (26 in.)	23.98	26.83	
3493939 length: 71.1 cm (28 in.)	24.98	27.95	
3493947 length: 76.2 cm (30 in.)	26.37	29.39	
3493954 length: 81.3 cm (32 in.)	28.12	31.12	
Width: 20.3 cm (8 in.)			
3493962 length: 25.4 cm (10 in.)	13.27	16.12	
3493970 length: 30.5 cm (12 in.)	14.82	17.70	
3493988 length: 35.6 cm (14 in.)	16.38	19.41	
3493996 length: 40.6 cm (16 in.)	18.13	21.12	
3494002 length: 45.7 cm (18 in.)	19.56	22.55	
3494010 length: 50.8 cm (20 in.)	21.28	24.11	
3494028 length: 55.9 cm (22 in.)	22.83	25.83	
3494036 length: 61.0 cm (24 in.)	24.53	27.53	
3494044 length: 66.0 cm (26 in.)	26.23	29.25	
3494051 length: 71.1 cm (28 in.)	28.12	31.12	
3494069 length: 76.2 cm (30 in.)	29.56	32.52	
3494077 length: 81.3 cm (32 in.)	31.10	34.08	

Width: 22.9 cm (9 in.)		
3494085 length: 25.4 cm (10 in.)	15.00	17.97
3494093 length: 30.5 cm (12 in.)	16.85	19.84
3494101 length: 35.6 cm (14 in.)	18.69	21.70
3494119 length: 40.6 cm (16 in.)	20.25	23.27
3494127 length: 45.7 cm (18 in.)	22.26	25.25
3494135 length: 50.8 cm (20 in.)	23.98	26.95
3494143 length: 55.9 cm (22 in.)	25.67	28.66
3494150 length: 61.0 cm (24 in.)	27.38	30.24
3494168 length: 66.0 cm (26 in.)	29.25	32.09
3494176 length: 71.1 cm (28 in.)	31.10	34.08
3494184 length: 76.2 cm (30 in.)	32.51	35.54
3494192 length: 81.3 cm (32 in.)	34.38	37.26
Width: 25.4 cm (10 in.)		
Widdi. 25.4 cm (10 m.)		
3494200 length: 25.4 cm (10 in.)	16.85	19.84
3494218 length: 30.5 cm (12 in.)	18.40	21.41
3494226 length: 35.6 cm (14 in.)	20.53	23.55
3494234 length: 40.6 cm (16 in.)	22.26	25.25
3494242 length: 45.7 cm (18 in.)	24.11	27.13
3494259 length: 50.8 cm (20 in.)	26.23	29.25
3494267 length: 55.9 cm (22 in.)	28.12	31.12
3494275 length: 61.0 cm (24 in.)	29.95	32.96
3494283 length: 66.0 cm (26 in.)	31.66	34.54
3494291 length: 71.1 cm (28 in.)	33.67	36.65
3494309 length: 76.2 cm (30 in.)	35.37	38.37
3494317 length: 81.3 cm (32 in.)	37.39	40.22
Width: 30.5 cm (12 in.)		
3494325 length: 25.4 cm (10 in.)	22.53	25.54
3494333 length: 30.5 cm (12 in.)	24.23	27.26
3494341 length: 35.6 cm (14 in.)	26.37	29.39
3494358 length: 40.6 cm (16 in.)	28.12	31.12
3494366 length: 45.7 cm (18 in.)	30.10	33.10
3494374 length: 50.8 cm (20 in.)	32.09	34.96
3494382 length: 55.9 cm (22 in.)	33.95	36.80
3494390 length: 61.0 cm (24 in.)	35.93	38.81
3494408 length: 66.0 cm (26 in.)	37.26	40.22
3494416 length: 71.1 cm (28 in.)	39.34	42.36
3494424 length: 76.2 cm (30 in.)	41.23	44.09
3494432 length: 81.3 cm (32 in.)	43.08	46.07

	Manimum	Manimum	
	Maximum price Purchase or	Maximum price at the time of	
Description	replacement of	replacement of	
	prosthesis	socks	
	prostricsis	SUCKS	
WOOL AND NYLON 2-3-5 PLY			
Width: 15.2 cm (6 in.)			
3494440 length: 25.4 cm (10 in.)	13.41	16.38	
3494457 length: 30.5 cm (12 in.)	13.41	16.38	
3494465 length: 35.6 cm (14 in.)	15.43		
3494473 length: 40.6 cm (16 in.)	15.43		
3494481 length: 45.7 cm (18 in.)	15.43		
3494499 length: 50.8 cm (20 in.)	17.55		
3494507 length: 55.9 cm (22 in.)	17.55	20.41	
Width: 17.8 cm (7 in.)			
3494515 length: 25.4 cm (10 in.)	13.41	16.38	
3494523 length: 30.5 cm (12 in.)	13.41	16.38	
3494531 length: 35.6 cm (14 in.)	15.43	18.28	
3494549 length: 40.6 cm (16 in.)	15.43	18.28	
3494556 length: 45.7 cm (18 in.)	15.43	18.28	
3494564 length: 50.8 cm (20 in.)	17.55	20.41	
3494572 length: 55.9 cm (22 in.)	17.55	20.41	
3494580 length: 61.0 cm (24 in.)	17.55	20.41	
Width: 20.3 cm (8 in.)			
3494598 length: 25.4 cm (10 in.)	15.43	18.28	
3494606 length: 30.5 cm (12 in.)	15.43	18.28	
3494614 length: 35.6 cm (14 in.)	15.43	18.28	
3494622 length: 40.6 cm (16 in.)	17.55	20.41	
3494630 length: 45.7 cm (18 in.)	17.55	20.41	
3494648 length: 50.8 cm (20 in.)	17.55	20.41	
3494655 length: 55.9 cm (22 in.)	20.12	22.96	
3494663 length: 61.0 cm (24 in.)	20.12	22.96	
3494671 length: 66.0 cm (26 in.)	20.12	22.96	
3494689 length: 71.1 cm (28 in.)	20.12	22.96	
Width: 22.9 cm (9 in.)			
3494697 length: 25.4 cm (10 in.)	15.43	18.28	
3494705 length: 30.5 cm (12 in.)	15.43		
3494713 length: 35.6 cm (14 in.)	17.55	20.41	
3494721 length: 40.6 cm (16 in.)	17.55	20.41	
3494739 length: 45.7 cm (18 in.)	17.55	20.41	
3494747 length: 50.8 cm (20 in.)	20.12	22.96	
3494754 length: 55.9 cm (22 in.)	20.12	22.96	
3494762 length: 61.0 cm (24 in.)	20.12	22.96	
3494770 length: 66.0 cm (26 in.)	20.12	22.96	
3494788 length: 71.1 cm (28 in.)	20.12	22.96	
3494796 length: 101.6 cm (40 in.)	15.43		
3494804 length: 106.7 cm (42 in.)	15.43	18.28	
3494812 length: 111.8 cm (44 in.)	17.55	20.41	

1	Tariff for devices which compensate for a motor deficiency and insured related services
	(authentic version)

SCHEDULE 1

	•	·	(authentic version)
3494820 length: 116.8 cm (46 in.)	17.55	20.41	
3494838 length: 121.9 cm (48 in.)	17.55	20.41	
3494846 length: 127.0 cm (50 in.)	20.12	22.96	
3494853 length: 132.1 cm (52 in.)	20.12	22.96	
Width: 25.4 cm (10 in.)			
3494861 length: 25.4 cm (10 in.)	15.43	18.28	
3494879 length: 30.5 cm (12 in.)	17.55	20.41	
3494887 length: 35.6 cm (14 in.)	17.55	20.41	
3494895 length: 40.6 cm (16 in.)	17.55	20.41	
3494903 length: 45.7 cm (18 in.)	20.12	22.96	
3494911 length: 50.8 cm (20 in.)	20.12	22.96	
3494929 length: 55.9 cm (22 in.)	20.12	22.96	
3494937 length: 61.0 cm (24 in.)	20.12	22.96	
3494945 length: 66.0 cm (26 in.)	22.10	25.11	
3494952 length: 101.6 cm (40 in.)	15.43	18.28	
3494960 length: 106.7 cm (42 in.)	15.43	18.28	
3494978 length: 111.8 cm (44 in.)	17.55	20.41	
3494986 length: 116.8 cm (46 in.)	17.55	20.41	
3494994 length: 121.9 cm (48 in.)	20.12	22.96	
3495009 length: 127.0 cm (50 in.)	20.12	22.96	
3495017 length: 132.1 cm (52 in.)	20.12	22.96	
Width: 30.5 cm (12 in.)			
3495025 length: 25.4 cm (10 in.)	17.55	20.41	
3495033 length: 30.5 cm (12 in.)	20.12	22.96	
3495041 length: 35.6 cm (14 in.)	20.12	22.96	
3495058 length: 40.6 cm (16 in.)	20.12	22.96	
3495066 length: 45.7 cm (18 in.)	20.12	22.96	
3495074 length: 50.8 cm (20 in.)	20.12	22.96	
	Maximum price	Maximum price	
D	Purchase or	at the time of	
Description	replacement of	replacement of	
	prosthesis	socks	
WOOL AND NYLON 6-PLY			
Width: 15.2 cm (6 in.)			
3495082 length: 30.5 cm (12 in.)	14.82	17.70	
3495090 length: 35.6 cm (14 in.)	16.53	19.56	
3495108 length: 40.6 cm (16 in.)	16.53	19.56	
3495116 length: 45.7 cm (18 in.)	16.53	19.56	
3495124 length: 50.8 cm (20 in.)	18.69	21.70	
3495132 length: 55.9 cm (22 in.)	18.69	21.70	
Width: 17.8 cm (7 in.)			
3495140 length: 25.4 cm (10 in.)	16.53	19.56	
3495157 length: 30.5 cm (12 in.)	14.82	17.70	
3495165 length: 35.6 cm (14 in.)	16.53	19.56	
3495173 length: 40.6 cm (16 in.)	16.53	19.56	

SCHEDULE 1	Tariff for devices which compensate for	a motor deficiency a	nd insured related services
			(authentic version)
3495181 length: 45.7 cm (18 in.)	16.53	19.56	
3495199 length: 50.8 cm (20 in.)	18.69	21.70	
3495207 length: 55.9 cm (22 in.)	18.69	21.70	
Width: 20.3 cm (8 in.)			
2405215 langely 25 4 and (10 in)	16.52	10.56	
3495215 length: 25.4 cm (10 in.)	16.53	19.56	
3495223 length: 30.5 cm (12 in.)	16.53	19.56	
3495231 length: 35.6 cm (14 in.)	16.53	19.56	
3495249 length: 40.6 cm (16 in.)	18.69	21.70	
3495256 length: 45.7 cm (18 in.)	18.69	21.70	
3495264 length: 50.8 cm (20 in.)	18.69	21.70	
3495272 length: 55.9 cm (22 in.)	21.68	24.54	
3495280 length: 61.0 cm (24 in.)	21.68	24.54	
Width: 22.9 cm (9 in.)			
3495298 length: 30.5 cm (12 in.)	16.53	19.56	
3495306 length: 35.6 cm (14 in.)	18.69	21.70	
3495314 length: 40.6 cm (16 in.)	18.69	21.70	
3495322 length: 45.7 cm (18 in.)	18.69	21.70	
3495330 length: 50.8 cm (20 in.)	21.68	24.54	
3495348 length: 55.9 cm (22 in.)	21.68	24.54	
3495355 length: 61.0 cm (24 in.)	21.68	24.54	
	Maximum price	Maximum price	
Descripti	Purchase or	at the time of	
Безепри	replacement of	replacement of	
	-	-	
	prosthesis	socks	
ULTRA WOOL 3 – 5 PLY	prosthesis	-	
<u>ULTRA WOOL 3 – 5 PLY</u> Width: 15.2 cm (6 in.)	prosthesis	-	
Width: 15.2 cm (6 in.)	prosthesis	socks	
Width: 15.2 cm (6 in.) 3495363 length: 25.4 cm (10 in.)	prosthesis	-	
Width: 15.2 cm (6 in.)	prosthesis	socks 17.70 17.70	
Width: 15.2 cm (6 in.) 3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.) 3495389 length: 35.6 cm (14 in.)	prosthesis 14.82 14.82	socks 17.70	
Width: 15.2 cm (6 in.) 3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.) 3495389 length: 35.6 cm (14 in.) 3495397 length: 40.6 cm (16 in.)	14.82 14.82 16.98	17.70 17.70 19.84	
Width: 15.2 cm (6 in.) 3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.) 3495389 length: 35.6 cm (14 in.)	14.82 14.82 14.82 16.98 16.98	17.70 17.70 19.84 19.84	
Width: 15.2 cm (6 in.) 3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.) 3495389 length: 35.6 cm (14 in.) 3495397 length: 40.6 cm (16 in.) 3495405 length: 45.7 cm (18 in.) 3495413 length: 50.8 cm (20 in.)	14.82 14.82 14.82 16.98 16.98 16.98	17.70 17.70 19.84 19.84 19.84 22.28	
Width: 15.2 cm (6 in.) 3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.) 3495389 length: 35.6 cm (14 in.) 3495397 length: 40.6 cm (16 in.) 3495405 length: 45.7 cm (18 in.)	14.82 14.82 14.82 16.98 16.98	17.70 17.70 19.84 19.84 19.84	
Width: 15.2 cm (6 in.) 3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.) 3495389 length: 35.6 cm (14 in.) 3495397 length: 40.6 cm (16 in.) 3495405 length: 45.7 cm (18 in.) 3495413 length: 50.8 cm (20 in.) 3495421 length: 55.9 cm (22 in.)	14.82 14.82 16.98 16.98 16.98 19.25	17.70 17.70 19.84 19.84 19.84 22.28 22.28	
Width: 15.2 cm (6 in.) 3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.) 3495389 length: 35.6 cm (14 in.) 3495397 length: 40.6 cm (16 in.) 3495405 length: 45.7 cm (18 in.) 3495413 length: 50.8 cm (20 in.) 3495421 length: 55.9 cm (22 in.) 3495439 length: 61.0 cm (24 in.)	14.82 14.82 14.82 16.98 16.98 16.98 19.25	17.70 17.70 19.84 19.84 19.84 22.28 22.28	
Width: 15.2 cm (6 in.) 3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.) 3495389 length: 35.6 cm (14 in.) 3495397 length: 40.6 cm (16 in.) 3495405 length: 45.7 cm (18 in.) 3495413 length: 50.8 cm (20 in.) 3495421 length: 55.9 cm (22 in.) 3495439 length: 61.0 cm (24 in.) Width: 17.8 cm (7 in.)	14.82 14.82 16.98 16.98 16.98 19.25 19.25	17.70 17.70 19.84 19.84 19.84 22.28 22.28 22.28	
Width: 15.2 cm (6 in.) 3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.) 3495389 length: 35.6 cm (14 in.) 3495397 length: 40.6 cm (16 in.) 3495405 length: 45.7 cm (18 in.) 3495413 length: 50.8 cm (20 in.) 3495421 length: 55.9 cm (22 in.) 3495439 length: 61.0 cm (24 in.) Width: 17.8 cm (7 in.) 3495447 length: 25.4 cm (10 in.)	prosthesis 14.82 14.82 16.98 16.98 16.98 19.25 19.25 19.25	17.70 17.70 19.84 19.84 19.84 22.28 22.28 22.28	
Width: 15.2 cm (6 in.) 3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.) 3495389 length: 35.6 cm (14 in.) 3495405 length: 40.6 cm (16 in.) 3495413 length: 50.8 cm (20 in.) 3495421 length: 55.9 cm (22 in.) 3495439 length: 61.0 cm (24 in.) Width: 17.8 cm (7 in.) 3495447 length: 25.4 cm (10 in.) 3495454 length: 30.5 cm (12 in.)	prosthesis 14.82 14.82 16.98 16.98 19.25 19.25 19.25	17.70 17.70 19.84 19.84 19.84 22.28 22.28 22.28 17.70 17.70	
Width: 15.2 cm (6 in.) 3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.) 3495389 length: 35.6 cm (14 in.) 3495405 length: 40.6 cm (16 in.) 3495413 length: 50.8 cm (20 in.) 3495421 length: 55.9 cm (22 in.) 3495439 length: 61.0 cm (24 in.) Width: 17.8 cm (7 in.) 3495447 length: 25.4 cm (10 in.) 3495454 length: 30.5 cm (12 in.) 3495462 length: 35.6 cm (14 in.)	14.82 14.82 16.98 16.98 19.25 19.25 19.25	17.70 17.70 19.84 19.84 19.84 22.28 22.28 22.28 17.70 17.70 19.84	
Width: 15.2 cm (6 in.) 3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.) 3495389 length: 35.6 cm (14 in.) 3495405 length: 45.7 cm (18 in.) 3495413 length: 50.8 cm (20 in.) 3495421 length: 55.9 cm (22 in.) 3495439 length: 61.0 cm (24 in.) Width: 17.8 cm (7 in.) 3495447 length: 25.4 cm (10 in.) 3495454 length: 30.5 cm (12 in.) 3495462 length: 35.6 cm (14 in.) 3495470 length: 40.6 cm (16 in.)	14.82 14.82 16.98 16.98 19.25 19.25 19.25 19.25	17.70 17.70 19.84 19.84 19.84 22.28 22.28 22.28 22.28 17.70 17.70 19.84 19.84	
Width: 15.2 cm (6 in.) 3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.) 3495389 length: 35.6 cm (14 in.) 3495405 length: 45.7 cm (18 in.) 3495413 length: 50.8 cm (20 in.) 3495421 length: 55.9 cm (22 in.) 3495439 length: 61.0 cm (24 in.) Width: 17.8 cm (7 in.) 3495447 length: 25.4 cm (10 in.) 3495454 length: 30.5 cm (12 in.) 3495462 length: 35.6 cm (14 in.) 3495470 length: 40.6 cm (16 in.) 3495488 length: 45.7 cm (18 in.)	14.82 14.82 16.98 16.98 19.25 19.25 19.25 19.25	17.70 17.70 19.84 19.84 22.28 22.28 22.28 22.28 17.70 17.70 19.84 19.84	

Width: 20.3 cm (8 in.)			
3495520 length: 25.4 cm (10 in.)	16.98	19.84	
3495538 length: 30.5 cm (12 in.)	16.98	19.84	
3495546 length: 35.6 cm (14 in.)	16.98	19.84	
3495553 length: 40.6 cm (16 in.)	19.25	22.28	
3495561 length: 45.7 cm (18 in.)	19.25	22.28	
3495579 length: 50.8 cm (20 in.)	19.25	22.28	
3495587 length: 55.9 cm (22 in.)	22.26	25.25	
3495595 length: 61.0 cm (24 in.)	22.26	25.25	
Width: 22.9 cm (9 in.)			
3495603 length: 25.4 cm (10 in.)	16.98	19.84	
3495611 length: 30.5 cm (12 in.)	16.98	19.84	
3495629 length: 35.6 cm (14 in.)	19.25	22.28	
3495637 length: 40.6 cm (16 in.)	19.25	22.28	
3495645 length: 45.7 cm (18 in.)	19.25	22.28	
3495652 length: 50.8 cm (20 in.)	22.26	25.25	
3495660 length: 55.9 cm (22 in.)	22.26	25.25	
3495678 length: 61.0 cm (24 in.)	22.26	25.25	
Width: 25.4 cm (10 in.)			
3495686 length: 25.4 cm (10 in.)	16.98	19.84	
3495694 length: 30.5 cm (12 in.)	19.25	22.28	
3495702 length: 35.6 cm (14 in.)	19.25	22.28	
3495710 length: 40.6 cm (16 in.)	19.25	22.28	
3495728 length: 45.7 cm (18 in.)	22.26	25.25	
3495736 length: 50.8 cm (20 in.)	22.26	25.25	
3495744 length: 55.9 cm (22 in.)	22.26	25.25	
3495751 length: 61.0 cm (24 in.)	22.26	25.25	
Width: 30.5 cm (12 in.)			
3495769 length: 25.4 cm (10 in.)	19.25	22.28	
3495777 length: 30.5 cm (12 in.)	22.26	22.53	
3495785 length: 35.6 cm (14 in.)	22.20	22.55	
	22.26	25.25	
3495793 length: 40.6 cm (16 in.)			
3495793 length: 40.6 cm (16 in.)	22.26	25.25 25.25	
	22.26 22.26	25.25 25.25	
3495793 length: 40.6 cm (16 in.) Description	22.26 22.26 Maximum price	25.25 25.25 Maximum price	
	22.26 22.26 Maximum price Purchase or	25.25 25.25 Maximum price at the time of	
	22.26 22.26 Maximum price Purchase or replacement of	25.25 25.25 Maximum price at the time of replacement of	
Description	22.26 22.26 Maximum price Purchase or replacement of	25.25 25.25 Maximum price at the time of replacement of	
Description WOOL AND LYCRA Extra narrow short	22.26 22.26 Maximum price Purchase or replacement of	25.25 25.25 Maximum price at the time of replacement of	
Description WOOL AND LYCRA Extra narrow short 3495801 Extra light	22.26 Maximum price Purchase or replacement of prosthesis	25.25 25.25 Maximum price at the time of replacement of socks	
Description WOOL AND LYCRA Extra narrow short	22.26 Maximum price Purchase or replacement of prosthesis	25.25 25.25 Maximum price at the time of replacement of socks	
Description WOOL AND LYCRA Extra narrow short 3495801 Extra light 3495819 Light	22.26 Maximum price Purchase or replacement of prosthesis	25.25 25.25 Maximum price at the time of replacement of socks 16.38 17.25	

				(authentic version)
	Narrow short			
	Extra light	14.29	17.25	
3495850		15.13	18.13	
3495868		16.12	18.98	
3495876	Very thick	16.98	19.84	
	Narrow long or wide short			
3495884	Extra light	16.53	19.41	
3495892	<u> </u>	17.40	20.41	
3495900	<u> </u>	18.27	21.28	
	Very thick	19.12	22.10	
	Wide long			
	•	10.12	22.10	
	Extra light	19.12	22.10	
3495934	•	20.12	22.96	
3495942		20.97	23.83	
3495959	Very thick	22.26	25.25	
		Maximum price	Maximum price	
	Description	Purchase or	at the time of	
	Description	replacement of	replacement of	
		prosthesis	socks	
	COTTON 3 – 5 PLY			
	COTTON 5- 5 FLT			
	Width: 15.2 cm (6 in.)			
3495967	length: 25.4 cm (10 in.)	7.29	10.28	
3495975	length: 30.5 cm (12 in.)	8.15	11.14	
3495983	length: 35.6 cm (14 in.)	9.00	11.97	
3495991	length: 40.6 cm (16 in.)	9.86	12.85	
3496007	length: 45.7 cm (18 in.)	10.55	13.56	
3496015	length: 50.8 cm (20 in.)	11.40	14.43	
3496023	length: 55.9 cm (22 in.)	12.27	15.26	
3496031	length: 61.0 cm (24 in.)	13.56	16.38	
3496049	length: 66.0 cm (26 in.)	14.43	17.42	
3496056	length: 71.1 cm (28 in.)	15.26	18.28	
	Width: 17.8 cm (7 in.)			
3496064	length: 25.4 cm (10 in.)	7.97	10.85	
	length: 30.5 cm (12 in.)	8.86	11.70	
	length: 35.6 cm (14 in.)	9.86	12.85	
	=	11.01	13.83	
	length: 40.6 cm (16 in.)		13.03	
	length: 40.6 cm (16 in.)		15.26	
	length: 45.7 cm (18 in.)	12.27	15.26 16.38	
3496114	length: 45.7 cm (18 in.) length: 50.8 cm (20 in.)	12.27 13.41	16.38	
3496114 3496122	length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.)	12.27 13.41 14.43	16.38 17.25	
3496114 3496122 3496130	length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.) length: 61.0 cm (24 in.)	12.27 13.41 14.43 15.43	16.38 17.25 18.28	
3496114 3496122 3496130 3496148	length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.)	12.27 13.41 14.43	16.38 17.25	

Width: 20.3 cm (8 in.)		
3496163 length: 25.4 cm (10 in.)	9.26	12.14
3496171 length: 30.5 cm (12 in.)	10.14	13.12
3496189 length: 35.6 cm (14 in.)	11.40	14.29
3496197 length: 40.6 cm (16 in.)	12.42	15.45
3496205 length: 45.7 cm (18 in.)	13.56	16.38
3496213 length: 50.8 cm (20 in.)	14.56	17.55
3496221 length: 55.9 cm (22 in.)	15.85	18.69
3496239 length: 61.0 cm (24 in.)	16.98	19.98
3496247 length: 66.0 cm (26 in.)	18.13	21.12
3496254 length: 71.1 cm (28 in.)	19.56	22.40
Width: 22.9 cm (9 in.)		
3496262 length: 25.4 cm (10 in.)	10.41	13.43
3496270 length: 30.5 cm (12 in.)	11.57	14.57
3496288 length: 35.6 cm (14 in.)	12.84	15.85
3496296 length: 40.6 cm (16 in.)	13.96	16.97
3496304 length: 45.7 cm (18 in.)	15.43	18.40
3496312 length: 50.8 cm (20 in.)	16.53	19.56
3496320 length: 55.9 cm (22 in.)	17.83	20.69
3496338 length: 61.0 cm (24 in.)	18.82	21.82
3496346 length: 66.0 cm (26 in.)	20.12	23.11
3496353 length: 71.1 cm (28 in.)	21.54	24.54
Width: 25.4 cm (10 in.)		
3496361 length: 25.4 cm (10 in.)	11.57	14.57
3496379 length: 30.5 cm (12 in.)	12.72	15.68
3496387 length: 35.6 cm (14 in.)	14.29	17.25
3496395 length: 40.6 cm (16 in.)	15.43	18.40
3496403 length: 45.7 cm (18 in.)	16.71	19.56
3496411 length: 50.8 cm (20 in.)	18.13	21.12
3496429 length: 55.9 cm (22 in.)	19.38	22.40
3496437 length: 61.0 cm (24 in.)	20.69	23.67
3496445 length: 66.0 cm (26 in.)	21.82	24.67
3496452 length: 71.1 cm (28 in.)	23.10	26.11
Width: 30.5 cm (12 in.)		
3496460 length: 25.4 cm (10 in.)	15.67	18.55
3496478 length: 30.5 cm (12 in.)	16.71	19.69
3496486 length: 35.6 cm (14 in.)	18.27	21.28
3496494 length: 40.6 cm (16 in.)	19.56	22.40
3496502 length: 45.7 cm (18 in.)	20.83	23.67
3496510 length: 50.8 cm (20 in.)	22.10	25.11
3496528 length: 55.9 cm (22 in.)	23.39	26.37
3496536 length: 61.0 cm (24 in.)	24.80	27.69
3496544 length: 66.0 cm (26 in.)	25.83	28.83
3496551 length: 71.1 cm (28 in.)	27.11	30.10

	Maximum price	Maximum price	
Description	Purchase or	at the time of	
Description	replacement of	replacement of	
	prosthesis	socks	
WOOL 5-PLY			
3496569 length: 30.5 cm (12 in.)	9.26	12.14	
3496577 length: 33.0 cm (13 in.)	9.70		
3496585 length: 35.6 cm (14 in.)	9.86		
3496593 length: 38.1 cm (15 in.)	10.55	13.43	
3496601 length: 40.6 cm (16 in.)	10.84		
3496619 length: 45.7 cm (18 in.)	11.57	14.57	
3470017 ichgui. 43.7 cm (16 m.)	11.57	14.37	
	Maximum price	-	
Description	Purchase or	at the time of	
Description	replacement of	replacement of	
	prosthesis	socks	
WOOL 3-5 PLY			
Width (max.): 15.2 cm (6 in.)			
3496627 width (min.): 7.6, 8.9, 10.2 cm (3, 3½, 4 in.) length:	9.42	12.42	
20.3 cm (8 in.)			
3496635 width (min.): 7.6 cm (3 in.) length: 25.4 cm (10 in.)	9.42	12.42	
3496643 width (min.): 8.9 cm (3½ in.) length: 25.4 cm	9.70	12.58	
(10 in.)			
3496650 width (min.): 10.2 cm (4 in.) length: 25.4 cm (10 in.)	9.99	12.97	
3496668 width (min.): 7.6 cm (3 in.) length: 30.5 cm (12 in.)	10.41	13.43	
3496676 width (min.): 8.9 cm (3½ in.) length: 30.5 cm	10.55	13.56	
(12 in.)	11.01	12.02	
3496684 width (min.): 10.2 cm (4 in.) length: 30.5 cm (12 in.)	11.01	13.83	
3496692 width (min.): 7.6 cm (3 in.) length: 35.6 cm (14 in.)	11.57	14.57	
5470072 widur (min.). 7.0 cm (5 m.) length. 55.0 cm (14 m.)	11.57	14.37	
3496700 width (min.): 8.9 cm (3½ in.) length: 35.6 cm	11.85	14.84	
(14 in.)	11.03	17.07	
3496718 width (min.): 10.2 cm (4 in.) length: 35.6 cm (14 in.)	12.14	15.14	
2	12.17	13.14	
3496726 width (min.): 7.6 cm (3 in.) length: 40.6 cm (16 in.)	12.53	15.55	
5 175 / 25 Widen (min.). 7.5 cm (5 m.) length. 40.0 cm (10 m.)	12.33	13.33	
3496734 width (min.): 8.9 cm (3½ in.) length: 40.6 cm	12.84	15.68	
(16 in.)	12.07	13.00	
3496742 width (min.): 10.2 cm (4 in.) length: 40.6 cm (16 in.)	13.27	16.27	
5 17 5 7 12 Wilder (Hillis): 10.2 cm (+ His) length. +0.0 cm (10 III.)	13.27	10.27	

Width	(max.)):	17.8	cm	(7	in.)	
-------	--------	----	------	----	----	------	--

3496759	width (min.): 8.9, 10.2, 11.4, 12,7 cm (3½, 4, 4½, 5 in.) length: 20.3 cm (8 in.)	10.55	13.56
3496767	width (min.): 8.9 cm (3½ in.) length: 25.4 cm (10 in.)	9.99	12.97
3496775	width (min.): 10.2 cm (4 in.) length: 25.4 cm (10 in.)	10.41	13.43
3496783	width (min.): 11.4 cm (4½ in.) length: 25.4 cm (10 in.)	11.01	13.83
3496791	width (min.): 12.7 cm (5 in.) length: 25.4 cm (10 in.)	11.85	14.84
3496809	width (min.): 8.9 cm (3½ in.) length: 30.5 cm (12 in.)	11.01	13.97
	width (min.): 10.2 cm (4 in.) length: 30.5 cm (12 in.)	11.57	14.57
	width (min.): 11.4 cm (4½ in.) length: 30.5 cm (12 in.)	12.14	15.14
	width (min.): 12.7 cm (5 in.) length: 30.5 cm (12 in.)	12.84	15.68
	width (min.): 8.9 cm (3½ in.) length: 35.6 cm (14 in.)	12.84	15.68
	width (min.): 10.2 cm (4 in.) length: 35.6 cm (14 in.)	12.97	16.01
	width (min.): 11.4 cm (4½ in.) length: 35.6 cm (14 in.)	13.70	16.55
	width (min.): 12.7 cm (5 in.) length: 35.6 cm (14 in.)	14.29	17.25
	width (min.): 8.9 cm (3½ in.) length: 40.6 cm (16 in.)	13.96	16.86
	width (min.): 10.2 cm (4 in.) length: 40.6 cm (16 in.)	14.43	17.42
	width (min.): 11.4 cm (4½ in.) length: 40.6 cm (16 in.)	15.00	17.83
3496916	width (min.): 12.7 cm (5 in.) length: 40.6 cm (16 in.)	15.67	18.55
	Width (max.): 20.3 cm (8 in.)		
3496924	width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 20.3 cm (8 in.)	12.14	15.14
3496932	width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 25.4 cm (10 in.)	11.96	15.00
3496940	width (min.):10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 30.5 cm (12 in.)	13.41	16.38
3496957	width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 35.6 cm (14 in.)	14.68	17.70
3496965	width (min.): 10.2, 11.4, 12.7 cm (4, 4½, 5 in.) length: 40.6 cm (16 in.)	16.38	19.41

DIVISION IV: LOWER-LIMB ORTHOSES SUBDIVISION 1: TIBIAL ORTHOSES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2140564 Tibial orthosis with unilateral upright	424.34			6
BASIC COMPONENTS AND SUPPLEMENTS				
Regular stirrup Ankle free joint. aluminum (1) Rigid metal cuff with leather or thermoplastic jacket, including cover				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
2135507 Regular stirrup	N. C.	94.46		
2135937 Ankle free joint, aluminum	N. C.	131.94		
2135903 Rigid metal cuff with leather or thermoplastic jacket, including cover	N. C.	121.61		3
OPTIONAL COMPONENTS				
2135523 Laminated or molded plastic stirrup, made from mold of insured person	254.85	326.01		
2135606 Single malleolar strap	78.93	108.67		
2135614 Double malleolar strap	93.15			
2135663 Ankle spring joint, aluminum, single	7.77	133.27		
2135911 Ankle free joint, stainless steel, single	55.65	185.00		
2135812 Ankle spring joint, stainless steel, single	75.03	204.43		
2135929 Double-action ankle spring joint, aluminum, single	33.64	163.02		
2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.)	d 53.03	53.03		
2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	d 18.12	18.12		
SUPPLEMENTS AVAILABLE				
3492501 Cane	10.19			
3492550 Crutches with axillary support, height-adjustable 3492551 Crutches with forearm support, height-adjustable	20.38 56.05			
ADJUSTMENTS AVAILABLE				
2136752 Stirrup changeover Any pertinent adjustment			56.93	

DR'VIC'R' adultement	Guarantee (months)
2140507 Tibial orthosis with bilateral uprights 516.19	6
BASIC COMPONENTS AND SUPPLEMENTS	
Regular stirrup Ankle free joints, aluminum (2) Rigid metal cuff with leather or thermoplastic jacket, including cover Retention straps	
COMPONENTS AND SUPPLEMENTS AVAILABLE	
BASIC COMPONENTS	
2135507 Regular stirrup N. C. 94.46 Ankle free joints, aluminum	
2135846 pair N. C. 221.24	
2135655 single N. A. 131.94	
2135903 Rigid metal cuff with leather or thermoplastic N. C. 121.61 jacket, including cover	
2195527 Retention straps, each N. C. 25.87	
OPTIONAL COMPONENTS	
2135531 Rectangular stirrup 42.70 131.94	
2135523 Laminated or molded plastic stirrup, made from mold of insured person 254.85 326.01	
2135606 Single malleolar strap 78.93 108.67	
2135614 Double malleolar strap 93.15 124.19	
Rectangular stirrup	
2135747 pair 15.53 229.00	
2135853 single N. A. 133.27	
Ankle free joints, stainless steel	
2135861 pair 112.56 326.01	
2135671 single N. A. 185.00	
Ankle spring joints, stainless steel	
2135879 pair 150.08 364.83	
2135689 single N. A. 204.43	

----- Any pertinent adjustment

Double-action ankle spring joints, aluminum			
2135887 pair	67.27	280.73	
2135754 single	N. A.	163.02	
2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (1/4 in.)	53.03	53.03	
2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	18.12	18.12	
SUPPLEMENTS AVAILABLE			
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	
ADJUSTMENTS AVAILABLE			
2136752 Stirrup changeover			56.93

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2140572 Molded plastic tibial orthosis, made from plaster or digital mold of insured person	413.99			6
BASIC COMPONENTS AND SUPPLEMENTS				
Molded plastic anterior or posterior shell with infra- patellar support extending under foot				
Calf and foot retention straps				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
2195527 Retention straps, each	N. C.	25.87		
OPTIONAL COMPONENTS				
2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (1/4 in.)	53.03	53.03		
2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	18.12	18.12		
2155828 Ankle free joints with overlapping	49.16	N. A.		

Gilette ankle joints		
2155646 pair	122.90	108.67
2155893 single	N. A.	67.27
Oklahoma ankle joints		
2155653 pair	116.43	102.19
2155901 single	N. A.	64.69
Wafer ankle joints		
2155661 pair	134.54	120.32
2155919 single	N. A.	73.74
Tamarak ankle joints		
2155679 pair	129.36	115.13
2155927 single	N. A.	71.15
Gaffney ankle joints		
2155687 pair	142.32	126.78
2155935 single	N. A.	76.33
2195584 Full thermoformable foam lining for night orthosis	63.38	99.60
SUPPLEMENTS AVAILABLE		
3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2140580 Molded plastic tibial orthosis, prefabricated	183.70			6

6

BASIC COMPONENTS AND SUPPLEMENTS

Rigid molded plastic posterior shell, one-piece, including calf and extending under foot, prefabricated or rigid spiral band

Calf and foot retention straps

NOTICE: This orthosis has neither a hinge, nor an upright, nor a rigid lateral band, and cannot be inserted into a conventional shoe. Therefore, it is not a walking boot.

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

SCHE	EDULE 1	Tariff for devices whi	ch compensate for	a motor deficiency		ated services ntic version)
2195527	Retention straps, each		N. C.	25.87		1
	OPTIONAL COMPONENTS	ı				
2125508	External build-up on orthosis of with orthosis, first 0.6 cm (1/4 i		53.03	53.03		
2125516	External build-up on orthosis with orthosis, each additional		18.12	18.12		
2195584	Full thermoformable foam lini	ng for night orthosis	63.38	99.60		
	SUPPLEMENTS AVAILABI	LE				
3492501			10.19	10.19		
	Crutches with axillary support		20.38	20.38		
3492551	Crutches with forearm support	t, neight-adjustable	56.05	56.05		
	ADJUSTMENT AVAILABLE	Е				
	Any pertinent adjustment					
	DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Tibial orthosis for leg shortene more, excluding any prosthetic		1,792.18			6
	BASIC COMPONENTS ANI	O SUPPLEMENTS				
	SACH foot Polyester or acrylic tibial shell support Retention straps	with tibial or foot				
	COMPONENTS AND SUPPLAVAILABLE	LEMENTS				
	BASIC COMPONENTS					
1125509	SACH foot		N. C.	260.44		
	Polyester or acrylic tibial shell	with tibial or foot	N. C.	N. A.		
2195527	support Retention straps, each		N. C.	25.87		
	OPTIONAL COMPONENTS					
1195619	Trial socket		117.73	N. A.		
	Knee free joints, aluminum (B	Secker S-2005-B4)				
2155695	•	Secker S-2005-B4)	226.40	284.62		

N. A.

174.67

2155943 single

Knee joints with ring lock (Becker 1002-B4)

2155604 pair 2155950 single Knee joints with lock, Swiss-type (Becker 1003-B4)	314.36 N. A.	372.59 218.61
2155703 pair 2155968 single Polycentric knee joints (USMC-0225-10)	380.35 N. A.	450.21 257.44
2155638 pair 2155976 single Polycentric knee joints, for child (Becker 1006-C8)	296.26 N. A.	354.46 186.27
2155711 pair 2155984 single Eccentric uniaxial knee free joints (Becker 1008-B4)	429.53 N. A.	487.73 252.28
2155562 pair 2155992 single Eccentric uniaxial ring knee joints (Becker 1012-B4)	358.36 N. A.	416.60 240.63
2155729 pair 2156016 single	375.19 N. A.	433.39 249.70
2155745 Thigh lacer with two metal bands with femoral leather jacket	168.18	209.57
2155737 Complete or full leather thigh lacer, without ischiatic support 2155752 Complete or full leather thigh lacer, with leather	116.43 229.00	297.56 407.53
ischiatic support 2155760 Molded plastic femoral shell without ischiatic	217.36	275.55
support 2155778 Molded plastic femoral shell with molded plastic	275.55	358.36
ischiatic support 2175610 Pelvic belt and metal band 2175511 Pelvic belt (leather)	222.53 N. A.	238.02 170.78
2175578 Replacement of pelvic belt metal band	N. A.	128.07
2175594 Hip joint (metal part), all types	240.63	271.69
3492501 Cane 3492550 Crutches with axillary support, height-adjustable 3492551 Crutches with forearm support, height-adjustable	10.19 20.38 56.05	10.19 20.38 56.05

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

SUBDIVISION 2: TIBIOFEMORAL ORTHOSES

DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
•	stic non-articulated tibiofemoral ade from plaster or digital mold of son	580.88			6
BASIC CO	MPONENTS AND SUPPLEMENTS				
Molded pla	stic splint, thigh, knee and leg				
Retention s	traps				
COMPONI AVAILAB	ENTS AND SUPPLEMENTS LE				
BASIC CO	MPONENTS				
2195527 Retention s	traps, each	N. C.	25.87		
OPTIONAL	L COMPONENTS				
2195550 Abduction	rod	100.92	116.43		
2135705 Knee cap ar	nd straps	81.52	111.25		
2125524 External bu	ild-up on shoe for limb fitted with	53.03	53.03		
2125532 External bu	r the first 0.6 cm (¼ in.) ild-up on shoe for limb fitted with ch additional 0.6 cm (¼ in.)	18.12	18.12		
SUPPLEM	ENTS AVAILABLE				
3492501 Cane		10.19	10.19		
	ith axillary support, height-adjustable	20.38			
	ith forearm support, height-adjustable	56.05	56.05		
ADJUSTM	ENT AVAILABLE				
Any pertine	ent adjustment				
DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	al orthosis with joints, prefabricated dge, Lennox, GLS)	714.12			6
BASIC CO	MPONENTS AND SUPPLEMENTS				
Knee free jo Femoral and	pints d tibial rigid cuffs				

Retention straps

COMPONENTS AND SUPPLEMENTS

AVAILABLE

BASIC COMPONENTS

	DASIC COMPONENTS		
21955	27 Retention straps, each	N. C.	25.87
	OPTIONAL COMPONENTS		
21255	24 External build-up on shoe for limb fitted with orthosis, for the first 0.6 cm (¼ in.)	53.03	53.03
21255	32 External build-up on shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	18.12	18.12
	SUPPLEMENTS AVAILABLE		
349250	01 Cane	10.19	10.19
34925	50 Crutches with axillary support, height-adjustable	20.38	20.38
34925	51 Crutches with forearm support, height-adjustable	56.05	56.05

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2150555 Tibiofemoral anti-recurvatum knee orthosis, Swedish-type, prefabricated	332.48			6
BASIC COMPONENTS AND SUPPLEMENTS				
Metal structure Rigid cuffs Retention straps				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
2195527 Retention straps, each	N. C.	25.87		
OPTIONAL COMPONENTS				
2125524 External build-up on shoe for limb fitted with orthosis, for the first 0.6 cm (1/4 in.)	53.03	53.03		
2125532 External build-up on shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	18.12	18.12		

SUPPLEMENTS AVAILABLE

3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Dynamic knee orthosis, made from plaster or digital mold of insured person	873.24			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Plastic or metal femoral and tibial rigid cuffs				
	Polycentric knee free joints, aluminum (USMC F08-200-1000) Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Polycentric knee free joints, aluminum (USMC F08-200-1000)				
2155786	pair	N. C.	253.58		
2155471	single	N. A.			
2195527	Retention straps, each	N. C.	25.87		
	OPTIONAL COMPONENTS				
	Polycentric knee free joints, steel (USMC F08-220-1000)				
2155836	pair	42.70	297.56		
	single Polycentric knee joints with lock, aluminum (USMC F08-200-4000)	N. A.	181.11		
2155794		36.22	289.78		
2155455	1	N. A.	177.23		
2155844		85.40	338.95		
2155448	•	N. A.	201.82		
2155851		N. C.	253.58		

Tariff for devices which compensate for a motor deficiency and insured related services
(authentic version)

2155430 single	N. A.	159.14
Variable amplitude knee joints, steel (USMC F08-		
200-1001)		
2155869 pair	42.70	297.56
2155422 single	N. A.	181.11
2135705 Knee cap and straps	81.52	111.25
2125524 External build-up on shoe for limb fitted with	53.03	53.03
orthosis, for the first 0.6 cm (1/4 in.)		
2125532 External build-up on shoe for limb fitted with	18.12	18.12
orthosis, each additional 0.6 cm (¼ in.)		
SUPPLEMENTS AVAILABLE		
2402204.0	40.40	10.10
3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05

ADJUSTMENT AVAILABLE

None

SCHEDULE 1

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2150597	Adjustable knee orthosis designed to limit flexion and extension movements (Donjoy, Generation II), prefabricated	351.89			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Rigid plastic cuffs, with foam Metal knee joints with ratchet				
	Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2195527	Retention straps, each	N. C.	25.87		
	SUPPLEMENTS AVAILABLE				
3492501	Cane	10.19	10.19		
3492550	Crutches with axillary support, height-adjustable	20.38	20.38		
	Crutches with forearm support, height-adjustable	56.05	56.05		

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

SUBDIVISION 3: FEMORAL ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Articulated femoral orthosis with rigid metal femoral and tibial cuffs	1,177.27			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Regular stirrup Ankle free joints, aluminum (2) Knee free joints, aluminum (2) (Becker S-2005-B4) Thigh lacer with two rigid metal bands and leather femoral jacket and metal cuff with leather or thermoplastic tibial jacket				
	Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2135556	Regular stirrup Rigid metal cuff with leather or thermoplastic tibial jacket Ankle free joints, aluminum	N. C. N. C.			
2135846	· · · · · · · · · · · · · · · · · · ·	N. C.	221.24		
2135655	single Knee free joints, aluminum (Becker S-2005-B4)	N. A.	131.94		
2155513	pair	N. C.	284.62		
2155414	-	N. A.			
	Thigh lacer with two rigid metal bands and leather femoral jacket	N. C.	209.57		
	Retention straps, each	N. C.	25.87		
	OPTIONAL COMPONENTS				
2135531	Rectangular stirrup	42.70	131.94		
	Laminated or molded plastic stirrup, made from mold of insured person	254.85	326.01		
	Single malleolar strap	78.93	108.67		
	Double malleolar strap	93.15			
2135705	Knee cap and straps	81.52	111.25		

Ar	nkle spring joints, aluminum		
2135747 pa		15.53	229.00
2135853 sir	ngle	N. A.	133.27
	ouble-action ankle spring joints, aluminum		
2125005		<7.07	200.72
2135887 pa		67.27	280.73
2135754 sir	_	N. A.	163.02
Kı	nee joints with ring lock (Becker 1002-B4)		
2155521 pa	ir	86.67	372.59
2155406 sir	ngle	N. A.	218.61
	nee joints with lock, Swiss-type (Becker 1003-B4)		
2155547	<u></u>	101 47	450.21
2155547 pa		191.47 N. A.	450.21 257.44
2155398 sir	~	N. A.	237.44
Po	olycentric knee joints (USMC-0225-10)		
2155554 pa	ir	68.57	354.46
2155380 sir	ngle	N. A.	186.27
Po	olycentric knee joints, for child (Becker 1006-C8)		
2155877 pa	ir	203.12	487.73
2155372 sir		N. A.	252.28
	ecentric uniaxial knee free joints (Becker 1008-	IV. A.	232.20
B4	· · · · · · · · · · · · · · · · · · ·		
2155588 pa		131.94	416.60
2155364 sir		N. A.	240.63
	ecentric uniaxial ring knee joints (Becker 1012-		
B 4			
2155885 pa		147.48	433.39
2155356 sir		N. A.	249.70
	omplete or full leather thigh lacer, without	116.43	297.56
isc	chiatic support		
2155752 Co	omplete or full leather thigh lacer, with leather	229.00	407.53
	chiatic support		
	sternal build-up on orthosis or shoe for limb fitted	53.03	53.03
wi	ith orthosis, first 0.6 cm (¼ in.)		
2125516 Ev	sternal build-up on orthosis or shoe for limb fitted	18.12	18.12
	ith orthosis, each additional 0.6 cm (¼ in.)	10.12	10.12
WI	tui ottiosis, eacii additionai 0.0 cm (% m.)		
O.	IDDLEMENTS AVAILABLE		
St	JPPLEMENTS AVAILABLE		
3492501 Ca	ane	10.19	10.19
3492550 Cr	cutches with axillary support, height-adjustable	20.38	20.38
3492551 Cr	rutches with forearm support, height-adjustable	56.05	56.05

ADJUSTMENTS AVAILABLE

2136752 Stirrup changeover

----- Any pertinent adjustment

56.93

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Molded plastic articulated femoral orthosis, made from plaster or digital mold of insured person	1,091.89			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Molded plastic femoral shell without ischiatic support Knee free joints, aluminum (2) (Becker S-2005-B4)				
	Molded plastic anterior or posterior tibial shell extending under foot Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Molded plastic femoral shell without ischiatic support	N. C.	275.55		
2155810	Molded plastic anterior or posterior tibial shell extending under foot Knee free joints, aluminum (Becker S-2005-B4)	N. C.	304.03		
2155513	nair	N. C.	284.62		
2155414	•	N. A.			
	Retention straps, each	N. C.			
	OPTIONAL COMPONENTS				
2135820	Regular stirrup	67.27	94.46		
	Ankle free joints with overlapping	49.16			
	Gilette ankle joints				
2155646		122.90	108.67		
2155893	•	N. A.	67.27		
	Oklahoma ankle joints				
2155653	•	116.43			
2155901		N. A.	64.69		
	Wafer ankle joints				
2155661	•	134.54			
2155919	•	N. A.	73.74		
2155679	Tamarak ankle joints	129.36	115.13		
2155927	•	129.36 N. A.			
4133741	•	IN. A.	/1.13		
	Gaffney ankle joints				

2155935 single	N. A.	76.33
2135606 Single malleolar strap	78.93	108.67
2135705 Knee cap and straps	81.52	111.25
Ankle spring joints, aluminum		•••
2135747 pair	15.53	229.00
2135853 single	N. A.	133.27
Double-action ankle spring joints, aluminum		
2135887 pair	67.27	280.73
2135754 single	N. A.	163.02
Knee joints with ring lock (Becker 1002-B4)	11. 21.	103.02
111100 Journa William 1111 Journal 1002 2017		
2155521 pair	86.67	372.59
2155406 single	N. A.	218.61
Knee joints with lock, Swiss-type (Becker 1003-B4)		
2155515	101.45	450.01
2155547 pair	191.47	450.21
2155398 single	N. A.	257.44
Polycentric knee joints (USMC-0225-10)		
2155554 pair	68.57	354.46
2155380 single	N. A.	186.27
Polycentric knee joints, for child (Becker 1006-C8)	1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	100.27
, , , , , , , , , , , , , , , , , , , ,		
2155877 pair	203.12	487.73
2155372 single	N. A.	252.28
Eccentric uniaxial knee free joints (Becker 1008-		
B4)		
2155588 pair	131.94	416.60
2155364 single	N. A.	240.63
Eccentric uniaxial ring knee joints (Becker 1012-		
B4)		
2155885 pair	147.48	433.39
2155356 single	N. A.	249.70
2155497 Molded plastic ischiatic support	76.33	N. A.
2155489 Molded plastic femoral shell with molded plastic	N. A.	358.36
ischiatic support		
2125508 External build-up on orthosis or shoe for limb fitted	53.03	53.03
with orthosis, first 0.6 cm (¼ in.)		
2125516 External build-up on orthosis or shoe for limb fitted	18.12	18.12
with orthosis, each additional 0.6 cm (¼ in.)	10.12	10.12
with orthosis, each additional 0.0 cm (/4 m.)		
SUPPLEMENTS AVAILABLE		
	10.10	10.10
3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05

ADJUSTMENTS AVAILABLE

2136752 Stirrup changeover

----- Any pertinent adjustment

56.93

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Articulated femoral orthosis with rigid metal femoral cuffs and molded plastic posterior or anterior tibial shell, made from plaster or digital mold of insured person	1,122.95			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Thigh lacer with two rigid metal bands and femoral leather jacket Knee free joints, aluminum (2) (Becker S-2005-B4)				
	Molded plastic posterior or anterior tibial shell extending under foot Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Thigh lacer with two rigid metal bands and femoral leather jacket	N. C.	209.57		
	Molded plastic posterior or anterior tibial shell extending under foot Knee free joints, aluminum (Becker S-2005-B4)	N. C.	304.03		
2155513	pair	N. C.	284.62		
2155414		N. A.			
2195527	Retention straps, each	N. C.	25.87		
	OPTIONAL COMPONENTS				
2155828	Ankle free joints with overlapping	49.16	N. A.		
	Gilette ankle joints				
2155646	•	122.90			
2155893	•	N. A.	67.27		
	Oklahoma ankle joints	117.40	100 10		
2155653	•	116.43			
2155901	Wafer ankle joints	N. A.	64.69		
2155661		134.54	120.32		
2155919	<u> </u>	N. A.			
	Tamarak ankle joints	 .			
2155679		129.36	115.13		
2155927	•	N. A.			
	Gaffney ankle joints				

2155935 single	
	42.32 126.78
	N. A. 76.33
2135606 Single malleolar strap	78.93 108.67
<u> </u>	81.52 111.25
Ankle spring joints, aluminum	71.02
	15.53 229.00
•	
\boldsymbol{c}	N. A. 133.27
Double-action ankle spring joints, aluminum	
0105005	<= a=
	67.27 280.73
\boldsymbol{c}	N. A. 163.02
Knee joints with ring lock (Becker 1002-B4)	
2155521 pair	86.67 372.59
2155406 single	N. A. 218.61
Knee joints with lock, Swiss-type (Becker 1003-B4)	
2155547 pair 19	91.47 450.21
	N. A. 257.44
Polycentric knee joints (USMC-0225-10)	
1 01) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 	
2155554 pair	68.57 354.46
1	N. A. 186.27
6	N. A. 100.27
Polycentric knee joints, for child (Becker 1006-C8)	
2155977 main	03.12 487.73
F	
ϵ	N. A. 252.28
Eccentric uniaxial knee free joints (Becker 1008-	
B4)	
2155588 pair 13	31.94 416.60
2155364 single	N. A. 240.63
Eccentric uniaxial ring knee joints (Becker 1012-	
B4)	
2155885 pair 14	47.48 433.39
-	N. A. 249.70
	16.43 297.56
ischiatic support	
**	29.00 407.53
ischiatic support	27.00
**	53.03 53.03
	33.03
<u> •</u>	
with orthosis, first 0.6 cm (1/4 in.)	
with orthosis, first 0.6 cm (1/4 in.)	10.10
with orthosis, first 0.6 cm (1/4 in.) 2125516 External build-up on orthosis or shoe for limb fitted	18.12 18.12
with orthosis, first 0.6 cm (1/4 in.)	18.12 18.12
with orthosis, first 0.6 cm (1/4 in.) 2125516 External build-up on orthosis or shoe for limb fitted	18.12 18.12
with orthosis, first 0.6 cm (1/4 in.) 2125516 External build-up on orthosis or shoe for limb fitted	18.12 18.12
with orthosis, first 0.6 cm (1/4 in.) 2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.) SUPPLEMENTS AVAILABLE	
with orthosis, first 0.6 cm (¼ in.) 2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.) SUPPLEMENTS AVAILABLE 3492501 Cane	10.19 10.19
with orthosis, first 0.6 cm (¼ in.) 2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.) SUPPLEMENTS AVAILABLE 3492501 Cane 3492550 Crutches with axillary support, height-adjustable	

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Articulated femoral orthosis with molded plastic femoral shell, made from plaster or digital mold of insured person, and rigid metal cuff with tibial leather jacket	1,270.42			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Regular stirrup Ankle free joints, aluminum (2) Knee free joints, aluminum (2) (Becker S-2005-B4) Rigid metal cuff with leather or thermoplastic jacket, including tibial cover				
	Molded plastic femoral shell without ischiatic support Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2135556	Regular stirrup Rigid metal cuff with leather or thermoplastic jacket, including tibial cover	N. C. N. C.	94.46 121.61		
	Ankle free joints, aluminum				
2135739 2135655	•	N. C. N. A.	221.24 131.94		
2155513	pair	N. C.	284.62		
2155414 2155802		N. A. N. C.	174.67		
	Retention straps, each	N. C.	25.87		
	OPTIONAL COMPONENTS				
2135531	Rectangular stirrup	42.70	131.94		
2135523	Laminated or molded plastic stirrup, made from mold of insured person	254.85	326.01		
	Single malleolar strap	78.93	108.67		
	Double malleolar strap	93.15			
	Knee cap and straps Ankle spring joints, aluminum	81.52	111.25		
	pair	15.53	229.00		

2135853 single Double-action ankle spring joints, aluminum	N. A.	133.27
2135887 pair	67.27	280.73
2135754 single	N. A.	163.02
Knee joints with ring lock (Becker 1002-B4)		
2155521 pair	86.67	372.59
2155406 single	N. A.	218.61
Knee joints with lock, Swiss-type (Becker 1003-B4)		
2155547 pair	191.47	450.21
2155398 single	N. A.	257.44
Polycentric knee joints (USMC-0225-10)		
2155554 pair	68.57	354.46
2155380 single	N. A.	186.27
Polycentric knee joints, for child (Becker 1006-C8)		
2155877 pair	203.12	487.73
2155372 single	N. A.	252.28
Eccentric uniaxial knee free joints (Becker 1008-B4)		
2155588 pair	131.94	416.60
2155364 single	N. A.	240.63
Eccentric uniaxial ring knee joints (Becker 1012-B4)		
2155885 pair	147.48	433.39
2155356 single	N. A.	249.70
2155497 Molded plastic ischiatic support	76.33	N. A.
2155489 Molded plastic femoral shell with molded plastic	N. A.	358.36
ischiatic support		
2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (1/4 in.)	53.03	53.03
2125516 External build-up on orthosis or shoe for limb fitted	18.12	18.12
with orthosis, each additional 0.6 cm (¼ in.)		
SUPPLEMENTS AVAILABLE		
3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05
z	2 3.02	20.02

ADJUSTMENTS AVAILABLE

2136752 Stirrup changeover

----- Any pertinent adjustment

- Any pertinent adjustment

Updated: October 10, 2017 95

56.93

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2160547	Molded plastic non-articulated femoral orthosis, made from plaster or digital mold of insured person	655.92			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Molded plastic splint, thigh, knee, leg and foot				
	Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2195527	Retention straps, each	N. C.	25.87		
	OPTIONAL COMPONENTS				
2195550 2155497	Knee cap and straps Abduction rod Molded plastic ischiatic support External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (1/4 in.)	81.52 100.92 76.33 53.03	116.43		
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional $0.6~{\rm cm}$ ($^{1}\!\!/_{4}$ in.)	18.12	18.12		
	SUPPLEMENTS AVAILABLE				
	Cane Crutches with axillary support, height-adjustable Crutches with forearm support, height-adjustable	10.19 20.38 56.05	10.19 20.38 56.05		
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)

6

with rigid metal femoral and tibial cuffs

BASIC COMPONENTS AND SUPPLEMENTS

Regular stirrup

Unilateral ankle free joint, aluminum

Unilateral knee free joint, aluminum (Becker S-2005-

Rigid metal cuffs with leather femoral and tibial jacket, including cover

Retention straps

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

2135507 Regular stirrup	N. C.	94.46
2135556 Rigid metal cuff with leather tibial jacket, including	N. C.	121.61
cover		
2135895 Unilateral ankle free joint, aluminum	N. C.	131.94
2100070 Ominion made 1100 John, manadan	11. 0.	1011,
2135770 Unilateral knee free joint, aluminum (Becker S-2005-	N. C.	174.67
B4)	14. C.	174.07
2195592 Rigid metal cuff with leather femoral jacket,	N. C.	209.57
	N. C.	209.37
including cover	N. C	25.05
2195527 Retention straps, each	N. C.	25.87
OPTIONAL COMPONENTS		
2125522 I	254.95	226.01
2135523 Laminated or molded plastic stirrup, made from	254.85	326.01
mold of insured person		
2135606 Single malleolar strap	78.93	108.67
2135614 Double malleolar strap	93.15	124.19
2135705 Knee cap and straps	81.52	111.25
2135663 Ankle spring joint, aluminum	7.77	133.27
2135929 Double-action ankle spring joint, aluminum	33.64	163.02
1 23		
2135788 Knee joint with ring lock (Becker 1002-B4)	43.97	218.61

56.93

2135796 Eccentric uniaxial knee free joint (Becker 1008-B4)	66.00	240.63	
2135804 Eccentric uniaxial ring knee joint (Becker 1012-B4)	73.74	249.70	
2175594 Hip joint (metal part), all types	240.63	271.69	
2175610 Pelvic belt and metal band 2175511 Pelvic belt (leather) 2175578 Replacement of pelvic belt metal band	222.53 N. A. N. A.	238.02 170.78 128.07	
2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (1/4 in.)	53.03	53.03	
2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	18.12	18.12	
SUPPLEMENTS AVAILABLE			
3492501 Cane 3492550 Crutches with axillary support, height-adjustable 3492551 Crutches with forearm support, height-adjustable	10.19 20.38 56.05	10.19 20.38 56.05	

ADJUSTMENTS AVAILABLE

2136752 Stirrup changeover

----- Any pertinent adjustment

SUBDIVISION 4: COXOFEMORAL ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2170504	Articulated coxofemoral orthosis with rigid metal femoral and tibial cuffs	1,716.75			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Regular stirrup Ankle free joints, aluminum (2) Knee free joints, aluminum (2) (Becker S-2005-B4) Thigh lacer with two rigid metal bands and femoral leather jacket, including cover, and rigid metal cuff with leather or thermoplastic tibial jacket				
	Hip joint (metal part), all types				
	Retention straps Pelvic belt and metal band				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2135507	Regular stirrup Ankle free joints, aluminum	N. C.	94.46		
2135739	pair	N. C.	221.24		
2135655	single	N. A.	131.94		
	Retention straps, each	N. C.	25.87		
2135556	Rigid metal cuff with leather or thermoplastic tibial jacket	N. C.	121.61		
	Knee free joints, aluminum (Becker S-2005-B4)				
2155513	pair	N. C.	284.62		
2155414	single	N. A.	174.67		
2195618	Thigh lacer with two rigid metal bands and femoral leather jacket, including cover	N. C.	209.57		
2175560	Hip joint (metal part), all types	N. C.	271.69		
2175537	Pelvic belt and metal band	N. C.	238.02		
	OPTIONAL COMPONENTS				
2135531	Rectangular stirrup	42.70	131.94		
	Laminated or molded plastic stirrup, made from mold of insured person	254.85			
2135606	Single malleolar strap	78.93	108.67		

2135705 Knee cap and straps Ankle spring joints, aluminum	81.52	111.25
2135747 pair	15.53	229.00
2135853 single	N. A.	133.27
Double-action ankle spring joints, aluminum	1,111	155.27
2135887 pair	67.27	280.73
2135754 single	N. A.	163.02
Knee joints with ring lock (Becker 1002-B4)		
2155521 pair	86.67	372.59
2155406 single	N. A.	218.61
Knee joints with lock, Swiss-type (Becker 1003-B4)		
2155547 pair	191.47	450.21
2155398 single	N. A.	257.44
Polycentric knee joints (USMC-0225-10)		
2155554 pair	68.57	354.46
2155380 single	N. A.	186.27
Polycentric knee joints, for child (Becker 1006-C8)		
2155877 pair	203.12	487.73
2155372 single	N. A.	252.28
Eccentric uniaxial knee free joints (Becker 1008-B4)		
2155588 pair	131.94	416.60
2155364 single	N. A.	240.63
Eccentric uniaxial ring knee joints (Becker 1012-B4)		
2155885 pair	147.48	433.39
2155356 single	N. A.	249.70
2175578 Replacement of pelvic belt metal band	N. A.	128.07
2175511 Pelvic belt (leather)	N. A.	170.78
2155737 Complete or full leather thigh lacer, without	116.43	297.56
ischiatic support		
2155752 Complete or full leather thigh lacer, with leather ischiatic support	229.00	407.53
2125508 External build-up on orthosis or shoe for limb fitted	53.03	53.03
with orthosis, first 0.6 cm (¼ in.)		
2125516 External build-up on orthosis or shoe for limb fitted	18.12	18.12
with orthosis, each additional 0.6 cm (1/4 in.)		

SUPPLEMENTS AVAILABLE

3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05

ADJUSTMENTS AVAILABLE

2136752 Stirrup changeover

----- Any pertinent adjustment

56.93

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Molded plastic articulated coxofemoral orthosis, made from plaster or digital mold of insured person	1,608.09			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Molded plastic femoral shell without ischiatic support				
	Knee free joints, aluminum (2) (Becker S-2005-B4)				
	Hip joint (metal part), all types				
	Molded plastic posterior or anterior tibial shell extending under foot Retention straps				
	Pelvic belt and metal band				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Molded plastic femoral shell without ischiatic support	N. C.	275.55		
	Molded plastic posterior or anterior tibial shell extending under foot	N. C.	304.03		
	Knee free joints, aluminum (Becker S-2005-B4)				
2155513	=	N. C.			
2155414	•	N. A.			
2175560	Hip joint (metal part), all types	N. C.	271.69		
	Retention straps, each	N. C.	25.87		
2175537	Pelvic belt and metal band	N. C.	238.02		
	OPTIONAL COMPONENTS				
2175578	Replacement of pelvic belt metal band	N. A.	128.07		
2175511	Pelvic belt (leather)	N. A.	170.78		

2155828 Ankle free joints with overlapping	49.16	N. A.	
Gilette ankle joints			
2155646 pair	122.90	108.67	
2155893 single	N. A.	67.27	
Oklahoma ankle joints			
2155653 pair	116.43	102.19	
2155901 single	N. A.	64.69	
Wafer ankle joints			
2155661 pair	134.54	120.32	1
2155919 single	N. A.	73.74	
Tamarak ankle joints			
2155679 pair	129.36	115.13	
2155927 single	N. A.	71.15	
Gaffney ankle joints			
2155687 pair	142.32	126.78	
2155935 single	N. A.	76.33	
2135606 Single malleolar strap	78.93	108.67	
2135705 Knee cap and straps	81.52	111.25	
Ankle spring joints, aluminum			
2135747 pair	15.53	229.00	
2135853 single	N. A.	133.27	
2135820 Regular stirrup	67.27	94.46	
Double-action ankle spring joints, aluminum			
2135887 pair	67.27	280.73	
2135754 single	N. A.	163.02	
Knee joints with ring lock (Becker 1002-B4)			
2155521 pair	86.67	372.59	
2155406 single	N. A.	218.61	
Knee joints with lock, Swiss-type (Becker 1003-B4)			
2155547 pair	191.47	450.21	
2155398 single	N. A.	257.44	
Polycentric knee joints (USMC-0225-10)			
2155554 pair	68.57	354.46	
2155380 single	N. A.	186.27	
Polycentric knee joints, for child (Becker 1006-C8)			
2155877 pair	203.12	487.73	
2155372 single	N. A.	252.28	
Eccentric uniaxial knee free joints (Becker 1008-	1,1,1,1	202.20	
B4)	121.04	416.60	
2155588 pair	131.94	416.60	
2155364 single	N. A.	240.63	
Eccentric uniaxial ring knee joints (Becker 1012-B4)			
2155885 pair	147.48	433.39	
2155356 single	N. A.	249.70	
2155497 Molded plastic ischiatic support	76.33	N. A.	

SCHEDULE 1	Tariff for devices which co	mpensate for a mot	or deficiency and	insured related services (authentic version)
2155489 Molded plastic femoral shell ischiatic support	with molded plastic	N. A.	358.36	
2125508 External build-up on orthosis with orthosis, first 0.6 cm (1/4		53.03	53.03	
2125516 External build-up on orthosis with orthosis, each additional		18.12	18.12	
SUPPLEMENTS AVAILAB	LE			
3492501 Cane		10.19	10.19	

20.38

56.05

20.38

56.05

ADJUSTMENTS AVAILABLE

3492550 Crutches with axillary support, height-adjustable

3492551 Crutches with forearm support, height-adjustable

2136752 Stirrup changeover

----- Any pertinent adjustment

56.93

DEVICE	E	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
femoral c anterior t	ed coxofemoral orthosis with rigid metal cuffs and molded plastic posterior or ibial shell, made from plaster or digital nsured person	1,672.78			6
BASIC (COMPONENTS AND SUPPLEMENTS				
leather ja Knee free B4)	cer with two rigid metal bands and femoral acket e joints, aluminum (2) (Becker S-2005- (metal part), all types				
extending Retention	plastic posterior or anterior tibial shell g under foot n straps elt and metal band				
COMPO AVAILA	NENTS AND SUPPLEMENTS ABLE				
BASIC C	COMPONENTS				
2195501 Thigh lac	cer with two rigid metal bands and femoral	N. C.	209.57		
2155810 Molded pextending	plastic posterior or anterior tibial shell g under foot e joints, aluminum (Becker S-2005-B4)	N. C.	304.03		

2155513 pair	N. C.	284.62
2155414 single	N. A.	174.67
2195527 Retention straps, each	N. C.	25.87
2175560 Hip joint (metal part), all types	N. C.	271.69
2175537 Pelvic belt and metal band	N. C.	238.02
OPTIONAL COMPONENTS		
2155828 Ankle free joints with overlapping	49.16	N. A.
Gilette ankle joints		
2155646 pair	122.90	108.67
2155893 single	N. A.	67.27
Oklahoma ankle joints 2155653 pair	116.43	102.19
2155901 single	N. A.	64.69
Wafer ankle joints	14. 71.	04.07
2155661 pair	134.54	120.32
2155919 single	N. A.	73.74
Tamarak ankle joints		
2155679 pair	129.36	115.13
2155927 single	N. A.	71.15
Gaffney ankle joints		
2155687 pair	142.32	126.78
2155935 single	N. A.	76.33
Ankle spring joints, aluminum 2135747 pair	15.53	229.00
2135853 single	N. A.	133.27
Double-action ankle spring joints, aluminum	14. 71.	133.27
2125007	67.27	290.72
2135887 pair 2135754 single	07.27 N. A.	280.73 163.02
2135606 Single malleolar strap	78.93	103.02
Knee joints with ring lock (Becker 1002-B4)	70.73	100.07
2155521 pair	86.67	372.59
2155406 single	N. A.	218.61
Knee joints with lock, Swiss-type (Becker 1003-B4)		
2155547 pair	191.47	450.21
2155398 single	N. A.	257.44
Polycentric knee joints (USMC-0225-10)		
2155554 pair	68.57	354.46
2155380 single	N. A.	186.27
Polycentric knee joints, for child (Becker 1006-C8)		
2155877 pair	203.12	487.73
2155372 single	N. A.	252.28
Eccentric uniaxial knee free joints (Becker 1008-		
B4)	121.04	416.60
2155588 pair 2155364 single	131.94 N. A.	416.60 240.63
2155364 single	IN. A.	4 4 0.03

Eccentric uniaxial ring knee joints (Becker 1012-		
B4) 2155885 pair	147.48	433.39
2155356 single	N. A.	249.70
2135705 Knee cap and straps	81.52	111.25
2155737 Complete or full leather thigh lacer, without ischiatic support	116.43	297.56
2155752 Complete or full leather thigh lacer, with leather ischiatic support	229.00	407.53
2175578 Replacement of pelvic belt metal band	N. A.	128.07
2175511 Pelvic belt (leather)	N. A.	170.78
2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (1/4 in.)	53.03	53.03
2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	18.12	18.12
SUPPLEMENTS AVAILABLE		
3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2170801 Articulated coxofemoral orthosis with molded plastic femoral shell, made from plaster or digital mold of insured person, and rigid metal cuff with leather or thermoplastic tibial jacket	1,888.82			6

BASIC COMPONENTS AND SUPPLEMENTS

Regular stirrup

Ankle free joints, aluminum (2)

Knee free joints, aluminum (2) (Becker S-2005-B4)

Rigid metal cuff with leather or thermoplastic jacket, including tibial cover

Molded plastic femoral shell without ischiatic support Hip joint (metal part), all types

Retention straps

Pelvic belt and metal band

COMPONENTS AND SUPPLEMENTS

AVAILABLE

BASIC COMPONENTS

2135507 Regular stirrup 2135556 Rigid metal cuff with leather or thermoplastic jacket, including tibial cover	N. C. N. C.	94.46 121.61
Knee free joints, aluminum (Becker S-2005-B4)		
2155513 pair	N. C.	284.62
2155414 single	N. A.	174.67
Ankle free joints, aluminum		
2135739 pair	N. C.	221.24
2135655 single	N. A.	131.94
2155802 Molded plastic femoral shell without ischiatic support	N. C.	275.55
2175560 Hip joint (metal part), all types	N. C.	271.69
21/ee oo 111p Jonie (mount paro), an oppoo	11. 0.	2,110)
2195527 Retention straps, each	N. C.	25.87
2175537 Pelvic belt and metal band	N. C.	238.02
OPTIONAL COMPONENTS		
2135531 Rectangular stirrup	42.70	131.94
2135523 Molded or laminated plastic stirrup, made from	254.85	326.01
mold of insured person		
2135606 Single malleolar strap	78.93	108.67
2135614 Double malleolar strap	93.15	124.19
2135705 Knee cap and straps	81.52	111.25
Ankle spring joints, aluminum		
2135747 pair	15.53	229.00
2135853 single	N. A.	133.27
Double-action ankle spring joints, aluminum		
2135887 pair	67.27	280.73
2135754 single	N. A.	163.02
Knee joints with ring lock (Becker 1002-B4)		
2155521 pair	86.67	372.59
2155406 single	N. A.	218.61
Knee joints with lock, Swiss-type (Becker 1003-B4)		
2155547 pair	191.47	450.21
2155398 single	N. A.	257.44
Polycentric knee joints (USMC-0225-10)		
2155554 pair	68.57	354.46
2155380 single	N. A.	186.27
Polycentric knee joints, for child (Becker 1006-C8)		

56.93

2155877 pair 2155372 single Eccentric uniaxial knee free joints (Becker 1008-B4)	203.12 N. A.	487.73 252.28
2155588 pair 2155364 single Eccentric uniaxial ring knee joints (Becker 1012-B4)	131.94 N. A.	416.60 240.63
2155885 pair 2155356 single 2155497 Molded plastic ischiatic support 2155489 Molded plastic femoral shell with molded plastic	147.48 N. A. 76.33 N. A.	433.39 249.70 N. A. 358.36
ischiatic support 2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.)	53.03	53.03
2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	18.12	18.12
2175578 Replacement of pelvic belt metal band	N. A.	128.07
2175511 Pelvic belt (leather)	N. A.	170.78
SUPPLEMENTS AVAILABLE		
3492501 Cane 3492550 Crutches with axillary support, height-adjustable 3492551 Crutches with forearm support, height-adjustable	10.19 20.38 56.05	10.19 20.38 56.05

ADJUSTMENTS AVAILABLE

2136752 Stirrup changeover

----- Any pertinent adjustment

SUBDIVISION 5: BILATERAL LOWER-LIMB ORTHOSES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2190502 Femoral derotation orthosis	102.19			6
BASIC COMPONENTS AND SUPPLEMENTS				
Metal bar with ratchet, fixed to shoes				
COMPONENT AND SUPPLEMENT AVAILABLE				
2195551 Articulated metal bar	86.18	86.18		
ADJUSTMENTS AVAILABLE				
2196509 Shoe changeover (unriveted) 2196517 Shoe changeover (riveted) Any pertinent adjustment			27.19 36.22	
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2190510 Coxofemoral derotation orthosis with torsion cable	435.98			6
BASIC COMPONENTS AND SUPPLEMENTS				
Regular stirrup Torsion cable Pelvic belt (leather) Hip free joint (metal part) COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
2135507 Regular stirrup 2195535 Torsion cable 2175586 Hip free joint (metal part) 2175602 Pelvic belt (leather)	N. C. N. C. N. C. N. C.	98.32 84.10		
OPTIONAL COMPONENT	100.07	142.61		
2155570 Knee joint	128.07	143.61		
SUPPLEMENTS AVAILABLE				
3492550 Crutches with axillary support, height-adjustable	20.38	20.38		

3492551 Crutches with forearm support, height-adjustable

56.05

56.05

ADJUSTMENTS AVAILABLE

2136752	Stirrup	changeover
---------	---------	------------

----- Any pertinent adjustment

56.93

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2190528	Pelvifemoral abduction orthosis, custom made	280.73			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Two plastic thigh cuffs Metal bar				
	COMPONENT AND SUPPLEMENT				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Molded plastic pelvifemoral abduction orthosis for child, made from plaster or digital mold of insured person	835.75			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Molded plastic orthosis Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2195527	Retention straps, each	N. C.	25.87		
	OPTIONAL COMPONENTS				
3122603	Abduction rod Extension to feet inclusively Knee cap and straps	100.92 479.97 81.52	N. A.		
	ADJUSTMENT AVAILABLE Any pertinent adjustment				

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2190536	Pelvifemoral orthosis, for young child	195.36			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Cloth harness or prefabricated plastic splint				
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Articulated pelvifemoral abduction orthosis, Scottish Rite-type	1,219.98			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Rigid metal cuffs with leather or thermoplastic femoral jacket (2) Metal bar Universal joints Pelvic band Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Rigid metal cuffs with leather or thermoplastic femoral jacket (2)	N. C.	209.57		
2195527	Retention straps, each	N. C.	25.87		
	SUPPLEMENTS AVAILABLE				
	Crutches with axillary support, height-adjustable Crutches with forearm support, height-adjustable	20.38 56.05			
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				

SUBDIVISION 6: ADDITIONAL COMPONENTS FOR TIBIAL, FEMORAL AND COXOFEMORAL ORTHOSES

		Maximum price of component alone	
2135564 Regular stirrup, additional	67.27	82.78	
2135598 Rectangular stirrup, additional	108.67	131.94	

SUBDIVISION 7: LOWER-LIMB ORTHOSES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2190601 Other lower-limb orthoses *	S. C.			6

^{*} When price is below that of the similar orthosis

DIVISION V: UPPER-LIMB ORTHOSES SUBDIVISION 1: HAND ORTHOSES THAT MAY INCLUDE THE THUMB AND THE OTHER FINGERS

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Prefabricated passive orthosis for proximal and distal interphalangeal joints				2
	Thumb				
	If first finger	112.56	N. A.		
2210011	If additional finger	29.77	N. A.		
	Index				
	If first finger	112.56	N. A.		
	If additional finger	29.77	N. A.		
	Middle finger				
	If first finger	112.56			
	If additional finger	29.77	N. A.		
	Ring finger	110 76	37.4		
	If first finger	112.56			
	If additional finger	29.77	N. A.		
	Little finger	112.50	NT A		
	If first finger	112.56 29.77	N. A. N. A.		
	If additional finger BASIC COMPONENTS AND SUPPLEMENTS	29.11	N. A.		
	BASIC COMPONENTS AND SUFFLEMENTS				
	Thermoplastic or metal splint Straps				
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Prefabricated dynamic orthosis for distal and/or proximal interphalangeal joints				2
	Thumb				
2210102	If first finger	112.56	N. A.		
	If additional finger	29.77	N. A.		

Index		
2210128 If first finger	112.56	N. A.
2210136 If additional finger	29.77	N. A.
Middle finger		
2210144 If first finger	112.56	N. A.
2210151 If additional finger	29.77	N. A.
Ring finger		
2210169 If first finger	112.56	N. A.
2210177 If additional finger	29.77	N. A.
Little finger		
2210185 If first finger	112.56	N. A.
2210193 If additional finger	29.77	N. A.

BASIC COMPONENTS AND SUPPLEMENTS

Support pads Springs

COMPONENT AND SUPPLEMENT

AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

	Maximum price	Maximum price	Maximum	
DEVICE	Purchase or	Replacement of	adjustement	Guarantee
DEVICE	replacement of	component or	· .	(months)
	device	supplement	price	

150.08

2

2210516 Prefabricated dynamic orthosis for metacarpophalangeal joints

BASIC COMPONENTS AND SUPPLEMENTS

Metacarpal bars

Phalangeal bars

Articular pivots

Elastic bands

Piano wire

Other types of springs

COMPONENT AND SUPPLEMENT

AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2220010 Passive thumb orthosis including carpometacarpal, metacarpophalangeal and interphalangeal joints, made from plaster or digital mold of insured person	260.03			2
BASIC COMPONENTS AND SUPPLEMENTS				
Molded component, thermoplastic or other material				
Straps				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2220036 Molded plastic passive thumb orthosis including carpometacarpal, metacarpophalangeal and interphalangeal joints, made from mold of insured person or prefabricated	169.47			2
BASIC COMPONENTS AND SUPPLEMENTS				
Molded thermoplastic component Straps				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
Dynamic thumb orthosis, which may include carpometacarpal, metacarpophalangeal and interphalangeal joints, made from plaster or digital mold of insured person	350.61			2
BASIC COMPONENTS AND SUPPLEMENTS				
Stabilizing components Traction apparatus made with springs Piano wire, elastic bands Straps				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
 Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of	Maximum price Replacement of component or	Maximum adjustement price	Guarantee (months)
	device	supplement	P	
Molded plastic dynamic thumb orthosis, which may include carpometacarpal, metacarpophalangeal and interphalangeal joints, made from mold of insured person or prefabricated	device 218.61		P	2
include carpometacarpal, metacarpophalangeal and interphalangeal joints, made from mold of insured			P	2
include carpometacarpal, metacarpophalangeal and interphalangeal joints, made from mold of insured person or prefabricated			P	2
include carpometacarpal, metacarpophalangeal and interphalangeal joints, made from mold of insured person or prefabricated BASIC COMPONENTS AND SUPPLEMENTS Stabilizing components Traction apparatus made with springs Piano wire, elastic bands				2
include carpometacarpal, metacarpophalangeal and interphalangeal joints, made from mold of insured person or prefabricated BASIC COMPONENTS AND SUPPLEMENTS Stabilizing components Traction apparatus made with springs Piano wire, elastic bands Straps COMPONENT AND SUPPLEMENT				2
include carpometacarpal, metacarpophalangeal and interphalangeal joints, made from mold of insured person or prefabricated BASIC COMPONENTS AND SUPPLEMENTS Stabilizing components Traction apparatus made with springs Piano wire, elastic bands Straps COMPONENT AND SUPPLEMENT AVAILABLE				2

SUBDIVISION 2: WRIST AND HAND ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Passive orthosis for wrist and hand including fingers and thumb, palmar or dorsal, made from plaster or digital mold of insured person	380.35			2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Splint Straps Bilateral fixed joints for dorsal orthosis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	OPTIONAL COMPONENT				
2231124	Finger separator, including straps	14.25	N. A.		
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
		Marrimum miaa	Maximum price		
	DEVICE	Maximum price Purchase or replacement of device	Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2230555	Molded plastic passive orthosis for wrist and hand including fingers and thumb, palmar or dorsal, made from mold of insured person or prefabricated	Purchase or replacement of	Replacement of component or supplement	adjustement	
2230555	Molded plastic passive orthosis for wrist and hand including fingers and thumb, palmar or dorsal, made	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
2230555	Molded plastic passive orthosis for wrist and hand including fingers and thumb, palmar or dorsal, made from mold of insured person or prefabricated	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
2230555	Molded plastic passive orthosis for wrist and hand including fingers and thumb, palmar or dorsal, made from mold of insured person or prefabricated BASIC COMPONENTS AND SUPPLEMENTS Thermoplastic splint Straps	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
2230555	Molded plastic passive orthosis for wrist and hand including fingers and thumb, palmar or dorsal, made from mold of insured person or prefabricated BASIC COMPONENTS AND SUPPLEMENTS Thermoplastic splint Straps Bilateral fixed joints for dorsal orthosis COMPONENTS AND SUPPLEMENTS	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
2230555	Molded plastic passive orthosis for wrist and hand including fingers and thumb, palmar or dorsal, made from mold of insured person or prefabricated BASIC COMPONENTS AND SUPPLEMENTS Thermoplastic splint Straps Bilateral fixed joints for dorsal orthosis COMPONENTS AND SUPPLEMENTS AVAILABLE	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2230563 Passive orthosis for wrist, palmar or dorsal, including thumb extension, where applicable, made from plaster or digital mold of insured person	307.92			2
BASIC COMPONENTS AND SUPPLEMENTS				
Thermoplastic splint, palmar or dorsal, or reinforced molded leather splint, including thumb extension, where applicable Palmar or dorsal metacarpal bar Straps				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
OPTIONAL COMPONENT				
2231132 Full leather lining of thermoplastic splint	53.03	N. A.		
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2230571 Plastic or molded plastic passive orthosis for wrist, including thumb extension, where applicable, made from mold of insured person or prefabricated	226.40			2
BASIC COMPONENTS AND SUPPLEMENTS				
Plastic or molded plastic splint, prefabricated or made from mold of insured person, including thumb extension, where applicable Palmar or dorsal metacarpal bar Straps				
COMPONENTS AND SUPPLEMENTS AVAILABLE				

~~		~ .	**	-	
SC	ΗН	m	ш	Н 1	

2221165 Elector along	00.56	NT A
2231165 Flexion glove	90.56	N. A.
2231140 Wrist free joints (incompatible with wrist traction	64.69	N. A.
apparatus)		
2231173 Wrist traction apparatus (incompatible with wrist	67.27	N. A.
free joints)		
,		
ADJUSTMENT AVAILABLE		

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2230589 Prefabricated static wrist and dynamic finger orthosis, which may include Swanson-type thumb	494.22			2
BASIC COMPONENTS AND SUPPLEMENTS				
Transverse and longitudinal bars Palmar support Finger and thumb traction apparatus				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
	•	Maximum price	Maximum	Cuananta

	Maximum price	Maximum price	Maximum	
DEVICE	Purchase or	Replacement of	adjustement	Guarantee
DEVICE	replacement of	component or	٠.	(months)
	device	supplement	price	

2230514 Custom-made tenodesis orthosis

759.42

2

BASIC COMPONENTS AND SUPPLEMENTS

Stabilizing components for thumb, index finger and middle finger
Metacarpophalangeal joints
Wrist joints
Forearm stabilizing component

Telescoping rod

COMPONENT AND SUPPLEMENT

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

SUBDIVISION 3: ELBOW, WRIST AND HAND ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2250017	Molded plastic passive elbow orthosis, anterior or posterior, made from mold of insured person	320.85			2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Splint including arm and forearm Straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	OPTIONAL COMPONENTS				
2255511	Suspension strap	24.58	N. A.		
	Elbow pad and strap	81.52	111.25		
2255529	Uniaxial or polycentric bilateral elbow joints	72.47	N. A.		
3492659	Turnbuckle	67.27	N. A.		
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2250009	DEVICE Passive elbow orthosis, anterior or posterior, made from plaster or digital mold of insured person	Purchase or replacement of	Replacement of component or	adjustement	
2250009	Passive elbow orthosis, anterior or posterior, made	Purchase or replacement of device	Replacement of component or	adjustement	(months)
2250009	Passive elbow orthosis, anterior or posterior, made from plaster or digital mold of insured person	Purchase or replacement of device	Replacement of component or	adjustement	(months)
2250009	Passive elbow orthosis, anterior or posterior, made from plaster or digital mold of insured person BASIC COMPONENTS AND SUPPLEMENTS Splint including arm and forearm	Purchase or replacement of device	Replacement of component or	adjustement	(months)
2250009	Passive elbow orthosis, anterior or posterior, made from plaster or digital mold of insured person BASIC COMPONENTS AND SUPPLEMENTS Splint including arm and forearm Straps COMPONENTS AND SUPPLEMENTS	Purchase or replacement of device	Replacement of component or	adjustement	(months)
2250009	Passive elbow orthosis, anterior or posterior, made from plaster or digital mold of insured person BASIC COMPONENTS AND SUPPLEMENTS Splint including arm and forearm Straps COMPONENTS AND SUPPLEMENTS AVAILABLE	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
2250009 2255511 2255503	Passive elbow orthosis, anterior or posterior, made from plaster or digital mold of insured person BASIC COMPONENTS AND SUPPLEMENTS Splint including arm and forearm Straps COMPONENTS AND SUPPLEMENTS AVAILABLE OPTIONAL COMPONENTS Suspension strap Elbow pad and strap	Purchase or replacement of device 384.22	Replacement of component or supplement N. A.	adjustement	(months)
2250009 2255511 2255503	Passive elbow orthosis, anterior or posterior, made from plaster or digital mold of insured person BASIC COMPONENTS AND SUPPLEMENTS Splint including arm and forearm Straps COMPONENTS AND SUPPLEMENTS AVAILABLE OPTIONAL COMPONENTS Suspension strap	Purchase or replacement of device 384.22	Replacement of component or supplement N. A. 111.25	adjustement	(months)
22550009 2255511 2255503 2255529	Passive elbow orthosis, anterior or posterior, made from plaster or digital mold of insured person BASIC COMPONENTS AND SUPPLEMENTS Splint including arm and forearm Straps COMPONENTS AND SUPPLEMENTS AVAILABLE OPTIONAL COMPONENTS Suspension strap Elbow pad and strap	Purchase or replacement of device 384.22	Replacement of component or supplement N. A. 111.25 N. A.	adjustement	(months)

SUBDIVISION 4: SHOULDER, ELBOW, WRIST AND HAND ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2270007	Glenohumeral orthosis, made from plaster or digital mold of insured person	384.22			2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Shoulder-to-epicondyle molded thermoplastic sleeve				
	Thoracic straps Velcro straps for adjusting sleeve circumference				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	OPTIONAL COMPONENT				
2255511	Suspension strap	24.58	N. A.		
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2270510	Prefabricated adjustable passive abduction orthosis	892.67			
	for the shoulder, elbow, wrist and hand airplane design	0,2.07			2
	-	0,2.01			2
	design	0,2.01			2
	design BASIC COMPONENTS AND SUPPLEMENTS Thoracic and pelvic support Adjustable shoulder and elbow joints Arm, forearm and hand splints Adjustable stabilizing bar between truncular and humeral support Anchor straps				2
	design BASIC COMPONENTS AND SUPPLEMENTS Thoracic and pelvic support Adjustable shoulder and elbow joints Arm, forearm and hand splints Adjustable stabilizing bar between truncular and humeral support Anchor straps Pads COMPONENTS AND SUPPLEMENTS				2
2275501	design BASIC COMPONENTS AND SUPPLEMENTS Thoracic and pelvic support Adjustable shoulder and elbow joints Arm, forearm and hand splints Adjustable stabilizing bar between truncular and humeral support Anchor straps Pads COMPONENTS AND SUPPLEMENTS AVAILABLE	99.60	N. A.		2
2275501	design BASIC COMPONENTS AND SUPPLEMENTS Thoracic and pelvic support Adjustable shoulder and elbow joints Arm, forearm and hand splints Adjustable stabilizing bar between truncular and humeral support Anchor straps Pads COMPONENTS AND SUPPLEMENTS AVAILABLE OPTIONAL COMPONENT		N. A.		2

Tariff for devices which compensate for a motor deficiency and insured related services (authentic version)

COL	T	T/	TT	\mathbf{r}	1
SCF	1 15.1		, ,	ıĿ.	

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	device	supplement		

2270015 Prefabricated glenohumeral orthosis

335.07

2

BASIC COMPONENTS AND SUPPLEMENTS

Shoulder-to-epicondyle molded thermoplastic sleeve

Thoracic straps

Velcro straps for adjusting sleeve circumference

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

SUBDIVISION 5: UPPER-LIMB ORTHOSES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2290609 Other upper-limb orthoses *	S. C.			2

²²⁹⁰⁶⁰⁹ Other upper-limb orthoses *

^{*} When the price is below that of the similar orthosis

DIVISION VI: TRUNK AND CERVICAL ORTHOSES SUBDIVISION 1: TRUNK ORTHOSE

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2320505 Prefabricated lumbar sacral immobilization orthosis, to limit anteroposterior and lateral movements of the spine, molded plastic or metal structure, Harris, Knight or Williams-type	408.81			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2320604 Lumbar sacral orthosis with rigid molded thermoplastic plate, made from mold of insured person (Ortho-mold-type)	249.70			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2320513 Plastic lumbar sacral immobilization orthosis, made from plaster or digital mold of insured person	721.91			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				

			(auther	itic version)
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2340503 Custom-made rigid-frame dorsal lumbar immobilization orthosis (Taylor or Harris-Taylotype)	552.42 or-			3
COMPONENTS AND SUPPLEMENTS AVAILABLE				
OPTIONAL COMPONENTS				
3342508 Axilla crutch 2345502 Corrective pad	46.57 46.57	N. A. N. A.		3
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2340602 Dorsal lumbar orthosis with rigid molded thermoplastic plate, made from mold of insured person (Ortho-mold-type)	357.06 1			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2340701 Rigid dorsal lumbar immobilization orthosis covered in whale fabric (Taylor or Harris-Taylo type) (Camp, Airway make)	289.78 or-			3

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2340537 Plastic dorsal lumbar sacral immobilization orthosis with bilateral overlapping resulting from double molding, made from plaster or digital mold of insured person	1,160.45			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2340404 Prefabricated molded plastic dorsal lumbar sacral immobilization orthosis (Boston Overlap Bracetype)	491.60			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2340578 Plastic dorsal lumbar sacral immobilization orthosis made from plaster or digital mold of insured person	998.76			3
COMPONENT AND SUPPLEMENT AVAILABLE				

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2350528 Prefabricated hyperextension orthosis (Jewitt, Florida Brace)	443.75			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2380509 Cervical dorsal lumbar sacral immobilization orthosis with plastic base, made from plaster or digital mold of insured person (Milwaukee-type)	1,516.23			3
BASIC COMPONENT AND SUPPLEMENT				
Pelvic component, made from plaster or digital mold of insured person				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENT				
2385508 Pelvic component, made from plaster or digital mold of insured person	N. C.	879.73		3
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2380004 Prefabricated cervical dorsal lumbar sacral immobilization orthosis with molded plastic base (Milwaukee-type)	1,263.96			3
BASIC COMPONENT AND SUPPLEMENT				
Prefabricated pelvic component				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENT				
2385516 Prefabricated pelvic component	N. C.	639.10		3
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2380020 Charleston hypercorrective cervical dorsal lumbar sacral orthosis, made from plaster or digital mold of insured person	1,265.25			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2380533 Cervical dorsal lumbar sacral orthosis (Lyonnais-type)	1,513.63			3
BASIC COMPONENT AND SUPPLEMENT				
Prefabricated pelvic component, made from plaster or digital mold of insured person				
COMPONENTS AND SUPPLEMENTS AVAILA	В			

BASIC COMPONENT

2385524 Prefabricated pelvic component, made from plaster or digital mold of insured person

N.C. 879.73

3

ADJUSTMENT AVAILABLE

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2380525 Prefabricated corrective dorsal lumbar orthosis (Boston-type)	807.28			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2380012 Corrective dorsal lumbar orthosis, made from plaster or digital mold of insured person (Bostontype)	1,161.75			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
None ADJUSTMENT AVAILABLE				

SUBDIVISION 2: CERVICAL ORTHOSES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2370500 Thermoplastic cervical orthosis with sternal support, made from plaster or digital mold of insured person	567.94			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2370559 Prefabricated semi-rigid cervical orthosis (Philadelphia design)	155.26			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2370518 Cervical orthosis with multiple vertical uprights	285.91			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
NOTICE: A Halo cervical orthosis (Halo vest) is not an insured device. Therefore, it cannot be considered in the same way as a Minerva cervical orthosis.				

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2370526 Minerva molded plastic cervical orthosis, made from plaster or digital mold of insured person	1,209.63			3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
NOTICE: A Halo cervical orthosis (Halo vest) is not an insured device. Therefore, it cannot be considered in the same way as a Minerva cervical orthosis.				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2370609 Minerva prefabricated cervical orthosis	816.34			3
COMPONENT AND SUPPLEMENT				
None				
ADJUSTMENT AVAILABLE Any pertinent adjustment				
NOTICE: A Halo cervical orthosis (Halo vest) is not an insured device. Therefore, it cannot be considered in the same way as a Minerva cervical orthosis.				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2370534 Cervical orthosis (SOMI-type)	584.79			3
COMPONENTS AND SUPPLEMENTS AVAILABLE				
OPTIONAL COMPONENT				
2375509 Halo support with lateral stabilization uprights	216.04	232.87		3
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				

SUBDIVISION 3: OTHER TRUNK AND CERVICAL ORTHOSES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2390607 Other trunk orthoses *	S. C.			3
2371003 Other cervical orthoses *	S. C.			3

^{*} When the price is below that of the similar orthosis

DIVISION VII: AMBULATION AIDS

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
4490009	Quad cane, height-adjustable	35.42			12
	BASIC COMPONENT AND SUPPLEMENT				
	Tip				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENT				
4495727	7 Tip (per pair)	N. C.	2.57		
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
4490017	7 Crutches with axillary support, height-adjustable	20.24			12
	BASIC COMPONENTS AND SUPPLEMENTS				
	Tips (2) Axillary pads (2) Handrest covers (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
4495727	Tips (per pair)	N. C.	2.57		
	Axillary pads (per pair) Handrest covers (per pair)	N. C. N. C.	2.57 2.57		
	OPTIONAL COMPONENTS				
4495768	Flip-up ice tips with four or five prongs				
	Pair	10.29			
	Unit	N. A.			
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
4490018	8 Crutches with forearm support, height-adjustable	55.66			12

Unit

BASIC COMPONENTS AND SUPPLEMENTS

	Brisic Com Great Is the Bern Elivery				
	Tips (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
4495727	Tips (per pair)	N. C.	2.57		
	OPTIONAL COMPONENTS				
4495768	Flip-up ice tips with four or five prongs				
	Pair Unit	10.29 N. A.	N. A. 5.14		
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
4490082	Anterior walker, folding, without wheels or with wheels (2), height-adjustable	50.60			12
	BASIC COMPONENTS AND SUPPLEMENTS				
	Tips (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
4495727	Tips (2)	N. C.	2.57		
	OPTIONAL COMPONENTS				
4495776	Walker skis on rear legs				
	Pair	12.14	12.14		
4405936	Unit	6.07	6.07		
4493826	Rear hand brakes Pair	51.20	NT A		
	Unit Pair	51.39	N. A. 25.69		
1105791	Forearm supports	N. A.	23.09		
44 73 / 84	Pair	156.74	N. A.		
	1 an	130.74	IV. A.		

Updated: October 10, 2017

78.38

78.38

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
4490085	Anterior walker, without wheels or with wheels (2), height-adjustable, weighted or bariatric type	111.32			12
	BASIC COMPONENTS AND SUPPLEMENTS				
	Tips (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
4495727	Tips (per pair)	N. C.	2.57		
	OPTIONAL COMPONENTS				
	Walker skis on rear legs Pair Unit Rear hand brakes	12.14 6.07	12.14 6.07		
4493826	Pair Unit	51.39 N. A.			
4495784	Forearm supports Pair	156.74	N. A.		
	Unit	78.38			
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
4490083	Anterior walker, folding, with 2 wheels, height-adjustable, for child	156.86			12
	BASIC COMPONENTS AND SUPPLEMENTS				
	Tips (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
4495727	Tips (per pair)	N. C.	2.57		
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)

4490084	Posterior walker, folding, with wheels (2 or 4), and height-adjustable, for child	232.76			12
	BASIC COMPONENTS AND SUPPLEMENTS				
	Tips (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
4495727	7 Tips (2)	N. C.	2.57		
	OPTIONAL COMPONENTS				
1105781	Forearm supports (2)				
4473704	Pair	156.74	N. A.		
	Unit	78.38	78.38		
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guaranted (months)
4490166	Walker with wheels 4, height-adjustable with thoracic support, depth-adjustable and width-adjustable, for child	657.80			12
	BASIC COMPONENTS AND SUPPLEMENTS				
	Steel frame Thoracic support, with cover Flexible seat Front bumpers (4) Wheelbrakes (4)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
4405925	5 Steel frame, height-adjustable	N. C.	566.72		
4492832					
	3 Thoracic support, depth-adjustable with cover	N. C.	298.54		
4495843		N. C.			
4495843 4495867	Thoracic support, depth-adjustable with cover Flexible seat		69.37		
4495843 4495867 4495875	B Thoracic support, depth-adjustable with cover	N. C. N. C.	69.37 N. A.		
4495843 4495867 4495875	Thoracic support, depth-adjustable with cover Flexible seat Front bumpers (4)	N. C. N. C. N. C.	69.37 N. A.		
4495843 4495867 4495875 4495883 4495917	7 Flexible seat 7 Flexible seat 8 Wheelbrakes (4) 9 OPTIONAL COMPONENTS 7 Lower-limb abductor	N. C. N. C. N. C. N. C.	69.37 N. A. 34.70		
4495843 4495867 4495875 4495883 4495917 4495925	7 Flexible seat 7 Flexible seat 8 Wheelbrakes (4) 9 OPTIONAL COMPONENTS	N. C. N. C. N. C. N. C.	69.37 N. A. 34.70 178.57 280.09		

DIVISION VIII: STANDING AIDS

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2192276 Parapodium, for child (Variety Village system)	2,221.30			3
BASIC COMPONENTS AND SUPPLEMENTS				
Prefabricated parapodium orthosis				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2192292 Parapodium, for adult (Variety Village system)	3,016.94			3
BASIC COMPONENTS AND SUPPLEMENTS				
Prefabricated parapodium orthosis				
COMPONENT AND SUPPLEMENT				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2192284 Orthopodium	1,305.34			3
BASIC COMPONENTS AND SUPPLEMENTS				
Prefabricated orthopodium COMPONENT AND SUPPLEMENT				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				

PART II: AIDS FURNISHED SOLELY BY AN INSTITUTION DIVISION I: UPPER-LIMB PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1242106	Myoelectric cubital prosthesis	4,775.40	1		6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Single laminated plastic socket, made from plaster or digital mold of insured person				
	Electrical system (1 connecting cable, 1 electrode cable, 1 coaxial outlet, 1 coupling component)				
	Lamination collar (wrist) Pack Electrode (1) Standard battery Standard charger Prosthetic glove (Otto Bock)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1245687	Simple laminated plastic socket, made from plaster or digital mold of insured person	N. C.	1,785.32		
1245695	Electrical system (1 connecting cable, 1 electrode cable, 1 coaxial outlet, 1 coupling component)	N. C.	*		
	Lamination collar (wrist)	N. C.	*		
1245752		N. C.			
	First electrode	N. C.			
	Additional electrode Additional electrode cable	1,460.25 82.78	,		
	Standard battery	N. C.			
	Standard charger	N. C. N. C.			
	Prosthetic glove (Otto Bock)	N. C.			
	OPTIONAL COMPONENTS				
1245786	Double flexoform socket	245.80	326.01		
3223039	Electric hand (Otto Bock) for one 6¾ electrode	4,249.84	4,249.84		
3223302	Electric hand (Otto Bock) for one 71/4 and 73/4 electrode	4,808.72	4,808.72		
3223310	Electric hand (Otto Bock) for one 81/4 electrode	5,039.00	5,039.00		

3223328 Electric hand (Otto Bock) for two 6¾ electrodes	3,803.52	3,803.52
3223336 Electric hand (Otto Bock) for two 7¼ and 7¾ electrodes	5,238.87	5,238.87
3223344 Electric hand (Otto Bock) for two 81/4 electrodes	5,506.38	5,506.38
Electric hands (VASI):		
3223047 - 0 to 3 years for one electrode	5,819.12	5,819.12
3223054 - 2 to 6 years for two electrodes	5,819.12	5,819.12
3223062 - 5 to 9 years for two electrodes	6,202.05	6,202.05
3223070 Electric hand (Steeper), 1.75	3,670.24	3,670.24
3223351 Electric hand (Steeper), 2.00	3,824.20	3,824.20
3223369 Electric hand (Steeper), 2.25 to 3.25	4,129.53	4,129.53
3223088 Electric hand 2000 (Otto Bock) for two 5 electrodes	5,961.44	5,961.44
3223377 Electric hand 2000 (Otto Bock) for two 5½ and 6 electrodes	6,242.16	6,242.16
3223385 Electric hand 2000 (Otto Bock) for two 6½ electrodes	6,495.73	6,495.73
1245828 Electronic box for electric hand 2000	1,392.05	1,392.05
1245836 Battery (1) for electric hand 2000	40.11	40.11
1245844 Electrode cables (2) for electric hand 2000	125.50	125.50
1245802 Charger for hand 2000	134.54	134.54
3223096 Electric hook for one electrode	4,934.22	4,934.22
3223104 Electric hook for two electrodes	4,758.28	4,758.28
Electronics module system:		
3232824 Electric wrist rotator	363.53	363.53
3232832 Myoelectrically controlled prosthetic wrist, including a control unit	5,537.60	5,537.60
1245919 Rapid charger	755.09	755.09
1245810 Activating switch	199.22	199.22
Adaptations to make prosthesis mechanical:	7.11.2 0	741.0 0
3232840 Quick disconnect wrist	741.30	741.30
3222965 Hook, 99X-type	569.23	615.81
1295716 Suspension harness	107.37	157.84
1295724 Control cable, terminal connections and housing (reinforced materials)	144.89	195.36
SUPPLEMENT AVAILABLE		
1245851 Conductor gel	6.46	6.46

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

^{*} Repair. Indicate materials and labour. Suppporting documents must be kept on file

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1242502 Myoelectric prosthesis for dislocation of wrist	4,492.10			6
BASIC COMPONENTS AND SUPPLEMENTS				
Single laminated plastic socket, made from plaste or digital mold of insured person	r			
Electrical system (1 connecting cable, 1 electrode cable) Pack Electrode (1) Standard battery Standard charger				
Prosthetic glove (Otto Bock) COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1245927 Single laminated plastic socket, made from plaste or digital mold of insured person	r N. C.	1,648.20		
1245935 Electrical system (1 connecting cable, 1 electrode cable)	N. C.	*		
1245752 Pack	N. C.	*		
1245711 First electrode	N. C.	*		
1245729 Additional electrode	1,460.25	1,460.25		
1245745 Additional electrode cable	82.78	82.78		
1245760 Standard battery	N. C.	*		
1245778 Standard charger	N. C.	*		
3223005 Prosthetic glove (Otto Bock), fitting included	N. C.	269.75		
OPTIONAL COMPONENTS				
1245786 Double flexoform socket	245.80	326.01		
3223039 Electric hand (Otto Bock) for one 6¾ electrode	4,249.84			
3223302 Electric hand (Otto Bock) for one 7 ¹ / ₄ or 7 ³ / ₄ electrode	4,808.72	4,808.72		
3223310 Electric hand (Otto Bock) for one 8¼ electrode	5,039.00	5,039.00		
3223328 Electric hand (Otto Bock) for two 6¾ electrodes	3,803.52	3,803.52		
3223336 Electric hand (Otto Bock) for two 7¼ and 7¾ electrodes	5,238.87	5,238.87		
3223344 Electric hand (Otto Bock) for two 8½ electrodes	5,506.38	5,506.38		

3223070 Electric hand (Steeper), 1.75	3,670.24	3,670.24
3223351 Electric hand (Steeper), 2.00	3,824.20	3,824.20
3223369 Electric hand (Steeper), 2.25 to 3.25	4,129.53	4,129.53
3223088 Electric hand 2000 (Otto Bock) for two 5 electrodes	5,961.44	5,961.44
3223377 Electric hand 2000 (Otto Bock) for two 5½ and 6 electrodes	6,242.16	6,242.16
3223385 Electric hand 2000 (Otto Bock) for two 6½ electrodes	6,495.73	6,495.73
1245828 Electronic box for electric hand 2000	1,392.05	1,392.05
1245836 Battery (1) for electric hand 2000	40.11	40.11
1245844 Electrode cables (2) for electric hand 2000	125.50	125.50
1245802 Charger for hand 2000	134.54	134.54
3223096 Electric hook for one electrode	4,934.22	4,934.22
3223104 Electric hook for two electrodes	4,758.28	4,758.28
1245919 Rapid charger	755.09	755.09
1245810 Activating switch	199.22	199.22
SUPPLEMENT AVAILABLE		
1245851 Conductor gel	6.46	6.46
ADJUSTMENT AVAILABLE		

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

^{*} Repair. Indicate materials and labour. Suppporting documents must be kept on file

de vice supplement	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
--------------------	--------	---	---	---------------------------	-----------------------

7,045.87

1262104 Myoelectric humeral prosthesis

6

BASIC COMPONENTS AND SUPPLEMENTS

Single laminated plastic socket, made from plaster or digital mold of insured person

Electrical system (1 connecting cable, 1 electrode cable, 1 coaxial outlet, 1 coupling component)

Lamination collar (wrist)

Elbow with internal lock, model E-400

Pack

Electrode (1)

Standard battery

Standard charger

Prosthetic glove (Otto Bock)

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

1245869 Single laminated plastic socket, made from plaster or digital mold of insured person	N. C.	2,302.82
1245695 Electrical system (1 connecting cable, 1 electrode cable, 1 coaxial outlet, 1 coupling component)	N. C.	*
1265529 Elbow with internal lock, model E-400	N. C.	1,045.33
1245703 Lamination collar (wrist)	N. C.	*
1245752 Pack	N. C.	*
1245711 First electrode	N. C.	*
1245729 Additional electrode	1,460.25	1,460.25
1245745 Additional electrode cable	82.78	82.78
1245760 Standard battery	N. C.	*
1245778 Standard charger	N. C.	*
3223005 Prosthetic glove (Otto Bock), fitting included	N. C.	269.75
OPTIONAL COMPONENTS		
1265560 Double flexoform socket	313.07	393.27
1265578 Additional cost of socket where elbow joint has	216.04	216.04
external lock	210.01	210.01
3223039 Electric hand (Otto Bock) for one 6¾ electrode	4,249.84	4,249.84
3223302 Electric hand (Otto Bock) for one 71/4 or 73/4 electrode	4,808.72	4,808.72
3223310 Electric hand (Otto Bock) for one 81/4 electrode	5,039.00	5,039.00
3223328 Electric hand (Otto Bock) for two 6¾ electrodes	3,803.52	3,803.52
3223336 Electric hand (Otto Bock) for two 71/4 and 73/4 electrodes	5,238.87	5,238.87
3223344 Electric hand (Otto Bock) for two 81/4 electrodes	5,506.38	5,506.38
Electric hands (VASI):		
3223047 - 0 to 3 years for one electrode	5,819.12	5,819.12
3223054 - 2 to 6 years for two electrodes	5,819.12	5,819.12
3223062 - 5 to 9 years for two electrodes	6,202.05	6,202.05
3223070 Electric hand (Steeper), 1.75	3,670.24	3,670.24
3223351 Electric hand (Steeper), 2.00	3,824.20	3,824.20
3223369 Electric hand (Steeper), 2.25 to 3.25	4,129.53	4,129.53
3223088 Electric hand 2000 (Otto Bock) for two 5 electrodes	5,961.44	5,961.44
3223377 Electric hand 2000 (Otto Bock) for two 5½ and 6 electrodes	6,242.16	6,242.16
3223385 Electric hand 2000 (Otto Bock) for two 61/2	6,495.73	6,495.73
electrodes 1245828 Electronic box for electric hand 2000	1,392.05	1,392.05
1245836 Battery (1) for electric hand 2000	40.11	40.11

1245844 Electrode cables (2) for electric hand 2000	125.50	125.50
1245802 Charger for hand 2000	134.54	134.54
3223096 Electric hook for one electrode	4,934.22	4,934.22
3223104 Electric hook for two electrodes	4,758.28	4,758.28
Electronics module system:		
3232824 Electric wrist rotator	363.53	363.53
3232832 Myoelectrically controlled prosthetic wrist, including a control unit	5,537.60	5,537.60
1265586 Electric elbow (Hosmer) with switch (including one battery, charger, switch)	7,837.32	7,837.32
1245919 Rapid charger	755.09	755.09
1245810 Activating switch	199.22	199.22
Adaptations to make prosthesis mechanical:		
3232840 Quick disconnect wrist	741.30	741.30
3222965 Hook, 99X-type	569.23	615.81
1295716 Suspension harness	107.37	157.84
1295724 Control cable, terminal connections and housing (reinforced materials)	144.89	195.36
1295559 Flexion assist mechanism	389.42	456.69
SUPPLEMENTS AVAILABLE		
1245851 Conductor gel	6.46	6.46
ADJUSTMENT AVAILABLE		

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

^{*} Repair. Indicate materials and labour. Suppporting documents must be kept on file

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
--	--------	---	---	---------------------------------	-----------------------

1242205 Electro-mechanical cubital prosthesis

3,620.46

6

BASIC COMPONENTS AND SUPPLEMENTS

Single laminated plastic socket, made from plaster or digital mold of insured person

Electrical system (1 connecting cable, 1 coaxial outlet, cable connecting switch to coaxial outlet, switch)

Lamination collar (wrist)

Standard batteries (2)

Pack

Standard charger

Prosthetic glove (Otto Bock)

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

1245687 Single laminated plastic socket, made from plaster or digital mold of insured person	N. C.	1,785.32
1245885 Electrical system (1 connecting cable, 1 coaxial outlet, cable connecting switch to coaxial outlet, switch)	N. C.	*
1245703 Lamination collar (wrist)	N. C.	*
1245752 Pack	N. C.	*
1245893 Standard batteries (2)	N. C.	*
1245778 Standard charger	N. C.	*
3223005 Prosthetic glove (Otto Bock)	N. C.	269.75
OPTIONAL COMPONENTS		
1245786 Double flexoform socket	245.80	326.01
3223039 Electric hand (Otto Bock) for one 63/4 electrode	4,249.84	4,249.84
2222202 Electric hand (Otto Book) for one 71/ or 73/	4 909 72	4 909 72
3223302 Electric hand (Otto Bock) for one 71/4 or 73/4 electrode	4,808.72	4,808.72
3223310 Electric hand (Otto Bock) for one 8¼ electrode	5,039.00	5,039.00
3223328 Electric hand (Otto Bock) for two 6¾ electrodes	3,803.52	3,803.52
3223336 Electric hand (Otto Bock) for two 71/4 and 73/4	5,238.87	5,238.87
electrodes		
3223344 Electric hand (Otto Bock) for two 81/4 electrodes	5,506.38	5,506.38
Elegate Leade (MACIN		
Electric hands (VASI):	5 910 12	5 910 12
3223047 - 0 to 3 years for one electrode	5,819.12	5,819.12
3223054 - 2 to 6 years for two electrodes 3223062 - 5 to 9 years for two electrodes	5,819.12 6,202.05	5,819.12 6,202.05
3223070 Electric hand (Steeper), 1.75	3,670.24	3,670.24
3223351 Electric hand (Steeper), 1.75	3,824.20	3,824.20
3223369 Electric hand (Steeper), 2.25 to 3.25	4,129.53	4,129.53
322309 Electric hand (Steeper), 2.25 to 3.25	4,934.22	4,934.22
3223104 Electric hook for two electrodes	4,758.28	4,758.28
1245919 Rapid charger	755.09	755.09
1245810 Activating switch	199.22	199.22
1245010 Neuvating switch	177.22	177.22
Adaptations to make prosthesis mechanical:		
3232840 Quick disconnect wrist	741.30	741.30
3222965 Hook, 99X-type	569.23	615.81
1295716 Suspension harness	107.37	157.84
1295724 Control cable, terminal connections and housing	144.89	195.36
(reinforced materials)		
SUPPLEMENTS AVAILABLE		
Stump sock	*	*

* (consult Division II of this Part for the codes and prices of these supplements)

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DIVISION II: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES

See Title One, Part I, Division III, "SOCKS FOR PROSTHESES"

DIVISION III: AMBULATION AIDS

4490181 Other non-listed ambulation aids S. C.

GUARANTEE PERIOD: 1 year

4490421 Non-listed ambulation aid component (S. C.) S. C.

PART III: ELEMENTS INCLUDED IN THE PRICES OF THE DEVICES:

- 1. The maximum price for the purchase or replacement of an insured device referred to in Part I or II of this Title includes the following elements:
- (1) the maximum price for its basic components and supplements;
- (2) the cost of its manufacture;
- (3) the cost of fittings required while it is being manufactured, up to and including the final installation;
- (4) the cost of fittings and repairs during the guarantee period referred to in this Title in respect of each device, beginning immediately after the final installation and during which any fitting or repair of a device used under normal conditions is made, in order to bring the device into conformity with the original medical prescription, where the beneficiary's physical condition has not changed, and to enable the beneficiary to derive maximum benefit from the device.
- 2. The maximum replacement cost of a component or supplement for a device referred to in Part I or II of this Title includes the following elements:
- (1) the cost price of the materials;
- (2) the cost of its manufacture, if any;
- (3) the cost of fitting and installation.
- 3. The maximum price for a cane includes the safety tip, and the fixed price for a pair of height-adjustable axillary crutches includes the safety tips, the axillary pads and the elastomer handrest covers.
- 4. The maximum price for a standard post-operative prosthesis assumed by the Board following the amputation of a lower limb includes the supply, even if temporary, of the components required for the entire time the prosthesis is worn, the work performed in the operating room, the waiting period, the application of a rigid bandage, the fixation of the pylon and foot, and the changing of the rigid bandage as required.
- 5. The maximum price for a post-operative pneumatic prosthesis assumed by the Board following the amputation of a lower limb includes the supply, even if temporary, of the components required for the entire time the prosthesis is worn, the work performed at the institution, the waiting period, and the installation of the pneumatic lining, metallic support and means of suspension.
- 6. The maximum price for a temporary prosthesis assumed by the Board includes, for the entire time the prosthesis is worn, the supply, even if temporary, of the components, the manufacture of or modifications made to the socket, the means of suspension required, as well as the alignment and fittings required.

TITLE TWO: LOCOMOTOR AND POSTURE ASSISTS (FURNISHED SOLELY BY AN INSTITUTION)

PART I: LOCOMOTOR ASSISTS DIVISION I: ADULT WHEELCHAIRS SUBDIVISION 1: MANUAL WHEELCHAIRS

PRICE (including all the basic components)

7150000 MANUAL WHEELCHAIRS

910.00

IN SUBCATEGORY "BASIC (FOLDING FRAME)"

MOTION COMPOSITES INC.

"CHRONOS" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Device weight: 15.9 kg (35 lb.)

Overall width: 19.1 cm (7½ in.) over the nominal seat width at 0° rear wheel camber

Front seat-to-floor height: 31.8 cm to 52.1 cm ($12\frac{1}{2} \text{ in.}$ to $20\frac{1}{2} \text{ in.}$)
Rear seat-to-floor height: 31.1 cm to 48.3 cm ($12\frac{1}{4} \text{ in.}$ to 19 in.)

Frame: straight back canes or bend back canes from 8° to 10°, height and angle-adjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of

6°; non-slip push handles; four tie-down points for adapted transport

BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM			
7150001 Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N. C.	36.00	12
7150002 Flat foam seat cushion, 5.1 cm (2 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	63.00	63.00	36
7150003 Flat foam seat cushion, 7.6 cm (3 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	104.00	104.00	36
7150004 Flexible nylon mesh back, padded; heights of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.) or 48.3 cm (19 in.)	N. C.	32.33	12
7150005 Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	83.00	115.33	12

			(authentic version)
7150006 Pelvic positioning belt, auto buckle	N. C.	13.75	36
7150007 Pelvic positioning belt, Velcro	N. C.	47.50	36
7150008 U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	118.00	60
7150009 U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.33	60
7150010 Armrest pad, straight, short	N. C.	4.75	12
7150011 Armrest pad, straight, long	N. C.	5.58	12
7150012 Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop;	N. C.	23.88	
adjustable length from 34.3 cm to 44.5 cm (13½ in. to $17\frac{1}{2}$ in.), from 40 cm to 50.8 cm (15¾ in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.)			60
7150013 Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 34.3 cm to 44.5 cm (13½ in. to 17½ in.), from 40 cm to 50.8 cm (15¾ in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.)	N. C.	48.00	60
7150014 Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	177.50	201.38	36
7150015 Padded calf-rest	48.75	48.75	36
7150015 Tadace can rest 7150016 Folding footplate, standard, standard size; plastic	N. C.	7.75	
			36
7150017 Folding footplate, standard, oversize	10.00	17.75	36
7150018 Footplate, angle and depth-adjustable, standard size	90.00	97.75	36
7150019 Footplate, angle and depth-adjustable, oversize	90.00	97.75	
	20.00	.	36
7150020 Heel loop, adjustable		4.50	36
7150021 Headrest cushion, contoured, all sizes	85.00	85.00	36
7150022 Headrest bracket, height and depth-adjustable, or articulated uniball bracket	90.00	90.00	36

FRAME			
7150023 Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	21.00	60
7150024 Fold-away back spreader bar to fold chair; with anchor for headrest bracket	70.00	70.00	36
7150025 Front impact guard with rollers	35.00	35.00	36
7150026 Cane holder	30.00	30.00	36
DRIVE SYSTEM 7150027 Handrim, smooth	N. C.	14.50	36
7150027 Handrini, shlootif 7150028 Handrim, plastic-coated	N. C.	32.00	36
7150029 Standard wheel lock, push-to-lock or pull-to-lock	N. C.	14.00	36
7150030 Plug-in wheel lock extension	10.00	10.00	36
7150031 Caster fork to adjust height and angle perpendicular	N. C.	9.63	36
to the ground to compensate for changes in the rear seat-to-floor height			30
WHEELS AND TIRES			
7150032 Front mag wheel; semi-pneumatic tire; 20.3 cm (8 in.); 2.5 cm (1 in.) wide	N. C.	24.91	36
7150033 Front mag wheel; semi-pneumatic tire; 12.7 cm (5 in.), 15.2 cm (6 in.) or 17.8 cm (7 in.); 2.5 cm (1 in.)	N. C.	8.65	36
wide			
7150034 Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity to	N. C.	9.63	
at least two horizontal positions; rear height			26
adjustable for 5° of seat tilt, compatible with all wheel diameters			36
7150035 Threaded rear axle	N. C.	4.75	36
7150036 Adapter for "amputee" axle position	53.00	53.00	36
7150037 Spoked rear wheel; semi-pneumatic tire; 61 cm (24		52.88	36
in.); 3.2 cm (1½ in.) wide 7150038 Spoked rear wheel; semi-pneumatic tire; 50.8 cm	N. C.	52.88	30
(20 in.) or 55.9 cm (22 in.); 3.2 cm (1 ¹ / ₄ in.) wide	IV. C.	32.00	36

PRICE (including all the basic components)

7151421 MANUAL WHEELCHAIRS

1,040.00

IN SUBCATEGORY "INTERMEDIATE (CLASS A FOLDING FRAME)"

MOTION COMPOSITES INC.

"COBALT 1" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Device weight: 16.8 kg (37 lb.)

Overall width: 19,1 cm ($7\frac{1}{2}$ in.) over the nominal seat width at 0°

rear wheel camber

Front seat-to-floor height: 35.6 cm to 55.9 cm (14 in. to 22 in.) Rear seat-to-floor height: 33.7 cm to 52.1 cm ($13\frac{1}{4} \text{ in.}$ to $20\frac{1}{2} \text{ in.}$) Frame: straight back canes or bend back canes from 8° to 10° , height and angle-adjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of 6° ; non-slip push handles; four tie-down

points for adapted transport

BASIC AND OPTIONAL COMPONENTS	Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM			
7151422 Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in wide or wider; handle to fold chair; widths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in. or 45.7 cm (18 in.); depths of 38.1 cm (15 in.), 40 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	.)	36.00	12
7151423 Flat foam seat cushion 5.1 cm (2 in.); two strips of "velour" Velcro, 5.1 cm (2 in.) wide, under the cushion	of 63.00	63.00	36
7151424 Flat foam seat cushion, 7.6 cm (3 in.); two strips "velour" Velcro, 5.1 cm (2 in.) wide, under the cushion	of 104.00	104.00	36
7151425 Seat – width modification to 48.3 cm (19 in.)	100.00		36
7151426 Seat – width modification to 50.8 cm (20 in.)	100.00		36
7151427 Flexible nylon mesh back, padded; heights of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in. 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20		32.33	12

				•	
7151428 Flexible nylon mesh back, padded, tensadjustable; minimum of four horizonta straps spread across the height of the b	l, adjustable	83.00	115.33	12	
7151429 Pelvic positioning belt, auto buckle		N. C.	13.75	36	
7151430 Pelvic positioning belt, Velcro		N. C.	47.50	36	
7151431 U-type armrest, short; detachable; heig from 20.3 cm to 30.5 cm (8 in. to 12 in 25.4 cm to 35.6 cm (10 in. to 14 in.) by increments of 2.5 cm (1 in.), with locki mechanism; clothing guard, rigid, built armrest pad, straight	.) or from maximum ng	N. C.	118.00	60	
7151432 T-type armrest, short; detachable; heightom 20.3 cm to 30.5 cm (8 in. to 12 in 25.4 cm to 35.6 cm (10 in. to 14 in.) by increments of 2.5 cm (1 in.), with locki mechanism; clothing guard, rigid, built armrest pad, straight	.) or from maximum ng	N. C.	118.00	60	
7151433 U-type armrest, long; detachable; heigh from 20.3 cm to 30.5 cm (8 in. to 12 in 25.4 cm to 35.6 cm (10 in. to 14 in.) by increments of 2.5 cm (1 in.), with locki mechanism; clothing guard, rigid, built armrest pad, straight	.) or from maximum ng		120.33	60	
7151434 T-type armrest, long; detachable; heigh from 20.3 cm to 30.5 cm (8 in. to 12 in 25.4 cm to 35.6 cm (10 in. to 14 in.) by increments of 2.5 cm (1 in.), with locki mechanism; clothing guard, rigid, built armrest pad, straight	.) or from maximum ng	N. C.	120.33	60	
7151435 Armrest pad, straight, short 7151436 Armrest pad, straight, long 7151437 Parallel footrest, 60° angle, detachable with locking mechanism; standard fold standard size, plastic; adjustable heel lo adjustable length from 34.3 cm to 44.5	ing footplate, pop; cm (13½ in.	N. C. N. C. N. C.	4.75 5.58 23.88	12 12	
to 17½ in.), from 40 cm to 50.8 cm (15 in.) or from 43.2 cm to 53.3 cm (17 in. 7151438 Parallel footrest, 70° angle, detachable with locking mechanism; standard fold standard size, plastic; adjustable heel leadjustable length from 34.3 cm to 44.5 to 17½ in.), from 40 cm to 50.8 cm (15 in.) or from 43.2 cm to 53.3 cm (17 in.	and pivoting ing footplate, cop; cm (13½ in. 34 in. to 20	N. C.	48.00	60	

7151439 Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	177.50	201.38	36
	40 ==	40 ==	2.5
7151440 Padded calf-rest	48.75	48.75	36
7151441 Calf-rest strap, single or double	20.00	20.00	36
7151442 Folding footplate, standard, standard size; plastic		7.75	36
7151443 Folding footplate, standard, oversize; plastic	10.00	17.75	2.5
			36
7151444 Footplate, angle and depth-adjustable, standard size	90.00	97.75	36
			30
7151445 Footplate, angle and depth-adjustable, oversize	90.00	97.75	36
7151446 H 11	N. C	4.50	
7151446 Heel loop, adjustable	N. C.	4.50	36
7151447 Headrest cushion, contoured, all sizes	85.00	85.00	36
7151448 Headrest bracket, height and depth-adjustable, or articulated uniball bracket	90.00	90.00	36
articulated difficult bracket			
FRAME			
7151449 Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	21.00	60
7151450 Fold-away back spreader bar to fold chair; with anchor for headrest bracket	70.00	70.00	36
7151451 Heavy-duty option to increase maximum weight	400.00		36
capacity to 159 kg (350 lb.)			
7151452 Front impact guard with rollers	35.00	35.00	36
7151453 Cane holder	30.00	30.00	36
DRIVE SYSTEM			
7151454 Handrim, smooth	N. C.	14.50	36
7151455 Handrim, plastic-coated	N. C.	32.00	36
7151456 Handrim with oblique projections	110.00	124.50	36
7151457 Non-slip foam handrim	110.00	124.50	36
7151458 Standard wheel lock, push-to-lock or pull-to-lock	N. C.	14.00	2.5
-			36
7151459 Anti-rollback brake	106.00	120.00	36
7151460 Plug-in wheel lock extension	10.00	10.00	36
7151461 Caster fork to adjust height and angle perpendicular	N. C.	9.63	
to the ground to compensate for changes in the rear seat-to-floor height			36

WHEELS AND TIRES			
7151462 Front mag wheel; semi-pneumatic tire; 20.3 cm (8	N. C.	24.91	36
in.); 2.5 cm (1 in.) wide	N. C.	8.65	
7151463 Front mag wheel; semi-pneumatic tire; 12.7 cm (5 in.), 15.2 cm (6 in.) or 17.8 cm (7 in.); 2.5 cm (1 in.)	N. C.	8.03	36
wide			
7151464 Front wheel; inner tube; 15.2 cm (6 in.) or 20.3 cm	40.00	64.91	36
(8 in.)			30
7151465 Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity to	N. C.	9.63	
four horizontal positions; rear height adjustable for			
5° of seat tilt, compatible with all wheel diameters			36
•			
7151466 Threaded rear axle	N. C.	4.75	36
7151467 Adapter for "amputee" axle position	53.00	53.00	36
	N. G	50 .00	30
7151468 Spoked rear wheel; semi-pneumatic tire; 61 cm (24 in.); 3.2 cm (1¼ in.) wide	N. C.	52.88	36
7151469 Spoked rear wheel; semi-pneumatic tire; 50.8 cm	N. C.	52.88	
(20 in.) or 55.9 cm (22 in.); 3.2 cm (1¼ in.) wide			36
7151470 Rear wheel; inner tube, standard pressure; 50.8 cm	50.00	102.88	36
(20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)			30
7151471 Rear wheel, heavy-duty; semi-pneumatic tire; 55.9	80.00	132.88	26
cm (22 in.) or 61 cm (24 in.)			36
7151472 Spoke guard	65.00	65.00	36
		PRICE	
		cluding all	
		he basic	
	COI	nponents)	

7151013 MANUAL WHEELCHAIRS

1,175.00

IN SUBCATEGORY "INTERMEDIATE (CLASS A FOLDING FRAME)"

ORTHOFAB INC.

"PRIMA 4" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Device weight: 18 kg (40 lb.)

Overall width: 19,8 cm (7\% in.) over the nominal seat width at 0° rear wheel camber

Front seat-to-floor height: 35.6 cm to 55.2 cm (14 in. to 21% in.) Rear seat-to-floor height: 33.7 cm to 49.8 cm (13% in. to 19% in.)

Frame: straight back canes or bend back canes from 8° to 10° , height and angle-adjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of 6° ; non-slip push handles; four tie-down points for adapted transport

BASIC AND OPTIONAL COMPONENTS	Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM			
7150039 Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N. C.	30.00	12
7150040 Flat foam seat cushion, 5.1 cm (2 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	60.00	60.00	36
7150041 Flat foam seat cushion, 7.6 cm (3 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	65.00	65.00	36
7150042 Seat – width modification to 48.3 cm (19 in.)	99.00		36
7150043 Seat – width modification to 50.8 cm (20 in.)	99.00		36
7150044 Flexible nylon mesh back, padded; heights of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.) or 58.4 cm (23 in.)	N. C.	80.00	12
7150045 Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	40.00	120.00	12
7150046 Pelvic positioning belt, auto buckle	N. C.	6.00	36
7150047 Pelvic positioning belt, Velcro	N. C.	15.00	36
7150048 U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments	N. C.	150.00	
of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight			60

158

7150049 T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7150050 U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7150051 T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7150052 Armrest pad, straight, short	N. C.	6.00	12
7150053 Armrest pad, straight, long	N. C.	6.00	12
7150054 Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 48.3 cm to 53.3 cm (19 in. to 21 in.)	N. C.	100.00	60
7150055 Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 48.3 cm to 53.3 cm (19 in. to 21 in.)	N. C.	100.00	60
7150056 Elevating leg-rest, compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; padded calf-rest, height and depth-adjustable	100.00	200.00	36
7150057 Paddad colf most	15.00	15.00	26
7150057 Padded calf-rest 7150058 Calf-rest strap, single or double	15.00 15.00	15.00 15.00	36 36
7150059 Folding footplate, standard, standard size; plastic	N. C.	6.00	
			36
7150060 Folding footplate, standard, oversize; plastic	29.00	35.00	36
7150061 Footplate, angle and depth-adjustable, standard size	44.00	50.00	36
7150062 Footplate, angle and depth-adjustable, oversize	49.00	55.00	36
7150063 Heel loop, adjustable	N. C.	3.00	36

			()
7150064 Headrest cushion, flat, all sizes	40.00	40.00	36
7150065 Headrest bracket, height and depth-adjustable	35.00	35.00	
The cooperation of the control of the cooperation o	22.00	22.00	36
FRAME			
7150066 Anti-tipping wheels, detachable or pivoting, with	N. C.	12.00	60
locking mechanism			00
7150067 Fold-away back spreader bar to fold chair; with	75.00	75.00	36
anchor for headrest bracket			30
7150068 Heavy-duty option to increase maximum weight	103.00	N. A.	36
capacity to 159 kg (350 lb.)			30
7150069 Front impact guard with rollers	10.00	10.00	36
7150070 Cane holder	25.00	25.00	36
DRIVE SYSTEM			
7150071 Handrim, smooth	N. C.	80.00	36
7150072 Handrim, plastic-coated	N. C.	80.00	36
7150073 Handrim with oblique projections	N. C.	80.00	36
7150074 Non-slip foam handrim	40.00	120.00	36
7150075 Standard wheel lock, push-to-lock or pull-to-lock	N. C.	30.00	36
7150076 Anti-rollback brake	25.00	55.00	36
7150077 Plug-in wheel lock extension	10.00	10.00	36
7150078 Caster fork to adjust height and angle perpendicular	N. C.	15.00	
to the ground to compensate for changes in the rear			36
seat-to-floor height			
WHEELS AND TIRES			
7150079 Front mag wheel; semi-pneumatic tire; 17.8 cm (7	N. C.	40.00	
in.), 2.54 cm (1 in.) wide; or 20.3 cm (8 in.), 3.2 cm		40.00	
			36
$(1\frac{1}{4} \text{ in.}) \text{ or } 3.8 \text{ cm } (1\frac{1}{2} \text{ in.}) \text{ wide}$			
7150080 Front mag wheel; semi-pneumatic tire; 12.7 cm (5	N. C.	40.00	
in.) or 15.2 cm (6 in.); 3.8 cm (1½ in.) wide	14. C.	+0.00	36
iii.) or 13.2 cm (0 iii.), 3.6 cm (1/2 iii.) wide			30
7150081 Front wheel; inner tube; 15.2 cm (6 in.), 17.8 cm (7	10.00	50.00	
in.) or 20.3 cm (8 in.)	10.00	30.00	36
7150082 Rear axle, quick release system, with push-button	N. C.	15.00	
locking mechanism; adjustable centre of gravity to	14. C.	13.00	
four horizontal positions; rear height adjustable for			
5° of seat tilt, compatible with all wheel diameters			36
5 of seat thi, companion with an wheel diameters			50
7150083 Threaded rear axle	N. C.	2.00	36
7150084 Adapter for "amputee" axle position	10.00	10.00	
The same position	10.00	10.00	36
7150085 Spoked rear wheel; semi-pneumatic tire; 61 cm (24	N. C.	100.00	
in.); 3.2 cm (1 ¹ / ₄ in.) wide	J.		36
7150086 Spoked rear wheel; semi-pneumatic tire; 50.8 cm	N. C.	100.00	
(20 in.) or 55.9 cm (22 in.); 3.2 cm (1 ¹ / ₄ in.) wide			36
(- , , ((- ,			

E454044 254 2774 2777 2777 2777 2777 2777 277			
	COI	mponents)	
	ť	he basic	
	(ine	cluding all	
		PRICE	
7150089 Spoke guard	70.00	70.00	36
7150088 Rear wheel, heavy-duty; semi-pneumatic tire; 55.9 cm (22 in.) or 61 cm (24 in.)	50.00	150.00	36
7150000 D	50.00	150.00	
7150087 Rear wheel; inner tube, standard pressure; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N. C.	100.00	36
	N. G	100.00	(authentic version)

7151014 MANUAL WHEELCHAIRS

1,040.00

IN SUBCATEGORY "INTERMEDIATE (CLASS B FOLDING FRAME)"

MOTION COMPOSITES INC.

"COBALT 2" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Device weight: 15.9 kg (35 lb.)

Overall width: 19,1 cm ($7\frac{1}{2}$ in.) over the nominal seat width at 0° rear wheel camber

Front seat-to-floor height: 31.8 cm to 52.1 cm ($12\frac{1}{2} \text{ in.}$ to $20\frac{1}{2} \text{ in.}$)
Rear seat-to-floor height: 30.5 cm to 48.9 cm (12 in. to $19\frac{1}{4} \text{ in.}$)

Frame: straight back canes or bend back canes from 8° to 10°, height and angle-adjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of

6°; non-slip push handles; four tie-down points for adapted transport

BASIC AND OPTIONAL COMPONENTS	Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM 7151015 Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N. C.	36.00	12
7151016 Flat foam seat cushion, 5.1 cm (2 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	63.00	63.00	36
7151017 Flat foam seat cushion, 7.6 cm (3 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	104.00	104.00	36

			(www.einere version)
7151018 Seat – width modification to 48.3 cm (19 in.)	100.00		36
7151019 Seat – width modification to 50.8 cm (20 in.)	100.00		36
7151020 Flexible nylon mesh back, padded; heights of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.) 48.3 cm (19 in.) or 50.8 cm (20 in.)	N. C.	32.33	12
7151021 Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	83.00	115.33	12
7151022 Pelvic positioning belt, auto buckle	N. C.	13.75	36
7151023 Pelvic positioning belt, Velcro	N. C.	47.50	36
7151024 U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	118.00	60
7151025 T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	118.00	60
7151026 U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight		120.33	60
7151027 T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.33	60
7151028 Armrest pad, straight, short 7151029 Armrest pad, straight, long 7151030 Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop;	N. C. N. C. N. C.	4.75 5.58 23.88	12 12
adjustable length from 34.3 cm to 44.5 cm (13½ in. to 17½ in.), from 40 cm to 50.8 cm (15¾ in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.)			60

			,
7151031 Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 34.3 cm to 44.5 cm (13½ in. to 17½ in.), from 40 cm to 50.8 cm (15¾ in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.)	N. C.	48.00	60
7151032 Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	177.50	201.38	36
7151033 Padded calf-rest	48.75	48.75	36
7151034 Calf-rest strap, single or double	20.00	20.00	36
7151035 Folding footplate, standard, standard size; plastic	20.00	7.75	
, to tool 1 otoms to opinion, summand size, plaste		7.770	36
7151036 Folding footplate, standard, oversize; plastic	10.00	17.75	36
7151037 Footplate, angle and depth-adjustable, standard size	90.00	97.75	36
7151038 Footplate, angle and depth-adjustable, oversize	90.00	97.75	36
7151039 Heel loop, adjustable	N. C.	4.50	36
7151040 Headrest cushion, contoured, all sizes	85.00	85.00	36
7151041 Headrest bracket, height and depth-adjustable, or	90.00	90.00	
articulated uniball bracket	,	,	36
FRAME			
7151042 Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	21.00	60
7151043 Fold-away back spreader bar to fold chair; with	70.00	70.00	36
anchor for headrest bracket			30
7151044 Heavy-duty option to increase maximum weight	400.00		36
capacity to 159 kg (350 lb.)			
7151045 Front impact guard with rollers	35.00	35.00	36
7151046 Cane holder	30.00	30.00	36
DRIVE SYSTEM			
7151047 Handrim, smooth	N. C.	14.50	36
7151048 Handrim, plastic-coated	N. C.	32.00	36
7151049 Non-slip foam handrim	110.00	124.50	36
7151050 Handrim with oblique projections	110.00	124.50	36
7151050 Halldriff with oblique projections 7151051 Standard wheel lock, push-to-lock or pull-to-lock	N. C.	14.00	
. 12 1321 Sanitation wheel ison, public to lock of pull to lock	11. 0.	11.00	36

			(,
7151052 Anti-rollback brake	106.00	120.00	36
7151053 Plug-in wheel lock extension	10.00	10.00	36
7151054 Caster fork to adjust height and angle perpendicular	N. C.	9.63	26
to the ground to compensate for changes in the rear seat-to-floor height			36
scat-to-noor neight			
WHEELS AND TIRES			
7151055 Front mag wheel; semi-pneumatic tire; 20.3 cm (8	N. C.	24.91	36
in.); 2.5 cm (1 in.) wide	N C	9.65	
7151056 Front mag wheel; semi-pneumatic tire; 12.7 cm (5 in.), 15.2 cm (6 in.) or 17.8 cm (7 in.); 2.5 cm (1	N. C.	8.65	36
in.) wide			30
7151057 Front wheel; inner tube; 15.2 cm (6 in.) or 20.3 cm	40.00	64.91	26
(8 in.)			36
7151058 Rear axle, quick release system, with push-button	N. C.	9.63	
locking mechanism; adjustable centre of gravity to			
four horizontal positions; rear height adjustable for			26
5° of seat tilt, compatible with all wheel diameters			36
7151059 Threaded rear axle	N. C.	4.75	36
7151060 Adapter for "amputee" axle position	53.00	53.00	36
7151061 Spoked rear wheel; semi-pneumatic tire; 61 cm (24	N. C.	52.88	
in.); 3.2 cm (1 ¹ / ₄ in.) wide	N. C.	32.00	36
7151062 Spoked rear wheel; semi-pneumatic tire; 50.8 cm	N. C.	52.88	
(20 in.) or 55.9 cm (22 in.); 3.2 cm (1½ in.) wide			36
7151063 Rear wheel, heavy-duty; semi-pneumatic tire; 55.9	80.00	132.88	36
cm (22 in.) or 61 cm (24 in.)	5 0.00	102.00	30
7151064 Rear wheel; inner tube, standard pressure; 50.8 cm	50.00	102.88	36
(20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)			30
7151065 Spoke guard	65.00	65.00	36
		-	

PRICE (including all the basic components)

7151066 MANUAL WHEELCHAIRS

1,200.00

IN SUBCATEGORY "MULTI-ADJUSTABLE (CLASS A FOLDING FRAME)"

MOTION COMPOSITES INC.

"PLATINE 1" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Device weight: 16.8 kg (37 lb.)

Overall width: 19,1 cm ($7\frac{1}{2}$ in.) over the nominal seat width at 0° rear wheel camber

Front seat-to-floor height: 35.6 cm to 55.9 cm (14 in. to 22 in.) **Rear seat-to-floor height:** 34.9 cm to 52.1 cm (13¾ in. to 20½ in.)

Frame : straight back canes or bend back canes from 8° to 10°, height and angle-adjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of

6°; non-slip push handles; four tie-down points for adapted transport

BASIC AND OPTIONAL COMPONENTS	Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM			
7151067 Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N. C.	36.00	12
7151068 Flat foam seat cushion, 5.1 cm (2 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	63.00	63.00	36
7151069 Flat foam seat cushion, 7.6 cm (3 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	104.00	104.00	36
7151070 Seat – depth modification to 48.3 cm (19 in.)	N. C.	N. A.	36
7151071 Seat – depth modification to 50.8 cm (20 in.)	N. C.	N. A.	36
7151072 Seat – width modification to 53.3 cm (21 in.)	400.00	N. A.	36
7151073 Seat – width modification to 55.9 cm (22 in.)	400.00	N. A.	36

				(authentic version)
7151074	4 Flexible nylon mesh back, padded; heights of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N. C.	32.33	12
7151075	Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	83.00	115.33	12
7151076	6 Pelvic positioning belt, auto buckle	N. C.	13.75	36
7151077	7 Pelvic positioning belt, Velcro	N. C.	47.50	36
7151078	8 L-type armrest, long; pivoting and detachable; height-adjustable by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid or flexible, detachable; tubular armrest pad		118.00	60
7151079	9 U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	118.00	60
7151080	O T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	118.00	60
7151081	1 U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.33	60
7151082	2 T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.33	60
7151083	3 Armrest pad, straight, short	N. C.	4.75	12
	4 Armrest pad, straight, long	N. C.	5.58	12
	5 Armrest pad, tubular, for L-type armrest	N. C.	40.00	12
7151086	6 Clothing guard, rigid, for L-type armrest	N. C.	77.00	36
7151087	7 Clothing guard, flexible, for L-type armrest	N. C.	77.00	36

N. C.	23.88	60
N. C.	48.00	60
177.50	201.38	36
48 75	48 75	36
		36
N. C.	7.75	36
10.00	17.75	36
90.00	97.75	36
90.00	97.75	36
120.00	135.50	36
N. C.	4.50	36
85.00	85.00	36
90.00	90.00	36
	N. C. 177.50 48.75 20.00 N. C. 10.00 90.00 90.00 120.00 N. C. 85.00	N. C. 48.00 177.50 201.38 48.75 48.75 20.00 20.00 N. C. 7.75 10.00 17.75 90.00 97.75 90.00 97.75 120.00 135.50 N. C. 4.50 85.00 85.00

FRAME			
7151101 Fold-away back spreader bar to fold chair; with anchor for headrest bracket	70.00	70.00	36
7151102 Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	21.00	60
7151103 Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	400.00	N. A.	36
7151104 Front impact guard with rollers	35.00	35.00	36
7151105 Cane holder	30.00	30.00	36
DRIVE SYSTEM			
7151106 Handrim, smooth	N. C.	14.50	36
7151107 Handrim, plastic-coated	N. C.	32.00	36
7151108 Handrim with oblique projections	110.00	124.50	36
7151109 Non-slip foam handrim	110.00	124.50	36
7151110 Standard wheel lock, push-to-lock or pull-to-lock	N. C.	14.00	36
7151111 Anti-rollback brake	106.00	120.00	36
7151112 Plug-in wheel lock extension	10.00	10.00	36
7151113 Caster fork to adjust height and angle perpendicular	N. C.	9.63	
to the ground to compensate for changes in the rear seat-to-floor height			36
WHEELS AND TIRES			
7151114 Front mag wheel; semi-pneumatic tire; 20.3 cm (8	N. C.	24.91	
in.); 2.5 cm (1 in.) wide	14. C.	24.71	36
7151115 Front mag wheel; semi-pneumatic tire; 12.7 cm (5	N. C.	8.65	
in), 15.2 cm (6 in.) or 17.8 cm (7 in.); 2.5 cm (1 in.) wide			36
7151116 Front wheel; inner tube; 15.2 cm (6 in.) or 20.3 cm (8 in.)	40.00	64.91	36
7151117 Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity by maximum increments of 0.63 cm (¼ in.) on a	N. C.	9.63	
horizontal range of 6.4 cm (2½ in.); adjustable rear			24
height by maximum increments of 2 cm (¾ in.) for up to 6.4 cm (2½ in.) of seat tilt, compatible with all			36
wheel diameters			
7151118 Threaded rear axle	N. C.	4.75	36
7151119 Adapter for "amputee" axle position	53.00	53.00	36
7151120 Spoked rear wheel; semi-pneumatic tire; 61 cm (24 in.); 3.2 cm (1½ in.) wide	N. C.	52.88	36
7151121 Spoked rear wheel; semi-pneumatic tire; 50.8 cm	N. C.	52.88	
(20 in.) or 55.9 cm (22 in.); 3.2 cm (1 ¹ / ₄ in.) wide	N. C.	32.00	36
7151122 Spoked rear wheel; inner tube, high pressure; 55.9	60.00	112.88	
cm (22 in.) or 61 cm (24 in.)			36
7151123 Spoked rear wheel; inner tube, standard pressure;	50.00	102.88	
50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)		55	36

7151124 Rear wheel, heavy-duty; semi-pneumatic tire; 55.9	80.00	132.88	36
cm (22 in.) or 61 cm (24 in.)			30
7151125 Rear wheel camber, 3° or 6°	100.00	100.00	36
7151126 Spoke guard	65.00	65.00	36

7151127 MANUAL WHEELCHAIRS

PRICE 1,200.00

IN SUBCATEGORY "MULTI-ADJUSTABLE (CLASS B MOTION COMPOSITES INC.

"PLATINE 2" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Device weight: 15.9 kg (35 lb.)

Overall width: 19,1 cm ($7\frac{1}{2}$ in.) over the nominal seat width at 0° rear wheel camber

Front seat-to-floor height: 31.8 cm to 52.1 cm ($12\frac{1}{2} \text{ in.}$ to $20\frac{1}{2} \text{ in.}$) Rear seat-to-floor height: 31.8 cm to 48.9 cm ($12\frac{1}{2} \text{ in.}$ to $19\frac{1}{4} \text{ in.}$)

Frame : straight back canes or bend back canes from 8° to 10°, height and angle-adjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of

6°; non-slip push handles; four tie-down points for adapted transport

BASIC AND OPTIONAL COMPONENTS	Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM			
7151128 Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N. C.	36.00	12
7151129 Flat foam seat cushion, 5.1 cm (2 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	63.00	63.00	36
7151130 Flat foam seat cushion, 7.6 cm (3 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	104.00	104.00	36
7151131 Flexible nylon mesh back, padded; heights of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N. C.	32.33	12
7151132 Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	83.00	115.33	12
7151133 Pelvic positioning belt, auto buckle	N. C.	13.75	36

168

7151134 Pelvic positioning belt, Velcro	N. C.	47.50	36
7151135 U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	118.00	60
7151136 T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	118.00	60
7151137 U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.33	60
7151138 T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.33	60
7151139 L-type armrest, long; pivoting and detachable; height-adjustable by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, flexible or rigid, detachable; tubular armrest pad.	N. C.	118.00	60
7151140 Armrest pad, straight, short	N. C.	4.75	12
7151141 Armrest pad, straight, long	N. C.	5.58	12
7151142 Armrest pad, tubular, for L-type armrest	N. C.	40.00	12
7151143 Clothing guard, rigid, for L-type armrest	N. C.	77.00	36
7151144 Clothing guard, flexible, for L-type armrest	N. C.	77.00	36
7151145 Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 34.3 cm to 44.5 cm (13½ in. to 17½ in.), from 40 cm to 50.8 cm (15¾ in. to 20	N. C.	23.88	60
in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.)			

			(dddinentie version)
7151146 Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 34.3 cm to 44.5 cm (13½ in. to 17½ in.), from 40 cm to 50.8 cm (15¾ in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.)	N. C.	48.00	60
7151147 Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	177.50	201.38	36
7151148 Padded calf-rest	48.75	48.75	36
7151149 Calf-rest strap, single or double	20.00	20.00	36
7151150 Folding footplate, standard, standard size; plastic	N. C.	7.75	
prosection of the prosection o	1 0.	,,,,	36
7151151 Folding footplate, standard, oversize; plastic	10.00	17.75	36
7151152 Footplate, angle and depth-adjustable, standard size	90.00	97.75	36
7151153 Footplate, angle and depth-adjustable, oversize	90.00	97.75	36
7151154 Full-width footplate, one piece, folding; fixed angle or angle-adjustable	120.00	135.50	36
7151155 Heel loop, adjustable	N. C.	4.50	36
7151156 Headrest cushion, contoured, all sizes	85.00	85.00	36
7151157 Headrest bracket, height and depth-adjustable, or	90.00	90.00	
articulated uniball bracket	70.00	70.00	36
FRAME			
7151158 Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	21.00	60
7151159 Fold-away back spreader bar to fold chair; with anchor for headrest bracket	70.00	70.00	36
7151160 Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	400.00	N. A.	36
7151161 Front impact guard with rollers	35.00	35.00	36
7151162 Cane holder	30.00	30.00	36
DRIVE SYSTEM	N. G	4.4.50	2.6
7151163 Handrim, smooth	N. C.	14.50	36
7151164 Handrim, plastic-coated	N. C.	32.00	36
7151165 Handrim with oblique projections	110.00	124.50	36
7151166 Non-slip foam handrim	110.00	124.50	36
7151167 Standard wheel lock, push-to-lock or pull-to-lock	N. C.	14.00	36
7151168 Anti-rollback brake	106.00	120.00	36
7151169 Plug-in wheel lock extension	10.00	10.00	36
7151170 Caster fork to adjust height and angle perpendicular	N. C.	9.63	
to the ground to compensate for changes in the rear seat-to-floor height			36

WHEELS AND TIRES			
7151171 Front mag wheel; semi-pneumatic tire; 20.3 cm (8 in.); 2.5 cm (1 in.) wide	N. C.	24.91	36
7151172 Front mag wheel; semi-pneumatic tire; 12.7 cm (5 in.), 15.2 cm (6 in.) or 17.8 cm (7 in.); 2.5 cm (in.) wide	N. C.	8.65	36
7151173 Front wheel; inner tube; 15.2 cm (6 in.) or 20.3 cm (8 in.)	40.00	64.91	36
7151174 Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity by maximum increments of 0.63 cm (¼ in.) on a horizontal range of 6.4 cm (2½ in.); adjustable rear height by maximum increments of 2 cm (¾ in.) for	N. C.	9.63	36
up to 6.4 cm (2½ in.) of seat tilt, compatible with all wheel diameters			30
7151175 Threaded rear axle	N. C.	4.75	36
7151176 Adapter for "amputee" axle position	53.00	53.00	36
7151177 Spoked rear wheel; semi-pneumatic tire; 61 cm (24 in.); 3.2 cm (1 ¹ / ₄ in.)	N. C.	52.88	36
7151178 Spoked rear wheel; semi-pneumatic tire; 50.8 cm (20 in.) or 55.9 cm (22 in.); 3.2 cm ($1\frac{1}{4} \text{ in.}$) wide	N. C.	52.88	36
7151179 Rear wheel, heavy-duty; semi-pneumatic tire; 55.9 cm (22 in.) or 61 cm (24 in.)	80.00	132.88	36
7151180 Rear wheel, heavy-duty; inner tube, high pressure; 55.9 cm (22 in.) or 61 cm (24 in.)	92.00	144.88	36
7151181 Spoked rear wheel; inner tube, standard pressure; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	50.00	102.88	36
7151182 Spoked rear wheel; inner tube, high pressure; 55.9 cm (22 in.) or 61 cm (24 in.)	60.00	112.88	36
7151183 Rear wheel camber, 3° or 6° 7151184 Spoke guard	100.00 65.00	100.00 65.00	36 36

SUBDIVISION 2: LIGHTWEIGHT MANUAL WHEELCHAIRS

PRICE (including all the basic components)

7151258 LIGHTWEIGHT MANUAL WHEELCHAIR

1,190.00

IN SUBCATEGORY "CLASS 2 RIGID PERFORMANCE FRAME"

SUNRISE MEDICAL CANADA INC.

"QUICKIE QRI" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 120.2 kg (265 lb.)

Device weight: 13.6 kg (30 lb.)

Overall width: 20,3 cm (8 in.) over the nominal seat width at 0° rear wheel camber

Front seat-to-floor height: 38.1 cm to 53.3 cm (15 in. to 21 in.) Rear seat-to-floor height: 35.6 cm to 53.3 cm (14 in. to 21 in.)

Frame: Fold-away back canes, height-adjustable and angle-adjustable from 80° to 100° by maximum increments of 6° ; built into push handles, non-slip; four tie-down points

for adapted transport

BASIC AND OPTIONAL COMPONENTS	Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM			
7151259 Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in. wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.) or 48.3 cm (19 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (1 in.), 45.7 cm (18 in.) or 48.3 cm (19 in.)	n m	55.00	12
7151260 Flat foam seat cushion, 5.1 cm (2 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	of 48.00	48.00	36
7151261 Flat foam seat cushion, 7.6 cm (3 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	of 55.00	55.00	36
7151262 Flexible nylon mesh back, padded; heights of 25.4 cm (10 in.), 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40. cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)		40.00	12

7151263 Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps—except for backs ≤ 38.1 cm (15 in.)—spread across the height of the back	N. C.	45.00	12
7151264 Pelvic positioning belt, auto buckle	N. C.	35.00	36
7151265 Pelvic positioning belt, Velcro	N. C.	29.00	36
7151266 L-type armrest, long; pivoting and detachable; height-adjustable, from 22.9 cm to 33 cm (9 in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, detachable; armrest pad, tubular	N. C.	96.00	60
7151267 T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 27.9 cm (7 in. to 11 in.) or from 21.6 cm to 34,3 cm (8½ in. to 13½ in.), with locking mechanism; armrest pad, straight	24.00	120.00	60
7151268 Armrest pad, tubular, for L-type armrest	N. C.	2.00	12
7151269 Armrest pad, straight, short or long	7.00	9.00	12
7151270 Clothing guard, flexible	N. C.	22.00	36
7151271 Clothing guard, rigid, for L-type armrest	N. C.	20.00	36
7151272 Calf-rest strap, single	N. C.	19.00	36
7151272 Calf-rest strap, double	6.00	25.00	36
7151274 Footplate, full-width, standard, aluminum	N. C.	65.00	36
7151275 Footplate, full-width, angle-adjustable	N. C.	111.00	36
FRAME	N.C	<i>5</i> 1.00	26
7151276 Push handle, bolt-on or fold-down	N. C. N. C.	51.00 28.00	36
7151277 Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	26.00	60
•			
DRIVE SYSTEM	N. C	40.00	26
7151278 Handrim, smooth	N. C. N. C.	40.00 40.00	36 36
7151279 Handrim, plastic-coated 7151280 Non-slip foam handrim	N. C. 85.00	125.00	36
7151281 Handrim with vertical or oblique projections	45.00	85.00	
7131201 Handrini with vertical of oblique projections	13.00	03.00	36
7151282 Standard wheel lock, push-to-lock or pull-to-lock	N. C.	32.00	36
7151283 Scissor lock	4.00	36.00	36
7151284 Anti-rollback brake	34.00	66.00	36
7151285 Plug-in wheel lock extension	7.00	7.00	36
7151286 Caster fork to adjust height	N. C.	32.00	36
WHEELS AND TIRES			
7151287 Front mag wheel; semi-pneumatic tire; 12.7 cm (5	N. C.	15.00	
in.); 2.5 cm (1 in.) or 3.8 cm (1½ in.) wide			36

7151288 Front mag wheel; semi-pneumatic tire; 10.2 (4 in.), 2.5 cm (1 in.) or 3.3 cm (1 ¹ / ₄ in.) wide; or 15.2 cm (6 in.), 2.5 cm (1 in.) or 3.8 cm (1 ¹ / ₂ in.) wide	N. C.	15.00	36
7151289 Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity by maximum increments of 0.63 cm (¼ in.); adjustable rear height by maximum increments of 1.3 cm (1/2 in.) for up to 7.6 cm (3 in.) of seat tilt; tilt can be obtained in combination with the frame shape	N. C.	33.00	36
7151290 Rear axle, quick release system, with lever mechanism	8.00	41.00	36
7151291 Spoked rear wheel, heavy-duty; semi-pneumatic tire; 61 cm (24 in.)	N. C.	80.00	36
7151292 Spoked rear wheel, heavy-duty; semi-pneumatic tire; 55.9 cm (22 in.), 63.5 cm (25 in.) or 66 cm (26 in.)	N. C.	80.00	36
7151293 Spoked rear wheel, heavy-duty; inner tube, high pressure; 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.)	N. C.	80.00	36
7151294 Spoked rear wheel, heavy-duty; inner tube, standard pressure; 55.9 cm (22 in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.)	N. C.	80.00	36
7151295 Spoke guard	20.00	20.00	36

SUBDIVISION 3: POWERED WHEELCHAIRS

PRICE
(including all
the basic
components)

7153000 POWERED WHEELCHAIR

4,560.00

SUBCATEGORY "INTERMEDIATE COMPACT (MID-FRONT, MEDIAL, OR MID-REAR DRIVE WHEELS)"

SUNRISE MEDICAL CANADA INC.

"323 IC" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 136 kg (300 lb.)

Seat-to-floor height: 41.3 cm to 51.4 cm ($16\frac{1}{4}$ in. to $20\frac{1}{4}$ in.) without power tilt system and 41.3 cm to 47.6 cm ($16\frac{1}{4}$ in. to $18\frac{3}{4}$ in.) with power tilt system

Frame: mid-wheel drive base, overall width \leq 61 cm (24 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153001	BODY SUPPORT SYSTEM Seat-to-back assembly structure; resizable; back canes angle- adjustable from 90° to 110° by maximum increments of 6°; non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle-adjustable from 0° to 5° minimum; anchor for headrest bracket	N. C.	550.00	36
7153002	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)		75.00	36

				(authentic version)
7153003	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	225.00	225.00	36
7153004	Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	160.00	12
7153005	Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	40.00	200.00	12
7153006	Padded back cushion, contoured, including a rigid, contoured back	90.00	250.00	36
7153007	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	350.00	350.00	36
7153008	Power tilt system for minimum angulation of 0° to 45°, including controller on joystick control	1,650.00	1,650.00	36
7153009	Pelvic positioning belt, auto buckle	N. C.	30.00	36
7153010	U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153011	T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153012	U-type armrest, long; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10½ in.) or from 26 cm to 38.7 cm (10½ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153013	T-type armrest, long; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153014 7153015	Armrest pad, straight, short Armrest pad, straight, long	N. C. N. C.	20.00 20.00	12 12

			•	,
7153017	One-piece footrest platform, 90° angle, adjustable length	N. C.	225.00	60
7153018	Parallel footrest, adjustable angle 60° or 70°, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable	N. C.	225.00	
	heel loop; adjustable length from 31.8 cm to 39.4 cm (12½ in. to 15½ in.) or from 36.8 cm to 49,5 cm (14½ in. to 19½ in.)			60
7153019	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or	N. C.	225.00	
	oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth- adjustable			36
7153020	Padded calf-rest	35.00	35.00	36
7153021	Folding footplate, standard, standard size	N. C.	80.00	36
7153022	Folding footplate, standard, oversize	N. C.	80.00	36
7153023	Footplate, angle and depth-adjustable, standard size	N. C.	80.00	36
7153024	Footplate, angle and depth-adjustable, oversize	N. C.	80.00	36
7153025	Heel loop, adjustable	N. C.	30.00	36
7153026	Headrest bracket, height and depth-adjustable, or	75.00	75.00	50
	articulated uniball bracket			36
7153027	Headrest cushion, contoured, all sizes	70.00	70.00	36
	FRAME			
7153029	Front impact guard with rollers	20.00	20.00	36
	DRIVE SYSTEM			
7153030	Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off	N. C.	329.00	
	functions, horn, function selection; battery charge display			36
7153031	Standard side bracket for joystick control;	N. C.	140.00	
	adjustable forward-rearward position			36
7153032	Swivel side bracket for joystick control; with locking mechanism	N. C.	230.00	36
7153033	Midline bracket for joystick control; flip-back to	60.00	200.00	
/133033	provide total clearance for seat access	00.00	200.00	36
	~			
7153034	Controller for basic programmable electronics	N. C.	659.00	36
7153035	Motor for basic programmable electronics;	N. C.	600.00	
	propulsion provided by two electric direct-drive			2.5
	motors; variable speed, controlled by joystick			36
	control and controller			
7153036	Battery charger; external; compatible with group 22	N C	199.00	
1155050	NF batteries	11. C.	177.00	36
7152027		55.00	55.00	
7153037	Ball, stick, T-type, or mushroom handle	55.00	55.00	36

36

				(authentic version)		
	WHEELS AND TIRES					
7153038	Drive wheel, inner tube tire	N. C.	150.00	36		
7153039	Front caster wheel, semi-pneumatic or inner tube	N. C.	80.00	36		
				30		
7153040	Rear caster wheel, semi-pneumatic	N. C.	80.00	36		
7153041	Airless insert for drive wheel	45.00	45.00	36		
			PRICE			
			(including all			
			the basic			
			components)			
7153044	POWERED WHEELCHAIR					
/133044	SUBCATEGORY "LOW-SEAT COMPACT		4,875.00			
	MULTI-PURPOSE (MID-FRONT OR MEDIAL DRIVE WHEELS)"					
	SUNRISE MEDICAL CANADA INC.					
	"323 PC" MODEL					
	TECHNICAL SPECIFICATIONS OF THE DE	EVICE				
	Maximum weight capacity: 181.4 kg (400 lb.)					
	Seat-to-floor height: 39.4 cm to 51.4 cm (15½ in. to 20¼ in.) without power tilt system and					
	39.4 cm to 48.3 cm (15½ in. to 19 in.) with power tilt system					
	Frame: mid-wheel drive base, overall width ≤ 61 c					
	reflectors; electric red tail-lights; reflective strip on	each side; trian	gular orange flag,			
	plug-in; four tie-down points for adapted transport					
	Drive system: electromagnetic brakes, manual free	ewheel lever; joy	ystick control cable			
	replaceable separately					
		Unit price	of Unit price for			
	BASIC AND OPTIONAL COMPONENTS	componen	t component	Warranty		
	BASIC AND OF HONAL COMPONENTS	during devi	replacement	(months)		
		purchase	теріассінені			
	BODY SUPPORT SYSTEM					
7153045	Seat-to-back assembly structure; resizable; back	ck N	N. C. 550.00			
	canes angle- adjustable from 90° to 110° b	ру				

Updated: October 10, 2017

maximum increments of 6°; non-slip push handles; structure compatible with commercial positioning

device anchors; adjustable seat-to-floor height; static rocker, angle-adjustable from 0° to 10; anchor

for headrest bracket

7153046	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N. C.	75.00	36
7153047	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	225.00	225.00	36
7153048	Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	160.00	12
7153049	Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	40.00	200.00	12
7153050	Padded back cushion, contoured, including a rigid, contoured back	90.00	250.00	36
7153051	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	350.00	350.00	36
7153052	Power reclining back system, including a control external to the joystick control	1,590.00	1,590.00	36
7153053	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	1,650.00	1,650.00	36
7153054	Pelvic positioning belt, auto buckle	N. C.	30.00	36
7153055	U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153056	T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60

7153057	U-type armrest, long; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153058	T-type armrest, long; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153059	Armrest pad, straight, short	N. C.	20.00	12
	Armrest pad, straight, long	N. C.	20.00	12
	One-piece footrest platform, 90° angle, adjustable length	N. C.	225.00	60
7153062	Parallel footrest, adjustable angle 60° or 70°, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 31.8 cm to 39.4 cm (12½ in. to 15½ in.) or from 36.8 cm to 49.5 cm (14½ in. to 19½ in.)	N. C.	225.00	60
7153063	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	112.50	225.00	36
7153064	Power elevating leg-rest, with control per pair, including a control external to the joystick control	637.50	750.00	36
7153065	Power elevating leg-rest, with control per unit, including a control external to the joystick control	637.50	750.00	36
7153066	Power leg-rest, one piece, including a control external to the joystick control	1,275.00	1,500.00	36
7153067	Padded calf-rest, contoured	35.00	35.00	36
7153068	Folding footplate, standard, standard size	N. C.	80.00	36
7153069	Folding footplate, standard, oversize	N. C.	80.00	36
7153070	Footplate, angle and depth-adjustable, standard size	N. C.	80.00	36
7153071	Footplate, angle and depth-adjustable, oversize	N. C.	80.00	36
7153072	Heel loop, adjustable	N. C.	30.00	36
7153073	Headrest bracket, height and depth-adjustable, or	75.00	75.00	26
	articulated uniball bracket			36
7153074	Headrest cushion, contoured, all sizes	70.00	70.00	36

7153075	FRAME Front impact guard with rollers	20.00	20.00	36
7153076	DRIVE SYSTEM Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N. C.	329.00	36
7153077	Standard joystick control for multi-purpose programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	200.00	529.00	36
7153078	Compact joystick control, proportional	N. C.	329.00	36
7153079	Standard side bracket for joystick control;	N. C.	140.00	36
7152000	adjustable forward-rearward position	N C	220.00	30
7153080	Swivel side bracket for joystick control; with locking mechanism	N. C.	230.00	36
7153081	Midline bracket for joystick control; flip-back to provide total clearance for seat access	60.00	200.00	36
7153082	Controller for basic programmable electronics	N. C.	659.00	36
7153083	Controller for multi-purpose programmable electronics	100.00	759.00	36
7153084	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N. C.	600.00	36
7153085	Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N. C.	600.00	36
7153086	Internal control system for the joystick control for one (1) power repositioning accessory	350.00	350.00	36
7153087	Internal control system for the joystick control for four (4) power repositioning accessories	500.00	500.00	36
7153088	Battery charger; external; compatible with group 22 NF or group 24 batteries	N. C.	199.00	36
7153089	Adapted head control, proportional, including mounting bracket	1,100.00	1,100.00	36

7153090	Adapted head control, non-proportional, including mounting bracket	2,200.00	2,200.00	36
7153091	Adapted breath control, non-proportional, including mounting bracket	1,200.00	1,200.00	36
7153092	Adapted chin control, proportional, including mounting bracket	600.00	600.00	36
7153093	Adapted chin control, non-proportional, including mounting bracket	600.00	600.00	36
7153094	Adapted Mini joystick control, proportional, including mounting bracket	1,510.00	1,510.00	36
7153095	Mounting bracket for adapted control	350.00	350.00	36
7153096	Adapted control interface, with bracket and display	1,100.00	1,100.00	
		-,	-,	36
7153097	Mounting bracket for interface	350.00	350.00	36
7153098	Ball, stick, T-type, or mushroom handle	52.00	52.00	
	, , , , , , , , , , , , , , , , , , , ,			36
7153099	Course correction system	895.00	895.00	36
	WHEELS AND TIRES			
7153100	Drive wheel, inner tube tire	N. C.	150.00	36
7153101	Front caster wheel, semi-pneumatic or inner tube	N. C.	80.00	
	r			36
7153102	Rear caster wheel, semi-pneumatic	N. C.	80.00	36
7153103	Airless insert for drive wheel	45.00	45.00	36
			PRICE	

7153470 **POWERED WHEELCHAIR**

components) 4,200.00

(including all the basic

SUBCATEGORY "LOW-SEAT COMPACT MULTI-PURPOSE (MID-FRONT OR MEDIAL DRIVE WHEELS)"

PRIDE MOBILITY PRODUCTS COMPANY

"Q6 EDGE 2" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Seat-to-floor height: 41.9 cm to 47 cm (16½ in. to 18½ in.) without power tilt system

and 42.5 cm to 49.5 cm (163/4 in. to 191/2 in.) with power tilt system

Frame: mid-front-wheel drive base, overall width ≤ 61 cm (24 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153471	BODY SUPPORT SYSTEM Seat-to-back assembly structure; resizable; back canes angle-adjustable from 90° to 110° by maximum increments of 6°; push bar or non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10; anchor for headrest bracket	N. C.	500.00	36
7153472	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 35.6 cm to 40.6 cm (14 in. to 16 in.) or 40.6 cm to 50.8 cm (16 in. to 20 in.)	N. C.	65.00	36
7153473	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	175.00	175.00	36
7153474	Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	60.00	12
7153475		90.00	150.00	12
7153476	Back cushion, padded and contoured, including or built into a rigid back, flat or contoured	215.00	275.00	36
7153477	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	591.00	591.00	36
7153478	Power reclining back system, including a control external to the joystick control	1,500.00	1,500.00	36
7153479		2,000.00	2,000.00	36
7153480	Pelvic positioning belt, auto buckle	N. C.	25.00	36

				(wathering version)
7153481	U-type armrest, short; flip-away; height-adjustable, from 22.9 cm to 33 cm (9 in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	215.00	60
7153482	T-type armrest, short; detachable; height-adjustable, from 19.6 cm to 24.8 cm (7³4 in. to 9³4 in.), from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	215.00	60
7153483	U-type armrest, long; flip-away; height-adjustable, from 22.9 cm to 33 cm (9 in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	221.00	60
7153484	T-type armrest, long; detachable; height-adjustable, from 19.6 cm to 24.8 cm (7¾ in. to 9¾ in.), from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. à 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	221.00	60
	Armrest pad, straight, short Armrest pad, straight, long Parallel footrest, adjustable angle 60° to 90°, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable	N. C. N. C. N. C.	10.00 16.00 135.00	12 12
	heel loop; adjustable length from 27.9 cm to 33 cm (11 in. to 13 in.), from 33 cm à 41.9 cm (13 in. to 16½ in.) or from 39.4 cm to 49.5 cm (15½ in. to 19½ in.)			60
7153488	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depthadjustable	224.50	246.00	36
7153489	Power elevating leg-rest, with control per pair, including a control external to the joystick control	1,678.50	1,700.00	36
7153490	Power elevating leg-rest, with control per unit, including a control external to the joystick control	978.50	1,000.00	36
7153491	One-piece footrest platform, 90° angle, adjustable length	N. C.	43.00	60

				(
7153492	Power leg-rest, one piece, including a control external to the joystick control	1,657.00	1,700.00	36
7153493	Padded calf-rest, flat	63.00	63.00	36
	Folding footplate, standard, standard size	N. C.	53.00	36
	• •	14.00	67.00	36
7153495	Folding footplate, standard, oversize			30
7153496	Footplate, angle and depth-adjustable, standard size	117.00	170.00	36
7153497	Footplate, angle and depth-adjustable, oversize	167.00	220.00	36
7153498	Heel loop, adjustable	N. C.	12.00	36
7153499	Headrest bracket, articulated uniball	90.00	90.00	36
7153500	Headrest cushion, contoured, all sizes	90.00	90.00	36
7133300		70.00	70.00	50
	FRAME			
7153501	Front impact guard with rollers	3.00	3.00	36
	DRIVE SYSTEM			
7153502	Standard joystick control for basic programmable	N. C.	330.00	
	electronics; joystick handle; push buttons for on/off			
	functions, horn, function selection; battery charge			36
	display			
7153503	Standard joystick control for multi-purpose	380.00	710.00	
, 100000	programmable electronics; joystick handle; toggle	200.00	, 10.00	
	switches or push buttons for on/off functions, horn,			
	•			36
	function selection; battery charge display			
7153504	Compact joystick control, proportional	315.00	645.00	36
7153505	Standard side bracket for joystick control;	N. C.	20.00	26
	adjustable forward-rearward position			36
7153506	Swivel side bracket for joystick control; with	N. C.	80.00	
	locking mechanism			36
7153507	Midline bracket for joystick control; flip-back to	330.00	350.00	
7100007	provide total clearance for seat access	220.00	330.00	36
	provide total elearance for seat access			30
7153508	Controller for basic programmable electronics	N. C.	250.00	
,	F8	- 11 - 21		36
7153509	Controller for multi-purpose programmable	75.00	325.00	
, 10000	electronics	70.00	525.00	36
7153510	Motor for basic programmable electronics;	N. C.	275.00	
7133310	propulsion provided by two electric direct-drive	14. 6.	273.00	
	motors; variable speed, controlled by joystick			36
7152511	control and controller	N. C	275.00	
7153511	Motor for multi-purpose programmable electronics;	N. C.	275.00	
	propulsion provided by two electric direct-drive			
	motors; variable speed, controlled by joystick and			36
	controller			
7152512	Internal control evetem for the investigle control for	200.00	300.00	
7153512	Internal control system for the joystick control for	300.00	300.00	20
	one (1) power repositioning accessory			36

				(audientic version)
7153513	Internal control system for the joystick control for four (4) power repositioning accessories	375.00	375.00	36
7153514	Battery charger; external; compatible with group 22 NF batteries	N. C.	165.00	36
7153515	Adapted head control, proportional, including mounting bracket	1,452.00	1,452.00	36
7153516	Adapted head control, non-proportional, including mounting bracket	2,539.00	2,539.00	36
7153517	Adapted breath control, non-proportional, including mounting bracket	1,222.00	1,222.00	36
7153518	Adapted chin control, proportional, including mounting bracket	1,302.00	1,302.00	36
7153519	Adapted chin control, non-proportional, including mounting bracket	1,302.00	1,302.00	36
7153520	Adapted Mini joystick control, proportional, including mounting bracket	1,302.00	1,302.00	36
7153521	Mounting bracket for adapted control	91.00	91.00	36
7153522	•	1,118.00	1,118.00	36
7153523	Mounting bracket for interface	71.00	71.00	36
7153524	Ball, stick, T-type, or mushroom handle	40.00	40.00	36
7153525	Course correction system	869.00	869.00	36
	WHEELS AND TIRES			
	Drive wheel, inner tube tire	N. C.	100.00	36
	Front caster wheel, semi-pneumatic tire	N. C.	20.00	36
	Rear caster wheel, semi-pneumatic tire	N. C.	20.00	36
7153529	Airless insert for drive wheel	60.00	60.00	36
			PRICE	
		(i	ncluding all	
			the basic	
		C	omponents)	

7153106 **POWERED WHEELCHAIR**

5,710.00

SUBCATEGORY "LOW-SEAT COMPACT MULTI-PURPOSE

ORTHOFAB INC.

"OASIS PC" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 136 kg (300 lb.)

Seat-to-floor height: 39.3 cm to 52 cm ($15\frac{1}{2}$ in. to $20\frac{1}{2}$ in.) without power tilt system and 39.3 cm to 49.5 cm ($15\frac{1}{2}$ in. to $19\frac{1}{2}$ in.) with power tilt system

Frame: mid-rear wheel drive base, overall width \leq 61 cm (24 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153107	BODY SUPPORT SYSTEM Seat-to-back assembly structure; resizable; back canes angle adjustable from 90° to 110° by maximum increments of 6°; push bar or non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10°; anchor for headrest bracket	N. C.	240.00	36
7153108	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.) or 58.4 cm (23 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50,8 cm (20 in.) or 53.3 cm (21 in.)	N. C.	45.00	36
7153109	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	150.00	150.00	36
7153110	Flexible nylon mesh back, padded; heights of 40.6 cm (16 in.), 43.1 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	75.00	12
7153111	Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	65.00	140.00	12
7153112	Padded back cushion, contoured, including a rigid, contoured back	165.00	240.00	36
7153113	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	270.00	270.00	36
7153114		750.00	750.00	36
7153115	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	1,000.00	1,000.00	36

7153116	Pelvic positioning belt, auto buckle	N. C.	6.00	36
7153117	U-type armrest, short; flip-away; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7153118	T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 27.9 cm to 35.6 cm (11 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7153119	U-type armrest, long; flip-away; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7153120	T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 27.9 cm to 35.6 cm (11 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7153121	Armrest pad, straight, short	N. C.	6.00	12
	Armrest pad, straight, long Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length	N. C. N. C.	6.00 100.00	12
	from 35.6 cm to 48.3 cm (14 in. to 19 in.) or 45.7 cm to 58.4 cm (18 in. to 23 in.)			60
7153124	Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or 45.7 cm to 58.4 cm (18 in. to 23 in.)	N. C.	100.00	60
7153125	Elevating leg-rest, compensating; detachable and pivoting, with locking mechanism; adjustable length; standard folding footplate, standard size or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, flat, padded, height- and depth-adjustable	100.00	200.00	36

				`
7153126	Power elevating leg-rest, with control per unit, including a control external to the joystick control	1,030.00	1,130.00	36
7153127	Power elevating leg-rest, with control per pair, including a control external to the joystick control	1,030.00	1,130.00	36
7153128	Padded calf-rest, flat	15.00	15.00	36
7153129	Folding footplate, standard, standard size	N. C.	6.00	36
7153130	Folding footplate, standard, oversize	29.00	35.00	36
7153131	Footplate, angle and depth-adjustable, standard size	44.00	50.00	36
7153132	Footplate, angle and depth-adjustable, oversize	49.00	55.00	36
7153133	Full-width footplate, in two lockable parts; angle-adjustable	88.00	100.00	36
7153134	Heel loop, adjustable	N. C.	3.00	36
	Headrest bracket, height and depth-adjustable	35.00	35.00	
7155155	readiest bracket, neight and depth adjustable	33.00	33.00	36
7153136	Headrest cushion, flat, all sizes	40.00	40.00	36
	FRAME			
7153137	Anti-tipping wheels, non-detachable except with tools	N. C.	4.00	60
7153138	Front impact guard with rollers	10.00	10.00	36
7153139	DRIVE SYSTEM Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N. C.	185.00	36
7153140	Standard joystick control for multi-purpose programmable electronics; joystick handle; toggle switches or push buttons for on/off functions, horn, function selection; battery charge display	195.00	380.00	36
7153141	Compact joystick control, proportional	195.00	380.00	36
7153142	Standard side bracket for joystick control;	N. C.	25.00	
	adjustable forward-rearward position			36
7153143	Swivel side bracket for joystick control; with locking mechanism	N. C.	95.00	36
7153144	Midline bracket for joystick control; flip-back to provide total clearance for seat access	70.00	95.00	36

				(dddientie version)
7153145	Controller for basic programmable electronics	N. C.	350.00	36
7153146	Controller for multi-purpose programmable electronics	225.00	575.00	36
7153147	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N. C.	450.00	36
7153148	Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick and controller	N. C.	450.00	36
7153149	Battery charger; on board; compatible with group 22 NF or group 24 batteries	N. C.	115.00	36
7153150	Internal control system for the joystick control for one (1) power repositioning accessory	185.00	185.00	36
7153151	Internal control system for the joystick control for four (4) power repositioning accessories	325.00	325.00	36
7153152	Adapted head control, proportional, including mounting bracket	1,000.00	1,000.00	36
7153153	Adapted head control, non-proportional, including mounting bracket	500.00	500.00	36
7153154	Adapted breath control, non-proportional, including mounting bracket	400.00	400.00	36
7153155	Adapted chin control, proportional, including mounting bracket	800.00	800.00	36
7153156	Adapted chin control, non-proportional, including mounting bracket	700.00	700.00	36
7153157	Adapted Mini joystick control, proportional, including mounting bracket	2,500.00	2,500.00	36
7153158	Mounting bracket for adapted control	400.00	400.00	36
7153159	Adapted control interface, with bracket and display	750.00	750.00	36
7153160	Mounting bracket for interface	125.00	125.00	36
7153161	Ball, stick, T-type, or mushroom handle	15.00	15.00	36
7153162	Course correction system	1,000.00	1,000.00	36
	WHEELS AND TIRES			
7153163	Drive wheel, inner tube tire	N. C.	100.00	36
7153164	Front caster wheel, inner tube tire	N. C.	45.00	36
7153165	Airless insert for drive wheel	75.00	75.00	36
7153166	Airless insert for caster wheel	30.00	30.00	36

PRICE
(including all
the basic
components)

7153167 MOTORIZED WHEELCHAIR

4,110.00

SUBCATEGORY "MULTI-PURPOSE PERFORMANCE (MID-FRONT OR MEDIAL DRIVE WHEELS)"

SUNRISE MEDICAL CANADA INC.

"323 PP" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 181.4 kg (400 lb.)

Seat-to-floor height: 39.4 cm to 51.4 cm (15½ in. to 20¼ in.) without power tilt system and

39.4 cm to 47.6 cm ($15\frac{1}{2} \text{ in.}$ to $18\frac{3}{4} \text{ in.}$) with power tilt system

Frame: mid-wheel drive base, overall width \leq 66 cm (26 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
51501 50	BODY SUPPORT SYSTEM	N. C	550.00	
7153168	Seat-to-back assembly structure; resizable; back canes angle adjustable from 90° to 110° by maximum increments of 6°; non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10°; anchor for headrest bracket	N. C.	550.00	36
7153169	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.),	N. C.	75.00	36
	45.7 cm (18 in.), 48.3 cm (19 in.) or 50,8 cm (20 in.)			

				(44411411414 (4151511)
7153170	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	225.00	225.00	36
7153171	Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	160.00	12
7153172	Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	40.00	200.00	12
7153173	Padded back cushion, contoured, including a rigid, contoured back	90.00	250.00	36
7153174	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	350.00	350.00	36
7153175	Power reclining back system, including a control external to the joystick control	1,590.00	1,590.00	36
7153176	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	1,650.00	1,650.00	36
7153177	Pelvic positioning belt, auto buckle	N. C.	30.00	36
7153178	U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153179	T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153180	U-type armrest, long; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153181	T-type armrest, long; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60

				,
	Armrest pad, straight, short	N. C.	20.00	12
	Armrest pad, straight, long	N. C.	20.00	12
7153184	One-piece footrest platform, 90° angle, adjustable	N. C.	225.00	60
7150105	length	N. C	225.00	
7153185	Parallel footrest, adjustable angle 60° or 70°,	N. C.	225.00	
	detachable and pivoting with locking mechanism;			
	standard folding footplate, standard size; adjustable heel loop; adjustable length from 31.8 cm to 39.4			60
	cm (12½ in. to 15½ in.) or from 36.8 cm to 49.5 cm			
	(14½ in. to 19½ in.)			
7153186	Elevating leg-rest, non-compensating; detachable	112.50	225.00	
	and pivoting with locking mechanism; adjustable			
	length; standard folding footplate, standard or			
	oversize; compatible with the same attachment point			36
	as the footrest or supplied with its own attachments;			30
	calf-rest, contoured and padded, height and depth-			
	adjustable			
7153187	Power elevating leg-rest, with control per pair,	637.50	750.00	
/13316/	including a control external to the joystick control	037.30	750.00	36
	merading a control external to the joystick control			30
7153188	Power elevating leg-rest, with control per unit,	637.50	750.00	
	including a control external to the joystick control			36
7153189	Power leg-rest, one piece, including a control	1,275.00	1,500.00	36
-	external to the joystick control	27.00	27.00	
	Padded calf-rest, contoured	35.00	35.00	36
7153191	Folding footplate, standard, standard size	N. C.	80.00	36
7153192 7153193	Folding footplate, standard, oversize Footplate, angle and depth-adjustable, standard size	N. C. N. C.	80.00 80.00	36
/133193	rootpiate, angle and depun-adjustable, standard size	N. C.	80.00	36
7153194	Footplate, angle and depth-adjustable, oversize	N. C.	80.00	
,				36
7153195	Heel loop, adjustable	N. C.	30.00	36
7153196	Headrest bracket, height and depth-adjustable, or	75.00	75.00	36
	articulated uniball bracket			
7153197	Headrest cushion, contoured, all sizes	70.00	70.00	36
	FRAME			
7153198	Front impact guard with rollers	20.00	20.00	36

7153199	DRIVE SYSTEM Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N. C.	329.00	36
7153200	Standard joystick control for multi-purpose programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	200.00	529.00	36
7153201	Compact joystick control, proportional	N. C.	329.00	36
7153202	Standard side bracket for joystick control; adjustable forward-rearward position	N. C.	140.00	36
7153203	Swivel side bracket for joystick control; with locking mechanism	N. C.	230.00	36
7153204	Midline bracket for joystick control; flip-back to provide total clearance for seat access	60.00	200.00	36
7153205	Controller for basic programmable electronics	N. C.	659.00	36
7153206	Controller for multi-purpose programmable electronics	100.00	759.00	36
7153207	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N. C.	600.00	36
7153208	Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick and controller	N. C.	600.00	36
7153209	Battery charger; external; compatible with group 22 NF or group 24 batteries	N. C.	199.00	36
7153210	Internal control system for the joystick control for one (1) power repositioning accessory	350.00	350.00	36

4,100.00

				(authentic version)
7153211	Internal control system for the joystick control for four (4) power repositioning accessories	500.00	500.00	36
7153212	Adapted head control, proportional, including mounting bracket	1,100.00	1,100.00	36
7153213	Adapted head control, non-proportional, including mounting bracket	2,200.00	2,200.00	36
7153214	Adapted breath control, non-proportional, including mounting bracket	1,200.00	1,200.00	36
7153215	Adapted chin control, proportional, including mounting bracket	600.00	600.00	36
7153216	Adapted chin control, non-proportional, including mounting bracket	600.00	600.00	36
7153217	Adapted Mini joystick control, proportional, including mounting bracket	1,510.00	1,510.00	36
7153218	Mounting bracket for adapted control	350.00	350.00	36
7153219	Adapted control interface, with bracket and display	1,100.00	1,100.00	36
7153220	Mounting bracket for interface	350.00	350.00	36
7153221	Ball, stick, T-type, or mushroom handle	52.00	52.00	36
7153222	Course correction system	895.00	895.00	36
	WHEELS AND TIRES			
	Drive wheel, inner tube tire	N. C.	150.00	36
7153224	Front caster wheel, semi-pneumatic or inner tube	N. C.	80.00	36
7153225	Rear caster wheel, semi-pneumatic	N. C.	80.00	36
7153226	Airless insert for drive wheel	45.00	45.00	36
			PRICE	
		(i	ncluding all	
			the basic	
		C	omponents)	

7153530 POWERED WHEELCHAIR

SUBCATEGORY "MULTI-PURPOSE

PERFORMANCE (MID-FRONT OR MEDIAL DRIVE WHEELS)"

PRIDE MOBILITY PRODUCTS COMPANY

"Q6 EDGE Z" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 136 kg (300 lb.)

Seat-to-floor height: 44.5 cm to 49.5 cm ($17\frac{1}{2}$ in. to $19\frac{1}{2}$ in.) without power tilt system and 46 cm to 51.1 cm (181/8 in. to 201/8 in.) with power tilt system

Frame: mid-front wheel drive base, overall width \leq 66 cm (26 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153531	BODY SUPPORT SYSTEM Seat-to-back assembly structure; resizable; back canes angle adjustable from 90° to 110° by maximum increments of 6°; push bar or non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10°; anchor for headrest bracket	N. C.	500.00	36
7153532	2 Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 30.5 cm (12 in.), 33 cm (13 in.) from 35.6 cm to 40.6 cm (14 in. to 16 in.), from 40.6 cm to 50.8 cm (16 in. to 20 in.), or from 50.8 cm to 61 cm (20 in. to 24 in.); depths of 35.6 cm to 40.6 cm (14 in. to 16 in.), from 40.6 cm to 50.8 cm (16 in. to 20 in.), or from	N. C.	65.00	36
7153533	50.8 cm to 61 cm (20 in. to 24 in.) Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	175.00	175.00	36
7153534	4 Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	60.00	12
7153535	5 Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	90.00	150.00	12
7153536	6 Back cushion, padded and contoured, including or built into a rigid back, flat or contoured	215.00	275.00	36
7153537	7 Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	591.00	591.00	36
7153538	Power reclining back system, including a control external to the joystick control	1,500.00	1,500.00	36
7153539	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	2,000.00	2,000.00	36

7153540 Pelvic positioning belt, auto buckle	N. C.	25.00	36
7153541 U-type armrest, short; flip-away; height-adjustable, from 22.9 cm to 33 cm (9 in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	215.00	60
7153542 T-type armrest, short; detachable; height-adjustable, from 19.6 cm to 24.8 cm (734 in. to 934 in.), from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from de 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	215.00	60
7153543 U-type armrest, long; flip-away; height-adjustable, from 22.9 cm to 33 cm (9 in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	221.00	60
7153544 T-type armrest, long; detachable; height-adjustable, from 19.6 cm to 24.8 cm (7¾ in. to 9¾ in.), from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from de 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	221.00	60
7153545 Armrest pad, straight, short	N. C.	10.00	12
7153546 Armrest pad, straight, long	N. C.	16.00	12
7153547 One-piece footrest platform, 90° angle, adjustable	N. C.	43.00	60
length 7153548 Parallel footrest, adjustable angle from 60° to 90°, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 27.9 cm to 33 cm	N. C.	135.00	60
(11 in. to 13 in.), from 33 cm to 41.9 cm (13 in. to 16½ in.) or from 39.4 cm to 49.5 cm (15½ in. to			
19½ in.) 7153549 Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depthadjustable	224.50	246.00	36
7153550 Power elevating leg-rest, with control per pair, including a control external to the joystick control	1,678.50	1,700.00	36

			(
7153551 Power elevating leg-rest, with control pe including a control external to the joystic		1,000.00	36
merating a control external to the joystic	R control		
7153552 Power leg-rest, one piece, including a co external to the joystick control	ntrol 1,657.00	1,700.00	36
7153553 Calf-rest, padded, flat or contoured	63.00	63.00	36
7153555 Cari-rest, padded, flat of contoured 7153554 Folding footplate, standard, standard size		53.00	36
7153555 Folding footplate, standard, standard size	14.00	67.00	36
		170.00	50
7153556 Footplate, angle and depth-adjustable, st	andard size 117.00	170.00	36
7153557 Footplate, angle and depth-adjustable, ov	versize 167.00	220.00	36
7153558 Heel loop, adjustable	N. C.	12.00	36
7153556 Headrest cushion, contoured, all sizes	90.00	90.00	36
			36
7153560 Headrest bracket, articulated uniball	90.00	90.00	30
FRAME			•
7153561 Front impact guard with rollers	3.00	3.00	36
DRIVE SYSTEM			
7153562 Standard joystick control for basic progr	ammable N. C.	330.00	
electronics; joystick handle; push button	s for on/off		
functions, horn, function selection; batte			36
display			
uspay			
7153563 Standard joystick control for multi-purpo	ose 380.00	710.00	
programmable electronics; joystick hand		,10.00	
switches or push buttons for on/off funct			
function selection; battery charge display			36
function selection, battery charge display			
7153564 Compact joystick control, proportional	315.00	645.00	36
7153565 Standard side bracket for joystick contro		20.00	30
	n, N. C.	20.00	36
adjustable forward-rearward position	id. N. C	90.00	
7153566 Swivel side bracket for joystick control;	with N. C.	80.00	36
locking mechanism		250.00	
7153567 Midline bracket for joystick control; flip	-back to 330.00	350.00	
provide total clearance for seat access			36
7153568 Controller for basic programmable electr	onics N. C.	300.00	36
7153569 Controller for multi-purpose programma	ble 50.00	350.00	36
electronics			50
7153570 Motor for basic programmable electronic		520.00	
propulsion provided by two electric direct	et-drive		36
motors; variable speed, controlled by joy	stick		30
control and controller			
7153571 Motor for multi-purpose programmable e	electronics; N. C.	520.00	
propulsion provided by two electric direc			
motors; variable speed, controlled by joy			36
controller			
Controller			

7153572 Internal control system for the joystick control for one (1) power repositioning accessory	300.00	300.00	36
7153573 Internal control system for the joystick control for four (4) power repositioning accessories	375.00	375.00	36
7153574 Battery charger; external; compatible with group 24 batteries	N. C.	165.00	36
7153575 Adapted head control, proportional, including mounting bracket	1,452.00	1,452.00	36
7153576 Adapted head control, non-proportional, including mounting bracket	2,539.00	2,539.00	36
7153577 Adapted breath control, non-proportional, including mounting bracket	1,222.00	1,222.00	36
7153578 Adapted chin control, proportional, including mounting bracket	1,302.00	1,302.00	36
7153579 Adapted chin control, non-proportional, including mounting bracket	1,302.00	1,302.00	36
7153580 Adapted Mini joystick control, proportional, including mounting bracket	1,302.00	1,302.00	36
7153581 Mounting bracket for adapted control	91.00	91.00	36
7153582 Adapted control interface, with bracket and display	1,118.00	1,118.00	36
7153583 Mounting bracket for interface	71.00	71.00	36
7153584 Ball, stick, T-type, or mushroom handle	40.00	40.00	36
7153585 Course correction system	869.00	869.00	36
WHEELS AND TIRES			
7153586 Drive wheel, inner tube tire	N. C.	100.00	36
7153587 Front caster wheel, semi-pneumatic tire	N. C.	30.00	36
7153588 Rear caster wheel, semi-pneumatic tire	N. C.	30.00	36
7153589 Airless insert for drive wheel	60.00	60.00	36

PRICE
(including all
the basic
components)

7153229 **POWERED WHEELCHAIR**

5,710.00

SUBCATEGORY "MULTI-PURPOSE PERFORMANCE (MID-REAR DRIVE WHEELS)"

ORTHOFAB INC.

"OASIS PP" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Seat-to-floor height: 39.4 cm to 52 cm (15½ in. to 20½ in.) without power tilt system

and 39.4 cm to 49.5 cm (151/2 in. to 191/2 in.) with power tilt system

Frame: mid-rear wheel drive base, overall width \leq 66 cm (26 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM 7153230 Seat-to-back assembly structure; resizable; back canes angle adjustable from 90° to 110° by maximum increments of 6°; push bar or non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10; anchor for headrest bracket	N. C.	240.00	36
7153231 Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.) or 58.4 cm (23 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.) or 53.3 cm (21 in.)	N. C.	45.00	36

				,
7153232 Padded seat cushion, contoured; rer washable outer cover, waterproof of an internal incontinence cover; two "velour" Velcro 5.1 cm (2 in.) wide cushion to stabilize it on the seat (expadded seat is built into the rigid bath.	r combined with strips of under the except if the	150.00	150.00	36
7153233 Flexible nylon mesh back, padded; 40.6 cm (16 in.), 43.1 cm (17 in.), 4 48.3 cm (19 in.), 50.8 cm (20 in.), 5 55.9 cm (22 in.), 58.4 cm (23 in.) or	5.7 cm (18 in.), 3.3 cm (21 in.),	N. C.	75.00	12
7153234 Flexible nylon mesh back, padded, adjustable; minimum of four horizo straps spread across the height of the	ntal, adjustable	65.00	140.00	12
7153235 Padded back cushion, contoured, in contoured back	cluding a rigid,	165.00	240.00	36
7153236 Reclining back with cylinder; seat-t to a minimum of 130°	o-back angle up	270.00	270.00	36
7153237 Power reclining back system, include external to the joystick control	ling a control	750.00	750.00	36
7153238 Power tilt system for minimum angr 45°, including a control external to control		1,000.00	1,000.00	36
7153239 Pelvic positioning belt, auto buckle		N. C.	6.00	36
7153240 U-type armrest, short; flip-away; he from 20.3 cm to 30.5 cm (8 in. to 12 25.4 cm to 35.6 cm (10 in. to 14 in.) increments of 2.5 cm (1 in.), with lo mechanism; clothing guard, rigid, b armrest pad, straight	2 in.) or from) by maximum ocking	N. C.	150.00	60
7153241 T-type armrest, short; detachable; h from 20.3 cm to 27.9 cm (8 in. to 127.9 cm to 35.6 cm (11 in. to 14 in.) increments of 2.5 cm (1 in.), with lo mechanism; clothing guard, rigid, b armrest pad, straight	1 in.) or from) by maximum ocking	N. C.	150.00	60
7153242 U-type armrest, long; flip-away; hei from 20.3 cm to 30.5 cm (8 in. to 12 25.4 cm to 35.6 cm (10 in. to 14 in.) increments of 2.5 cm (1 in.), with lo mechanism; clothing guard, rigid, b armrest pad, straight	2 in.) or from) by maximum ocking	N. C.	150.00	60

7153243 T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 27.9 cm to 35.6 cm (11 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7153244 Armrest pad, straight, short 7153245 Armrest pad, straight, long 7153246 Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length	N. C. N. C. N. C.	6.00 6.00 100.00	12 12
from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 45.7 cm to 58.4 cm (18 in. to 23 in.)			60
7153247 Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 45.7 cm to 58.4 cm (18 in. to 23 in.)	N. C.	100.00	60
7153248 Elevating leg-rest, compensating; detachable and pivoting, with locking mechanism; adjustable length; standard folding footplate, standard size or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, flat, padded, height and depth-adjustable	100.00	200.00	36
7153249 Power elevating leg-rest, with control per pair, including a control external to the joystick control	1,030.00	1,130.00	36
7153250 Power elevating leg-rest, with control per unit, including a control external to the joystick control	1,030.00	1,130.00	36
7153251 Padded calf-rest, flat 7153252 Folding footplate, standard, standard size 7153253 Folding footplate, standard, oversize 7153254 Footplate, angle and depth-adjustable, standard size	15.00 N. C. 29.00 44.00	15.00 6.00 35.00 50.00	36 36 36
7153255 Footplate, angle and depth-adjustable, oversize	49.00	55.00	36 36
7153256 Full-width footplate, in two lockable parts; angle-adjustable	88.00	100.00	36
7153257 Heel loop, adjustable 7153258 Headrest bracket, height and depth-adjustable	N. C. 35.00	3.00 35.00	36
7153259 Headrest cushion, flat, all sizes	40.00	40.00	36 36
FRAME 7153260 Anti-tipping wheels, non-detachable except with	N. C.	4.00	
tools 7153261 Front impact guard with rollers	10.00	10.00	60 36

DRIVE SYSTEM 7153262 Standard joystick control for basic programmable	N. C.	185.00	
electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display			36
7153263 Standard joystick control for multi-purpose programmable electronics; joystick handle; toggle switches or push buttons for on/off functions, horn, function selection; battery charge display	195.00	380.00	36
7153264 Compact joystick control, proportional	195.00	380.00	36
7153265 Standard side bracket for joystick control; adjustable forward-rearward position	N. C.	25.00	36
7153266 Swivel side bracket for joystick control; with locking mechanism	N. C.	95.00	36
7153267 Midline bracket for joystick control; flip-back to provide total clearance for seat access	70.00	95.00	36
7153268 Controller for basic programmable electronics	N. C.	350.00	36
7153269 Controller for multi-purpose programmable electronics	225.00	575.00	36
7153270 Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N. C.	450.00	36
7153271 Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick and controller	N. C.	450.00	36
7153272 Battery charger; on board; compatible with group 22 NF or group 24 batteries	N. C.	115.00	36
7153273 Internal control system for the joystick control for one (1) power repositioning accessory	185.00	185.00	36
7153274 Internal control system for the joystick control for four (4) power repositioning accessories	325.00	325.00	36
7153275 Adapted head control, proportional, including mounting bracket	1,000.00	1,000.00	36
7153276 Adapted head control, non-proportional, including mounting bracket	500.00	500.00	36
7153277 Adapted breath control, non-proportional, including mounting bracket	400.00	400.00	36
7153278 Adapted chin control, proportional, including mounting bracket	800.00	800.00	36
7153279 Adapted chin control, non-proportional, including mounting bracket	700.00	700.00	36

SCHEDULE 1	
------------	--

			(**************************************
7153280 Adapted Mini joystick control, proportional,	2,500.00	2,500.00	36
including mounting bracket	400.00	400.00	26
7153281 Mounting bracket for adapted control	400.00	400.00	36
7153282 Adapted control interface, with bracket and display	750.00	750.00	36
7153283 Mounting bracket for interface	125.00	125.00	36
7153284 Ball, stick, T-type, or mushroom handle	15.00	15.00	36
7153285 Course correction system	1,000.00	1,000.00	36
WHEELS AND TIRES			
7153286 Drive wheel, inner tube tire	N. C.	100.00	36
7153287 Front caster wheel, inner tube	N. C.	45.00	36
7153288 Airless insert for drive wheel	75.00	75.00	36
7153289 Airless insert for caster wheel	30.00	30.00	36
		PRICE	
	(i	ncluding all	
		the basic	
	c	omponents)	
7152200 DOWEDED WHEEL CILLID		9 000 00	

7153290 **POWERED WHEELCHAIR**

8,000.00

SUBCATEGORY "OBESE (MID-FRONT OR MEDIAL DRIVE WHEELS)"

SUNRISE MEDICAL CANADA INC.

"XCEL" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 249.5 kg (550 lb.)

Seat-to-floor height: 41.3 cm to 51.4 cm (161/4 in. to 201/4 in.) without power tilt system

and 43.2 cm to 48.3 cm (17 in. to 19 in.) with power tilt system

Frame: mid-wheel drive base, overall width ≤ 73.3 cm (29 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153291	BODY SUPPORT SYSTEM Seat-to-back assembly structure; resizable; back canes angle adjustable from 90° to 110° by maximum increments of 6°; non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10; anchor for headrest bracket	N. C.	550.00	36
7153292	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.), 63.5 cm (25 in.), 66 cm (26 in.), 68.6 cm (27 in.) or 71.1 cm (28 in.); depths of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in), 58.4 cm (23 in.) or 61 cm (24 po.)	N. C.	260.00	36
7153293	Padded seat cushion, contoured; removable and washable outer cover, water-resistant or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	490.00	490.00	36
7153294	Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	180.00	12
7153295	Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	310.00	490.00	12
7153296	Padded back cushion, contoured, including a rigid, contoured back	310.00	490.00	36
7153297		995.00	995.00	36
7153298	Power reclining back system, including a control external to the joystick control	2,500.00	2,500.00	36
7153299	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	3,500.00	3,500.00	36
7153300	Pelvic positioning belt, auto buckle	N. C.	45.00	36

				(audientic version)
7153301	U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	225.00	60
7153302	T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	225.00	60
7153303	U-type armrest, long, flip-away, height-adjustable from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	225.00	60
7153304	T-type armrest, long, detachable; adjustable in height from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	225.00	60
7153305	Armrest pad, straight, short	N. C.	20.00	12
	Armrest pad, straight, long	N. C.	20.00	12
7153307	One-piece footrest platform, 90° angle, adjustable	N. C.	225.00	60
7153308	length Parallel footrest, adjustable angle 60° or 70°, detachable and pivoting with locking mechanism; standard folding footplate; standard size; adjustable heel-loop; adjustable length of 31.8 cm to 39.4 cm	N. C.	225.00	60
7153309	(12½ in. to 15½ in.) or from 36.8 cm to 49.5 cm (14½ in. to 19½ in.) Elevating leg-rests, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rests, contoured and padded, height and depthadjustable	112.50	225.00	36
7153310	Power elevating leg-rest, with control per pair, including a control external to the joystick control	882.50	995.00	36
7153311	Power elevating leg-rest, with control per unit, including a control external to the joystick control	882.50	995.00	36
7153312	Power leg-rest, one piece, including a control external to the joystick control	1,770.00	1,995.00	36

				(addientic version)
7153313	Padded calf-rest, contoured	100.00	100.00	36
	Folding footplate, standard, standard size	N. C.	100.00	36
	Folding footplate, standard, oversize	N. C.	100.00	36
	Footplate, angle and depth-adjustable, standard size	N. C.	100.00	26
				36
7153317	Footplate, angle and depth-adjustable, oversize	N. C.	100.00	36
				30
	Heel loop, adjustable	N. C.	45.00	36
7153319	Headrest bracket, height and depth-adjustable, or	75.00	75.00	36
	articulated uniball bracket			
7153320	Headrest cushion, contoured, all sizes	70.00	70.00	36
	FRAME			
7153321	Front impact guard with rollers	20.00	20.00	36
,100021	Trono impuer guina in ini ronoro	20.00	20.00	
	DRIVE SYSTEM			
7153322	Standard joystick control for basic programmable	N. C.	329.00	
	electronics; joystick handle; push buttons for on/off			
	functions, horn, function selection; battery charge			36
	display			
		• • • • • • •		
7153323	Standard joystick control for multi-purpose	200.00	529.00	
	programmable electronics; joystick handle; push			
	buttons for on/off functions, horn, function			36
	selection; battery charge display			
7153324	Compact joystick control, proportional	N. C.	329.00	36
7153324	Standard side bracket for joystick control;	N. C.	140.00	30
1133323	adjustable forward-rearward position	Ν. C.	140.00	36
7153326	Swivel side bracket for joystick control; with	N. C.	230.00	
,100020	locking mechanism	1	20.00	36
7153327	Midline bracket for joystick control; flip-back to	60.00	200.00	
	provide total clearance for seat access			36
7153328	Controller for basic programmable electronics	N. C.	659.00	26
				36
7153329	Controller for multi-purpose programmable	100.00	759.00	36
	electronics			30
7153330	Motor for basic programmable electronics;	N. C.	900.00	
	propulsion provided by two electric direct-drive			36
	motors; variable speed, controlled by joystick			
	control and controller			
7153331	Motor for multi-purpose programmable electronics;	N. C.	900.00	
	propulsion provided by two electric direct-drive			26
	motors; variable speed, controlled by joystick and			36
	controller			
7153332	Battery charger; external; compatible with group 24	N. C.	199.00	
1133334	batteries	N. C.	199,00	36
7153333	Internal control system for the joystick control for	350.00	350.00	
. 100000	one (1) power repositioning accessory	330.00	220.00	36
	(-) Power repositioning accessory			50

7153334	Internal control system for the joystick control for four (4) power repositioning accessories	500.00	500.00	36
7153335	Adapted head control, proportional, including mounting bracket	1,100.00	1,100.00	36
7153336	Adapted head control, non-proportional, including mounting bracket	2,200.00	2,200.00	36
7153337	Adapted breath control, non-proportional, including mounting bracket	1,200.00	1,200.00	36
7153338	Adapted chin control, proportional, including mounting bracket	600.00	600.00	36
7153339	Adapted chin control, non-proportional, including mounting bracket	600.00	600.00	36
7153340	Adapted Mini joystick control, proportional, including mounting bracket	1,510.00	1,510.00	36
7153341	Adapted control interface, with bracket and display	1,100.00	1,100.00	36
7153342	Mounting bracket for interface	350.00	350.00	36
7153343	Mounting bracket for adapted control	350.00	350.00	36
7153344	Ball, stick, T-type, or mushroom handle	52.00	52.00	36
	WHEELS AND TIRES			
7153345	Driving wheel, inner tube tires	N. C.	150.00	36
7153346	Front caster wheel, inner tube	N. C.	80.00	36
7153347	Rear caster wheel, semi-pneumatic	N. C.	80.00	36
7153348	Airless insert for driving wheel	45.00	45.00	36

DIVISION II: PEDIATRIC WHEELCHAIRS SUBDIVISION 1: MANUAL WHEELCHAIRS

PRICE
(including all
the basic
components)

7151339 MANUAL WHEELCHAIRS

2,195.00

SUBCATEGORY "MULTI-ADJUSTABLE PERFORMANCE (FOLDING FRAME)"

MOTION COMPOSITES INC.

"HELIO K" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Device weight: 14.5 kg (32 lb.)

Front seat-to-floor height: 34.3 cm to 54.6 cm ($13\frac{1}{2} \text{ in.}$ to $21\frac{1}{2} \text{ in.}$) Rear seat-to-floor height: 31.8 cm to 48.9 cm ($12\frac{1}{2} \text{ in.}$ to $19\frac{1}{4} \text{ in.}$)

Frame: straight back canes or bend back canes, height and angle-adjustable; non-slip

push handles; four tie-down points for adapted transport

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7151340	Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of	N. C.	36.00	
	30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.)			12
7151341	Flat foam seat cushion, 5.1 cm (2 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	63.00	63.00	36
7151342	Flexible nylon mesh back, padded; heights of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N. C.	32.33	12
7151343	Pelvic positioning belt, auto buckle	N. C.	13.75	36
7151344	Pelvic positioning belt, Velcro	N. C.	47.50	36

				` /
7151345	T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	118.00	60
7151346	T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.33	60
7151347	I type ormrest	50.00	168.00	60
	I-type armrest			
	L-type armrest; height-adjustable	N. C.	118.00	60
	Armrest pad, straight, short	N. C.	4.75	12
7151350	Armrest pad, straight, long	N. C.	5.58	12
7151351	Armrest pad, tubular, for L-type armrest	35.25	40.00	12
				12
7151352	Clothing guard, flexible, for L-type armrest	77.00	77.00	36
7151353	Clothing guard, rigid, for L-type armrest	77.00	77.00	36
7151354	70° footrest, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 12.7 cm to 53.3 cm (5 in. to 21 in.)	N. C.	48.00	60
7151355	90° footrest, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 12.7 cm to 39.4 cm (5 in. to 15½ in.)	N. C.	48.00	60
7151356	Elevating leg-rest; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment points as the footrest or supplied with its own attachments; calfrest, contoured and padded, height and depthadjustable	153.38	201.38	36
7151357	Padded calf-rest	48.75	48.75	36
7151358	Calf-rest strap, single or double	20.00	20.00	36
7151359	Folding footplate, standard, standard size; plastic	N. C.	7.75	36
				30
7151360	Folding footplate, standard, oversize	10.00	17.75	36
7151361	Footplate, angle and depth-adjustable, standard size	90.00	97.75	
	1, 6	2 3.00	- · · · · -	36
7151362	Footplate, angle and depth-adjustable, oversize	90.00	97.75	36
7151262	Full-width footplate, one piece, folding; angle-	120.00	135.50	
7151363		120.00	133.30	36
7151064	adjustable	N. C	4.50	2.5
/151364	Heel loop, adjustable	N. C.	4.50	36

				(, , , , , , , , , , , , , , , , , , ,
7151365	Headrest cushion, contoured, all sizes	85.00	85.00	36
	Headrest bracket, height and depth-adjustable, or	90.00	90.00	26
	articulated uniball bracket			36
	EDAME			
7151267	FRAME	N. C	100.00	26
7151367 7151368	Push handle, raised, detachable Anti-tipping wheels, detachable or pivoting, with	N. C. N. C.	100.00 21.00	36
/131306	locking mechanism	N. C.	21.00	60
7151369	Fold-away back spreader bar to fold chair; with	70.00	70.00	
, 101005	anchor for headrest bracket	, 0.00	70.00	36
7151370	Wheelchair growth kit to enlarge chair by 5.1 cm	N. A.	250.00	26
	(2 in.)			36
7151371	Cane holder	30.00	30.00	36
	DDINE CYCEEN			
7151272	DRIVE SYSTEM Handrim, smooth	N. C.	14.50	36
	Handrim, plastic-coated	N. C. N. C.	32.00	36
	Non-slip handrim, foam	110.00	124.50	36
7151374	Standard wheel lock, push-to-lock, or pull-to-lock	N. C.	14.00	
, 1010, 0	Sumulate vincer tools, public to tools, or pull to tools	1	100	36
7151376	Anti-rollback brake	106.00	120.00	36
7151377	Plug-in wheel lock extension	10.00	10.00	36
7151378	Caster fork to adjust height and angle perpendicular	N. C.	9.63	
	to the ground to compensate for changes in the rear			36
	seat-to-floor height			
	WHEELS AND TIRES			
7151379	Front mag wheel, semi-pneumatic tire, 20.3 cm	N. C.	24.91	
7131377	(8 in.); 2.5 cm (1 in.) wide	14. C.	24.71	36
7151380	Front mag wheel, semi-pneumatic tire, 12.7 cm	N. C.	8.65	
	(5 in.), 15.2 cm (6 in.) or 17.8 cm (7 in.); 2.5 cm			36
	(1 in.) wide			
7151381	Rear axle, quick release system, with push-button	N. C.	9.63	
	locking mechanism; adjustable centre of gravity by			
	increments of 0.63 cm (1/4 in.) on a horizontal range			
	of 8.9 cm (3½ in.); adjustable rear height for up to			36
	5° of seat tilt, compatible with all wheel diameters			
7151382	Threaded rear axle	N. C.	4.75	36
7151382	Spoked rear wheel, semi-pneumatic tire, 61 cm	N. C.	52.88	30
, 10 1303	(24 in.); 3.2 cm (1 ¹ / ₄ in.) wide	11. 0.	22.00	36
7151384	Spoked rear wheel, semi-pneumatic tire, 55.9 cm	N. C.	52.88	2.5
	(22 in.); 3.2 cm (1 ¹ / ₄ in.) wide			36
7151385	Spoked rear wheel with inner tube tire, high	60.00	112.88	
	pressure; 55.9 cm (22 in.) or 61 cm (24 in.)			36
7151386	Spoke guard	65.00	65.00	36

SUBDIVISION 2: POWERED WHEELCHAIRS

PRICE
(including all
the basic
components)

7153351 **POWERED WHEELCHAIR**

4,875.00

SUBCATEGORY "MULTI-PURPOSE (MIDFRONT OR MEDIAL DRIVE WHEELS)"

SUNRISE MEDICAL CANADA INC.

"323 E" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 181.4 kg (400 lb.)

Seat-to-floor height: 39.4 cm to 51.4 cm (15½ in. to 20¼ in.) without power tilt system and

39.4 cm to 47.6 cm ($15\frac{1}{2} \text{ in.}$ to $18\frac{3}{4} \text{ in.}$) with power tilt system

Frame: mid-wheel drive base, suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM			
7153352 Seat-to-back assembly structure; resizable; back canes angle-adjustable from 90° to 110° by maximum increments of 6°; non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle-adjustable from 0° to 10°; anchor for headrest bracket	N. C.	550.00	36
7153353 Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.) or 38.1 cm (15 in.)	N. C.	75.00	36

				(dddiidiidii version)
7153354	4 Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	225.00	225.00	36
7153355	5 Flexible nylon mesh back, padded; heights of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N. C.	160.00	12
7153356	6 Padded back cushion, contoured, including a rigid, contoured back	90.00	250.00	36
715335	7 Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	350.00	350.00	36
7153358	8 Power reclining back system, including a control external to the joystick control	1,590.00	1,590.00	36
7153359	9 Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	1,650.00	1,650.00	36
7153420	9 Pelvic positioning belt, auto buckle	N. C.	30.00	36
715342	1 U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10 ¹ / ₄ in.) or from 26 cm to 38.7 cm (10 ¹ / ₄ in. to 15 ¹ / ₄ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153422	2 T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153423	3 U-type armrest, long; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153424	4 T-type armrest, long, detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest, armrest pad, straight	N. C.	175.00	60
	5 Armrest pad, straight, short 6 Armrest pad, straight, long	N. C. N. C.	20.00 20.00	12 12
	7 One-piece footrest platform, 90°, adjustable length	N. C.	225.00	60

				(watereness version)
71	53428 Footrest; adjustable angle 60°, 70°, 80° or 90°, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 14 cm to 19.1 cm (5½ in. to 7½ in.), from 21.6 cm to 39.4 cm (8½ in. to 15½ in.) or from 26.7 cm to 39.4 cm (10½ in. to 15½ in.)	N. C.	225.00	60
71	53429 Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, contoured	112.50	225.00	36
71	53430 Power elevating leg-rest, with control per pair, including a control external to the joystick control	637.50	750.00	36
71	53431 Power elevating leg-rest, with control per unit, including a control external to the joystick control	637.50	750.00	36
71	53432 Power leg-rest, one-piece, including a control external to the joystick control	1,275.00	1,500.00	36
71	53433 Padded calf-rest, contoured	35.00	35.00	36
	53434 Folding footplate, standard, standard size	N. C.	80.00	36
	53435 Folding footplate, standard, oversize	N. C.	80.00	36
	53436 Footplate, angle and depth-adjustable, standard size	N. C.	80.00	36
71	53437 Footplate, angle and depth-adjustable, oversize	N. C.	80.00	36
	53438 Heel loop, adjustable	N. C.	30.00	36
71	53439 Headrest bracket, height and depth-adjustable, or articulated uniball bracket	75.00	75.00	36
71	53440 Headrest cushion, contoured, all sizes	70.00	70.00	36
71	FRAME 53441 Front impact guard with rollers	20.00	20.00	36
	DRIVE SYSTEM			
71	53442 Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge	N. C.	329.00	36
	display			
71	53443 Standard joystick control for multi-purpose programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	200.00	529.00	36
71	53444 Compact joystick control, proportional	N. C.	329.00	36
	53445 Standard side bracket for joystick control;	N. C.	140.00	
	adjustable forward-rearward position	2.	• •	36
71	53446 Swivel side bracket for joystick control; with locking mechanism	N. C.	230.00	36

			(
7153447 Midline bracket for joystick control; flip-back to provide total clearance for seat access	60.00	200.00	36
7153448 Controller for basic programmable electronics	N. C.	659.00	36
7153449 Controller for multi-purpose programmable electronics	100.00	759.00	36
7153450 Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N. C.	600.00	36
7153451 Motor for multi-functional programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N. C.	600.00	36
7153452 Battery charger; external; compatible with group 22 NF or group 24 batteries	N. C.	199.00	36
7153453 Internal control system for the joystick control for one (1) power repositioning accessory	350.00	350.00	36
7153454 Internal control system for the joystick control for four (4) power repositioning accessories	500.00	500.00	36
7153455 Adapted head control, proportional, including mounting bracket	1,100.00	1,100.00	36
7153456 Adapted head control, non-proportional, including mounting bracket	2,200.00	2,200.00	36
7153457 Adapted breath control, non-proportional, including mounting bracket	1,200.00	1,200.00	36
7153458 Adapted chin control, proportional, including mounting bracket	600.00	600.00	36
7153459 Adapted chin control, non-proportional, including mounting bracket	600.00	600.00	36
7153460 Adapted Mini joystick control, proportional, including mounting bracket	1,510.00	1,510.00	36
7153461 Mounting bracket for adapted control	350.00	350.00	36
7153462 Adapted control interface, with bracket and display	1,100.00	1,100.00	36
7153463 Mounting bracket for interface	350.00	350.00	36
7153464 Ball, stick, T-type, or mushroom handle	52.00	52.00	36
7153465 Course correction system	895.00	895.00	36
WHEELS AND TIRES			
7153466 Drive wheel, inner tube tire	N. C.	150.00	36
7153467 Front caster wheel, semi-pneumatic or inner tube	N. C.	80.00	36
7153468 Rear caster wheel, semi-pneumatic	N. C.	80.00	36
7153469 Airless insert for drive wheel	45.00	45.00	36

PRICE (including all the basic components)

7153360 POWERED WHEELCHAIR

4,875.00

SUBCATEGORY "MULTI-PURPOSE (MID-REAR DRIVE WHEELS)"

SUNRISE MEDICAL CANADA INC.

"747 E" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 181.4 kg (400 lb.)

Seat-to-floor height: 38.7 cm to 51.4 cm (151/4 in. to 20 in.) without power tilt system

and 40 cm to 48.3 cm (1534 in. to 19 in.) with power tilt system

Frame: mid-wheel drive base, suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

Drive system: electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153361	BODY SUPPORT SYSTEM Seat-to-back assembly structure; resizable; back canes angle-adjustable from 90° to 110° by maximum increments of 6°; push handles, covered with "non-slip" sheath; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle-adjustable from 0° to 10°; anchor for headrest bracket	N. C.	550.00	36
7153362	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider to stabilize cushions; widths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.) or 38.1 cm (15 in.)	N. C.	75.00	36

7153363	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base	225.00	225.00	36
7153364	Flexible nylon mesh back, padded; heights of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N. C.	160.00	12
7153365	Padded back cushion, contoured, including a rigid, contoured back	90.00	250.00	36
7153366	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	350.00	350.00	36
7153367	Power reclining back device, including a control external to the joystick control	1,590.00	1,590.00	36
7153368	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	1,650.00	1,650.00	36
7153369	Pelvic positioning belt, auto buckle	N. C.	30.00	36
7153370	U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153371	T-type armrest, short, detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism, clothing guard, rigid, built into armrest, armrest pad, straight	N. C.	175.00	60
7153372	U-type armrest, long; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153373	T-type armrest, long, detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) maximum increments of 2.5 cm (1 in.), with locking mechanism, clothing guard, rigid, built into armrest, armrest pad, straight	N. C.	175.00	60
7153374 7153375	Armrest pad, straight, short Armrest pad, straight, long	N. C. N. C.	20.00 20.00	12 12

				(
7153376	Footrest, adjustable to 80° or 90°, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 14 cm to 19.1 cm (5½ in. to 7½ in.), 21.6 cm to 39.4 cm (8½ in. to 15½ in.) or from 26.7 cm to 39.4 cm (10½ in. to 15½ in.)	N. C.	225.00	60
7153377	Footrest, adjustable to 60° or 70°, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 14 cm to 19.1 cm (5½ in. to 7½ in.), 21.6 cm to 39.4 cm (8½ in. to 15½ in.) or from 26.7 cm to 39.4 cm (10½ in. to 15½ in.)	N. C.	225.00	60
7153378	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, contoured	N. C.	225.00	36
7153379	Power elevating leg-rest, with control per pair, including a control external to the joystick control	637.50	862.50	36
7153380	Power elevating leg-rest, with control per unit, including a control external to the joystick control	637.50	862.50	36
7153381 7153382 7153383 7153384	Padded calf-rest, contoured Folding footplate, standard, standard size Folding footplate, standard, oversize Footplate, angle and depth-adjustable, standard size	35.00 N. C. N. C. N. C.	35.00 80.00 80.00 80.00	36 36 36 36
7153385	Footplate, angle and depth-adjustable, oversize	N. C.	80.00	36
7153386	Folding footplate, full-size, one-piece; fixed angle	N. C.	160.00	36
7153387	Heel loop, adjustable	N. C.	30.00	36
7153388	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	75.00	75.00	36
7153389	Headrest cushion, contoured, all sizes	70.00	70.00	36
7153390	FRAME Anti-tipping wheels, non-detachable except with tools	N. C.	80.00	60
7153391	Front impact guard with rollers	20.00	20.00	36
7153392	DRIVE SYSTEM Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N. C.	329.00	36

				(wateriere version)
7153393	Standard joystick control for multi-purpose programmable electronics; joystick handle; push buttons for on/off functions, horn, function	200.00	529.00	
	selection; battery charge display			36
7153394	Compact joystick control, proportional	N. C.	329.00	36
7153395	Standard side bracket for joystick control; adjustable forward-rearward position	N. C.	140.00	36
7153396	Swivel side bracket for joystick control; with locking mechanism	N. C.	230.00	36
7153397	Midline bracket for joystick control; flip-back to provide total clearance for seat access	60.00	200.00	36
7153398	Controller for basic programmable electronics	N. C.	659.00	36
7153399	Controller for multi-purpose programmable electronics	100.00	759.00	36
7153400	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N. C.	600.00	36
7153401	Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N. C.	600.00	36
7153402	Battery charger; external; compatible with group 22 NF or group 24 batteries	N. C.	199.00	36
7153403	Internal control system for the joystick control for one (1) power repositioning accessory	350.00	350.00	36
7153404	Internal control system for the joystick control for four (4) power repositioning accessories	500.00	500.00	36
7153405	Adapted head control, proportional, including mounting bracket	1,100.00	1,100.00	36
7153406	Adapted head control, non-proportional, including mounting bracket	2,200.00	2,200.00	36
7153407	Adapted breath control, non-proportional, including mounting bracket	1,200.00	1,200.00	36
7153408	Adapted chin control, proportional, including mounting bracket	600.00	600.00	36
7153409	Adapted chin control, non-proportional, including mounting bracket	600.00	600.00	36
7153410	Adapted Mini joystick control, proportional, including mounting bracket	1,510.00	1,510.00	36
7153411	Mounting bracket for adapted control	350.00	350.00	36
7153412	Adapted control interface, with bracket and display	1,100.00	1,100.00	36
7153413	Mounting bracket for interface	350.00	350.00	36
7153414	Ball, stick, T-type, or mushroom handle	52.00	52.00	36
7153415	Course correction system	895.00	895.00	36

WHEELS AND TIRES

7153416	Drive wheel, inner tube tire	N. C.	150.00	36
7153417	Front caster wheel, inner tube tire	N. C.	80.00	36
7153418	Airless insert for drive wheel	40.00	40.00	36
7153419	Airless insert for caster wheel	45.00	45.00	36

DIVISION III: COMPLEMENTS FOR WHEELCHAIRS SUBDIVISION 1: FACULTATIVE COMPONENTS

	FACULTATIVE COMPONENTS	Maximum unit price of component during device purchase	Maximum unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7800014	Elastic mesh seat	385.00	385.00	36
7800000	Dynamic back for manual wheelchair and positioning base	135.00	135.00	36
7800001	I-type armrest for reclining back	100.00	250.00	36
7800002	Armrest pad, contoured, short or long	24.00	30.00	12
7800003	Armrest pad, gel, short or long	32.00	38.00	12
7800004	Dynamic footrest for positioning base	45.00	160.00	36
7800005	Stump support, adjustable FRAME	260.00	260.00	36
7800015	Angle adjustable push handle	53.00	53.00	36
7800016	Angle adjustable push bar	75.00	75.00	36
7800017	Front locking tilt for positioning base	30.00	30.00	36
7800018	Growth kit to enhance depth by 7.6 cm (3 in.) for pediatric manuel wheelchair	250.00	250.00	36
	DRIVE SYSTEM			
7800006	One-arm dual handrim drive for manual wheelchair	850.00	850.00	36
7800007	One-arm manual wheel locks kit	330.00	410.00	36
7800008	Handrim with thumb grip	110.00	125.00	36
7800009	Handrim with rubber traction band	110.00	125.00	36
7800010	Handrim, plastic-coated, ultra-light	N. C.	32.00	36
7800011	Fork-locking mechanism	105.00	105.00	36
7800012	Propulsion assistance module			36
7800013	Mid-wheel manual propulsion for positioning base	225.00	700.00	36

SUBDIVISION 2: BATTERIES FOR POWERED WHEELCHAIRS BATTERIES (GEL)

	Price including delivery, guarantee, and recovery of non- compliant or defective batteries (price per pair)
4590000 SUPPLIER: EAST PENN / POWER BATTERY	279.92
GROUP 22NF BATTERIES Model: 8G22NF	
4590001 SUPPLIER: EAST PENN / POWER BATTERY	363.20
GROUP 24 BATTERIES Model: 8G24T881	
4590002 SUPPLIER: EAST PENN / POWER BATTERY	180.71
GROUP U1 BATTERIES Model: 8GU1	

DIVISION IV: OTHER LOCOMOTOR ASSISTS SUBDIVISION 1: ADULT POSITIONING BASES

PRICE
(including all
the basic
components)

1,798.00

7156052 ADULT POSITIONING BASES

SUBCATEGORY "MULTI-ADJUSTABLE

TILT"

SUNRISE MEDICAL CANADA INC.

"QUICKIE IRIS" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 136.1 kg (300 lb.)

Seat-to-floor height: 31.7 cm to 49.5 cm (12½ in. to 19½ in.)

Frame: structure compatible with commercial positioning device anchors; back height from 38.1 cm to 61 cm (15 in. to 24 in.) by maximum increments of 5.1 cm (2 in.); back cane angle-adjustable from 90° to 120° by maximum increments of 8° ; non-slip push handles or push bar, raised; anchor for headrest bracket; tilt system for minimum angulation of 45° ; four tie-down points for adapted transport

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7156053	Flat rigid seat; metal; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)	N. C.	158.00	36
7156054	Reclining back with cylinder; continuous inclination up to a minimum of 120°	420.00	420.00	36
7156055	Pelvic positioning belt, auto buckle	N. C.	35.00	36
7156056	Pelvic positioning belt, Velcro	N. C.	29.00	36
7156057	U-type armrest, short; detachable; height-adjustable, from 25.4 cm to 36.8 cm (10 in. to 14½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.00	60

7156058	T-type armrest, short; detachable; height-adjustable, from 18.4 cm to 28.6 cm (7¼ in. to 11¼ in.) or from 27.3 cm to 40 cm (10¾ in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.00	60
7156059	U-type armrest, long; detachable; height-adjustable, from 25.4 cm to 36.8 cm (10 in. to 14½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.00	60
7156060	T-type armrest, long; detachable; height-adjustable, from 18.4 cm to 28.6 cm (7½ in. to 11¼ in.) or from 27.3 cm to 40 cm (10¾ in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.00	60
7156061	Armrest pad, straight, short	N. C.	9.00	12
7156062	Armrest pad, straight, long	N. C.	9.00	12
7156063	Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; footplate angle and depthadjustable, standard size; adjustable heel loop;	N. C.	116.00	60
	adjustable length from 29.2 cm to 45.7 cm ($11\frac{1}{2}$ in. to 18 in.) or from 35.6 cm to 50.8 cm (14 in. to 20 in.)			00
7156064	Parallel footrest, 70° or 90° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 29.2 cm to 48.3 cm (11½ in. to 19 in.) for the 70° footrest and adjustable length from 17.8 cm to 35.6 cm (7 in. to	N. C.	116.00	60
7156065	14 in.) for the 90° footrest Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, height and depth- adjustable	19.00	135.00	36
7156066	Padded calf-rest, contoured	20.00	20.00	36
7156067	Calf-rest strap, single	19.00	19.00	36
	Footplate, angle and depth-adjustable, standard size	N. C.	40.00	
	T, G			36
7156069	Footplate, angle and depth-adjustable, oversize	N. C.	40.00	36
7156070	Folding footplate, standard, standard size		9.00	36
7156071	Folding footplate, standard, oversize	N. C.	9.00	36
7156072	Full-width footplate, one piece, folding; angle-	28.00	108.00	36
7156073	adjustable Heel loop, adjustable	N. C.	11.00	36

				· · · · · · · · · · · · · · · · · · ·
7156074	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	75.00	75.00	36
7156075	Headrest cushion, padded and contoured, all sizes	70.00	70.00	36
	FRAME			
7156076	Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	28.00	60
7156077	Heavy-duty option to increase maximum weight capacity to 181.4 kg (400 lb.)	320.00	N. A.	36
	DRIVE SYSTEM			
7156078	Handrim, smooth	N. C.	40.00	36
7156079	Handrim, plastic-coated	N. C.	40.00	36
7156080	Non-slip handrim, foam	85.00	125.00	36
7156081	Handrim with vertical or oblique projections	45.00	85.00	
,				36
7156082	Standard wheel lock, push-to-lock	N. C.	32.00	36
7156083	Plug-in wheel lock extension	7.00	7.00	36
7156084	Caster fork, height-adjustable, compatible with all available wheel diameters	N. C.	32.00	36
	WHEELS AND TIRES			
7156085	Front mag wheel, semi-pneumatic tire, 20.3 cm	N. C.	15.00	
7130003	(8 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.)	14. C.	13.00	36
	(6 m.), widens of 2.5 cm (1 m.) of 5.6 cm (1/2 m.)			
7156086	Front mag wheel, semi-pneumatic tire, 15.2 cm	N. C.	15.00	
	(6 in.); widths of 2.5 cm (1 in.) or 3.8 cm ($1\frac{1}{2} \text{ in.}$)			36
7156087	Rear axle, quick release system, with push-button	N. C.	33.00	
	locking mechanism			36
7156088	Threaded rear axle	N. C.	5.00	36
7156089	Rear mag wheel, semi-pneumatic tire, 30.5 cm	N. C.	80.00	36
# 4#*000	(12 in.) or 40.6 cm (16 in.)	~	00.63	
7156090	Spoked rear wheel, semi-pneumatic tire, 50.8 cm	N. C.	80.00	
	(20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3.5 cm			36
7157001	(1½ in.) wide	20.00	20.00	25
7156091	Spoke guard	20.00	20.00	36

PRICE (including all the basic components)

7156092 ADULT POSITIONING BASES

1,055.00

SUBCATEGORY "MULTI-ADJUSTABLE WITH BALANCED CENTRE OF GRAVITY"

ORTHOFAB INC.

"TANGO CE" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Seat-to-floor height: 35.6 cm to 50.8 cm (14 in. to 20 in.)

Frame: structure compatible with commercial positioning device anchors; back height from 40.6 cm to 61 cm (16 in. to 24 in.) by maximum increments of 2.51 cm (1 in.); back cane angle-adjustable from 90° to 120° by maximum increments of 8°; non-slip push handles or push bar, raised; anchor for headrest bracket; tilt system for minimum angulation of 45°; four tie-down points for adapted transport

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7156093	Flat rigid seat; metal; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm to 48.3 cm (16 in. to 19 in.) or from 48.3 cm to 55.8 cm (19 in. to 22 in.)	N. C.	40.00	36
7156094	Reclining back with cylinder; continuous inclination up to a minimum of 120°	270.00	270.00	36
7156095	Pelvic positioning belt, auto buckle	N. C.	6.00	36
7156096	Pelvic positioning belt, Velcro	N. C.	15.00	36
7156098	T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60

7156100	T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7156101 7156102 7156103	Armrest pad, straight, short Armrest pad, straight, long Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; footplate angle and depth-	N. C. N. C. N. C.	6.00 6.00 172.00	12 12
	adjustable, standard size; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 48.3 cm to 53.3 cm (19 in. to 21 in.)			60
7156104	Parallel footrest, 70° or 90° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or additionally for 70° footrest, from 48.3 cm to 53.3 cm (19 in. to 21 in.)	N. C.	172.00	60
7156105	Elevating leg-rest, compensating; detachable and pivoting, with locking mechanism; adjustable length; standard folding footplate, standard size or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; Padded calf-rest, height and depth-adjustable	28.00	200.00	36
7156106	Padded calf-rest, flat	15.00	15.00	36
	Calf-rest strap, double	15.00	15.00	36
7156108	Footplate, angle and depth-adjustable, standard size	N. C.	50.00	36
7156109	Footplate, angle and depth-adjustable, oversize	N. C.	55.00	36
	Folding footplate, standard, standard size	N. C.	6.00	36
7156111	Folding footplate, standard, oversize	N. C.	35.00	36
/156112	Full-width footplate, in two lockable parts, angle-adjustable	N. C.	100.00	36
7156113	Heel loop, adjustable	N. C.	3.00	36
7156114	Headrest bracket, height and depth-adjustable	35.00	35.00	36
7156115	Headrest cushion, padded and flat, all sizes	40.00	40.00	36
	FRAME			
7156116	Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	12.00	60
7156117	Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	119.00	N. A.	36

	DRIVE SYSTEM			
7156118	Handrim, smooth	N. C.	80.00	36
7156119	Handrim, plastic-coated	N. C.	80.00	36
7156120	Non-slip handrim, foam	40.00	120.00	36
7156121	Handrim with oblique projections	N. C.	80.00	36
7156122	Standard wheel lock, push-to-lock	N. C.	30.00	36
7156123	Plug-in wheel lock extension	10.00	10.00	36
7156124	Caster fork, height-adjustable, compatible with all available wheel diameters	N. C.	15.00	36
7156125	WHEELS AND TIRES Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); widths of 3.2 cm (1½ in.) or 3.8 cm (1½ in.)	N. C.	40.00	36
7156126	Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); 3.8 cm (1½ in.) wide	N. C.	40.00	36
7156127	Rear axle, quick release system, with push-button locking mechanism	N. C.	15.00	36
7156128	Threaded rear axle	N. C.	2.00	36
7156129	Rear mag wheel, semi-pneumatic tire, 30.5 cm (12 in.)	N. C.	100.00	36
7156130	Spoked rear wheel, semi-pneumatic tire, 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3.2 cm (1½ in.) wide	N. C.	100.00	36
7156131	Spoke guard	70.00	70.00	36

PRICE (including all the basic components)

7156132 ADULT POSITIONING BASES

1,055.00

SUBCATEGORY "MULTI-ADJUSTABLE CYLINDER"

ORTHOFAB INC.

"TANGO AC" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Seat-to-floor height: 35.6 cm to 50.8 cm (14 in. to 20 in.)

Frame: structure compatible with commercial positioning device anchors; back height from 40.6 cm to 61 cm (16 in. to 24 in.) by maximum increments of 2.5 cm (1 in.); back cane angle-adjustable from 90° to 120° by maximum increments of 8° ; non-slip push handles or push bar, raised; anchor for headrest bracket; tilt system for minimum angulation of 45° ; four tie-down points for adapted transport

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7156133	Flat rigid seat; metal; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm to 48.3 cm (16 in. to 19 in.) or from 48.3 cm to 55.8 cm (19 in. to 22 in.)	N. C.	40.00	36
7156134	Reclining back with cylinder; continuous inclination up to a minimum of 120°	270.00	270.00	36
7156135	•	N. C.	6.00	36
7156136	Pelvic positioning belt, Velcro	N. C.	15.00	36
7156137	U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60

7156139	U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
	Armrest pad, straight, short Armrest pad, straight, long Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; footplate angle and depth- adjustable, standard size; adjustable heel loop;	N. C. N. C. N. C.	6.00 6.00 172.00	12 12
	adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 48.3 cm to 53.3 cm (19 in. to 21 in.)			60
7156144	Parallel footrest, 70° or 90° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) and additionally for the 70° footrest, from 48.3 cm to 53.3 cm (19 in. to 21 in.)	N. C.	172.00	60
7156145	Elevating leg-rest, compensating; detachable and pivoting, with locking mechanism; adjustable length; standard folding footplate, standard size or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, height and depthadjustable	28.00	200.00	36
7156146	Padded calf-rest, flat	15.00	15.00	36
7156147	Calf-rest strap, double	15.00	15.00	36
7156148	Footplate, angle and depth-adjustable, standard size	N. C.	50.00	36
7156149	Footplate, angle and depth-adjustable, oversize	N. C.	55.00	36
	Folding footplate, standard, standard size		6.00	36
	Folding footplate, standard, oversize	N. C.	35.00	36
7156152	Full-width footplate, in two lockable parts; angle-adjustable	N. C.	100.00	36
7156153	Heel loop, adjustable	N. C.	3.00	36
7156154	Headrest bracket, height and depth-adjustable	35.00	35.00	36
7156155	Headrest cushion, padded and flat, all sizes	40.00	40.00	36
7156156	FRAME Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	12.00	60
7156157	Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	119.00	N. A.	36

	DRIVE SYSTEM			
7156158	Handrim, smooth	N. C.	80.00	36
7156159	Handrim, plastic-coated	N. C.	80.00	36
7156160	Non-slip handrim, foam	40.00	120.00	36
7156161	Handrim with oblique projections	N. C.	80.00	36
7156162	Standard wheel lock, push-to-lock	N. C.	30.00	36
7156163	Telescopic wheel lock extension	10.00	10.00	36
7156164	Caster fork, height-adjustable, compatible with all available wheel diameters	N. C.	15.00	36
7156165	WHEELS AND TIRES Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); widths of 3.2 cm (1½ in.) or 3.8 cm (1½ in.)	N. C.	40.00	36
7156166	Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); 3.8 cm (1½ in.) wide	N. C.	40.00	36
7156167	Rear axle, quick release system, with push-button locking mechanism	N. C.	15.00	36
7156168	Threaded rear axle	N. C.	2.00	36
7156169	Rear mag wheel, semi-pneumatic tire, 30.5 cm (12 in.)	N. C.	100.00	36
7156170	Spoked rear wheel, semi-pneumatic tire, 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3.2 cm (1½ in.) wide	N. C.	100.00	36
7156171	Spoke guard	70.00	70.00	36

PRICE (including all the basic components)

7156172 ADULT POSITIONING BASES

1,150.00

SUBCATEGORY "MULTI-ADJUSTABLE WITH CONSTANT OR NEAR-CONSTANT FRONT SEAT-TO-FLOOR HEIGHT"

PDG PRODUCT DESIGN GROUP INC.

"BENTLEY" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Seat-to-floor height: 33 cm to 50.8 cm (13 in. to 20 in.)

Frame: structure compatible with commercial positioning device anchors; back height of 53.3 cm (21 in.) or 61 cm (24 in.); back cane angle-adjustable from 90° to 120° by maximum increments of 8°; non-slip push bar, raised; anchor for headrest bracket; tilt system for minimum angulation of 20°; four tie-down points for adapted transport

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7156173	Flat rigid seat; metal; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N. C.	10.76	36
7156174	Reclining back with cylinder; continuous inclination up to a minimum of 120°	187.50	187.50	36
7156175	Pelvic positioning belt, auto buckle	N. C.	21.00	36
7156176	Pelvic positioning belt, Velcro	N. C.	33.00	36
7156177	U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	7.50	60

7156179	U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	7.50	60
7156181 7156182 7156183	Armrest pad, straight, short Armrest pad, straight, long Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; footplate angle and depth- adjustable, standard size; adjustable heel loop; adjustable length from 33 cm to 43.2 cm (13 in. to	N. C. N. C. N. C.	3.05 2.20 52.50	12 12
7156184	17 in.) or from 38.1 cm to 48.3 cm (15 in. to 19 in.) Parallel footrest, 70° or 90° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 33 cm to 43.2 cm	N. C.	52.50	60
7156185	(13 in. to 17 in.) or from 38.1 cm to 48.3 cm (15 in. to 19 in.) Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, height and depth-	37.50	90.00	36
7156186 7156187 7156188	Padded calf-rest, flat Calf-rest strap, single Footplate, angle and depth-adjustable, standard size	22.50 35.00 N. C.	22.50 35.00 4.95	36 36 36
7156189	Footplate, angle and depth-adjustable, oversize	N. C.	5.60	36
7156190 7156191 7156192 7156193	Folding footplate, standard, standard size Folding footplate, standard, oversize Full-width footplate, one piece, folding; angle- adjustable Heel loop, adjustable	N. C. N. C. 80.10 N. C.	3.34 3.34 90.00	36 36 36 36
7156194 7156195	Headrest bracket, height and depth-adjustable, or articulated uniball bracket Headrest cushion, padded, flat or contoured, all	50.00	50.00 37.00	36
7156196 7156197	FRAME Anti-tipping wheels, detachable or pivoting, with locking mechanism Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	N. C. 550.00	5.00 N. A.	366036
7156198 7156199	DRIVE SYSTEM Handrim, smooth Handrim, plastic-coated	N. C. 2.40	8.00 10.40	36 36

				(waterense version)
7156200	Non-slip handrim, foam	179.50	187.50	36
7156201	Handrim with vertical projections	57.00	65.00	36
7156202	Standard wheel lock, push-to-lock or pull-to-lock	N. C.	1.80	36
7156203	Plug-in wheel lock extension	2.74	2.74	36
7156204	Caster fork, height-adjustable, compatible with all available wheel diameters	N. C.	5.09	36
	WHEELS AND TIRES			
7156205	Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); 3 cm (13/16 in.) wide	N. C.	8.34	36
7156206	Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); 3 cm (13/16 in.) wide	N. C.	8.34	36
7156207	Rear axle, quick release system, with push-button locking mechanism	N. C.	3.00	36
7156208	Threaded rear axle	N. C.	0.03	36
7156209	Rear mag wheel, semi-pneumatic tire, 30.5 cm (12 in.)	N. C.	12.00	36
7156210	Spoked rear wheel, semi-pneumatic tire, 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3 cm (13/16 in.) wide	N. C.	23.62	36
7156211	Spoke guard	43.00	43.00	36

SUBDIVISION 2: PEDIATRIC POSITIONING BASES

PRICE
(including all
the basic
components)

7156212 PEDIATRIC POSITIONING BASES

1,650.00

SUBCATEGORY "MULTI-ADJUSTABLE TILT"

SUNRISE MEDICAL CANADA INC.

"ZIPPIE IRIS" MODEL

TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 102.1 kg (225 lb.)

Seat-to-floor height: 33.7 cm to 48.3 cm (13¹/₄ in. to 19 in.)

Frame: structure compatible with commercial positioning device anchors; back height from 40.6 cm to 63.5 cm (16 in. to 25 in.) by maximum increments of 5.1 cm (2 in.); back cane angle-adjustable from 90° to 120° by maximum increments of 8° ; non-slip push handles or push bar, raised; anchor for headrest bracket; tilt system for minimum angulation of 45° ; four tie-down points for adapted transport

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7156213	BODY SUPPORT SYSTEM Flat rigid seat; metal; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 25.4 cm (10 in.), 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.); depths of 30.5 cm (12 in.), 35.6 cm (14 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N. C.	158.00	36
7156214	Pelvic positioning belt, auto buckle	N. C.	35.00	36
7156215	Pelvic positioning belt, Velcro	N. C.	29.00	36
7156216	I-type armrest, short; detachable; height-adjustable, from 18.4 cm to 40 cm (7½ in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.00	60

7156217	T-type armrest, short; detachable; height-adjustable, from 18.4 cm to 40 cm (7½ in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.00	60
7156218	I-type armrest, long; detachable; height-adjustable, from 18.4 cm to 40 cm (7½ in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.00	60
7156219	T-type armrest, long; detachable; height-adjustable, from 18.4 cm to 40 cm (7½ in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.00	60
7156220	Armrest pad, straight, short	N. C.	9.00	12
7156221	•	N. C.	9.00	12
7156222	70° footrest, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length	N. C.	116.00	
	from 17.8 cm to 27.9 cm (7 in. to 11 in.), from 17.8 cm to 33 cm (7 in. to 13 in.), from 17.8 cm to 38,1 cm (7 in. to 15 in.) or from 30.5 cm to 40.6 cm (12 in. to 16 in.)			60
7156223	90° footrest, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 17.8 cm to 22.9 cm (7 in. to 9 in.), from 17.8 cm to 33 cm (7 in. to 13 in.) or from 17.8 cm to 38.1 cm (7 in. to 15 in.)	N. C.	116.00	60
7156224	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, height and depth-adjustable	19.00	135.00	36
7156225	Padded calf-rest	20.00	20.00	36
	Calf-rest strap, single	19.00	19.00	36
	Footplate, angle and depth-adjustable, standard size	N. C.	40.00	
				36
7156228	Footplate, angle and depth-adjustable, oversize	N. C.	40.00	36
7156229	Folding footplate, standard, standard size	N. C.	9.00	36
7156230		N. C.	9.00	36
7156231	Full-width footplate, one piece, folding; angle-adjustable	28.00	108.00	36
7156232	Heel loop, adjustable	N. C.	11.00	36
	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	75.00	75.00	36

7156234	Headrest cushion, padded and contoured, all sizes	70.00	70.00	36
7156235	FRAME Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	28.00	60
	DRIVE SYSTEM			
7156236	Handrim, smooth	N. C.	40.00	36
7156237	Handrim, plastic-coated	N. C.	40.00	36
7156238	Non-slip handrim, foam	85.00	125.00	36
7156239	Handrim with vertical or oblique projections	45.00	85.00	36
5156010		N. G	22.00	
7156240	Standard wheel lock, push-to-lock	N. C.	32.00	36
7156241	Plug-in wheel lock extension	7.00	7.00	36
7156242	Caster fork, height-adjustable, compatible with all available wheel diameters	N. C.	32.00	36
	WHEELS AND TIRES			
7156243	Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.)	N. C.	15.00	36
7156244	Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.)	N. C.	15.00	36
7156245	Rear axle, quick release system, with push-button	N. C.	33.00	
	locking mechanism			36
7156246	Threaded rear axle	N. C.	5.00	36
7156247	Rear mag wheel, semi-pneumatic tire, 30.5 cm	N. C.	80.00	
,1002.,	(12 in.)	111 01	00.00	36
7156248	Spoked rear wheel, semi-pneumatic tire, 50.8 cm	N. C.	80.00	
	(20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3.5 cm			36
	$(1\frac{3}{8} \text{ in.}) \text{ wide}$			
7156249	Spoke guard	20.00	20.00	36

DIVISION V: STROLLERS AND ORTHOMOBILES

DEVICE	Maximum price
Buggy Major-type stroller, including footrests and harness	
4495602 less than three years of age *	660.00
4495610 three years of age and over	660.00
Available Component(s)	
4495651 padded seat	96.00
4494993 other components	S. C.
4493862 thoracic support	96.00
4493870 chest pad	57.00

DURATION OF GUARANTEE: 12 months

DEVICE	Maximum price
4495701 Other strollers*	S. C.
2192300 Orthomobiles	S. C.

PART II: POSTURE DEVICE

	Description	Maximum price	
	DEVICE		
4565058	Positioning device	*	
	* The price of the positioning device is equal to the total price of the positioning components.		
	WARRANTY PERIOD: 3 months		
4490223	Standardized cushion, multilayer or injected foam	400.00	ı
4490249	Standardized cushion, viscoelastic foam and gel	400.00	ı
4499646	Standardized cushion, viscofluid foam and gel	400.00	
4499869	Standardized cushion, static air-adjustable, single-compartment (by adjusting pressure or cell quantity)	500.00	
4490215	Standardized cushion, static air-adjustable, multi- compartment (by adjusting pressure or cell quantity)	500.00	1
4499695	Standardized cushion, viscoelastic gel	500.00	
4490231	Standardized cushion, viscofluid gel	500.00 500.00	
4490256 4490248	Standardized cushion, foam with air insert Standardized convoluted cushion, fusion-bonded		
	thermoplastic polymer		
4490272	Customized cushion, multilayer or injected foam	425.00	1
4490280	Customized cushion, viscoelastic foam and gel	425.00	1
4490298	Customized cushion, viscofluid foam and gel	425.00)
4490306	Customized cushion, foam with air insert	525.00	J
4490307	Customized cushion, fusion-bonded thermoplastic polymer	600.00	1
4020510	Standard cover for specialized seat cushion	75.00	
4020511	Commercial waterproof cover for specialized seat cushion	100.00	1
4020512	Surcharge payable for 2 commercial waterproof covers, provided with purchase or replacement of specialized seat cushion, as substitution for 2 standard covers		,
4020513	Waterproof cover for seat cushion (all sizes)	75.00	ı
4020515	Surcharge payable for bariatric cushion, width of more than 50.8 cm (20 in.)	150.00	I
4565078	Adjustable pediatric posture seat for adaptable stroller, including positioning for torso, pelvis and lower limbs		

4565069	Positioning components for head and neck, standardized or standardized modular components	350.00
4565060	Positioning components for torso, pelvis or both, standardized or standardized modular components, excluding seat cushion	450.00
4565070	Positioning belt specialized for pelvis, standardized	100.00
4565061 4565062	Positioning harness for torso, standardized Right upper limb positioning components, standardized or standardized modular components	100.00 170.00
4565063	Left upper limb positioning components, standardized or standardized modular components	170.00
4565064	Right lower limb positioning components, standardized or standardized modular components	200.00
4565066	Left lower limb positioning components, standardized or standardized modular components	200.00
4565067	Bilateral upper limb positioning components, standardized or standardized modular components	200.00
4565068	Bilateral lower limb positioning components, standardized or standardized modular components	200.00
4565071	Additional or replacement standard cover for specialized back	75.00
4565074	Additional or replacement waterproof cover for specialized back	100.00
4565072	Surcharge payable upon purchase or replacement of back or cover for complete or partial water proofing	50.00
4565075	Surcharge payable for a large positioning component for torso, pelvis or both, width or height of more than 50.8 cm (20 in.)	50.00
4565080	Surcharge payable for hardware allowing thoracic supports to swing away, flip back or fold	200.00
4499900	Head or neck components, moulded or customized	450.00
4499888	Torso positioning components, moulded or customized	500.00
4499889	Bilateral lower limb positioning components, moulded or customized	300.00
4499890	Torso and pelvic positioning component, one-piece, customized contouring	900.00
4499891	Pelvic positioning component, moulded or customized, excluding seat cushion	200.00

4499892	Torso positioning harness, customized	100.00
4499894	Right upper limb positioning components, moulded or customized	270.00
4499895	Left upper limb positioning components, moulded or customized	270.00
4499896	Right lower limb positioning components, moulded or customized	300.00
4499897	Left lower limb positioning components, moulded or customized	300.00
4499899	Bilateral upper limb positioning components, moulded or customized	300.00

PART III: ELEMENTS INCLUDED IN THE PRICES OF THE DEVICES

- 1. The maximum or the fixed price for the purchase or replacement of an insured device referred to in Part I or II of this Title includes the following elements:
- (1) the maximum or fixed price for its basic components, its optional components and its and supplements, if any;
- (2) the cost of its manufacture;
- (3) the cost of adjustments required while it is being manufactured, up to and including the final installation;
- (4) the cost of adjustments and repairs during the guarantee period referred to in this Title in respect of each device or in the contract with the supplier, beginning immediately after the final installation and during which any adjustment or repair of a device used under normal conditions is made, in order to bring the device into conformity with the original prescription, where the beneficiary's physical condition has not changed, and to enable the beneficiary to derive maximum benefit from the device.
- 2. The replacement cost of a component or supplement for a device includes the following elements:
- (1) the cost price of the materials;
- (2) the cost of its manufacture, if any;
- (3) the cost of adjustment and installation.

TITLE THREE: INSURED RELATED SERVICES PART I: PROSTHESES, ORTHOSES, AMBULATION AIDS OR STANDING AIDS

Codes	Description	Labour rate or lump sum	
5550001	Labour for the manufacture of a device with at least one component whose purchase or replacement price is stated as « S.C. » or for the repair of an orthosis, prosthesis, ambulation aid, standing aid or their components and supplements (rate per minute)	1.04	
4499976	Lump sum for recovery, safety check, cleaning, reallocation and inventory management of a walker with thorax support	74.84	
5442257	Lump sum for initial purchase or replacement of an ambulation aid provided as a complement to an orthosis or prosthesis	15.53	
5442258	Lump sum for initial purchase or replacement of an ambulation aid provided as a device to an adult	31.07	
5442259	Lump sum for initial purchase or replacement of an ambulation aid provided as a device to a person under 19 years of age	46.59	

PART II: LOCOMOTOR AND POSTURE ASSISTS

Codes	Description	Labour rate or lump sum
5550000	Labour for the manufacture or repair of a locomotor assist, positioning device or their components, including repairs made under supplier's warranty (rate per minute)	1.04
4499968	Lump sum for the initial purchase or replacement of a manual wheel chair	410.33
4499992	Lump sum for the initial purchase or replacement of a powered wheel chair	552.54
5442260	Lump sum for initial purchase or replacement of a positioning base	410.33
5442272	Non-listed lump sum for initial purchase or replacement of adapted stroller (S.C.)	410.33
4495552	Lump sum for the initial purchase or replacement of a Buggy Major-type stroller	47.41
4499596	Lump sum for the initial purchase or replacement of a propulsion assistance module	142.19
4499950	Lump sum when a device must be adjusted to the growth of an insured person under age 19	204.54
4499935	Lump sum for initial purchase or replacement of a manual wheelchair when the insured person dies before taking final receipt of device	261.92
4499927	Lump sum for initial purchase or replacement of a powered wheelchair when the insured person dies before taking final receipt of device	320.54
5442269	Lump sum for initial purchase or replacement of a positioning base when the insured person dies before taking final receipt of device	261.92
4499943	Lump sum for initial purchase or replacement of a stroller when the insured person dies before taking final receipt of device	44.60
5442254	Lump sum for specialized cushion seat positioning	31.07
5442261	Lump sum for head or neck positioning	31.07
5442262	Lump sum for positioning of torso, pelvis or both (excluding specialized seat cushion-related service)	62.12

Tariff for devices which compensate for a motor deficien	ncy and insured related services
	(authentic version)

			(aumentic vers
5442263	Lump sum for right upper limb positioning	31.07	
5442264	Lump sum for left upper limb positioning	31.07	
5442265	Lump sum for right lower limb positioning	31.07	
5442266	Lump sum for left lower limb positioning	31.07	

SCHEDULE 1