## SCHEDULE I (s. 1)

# TARIFF FOR DEVICES WHICH COMPENSATE FOR A MOTOR DEFICIENCY AND INSURED RELATED SERVICES



LE ONE: PROSTHESES, ORTHOSES, AMBULATION AIDS OR STANDING AIDS	5
ART I: AIDS FURNISHED BY AN INSTITUTION OR A LABORATORY	6
DIVISION I: LOWER-LIMB PROSTHESES	6
SUBDIVISION 1: FOOT PROSTHESES	6
SUBDIVISION 2: ANKLE PROSTHESES	8
SUBDIVISION 3: TIBIAL PROSTHESES	11
SUBDIVISION 4: TIBIOFEMORAL PROSTHESES	19
SUBDIVISION 5: FEMORAL PROSTHESES	26
SUBDIVISION 6: COXOFEMORAL AND HEMIPELVIC PROSTHESES	36
SUBDIVISION 7: LOWER-LIMB PROSTHESES	45
DIVISION II: UPPER-LIMB PROSTHESES	46
SUBDIVISION 1: HAND PROSTHESES	46
SUBDIVISION 2: WRIST PROSTHESES	48
SUBDIVISION 3: CUBITAL PROSTHESES	49
SUBDIVISION 4: CUBITOHUMERAL PROSTHESES	52
SUBDIVISION 5: HUMERAL PROSTHESES	53
SUBDIVISION 6: GLENOHUMERAL AND THORACIC PROSTHESES	55
SUBDIVISION 7: BASIC OR OPTIONAL COMPONENTS FOR UPPER-LIMB PROSTHESES	60
SUBDIVISION 8 : UPPER-LIMB PROSTHESES	65
DIVISION III: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES	66
DIVISION IV: LOWER-LIMB ORTHOSES	78
SUBDIVISION 1: TIBIAL ORTHOSES	78
SUBDIVISION 2: TIBIOFEMORAL ORTHOSES	84
SUBDIVISION 3: FEMORAL ORTHOSES	88
SUBDIVISION 4: COXOFEMORAL ORTHOSES	99
SUBDIVISION 5: BILATERAL LOWER-LIMB ORTHOSES	108
SUBDIVISION 6: ADDITIONAL COMPONENTS FOR TIBIAL, FEMORAL AND COXOFEMORAL ORTHOSES	111
SUBDIVISION 7: LOWER-LIMB ORTHOSES	112
DIVISION V: UPPER-LIMB ORTHOSES	113
SUBDIVISION 1: HAND ORTHOSES THAT MAY INCLUDE THE THUMB AND THE OTHER FINGERS	113
SUBDIVISION 2: WRIST AND HAND ORTHOSES	117
SUBDIVISION 3: ELBOW, WRIST AND HAND ORTHOSES	120
SUBDIVISION 4: SHOULDER, ELBOW, WRIST AND HAND ORTHOSES	121
SUBDIVISION 5: UPPER-LIMB ORTHOSES	123
DIVISION VI: TRUNK AND CERVICAL ORTHOSES	124
SUBDIVISION 1: TRUNK ORTHOSES	124
SUBDIVISION 2: CERVICAL ORTHOSES	130
SUBDIVISION 3: OTHER TRUNK AND CERVICAL ORTHOSES	132
DIVISION VII: AMBULATION AIDS	133
DIVISION VIII: STANDING AIDS	137

PART II: AIDS FURNISHED SOLELY BY AN INSTITUTION	138
DIVISION I: UPPER-LIMB PROSTHESES	138
DIVISION II: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES	146
DIVISION III: AMBULATION AIDS	147
PART III: ELEMENTS INCLUDED IN THE PRICES OF THE DEVICES	148
TITLE TWO: LOCOMOTOR AND POSTURE ASSISTS (FURNISHED SOLELY BY AN INSTITUTION)	149
PART I: LOCOMOTOR ASSISTS	150
DIVISION I: ADULT WHEELCHAIRS	150
SUBDIVISION 1: MANUAL WHEELCHAIRS	150
SUBDIVISION 2: LIGHTWEIGHT MANUAL WHEELCHAIRS	172
SUBDIVISION 3: POWERED WHEELCHAIRS	175
DIVISION II: PEDIATRIC WHEELCHAIRS	209
SUBDIVISION 1: MANUAL WHEELCHAIRS	209
SUBDIVISION 2: POWERED WHEELCHAIRS	212
DIVISION III: COMPLEMENTS FOR WHEELCHAIRS	221
SUBDIVISION 1: FACULTATIVE COMPONENTS	221
SUBDIVISION 2: BATTERIES FOR POWERED WHEELCHAIRS	222
DIVISION IV: OTHER LOCOMOTOR ASSISTS	223
SUBDIVISION 1: ADULT POSITIONING BASES	223
SUBDIVISION 2: PEDIATRIC POSITIONING BASES	235
DIVISION V: STROLLERS AND ORTHOMOBILES	238
PART II: POSTURE DEVICE	239
PART III: ELEMENTS INCLUDED IN THE PRICES OF THE DEVICES	242
TITLE THREE: INSURED RELATED SERVICES	243
PART I: PROSTHESES, ORTHOSES, AMBULATION AIDS OR STANDING AIDS	243
PART II: LOCOMOTOR AND POSTURE ASSISTS	244

#### TITLE ONE: PROSTHESES, ORTHOSES, AMBULATION AIDS OR STANDING AIDS

#### PART I: AIDS FURNISHED BY AN INSTITUTION OR A LABORATORY

DIVISION I: LOWER-LIMB PROSTHESES SUBDIVISION 1: FOOT PROSTHESES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
Prosthesis for total amputation of second, third and fourth toe, of two or of all of those toes, made from plaster or digital mold of insured person	426.33	3		3
BASIC COMPONENTS AND SUPPLEMENTS				
Filler for anterior part of foot, on rigid or pliable sole  Compensatory sole for limb not fitted with a prosthesis				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENTS AVAILABLE				
 Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of	Maximum price Replacement of component or	Maximum adjustement	Guarantee (months)
	device	supplement	price	(monuis)
Prosthesis for total amputation of first toe, with or without amputation of second, third, fourth or fifth toe, made from plaster or digital mold of insured person	•	supplement	price	3
without amputation of second, third, fourth or fifth toe, made from plaster or digital mold of insured	device	supplement	price	
without amputation of second, third, fourth or fifth toe, made from plaster or digital mold of insured person	device	supplement	price	
without amputation of second, third, fourth or fifth toe, made from plaster or digital mold of insured person  BASIC COMPONENTS AND SUPPLEMENTS  Filler for anterior part of foot, on rigid or pliable sole  Longitudinal arch support  Correction or shank  Compensatory sole for limb not fitted with a	device	supplement	price	
without amputation of second, third, fourth or fifth toe, made from plaster or digital mold of insured person  BASIC COMPONENTS AND SUPPLEMENTS  Filler for anterior part of foot, on rigid or pliable sole  Longitudinal arch support  Correction or shank  Compensatory sole for limb not fitted with a prosthesis  COMPONENT AND SUPPLEMENT	device	supplement	price	

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1120518 Prosthesis for transmetatarsal or transcalcaneal amputation with ankle support, made from plaster or digital mold of insured person	986.74			6
BASIC COMPONENTS AND SUPPLEMENTS				
Filler for anterior or posterior part of foot Laminated or molded plastic or molded leather socket Leg support where necessary				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
OPTIONAL COMPONENTS				
Ankle joints:				
1125632 Gilette joints				
pair	127.37			
single	N. A.	69.72		
1125640 Oklahoma joints				
pair	120.66			
single	N. A.	67.04		
1125657 Wafer joints	120.42	37.4		
pair	139.42			
single	N. A.	76.42		
1125665 Tamarak joints pair	134.06	N. A.		
single	N. A.	73.74		
1125673 Gaffney joints	IV. A.	13.14		
pair	147.49	N. A.		
single	N. A.			
SUPPLEMENTS AVAILABLE				
Stump sock  * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
3194016 Nylon sheath	19.02	22.10		
ADJUSTMENTS AVAILABLE				
Any pertinent adjustment				

#### **SUBDIVISION 2: ANKLE PROSTHESES**

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1130103	Temporary Symes prosthesis	1,035.03			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person				
	Temporary foot (loan)				
	*DURATION OF GUARANTEE : Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENT				
1145523	Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person	N. C.	N. A.		
	OPTIONAL COMPONENTS				
1135532	Supracondylar strap	115.29	155.53		3
1135524	Foam flexible double comfort socket	105.91	206.46		3
1145598	Thigh lacer	201.08	218.54		3
	SUPPLEMENTS AVAILABLE				
3492501	Cane	10.19	10.19		
	Crutches with axillary support, height-adjustable	20.38	20.38		
	Crutches with forearm support, height-adjustable	56.05	56.05		
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
3194016	Nylon sheath, 45.7 cm (18 in.) to 55.9 cm (22 in.)	19.02	22.10		
3194024	Nylon sheath, 80.0 cm (31½ in.) to 92.7 cm (36½ in.)	24.79	27.85		
3194081	Nylon sheath with elastic band, 55.9 cm (22 in.) to 66.0 cm (26 in.)	39.23	42.45		
3194099	Nylon sheath with elastic band, 73.7 cm (29 in.) to 86.4 cm (34 in.)	39.23	42.45		
	ADJUSTMENT AVAILABLE				
	None				

				(ddille)	ine version,
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1130509	Symes prosthesis	1,641.41			6
	District of the second				
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic socket, made from plaster or digital mold of insured person, with or without medial or posterior window				
	SACH foot				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1125509	SACH foot	N. C.	269.90		3
	Laminated plastic socket, made from plaster or digital mold of insured person, with or without medial or posterior window	N. C.			·
	OPTIONAL COMPONENTS				
1195502	Trial socket	136.73	N. A.		
	Supracondylar strap	115.29			3
	Symes foot	N. C.			
	Dynamic response foot (Seattle)	369.62			
	Dynamic response foot (Seattle Light)	482.26			
	Dynamic response foot (Step Light)	291.87			
	Dynamic response foot (USMC)	180.60			
	Dynamic foot, for child (1K10)	37.11	307.02		
	Silicone laminated extensible double socket	269.47	470.60		3
1135524	Foam flexible double comfort socket	105.91	206.46		2
					3
1145663	Thigh lacer with reinforced uniaxial ball-bearing joints	707.90	725.33		3
1145671	Thigh lacer with light uniaxial ball-bearing joints	595.26	612.68		3
1145689	Thigh lacer with polycentric joints	943.13	960.52		3
	SUPPLEMENTS AVAILABLE				
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
3194016	Nylon sheath, 45.7 cm (18 in.) to 55.9 cm (22 in.)	19.02	22.10		
3194024	Nylon sheath, $80.0 \text{ cm} (31\frac{1}{2} \text{ in.}) \text{ to } 92.7 \text{ cm} (36\frac{1}{2} \text{ in.})$	24.79	27.85		
3194081	Nylon sheath with elastic band, 55.9 cm (22 in.) to 66.0 cm (26 in.)	39.23	42.45		

3194099 Nylon sheath with elastic band, 73.7 cm (29 in.) to	39.23	42.45
86.4 cm (34 in.)		
3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05

#### ADJUSTMENTS AVAILABLE

----- Any pertinent adjustment

#### **SUBDIVISION 3: TIBIAL PROSTHESES**

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Post-operative tibial prosthesis necessitating obligatory renewal of plaster or digital mold	797.72			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Lycra compressible socks (4) Plaster sockets (2) Means of suspension (belt) SACH foot (loan) Adjustable pylon (loan)				
	*DURATION OF GUARANTEE : Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Plaster sockets (2) Means of suspension (belt)	N. C. N. C.			
	SUPPLEMENTS AVAILABLE				
3492550	Lycra compressible sock Crutches with axillary support, height-adjustable Crutches with forearm support, height-adjustable	N. C. 20.38 56.05	20.38		
	ADJUSTMENT AVAILABLE				
	None				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1140060	Pneumatic post-operative tibial prosthesis, non-articulated	635.49			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Inflatable bag or case Distal pad Suspension straps Mobility frame (loan) Electric pump (loan)				

\*DURATION OF GUARANTEE : Life of prosthesis

COMPONENTS AND SUPPLEMENTS AVAILABLE

SUPPLEMENTS AVAILABLE

3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05

----- Stump sock

\* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENT AVAILABLE

None

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1140078 Pneumatic post-operative tibial prosthesis,	805.76	Ó		*

articulated

BASIC COMPONENTS AND SUPPLEMENTS

Inflatable bag or case

Thigh lacer system (loan)

Knee joint system (loan)

Universal socket (loan)

Modular system (loan)

SACH foot (loan)

Air pump (loan)

\*DURATION OF GUARANTEE: Life of

prosthesis

COMPONENTS AND SUPPLEMENTS

**AVAILABLE** 

SUPPLEMENTS AVAILABLE

3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05

----- Stump sock

\* (consult Division III of this Part for the codes and prices of these supplements)

#### ADJUSTMENT AVAILABLE

None

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1140102	Temporary tibial prosthesis	1,024.27	,		*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person				
	Temporary foot (loan) Endoskeletal system (loan)				
	*DURATION OF GUARANTEE : Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENT				
	Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person	N. C.	N. A.		
	OPTIONAL COMPONENTS				
1145598	Thigh lacer	201.08	218.54		3
	Supracondylar strap	115.29			3
1145549	Foam flexible double comfort socket	111.27	194.40		3
1145564	Tibial belt with Y strap	105.91	172.95		3
	Suspension lining covered with nylon on inside	84.48			
1145705	Suspension lining not covered with nylon on inside	101.79	109.86		
1145713	Latex suspension lining	45.56	54.96		
	Elastic suspension lining	37.54	46.92		
	SUPPLEMENTS AVAILABLE				
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
3194032	Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm (18 in.)	19.02	22.10		

C	$\cap$ I	$\mathbf{I}$	Fi		1	Ε.	1

			`	
3194040 Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm	19.02	22.10		
(31½ in.) 3194107 Nylon sheath with tibial elastic band, 25.4 cm	32.31	35.37		
(10 in.) to 55.9 cm (22 in.)	30.52	33.60		
3194115 Nylon sheath with tibial elastic band, 50.8 cm (20 in.) to 73.7 cm (29 in.)	30.32	33.00		
3194206 Nylon suction sheath (all sizes)	30.52	33.60		
3492550 Crutches with axillary support, height-adjustable	20.38	20.38		
3492551 Crutches with forearm support, height-adjustable	56.05	56.05		

#### ADJUSTMENTS AVAILABLE

None

DEVI	CE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1140508 Exosk	eletal tibial prosthesis	1,712.49			6
BASIO	C COMPONENTS AND SUPPLEMENTS				
	ated plastic tibial socket, made from plaster ital mold of insured person				
SACH Media Ankle	l wedge				
	PONENTS AND SUPPLEMENTS LABLE				
BASIC	CCOMPONENTS				
1125491 Ankle 1125509 SACH		N. C. N. C.			
	ated plastic tibial socket, made from plaster ital mold of insured person	N. C.	1,342.02		3
1145457 Media	l wedge	N. C.	N. A.		
OPTIO	ONAL COMPONENTS				
1195585 Trial s		127.37			
socket		111.27	194.40		3
	or molded plastic flexible double comfort, with medial wedge	134.06	215.84		3
1145630 Silicon	ne gel double socket	286.91	521.54		3
1145648 Silicon	ne gel double socket, with medial wedge	308.37	542.97		3
1146554 Silicon attachi	ne gel flexible double socket, with distal ment	917.03	951.90		3

			`
1146570 Silicone gel flexible double socket, with distal attachment, excluding replacement of distal	N. A.	660.96	3
attachment			
1145564 Tibial belt with Y strap	105.91	172.95	3
1135532 Supracondylar strap	115.29	155.53	3
1145697 Suspension lining covered with nylon on inside	84.48	92.50	
1145705 Suspension lining not covered with nylon on inside	101.79	109.86	
1145713 Latex suspension lining	45.56	54.96	
1145721 Elastic suspension lining	37.54	46.92	
1125517 Articulated foot	149.31	419.17	
1125574 Dynamic response foot, spring and prosthetic cover included (Quantum)	356.21	626.11	
1125624 Adapter for foot (Quantum)	139.42	194.40	
1125582 Dynamic response foot (Seattle Light)	482.26	752.15	
1125590 Dynamic response foot (Sten foot)	80.03	349.93	
1125608 Dynamic response foot (SAFE foot)	189.96	459.87	
1125616 Dynamic response foot (1D10, 1D11)	162.10	431.98	
1125566 Dynamic response foot (Seattle)	369.62	639.51	
1125541 Dynamic response foot (Carbon Copy II)	307.96	577.86	
1125707 Dynamic foot, for child (1K10)	37.11	307.02	
1125806 Multiaxial foot with rotator (1A29)	231.52	501.41	
1165539 Femoral device with plastic ischiatic support	770.89	813.80	3
1145663 Thigh lacer with reinforced uniaxial ball-bearing joints	707.90	725.33	3
1145671 Thigh lacer with light uniaxial ball-bearing joints	595.26	612.68	3
1145689 Thigh lacer with polycentric joints	943.13	960.52	3
1145739 Replacement of thigh lacer with recovery and	N. A.	420.96	
reinstallation of existing joints		1-4174	3
1145580 Suction valve and seat	256.71	325.07	
1145655 Suction valve	N. A.	231.24	
1145747 Foam flexible prosthetic cover	88.51	123.34	
SUPPLEMENTS AVAILABLE			
3194032 Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm	19.02	22.10	
(18 in.)			
3194040 Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm (31½ in.)	19.02	22.10	
3194107 Nylon sheath with tibial elastic band, 25.4 cm (10 in.) to 55.9 cm (22 in.)	32.31	35.37	
3194115 Nylon sheath with tibial elastic band, 50.8 cm (20 in.) to 73.7 cm (29 in.)	30.52	33.60	
3194206 Nylon suction sheath (all sizes)	30.52	33.60	
3194198 Prosthetic socks, per pair	28.18	37.54	
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	
Stump sock	*	*	

\* (consult Division III of this Part for the codes and prices of these supplements)

#### ADJUSTMENTS AVAILABLE

1146521 Socket lining (leather, plastic or other material)

174.29

#### 1146539 Lengthening of a tibial prosthesis

----- Any pertinent adjustment

328.44

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1141514	Endoskeletal tibial prosthesis	1,898.85			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic tibial socket, made from plaster or digital mold of insured person				
	Medial wedge SACH foot and adapter Complete endoskeletal system (modular components, prosthetic cover and prosthetic socks (2))				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1124015	SACH foot Adapter Laminated plastic tibial socket, made from plaster or digital mold of insured person	N. C. N. C. N. C.	N. A.		3
1145614	Complete endoskeletal system Prosthetic cover Medial wedge	N. C. N. C. N. C.	364.67		
	OPTIONAL COMPONENTS				
	Trial socket Foam or molded plastic flexible double comfort socket	127.37 111.27			3
1145556	Foam or molded plastic flexible double comfort socket, with medial wedge	134.06	215.84		3
	Silicone gel double socket Silicone gel double socket, with medial wedge	286.91 308.37			3
1146554	Silicone gel flexible double socket, with distal attachment	917.03	951.90		3

1146562 Silicone gel flexible double socket, with attachment and pneumatic cushion	957.25	992.11	3
1146570 Silicone gel flexible double socket, with distal	N. A.	660.96	
attachment, excluding replacement of distal	14. A.	000.70	3
1145564 Tibial belt with Y strap	105.91	172.95	3
1135532 Supracondylar strap	115.29	155.53	3
1145697 Suspension lining covered with nylon on inside	84.48	92.50	3
1143077 Suspension mining covered with hydon on histac	04.40	72.30	
1145705 Suspension lining not covered with nylon on inside	101.79	109.86	
1145713 Latex suspension lining	45.56	54.96	
1145721 Elastic suspension lining	37.54	46.92	
1125715 Articulated foot and adapter	183.93	453.82	
1125723 Articulated foot without adapter	N. A.	278.90	
1125566 Dynamic response foot (Seattle)	369.62	639.51	
1125541 Dynamic response foot (Carbon Copy II)	307.96	577.86	
1125707 Dynamic foot, for child (1K10)	37.11	307.02	
1125798 Dynamic response foot, spring, prosthetic cover and	318.68	588.57	
foam included (Quantum)	210.00	200.27	
1125780 Adapter for foot (Quantum)	54.96	101.89	
1125582 Dynamic response foot (Seattle Light)	482.26	752.15	
1125590 Dynamic response foot (Sten foot)	80.03	349.93	
1125608 Dynamic response foot (SAFE foot)	189.96	459.87	
1125616 Dynamic response foot (1D10, 1D11)	162.10	431.98	
1125681 Dynamic response foot (Step Light)	291.87	561.74	
1125699 Dynamic response foot (USMC)	180.60	450.48	
1125731 Dynamic plus foot (1D25)	439.33	709.23	
1125749 Multiaxial foot with rotator (1A30)	677.47	947.37	
1125756 Multiaxial foot with rotator (Endolite)	592.17	862.06	
1125764 Dynamic response foot with rotator (Endolite)	790.61	1,060.50	
1123704 Dynamic response root with rotator (Endonic)	770.01	1,000.50	
1165539 Femoral device with plastic ischiatic support	770.89	813.80	3
1145663 Thigh lacer with reinforced uniaxial ball-bearing	707.90	725.33	3
joints			3
1145671 Thigh lacer with light uniaxial ball-bearing joints	595.26	612.68	3
1145689 Thigh lacer with polycentric joints	943.13	960.52	3
1145739 Replacement of thigh lacer with recovery and	N. A.	420.96	3
reinstallation of existing joints	0.5.6.51	225.05	
1145580 Suction valve and seat	256.71	325.07	
1145655 Suction valve	N. A.	231.24	
1135557 Ankle rotator (4R39, 4R40)	748.96	806.61	
1135607 Ankle rotator (4R85)	669.31	721.59	
1135615 Titanium modular system and carbon fiber pylon	95.20	N. A.	
SUPPLEMENTS AVAILABLE			
3194032 Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm	19.02	22.10	
(18 in.)	17.02	22.10	
3194040 Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm	19.02	22.10	
(31½ in.)			

SCHEDULE 1	Tariff for devices which compensate for a motor deficiency and insured related services
	(authentic version)

SCIII	EDULE 1	Tariff for devices whi	ien compensate for t	a motor deficiency		ic version)
3194107	Nylon sheath with tibial elastic	band, 25.4 cm	32.31	35.37	`	,
	(10 in.) to 55.9 cm (22 in.)					
3194115	Nylon sheath with tibial elastic (20 in.) to 73.7 cm (29 in.)	band, 50.8 cm	30.52	33.60		
3194206	Nylon sheath (all sizes)		30.52	33.60		
	Prosthetic socks, per pair		N. C.	37.54		
3492501	Cane		10.19	10.19		
3492550	Crutches with axillary support,	height-adjustable	20.38	20.38		
3492551	Crutches with forearm support	, height-adjustable	56.05	56.05		
	Stump sock		*	*		
	* (consult Division III of this P prices of these supplements)	art for the codes and				
	ADJUSTMENTS AVAILABL	Æ				
1146521	Socket lining (leather, plastic o	or other material)			174.29	
1146547	Lengthening of tibial part of proper replacement of prosthetic cover				230.61	
	Any pertinent adjustment					
	DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1141753	DEVICE  Prosthetic restoration of a leg		Purchase or replacement of	Replacement of component or	adjustement	
1141753		SUPPLEMENTS	Purchase or replacement of device	Replacement of component or	adjustement	(months)
1141753	Prosthetic restoration of a leg	SUPPLEMENTS	Purchase or replacement of device	Replacement of component or	adjustement	(months)
1141753	Prosthetic restoration of a leg BASIC COMPONENTS AND		Purchase or replacement of device	Replacement of component or	adjustement	(months)
1141753	Prosthetic restoration of a leg BASIC COMPONENTS AND Prosthetic foam-rubber calf COMPONENTS AND SUPPL		Purchase or replacement of device	Replacement of component or	adjustement	(months)
	Prosthetic restoration of a leg BASIC COMPONENTS AND Prosthetic foam-rubber calf COMPONENTS AND SUPPL AVAILABLE		Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
	Prosthetic restoration of a leg BASIC COMPONENTS AND Prosthetic foam-rubber calf COMPONENTS AND SUPPL AVAILABLE BASIC COMPONENTS		Purchase or replacement of device 2,312.72	Replacement of component or supplement	adjustement	(months)
1145622	Prosthetic restoration of a leg BASIC COMPONENTS AND Prosthetic foam-rubber calf COMPONENTS AND SUPPL AVAILABLE BASIC COMPONENTS Prosthetic foam-rubber calf		Purchase or replacement of device 2,312.72	Replacement of component or supplement	adjustement	(months)
1145622	Prosthetic restoration of a leg BASIC COMPONENTS AND Prosthetic foam-rubber calf COMPONENTS AND SUPPL AVAILABLE BASIC COMPONENTS Prosthetic foam-rubber calf OPTIONAL COMPONENT	EMENTS	Purchase or replacement of device 2,312.72	Replacement of component or supplement  N. A.	adjustement	(months)

#### **SUBDIVISION 4: TIBIOFEMORAL PROSTHESES**

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1150010	Post-operative tibiofemoral prosthesis necessitating obligatory renewal of plaster or digital mold	1,194.55			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Lycra compressible socks (4) Plaster sockets (2) Means of suspension (belt) SACH foot (loan) Adjustable pylon (loan) Suspension cable, distal pad, ring				
	*DURATION OF GUARANTEE : Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1195510	Plaster sockets (2) Means of suspension (belt) Suspension cable, distal pad, ring	N. C. N. C. N. C.	N. A.		
	SUPPLEMENTS AVAILABLE				
3492550	Lycra compressible socks (4) Crutches with axillary support, height-adjustable Crutches with forearm support, height-adjustable	N. C. 20.38 56.05	20.38		
	ADJUSTMENT AVAILABLE				
	None				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Pneumatic post-operative tibiofemoral prosthesis, non-articulated	630.12			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Inflatable bag or case Distal pad Suspension straps Mobility frame (loan)				

Electric pump (loan)

\*DURATION OF GUARANTEE : Life of

prosthesis

COMPONENTS AND SUPPLEMENTS

**AVAILABLE** 

SUPPLEMENTS AVAILABLE

3492550 Crutches with axillary support, height-adjustable 3492551 Crutches with forearm support, height-adjustable

20.38 20.38 56.05 56.05

----- Stump sock

\* (consult Division III of this Part for the codes and prices of these supplements)

ADJUSTMENT AVAILABLE

None

	Maximum price	Maximum price	Maximum	
DEVICE	Purchase or	Replacement of	adjustement	Guarantee
	replacement of	component or	price	(months)
	device	supplement		

1150051 Pneumatic post-operative tibiofemoral prosthesis, articulated

800.38

BASIC COMPONENTS AND SUPPLEMENTS

Inflatable bag or case Thigh lacer system (loan) Knee joint system (loan) Modular system (loan) Universal socket (loan) SACH foot (loan)

Air pump (loan)

\*DURATION OF GUARANTEE : Life of prosthesis

COMPONENTS AND SUPPLEMENTS AVAILABLE

SUPPLEMENTS AVAILABLE

20.38

20.38

3492550 Crutches with axillary support, height-adjustable

	Crutches with axillary support, height-adjustable Crutches with forearm support, height-adjustable	56.05	20.38 56.05		
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
	ADJUSTMENT AVAILABLE				
	None				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1150069	Temporary tibiofemoral prosthesis	1,289.76			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person				
	Temporary foot (loan) Endoskeletal system (loan)				
	*GUARANTEE PERIOD: Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENT				
	Laminated or molded plastic adjustable socket, made from plaster or digital mold of insured person	N. C.	N. A.		
	OPTIONAL COMPONENTS				
1145549	Foam flexible double comfort socket	111.27	194.40		3
1165588	Silesian belt Pelvic belt (steel joint and band) Pelvic belt (plastic joint and band)	142.10 332.50 270.83	512.17		3 3 3
	SUPPLEMENTS AVAILABLE				
3194057	Nylon sheath, 50.8 cm (20 in.) to 61.0 cm (24 in.)	19.02	22.10		
	Nylon sheath with elastic band, 45.7 cm (18 in.) to 55.9 cm (22 in.)	32.31	35.37		
3194206	Nylon suction sheath (all sizes)	30.52			
3492501		10.19			
3492330	Crutches with axillary support, height-adjustable	20.38	20.38		

56.05

56.05

3492551 Crutches with forearm support, height-adjustable

included (Quantum) 1125624 Adapter for foot (Quantum)

Stump sock  * (consult Division III of this Part fo prices of these supplements)	r the codes and	* *		
ADJUSTMENT AVAILABLE				
None				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1150507 Exoskeletal tibiofemoral prosthesis	3,212.72			6
BASIC COMPONENTS AND SUP	PLEMENTS			
Laminated plastic tibiofemoral socker plaster or digital mold of insured per				
External knee joints SACH foot and ankle block				
COMPONENTS AND SUPPLEME AVAILABLE	NTS			
BASIC COMPONENTS				
1125491 Ankle block 1125509 SACH foot 1155506 Laminated plastic tibiofemoral socked plaster or digital mold of insured per		269.90		3
1155514 External knee joints	N. C.	. 745.45		
OPTIONAL COMPONENTS				
1195551 Trial socket 1195569 Foam flexible double comfort socket	175.62 t 150.15			
1146554 Silicone gel flexible double socket, v	with distal 917.03	951.90		3
1146570 Silicone gel flexible double socket, v attachment, excluding replacement o attachment		. 660.96		3
1165570 Silesian belt	142.10	160.89		3
1165828 Neoprene Silesian belt	160.89	183.67		
1165711 Pelvic belt (titanium joint and band)				3
1165703 Pelvic belt (plastic joint and band)	270.83			3
1165588 Pelvic belt (steel joint and band)	332.50			3
1125517 Articulated foot	149.31			
1125574 Dynamic response foot, spring and p	prosthetic cover 356.21	626.11		

Updated: 1 April, 2020 22

139.42

194.40

		Maximum price	Maximum price	Maximum	Guarantee
	5504 Lengthening of tibial part Any pertinent adjustment			328.44	
1140	5521 Socket lining (leather, plastic or other material)			174.29	
	ADJUSTMENTS AVAILABLE				
	* (consult Division III of this Part for the codes and prices of these supplements)				
	Stump sock	*	*		
3492	2551 Crutches with forearm support, height-adjustable	56.05	56.05		
	2550 Crutches with axillary support, height-adjustable	20.38	20.38		
	2501 Cane	10.19	10.19		
3194	4198 Prosthetic socks, per pair	28.18	37.54		
3194	4206 Nylon suction sheath (all sizes)	30.52	33.60		
3194	4123 Nylon sheath with elastic band, 45.7 cm (18 in.) to 55.9 cm (22 in.)	32.31	35.37		
3194	4057 Nylon sheath, 50.8 cm (20 in.) to 61.0 cm (24 in.)	19.02	22.10		
	SUPPLEMENTS AVAILABLE				
114:	5747 Foam flexible cover for tibial part	88.51	123.34		
	5655 Suction valve	N. A.	231.24		
	5580 Suction valve and seat	256.71	325.07		
115:	5563 Constant friction knee (3P1)	76.42	820.51		
115:	5647 Constant friction knee (3P25)	151.52	896.94		
	5772 Multiaxial foot with rotator (1A29)	231.52	501.41		
	5707 Dynamic foot, for child (1K10)	37.11	307.02		
	5541 Dynamic response foot (Carbon Copy II)	307.96	577.86		
	5566 Dynamic response foot (Seattle)	369.62	639.51		
	5616 Dynamic response foot (1D10, 1D11)	162.10	431.98		
	5608 Dynamic response foot (SAFE foot)	189.96	459.87		
	5590 Dynamic response foot (Sten foot)	80.03	349.93		
112:	5582 Dynamic response foot (Seattle Light)	482.26	752.15		

	Maximum price	Maximum price	Maximum	
DEVICE	Purchase or	Replacement of	adjustement	Guarantee
DEVICE	replacement of	component or	price	(months)
	device	supplement		

3,986.19

1151505 Endoskeletal tibiofemoral prosthesis

BASIC COMPONENTS AND SUPPLEMENTS

Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person

SACH foot

Complete endoskeletal system with knee (3R21) (modular components, prosthetic cover and prosthetic socks (2)). If child, uniaxial knee (3R38)

## COMPONENTS AND SUPPLEMENTS AVAILABLE

#### BASIC COMPONENTS

	SACH foot	N. C.	269.90	
1155506	Laminated plastic tibiofemoral socket, made from plaster or digital mold of insured person	N. C.	1,899.77	3
1195528	Complete endoskeletal system	N. C.	N. A.	
	Knee (3R21)	N. C.	1,423.71	
	Prosthetic cover	N. C.	585.89	
	OPTIONAL COMPONENTS			
1195551	Trial socket	175.62	N. A.	
1195569	Foam flexible double comfort socket	150.15	252.04	
1146554	Silicone gel flexible double socket, with distal attachment	917.03	951.90	3
1146570	Silicone gel flexible double socket, with distal attachment, excluding replacement of distal attachment	N. A.	660.96	3
1165570	Silesian belt	142.10	160.89	3
	Neoprene Silesian belt	160.89	183.67	3
	Pelvic belt (steel joint and band)	332.50	512.17	3
	Pelvic belt (plastic joint and band)	270.83	450.48	3
	Pelvic belt (titanium joint and band)	427.67	607.34	3
	Articulated foot and adapter	183.93	453.82	3
	Articulated without adapter	N. A.	278.90	
	Dynamic response foot, spring and prosthetic cover included (Quantum)	356.21	626.11	
1125780	Adapter for foot (Quantum)	54.96	101.89	
	Dynamic foot, for child (1K10)	37.11	307.02	
	Dynamic response foot (Seattle Light)	482.26	752.15	
	Dynamic response foot (Sten foot)	80.03	349.93	
	Dynamic response foot (SAFE foot)	189.96	459.87	
	Dynamic response foot (1D10, 1D11)	162.10	431.98	
1125566	Dynamic response foot (Seattle)	369.62	639.51	
	Dynamic response foot (Carbon Copy II)	307.96	577.86	
	Dynamic response foot (Step Light)	291.87	561.74	
1125699	Dynamic response foot (USMC)	180.60	450.48	
1125731	Dynamic plus foot (1D25)	439.33	709.23	
1125749	Multiaxial foot with rotator (1A30)	677.47	947.37	
1125756	Multiaxial foot with rotator (Endolite)	592.17	862.06	
	Dynamic response foot with rotator (Endolite)	790.61	1,060.50	
1155571	Multiaxial knee, for child (TK40C) (used with DAW endoskeletal system)	484.10	1,907.82	
1155589	Uniaxial constant friction knee, for child (TK1C1)	114.10	1,537.80	
1155597	Uniaxial knee, for child (3R38)	N. C.	1,183.85	
	Uniaxial knee with lock, for child (3R39)	N. C.	1,313.89	

----- Any pertinent adjustment

1155613 Polycentric-joint knee with assisted extension, titanium (3R30)	480.55	1,904.26	
1155621 Multiaxial knee with rotator, for child (3R66)	N. C.	1,405.05	
1155639 Polycentric-joint knee with lock, titanium (3R32)	301.77	1,725.47	
1145580 Suction valve and seat	256.71	325.07	
1145655 Suction valve	N. A.	231.24	
1135557 Ankle rotator (4R39, 4R40)	748.96	806.61	
1135607 Ankle rotator (4R85)	669.31	721.59	
1135615 Titanium modular system and carbon fiber pylon	95.20	N. A.	
SUPPLEMENTS AVAILABLE			
3194032 Nylon tibial sheath, 15.2 cm (6 in.) to 45.7 cm (18 in.)	19.02	22.10	
3194040 Nylon tibial sheath, 55.9 cm (22 in.) to 80.0 cm (31½ in.)	19.02	22.10	
3194230 Nylon sheath with elastic band	32.31	35.37	
3194115 Nylon sheath with tibial elastic band, 50.8 cm	30.52	33.60	
(20 in.) to 73.7 cm (29 in.)			
3194206 Nylon sheath (all sizes)	30.52	33.60	
3194172 Prosthetic socks, per pair	N. C.	46.91	
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	
Stump sock	*	*	
* (consult Division III of this Part for the codes and			
prices of these supplements)			
ADJUSTMENTS AVAILABLE			
1146521 Socket lining (leather, plastic or other material)			174.29
1146547 Lengthening of tibial part of prosthesis, excluding replacement of prosthetic cover and prosthetic sock			230.61

#### **SUBDIVISION 5: FEMORAL PROSTHESES**

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Post-operative femoral prosthesis necessitating obligatory renewal of plaster or digital mold	1,159.73			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Compressible Lycra socks (4) Plaster sockets (2) Means of suspension (belt) SACH foot (loan) Adjustable pylon with joint (loan) Suspension cable, distal pad, ring				
	*GUARANTEE PERIOD: Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1195510	Plaster sockets (2) Means of suspension (belt) Suspension cable, distal pad, ring	N. C. N. C. N. C.	N. A.		
	SUPPLEMENTS AVAILABLE				
3492550	Compressible Lycra socks (4) Crutches with axillary support, height-adjustable Crutches with forearm support, height-adjustable	N. C. 20.38 56.05	20.38		
	ADJUSTMENT AVAILABLE				
	None				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Pneumatic post-operative femoral prosthesis, non-articulated	630.12			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Inflatable bag or case Distal pad Suspension straps Mobility frame (loan) Electric pump (loan)				

\*GUARANTEE PERIOD: Life of prosthesis

COMPONENTS AND SUPPLEMENTS **AVAILABLE** 

SUPPLEMENTS AVAILABLE

3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05

----- Stump sock

#### ADJUSTMENT AVAILABLE

None

DEVICE	Maximum price Purchase or	Maximum price Replacement of	Maximum adjustement price	Guarantee
DEVICE	replacement of device	component or supplement		(months)

800.38

1160068 Pneumatic post-operative femoral prosthesis,

articulated

BASIC COMPONENTS AND SUPPLEMENTS

Inflatable bag or case Thigh lacer system (loan) Knee joint system (loan) Modular system (loan) Universal socket (loan)

SACH foot (loan)

Air pump (loan)

\*GUARANTEE PERIOD: Life of prosthesis

COMPONENTS AND SUPPLEMENTS **AVAILABLE** 

SUPPLEMENTS AVAILABLE

3492550 Crutches with axillary support, height-adjustable

20.38 20.38

<sup>\* (</sup>consult Division III of this Part for the codes and prices of these supplements)

56.05

56.05

3492551 Crutches with forearm support, height-adjustable

	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
	ADJUSTMENT AVAILABLE				
	None				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1160100	Temporary femoral prosthesis	1,185.20			*
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated or molded plastic socket, made from plaster or digital mold of insured person				
	Temporary foot (loan) Endoskeletal system (loan)				
	*GUARANTEE PERIOD: Life of prosthesis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1145523	Laminated or molded plastic socket, made from plaster or digital mold of insured person	N. C.	N. A.		
	OPTIONAL COMPONENTS				
1165570	Silesian belt	142.10	160.89		3
	Pelvic belt (plastic joint and band)	270.83			3
1165588	Pelvic belt (steel joint and band)	332.50	512.17		3
	SUPPLEMENTS AVAILABLE				
3194065	Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	19.02	22.10		
3194131	Nylon sheath with elastic band, 15.2 cm (6 in.) to 45.7 cm (18 in.)	35.84	38.89		
	Nylon sheath with V opening, 15.2 cm (6 in.) to 50.8 cm (20 in.)	37.16	40.24		
	Nylon suction sheath (all sizes)	30.52			
3492501		10.19			
	Crutches with axillary support, height-adjustable	20.38			
3492331	Crutches with forearm support, height-adjustable	56.05	56.05		
	Stump sock	*	*		

\* (consult Division III of this Part for the codes and prices of these supplements)

#### ADJUSTMENT AVAILABLE

None

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1160506 Exoskeletal femoral prosthesis with constant friction knee (3P25)	t 3,004.92			6
BASIC COMPONENTS AND SUPPLEME	ENTS			
Laminated plastic femoral socket, made from plaster or digital mold of insured person	n			
Constant friction knee (3P25) SACH foot				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1125509 SACH foot	N. C.	269.90		
1165505 Laminated plastic femoral socket, made from plaster or digital mold of insured person	m N. C.	1,705.35		3
1155522 Constant friction knee (3P25)	N. C.	896.94		
OPTIONAL COMPONENTS				
1195577 Trial socket	155.53	N. A.		
1165570 Silesian belt	142.10	160.89		3
1165828 Neoprene Silesian belt	160.89	183.67		
1165588 Pelvic belt (steel joint and band)	332.50	512.17		3
1165711 Pelvic belt (titanium joint and band)	427.67	607.34		3
1165703 Pelvic belt (plastic joint and band)	270.83	450.48		3
1146554 Silicone gel flexible double socket, with dist	tal 917.03	951.90		3
attachment				3
1146570 Silicone gel double socket, with distal attach	nment, N. A.	660.96		
excluding replacement of distal attachment				3
1145580 Suction valve and seat	256.71	325.07		
1145655 Suction valve	N. A.			
1125517 Articulated foot	149.31			
1125574 Dynamic response foot, spring and prostheti included (Quantum)				
1125624 Adapter for foot (Quantum)	139.42	194.40		
1125582 Dynamic response foot (Seattle Light)	482.26			
1125590 Dynamic response foot (Sten foot)	80.03			
1125608 Dynamic response foot (SAFE foot)	189.96			
1123000 Dynamic response root (BAI L root)	109.90	737.07		

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Socket lining (leather, plastic or other material) Any pertinent adjustment			328.44	
1146521	Lengthening of tibial part of the prosthesis			174.29	
	ADJUSTMENTS AVAILABLE				
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
	Crutches with forearm support, height-adjustable	56.05			
	Crutches with axillary support, height-adjustable	20.38			
3492501	· · · · · · · · · · · · · · · · · · ·	10.19			
	Nylon suction sheath (all sizes)	30.52			
3194198	Prosthetic socks, per pair	28.18	37.54		
3194164	Wool socks, 5-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	39.76	42.87		
3194156	Wool socks, 3-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	38.86	42.00		
3194149	Nylon sheath with V opening, 15.2 cm (6 in.) to 50.8 cm (20 in.)	37.16	40.24		
	Nylon sheath with elastic band, 15.2 cm (6 in.) to 45.7 cm (18 in.)	35.84			
3194065	Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	19.02	22.10		
1103/29	SUPPLEMENTS AVAILABLE	43.30	942.31		
	Geriatric knee with manual lock (3K9) Constant friction locking knee (3P4F)	53.63 45.56			
	Manual locking knee (3P52)	130.06	•		
	Manual locking knee (3P4)	22.78			
	Safety knee (3P23, 3P24)	140.77			
	Foam flexible cover for tibial part	88.51			
	Dynamic foot, for child (1K10)	37.11			
	Dynamic response foot (Seattle)  Dynamic response foot (Carbon Copy II)	307.96			
	Dynamic response foot (1D10, 1D11)	162.10 369.62			
1105616	0 ((1710 1711)	1.60.10	421.00		

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1160605 Exoskeletal femoral prosthesis with friction locking knee, for child (3P21)	2,845.38			6
BASIC COMPONENTS AND SUPPLEMENTS				
Laminated plastic femoral socket, made from				

Updated: 1 April, 2020 30

plaster or digital mold of insured person

Friction locking knee, for child (3P21) SACH foot

## COMPONENTS AND SUPPLEMENTS AVAILABLE

#### BASIC COMPONENTS

1125509 SACH foot	N. C.	269.90	
1165505 Laminated plastic femoral socket, made from	N. C.	1,705.35	
plaster or digital mold of insured person			3
1165737 Friction locking knee, for child (3P21)	N. C.	737.39	
	14. C.	131.37	
OPTIONAL COMPONENTS			
1195577 Trial socket	155.53	N. A.	
1165570 Silesian belt	142.10	160.89	3
1165828 Neoprene Silesian belt	160.89	183.67	
1165588 Pelvic belt (steel joint and band)	332.50	512.17	3
1165711 Pelvic belt (titanium joint and band)	427.67	607.34	3
1165703 Pelvic belt (plastic joint and band)	270.83	450.48	3
1146554 Silicone gel flexible double socket, with distal	917.03	951.90	
attachment			3
1146570 Silicone gel double socket, with distal attachment,	N. A.	660.96	
excluding replacement of distal attachment			3
1145580 Suction valve and seat	256.71	325.07	
1145655 Suction valve	N. A.	231.24	
1125517 Articulated foot	149.31	419.17	
1125577 Articulated 100t 1125574 Dynamic response foot, spring and prosthetic cover	356.21	626.11	
included (Quantum)	330.21	020.11	
1125624 Adapter for foot (Quantum)	139.42	194.40	
1125582 Dynamic response foot (Seattle Light)	482.26	752.15	
1125590 Dynamic response foot (Sten foot)	80.03	349.93	
1125608 Dynamic response foot (SAFE foot)	189.96	459.87	
1125616 Dynamic response foot (1D10, 1D11)	162.10	431.98	
1125566 Dynamic response foot (Seattle)	369.62	639.51	
1125541 Dynamic response foot (Carbon Copy II)	307.96	577.86	
1125707 Dynamic foot, for child (1K10)	37.11	307.02	
1145747 Foam flexible cover for tibial part	88.51	123.34	
The first countries contributed and the second parts	00.01	12010	
1165745 Friction locking knee, for child (3P50)	45.56	782.95	
SUPPLEMENTS AVAILABLE			
21040(5 N.J., J., J. 20 2, (0 ' ) / 50 0 (20 ' )	10.02	22.10	
3194065 Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	19.02	22.10	
3194131 Nylon sheath with elastic band, 15.2 cm (6 in.) to	35.84	38.89	
45.7 cm (18 in.)			
3194149 Nylon sheath with V opening, 15.2 cm (6 in.) to	37.16	40.24	
50.8 cm (20 in.)			
3194156 Wool socks, 3-ply, with V opening, sizes 1, 2, 3, 4,	38.86	42.00	
from 15.2 cm (6 in.) to 50.8 cm (20 in.)			

1165596 Prosthetic cover

1195577 Trial socket

1165570 Silesian belt

1165828 Neoprene Silesian belt

OPTIONAL COMPONENTS

3194164 Wool socks, 5-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	39.76	42.87		
3194198 Prosthetic socks, per pair 3194206 Nylon suction sheath (all sizes) 3492501 Cane	28.18 30.52 10.19	37.54 33.60 10.19		
3492550 Crutches with axillary support, height-adjustable 3492551 Crutches with forearm support, height-adjustable	20.38 56.05	20.38 56.05		
Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
ADJUSTMENTS AVAILABLE				
1146521 Lengthening of tibial part of the prosthesis			174.29	
1166537 Socket lining (leather, plastic or other material) Any pertinent adjustment			328.44	
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1161504 Endoskeletal femoral prosthesis	3,539.85			6
BASIC COMPONENTS AND SUPPLEMENTS				
Laminated plastic femoral socket, made from plaster or digital mold of insured person				
SACH foot Complete endoskeletal system with uniaxial constant friction knee (3R16) (modular components, prosthetic cover and prosthetic socks (2))				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1105500 GA GH C	N. C.	269.90		
1125509 SACH foot 1165505 Laminated plastic femoral socket, made from plaster or digital mold of insured person	N. C.	1,705.35		3

Updated: 1 April, 2020 32

N. C.

155.53

142.10

160.89

585.89

N. A.

160.89

183.67

3

3 3 3

3

3

1165588	Pelvic belt (steel joint and band)	332.50	512.17
1165711	Pelvic belt (titanium joint and band)	427.67	607.34
1165703	Pelvic belt (plastic joint and band)	270.83	450.48
	Silicone gel flexible double socket, with distal attachment	917.03	951.90
	Silicone gel flexible double socket, with distal	N. A.	660.96
	attachment, excluding replacement of distal		
	attachment		
	Suction valve and seat	256.71	325.07
	Suction valve	N. A.	231.24
	Articulated foot and adapter	183.93	453.82
	Articulated without adapter	N. A.	278.90
	Dynamic response foot, spring and prosthetic cover	356.21	626.11
	included (Quantum)	330.21	020.11
	Adapter for foot (Quantum)	54.96	101.89
	Dynamic foot, for child (1K10)	37.11	307.02
	Dynamic response foot (Seattle Light)	482.26	752.15
	Dynamic response foot (Sten foot)	80.03	349.93
	Dynamic response foot (SAFE foot)	189.96	459.87
	Dynamic response foot (1D10, 1D11)	162.10	431.98
	Dynamic response foot (Seattle)	369.62	639.51
	Dynamic response foot (Carbon Copy II)	307.96	577.86
	Dynamic response foot (Step Light)	291.87	561.74
	Dynamic response foot (USMC)	180.60	450.48
	Dynamic plus foot (1D25)	439.33	709.23
	Multiaxial foot with rotator (1A30)	677.47	947.37
	Multiaxial foot with rotator (Endolite)	592.17	862.06
	Dynamic response foot with rotator (Endolite)	790.61	1,060.50
	Uniaxial knee with lock, for child (3R39)	853.60	1,380.49
	Uniaxial constant friction knee (3R18)	190.37	717.27
	Safety knee (3R15)	305.67	833.89
	Manual locking knee (3R17)	383.92	910.82
	4-axis polycentric knee (3R20)	397.40	924.29
	Manual locking knee, aluminum (3R40)	283.28	810.19
	Manual locking knee, titanium (3R33)	672.30	1,199.19
	Safety knee, titanium (3R49)	610.06	1,136.95
	Multiaxial knee with rotator, for child (3R66)	878.16	1,130.93
	Ankle rotator (4R39, 4R40)	878.16 748.96	806.61
	Ankle rotator (4R85), 4R40) Ankle rotator (4R85)	669.31	721.59
	Knee rotator (4R87)	854.92	908.58
	Multiaxial knee, for child (TK40C) Uniaxial constant friction knee with or without	1,379.59 1,010.88	1,907.82 1,537.80
		1,010.88	1,337.80
	lock, for child (TK1C1)	<i>(5</i> 1 50	1 102 05
	Uniaxial knee, for child (3R38)	651.59	1,183.85
1135615	Titanium modular system and carbon fiber pylon	95.20	N. A.
	SUPPLEMENTS AVAILABLE		
3194065	Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	19.02	22.10
	Nylon sheath with elastic band, 15.2 cm (6 in.) to	35.84	38.89
3194248	45.7 cm (18 in.) Nylon sheath with V opening, from 15.2 cm (6 in.)	37.16	40.24
	to 50.8 cm (20 in.)		

			,
3194156 Wool socks, 3-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	38.86	42.00	
3194164 Wool socks, 5-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	39.76	42.87	
3194206 Nylon suction sheath (all sizes)	30.52	33.60	
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	
Stump sock	*	*	
*			
* (consult Division III of this Part for the codes and prices of these supplements)			
	N. C.	46.91	
prices of these supplements)	N. C.	46.91	
prices of these supplements) 3194172 Prosthetic socks (2)	N. C.	46.91	174.29

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1162254 Bilateral femoral stubbies	3,723.56			6
BASIC COMPONENTS AND SUPPLEMENTS				
Laminated plastic femoral sockets, made from plaster or digital mold of insured person (2)				
SACH or modified feet (2)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1125558 Modified foot	N. C.	N. A.		
1125509 SACH foot	N. C.	269.90		
1165695 Laminated plastic femoral socket, made from plaster or digital mold of insured person	N. C.	1,704.02		
OPTIONAL COMPONENTS				
1195577 Trial socket	155.53	N. A.		
1165570 Silesian belt	142.10	160.89		3
1165828 Neoprene Silesian belt	160.89	183.67		
1165588 Pelvic belt (steel joint and band)	332.50	512.17		3

174.29

1165703 Pelvic belt (plastic joint and band)	270.83	450.48	3
1165711 Pelvic belt (titanium joint and band)	427.67	607.34	3
1145580 Suction valve and seat	256.71	325.07	
1145655 Suction valve	N. A.	231.24	
SUPPLEMENTS AVAILABLE			
3194065 Nylon sheath, 20.3 cm (8 in.) to 50.8 cm (20 in.)	19.02	22.10	
3194131 Nylon sheath with elastic band, 15.2 cm (6 in.) to 45.7 cm (18 in.)	35.84	38.89	
3194149 Nylon sheath with V opening, 15.2 cm (6 in.) to 50.8 cm (20 in.)	37.16	40.24	
3194156 Wool socks, 3-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	38.86	42.00	
3194164 Wool socks, 5-ply, with V opening, sizes 1, 2, 3, 4, from 15.2 cm (6 in.) to 50.8 cm (20 in.)	39.76	42.87	
3194206 Nylon suction sheath (all sizes)	30.52	33.60	
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	
Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*	
ADJUSTMENTS AVAILABLE			

1146521 Socket lining (leather, plastic or other material)

----- Any pertinent adjustment

#### SUBDIVISION 6: COXOFEMORAL AND HEMIPELVIC PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1170505	Exoskeletal coxofemoral prosthesis with constant friction knee (3P25)	4,640.58			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic socket, made from plaster or digital mold of insured person				
	Constant friction knee (3P25) SACH foot				
	Hip joint – Canadian type (CHJ-100, CHJ-75)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	SACH foot Laminated plastic socket, made from plaster or digital mold of insured person	N. C. N. C.			
1175512	Hip joint – Canadian type (CHJ-100, CHJ-75)	N. C.	567.12		
1155522	Constant friction knee (3P25)	N. C.	896.94		
	OPTIONAL COMPONENTS				
	Trial socket	300.31			
	Suction valve and seat	256.71	325.07		
	Suction valve	N. A.			
	Articulated foot	149.31	419.17		
1125574	Dynamic response foot, spring and prosthetic cover included (Quantum)	356.21	626.11		
1125624	Adapter for foot (Quantum)	139.42	194.40		
	Dynamic response foot (Seattle Light)	482.26			
1125590	Dynamic response foot (Sten foot)	80.03	349.93		
	Dynamic response foot (SAFE foot)	189.96	459.87		
	Dynamic response foot (1D10, 1D11)	162.10			
	Dynamic response foot (Seattle)	369.62			
	Dynamic response foot (Carbon Copy II)	307.96			
	Dynamic foot, for child (1K10)	37.11			
1145747	Foam flexible cover for tibial part	88.51	123.34		
	Safety knee (3P23, 3P24)	140.77	•		
	Manual locking knee (3P4)	22.78			
	Manual locking knee (3P52)	130.06	•		
	Geriatric knee with manual lock (3K9)	53.63			
1165729	Constant friction locking knee (3P4F)	45.56	942.51		

#### SUPPLEMENTS AVAILABLE

3194198 Prosthetic socks, per pair	28.18	37.54
3194180 Pant-style sock	17.76	23.57
3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05

#### ADJUSTMENTS AVAILABLE

### 1166537 Lengthening of tibial part of the prosthesis

----- Any pertinent adjustment

328.44

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1170604 Exoskeletal coxofemoral prosthesis with fric locking knee, for child (3P21)	tion 4,481.03			6
BASIC COMPONENTS AND SUPPLEME	NTS			
Laminated plastic socket, made from plaster digital mold of insured person	or			
Friction locking knee, for child (3P21) SACH foot				
Hip joint – Canadian type (CHJ-100, CHJ-7:	5)			
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1125509 SACH foot	N. C.	269.90		
1175504 Laminated plastic socket, made from plaster digital mold of insured person	or N. C.	2,717.59		
1175512 Hip joint – Canadian type (CHJ-100, CHJ-7:	5) N. C.	567.12		
1165737 Friction locking knee, for child (3P21)	N. C.	737.39		
OPTIONAL COMPONENTS				
1195593 Trial socket	300.31	N. A.		
1145580 Suction valve and seat	256.71	325.07		
1145655 Suction valve	N. A.			
1125517 Articulated foot	149.31			
1125574 Dynamic response foot, spring and prosthetic included (Quantum)				
1125624 Adapter for foot (Quantum)	139.42			
1125582 Dynamic response foot (Seattle Light)	482.26			
1125590 Dynamic response foot (Sten foot)	80.03	349.93		

Updated: 1 April, 2020

			`	,
1125608 Dynamic response foot (SAFE foot)	189.96	459.87		
1125616 Dynamic response foot (1D10, 1D11)	162.10	431.98		
1125566 Dynamic response foot (Seattle)	369.62	639.51		
1125541 Dynamic response foot (Carbon Copy II)	307.96	577.86		
1125707 Dynamic foot, for child (1K10)	37.11	307.02		
1145747 Foam flexible cover for tibial part	88.51	123.34		
1165745 Constant friction locking knee, for child (3P50)	45.56	782.95		
SUPPLEMENTS AVAILABLE				
3194198 Prosthetic socks, per pair	28.18	37.54		
3194180 Pant-style sock	17.76	23.57		
3492501 Cane	10.19	10.19		
3492550 Crutches with axillary support, height-adjustable	20.38	20.38		
3492551 Crutches with forearm support, height-adjustable	56.05	56.05		

#### ADJUSTMENTS AVAILABLE

1166537 Lengthening of tibial part of the prosthesis

----- Any pertinent adjustment

1195528 Complete endoskeletal system

1175538 Prosthetic cover

1175561 Hip joint (7E7)

1165653 Uniaxial constant friction knee (3R16)

328.44

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1171503 Endoskeletal coxofemoral prosthesis	6,352.00	)		6
BASIC COMPONENTS AND SUPPLEMENTS				
Laminated plastic socket, made from plaster or digital mold of insured person				
SACH foot Complete endoskeletal system wth uniaxial constant friction knee (3R16) (modular components, prosthetic cover and prosthetic socks (2))				
Hip joint (7E7)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1125509 SACH foot 1175504 Laminated plastic socket, made from plaster or digital mold of insured person	N. C. N. C.			

Updated: 1 April, 2020 38

N. C.

N. C.

N. C.

N. C.

N. A.

526.91

749.44

N. A.

### OPTIONAL COMPONENTS

1195593	Trial socket	300.31	N. A.
1175553	Joint of hip joint (7E7)	N. A.	2,094.86
1175579	Joint of hip joint, for child (7E8)	258.77	1,584.71
	Uniaxial constant friction knee (3R18)	190.37	717.27
	Safety knee (3R15)	305.67	833.89
	Manual locking knee (3R17)	383.92	910.82
	4-axis polycentric knee (3R20)	397.40	924.29
1165752	Manual locking knee, aluminum (3R40)	283.28	810.19
1165760	Manual locking knee, titanium (3R33)	672.30	1,199.19
1165778	Safety knee. titanium (3R49)	610.06	1,136.95
1165836	Multiaxial knee with rotator, for child (3R66)	878.16	1,405.05
1165802	Multiaxial knee, for child (TK40C)	853.60	1,380.49
	Uniaxial constant friction knee, with or without	1,379.59	1,907.82
110075.	lock, for child (TK1C1)	1,5 / 5 10 5	1,507.102
1165844	Knee rotator (4R57)	1,010.88	1,537.80
1105011	Tenee Totalion (TEO7)	1,010.00	1,557.00
1155548	Multiaxial knee, for child (TK40C)	854.92	908.58
	Ankle rotator (4R39, 4R40)	748.96	806.61
	Ankle rotator (4R85)	669.31	721.59
	Articulated foot and adapter	183.93	453.82
	Articulated without adapter	N. A.	278.90
	Dynamic response foot, spring and prosthetic cover	318.68	588.57
	included (Quantum)		
1125780	Adapter for foot (Quantum)	54.96	101.89
	Dynamic foot, for child 1K10	37.11	307.02
	Dynamic response foot (Seattle Light)	482.26	752.15
	Dynamic response foot (Sten foot)	80.03	349.93
	Dynamic response foot (SAFE foot)	189.96	459.87
	Dynamic response foot (1D10 or 1D11)	162.10	431.98
	Dynamic response foot (Seattle)	369.62	639.51
	Dynamic response foot (Carbon Copy II)	307.96	577.86
	Dynamic response foot (Step Light)	291.87	561.74
	Dynamic response foot (USMC)	180.60	450.48
	Dynamic plus foot (1D25)	439.33	709.23
	Multiaxial foot with rotator (1A30)	677.47	947.37
	Multiaxial foot with rotator (Endolite)	592.17	862.06
	Dynamic response foot with rotator (Endolite)	790.61	1,060.50
1123704	Dynamic response root with rotator (Endome)	790.01	1,000.30
1135615	Titanium modular system and carbon fiber pylon	95.20	N. A.
	SUPPLEMENTS AVAILABLE		
	SOLI LEMENTS AVAILABLE		
	Pant-style sock	17.76	23.57
3492501	Cane	10.19	10.19
3492550	Crutches with axillary support, height-adjustable	20.38	20.38
3492551	Crutches with forearm support, height-adjustable	56.05	56.05
3194214	Prosthetic socks (2)	N. C.	41.56
	ADHICTMENTS AVAILADLE		

ADJUSTMENTS AVAILABLE

1146547 Lengthening of tibial part of prosthesis, excluding replacement of prosthetic cover and prosthetic sock

230.61

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Exoskeletal hemipelvic prosthesis, with constant friction knee (3P25)	4,785.38			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Laminated plastic socket, made from plaster or digital mold of insured person				
	Constant friction knee (3P25) SACH foot Hip joint – Canadian type (CHJ-100, CHJ-75)				
	The John Canadian type (CHS 100, CHS 73)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1175504	SACH foot Laminated plastic socket, made from plaster or digital mold of insured person	N. C. N. C.			
1175512	Hip joint – Canadian type (CHJ-100, CHJ-75)	N. C.	567.12		
1155522	Constant friction knee (3P25)	N. C.	896.94		
	OPTIONAL COMPONENTS				
1195593	Trial socket	300.31			
	Articulated foot	149.31			
	Dynamic response foot, spring and prosthetic cover	356.21	626.11		
	included (Quantum)	120.42	104.40		
	Adapter for foot (Quantum)  Dynamic response foot (Seattle Light)	139.42 482.26			
	Dynamic response foot (Sten foot)	80.03			
	Dynamic response foot (SAFE foot)	189.96			
	Dynamic response foot (1D10 or 1D11)	162.10			
	Dynamic response foot (Seattle)	369.62			
	Dynamic response foot (Carbon Copy II)	307.96			
	Dynamic foot, for child (1K10)	37.11	307.02		
1145747	Foam flexible cover for tibial part	88.51	123.34		
1165604	Safety knee (3P23, 3P24)	140.77	1,037.68		
	Manual locking knee (3P4)	22.78	•		
	Manual locking knee (3P52)	130.06			

Tariff for devices which compensate for a motor deficiency and insured related	d services
(authenti	version)

			(authentic version)
1165646 Geriatric knee with manual lock (3K9)	53.63	950.57	
1165729 Constant friction locking knee (3P4F)	45.56	942.51	
SUPPLEMENTS AVAILABLE			
3194198 Prosthetic socks, per pair	28.18	37.54	
3194180 Pant-style sock	17.76	23.57	
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	
ADHICTMENTS AVAILADLE			

#### ADJUSTMENTS AVAILABLE

# 1166537 Lengthening of tibial part of the prosthesis ----- Any pertinent adjustment

328.44

 Any	pertinent	adjustment	

SCHEDULE 1

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1181601 Exoskeletal hemipelvic prosthesis, with friction locking knee, for child (3P21)	4,625.82			6
BASIC COMPONENTS AND SUPPLEMENTS				
Laminated plastic socket, made from plaster or digital mold of insured person				
Friction locking knee, for child (3P21) SACH foot				
Hip joint – Canadian type (CHJ-100, CHJ-75)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1125509 SACH foot	N. C.	269.90		
1175504 Laminated plastic socket, made from plaster or digital mold of insured person	N. C.	2,717.59		
1175512 Hip joint – Canadian type (CHJ-100, CHJ-75)	N. C.	567.12		
1165737 Friction locking knee, for child (3P21)	N. C.	737.39		
OPTIONAL COMPONENTS				
1195593 Trial socket	300.31	N. A.		
1125517 Articulated foot	149.31	419.17		
1125574 Dynamic response foot, spring and prosthetic coverage	er 356.21	626.11		
included (Quantum)				
1125624 Adapter for foot (Quantum)	139.42			
1125582 Dynamic response foot (Seattle Light)	482.26			
1125590 Dynamic response foot (Sten foot)	80.03	349.93		

Updated: 1 April, 2020 41

1125608 Dynamic response foot (SAFE foot)	189.96	459.87	
1125616 Dynamic response foot (1D10 or 1D11)	162.10	431.98	
1125566 Dynamic response foot (Seattle)	369.62	639.51	
1125541 Dynamic response foot (Carbon Copy II)	307.96	577.86	
1125707 Dynamic foot, for child (1K10)	37.11	307.02	
1145747 Foam flexible cover for tibial part	88.51	123.34	
1165745 Friction locking knee, for child (3P50)	45.56	782.95	
SUPPLEMENTS AVAILABLE			
	•0.40		
3194198 Prosthetic socks, per pair	28.18	37.54	
3194180 Pant-style sock	17.76	23.57	
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	

### ADJUSTMENTS AVAILABLE

1166537 Lengthening of tibial part of the prosthesis

----- Any pertinent adjustment

328.44

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1181502 Endoskeletal hemipelvic prosthesis	6,518.24			6
BASIC COMPONENTS AND SUPPLEMENTS				
Laminated plastic socket, made from plaster or digital mold of insured person				
SACH foot Complete endoskeletal system with uniaxial constant friction knee (3R16) (modular components, prosthetic cover and prosthetic socks				

COMPONENTS AND SUPPLEMENTS AVAILABLE

#### BASIC COMPONENTS

(2))

Hip joint (7E7)

1125509 SACH foot	N. C.	269.90
1175504 Laminated plastic socket, made from plaster or	N. C.	2,717.59
digital mold of insured person		
1195528 Complete endoskeletal system	N. C.	N. A.
1165653 Uniaxial constant friction knee (3R16)	N. C.	526.91
1175538 Prosthetic cover	N. C.	749.44
1175561 Hip joint (7E7)	N. C.	N. A.

### OPTIONAL COMPONENTS

1195593 Trial socket	300.31	N. A.
1175553 Joint of hip joint (7E7)	N. A.	2,094.86
1175579 Joint of hip joint, for child (7E8)	258.77	1,584.71
1165810 Uniaxial constant friction knee (3R18)	190.37	717.27
1165679 Safety knee (3R15)	305.67	833.89
1165661 Manual locking knee (3R17)	383.92	910.82
1165687 4-axis polycentric knee (3R20)	397.40	924.29
1165752 Manual locking knee, aluminum (3R40)	283.28	810.19
1165760 Manual locking knee, titanium (3R33)	672.30	1,199.19
1165778 Safety knee, titanium (3R49)	610.06	1,136.95
1165836 Multiaxial knee with rotator, for child (3R66)	878.16	1,405.05
1165802 Uniaxial knee with lock, for child (3R39)	853.60	1,380.49
1165794 Multiaxial knee, for child (TK40C)	1,379.59	1,907.82
1165844 Uniaxial constant friction knee, with or without	1,010.88	1,537.80
lock, for child (TK1C1)	1,010.00	1,007.00
1155548 Knee rotator (4R57)	854.92	908.58
1135557 Ankle rotator (4R39, 4R40)	748.96	806.61
1135607 Ankle rotator (4R85)	669.31	721.59
1125715 Articulated foot and adapter	183.93	453.82
1125723 Articulated without adapter	N. A.	278.90
1125798 Dynamic response foot, spring and prosthetic cover	318.68	588.57
included (Quantum)		
1125780 Adapter for foot (Quantum)	54.96	101.89
1125707 Dynamic foot, for child (1K10)	37.11	307.02
1125582 Dynamic response foot (Seattle Light)	482.26	752.15
1125590 Dynamic response foot (Sten foot)	80.03	349.93
1125608 Dynamic response foot (SAFE foot)	189.96	459.87
1125616 Dynamic response foot (1D10, 1D11)	162.10	431.98
1125566 Dynamic response foot (Seattle)	369.62	639.51
1125541 Dynamic response foot (Carbon Copy II)	307.96	577.86
1125681 Dynamic response foot (Step Light)	291.87	561.74
1125699 Dynamic response foot (USMC)	180.60	450.48
1125731 Dynamic plus foot (1D25)	439.33	709.23
1125749 Multiaxial foot with rotator (1A30)	677.47	947.37
1125756 Multiaxial foot with rotator (Endolite)	592.17	862.06
1125764 Dynamic response foot with rotator (Endolite)	790.61	1,060.50
1135615 Titanium modular system and carbon fiber pylon	95.20	N. A.

### SUPPLEMENTS AVAILABLE

3194180 Pant-style sock	17.76	23.57
3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05
3194214 Prosthetic socks (2)	N. C.	41.56

### ADJUSTMENTS AVAILABLE)

1146547 Lengthening of tibial part of prosthesis, excluding replacement of prosthetic cover and prosthetic sock

230.61

----- Any pertinent adjustment

### **SUBDIVISION 7: LOWER-LIMB PROSTHESES**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1142009 Other lower-limb prostheses *	S. C.			6

<sup>\*</sup> When price is below that of the similar prosthesis

# DIVISION II: UPPER-LIMB PROSTHESES SUBDIVISION 1: HAND PROSTHESES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1211755 Prosthetic restoration of one finger (thumb) made from plaster or digital mold of insured person	784.31			1
1211756 Prosthetic restoration of one finger (index) made from plaster or digital mold of insured person	784.31			
1211757 Prosthetic restoration of one finger (middle finger) made from plaster or digital mold of insured person	784.31			
1211758 Prosthetic restoration of one finger (ring finger) made from plaster or digital mold of insured person	784.31			
1211759 Prosthetic restoration of one finger (little finger) made from plaster or digital mold of insured person	784.31			
BASIC COMPONENTS AND SUPPLEMENTS				
Compensatory part for finger and prosthetic cover (Realistic)				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1221753 Prosthetic partial hand restoration, made from plaster or digital mold of insured person	1,531.09			1
BASIC COMPONENTS AND SUPPLEMENTS				
Compensatory part Prosthetic partial hand and prosthetic glove, made from plaster or digital mold of insured person (Realistic)				

COMPONENTS AND SUPPLEMENTS AVAILABLE

1295807 Prosthetic partial hand and prosthetic glove, made from plaster or digital mold of insured person (Realistic) N. C. 734.72

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

# **SUBDIVISION 2: WRIST PROSTHESES**

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1230507	Exoskeletal cubital or wrist prosthesis	1,584.71			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Wrist friction joint Rigid plastic socket, made from plaster or digital mold of insured person				
	Suspension harness Tricipital pad Control cable, connections, terminals and housing (reinforced materials)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	992.11		3
1295500	Suspension harness	N. C.	163.58		3
1295518	Control cable, connections, terminals and housing (reinforced materials)	N. C.	202.46		3
1295526	Wrist friction joint	N. C.	351.26		
1295757	Tricipital pad	N. C.	163.58		
	OPTIONAL COMPONENTS				
1245547	Metal elbow joints, flexible	423.66	493.38		
1295765	Anchoring part for cable for passive hand and hook	40.22	64.34		3
	Other optional components (consult Subdivision VII for the codes and prices of these components)				
	SUPPLEMENTS AVAILABLE				
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
	Nylon stump sheath	19.02	22.10		
	ADJUSTMENTS AVAILABLE				
	Lengthening of prosthesis Any pertinent adjustment			273.48	3

# **SUBDIVISION 3: CUBITAL PROSTHESES**

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1241504	Endoskeletal cubital prosthetic restoration	1,616.22			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person				
	Passive hand with flexible fingers and prosthetic glove (Otto Bock) Complete endoskeletal system (including modular components and prosthetic cover)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1235514	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	992.11		3
1295542 3222817	Complete endoskeletal system Prosthetic cover Passive hand with flexible fingers (Otto Bock) Prosthetic glove (Otto Bock)	N. C. N. C. N. C. N. C.	304.35 325.78		
	OPTIONAL COMPONENTS				
	Metal elbow joints, flexible Other optional components (consult Subdivision VII for the codes and prices of these components)	423.66	493.38		
	SUPPLEMENTS AVAILABLE				
	Prosthetic socks, per pair Stump sock * (consult Division III of this Part for the codes and	28.18			
3190014	prices of these supplements) Nylon stump sheath	19.02	22.10		
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)

1231752	Exoskeletal cubital or wrist prosthetic restoration	1,522.36			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Passive hand with flexible fingers and prosthetic glove (Otto Bock) Rigid plastic socket, made from plaster or digital mold of insured person				
	Wrist friction joint				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1235514	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	992.11		3
1295526	Wrist friction joint	N. C.	351.26		
	Passive hand with flexible fingers (Otto Bock)	N. C.			
	Prosthetic glove (Otto Bock)	N. C.	279.55		
5225000	OPTIONAL COMPONENTS	1.1.6.	277.00		
	Suspension harness Other optional components (consult Subdivision VII for the codes and prices of these components)	111.27	163.58		
	SUPPLEMENTS AVAILABLE				
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements) Nylon stump sheath	19.02	22.10		
	ADJUSTMENTS AVAILABLE				
	Lengthening of prosthesis Any pertinent adjustment			273.48	3
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1240514	Cubital prosthesis with multiple-action joints	2,386.46			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Wrist friction joint				

Rigid plastic socket, made from plaster or digital mold of insured person

Forearm restoration

Multiple-action elbow joints

Suspension harness

Armband

Control cable, connections, terminals and housing

(reinforced materials)

# COMPONENTS AND SUPPLEMENTS

**AVAILABLE** 

#### BASIC COMPONENTS

1245539 Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,248.19		3
1295526 Wrist friction joint	N. C.	351.26		
1245554 Multiple-action elbow joints	N. C.	627.44		
1245562 Forearm restoration	N. C.	461.19		3
1295500 Suspension harness	N. C. N. C.	163.58		3
1295518 Control cable, connections, terminals and housing (reinforced materials)	N. C.	202.46		3
1295799 Armband	N. C.	193.04		3
OPTIONAL COMPONENTS				
1295815 Anchoring part for cable for passive hand and hook	40.22	64.34		3
Other optional components (consult Subdivision VII for the codes and prices of these components)				
SUPPLEMENTS AVAILABLE				
Stump sock  * (consult Division III of this Part for the codes and	*	*		
prices of these supplements)				
3190014 Nylon stump sheath	19.02	22.10		
ADJUSTMENTS AVAILABLE				
1246511 Lengthening of prosthesis Any pertinent adjustment			273.48	3

# SUBDIVISION 4: CUBITOHUMERAL PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1250505	Exoskeletal cubitohumeral prosthesis	3,228.39			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Wrist friction joint Rigid plastic socket, made from plaster or digital mold of insured person				
	Forearm restoration Joints with external lock (E-500, E-1500) Suspension harness Control cables (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,280.38		3
1295526	Wrist friction joint	N. C.	351.26		
1255520	Joints with external lock (E-500, E-1500)	N. C.	1,246.86		
	Forearm restoration	N. C.			3
	Suspension harness	N. C.			3
1295641	Control cables (2)	N. C.	257.40		3
	OPTIONAL COMPONENTS				
	Flexion assist mechanism	403.56	473.28		3
1295815	Anchoring part for cable for passive hand and hook	40.22	64.34		3
	Other optional components (consult Subdivision VII for the codes and prices of these components)				
	SUPPLEMENTS AVAILABLE				
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		
	Nylon stump sheath	19.02	22.10		
	ADJUSTMENTS AVAILABLE				
	Lengthening of cubital part of the prosthesis Any pertinent adjustment			273.48	3

# **SUBDIVISION 5: HUMERAL PROSTHESES**

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1260504	Exoskeletal humeral prosthesis	3,236.43			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Wrist friction joint Rigid plastic socket, made from plaster or digital mold of insured person				
	Forearm restoration Elbow with internal lock (E-400) Suspension harness Control cables (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,248.19		3
1295526	Wrist friction joint	N. C.	351.26		
	Elbow with internal lock (E-400)	N. C.	,		
	Forearm restoration	N. C.			3
	Suspension harness Control cables (2)	N. C. N. C.			3
	OPTIONAL COMPONENTS				
1295815	Anchoring part for cable for passive hand and hook	40.22	64.34		3
1295823	Flexion assist mechanism	264.11	333.83		3
1295575	Nudge control Other optional components (consult Subdivision VII for the codes and prices of these components)	446.43			3
	SUPPLEMENTS AVAILABLE				
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*			
	Nylon stump sheath	19.02	22.10		
	ADJUSTMENTS AVAILABLE				
	Lengthening of cubital part of the prosthesis Any pertinent adjustment			273.48	3

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1261502	Endoskeletal humeral prosthetic restoration	2,696.83			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person				
	Passive hand with flexible fingers and prosthetic glove (Otto Bock) Complete endoskeletal system (modular components and prosthetic cover) Suspension harness Prosthetic socks (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1265511	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,248.19		3
1265552 1295591 3222817	Complete endoskeletal system Prosthetic cover Suspension harness Passive hand with flexible fingers (Otto Bock) Prosthetic glove (Otto Bock)	N. C. N. C. N. C. N. C. N. C.	360.65 175.62 325.78		3
	OPTIONAL COMPONENTS				
1295849	Flexion wrist Shoulder-activated lock elbow Other optional components (consult Subdivision VII for the codes and prices of these components)	305.67 343.23			
1295815	Anchoring part for cable for passive hand and hook	40.22	64.34		
	SUPPLEMENTS AVAILABLE				
	Prosthetic socks, per pair Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	N. C. *			
3190014	Nylon stump sheath	19.02	22.10		
	ADJUSTMENT AVAILABLE Any pertinent adjustment				

# SUBDIVISION 6: GLENOHUMERAL AND THORACIC PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1270503	Exoskeletal glenohumeral prosthesis	4,887.32			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Wrist friction joint Rigid plastic socket, made from plaster or digital mold of insured person				
	Forearm restoration Elbow with internal lock (E-400) Flexion assist mechanism Arm restoration Shoulder joint (FAJ-100) Suspension harness Control cables (2), connections, terminals and housing (reinforced materials and pulley)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1275510	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	1,687.94		3
1295666	Suspension harness	N. C.	186.35		3
1295674	Control cables (2), connections, terminals and housing (reinforced materials and pulley)	N. C.	404.89		3
1295526	Wrist friction joint	N. C.	351.26		
	Elbow with internal lock (E-400)	N. C.	1,083.30		
1245562	Forearm restoration	N. C.	461.19		3
	Arm restoration	N. C.	382.10		3
	Shoulder joint (FAJ-100)	N. C.			
1295690	Flexion assist mechanism	N. C.	348.58		3
	OPTIONAL COMPONENTS				
1295575	Nudge control	446.43	522.86		3
	Anchoring part for cable for passive hand and hook	40.22			3
	Other optional components (consult Subdivision VII for the codes and prices of these components)				-
	SUPPLEMENTS AVAILABLE				
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements)	*	*		

3190014 Nylon stump sheath

19.02 22.10

### ADJUSTMENT AVAILABLE

1246529 Lengthening of cubital part of the prosthesis

273.48

3

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1271501	Endoskeletal glenohumeral prosthetic restoration	3,506.60	1		6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person				
	Passive hand with flexible fingers and prosthetic glove (Otto Bock) Complete endoskeletal system (modular components and prosthetic cover) Suspension harness				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1275510	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	. 1,687.94		3
1275528 1295666 3222817	Complete endoskeletal system Prosthetic cover Suspension harness Passive hand with flexible fingers (Otto Bock) Prosthetic glove (Otto Bock)  OPTIONAL COMPONENTS	N. C. N. C. N. C. N. C. N. C.	419.63 186.35 325.78		3
1295849 1295815	Flexion wrist Shoulder-activated lock elbow Anchoring part for cable for passive hand and hook Other optional components (consult Subdivision	305.67 343.23 40.22	882.18		3
1295856	VII for the codes and prices of these components)  Nudge control where shoulder-activated lock elbow is used	446.43	522.86		3

### SUPPLEMENTS AVAILABLE

3293180 Prosthetic socks, per pair	28.18	37.54
Stump sock	*	*
* (consult Division III of this Part for the codes and		
prices of these supplements)		
3190014 Nylon stump sheath	19.02	22.10

#### ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1280502 Exoskeletal thoracic prosthesis	6,416.71			6
BASIC COMPONENTS AND SUPPLEM	MENTS			
Wrist friction joint				
Rigid plastic socket, made from plaster or mold of insured person	digital			
Forearm restoration				
Elbow with internal lock (E-400)				
Flexion assist mechanism Arm restoration				
Shoulder joint (FAJ-100)				
Suspension harness				
Control cables (2), connections, terminals	s and			
housing (reinforced materials and pulley)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
1285519 Rigid plastic socket, made from plaster or mold of insured person	digital N. C.	2,088.82		3
1295666 Suspension harness	N. C.	186.35		3
1295674 Control cables (2), connections, terminals				
housing (reinforced materials and pulley)	11. 0.	101.05		3
1295526 Wrist friction joint	N. C.	351.26		
1265529 Elbow with internal lock (E-400)	N. C.			
1245562 Forearm restoration	N. C.			3
1265537 Arm restoration	N. C.	382.10		3
1265545 Shoulder joint (FAJ-100)	N. C.			
1295690 Flexion assist mechanism	N. C.	348.58		3
OPTIONAL COMPONENTS				
1295575 Nudge control	446.43	522.86		3

1295815	Anchoring part for cable for passive hand and hook	40.22	64.34		3
	Other optional components (consult Subdivision VII for the codes and prices of these components)				
	SUPPLEMENTS AVAILABLE				
	Stump sock * (consult Division III of this Part for the codes and prices of these supplements) Nylon stump sheath	19.02			
	ADJUSTMENT AVAILABLE				
1246529	Lengthening of cubital part of the prosthesis			273.48	3
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1281500	Endoskeletal thoracic prosthetic restoration	3,853.85			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person				
	Passive hand with flexible fingers and prosthetic glove (Otto Bock) Complete endoskeletal system (modular components and prosthetic cover) Suspension harness				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Rigid plastic socket, made from plaster or digital mold of insured person	N. C.	2,088.82		3
1275528	Complete endoskeletal system Prosthetic cover Suspension harness	N. C. N. C. N. C.	419.63		3
3222817	Passive hand with flexible fingers (Otto Bock) Prosthetic glove, fitting included (Otto Bock)	N. C. N. C.	325.78		
	OPTIONAL COMPONENTS				
	Flexion wrist Shoulder-activated lock elbow	305.67 343.23			
	Anchoring part for cable for passive hand and hook	40.22			

----- Any pertinent adjustment

Other optional components (consult Subdivision VII for the codes and prices of these components)			·	·
1295856 Nudge control where shoulder-activated lock elbow is used	446.43	522.86		3
SUPPLEMENTS AVAILABLE				
3293180 Prosthetic socks, per pair	28.18	37.54		
Stump sock	*	*		
* (consult Division III of this Part for the codes and				
prices of these supplements)				
3190014 Nylon stump sheath	19.02	22.10		
ADJUSTMENT AVAILABLE				

### SUBDIVISION 7: BASIC OR OPTIONAL COMPONENTS FOR UPPER-LIMB PROSTHESES

WRISTS, HOOKS, HANDS, PROSTHETIC GLOVES, ELBOW JOINTS, SHOULDER JOINTS AND OTHERS

WRISTS FOR EXOSKELETAL PROSTHESES	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
3232725 Quick disconnect wrist including a socket (FM-100)	73.74	416.97	
3232733 Quick disconnect wrist including a socket (FM-100S)	526.91	868.78	
3232741 Quick disconnect wrist including a socket (WD-400)	54.96	396.85	
3232758 Quick disconnect wrist including a socket (WD-400S)	193.04	534.94	
3232790 Quick disconnect wrist including a socket (WD-400SS)	512.17	854.02	
3232766 Wrist for child (CAPP)	N. C.	348.58	
3232865 Flexion wrist for child (CAPP)	91.18	433.03	
3232774 Flexion wrist (FW-200, FW-300, FW-500)	211.85	553.71	
3232808 Flexion wrist (FW-500S)	753.45	1,095.36	
3232782 Flexion wrist (18-00)	362.00	705.23	
3232816 Flexion wrist (FW-50)	371.37	714.59	
3299005 Extra socket for wrist (WD-400)	49.60	49.60	
3299013 Extra socket for wrist (WD-400S, WD-400SS)	107.27	107.27	
3299021 Extra socket for wrist (FM-100)	65.68	65.68	
HOOKS	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
3222908 Dorrance hook, farmer's-type (6)	2,044.56	2,092.84	
3222940 Dorrance hook, farmer's-type (7 LO)	1,140.94	1,189.19	
3222916 APRL hook (302-00)	1,620.91	1,667.85	
3222924 Sierra hook	2,016.41	2,064.68	
3222619 Hook, model 99X or equivalent: use, shape, cost (10X, 10P, 99X8, 88X5, 5X, 5XA)	589.91	638.17	
3222973 Hook (12P)	639.51	687.79	
2222012 H 1 (00D)	600.63	697.70	
3223013 Hook (99P)	000.03	687.79	

			(authentic version)
3223401 Voluntary closing hook, for adult (TRS, Grip II)	1,413.09	1,460.03	
3223419 Voluntary closing hook, for adult (TRS, Grip III)	1,582.03	1,630.30	
3223427 Voluntary closing hook, for child (TRS, Grip I)	996.14	1,044.40	
3223435 Voluntary closing hook, for child (TRS, Grip II)	970.66	1,018.93	
3223443 Voluntary closing hook, for child (TRS, Grip III)	868.78	917.03	
3223450 Voluntary closing hook, for child (TRS, Grip IV)	911.69	959.95	
PASSIVE HANDS FOR PROSTHETIC RESTORATION	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
3222858 Steeper hand for child, including prosthetic glove and installation	36.21	501.41	
3222692 Centri hand for child, including prosthetic glove and installation	52.28	517.51	
3222866 Hosmer hand for adult, including prosthetic glove and installation	144.80	610.03	
3222627 Otto Bock hand for adult, including prosthetic glove and installation	N. C.	465.24	
PASSIVE HANDS FOR FUNCTIONAL PROSTHESES	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
3222643 Steeper hand for child, including prosthetic glove and installation	434.39	501.41	
3222684 Centri hand for child, including prosthetic glove and installation	450.48	517.51	
3222635 Hosmer hand for adult, including prosthetic glove and installation	542.97	610.03	
3222874 Otto Bock hand for adult, including prosthetic glove and installation	398.18	465.24	

		Maximum		
	MECHANICAL HANDS	substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
3222841	Voluntary opening Sierra hand, including prosthetic glove and installation	2,287.23	2,354.26	
3222809	Voluntary opening APRL hand and prosthetic glove, installation included	2,607.65	2,674.70	
3222833	Voluntary closing Otto Bock hand and prosthetic glove, installation included (8K15)	1,028.31	1,095.36	
3222676	Voluntary closing Otto Bock hand and prosthetic glove, installation included (8K25)	1,028.31	1,095.36	
3222668	Voluntary closing Otto Bock hand and prosthetic glove, installation included (8K21, 8K23)	656.95	722.64	
3222650	Voluntary closing Otto Bock hand and prosthetic glove, installation included, for endoskeletal system (8K27)	788.35	854.02	
3222726	Becker Imperial hand, prosthetic glove and protective glove, installation included	1,096.68	1,162.40	
3222734	Robin Aid hand and Realistic prosthetic glove, installation included (RA-100)	996.14	1,063.18	
3222742	Dorrance hand and Realistic prosthetic glove, installation included	1,879.68	1,945.35	
3222759	Voluntary closing APRL hand and Realistic prosthetic glove, installation included	2,607.65	2,674.70	
3222767	Becker hand, Realistic prosthetic glove and protective glove, installation included (BLG-100)	1,029.68	1,096.68	
3222775	Robin Aid hand and Realistic prosthetic glove, installation included (RA-200)	996.14	1,063.18	
3222783	Becker hand and Realistic prosthetic glove, installation included (BP-100)	820.51	1,021.62	
	MITTS FOR CHILDREN TO REPLACE PASSIVE HAND	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
	Hosmer mitt, installation included Crawl mitt and prosthetic glove, installation included	N. C. 107.27	290.92 564.44	

PROSTHETIC GLOVES	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
3223005 Otto Bock prosthetic glove, installation included 3223120 Realistic prosthetic glove, installation included 3225500 Silicone prosthetic glove	N. C. N. C. 377.45	279.55 294.95 657.00	12
ELBOW JOINTS	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
1245588 External monocentric free-moving locking joint (E-5500)	1,016.26	1,626.28	
1245596 External monocentric free-moving locking joint (E- 1500)	635.49	1,246.86	
1245604 External polycentric free-moving joint (MA-50, MA-75, MA-100)	80.43	691.82	
1245653 Constant friction elbow, for child (E-50) 1245661 Elbow with internal lock (E-400HD)	N. C. N. C.	1,075.23 1,102.05	
SHOULDER JOINTS	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
1245620 Abduction-adduction joint (SAJ-75)	N. C.	544.31	
1245638 Abduction-adduction joint (SAJ-100)	104.58	792.35	
1245646 Free movement joint (Hosmer) 1245679 Joint (FS-50, FS-75)	36.21 N. C.	723.98 622.07	

CONTROLS	Maximum substitution price of component at the time of purchase or replacement of prosthesis	Maximum replacement price of component	
1295583 Truncular abdominal or scapular control, including manufacturing, fitting and installation time as well as materials	57.67	87.16	

# **SUBDIVISION 8: UPPER-LIMB PROSTHESES**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
--------	---	---	---------------------------	--------------------

1242007 Other upper-limb prostheses \*\*

S. C.

\*

\*GUARANTEE PERIOD: Hand prostheses: 1 month

Others: 6 months

\*\* When price is below that of the similar

prosthesis

# DIVISION III: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES SUPPLEMENTS FOR PROSTHESES

•	Maximum price	Maximum price	
Description	Purchase or	at the time of	
Description	replacement of	replacement of	
	prosthesis	socks	
SUPPLEMENTS FOR PROSTHESES			
STUMP SOCKS			
WOOL $2-3-5$ PLY			
Width: 15.2 cm (6 in.)			
3493004 length: 25.4 cm (10 in.)	10.06	13.04	
3493012 length: 30.5 cm (12 in.)	10.93	14.06	
3493020 length: 35.6 cm (14 in.)	12.28	15.38	
3493038 length: 40.6 cm (16 in.)	13.31	16.25	
3493046 length: 45.7 cm (18 in.)	14.46	17.47	
3493053 length: 50.8 cm (20 in.)	15.54	18.48	
3493061 length: 55.9 cm (22 in.)	16.71	19.83	
3493079 length: 61.0 cm (24 in.)	18.48	21.44	
3493087 length: 66.0 cm (26 in.)	19.67	22.77	
3493095 length: 71.1 cm (28 in.)	20.85	23.80	
3493103 length: 76.2 cm (30 in.)	21.74	24.86	
3493111 length: 81.3 cm (32 in.)	23.07	26.16	
Width: 17.8 cm (7 in.)			
3493129 length: 25.4 cm (10 in.)	10.79	13.91	
3493137 length: 30.5 cm (12 in.)	12.00	15.10	
3493145 length: 35.6 cm (14 in.)	13.44	16.60	
3493152 length: 40.6 cm (16 in.)	14.95	18.05	
3493160 length: 45.7 cm (18 in.)	16.71	19.83	
3493178 length: 50.8 cm (20 in.)	18.33	21.44	
3493186 length: 55.9 cm (22 in.)	19.50	22.61	
3493194 length: 61.0 cm (24 in.)	20.85	23.95	
3493202 length: 66.0 cm (26 in.)	22.47	25.56	
3493210 length: 71.1 cm (28 in.)	23.66	26.76	
3493228 length: 76.2 cm (30 in.)	24.85	27.93	
3493236 length: 81.3 cm (32 in.)	26.32	29.41	
Width: 20.3 cm (8 in.)			
3493244 length: 25.4 cm (10 in.)	12.39	15.54	
3493251 length: 30.5 cm (12 in.)	14.06	16.97	
3493269 length: 35.6 cm (14 in.)	15.36	18.48	
3493277 length: 40.6 cm (16 in.)	16.97	20.11	
3493285 length: 45.7 cm (18 in.)	18.48	21.44	
3493293 length: 50.8 cm (20 in.)	19.95	23.09	
3493301 length: 55.9 cm (22 in.)	21.44	24.53	
3493319 length: 61.0 cm (24 in.)	23.22	26.33	
3493327 length: 66.0 cm (26 in.)	24.85	27.81	
3493335 length: 71.1 cm (28 in.)	26.47	29.59	
3493343 length: 76.2 cm (30 in.)	27.65	30.77	
3493350 length: 81.3 cm (32 in.)	29.27	32.38	

Width: 22.9 cm (9 in.)		
3493368 length: 25.4 cm (10 in.)	14.20	17.32
3493376 length: 30.5 cm (12 in.)	15.99	18.94
3493384 length: 35.6 cm (14 in.)	17.60	20.71
3493392 length: 40.6 cm (16 in.)	19.06	22.18
3493400 length: 45.7 cm (18 in.)	20.98	24.11
3493418 length: 50.8 cm (20 in.)	22.61	25.71
3493426 length: 55.9 cm (22 in.)	24.24	27.33
3493434 length: 61.0 cm (24 in.)	25.70	28.80
3493442 length: 66.0 cm (26 in.)	27.51	30.63
3493459 length: 71.1 cm (28 in.)	29.27	32.38
3493467 length: 76.2 cm (30 in.)	30.75	33.70
3493475 length: 81.3 cm (32 in.)	32.38	35.32
Width: 25.4 cm (10 in.)		
, ,		
3493483 length: 25.4 cm (10 in.)	15.99	18.94
3493491 length: 30.5 cm (12 in.)	17.32	20.41
3493509 length: 35.6 cm (14 in.)	19.37	22.49
3493517 length: 40.6 cm (16 in.)	21.15	24.11
3493525 length: 45.7 cm (18 in.)	22.76	25.89
3493533 length: 50.8 cm (20 in.)	24.69	27.81
3493541 length: 55.9 cm (22 in.)	26.47	29.59
3493558 length: 61.0 cm (24 in.)	28.09	31.19
3493566 length: 66.0 cm (26 in.)	29.71	32.66
3493574 length: 71.1 cm (28 in.)	31.63	34.72
3493582 length: 76.2 cm (30 in.)	33.40	36.39
3493590 length: 81.3 cm (32 in.)	35.18	38.30
Width: 30.5 cm (12 in.)		
3493608 length: 25.4 cm (10 in.)	21.28	24.26
3493616 length: 30.5 cm (12 in.)	22.90	26.02
3493624 length: 35.6 cm (14 in.)	24.85	27.93
3493632 length: 40.6 cm (16 in.)	26.47	29.59
3493640 length: 45.7 cm (18 in.)	28.38	31.33
3493657 length: 50.8 cm (20 in.)	30.15	33.14
3493665 length: 55.9 cm (22 in.)	31.91	34.90
3493673 length: 61.0 cm (24 in.)	33.84	36.83
3493681 length: 66.0 cm (26 in.)	35.18	38.14
3493699 length: 71.1 cm (28 in.)	37.23	40.22
3493707 length: 76.2 cm (30 in.)	38.75	41.85
3493715 length: 81.3 cm (32 in.)	40.63	43.78

Description	Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks	
WOOL 6-PLY			
Width: 15.2 cm (6 in.)			
3493723 length: 25.4 cm (10 in.)	10.93	14.06	
3493731 length: 30.5 cm (12 in.)	12.12	15.21	
3493749 length: 35.6 cm (14 in.)	13.44	16.60	
3493756 length: 40.6 cm (16 in.)	14.64	17.75	
3493764 length: 45.7 cm (18 in.)	15.99	18.94	
3493772 length: 50.8 cm (20 in.)	17.13	20.11	
3493780 length: 55.9 cm (22 in.)	18.48	21.44	
3493798 length: 61.0 cm (24 in.)	20.27	23.37	
3493806 length: 66.0 cm (26 in.)	21.58	24.69	
3493814 length: 71.1 cm (28 in.)	22.76	25.89	
3493822 length: 76.2 cm (30 in.)	23.94		
3493830 length: 81.3 cm (32 in.)	25.42	28.53	
Width: 17.8 cm (7 in.)			
3493848 length: 25.4 cm (10 in.)	12.00	15.10	
3493855 length: 30.5 cm (12 in.)	13.18	16.25	
3493863 length: 35.6 cm (14 in.)	14.95	17.88	
3493871 length: 40.6 cm (16 in.)	16.42	19.51	
3493889 length: 45.7 cm (18 in.)	18.48	21.44	
3493897 length: 50.8 cm (20 in.)	20.08	23.22	
3493905 length: 55.9 cm (22 in.)	21.58	24.69	
3493913 length: 61.0 cm (24 in.)	23.07	26.02	
3493921 length: 66.0 cm (26 in.)	24.85	27.81	
3493939 length: 71.1 cm (28 in.)	25.89	28.97	
3493947 length: 76.2 cm (30 in.)	27.33	30.46	
3493954 length: 81.3 cm (32 in.)	29.14	32.25	
Width: 20.3 cm (8 in.)			
3493962 length: 25.4 cm (10 in.)	13.75	16.71	
3493970 length: 30.5 cm (12 in.)	15.36	18.34	
3493988 length: 35.6 cm (14 in.)	16.97	20.11	
3493996 length: 40.6 cm (16 in.)	18.79	21.89	
3494002 length: 45.7 cm (18 in.)	20.27	23.37	
3494010 length: 50.8 cm (20 in.)	22.05	24.99	
3494028 length: 55.9 cm (22 in.)	23.66	26.76	
3494036 length: 61.0 cm (24 in.)	25.42	28.53	
3494044 length: 66.0 cm (26 in.)	27.18	30.31	
3494051 length: 71.1 cm (28 in.)	29.14	32.25	
3494069 length: 76.2 cm (30 in.)	30.63	33.70	
3494077 length: 81.3 cm (32 in.)	32.23	35.32	

Width: 22.9 cm (9 in.)		
·	15.54	18.63
3494085 length: 25.4 cm (10 in.) 3494093 length: 30.5 cm (12 in.)	17.46	20.56
3494101 length: 35.6 cm (14 in.)	19.37	22.49
3494101 length: 33.6 cm (14 iii.)	20.98	24.11
3494127 length: 45.7 cm (18 in.)	23.07	26.16
3494135 length: 50.8 cm (20 in.)	24.85	27.93
3494143 length: 55.9 cm (22 in.)	26.60	29.70
3494150 length: 61.0 cm (24 in.)	28.38	31.33
3494168 length: 66.0 cm (26 in.)	30.31	33.25
3494176 length: 71.1 cm (28 in.)	32.23	35.32
3494184 length: 76.2 cm (30 in.)	33.69	36.83
3494192 length: 81.3 cm (32 in.)	35.63	38.62
3434192 Icligui. 81.3 cm (32 m.)	33.03	30.02
Width: 25.4 cm (10 in.)		
3494200 length: 25.4 cm (10 in.)	17.46	20.56
3494218 length: 30.5 cm (12 in.)	19.06	22.18
3494226 length: 35.6 cm (14 in.)	21.28	24.41
3494234 length: 40.6 cm (16 in.)	23.07	26.16
3494242 length: 45.7 cm (18 in.)	24.99	28.11
3494259 length: 50.8 cm (20 in.)	27.18	30.31
3494267 length: 55.9 cm (22 in.)	29.14	32.25
3494275 length: 61.0 cm (24 in.)	31.04	34.16
3494283 length: 66.0 cm (26 in.)	32.81	35.79
3494291 length: 71.1 cm (28 in.)	34.89	37.98
3494309 length: 76.2 cm (30 in.)	36.66	39.76
3494317 length: 81.3 cm (32 in.)	38.75	41.68
Width: 30.5 cm (12 in.)		
3494325 length: 25.4 cm (10 in.)	23.35	26.47
3494333 length: 30.5 cm (12 in.)	25.11	28.25
3494341 length: 35.6 cm (14 in.)	27.33	30.46
3494358 length: 40.6 cm (16 in.)	29.14	32.25
3494366 length: 45.7 cm (18 in.)	31.19	34.30
3494374 length: 50.8 cm (20 in.)	33.25	36.23
3494382 length: 55.9 cm (22 in.)	35.18	38.14
3494390 length: 61.0 cm (24 in.)	37.23	40.22
3494408 length: 66.0 cm (26 in.)	38.62	41.68
3494416 length: 71.1 cm (28 in.)	40.77	43.90
3494424 length: 76.2 cm (30 in.)	42.73	45.70
3494432 length: 81.3 cm (32 in.)	44.65	47.75

Description	Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks	
WOOL AND NYLON 2-3-5 PLY			
Width: 15.2 cm (6 in.)			
3494440 length: 25.4 cm (10 in.)	13.89	16.97	
3494457 length: 30.5 cm (12 in.)	13.89	16.97	
3494465 length: 35.6 cm (14 in.)	15.99	18.94	
3494473 length: 40.6 cm (16 in.)	15.99	18.94	
3494481 length: 45.7 cm (18 in.)	15.99	18.94	
3494499 length: 50.8 cm (20 in.)	18.19	21.15	
3494507 length: 55.9 cm (22 in.)	18.19	21.15	
Width: 17.8 cm (7 in.)			
3494515 length: 25.4 cm (10 in.)	13.89	16.97	
3494523 length: 30.5 cm (12 in.)	13.89	16.97	
3494531 length: 35.6 cm (14 in.)	15.99	18.94	
3494549 length: 40.6 cm (16 in.)	15.99	18.94	
3494556 length: 45.7 cm (18 in.)	15.99	18.94	
3494564 length: 50.8 cm (20 in.)	18.19	21.15	
3494572 length: 55.9 cm (22 in.)	18.19	21.15	
3494580 length: 61.0 cm (24 in.)	18.19	21.15	
Width: 20.3 cm (8 in.)			
3494598 length: 25.4 cm (10 in.)	15.99	18.94	
3494606 length: 30.5 cm (12 in.)	15.99	18.94	
3494614 length: 35.6 cm (14 in.)	15.99	18.94	
3494622 length: 40.6 cm (16 in.)	18.19	21.15	
3494630 length: 45.7 cm (18 in.)	18.19	21.15	
3494648 length: 50.8 cm (20 in.)	18.19	21.15	
3494655 length: 55.9 cm (22 in.)	20.85	23.80	
3494663 length: 61.0 cm (24 in.)	20.85	23.80	
3494671 length: 66.0 cm (26 in.)	20.85	23.80	
3494689 length: 71.1 cm (28 in.)	20.85	23.80	
Width: 22.9 cm (9 in.)			
3494697 length: 25.4 cm (10 in.)	15.99	18.94	
3494705 length: 30.5 cm (12 in.)	15.99	18.94	
3494713 length: 35.6 cm (14 in.)	18.19	21.15	
3494721 length: 40.6 cm (16 in.)	18.19	21.15	
3494739 length: 45.7 cm (18 in.)	18.19	21.15	
3494747 length: 50.8 cm (20 in.)	20.85	23.80	
3494754 length: 55.9 cm (22 in.)	20.85	23.80	
3494762 length: 61.0 cm (24 in.)	20.85	23.80	
3494770 length: 66.0 cm (26 in.)	20.85	23.80	
3494788 length: 71.1 cm (28 in.)	20.85	23.80	
3494796 length: 101.6 cm (40 in.)	15.99	18.94	
3494804 length: 106.7 cm (42 in.)	15.99	18.94	
3494812 length: 111.8 cm (44 in.)	18.19	21.15	

			(authentic version)
3494820 length: 116.8 cm (46 in.)	18.19	21.15	
3494838 length: 121.9 cm (48 in.)	18.19	21.15	
3494846 length: 127.0 cm (50 in.)	20.85	23.80	
3494853 length: 132.1 cm (52 in.)	20.85	23.80	
6 15 1000 101gm 10211 0m (62 m)	20.00	25.00	
Width: 25.4 cm (10 in.)			
3494861 length: 25.4 cm (10 in.)	15.99	18.94	
3494879 length: 30.5 cm (12 in.)	18.19	21.15	
3494887 length: 35.6 cm (14 in.)	18.19	21.15	
3494895 length: 40.6 cm (16 in.)	18.19	21.15	
3494903 length: 45.7 cm (18 in.)	20.85	23.80	
3494911 length: 50.8 cm (20 in.)	20.85	23.80	
3494929 length: 55.9 cm (22 in.)	20.85	23.80	
3494937 length: 61.0 cm (24 in.)	20.85	23.80	
3494945 length: 66.0 cm (26 in.)	22.90	26.02	
3494952 length: 101.6 cm (40 in.)	15.99	18.94	
3494960 length: 106.7 cm (42 in.)	15.99	18.94	
3494978 length: 111.8 cm (44 in.)	18.19	21.15	
3494986 length: 116.8 cm (46 in.)	18.19	21.15	
3494994 length: 121.9 cm (48 in.)	20.85 20.85	23.80 23.80	
3495009 length: 127.0 cm (50 in.) 3495017 length: 132.1 cm (52 in.)	20.85	23.80	
· , ,	20.83	23.80	
Width: 30.5 cm (12 in.)			
3495025 length: 25.4 cm (10 in.)	18.19	21.15	
3495033 length: 30.5 cm (12 in.)	20.85	23.80	
3495041 length: 35.6 cm (14 in.)	20.85	23.80	
3495058 length: 40.6 cm (16 in.)	20.85	23.80	
3495066 length: 45.7 cm (18 in.)	20.85	23.80	
3495074 length: 50.8 cm (20 in.)	20.85	23.80	
	Maximum price 1	Maximum price	
Description	Purchase or	at the time of	
Description	*	replacement of	
	prosthesis	socks	
WOOL AND NYLON 6-PLY			
Width: 15.2 cm (6 in.)			
3495082 length: 30.5 cm (12 in.)	15.36	18.34	
3495090 length: 35.6 cm (14 in.)	17.13	20.27	
3495108 length: 40.6 cm (16 in.)	17.13	20.27	
3495116 length: 45.7 cm (18 in.)	17.13	20.27	
3495124 length: 50.8 cm (20 in.)	19.37	22.49	
3495132 length: 55.9 cm (22 in.)	19.37	22.49	
Width: 17.8 cm (7 in.)			
3495140 length: 25.4 cm (10 in.)	17.13	20.27	
3495157 length: 30.5 cm (12 in.)	15.36	18.34	
3495165 length: 35.6 cm (14 in.)			
3495173 length: 40.6 cm (16 in.)	17.13 17.13	20.27 20.27	

Tariff for devices which compensate for a motor deficiency an	d insured	l rel	ated s	ervices	;
	,	.1	. •		

SCHEDULE 1	Tariff for devices which compensate for	a motor deficiency	and insured related services (authentic version)
3495181 length: 45.7 cm (18 in.)	17.13	20.27	
3495199 length: 50.8 cm (20 in.)	19.37		
3495207 length: 55.9 cm (22 in.)	19.37		
3 193207 Tengun. 33.9 em (22 m.)	17.137	22.19	
Width: 20.3 cm (8 in.)			
3495215 length: 25.4 cm (10 in.)	17.13	20.27	
3495223 length: 30.5 cm (12 in.)	17.13	20.27	
3495231 length: 35.6 cm (14 in.)	17.13	20.27	
3495249 length: 40.6 cm (16 in.)	19.37	22.49	
3495256 length: 45.7 cm (18 in.)	19.37	22.49	
3495264 length: 50.8 cm (20 in.)	19.37	22.49	
3495272 length: 55.9 cm (22 in.)	22.47	25.43	
3495280 length: 61.0 cm (24 in.)	22.47	25.43	
Width: 22.9 cm (9 in.)			
3495298 length: 30.5 cm (12 in.)	17.13	20.27	
3495306 length: 35.6 cm (14 in.)	19.37	22.49	
3495314 length: 40.6 cm (16 in.)	19.37		
3495322 length: 45.7 cm (18 in.)	19.37		
3495330 length: 50.8 cm (20 in.)	22.47		
3495348 length: 55.9 cm (22 in.)	22.47		
3495355 length: 61.0 cm (24 in.)	22.47	25.43	
Descripti	on Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks	_
Descripti  ULTRA WOOL 3 – 5 PLY	on Purchase or replacement of prosthesis	at the time of replacement of	
•	on Purchase or replacement of prosthesis	at the time of replacement of	
ULTRA WOOL 3 – 5 PLY	on Purchase or replacement of prosthesis	at the time of replacement of socks	
<u>ULTRA WOOL 3 – 5 PLY</u> Width: 15.2 cm (6 in.)	on Purchase or replacement of prosthesis	at the time of replacement of socks	
ULTRA WOOL 3 – 5 PLY Width: 15.2 cm (6 in.) 3495363 length: 25.4 cm (10 in.)	on Purchase or replacement of prosthesis	at the time of replacement of socks  18.34 18.34	
ULTRA WOOL 3 – 5 PLY Width: 15.2 cm (6 in.) 3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.)	Purchase or replacement of prosthesis  15.36 15.36	at the time of replacement of socks  18.34 18.34 20.56	
ULTRA WOOL 3 – 5 PLY Width: 15.2 cm (6 in.) 3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.) 3495389 length: 35.6 cm (14 in.)	Purchase or replacement of prosthesis  15.36 15.36 17.60	at the time of replacement of socks  18.34 18.34 20.56 20.56	
ULTRA WOOL 3 – 5 PLY Width: 15.2 cm (6 in.)  3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.) 3495389 length: 35.6 cm (14 in.) 3495397 length: 40.6 cm (16 in.)	Purchase or replacement of prosthesis  15.36 15.36 17.60 17.60	at the time of replacement of socks  18.34 18.34 20.56 20.56 20.56	
ULTRA WOOL 3 – 5 PLY Width: 15.2 cm (6 in.)  3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.) 3495389 length: 35.6 cm (14 in.) 3495397 length: 40.6 cm (16 in.) 3495405 length: 45.7 cm (18 in.) 3495413 length: 50.8 cm (20 in.) 3495421 length: 55.9 cm (22 in.)	Purchase or replacement of prosthesis  15.36 15.36 17.60 17.60 17.60 19.95 19.95	18.34 18.34 20.56 20.56 23.09 23.09	
ULTRA WOOL 3 – 5 PLY Width: 15.2 cm (6 in.)  3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.) 3495389 length: 35.6 cm (14 in.) 3495397 length: 40.6 cm (16 in.) 3495405 length: 45.7 cm (18 in.) 3495413 length: 50.8 cm (20 in.)	Purchase or replacement of prosthesis  15.36 15.36 17.60 17.60 17.60 19.95	18.34 18.34 20.56 20.56 23.09 23.09	
ULTRA WOOL 3 – 5 PLY Width: 15.2 cm (6 in.)  3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.) 3495389 length: 35.6 cm (14 in.) 3495397 length: 40.6 cm (16 in.) 3495405 length: 45.7 cm (18 in.) 3495413 length: 50.8 cm (20 in.) 3495421 length: 55.9 cm (22 in.)	Purchase or replacement of prosthesis  15.36 15.36 17.60 17.60 17.60 19.95 19.95	18.34 18.34 20.56 20.56 23.09 23.09	
ULTRA WOOL 3 – 5 PLY Width: 15.2 cm (6 in.)  3495363 length: 25.4 cm (10 in.)  3495371 length: 30.5 cm (12 in.)  3495389 length: 35.6 cm (14 in.)  3495397 length: 40.6 cm (16 in.)  3495405 length: 45.7 cm (18 in.)  3495413 length: 50.8 cm (20 in.)  3495421 length: 55.9 cm (22 in.)  3495439 length: 61.0 cm (24 in.)	Purchase or replacement of prosthesis  15.36 15.36 17.60 17.60 17.60 19.95 19.95	18.34 18.34 20.56 20.56 23.09 23.09 23.09	
ULTRA WOOL 3 – 5 PLY Width: 15.2 cm (6 in.)  3495363 length: 25.4 cm (10 in.)  3495371 length: 30.5 cm (12 in.)  3495389 length: 35.6 cm (14 in.)  3495397 length: 40.6 cm (16 in.)  3495405 length: 45.7 cm (18 in.)  3495413 length: 50.8 cm (20 in.)  3495421 length: 55.9 cm (22 in.)  3495439 length: 61.0 cm (24 in.)  Width: 17.8 cm (7 in.)	Purchase or replacement of prosthesis  15.36 15.36 17.60 17.60 17.60 19.95 19.95	18.34 18.34 18.34 20.56 20.56 23.09 23.09 23.09	
ULTRA WOOL 3 – 5 PLY Width: 15.2 cm (6 in.)  3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.) 3495389 length: 35.6 cm (14 in.) 3495397 length: 40.6 cm (16 in.) 3495405 length: 45.7 cm (18 in.) 3495413 length: 50.8 cm (20 in.) 3495421 length: 55.9 cm (22 in.) 3495439 length: 61.0 cm (24 in.) Width: 17.8 cm (7 in.)  3495447 length: 25.4 cm (10 in.)	Purchase or replacement of prosthesis  15.36 15.36 17.60 17.60 17.60 19.95 19.95 19.95	at the time of replacement of socks  18.34 18.34 20.56 20.56 20.56 23.09 23.09 23.09 18.34 18.34	
ULTRA WOOL 3 – 5 PLY  Width: 15.2 cm (6 in.)  3495363 length: 25.4 cm (10 in.)  3495371 length: 30.5 cm (12 in.)  3495389 length: 35.6 cm (14 in.)  3495497 length: 40.6 cm (16 in.)  3495405 length: 45.7 cm (18 in.)  3495413 length: 50.8 cm (20 in.)  3495421 length: 55.9 cm (22 in.)  3495439 length: 61.0 cm (24 in.)  Width: 17.8 cm (7 in.)  3495447 length: 25.4 cm (10 in.)  3495454 length: 30.5 cm (12 in.)	Purchase or replacement of prosthesis  15.36 15.36 17.60 17.60 19.95 19.95 19.95	18.34 18.34 20.56 20.56 23.09 23.09 23.09	
ULTRA WOOL 3 – 5 PLY  Width: 15.2 cm (6 in.)  3495363 length: 25.4 cm (10 in.)  3495371 length: 30.5 cm (12 in.)  3495389 length: 35.6 cm (14 in.)  3495397 length: 40.6 cm (16 in.)  3495405 length: 45.7 cm (18 in.)  3495413 length: 50.8 cm (20 in.)  3495421 length: 55.9 cm (22 in.)  3495439 length: 61.0 cm (24 in.)  Width: 17.8 cm (7 in.)  3495447 length: 25.4 cm (10 in.)  3495454 length: 30.5 cm (12 in.)  3495462 length: 35.6 cm (14 in.)	Purchase or replacement of prosthesis  15.36 15.36 17.60 17.60 17.60 19.95 19.95 19.95 15.36 15.36 15.36 17.60	18.34 18.34 20.56 20.56 23.09 23.09 23.09 18.34 18.34 20.56 20.56	
ULTRA WOOL 3 – 5 PLY Width: 15.2 cm (6 in.)  3495363 length: 25.4 cm (10 in.) 3495371 length: 30.5 cm (12 in.) 3495389 length: 35.6 cm (14 in.) 3495405 length: 40.6 cm (16 in.) 3495413 length: 50.8 cm (20 in.) 3495421 length: 55.9 cm (22 in.) 3495439 length: 61.0 cm (24 in.) Width: 17.8 cm (7 in.)  3495447 length: 30.5 cm (10 in.) 3495454 length: 35.6 cm (14 in.) 3495462 length: 35.6 cm (14 in.) 3495470 length: 40.6 cm (16 in.)	Purchase or replacement of prosthesis  15.36 15.36 17.60 17.60 19.95 19.95 19.95 15.36 15.36 15.36 17.60 17.60 17.60	18.34 18.34 20.56 20.56 23.09 23.09 23.09 18.34 18.34 20.56 20.56 20.56	
ULTRA WOOL 3 – 5 PLY  Width: 15.2 cm (6 in.)  3495363 length: 25.4 cm (10 in.)  3495371 length: 30.5 cm (12 in.)  3495389 length: 35.6 cm (14 in.)  3495405 length: 40.6 cm (16 in.)  3495413 length: 50.8 cm (20 in.)  3495421 length: 55.9 cm (22 in.)  3495439 length: 61.0 cm (24 in.)  Width: 17.8 cm (7 in.)  3495447 length: 25.4 cm (10 in.)  3495454 length: 30.5 cm (12 in.)  3495462 length: 35.6 cm (14 in.)  3495470 length: 40.6 cm (16 in.)  3495488 length: 45.7 cm (18 in.)	Purchase or replacement of prosthesis  15.36 15.36 17.60 17.60 19.95 19.95 19.95 15.36 15.36 17.60 17.60 17.60 17.60 17.60	18.34 18.34 20.56 20.56 23.09 23.09 23.09 18.34 18.34 20.56 20.56 20.56 20.56	

72 Updated: 1 April, 2020

Width: 20.3 cm (8 in.)			
24055201 4 25.4 (10:)	17.60	20.56	
3495520 length: 25.4 cm (10 in.)	17.60	20.56	
3495538 length: 30.5 cm (12 in.)	17.60	20.56	
3495546 length: 35.6 cm (14 in.)	17.60	20.56	
3495553 length: 40.6 cm (16 in.)	19.95	23.09	
3495561 length: 45.7 cm (18 in.)	19.95	23.09	
3495579 length: 50.8 cm (20 in.)	19.95	23.09	
3495587 length: 55.9 cm (22 in.)	23.07	26.16	
3495595 length: 61.0 cm (24 in.)	23.07	26.16	
Width: 22.9 cm (9 in.)			
3495603 length: 25.4 cm (10 in.)	17.60	20.56	
3495611 length: 30.5 cm (12 in.)	17.60	20.56	
3495629 length: 35.6 cm (14 in.)	19.95	23.09	
3495637 length: 40.6 cm (16 in.)	19.95	23.09	
3495645 length: 45.7 cm (18 in.)	19.95	23.09	
3495652 length: 50.8 cm (20 in.)	23.07	26.16	
3495660 length: 55.9 cm (22 in.)	23.07	26.16	
3495678 length: 61.0 cm (24 in.)	23.07	26.16	
Width: 25.4 cm (10 in.)			
(10 ml)			
3495686 length: 25.4 cm (10 in.)	17.60	20.56	
3495694 length: 30.5 cm (12 in.)	19.95	23.09	
3495702 length: 35.6 cm (14 in.)	19.95	23.09	
3495710 length: 40.6 cm (16 in.)	19.95	23.09	
3495710 length: 40.6 cm (16 in.) 3495728 length: 45.7 cm (18 in.)	19.95 23.07	23.09 26.16	
3495728 length: 45.7 cm (18 in.) 3495736 length: 50.8 cm (20 in.)	23.07 23.07	26.16 26.16	
3495728 length: 45.7 cm (18 in.) 3495736 length: 50.8 cm (20 in.) 3495744 length: 55.9 cm (22 in.)	23.07 23.07 23.07	26.16 26.16 26.16	
3495728 length: 45.7 cm (18 in.) 3495736 length: 50.8 cm (20 in.)	23.07 23.07	26.16 26.16	
3495728 length: 45.7 cm (18 in.) 3495736 length: 50.8 cm (20 in.) 3495744 length: 55.9 cm (22 in.)	23.07 23.07 23.07	26.16 26.16 26.16	
3495728 length: 45.7 cm (18 in.) 3495736 length: 50.8 cm (20 in.) 3495744 length: 55.9 cm (22 in.) 3495751 length: 61.0 cm (24 in.)	23.07 23.07 23.07	26.16 26.16 26.16	
3495728 length: 45.7 cm (18 in.) 3495736 length: 50.8 cm (20 in.) 3495744 length: 55.9 cm (22 in.) 3495751 length: 61.0 cm (24 in.) Width: 30.5 cm (12 in.)	23.07 23.07 23.07 23.07	26.16 26.16 26.16 26.16	
3495728 length: 45.7 cm (18 in.) 3495736 length: 50.8 cm (20 in.) 3495744 length: 55.9 cm (22 in.) 3495751 length: 61.0 cm (24 in.) Width: 30.5 cm (12 in.) 3495769 length: 25.4 cm (10 in.)	23.07 23.07 23.07 23.07	26.16 26.16 26.16 26.16	
3495728 length: 45.7 cm (18 in.) 3495736 length: 50.8 cm (20 in.) 3495744 length: 55.9 cm (22 in.) 3495751 length: 61.0 cm (24 in.) Width: 30.5 cm (12 in.) 3495769 length: 25.4 cm (10 in.) 3495777 length: 30.5 cm (12 in.)	23.07 23.07 23.07 23.07	26.16 26.16 26.16 26.16 23.09 23.35	
3495728 length: 45.7 cm (18 in.) 3495736 length: 50.8 cm (20 in.) 3495744 length: 55.9 cm (22 in.) 3495751 length: 61.0 cm (24 in.) Width: 30.5 cm (12 in.) 3495769 length: 25.4 cm (10 in.) 3495777 length: 30.5 cm (12 in.) 3495785 length: 35.6 cm (14 in.) 3495793 length: 40.6 cm (16 in.)	23.07 23.07 23.07 23.07 23.07 23.07 23.07 23.07 Maximum price Purchase or	26.16 26.16 26.16 26.16 23.09 23.35 26.16 26.16 Maximum price at the time of	
3495728 length: 45.7 cm (18 in.) 3495736 length: 50.8 cm (20 in.) 3495744 length: 55.9 cm (22 in.) 3495751 length: 61.0 cm (24 in.) Width: 30.5 cm (12 in.) 3495769 length: 25.4 cm (10 in.) 3495777 length: 30.5 cm (12 in.) 3495785 length: 35.6 cm (14 in.)	23.07 23.07 23.07 23.07 23.07 23.07 23.07 23.07 23.07 23.07  Maximum price Purchase or replacement of	26.16 26.16 26.16 26.16 23.09 23.35 26.16 26.16 Maximum price at the time of replacement of	
3495728 length: 45.7 cm (18 in.) 3495736 length: 50.8 cm (20 in.) 3495744 length: 55.9 cm (22 in.) 3495751 length: 61.0 cm (24 in.) Width: 30.5 cm (12 in.) 3495769 length: 25.4 cm (10 in.) 3495777 length: 30.5 cm (12 in.) 3495785 length: 35.6 cm (14 in.) 3495793 length: 40.6 cm (16 in.)  Description	23.07 23.07 23.07 23.07 23.07 23.07 23.07 23.07 Maximum price Purchase or	26.16 26.16 26.16 26.16 23.09 23.35 26.16 26.16 Maximum price at the time of	
3495728 length: 45.7 cm (18 in.) 3495736 length: 50.8 cm (20 in.) 3495744 length: 55.9 cm (22 in.) 3495751 length: 61.0 cm (24 in.) Width: 30.5 cm (12 in.) 3495769 length: 25.4 cm (10 in.) 3495777 length: 30.5 cm (12 in.) 3495785 length: 35.6 cm (14 in.) 3495793 length: 40.6 cm (16 in.)  Description	23.07 23.07 23.07 23.07 23.07 23.07 23.07 23.07 23.07 23.07  Maximum price Purchase or replacement of	26.16 26.16 26.16 26.16 23.09 23.35 26.16 26.16 Maximum price at the time of replacement of	
3495728 length: 45.7 cm (18 in.) 3495736 length: 50.8 cm (20 in.) 3495744 length: 55.9 cm (22 in.) 3495751 length: 61.0 cm (24 in.) Width: 30.5 cm (12 in.) 3495769 length: 25.4 cm (10 in.) 3495777 length: 30.5 cm (12 in.) 3495785 length: 35.6 cm (14 in.) 3495793 length: 40.6 cm (16 in.)  Description	23.07 23.07 23.07 23.07 23.07 23.07 23.07 23.07 23.07 23.07  Maximum price Purchase or replacement of	26.16 26.16 26.16 26.16 23.09 23.35 26.16 26.16 Maximum price at the time of replacement of	
3495728 length: 45.7 cm (18 in.) 3495736 length: 50.8 cm (20 in.) 3495744 length: 55.9 cm (22 in.) 3495751 length: 61.0 cm (24 in.) Width: 30.5 cm (12 in.) 3495769 length: 25.4 cm (10 in.) 3495777 length: 30.5 cm (12 in.) 3495785 length: 35.6 cm (14 in.) 3495793 length: 40.6 cm (16 in.)  Description	23.07 23.07 23.07 23.07 23.07 23.07 23.07 23.07 23.07 23.07  Maximum price Purchase or replacement of	26.16 26.16 26.16 26.16 23.09 23.35 26.16 26.16 Maximum price at the time of replacement of	
3495728 length: 45.7 cm (18 in.) 3495736 length: 50.8 cm (20 in.) 3495744 length: 55.9 cm (22 in.) 3495751 length: 61.0 cm (24 in.) Width: 30.5 cm (12 in.)  3495769 length: 25.4 cm (10 in.) 3495777 length: 30.5 cm (12 in.) 3495785 length: 35.6 cm (14 in.) 3495793 length: 40.6 cm (16 in.)  Description  WOOL AND LYCRA  Extra narrow short  3495801 Extra light 3495819 Light	23.07 23.07 23.07 23.07 23.07 23.07 23.07 23.07 23.07 23.07  Maximum price Purchase or replacement of prosthesis	26.16 26.16 26.16 26.16 23.09 23.35 26.16 26.16 Maximum price at the time of replacement of socks	
3495728 length: 45.7 cm (18 in.) 3495736 length: 50.8 cm (20 in.) 3495744 length: 55.9 cm (22 in.) 3495751 length: 61.0 cm (24 in.) Width: 30.5 cm (12 in.)  3495769 length: 25.4 cm (10 in.) 3495777 length: 30.5 cm (12 in.) 3495785 length: 35.6 cm (14 in.) 3495793 length: 40.6 cm (16 in.)  Description  WOOL AND LYCRA  Extra narrow short  3495801 Extra light 3495819 Light 3495827 Thick	23.07 23.07 23.07 23.07 23.07 23.07 23.07 23.07 23.07  Maximum price Purchase or replacement of prosthesis	26.16 26.16 26.16 26.16 23.09 23.35 26.16 26.16 Maximum price at the time of replacement of socks	
3495728 length: 45.7 cm (18 in.) 3495736 length: 50.8 cm (20 in.) 3495744 length: 55.9 cm (22 in.) 3495751 length: 61.0 cm (24 in.) Width: 30.5 cm (12 in.)  3495769 length: 25.4 cm (10 in.) 3495777 length: 30.5 cm (12 in.) 3495785 length: 35.6 cm (14 in.) 3495793 length: 40.6 cm (16 in.)  Description  WOOL AND LYCRA  Extra narrow short  3495801 Extra light 3495819 Light	23.07 23.07 23.07 23.07 23.07 23.07 23.07 23.07 23.07 23.07  Maximum price Purchase or replacement of prosthesis	26.16 26.16 26.16 26.16 23.09 23.35 26.16 26.16 Maximum price at the time of replacement of socks	

				(ddifference version)
]	Narrow short			
3495843	Extra light	14.81	17.88	
3495850		15.68	18.79	
3495868		16.71	19.67	
	Very thick	17.60	20.56	
	Narrow long or wide short			
	Extra light	17.13	20.11	
3495892	•	18.03	21.15	
3495900		18.93	22.05	
3495918	Very thick	19.82	22.90	
7	Wide long			
3495926	Extra light	19.82	22.90	
3495934	Light	20.85	23.80	
3495942	Thick	21.74	24.69	
3495959	Very thick	23.07	26.16	
		Maximum price	Maximum price	
	Description	Purchase or	at the time of	
	Description	replacement of	replacement of	
		prosthesis	socks	
!	COTTON 3 – 5 PLY			
7	Width: 15.2 cm (6 in.)			
3495967	length: 25.4 cm (10 in.)	7.56	10.65	
	length: 30.5 cm (12 in.)	8.45	11.55	
	length: 35.6 cm (14 in.)	9.32	12.40	
	length: 40.6 cm (16 in.)	10.22	13.32	
	length: 45.7 cm (18 in.)	10.93	14.06	
	length: 50.8 cm (20 in.)	11.81	14.95	
	length: 55.9 cm (22 in.)	12.72	15.81	
		12.72		
	length: 61.0 cm (24 in.)	14.06	16.97	
3496056	length: 61.0 cm (24 in.) length: 66.0 cm (26 in.)		16.97 18.05	
2.,0000		14.06		
	length: 66.0 cm (26 in.)	14.06 14.95	18.05	
,	length: 66.0 cm (26 in.) length: 71.1 cm (28 in.) Width: 17.8 cm (7 in.)	14.06 14.95	18.05	
3496064 1	length: 66.0 cm (26 in.) length: 71.1 cm (28 in.)	14.06 14.95 15.81	18.05 18.94	
3496064 I 3496072 I	length: 66.0 cm (26 in.) length: 71.1 cm (28 in.) Width: 17.8 cm (7 in.) length: 25.4 cm (10 in.)	14.06 14.95 15.81	18.05 18.94	
3496064 I 3496072 I 3496080 I	length: 66.0 cm (26 in.) length: 71.1 cm (28 in.) Width: 17.8 cm (7 in.) length: 25.4 cm (10 in.) length: 30.5 cm (12 in.)	14.06 14.95 15.81 8.26 9.18	18.05 18.94 11.24 12.13	
3496064 I 3496072 I 3496080 I 3496098 I	length: 66.0 cm (26 in.) length: 71.1 cm (28 in.) Width: 17.8 cm (7 in.) length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.)	14.06 14.95 15.81 8.26 9.18 10.22	18.05 18.94 11.24 12.13 13.32	
3496064 1 3496072 1 3496080 1 3496098 1 3496106 1	length: 66.0 cm (26 in.) length: 71.1 cm (28 in.) Width: 17.8 cm (7 in.) length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.)	14.06 14.95 15.81 8.26 9.18 10.22 11.41	18.05 18.94 11.24 12.13 13.32 14.33	
3496064 1 3496072 1 3496080 1 3496098 1 3496106 1 3496114 1	length: 66.0 cm (26 in.) length: 71.1 cm (28 in.)  Width: 17.8 cm (7 in.)  length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.)	14.06 14.95 15.81 8.26 9.18 10.22 11.41 12.72	18.05 18.94 11.24 12.13 13.32 14.33 15.81	
3496064 1 3496072 1 3496080 1 3496088 1 3496106 1 3496114 1 3496122 1	length: 66.0 cm (26 in.) length: 71.1 cm (28 in.)  Width: 17.8 cm (7 in.)  length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.)	14.06 14.95 15.81 8.26 9.18 10.22 11.41 12.72 13.89	18.05 18.94 11.24 12.13 13.32 14.33 15.81 16.97	
3496064 1 3496072 1 3496080 1 3496098 1 3496106 1 3496114 1 3496122 1 3496130 1	length: 66.0 cm (26 in.) length: 71.1 cm (28 in.)  Width: 17.8 cm (7 in.)  length: 25.4 cm (10 in.) length: 30.5 cm (12 in.) length: 35.6 cm (14 in.) length: 40.6 cm (16 in.) length: 45.7 cm (18 in.) length: 50.8 cm (20 in.) length: 55.9 cm (22 in.)	14.06 14.95 15.81 8.26 9.18 10.22 11.41 12.72 13.89 14.95	18.05 18.94 11.24 12.13 13.32 14.33 15.81 16.97 17.88	

Width: 20.3 cm (8 in.)		
3496163 length: 25.4 cm (10 in.)	9.60	12.58
3496171 length: 30.5 cm (12 in.)	10.51	13.60
3496189 length: 35.6 cm (14 in.)	11.81	14.81
3496197 length: 40.6 cm (16 in.)	12.87	16.01
3496205 length: 45.7 cm (18 in.)	14.06	16.97
3496213 length: 50.8 cm (20 in.)	15.09	18.19
3496221 length: 55.9 cm (22 in.)	16.42	19.37
3496239 length: 61.0 cm (24 in.)	17.60	20.71
3496247 length: 66.0 cm (26 in.)	18.79	21.89
3496254 length: 71.1 cm (28 in.)	20.27	23.22
Width: 22.9 cm (9 in.)		
3496262 length: 25.4 cm (10 in.)	10.79	13.91
3496270 length: 30.5 cm (12 in.)	12.00	15.10
3496288 length: 35.6 cm (14 in.)	13.31	16.42
3496296 length: 40.6 cm (16 in.)	14.46	17.58
3496304 length: 45.7 cm (18 in.)	15.99	19.06
3496312 length: 50.8 cm (20 in.)	17.13	20.27
3496320 length: 55.9 cm (22 in.)	18.48	21.44
3496338 length: 61.0 cm (24 in.)	19.50	22.61
3496346 length: 66.0 cm (26 in.)	20.85	23.95
3496353 length: 71.1 cm (28 in.)	22.32	25.43
Width: 25.4 cm (10 in.)		
3496361 length: 25.4 cm (10 in.)	12.00	15.10
3496379 length: 30.5 cm (12 in.)	13.18	16.25
3496387 length: 35.6 cm (14 in.)	14.81	17.88
3496395 length: 40.6 cm (16 in.)	15.99	19.06
3496403 length: 45.7 cm (18 in.)	17.32	20.27
3496411 length: 50.8 cm (20 in.)	18.79	21.89
3496429 length: 55.9 cm (22 in.)	20.08	23.22
3496437 length: 61.0 cm (24 in.)	21.44	24.53
3496445 length: 66.0 cm (26 in.)	22.61	25.56
3496452 length: 71.1 cm (28 in.)	23.94	27.06
Width: 30.5 cm (12 in.)		
3496460 length: 25.4 cm (10 in.)	16.24	19.23
3496478 length: 30.5 cm (12 in.)	17.32	20.41
3496486 length: 35.6 cm (14 in.)	18.93	22.05
3496494 length: 40.6 cm (16 in.)	20.27	23.22
3496502 length: 45.7 cm (18 in.)	21.58	24.53
3496510 length: 50.8 cm (20 in.)	22.90	26.02
3496528 length: 55.9 cm (22 in.)	24.24	27.33
3496536 length: 61.0 cm (24 in.)	25.70	28.69
3496544 length: 66.0 cm (26 in.)	26.76	29.88
3496551 length: 71.1 cm (28 in.)	28.09	31.19

Description	Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks	
WOOL 5-PLY			
3496569 length: 30.5 cm (12 in.) 3496577 length: 33.0 cm (13 in.) 3496585 length: 35.6 cm (14 in.) 3496593 length: 38.1 cm (15 in.) 3496601 length: 40.6 cm (16 in.) 3496619 length: 45.7 cm (18 in.)	9.60 10.06 10.22 10.93 11.23 12.00	13.04 13.32 13.91	
Description	Maximum price Purchase or replacement of prosthesis	Maximum price at the time of replacement of socks	
WOOL 3-5 PLY			
Width (max.): 15.2 cm (6 in.)			
3496627 width (min.): 7.6, 8.9, 10.2 cm (3, 3½, 4 in.) length: 20.3 cm (8 in.)	9.76	12.87	
3496635 width (min.): 7.6 cm (3 in.) length: 25.4 cm (10 in.)	9.76	12.87	
3496643 width (min.): 8.9 cm (3½ in.) length: 25.4 cm (10 in.)	10.06	13.04	
3496650 width (min.): 10.2 cm (4 in.) length: 25.4 cm (10 in.)	10.35	13.44	
3496668 width (min.): 7.6 cm (3 in.) length: 30.5 cm (12 in.)	10.79	13.91	
3496676 width (min.): 8.9 cm (3½ in.) length: 30.5 cm (12 in.)	10.93	14.06	
3496684 width (min.): 10.2 cm (4 in.) length: 30.5 cm (12 in.)	11.41	14.33	
3496692 width (min.): 7.6 cm (3 in.) length: 35.6 cm (14 in.)	12.00	15.10	
3496700 width (min.): 8.9 cm (3½ in.) length: 35.6 cm (14 in.)	12.28	15.38	
3496718 width (min.): 10.2 cm (4 in.) length: 35.6 cm (14 in.)	12.58	15.69	
3496726 width (min.): 7.6 cm (3 in.) length: 40.6 cm (16 in.)	12.98	16.12	
3496734 width (min.): 8.9 cm (3½ in.) length: 40.6 cm (16 in.)	13.31	16.25	
3496742 width (min.): 10.2 cm (4 in.) length: 40.6 cm (16 in.)	13.75	16.86	

Width	(max	١.	17	8	cm	(7	in `	١
widii	инах.		1 / .	. (1	CIII	1 /	111.	,

•	n.): 8.9, 10.2, 11.4, 12,7 cm th: 20.3 cm (8 in.)	$1(3\frac{1}{2}, 4, 4\frac{1}{2},$	10.93	14.06
3496767 width (mir	1.): 8.9 cm (3½ in.) length:	25.4 cm	10.35	13.44
,	a.): 10.2 cm (4 in.) length: 2	25.4 cm	10.79	13.91
•	n.): 11.4 cm (4½ in.) length	: 25.4 cm	11.41	14.33
,	n.): 12.7 cm (5 in.) length: 2	25.4 cm	12.28	15.38
	n.): 8.9 cm (3½ in.) length:	30.5 cm	11.41	14.47
(12 in.) 3496817 width (mir	n.): 10.2 cm (4 in.) length: 3	30.5 cm	12.00	15.10
(12 in.) 3496825 width (mir	n.): 11.4 cm (4½ in.) length	: 30.5 cm	12.58	15.69
(12 in.) 3496833 width (min	n.): 12.7 cm (5 in.) length: 3	30.5 cm	13.31	16.25
(12 in.) 3496841 width (min	n.): 8.9 cm (3½ in.) length:	35.6 cm	13.31	16.25
(14 in.) 3496858 width (mir	n.): 10.2 cm (4 in.) length:	35.6 cm	13.44	16.60
(14 in.) 3496866 width (min	n.): 11.4 cm (4½ in.) length	: 35.6 cm	14.20	17.15
(14 in.)	n.): 12.7 cm (5 in.) length: 3		14.81	17.88
(14 in.)	n.): 8.9 cm (3½ in.) length:		14.46	17.47
(16 in.)	n.): 10.2 cm (4 in.) length: 4		14.95	18.05
(16 in.)	n.): 11.4 cm (4½ in.) length		15.54	18.48
(16 in.)				
(16 in.)	n.): 12.7 cm (5 in.) length: 4	10.6 cm	16.24	19.23
Width (ma	ex.): 20.3 cm (8 in.)			
	n.): 10.2, 11.4, 12.7 cm (4, 3 cm (8 in.)	4½, 5 in.)	12.58	15.69
3496932 width (mir	a.): 10.2, 11.4, 12.7 cm (4, 4 cm (10 in.)	4½,. 5 in.)	12.39	15.54
3496940 width (mir	n.):10.2, 11.4, 12.7 cm (4, 4) 5 cm (12 in.)	1½, 5 in.)	13.89	16.97
3496957 width (mir	a.): 10.2, 11.4, 12.7 cm (4, 6 cm (14 in.)	4½, 5 in.)	15.21	18.34
3496965 width (mir	a.): 10.2, 11.4, 12.7 cm (4, 6 cm (16 in.)	4½, 5 in.)	16.97	20.11
iciigui. 40.	· · · · · · · · · · · · · · · · · · ·			

# DIVISION IV: LOWER-LIMB ORTHOSES SUBDIVISION 1: TIBIAL ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2140564	Tibial orthosis with unilateral upright	439.75			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Regular stirrup Ankle free joint. aluminum (1) Rigid metal cuff with leather or thermoplastic jacket, including cover				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2135507	Regular stirrup	N. C.	97.89		
	Ankle free joint, aluminum	N. C.	136.73		
	Rigid metal cuff with leather or thermoplastic jacket, including cover	N. C.	126.03		3
	OPTIONAL COMPONENTS				
	Laminated or molded plastic stirrup, made from mold of insured person	264.11	337.85		
2135606	Single malleolar strap	81.79	112.62		
	Double malleolar strap	96.53			
2135663	Ankle spring joint, aluminum, single	8.05	138.11		
2135911	Ankle free joint, stainless steel, single	57.67	191.72		
2135812	Ankle spring joint, stainless steel, single	77.75	211.85		
2135929	Double-action ankle spring joint, aluminum, single	34.86	168.94		
2125508	External build-up on orthosis or shoe for limb fitted with orthosis, first $0.6~{\rm cm}$ (½ in.)	54.96	54.96		
2125516	External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm ( $\frac{1}{4}$ in.)	18.78	18.78		
	SUPPLEMENTS AVAILABLE				
3492501	Cane	10.19	10.19		
	Crutches with axillary support, height-adjustable	20.38			
3492551	Crutches with forearm support, height-adjustable	56.05	56.05		
	ADJUSTMENTS AVAILABLE				
	Stirrup changeover Any pertinent adjustment			59.00	

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2140507 Tibial orthosis with bilateral uprights	534.94			6
BASIC COMPONENTS AND SUPPLEM	MENTS			
Regular stirrup Ankle free joints, aluminum (2) Rigid metal cuff with leather or thermopla jacket, including cover Retention straps	stic			
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
2135507 Regular stirrup  Ankle free joints, aluminum	N. C.	97.89		
2135846 pair	N. C.	229.28		
2135655 single	N. A.	136.73		
2135903 Rigid metal cuff with leather or thermopla jacket, including cover	stic N. C.	126.03		
2195527 Retention straps, each	N. C.	26.81		
OPTIONAL COMPONENTS				
2135531 Rectangular stirrup	44.25	136.73		
2135523 Laminated or molded plastic stirrup, made mold of insured person	e from 264.11	337.85		
2135606 Single malleolar strap	81.79	112.62		
2135614 Double malleolar strap	96.53	128.70		
Rectangular stirrup				
2135747 pair	16.10	237.31		
2135853 single	N. A.	138.11		
Ankle free joints, stainless steel				
2135861 pair	116.65	337.85		
2135671 single	N. A.			
Ankle spring joints, stainless steel				
2135879 pair	155.53	378.08		
2135689 single	N. A.			
		32		

2135887 pair 2135754 single 2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (1/4 in.)	69.72 N. A. 54.96	290.92 168.94 54.96	
2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	18.78	18.78	

## SUPPLEMENTS AVAILABLE

Double-action ankle spring joints, aluminum

3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05

# ADJUSTMENTS AVAILABLE

2136752 Stirrup changeover

----- Any pertinent adjustment

50	$\Omega$
79	()()

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2140572 Molded plastic tibial orthosis, made from plaster or digital mold of insured person	429.02			6
BASIC COMPONENTS AND SUPPLEMENTS				
Molded plastic anterior or posterior shell with infra- patellar support extending under foot				
Calf and foot retention straps				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
2195527 Retention straps, each	N. C.	26.81		
OPTIONAL COMPONENTS				
2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (1/4 in.)	54.96	54.96		
2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	18.78	18.78		
2155828 Ankle free joints with overlapping	50.95	N. A.		
Gilette ankle joints				

2155646 pair	127.37	112.62	
2155893 single	N. A.	69.72	
Oklahoma ankle joints			
1155653 pair	120.66	105.91	
155901 single	N. A.	67.04	
Wafer ankle joints			
155661 pair	139.42	124.70	
155919 single	N. A.	76.42	
Tamarak ankle joints			
155679 pair	134.06	119.31	
155927 single	N. A.	73.74	
Gaffney ankle joints			
155687 pair	147.49	131.39	
155935 single	N. A.	79.10	
195584 Full thermoformable foam lining for night orthosis	65.68	103.21	
SUPPLEMENTS AVAILABLE			
492501 Cane	10.19	10.19	
492550 Crutches with axillary support, height-adjustable	20.38	20.38	
92551 Crutches with forearm support, height-adjustable	56.05	56.05	

#### ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2140580 Molded plastic tibial orthosis, prefabricated	190.37	7		6

#### BASIC COMPONENTS AND SUPPLEMENTS

Rigid molded plastic posterior shell, one-piece, including calf and extending under foot, prefabricated or rigid spiral band

Calf and foot retention straps

NOTICE: This orthosis has neither a hinge, nor an upright, nor a rigid lateral band, and cannot be inserted into a conventional shoe. Therefore, it is not a walking boot.

COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

SCHE	EDULE 1	Tariff for devices whi	ch compensate for a	n motor deficiency		ted services
2195527	Retention straps, each		N. C.	26.81		1
	OPTIONAL COMPONENTS					
2125508	External build-up on orthosis of with orthosis, first 0.6 cm (1/4 in		54.96	54.96		
2125516	External build-up on orthosis of with orthosis, each additional (		18.78	18.78		
2195584	Full thermoformable foam lining	ng for night orthosis	65.68	103.21		
	SUPPLEMENTS AVAILABL	Е				
3492501			10.19	10.19		
	Crutches with axillary support, Crutches with forearm support		20.38 56.05	20.38 56.05		
3492331	Cruiches with forearm support	, neight-adjustable	30.03	36.03		
	ADJUSTMENT AVAILABLE					
	- Any pertinent adjustment					
	my periment adjustment					
	DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
			Purchase or replacement of	Replacement of component or	adjustement	
	DEVICE 2 Tibial orthosis for leg shortene	knee joint	Purchase or replacement of device	Replacement of component or	adjustement	(months)
	DEVICE  Tibial orthosis for leg shortene more, excluding any prosthetic	knee joint SUPPLEMENTS	Purchase or replacement of device	Replacement of component or	adjustement	(months)
	DEVICE  2 Tibial orthosis for leg shortene more, excluding any prosthetic  BASIC COMPONENTS AND  SACH foot Polyester or acrylic tibial shell support	knee joint  SUPPLEMENTS  with tibial or foot	Purchase or replacement of device	Replacement of component or	adjustement	(months)
	DEVICE  Tibial orthosis for leg shortene more, excluding any prosthetic  BASIC COMPONENTS AND  SACH foot Polyester or acrylic tibial shell support Retention straps  COMPONENTS AND SUPPL	knee joint  SUPPLEMENTS  with tibial or foot	Purchase or replacement of device	Replacement of component or	adjustement	(months)
2140002	DEVICE  2 Tibial orthosis for leg shortene more, excluding any prosthetic BASIC COMPONENTS AND SACH foot Polyester or acrylic tibial shell support Retention straps  COMPONENTS AND SUPPL AVAILABLE	knee joint  SUPPLEMENTS  with tibial or foot	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
2140002 1125509	DEVICE  Tibial orthosis for leg shortene more, excluding any prosthetic BASIC COMPONENTS AND SACH foot Polyester or acrylic tibial shell support Retention straps  COMPONENTS AND SUPPL AVAILABLE  BASIC COMPONENTS	knee joint  SUPPLEMENTS  with tibial or foot  EMENTS	Purchase or replacement of device 1,857.27	Replacement of component or supplement	adjustement	(months)

122.00

234.62

N. A.

N. A.

294.95

181.01

OPTIONAL COMPONENTS

Knee free joints, aluminum (Becker S-2005-B4)

1195619 Trial socket

2155695 pair

2155943 single

Knee joints with ring lock (Becker 1002-B4)

2155604 pair	325.78	386.12
2155950 single	N. A.	226.55
Knee joints with lock, Swiss-type (Becker 1003-		
B4)		
2155703 pair	394.17	466.56
2155968 single	N. A.	266.79
Polycentric knee joints (USMC-0225-10)		
2155629 main	307.02	367.33
2155638 pair 2155976 single	N. A.	193.04
Polycentric knee joints, for child (Becker 1006-C8)	IV. A.	193.04
Folycentric knee joints, for child (Becker 1000-C8)		
2155711 pair	445.13	505.44
2155984 single	N. A.	261.45
Eccentric uniaxial knee free joints (Becker 1008-	14.71.	201.13
B4)		
2155562 pair	371.37	431.74
2155992 single	N. A.	249.37
Eccentric uniaxial ring knee joints (Becker 1012-	1,012	2.3.67
B4)		
2155729 pair	388.81	449.13
2156016 single	N. A.	258.77
2155745 Thigh lacer with two metal bands with femoral	174.29	217.18
leather jacket		
2155737 Complete or full leather thigh lacer, without	120.66	308.37
ischiatic support		
2155752 Complete or full leather thigh lacer, with leather	237.31	422.33
ischiatic support		
2155760 Molded plastic femoral shell without ischiatic	225.26	285.56
support		
2155778 Molded plastic femoral shell with molded plastic	285.56	371.37
ischiatic support		
2175610 Pelvic belt and metal band	230.61	246.67
2175511 Pelvic belt (leather)	N. A.	176.98
2175578 Replacement of pelvic belt metal band	N. A.	132.72
2175594 Hip joint (metal part), all types	249.37	281.56
	_,,,,,,	
3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05

# ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

# **SUBDIVISION 2: TIBIOFEMORAL ORTHOSES**

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2150514	Molded plastic non-articulated tibiofemoral orthosis, made from plaster or digital mold of insured person	601.97			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Molded plastic splint, thigh, knee and leg				
	Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2195527	Retention straps, each	N. C.	26.81		
	OPTIONAL COMPONENTS				
2195550	Abduction rod	104.58	120.66		
2135705	Knee cap and straps	84.48	115.29		
2125524	External build-up on shoe for limb fitted with	54.96	54.96		
2125532	orthosis, for the first 0.6 cm (1/4 in.) External build-up on shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	18.78	18.78		
	SUPPLEMENTS AVAILABLE				
3492501	Cane	10.19	10.19		
	Crutches with axillary support, height-adjustable	20.38			
	Crutches with forearm support, height-adjustable	56.05			
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2150548	Tibiofemoral orthosis with joint(s), prefabricated	740.06			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	One or two knee(s) free(s) joint(s) Femoral and tibial rigid cuffs Retention straps				

# COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC C	COMPONENTS
---------	------------

2195527 Retention straps, each	N. C.	26.81
OPTIONAL COMPONENTS		
2125524 External build-up on shoe for limb fitted with orthosis, for the first 0.6 cm (1/4 in.)	54.96	54.96
2125532 External build-up on shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	18.78	18.78
SUPPLEMENTS AVAILABLE		
3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05

# ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2150555 Tibiofemoral anti-recurvatum knee orthosis, Swedish-type, prefabricated	344.56			6
BASIC COMPONENTS AND SUPPLEMENTS				
Metal structure Rigid cuffs Retention straps				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
2195527 Retention straps, each	N. C.	26.81		
OPTIONAL COMPONENTS				
2125524 External build-up on shoe for limb fitted with orthosis, for the first 0.6 cm (1/4 in.)	54.96	54.96		
2125532 External build-up on shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	18.78	18.78		

# SUPPLEMENTS AVAILABLE

3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05

# ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Dynamic knee orthosis, made from plaster or digital mold of insured person	904.95			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Plastic or metal femoral and tibial rigid cuffs				
	One or two polycentric(s) knee(s) free joint(s), aluminum (USMC F08-200-1000)				
	Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Polycentric knee free joints, aluminum (USMC F08-200-1000)				
2155786	•	N. C.			
2155471	<u> </u>	N. A.			
2195527	Retention straps, each	N. C.	26.81		
	OPTIONAL COMPONENTS				
	Polycentric knee free joints, steel (USMC F08-220-1000)				
2155836	pair	44.25	308.37		
2155463	single Polycentric knee joints with lock, aluminum (USMC F08-200-4000)	N. A.	187.69		
2155794	,	37.54	300.31		
2155455	single	N. A.	183.67		
	Polycentric knee joints with lock, steel (USMC F08-220-4000)				
2155844	÷	88.51	351.26		
	single Variable amplitude knee joints, aluminum (USMC F08-200-1001)	N. A.	209.15		
2155851		N. C.	262.79		

2155430 single	N. A.	164.92
Variable amplitude knee joints, steel (USMC F08-		
200-1001)		
2155869 pair	44.25	308.37
2155422 single	N. A.	187.69
2135705 Knee cap and straps	84.48	115.29
2125524 External build-up on shoe for limb fitted with	54.96	54.96
orthosis, for the first 0.6 cm (1/4 in.)		
2125532 External build-up on shoe for limb fitted with	18.78	18.78
orthosis, each additional 0.6 cm (1/4 in.)		
CLIDDLEMENTS AVAILABLE		
SUPPLEMENTS AVAILABLE		
3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05

# ADJUSTMENT AVAILABLE

None

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Adjustable knee orthosis designed to limit flexion and extension movements (Donjoy, Generation II), prefabricated	364.67			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Rigid plastic cuffs, with foam Metal knee joints with ratchet				
	Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2195527	Retention straps, each	N. C.	26.81		
	SUPPLEMENTS AVAILABLE				
	Cane Crutches with axillary support, height-adjustable Crutches with forearm support, height-adjustable	10.19 20.38 56.05	20.38		

# ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

# **SUBDIVISION 3: FEMORAL ORTHOSES**

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guaranteo (months)
2160505	Articulated femoral orthosis with rigid metal femoral and tibial cuffs	1,220.03			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Regular stirrup Ankle free joints, aluminum (2) Knee free joints, aluminum (2) (Becker S-2005-B4)				
	Thigh lacer with two rigid metal bands and leather femoral jacket and metal cuff with leather or thermoplastic tibial jacket				
	Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Regular stirrup Rigid metal cuff with leather or thermoplastic tibial jacket Ankle free joints, aluminum	N. C. N. C.			
2135846	· · · · · · · · · · · · · · · · · · ·	N. C.	229.28		
2135655	•	N. A.	136.73		
	Knee free joints, aluminum (Becker S-2005-B4)				
2155513	pair	N. C.	294.95		
2155414 2195501	single Thigh lacer with two rigid metal bands and leather	N. A. N. C.	181.01 217.18		
	femoral jacket				
2195527	Retention straps, each	N. C.	26.81		
	OPTIONAL COMPONENTS				
2135531	Rectangular stirrup	44.25	136.73		
2135523	Laminated or molded plastic stirrup, made from mold of insured person	264.11	337.85		
	Single malleolar strap	81.79			
	Double malleolar strap	96.53			
2135705	Knee cap and straps	84.48	115.29		

	Ankle spring joints, aluminum		
2135747	1 00	16.10	237.31
2135853	•	N. A.	138.11
	Double-action ankle spring joints, aluminum	1,712	150111
	1 83		
2135887	pair	69.72	290.92
2135754	single	N. A.	168.94
	Knee joints with ring lock (Becker 1002-B4)		
2155521		00.02	207.12
2155521	•	89.82	386.12
2155406	-	N. A.	226.55
	Knee joints with lock, Swiss-type (Becker 1003-B4)		
2155547		198.42	466.56
2155398	•	N. A.	266.79
2133370	Polycentric knee joints (USMC-0225-10)	14.71.	200.79
	J (		
2155554	pair	71.06	367.33
2155380	single	N. A.	193.04
	Polycentric knee joints, for child (Becker 1006-C8)		
2155077	in	210.50	505.44
2155877	<u>.</u>	N. A.	505.44 261.45
2155372	Eccentric uniaxial knee free joints (Becker 1008-	N. A.	201.43
	B4)		
2155588	•	136.73	431.74
2155364	•	N. A.	249.37
	Eccentric uniaxial ring knee joints (Becker 1012-		_ ,, ,,
	B4)		
2155885	pair	152.84	449.13
2155356	single	N. A.	258.77
2155737	Complete or full leather thigh lacer, without	120.66	308.37
	ischiatic support		
2155752	Complete or full leather thigh lacer, with leather	237.31	422.33
2125500	ischiatic support	7106	<b>5</b> 4.06
2125508	External build-up on orthosis or shoe for limb fitted	54.96	54.96
	with orthosis, first 0.6 cm (¼ in.)		
2125516	External build-up on orthosis or shoe for limb fitted	18.78	18.78
2123310	with orthosis, each additional 0.6 cm (1/4 in.)	10.70	10.70
	,		
	CLIDDLEMENTS AVAILABLE		
	SUPPLEMENTS AVAILABLE		
3492501	Cane	10.19	10.19
	Crutches with axillary support, height-adjustable	20.38	20.38
	Crutches with forearm support, height-adjustable	56.05	56.05
	ADILISTMENTS AVAILARLE		

## ADJUSTMENTS AVAILABLE

2136752 Stirrup changeover

----- Any pertinent adjustment

59.00

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Molded plastic articulated femoral orthosis, made from plaster or digital mold of insured person	1,131.55			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Molded plastic femoral shell without ischiatic support Knee free joints, aluminum (2) (Becker S-2005-B4)				
	Molded plastic anterior or posterior tibial shell extending under foot Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Molded plastic femoral shell without ischiatic support	N. C.	285.56		
2155810	Molded plastic anterior or posterior tibial shell extending under foot Knee free joints, aluminum (Becker S-2005-B4)	N. C.	315.07		
2155513	pair	N. C.	294.95		
2155414		N. A.	181.01		
	Retention straps, each	N. C.	26.81		
	OPTIONAL COMPONENTS				
2135820	Regular stirrup	69.72	97.89		
	Ankle free joints with overlapping	50.95			
	Gilette ankle joints				
2155646		127.37	112.62		
2155893		N. A.	69.72		
	Oklahoma ankle joints				
2155653	•	120.66			
2155901	single Wafer ankle joints	N. A.	67.04		
2155661		139.42	124.70		
2155919	•	N. A.	76.42		
2155679		134.06	119.31		
2155927	•	N. A.			
	Gaffney ankle joints				
2155687		147.49	131.39		

0155005		37.4	<b>5</b> 0.10
2155935		N. A.	79.10
	Single malleolar strap	81.79	112.62
2135/05	Knee cap and straps	84.48	115.29
2125747	Ankle spring joints, aluminum	16.10	227.21
2135747	1	16.10	237.31
2135853	=	N. A.	138.11
	Double-action ankle spring joints, aluminum		
2135887	pair	69.72	290.92
2135754		N. A.	168.94
2100,0.	Knee joints with ring lock (Becker 1002-B4)	1111	100.5
	,		
2155521	pair	89.82	386.12
2155406	single	N. A.	226.55
	Knee joints with lock, Swiss-type (Becker 1003-		
	B4)		
2155547	pair	198.42	466.56
2155398	single	N. A.	266.79
	Polycentric knee joints (USMC-0225-10)		
2155554	1	71.06	367.33
2155380	•	N. A.	193.04
	Polycentric knee joints, for child (Becker 1006-C8)		
2155877	nair	210.50	505.44
2155372	•	N. A.	261.45
2133372	Eccentric uniaxial knee free joints (Becker 1008-	11.71.	201.13
	B4)		
2155588		136.73	431.74
2155364	•	N. A.	249.37
	Eccentric uniaxial ring knee joints (Becker 1012-		
	B4)		
2155885	pair	152.84	449.13
2155356	single	N. A.	258.77
2155497	Molded plastic ischiatic support	79.10	N. A.
2155489	Molded plastic femoral shell with molded plastic	N. A.	371.37
	ischiatic support		
2125508	External build-up on orthosis or shoe for limb fitted	54.96	54.96
	with orthosis, first 0.6 cm (1/4 in.)		
2125516	F-4 11 11- 41 1 1 C 11 1 C4 1	10.70	10.70
2125516	External build-up on orthosis or shoe for limb fitted	18.78	18.78
	with orthosis, each additional 0.6 cm (1/4 in.)		
	CUIDDI EMENITO AVIAU ADI E		
	SUPPLEMENTS AVAILABLE		
3492501		10.19	10.19
	Crutches with axillary support, height-adjustable	20.38	20.38
3492551	Crutches with forearm support, height-adjustable	56.05	56.05

# ADJUSTMENTS AVAILABLE

2136752 Stirrup changeover

----- Any pertinent adjustment

59.00

2160703 Articulated femoral orthosis with rigid metal femoral culfs and molded plastic posterior or anterior tibial shell, made from plaster or digital mold of insured person   6      BASIC COMPONENTS AND SUPPLEMENTS		DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
Thigh lacer with two rigid metal bands and femoral leather jacket Knee free joints, aluminum (2) (Becker S-2005-B4)  Molded plastic posterior or anterior tibial shell extending under foot Retention straps  COMPONENTS AND SUPPLEMENTS AVAILABLE  BASIC COMPONENTS  2195501 Thigh lacer with two rigid metal bands and femoral leather jacket  2155810 Molded plastic posterior or anterior tibial shell extending under foot Knee free joints, aluminum (Becker S-2005-B4)  2155513 pair N. C. 294.95 2155414 single N. A. 181.01 2195527 Retention straps, each N. C. 26.81  OPTIONAL COMPONENTS  2155828 Ankle free joints with overlapping 50.95 N. A.  Gilette ankle joints  2155636 pair 127.37 112.62 2155893 single N. A. 69.72 Oklahoma ankle joints  2155601 pair 120.66 105.91 2155901 single N. A. 67.04 Wafer ankle joints  215561 pair 139.42 124.70 215579 pair 134.06 119.31 2155597 single N. A. 76.42 Tamarak ankle joints	2160703	femoral cuffs and molded plastic posterior or anterior tibial shell, made from plaster or digital	1,163.74			6
leather jacket   Knee free joints, aluminum (2) (Becker S-2005-B4)		BASIC COMPONENTS AND SUPPLEMENTS				
extending under foot Retention straps  COMPONENTS AND SUPPLEMENTS AVAILABLE  BASIC COMPONENTS  2195501 Thigh lacer with two rigid metal bands and femoral leather jacket  2155810 Molded plastic posterior or anterior tibial shell extending under foot Knee free joints, aluminum (Becker S-2005-B4)  2155513 pair  N. C. 294.95 2155414 single N. A. 181.01 2195527 Retention straps, each OPTIONAL COMPONENTS  2155828 Ankle free joints with overlapping 50.95 N. A.  Gilette ankle joints  2155893 single N. A. 69.72 Oklahoma ankle joints 2155503 pair 120.66 105.91 2155901 single N. A. 67.04 Wafer ankle joints 2155519 single N. A. 76.42 Tamarak ankle joints 2155679 pair 134.06 119.31 2155927 single N. A. 73.74		leather jacket				
AVAILABLE  BASIC COMPONENTS  2195501 Thigh lacer with two rigid metal bands and femoral leather jacket  2155810 Molded plastic posterior or anterior tibial shell extending under foot Knee free joints, aluminum (Becker S-2005-B4)  2155513 pair N. C. 294.95  2155514 single N. A. 181.01  2195527 Retention straps, each N. C. 26.81  OPTIONAL COMPONENTS  2155828 Ankle free joints with overlapping 50.95 N. A.  Gilette ankle joints  2155646 pair 127.37 112.62  2155893 single N. A. 69.72  Oklahoma ankle joints  2155653 pair 120.66 105.91  215501 single N. A. 67.04  Wafer ankle joints  2155661 pair 139.42 124.70  2155919 single N. A. 76.42  Tamarak ankle joints  2155679 pair 134.06 119.31  2155927 single N. A. 73.74		extending under foot				
2195501 Thigh lacer with two rigid metal bands and femoral leather jacket   2155810 Molded plastic posterior or anterior tibial shell extending under foot Knee free joints, aluminum (Becker S-2005-B4)   N. C.   294.95						
leather jacket   2155810 Molded plastic posterior or anterior tibial shell extending under foot Knee free joints, aluminum (Becker S-2005-B4)		BASIC COMPONENTS				
extending under foot Knee free joints, aluminum (Becker S-2005-B4)  2155513 pair	2195501		N. C.	217.18		
2155414 single	2155810	extending under foot	N. C.	315.07		
N. A.   181.01	2155513	pair	N. C.	294.95		
2195527 Retention straps, each   N. C.   26.81			N. A.	181.01		
2155828 Ankle free joints with overlapping  Gilette ankle joints  2155646 pair 2155893 single Oklahoma ankle joints  2155653 pair 120.66 105.91 2155901 single Wafer ankle joints  2155661 pair 139.42 124.70 2155919 single N. A. 76.42 Tamarak ankle joints  2155679 pair 134.06 119.31 2155927 single N. A. 73.74	2195527	Retention straps, each	N. C.	26.81		
Gilette ankle joints  2155646 pair 2155893 single Oklahoma ankle joints  2155653 pair 120.66 105.91 2155901 single Wafer ankle joints  2155661 pair 139.42 124.70 2155919 single N. A. Tamarak ankle joints  2155679 pair 134.06 119.31 2155927 single N. A. 73.74		OPTIONAL COMPONENTS				
2155646 pair       127.37       112.62         2155893 single       N. A.       69.72         Oklahoma ankle joints       120.66       105.91         2155653 pair       120.66       105.91         2155901 single       N. A.       67.04         Wafer ankle joints       139.42       124.70         2155919 single       N. A.       76.42         Tamarak ankle joints       134.06       119.31         2155927 single       N. A.       73.74	2155828	Ankle free joints with overlapping	50.95	N. A.		
2155646 pair       127.37       112.62         2155893 single       N. A.       69.72         Oklahoma ankle joints       120.66       105.91         215563 pair       120.66       105.91         2155901 single       N. A.       67.04         Wafer ankle joints       139.42       124.70         2155919 single       N. A.       76.42         Tamarak ankle joints       134.06       119.31         2155927 single       N. A.       73.74		Gilette ankle joints				
Oklahoma ankle joints         2155653 pair       120.66       105.91         2155901 single       N. A.       67.04         Wafer ankle joints         2155661 pair       139.42       124.70         2155919 single       N. A.       76.42         Tamarak ankle joints         2155679 pair       134.06       119.31         2155927 single       N. A.       73.74	2155646		127.37	112.62		
2155653 pair       120.66       105.91         2155901 single       N. A.       67.04         Wafer ankle joints         2155661 pair       139.42       124.70         2155919 single       N. A.       76.42         Tamarak ankle joints       134.06       119.31         2155927 single       N. A.       73.74	2155893		N. A.	69.72		
2155901 single	:					
Wafer ankle joints  2155661 pair  2155919 single  Tamarak ankle joints  2155679 pair  2155927 single  N. A.  139.42  N. A.  76.42  134.06  119.31  N. A.  73.74		•				
2155661 pair       139.42       124.70         2155919 single       N. A.       76.42         Tamarak ankle joints         2155679 pair       134.06       119.31         2155927 single       N. A.       73.74	2155901	=	N. A.	67.04		
2155919 single       N. A.       76.42         Tamarak ankle joints       134.06       119.31         2155927 single       N. A.       73.74	2155661		139 42	124 70		
Tamarak ankle joints         2155679 pair       134.06       119.31         2155927 single       N. A.       73.74		•				
2155679 pair 134.06 119.31 2155927 single N. A. 73.74	_100,17	•	11.71.	, 0.12		
2155927 single N. A. 73.74	2155679		134.06	119.31		
Gaffney ankle joints		-				
		Gaffney ankle joints				

2155687 pair	147.49	131.39
2155935 single	N. A.	79.10
2135606 Single malleolar strap	81.79	112.62
2135705 Knee cap and straps	84.48	115.29
Ankle spring joints, aluminum	0.1.10	
2135747 pair	16.10	237.31
2135853 single	N. A.	138.11
<u> </u>	IV. A.	130.11
Double-action ankle spring joints, aluminum		
2125007	60.72	200.02
2135887 pair	69.72	290.92
2135754 single	N. A.	168.94
Knee joints with ring lock (Becker 1002-B4)		
2155521 pair	89.82	386.12
2155406 single	N. A.	226.55
Knee joints with lock, Swiss-type (Becker 1003-		
B4)		
2155547 pair	198.42	466.56
2155398 single	N. A.	266.79
Polycentric knee joints (USMC-0225-10)		
1 orjeonare inite jenne (02112 0 <b>22</b> 0 10)		
2155554 pair	71.06	367.33
2155380 single	N. A.	193.04
<u> </u>	IV. A.	193.04
Polycentric knee joints, for child (Becker 1006-C8)		
2155977 main	210.50	505.44
2155877 pair	210.50	505.44
2155372 single	N. A.	261.45
Eccentric uniaxial knee free joints (Becker 1008-		
B4)		
2155588 pair	136.73	431.74
2155364 single	N. A.	249.37
Eccentric uniaxial ring knee joints (Becker 1012-		
B4)		
2155885 pair	152.84	449.13
2155356 single	N. A.	258.77
2155737 Complete or full leather thigh lacer, without	120.66	308.37
ischiatic support	120.00	200.27
2155752 Complete or full leather thigh lacer, with leather	237.31	422.33
ischiatic support	257.51	722.33
2125508 External build-up on orthosis or shoe for limb fitted	54.96	54.96
<u> •</u>	34.90	34.90
with orthosis, first 0.6 cm (¼ in.)		
010771 ( F ) 11 111 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10.70	10.50
2125516 External build-up on orthosis or shoe for limb fitted	18.78	18.78
with orthosis, each additional 0.6 cm (1/4 in.)		
SUPPLEMENTS AVAILABLE		
3492501 Cane	10.19	10.19
	20.38	20.38
3492550 Crutches with axillary support, height-adjustable		
3492551 Crutches with forearm support, height-adjustable	56.05	56.05

# ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2160802	Articulated femoral orthosis with molded plastic femoral shell, made from plaster or digital mold of insured person, and rigid metal cuff with tibial leather jacket	1,316.56			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Regular stirrup Ankle free joints, aluminum (2) Knee free joints, aluminum (2) (Becker S-2005-B4) Rigid metal cuff with leather or thermoplastic jacket, including tibial cover				
	Molded plastic femoral shell without ischiatic support Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Regular stirrup Rigid metal cuff with leather or thermoplastic jacket, including tibial cover	N. C. N. C.	97.89 126.03		
	Ankle free joints, aluminum				
2135739	· · · · · · · · · · · · · · · · · · ·	N. C.	229.28		
2135655	single	N. A.	136.73		
	Knee free joints, aluminum (Becker S-2005-B4)				
2155513	nair	N. C.	294.95		
2155414		N. A.			
	Molded plastic femoral shell without ischiatic	N. C.	285.56		
2105525	support	N. C	26.01		
2195527	Retention straps, each	N. C.	26.81		
	OPTIONAL COMPONENTS				
2135531	Rectangular stirrup	44.25	136.73		
2135523	Laminated or molded plastic stirrup, made from mold of insured person	264.11	337.85		
2135606	Single malleolar strap	81.79	112.62		
	Double malleolar strap	96.53			
	Knee cap and straps	84.48	115.29		
		07.70	112.27		
2133703	Ankle spring joints, aluminum				
2135747	Ankle spring joints, aluminum	16.10	237.31		

# Double-action ankle spring joints, aluminum

2135887 pair 2135754 single Knee joints with ring lock (Becker 1002-B4)	69.72 N. A.	290.92 168.94
2155521 pair 2155406 single Knee joints with lock, Swiss-type (Becker 1003- B4)	89.82 N. A.	386.12 226.55
2155547 pair 2155398 single Polycentric knee joints (USMC-0225-10)	198.42 N. A.	466.56 266.79
2155554 pair 2155380 single Polycentric knee joints, for child (Becker 1006-C8)	71.06 N. A.	367.33 193.04
2155877 pair 2155372 single Eccentric uniaxial knee free joints (Becker 1008-B4)	210.50 N. A.	505.44 261.45
2155588 pair 2155364 single Eccentric uniaxial ring knee joints (Becker 1012-B4)	136.73 N. A.	431.74 249.37
2155885 pair 2155356 single 2155497 Molded plastic ischiatic support 2155489 Molded plastic femoral shell with molded plastic	152.84 N. A. 79.10 N. A.	449.13 258.77 N. A. 371.37
ischiatic support 2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (1/4 in.)	54.96	54.96
2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	18.78	18.78
SUPPLEMENTS AVAILABLE		
3492501 Cane 3492550 Crutches with axillary support, height-adjustable 3492551 Crutches with forearm support, height-adjustable	10.19 20.38 56.05	10.19 20.38 56.05

## ADJUSTMENTS AVAILABLE

2136752 Stirrup changeover

59.00

----- Any pertinent adjustment

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Molded plastic non-articulated femoral orthosis, made from plaster or digital mold of insured person	679.74			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Molded plastic splint, thigh, knee, leg and foot				
	Retention straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2195527	Retention straps, each	N. C.	26.81		
	OPTIONAL COMPONENTS				
2195550 2155497 2125508 2125516	Knee cap and straps Abduction rod Molded plastic ischiatic support External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (1/4 in.)  External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)  SUPPLEMENTS AVAILABLE	84.48 104.58 79.10 54.96	120.66 N. A. 54.96		
	Cane Crutches with axillary support, height-adjustable Crutches with forearm support, height-adjustable	10.19 20.38 56.05	20.38		
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)

6

with rigid metal femoral and tibial cuffs

#### BASIC COMPONENTS AND SUPPLEMENTS

Regular stirrup

Unilateral ankle free joint, aluminum

Unilateral knee free joint, aluminum (Becker S-2005-B4)

Rigid metal cuffs with leather femoral and tibial jacket, including cover

# Retention straps

# COMPONENTS AND SUPPLEMENTS

**AVAILABLE** 

#### BASIC COMPONENTS

2135507 Regular stirrup	N. C.	97.89
2135556 Rigid metal cuff with leather tibial jacket, including cover	N. C.	126.03
2135895 Unilateral ankle free joint, aluminum	N. C.	136.73
2135770 Unilateral knee free joint, aluminum (Becker S-2005-B4)	N. C.	181.01
2195592 Rigid metal cuff with leather femoral jacket, including cover	N. C.	217.18
2195527 Retention straps, each	N. C.	26.81
OPTIONAL COMPONENTS		
2135523 Laminated or molded plastic stirrup, made from mold of insured person	264.11	337.85
2125606 Single melleder strep	01.70	112.62
2135606 Single malleolar strap	81.79	112.02
2135614 Double malleolar strap	96.53	128.70
•		_
2135614 Double malleolar strap	96.53	128.70
2135614 Double malleolar strap 2135705 Knee cap and straps	96.53 84.48	128.70 115.29

2135796 Eccentric uniaxial knee free joint (Becker 1008-B4)	68.40	249.37	
2135804 Eccentric uniaxial ring knee joint (Becker 1012-B4)	76.42	258.77	
2175594 Hip joint (metal part), all types	249.37	281.56	
2175610 Pelvic belt and metal band	230.61	246.67	
2175511 Pelvic belt (leather)	N. A.	176.98	
2175578 Replacement of pelvic belt metal band	N. A.	132.72	
2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (¼ in.)	54.96	54.96	
2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	18.78	18.78	
SUPPLEMENTS AVAILABLE			
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	
ADJUSTMENTS AVAILABLE			

2136752 Stirrup changeover 59.00

----- Any pertinent adjustment

# **SUBDIVISION 4: COXOFEMORAL ORTHOSES**

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guaranted (months)
2170504	Articulated coxofemoral orthosis with rigid metal femoral and tibial cuffs	1,779.10			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Regular stirrup Ankle free joints, aluminum (2) Knee free joints, aluminum (2) (Becker S-2005-B4) Thigh lacer with two rigid metal bands and femoral leather jacket, including cover, and rigid metal cuff with leather or thermoplastic tibial jacket				
	Hip joint (metal part), all types				
	Retention straps Pelvic belt and metal band				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
2135507	Regular stirrup Ankle free joints, aluminum	N. C.	97.89		
2135739		N. C.	229.28		
2135655	•	N. A.	136.73		
	Retention straps, each	N. C.	26.81		
2135556	Rigid metal cuff with leather or thermoplastic tibial jacket	N. C.			
	Knee free joints, aluminum (Becker S-2005-B4)				
2155513	nair	N. C.	294.95		
2155414	•	N. A.			
	Thigh lacer with two rigid metal bands and femoral leather jacket, including cover	N. C.			
2175560	Hip joint (metal part), all types	N. C.	281.56		
2175537	Pelvic belt and metal band	N. C.	246.67		
	OPTIONAL COMPONENTS				
2135531	Rectangular stirrup	44.25	136.73		
2135523	Laminated or molded plastic stirrup, made from mold of insured person	264.11			
	Single malleolar strap	81.79	112.62		
	Knee cap and straps Ankle spring joints, aluminum	84.48			

2135747 pair	16.10	237.31
2135853 single Double-action ankle spring joints, aluminum	N. A.	138.11
2135887 pair	69.72	290.92
2135754 single Knee joints with ring lock (Becker 1002-B4)	N. A.	168.94
2155521 pair	89.82	386.12
2155406 single  Knee joints with lock, Swiss-type (Becker 1003-B4)	N. A.	226.55
2155547 pair	198.42	466.56
2155398 single Polycentric knee joints (USMC-0225-10)	N. A.	266.79
2155554 pair	71.06	367.33
2155380 single Polycentric knee joints, for child (Becker 1006-C8)	N. A.	193.04
2155877 pair	210.50	505.44
2155372 single  Eccentric uniaxial knee free joints (Becker 1008-B4)	N. A.	261.45
2155588 pair	136.73	431.74
2155364 single Eccentric uniaxial ring knee joints (Becker 1012-B4)	N. A.	249.37
2155885 pair	152.84	449.13
2155356 single 2175578 Replacement of pelvic belt metal band	N. A. N. A.	258.77 132.72
21/33/8 Replacement of pervic belt metal band	N. A.	132.72
2175511 Pelvic belt (leather)	N. A.	176.98
2155737 Complete or full leather thigh lacer, without ischiatic support	120.66	308.37
2155752 Complete or full leather thigh lacer, with leather ischiatic support	237.31	422.33
2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (1/4 in.)	54.96	54.96
2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (¼ in.)	18.78	18.78

# SUPPLEMENTS AVAILABLE

3492501 Cane	10.19	10.19
3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05

## ADJUSTMENTS AVAILABLE

2136752 Stirrup changeover

----- Any pertinent adjustment

59.00

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Molded plastic articulated coxofemoral orthosis, made from plaster or digital mold of insured person	1,666.50			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Molded plastic femoral shell without ischiatic support				
	Knee free joints, aluminum (2) (Becker S-2005-B4)				
	Hip joint (metal part), all types				
	Molded plastic posterior or anterior tibial shell extending under foot				
	Retention straps Pelvic belt and metal band				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	Molded plastic femoral shell without ischiatic support	N. C.	285.56		
	Molded plastic posterior or anterior tibial shell extending under foot	N. C.	315.07		
	Knee free joints, aluminum (Becker S-2005-B4)				
2155513	_	N. C.	294.95		
2155414		N. A.	181.01		
2175560	Hip joint (metal part), all types	N. C.	281.56		
	Retention straps, each	N. C.	26.81		
2175537	Pelvic belt and metal band	N. C.	246.67		
	OPTIONAL COMPONENTS				
2175578	Replacement of pelvic belt metal band	N. A.	132.72		
2175511	Pelvic belt (leather)	N. A.	176.98		

2155828 Ankle free joints with overlapping	50.95	N. A.	
Gilette ankle joints			
2155646 pair	127.37	112.62	
2155893 single	N. A.	69.72	
Oklahoma ankle joints			
2155653 pair	120.66	105.91	
2155901 single	N. A.	67.04	
Wafer ankle joints			
2155661 pair	139.42	124.70	1
2155919 single	N. A.	76.42	
Tamarak ankle joints	124.06	110.21	
2155679 pair	134.06	119.31	
2155927 single	N. A.	73.74	
Gaffney ankle joints 2155687 pair	147.49	131.39	
2155935 single	N. A.	79.10	
2135935 single 2135606 Single malleolar strap	81.79	112.62	
2135705 Knee cap and straps	84.48	115.29	
Ankle spring joints, aluminum	01.10	113.2)	
2135747 pair	16.10	237.31	
2135853 single	N. A.	138.11	
2135820 Regular stirrup	69.72	97.89	
Double-action ankle spring joints, aluminum			
2135887 pair	69.72	290.92	
2135754 single	N. A.	168.94	
Knee joints with ring lock (Becker 1002-B4)			
2155521 pair	89.82	386.12	
2155406 single	N. A.	226.55	
Knee joints with lock, Swiss-type (Becker 1003-			
B4)			
2155547 pair	198.42	466.56	
2155398 single	N. A.	266.79	
Polycentric knee joints (USMC-0225-10)			
2155554 pair	71.06	367.33	
2155380 single	N. A.	193.04	
Polycentric knee joints, for child (Becker 1006-C8)			
2155877 pair	210.50	505.44	
2155372 single	N. A.	261.45	
Eccentric uniaxial knee free joints (Becker 1008-B4)			
2155588 pair	136.73	431.74	
2155364 single	N. A.	249.37	
Eccentric uniaxial ring knee joints (Becker 1012-B4)			
2155885 pair	152.84	449.13	
2155356 single	N. A.	258.77	
2155497 Molded plastic ischiatic support	79.10	N. A.	
1	, ,	· · · · <del> ·</del>	

SCHEDULE 1	Tariff for devices wh	ich compensate for	a motor deficiency		ted services ntic version)
2155489 Molded plastic femoral shell ischiatic support	with molded plastic	N. A.	371.37		
2125508 External build-up on orthosis with orthosis, first 0.6 cm (1/4		54.96	54.96		
2125516 External build-up on orthosis with orthosis, each additional		18.78	18.78		
SUPPLEMENTS AVAILAB	LE				
3492501 Cane		10.19	10.19		
3492550 Crutches with axillary suppor		20.38			
3492551 Crutches with forearm suppor	t, height-adjustable	56.05	56.05		
ADJUSTMENTS AVAILAB	LE				
2136752 Stirrup changeover Any pertinent adjustment				59.00	
DEVICE		Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2170702 Articulated coxofemoral ortho- femoral cuffs and molded pla anterior tibial shell, made from mold of insured person	stic posterior or	1,733.53			6
BASIC COMPONENTS AN	D SUPPLEMENTS				
Thigh lacer with two rigid me leather jacket Knee free joints, aluminum (2 B4) Hip joint (metal part), all type	2) (Becker S-2005-				
Molded plastic posterior or an extending under foot Retention straps Pelvic belt and metal band	nterior tibial shell				
COMPONENTS AND SUPP AVAILABLE	LEMENTS				
11,1112,122					

N. C.

N. C.

217.18

315.07

BASIC COMPONENTS

leather jacket

extending under foot

2195501 Thigh lacer with two rigid metal bands and femoral

Knee free joints, aluminum (Becker S-2005-B4)

2155810 Molded plastic posterior or anterior tibial shell

2155513 pair	N. C.	294.95
2155414 single	N. A.	181.01
2195527 Retention straps, each	N. C.	26.81
2175560 Hip joint (metal part), all types	N. C.	281.56
21/0000 Trip Jones (mount part), and types	1	201100
2175537 Pelvic belt and metal band	N. C.	246.67
OPTIONAL COMPONENTS		
2155828 Ankle free joints with overlapping	50.95	N. A.
Gilette ankle joints		
2155646 pair	127.37	112.62
2155893 single	N. A.	69.72
	N. A.	09.72
Oklahoma ankle joints	120.66	105.01
2155653 pair	120.66	105.91
2155901 single	N. A.	67.04
Wafer ankle joints	100.10	444-0
2155661 pair	139.42	124.70
2155919 single	N. A.	76.42
Tamarak ankle joints		
2155679 pair	134.06	119.31
2155927 single	N. A.	73.74
Gaffney ankle joints		
2155687 pair	147.49	131.39
2155935 single	N. A.	79.10
Ankle spring joints, aluminum		
2135747 pair	16.10	237.31
2135853 single	N. A.	138.11
Double-action ankle spring joints, aluminum		
1 83		
2135887 pair	69.72	290.92
2135754 single	N. A.	168.94
2135606 Single malleolar strap	81.79	112.62
Knee joints with ring lock (Becker 1002-B4)	01.77	112.02
Knee Johns with ring lock (Beeker 1002-D4)		
2155521 pair	89.82	386.12
2155406 single	N. A.	226.55
Knee joints with lock, Swiss-type (Becker 1003-	N. A.	220.33
B4)	100.42	166.56
2155547 pair	198.42	466.56
2155398 single	N. A.	266.79
Polycentric knee joints (USMC-0225-10)		
2155554 pair	71.06	367.33
2155380 single	N. A.	193.04
	1 <b>N.</b> / <b>1.</b>	173.04
Polycentric knee joints, for child (Becker 1006-C8)		
2155977 noin	210.50	505 11
2155877 pair	210.50	505.44
2155372 single	N. A.	261.45

Eccentric uniaxial knee free joints (Becker 1008-B4)			
2155588 pair	136.73	431.74	
2155364 single	N. A.	249.37	
Eccentric uniaxial ring knee joints (Becker 1012-			
B4)			
2155885 pair	152.84	449.13	
2155356 single	N. A.	258.77	
2135705 Knee cap and straps	84.48	115.29	
2155737 Complete or full leather thigh lacer, without ischiatic support	120.66	308.37	
2155752 Complete or full leather thigh lacer, with leather ischiatic support	237.31	422.33	
2175578 Replacement of pelvic belt metal band	N. A.	132.72	
2175511 Pelvic belt (leather)	N. A.	176.98	
2125508 External build-up on orthosis or shoe for limb fitted with orthosis, first 0.6 cm (1/4 in.)	54.96	54.96	
2125516 External build-up on orthosis or shoe for limb fitted with orthosis, each additional 0.6 cm (1/4 in.)	18.78	18.78	
SUPPLEMENTS AVAILABLE			
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	

#### ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2170801 Articulated coxofemoral orthosis with molded plastic femoral shell, made from plaster or digital mold of insured person, and rigid metal cuff with leather or thermoplastic tibial jacket	1,957.42			6

#### BASIC COMPONENTS AND SUPPLEMENTS

Regular stirrup Ankle free joints, aluminum (2) Knee free joints, aluminum (2) (Becker S-2005-B4)

Rigid metal cuff with leather or thermoplastic jacket, including tibial cover

Molded plastic femoral shell without ischiatic support Hip joint (metal part), all types

Retention straps

Pelvic belt and metal band

# COMPONENTS AND SUPPLEMENTS

**AVAILABLE** 

## BASIC COMPONENTS

2135507 Regular stirrup	N. C.	97.89
2135556 Rigid metal cuff with leather or thermoplastic jacket, including tibial cover	N. C.	126.03
Knee free joints, aluminum (Becker S-2005-B4)		
2155513 pair	N. C.	294.95
2155414 single	N. A.	181.01
Ankle free joints, aluminum	N. C.	220.20
2135739 pair 2135655 single	N. C. N. A.	229.28 136.73
2155802 Molded plastic femoral shell without ischiatic	N. A. N. C.	285.56
support	14. 6.	203.30
2175560 Hip joint (metal part), all types	N. C.	281.56
2195527 Retention straps, each	N. C.	26.81
2175537 Pelvic belt and metal band	N. C.	246.67
OPTIONAL COMPONENTS		
2135531 Rectangular stirrup	44.25	136.73
2135523 Molded or laminated plastic stirrup, made from	264.11	337.85
mold of insured person		
2135606 Single malleolar strap	81.79	112.62
2135614 Double malleolar strap	96.53	128.70
2135705 Knee cap and straps	84.48	115.29
Ankle spring joints, aluminum	16.10	225.21
2135747 pair	16.10	237.31
2135853 single	N. A.	138.11
Double-action ankle spring joints, aluminum		
2135887 pair	69.72	290.92
2135754 single	N. A.	168.94
Knee joints with ring lock (Becker 1002-B4)		
2155521 pair	89.82	386.12
2155406 single	N. A.	226.55
Knee joints with lock, Swiss-type (Becker 1003-B4)		
2155547 pair	198.42	466.56
2155398 single	N. A.	266.79
Polycentric knee joints (USMC-0225-10)		
2155554 pair	71.06	367.33

59.00

2155380 single	N. A.	193.04	
Polycentric knee joints, for child (Becker 1006-C8)			
2155877 pair	210.50	505.44	
2155372 single	N. A.	261.45	
Eccentric uniaxial knee free joints (Becker 1008-			
B4)			
2155588 pair	136.73	431.74	
2155364 single	N. A.	249.37	
Eccentric uniaxial ring knee joints (Becker 1012-			
B4)			
2155885 pair	152.84	449.13	
2155356 single	N. A.	258.77	
2155497 Molded plastic ischiatic support	79.10	N. A.	
2155489 Molded plastic femoral shell with molded plastic	N. A.	371.37	
ischiatic support			
2125508 External build-up on orthosis or shoe for limb fitted	54.96	54.96	
with orthosis, first 0.6 cm (1/4 in.)			
2125516 F	10.70	10.70	
2125516 External build-up on orthosis or shoe for limb fitted	18.78	18.78	
with orthosis, each additional 0.6 cm (1/4 in.)			
2175578 Replacement of pelvic belt metal band	N. A.	132.72	
2173376 Replacement of pervise sett mean saint	11.71.	132.72	
2175511 Pelvic belt (leather)	N. A.	176.98	
CLUBBLENGEN TO ANALY A DIE			
SUPPLEMENTS AVAILABLE			
3492501 Cane	10.19	10.19	
3492550 Crutches with axillary support, height-adjustable	20.38	20.38	
3492551 Crutches with forearm support, height-adjustable	56.05	56.05	
ADHICTMENTS AVAILADIE			
ADJUSTMENTS AVAILABLE			

2136752 Stirrup changeover

----- Any pertinent adjustment

# SUBDIVISION 5: BILATERAL LOWER-LIMB ORTHOSES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2190502 Femoral derotation orthosis	105.91			6
BASIC COMPONENTS AND SUPPLEMENTS				
Metal bar with ratchet, fixed to shoes				
COMPONENT AND SUPPLEMENT AVAILABLE				
2195551 Articulated metal bar 3325500 Boots with rigid footplate and soft shell for Ponseti method	89.31	89.31		
pair single ADJUSTMENTS AVAILABLE	330.00 N. A.	362.40 197.40		
2196509 Shoe changeover (unriveted) 2196517 Shoe changeover (riveted) Any pertinent adjustment			28.18 37.54	
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2190510 Coxofemoral derotation orthosis with torsion cable	451.82			6
BASIC COMPONENTS AND SUPPLEMENTS				
Regular stirrup Torsion cable Pelvic belt (leather) Hip free joint (metal part)				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENTS				
2135507 Regular stirrup 2195535 Torsion cable 2175586 Hip free joint (metal part) 2175602 Pelvic belt (leather)	N. C. N. C. N. C. N. C.	101.89 87.16		
OPTIONAL COMPONENT				

SUPPLEMENTS AV	VAILABLE
----------------	----------

3492550 Crutches with axillary support, height-adjustable	20.38	20.38
3492551 Crutches with forearm support, height-adjustable	56.05	56.05

#### ADJUSTMENTS AVAILABLE

2136752 Stirrup changeover

59.00

2136/52 Stirrup changeover Any pertinent adjustment			59.00	
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2190528 Pelvifemoral abduction orthosis, custom made	290.92	2		6
BASIC COMPONENTS AND SUPPLEMENTS				
Two plastic thigh cuffs Metal bar				
COMPONENT AND SUPPLEMENT				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2190544 Molded plastic pelvifemoral abduction orthosis for child, made from plaster or digital mold of insured person	866.10	)		6
BASIC COMPONENTS AND SUPPLEMENTS				
Molded plastic orthosis				

Molded plastic orthosis

Retention straps

COMPONENTS AND SUPPLEMENTS

AVAILABLE

**BASIC COMPONENTS** 

2195527 Retention straps, each	N. C.	26.81
OPTIONAL COMPONENTS		
2195550 Abduction rod	104.58	120.66
3122603 Extension to feet inclusively	497.40	N. A.

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

2135705 Knee cap and straps

Updated: 1 April, 2020 109

84.48

115.29

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2190536 Pelvifemoral orthosis, for young child	202.46			6
BASIC COMPONENTS AND SUPPLEMENTS				
Cloth harness or prefabricated plastic splint				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2180008 Articulated pelvifemoral abduction orthosis, Scottish Rite-type	1,264.29	1		6
BASIC COMPONENTS AND SUPPLEMENTS				
Rigid metal cuffs with leather or thermoplastic femoral jacket (2) Metal bar Universal joints Pelvic band Retention straps COMPONENTS AND SUPPLEMENTS				
AVAILABLE				
BASIC COMPONENTS				
2195600 Rigid metal cuffs with leather or thermoplastic femoral jacket (2)	N. C.	217.18		
2195527 Retention straps, each	N. C.	. 26.81		
SUPPLEMENTS AVAILABLE				
3492550 Crutches with axillary support, height-adjustable 3492551 Crutches with forearm support, height-adjustable	20.38 56.05			
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				

## SUBDIVISION 6: ADDITIONAL COMPONENTS FOR TIBIAL, FEMORAL AND COXOFEMORAL ORTHOSES

	Maximum price Purchase or replacement of device  Maximum price of component alone
2135564 Regular stirrup, additional	69.72 85.78
2135598 Rectangular stirrup, additional	112.62 136.73

Updated: 1 April, 2020 111

## **SUBDIVISION 7: LOWER-LIMB ORTHOSES**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2190601 Other lower-limb orthoses *	S. C.			6

<sup>\*</sup> When price is below that of the similar orthosis

Updated: 1 April, 2020 112

# DIVISION V: UPPER-LIMB ORTHOSES SUBDIVISION 1: HAND ORTHOSES THAT MAY INCLUDE THE THUMB AND THE OTHER FINGERS

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Prefabricated passive orthosis for proximal and distal interphalangeal joints				2
	Thumb				
2210003	If first finger	116.65	N. A.		
2210011	If additional finger	30.86	N. A.		
	Index				
	If first finger	116.65			
2210037	If additional finger	30.86	N. A.		
	Middle finger				
	If first finger	116.65			
	If additional finger	30.86	N. A.		
	Ring finger	116.65	3.7		
	If first finger	116.65			
	If additional finger	30.86	N. A.		
	Little finger	116.65	NT A		
	If first finger If additional finger	116.65 30.86			
	BASIC COMPONENTS AND SUPPLEMENTS				
	Thermoplastic or metal splint Straps				
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Prefabricated dynamic orthosis for distal and/or proximal interphalangeal joints				2
	Thumb				
2210102	If first finger	116.65	N. A.		
10102	If additional finger	30.86			

2

Index		
2210128 If first finger	116.65	N. A.
2210136 If additional finger	30.86	N. A.
Middle finger		
2210144 If first finger	116.65	N. A.
2210151 If additional finger	30.86	N. A.
Ring finger		
2210169 If first finger	116.65	N. A.
2210177 If additional finger	30.86	N. A.
Little finger		
2210185 If first finger	116.65	N. A.
2210193 If additional finger	30.86	N. A.

#### BASIC COMPONENTS AND SUPPLEMENTS

Support pads Springs

COMPONENT AND SUPPLEMENT

**AVAILABLE** 

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2210516 Prefabricated dynamic orthosis for	155.53	3		2

2210516 Prefabricated dynamic orthosis for metacarpophalangeal joints

BASIC COMPONENTS AND SUPPLEMENTS

Metacarpal bars

Phalangeal bars

Articular pivots

Elastic bands

Piano wire

Other types of springs

COMPONENT AND SUPPLEMENT

**AVAILABLE** 

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

Updated: 1 April, 2020 114

DEVICE	Maximum price Purchase or replacement of device	Replacement of	Maximum adjustement price	Guarantee (months)
2220010 Passive thumb orthosis including carp metacarpophalangeal and interphalan made from plaster or digital mold of i	geal joints,	47		2
BASIC COMPONENTS AND SUPP	PLEMENTS			
Molded component, thermoplastic or	other material			
Straps				
COMPONENT AND SUPPLEMENT AVAILABLE	Γ			
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Replacement of	Maximum adjustement price	Guarantee (months)
2220036 Molded plastic passive thumb orthosi carpometacarpal, metacarpophalanges interphalangeal joints, made from mo person or prefabricated	al and	62		2
BASIC COMPONENTS AND SUPP	PLEMENTS			
Molded thermoplastic component Straps				
	Г			
Straps  COMPONENT AND SUPPLEMENT	Γ			
Straps  COMPONENT AND SUPPLEMENT AVAILABLE	Γ			

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2220028	Dynamic thumb orthosis, which may include carpometacarpal, metacarpophalangeal and interphalangeal joints, made from plaster or digital mold of insured person	363.34	1		2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Stabilizing components Traction apparatus made with springs Piano wire, elastic bands Straps				
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2220044	Molded plastic dynamic thumb orthosis, which may include carpometacarpal, metacarpophalangeal and interphalangeal joints, made from mold of insured person or prefabricated	226.55	5		2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Stabilizing components Traction apparatus made with springs Piano wire, elastic bands Straps				
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	None ADJUSTMENT AVAILABLE				

## **SUBDIVISION 2: WRIST AND HAND ORTHOSES**

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2230548	Passive orthosis for wrist and hand including fingers and thumb, palmar or dorsal, made from plaster or digital mold of insured person	394.17			2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Splint Straps Bilateral fixed joints for dorsal orthosis				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	OPTIONAL COMPONENT				
2231124	Finger separator, including straps	14.77	N. A.		
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
		Maximum price	Maximum price		
	DEVICE	Purchase or replacement of device	Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2230555	Molded plastic passive orthosis for wrist and hand including fingers and thumb, palmar or dorsal, made from mold of insured person or prefabricated	Purchase or replacement of	Replacement of component or supplement	adjustement	
2230555	Molded plastic passive orthosis for wrist and hand including fingers and thumb, palmar or dorsal,	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
2230555	Molded plastic passive orthosis for wrist and hand including fingers and thumb, palmar or dorsal, made from mold of insured person or prefabricated	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
2230555	Molded plastic passive orthosis for wrist and hand including fingers and thumb, palmar or dorsal, made from mold of insured person or prefabricated  BASIC COMPONENTS AND SUPPLEMENTS  Thermoplastic splint Straps	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
2230555	Molded plastic passive orthosis for wrist and hand including fingers and thumb, palmar or dorsal, made from mold of insured person or prefabricated  BASIC COMPONENTS AND SUPPLEMENTS  Thermoplastic splint Straps Bilateral fixed joints for dorsal orthosis  COMPONENTS AND SUPPLEMENTS	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)
	Molded plastic passive orthosis for wrist and hand including fingers and thumb, palmar or dorsal, made from mold of insured person or prefabricated  BASIC COMPONENTS AND SUPPLEMENTS  Thermoplastic splint Straps Bilateral fixed joints for dorsal orthosis  COMPONENTS AND SUPPLEMENTS AVAILABLE	Purchase or replacement of device	Replacement of component or supplement	adjustement	(months)

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2230563	Passive orthosis for wrist, palmar or dorsal, including thumb extension, where applicable, made from plaster or digital mold of insured person	319.11			2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Thermoplastic splint, palmar or dorsal, or reinforced molded leather splint, including thumb extension, where applicable Palmar or dorsal metacarpal bar Straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	OPTIONAL COMPONENT				
2231132	Full leather lining of thermoplastic splint	54.96	N. A.		
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2230571	Plastic or molded plastic passive orthosis for wrist, including thumb extension, where applicable, made from mold of insured person or prefabricated	234.62			2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Plastic or molded plastic splint, prefabricated or made from mold of insured person, including thumb extension, where applicable Palmar or dorsal metacarpal bar Straps				
	made from mold of insured person, including thumb extension, where applicable Palmar or dorsal metacarpal bar				
	made from mold of insured person, including thumb extension, where applicable Palmar or dorsal metacarpal bar Straps  COMPONENTS AND SUPPLEMENTS				

α.	ГΤ		ГТ	гτ	1
		Εl			

apparatus)	67.04	N. A.
2231173 Wrist traction apparatus (incompatible with wrist free joints)	69.72	N. A.

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2230589 Prefabricated static wrist and dynamic finger orthosis, which may include Swanson-type thumb	512.17	7		2
BASIC COMPONENTS AND SUPPLEMENTS				
Transverse and longitudinal bars Palmar support Finger and thumb traction apparatus				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				

replacement of component or device supplement price	DEVICE	Maximum price Purchase or	Maximum price Replacement of	Maximum	Guarantee
	DEVICE	1	1	adjustement price	(months)

#### 2230514 Custom-made tenodesis orthosis

787.00

2

#### BASIC COMPONENTS AND SUPPLEMENTS

Stabilizing components for thumb, index finger and middle finger Metacarpophalangeal joints Wrist joints Forearm stabilizing component

Telescoping rod

COMPONENT AND SUPPLEMENT ATTAIT ADTE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

## SUBDIVISION 3: ELBOW, WRIST AND HAND ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Molded plastic passive elbow orthosis, anterior or posterior, made from mold of insured person	332.50			2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Splint including arm and forearm Straps				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	OPTIONAL COMPONENTS				
2255511	Suspension strap	25.47	N. A.		
2255503	Elbow pad and strap	84.48			
2255529	Uniaxial or polycentric bilateral elbow joints	75.10	N. A.		
3492659	Turnbuckle	69.72	N. A.		
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2250009					
	Passive elbow orthosis, anterior or posterior, made from plaster or digital mold of insured person	398.18			2
		398.18			2
	from plaster or digital mold of insured person	398.18			2
	from plaster or digital mold of insured person  BASIC COMPONENTS AND SUPPLEMENTS  Splint including arm and forearm	398.18			2
	from plaster or digital mold of insured person  BASIC COMPONENTS AND SUPPLEMENTS  Splint including arm and forearm Straps  COMPONENTS AND SUPPLEMENTS	398.18			2
	from plaster or digital mold of insured person  BASIC COMPONENTS AND SUPPLEMENTS  Splint including arm and forearm  Straps  COMPONENTS AND SUPPLEMENTS  AVAILABLE	398.18 25.47			2
2255511 2255503	from plaster or digital mold of insured person  BASIC COMPONENTS AND SUPPLEMENTS  Splint including arm and forearm Straps  COMPONENTS AND SUPPLEMENTS AVAILABLE  OPTIONAL COMPONENTS Suspension strap Elbow pad and strap	25.47 84.48	N. A. 115.29		2
2255511 2255503	from plaster or digital mold of insured person  BASIC COMPONENTS AND SUPPLEMENTS  Splint including arm and forearm Straps  COMPONENTS AND SUPPLEMENTS AVAILABLE  OPTIONAL COMPONENTS Suspension strap	25.47	N. A. 115.29		2
2255511 2255503 2255529	from plaster or digital mold of insured person  BASIC COMPONENTS AND SUPPLEMENTS  Splint including arm and forearm Straps  COMPONENTS AND SUPPLEMENTS AVAILABLE  OPTIONAL COMPONENTS Suspension strap Elbow pad and strap	25.47 84.48	N. A. 115.29 N. A.		2

## SUBDIVISION 4: SHOULDER, ELBOW, WRIST AND HAND ORTHOSES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2270007	Glenohumeral orthosis, made from plaster or digital mold of insured person	398.18			2
	BASIC COMPONENTS AND SUPPLEMENTS				
	Shoulder-to-epicondyle molded thermoplastic sleeve				
	Thoracic straps Velcro straps for adjusting sleeve circumference				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	OPTIONAL COMPONENT				
2255511	Suspension strap	25.47	N. A.		
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2270510	Prefabricated adjustable passive abduction orthosis	925.09			2
	for the shoulder, elbow, wrist and hand airplane design				2
	•				2
	design				2
	design  BASIC COMPONENTS AND SUPPLEMENTS  Thoracic and pelvic support Adjustable shoulder and elbow joints Arm, forearm and hand splints Adjustable stabilizing bar between truncular and humeral support Anchor straps				2
	design  BASIC COMPONENTS AND SUPPLEMENTS  Thoracic and pelvic support Adjustable shoulder and elbow joints Arm, forearm and hand splints Adjustable stabilizing bar between truncular and humeral support Anchor straps Pads  COMPONENTS AND SUPPLEMENTS				2
2275501	design  BASIC COMPONENTS AND SUPPLEMENTS  Thoracic and pelvic support Adjustable shoulder and elbow joints Arm, forearm and hand splints Adjustable stabilizing bar between truncular and humeral support Anchor straps Pads  COMPONENTS AND SUPPLEMENTS AVAILABLE	103.21	N. A.		2
2275501	design  BASIC COMPONENTS AND SUPPLEMENTS  Thoracic and pelvic support Adjustable shoulder and elbow joints Arm, forearm and hand splints Adjustable stabilizing bar between truncular and humeral support Anchor straps Pads  COMPONENTS AND SUPPLEMENTS AVAILABLE  OPTIONAL COMPONENT	103.21	N. A.		2

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
--------	---	---	---------------------------	--------------------

2270015 Prefabricated glenohumeral orthosis

347.24

2

BASIC COMPONENTS AND SUPPLEMENTS

Shoulder-to-epicondyle molded thermoplastic sleeve

Thoracic straps

Velcro straps for adjusting sleeve circumference

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

## **SUBDIVISION 5: UPPER-LIMB ORTHOSES**

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2290609 Other upper-limb orthoses *	S. C.			2

<sup>\*</sup> When the price is below that of the similar orthosis

Updated: 1 April, 2020 123

# DIVISION VI: TRUNK AND CERVICAL ORTHOSES SUBDIVISION 1: TRUNK ORTHOSE

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
:	Prefabricated lumbar sacral immobilization orthosis, to limit anteroposterior and lateral movements of the spine, molded plastic or metal structure, Harris, Knight or Williams-type	423.66	5		3
	COMPONENT AND SUPPLEMENT AVAILABLE				
-	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Lumbar sacral orthosis with rigid molded thermoplastic plate, made from mold of insured person (Ortho-mold-type)	258.77	7		3
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Plastic lumbar sacral immobilization orthosis, made from plaster or digital mold of insured person	748.13	3		3
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				

		(ddinen	(authentic version)		
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)	
Custom-made rigid-frame dorsal lumbar immobilization orthosis (Taylor or Harris-Taylor-type)	572.49			3	
COMPONENTS AND SUPPLEMENTS AVAILABLE					
OPTIONAL COMPONENTS					
Axilla crutch Corrective pad	48.27 48.27			3 3	
ADJUSTMENT AVAILABLE					
 Any pertinent adjustment					
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)	
Dorsal lumbar orthosis with rigid molded thermoplastic plate, made from mold of insured person (Ortho-mold-type)	370.03			3	
COMPONENT AND SUPPLEMENT AVAILABLE					
None					
ADJUSTMENT AVAILABLE					
 Any pertinent adjustment					
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)	
Rigid dorsal lumbar immobilization orthosis covered in whale fabric (Taylor or Harris-Taylor- type) (Camp, Airway make)	300.31			3	

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2340537 Plastic dorsal lumbar sacral immobilization orthwith bilateral overlapping resulting from double molding, made from plaster or digital mold of insured person	,			3
COMPONENT AND SUPPLEMENT AVAILABLE				
3125500 Minerva cervical extension	250.00	341.80		
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2340404 Prefabricated molded plastic dorsal lumbar sactimmobilization orthosis (Boston Overlap Brace type)				3
COMPONENT AND SUPPLEMENT AVAILABLE				
3125500 Minerva cervical extension	250.00	341.80		
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2340578 Plastic dorsal lumbar sacral immobilization orthogram made from plaster or digital mold of insured pe	,			3

SCHEDULE 1

3125500 Minerva cervical extension

250.00

341.80

#### ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2350528 Prefabricated hyperextension orthosis (Jewitt, Florida Brace)	459.87	7		3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2380509 Cervical dorsal lumbar sacral immobilization orthosis with plastic base, made from plaster or digital mold of insured person (Milwaukee-type)	1,571.30	)		3
BASIC COMPONENT AND SUPPLEMENT				
Pelvic component, made from plaster or digital mold of insured person				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENT				
2385508 Pelvic component, made from plaster or digital mold of insured person	N. C	. 911.69		3
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2380004 Prefabricated cervical dorsal lumbar sacral immobilization orthosis with molded plastic base (Milwaukee-type)	1,309.86			3
BASIC COMPONENT AND SUPPLEMENT				
Prefabricated pelvic component				
COMPONENTS AND SUPPLEMENTS AVAILABLE				
BASIC COMPONENT				
2385516 Prefabricated pelvic component	N. C.	662.32		3
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2380020 Charleston hypercorrective cervical dorsal lumbar sacral orthosis, made from plaster or digital mold of insured person	1,311.20	1		3
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2380533 Cervical dorsal lumbar sacral orthosis (Lyonnais- type)	1,568.61			3
BASIC COMPONENT AND SUPPLEMENT				
Prefabricated pelvic component, made from plaster or digital mold of insured person				
COMPONENTS AND SUPPLEMENTS AVAILAE				

BAS	$\Gamma$	CC	M	PO.	MF.	NT

2385524 Prefabricated pelvic component, made from plaster or digital mold of insured person

N. C. 911.69

3

3

#### ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2380525 Prefabricated corrective dorsal lumbar orthosis (Boston-type)	836.60	)		3
COMPONENT AND SUPPLEMENT				
None ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2380012 Corrective dorsal lumbar orthosis, made from plaster or digital mold of insured person (Bostontype)  COMPONENT AND SUPPLEMENT  None	1,203.95	5		3
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2340000 Corrective orthosis for child, Cheneau-type	2,200.00	)		

COMPONENT AND SUPPLEMENT AVAILABLE

None

ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

## **SUBDIVISION 2: CERVICAL ORTHOSES**

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2370500	Thermoplastic cervical orthosis with sternal support, made from plaster or digital mold of insured person	588.57	7		3
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	- Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2370559	Prefabricated semi-rigid cervical orthosis (Philadelphia design)	160.89	)		3
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	- Any pertinent adjustment				
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2370518	Cervical orthosis with multiple vertical uprights	296.29	)		3
	COMPONENT AND SUPPLEMENT AVAILABLE				
	None				
	ADJUSTMENT AVAILABLE				
	- Any pertinent adjustment				
	NOTICE: A Halo cervical orthosis (Halo vest) is not an insured device. Therefore, it cannot be considered in the same way as a Minerva cervical orthosis.				

]	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
	Minerva molded plastic cervical orthosis, made from plaster or digital mold of insured person	1,253.56	5		3
	COMPONENT AND SUPPLEMENT AVAILABLE				
]	None				
	ADJUSTMENT AVAILABLE				
	Any pertinent adjustment				
- <u>1</u> <u>(</u>	NOTICE: A Halo cervical orthosis (Halo vest) is not an insured device. Therefore, it cannot be considered in the same way as a Minerva cervical orthosis.				
]	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2370609	Minerva prefabricated cervical orthosis	845.99	)		3
(	COMPONENT AND SUPPLEMENT				
]	None				
	ADJUSTMENT AVAILABLE Any pertinent adjustment				
<u> </u>	NOTICE: A Halo cervical orthosis (Halo vest) is not an insured device. Therefore, it cannot be considered in the same way as a Minerva cervical orthosis.				
]	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
•	Cervical orthosis (SOMI-type) COMPONENTS AND SUPPLEMENTS AVAILABLE	606.03	3		3
	OPTIONAL COMPONENT				
	Halo support with lateral stabilization uprights ADJUSTMENT AVAILABLE Any pertinent adjustment	223.89	241.33		3

## SUBDIVISION 3: OTHER TRUNK AND CERVICAL ORTHOSES

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2390607 Other trunk orthoses *	S. C			3
2371003 Other cervical orthoses *	S. C			3

<sup>\*</sup> When the price is below that of the similar orthosis

## **DIVISION VII: AMBULATION AIDS**

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
4490009	Quad cane, height-adjustable	35.42			12
	BASIC COMPONENT AND SUPPLEMENT				
	Tip				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENT				
4495727	Tip (per pair)	N. C.	2.57		
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
4490017	Crutches with axillary support, height-adjustable	20.24			12
	BASIC COMPONENTS AND SUPPLEMENTS				
	Tips (2) Axillary pads (2) Handrest covers (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
4495727 4495743	Tips (per pair) Axillary pads (per pair)	N. C. N. C.			
4495750	Handrest covers (per pair)	N. C.	2.57		
	OPTIONAL COMPONENTS				
4495768	Flip-up ice tips with four or five prongs				
	Pair Unit	10.29 N. A.			
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
4490018	Crutches with forearm support, height-adjustable	55.66			12

#### BASIC COMPONENTS AND SUPPLEMENTS

Tips (2)
COMPONENTS AND SUPPLEMENTS AVAILABLE

BASIC COMPONENTS

AVAILABLE

Pair	10.29	N. A.
4495768 Flip-up ice tips with four or five prongs		
OPTIONAL COMPONENTS		
4495727 Tips (per pair)	N. C.	2.57
BASIC COMPONENTS		

Unit	N. A.	5.14		
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
4490082 Anterior walker, folding, without wheels or with wheels (2), height-adjustable	50.60			12
BASIC COMPONENTS AND SUPPLEMENTS				
Tips (2)				
COMPONENTS AND SUPPLEMENTS				

## BASIC COMPONENTS 4495727 Tips (2) N.C. 2.57 OPTIONAL COMPONENTS

4495776 Walker skis on rear legs		
Pair	12.14	12.14
Unit	6.07	6.07
4495826 Rear hand brakes		
Pair	51.39	N. A.
Unit	N. A.	25.69
4495784 Forearm supports		
Pair	156.74	N. A.
Unit	78.38	78.38

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
4490085	Anterior walker, without wheels or with wheels (2), height-adjustable, weighted or bariatric type	111.32			12
	BASIC COMPONENTS AND SUPPLEMENTS				
	Tips (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
4495727	Tips (per pair)	N. C.	2.57		
	OPTIONAL COMPONENTS				
	Walker skis on rear legs Pair Unit Rear hand brakes	12.14 6.07	12.14 6.07		
4493820	Pair	51.39			
1105781	Unit Forearm supports	N. A.	25.69		
772707	Pair Unit	156.74 78.38			
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
4490083	Anterior walker, folding, with 2 wheels, height-adjustable, for child	156.86			12
	BASIC COMPONENTS AND SUPPLEMENTS				
	Tips (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
4495727	Tips (per pair)	N. C.	2.57		
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)

4490084	Posterior walker, folding, with wheels (2 or 4), and height-adjustable, for child	232.76			12
	BASIC COMPONENTS AND SUPPLEMENTS				
	Tips (2)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
4495727	Tips (2)	N. C.	2.57		
	OPTIONAL COMPONENTS				
4495784	Forearm supports (2)				
	Pair	156.74			
	Unit	78.38	78.38		
	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
4490166	Walker with wheels 4, height-adjustable with thoracic support, depth-adjustable and width-adjustable, for child	657.80			12
	BASIC COMPONENTS AND SUPPLEMENTS				
	Steel frame Thoracic support, with cover Flexible seat Front bumpers (4) Wheelbrakes (4)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
	BASIC COMPONENTS				
	Steel frame, height-adjustable Thoracic support, depth-adjustable with cover	N. C. N. C.	566.72 298.54		
4495843	Steel frame, height-adjustable		298.54		
4495843 4495867 4495875	Steel frame, height-adjustable Thoracic support, depth-adjustable with cover Flexible seat Front bumpers (4)	N. C. N. C. N. C.	298.54 69.37 N. A.		
4495843 4495867 4495875	Steel frame, height-adjustable Thoracic support, depth-adjustable with cover Flexible seat	N. C. N. C.	298.54 69.37 N. A.		
4495843 4495867 4495875	Steel frame, height-adjustable Thoracic support, depth-adjustable with cover Flexible seat Front bumpers (4)	N. C. N. C. N. C.	298.54 69.37 N. A.		
4495843 4495867 4495875 4495883	Steel frame, height-adjustable Thoracic support, depth-adjustable with cover Flexible seat Front bumpers (4) Wheelbrakes (4)	N. C. N. C. N. C.	298.54 69.37 N. A. 34.70		
4495843 4495867 4495875 4495883 4495917 4495925	Steel frame, height-adjustable Thoracic support, depth-adjustable with cover Flexible seat Front bumpers (4) Wheelbrakes (4) OPTIONAL COMPONENTS	N. C. N. C. N. C. N. C.	298.54 69.37 N. A. 34.70 178.57 280.09		

## DIVISION VIII: STANDING AIDS

DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2192276 Parapodium, for child (Variety Village system)	2,301.98	3		3
BASIC COMPONENTS AND SUPPLEMENTS				
Prefabricated parapodium orthosis				
COMPONENT AND SUPPLEMENT AVAILABLE				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2192292 Parapodium, for adult (Variety Village system)	3,126.51			3
BASIC COMPONENTS AND SUPPLEMENTS				
Prefabricated parapodium orthosis				
COMPONENT AND SUPPLEMENT AVAILABLE None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				
7 my pertinent adjustment	Maximum price	Maximum price		
DEVICE	Purchase or replacement of device	Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
2192284 Orthopodium	1,352.75	;		3
BASIC COMPONENTS AND SUPPLEMENTS				
Prefabricated orthopodium  COMPONENT AND SUPPLEMENT				
None				
ADJUSTMENT AVAILABLE				
Any pertinent adjustment				

## PART II: AIDS FURNISHED SOLELY BY AN INSTITUTION DIVISION I: UPPER-LIMB PROSTHESES

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guaranted (months)
1242106	Myoelectric cubital prosthesis	4,948.85			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Single laminated plastic socket, made from plaster or digital mold of insured person				
	Electrical system (1 connecting cable, 1 electrode cable, 1 coaxial outlet, 1 coupling component)				
	Lamination collar (wrist) Pack				
	Electrode (1)				
	Standard battery				
	Standard charger				
	Prosthetic glove (Otto Bock)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1245687	Simple laminated plastic socket, made from plaster or digital mold of insured person	N. C.	1,850.17		
1245695	Electrical system (1 connecting cable, 1 electrode cable, 1 coaxial outlet, 1 coupling component)	N. C.	*		
1245703	Lamination collar (wrist)	N. C.	*		
1245752		N. C.	*		
1245711	First electrode	N. C.	*		
1245729	Additional electrode	1,513.28	1,513.28		
	Additional electrode cable	85.78			
	Standard battery	N. C.			
	Standard charger	N. C.			
5223005	Prosthetic glove (Otto Bock)	N. C.	279.55		
	OPTIONAL COMPONENTS				
1245786	Double flexoform socket	254.72	337.85		
	Electric hand (Otto Bock) for one 63/4 electrode	4,404.20			
3223302	Electric hand (Otto Bock) for one 71/4 and 73/4 electrode	4,983.37	4,983.37		
3223310	Electric hand (Otto Bock) for one 81/4 electrode	5,222.01	5,222.01		
3223328	Electric hand (Otto Bock) for two 6¾ electrodes	3,941.67	3,941.67		

3223336 Electric hand (Otto Bock) for two 71/4 and 73/4 electrodes	5,429.14	5,429.14
3223344 Electric hand (Otto Bock) for two 8¼ electrodes	5,706.37	5,706.37
Electric hands (VASI):		
3223047 - 0 to 3 years for one electrode	6,030.47	6,030.47
3223054 - 2 to 6 years for two electrodes	6,030.47	6,030.47
3223062 - 5 to 9 years for two electrodes	6,427.31	6,427.31
3223070 Electric hand (Steeper), 1.75	3,803.54	3,803.54
3223351 Electric hand (Steeper), 2.00	3,963.10	3,963.10
3223369 Electric hand (Steeper), 2.25 to 3.25	4,279.51	4,279.51
3223088 Electric hand 2000 (Otto Bock) for two 5	6,177.96	6,177.96
electrodes		
3223377 Electric hand 2000 (Otto Bock) for two 5½ and 6 electrodes	6,468.87	6,468.87
3223385 Electric hand 2000 (Otto Bock) for two 61/2	6,731.65	6,731.65
electrodes	-,	-,
1245828 Electronic box for electric hand 2000	1,442.61	1,442.61
1245836 Battery (1) for electric hand 2000	41.56	41.56
1245844 Electrode cables (2) for electric hand 2000	130.06	130.06
1245802 Charger for hand 2000	139.42	139.42
3223096 Electric hook for one electrode	5,113.43	5,113.43
3223104 Electric hook for two electrodes	4,931.10	4,931.10
Electronics module system:		
3232824 Electric wrist rotator	376.74	376.74
3232832 Myoelectrically controlled prosthetic wrist,	5,738.72	5,738.72
including a control unit		
1245919 Rapid charger	782.51	782.51
1245810 Activating switch	206.46	206.46
Adaptations to make prosthesis mechanical:		
3232840 Quick disconnect wrist	768.22	768.22
3222965 Hook, 99X-type	589.91	638.17
1295716 Suspension harness	111.27	163.58
1295724 Control cable, terminal connections and housing	150.15	202.46
(reinforced materials)	100.10	202.10
SUPPLEMENT AVAILABLE		
1245851 Conductor gel	6.69	6.69

#### ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

<sup>\*</sup> Repair. Indicate materials and labour. Suppporting documents must be kept on file

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
1242502	Myoelectric prosthesis for dislocation of wrist	4,655.25			6
	BASIC COMPONENTS AND SUPPLEMENTS				
	Single laminated plastic socket, made from plaster or digital mold of insured person				
	Electrical system (1 connecting cable, 1 electrode cable)				
	Pack				
	Electrode (1)				
	Standard battery				
	Standard charger Prosthetic glove (Otto Bock)				
	COMPONENTS AND SUPPLEMENTS AVAILABLE				
	BASIC COMPONENTS				
1245927	Single laminated plastic socket, made from plaster or digital mold of insured person	N. C.	1,708.06		
1245935	Electrical system (1 connecting cable, 1 electrode cable)	N. C.	*		
1245752		N. C.	*		
1245711	First electrode	N. C.	*		
1245729	Additional electrode	1,513.28	1,513.28		
1245745	Additional electrode cable	85.78	85.78		
1245760	Standard battery	N. C.	*		
	Standard charger	N. C.			
3223005	Prosthetic glove (Otto Bock), fitting included	N. C.	279.55		
	OPTIONAL COMPONENTS				
1245786	Double flexoform socket	254.72	337.85		
3223039	Electric hand (Otto Bock) for one 6¾ electrode	4,404.20	4,404.20		
3223302	Electric hand (Otto Bock) for one 71/4 or 73/4 electrode	4,983.37	4,983.37		
3223310	Electric hand (Otto Bock) for one 81/4 electrode	5,222.01	5,222.01		
3223328	Electric hand (Otto Bock) for two 6¾ electrodes	3,941.67	3,941.67		
3223336	Electric hand (Otto Bock) for two 7 <sup>1</sup> / <sub>4</sub> and 7 <sup>3</sup> / <sub>4</sub> electrodes	5,429.14	5,429.14		
3223344	Electric hand (Otto Bock) for two 81/4 electrodes	5,706.37	5,706.37		
3223070	Electric hand (Steeper), 1.75	3,803.54	3,803.54		

3223351 Electric hand (Steeper), 2.00	3,963.10	3,963.10
3223369 Electric hand (Steeper), 2.25 to 3.25	4,279.51	4,279.51
3223088 Electric hand 2000 (Otto Bock) for two 5	6,177.96	6,177.96
electrodes		
3223377 Electric hand 2000 (Otto Bock) for two 51/2 and 6	6,468.87	6,468.87
electrodes		
3223385 Electric hand 2000 (Otto Bock) for two 6½	6,731.65	6,731.65
electrodes		
1245828 Electronic box for electric hand 2000	1,442.61	1,442.61
1245836 Battery (1) for electric hand 2000	41.56	41.56
1245844 Electrode cables (2) for electric hand 2000	130.06	130.06
1245802 Charger for hand 2000	139.42	139.42
3223096 Electric hook for one electrode	5,113.43	5,113.43
3223104 Electric hook for two electrodes	4,931.10	4,931.10
1245919 Rapid charger	782.51	782.51
1245810 Activating switch	206.46	206.46
SUPPLEMENT AVAILABLE		
1245851 Conductor gel	6.69	6.69
1243031 Conductor ger	0.09	0.09
ADJUSTMENT AVAILABLE		

TIBUCSTIVIET TI VIIIETI

<sup>\*</sup> Repair. Indicate materials and labour. Supporting documents must be kept on file

device supplement price	DEVICE	Maximum price Purchase or replacement of device	Replacement of component or	Maximum adjustement price	Guarantee (months)
-------------------------	--------	---	-----------------------------	---------------------------	--------------------

1262104 Myoelectric humeral prosthesis

7,301.77

6

#### BASIC COMPONENTS AND SUPPLEMENTS

Single laminated plastic socket, made from plaster or digital mold of insured person

Electrical system (1 connecting cable, 1 electrode cable, 1 coaxial outlet, 1 coupling component)

Lamination collar (wrist)

Elbow with internal lock, model E-400

Pack

Electrode (1)

Standard battery

Standard charger

Prosthetic glove (Otto Bock)

COMPONENTS AND SUPPLEMENTS

AVAILABLE

Updated: 1 April, 2020 141

<sup>-----</sup> Any pertinent adjustment

## BASIC COMPONENTS

1245869 Single laminated plastic socket, made from plaster or digital mold of insured person	N. C.	2,386.46
1245695 Electrical system (1 connecting cable, 1 electrode cable, 1 coaxial outlet, 1 coupling component)	N. C.	*
1265529 Elbow with internal lock, model E-400	N. C.	1,083.30
1245703 Lamination collar (wrist)	N. C.	*
1245752 Pack	N. C.	*
1245711 First electrode	N. C.	*
1245729 Additional electrode	1,513.28	1,513.28
1245745 Additional electrode cable	85.78	85.78
1245760 Standard battery	N. C.	*
1245778 Standard charger	N. C.	*
3223005 Prosthetic glove (Otto Bock), fitting included	N. C.	279.55
OPTIONAL COMPONENTS		
1265560 Double flexoform socket	324.44	407.55
1265578 Additional cost of socket where elbow joint has	223.89	223.89
external lock		
3223039 Electric hand (Otto Bock) for one 63/4 electrode	4,404.20	4,404.20
3223302 Electric hand (Otto Bock) for one 71/4 or 73/4	4,983.37	4,983.37
electrode 3223310 Electric hand (Otto Bock) for one 81/4 electrode	5,222.01	5,222.01
3223328 Electric hand (Otto Bock) for two 6¾ electrodes	3,941.67	3,941.67
3223336 Electric hand (Otto Bock) for two 71/4 and 73/4 electrodes	5,429.14	5,429.14
3223344 Electric hand (Otto Bock) for two 81/4 electrodes	5,706.37	5,706.37
Electric hands (VASI):		
3223047 - 0 to 3 years for one electrode	6,030.47	6,030.47
3223054 - 2 to 6 years for two electrodes	6,030.47	6,030.47
3223062 - 5 to 9 years for two electrodes	6,427.31	6,427.31
3223070 Electric hand (Steeper), 1.75	3,803.54	3,803.54
3223351 Electric hand (Steeper), 2.00	3,963.10	3,963.10
3223369 Electric hand (Steeper), 2.25 to 3.25	4,279.51	4,279.51
3223088 Electric hand 2000 (Otto Bock) for two 5	6,177.96	6,177.96
electrodes 3223377 Electric hand 2000 (Otto Bock) for two 5½ and 6	6,468.87	6,468.87
electrodes 3223385 Electric hand 2000 (Otto Bock) for two 6½	6,731.65	6,731.65
electrodes 1245828 Electronic box for electric hand 2000	1,442.61	1,442.61
12/45/26 Pattomy (1) for algothic hand 2000	A1 56	A1 56
1245836 Battery (1) for electric hand 2000 1245844 Electrode cables (2) for electric hand 2000	41.56 130.06	41.56 130.06
	-30.00	-20.00
1245802 Charger for hand 2000	139.42	139.42

32	23096 Electric hook for one electrode	5,113.43	5,113.43
32	23104 Electric hook for two electrodes	4,931.10	4,931.10
	Electronics module system:		
22	· · · · · · · · · · · · · · · · · · ·	276.74	276.74
	32824 Electric wrist rotator	376.74	376.74
32.	32832 Myoelectrically controlled prosthetic wrist, including a control unit	5,738.72	5,738.72
120	65586 Electric elbow (Hosmer) with switch (including one	8,121.97	8,121.97
	battery, charger, switch)	•	-
124	45919 Rapid charger	782.51	782.51
	45810 Activating switch	206.46	206.46
	Adaptations to make prosthesis mechanical:		
22	· ·	769.22	769 22
	32840 Quick disconnect wrist	768.22	768.22
	22965 Hook, 99X-type	589.91	638.17
129	95716 Suspension harness	111.27	163.58
129	95724 Control cable, terminal connections and housing	150.15	202.46
	(reinforced materials)		
129	95559 Flexion assist mechanism	403.56	473.28
	SUPPLEMENTS AVAILABLE		
12	45851 Conductor gel	6.69	6.69
	ADJUSTMENT AVAILABLE		

#### ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

<sup>\*</sup> Repair. Indicate materials and labour. Supporting documents must be kept on file

	DEVICE	Maximum price Purchase or replacement of device	Maximum price Replacement of component or supplement	Maximum adjustement price	Guarantee (months)
--	--------	--	---	---------------------------------	-----------------------

1242205 Electro-mechanical cubital prosthesis

3,751.96

6

#### BASIC COMPONENTS AND SUPPLEMENTS

Single laminated plastic socket, made from plaster or digital mold of insured person

Electrical system (1 connecting cable, 1 coaxial outlet, cable connecting switch to coaxial outlet, switch)

Lamination collar (wrist)

Standard batteries (2)

# COMPONENTS AND SUPPLEMENTS AVAILABLE

#### BASIC COMPONENTS

1245687 Single laminated plastic socket, made from plaster or digital mold of insured person	N. C.	1,850.17
1245885 Electrical system (1 connecting cable, 1 coaxial outlet, cable connecting switch to coaxial outlet, switch)	N. C.	*
1245703 Lamination collar (wrist)	N. C.	*
1245752 Pack	N. C.	*
1245893 Standard batteries (2)	N. C.	*
1245778 Standard charger	N. C.	*
3223005 Prosthetic glove (Otto Bock)	N. C.	279.55
OPTIONAL COMPONENTS		
1245786 Double flexoform socket	254.72	337.85
3223039 Electric hand (Otto Bock) for one 6¾ electrode	4,404.20	4,404.20
3223302 Electric hand (Otto Bock) for one 71/4 or 73/4 electrode	4,983.37	4,983.37
3223310 Electric hand (Otto Bock) for one 81/4 electrode	5,222.01	5,222.01
3223328 Electric hand (Otto Bock) for two 6¾ electrodes	3,941.67	3,941.67
3223336 Electric hand (Otto Bock) for two 71/4 and 73/4 electrodes	5,429.14	5,429.14
3223344 Electric hand (Otto Bock) for two 81/4 electrodes	5,706.37	5,706.37
Electric hands (VACI).		
Electric hands (VASI): 3223047 - 0 to 3 years for one electrode	6,030.47	6,030.47
3223054 - 2 to 6 years for two electrodes	6,030.47	6,030.47
3223062 - 5 to 9 years for two electrodes	6,427.31	6,427.31
3223070 Electric hand (Steeper), 1.75	3,803.54	3,803.54
3223351 Electric hand (Steeper), 2.00	3,963.10	3,963.10
3223369 Electric hand (Steeper), 2.25 to 3.25	4,279.51	4,279.51
3223096 Electric hook for one electrode	5,113.43	5,113.43
3223104 Electric hook for two electrodes	4,931.10	4,931.10
1245919 Rapid charger	782.51	782.51
1245810 Activating switch	206.46	206.46
Adaptations to make prosthesis mechanical:		
3232840 Quick disconnect wrist	768.22	768.22
3222965 Hook, 99X-type	589.91	638.17
1295716 Suspension harness	111.27	163.58
1295724 Control cable, terminal connections and housing (reinforced materials)	150.15	202.46

Updated: 1 April, 2020 144

# SUPPLEMENTS AVAILABLE

----- Stump sock

\* (consult Division II of this Part for the codes and prices of these supplements)

# ADJUSTMENT AVAILABLE

----- Any pertinent adjustment

# DIVISION II: SOCKS FOR UPPER-LIMB AND LOWER-LIMB PROSTHESES

See Title One, Part I, Division III, "SOCKS FOR PROSTHESES"

# **DIVISION III: AMBULATION AIDS**

4490181 Other non-listed ambulation aids S. C.

GUARANTEE PERIOD: 1 year

4490421 Non-listed ambulation aid component (S. C.) S. C.

#### PART III: ELEMENTS INCLUDED IN THE PRICES OF THE DEVICES:

- 1. The maximum price for the purchase or replacement of an insured device referred to in Part I or II of this Title includes the following elements:
- (1) the maximum price for its basic components and supplements;
- (2) the cost of its manufacture;
- (3) the cost of fittings required while it is being manufactured, up to and including the final installation;
- (4) the cost of fittings and repairs during the guarantee period referred to in this Title in respect of each device, beginning immediately after the final installation and during which any fitting or repair of a device used under normal conditions is made, in order to bring the device into conformity with the original medical prescription, where the beneficiary's physical condition has not changed, and to enable the beneficiary to derive maximum benefit from the device.
- 2. The maximum replacement cost of a component or supplement for a device referred to in Part I or II of this Title includes the following elements:
- (1) the cost price of the materials;
- (2) the cost of its manufacture, if any;
- (3) the cost of fitting and installation.
- 3. The maximum price for a cane includes the safety tip, and the fixed price for a pair of height-adjustable axillary crutches includes the safety tips, the axillary pads and the elastomer handrest covers.
- 4. The maximum price for a standard post-operative prosthesis assumed by the Board following the amputation of a lower limb includes the supply, even if temporary, of the components required for the entire time the prosthesis is worn, the work performed in the operating room, the waiting period, the application of a rigid bandage, the fixation of the pylon and foot, and the changing of the rigid bandage as required.
- 5. The maximum price for a post-operative pneumatic prosthesis assumed by the Board following the amputation of a lower limb includes the supply, even if temporary, of the components required for the entire time the prosthesis is worn, the work performed at the institution, the waiting period, and the installation of the pneumatic lining, metallic support and means of suspension.
- 6. The maximum price for a temporary prosthesis assumed by the Board includes, for the entire time the prosthesis is worn, the supply, even if temporary, of the components, the manufacture of or modifications made to the socket, the means of suspension required, as well as the alignment and fittings required.

# TITLE TWO: LOCOMOTOR AND POSTURE ASSISTS (FURNISHED SOLELY BY AN INSTITUTION)

PART I: LOCOMOTOR ASSISTS DIVISION I: ADULT WHEELCHAIRS SUBDIVISION 1: MANUAL WHEELCHAIRS

> PRICE (including all the basic components)

#### 7150000 MANUAL WHEELCHAIRS

910.00

IN SUBCATEGORY "BASIC (FOLDING FRAME)"

MOTION COMPOSITES INC.

## "CHRONOS" MODEL

## TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Device weight: 15.9 kg (35 lb.)

Overall width: 19.1 cm (7½ in.) over the nominal seat width at 0° rear wheel camber

Front seat-to-floor height: 31.8 cm to 52.1 cm ( $12\frac{1}{2} \text{ in.}$  to  $20\frac{1}{2} \text{ in.}$ ) Rear seat-to-floor height: 31.1 cm to 48.3 cm ( $12\frac{1}{4} \text{ in.}$  to 19 in.)

Frame: straight back canes or bend back canes from 8° to 10°, height and angle-

adjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of 6°;

non-slip push handles; four tie-down points for adapted transport

BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM			
7150001 Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N. C.	36.00	12
7150002 Flat foam seat cushion, 5.1 cm (2 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	63.00	63.00	36
7150003 Flat foam seat cushion, 7.6 cm (3 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	104.00	104.00	36
7150004 Flexible nylon mesh back, padded; heights of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.) or 48.3 cm (19 in.)	N. C.	32.33	12
7150005 Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	83.00	115.33	12
7150006 Pelvic positioning belt, auto buckle	N. C.	13.75	36

7150007 Pelvic positioning belt, Velcro	N. C.	47.50	36
7150008 U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	118.00	60
7150009 U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.33	60
7150010 Armrest pad, straight, short	N. C.	4.75	12
7150011 Armrest pad, straight, long	N. C.	5.58	12
7150012 Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop;	N. C.	23.88	
adjustable length from 34.3 cm to 44.5 cm ( $13\frac{1}{2}$ in. to $17\frac{1}{2}$ in.), from 40 cm to 50.8 cm ( $15\frac{3}{4}$ in. to 20 in.) or from 43.2 cm to 53.3 cm ( $17$ in. to 21 in.)			60
7150013 Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 34.3 cm to 44.5 cm (13½ in. to 17½ in.), from 40 cm to 50.8 cm (15¾ in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.)	N. C.	48.00	60
7150014 Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	177.50	201.38	36
7150015 Padded calf-rest	48.75	48.75	36
7150015 Fadded carriest 7150016 Folding footplate, standard, standard size; plastic	N. C.	7.75	
, 12 0 1 0 1 0 10 mg 10 0 praise, standard, standard size, praise	11. 0.	,.,5	36
7150017 Folding footplate, standard, oversize	10.00	17.75	36
7150018 Footplate, angle and depth-adjustable, standard size	90.00	97.75	36
7150019 Footplate, angle and depth-adjustable, oversize	90.00	97.75	36
7150020 Heel loop, adjustable		4.50	36
7150021 Headrest cushion, contoured, all sizes	85.00	85.00	36
7150022 Headrest bracket, height and depth-adjustable, or articulated uniball bracket	90.00	90.00	36

FRAME

7150023 Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	21.00	60
7150024 Fold-away back spreader bar to fold chair; with anchor for headrest bracket	70.00	70.00	36
7150025 Front impact guard with rollers	35.00	35.00	36
7150026 Cane holder	30.00	30.00	36
DRIVE SYSTEM	N. C	14.50	26
7150027 Handrim, smooth	N. C. N. C.	14.50	36 36
7150028 Handrim, plastic-coated	N. C. N. C.	32.00 14.00	30
7150029 Standard wheel lock, push-to-lock or pull-to-lock	N. C.	14.00	36
7150030 Plug-in wheel lock extension	10.00	10.00	36
7150030 Tag-in wheel fock extension 7150031 Caster fork to adjust height and angle perpendicular	N. C.	9.63	30
to the ground to compensate for changes in the rear	N. C.	9.03	36
seat-to-floor height			30
som to need neight			
WHEELS AND TIRES			
7150032 Front mag wheel; semi-pneumatic tire; 20.3 cm (8	N. C.	24.91	36
in.); 2.5 cm (1 in.) wide			30
7150033 Front mag wheel; semi-pneumatic tire; 12.7 cm (5	N. C.	8.65	
in.), 15.2 cm (6 in.) or 17.8 cm (7 in.); 2.5 cm (1			36
in.) wide	N. 6	0.62	
7150034 Rear axle, quick release system, with push-button	N. C.	9.63	
locking mechanism; adjustable centre of gravity to			
at least two horizontal positions; rear height			26
adjustable for 5° of seat tilt, compatible with all wheel diameters			36
wheel diameters			
7150035 Threaded rear axle	N. C.	4.75	36
7150036 Adapter for "amputee" axle position	53.00	53.00	2.6
1 1			36
7150037 Spoked rear wheel; semi-pneumatic tire; 61 cm (24		52.88	36
in.); 3.2 cm (11/4 in.) wide			30
7150038 Spoked rear wheel; semi-pneumatic tire; 50.8 cm	N. C.	52.88	
(20 in.) or 55.9 cm (22 in.); $3.2 \text{ cm} (1\frac{1}{4} \text{ in.})$ wide			36

PRICE (including all the basic components)

# 7151421 MANUAL WHEELCHAIRS

1,040.00

IN SUBCATEGORY "INTERMEDIATE (CLASS A FOLDING FRAME)"

## MOTION COMPOSITES INC.

#### "COBALT 1" MODEL

## TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

**Device weight:** 16.8 kg (37 lb.)

**Overall width:** 19,1 cm ( $7\frac{1}{2}$  in.) over the nominal seat width at  $0^{\circ}$  rear

wheel camber

Front seat-to-floor height: 35.6 cm to 55.9 cm (14 in. to 22 in.) Rear seat-to-floor height: 33.7 cm to 52.1 cm ( $13\frac{1}{4} \text{ in.}$  to  $20\frac{1}{2} \text{ in.}$ ) Frame: straight back canes or bend back canes from  $8^{\circ}$  to  $10^{\circ}$ , height and angle-adjustable; seat-to-back angle adjustable from  $90^{\circ}$  to  $105^{\circ}$  by maximum increments of  $6^{\circ}$ ; non-slip push handles; four tie-down points for adapted transport

	BASIC AND OPTIONAL COMPONENTS	Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7151422	2 Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N. C.	36.00	12
7151423	3 Flat foam seat cushion 5.1 cm (2 in.); two strips of "velour" Velcro, 5.1 cm (2 in.) wide, under the cushion	63.00	63.00	36
7151424	Flat foam seat cushion, 7.6 cm (3 in.); two strips of "velour" Velcro, 5.1 cm (2 in.) wide, under the cushion	104.00	104.00	36
7151425	5 Seat – width modification to 48.3 cm (19 in.)	100.00		36
7151426	5 Seat – width modification to 50.8 cm (20 in.)	100.00		36
715142	7 Flexible nylon mesh back, padded; heights of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N. C.	32.33	12

				,
7151428	Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	83.00	115.33	12
7151429	Pelvic positioning belt, auto buckle	N. C.	13.75	36
7151430	Pelvic positioning belt, Velcro	N. C.	47.50	36
7151431	U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	118.00	60
7151432	T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	118.00	60
7151433	U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight		120.33	60
7151434	T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.33	60
7151436	Armrest pad, straight, short Armrest pad, straight, long Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 34.3 cm to 44.5 cm (13½ in.	N. C. N. C. N. C.	4.75 5.58 23.88	12 12
7151438	to 17½ in.), from 40 cm to 50.8 cm (15¾ in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.)  Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop;	N. C.	48.00	
	adjustable length from 34.3 cm to 44.5 cm ( $13\frac{1}{2}$ in. to $17\frac{1}{2}$ in.), from 40 cm to 50.8 cm ( $15\frac{3}{4}$ in. to 20 in.) or from 43.2 cm to 53.3 cm ( $17$ in. to 21 in.)			60

7151439 Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	177.50	201.38	36
7151440 Padded calf-rest	48.75	48.75	36
7151441 Calf-rest strap, single or double	20.00	20.00	36
7151442 Folding footplate, standard, standard size; plastic	20.00	7.75	30
7131442 Tolding rootplate, standard, standard size, plastic		7.73	36
7151443 Folding footplate, standard, oversize; plastic	10.00	17.75	36
			30
7151444 Footplate, angle and depth-adjustable, standard size	90.00	97.75	36
	00.00	0.7.7.5	
7151445 Footplate, angle and depth-adjustable, oversize	90.00	97.75	36
7151446 Heel loop, adjustable	N. C.	4.50	36
7151447 Headrest cushion, contoured, all sizes	85.00	85.00	36
7151448 Headrest bracket, height and depth-adjustable, or	90.00	90.00	
articulated uniball bracket	70.00	70.00	36
FRAME			
7151449 Anti-tipping wheels, detachable or pivoting, with	N. C.	21.00	60
locking mechanism	70.00	70.00	
7151450 Fold-away back spreader bar to fold chair; with anchor for headrest bracket	70.00	70.00	36
7151451 Heavy-duty option to increase maximum weight	400.00		
capacity to 159 kg (350 lb.)	400.00		36
7151452 Front impact guard with rollers	35.00	35.00	36
7151453 Cane holder	30.00	30.00	36
DRIVE SYSTEM	3.7 .00		•
7151454 Handrim, smooth	N. C.	14.50	36
7151455 Handrim, plastic-coated	N. C.	32.00	36
7151456 Handrim with oblique projections	110.00 110.00	124.50 124.50	36
7151457 Non-slip foam handrim 7151458 Standard wheel lock, push-to-lock or pull-to-lock	N. C.	14.00	36
/131436 Standard wheel lock, push-to-lock of pull-to-lock	IN. C.	14.00	36
7151459 Anti-rollback brake	106.00	120.00	36
7151460 Plug-in wheel lock extension	10.00	10.00	36
7151461 Caster fork to adjust height and angle perpendicular	N. C.	9.63	20
to the ground to compensate for changes in the rear			36
seat-to-floor height			
<del>-</del>			

WHEELS AND TIRES			
7151462 Front mag wheel; semi-pneumatic tire; 20.3 cm (8	N. C.	24.91	36
in.); 2.5 cm (1 in.) wide 7151463 Front mag wheel; semi-pneumatic tire; 12.7 cm (5	N. C.	8.65	
in.), 15.2 cm (6 in.) or 17.8 cm (7 in.); 2.5 cm (1			36
in.) wide 7151464 Front wheel; inner tube; 15.2 cm (6 in.) or 20.3 cm	40.00	64.91	
(8 in.)	40.00	04.71	36
7151465 Rear axle, quick release system, with push-button	N. C.	9.63	
locking mechanism; adjustable centre of gravity to four horizontal positions; rear height adjustable for			
5° of seat tilt, compatible with all wheel diameters			36
			•
7151466 Threaded rear axle 7151467 Adapter for "amputee" axle position	N. C. 53.00	4.75 53.00	36
7131407 Reapter for amparee axie position	33.00	33.00	36
7151468 Spoked rear wheel; semi-pneumatic tire; 61 cm (24 in.); 3.2 cm (1 <sup>1</sup> / <sub>4</sub> in.) wide	N. C.	52.88	36
7151469 Spoked rear wheel; semi-pneumatic tire; 50.8 cm	N. C.	52.88	26
(20 in.) or 55.9 cm (22 in.); 3.2 cm (1 <sup>1</sup> / <sub>4</sub> in.) wide			36
7151470 Rear wheel; inner tube, standard pressure; 50.8 cm	50.00	102.88	
(20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)			36
7151471 Rear wheel, heavy-duty; semi-pneumatic tire; 55.9	80.00	132.88	36
cm (22 in.) or 61 cm (24 in.)	65.00	65.00	
7151472 Spoke guard	65.00	65.00	36
		PRICE	
	`	cluding all	
		the basic mponents)	
7151013 MANUAL WHEELCHAIRS		1.175.00	

7151013 MANUAL WHEELCHAIRS

1,175.00

IN SUBCATEGORY "INTERMEDIATE (CLASS A FOLDING FRAME)"

ORTHOFAB INC.

"PRIMA 4" MODEL

# TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Device weight: 18 kg (40 lb.)

Overall width: 19,8 cm (71/8 in.) over the nominal seat width at 0° rear wheel camber

Front seat-to-floor height: 35.6 cm to 55.2 cm (14 in. to  $21\frac{3}{4}$  in.) Rear seat-to-floor height: 33.7 cm to 49.8 cm ( $13\frac{1}{4}$  in. to  $19\frac{5}{8}$  in.)

**Frame:** straight back canes or bend back canes from  $8^{\circ}$  to  $10^{\circ}$ , height and angle-adjustable; seat-to-back angle adjustable from  $90^{\circ}$  to  $105^{\circ}$  by maximum increments of  $6^{\circ}$ ; non-slip push handles; four tie-down points for adapted transport

BASIC AND OPTIONAL COMPONENTS	Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM			
7150039 Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N. C.	30.00	12
7150040 Flat foam seat cushion, 5.1 cm (2 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	60.00	60.00	36
7150041 Flat foam seat cushion, 7.6 cm (3 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	65.00	65.00	36
7150042 Seat – width modification to 48.3 cm (19 in.)	99.00		36
7150043 Seat – width modification to 50.8 cm (20 in.)	99.00		36
7150044 Flexible nylon mesh back, padded; heights of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.) or 58.4 cm (23 in.)	N. C.	80.00	12
7150045 Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	40.00	120.00	12
7150046 Pelvic positioning belt, auto buckle	N. C.	6.00	36
7150047 Pelvic positioning belt, Velcro	N. C.	15.00	36
7150048 U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight		150.00	60

				()
7150049	9 T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7150050	U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
715005	1 T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7150053	2 Armrest pad, straight, short 3 Armrest pad, straight, long 4 Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop;	N. C. N. C. N. C.	6.00 6.00 100.00	12 12
7150056	adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 48.3 cm to 53.3 cm (19 in. to 21 in.)	N.C.	100.00	60
/150053	5 Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 48.3 cm to 53.3 cm (19 in. to 21 in.)	N. C.	100.00	60
7150056	6 Elevating leg-rest, compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; padded calf-rest, height and depthadjustable	100.00	200.00	36
7150053	7 Padded calf-rest	15.00	15.00	36
	8 Calf-rest strap, single or double	15.00	15.00	36
	9 Folding footplate, standard, standard size; plastic	N. C.	6.00	
				36
7150060	) Folding footplate, standard, oversize; plastic	29.00	35.00	36
	1 Footplate, angle and depth-adjustable, standard size	44.00	50.00	36
7150062	2 Footplate, angle and depth-adjustable, oversize	49.00	55.00	36
7150063	3 Heel loop, adjustable	N. C.	3.00	36

				,
7150064	Headrest cushion, flat, all sizes	40.00	40.00	36
	Headrest bracket, height and depth-adjustable	35.00	35.00	
	, , ,			36
7150066	FRAME	N. C	12.00	
/150066	Anti-tipping wheels, detachable or pivoting, with	N. C.	12.00	60
7150067	locking mechanism	75.00	75.00	
/15006/	Fold-away back spreader bar to fold chair; with anchor for headrest bracket	75.00	75.00	36
7150068	Heavy-duty option to increase maximum weight	103.00	N. A.	
/130008	capacity to 159 kg (350 lb.)	103.00	N. A.	36
7150069	Front impact guard with rollers	10.00	10.00	36
	Cane holder	25.00	25.00	36
7120070		23.00	23.00	
	DRIVE SYSTEM			
	Handrim, smooth	N. C.	80.00	36
	Handrim, plastic-coated	N. C.	80.00	36
	Handrim with oblique projections	N. C.	80.00	36
	Non-slip foam handrim	40.00	120.00	36
/1500/5	Standard wheel lock, push-to-lock or pull-to-lock	N. C.	30.00	36
7150076	Anti-rollback brake	25.00	55.00	36
	Plug-in wheel lock extension	10.00	10.00	36
	Caster fork to adjust height and angle perpendicular	N. C.	15.00	30
/1500/0	to the ground to compensate for changes in the rear	14. C.	13.00	36
	seat-to-floor height			
	-			
	WHEELS AND TIRES	3.7. 6	40.00	
7150079	Front mag wheel; semi-pneumatic tire; 17.8 cm (7	N. C.	40.00	
	in.), 2.54 cm (1 in.) wide; or 20.3 cm (8 in.), 3.2 cm			36
	(1¼ in.) or 3.8 cm (1½ in.) wide			
7150080	Front mag wheel; semi-pneumatic tire; 12.7 cm (5	N. C.	40.00	
/150000	in.) or 15.2 cm (6 in.); 3.8 cm (1½ in.) wide	14. C.	40.00	36
	mi, or 15.2 cm (o mi), 5.6 cm (1/2 mi) wide			30
7150081	Front wheel; inner tube; 15.2 cm (6 in.), 17.8 cm (7	10.00	50.00	26
	in.) or 20.3 cm (8 in.)			36
7150082	Rear axle, quick release system, with push-button	N. C.	15.00	
	locking mechanism; adjustable centre of gravity to			
	four horizontal positions; rear height adjustable for			
	5° of seat tilt, compatible with all wheel diameters			36
7150083	Threaded rear axle	N. C.	2.00	36
	Adapter for "amputee" axle position	10.00	10.00	
	1 1		-	36
7150085	Spoked rear wheel; semi-pneumatic tire; 61 cm (24	N. C.	100.00	26
	in.); 3.2 cm (11/4 in.) wide			36
7150086	Spoked rear wheel; semi-pneumatic tire; 50.8 cm	N. C.	100.00	
	(20 in.) or 55.9 cm (22 in.); 3.2 cm (1 <sup>1</sup> / <sub>4</sub> in.) wide			36

7150087 Rear wheel; inner tube, standard pressure; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	N. C.	100.00	36
(20 m.), 33.7 cm (22 m.) of 01 cm (24 m.)			30
7150088 Rear wheel, heavy-duty; semi-pneumatic tire; 55.9	50.00	150.00	26
cm (22 in.) or 61 cm (24 in.)			36
7150089 Spoke guard	70.00	70.00	36
		PRICE	
	,	cluding all	
		the basic	
	co	mponents)	
·			-

# 7151014 MANUAL WHEELCHAIRS

1,040.00

IN SUBCATEGORY "INTERMEDIATE (CLASS B FOLDING FRAME)"

MOTION COMPOSITES INC.

## "COBALT 2" MODEL

## TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

**Device weight:** 15.9 kg (35 lb.)

Overall width: 19,1 cm (7½ in.) over the nominal seat width at 0° rear wheel camber

Front seat-to-floor height: 31.8 cm to 52.1 cm ( $12\frac{1}{2} \text{ in.}$  to  $20\frac{1}{2} \text{ in.}$ ) Rear seat-to-floor height: 30.5 cm to 48.9 cm (12 in. to  $19\frac{1}{4} \text{ in.}$ )

**Frame :** straight back canes or bend back canes from  $8^{\circ}$  to  $10^{\circ}$ , height and angle-adjustable; seat-to-back angle adjustable from  $90^{\circ}$  to  $105^{\circ}$  by maximum increments of  $6^{\circ}$ ;

non-slip push handles; four tie-down points for adapted transport

BASIC AND OPTIONAL COMPONENTS	Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM			
7151015 Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N. C.	36.00	12
7151016 Flat foam seat cushion, 5.1 cm (2 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	63.00	63.00	36
7151017 Flat foam seat cushion, 7.6 cm (3 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	104.00	104.00	36
7151018 Seat – width modification to 48.3 cm (19 in.)	100.00		36

7151019	Seat – width modification to 50.8 cm (20 in.)	100.00		36
7151020	Flexible nylon mesh back, padded; heights of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.) 48.3 cm (19 in.) or 50.8 cm (20 in.)	N. C.	32.33	12
7151021	Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	83.00	115.33	12
7151022	Pelvic positioning belt, auto buckle	N. C.	13.75	36
7151023	Pelvic positioning belt, Velcro	N. C.	47.50	36
7151024	U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	118.00	60
7151025	T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	118.00	60
7151026	U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight		120.33	60
7151027	T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.33	60
7151029	Armrest pad, straight, short Armrest pad, straight, long Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop;	N. C. N. C. N. C.	4.75 5.58 23.88	12 12
	adjustable length from 34.3 cm to 44.5 cm (13½ in. to 17½ in.), from 40 cm to 50.8 cm (15¾ in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.)			60

7151031 Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 34.3 cm to 44.5 cm (13½ in. to 17½ in.), from 40 cm to 50.8 cm (15¾ in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.)	N. C.	48.00	60
7151032 Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	177.50	201.38	36
7151033 Padded calf-rest	48.75	48.75	36
7151034 Calf-rest strap, single or double	20.00	20.00	36
7151035 Folding footplate, standard, standard size; plastic		7.75	26
			36
7151036 Folding footplate, standard, oversize; plastic	10.00	17.75	36
			30
7151037 Footplate, angle and depth-adjustable, standard size	90.00	97.75	36
7151038 Footplate, angle and depth-adjustable, oversize	90.00	97.75	36
7151039 Heel loop, adjustable	N. C.	4.50	36
7151040 Headrest cushion, contoured, all sizes	85.00	85.00	36
7151041 Headrest bracket, height and depth-adjustable, or	90.00	90.00	
articulated uniball bracket			36
ED (ME			
<b>FRAME</b> 7151042 Anti-tipping wheels, detachable or pivoting, with	N. C.	21.00	
locking mechanism	N. C.	21.00	60
7151043 Fold-away back spreader bar to fold chair; with	70.00	70.00	
anchor for headrest bracket	, 0.00	7 0.00	36
7151044 Heavy-duty option to increase maximum weight	400.00		26
capacity to 159 kg (350 lb.)			36
7151045 Front impact guard with rollers	35.00	35.00	36
7151046 Cane holder	30.00	30.00	36
DRIVE SYSTEM			
7151047 Handrim, smooth	N. C.	14.50	36
7151047 Handrim, sincoth 7151048 Handrim, plastic-coated	N. C.	32.00	36
7151049 Non-slip foam handrim	110.00	124.50	36
7151050 Handrim with oblique projections	110.00	124.50	36
7151051 Standard wheel lock, push-to-lock or pull-to-lock	N. C.	14.00	
7.1			36

			,
7151052 Anti-rollback brake	106.00 10.00	120.00	36 36
7151053 Plug-in wheel lock extension 7151054 Caster fork to adjust height and angle perpendicular	10.00 N. C.	10.00 9.63	30
to the ground to compensate for changes in the rear seat-to-floor height	N. C.	7.03	36
WHEELS AND TIRES			
7151055 Front mag wheel; semi-pneumatic tire; 20.3 cm (8 in.); 2.5 cm (1 in.) wide	N. C.	24.91	36
7151056 Front mag wheel; semi-pneumatic tire; 12.7 cm (5 in.), 15.2 cm (6 in.) or 17.8 cm (7 in.); 2.5 cm (1	N. C.	8.65	36
in.) wide 7151057 Front wheel; inner tube; 15.2 cm (6 in.) or 20.3 cm (8 in.)	40.00	64.91	36
7151058 Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity to four horizontal positions; rear height adjustable for	N. C.	9.63	
5° of seat tilt, compatible with all wheel diameters			36
7151059 Threaded rear axle	N. C.	4.75	36
7151060 Adapter for "amputee" axle position	53.00	53.00	36
7151061 Spoked rear wheel; semi-pneumatic tire; 61 cm (24 in.); 3.2 cm (1 <sup>1</sup> / <sub>4</sub> in.) wide	N. C.	52.88	36
7151062 Spoked rear wheel; semi-pneumatic tire; 50.8 cm (20 in.) or 55.9 cm (22 in.); 3.2 cm (1½ in.) wide	N. C.	52.88	36
7151063 Rear wheel, heavy-duty; semi-pneumatic tire; 55.9 cm (22 in.) or 61 cm (24 in.)	80.00	132.88	36
7151064 Rear wheel; inner tube, standard pressure; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	50.00	102.88	36
7151065 Spoke guard	65.00	65.00	36

PRICE (including all the basic components)

#### 7151066 MANUAL WHEELCHAIRS

1,200.00

IN SUBCATEGORY "MULTI-ADJUSTABLE (CLASS A FOLDING FRAME)"

MOTION COMPOSITES INC.

#### "PLATINE 1" MODEL

# TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

**Device weight:** 16.8 kg (37 lb.)

Overall width: 19,1 cm (7½ in.) over the nominal seat width at 0° rear wheel camber

Front seat-to-floor height: 35.6 cm to 55.9 cm (14 in. to 22 in.) Rear seat-to-floor height: 34.9 cm to 52.1 cm ( $13\frac{3}{4}$  in. to  $20\frac{1}{2}$  in.)

**Frame :** straight back canes or bend back canes from 8° to 10°, height and angle-adjustable; seat-to-back angle adjustable from 90° to 105° by maximum increments of 6°; non-slip push handles; four tie-down points for adapted transport

	BASIC AND OPTIONAL COMPONENTS	Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
ВО	DDY SUPPORT SYSTEM			
syst wid cm cm 50.	exible nylon mesh seat, with mesh-stretching tem; two strips of "hook" Velcro, 2.5 cm (1 in.) de or wider; handle to fold chair; widths of 35.6 (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 8 cm (20 in.); depths of 38.1 cm (15 in.), 6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18	N. C.	36.00	12
in.)				
"ve	at foam seat cushion, 5.1 cm (2 in.); two strips of elour" Velcro 5.1 cm (2 in.) wide, under the shion	63.00	63.00	36
"ve	at foam seat cushion, 7.6 cm (3 in.); two strips of elour" Velcro 5.1 cm (2 in.) wide, under the shion	104.00	104.00	36
7151070 Sea	at – depth modification to 48.3 cm (19 in.)	N. C.	N. A.	36
7151071 Sea	at – depth modification to 50.8 cm (20 in.)	N. C.	N. A.	36
7151072 Sea	at – width modification to 53.3 cm (21 in.)	400.00	N. A.	36
7151073 Sea	nt – width modification to 55.9 cm (22 in.)	400.00	N. A.	36

				,
71510	74 Flexible nylon mesh back, padded; heights of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N. C.	32.33	12
71510	75 Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	83.00	115.33	12
71510	76 Pelvic positioning belt, auto buckle	N. C.	13.75	36
71510	77 Pelvic positioning belt, Velcro	N. C.	47.50	36
71510	78 L-type armrest, long; pivoting and detachable; height-adjustable by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid or flexible, detachable; tubular armrest pad		118.00	60
71510	79 U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	118.00	60
71510	80 T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	118.00	60
71510	81 U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.33	60
71510	82 T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.33	60
71510	83 Armrest pad, straight, short	N. C.	4.75	12
	84 Armrest pad, straight, long	N. C.	5.58	12
71510	85 Armrest pad, tubular, for L-type armrest	N. C.	40.00	12
71510	86 Clothing guard, rigid, for L-type armrest	N. C.	77.00	36
71510	87 Clothing guard, flexible, for L-type armrest	N. C.	77.00	36

7151088 Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 34.3 cm to 44.5 cm (13½ in. to 17½ in.), from 40 cm to 50.8 cm (15¾ in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.)	N. C.	23.88	60
7151089 Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 34.3 cm to 44.5 cm (13½ in. to 17½ in.), from 40 cm to 50.8 cm (15¾ in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.)	N. C.	48.00	60
7151090 Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	177.50	201.38	36
7151091 Padded calf-rest	48.75	48.75	36
7151091 Fadded earl-rest 7151092 Calf-rest strap, single or double	20.00	20.00	36
7151093 Folding footplate, standard, standard size; plastic	N. C.	7.75	36
7151094 Folding footplate, standard, oversize; plastic	10.00	17.75	36
7151095 Footplate, angle and depth-adjustable, standard size	90.00	97.75	36
7151096 Footplate, angle and depth-adjustable, oversize	90.00	97.75	36
7151097 Full-width footplate, one piece, folding; fixed angle or angle-adjustable	120.00	135.50	36
7151098 Heel loop, adjustable	N. C.	4.50	36
7151099 Headrest cushion, contoured, all sizes	85.00	85.00	36
7151100 Headrest bracket, height and depth-adjustable, or articulated uniball bracket	90.00	90.00	36

ED AME			
FRAME 7151101 Fold-away back spreader bar to fold chair; with anchor for headrest bracket	70.00	70.00	36
7151102 Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	21.00	60
7151103 Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	400.00	N. A.	36
7151104 Front impact guard with rollers	35.00	35.00	36
7151105 Cane holder	30.00	30.00	36
DRIVE SYSTEM	N. C.	14.50	26
7151106 Handrim, smooth	N. C.	14.50	36
7151107 Handrim, plastic-coated	N. C.	32.00	36
7151108 Handrim with oblique projections	110.00	124.50 124.50	36 36
7151110 Non-slip foam handrim	110.00		30
7151110 Standard wheel lock, push-to-lock or pull-to-lock	N. C.	14.00	36
7151111 Anti-rollback brake	106.00	120.00	36
7151111 Anti-Tolloack brake 7151112 Plug-in wheel lock extension	10.00	10.00	36
7151112 Tiag-in wheel lock extension 7151113 Caster fork to adjust height and angle perpendicular	N. C.	9.63	30
to the ground to compensate for changes in the rear	IV. C.	7.03	36
seat-to-floor height			30
sear to need height			
WHEELS AND TIRES			
7151114 Front mag wheel; semi-pneumatic tire; 20.3 cm (8	N. C.	24.91	36
in.); 2.5 cm (1 in.) wide			30
7151115 Front mag wheel; semi-pneumatic tire; 12.7 cm (5	N. C.	8.65	
in), 15.2 cm (6 in.) or 17.8 cm (7 in.); 2.5 cm (1 in.) wide			36
7151116 Front wheel; inner tube; 15.2 cm (6 in.) or 20.3 cm (8 in.)	40.00	64.91	36
7151117 Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity by maximum increments of 0.63 cm (¼ in.) on a	N. C.	9.63	
horizontal range of 6.4 cm (2½ in.); adjustable rear			
height by maximum increments of 2 cm (3/4 in.) for			36
up to 6.4 cm (2½ in.) of seat tilt, compatible with			30
all wheel diameters			
7151118 Threaded rear axle	N. C.	4.75	36
7151119 Adapter for "amputee" axle position	53.00	53.00	36
7151120 Spoked rear wheel; semi-pneumatic tire; 61 cm	N. C.	52.88	
(24 in.); 3.2 cm (1 <sup>1</sup> / <sub>4</sub> in.) wide	N. C.	32.00	36
7151121 Spoked rear wheel; semi-pneumatic tire; 50.8 cm	N. C.	52.88	
(20 in.) or 55.9 cm (22 in.); 3.2 cm (1½ in.) wide	14. C.	32.00	36
(20 m.) of 33.7 om (22 m.), 3.2 om (174 m.) wide			50
7151122 Spoked rear wheel; inner tube, high pressure; 55.9	60.00	112.88	
cm (22 in.) or 61 cm (24 in.)	30.00		36
( , - ( · · )			30
7151123 Spoked rear wheel; inner tube, standard pressure;	50.00	102.88	
50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)			36

7151124 Rear wheel, heavy-duty; semi-pneumatic tire; 55.9 cm (22 in.) or 61 cm (24 in.)	80.00	132.88	36
7151125 Rear wheel camber, 3° or 6°	100.00	100.00	36
7151126 Spoke guard	65.00	65.00	36

#### 7151127 MANUAL WHEELCHAIRS

PRICE 1,200.00

IN SUBCATEGORY "MULTI-ADJUSTABLE (CLASS B FOLDING MOTION COMPOSITES INC.

## "PLATINE 2" MODEL

## TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Device weight: 15.9 kg (35 lb.)

Overall width: 19,1 cm (7½ in.) over the nominal seat width at 0° rear wheel camber

Front seat-to-floor height: 31.8 cm to 52.1 cm ( $12\frac{1}{2} \text{ in.}$  to  $20\frac{1}{2} \text{ in.}$ ) Rear seat-to-floor height: 31.8 cm to 48.9 cm ( $12\frac{1}{2} \text{ in.}$  to  $19\frac{1}{4} \text{ in.}$ )

**Frame :** straight back canes or bend back canes from  $8^{\circ}$  to  $10^{\circ}$ , height and angleadjustable; seat-to-back angle adjustable from  $90^{\circ}$  to  $105^{\circ}$  by maximum increments of  $6^{\circ}$ ;

non-slip push handles; four tie-down points for adapted transport

BASIC AND OPTIONAL COMPONENTS	Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM			
7151128 Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N. C.	36.00	12
7151129 Flat foam seat cushion, 5.1 cm (2 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	63.00	63.00	36
7151130 Flat foam seat cushion, 7.6 cm (3 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	104.00	104.00	36
7151131 Flexible nylon mesh back, padded; heights of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N. C.	32.33	12
7151132 Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	83.00	115.33	12
7151133 Pelvic positioning belt, auto buckle	N. C.	13.75	36

7151134 Pelvic positioning belt, Velcro	N. C.	47.50	36
7151135 U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	118.00	60
7151136 T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	118.00	60
7151137 U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.33	60
7151138 T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.33	60
7151139 L-type armrest, long; pivoting and detachable; height-adjustable by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, flexible or rigid, detachable; tubular armrest pad.	N. C.	118.00	60
7151140 Armrest pad, straight, short	N. C.	4.75	12
7151141 Armrest pad, straight, long	N. C.	5.58	12
7151142 Armrest pad, tubular, for L-type armrest	N. C.	40.00	12
7151143 Clothing guard, rigid, for L-type armrest	N. C.	77.00	36
7151144 Clothing guard, flexible, for L-type armrest	N. C.	77.00	36
7151145 Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop;	N. C.	23.88	
adjustable length from 34.3 cm to 44.5 cm $(13\frac{1}{2})$ in. to $17\frac{1}{2}$ in.), from 40 cm to 50.8 cm $(15\frac{3}{4})$ in. to 20 in.) or from 43.2 cm to 53.3 cm $(17)$ in. to 21 in.)			60

			()
7151146 Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 34.3 cm to 44.5 cm (13½ in. to 17½ in.), from 40 cm to 50.8 cm (15¾ in. to 20 in.) or from 43.2 cm to 53.3 cm (17 in. to 21 in.)	N. C.	48.00	60
7151147 Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	177.50	201.38	36
7151148 Padded calf-rest	48.75	48.75	36
7151149 Calf-rest strap, single or double	20.00	20.00	36
7151150 Folding footplate, standard, standard size; plastic	N. C.	7.75	
			36
7151151 Folding footplate, standard, oversize; plastic	10.00	17.75	26
			36
7151152 Footplate, angle and depth-adjustable, standard size	90.00	97.75	36
			30
7151153 Footplate, angle and depth-adjustable, oversize	90.00	97.75	36
			30
7151154 Full-width footplate, one piece, folding; fixed angle	120.00	135.50	36
or angle-adjustable			
7151155 Heel loop, adjustable	N. C.	4.50	36
7151156 Headrest cushion, contoured, all sizes	85.00	85.00	36
7151157 Headrest bracket, height and depth-adjustable, or articulated uniball bracket	90.00	90.00	36
FRAME			
7151158 Anti-tipping wheels, detachable or pivoting, with	N. C.	21.00	
locking mechanism	14. 6.	21.00	60
7151159 Fold-away back spreader bar to fold chair; with	70.00	70.00	
anchor for headrest bracket	70.00	70.00	36
7151160 Heavy-duty option to increase maximum weight	400.00	N. A.	
capacity to 159 kg (350 lb.)			36
7151161 Front impact guard with rollers	35.00	35.00	36
7151162 Cane holder	30.00	30.00	36
DRIVE SYSTEM			
7151163 Handrim, smooth	N. C.	14.50	36
7151164 Handrim, plastic-coated	N. C.	32.00	36
7151165 Handrim with oblique projections	110.00	124.50	36
7151166 Non-slip foam handrim	110.00	124.50	36
7151167 Standard wheel lock, push-to-lock or pull-to-lock	N. C.	14.00	36
7151168 Anti-rollback brake	106.00	120.00	36
7151169 Plug-in wheel lock extension	106.00	10.00	36
7151170 Caster fork to adjust height and angle perpendicular	N. C.	9.63	30
to the ground to compensate for changes in the rear	1 <b>v.</b> C.	9.03	36
seat-to-floor height			30

WHEELS AND TIRES			
7151171 Front mag wheel; semi-pneumatic tire; 20.3 cm (8 in.); 2.5 cm (1 in.) wide	N. C.	24.91	36
7151172 Front mag wheel; semi-pneumatic tire; 12.7 cm (5 in.), 15.2 cm (6 in.) or 17.8 cm (7 in.); 2.5 cm (in.) wide	N. C.	8.65	36
7151173 Front wheel; inner tube; 15.2 cm (6 in.) or 20.3 cm (8 in.)	40.00	64.91	36
7151174 Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity by maximum increments of 0.63 cm (¼ in.) on a horizontal range of 6.4 cm (2½ in.); adjustable rear	N. C.	9.63	
height by maximum increments of 2 cm (¾ in.) for up to 6.4 cm (2½ in.) of seat tilt, compatible with all wheel diameters			36
7151175 Threaded rear axle	N. C.	4.75	36
7151176 Adapter for "amputee" axle position	53.00	53.00	36
7151177 Spoked rear wheel; semi-pneumatic tire; 61 cm (24 in.); 3.2 cm (1 <sup>1</sup> / <sub>4</sub> in.)	N. C.	52.88	36
7151178 Spoked rear wheel; semi-pneumatic tire; 50.8 cm (20 in.) or 55.9 cm (22 in.); 3.2 cm (1½ in.) wide	N. C.	52.88	36
7151179 Rear wheel, heavy-duty; semi-pneumatic tire; 55.9 cm (22 in.) or 61 cm (24 in.)	80.00	132.88	36
7151180 Rear wheel, heavy-duty; inner tube, high pressure; 55.9 cm (22 in.) or 61 cm (24 in.)	92.00	144.88	36
7151181 Spoked rear wheel; inner tube, standard pressure; 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.)	50.00	102.88	36
7151182 Spoked rear wheel; inner tube, high pressure; 55.9 cm (22 in.) or 61 cm (24 in.)	60.00	112.88	36
7151183 Rear wheel camber, 3° or 6°	100.00	100.00	36
7151184 Spoke guard	65.00	65.00	36

## SUBDIVISION 2: LIGHTWEIGHT MANUAL WHEELCHAIRS

PRICE
(including all
the basic
components)

#### 7151258 LIGHTWEIGHT MANUAL WHEELCHAIR

1,190.00

IN SUBCATEGORY "CLASS 2 RIGID PERFORMANCE FRAME"

SUNRISE MEDICAL CANADA INC.

"QUICKIE QRI" MODEL

## TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 120.2 kg (265 lb.)

**Device weight:** 13.6 kg (30 lb.)

Overall width: 20,3 cm (8 in.) over the nominal seat width at 0° rear wheel camber

Front seat-to-floor height: 38.1 cm to 53.3 cm (15 in. to 21 in.) Rear seat-to-floor height: 35.6 cm to 53.3 cm (14 in. to 21 in.)

**Frame**: Fold-away back canes, height-adjustable and angle-adjustable from 80° to 100° by maximum increments of 6°; built into push handles, non-slip; four tie-down points for

adapted transport

	BASIC AND OPTIONAL COMPONENTS	Unit price for component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7151259	Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.) or 48.3 cm (19 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.) or 48.3 cm (19 in.)	N. C.	55.00	12
7151260	Flat foam seat cushion, 5.1 cm (2 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	48.00	48.00	36
7151261	Flat foam seat cushion, 7.6 cm (3 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	55.00	55.00	36
7151262	Flexible nylon mesh back, padded; heights of 25.4 cm (10 in.), 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N. C.	40.00	12

			,
7151263 Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps—except for backs ≤ 38.1 cm (15 in.)—spread across the height of the back	N. C.	45.00	12
7151264 Pelvic positioning belt, auto buckle	N. C.	35.00	36
7151265 Pelvic positioning belt, Velcro	N. C.	29.00	36
7151266 L-type armrest, long; pivoting and detachable; height-adjustable, from 22.9 cm to 33 cm (9 in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, detachable; armrest pad, tubular	N. C.	96.00	60
7151267 T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 27.9 cm (7 in. to 11 in.) or from 21.6 cm to 34,3 cm (8½ in. to 13½ in.), with locking mechanism; armrest pad, straight	24.00	120.00	60
7151268 Armrest pad, tubular, for L-type armrest	N. C.	2.00	12
7151269 Armrest pad, straight, short or long	7.00	9.00	12
7151270 Clothing guard, flexible	N. C.	22.00	36
7151270 Clothing guard, field for L-type armrest	N. C.	20.00	
7131271 Clouming guard, rigid, for D type drimest	14. C.	20.00	36
7151272 Calf-rest strap, single	N. C.	19.00	36
7151273 Calf-rest strap, double	6.00	25.00	36
7151274 Footplate, full-width, standard, aluminum	N. C.	65.00	36
7151275 Footplate, full-width, angle-adjustable	N. C.	111.00	36
FRAME	NI G	<b>71</b> 00	2.6
7151276 Push handle, bolt-on or fold-down	N. C.	51.00	36
7151277 Anti-tipping wheels, detachable or pivoting, with	N. C.	28.00	60
locking mechanism			
DRIVE SYSTEM			
7151278 Handrim, smooth	N. C.	40.00	36
7151279 Handrim, plastic-coated	N. C.	40.00	36
7151280 Non-slip foam handrim	85.00	125.00	36
7151281 Handrim with vertical or oblique projections	45.00	85.00	36
7151282 Standard wheel lock, push-to-lock or pull-to-lock	N. C.	32.00	36
7151283 Scissor lock	4.00	36.00	36
7151284 Anti-rollback brake	34.00	66.00	36
7151285 Plug-in wheel lock extension	7.00	7.00	36
7151286 Caster fork to adjust height	7.00 N. C.	32.00	36
, 10 1200 Custof fork to adjust noight	11. C.	32.00	30
WHEELS AND TIRES			
7151287 Front mag wheel; semi-pneumatic tire; 12.7 cm (5	N. C.	15.00	
in.); 2.5 cm (1 in.) or 3.8 cm (1½ in.) wide			36

7151288 Front mag wheel; semi-pneumatic tire; 10.2 (4 in.), 2.5 cm (1 in.) or 3.3 cm (1½ in.) wide; or 15.2 cm (6 in.), 2.5 cm (1 in.) or 3.8 cm (1½ in.) wide	N. C.	15.00	36
7151289 Rear axle, quick release system, with push-button locking mechanism; adjustable centre of gravity by maximum increments of 0.63 cm (½ in.); adjustable rear height by maximum increments of 1.3 cm (1/2 in.) for up to 7.6 cm (3 in.) of seat tilt; tilt can be obtained in combination with the frame shape	N. C.	33.00	36
7151290 Rear axle, quick release system, with lever mechanism	8.00	41.00	36
7151291 Spoked rear wheel, heavy-duty; semi-pneumatic tire; 61 cm (24 in.)	N. C.	80.00	36
7151292 Spoked rear wheel, heavy-duty; semi-pneumatic tire; 55.9 cm (22 in.), 63.5 cm (25 in.) or 66 cm (26 in.)	N. C.	80.00	36
7151293 Spoked rear wheel, heavy-duty; inner tube, high pressure; 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.)	N. C.	80.00	36
7151294 Spoked rear wheel, heavy-duty; inner tube, standard pressure; 55.9 cm (22 in.), 61 cm (24 in.), 63.5 cm (25 in.) or 66 cm (26 in.)	N. C.	80.00	36
7151295 Spoke guard	20.00	20.00	36

## **SUBDIVISION 3: POWERED WHEELCHAIRS**

PRICE
(including all
the basic
components)

## 7153000 POWERED WHEELCHAIR

4,560.00

SUBCATEGORY "INTERMEDIATE COMPACT (MID-FRONT, MEDIAL, OR MID-REAR DRIVE WHEELS)"

SUNRISE MEDICAL CANADA INC.

"323 IC" MODEL

# TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 136 kg (300 lb.)

**Seat-to-floor height:** 41.3 cm to 51.4 cm (161/4 in. to 201/4 in.) without power tilt system and 41.3 cm to 47.6 cm (161/4 in. to 183/4 in.) with power tilt system

Frame: mid-wheel drive base, overall width  $\leq$  61 cm (24 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plugin; four tie-down points for adapted transport

**Drive system:** electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153001	BODY SUPPORT SYSTEM Seat-to-back assembly structure; resizable; back canes angle- adjustable from 90° to 110° by maximum increments of 6°; non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle-adjustable from 0° to 5° minimum; anchor for headrest bracket	N. C.	550.00	36
7153002	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N. C.	75.00	36

				()
7153003	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	225.00	225.00	36
7153004	Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	160.00	12
7153005	Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	40.00	200.00	12
7153006	Padded back cushion, contoured, including a rigid, contoured back	90.00	250.00	36
7153007	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	350.00	350.00	36
7153008	Power tilt system for minimum angulation of 0° to 45°, including controller on joystick control	1,650.00	1,650.00	36
7153009	Pelvic positioning belt, auto buckle	N. C.	30.00	36
7153010	U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10½ in.) or from 26 cm to 38.7 cm (10½ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight		175.00	60
7153011	T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight		175.00	60
7153012	U-type armrest, long; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight		175.00	60
7153013	T-type armrest, long; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight		175.00	60
7153014 7153015	Armrest pad, straight, short Armrest pad, straight, long	N. C. N. C.	20.00 20.00	12 12

			•	
7153017	One-piece footrest platform, 90° angle, adjustable length	N. C.	225.00	60
7153018	Parallel footrest, adjustable angle 60° or 70°, detachable and pivoting with locking mechanism;	N. C.	225.00	
	standard folding footplate, standard size; adjustable heel loop; adjustable length from 31.8 cm to 39.4 cm ( $12\frac{1}{2}$ in. to $15\frac{1}{2}$ in.) or from 36.8 cm to 49,5 cm ( $14\frac{1}{2}$ in. to $19\frac{1}{2}$ in.)			60
7153019	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment	N. C.	225.00	
	point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable			36
7153020	Padded calf-rest	35.00	35.00	36
7153021	Folding footplate, standard, standard size	N. C.	80.00	36
7153022	Folding footplate, standard, oversize	N. C.	80.00	36
7153023	Footplate, angle and depth-adjustable, standard size	N. C.	80.00	36
7153024	Footplate, angle and depth-adjustable, oversize	N. C.	80.00	36
7153025	Heel loop, adjustable	N. C.	30.00	36
7153026	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	75.00	75.00	36
7153027	Headrest cushion, contoured, all sizes	70.00	70.00	36
	FRAME			
7153029	Front impact guard with rollers	20.00	20.00	36
7153030	<b>DRIVE SYSTEM</b> Standard joystick control for basic programmable	N. C.	329.00	
, 100000	electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display			36
7153031	Standard side bracket for joystick control; adjustable forward-rearward position	N. C.	140.00	36
7153032	Swivel side bracket for joystick control; with locking mechanism	N. C.	230.00	36
7153033	Midline bracket for joystick control; flip-back to provide total clearance for seat access	60.00	200.00	36
7153034	Controller for basic programmable electronics	N. C.	659.00	36
7153035	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N. C.	600.00	36
7153036	Battery charger; external; compatible with group 22 NF batteries	N. C.	199.00	36
7153037	Ball, stick, T-type, or mushroom handle	55.00	55.00	36

				*	
	WHEELS AND TIRES				
7153038	Drive wheel, inner tube tire	N. C.	150.00		36
7153039	Front caster wheel, semi-pneumatic or inner tube	N. C.	80.00		36
7153040	Rear caster wheel, semi-pneumatic	N. C.	80.00		36
7153041	Airless insert for drive wheel	45.00	45.00		36
			PRICE		
			(including all		
			the basic		
			components)		
7153044	POWERED WHEELCHAIR		4,875.00		
	SUBCATEGORY "LOW-SEAT COMPACT				
	MULTI-PURPOSE (MID-FRONT OR MEDIAL				
	DRIVE WHEELS)"				
	SUNRISE MEDICAL CANADA INC.				
	"323 PC" MODEL				
	TECHNICAL SPECIFICATIONS OF THE DE	VICE			

#### TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 181.4 kg (400 lb.)

Seat-to-floor height: 39.4~cm to 51.4~cm ( $15\frac{1}{2}$  in. to  $20\frac{1}{4}$  in.) without power tilt system and

39.4 cm to 48.3 cm ( $15\frac{1}{2} \text{ in.}$  to 19 in.) with power tilt system

**Frame:** mid-wheel drive base, overall width  $\leq$  61 cm (24 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plugin; four tie-down points for adapted transport

**Drive system:** electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153045	BODY SUPPORT SYSTEM  Seat-to-back assembly structure; resizable; back canes angle- adjustable from 90° to 110° by maximum increments of 6°; non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle-adjustable from 0° to 10; anchor for headrest bracket		550.00	36
7153046	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)		75.00	36

7153047	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	225.00	225.00	36
7153048	Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	160.00	12
7153049	Flexible nylon mesh back, padded, tension-adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	40.00	200.00	12
7153050	Padded back cushion, contoured, including a rigid, contoured back	90.00	250.00	36
7153051	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	350.00	350.00	36
7153052	Power reclining back system, including a control external to the joystick control	1,590.00	1,590.00	36
7153053	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	1,650.00	1,650.00	36
7153054	Pelvic positioning belt, auto buckle	N. C.	30.00	36
7153055	U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10½ in.) or from 26 cm to 38.7 cm (10½ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153056	T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60

7153057	U-type armrest, long; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153058	T-type armrest, long; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153059	Armrest pad, straight, short	N. C.	20.00	12
	Armrest pad, straight, long	N. C.	20.00	12
	One-piece footrest platform, 90° angle, adjustable length	N. C.	225.00	60
7153062	Parallel footrest, adjustable angle 60° or 70°, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 31.8 cm to 39.4 cm (12½ in. to 15½ in.) or from 36.8 cm to 49.5 cm (14½ in. to 19½ in.)	N. C.	225.00	60
7153063	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	112.50	225.00	36
7153064	Power elevating leg-rest, with control per pair, including a control external to the joystick control	637.50	750.00	36
7153065	Power elevating leg-rest, with control per unit, including a control external to the joystick control	637.50	750.00	36
7153066	Power leg-rest, one piece, including a control external to the joystick control	1,275.00	1,500.00	36
7153067	Padded calf-rest, contoured	35.00	35.00	36
7153068	Folding footplate, standard, standard size	N. C.	80.00	36
7153069	Folding footplate, standard, oversize	N. C.	80.00	36
7153070	Footplate, angle and depth-adjustable, standard size	N. C.	80.00	36
7153071	Footplate, angle and depth-adjustable, oversize	N. C.	80.00	36
7153072	Heel loop, adjustable	N. C.	30.00	36
7153073	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	75.00	75.00	36
7153074	Headrest cushion, contoured, all sizes	70.00	70.00	36

7153075	FRAME Front impact guard with rollers	20.00	20.00	36
7153076	<b>DRIVE SYSTEM</b> Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N. C.	329.00	36
7153077	Standard joystick control for multi-purpose programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	200.00	529.00	36
7153078	Compact joystick control, proportional	N. C.	329.00	36
7153079	Standard side bracket for joystick control; adjustable forward-rearward position	N. C.	140.00	36
7153080	Swivel side bracket for joystick control; with locking mechanism	N. C.	230.00	36
7153081	Midline bracket for joystick control; flip-back to provide total clearance for seat access	60.00	200.00	36
7153082	Controller for basic programmable electronics	N. C.	659.00	36
7153083	Controller for multi-purpose programmable electronics	100.00	759.00	36
7153084	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N. C.	600.00	36
7153085	Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N. C.	600.00	36
7153086	Internal control system for the joystick control for one (1) power repositioning accessory	350.00	350.00	36
7153087	Internal control system for the joystick control for four (4) power repositioning accessories	500.00	500.00	36
7153088	Battery charger; external; compatible with group 22	N. C.	199.00	36
7153089	NF or group 24 batteries Adapted head control, proportional, including mounting bracket	1,100.00	1,100.00	36

				,
7153090	Adapted head control, non-proportional, including mounting bracket	2,200.00	2,200.00	36
7153091	Adapted breath control, non-proportional, including mounting bracket	1,200.00	1,200.00	36
7153092	Adapted chin control, proportional, including mounting bracket	600.00	600.00	36
7153093	Adapted chin control, non-proportional, including mounting bracket	600.00	600.00	36
7153094	Adapted Mini joystick control, proportional, including mounting bracket	1,510.00	1,510.00	36
7153095	Mounting bracket for adapted control	350.00	350.00	36
7153096	Adapted control interface, with bracket and display	1,100.00	1,100.00	36
7153097	Mounting bracket for interface	350.00	350.00	36
7153098	Ball, stick, T-type, or mushroom handle	52.00	52.00	36
7153099	Course correction system	895.00	895.00	36
	WHEELS AND TIRES			
7153100	Drive wheel, inner tube tire	N. C.	150.00	36
7153101	Front caster wheel, semi-pneumatic or inner tube	N. C.	80.00	36
7153102	Rear caster wheel, semi-pneumatic	N. C.	80.00	36
	Airless insert for drive wheel	45.00	45.00	36
			PRICE (including all	

## 7153470 **POWERED WHEELCHAIR**

4,200.00

the basic

SUBCATEGORY "LOW-SEAT COMPACT MULTI-PURPOSE (MID-FRONT OR MEDIAL DRIVE WHEELS)"

PRIDE MOBILITY PRODUCTS COMPANY

"Q6 EDGE 2" MODEL

## TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

**Seat-to-floor height:** 41.9 cm to 47 cm ( $16\frac{1}{2}$  in. to  $18\frac{1}{2}$  in.) without power tilt system and 42.5 cm to 49.5 cm ( $16\frac{3}{4}$  in. to  $19\frac{1}{2}$  in.) with power tilt system

**Frame:** mid-front-wheel drive base, overall width  $\leq$  61 cm (24 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

**Drive system:** electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153471	BODY SUPPORT SYSTEM Seat-to-back assembly structure; resizable; back canes angle-adjustable from 90° to 110° by maximum increments of 6°; push bar or non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10; anchor for headrest bracket	N. C.	500.00	36
7153472	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 35.6 cm to 40.6 cm (14 in. to 16 in.) or 40.6 cm to 50.8 cm (16 in. to 20 in.)	N. C.	65.00	36
7153473	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	175.00	175.00	36
7153474	Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	60.00	12
7153475	Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	90.00	150.00	12
7153476	Back cushion, padded and contoured, including or built into a rigid back, flat or contoured	215.00	275.00	36
7153477	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	591.00	591.00	36
7153478	Power reclining back system, including a control external to the joystick control	1,500.00	1,500.00	36
7153479	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	2,000.00	2,000.00	36
7153480	Pelvic positioning belt, auto buckle	N. C.	25.00	36

7153481	U-type armrest, short; flip-away; height-adjustable, from 22.9 cm to 33 cm (9 in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	215.00	60
7153482	T-type armrest, short; detachable; height-adjustable, from 19.6 cm to 24.8 cm (7 <sup>3</sup> / <sub>4</sub> in. to 9 <sup>3</sup> / <sub>4</sub> in.), from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	215.00	60
7153483	U-type armrest, long; flip-away; height-adjustable, from 22.9 cm to 33 cm (9 in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	221.00	60
7153484	T-type armrest, long; detachable; height-adjustable, from 19.6 cm to 24.8 cm (7¾ in. to 9¾ in.), from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. à 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	221.00	60
	Armrest pad, straight, long Parallel footrest, adjustable angle 60° to 90°, detachable and pivoting with locking mechanism;	N. C. N. C. N. C.	10.00 16.00 135.00	12 12
	standard folding footplate, standard size; adjustable heel loop; adjustable length from 27.9 cm to 33 cm (11 in. to 13 in.), from 33 cm à 41.9 cm (13 in. to 16½ in.) or from 39.4 cm to 49.5 cm (15½ in. to 19½ in.)			60
7153488	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	224.50	246.00	36
7153489	Power elevating leg-rest, with control per pair, including a control external to the joystick control	1,678.50	1,700.00	36
7153490	Power elevating leg-rest, with control per unit, including a control external to the joystick control	978.50	1,000.00	36
7153491	One-piece footrest platform, 90° angle, adjustable length	N. C.	43.00	60

7153492	Power leg-rest, one piece, including a control external to the joystick control	1,657.00	1,700.00	36
7153493	Padded calf-rest, flat	63.00	63.00	36
	Folding footplate, standard, standard size	N. C.	53.00	36
7153495	Folding footplate, standard, oversize	14.00	67.00	36
7153496	Footplate, angle and depth-adjustable, standard size	117.00	170.00	36
7153497	Footplate, angle and depth-adjustable, oversize	167.00	220.00	36
7153498	Heel loop, adjustable	N. C.	12.00	36
	Headrest bracket, articulated uniball	90.00	90.00	36
	Headrest cushion, contoured, all sizes	90.00	90.00	36
7153501	FRAME Front impact guard with rollers	3.00	3.00	36
	DRIVE SYSTEM			
7153502	Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N. C.	330.00	36
7152502		200.00	710.00	
7153503	Standard joystick control for multi-purpose programmable electronics; joystick handle; toggle switches or push buttons for on/off functions, horn, function selection; battery charge display	380.00	710.00	36
7153504	Compact joystick control, proportional	315.00	645.00	36
7153501	Standard side bracket for joystick control;	N. C.	20.00	
7100000	adjustable forward-rearward position	14. 6.	20.00	36
7153506	Swivel side bracket for joystick control; with locking mechanism	N. C.	80.00	36
7153507	Midline bracket for joystick control; flip-back to	330.00	350.00	
	provide total clearance for seat access			36
7153508	Controller for basic programmable electronics	N. C.	250.00	36
7153509	Controller for multi-purpose programmable electronics	75.00	325.00	36
7153510	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick	N. C.	275.00	36
7153511	control and controller  Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick and controller	N. C.	275.00	36
7153512	Internal control system for the joystick control for one (1) power repositioning accessory	300.00	300.00	36
7153513	Internal control system for the joystick control for four (4) power repositioning accessories	375.00	375.00	36

				(authentic version)
7153514	Battery charger; external; compatible with group 22 NF batteries	N. C.	165.00	36
7153515	Adapted head control, proportional, including mounting bracket	1,452.00	1,452.00	36
7153516	Adapted head control, non-proportional, including mounting bracket	2,539.00	2,539.00	36
7153517	Adapted breath control, non-proportional, including mounting bracket	1,222.00	1,222.00	36
7153518	Adapted chin control, proportional, including mounting bracket	1,302.00	1,302.00	36
7153519	Adapted chin control, non-proportional, including mounting bracket	1,302.00	1,302.00	36
7153520	Adapted Mini joystick control, proportional, including mounting bracket	1,302.00	1,302.00	36
7153521	Mounting bracket for adapted control	91.00	91.00	36
7153522	Adapted control interface, with bracket and display	1,118.00	1,118.00	36
7153523	Mounting bracket for interface	71.00	71.00	36
7153524	Ball, stick, T-type, or mushroom handle	40.00	40.00	36
7153525	Course correction system	869.00	869.00	36
	WHEELS AND TIRES			
	Drive wheel, inner tube tire	N. C.	100.00	36
	Front caster wheel, semi-pneumatic tire	N. C.	20.00	36
	Rear caster wheel, semi-pneumatic tire	N. C.	20.00	36
7153529	Airless insert for drive wheel	60.00	60.00	36
			PRICE	
		(1	including all	
			the basic	
		C	omponents)	

## 7153106 POWERED WHEELCHAIR

5,710.00

SUBCATEGORY "LOW-SEAT COMPACT MULTI-PURPOSE (MID-

ORTHOFAB INC.

"OASIS PC" MODEL

# TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 136 kg (300 lb.)

**Seat-to-floor height:** 39.3 cm to 52 cm ( $15\frac{1}{2}$  in. to  $20\frac{1}{2}$  in.) without power tilt system and 39.3 cm to 49.5 cm ( $15\frac{1}{2}$  in. to  $19\frac{1}{2}$  in.) with power tilt system

**Frame:** mid-rear wheel drive base, overall width  $\leq$  61 cm (24 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

**Drive system:** electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153107	BODY SUPPORT SYSTEM Seat-to-back assembly structure; resizable; back canes angle adjustable from 90° to 110° by maximum increments of 6°; push bar or non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10°; anchor for headrest bracket	N. C.	240.00	36
7153108	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.) or 58.4 cm (23 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50,8 cm (20 in.) or 53.3 cm (21 in.)	N. C.	45.00	36
7153109	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	150.00	150.00	36
7153110	Flexible nylon mesh back, padded; heights of 40.6 cm (16 in.), 43.1 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	75.00	12
7153111	Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	65.00	140.00	12
7153112	Padded back cushion, contoured, including a rigid, contoured back	165.00	240.00	36
7153113	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	270.00	270.00	36
7153114	Power reclining back system, including a control external to the joystick control	750.00	750.00	36
7153115	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	1,000.00	1,000.00	36
7153116	Pelvic positioning belt, auto buckle	N. C.	6.00	36

7153117	U-type armrest, short; flip-away; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7153118	T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 27.9 cm to 35.6 cm (11 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7153119	U-type armrest, long; flip-away; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7153120	T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 27.9 cm to 35.6 cm (11 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7153121 7153122 7153123	Armrest pad, straight, short Armrest pad, straight, long Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or 45.7 cm to 58.4 cm (18 in. to 23 in.)	N. C. N. C. N. C.	6.00 6.00 100.00	12 12
7153124	Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or 45.7 cm to 58.4 cm (18 in. to 23 in.)	N. C.	100.00	60
7153125	Elevating leg-rest, compensating; detachable and pivoting, with locking mechanism; adjustable length; standard folding footplate, standard size or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, flat, padded, height- and depth-adjustable	100.00	200.00	36

				(watering (Gibron)
7153126	Power elevating leg-rest, with control per unit, including a control external to the joystick control	1,030.00	1,130.00	36
7153127	Power elevating leg-rest, with control per pair, including a control external to the joystick control	1,030.00	1,130.00	36
7153128	Padded calf-rest, flat	15.00	15.00	36
7153129	Folding footplate, standard, standard size	N. C.	6.00	36
	Folding footplate, standard, oversize	29.00	35.00	36
7153131		44.00	50.00	36
7153132	Footplate, angle and depth-adjustable, oversize	49.00	55.00	36
7153133	Full-width footplate, in two lockable parts; angleadjustable	88.00	100.00	36
7152124	Heel loop, adjustable	N. C.	3.00	36
	Headrest bracket, height and depth-adjustable	35.00	35.00	30
/133133	rreadrest oracket, neight and depin-adjustable	33.00	33.00	36
7153136	Headrest cushion, flat, all sizes	40.00	40.00	36
	FRAME			
7153137	Anti-tipping wheels, non-detachable except with tools	N. C.	4.00	60
7153138	Front impact guard with rollers	10.00	10.00	36
7153139	<b>DRIVE SYSTEM</b> Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N. C.	185.00	36
7153140	Standard joystick control for multi-purpose programmable electronics; joystick handle; toggle switches or push buttons for on/off functions, horn, function selection; battery charge display	195.00	380.00	36
7153141	Compact joystick control, proportional	195.00	380.00	36
7153142	Standard side bracket for joystick control;	N. C.	25.00	
,	adjustable forward-rearward position	1	_3.00	36
7153143	Swivel side bracket for joystick control; with locking mechanism	N. C.	95.00	36
7153144	Midline bracket for joystick control; flip-back to provide total clearance for seat access	70.00	95.00	36

				(authentic version)
7153145	Controller for basic programmable electronics	N. C.	350.00	36
7153146	Controller for multi-purpose programmable electronics	225.00	575.00	36
7153147	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N. C.	450.00	36
7153148	Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick and controller	N. C.	450.00	36
7153149	Battery charger; on board; compatible with group 22 NF or group 24 batteries	N. C.	115.00	36
7153150	Internal control system for the joystick control for one (1) power repositioning accessory	185.00	185.00	36
7153151	Internal control system for the joystick control for four (4) power repositioning accessories	325.00	325.00	36
7153152	Adapted head control, proportional, including mounting bracket	1,000.00	1,000.00	36
7153153	Adapted head control, non-proportional, including mounting bracket	500.00	500.00	36
7153154	Adapted breath control, non-proportional, including mounting bracket	400.00	400.00	36
7153155	Adapted chin control, proportional, including mounting bracket	800.00	800.00	36
7153156	Adapted chin control, non-proportional, including mounting bracket	700.00	700.00	36
7153157	Adapted Mini joystick control, proportional, including mounting bracket	2,500.00	2,500.00	36
7153158	Mounting bracket for adapted control	400.00	400.00	36
7153159	Adapted control interface, with bracket and display	750.00	750.00	36
7153160	Mounting bracket for interface	125.00	125.00	36
7153161	Ball, stick, T-type, or mushroom handle	15.00	15.00	36
7153162	Course correction system	1,000.00	1,000.00	36
	WHEELS AND TIRES			
7153163	Drive wheel, inner tube tire	N. C.	100.00	36
7153164	Front caster wheel, inner tube tire	N. C.	45.00	36
7153165	Airless insert for drive wheel	75.00	75.00	36
7153166	Airless insert for caster wheel	30.00	30.00	36

PRICE
(including all
the basic
components)

#### 7153167 MOTORIZED WHEELCHAIR

4,110.00

SUBCATEGORY "MULTI-PURPOSE PERFORMANCE (MID-FRONT OR MEDIAL DRIVE WHEELS)"

SUNRISE MEDICAL CANADA INC.

"323 PP" MODEL

## TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 181.4 kg (400 lb.)

Seat-to-floor height: 39.4 cm to 51.4 cm (15½ in. to 20¼ in.) without power tilt system and

39.4 cm to 47.6 cm ( $15\frac{1}{2}$  in. to  $18\frac{3}{4}$  in.) with power tilt system

**Frame:** mid-wheel drive base, overall width  $\leq$  66 cm (26 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plugin; four tie-down points for adapted transport

**Drive system:** electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153168	BODY SUPPORT SYSTEM  Seat-to-back assembly structure; resizable; back canes angle adjustable from 90° to 110° by maximum increments of 6°; non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10°; anchor for headrest bracket	N. C.	550.00	36
7153169	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50,8 cm (20 in.)	N. C.	75.00	36

				()
7153170	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	225.00	225.00	36
7153171	Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	160.00	12
7153172	Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	40.00	200.00	12
7153173	Padded back cushion, contoured, including a rigid, contoured back	90.00	250.00	36
7153174	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	350.00	350.00	36
7153175	Power reclining back system, including a control external to the joystick control	1,590.00	1,590.00	36
7153176	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	1,650.00	1,650.00	36
7153177	Pelvic positioning belt, auto buckle	N. C.	30.00	36
7153178	U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10½ in.) or from 26 cm to 38.7 cm (10½ in. to 15½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153179	T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153180	U-type armrest, long; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153181	T-type armrest, long; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60

				,
71531	82 Armrest pad, straight, short	N. C.	20.00	12
71531		N. C.	20.00	12
71531	84 One-piece footrest platform, 90° angle, adjustable	N. C.	225.00	60
71531	detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 31.8 cm to 39.4 cm (12½ in. to 15½ in.) or from 36.8 cm to 49.5 cm	N. C.	225.00	60
71531	(14½ in. to 19½ in.)  Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	112.50	225.00	36
71531	Power elevating leg-rest, with control per pair, including a control external to the joystick control	637.50	750.00	36
71531	Power elevating leg-rest, with control per unit, including a control external to the joystick control	637.50	750.00	36
71531	Power leg-rest, one piece, including a control external to the joystick control	1,275.00	1,500.00	36
71531	90 Padded calf-rest, contoured	35.00	35.00	36
715319	•	N. C.	80.00	36
71531		N. C.	80.00	36
71531		N. C.	80.00	36
71531	94 Footplate, angle and depth-adjustable, oversize	N. C.	80.00	36
71531	95 Heel loop, adjustable	N. C.	30.00	36
	96 Headrest bracket, height and depth-adjustable, or	75.00	75.00	36
	articulated uniball bracket			
715319	97 Headrest cushion, contoured, all sizes	70.00	70.00	36
	FRAME			
71531	98 Front impact guard with rollers	20.00	20.00	36

	DRIVE SYSTEM			
7153199	Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N. C.	329.00	36
7153200	Standard joystick control for multi-purpose programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	200.00	529.00	36
7153201	Compact joystick control, proportional	N. C.	329.00	36
7153202	Standard side bracket for joystick control;	N. C.	140.00	36
7153203	adjustable forward-rearward position Swivel side bracket for joystick control; with locking mechanism	N. C.	230.00	36
7153204	Midline bracket for joystick control; flip-back to provide total clearance for seat access	60.00	200.00	36
7153205	Controller for basic programmable electronics	N. C.	659.00	36
7153206	Controller for multi-purpose programmable electronics	100.00	759.00	36
7153207	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N. C.	600.00	36
7153208	Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick and controller	N. C.	600.00	36
7153209	Battery charger; external; compatible with group 22 NF or group 24 batteries	N. C.	199.00	36
7153210	Internal control system for the joystick control for one (1) power repositioning accessory	350.00	350.00	36

				(authoritic version)
7153211	Internal control system for the joystick control for four (4) power repositioning accessories	500.00	500.00	36
7153212	Adapted head control, proportional, including mounting bracket	1,100.00	1,100.00	36
7153213	Adapted head control, non-proportional, including mounting bracket	2,200.00	2,200.00	36
7153214	Adapted breath control, non-proportional, including mounting bracket	1,200.00	1,200.00	36
7153215	Adapted chin control, proportional, including mounting bracket	600.00	600.00	36
7153216	Adapted chin control, non-proportional, including mounting bracket	600.00	600.00	36
7153217	Adapted Mini joystick control, proportional, including mounting bracket	1,510.00	1,510.00	36
7153218	Mounting bracket for adapted control	350.00	350.00	36
7153219	Adapted control interface, with bracket and display	1,100.00	1,100.00	36
7153220	Mounting bracket for interface	350.00	350.00	36
7153221	Ball, stick, T-type, or mushroom handle	52.00	52.00	36
7153222	Course correction system	895.00	895.00	36
	WHEELS AND TIRES			
7153223	Drive wheel, inner tube tire	N. C.	150.00	36
7153224	Front caster wheel, semi-pneumatic or inner tube	N. C.	80.00	36
7153225	Rear caster wheel, semi-pneumatic	N. C.	80.00	36
7153226	Airless insert for drive wheel	45.00	45.00	36
			PRICE	
		(i	ncluding all	
			the basic	
		C	omponents)	
7153530	POWERED WHEELCHAIR		4,100.00	

# 7153530 POWERED WHEELCHAIR

SUBCATEGORY "MULTI-PURPOSE PERFORMANCE (MID-FRONT OR MEDIAL

DRIVE WHEELS)"

PRIDE MOBILITY PRODUCTS COMPANY

"Q6 EDGE Z" MODEL

# TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 136 kg (300 lb.)

Seat-to-floor height: 44.5 cm to 49.5 cm (17½ in. to 19½ in.) without power tilt system

and 46 cm to 51.1 cm (181/8 in. to 201/8 in.) with power tilt system

Frame: mid-front wheel drive base, overall width ≤ 66 cm (26 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

**Drive system:** electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153531	BODY SUPPORT SYSTEM Seat-to-back assembly structure; resizable; back	N. C.	500.00	
7133331	canes angle adjustable from 90° to 110° by maximum increments of 6°; push bar or non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10°; anchor for headrest bracket	N. C.	300.00	36
7153532	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 30.5 cm (12 in.), 33 cm (13 in.) from 35.6 cm to 40.6 cm (14 in. to 16 in.), from 40.6 cm to 50.8 cm (16 in. to 20 in.), or from 50.8 cm to 61 cm (20 in. to 24 in.); depths of 35.6 cm to 40.6 cm (14 in. to 16 in.), from 40.6 cm to 50.8 cm (16 in. to 20 in.), or from 50.8 cm to 61 cm (20 in. to 24 in.)	N. C.	65.00	36
7153533	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	175.00	175.00	36
7153534	Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	60.00	12
7153535	Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	90.00	150.00	12
7153536	Back cushion, padded and contoured, including or built into a rigid back, flat or contoured	215.00	275.00	36
7153537	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	591.00	591.00	36
7153538	Power reclining back system, including a control external to the joystick control	1,500.00	1,500.00	36
7153539	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	2,000.00	2,000.00	36

7153540 Pelvic positioning belt, auto buckle	N. C.	25.00	36
7153541 U-type armrest, short; flip-away; height-adjustable, from 22.9 cm to 33 cm (9 in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	215.00	60
7153542 T-type armrest, short; detachable; height-adjustable, from 19.6 cm to 24.8 cm (7¾ in. to 9¾ in.), from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from de 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	215.00	60
7153543 U-type armrest, long; flip-away; height-adjustable, from 22.9 cm to 33 cm (9 in. to 13 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	221.00	60
7153544 T-type armrest, long; detachable; height-adjustable, from 19.6 cm to 24.8 cm (7¾ in. to 9¾ in.), from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from de 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	221.00	60
7153545 Armrest pad, straight, short	N. C.	10.00	12
7153546 Armrest pad, straight, long	N. C.	16.00	12
7153547 One-piece footrest platform, 90° angle, adjustable length	N. C.	43.00	60
7153548 Parallel footrest, adjustable angle from 60° to 90°, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 27.9 cm to 33 cm (11 in. to 13 in.), from 33 cm to 41.9 cm (13 in. to	N. C.	135.00	60
$16\frac{1}{2}$ in.) or from 39.4 cm to 49.5 cm (15 $\frac{1}{2}$ in. to			
19½ in.) 7153549 Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, contoured and padded, height and depth-adjustable	224.50	246.00	36
7153550 Power elevating leg-rest, with control per pair, including a control external to the joystick control	1,678.50	1,700.00	36

				(uutilelitie version)
7153551	Power elevating leg-rest, with control per unit, including a control external to the joystick control	978.50	1,000.00	36
7153552	Power leg-rest, one piece, including a control external to the joystick control	1,657.00	1,700.00	36
7153553	Calf-rest, padded, flat or contoured	63.00	63.00	36
	Folding footplate, standard, standard size	N. C.	53.00	36
	Folding footplate, standard, oversize	14.00	67.00	36
	Footplate, angle and depth-adjustable, standard size	117.00	170.00	36
7153557	Footplate, angle and depth-adjustable, oversize	167.00	220.00	36
7152550	Heel loop, adjustable	N. C.	12.00	36
	Headrest cushion, contoured, all sizes	90.00	90.00	36
	Headrest bracket, articulated uniball	90.00	90.00	36
	FRAME			
7153561	Front impact guard with rollers	3.00	3.00	36
7153562	<b>DRIVE SYSTEM</b> Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge	N. C.	330.00	36
7153563	display  Standard joystick control for multi-purpose	380.00	710.00	
713300	programmable electronics; joystick handle; toggle switches or push buttons for on/off functions, horn, function selection; battery charge display	300100	,10.00	36
7150564		215.00	645.00	24
	Compact joystick control, proportional	315.00	645.00	36
	Standard side bracket for joystick control; adjustable forward-rearward position	N. C.	20.00	36
7153566	Swivel side bracket for joystick control; with locking mechanism	N. C.	80.00	36
7153567	Midline bracket for joystick control; flip-back to provide total clearance for seat access	330.00	350.00	36
7153568	Controller for basic programmable electronics	N. C.	300.00	36
7153569	Controller for multi-purpose programmable electronics	50.00	350.00	36
7153570	Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick	N. C.	520.00	36
7153571	control and controller  Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick and controller	N. C.	520.00	36

7153572 Internal control system for the joystick control for one (1) power repositioning accessory	300.00	300.00	36
7153573 Internal control system for the joystick control for four (4) power repositioning accessories	375.00	375.00	36
7153574 Battery charger; external; compatible with group 24 batteries	N. C.	165.00	36
7153575 Adapted head control, proportional, including mounting bracket	1,452.00	1,452.00	36
7153576 Adapted head control, non-proportional, including mounting bracket	2,539.00	2,539.00	36
7153577 Adapted breath control, non-proportional, including mounting bracket	1,222.00	1,222.00	36
7153578 Adapted chin control, proportional, including mounting bracket	1,302.00	1,302.00	36
7153579 Adapted chin control, non-proportional, including mounting bracket	1,302.00	1,302.00	36
7153580 Adapted Mini joystick control, proportional, including mounting bracket	1,302.00	1,302.00	36
7153581 Mounting bracket for adapted control	91.00	91.00	36
7153582 Adapted control interface, with bracket and display	1,118.00	1,118.00	36
7153583 Mounting bracket for interface	71.00	71.00	36
7153584 Ball, stick, T-type, or mushroom handle	40.00	40.00	36
7153585 Course correction system	869.00	869.00	36
WHEELS AND TIRES			
7153586 Drive wheel, inner tube tire	N. C.	100.00	36
7153587 Front caster wheel, semi-pneumatic tire	N. C.	30.00	36
7153588 Rear caster wheel, semi-pneumatic tire	N. C.	30.00	36
7153589 Airless insert for drive wheel	60.00	60.00	36

PRICE
(including all
the basic
components)

#### 7153229 POWERED WHEELCHAIR

5,710.00

SUBCATEGORY "MULTI-PURPOSE PERFORMANCE (MID-REAR DRIVE WHEELS)"

ORTHOFAB INC.

"OASIS PP" MODEL

## TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Seat-to-floor height: 39.4 cm to 52 cm (151/2 in. to 201/2 in.) without power tilt system

and 39.4 cm to 49.5 cm ( $15\frac{1}{2}$  in. to  $19\frac{1}{2}$  in.) with power tilt system

Frame: mid-rear wheel drive base, overall width  $\leq$  66 cm (26 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

**Drive system:** electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM  7153230 Seat-to-back assembly structure; resizable; back canes angle adjustable from 90° to 110° by maximum increments of 6°; push bar or non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10; anchor for headrest bracket	N. C.	240.00	36
7153231 Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.) or 58.4 cm (23 in.); depths of 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.) or 53.3 cm (21 in.)	N. C.	45.00	36

				(uniformite version)
: :	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	150.00	150.00	36
4	Flexible nylon mesh back, padded; heights of 40.6 cm (16 in.), 43.1 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	75.00	12
ä	Flexible nylon mesh back, padded, tension- adjustable; minimum of four horizontal, adjustable straps spread across the height of the back	65.00	140.00	12
	Padded back cushion, contoured, including a rigid, contoured back	165.00	240.00	36
	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	270.00	270.00	36
7153237	Power reclining back system, including a control external to the joystick control	750.00	750.00	36
7153238	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	1,000.00	1,000.00	36
	Pelvic positioning belt, auto buckle	N. C.	6.00	36
i 1	U-type armrest, short; flip-away; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
i 1	T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 27.9 cm to 35.6 cm (11 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
i 1	U-type armrest, long; flip-away; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60

7153243 T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 27.9 cm to 35.6 cm (11 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
7153244 Armrest pad, straight, short 7153245 Armrest pad, straight, long 7153246 Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable	N. C. N. C. N. C.	6.00 6.00 100.00	12 12
length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 45.7 cm to 58.4 cm (18 in. to 23 in.)			60
7153247 Parallel footrest, 70° angle, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 45.7 cm to 58.4 cm (18 in. to 23 in.)	N. C.	100.00	60
7153248 Elevating leg-rest, compensating; detachable and pivoting, with locking mechanism; adjustable length; standard folding footplate, standard size or oversize; compatible with the same attachment point as the footrest or supplied with its own attachments; calf-rest, flat, padded, height and depth-adjustable	100.00	200.00	36
7153249 Power elevating leg-rest, with control per pair, including a control external to the joystick control	1,030.00	1,130.00	36
7153250 Power elevating leg-rest, with control per unit, including a control external to the joystick control	1,030.00	1,130.00	36
7153251 Padded calf-rest, flat	15.00	15.00	36
7153252 Folding footplate, standard, standard size	N. C.	6.00	36
7153253 Folding footplate, standard, oversize	29.00	35.00	36
7153254 Footplate, angle and depth-adjustable, standard size	44.00	50.00	36
7153255 Footplate, angle and depth-adjustable, oversize	49.00	55.00	36
7153256 Full-width footplate, in two lockable parts; angle-adjustable	88.00	100.00	36
7153257 Heel loop, adjustable	N. C.	3.00	36
7153258 Headrest bracket, height and depth-adjustable	35.00	35.00	
7153259 Headrest cushion, flat, all sizes	40.00	40.00	36 36
FRAME	N C	4.00	
7153260 Anti-tipping wheels, non-detachable except with tools	N. C.	4.00	60
7153261 Front impact guard with rollers	10.00	10.00	36

DRIVE SYSTEM 7153262 Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off	N. C.	185.00	
functions, horn, function selection; battery charge display			36
7153263 Standard joystick control for multi-purpose programmable electronics; joystick handle; toggle switches or push buttons for on/off functions, horn,	195.00	380.00	
function selection; battery charge display			36
7153264 Compact joystick control, proportional	195.00	380.00	36
7153265 Standard side bracket for joystick control; adjustable forward-rearward position	N. C.	25.00	36
7153266 Swivel side bracket for joystick control; with locking mechanism	N. C.	95.00	36
7153267 Midline bracket for joystick control; flip-back to provide total clearance for seat access	70.00	95.00	36
7153268 Controller for basic programmable electronics	N. C.	350.00	36
7153269 Controller for multi-purpose programmable electronics	225.00	575.00	36
7153270 Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N. C.	450.00	36
7153271 Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick and controller	N. C.	450.00	36
7153272 Battery charger; on board; compatible with group 22 NF or group 24 batteries	N. C.	115.00	36
7153273 Internal control system for the joystick control for one (1) power repositioning accessory	185.00	185.00	36
7153274 Internal control system for the joystick control for four (4) power repositioning accessories	325.00	325.00	36
7153275 Adapted head control, proportional, including mounting bracket	1,000.00	1,000.00	36
7153276 Adapted head control, non-proportional, including mounting bracket	500.00	500.00	36
7153277 Adapted breath control, non-proportional, including mounting bracket	400.00	400.00	36
7153278 Adapted chin control, proportional, including mounting bracket	800.00	800.00	36
7153279 Adapted chin control, non-proportional, including mounting bracket	700.00	700.00	36

			(
7153280 Adapted Mini joystick control, proportional, including mounting bracket	2,500.00	2,500.00	36
7153281 Mounting bracket for adapted control	400.00	400.00	36
1			30
7153282 Adapted control interface, with bracket and display	750.00	750.00	36
7153283 Mounting bracket for interface	125.00	125.00	36
7153284 Ball, stick, T-type, or mushroom handle	15.00	15.00	36
7153285 Course correction system	1,000.00	1,000.00	36
WHEELS AND TIRES			
7153286 Drive wheel, inner tube tire	N. C.	100.00	36
7153287 Front caster wheel, inner tube	N. C.	45.00	36
7153288 Airless insert for drive wheel	75.00	75.00	36
7153289 Airless insert for caster wheel	30.00	30.00	36
		PRICE	
	(i	ncluding all	
	·	the basic	
	c	omponents)	
7153290 POWERED WHEELCHAIR		8 000 00	

### 7153290 **POWERED WHEELCHAIR**

8,000.00

SUBCATEGORY "OBESE (MID-FRONT OR MEDIAL DRIVE WHEELS)"

SUNRISE MEDICAL CANADA INC.

"XCEL" MODEL

# TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 249.5 kg (550 lb.)

Seat-to-floor height: 41.3 cm to 51.4 cm (161/4 in. to 201/4 in.) without power tilt system

and 43.2 cm to 48.3 cm (17 in. to 19 in.) with power tilt system

**Frame:** mid-wheel drive base, overall width  $\leq 73.3$  cm (29 in.); suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plugin; four tie-down points for adapted transport

**Drive system:** electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7153291	Seat-to-back assembly structure; resizable; back canes angle adjustable from 90° to 110° by maximum increments of 6°; non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle adjustable from 0° to 10; anchor for headrest bracket	N. C.	550.00	36
7153292	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.); widths of 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.), 63.5 cm (25 in.), 66 cm (26 in.), 68.6 cm (27 in.) or 71.1 cm (28 in.); depths of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in), 58.4 cm (23 in.) or 61 cm (24 po.)	N. C.	260.00	36
7153293	Padded seat cushion, contoured; removable and washable outer cover, water-resistant or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	490.00	490.00	36
7153294	Flexible nylon mesh back, padded; heights of 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.), 55.9 cm (22 in.), 58.4 cm (23 in.) or 61 cm (24 in.)	N. C.	180.00	12
7153295	,	310.00	490.00	12
7153296	Padded back cushion, contoured, including a rigid, contoured back	310.00	490.00	36
7153297	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	995.00	995.00	36
	external to the joystick control	2,500.00	2,500.00	36
7153299	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	3,500.00	3,500.00	36
7153300	Pelvic positioning belt, auto buckle	N. C.	45.00	36

				()
7153301	U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	225.00	60
7153302	T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	225.00	60
7153303	U-type armrest, long, flip-away, height-adjustable from 17.8 cm to 26 cm (7 in. to 10½ in.) or from 26 cm to 38.7 cm (10½ in. to 15½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	225.00	60
7153304	T-type armrest, long, detachable; adjustable in height from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	225.00	60
7153305	Armrest pad, straight, short	N. C.	20.00	12
	Armrest pad, straight, long	N. C. N. C.	20.00	12
7153307	One-piece footrest platform, 90° angle, adjustable	N. C.	225.00	60
7153308	length Parallel footrest, adjustable angle 60° or 70°, detachable and pivoting with locking mechanism;	N. C.	225.00	00
	standard folding footplate; standard size; adjustable heel-loop; adjustable length of 31.8 cm to 39.4 cm (12½ in. to 15½ in.) or from 36.8 cm to 49.5 cm (14½ in. to 19½ in.)			60
7153309	Elevating leg-rests, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment point as the footrest or supplied with its own	112.50	225.00	36
	attachments; calf-rests, contoured and padded, height and depth-adjustable			
7153310	Power elevating leg-rest, with control per pair, including a control external to the joystick control	882.50	995.00	36
7153311	Power elevating leg-rest, with control per unit, including a control external to the joystick control	882.50	995.00	36
7153312	Power leg-rest, one piece, including a control external to the joystick control	1,770.00	1,995.00	36

				,
7153313	Padded calf-rest, contoured	100.00	100.00	36
	Folding footplate, standard, standard size	N. C.	100.00	36
	Folding footplate, standard, oversize	N. C.	100.00	36
7153316	Footplate, angle and depth-adjustable, standard size	N. C.	100.00	36
7153317	Footplate, angle and depth-adjustable, oversize	N. C.	100.00	36
7153318	Heel loop, adjustable	N. C.	45.00	36
	Headrest bracket, height and depth-adjustable, or	75.00	75.00	36
7153320	articulated uniball bracket Headrest cushion, contoured, all sizes	70.00	70.00	36
	EDAME			
7153321	FRAME Front impact guard with rollers	20.00	20.00	36
	DRIVE SYSTEM			
7153322	Standard joystick control for basic programmable	N. C.	329.00	
	electronics; joystick handle; push buttons for on/off			
	functions, horn, function selection; battery charge			36
	display			
7153323	Standard invotick control for multi-numaca	200.00	520.00	
/133323	Standard joystick control for multi-purpose programmable electronics; joystick handle; push	200.00	529.00	
	buttons for on/off functions, horn, function			
	selection; battery charge display			36
	Compact joystick control, proportional	N. C.	329.00	36
7153325	Standard side bracket for joystick control; adjustable forward-rearward position	N. C.	140.00	36
7153326	Swivel side bracket for joystick control; with	N. C.	230.00	
7133320	locking mechanism	14. 6.	230.00	36
7153327	Midline bracket for joystick control; flip-back to	60.00	200.00	
	provide total clearance for seat access			36
7153328	Controller for basic programmable electronics	N. C.	659.00	36
7153329	Controller for multi-purpose programmable	100.00	759.00	
/133327	electronics	100.00	737.00	36
7153330	Motor for basic programmable electronics;	N. C.	900.00	
	propulsion provided by two electric direct-drive			36
	motors; variable speed, controlled by joystick			30
	control and controller			
7153331	Motor for multi-purpose programmable electronics;	N. C.	900.00	
	propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick and			36
	controller			30
7153332	Battery charger; external; compatible with group	N. C.	199.00	26
	24 batteries			36
7153333	Internal control system for the joystick control for	350.00	350.00	
	one (1) power repositioning accessory			36

7153334	Internal control system for the joystick control for	500.00	500.00	
	four (4) power repositioning accessories			36
7153335	Adapted head control, proportional, including mounting bracket	1,100.00	1,100.00	36
7153336	Adapted head control, non-proportional, including mounting bracket	2,200.00	2,200.00	36
7153337	Adapted breath control, non-proportional, including mounting bracket	1,200.00	1,200.00	36
7153338	Adapted chin control, proportional, including mounting bracket	600.00	600.00	36
7153339	Adapted chin control, non-proportional, including mounting bracket	600.00	600.00	36
7153340	Adapted Mini joystick control, proportional, including mounting bracket	1,510.00	1,510.00	36
7153341	Adapted control interface, with bracket and display	1,100.00	1,100.00	36
7153342	Mounting bracket for interface	350.00	350.00	36
7153343	Mounting bracket for adapted control	350.00	350.00	36
7153344	Ball, stick, T-type, or mushroom handle	52.00	52.00	36
	WHEELS AND TIRES			
7153345	Driving wheel, inner tube tires	N. C.	150.00	36
7153346	Front caster wheel, inner tube	N. C.	80.00	36
7153347	Rear caster wheel, semi-pneumatic	N. C.	80.00	36
7153348	Airless insert for driving wheel	45.00	45.00	36

# DIVISION II: PEDIATRIC WHEELCHAIRS SUBDIVISION 1: MANUAL WHEELCHAIRS

PRICE
(including all
the basic
components)

## 7151339 MANUAL WHEELCHAIRS

2,195.00

SUBCATEGORY "MULTI-ADJUSTABLE PERFORMANCE (FOLDING FRAME)"

MOTION COMPOSITES INC.

## "HELIO K" MODEL

## TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Device weight: 14.5 kg (32 lb.)

Front seat-to-floor height: 34.3 cm to 54.6 cm ( $13\frac{1}{2} \text{ in.}$  to  $21\frac{1}{2} \text{ in.}$ ) Rear seat-to-floor height: 31.8 cm to 48.9 cm ( $12\frac{1}{2} \text{ in.}$  to  $19\frac{1}{4} \text{ in.}$ )

Frame: straight back canes or bend back canes, height and angle-adjustable; non-slip

push handles; four tie-down points for adapted transport

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7151340	Flexible nylon mesh seat, with mesh-stretching system; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; handle to fold chair; widths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.)	N. C.	36.00	12
7151341	Flat foam seat cushion, 5.1 cm (2 in.); two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion	63.00	63.00	36
7151342	Flexible nylon mesh back, padded; heights of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N. C.	32.33	12
7151343	Pelvic positioning belt, auto buckle	N. C.	13.75	36
7151344	Pelvic positioning belt, Velcro	N. C.	47.50	36

7151345	T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	118.00	60
7151346	T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.33	60
7151347	I-type armrest	50.00	168.00	60
	L-type armrest; height-adjustable	N. C.	118.00	60
	Armrest pad, straight, short	N. C.	4.75	12
	Armrest pad, straight, long	N. C.	5.58	12
	Armrest pad, tubular, for L-type armrest	35.25	40.00	
	1 / / / /1			12
7151352	Clothing guard, flexible, for L-type armrest	77.00	77.00	36
7151353	Clothing guard, rigid, for L-type armrest	77.00	77.00	36
7151354	70° footrest, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 12.7 cm to 53.3 cm (5 in. to 21 in.)	N. C.	48.00	60
7151355	90° footrest, detachable and pivoting with locking mechanism; standard folding footplate, standard size, plastic; adjustable heel loop; adjustable length from 12.7 cm to 39.4 cm (5 in. to 15½ in.)	N. C.	48.00	60
7151356	Elevating leg-rest; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize, plastic; compatible with the same attachment points as the footrest or supplied with its own attachments; calfrest, contoured and padded, height and depthadjustable	153.38	201.38	36
7151257	D-11-1-16	40.77	40 77	26
7151357	Padded calf-rest	48.75	48.75	36
7151358	Calf-rest strap, single or double	20.00	20.00	36
7151359	Folding footplate, standard, standard size; plastic	N. C.	7.75	36
7151260	Folding footplate standard evening	10.00	17.75	26
7151360	Folding footplate, standard, oversize Footplate, angle and depth-adjustable, standard size	10.00 90.00	17.75 97.75	36
/131301	rootpiate, angle and depin-adjustable, standard size	90.00	91.13	36
7151362	Footplate, angle and depth-adjustable, oversize	90.00	97.75	36
7151363	Full-width footplate, one piece, folding; angle-adjustable	120.00	135.50	36
7151364	Heel loop, adjustable	N. C.	4.50	36

				(ddifference version)
7151365	Headrest cushion, contoured, all sizes	85.00	85.00	36
	Headrest bracket, height and depth-adjustable, or	90.00	90.00	
	articulated uniball bracket			36
	EDAME			
7151367	FRAME Push handle, raised, detachable	N. C.	100.00	36
	Anti-tipping wheels, detachable or pivoting, with	N. C. N. C.	21.00	30
/131300	locking mechanism	14. C.	21.00	60
7151369	Fold-away back spreader bar to fold chair; with	70.00	70.00	26
	anchor for headrest bracket			36
7151370	Wheelchair growth kit to enlarge chair by 5.1 cm	N. A.	250.00	36
	(2 in.)			
7151371	Cane holder	30.00	30.00	36
	DRIVE SYSTEM			
7151372	Handrim, smooth	N. C.	14.50	36
	Handrim, plastic-coated	N. C.	32.00	36
	Non-slip handrim, foam	110.00	124.50	36
7151375	Standard wheel lock, push-to-lock, or pull-to-lock	N. C.	14.00	36
	Anti-rollback brake	106.00	120.00	36
	Plug-in wheel lock extension	10.00	10.00	36
/1513/8	Caster fork to adjust height and angle perpendicular to the ground to compensate for changes in the rear	N. C.	9.63	36
	seat-to-floor height			30
	seat-to-noor neight			
	WHEELS AND TIRES			
7151379	Front mag wheel, semi-pneumatic tire, 20.3 cm	N. C.	24.91	36
	(8 in.); 2.5 cm (1 in.) wide			30
7151380	Front mag wheel, semi-pneumatic tire, 12.7 cm	N. C.	8.65	26
	(5 in.), 15.2 cm (6 in.) or 17.8 cm (7 in.); 2.5 cm (1 in.) wide			36
7151381	Rear axle, quick release system, with push-button	N. C.	9.63	
/131301	locking mechanism; adjustable centre of gravity by	14. C.	7.03	
	increments of 0.63 cm (1/4 in.) on a horizontal range			
	of 8.9 cm (3½ in.); adjustable rear height for up to			26
	5° of seat tilt, compatible with all wheel diameters			36
7151382	Threaded rear axle	N. C.	4.75	36
7151382	Spoked rear wheel, semi-pneumatic tire, 61 cm	N. C. N. C.	52.88	30
/131303	(24 in.); 3.2 cm (1 <sup>1</sup> / <sub>4</sub> in.) wide	14. C.	32.00	36
7151384	Spoked rear wheel, semi-pneumatic tire, 55.9 cm	N. C.	52.88	2.5
	(22 in.); 3.2 cm (1 <sup>1</sup> / <sub>4</sub> in.) wide			36
7151385	Spoked rear wheel with inner tube tire, high	60.00	112.88	
	pressure; 55.9 cm (22 in.) or 61 cm (24 in.)			36
7151386	Spoke guard	65.00	65.00	36

## **SUBDIVISION 2: POWERED WHEELCHAIRS**

PRICE (including all the basic components)

### 7153351 POWERED WHEELCHAIR

4,875.00

SUBCATEGORY "MULTI-PURPOSE (MIDFRONT OR MEDIAL DRIVE WHEELS)"

SUNRISE MEDICAL CANADA INC.

"323 E" MODEL

### TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 181.4 kg (400 lb.)

**Seat-to-floor height:** 39.4 cm to 51.4 cm ( $15\frac{1}{2} \text{ in.}$  to  $20\frac{1}{4} \text{ in.}$ ) without power tilt system and 39.4 cm

cm to 47.6 cm ( $15\frac{1}{2}$  in. to  $18\frac{3}{4}$  in.) with power tilt system

**Frame:** mid-wheel drive base, suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

**Drive system:** electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
BODY SUPPORT SYSTEM	N. C.	550.00	
7153352 Seat-to-back assembly structure; resizable; back canes angle-adjustable from 90° to 110° by maximum increments of 6°; non-slip push handles; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle-adjustable from 0° to 10°; anchor for headrest bracket	N. C.	550.00	36
7153353 Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.) or 38.1 cm (15 in.)	N. C.	75.00	36

7153354 Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base)	225.00	225.00	36
7153355 Flexible nylon mesh back, padded; heights of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N. C.	160.00	12
7153356 Padded back cushion, contoured, including a rigid, contoured back	90.00	250.00	36
7153357 Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	350.00	350.00	36
7153358 Power reclining back system, including a control external to the joystick control	1,590.00	1,590.00	36
7153359 Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	1,650.00	1,650.00	36
7153420 Pelvic positioning belt, auto buckle	N. C.	30.00	36
7153421 U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153422 T-type armrest, short; detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153423 U-type armrest, long; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153424 T-type armrest, long, detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest, armrest pad, straight	N. C.	175.00	60
7153425 Armrest pad, straight, short	N. C.	20.00	12
7153426 Armrest pad, straight, long 7153427 One-piece footrest platform, 90°, adjustable length	N. C. N. C.	20.00 225.00	12 60

7153428 Footrest; adjustable angle 60°, 70°, 80° or 90°, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 14 cm to 19.1 cm (5½ in. to 7½ in.), from 21.6 cm to 39.4 cm (8½ in. to 15½ in.) or from 26.7 cm to 39.4 cm (10½ in. to 15½ in.)	N. C.	225.00	60
7153429 Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, contoured	112.50	225.00	36
7153430 Power elevating leg-rest, with control per pair, including a control external to the joystick control	637.50	750.00	36
7153431 Power elevating leg-rest, with control per unit, including a control external to the joystick control	637.50	750.00	36
7153432 Power leg-rest, one-piece, including a control external to the joystick control	1,275.00	1,500.00	36
7153433 Padded calf-rest, contoured	35.00	35.00	36
7153434 Folding footplate, standard, standard size	N. C.	80.00	36
7153435 Folding footplate, standard, oversize	N. C.	80.00	36
7153436 Footplate, angle and depth-adjustable, standard size	N. C.	80.00	36
7153437 Footplate, angle and depth-adjustable, oversize	N. C.	80.00	36
7153438 Heel loop, adjustable	N. C.	30.00	36
7153439 Headrest bracket, height and depth-adjustable, or articulated uniball bracket	75.00	75.00	36
7153440 Headrest cushion, contoured, all sizes	70.00	70.00	36
FRAME			
7153441 Front impact guard with rollers	20.00	20.00	36
DRIVE SYSTEM 7153442 Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N. C.	329.00	36
7153443 Standard joystick control for multi-purpose programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	200.00	529.00	36
7153444 Compact joystick control, proportional	N. C.	329.00	36
7153445 Standard side bracket for joystick control;	N. C.	140.00	36
adjustable forward-rearward position 7153446 Swivel side bracket for joystick control; with locking mechanism	N. C.	230.00	36

7153447 Midline bracket for joystick control; flip-back to provide total clearance for seat access	60.00	200.00	36
7153448 Controller for basic programmable electronics	N. C.	659.00	36
7153449 Controller for multi-purpose programmable electronics	100.00	759.00	36
7153450 Motor for basic programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N. C.	600.00	36
7153451 Motor for multi-functional programmable electronics; propulsion provided by two electric direct-drive motors; variable speed, controlled by joystick control and controller	N. C.	600.00	36
7153452 Battery charger; external; compatible with group 22 NF or group 24 batteries	N. C.	199.00	36
7153453 Internal control system for the joystick control for one (1) power repositioning accessory	350.00	350.00	36
7153454 Internal control system for the joystick control for four (4) power repositioning accessories	500.00	500.00	36
7153455 Adapted head control, proportional, including mounting bracket	1,100.00	1,100.00	36
7153456 Adapted head control, non-proportional, including mounting bracket	2,200.00	2,200.00	36
7153457 Adapted breath control, non-proportional, including mounting bracket	1,200.00	1,200.00	36
7153458 Adapted chin control, proportional, including mounting bracket	600.00	600.00	36
7153459 Adapted chin control, non-proportional, including mounting bracket	600.00	600.00	36
7153460 Adapted Mini joystick control, proportional, including mounting bracket	1,510.00	1,510.00	36
7153461 Mounting bracket for adapted control	350.00	350.00	36
7153462 Adapted control interface, with bracket and display	1,100.00	1,100.00	36
7153463 Mounting bracket for interface	350.00	350.00	36
7153464 Ball, stick, T-type, or mushroom handle	52.00	52.00	36
7153465 Course correction system	895.00	895.00	36
WHEELS AND TIRES	N. C.	150.00	26
7153466 Drive wheel, inner tube tire 7153467 Front caster wheel, semi-pneumatic or inner tube	N. C. N. C.	150.00 80.00	36
/13540/ 110ht easter wheer, selff-pheumatic of filler tube	1V. C.	00.00	36
7153468 Rear caster wheel, semi-pneumatic	N. C.	80.00	36
7153469 Airless insert for drive wheel	45.00	45.00	36

PRICE (including all the basic components)

### 7153360 POWERED WHEELCHAIR

4,875.00

SUBCATEGORY "MULTI-PURPOSE (MIDREAR DRIVE WHEELS)"

SUNRISE MEDICAL CANADA INC.

"747 E" MODEL

# TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 181.4 kg (400 lb.)

Seat-to-floor height: 38.7 cm to 51.4 cm (151/4 in. to 20 in.) without power tilt system

and 40 cm to 48.3 cm (153/4 in. to 19 in.) with power tilt system

**Frame:** mid-wheel drive base, suspension; front white reflectors; electric red tail-lights; reflective strip on each side; triangular orange flag, plug-in; four tie-down points for adapted transport

**Drive system:** electromagnetic brakes, manual freewheel lever; joystick control cable replaceable separately

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
7153361	BODY SUPPORT SYSTEM Seat-to-back assembly structure; resizable; back canes angle-adjustable from 90° to 110° by maximum increments of 6°; push handles, covered with "non-slip" sheath; structure compatible with commercial positioning device anchors; adjustable seat-to-floor height; static rocker, angle-adjustable from 0° to 10°; anchor for headrest bracket	N. C.	550.00	36
7153362	Rigid metal seat for cushion; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider to stabilize cushions; widths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.) or 40.6 cm (16 in.); depths of 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.) or 38.1 cm (15 in.)	N. C.	75.00	36

7153363	Padded seat cushion, contoured; removable and washable outer cover, waterproof or combined with an internal incontinence cover; two strips of "velour" Velcro 5.1 cm (2 in.) wide, under the cushion to stabilize it on the seat (except if the padded seat is built into the rigid base	225.00	225.00	36
7153364	Flexible nylon mesh back, padded; heights of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)	N. C.	160.00	12
7153365	Padded back cushion, contoured, including a rigid, contoured back	90.00	250.00	36
7153366	Reclining back with cylinder; seat-to-back angle up to a minimum of 130°	350.00	350.00	36
7153367	Power reclining back device, including a control external to the joystick control	1,590.00	1,590.00	36
7153368	Power tilt system for minimum angulation of 0° to 45°, including a control external to the joystick control	1,650.00	1,650.00	36
7153369	Pelvic positioning belt, auto buckle	N. C.	30.00	36
7153370	U-type armrest, short; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10¼ in.) or from 26 cm to 38.7 cm (10¼ in. to 15¼ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153371	T-type armrest, short, detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism, clothing guard, rigid, built into armrest, armrest pad, straight	N. C.	175.00	60
7153372	U-type armrest, long; flip-away; height-adjustable, from 17.8 cm to 26 cm (7 in. to 10½ in.) or from 26 cm to 38.7 cm (10½ in. to 15½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	175.00	60
7153373	T-type armrest, long, detachable; height-adjustable, from 17.8 cm to 30.5 cm (7 in. to 12 in.) or from 27.9 cm to 34.3 cm (11 in. to 13½ in.) maximum increments of 2.5 cm (1 in.), with locking mechanism, clothing guard, rigid, built into armrest, armrest pad, straight	N. C.	175.00	60
7153374 7153375	Armrest pad, straight, short Armrest pad, straight, long	N. C. N. C.	20.00 20.00	12 12

7153376	Footrest, adjustable to 80° or 90°, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 14 cm to 19.1 cm (5½ in. to 7½ in.), 21.6 cm to 39.4 cm (8½ in. to 15½ in.) or from 26.7 cm to 39.4 cm (10½ in. to 15½ in.)	N. C.	225.00	60
7153377	Footrest, adjustable to 60° or 70°, detachable and pivoting with locking mechanism; standard folding footplate, standard size; adjustable heel loop; adjustable length from 14 cm to 19.1 cm (5½ in. to 7½ in.), 21.6 cm to 39.4 cm (8½ in. to 15½ in.) or from 26.7 cm to 39.4 cm (10½ in. to 15½ in.)	N. C.	225.00	60
7153378	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, contoured	N. C.	225.00	36
7153379	Power elevating leg-rest, with control per pair, including a control external to the joystick control	637.50	862.50	36
7153380	Power elevating leg-rest, with control per unit, including a control external to the joystick control	637.50	862.50	36
	Padded calf-rest, contoured Folding footplate, standard, standard size Folding footplate, standard, oversize Footplate, angle and depth-adjustable, standard size	35.00 N. C. N. C. N. C.	35.00 80.00 80.00 80.00	36 36 36 36
7153385	Footplate, angle and depth-adjustable, oversize	N. C.	80.00	36
7153386	Folding footplate, full-size, one-piece; fixed angle	N. C.	160.00	36
7153388	Heel loop, adjustable Headrest bracket, height and depth-adjustable, or articulated uniball bracket Headrest cushion, contoured, all sizes	N. C. 75.00 70.00	30.00 75.00 70.00	36 36 36
7153390	FRAME Anti-tipping wheels, non-detachable except with tools	N. C.	80.00	60
7153391	Front impact guard with rollers	20.00	20.00	36
7153392	<b>DRIVE SYSTEM</b> Standard joystick control for basic programmable electronics; joystick handle; push buttons for on/off functions, horn, function selection; battery charge display	N. C.	329.00	36

7153393	Standard joystick control for multi-purpose programmable electronics; joystick handle; push buttons for on/off functions, horn, function	200.00	529.00	
	selection; battery charge display			36
	Compact joystick control, proportional	N. C.	329.00	36
7153395	Standard side bracket for joystick control; adjustable forward-rearward position	N. C.	140.00	36
7153396	Swivel side bracket for joystick control; with locking mechanism	N. C.	230.00	36
7153397	Midline bracket for joystick control; flip-back to provide total clearance for seat access	60.00	200.00	36
7153398	Controller for basic programmable electronics	N. C.	659.00	36
7153399	Controller for multi-purpose programmable electronics	100.00	759.00	36
7153400	Motor for basic programmable electronics; propulsion provided by two electric direct-drive	N. C.	600.00	
	motors; variable speed, controlled by joystick control and controller			36
7153401	Motor for multi-purpose programmable electronics; propulsion provided by two electric direct-drive	N. C.	600.00	
	motors; variable speed, controlled by joystick control and controller			36
7153402	Battery charger; external; compatible with group 22 NF or group 24 batteries	N. C.	199.00	36
7153403	Internal control system for the joystick control for one (1) power repositioning accessory	350.00	350.00	36
7153404	Internal control system for the joystick control for four (4) power repositioning accessories	500.00	500.00	36
7153405	Adapted head control, proportional, including mounting bracket	1,100.00	1,100.00	36
7153406	Adapted head control, non-proportional, including mounting bracket	2,200.00	2,200.00	36
7153407	Adapted breath control, non-proportional, including mounting bracket	1,200.00	1,200.00	36
7153408	Adapted chin control, proportional, including mounting bracket	600.00	600.00	36
7153409	Adapted chin control, non-proportional, including mounting bracket	600.00	600.00	36
7153410	Adapted Mini joystick control, proportional, including mounting bracket	1,510.00	1,510.00	36
7153411	Mounting bracket for adapted control	350.00	350.00	36
7153412	Adapted control interface, with bracket and display	1,100.00	1,100.00	36
	Mounting bracket for interface	350.00	350.00	36
/153414	Ball, stick, T-type, or mushroom handle	52.00	52.00	36
7153415	Course correction system	895.00	895.00	36

### WHEELS AND TIRES

7153416	Drive wheel, inner tube tire	N. C.	150.00	36
7153417	Front caster wheel, inner tube tire	N. C.	80.00	36
7153418	Airless insert for drive wheel	40.00	40.00	36
7153419	Airless insert for caster wheel	45.00	45.00	36

## DIVISION III: COMPLEMENTS FOR WHEELCHAIRS SUBDIVISION 1: FACULTATIVE COMPONENTS

	FACULTATIVE COMPONENTS	Maximum unit price of component during device purchase	Maximum unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7800014	Elastic mesh seat	385.00	385.00	36
7800000	Dynamic back for manual wheelchair and positioning base	135.00	135.00	36
7800001	I-type armrest for reclining back	100.00	250.00	36
7800002	Armrest pad, contoured, short or long	24.00	30.00	12
7800003	Armrest pad, gel, short or long	32.00	38.00	12
7800004	Dynamic footrest for positioning base	45.00	160.00	36
7800005	Stump support, adjustable <b>FRAME</b>	260.00	260.00	36
7800015	Angle adjustable push handle	53.00	53.00	36
7800016	Angle adjustable push bar	75.00	75.00	36
7800017	Front locking tilt for positioning base	30.00	30.00	36
7800018	Growth kit to enhance depth by 7.6 cm (3 in.) for pediatric manual wheelchair	250.00	250.00	36
	DRIVE SYSTEM			
7800006	One-arm dual handrim drive for manual wheelchair	850.00	850.00	36
7800007	One-arm manual wheel locks kit	330.00	410.00	36
7800008	Handrim with thumb grip	110.00	125.00	36
7800009	Handrim with rubber traction band	110.00	125.00	36
7800010	Handrim, plastic-coated, ultra-light	N. C.	32.00	36
7800011	Fork-locking mechanism	105.00	105.00	36
7800012	Propulsion assistance module	2,000.00	2,000.00	36
7800013	Mid-wheel manual propulsion for positioning base	225.00	700.00	36
7800019	Rear wheel camber device, 3° or 6° for pediatric manual wheelchair	200.00	200.00	36

# SUBDIVISION 2: BATTERIES FOR POWERED WHEELCHAIRS BATTERIES (GEL) $\,$

	Price including delivery, guarantee, and recovery of defective or used batteries (price per pair)
4590000 SUPPLIER: EAST PENN / POWER BATTERY	315.75
GROUP 22NF BATTERIES  Model: 8G22NF	
4590001 SUPPLIER: EAST PENN / POWER BATTERY	413.69
GROUP 24 BATTERIES  Model: 8G24T881	
4590002 SUPPLIER: EAST PENN / POWER BATTERY	203.84
GROUP U1 BATTERIES  Model: 8GU1	

DIVISION IV: OTHER LOCOMOTOR ASSISTS SUBDIVISION 1: ADULT POSITIONING BASES

PRICE
(including all
the basic
components)

7156052 ADULT POSITIONING BASES

1,798.00

SUBCATEGORY "MULTI-ADJUSTABLE

TILT"

SUNRISE MEDICAL CANADA INC.

#### "QUICKIE IRIS" MODEL

#### TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 136.1 kg (300 lb.)

**Seat-to-floor height:** 31.7 cm to 49.5 cm (12½ in. to 19½ in.)

**Frame:** structure compatible with commercial positioning device anchors; back height from 38.1 cm to 61 cm (15 in. to 24 in.) by maximum increments of 5,1 cm (2 in.); back cane angle-adjustable from 90° to 120° by maximum increments of 8°; non-slip push handles or push bar, raised; anchor for headrest bracket; tilt system for minimum angulation of 45°; four tie-down points for adapted transport

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7156053	Flat rigid seat; metal; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.); depths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.), 50.8 cm (20 in.), 53.3 cm (21 in.) or 55.9 cm (22 in.)	N. C.	158.00	36
7156054	Reclining back with cylinder; continuous inclination up to a minimum of 120°	420.00	420.00	36
7156055	Pelvic positioning belt, auto buckle	N. C.	35.00	36
7156056	Pelvic positioning belt, Velcro	N. C.	29.00	36
7156057	U-type armrest, short; detachable; height-adjustable, from 25.4 cm to 36.8 cm (10 in. to 14½ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.00	60

7156058	T-type armrest, short; detachable; height-adjustable, from 18.4 cm to 28.6 cm (7½ in. to 11¼ in.) or from 27.3 cm to 40 cm (10¾ in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.00	60
7156059	U-type armrest, long; detachable; height-adjustable, from 25.4 cm to 36.8 cm (10 in. to $14\frac{1}{2}$ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.00	60
7156060	T-type armrest, long; detachable; height-adjustable, from 18.4 cm to 28.6 cm (7½ in. to 11½ in.) or from 27.3 cm to 40 cm (10¾ in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.00	60
7156061	Armrest pad, straight, short	N. C.	9.00	12
7156062	Armrest pad, straight, long	N. C.	9.00	12
7156063	Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; footplate angle and depthadjustable, standard size; adjustable heel loop;	N. C.	116.00	60
	adjustable length from 29.2 cm to 45.7 cm ( $11\frac{1}{2}$ in. to 18 in.) or from 35.6 cm to 50.8 cm (14 in. to 20 in.)			00
7156064	Parallel footrest, 70° or 90° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel	N. C.	116.00	60
	loop; adjustable length from 29.2 cm to 48.3 cm (11½ in. to 19 in.) for the 70° footrest and adjustable length from 17.8 cm to 35.6 cm (7 in. to 14 in.) for the 90° footrest			60
7156065	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or	19.00	135.00	
	oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, height and depth- adjustable			36
7156066	Padded calf-rest, contoured	20.00	20.00	36
7156067	Calf-rest strap, single	19.00	19.00	36
7156068	Footplate, angle and depth-adjustable, standard size	N. C.	40.00	
7120000	1 oop me, angre und depth dajasmere, sumadra size	11. 0.	10.00	36
7156069	Footplate, angle and depth-adjustable, oversize	N. C.	40.00	36
7156070	Folding footplate, standard, standard size		9.00	36
7156071	Folding footplate, standard, oversize	N. C.	9.00	36
7156072	Full-width footplate, one piece, folding; angle-adjustable	28.00	108.00	36
7156073	Heel loop, adjustable	N. C.	11.00	36

				,
7156074	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	75.00	75.00	36
7156075	Headrest cushion, padded and contoured, all sizes	70.00	70.00	36
	FRAME			
7156076	Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	28.00	60
7156077	Heavy-duty option to increase maximum weight capacity to 181.4 kg (400 lb.)	320.00	N. A.	36
	DRIVE SYSTEM			
7156078	Handrim, smooth	N. C.	40.00	36
7156079	Handrim, plastic-coated	N. C.	40.00	36
7156080	Non-slip handrim, foam	85.00	125.00	36
7156081	Handrim with vertical or oblique projections	45.00	85.00	36
7156082	Standard wheel lock, push-to-lock	N. C.	32.00	36
7156083	Plug-in wheel lock extension	7.00	7.00	36
7156084	•	N. C.	32.00	36
	WHIERI G AND TIPEG			
7156005	WHEELS AND TIRES	N. C	15.00	
7156085	Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); widths of 2.5 cm (1 in.) or $3.8 \text{ cm} (1\frac{1}{2} \text{ in.})$	N. C.	15.00	36
7156086	Front mag wheel, semi-pneumatic tire, 15.2 cm	N. C.	15.00	
	(6 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.)			36
7156087	Rear axle, quick release system, with push-button	N. C.	33.00	
	locking mechanism			36
7156088	Threaded rear axle	N. C.	5.00	36
	Rear mag wheel, semi-pneumatic tire, 30.5 cm	N. C.	80.00	30
, 12000)	(12 in.) or 40.6 cm (16 in.)	14. 0.	00.00	36
7156090	Spoked rear wheel, semi-pneumatic tire, 50.8 cm	N. C.	80.00	
	(20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3.5 cm			36
	(13% in.) wide			
7156091	Spoke guard	20.00	20.00	36

PRICE (including all the basic components)

#### 7156092 ADULT POSITIONING BASES

1,055.00

SUBCATEGORY "MULTI-ADJUSTABLE WITH BALANCED CENTRE OF GRAVITY"

ORTHOFAB INC.

"TANGO CE" MODEL

#### TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

**Seat-to-floor height:** 35.6 cm to 50.8 cm (14 in. to 20 in.)

**Frame:** structure compatible with commercial positioning device anchors; back height from 40.6 cm to 61 cm (16 in. to 24 in.) by maximum increments of 2.51 cm (1 in.); back cane angle-adjustable from 90° to 120° by maximum increments of 8°; non-slip push handles or push bar, raised; anchor for headrest bracket; tilt system for minimum angulation of 45°; four tie-down points for adapted transport

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7156093	Flat rigid seat; metal; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm to 48.3 cm (16 in. to 19 in.) or from 48.3 cm to 55.8 cm (19 in. to 22 in.)	N. C.	40.00	36
7156094	Reclining back with cylinder; continuous inclination up to a minimum of 120°	270.00	270.00	36
7156095	_	N. C.	6.00	36
7156096	Pelvic positioning belt, Velcro	N. C.	15.00	36
7156098	T-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60

7156100	T-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
	Armrest pad, straight, short Armrest pad, straight, long Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; footplate angle and depth- adjustable, standard size; adjustable heel loop;	N. C. N. C. N. C.	6.00 6.00 172.00	12 12
	adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 48.3 cm to 53.3 cm (19 in. to 21 in.)			60
7156104	Parallel footrest, 70° or 90° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or additionally for 70° footrest, from 48.3 cm to 53.3 cm (19 in. to 21 in.)	N. C.	172.00	60
7156105	Elevating leg-rest, compensating; detachable and pivoting, with locking mechanism; adjustable length; standard folding footplate, standard size or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; Padded calf-rest, height and depth-adjustable	28.00	200.00	36
7156106	Padded calf-rest, flat	15.00	15.00	36
7156107	Calf-rest strap, double	15.00	15.00	36
7156108	Footplate, angle and depth-adjustable, standard size	N. C.	50.00	36
7156109	Footplate, angle and depth-adjustable, oversize	N. C.	55.00	36
	Folding footplate, standard, standard size	N. C.	6.00	36
	Folding footplate, standard, oversize	N. C.	35.00	36
	Full-width footplate, in two lockable parts, angle-adjustable	N. C.	100.00	36
	Heel loop, adjustable	N. C.	3.00	36
7156114	Headrest bracket, height and depth-adjustable	35.00	35.00	36
7156115	Headrest cushion, padded and flat, all sizes	40.00	40.00	36
7156116	FRAME Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	12.00	60
7156117	Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	119.00	N. A.	36

	DRIVE SYSTEM			
7156118	Handrim, smooth	N. C.	80.00	36
7156119	Handrim, plastic-coated	N. C.	80.00	36
7156120	Non-slip handrim, foam	40.00	120.00	36
7156121	Handrim with oblique projections	N. C.	80.00	36
7156122	Standard wheel lock, push-to-lock	N. C.	30.00	36
7156123	Plug-in wheel lock extension	10.00	10.00	36
7156124	Caster fork, height-adjustable, compatible with all available wheel diameters	N. C.	15.00	36
7156125	WHEELS AND TIRES Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); widths of 3.2 cm (1½ in.) or 3.8 cm (1½ in.)	N. C.	40.00	36
7156126	Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); 3.8 cm (1½ in.) wide	N. C.	40.00	36
7156127	Rear axle, quick release system, with push-button locking mechanism	N. C.	15.00	36
7156128	Threaded rear axle	N. C.	2.00	36
7156129	Rear mag wheel, semi-pneumatic tire, 30.5 cm (12 in.)	N. C.	100.00	36
7156130	Spoked rear wheel, semi-pneumatic tire, 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3.2 cm (1½ in.) wide	N. C.	100.00	36
7156131	Spoke guard	70.00	70.00	36

PRICE (including all the basic components)

#### 7156132 ADULT POSITIONING BASES

1,055.00

SUBCATEGORY "MULTI-ADJUSTABLE CYLINDER"

ORTHOFAB INC.

"TANGO AC" MODEL

#### TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

**Seat-to-floor height:** 35.6 cm to 50.8 cm (14 in. to 20 in.)

**Frame:** structure compatible with commercial positioning device anchors; back height from 40.6 cm to 61 cm (16 in. to 24 in.) by maximum increments of 2.5 cm (1 in.); back cane angle-adjustable from  $90^{\circ}$  to  $120^{\circ}$  by maximum increments of  $8^{\circ}$ ; non-slip push handles or push bar, raised; anchor for headrest bracket; tilt system for minimum angulation of  $45^{\circ}$ ; four tie-down points for adapted transport

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7156133	Flat rigid seat; metal; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm to 48.3 cm (16 in. to 19 in.) or from 48.3 cm to 55.8 cm (19 in. to 22 in.)		40.00	36
7156134	Reclining back with cylinder; continuous inclination up to a minimum of 120°	270.00	270.00	36
7156135	Pelvic positioning belt, auto buckle	N. C.	6.00	36
7156136	Pelvic positioning belt, Velcro	N. C.	15.00	36
7156137	U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight		150.00	60

7156139	U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 30.5 cm (8 in. to 12 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	150.00	60
	Armrest pad, straight, short Armrest pad, straight, long Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; footplate angle and depth- adjustable, standard size; adjustable heel loop;	N. C. N. C. N. C.	6.00 6.00 172.00	12 12
	adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) or from 48.3 cm to 53.3 cm (19 in. to 21 in.)			60
7156144	Parallel footrest, 70° or 90° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 35.6 cm to 48.3 cm (14 in. to 19 in.) and additionally for the 70° footrest, from 48.3 cm to 53.3 cm (19 in. to 21 in.)	N. C.	172.00	60
7156145	Elevating leg-rest, compensating; detachable and pivoting, with locking mechanism; adjustable length; standard folding footplate, standard size or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, height and depthadjustable	28.00	200.00	36
7156146	Padded calf-rest, flat	15.00	15.00	36
7156147	* '	15.00	15.00	36
7156148	Footplate, angle and depth-adjustable, standard size	N. C.	50.00	36
7156149	Footplate, angle and depth-adjustable, oversize	N. C.	55.00	36
7156150	Folding footplate, standard, standard size		6.00	36
7156151	Folding footplate, standard, oversize	N. C.	35.00	36
	Full-width footplate, in two lockable parts; angle-adjustable	N. C.	100.00	36
	Heel loop, adjustable	N. C.	3.00	36
7156154	Headrest bracket, height and depth-adjustable	35.00	35.00	36
7156155	Headrest cushion, padded and flat, all sizes	40.00	40.00	36
7156156	FRAME Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	12.00	60
7156157	Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	119.00	N. A.	36

	DRIVE SYSTEM			
7156158	Handrim, smooth	N. C.	80.00	36
7156159	Handrim, plastic-coated	N. C.	80.00	36
7156160	Non-slip handrim, foam	40.00	120.00	36
7156161	Handrim with oblique projections	N. C.	80.00	36
7156162	Standard wheel lock, push-to-lock	N. C.	30.00	36
7156163	Telescopic wheel lock extension	10.00	10.00	36
7156164	Caster fork, height-adjustable, compatible with all available wheel diameters	N. C.	15.00	36
7156165	WHEELS AND TIRES Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); widths of 3.2 cm (1½ in.) or 3.8 cm (1½ in.)	N. C.	40.00	36
7156166	Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); 3.8 cm (1½ in.) wide	N. C.	40.00	36
7156167	Rear axle, quick release system, with push-button locking mechanism	N. C.	15.00	36
7156168	Threaded rear axle	N. C.	2.00	36
7156169	Rear mag wheel, semi-pneumatic tire, 30.5 cm (12 in.)	N. C.	100.00	36
7156170	Spoked rear wheel, semi-pneumatic tire, 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3.2 cm (1½ in.) wide	N. C.	100.00	36
7156171	Spoke guard	70.00	70.00	36

PRICE (including all the basic components)

#### 7156172 ADULT POSITIONING BASES

1,150.00

SUBCATEGORY "MULTI-ADJUSTABLE WITH CONSTANT OR NEAR-CONSTANT FRONT SEAT-TO-FLOOR HEIGHT"

PDG PRODUCT DESIGN GROUP INC.

"BENTLEY" MODEL

#### TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 113.4 kg (250 lb.)

Seat-to-floor height: 33 cm to 50.8 cm (13 in. to 20 in.)

**Frame:** structure compatible with commercial positioning device anchors; back height of 53.3 cm (21 in.) or 61 cm (24 in.); back cane angle-adjustable from 90° to 120° by maximum increments of 8°; non-slip push bar, raised; anchor for headrest bracket; tilt system for minimum angulation of 20°; four tie-down points for adapted transport

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7156173	Flat rigid seat; metal; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.); depths of 40.6 cm (16 in.), 43.2 cm (17 in.), 45.7 cm (18 in.), 48.3 cm (19 in.) or 50.8 cm (20 in.)	N. C.	10.76	36
7156174	Reclining back with cylinder; continuous inclination up to a minimum of 120°	187.50	187.50	36
7156175	Pelvic positioning belt, auto buckle	N. C.	21.00	36
7156176	Pelvic positioning belt, Velcro	N. C.	33.00	36
7156177	U-type armrest, short; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight		7.50	60

				()
7156179	U-type armrest, long; detachable; height-adjustable, from 20.3 cm to 27.9 cm (8 in. to 11 in.) or from 25.4 cm to 35.6 cm (10 in. to 14 in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	7.50	60
7156181 7156182 7156183	Armrest pad, straight, short Armrest pad, straight, long Parallel footrest, 60° angle, detachable and pivoting with locking mechanism; footplate angle and depth- adjustable, standard size; adjustable heel loop;	N. C. N. C. N. C.	3.05 2.20 52.50	12 12
	adjustable length from 33 cm to 43.2 cm (13 in. to 17 in.) or from 38.1 cm to 48.3 cm (15 in. to 19 in.)			60
7156184	Parallel footrest, 70° or 90° angle, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 33 cm to 43.2 cm (13 in. to 17 in.) or from 38.1 cm to 48.3 cm (15 in. to 19 in.)	N. C.	52.50	60
7156185	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, height and depthadjustable	37.50	90.00	36
715(10(	D 11 1 16 4 G 4	22.50	22.50	26
7156186 7156187	Padded calf-rest, flat Calf-rest strap, single	22.50 35.00	22.50 35.00	36 36
	Footplate, angle and depth-adjustable, standard size	N. C.	4.95	36
7156189	Footplate, angle and depth-adjustable, oversize	N. C.	5.60	36
7156190	Folding footplate, standard, standard size	N. C.	3.34	36
	Folding footplate, standard, oversize	N. C.	3.34	36
	Full-width footplate, one piece, folding; angle-adjustable	80.10	90.00	36
	Heel loop, adjustable	N. C.	0.75	36
7156194 7156195	Headrest bracket, height and depth-adjustable, or articulated uniball bracket Headrest cushion, padded, flat or contoured, all	50.00	50.00	36
/130193	sizes	37.00	37.00	36
7156196	FRAME Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	5.00	60
7156197	Heavy-duty option to increase maximum weight capacity to 159 kg (350 lb.)	550.00	N. A.	36
	DRIVE SYSTEM			
7156198	Handrim, smooth	N. C.	8.00	36
	Handrim, plastic-coated	2.40	10.40	36
7156200	Non-slip handrim, foam	179.50	187.50	36

				,
7156201	Handrim with vertical projections	57.00	65.00	36
7156202	Standard wheel lock, push-to-lock or pull-to-lock	N. C.	1.80	36
7156203	Plug-in wheel lock extension	2.74	2.74	36
7156204	Caster fork, height-adjustable, compatible with all available wheel diameters	N. C.	5.09	36
	WHEELS AND TIRES			
7156205	Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); 3 cm (13/16 in.) wide	N. C.	8.34	36
7156206	Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); 3 cm (13/16 in.) wide	N. C.	8.34	36
7156207	Rear axle, quick release system, with push-button locking mechanism	N. C.	3.00	36
7156208	Threaded rear axle	N. C.	0.03	36
7156209	Rear mag wheel, semi-pneumatic tire, 30.5 cm (12 in.)	N. C.	12.00	36
7156210	Spoked rear wheel, semi-pneumatic tire, 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3 cm (13/16 in.) wide	N. C.	23.62	36
7156211	Spoke guard	43.00	43.00	36

#### **SUBDIVISION 2: PEDIATRIC POSITIONING BASES**

PRICE
(including all
the basic
components)

#### 7156212 PEDIATRIC POSITIONING BASES

1,650.00

SUBCATEGORY "MULTI-ADJUSTABLE TILT"

SUNRISE MEDICAL CANADA INC.

"ZIPPIE IRIS" MODEL

#### TECHNICAL SPECIFICATIONS OF THE DEVICE

Maximum weight capacity: 102.1 kg (225 lb.)

**Seat-to-floor height:** 33.7 cm to 48.3 cm (13<sup>1</sup>/<sub>4</sub> in. to 19 in.)

**Frame:** structure compatible with commercial positioning device anchors; back height from 40.6 cm to 63.5 cm (16 in. to 25 in.) by maximum increments of 5,1 cm (2 in.); back cane angle-adjustable from 90° to 120° by maximum increments of 8°; non-slip push handles or push bar, raised; anchor for headrest bracket; tilt system for minimum angulation of 45°; four tie-down points for adapted transport

	BASIC AND OPTIONAL COMPONENTS	Unit price of component during device purchase	Unit price for component replacement	Warranty (months)
	BODY SUPPORT SYSTEM			
7156213	Flat rigid seat; metal; two strips of "hook" Velcro, 2.5 cm (1 in.) wide or wider; widths of 25.4 cm (10 in.), 27.9 cm (11 in.), 30.5 cm (12 in.), 33 cm (13 in.), 35.6 cm (14 in.), 38.1 cm (15 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.); depths of 30.5 cm (12 in.), 35.6 cm (14 in.), 40.6 cm (16 in.), 43.2 cm (17 in.) or 45.7 cm (18 in.)		158.00	36
7156214	Pelvic positioning belt, auto buckle	N. C.	35.00	36
7156215	Pelvic positioning belt, Velcro	N. C.	29.00	36
7156216	I-type armrest, short; detachable; height-adjustable, from 18.4 cm to 40 cm (7½ in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.00	60

7156217	T-type armrest, short; detachable; height-adjustable, from 18.4 cm to 40 cm (7½ in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.00	60
7156218	I-type armrest, long; detachable; height-adjustable, from 18.4 cm to 40 cm (7½ in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.00	60
7156219	T-type armrest, long; detachable; height-adjustable, from 18.4 cm to 40 cm (7½ in. to 15¾ in.) by maximum increments of 2.5 cm (1 in.), with locking mechanism; clothing guard, rigid, built into armrest; armrest pad, straight	N. C.	120.00	60
7156220	Armrest pad, straight, short	N. C.	9.00	12
	Armrest pad, straight, long 70° footrest, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable,	N. C. N. C.	9.00 116.00	12
	standard size; adjustable heel loop; adjustable length from 17.8 cm to 27.9 cm (7 in. to 11 in.), from 17.8 cm to 33 cm (7 in. to 13 in.), from 17.8 cm to 38,1 cm (7 in. to 15 in.) or from 30.5 cm to 40.6 cm (12 in. to 16 in.)			60
7156223	90° footrest, detachable and pivoting with locking mechanism; footplate angle and depth-adjustable, standard size; adjustable heel loop; adjustable length from 17.8 cm to 22.9 cm (7 in. to 9 in.), from 17.8 cm to 33 cm (7 in. to 13 in.) or from 17.8 cm to 38.1 cm (7 in. to 15 in.)	N. C.	116.00	60
7156224	Elevating leg-rest, non-compensating; detachable and pivoting with locking mechanism; adjustable length; standard folding footplate, standard or oversize; compatible with the same attachment points as the footrest or supplied with its own attachments; padded calf-rest, height and depthadjustable	19.00	135.00	36
7156225	Padded calf-rest	20.00	20.00	36
7156226	Calf-rest strap, single	19.00	19.00	36
7156227	Footplate, angle and depth-adjustable, standard size	N. C.	40.00	36
7156228	Footplate, angle and depth-adjustable, oversize	N. C.	40.00	36
7156229	Folding footplate, standard, standard size	N. C.	9.00	36
7156230	Folding footplate, standard, oversize	N. C.	9.00	36
7156231	Full-width footplate, one piece, folding; angle-adjustable	28.00	108.00	36
	Heel loop, adjustable	N. C.	11.00	36
7156233	Headrest bracket, height and depth-adjustable, or articulated uniball bracket	75.00	75.00	36

7156234	Headrest cushion, padded and contoured, all sizes	70.00	70.00	36
7156235	FRAME Anti-tipping wheels, detachable or pivoting, with locking mechanism	N. C.	28.00	60
<b>5156006</b>	DRIVE SYSTEM		40.00	2.6
7156236	Handrim, smooth	N. C.	40.00	36
7156237	Handrim, plastic-coated	N. C.	40.00	36
7156238 7156239	Non-slip handrim, foam	85.00 45.00	125.00 85.00	36
/130239	Handrim with vertical or oblique projections	43.00	83.00	36
7156240	Standard wheel lock, push-to-lock	N. C.	32.00	36
7156241	Plug-in wheel lock extension	7.00	7.00	36
7156242	Caster fork, height-adjustable, compatible with all available wheel diameters	N. C.	32.00	36
	WHEELS AND TIRES			
7156243	Front mag wheel, semi-pneumatic tire, 20.3 cm (8 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.)	N. C.	15.00	36
7156244	Front mag wheel, semi-pneumatic tire, 15.2 cm (6 in.); widths of 2.5 cm (1 in.) or 3.8 cm (1½ in.)	N. C.	15.00	36
7156245	Rear axle, quick release system, with push-button locking mechanism	N. C.	33.00	36
7156246	Threaded rear axle	N. C.	5.00	36
7156247	Rear mag wheel, semi-pneumatic tire, 30.5 cm	N. C.	80.00	
	(12 in.)			36
7156248	Spoked rear wheel, semi-pneumatic tire, 50.8 cm (20 in.), 55.9 cm (22 in.) or 61 cm (24 in.); 3.5 cm (13/8 in.) wide	N. C.	80.00	36

### DIVISION V: STROLLERS AND ORTHOMOBILES

DEVICE	Maximum price
Buggy Major-type stroller, including footrests and harness	
4495602 less than three years of age *	660.00
4495610 three years of age and over	660.00
Available Component(s)	
4495651 padded seat	96.00
4494993 other components	S. C.
4493862 thoracic support	96.00
4493870 chest pad	57.00

### **DURATION OF GUARANTEE: 12 months**

DEVICE	Maximum price
4495701 Other strollers*	S. C.
2192300 Orthomobiles	S. C.

## PART II: POSTURE DEVICE

	Description	Maximum price
	DEVICE	
4565058	Positioning device	*
	* The price of the positioning device is equal to the total price of the positioning components.	
	WARRANTY PERIOD: 3 months	
4490223	Standardized cushion, multilayer or injected foam	400.00
4490249	Standardized cushion, viscoelastic foam and gel	400.00
4499646	Standardized cushion, viscofluid foam and gel	400.00
4499869	Standardized cushion, static air-adjustable, single-compartment (by adjusting pressure or cell quantity)	500.00
4490215	Standardized cushion, static air-adjustable, multi- compartment (by adjusting pressure or cell quantity)	500.00
4499695	Standardized cushion, viscoelastic gel	500.00
4490231	Standardized cushion, viscofluid gel	500.00
4490256	Standardized cushion, foam with air insert	500.00
4490248	Standardized convoluted cushion, fusion-bonded thermoplastic polymer	500.00
4490272	Customized cushion, multilayer or injected foam	425.00
4490280	Customized cushion, viscoelastic foam and gel	425.00
4490298	Customized cushion, viscofluid foam and gel	425.00
4490306	Customized cushion, foam with air insert	525.00
4490307	Customized cushion, fusion-bonded thermoplastic polymer	600.00
4020510	Standard cover for specialized seat cushion	75.00
4020511	Commercial waterproof cover for specialized seat cushion	100.00
4020512	Surcharge payable for 2 commercial waterproof covers, provided with purchase or replacement of specialized seat cushion, as substitution for 2 standard covers	50.00
4020513	Waterproof cover for seat cushion (all sizes)	75.00
4020515	Surcharge payable for bariatric cushion, width of more than 50.8 cm (20 in.)	150.00
4565078	Adjustable pediatric posture seat for adaptable stroller, including positioning for torso, pelvis and lower limbs	1 200,00
4565069	Positioning components for head and neck, standardized or standardized modular components	350.00

4565060	Positioning components for torso, pelvis or both, standardized or standardized modular components, excluding seat cushion	450.00
4565070	Positioning belt specialized for pelvis, standardized	100.00
4565061	Positioning harness for torso, standardized	100.00
4565062	Right upper limb positioning components, standardized or standardized modular components	170.00
4565063	Left upper limb positioning components, standardized or standardized modular components	170.00
4565064	Right lower limb positioning components, standardized or standardized modular components	200.00
4565066	Left lower limb positioning components, standardized or standardized modular components	200.00
4565067	Bilateral upper limb positioning components, standardized or standardized modular components	200.00
4565068	Bilateral lower limb positioning components, standardized or standardized modular components	200.00
4565071	Additional or replacement standard cover for specialized back	75.00
4565074	Additional or replacement waterproof cover for specialized back	100.00
4565072	Surcharge payable upon purchase or replacement of back or cover for complete or partial water proofing	50.00
4565075	Surcharge payable for a large positioning component for torso, pelvis or both, width or height of more than 50.8 cm (20 in.)	50.00
4565080	Surcharge payable for hardware allowing thoracic supports to swing away, flip back or fold	200.00
4499900	Head or neck components, moulded or customized	450.00
4499888	Torso positioning components, moulded or customized	500.00
4499889	Bilateral lower limb positioning components, moulded or customized	300.00
4499890	Torso and pelvic positioning component, one-piece, customized contouring	900.00
4499891	Pelvic positioning component, moulded or customized, excluding seat cushion	200.00
4499892	Torso positioning harness, customized	100.00

4499894	Right upper limb positioning components, moulded or customized	270.00
4499895	Left upper limb positioning components, moulded or customized	270.00
4499896	Right lower limb positioning components, moulded or customized	300.00
4499897	Left lower limb positioning components, moulded or customized	300.00
4499899	Bilateral upper limb positioning components, moulded or customized	300.00

#### PART III: ELEMENTS INCLUDED IN THE PRICES OF THE DEVICES

- 1. The maximum or the fixed price for the purchase or replacement of an insured device referred to in Part I or II of this Title includes the following elements:
- (1) the maximum or fixed price for its basic components, its optional components and its and supplements, if any;
- (2) the cost of its manufacture;
- (3) the cost of adjustments required while it is being manufactured, up to and including the final installation;
- (4) the cost of adjustments and repairs during the guarantee period referred to in this Title in respect of each device or in the contract with the supplier, beginning immediately after the final installation and during which any adjustment or repair of a device used under normal conditions is made, in order to bring the device into conformity with the original prescription, where the beneficiary's physical condition has not changed, and to enable the beneficiary to derive maximum benefit from the device.
- 2. The replacement cost of a component or supplement for a device includes the following elements:
- (1) the cost price of the materials;
- (2) the cost of its manufacture, if any;
- (3) the cost of adjustment and installation.

## TITLE THREE: INSURED RELATED SERVICES PART I: PROSTHESES, ORTHOSES, AMBULATION AIDS OR STANDING AIDS

## Labour rate or lump sum

		Laboratory (s25)	Institution (s.25)	•
Codes	Description			
5550001	Labour for the manufacture of a device with at least one component whose purchase or replacement price is stated as « S.C. » or for the repair of an orthosis, prosthesis, ambulation aid, standing aid or their components and supplements (rate per minute)	1.08	0.00	
4499976	Lump sum for recovery, safety check, cleaning, reallocation and inventory management of a walker with thorax support	77.56	0.00	
5442257	Lump sum for initial purchase or replacement of an ambulation aid provided as a complement to an orthosis or prosthesis	16.10	0.00	
5442258	Lump sum for initial purchase or replacement of an ambulation aid provided as a device to an adult	32.20	0.00	
5442259	Lump sum for initial purchase or replacement of an ambulation aid provided as a device to a person under 19 years of age	48.29	0.00	

### PART II: LOCOMOTOR AND POSTURE ASSISTS

## Labour rate or lump sum

		Institution (s.57)
Codes	Description	(=10 / )
5550000		0.00
4499968	Lump sum for the initial purchase or replacement of a manual wheel chair	0.00
4499992	Lump sum for the initial purchase or replacement of a powered wheel chair	0.00
5442260	Lump sum for initial purchase or replacement of a positioning base	0.00
5442272	Non-listed lump sum for initial purchase or replacement of adapted stroller (S.C.)	0.00
4495552	Lump sum for the initial purchase or replacement of a Buggy Major-type stroller	0.00
4499596	Lump sum for the initial purchase or replacement of a propulsion assistance module	0.00
4499950	Lump sum when a device must be adjusted to the growth of an insured person under age 19	0.00
4499935	Lump sum for initial purchase or replacement of a manual wheelchair when the insured person dies before taking final receipt of device	0.00
4499927	Lump sum for initial purchase or replacement of a powered wheelchair when the insured person dies before taking final receipt of device	0.00
5442269	Lump sum for initial purchase or replacement of a positioning base when the insured person dies before taking final receipt of device	0.00
4499943	Lump sum for initial purchase or replacement of a stroller when the insured person dies before taking final receipt of device	0.00
5442254	Lump sum for specialized cushion seat positioning	0.00
5442261	Lump sum for head or neck positioning	0.00

5442262	Lump sum for positioning of torso, pelvis or both (excluding specialized seat cushion-related service)	0.00
5442263	Lump sum for right upper limb positioning	0.00
5442264	Lump sum for left upper limb positioning	0.00
5442265	Lump sum for right lower limb positioning	0.00
5442266	Lump sum for left lower limb positioning	0.00